



**EX US Army Surplus Auction (NL)**  
**Ex us Army surplus auction**

Meers 33 - 6017 BD Thorn  
(Veilinglocatie Ex US Army Surplus Auction)

Sluitingsdatum: dinsdag **12 SEPTEMBER** vanaf 14:00

**Bezichtiging:**

zaterdag 09 september van 10:00 tot 16:00  
Meers 33 - 6017 BD Thorn (Nederland)

*Bieden uitsluitend via internet!*



**dinsdag 12 september 2017 EX US Army Surplus Auction**

## Specifieke Online Veilingvoorwaarden van een openbare veiling

Sluitingsdatum	Dinsdag 12 september 2017 vanaf 14:00 CET								
Bezichtiging	<b>zaterdag 9 september van 10:00 tot 16:00 CET</b> <b>Veilinglocatie Ex US Army Surplus Auction</b> Meers 33 6017 BD Thorn, Nederland								
Opgeld	16,00%								
btw	21,00%								
Afhalen	<b>dinsdag 19 september van 09:00 tot 16:00 CET</b> <b>woensdag 20 september van 09:00 tot 16:00 CET</b> <b>Veilinglocatie Ex US Army Surplus Auction</b> Meers 33 6017 BD Thorn, Nederland								
Bezichtigingsinstructies	Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.  De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk.								
Bijwonen veilingssluiting voor consumenten	Het betreft hier een openbare veiling. Dit betekent dat u als consument de gelegenheid heeft om de online veilingssluiting bij te wonen bij ons op kantoor: <b>Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam</b>  U dient hiervoor geregistreerd te zijn op onze website: <a href="http://www.troostwijkauctions.com">www.troostwijkauctions.com</a> . Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van ons.								
Betalingsdetails	<b>Uw betaling dient 48 uur na de sluiting</b> van de veiling te zijn voldaan op één van de onderstaande rekeningnummers. Bij <b>bankbetaling</b> gaarne <b>kopersnummer</b> en <b>veilingnummer</b> vermelden.  <b>Veilig en gemakkelijk betalen?</b> Selecteer dan de optie <b>Betalen</b> op onze website, in uw <a href="#">MyTroostwijk menu</a> onder <a href="#">Mijn aankopen</a> om direct en veilig te betalen via Ideal/Ogone.								
	<table border="1"><thead><tr><th>Bank</th><th>IBAN nr.</th><th>Rekeningnr.</th><th>BIC code</th></tr></thead><tbody><tr><td>ING</td><td>NL79 INGB</td><td>0697311422</td><td>INGBNL2A</td></tr></tbody></table>	Bank	IBAN nr.	Rekeningnr.	BIC code	ING	NL79 INGB	0697311422	INGBNL2A
Bank	IBAN nr.	Rekeningnr.	BIC code						
ING	NL79 INGB	0697311422	INGBNL2A						
Afhaalinstructies	<b>Let op: bij betaling uw kopernummer en veilingnummer vermelden!</b> Na betaling ontvangt u van ons een <b>betalingsbevestiging</b> per e-mail. <b>Originale facturen</b> zijn voortaan te <b>downloaden</b> vanuit <a href="#">MyTroostwijk</a> . De koper dient op de afhaaldag de koopovereenkomst mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).								



Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

#### Algemene Voorwaarden

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing (gedeponeerd in juli 2014). In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

#### Toezicht

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleevers Fortuijn N.V., advocaten en notarissen, te Den Haag.

#### Combinatie

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

#### Verlenging

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht.

#### Kavels zonder biedingen

Van alle kavels waarop niet is geboden, wordt de sluitingstijd aangepast tot een half uur na de laatste sluitingstijd van kavels binnen deze veiling.

#### Onder voorbehoud van gunning

Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de biedgegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

#### Inhoud, afmetingen en gewicht van de kavels

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie.



Kavel	Aantal	Omschrijving	Openingsbod €
1	1	<b>military cargo truck</b> Stewart & Stevenson, m-1078, bouwjaar 1997, serienummer A14857ECBF, military cargo truck; miles on meter 4972 miles; payload 2,5 tons; gross weight 10.328 kg; diesel engine; tire size 395/85R20; (hal 3)	4.000,00
2	1	<b>military cargo truck</b> Stewart & Stevenson, m-1078, bouwjaar 1998, serienummer AT8901BDDG, military cargo truck; miles on meter 12270 miles; payload 2,5 tons; gross weight 10.328 kg; diesel engine; tire size 395/85R20; (hal 3)	4.000,00
3	1	<b>4x4 military flatbed truck</b> Renault, trm 2000, serienummer S000220, 4x4 military flatbed truck; cap. 2 ton; km on meter 56658 km; 4-cil turbo diesel engine; (hal 3)	2.000,00
4	1	<b>military 4x2 cargo truck</b> International, s 1600 /1654, bouwjaar 1987, serienummer 1HTLAZPL1JH538324, military 4x2 cargo truck; miles on meter 65.837 miles; double cabin; 8-cil diesel engine; 155 pk; 7.3 ltr; (hal 3)	1.000,00
5	1	<b>6x6 military 5 ton cargo truck</b> Reo, m 923 wo/w, bouwjaar 1984, serienummer C523-03490, 6x6 military 5 ton cargo truck; cap. 5 ton; km on meter 13477 km; hours on meter 1507 hours; 6-cilinder diesel engine; engine runs; (hal 3)	5.000,00
6	1	<b>6x6 military 5 ton expansible truck</b> Reo, m 942a2 wo/w, serienummer 42 CD/005, 6x6 military 5 ton expansible truck; cap. 5 ton; km on meter 3452 km; hours on meter 506 hours; 6-cilinder diesel engine; engine runs; expansible body; type C-575; (hal 3)	5.000,00
7	1	<b>4x4 utility truck</b> Mercedes Benz, unimog 1000 / 424, serienummer 424121 10 115556, 4x4 utility truck; permissible total weight 7500 kg; km on meter 97628 km; diesel engine; engine running; cargo kipper; back axis; front connection points	4.000,00
8	1	<b>4x4 utility truck</b> Mercedes Benz, unimog 1700/437/30, bouwjaar 1989, serienummer WDB4371101W154018, 4x4 utility truck; permissible total weight 10600 kg; km on meter 338884 km; diesel engine; engine running; cargo bin; front connection points; Hiab multilift crane; type 800; cap 2 ton at 3,50 mtr; 1,02 ton at 7,30 mtr	6.000,00
9	1	<b>4x4 utility communication truck</b> Mercedes Benz, unimog s404.1, serienummer 404114-0224474, 4x4 utility communication truck; permissible total weight 4750 kg; km on meter 18.118 km; 6-cilinder diesel gasoline; 2,2 ltr; 80 pk; with radio station; (hal 3)	1.500,00
10	1	<b>4x4 military cargo truck</b> Mercedes Benz, 917 afe, bouwjaar 1995, serienummer WDB6761971K125051, 4x4 military cargo truck; weight 9500 kg; mmat total 13.000 kg; km on meter 126.140 km; 4-cil diesel engine; canvas cargo top; front steel cable winch; (hal 3)	2.000,00
11	1	<b>car ambulance truck</b> Renault, S 120 midliner, bouwjaar 1992, serienummer VF640AAA000001909, car ambulance truck; weight 7750 kg; mmat total 12.500 kg; km on meter 205.901 km; 4-cil diesel engine; Manumat loading floor; steel cable winch; (hal 3)	2.000,00
12	1	<b>military kipper truck 8x6</b> AM General, TRK Dump 8x6 M917, bouwjaar 1979, serienummer VIN OT5816-67-10367, military kipper truck 8x6; gvwr 50.000 lbs; with Cummins diesel engine; Fruehauf kipper; type sd-xm 917; tire size 11.00R24; miles on meter 8227 miles; running unknown (hal 3)	3.000,00
13	1	<b>4x4 airport fire fighting truck</b> Faun, LF 20, bouwjaar 1989, serienummer WFN2LF6G4KZ003662, 4x4 airport fire fighting truck; max total mass 21.000 kg; km on meter 43.421 km; hours on meter 4923 hours; tire size 16.00R20; Detroit v6 6-cil diesel engine; engine running; Norbo pump unit; (hal 3)	3.500,00
14	1	<b>mini van</b> Citroen, jumper C27 d, bouwjaar 1996, serienummer VF7231C6215329128, mini van; km on meter 270.232 km; 4-cil diesel engine; engine runs; coupling broken; 8+1 seats; (hal 3)	500,00
15	1	<b>4x4 military jeep</b> Bombardier, 183 yx, bouwjaar 1986, serienummer VIN 2B0ACA2BZGB000157, 4x4 military jeep; 4-cylinder gasoine engine; displacement 1714 cc ; 28365 km on meter; with Dutch registration papers	2.500,00
16	1	<b>wheel loader 4x4</b> Case, W 14 c, bouwjaar 1990, serienummer JAD0089311, wheel loader 4x4; cap. 3200 pound at 24"; 6-cylinder diesel engine; type 6-590; tire size 15,5-25; special bucket; bucket width 2330 mm; closed cabine; operating hours on meter 1862 hours; (engine running) (hal 3)	5.000,00
17	1	<b>4x4 rough terrain fork lift truck</b> Dresser, M 10 A, bouwjaar 1985, serienummer U002845, 4x4 rough terrain fork lift truck; cap. 10.000 lbs; 6-cylinder diesel engine; tire size 20,5-25; closed cabine; operating hours on meter 1882 hours; forkboard width 2100 mm; fork length 1800 mm; side-shift; fork positioner; (engine running) (hal 3)	5.000,00
18	1	<b>4x4 telescopic crane</b> Pettibone, 4x4 telescopic crane; cap. 16,5 ton at 3 mtr; Detroit diesel engine; type 50435001; 4 hydraulic outriggers; hours on meter 9129 hours; total weight 17,5 ton; tire size 17,5-25; engine runs; no driving; (hal 3)	2.500,00
19	1	<b>4x4 truck mounted 5-10 ton fully slewing crane</b> Thomas Smith, LT 11, serienummer C567493, 4x4 truck mounted 5-10 ton fully slewing crane; miles on meter 2495 miles; 6-cil diesel engine; bad looking but still running; no papers; (outside)	2.500,00
20	1	<b>telescopic highworker trailer</b> SEV Aerial, K22T, bouwjaar 2003, serienummer K22T 3045, telescopic highworker trailer; single axis; max. platform height 22 mtr; cap. 2 persons+55 kg (215 kg); with 1 cilinder Honda gasoline engine; 4 hydraulic outriggers; mover; Dutch registration WR-TT-62	5.000,00
21	1	<b>pulling truck</b> Jenbacher, zd 80 f, bouwjaar 2000, serienummer 725DHF202476, pulling truck; total weight 7000 kg; own weight 6000 kg; 4-cil diesel engine; hours on meter 2279 hours; (hal 3)	1.000,00
22	1	<b>pulling truck</b> Mulag, pulling truck; Deutz 4-cil diesel engine; hours on meter 4119 hours; (hal 3)	600,00
23	1	<b>utility truck</b> Konrad Wiedemann, T 40, bouwjaar 1985, serienummer 811379, utility truck; Deutz 4-cil gasoline engine; hours on meter 2727 hours; not running; (hal 3)	600,00
24	1	<b>utility truck</b> NN, WT 06, utility truck; Deutz 3-cil gasoline engine; hours on meter 7860 hours; not running; (hal 3)	600,00
25	1	<b>asphalt roller</b> Bomag, BW120AD, serienummer 170121825, asphalt roller; operating weight 2470 kg; working width 1200 mm; read out hours on display 1291 hr; with Deutz 2-cylinder diesel engine; (hal 3)	1.500,00
26	1	<b>wheeled warehouse tractor</b> Eagle industrial truck, TN-4, serienummer 10706, wheeled warehouse tractor; with 4 cylinder diesel engine; read out hours on display 741 hr	500,00
27	1	<b>mobile hydraulic hammer</b> Arrow, D500, bouwjaar 1988, serienummer AH193F, mobile hydraulic hammer ; total own weight 5200 kg; read out hours on display 33 hr.; with Ford 4 cylinder diesel engine	500,00
28	1	<b>military motor bike</b> Cagiva, serienummer A9400598, military motor bike; km on meter 10995 km; gasoline engine; (hal 3)	500,00
29	1	<b>double axis heavy expanded cargo trailer</b> m989a1, bouwjaar 1992, serienummer NWONOC. 650, double axis heavy expanded cargo trailer; max payload 22.000 lbs; (hal 3)	750,00
30	1	<b>single axis trailer mounted wood shredder</b> Nicolas, C 1138 / A55, bouwjaar 2005, serienummer VF9C113SE05058010, single axis trailer mounted wood shredder; with 3-cil diesel engine; hours on meter 1432 hours; (hal 3)	750,00
31	1	<b>frame mounted snow plough and spare wheel</b> Brumeca, climax 2t, bouwjaar 1989, frame mounted snow plough and spare wheel; (hal 3)	250,00
32	1	<b>mobile power generator</b> Sogerma, SEAA2, mobile power generator; 6-cylinder Deutz diesel engine; (hal 3)	250,00
33	1	<b>single axis mounted diesel generator</b> Fermont, mep-803a, bouwjaar 2000, serienummer FZ 32308, single axis mounted diesel generator; 10 kW; 60 hZ; 120/208 volt; operational hours on meter 975 hours; diesel engine; (hal 3)	450,00
34	1	<b>double axis mounted diesel generator</b> Cat / Olympian, erp 100, bouwjaar 2003, serienummer OLY00000VRP501908, double axis mounted diesel generator; 100 kVA; 80 kW; 240/400 volt; 1500 rpm; operational hours on meter 12.491 hours; Perkins 4-cil diesel engine; (hal 3)	1.250,00
35	1	<b>diesel generator</b> Deutz / MWM, bouwjaar 1988, diesel generator; 600 kVA; 50 Hz; 400 volt; Deutz 8-cil diesel engine; 1500 rpm; AVK alternator; (hal 3)	3.500,00
36	1	<b>diesel generator</b> Himoinsa, HLW 11, bouwjaar 2008, serienummer 8102079, diesel generator; 11 kVA; 50 Hz; 380 volt; operational hours 6128 hours; Lombardi 4-cil diesel engine; 1500 rpm; own weight 1600 kg; (hal 3)	1.500,00



Kavel	Aantal	Omschrijving	Openingsbod €
37	1	<b>single axis trailer mounted field washing station</b> Sert, lav, bouwjaar 1997, serienummer 123, single axis trailer mounted field washing station; 400 volt; with washing machine; dryer; inclusive 11 kVA lombardini generatorset; etc; (hal 3)	750,00
38	1	<b>single axis trailer</b> NEF, bouwjaar 2006, single axis trailer; gvw 6000 lbs; with flexible hoses; (hal 3)	250,00
39	1	<b>double axis fuel service unit</b> US, double axis fuel service unit; operational hours 211 hour on meter; with Mansfield pump unit; fuel tank; hoses; valves; control panel; (hal 3)	1.000,00
40	1	<b>hydraulic poliep grabber</b> hydraulic poliep grabber; (hal 3)	500,00
41	1	<b>4in1 loader bucket</b> Drott, MW24C, 4in1 loader bucket; cap. 2 1/2 CU YD; width 2500 mm; (hal3)	400,00
42	1	<b>lift arm attachment</b> Nn, L, lift arm attachment; (hal 3)	200,00
43	1	<b>single axis mounted diesel generator;</b> MC II, mep-805b, bouwjaar 2001, serienummer HX 32175, single axis mounted diesel generator; 30 kW; 50/60 hZ; 120/208/240/416 volt; operational hours on meter 103 hours; John Deere 4-cilinder diesel engine; (hal 3)	600,00
44	1	<b>single axis mounted diesel generator;</b> L 3, mep-805b, bouwjaar 2006, serienummer HX 34823, single axis mounted diesel generator; 30 kW; 50/60 hZ; 120/208/240/416 volt; operational hours on meter 213 hours; John Deere 4-cilinder diesel engine; (hal 3)	600,00
45	1	<b>single axis mounted diesel generator;</b> Fermont, mep-803a, bouwjaar 1999, serienummer FZ 30261, single axis mounted diesel generator; 10 kW; 60 hZ; 120/208/240 volt; operational hours on meter 6 hours; Genset 4-cilinder diesel engine; (hal 3)	600,00
46	1	<b>agri plough attachment</b> agri plough attachment; max width 300 cm; with hydraulic connection; (hal 3)	250,00
47	1	<b>single axis cargo trailer</b> single axis cargo trailer; with cover; (hal 3)	250,00
48	1	<b>single axis trailer</b> Ziegler, single axis trailer; (hal 3)	150,00
49	1	<b>single axis cargo trailer</b> single axis cargo trailer; with cover; (hal 3)	250,00
50	1	<b>single axis hummer trailer</b> US, serienummer R 13003, hummer trailer; dim. 120x190 cm; (hal 3)	250,00
51	1	<b>single axis hummer trailer</b> US, serienummer R 13837, single axis hummer trailer; dim. 120x190 cm; (hal 3)	250,00
52	1	<b>single axis hummer trailer</b> US, serienummer R 28794, single axis hummer trailer; dim. 120x190 cm; (hal 3)	250,00
53	1	<b>single axis hummer trailer</b> US, serienummer 29014, single axis hummer trailer; dim. 120x190 cm; (hal 3)	250,00
54	1	<b>single axis trailer</b> S.e.r.t., RD 3000, single axis trailer; with incomplete shower installation; (hal 3)	400,00
55	1	<b>military bridge etection/ combat support boot</b> Fairrey allday marine, bouwjaar 1987, serienummer 0046-87, military bridge etection/ combat support boot; with 2 Saber 6-cil diesel engines; 2 Dowti jets; single axis trailer frame; running unknown; (hal 3)	2.500,00
56	1	<b>military ponton push boat</b> Baignoire, vdp 1600, bouwjaar 1977, serienummer H 429, military ponton push boat; with 10-cil diesel engine; operational hours on meter 1323 hours; frame mounted; running unknown; (hal 3)	2.500,00
57	1	<b>2-axis container lift and transport dolly</b> 2-axis container lift and transport dolly; payload max 3 ton; (hal 3)	500,00
58	1	<b>2-axis container lift and transport dolly</b> 2-axis container lift and transport dolly; payload max 3 ton; (hal 3)	500,00
59	1	<b>diesel generator set on trailer</b> Libby Welding, MEP004A, bouwjaar 1982, diesel generator set on trailer; cap. 15 kW; with 4-cylinder Hercules diesel engine; engine model FSCM 28265 operating hours on meter 7779 hr; single axis; (hal3)	600,00
60	1	<b>diesel generator set on trailer;</b> Fermont, mep-804a, bouwjaar 2000, serienummer FZ 58146, diesel generator set on trailer; cap. 15 kW; 50/60 Hz; 120/208 volt; with 4-cylinder Zexel diesel engine; operating hours on meter 1078 hr; single axis; (hal3)	600,00
61	1	<b>diesel generator set on trailer;</b> Fermont, mep-804a, bouwjaar 2005, serienummer FZ 59462, diesel generator set on trailer; cap. 15 kW; 50/60 Hz; 120/208/240/416 volt; with 4-cylinder Zexel diesel engine; operating hours on meter 314 hr; single axis; (hal3)	600,00
62	1	<b>ground power unit</b> Houchin, 775 d, serienummer 39016, ground power unit; Deutz 4-cilinder diesel engine; operational hours on meter 7434 hours; (hal 3)	400,00
63	1	<b>2-axis heavy expanded ammo cargo trailer</b> US, m989a1, serienummer 920529, 2-axis heavy expanded ammo cargo trailer; (hal 3)	2.000,00
64	1	<b>2-axis cargo trailer incomplete</b> Mol / Wabco, a56/15v/5050/10pl/1, serienummer YA2A10B0008134686, 2-axis cargo trailer incomplete; total weight 10.000 kg; with drive on plates; tire missing; flat tires; (hal 3)	400,00
65	1	<b>single axis trailer</b> Kässbohrer, bwb 2300128, bouwjaar 1987, serienummer WKK40800001010925, single axis trailer; total weight 2800 kg; (hal 3)	250,00
66	1	<b>single axis cargo trailer 1.5 ton</b> Spade leasing corp, M105A2, bouwjaar 2002, serienummer NWOV3S1186, single axis cargo trailer 1.5 ton; max. pay load 5260 lbs; dim. approx. 280x190 cm; (hal3)	300,00
67	1	<b>double axis mounted diesel generator</b> Hitzinger, mpu 60 mde 1, bouwjaar 2005, serienummer 123149, double axis mounted diesel generator; output 1 (400 Hz) 208/120 Volt; 208 Amp.; 75 kVA; output 2 (50 Hz) 380/220 Volt; 30 kW; 46 Amp.; 6-cil diesel motor type BF6M1013FC; 128 kW; 1500 rpm; hours on meter 8247 hours; own weight approx 5300 kg; (hal 3)	2.000,00
68	1	<b>double axis mounted diesel generator trailer</b> Hitzinger, mpu 60 mde 1, bouwjaar 2007, serienummer 126674, double axis mounted diesel generator trailer; output 1 (400 Hz) 208/120 Volt; 208 Amp.; 75 kVA; output 2 (50 Hz) 380/220 Volt; 30 kW; 46 Amp.; 6-cil diesel motor type BF6M1013FC; 128 kW; 1500 rpm; hours on meter 924 hours; own weight approx 5300 kg; (hal 3)	2.000,00
69	1	<b>double axis mounted diesel generator trailer</b> Hitzinger, mpu 60 mde 1, bouwjaar 2005, serienummer 122735, double axis mounted diesel generator trailer; output 1 (400 Hz) 208/120 Volt; 208 Amp.; 75 kVA; output 2 (50 Hz) 380/220 Volt; 30 kW; 46 Amp.; 6-cil diesel motor type BF6M1013FC; 128 kW; 1500 rpm; hours on meter 8404 hours; own weight approx 5300 kg; (hal 3)	2.000,00
70	1	<b>double axis mounted diesel generator trailer</b> Hitzinger, mpu 60 mde 1, bouwjaar 2005, serienummer 123153, double axis mounted diesel generator trailer; output 1 (400 Hz) 208/120 Volt; 208 Amp.; 75 kVA; output 2 (50 Hz) 380/220 Volt; 30 kW; 46 Amp.; 6-cil diesel motor type BF6M1013FC; 128 kW; 1500 rpm; hours on meter 7134 hours; own weight approx 5300 kg; (hal 3)	2.000,00
71	1	<b>single axis cargo trailer 1.5 ton</b> US, M1101, bouwjaar 2009, serienummer 20236, single axis cargo trailer 1.5 ton; max. pay load 3400 lbs; dim. approx. 280x190 cm; (hal3)	300,00
72	1	<b>single axis cargo trailer 1.5 ton</b> US, M1101, bouwjaar 2009, serienummer 20752, single axis cargo trailer 1.5 ton; max. pay load 3400 lbs; dim. approx. 280x190 cm; (hal3)	300,00
73	1	<b>single axis boot trailer</b> Waroquier, pc 16, bouwjaar 1995, serienummer WYA6W1639W, single axis boot trailer; load cap. 1600 kg; (hal 3)	500,00
74	1	<b>diesel generator set on trailer</b> Nn, diesel generator set on trailer; cap. 12.5 kVA; with 4-cylinder Hatz diesel engine; engine model 4L30K; operating hours on meter 1409 hr; single axis; (hal3)	400,00
75	1	<b>unfolding field toilet unit</b> Highland, unfolding field toilet unit; with toilet seats; pump; etc; (hal 3)	200,00
76	1	<b>unfolding field toilet unit</b> Highland, unfolding field toilet unit; with toilet seats; pump; etc; (hal 3)	200,00
77	1	<b>unfolding field toilet unit</b> Highland, unfolding field toilet unit; with toilet seats; pump; etc; (hal 3)	200,00



Kavel	Aantal	Omschrijving	Openingsbod €
78	1	<b>unfolding field toilet unit</b> Highland, unfolding field toilet unit; with toilet seats; pump; etc; (hal 3)	200,00
79	1	<b>heavy load mobile platform</b> heavy load mobile platform; dim. 800x255 cm; (hal 3)	600,00
80	1	<b>heavy load 4-wheel trailer</b> heavy load 4-wheel trailer; dim. 410x240 cm; double back wheels; (hal 3)	250,00
81	1	<b>hydraulic cylinder</b> hydraulic cylinder; length (heart to heart) 3850 mm (hal 3)	150,00
82	1	<b>single axis trailer frame</b> single axis trailer frame; (hal 3)	100,00
83	1	<b>in board boot engine</b> Schottel, 300/226, bouwjaar 1996, serienummer 11891, in board boot engine; under water depth approx. 150 cm; inner core propellor Ø80-140 mm; total height 260 cm; on stand	500,00
84	1	<b>incomplete diesel forklift truck for parts</b> Brumeca, commander, incomplete diesel forklift truck for parts; cap. 2000 kg; (hal 3)	500,00
85	1	<b>diesel forklift truck</b> Brumeca, BN-Climax Commando TT20-4, serienummer 276, diesel forklift truck; cap. 2000 kg; lifting height 3800 mm ; double beam; drive through height 2850 mm; fork board width 1350 mm; fork length 1200 mm ; side-shift; read out working hours 2519 hr ; front tyre size 395/85R20 ; rear tyre size 15.5/80R20 ; not running (hal 3)	800,00
86	1	<b>diesel forklift truck</b> Brumeca, BN-Climax Commando TT20-4M, serienummer 329, diesel forklift truck; cap. 2000 kg; lifting height 3800 mm ; double beam; drive through height 2850 mm; fork board width 1350 mm; fork length 1200 mm ; side-shift; read out working hours 4109 hr ; front tyre size 395/85R20 ; rear tyre size 15.5/80R20 ; not running (hal 3)	800,00
87	1	<b>all terrain 6x4 vehicular</b> John Deere, gator, bouwjaar 2004, serienummer W006X4D039380, all terrain 6x4 vehicular; 3550 rpm; 11,3 kW; not running; with manual cargo kipper; (hal 3)	500,00
88	1	<b>all terrain 6x4 vehicle</b> John Deere, gator, serienummer M0M6X4D025098, all terrain 6x4 vehicle; no engine; not running; with manual cargo kipper; (hal 3)	300,00
89	1	<b>all terrain 6x4 vehicle</b> John Deere, gator, bouwjaar 2004, serienummer W006X4D039768, all terrain 6x4 vehicle; 3550 rpm; 11,3 kW; diesel engine; not running; with manual cargo kipper; (hal 3)	500,00
90	1	<b>all terrain 6x4 vehicle</b> John Deere, gator 6x4 dl, serienummer VG06X4D032008, all terrain 6x4 vehicle; 3550 rpm; 11,3 kW; diesel engine; not running; with manual cargo kipper; (hal 3)	500,00
91	1	<b>snow plough attachment</b> Schmidt, fol 3, bouwjaar 1990, snow plough attachment; dim. 2550 mm; (hal 3)	150,00
92	1	<b>lift bin for forklift truck</b> Kool, lift bin for forklift truck; (hal 3)	200,00
93	1	<b>sweeper attachment</b> Smb, sweeper attachment; dim. 1900 mm; (hal 3)	250,00
94	1	<b>complete dismanteld all terrain bike</b> Polaris, atv-09-01, bouwjaar 2009, complete dismanteld all terrain bike; with tracks; type vtt tatou 4s; parts etc; (hal 3)	1.000,00
95	1	<b>6x6 incomplete all terrain bike</b> Polaris, 6x6 incomplete all terrain bike; with parts etc; (hal 3)	500,00
		<b>Utility motors</b>	
96	1	<b>gasoline lawn mower</b> Honda, 4514 hydrostatic, gasoline lawn mower; with 1-cilinder gasoline engine; (hal 3)	250,00
97	1	<b>special 2-cil agri cutter machine</b> 2084 srl, special 2-cil agri cutter machine; (hal 3)	300,00
98	1	<b>hydraulic truck crane</b> Amco veba, v704 1s, bouwjaar 2000, serienummer 11588, hydraulic truck crane; cap. 995 kg at 3.68 mtr; 720 kg at 5.06 mtr; 550 kg at 6.62 mtr; (hal 3)	500,00
99	1	<b>hydraulic truck crane</b> Palfinger, pk 7000, bouwjaar 1999, serienummer 0522080, hydraulic truck crane; cap. 3000 kg at 1.80 mtr; 1890 kg at 3.3 mtr; 1240 kg at 5.0 mtr; (hal 3)	500,00
100	1	<b>duo lift beam for forklifttruck</b> Cascade, duo lift beam for forklifttruck; (hal 3)	100,00
101	1	<b>gasoline lawn mower</b> Murray, 21", gasoline lawn mower; not running; (hal 3)	50,00
102	1	<b>salt spreader attachment</b> Vicon, salt spreader attachment; (hal 3)	75,00
103	1	<b>hydraulic punching machine</b> Nissinbo, MTP500, bouwjaar 1990, serienummer 90195, hydraulic punching machine; cap. 20 ton; max. plate size with clamp 500x1000 mm; max. plate thickness 6 mm; max. hole diameter ø40 mm; max. nr of stations 10; 380 Volt; with manual; own weight machine 5000 kg; (hal3)	1.000,00
104	1	<b>heavy excentrix press</b> WMW, pedn 100/2, serienummer 014-010/8, heavy excentrix press; cap. 100 mp; stroke 20-140 mm; thickness 4 mm; 220/380 volt; 10,5 kW; (hal 3)	500,00
105	1	<b>electric plate shear</b> Cesioa ghigliottina, 3000, electric plate shear; cap. 2-4 mm; max width 3000 mm; 380 volt; (hal 3)	600,00
106	1	<b>diesel generator trailer 254 kVA</b> Polyma, diesel generator trailer 254 kVA; 230/400 Volt; with Mercedes-Benz V12 diesel engine 218 kW; engine model OM 404; with s/s fuel tank; operating hours on meter 7083 hr; double axis trailer; (running condition)(no registration papers!)	3.000,00
107	1	<b>single axis mounted diesel generator;</b> John R. Hollingworth, mep-004a, bouwjaar 1983, serienummer KZ 02228, single axis mounted diesel generator; 15 kW; 50/60 hz; 120/208 volt; operational hours on meter 1572 hours; 4-cilinder diesel engine; (hal 3)	500,00
108	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x120 cm; (hal 3)	75,00
109	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x120 cm; (hal 3)	75,00
110	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x120 cm; (hal 3)	75,00
111	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x120 cm; (hal 3)	75,00
112	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
113	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
114	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
115	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
116	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
117	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
118	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
119	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
120	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00



Kavel	Aantal	Omschrijving	Openingsbod €
121	2	<b>4-wheels heavy transport frames</b> 4-wheels heavy transport frames; dim. 120x120 cm; (hal 3)	150,00
122	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
123	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
124	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
125	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
126	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
127	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
128	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
129	1	<b>4-wheels heavy transport frame</b> 4-wheels heavy transport frame; dim. 120x250 cm; (hal 3)	100,00
130	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
131	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
132	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
133	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
134	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
135	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
136	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
137	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
138	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
139	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
140	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 155x108x148 cm; (hal 3)	100,00
141	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (hal 3)	50,00
142	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (hal 3)	50,00
143	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (hal 3)	50,00
144	1	<b>rough terrain 20 ton crane</b> American Hoist, 2380, bouwjaar 1966, serienummer GS 8D2597, rough terrain 20 ton crane; cap. 20 ton; under carriage with Cummins V8 diesel engine; engine model V8-265; crane with 6-cylinder Cummins engine; 4 hydraulic outriggers; tire size 26.5-25; miles on meter 1577 miles; operational hours on meter 521 hr; shipping weight 56530 lb	6.000,00
145	1	<b>4x4 jeep</b> Jeep, Willys, bouwjaar 1952, 4x4 jeep; with 4-cilinder Opel diesel engine; with spare tire; fuel tank; tire size 6.00-16; with Belgium documents; km on meter 88968 km; (running condition)	5.000,00
146	1	<b>4x2 fire fighting truck</b> Navistar, 4900, serienummer 1HTSDADR1XH630247, 4x2 fire fighting truck; miles on meter 32.992 miles; hours on meter 2228 hour; not running; dashboard incomplete; diesel engine; 300 hp; Kme fire equipment; (hal 3)	3.000,00
147	1	<b>pulling truck</b> Chevrolet, serienummer 1GBGC34J1FJ165217, pulling truck; miles on meter 1518 miles; diesel engine; automatic gear; tire size 16-20; (hal 3)	1.500,00
148	1	<b>military jeep</b> Mercedes Benz, 240 gd, military jeep; bad shape; not running; km on meter 37.330 km; diesel engine; (hal 3)	1.000,00
149	1	<b>military mini truck</b> Volvo, military mini truck; bad shape; not running; km on meter 79.228 km; diesel engine; flat tire; (hal 3)	1.000,00
150	1	<b>4x2 sludge disposal tank truck</b> Mercedes Benz, 1622, bouwjaar 1986, serienummer W0861702315216443, 4x2 sludge disposal tank truck; permissible total weight 18.000 kg; km on meter 15.5944 km; diesel engine; Faun sluge installation; tank; (hal 3)	3.000,00
151	1	<b>2-axis 4-wheels gen. purpose flatbed trailer</b> Utility tool & Body, m1061a1, 2-axis 4-wheels gen. purpose flatbed trailer; cap. 5 ton; (hal 3)	500,00
152	1	<b>2-axis 4-wheels gen. purpose flatbed trailer</b> Utility tool & Body, m1061a1, 2-axis 4-wheels gen. purpose flatbed trailer; cap. 5 ton; (hal 3)	500,00
153	1	<b>single axis field kitchen trailer</b> Penn metal, mkt-75a, single axis field kitchen trailer; trailer cap. 1,5 ton; (hal 3)	250,00
154	1	<b>single axis traffic trailer</b> JD Nederland, jd-hvw-1300, single axis traffic trailer; heigth max 3895 cm; load cap. 400 kg; max 1300 kg; with charger; papers; plate number wt-ps-54; remote control	1.500,00
155	1	<b>mini lawn mower tractor</b> Kubota, gt 950, mini lawn mower tractor; with Kubota 3-cilinder diesel engine; unknow running; no key; hours on meter 1490 hours; flat tires; (hal 3)	250,00
156	1	<b>1-door cool storage shipping container</b> 1-door cool storage shipping container; dim. 5m3; without cool compressor; (outside)	400,00
157	1	<b>1-door special storage shipping container</b> 1-door special storage shipping container; dim. 217x268x230 cm; with Stanley storage cabinets; (outside)	400,00
158	1	<b>2-doors storage shipping container</b> 2-doors storage shipping container; dim. 196x243x244 cm; (outside)	400,00
159	1	<b>2-doors storage shipping container</b> 2-doors storage shipping container; dim. 196x243x244 cm; (outside)	400,00
160	1	<b>1-door special unfolding storage shipping container</b> 1-door special unfolding storage shipping container; dim. 223x273 cm; with diesel generator; (outside)	400,00
161	1	<b>1-door special storage shipping container</b> 1-door special storage shipping container; dim. 470x230 cm; excl. diesel generator	400,00
162	1	<b>1-door special storage shipping container</b> 1-door special storage shipping container; dim. 217x268x230 cm; with Stanley storage cabinets; (outside)	400,00
163	1	<b>2-doors storage shipping container</b> 2-doors storage shipping container; dim. 196x243x244 cm; (outside)	400,00
164	1	<b>4-wheel tank trailer</b> Veenhuis, 8000, bouwjaar 1980, serienummer 15354, 4-wheel tank trailer; volume 8000 ltr; with pump; (outside)	500,00
165	1	<b>4-wheel tank trailer</b> Veenhuis, 8000, bouwjaar 1976, serienummer 10730, 4-wheel tank trailer; volume 8000 ltr; with pump; (outside)	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
166	1	<b>1-door cool storage shipping container</b> Zhender, 1-door cool storage shipping container; dim. 5m3; with Lombardini 3-cil. cool compressor; (outside)	500,00
167	1	<b>mobile electric lift platform/ loading ramp</b> K. Bartscher, B4004 R, bouwjaar 1987, serienummer 341.4, mobile electric lift platform/ loading ramp; lift cap. 4000 daN; max height 1.5 mtr; oil pressure 200 bar; (outside)	600,00
168	1	<b>electric hydraulic press container</b> Nau, p 1-20, bouwjaar 1996, serienummer 27015, electric hydraulic press container; volume 20 cube; total weight 14.000 kg; with hook lift system; (outside)	1.000,00
169	1	<b>electric hydraulic press container</b> Nau, p 1-20, bouwjaar 1996, serienummer 27813, electric hydraulic press container; volume 20 cube; total weight 14.000 kg; with hook lift system; (outside)	1.000,00
170	1	<b>20 foot shipping container</b> 20 foot shipping container; (outside)	450,00
171	1	<b>20 foot shipping container</b> 20 foot shipping container; (outside)	450,00
172	1	<b>steel tank</b> steel tank; (outside)	450,00
173	1	<b>mobile loading ramp</b> Magliner, mobile loading ramp; load cap. 16.000 lbs; dim. 1000x230 cm; (outside)	1.200,00
174	1	<b>2-axis container/shelter lift and transport dolly</b> m1022, 2-axis container/shelter lift and transport dolly; payload max 3 ton; (outside)	500,00
175	1	<b>2-axis container/shelter lift and transport dolly</b> m1022, 2-axis container/shelter lift and transport dolly; payload max 3 ton; (outside)	500,00
176	1	<b>2-axis container/shelter lift and transport dolly</b> m1022, 2-axis container/shelter lift and transport dolly; payload max 3 ton; (outside)	500,00
177	1	<b>2-axis container/shelter lift and transport dolly</b> m1022, 2-axis container/shelter lift and transport dolly; payload max 3 ton; (outside)	500,00
178	1	<b>2-axis container/shelter lift and transport dolly</b> m1022, 2-axis container/shelter lift and transport dolly; payload max 3 ton; (outside)	500,00
179	31	<b>various stelcon plates</b> various stelcon plates; dim. 199x199 cm; (outside)	150,00
180	9	<b>pallets road stones</b> pallets road stones; (outside)	90,00
181	10	<b>hoses</b> Winkler, hoses; work pressure 8 bar; (outside)	50,00
182	9	<b>hoses</b> hoses; (outside)	50,00
183	1	<b>20 foot loading platform</b> Lohr, lohr 20 pieds plm, bouwjaar 1992, 20 foot loading platform; (outside)	500,00
184	1	<b>20 foot loading platform</b> Lohr, lohr 20 pieds plm, bouwjaar 1989, 20 foot loading platform; (outside)	500,00
185	1	<b>20 foot loading platform</b> Moeyersons, lohr 20 pieds plm, bouwjaar 2008, 20 foot loading platform; (outside)	500,00
186	1	<b>electric high rack orderpicker/ stacker</b> Jungheinrich, EKX 515, bouwjaar 2007, serienummer FN365444, electric high rack orderpicker/ stacker; dismantled; max. lifting cap. 1100 kg; max. lifting height 9780 mm; drive through height approx. 5250 mm; forkboard width 1200 mm; fork length 1200 mm; without battery and charger	2.000,00
187	1	<b>electric high rack orderpicker/ stacker</b> Jungheinrich, EKX 515, bouwjaar 2007, serienummer FN365443, electric high rack orderpicker/ stacker; dismantled; max. lifting cap. 1100 kg; max. lifting height 9780 mm; drive through height approx. 5250 mm; forkboard width 1200 mm; fork length 1200 mm; without battery and charger	2.000,00
		<b>Warehouse order pickers</b>	
188	1	<b>set forklift forks</b> Total source, set forklift forks; dim. 1070x100 mm; fem2b; (I3)	50,00
189	1	<b>set forklift forks</b> Msi, set forklift forks; dim. 900x100 mm; fem2a; (I3)	50,00
190	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1100x100 mm; fem2a; (I3)	50,00
191	1	<b>set forklift forks</b> Msi, set forklift forks; dim. 1100x100 mm; fem2a; (I3)	50,00
192	1	<b>set forklift forks</b> Cascade, set forklift forks; dim. 1400x120 mm; (I3)	50,00
193	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
194	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; (3)	50,00
195	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
196	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
197	1	<b>set forklift forks</b> Fema, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
198	1	<b>set forklift forks</b> Fema, set forklift forks; dim. 1630x120 mm; fem2a; (I3)	50,00
199	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1830x150 mm; fem3a; ;(I3)	50,00
200	1	<b>heavy duty diesel forklifttruck</b> Kalmar, DC 12-600, bouwjaar 1994, serienummer T330123033, heavy duty diesel forklifttruck; lifting cap. 12.000 kg; lifting height 5000 mm; duo beam; drive through height 4000 mm; fork board width 2450 mm; fork length 1500 mm; fork positioner; 1x fork leveller; weighing scale; operating hours on meter 16949hr.; Volvo Penta 6-cylinder diesel engine; closed cabine	7.500,00
201	1	<b>forklifttruck LPG</b> TCM, FG35T8, bouwjaar 2000, serienummer 35K00193, forklifttruck LPG; lifting cap. 3500 kg; lifting height 5500 mm; duo beam; drive through height 3500 mm; fork board width 1550 mm; fork length 1200 mm; hydraulic fork adjustment; operating hours on meter 7125h; closed cabine	3.500,00
202	1	<b>electric forklifttruck</b> OM, DI30C, bouwjaar 1982, serienummer 1142543, electric forklifttruck; lifting cap. 3000 kg; lifting height 3300 mm; duo beam; drive through height 2250 mm; fork board width 1100 mm; fork length 1000 mm; operating hours on meter 4267h; no battery charger!	750,00
203	1	<b>diesel forklift truck</b> Still, R70-35, bouwjaar 1998, serienummer 70150195, diesel forklift truck; max. lifting cap. 3500 kg; max. lifting height 3300 mm; drive through height 2350 mm; forkboard width 1200 mm; fork length 1200 mm; duo mast; side shift; operational hours on meter 5260 hr.	2.750,00
204	1	<b>diesel forklifttruck</b> Linde, H60D, bouwjaar 1996, serienummer 353G07012260, diesel forklifttruck; max. lifting cap. 6000 kg; max. lifting height 5500 mm; drive through height 2750 mm; forkboard width 1800 mm; fork length 1950 mm; extra valves; free lift; triple mast; closed cabin; radio; with 6-cylinder Deutz diesel engine; operational hours on meter 8980 hr.	5.000,00
205	1	<b>diesel forklifttruck</b> Linde, H60D, bouwjaar 2008, serienummer H2X396W00858, diesel forklifttruck; max. lifting cap. 6000 kg; max. lifting height 4100 mm; drive through height 3050 mm; forkboard width 2250 mm; fork length 1200 mm; duo mast; extra valves; closed cabin; operational hours on meter 10955 hr.	7.000,00
206	1	<b>electric forklifttruck</b> Toyota, FBMF50, bouwjaar 2011, serienummer 768MF5011997, electric forklifttruck; max. lifting cap. 5000 kg; max. lifting height 4500 mm; drive through height 3100 mm; forkboard width 1600 mm; fork length 1000 mm; duo mast; operational hours on meter 13087 hr.	4.000,00





Kavel	Aantal	Omschrijving	Openingsbod €
207	1	<b>electric forkliftruck</b> Still, R60-40, bouwjaar 2006, serienummer 516047003369, electric forkliftruck; max. lifting cap. 4000 kg; max. lifting height 6850 mm; drive through height 3050 mm; forkboard width 1200 mm; fork length 1400 mm; triple beam; free lift; side shift; extra valves until forkboard; operational hours on meter 11275 hr.	4.000,00
208	1	<b>electric forkliftruck</b> Still, R20-20, bouwjaar 2008, serienummer 516216021568, electric forkliftruck; max. lifting cap. 2000 kg; max. lifting height 4750 mm; drive through height 2100 mm; forkboard width 950 mm; fork length 1000 mm; triple mast; free lift; closed cabin; extra valves until forkboard; operational hours on meter 5042 hr.	4.500,00
209	1	<b>lpg forkliftruck</b> Still, R70-16, bouwjaar 2008, serienummer 517314D00195, lpg forkliftruck; max. lifting cap. 1600 kg; max. lifting height 4900 mm; drive through height 2200 mm; forkboard width 1000 mm; fork length 1200 mm; triple mast; free lift; extra valves until forkboard; operational hours on meter 6945 hr.	3.500,00
210	1	<b>electric forklift truck</b> Still, RX20-15, serienummer 516210011918, electric forklift truck; max. lifting cap. 1500 kg; max. lifting height 6880 mm; drive through height 2850 mm; forkboard width 1000 mm; fork length 1200 mm; triple mast; free lift; side shift; operational hours on meter 5906 hr.	3.000,00
211	1	<b>electric forklift truck</b> Still, RX20-18, bouwjaar 2005, serienummer 516213001959, electric forklift truck; max. lifting cap. 1800 kg; max. lifting height 3150 mm; drive through height 2100 mm; forkboard width 980 mm; fork length 1150 mm; duo mast; free lift; side shift; operational hours on meter 6771 hr.	3.000,00
212	1	<b>lpg forklift truck</b> Toyota, 02-8FGF25, bouwjaar 2012, serienummer 8FGF25 31566, lpg forklift truck; max. lifting cap. 2500 kg; max. lifting height 4000 mm; drive through height 2600 mm; forkboard width 1000 mm; fork length 1200 mm; duo mast; 2 extra valves until forkboard; operational hours on meter 6259 hr.	5.000,00
213	1	<b>electric forkliftruck</b> Jungheinrich, EFG DF 360ZT, bouwjaar 2000, serienummer 89911482, electric forkliftruck; max. lifting cap. 2000 kg; max. lifting height 4540 mm; drive through height 2050 mm; forkboard width 1000 mm; fork length 1100 mm; free lift; duo mast; side shift; operational hours on meter 2922 hr.	2.750,00
214	1	<b>electric forklift truck</b> TCM, FTB-15 / VM300, bouwjaar 1988, serienummer 75000487, electric forklift truck; max. lifting cap. 1120 kg; max. lifting height 3060 mm; drive through height 2000 mm; forkboard width 950 mm; fork length 1000 mm; duo mast; operational hours on meter 10728 hr.	1.500,00
215	1	<b>electric forkliftruck</b> Nissan, UM02L-25U, serienummer 001204, electric forkliftruck; max. lifting cap. 2500 kg; max. lifting height 5000 mm; drive through height 3100 mm; forkboard width 1150 mm; fork length 1200 mm; side shift; fork positioner; duo mast; operational hours on meter 8368 hr.	3.000,00
216	1	<b>diesel forklift truck</b> Doosan, D45SC-3, serienummer RT-00119, diesel forklift truck; max. lifting cap. 4500 kg; max. lifting height mm; drive through height 2550 mm; forkboard width 2000 mm; fork length 1100 mm; duo mast; side shift; closed cabin; with 4 cilinder Hyundai diesel engine; operational hours on meter 4772 hr.	4.500,00
217	1	<b>electric forkliftruck</b> Still, RX50-16, bouwjaar 2003, serienummer 515055001182, electric forkliftruck; max. lifting cap. 1600 kg; max. lifting height 5000 mm; drive through height 2200 mm; forkboard width 1000 mm; fork length 1000 mm; free lift; triple mast; side shift; operational hours on meter ???hr.	2.500,00
218	1	<b>electric special forkliftruck</b> Still, RX20-18, bouwjaar 2006, serienummer 516213007114, electric special forkliftruck; max. lifting cap. 1800 kg; max. lifting height 6200 mm; drive through height 2150 mm; forkboard width 950 mm; fork length 1000 mm; free lift; quattro mast; operational hours on meter 12674 hr.	4.000,00
219	1	<b>lpg forklift truck</b> Still, RX70-25, bouwjaar 2013, serienummer 517326D00130, lpg forklift truck; max. lifting cap. 2500 kg; max. lifting height 6350 mm; drive through height 2750 mm; forkboard width 1000 mm; fork length 1200 mm; free lift; triple mast; extra valves until forkboard; operational hours on meter 7639 hr.	5.000,00
220	1	<b>electric forkliftruck</b> Still, RX20-15, bouwjaar 2010, serienummer 516210021504, electric forkliftruck; max. lifting cap. 1500 kg; max. lifting height 3200 mm; drive through height 2000 mm; forkboard width 1000 mm; fork length 1200 mm; free lift; duo mast; operational hours on meter 8944 hr.	3.000,00
221	1	<b>lpg forkliftruck</b> Still, RX70-25, bouwjaar 2013, serienummer 51732D00132, lpg forkliftruck; max. lifting cap. 2500 kg; max. lifting height 6400 mm; drive through height 2750 mm; forkboard width 1050 mm; fork length 1100 mm; free lift; triple mast; extra valves until forkboard; closed cabin; operational hours on meter 10831 hr.	6.000,00
222	1	<b>lpg forklift truck</b> Toyota, 02-8FGF30, bouwjaar 2009, serienummer 8FGJF35, lpg forklift truck; max. lifting cap. 3000 kg; max. lifting height 5200 mm; drive through height 2600 mm; forkboard width 1100 mm; fork length 1170 mm; triple mast; free lift; side shift; operational hours on meter 10742 hr.	4.000,00
223	1	<b>electric forkliftruck</b> Still, R60-40, bouwjaar 2001, serienummer 516027004150, electric forkliftruck; max. lifting cap. 4000 kg; max. lifting height 5200 mm; drive through height 2500 mm; forkboard width 1100 mm; fork length 1300 mm; free lift; triple mast; side shift; extra valves until forkboard; operational hours on meter 4668 hr.	3.500,00
224	1	<b>electric reachtruck</b> BT, RR-B2, bouwjaar 2003, serienummer 584124AA/2003, electric reachtruck; max. lifting cap. 1600 kg; max. lifting height 5700 mm; drive through height mm; forkboard width mm; fork length mm; with 2013 battery; operational hours on meter 7471 hr.	1.250,00
225	1	<b>electric forkliftruck</b> Nichiyu, FBT15P-50BC-470M, bouwjaar 1993, serienummer 216935014, electric forkliftruck; max. lifting cap. 1500 kg; max. lifting height 4700 mm; drive through height 2150 mm; forkboard width 950 mm; fork length 1100 mm; free lift; triple mast; side shift; operational hours on meter 12303 hr.	2.000,00
226	1	<b>electric forklift truck</b> Still, R50-15, bouwjaar 2001, serienummer 515044024357, electric forklift truck; max. lifting cap. 1500 kg; max. lifting height 3350 mm; drive through height 2150 mm; forkboard width 900 mm; fork length 1200 mm; duo mast; free lift; operational hours on meter 5443 hr.	1.750,00
227	1	<b>electric forklift truck</b> Still, EFG 1.5/5004, bouwjaar 1986, serienummer 50145783, electric forklift truck; max. lifting cap. 1500 kg; max. lifting height 3500 mm; drive through height 2200 mm; forkboard width 900 mm; fork length 800 mm; duo mast; free lift; operational hours on meter 4181 hr.	1.250,00
228	1	<b>electric reachtruck</b> BT, RT 1350 E/12, bouwjaar 1989, serienummer 209223, electric reachtruck; max. lifting cap. 1350 kg; max. lifting height 6300 mm; drive through height 2650 mm; forkboard width 900 mm; fork length 1150 mm; fork positioner; duo mast; operational hours on meter 8600 hr.	1.500,00
229	1	<b>electric reachtruck</b> Crown, 45RRTT-S, serienummer H-17613, electric reachtruck; max. lifting cap. 2040 kg; max. lifting height 6150 mm; drive through height 2750 mm; forkboard width 820 mm; fork length 1000 mm; free lift; reach in/ reach out; operational hours on meter 4024 hr.	1.750,00
230	1	<b>electric reachtruck</b> Pimespo, XR16ac, bouwjaar 2004, serienummer 61X837R00073, electric reachtruck; max. lifting cap. 1700 kg; max. lifting height 7000 mm; drive through height 2900 mm; forkboard width 880 mm; fork length 1150 mm; free lift; triple mast; side shift; operational hours on meter 7032 hr.	1.500,00
231	1	<b>electric reachtruck</b> Still, EFSM 200/160TR, bouwjaar 1993, serienummer 3705 07 01076, electric reachtruck; max. lifting cap. 2000 kg; max. lifting height ??? mm; drive through height 2250 mm; forkboard width 750 mm; fork length 1000 mm; free lift; duo mast; operational hours on meter 3090 hr.	1.000,00
232	1	<b>truck mounted forklift</b> Kooiaap, ZV3-3-3-2028, bouwjaar 1994, serienummer 943974, truck mounted forklift; max. lifting cap. 1700 kg; max. lifting height 2800 mm; drive through height 2450 mm; forkboard width 1150 mm; reach in/ reach out and extendable forks length approx. 1200/2200 mm; operational hours on meter 1029 hr. ; with Kubota 4-cilinder diesel engine; own weight forklift 3280 kg	2.500,00
233	1	<b>diesel forkliftruck for container loading</b> Linde, H45D, bouwjaar 2009, serienummer H2X394Z00613, diesel forkliftruck for container loading; max. lifting cap. 4500 kg; max. lifting height 4000 mm; drive through height 2100 mm; forkboard width 1300 mm; fork length 1080 mm; free lift; extra valves until forkboard; operational hours on meter 6553 hr.; triple beam	7.500,00
234	1	<b>lpg forkliftruck</b> Hyster, H3.0FT, bouwjaar 2007, serienummer L177B17566E, lpg forkliftruck; max. lifting cap. 3000 kg; max. lifting height 3600 mm; drive through height 2600 mm; forkboard width 1200 mm; fork length 1500 mm; duo mast; fork positioner; with Mazda lpg engine; engine model F2-ZJ64; operational hours on meter 15692 hr.	5.000,00
235	1	<b>electric forkliftruck</b> Still, R60-25L, bouwjaar 2004, serienummer 516044003686, electric forkliftruck; max. lifting cap. 2500 kg; max. lifting height 3290 mm; drive through height 2250 mm; forkboard width 1150 mm; fork length 1150 mm; side shift; duo mast; extra valves until forkboard; operational hours on meter 5470 hr.	2.750,00
236	1	<b>diesel forkliftruck</b> Linde, H35D, bouwjaar 2005, serienummer H2X393S04260, diesel forkliftruck; max. lifting cap. 3500 kg; max. lifting height 4620 mm; drive through height 2200 mm; forkboard width 1100 mm; fork length 1200 mm; free lift; triple mast; extra valves until forkboard; operational hours on meter 12717 hr.	4.500,00
237	1	<b>diesel sideloader</b> Baumann, BDX50, bouwjaar 2011, serienummer BAN6450, diesel sideloader; max. lifting capacity 5000 kg; max lifting height 4000 mm; forkboard width 1450 mm; fork length 1400 mm; 2-stage free lift; 4 cilinder Perkins diesel engine; engine model 2970/2200; operational hours on meter 7418 hr.	7.500,00



Kavel	Aantal	Omschrijving	Openingsbod €
238	1	<b>electric forkliftruck</b> Still, R60-35, bouwjaar 2001, serienummer 516026003825, electric forkliftruck; max. lifting cap. 3500 kg; max. lifting height 4920 mm; drive through height 2350 mm; forkboard width 1100 mm; fork length 1200 mm; triple mast; free lift; operational hours on meter 4604 hr.	3.000,00
239	1	<b>electric forkliftruck</b> Toyota, FBMF25, bouwjaar 2002, serienummer 14354, electric forkliftruck; max. lifting cap. 2500 kg; max. lifting height 5000 mm; drive through height 2400 mm; forkboard width 1000 mm; fork length 980 mm; free lift; triple mast; side shift; operational hours on meter 27655 hr.	2.500,00
240	1	<b>lpg forkliftruck</b> Linde, H80T/900, bouwjaar 2007, serienummer E1X353U00961, lpg forkliftruck; max. lifting cap. 8000 kg; max. lifting height 4500 mm; drive through height 3500 mm; forkboard width 2200 mm; fork length 1050 mm; duo mast; extra valves until forkboard; operational hours on meter 10166 hr.	15.000,00
241	1	<b>electric forklift truck</b> Still, R20-16, bouwjaar 2004, serienummer 512040003446, electric forklift truck; max. lifting cap. 1600 kg; max. lifting height 6300 mm; drive through height 2700 mm; forkboard width 1000 mm; fork length 1000 mm; triple mast; free lift; operational hours on meter 7570 hr. (hal3)	2.250,00
242	1	<b>electric forklift truck</b> Still, R50-16, bouwjaar 1996, serienummer 515044008661, electric forklift truck; max. lifting cap. 1500 kg; max. lifting height 4080 mm; drive through height 2900 mm; forkboard with sideshift and fork rotator; fork length 800 mm; operational hours on meter 1504 hr.	2.250,00
243	1	<b>electric forklift truck</b> Still, R 60-30, bouwjaar 2004, serienummer 516045003712, electric forklift truck; max. lifting cap. 3000 kg; max. lifting height 5000 mm; drive through height 3100 mm; forkboard width 1100 mm; fork length 1100 mm; duo mast; extra valves until forkboard; operational hours on meter 12651 hr.	2.500,00
244	1	<b>electric forkliftruck</b> Jungheinrich, EFG DF 13, bouwjaar 1999, serienummer 89.90.83.65, electric forkliftruck; max. lifting cap. 1300 kg; max. lifting height 3300 mm; drive through height 2100 mm; forkboard width 1000 mm; fork length 1000 mm; free lift; side shift; duo mast; operational hours on meter 1332 hr.	2.000,00
245	1	<b>electric reachtruck</b> Jungheinrich, serienummer 762213501, electric reachtruck; max. lifting cap. 1000 kg; max. lifting height 4280 mm; drive through height 2050 1000 mm; forkboard width 1000 mm; fork length 1000 mm; free lift; triple mast; operational hours on meter 1047 hr.	1.250,00
246	1	<b>electric double stock reachtruck</b> BT, SR 1.35L, bouwjaar 2006, serienummer 947852/2006, electric double stock reachtruck; max. lifting cap. 1350 kg; max. lifting height 5400 mm; drive through height 2350 mm; forkboard width 700 mm; fork length 1150 mm; free lift; triple mast; operational hours on meter 7497 hr.	1.750,00
247	1	<b>electric reachtruck</b> Nissan, JHC01L18CU, bouwjaar 1997, serienummer 001873, electric reachtruck; max. lifting cap. 1800 kg; max. lifting height 6500 mm; drive through height 2850 mm; forkboard width 950 mm; fork length 1150 mm; triple mast; free lift; side shift; operational hours on meter 6272 hr.	1.500,00
248	1	<b>lpg forkliftruck</b> Toyota, O2-8FGF25, bouwjaar 2012, serienummer 31568, lpg forkliftruck; max. lifting cap. 2500 kg; max. lifting height 4000 mm; drive through height 2600 mm; fork length 1200 mm; with Cascade rotator; fork positioner; duo mast; forkboard width 1050 mm; operational hours on meter 5952 hr.	3.250,00
249	1	<b>high lift orderpicker</b> Still, EK12 TE, bouwjaar 1992, serienummer 40130418579, high lift orderpicker; cap 1000 kg; lifting height 4250 mm; drive through height 2850 mm; battery empty; with charger	500,00
250	1	<b>diesel sideloader</b> Steinbock Boss, 546 D, bouwjaar 2000, serienummer 100012735, diesel sideloader; max. lifting cap. 4000 kg; max. lifting height 3300 mm; drive through height 3550 mm; forkboard width 1200 mm; fork length 1180 mm; with "Perkins" 4-cylinder diesel engine; engine model 1004.4; 60 kW; operational hours on meter 20255 hr; (with 1 spare tire)	3.000,00
251	1	<b>lpg forklift truck</b> Still, RC40-15T, bouwjaar 2011, serienummer F54014B00038, lpg forklift truck; max. lifting cap. 1500 kg; max. lifting height 3300 mm; drive through height 2150 mm; forkboard width 1000 mm; fork length 1200 mm; with duo mast; sideshift; operational hours on meter 6461,8 hr.	3.000,00
252	1	<b>diesel forklift truck</b> Still, DFG 3/4105, bouwjaar 1986, serienummer 41062412, diesel forklift truck; max. lifting cap. 2720 kg; drive through height 2200 mm; forkboard width 1220 mm; fork length 1000 mm; side shift; duo mast; operational hours on meter 3708 hr. (no key/ condition unknown)	500,00
253	1	<b>electric forklift truck incomplete</b> Still, R60-30, bouwjaar 2002, serienummer 516045001450, electric forklift truck incomplete; max. lifting cap. 3000 kg; drive through height 2100 mm; forkboard width 1150 mm; no forks/ no key/ no seat/ no charger/	500,00
254	1	<b>lpg forkliftruck</b> Hyster, H2.50XM, bouwjaar 1995, serienummer D177B21480S, lpg forkliftruck; max. lifting cap. 2000 kg; max. lifting height 5500 mm; drive through height 2450 mm; forkboard width 1100 mm; fork length 1200 mm; free lift; side shift; triple mast; operational hours on meter 2969 hr.	2.250,00
255	1	<b>diesel forkliftruck</b> Hyster, H5.0XL, bouwjaar 1997, serienummer G005A07644U, diesel forkliftruck; max. lifting cap. 5000 kg; max. lifting height 3450 mm; drive through height 2450 mm; forkboard width 1200 mm; fork length 1800 mm; duo mast; operational hours on meter 4845 hr.	3.750,00
256	1	<b>diesel forklift truck</b> Still, DFG2/4002, bouwjaar 1985, serienummer 43022273, diesel forklift truck; max. lifting cap. 3000 kg; drive through height 2100 mm; forkboard width 1100 mm; fork length 1150 mm; free lift; triple mast; side shift; operational hours on meter 6036 hr. ; no key/ working unknown	500,00
257	1	<b>incomplete forklift</b> Hyster, E2.50 XL, bouwjaar 1985, incomplete forklift; without battery; with forks; with charger	250,00
258	1	<b>diesel forklift truck</b> Hyster, h 3.00 xm, bouwjaar 2000, serienummer H177B15348X, diesel forklift truck; lift cap. 3000 kg; lift height 3710 mm; drive through height 2450 mm; fork length 1200 mm; board dim. 1250 mm; operational hours on meter 1331,3 hours; with duo beam	2.000,00
259	1	<b>lpg forkliftruck</b> TCM, FG40, serienummer 4420136, lpg forkliftruck; max. lifting cap. 3800 kg; max. lifting height 4850 mm; drive through height 2400 mm; forkboard width 1200 mm; fork length 1200 mm; triple mast; free lift; with 6-cilinder Nissan engine	2.500,00
260	1	<b>electric pallet stacker</b> Webo, da16.b.asm.eex.72, bouwjaar 2003, serienummer 29278, electric pallet stacker; lift cap. 1600 kg; lift height 3425 mm; operational hours on meter 173,7 hours; with charger	750,00
261	1	<b>electric pallet stacker</b> Sichelschmidt, d610, bouwjaar 1989, serienummer 29278, electric pallet stacker; lift cap. 1000 kg; lift height 3000 mm; operational hours on meter 153 hours; with charger	750,00
262	1	<b>electric long fork pallet lifter</b> Linde, t 20 s, bouwjaar 2004, serienummer W4 X144 R 00911, electric long fork pallet lifter; lift cap. 2000 kg; operational hours on meter ..... hours; with charger	750,00
263	1	<b>electric pallet stacker</b> Linde, I12/379, bouwjaar 2008, serienummer W00989, electric pallet stacker; lift cap. 1200 kg; lift height 3824 mm; operational hours on meter 310,3 hours; with charger	750,00
264	1	<b>electric fork pallet lifter</b> Still, exu-s-22, bouwjaar 2007, serienummer 710148201619, electric fork pallet lifter; lift cap. 2200 kg; operational hours on meter 3717 hours; with charger	750,00
265	1	<b>electric fork pallet lifter</b> Lafis, leh 20c, bouwjaar 1996, serienummer 1.1.23705, electric fork pallet lifter; lift cap. 2200 kg; operational hours on meter 3044,7 hours; with charger	300,00
266	1	<b>electric fork pallet lifter</b> Jungheinrich, ele 20, electric fork pallet lifter; lift cap. 2200 kg; operational hours on meter 6339,8 hours; with charger	300,00
267	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2011, serienummer W40154B03204, electric fork pallet lifter; lift cap. 1800 kg; operational hours on meter 1117,4 hours; with charger	500,00
268	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2012, serienummer W4015403219, electric fork pallet lifter; lift cap. 1800 kg; operational hours on meter 1604,6 hours; with charger	500,00
269	1	<b>electric fork pallet lifter</b> Still, exu-16, bouwjaar 2013, serienummer W40153D05082, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 562,5 hours; with charger	500,00
270	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2010, serienummer W40154C, electric fork pallet lifter; lift cap. 1800 kg; operational hours on meter 3958,9 hours; with charger	500,00
271	1	<b>electric fork pallet lifter</b> Still, exu-16, bouwjaar 2013, serienummer W40153D05094, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 639,6 hours; with charger	500,00
272	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2012, serienummer W40154C03175, electric fork pallet lifter; lift cap. 1800 kg; operational hours on meter 1438,6 hours; with charger	500,00
273	1	<b>electric fork pallet lifter</b> Still, exu-16, bouwjaar 2011, serienummer W40153B03200, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 1526,7 hours; with charger	500,00
274	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2010, serienummer W40154005605, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 1135,5 hours; without charger	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
275	1	<b>electric fork pallet lifter</b> Still, exu-16 ac, bouwjaar 2009, serienummer 710150308519, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 1974,4 hours; with charger	500,00
276	1	<b>electric fork pallet lifter</b> Still, exu-18, bouwjaar 2012, serienummer W40154C03225, electric fork pallet lifter; lift cap. 1800 kg; operational hours on meter 978,1 hours; with charger	500,00
		<b>Pallet lifters</b>	
277	1	<b>electric fork pallet lifter</b> Still, exu-s-22, bouwjaar 2011, serienummer 710148B06288, electric fork pallet lifter; lift cap. 2200 kg; operational hours on meter 3393 hours; with charger	750,00
278	1	<b>electric fork pallet lifter</b> Linde, 20 sp, bouwjaar 2008, serienummer W4X 131 T 00112, electric fork pallet lifter; lift cap. 2000 kg; operational hours on meter 4640,2 hours; with charger	750,00
279	1	<b>electric fork pallet lifter</b> Still, egu-20, bouwjaar 2003, serienummer 710119036350, electric fork pallet lifter; lift cap. 2000 kg; operational hours on meter 2961,8 hours; with internal charger	750,00
280	1	<b>electric fork pallet lifter</b> Still, exu-16, bouwjaar 2005, serienummer 710140200694, electric fork pallet lifter; lift cap. 1600 kg; operational hours on meter 269,3 hours; with charger	750,00
281	1	<b>electric pallet stacker</b> Still, egv-s 14, bouwjaar 2012, serienummer 330221C00743, electric pallet stacker; lift cap. 1400 kg; lift height 2570 mm; operational hours on meter 740,4 hours; with charger	750,00
282	1	<b>electric ergomover</b> BT, ergomover 620 ac-tt, bouwjaar 2011, serienummer 5087-AI, electric ergomover; cap. 1000 kg; speed 5 km/hour; without charger	250,00
283	1	<b>electric ergomover</b> BT, ergomover 620 ac-tt, bouwjaar 2005, serienummer 3522-AI, electric ergomover; cap. 500 kg; speed 8 km/hour; without charger	250,00
284	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1800x100 mm; pen type; ;(3)	50,00
285	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1600x120 mm; fem2b; ;(3)	50,00
286	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; ;(3)	50,00
287	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 900x120 mm; fem2b; ;(3)	50,00
288	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; ;(3)	50,00
289	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; ;(3)	50,00
290	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1000x100 mm; fem2b; ;(3)	50,00
291	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1100x800 mm; fem2b; ;(3)	50,00
292	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 850x125 mm; fem2b; ;(3)	50,00
293	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 850x125 mm; fem2b; ;(3)	50,00
294	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 850x125 mm; fem2b; ;(3)	50,00
295	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 850x125 mm; fem2b; ;(3)	50,00
296	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1060x100 mm; fem2a; ;(3)	50,00
297	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1060x100 mm; fem2a; ;(3)	50,00
298	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1200x150 mm; fem2a; ;(3)	50,00
299	1	<b>set forklift forks</b> Nn, set forklift forks; dim. 1060x100 mm; fem2a; ;(3)	50,00
300	1	<b>planet mixer</b> Hobart, a 200, planet mixer; 380 volt; excl. bowl; ;(h03)	50,00
301	1	<b>planet mixer</b> Globe, sp 30p, planet mixer; 220 volt; excl. bowl; ;(h03)	100,00
302	1	<b>stainless steel 1-door combi oven</b> Franke, stainless steel 1-door combi oven; 380 volt; ;(h03)	250,00
303	1	<b>stainless steel 1-door refrigerator</b> Liebherr, profi-line, stainless steel 1-door refrigerator; volume 420 ltr; 230 volt; ;(h03)	100,00
304	1	<b>stainless steel 1-door refrigerator</b> Electrolux, stainless steel 1-door refrigerator; 230 volt; ;(h03)	100,00
305	1	<b>stainless steel cooking unit</b> Cleveland, stainless steel cooking unit; 380 volt; ;(h03)	100,00
306	1	<b>field water cooker</b> field water cooker; with gas heater; ;(h03)	50,00
307	1	<b>mobile stainless steel table</b> mobile stainless steel table; ;(h03)	50,00
308	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
309	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
310	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
311	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
312	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
313	1	<b>liquid dispenser</b> Cambro, liquid dispenser; ;(h03)	10,00
314	3	<b>various cooking gloves</b> various cooking gloves; ;(h03)	10,00
315	4	<b>liquid cans</b> liquid cans; ;(h03)	10,00
316	1	<b>stainless steel crate walking through dishwasher</b> Hobart, c 88 a, bouwjaar 1985, serienummer 1038610, stainless steel crate walking through dishwasher; 380-415 volt; ;(h03)	100,00
317	1	<b>stainless steel crate walking through dishwasher</b> Hobart, c1a, bouwjaar 1998, serienummer 002030, stainless steel crate walking through dishwasher; 45,7 kW; 400 volt; ;(h03)	100,00
318	1	<b>stainless steel crate walking through dishwasher</b> Hobart, c1a, bouwjaar 1998, serienummer 002030, stainless steel crate walking through dishwasher; 45,7 kW; 400 volt; ;(h03)	100,00
319	1	<b>stainless steel induction cooking unit</b> Bosch, solitaire, stainless steel induction cooking unit; with oven; ;(h03)	50,00
320	1	<b>vegetable peeler</b> Inic, vegetable peeler; 380 volt; ;(h03)	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
321	1	<b>double stainless steel baking oven</b> Hobart, CSD0612E, double stainless steel baking oven; 400 volt; 9 kW; (h03)	100,00
322	1	<b>mobile stainless steel 1-door freezer cabinet</b> Silver King, mobile stainless steel 1-door freezer cabinet; 230 volt; (h03)	50,00
323	1	<b>vegetable peeler</b> Flottwerk, 25 K, bouwjaar 2014, vegetable peeler; cap. 30 kg; 230/400 volt; (h03)	50,00
324	1	<b>mobile stainless steel grill plate</b> Toastmaster, mobile stainless steel grill plate; 380 volt; (h03)	50,00
325	1	<b>vegetable peeler</b> Insinger, 50 vp-2 w disposer, vegetable peeler; cap. 50 kg; 400 volt; (h03)	50,00
326	1	<b>ice cube machine</b> Manitowoc, qd0272a, bouwjaar 2007, ice cube machine; r407a; 230 volt; (h03)	50,00
327	1	<b>stainless steel double cook kettle</b> Cleveland, stainless steel double cook kettle; 380 volt; (h03)	50,00
328	1	<b>grill table</b> Vulcan, grill table; 380 volt; (h03)	50,00
329	1	<b>grill table</b> Toastmaster, grill table; 380 volt; (h03)	50,00
330	1	<b>stainless steel 1-door combi Steam oven</b> Rational, climaPlus Combi, stainless steel 1-door combi Steam oven; 380 volt; (h03)	50,00
331	1	<b>stainless steel mobile low rater</b> Wyott, stainless steel mobile low rater; 230 volt; (h03)	50,00
332	1	<b>stainless steel mobile aubain marie counter</b> Eagle, sgd1-6-240t6-d, stainless steel mobile aubain marie counter; 380 volt; (h03)	50,00
333	1	<b>stainless steel mobile aubain marie counter</b> Eagle, sgd1-6-240t6-d, stainless steel mobile aubain marie counter; 380 volt; (h03)	50,00
334	1	<b>self primming pump</b> Labarge, self primming pump; (h03)	50,00
335	1	<b>self primming pump</b> Yanmar, self primming pump; diesel engine; (h03)	50,00
336	4	<b>truck tires with rim</b> Michelin, XZE2, truck tires with rim; size 11R22.5 ; (H03)	40,00
337	4	<b>truck tires with rim</b> Goodyear, G159, truck tires with rim; size 275/70R22.5 ; (H03)	40,00
338	4	<b>truck tires with rim</b> Firestone, T559, truck tires with rim; size 11R22.5 14 PR ; (H03)	40,00
339	3	<b>truck tires with rim</b> Michelin, XZE2, truck tires with rim; size 11R22.5 ; (H03)	30,00
340	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 ; (H03)	60,00
341	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 ; (H03)	60,00
342	7	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 ; (H03)	70,00
343	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 ; (H03)	60,00
344	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 ; (H03)	60,00
345	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20 (H03)	60,00
346	6	<b>military truck tires</b> Armstrong, Heatmaster, military truck tires; size 11.00-20 (H03)	60,00
347	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
348	4	<b>truck tires</b> Kormoran, truck tires; size 10.00R20 (H03)	40,00
349	5	<b>truck tires</b> Firestone, Transport 1, truck tires; size 10.00R20 (H03)	50,00
350	2	<b>forklift tires</b> Michelin, Stabil'X, forklift tires; size 9.00R20 (H03)	20,00
351	2	<b>industrial tires</b> Toyo, Industrial B-35, industrial tires; size 18x7-8 (H03)	20,00
352	2	<b>industrial tires</b> Goodyear, Custom Hi-Miller, industrial tires; size 12-16.5LT (H03)	20,00
353	4	<b>forklift tires with rim</b> Wearmaster, OTR, forklift tires with rim; size 9-14.5 (H03)	40,00
354	3	<b>truck tires</b> BFGoodrich, Extra Miller XLA, truck tires; size 10.00R20 (H03)	30,00
355	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
356	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
357	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
358	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
359	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
360	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
361	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
362	6	<b>military truck tires</b> Fidelity, military truck tires; size 11.00-20(H03)	60,00
363	6	<b>truck tires</b> Mc Creary, Super Transport, truck tires; size 11.00R20 (H03)	60,00
364	6	<b>truck tires</b> Cooper, Road Master, truck tires; size 11.00R20 (H03)	60,00
365	4	<b>truck tires</b> Kormoran, truck tires; size 10.00R20 (H03)	40,00
366	2	<b>various van tires with rim</b> various van tires with rim; size Pirelli 225/70R15C and size Michelin 205/75R16C	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
367	2	<b>forklift tires</b> Nokian, HTS, forklift tires ; size 16.00-25	20,00
368	1	<b>truck tire</b> Goodyear, Unisteel II, truck tire; size 11.00R20	10,00
369	1	<b>van tire</b> Michelin, X line, van tire; size 235/75R17.5	10,00
370	2	<b>truck tires with rim</b> Michelin, G-20 Pilote XL F, truck tires with rim; size 15.5/80R20	20,00
371	5	<b>off-road truck tires</b> BFGoodrich, Silverton extra traction, off-road truck tires; size 11.00-20	50,00
372	6	<b>truck tires</b> Firestone, Transport 1, truck tires; size 10.00R20 (H03)	60,00
373	1	<b>diesel generator</b> Dewey, mep-531a, diesel generator; 2 kW; 120 vac; diesel engine; operational hours 2 hours; (h3)	100,00
374	1	<b>diesel generator</b> Dewey, mep-531a, diesel generator; 2 kW; 120 vac; diesel engine; operational hours 2 hours; (h3)	100,00
375	1	<b>diesel generator</b> Dewey, mep-531a, diesel generator; 2 kW; 120 vac; diesel engine; operational hours 60 hours; (h3)	100,00
376	1	<b>diesel generator</b> Dewey, mep-531a, diesel generator; 2 kW; 120 vac; diesel engine; operational hours 208 hours; (h3)	100,00
377	1	<b>diesel generator</b> Dewey, mep-531a, diesel generator; 2 kW; 120 vac; diesel engine; operational hours 796 hours; (h3)	100,00
378	1	<b>diesel generator</b> Fermont, mep-831a, diesel generator; 3 kW; 120/240 vac; Yanmar diesel engine; operational hours 863 hours; (h3)	225,00
379	1	<b>diesel generator</b> Fermont, mep-831a, diesel generator; 3 kW; 120/240 vac; Yanmar diesel engine; operational hours 64 hours; (h3)	225,00
380	1	<b>diesel generator</b> Fermont, mep-831a, diesel generator; 3 kW; 120/240 vac; Yanmar diesel engine; operational hours 14 hours; (h3)	225,00
381	1	<b>diesel generator</b> Fermont, mep-831a, diesel generator; 3 kW; 120/240 vac; Yanmar diesel engine; operational hours 22 hours; (h3)	225,00
382	1	<b>diesel generator</b> Kirsch, e 2.4 dha, bouwjaar 1991, serienummer 8840, diesel generator; 2,4 kW; 230 vac; Hatz diesel engine; operational hours 111 hours; (h3)	200,00
383	1	<b>gasoline generator</b> John R. Hollingworth, mep-016a, bouwjaar 1973, gasoline generator; 2,4 kW; 230 vac; gasoline engine; operational hours 28 hours; (h3)	200,00
384	1	<b>diesel generator</b> Kirsch, D 5500 / ne6dhae, diesel generator; cap. 6 kW; 230 volt; Hatz diesel engine; (h3)	200,00
385	1	<b>diesel generator</b> Kirsch, D 5500 / ne6dhae, diesel generator; cap. 6 kW; 230 volt; Hatz diesel engine; (h3)	200,00
386	1	<b>diesel generator</b> Kirsch, D 5500 / ne6dhae, diesel generator; cap. 6 kW; 230 volt; Hatz diesel engine; (h3)	200,00
387	1	<b>diesel generator</b> Kirsch, D 5500 / ne6dhae, diesel generator; cap. 6 kW; 230 volt; Hatz diesel engine; (h3)	200,00
388	1	<b>diesel generator</b> Kirsch, D 5500 / ne6dhae, diesel generator; cap. 6 kW; 230 volt; Hatz diesel engine; (h3)	200,00
389	1	<b>diesel generator</b> Fermont, Mep-803a, bouwjaar 2007, serienummer FZ 37637, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 2819 hours; (h3)	500,00
390	1	<b>diesel generator</b> Fermont, Mep-803a, bouwjaar 1998, serienummer FZ 28598, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 6416 hours; (h3)	500,00
391	1	<b>diesel generator</b> Fermont, Mep-803a, bouwjaar 1998, serienummer FZ 28605, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 5292 hours; (h3)	500,00
392	1	<b>diesel generator</b> Fermont, Mep-803a, bouwjaar 1998, serienummer FZ 28596, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 7944 hours; (h3)	500,00
393	1	<b>diesel generator</b> Fermont, Mep-803a, bouwjaar 2007, serienummer FZ 37633, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 2167 hours; (h3)	500,00
394	1	<b>diesel generator</b> Libby, Mep-803a, bouwjaar 1994, serienummer RZC 01959, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 5489 hours; (h3)	500,00
395	1	<b>diesel generator</b> Libby, Mep-803a, bouwjaar 1994, serienummer RZC 01761, diesel generator; cap. 10 kW; 60 HZ; 120/240 volt; Onan diesel engine; operational hours on meter 193 hours; (h3)	500,00
396	1	<b>diesel generator</b> Mecc, diesel generator; 15 kVA; 1500 rpm; 230/380 volt; Lombardini diesel engine; type ldw 1503; dig. read out; (h3)	500,00
397	1	<b>frame mounted diesel generator</b> Newage, serienummer 0195246/001, frame mounted diesel generator; Perkins 6-cilinder diesel engine; (h3)	500,00
398	1	<b>diesel generator</b> Stamford, diesel generator; 27,5 kVA; 1500 rpm; Lister-Petter 4-cilinder diesel engine; (h3)	500,00
399	1	<b>diesel generator</b> Stamford, bc.m184e2, bouwjaar 2006, diesel generator; 16,5 kVA; 1500 rpm; Lister-Petter 4-cilinder diesel engine; operational hours on meter 866; (h3)	500,00
400	1	<b>industrial multifuel electric heater</b> Choctaw, h140, bouwjaar 2003, industrial multifuel electric heater; rating 140,000 btu/hour; 230 volt; hours on meter 121 hours; (h3)	300,00
401	1	<b>diesel generator</b> John R. Hollingworth, mep-004a, bouwjaar 1978, serienummer KZO 0329, diesel generator; 15 kW; 50/60 HZ; 120/208/ 240/416 volt; White 4-cilinder diesel engine; operational hours on meter 709; (h3)	600,00
402	1	<b>diesel generator</b> Fermont, mep-814a, bouwjaar 1998, serienummer FZ 65154, diesel generator; 15 kW; 400 HZ; 120/208/ 240/416 volt; Zexel 4-cilinder diesel engine; operational hours on meter 813; (h3)	600,00
403	1	<b>diesel generator</b> Fermont, mep-814a, bouwjaar 1999, serienummer FZ 65233, diesel generator; 15 kW; 400 HZ; 120/208/ 240/416 volt; Zexel 4-cilinder diesel engine; operational hours on meter 8228; (h3)	600,00
404	1	<b>diesel generator</b> MC II, mep-805B, bouwjaar 2000, serienummer HX 32023, diesel generator; 30 kW; 50/60 HZ; 120/208/ 240/416 volt; Otan 4-cilinder diesel engine; operational hours on meter 4; (h3)	600,00
405	1	<b>diesel generator</b> diesel generator; output 120 V ; read out running hours 1024 hr ; no further information ; (H03)	250,00
406	1	<b>diesel generator</b> diesel generator; output 120 V ; read out running hours 665 hr ; no further information ; (H03)	250,00
407	1	<b>frame mounted diesel generator</b> Tpanoyah, TCS-38-S, bouwjaar 1999, frame mounted diesel generator; 38 kVA; 230/400 volt; operational hours on meter 1878 hours; Cummins 4-cil diesel engine ; (H03)	500,00
408	1	<b>frame mounted diesel generator</b> Onon, 40DGBC, serienummer I930520302, frame mounted diesel generator; 26,7-50 kVA; 230/400 volt; operational hours on meter 1620 hours; Cummins 4-cil diesel engine ; (H03)	1.250,00
409	1	<b>frame mounted diesel generator</b> Onon, 40DGBC, serienummer I930520306, frame mounted diesel generator; 26,7-50 kVA; 230/400 volt; operational hours on meter 1650 hours; Cummins 4-cil diesel engine ; (H03)	1.250,00
410	1	<b>diesel generator</b> diesel generator; output 120 V ; read out running hours 219 hr ; no further information ; (H03)	250,00
411	1	<b>diesel generator</b> diesel generator; output 120 V ; read out running hours 5578hr ; no further information ; (H03)	250,00



Kavel	Aantal	Omschrijving	Openingsbod €
412	1	<b>diesel generator</b> diesel generator; output 120 V ; read out running hours 911 hr ; no further information ; (H03)	250,00
413	1	<b>portable gasoline generator</b> Dayton, Genpower 8.0, portable gasoline generator; rated power 4 kW ; output 120/240 V ; with Briggs & Stratton 1 cylinder engine ; (H03)	100,00
414	1	<b>portable diesel generator</b> VP, DG6000E-3, portable diesel generator; rated power 5 kW ; output 230/400 V ; with 1 cylinder engine ; (H03)	350,00
415	1	<b>portable diesel generator</b> VP, DG2500, portable diesel generator; rated power 2 kW ; output 110/220 V ; with 1 cylinder engine ; (H03)	350,00
416	1	<b>mobile diesel generator</b> VP, EC7000E2-C, mobile diesel generator; rated power 7 kW ; output 230 V ; with 1 cylinder engine ; (H03)	350,00
417	1	<b>portable gasoline generator</b> Volt Master, portable gasoline generator; rated power 4 kW ; output 120/240 V ; with Briggs & Stratton 1 cylinder engine ; 9 pk ; (H03)	75,00
418	1	<b>portable diesel generator</b> VP, DG6000E-3, portable diesel generator; rated power 5 kW ; output 230/400 V ; with 1 cylinder engine ; (H03)	350,00
419	1	<b>portable gasoline generator</b> VP, EC2800-c, portable gasoline generator; rated power 2,5 kW ; output 230V ; with 1 cylinder engine ; (H03)	350,00
420	1	<b>mobile diesel generator</b> VP, EC7000E2-C, mobile diesel generator; rated power 7 kW ; output 230 V ; with 1 cylinder engine ; (H03)	350,00
421	1	<b>gasoline generator</b> Continental motors, 2A016III, gasoline generator; with 2 cylinder engine ; (H03)	50,00
422	1	<b>diesel generator</b> Yanmar, ydg2000-g, diesel generator; 1,7 kva ; 230 V ; (H03)	0,00
423	1	<b>diesel generator</b> Otan, ASB2D, diesel generator; 2 kW ; 28VDC ; hour meter reading 10 (H03)	100,00
424	1	<b>mobile diesel generator</b> SDMO, DX6000, mobile diesel generator; 6 KVA ; 230/380 V ; hour meter reading 20 (H03)	200,00
425	1	<b>diesel generator</b> Genelec, diesel generator; 1,5 kW ; 28 V ; hour meter reading 228 (H03)	150,00
426	1	<b>gasoline generator</b> Bosch, BWKA2, gasoline generator; 2 kVA ; 230 V ; hour meter reading 1 hr ; with Briggs and Stratton 1 cylinder engine, 5 pk ; (H03)	75,00
427	1	<b>diesel generator</b> ABL, 3KVA, diesel generator; 3 kVA ; 230 V ; hour meter reading 658 hr ; with Hatz diesel engine type E780 ; (H03)	100,00
428	1	<b>diesel generator</b> ABL, 3KVA, diesel generator; 3 kVA ; 230 V ; hour meter reading 585 hr ; with Hatz diesel engine type E780 ; (H03)	100,00
429	1	<b>diesel generator</b> ABL, 3KVA, diesel generator; 3 kVA ; 230 V ; hour meter reading 582 hr ; with Hatz diesel engine type E780 ; (H03)	100,00
430	1	<b>diesel generator</b> ABL, 3KVA, diesel generator; 3 kVA ; 230 V ; hour meter reading 1213 hr ; with Hatz diesel engine type E780 ; (H03)	100,00
431	1	<b>diesel generator</b> ABL, 3KVA, diesel generator; 3 kVA ; 230 V ; hour meter reading 1806 hr ; with Hatz diesel engine type E780 ; (H03)	100,00
432	1	<b>diesel generator</b> A.B.L., bouwjaar 1982, serienummer 678, diesel generator; 3 kVA; 230 vac; diesel engine; operational hours 781 hours; (h3)	200,00
433	1	<b>incomplete diesel generator</b> Baldor, incomplete diesel generator; 6 kW; 120/240 vac; diesel engine; (h3)	125,00
434	1	<b>incomplete diesel generator</b> Baldor, incomplete diesel generator; 6 kW; 120/240 vac; diesel engine; (h3)	125,00
435	1	<b>incomplete diesel generator</b> Baldor, incomplete diesel generator; 6 kW; 120/240 vac; diesel engine; (h3)	125,00
436	1	<b>incomplete diesel generator</b> Baldor, incomplete diesel generator; 6 kW; 120/240 vac; diesel engine; (h3)	125,00
437	4	<b>various conference chairs</b> various conference chairs; (h3)	10,00
438	23	<b>childrens school table with chair</b> childrens school table with chair; (h3)	50,00
439	2	<b>childrens school chair</b> Virco, childrens school chair; small; orange; (h3)	10,00
440	5	<b>childrens school chair</b> Virco, childrens school chair; small; yellow; (h3)	10,00
441	4	<b>childrens school chair</b> Virco, childrens school chair; small; braun; (h3)	10,00
442	4	<b>childrens school chair</b> Virco, childrens school chair; orange; (h3)	10,00
443	5	<b>childrens school chair</b> Virco, childrens school chair; green; (h3)	10,00
444	6	<b>childrens school chair</b> Virco, childrens school chair; green; (h3)	10,00
445	6	<b>childrens school chair</b> Virco, childrens school chair; green; (h3)	10,00
446	6	<b>childrens school chair</b> Virco, childrens school chair; green; (h3)	10,00
447	6	<b>childrens school chair</b> Virco, childrens school chair; green; (h3)	10,00
448	3	<b>childrens school chair</b> Virco, childrens school chair; small; beige; (h3)	10,00
449	4	<b>childrens school chair</b> Virco, childrens school chair; beige; (h3)	10,00
450	5	<b>childrens school chair</b> Virco, childrens school chair; beige; (h3)	10,00
451	3	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
452	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
453	5	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
454	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
455	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
456	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
457	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
458	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
459	6	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
460	8	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
461	5	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
462	4	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
463	5	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
464	7	<b>childrens school chair</b> Virco, childrens school chair; orange; (h3)	10,00
465	7	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
466	7	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
467	5	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
468	5	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
469	4	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
470	7	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
471	7	<b>childrens school chair</b> Virco, childrens school chair; small; blue; (h3)	10,00
472	7	<b>childrens school chair</b> Virco, childrens school chair; small; blue; (h3)	10,00
473	4	<b>childrens school chair</b> Virco, childrens school chair; small; blue; (h3)	10,00
474	7	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
475	4	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
476	9	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
477	2	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
478	5	<b>childrens school chair</b> Virco, childrens school chair; blue; (h3)	10,00
479	7	<b>childrens school chair</b> Virco, childrens school chair; blue; (h3)	10,00
480	8	<b>childrens school chair</b> Virco, childrens school chair; blue; (h3)	10,00
481	6	<b>childrens school chair</b> Virco, childrens school chair; braun; (h3)	10,00
482	9	<b>childrens school chair</b> Virco, childrens school chair; yellow; (h3)	10,00
483	3	<b>childrens school chair</b> Virco, childrens school chair; orange; (h3)	10,00
484	6	<b>childrens school chair</b> Virco, childrens school chair; orange; (h3)	10,00
485	1	<b>3-fold bioscope chair seat</b> Deko, 3-fold bioscope chair seat; blue; (h3)	10,00
486	1	<b>3-fold bioscope chair seat</b> Deko, 3-fold bioscope chair seat; blue; (h3)	10,00
487	1	<b>heavy material parachut</b> Airborne, heavy material parachut; in wooden box; (h3)	100,00
488	1	<b>power distribution box</b> power distribution box; (h4)	60,00
489	1	<b>industrial space heater</b> industrial space heater; fuel heated; (h4)	60,00
490	1	<b>industrial space heater</b> industrial space heater; fuel heated; (h4)	60,00
491	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
492	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
493	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
494	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
495	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
496	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
497	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
498	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
499	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
500	1	<b>24-fold plastic storage bins</b> Ban-Air, 24-fold plastic storage bins; on special rack; (h4)	60,00
501	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
502	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
503	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
504	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
505	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
506	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
507	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
508	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
509	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
510	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
511	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
512	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
513	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
514	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
515	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
516	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
517	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
518	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
519	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
520	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
521	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
522	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
523	4	<b>open wooden cabinets</b> open wooden cabinets; dim. 92x70x200 cm; (h4)	50,00
524	1	<b>special shipping storage case</b> special shipping storage case; dim. 66x40x92 cm; (h4)	50,00
525	3	<b>plastic food transport containers</b> plastic food transport containers; (h4)	30,00
526	5	<b>plastic food transport containers</b> plastic food transport containers; (h4)	30,00
527	5	<b>plastic food transport containers</b> plastic food transport containers; (h4)	30,00
528	2	<b>plastic food transport containers</b> plastic food transport containers; (h4)	25,00
529	3	<b>plastic stainless food transport containers</b> plastic stainless food transport containers; (h4)	30,00
530	3	<b>plastic stainless food transport containers</b> plastic stainless food transport containers; (h4)	30,00
531	3	<b>plastic stainless food transport containers</b> plastic stainless food transport containers; (h4)	30,00
532	2	<b>liquid dispenser</b> Cambro, liquid dispenser; (h04)	10,00
533	2	<b>liquid dispenser</b> Cambro, liquid dispenser; (h04)	10,00
534	2	<b>food transport containers</b> Cambro, food transport containers; (h04)	10,00
535	2	<b>food transport containers</b> Cambro, food transport containers; (h04)	10,00
536	2	<b>food transport containers</b> Cambro, food transport containers; (h04)	10,00
537	2	<b>food transport containers</b> Cambro, food transport containers; (h04)	10,00
538	1	<b>lot wooden beams</b> lot wooden beams; approx 450 pieces; length up to 250 cm; (h04)	100,00
539	2	<b>special covers</b> special covers; (h04)	25,00
540	3	<b>pallets with bags cement</b> Askari, pallets with bags cement; bag weight 50 kg; (h04)	25,00
541	3	<b>pallets with bags cement</b> Askari, pallets with bags cement; bag weight 50 kg; (h04)	25,00
542	3	<b>pallets with bags cement</b> Askari, pallets with bags cement; bag weight 50 kg; (h04)	25,00
543	3	<b>pallets with bags cement</b> Askari, pallets with bags cement; bag weight 50 kg; (h04)	25,00
544	2	<b>food transport containers</b> Cambro, food transport containers; empty; (h04)	10,00
545	1	<b>lot with rolls aluminium reflection insulation</b> Dusar, lot with rolls aluminium reflection insulation; roll size 3m2; inside carton box; (h04)	10,00
546	1	<b>lot with rolls aluminium reflection insulation</b> Dusar, lot with rolls aluminium reflection insulation; roll size 3m2; inside carton box; (h04)	10,00
547	1	<b>lot with rolls aluminium reflection insulation</b> Dusar, lot with rolls aluminium reflection insulation; roll size 3m2; inside carton box; (h04)	10,00
548	1	<b>lot with rolls aluminium reflection insulation</b> Dusar, lot with rolls aluminium reflection insulation; roll size 3m2; inside carton box; (h04)	10,00
549	1	<b>lot with rolls aluminium reflection insulation</b> Dusar, lot with rolls aluminium reflection insulation; roll size 3m2; inside carton box; (h04)	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
550	1	<b>lot with rolls aluminium reflection insolation</b> Dusar, lot with rolls aluminium reflection insolation; roll size 3m2; inside carton box; (h04)	10,00
551	1	<b>lot with rolls aluminium reflection insolation</b> Dusar, lot with rolls aluminium reflection insolation; roll size 3m2; inside carton box; (h04)	10,00
552	1	<b>lot with rolls aluminium reflection insolation</b> Dusar, lot with rolls aluminium reflection insolation; roll size 3m2; inside carton box; (h04)	10,00
553	1	<b>lot with rolls aluminium reflection insolation</b> Dusar, lot with rolls aluminium reflection insolation; roll size 3m2; inside carton box; (h04)	10,00
554	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
555	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
556	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
557	2	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	40,00
558	2	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	40,00
559	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
560	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
561	4	<b>steel open 4-layer storage cabinets</b> steel open 4-layer storage cabinets; dim. 150x60x180 cm; (h04)	80,00
		<b>Cabinets</b>	
562	46	<b>carton box covers</b> Suni-pak, carton box covers; (h04)	45,00
563	1	<b>steel 7-drawers storage cabinet</b> steel 7-drawers storage cabinet; (h04)	75,00
564	1	<b>steel 7-drawers storage cabinet</b> steel 7-drawers storage cabinet; (h04)	75,00
565	1	<b>steel 7-drawers storage cabinet</b> steel 7-drawers storage cabinet; (h04)	75,00
566	1	<b>steel 10-drawers storage/ transport cabinet</b> steel 10-drawers storage/ transport cabinet; with lift sleeve; (h04)	125,00
567	1	<b>steel 10-drawers storage/ transport cabinet</b> steel 10-drawers storage/ transport cabinet; with lift sleeve; (h04)	125,00
568	1	<b>steel 10-drawers storage/ transport cabinet</b> steel 10-drawers storage/ transport cabinet; with lift sleeve; (h04)	125,00
569	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
570	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
571	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
572	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
573	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
574	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
575	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
576	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
577	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
578	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
579	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
580	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
581	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
582	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
583	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
584	1	<b>heavy tow-bar set;</b> Oshkosh, heavy tow-bar set; allowable max gross weight 83,000 lb; with chain; couplings; etc; (rechts achter)	200,00
585	5	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
586	4	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
587	6	<b>children's school chairs</b> Virco, children's school chairs; orange ; (H04)	10,00
588	6	<b>small children's school chairs</b> Virco, small children's school chairs; blue ; (H04)	10,00
589	6	<b>small children's school chairs</b> Virco, small children's school chairs; brown ; (H04)	10,00
590	4	<b>small children's school chairs</b> small children's school chairs; brown ; (H04)	10,00
591	5	<b>small children's school chairs</b> Virco, small children's school chairs; blue ; (H04)	10,00
592	5	<b>small children's school chairs</b> Virco, small children's school chairs; blue ; (H04)	10,00
593	5	<b>small children's school chairs</b> Virco, small children's school chairs; blue ; (H04)	10,00
594	5	<b>small children's school chairs</b> Virco, small children's school chairs; orange ; (H04)	10,00
595	5	<b>children's school chairs</b> Virco, children's school chairs; orange ; (H04)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
596	9	<b>small children's school chairs</b> Virco, small children's school chairs; red ; (H04)	10,00
597	5	<b>children's school chairs</b> Virco, children's school chairs; light blue ; (H04)	10,00
598	5	<b>children's school chairs</b> Virco, children's school chairs; blue ; (H04)	10,00
599	7	<b>children's school chairs</b> Virco, children's school chairs; blue ; (H04)	10,00
600	8	<b>children's school chairs</b> Virco, children's school chairs; blue ; (H04)	10,00
601	6	<b>children's school chairs</b> Virco, children's school chairs; blue ; (H04)	10,00
602	2	<b>children's school chairs</b> Virco, children's school chairs; brown ; (H04)	10,00
603	7	<b>children's school chairs</b> Virco, children's school chairs; brown ; (H04)	10,00
604	5	<b>children's school chairs</b> Virco, children's school chairs; orange ; (H04)	10,00
605	6	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
606	8	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
607	7	<b>various children's school chairs</b> Virco, various children's school chairs ; (H04)	10,00
608	5	<b>children's school chairs</b> Virco, children's school chairs; light blue ; (H04)	10,00
609	4	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
610	8	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
611	5	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
612	4	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
613	4	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
614	9	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
615	9	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
616	4	<b>children's school chairs</b> Virco, children's school chairs; red ; (H04)	10,00
617	6	<b>children's school chairs</b> Virco, children's school chairs; orange ; (H04)	10,00
618	6	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
619	3	<b>children's school chairs</b> Virco, children's school chairs; yellow ; (H04)	10,00
620	9	<b>small children's school chairs</b> Virco, small children's school chairs; yellow ; (H04)	10,00
621	3	<b>children's school chairs</b> Lakeshore, children's school chairs; blue ; (H04)	10,00
622	4	<b>children's school chairs</b> Virco, children's school chairs; black; (H04)	10,00
623	5	<b>children's school chairs</b> Virco, children's school chairs; black; (H04)	10,00
624	11	<b>children's school chairs</b> Virco, children's school chairs; orange; (H04)	10,00
625	2	<b>children's school chairs</b> Virco, children's school chairs; orange; (H04)	10,00
626	11	<b>small children's school chairs</b> Virco, small children's school chairs; blue; (H04)	10,00
627	4	<b>children's school chairs</b> Virco, children's school chairs; light blue ; (H04)	10,00
628	6	<b>children's school chairs</b> Virco, children's school chairs; light blue ; (H04)	10,00
629	5	<b>children's school chairs</b> Virco, children's school chairs; light blue ; (H04)	10,00
630	1	<b>mobile wardrobe</b> mobile wardrobe; (H04)	10,00
631	1	<b>shelve rack</b> shelve rack; size approx. 120x45x205 cm ; (H04)	10,00
632	1	<b>steel 7 drawer cabinet</b> steel 7 drawer cabinet; size approx. 75x50x170 cm ; (H04)	10,00
633	1	<b>steel 4 drawer workshop cabinet</b> Tool box 4 you, steel 4 drawer workshop cabinet; size approx. 57x57x80 cm ; (H04)	25,00
634	1	<b>steel 5-drawer workshop cabinet</b> Tool box 4 you, steel 5-drawer workshop cabinet; size approx. 75x70x110 cm ; (H04)	25,00
635	1	<b>field kitchen</b> field kitchen; with gas burner ; (H04)	25,00
636	9	<b>small children school chairs</b> small children school chairs; red ; (H04)	10,00
637	9	<b>small children school chairs</b> small children school chairs; red ; (H04)	10,00
638	8	<b>small children school chairs</b> small children school chairs; red ; (H04)	10,00
639	3	<b>small children school chairs</b> small children school chairs; brown; (H04)	10,00
640	2	<b>small children school chairs</b> small children school chairs; blue; (H04)	10,00
641	1	<b>school chair with table</b> school chair with table; (H04)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
642	1	<b>steel 1-door tool storage cabinet</b> Champion, steel 1-door tool storage cabinet; dim. 76x54x94 cm; (04)	150,00
643	1	<b>steel 6-drawers tool storage cabinet</b> Champion, steel 6-drawers tool storage cabinet; dim. 76x54x94 cm; (04)	150,00
644	1	<b>1-door safe cabinet</b> Euro wachter, office line, 1-door safe cabinet; dim. 60x64x110 cm; with key; (04)	150,00
645	1	<b>2-doors locker cabinet</b> 2-doors locker cabinet; (04)	10,00
646	1	<b>6-doors locker cabinet</b> 6-doors locker cabinet; (04)	10,00
647	1	<b>2-doors chemical storage cabinet</b> 2-doors chemical storage cabinet; (04)	50,00
648	1	<b>2-doors chemical storage cabinet</b> 2-doors chemical storage cabinet; (04)	10,00
649	1	<b>2-doors chemical storage cabinet</b> 2-doors chemical storage cabinet; (04)	50,00
650	4	<b>wooden mobile cabinets</b> wooden mobile cabinets; (04)	50,00
651	1	<b>2-doors chemical storage cabinet</b> 2-doors chemical storage cabinet; (04)	50,00
652	1	<b>2-doors chemical storage cabinet</b> 2-doors chemical storage cabinet; (04)	50,00
653	1	<b>movie projector with frame</b> Plus, U5-632h, movie projector with frame; with projector screen; aluminium frame stands; in transport case	100,00
654	1	<b>diamond plate toolbox</b> Toolbox4you, diamond plate toolbox; dimensions approx. 144x52x47 cm	75,00
655	1	<b>diamond plate toolbox</b> Toolbox4you, diamond plate toolbox; dimensions approx. 57x25x22 cm	25,00
656	1	<b>diamond plate toolbox</b> Toolbox4you, diamond plate toolbox; dimensions approx. 77x34x25 cm	50,00
657	1	<b>diamond plate toolbox</b> Toolbox4you, diamond plate toolbox; dimensions approx. 77x34x25 cm	50,00
658	1	<b>steel toolbox</b> Toolbox4you, steel toolbox; dimensions approx. 70x40x70 cm; with lid and 4 drawers	75,00
659	1	<b>steel toolbox</b> Toolbox4you, steel toolbox; dimensions approx. 150x45x45 cm	75,00
660	1	<b>steel toolbox</b> Toolbox4you, steel toolbox; dimensions approx. 120x45x45 cm	75,00
661	1	<b>steel toolbox</b> Toolbox4you, steel toolbox; dimensions approx. 90x45x45 cm	50,00
662	1	<b>diamond plate toolbox</b> Toolbox4you, diamond plate toolbox; dimensions approx. 145x50x70 cm	100,00
663	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
664	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
665	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
666	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
667	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
668	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
669	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
670	1	<b>aluminum platform stairs</b> aluminum platform stairs; platform height approx. 64 cm	10,00
671	4	<b>flight cases</b> flight cases; dimensions approx. 53x50x51 cm	25,00
672	4	<b>flight cases</b> flight cases; dimensions approx. 53x50x51 cm	25,00
673	4	<b>flight cases</b> flight cases; dimensions approx. 53x50x51 cm	25,00
674	4	<b>flight cases</b> flight cases; dimensions approx. 53x50x51 cm	25,00
675	4	<b>flight cases</b> flight cases; dimensions approx. 53x50x51 cm	25,00
676	1	<b>2-column pneumatic press</b> Bosch, 2-column pneumatic press; travel approx 250 mm; max. 10 bar	100,00
677	2	<b>stackable steel wire crates</b> stackable steel wire crates; dimensions approx. 124x83x95 cm	100,00
678	1	<b>mobile corner sealing machine</b> Rochman, SLS80/60, bouwjaar 1996, serienummer 283-6, mobile corner sealing machine; capacity approx. 800x600 mm; with conveyor, aluminum infeed table and roll holder; 230 Volt	250,00
679	1	<b>mobile shrink tunnel</b> Rochman, 418-6, bouwjaar 1996, serienummer 418-6, mobile shrink tunnel; capacity approx. 600x500 mm; adjustable speed and temperature; 380 vo	250,00
680	1	<b>corner sealing machine</b> Adpak, LS150/130, corner sealing machine; capacity approx. 1500x1300 mm; with double roller conveyor bed; 230 Volt	250,00
681	1	<b>heavy forkboard</b> Kaup, heavy forkboard; 6-forks; length 1100 mm; board dim. 2900 mm; with hydraulic connections; (i3)	500,00
682	1	<b>4-forks forkboard</b> Cascade, 4-forks forkboard; 6-forks; length 1970 mm; board dim. 1070 mm; with hydraulic connections; (i4)	300,00
683	1	<b>4-forks forkboard</b> Cascade, 55e-fds-b52x, bouwjaar 2004, 4-forks forkboard; 6-forks; lift cap. 2500 kg; length 1970 mm; board dim. 1070 mm; with hydraulic connections; (i4)	300,00
684	1	<b>forkboard</b> forkboard; board dim. 1040 mm; (i4)	100,00
685	1	<b>forkboard</b> forkboard; board dim. 1300 mm; (i4)	100,00
686	1	<b>forkboard</b> Cascade, forkboard; lift cap. 2500 kg; board dim. 1040 mm; (i4)	100,00
687	1	<b>set forklift forks</b> set forklift forks; dim. 1260x150 mm; fem 3b; (i4)	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
688	1	<b>set forklift forks</b> Cascade, k577, set forklift forks; dim. 1200x100 mm; fem 3b; (i4)	100,00
689	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1140x120 mm; fem 2b; (i4)	100,00
690	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 985x80 mm; fem 2a; (4)	100,00
691	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 985x80 mm; fem 2a; (i4)	100,00
692	1	<b>set forklift forks</b> set forklift forks; dim. 1070x100 mm; fem 2a; (i4)	100,00
693	1	<b>set forklift forks</b> set forklift forks; dim. 1170x100 mm; fem 2a; (i4)	100,00
694	1	<b>set forklift forks</b> set forklift forks; dim. 1215x125 mm; fem 2a; (i4)	100,00
695	1	<b>set forklift forks</b> set forklift forks; dim. 990x100 mm; fem 2a; (i4)	100,00
696	1	<b>set forklift forks</b> set forklift forks; dim. 900x95 mm; fem 2a; (i4)	100,00
697	1	<b>hydraulic forklift bale clamp</b> Cascade, 25d-pbs-jq811, bouwjaar 2003, hydraulic forklift bale clamp; cap. 1600 kg; dim. board 1250mm; max 160 bar; (i4)	350,00
698	1	<b>heavy forklift board</b> heavy forklift board; dim. board 2430 mm; (i4)	200,00
699	1	<b>forklift beam</b> Still, rx60-30/35, forklift beam; lift height 5070 mm; (i4)	200,00
700	1	<b>heavy roll lift fork</b> heavy roll lift fork; (i4)	200,00
701	1	<b>set forklift forks</b> set forklift forks; dim. 1365x150 mm; penn type; (i4)	150,00
702	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1250x120 mm; fem 2b; (i4)	100,00
703	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1060x100 mm; fem 2a; (i4)	100,00
704	1	<b>set forklift forks</b> Fema, set forklift forks; dim. 1010x150 mm; fem 2a; (i4)	100,00
705	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1100x100 mm; fem 2a; (j4)	50,00
706	1	<b>set forklift forks</b> set forklift forks; dim. 1190x100 mm; (j4)	50,00
707	1	<b>set forklift forks</b> Cascade, set forklift forks; dim. 1195x100 mm; fem 2b; (j4)	50,00
708	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1160x100 mm; fem 2a; (j4)	50,00
709	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1000x100 mm; fem 2a; (j4)	50,00
710	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1150x100 mm; fem 2a; (j4)	50,00
711	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 800x100 mm; fem 2a; (j4)	50,00
712	1	<b>set forklift forks</b> set forklift forks; dim. 1075x100 mm; fem 2a; (j4)	50,00
713	1	<b>set forklift forks</b> set forklift forks; dim. 1150x100 mm; fem 2b; (j4)	50,00
714	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1150x100 mm; fem 2a; (j4)	50,00
715	1	<b>set forklift forks</b> Msi forks, set forklift forks; dim. 800x100 mm; fem 2a; (j4)	50,00
716	1	<b>set hydraulic forklift forks</b> Vetter / Gripteck, rg4-25-800-400, bouwjaar 2012, set hydraulic forklift forks; dim. 920x160 mm; fem 2a; (j4)	100,00
717	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 995x80 mm; fem 2a; (j4)	50,00
718	1	<b>set forklift forks</b> set forklift forks; dim. 1500x125 mm; penn type; (j4)	100,00
719	1	<b>set forklift forks</b> set forklift forks; dim. 2000x125 mm; fem 2a; (j4)	150,00
720	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1800x100 mm; fem 2a; (j4)	150,00
721	1	<b>set forklift forks</b> set forklift forks; dim. 2000x120 mm; fem 3b; (j4)	150,00
722	1	<b>set forklift forks</b> set forklift forks; dim. 2000x100 mm; fem 3a; (j4)	150,00
723	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 2200x120 mm; fem 2b; (j4)	150,00
724	1	<b>set forklift forks</b> set forklift forks; dim. 2200x140 mm; fem 3b; (j4)	150,00
725	1	<b>set forklift forks</b> set forklift forks; dim. 2400x120 mm; fem 2b; (j4)	150,00
726	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1800x140 mm; fem 2b; (j4)	150,00
727	1	<b>set forklift forks</b> set forklift forks; dim. 2400x100 mm; fem 2a; (j4)	150,00
728	1	<b>set forklift forks</b> Msi mechforce, set forklift forks; dim. 2000x150 mm; fem 3b; (j4)	150,00
729	1	<b>hydraulic rotation forklift roll clamp</b> Cascade, 60g-rcp-b603, bouwjaar 2001, hydraulic rotation forklift roll clamp; cap. 2700 kg; dim. board 1250mm; max 180 bar; (i4)	350,00
730	1	<b>hydraulic rotation forklift bale clamp</b> Cascade, hydraulic rotation forklift bale clamp; dim. board 620-2290 mm; (i4)	350,00
731	1	<b>hydraulic rotation forklift bale clamp</b> Kaup, 2t491wa, bouwjaar 2002, hydraulic rotation forklift bale clamp; (i4)	350,00
732	1	<b>hydraulic lift clamp</b> JKB, hydraulic lift clamp; (i4)	250,00
733	4	<b>sets forklift forks</b> sets forklift forks; dim. 1010x100 mm; (i4)	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
734	1	<b>single rotation lift board</b> Zaklad production, htp-0-405, bouwjaar 2017, single rotation lift board; cap. 2500 kg; 180o; (i4)	100,00
735	1	<b>single rotation lift board</b> Zaklad production, htp-0-405, bouwjaar 2017, single rotation lift board; cap. 2500 kg; 180o; (i4)	100,00
736	1	<b>single rotation lift board</b> Zaklad production, htp-0-505, bouwjaar 2017, single rotation lift board; cap. 3000 kg; 180o; (i4)	100,00
737	1	<b>hydraulic rotation forklift roll clamp</b> Cascade, 30f-rcf, bouwjaar 2007, hydraulic rotation forklift roll clamp; cap. 1200 kg; max 160 bar; (i4)	350,00
738	1	<b>industrial lpg floor cleaner</b> Karcher, kmr 1200 lpg, bouwjaar 1996, industrial lpg floor cleaner; 542 hours on meter; not running; (k4)	200,00
739	1	<b>industrial electric floor cleaner</b> Walter Broadley, challenger sidewinder 550 xd, industrial electric floor cleaner; 36 volt; no charger; not running; (k4)	200,00
740	1	<b>industrial electric floor cleaner</b> Tennant, 465 es, industrial electric floor cleaner; no charger; not running; (k4)	200,00
741	1	<b>table model sandblast cabinet</b> Zionair, sb 09a, bouwjaar 2017, table model sandblast cabinet; volume 90 ltr; work pressure 5,5-8 bar; 230 volt; (i3)	150,00
742	1	<b>sandblast cabinet</b> Zionair, sb 22a, bouwjaar 2017, sandblast cabinet; volume 220 ltr; work pressure 5,5-8 bar; 230 volt; inside carton box; (i3)	250,00
743	1	<b>sandblast cabinet</b> Zionair, sb 22a, bouwjaar 2017, sandblast cabinet; volume 220 ltr; work pressure 5,5-8 bar; 230 volt; inside carton box; (i3)	250,00
744	1	<b>double sided sandblast cabinet</b> Zionair, sb 120a, bouwjaar 2017, double sided sandblast cabinet; volume 1200 ltr; work pressure 5,5-8 bar; 230 volt; (i3)	500,00
745	1	<b>sandblast cabinet</b> Zionair, sb 99a, bouwjaar 2017, sandblast cabinet; volume 990 ltr; work pressure 5,5-8 bar; 230 volt; (i3)	400,00
746	1	<b>sandblast cabinet</b> Zionair, sb 42a, bouwjaar 2016, sandblast cabinet; volume 420 ltr; work pressure 5,5-8 bar; 230 volt; (i3)	400,00
747	1	<b>sandblast cabinet</b> Zionair, sb 22a, bouwjaar 2017, sandblast cabinet; volume 220 ltr; work pressure 5,5-8 bar; 230 volt; (i3)	250,00
748	16	<b>steel heavy boot doors</b> steel heavy boot doors; dim. 1250x2500x25 mm; (i3)	250,00
749	1	<b>pick-up truck lift</b> Mammuth, pick-up truck lift; cap. 2000 lbs; (j3)	150,00
750	1	<b>pick-up truck lift</b> Mammuth, pick-up truck lift; cap. 2000 lbs; (j3)	150,00
751	1	<b>profile bendingmachine</b> Cowley, bm 30, bouwjaar 2016, profile bendingmachine; diam. 30 mm; spindle speed 9 rpm; max pipe 30x30x1 mm; 1,1 kW; 400 volt; (j3)	500,00
752	1	<b>manual finger press bench</b> Cowley, fm 027, bouwjaar 2017, manual finger press bench; max work width 1270 mm; thickness max 2 mm; 135o; ; (j3)	500,00
753	1	<b>manual finger press bench</b> Cowley, fm 025d, bouwjaar 2017, manual finger press bench; max work width 1020 mm; thickness max 2 mm; 135o; ; (j3)	500,00
754	1	<b>manual finger press bench</b> Cowley, fm 025d, bouwjaar 2015, manual finger press bench; max work width 1220 mm; thickness max 1,5 mm; 0-135o; ; (j3)	300,00
755	1	<b>manual english wheel</b> Cowley, ewm 1000, bouwjaar 2015, manual english wheel; max plate thickness max 1,2 mm; stroke 1040 mm; (j3)	300,00
756	1	<b>manual english wheel</b> Cowley, ewm 710, bouwjaar 2017, manual english wheel; max plate thickness max 1,2 mm; stroke 710 mm; (j3)	250,00
757	1	<b>circular cut of sawmachine</b> Cowley, cs 350, bouwjaar 2015, circular cut of sawmachine; saw blade diam. 350 mm; saw cap. round 90o=120 mm; saw speed 18,36 t/min; 1,3 kW; 400 volt; with clamp; (j3)	600,00
758	1	<b>table model column drill</b> Cowley, dpj150, bouwjaar 2016, table model column drill; drill depth 60 mm; 450 watts; 230 volt; (j3)	150,00
759	1	<b>manual pipe bender</b> Cowley, hpb 40, bouwjaar 2015, manual pipe bender; (j3)	150,00
760	1	<b>angle clamp</b> Cowley, angle clamp; (j3)	15,00
761	1	<b>angle clamp</b> Cowley, angle clamp; (j3)	15,00
762	1	<b>rotary machine manual</b> Cowley, rm008, bouwjaar 2016, rotary machine manual; (j3)	75,00
763	1	<b>machine clamp</b> Cowley, machine clamp; (j3)	50,00
764	1	<b>machine clamp</b> Cowley, machine clamp; (j3)	50,00
765	1	<b>manual cutter</b> Cowley, mc030, manual cutter; (j3)	50,00
766	1	<b>manual table bender</b> Cowley, uwb 100, bouwjaar 2016, manual table bender; (j3)	50,00
767	1	<b>manual table bender</b> Cowley, uwb 100 b, bouwjaar 2017, manual table bender; (j3)	60,00
768	1	<b>fixture tools</b> fixture tools; (j3)	25,00
769	1	<b>manual table bender</b> Cowley, uw 40, bouwjaar 2017, manual table bender; (j3)	60,00
770	1	<b>manual pipe bender</b> Cowley, my 22, bouwjaar 2017, manual pipe bender; pipe thickness 0,8-1,2 mm; angle 180o; (j3)	60,00
771	1	<b>manual table 3-roller plate wals</b> Cowley, sr 1000, bouwjaar 2017, manual table 3-roller plate wals; plate thickness 0,8 mm; max width 1000 mm; (j3)	225,00
772	1	<b>fixture block</b> s, fixture block; (j3)	20,00
773	1	<b>manual table model press brake</b> Cowley, sbr 305, bouwjaar 2016, manual table model press brake; plate thickness 1 mm; max width 305 mm; (j3)	150,00
774	1	<b>manual press bench</b> Cowley, fm010, bouwjaar 2017, manual press bench; plate thickness 1 mm; max width 610 mm; angle 0-135o; (j3)	100,00
775	1	<b>manual press bench</b> Cowley, fm 010, bouwjaar 2017, manual press bench; plate thickness 1 mm; max width 610 mm; angle 0-135o; (j3)	100,00
776	1	<b>manual press bench</b> Cowley, fm 010, bouwjaar 2017, manual press bench; plate thickness 1 mm; max width 610 mm; angle 0-135o; on table; (j3)	150,00
777	1	<b>roller stand</b> Cowley, bouwjaar 2017, roller stand; (j3)	25,00
778	1	<b>roller stand</b> Cowley, bouwjaar 2017, roller stand; (j3)	25,00
779	1	<b>manual combi 3-roller plate wals/ press brake</b> Cowley, sbr106715, bouwjaar 2017, manual combi 3-roller plate wals/ press brake; plate thickness 1,5 mm; max width 1067 mm; (j3)	600,00



Kavel	Aantal	Omschrijving	Openingsbod €
780	1	<b>manual pipe bender</b> Cowley, hpb38, bouwjaar 2017, manual pipe bender; (j3)	75,00
781	1	<b>manual combi 3-roller plate wals/ press brake</b> Cowley, sbr1016, bouwjaar 2017, manual combi 3-roller plate wals/ press brake; plate thickness 0,8/1 mm; max width 1016 mm; (j3)	400,00
782	1	<b>manual combi 3-roller plate wals/ press brake</b> Cowley, sbr610, bouwjaar 2017, manual combi 3-roller plate wals/ press brake; plate thickness 0,8/1 mm; max width 610 mm; (j3)	300,00
783	1	<b>manual table 3-roller plate wals</b> Cowley, sr 1300, bouwjaar 2017, manual table 3-roller plate wals; plate thickness 0,8 mm; max width 1300 mm; (j3)	300,00
784	1	<b>marine gearbox</b> ZF, bw 30, marine gearbox; (j3)	100,00
785	1	<b>marine gearbox</b> Pont a mousson, nf 6, marine gearbox; (j3)	100,00
786	1	<b>marine gearbox</b> ZF, irm310 pl, marine gearbox; (j3)	100,00
787	1	<b>marine gearbox</b> ZF, irm310 pl, marine gearbox; (j3)	100,00
788	1	<b>marine gearbox</b> Lohmann + Stolterfoht, marine gearbox; 1645 rpm; (j3)	100,00
789	1	<b>marine gearbox</b> ZF, irm350 pl, marine gearbox; (j3)	100,00
790	1	<b>marine gearbox</b> ZF, irm350 pl, marine gearbox; (j3)	100,00
791	1	<b>marine gearbox</b> ZF, irm350 pl, marine gearbox; (j3)	100,00
792	1	<b>marine gearbox</b> ZF, irm350 pl, marine gearbox; (j3)	100,00
793	1	<b>marine gearbox</b> Lohmann + Stolterfoht, marine gearbox; 1645 rpm; (j3)	100,00
794	1	<b>mobile sander</b> Zionair, sk 28 v, bouwjaar 2016, mobile sander; volume 105 ltr; (j3)	100,00
795	1	<b>heavy winch</b> Turner, heavy winch; without steel cable; (j3)	100,00
796	1	<b>heavy winch</b> Turner, heavy winch; without steel cable; (j3)	100,00
797	1	<b>mobile exhauster</b> Zionair, sa 230, bouwjaar 2016, mobile exhauster; 750 watts; 230 volt; (j3)	100,00
798	1	<b>backstand sander</b> Cowley, bsm 075, bouwjaar 2017, backstand sander; 3000 watts; 230 volt; (j3)	150,00
799	1	<b>heavy belt sawmachine</b> Meber, 1050, serienummer 33911, heavy belt sawmachine; stroke 1050 mm; saw height 500 mm; 380 volt; (j3)	500,00
800	1	<b>steel lekkage bin</b> steel lekkage bin; dim. 120x80 cm; (j3)	60,00
801	4	<b>empty drums</b> empty drums; (j3)	10,00
802	1	<b>fuel additive injector</b> Hammond, bouwjaar 2010, fuel additive injector; own weight 470 lbs; (j3)	100,00
803	1	<b>mobile pressure washer</b> Aspira, hw 196b, mobile pressure washer; pressure 2700 psi; with engine; gun; hoses; (j3)	100,00
804	1	<b>mobile pressure washer</b> Aspira, hw 238 be, mobile pressure washer; pressure 3600 psi; with engine; gun; hoses; (j3)	125,00
805	1	<b>mobile pressure washer</b> Aspira, hw 196be, mobile pressure washer; pressure 2700 psi; with engine; gun; hoses; (j3)	100,00
806	1	<b>mobile pressure washer</b> Aspira, mobile pressure washer; with engine; gun; hoses; (j3)	125,00
807	1	<b>mobile pressure washer</b> Hydro Quick, 2122 am, mobile pressure washer; 2,2 gpm; 1200 psi; with engine; gun; hoses; (j3)	125,00
808	1	<b>complete lightweight water purifier system</b> Mechanical Equipment, complete lightweight water purifier system; with diesel pump; membrane unit; dispenser pumps; booster pump; ultrameter; turbidity meter; cold weather kit in boxes; cables; control panel; operational hours 8 hours; (j3)	750,00
809	1	<b>welding transformer</b> Philips, welding transformer; range 30-160a; 380 volt; (j3)	10,00
810	1	<b>mobile tank mounted air compressor</b> Zionair, cp22a103, bouwjaar 2017, mobile tank mounted air compressor; pressure 10 bar; 3 hp; 2,2 kW; 400 volt; tank volume 200 ltr; (j3)	250,00
811	1	<b>tank mounted air compressor</b> Zionair, cp30a15t200, bouwjaar 2014, tank mounted air compressor; pressure 15 bar; 4 hp; 3 kW; 400 volt; tank volume 200 ltr; (j3)	250,00
812	1	<b>mobile tank mounted air compressor</b> Zionair, cp22, bouwjaar 2015, mobile tank mounted air compressor; pressure 116 psi; 3 hp; 2,2 kW; 230 volt; tank volume 40 ltr; (j3)	100,00
813	1	<b>mobile tank mounted air compressor</b> Zionair, cp22, bouwjaar 2015, mobile tank mounted air compressor; pressure 116 psi; 3 hp; 2,2 kW; 230 volt; tank volume 40 ltr; (j3)	100,00
814	1	<b>mobile tank mounted air compressor</b> Zionair, cp30a, bouwjaar 2014, mobile tank mounted air compressor; pressure 15 bar; 4 hp; 3 kW; 400 volt; tank volume 90 ltr; (j3)	150,00
815	1	<b>mobile tank mounted air compressor</b> Zionair, cp22t01, bouwjaar 2017, mobile tank mounted air compressor; pressure 8 bar; 3 hp; 2,3 kW; 230 volt; air volume 170 ltr/min; tank volume 100 ltr; (j3)	150,00
816	1	<b>silenced air compressor</b> Zionair, cp 55s12, bouwjaar 2017, serienummer 601704008, silenced air compressor; pressure 12,5 bar; 5,5 kW; 7,5 pk; air delivery 600 ltr/min; 380 volt; operational hours 1 hour; (j03)	600,00
817	1	<b>silenced air compressor</b> Zionair, cp 55s12, bouwjaar 2017, serienummer 671703013, silenced air compressor; pressure 12,5 bar; 5,5 kW; 7,5 pk; air delivery 600 ltr/min; 380 volt; operational hours 1 hour; (j03)	600,00
818	1	<b>air dryer</b> Ingersoll, mu 7.5, air dryer; 380/415 volt; running unknown; (j03)	75,00
819	1	<b>air compressor</b> Compair, ws 22-07, bouwjaar 1999, serienummer 600/9912311, air compressor; pressure 7,5 bar; 25.30 kW; 3000 rpm; cap. 3,39 m3/min; 400 volt; (j03)	200,00
820	1	<b>air compressor engine</b> Atlas Copco, air compressor engine; 7,50 kW; 1445 rpm; 230 volt; (j03)	100,00
821	1	<b>air compressor</b> Nn, air compressor; 380 volt; (j03)	100,00
822	1	<b>mobile tank mounted air compressor</b> Sentar, gg 470, mobile tank mounted air compressor; 2 hp; 1,5 kW; 8 bar; volume 100 ltr; 230 volt; (j03)	100,00
823	1	<b>silenced air compressor</b> Zionair, cp 55s12, bouwjaar 2016, serienummer 601611011, silenced air compressor; pressure 12,5 bar; 5,5 kW; 7,5 pk; air delivery 600 ltr/min; 380 volt; operational hours 242 hour; (j03)	600,00
824	1	<b>mobile air compressor</b> Zionair, cp 202vt5, bouwjaar 2016, mobile air compressor; pressure 8 bar; cap. 120 ltr/min; 2 kW; 2,5 hp; tank volume 50 ltr; 230 volt; (j03)	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
825	1	<b>mobile air compressor</b> Zionair, cp 122t03, bouwjaar 2017, mobile air compressor; pressure 8 bar; cap. 120 ltr/min; 2 kW; 2,5 hp; tank volume 24 ltr; 230 volt; (j03)	100,00
826	1	<b>mobile air compressor</b> Zionair, cp 122t03, bouwjaar 2017, mobile air compressor; pressure 8 bar; cap. 120 ltr/min; 2 kW; 2,5 hp; tank volume 24 ltr; 230 volt; (j03)	100,00
827	1	<b>portable air compressor</b> Zionair, cp 122t03, bouwjaar 2016, portable air compressor; pressure 8 bar; cap. 80 ltr/min; 0,75 kW; 1 hp; tank volume 6 ltr; 230 volt; (j03)	75,00
828	1	<b>portable air compressor</b> Zionair, cp 122t03, bouwjaar 2016, portable air compressor; pressure 8 bar; cap. 80 ltr/min; 0,75 kW; 1 hp; tank volume 6 ltr; 230 volt; (j03)	75,00
829	1	<b>manual width model pallet lifter</b> manual width model pallet lifter; cap. 2500 kg; (j03)	50,00
830	1	<b>manual shear pallet lifter</b> Pfaff, manual shear pallet lifter; cap. 1000 kg; not working; (j03)	50,00
831	1	<b>manual pallet lifter</b> Little mule, manual pallet lifter; cap. 2000 kg; (j03)	50,00
832	1	<b>galvanisched steel transport bin</b> galvanisched steel transport bin; (j03)	50,00
833	1	<b>mobile cement mixer</b> Nn, pcm 130 l, mobile cement mixer; volume 130 ltr; 230 volt; (j03)	50,00
834	1	<b>mobile cement mixer</b> Nn, pcm 130 l, mobile cement mixer; volume 130 ltr; 230 volt; (j03)	50,00
835	1	<b>wheel with electro cable</b> wheel with electro cable; (j03)	100,00
836	1	<b>universal turning lathe</b> SM, e400m/1000, bouwjaar 1969, serienummer 10/80, universal turning lathe; turning length 1000 mm; turning diam. 430 mm; 380 volt; with contents; (j03)	250,00
837	1	<b>universal turning lathe</b> SA Mondiale, celtic 14, universal turning lathe; turning length 1000 mm; turning diam. 360 mm; 380 volt; (j03)	250,00
838	1	<b>frame mounted advanced air compressor</b> Romit-Acat, hes-13 440-60-070-swc-sd, bouwjaar 2009, frame mounted advanced air compressor; air cap. 780 m3 n/h; 7,0 bar; 2500 rpm; 380 volt; no display; (j03)	250,00
839	1	<b>mobile belt conveyor</b> Roopack, mobile belt conveyor; belt dim. 270x30 cm; 380 volt; (j03)	50,00
840	1	<b>heavy steel cable winch</b> Gearmatic, 22, bouwjaar 1982, heavy steel cable winch; (j03)	250,00
841	1	<b>heavy steel cable winch</b> Gearmatic, 22, bouwjaar 1982, heavy steel cable winch; (j03)	250,00
842	1	<b>heavy winch unit</b> heavy winch unit; with Vem electro motor; no steel cable; (j03)	150,00
843	1	<b>heavy winch unit</b> heavy winch unit; with Vem electro motor; no steel cable; (j03)	150,00
844	1	<b>heavy breaker</b> Berema, pionjär 120, heavy breaker; in case; (j03)	60,00
845	1	<b>vehicular jack</b> vehicular jack; (j03)	60,00
846	1	<b>mobile dc arc welder</b> Miller, migblu 300, mobile dc arc welder; welding range 20a/15v-300a/29v; 400 volt; with wire feeder; (j03)	60,00
847	1	<b>mobile welder</b> Morelisse, 630 smp, mobile welder; welding range 550a/42v-630a/45v; 31 kVA; 29 kW; 380 volt; with wire feeder; (j03)	60,00
848	1	<b>mobile vacuüm cleaner</b> Shop-vac, mobile vacuüm cleaner; 120 volt; (j03)	10,00
849	1	<b>mobile welder</b> Hobart, tg-200c, mobile welder; welding range 10a/10v-165a/17v; 220/380/415/500 volt; (j03)	75,00
850	1	<b>mobile welder</b> Lorch, export 2000, mobile welder; welding range 35a/18v-200a/30v; 380 volt; (j03)	75,00
851	1	<b>mobile plasma cutter</b> Nn, plasma 75-120, mobile plasma cutter; primaire 19-29 kVA; 30-45a; 380 volt; sec. 75-120a/110 volt; (j03)	75,00
852	1	<b>wheel balance kit</b> Haweka, wheel balance kit; in mobile wooden case; (j03)	150,00
853	1	<b>parts cleaning table</b> Lab-o-clean, parts cleaning table; (j03)	25,00
854	1	<b>dust filter unit</b> Kiekens, dm-5551, dust filter unit; 0,55-3,0 kW; 380 volt; (j03)	100,00
855	32	<b>contruction lights in bin</b> contruction lights in bin; (j03)	100,00
856	9	<b>industrial lights</b> Mazda, cmc 400, industrial lights; excl. gitter bin; (j03)	100,00
857	9	<b>industrial lights</b> Mazda, cmc 400, industrial lights; excl. gitter bin; (j03)	100,00
858	7	<b>industrial lights</b> Mazda, cmc 400, industrial lights; excl. gitter bin; (j03)	100,00
859	10	<b>industrial lights</b> Mazda, cmc 400, industrial lights; excl. gitter bin; (j03)	100,00
860	10	<b>industrial lights</b> Sylvana, industrial lights; excl. gitter bin; (j03)	100,00
861	8	<b>various industrial lights</b> Nn, various industrial lights; excl. gitter bin; (j03)	100,00
<b>Industrial lamps</b>			
862	1	<b>antenne beam</b> Patrick, antenne beam; in case; (j03)	50,00
863	1	<b>forklift beam</b> forklift beam; (j03)	50,00
864	1	<b>forklift beam</b> Still, bouwjaar 2008, forklift beam; build height 2260 mm; lift height 3430 mm; (j03)	200,00
865	1	<b>4-cilinder diesel engine</b> Ford, 2722E, serienummer D0120, 4-cilinder diesel engine; cap. 4,15 ltr; 1250-2500 rpm; (k03)	250,00
866	1	<b>truck transmission</b> Caterpillar, 2p7007, serienummer IL402648, truck transmission; (k03)	2.500,00
867	1	<b>6-cilinder diesel engine</b> Cummins, ntc-400, bouwjaar 1987, serienummer 11401427, 6-cilinder diesel engine; cap. 400 hp; 2100 rpm; (k03)	500,00
868	1	<b>6-cilinder diesel engine</b> Cummins, 6-cilinder diesel engine; (k03)	500,00
869	1	<b>6-cilinder diesel engine</b> Allis-Chalmers, 3500 A, bouwjaar 1985, serienummer 3D-68747, 6-cilinder diesel engine; (k03)	500,00
870	1	<b>6-cilinder diesel engine</b> John Deere, bouwjaar 2007, 6-cilinder diesel engine; (k03)	500,00



Kavel	Aantal	Omschrijving	Openingsbod €
871	1	<b>8-cilinder diesel engine</b> GM, 8-cilinder diesel engine; in transport case; (k03)	500,00
872	1	<b>8-cilinder diesel engine</b> GM, 8-cilinder diesel engine; in transport case; (k03)	500,00
873	1	<b>8-cilinder diesel engine</b> GM, 8-cilinder diesel engine; in transport case; (k03)	500,00
874	1	<b>8-cilinder diesel engine</b> GM, 8-cilinder diesel engine; in transport case; (k03)	500,00
875	1	<b>truck transmission</b> truck transmission; in transport case; (k03)	100,00
876	1	<b>mobile industrial high pressure cleaner</b> Karcher, hds 755, mobile industrial high pressure cleaner; 230 volt; (k03)	100,00
877	1	<b>mobile industrial high pressure cleaner</b> Karcher, hds 120 S, mobile industrial high pressure cleaner; temp max 150oC; 380 volt; (k03)	100,00
878	1	<b>mobile industrial high pressure cleaner</b> Kranzle, 630, mobile industrial high pressure cleaner; temp max 150oC; 230 volt; cable is of; (k03)	100,00
879	1	<b>industrial heater</b> Motan, 630, industrial heater; cap. 35.000-110.000 kcal/hour; (k03)	100,00
880	1	<b>industrial heater</b> Motan, 630, industrial heater; cap. 35.000-110.000 kcal/hour; (k03)	100,00
881	1	<b>manual pallet stacker</b> Mammuth, ph 1027, bouwjaar 2006, manual pallet stacker; cap. 1000 kg; liftheight 2750 mm; (k03)	100,00
882	1	<b>mobile diesel pump unit</b> Hatz, e 673 lmk, mobile diesel pump unit; 2500 rpm; (k03)	100,00
883	1	<b>mobile industrial water mist canon</b> Nn, mobile industrial water mist canon; 230 volt; variabele speed; with water hose connection; (k03)	300,00
884	1	<b>mobile industrial water mist canon</b> Nn, mobile industrial water mist canon; 230 volt; variabele speed; with water hose connection; (k03)	300,00
885	1	<b>diesel water pump unit</b> VP, 50 kb-2e, diesel water pump unit; output 2,2-3,0 kW; 4hp diesel engine; (k03)	100,00
886	1	<b>diesel water pump unit</b> VP, 50 kb-2e, diesel water pump unit; output 2,2-3,0 kW; 4hp diesel engine; (k03)	100,00
887	1	<b>high pressure motor</b> Karcher, high pressure motor; 380 volt; (k03)	50,00
888	1	<b>mobile brake cleaner</b> Schickert, mobile brake cleaner; 380 volt; (k03)	50,00
889	1	<b>box with hoses</b> box with hoses; and stands; (k03)	50,00
890	1	<b>water pump unit</b> American-Marsh pumps, water pump unit; with Lombardini diesel engine; (k03)	100,00
891	1	<b>box with hoses</b> box with hoses; (k03)	50,00
892	1	<b>frame mounted filter seperator</b> frame mounted filter seperator; cap. 350 gpm; pressure 150 psi; (k03)	100,00
893	1	<b>frame mounted filter seperator</b> frame mounted filter seperator; cap. 350 gpm; pressure 150 psi; (k03)	100,00
894	1	<b>wooden case with contents</b> wooden case with contents; (k03)	50,00
895	1	<b>drinking water bag</b> drinking water bag; pressure 5 psi; volume 500 gallons; (k03)	100,00
896	1	<b>horizontal filter seperator</b> BetavSystems, 872fs-z101, horizontal filter seperator; flow rate 240 gpm at 100 psi; (k03)	150,00
897	1	<b>skid mounted filter seperator</b> General Steel Tank, ffu-15/e, skid mounted filter seperator; flow rate 600 gpm; (k03)	150,00
898	1	<b>water pump unit</b> American-Marsh pumps, water pump unit; with Lombardini diesel engine; (k03)	100,00
899	1	<b>automatic spray gun cleaning system</b> Uni-ram cascade, ug 5000 w, automatic spray gun cleaning system; (k03)	150,00
900	1	<b>wooden case with contents</b> wooden case with contents; (k03)	50,00
901	1	<b>combination woodworking machine</b> Robiland, bouwjaar 1993, serienummer 93/4/26, combination woodworking machine; consisting of; circular saw; planer; thicknesser; 380 volt; (k03)	500,00
902	1	<b>mobile thread cutter</b> Ridgid, 918-l, mobile thread cutter; 380 volt; (k03)	100,00
903	1	<b>manual plate shear</b> Vernet, manual plate shear; on frame; (k03)	25,00
904	1	<b>wood saw</b> Hegner, multicut 2, wood saw; on frame; 230 volt; (k03)	25,00
905	1	<b>wood saw</b> Hegner, multicut 2, wood saw; on frame; 230 volt; (k03)	25,00
906	1	<b>double sanding machine</b> Delta, double sanding machine; (k03)	25,00
907	1	<b>column drill machine</b> Delta, 15-350, column drill machine; (k03)	50,00
908	1	<b>band saw machine</b> Delta, 8-203 f, band saw machine; (k03)	50,00
909	1	<b>table milling machine</b> Danckaert, table milling machine; (k03)	100,00
910	1	<b>long bed jointer</b> Delta, 6" deluxe, long bed jointer; (k03)	75,00
911	1	<b>manual cutting table</b> Jouanel, cl 1020-15c, bouwjaar 2009, manual cutting table; cap. 1,5 mm; (k03)	75,00
912	1	<b>wood thicknesser machine</b> General, 430, bouwjaar 1982, serienummer T 490, wood thicknesser machine; cap. 615 mm; max height 200 mm; (k03)	150,00
913	1	<b>3-roller wals</b> Jouanel, rpl-1550x30, bouwjaar 1987, 3-roller wals; cap. 1550 mm; 3,0 mm; (k03)	100,00
914	1	<b>heavy tow-bar</b> heavy tow-bar; (k03)	50,00
915	1	<b>incomplete circular saw machine</b> Conni, C 400 A, bouwjaar 1993, serienummer 7796, incomplete circular saw machine; 11-22 rpm; saw cap. max 400 mm; 380 volt; (k03)	250,00
916	1	<b>incomplete circular saw machine</b> Conni, C 450 / a1200, bouwjaar 2001, serienummer 84076151AU, incomplete circular saw machine; 10-140 rpm; saw cap. max 450 mm; 380 volt; (k03)	250,00





Kavel	Aantal	Omschrijving	Openingsbod €
917	1	<b>incomplete circular saw machine</b> Conni, C 450, bouwjaar 2001, serienummer 84076151U, incomplete circular saw machine; 10-140 rpm; saw cap. max 450 mm; 380 volt; (k03)	250,00
918	1	<b>radial drill machine</b> Ema, radial drill machine; stroke 900 mm; drill depth 120 mm; head height travel approx 650 mm; with t-slot fixture table; fixture block; 380 volt; (k03)	450,00
919	1	<b>universal milling machine</b> Bridgeport, 448692, serienummer 146010772MS, universal milling machine; saddle travel 699 mm; table travel 762 mm; vertical travel 406 mm; spindle speeds 60-4200 rpm; table size 1067x229 mm; own weight 1180 kg; (k03)	500,00
920	1	<b>universal milling machine</b> Cccp, 6t8dw, universal milling machine; spindle speeds 56-2500 rpm; table size 870x260 mm; Sony digital read out; own weight 1180 kg; (k03)	500,00
921	1	<b>electric strapping machine</b> Strapex, ecopack ep-2, bouwjaar 2005, electric strapping machine; 230 volt; (k03)	100,00
922	1	<b>electric strapping machine</b> Strapex, ecopack de-2, bouwjaar 2005, electric strapping machine; 230 volt; (k03)	100,00
923	1	<b>electric strapping machine</b> Strapex, ecopack ep-2, bouwjaar 2005, electric strapping machine; 230 volt; (k03)	100,00
924	1	<b>steel cable winch</b> steel cable winch; 380 volt; cap. 3-28 KN; (k03)	75,00
925	1	<b>welding machine</b> Lincoln, welding machine; welding range 5a/20v-350a/34v; 200-440 volt; with wire feeder; (k01)	75,00
926	1	<b>mobile industrial cleaner</b> Aspira, hw 100 el, mobile industrial cleaner; cap. 14,5 l/min; pressure 145 psi; 220 volt; 2,2 kW; (k02)	75,00
927	1	<b>2-column automobile lift</b> Falco, vl35f230b, bouwjaar 2016, serienummer 216092006, 2-column automobile lift; lifting cap. max. 3500 kg; max. lifting height 1800 mm; own weight 620 kg; 230 Volt; (k02)	500,00
928	1	<b>mobile lift table</b> Mammuth, mobile lift table; cap. max 135 kg; (k02)	75,00
929	1	<b>electric hydraulic scissor lift;</b> Falco, VL60 HE, bouwjaar 2016, electric hydraulic scissor lift; lift cap. 2700 kg; lift height max 1000 mm; weight 480 kg; 230 volt; with control; (k02)	500,00
930	1	<b>8-cilinder diesel engine</b> Detroit, 8v92TR, 8-cilinder diesel engine; overhauled 2006; (k02)	600,00
931	1	<b>8-cilinder diesel engine</b> Detroit, 8v92TR, 8-cilinder diesel engine; overhauled 2008; (k02)	600,00
932	1	<b>mobile electric log splitter</b> Woodcraft, ls 22b, bouwjaar 2015, mobile electric log splitter; cap. 22 ton; with gasoline engine; (k02)	500,00
933	1	<b>6-cilinder diesel engine</b> White, d298er, bouwjaar 1979, 6-cilinder diesel engine; (k02)	600,00
934	7	<b>incomplete diesel engines</b> Yanmar, incomplete diesel engines; in carton box; (k02)	250,00
935	6	<b>incomplete diesel engines</b> Petter, incomplete diesel engines; (k02)	250,00
936	1	<b>4-cilinder diesel engine</b> Isuzu, 4-cilinder diesel engine; (k02)	150,00
937	1	<b>4-cilinder diesel engine</b> Isuzu, 4-cilinder diesel engine; (k02)	150,00
938	1	<b>3-cilinder diesel engine</b> Kubota, D905, 3-cilinder diesel engine; 1800 rpm; (k02)	250,00
939	1	<b>2-cilinder diesel engine</b> Onan, 2-cilinder diesel engine; (k02)	100,00
940	1	<b>2-cilinder diesel engine</b> Onan, 2-cilinder diesel engine; (k02)	100,00
941	1	<b>2-cilinder diesel engine</b> Onan, 2-cilinder diesel engine; (k02)	100,00
942	1	<b>2-cilinder diesel engine</b> Onan, 2-cilinder diesel engine; (k02)	100,00
943	1	<b>2-cilinder diesel engine</b> Onan, 2-cilinder diesel engine; (k02)	100,00
944	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
945	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
946	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
947	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
948	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
949	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
950	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
951	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
952	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
953	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
954	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
955	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
956	1	<b>3-cilinder diesel engine</b> Yanmar, 3TNM68-ALH, 3-cilinder diesel engine; displacement 0.784 l; k02)	250,00
<b>Diesel engines - B</b>			
957	1	<b>mobile gasoline ventilator</b> Ramfan, gf 165, mobile gasoline ventilator; (k01)	50,00
958	1	<b>mobile gasoline ventilator</b> Ramfan, gf 165, mobile gasoline ventilator; (k01)	50,00
959	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
960	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
961	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00



Kavel	Aantal	Omschrijving	Openingsbod €
962	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
963	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
964	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
965	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
966	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
967	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
968	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
969	1	<b>2-cilinder diesel engine</b> Deutz, F 2M 2011, 2-cilinder diesel engine; 13,0 kW; 17 hp; 1500 rpm; (k01/02)	250,00
		<b>Diesel engines - A</b>	
970	1	<b>special hydraulic drill</b> special hydraulic drill; with hydraulic unit on trolley; (k02)	100,00
971	1	<b>mobile hydraulic unit</b> Mercon, mobile hydraulic unit; 380 volt; (k02)	100,00
972	1	<b>mobile hydraulic unit</b> mobile hydraulic unit; 380 volt; (k02)	100,00
973	1	<b>mobile hydraulic unit</b> mobile hydraulic unit; 380 volt; (k02)	100,00
974	1	<b>mobile hydraulic unit</b> mobile hydraulic unit; 380 volt; (k02)	100,00
975	1	<b>mobile hydraulic unit</b> mobile hydraulic unit; 380 volt; (k02)	50,00
976	1	<b>double work light</b> Regent, double work light; 120 volt; (k02)	10,00
977	1	<b>wooden case</b> wooden case; (k02)	10,00
978	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
979	11	<b>storage shipping case</b> storage shipping case; (k02)	10,00
980	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
981	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
982	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
983	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
984	1	<b>storage shipping case</b> storage shipping case; (k02)	10,00
985	1	<b>wooden case</b> wooden case; (k02)	10,00
986	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
987	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
988	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
989	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
990	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
991	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
992	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
993	3	<b>steel wast bins</b> United, ST 24, steel wast bins; with foot paddle; (k02)	15,00
994	1	<b>lot with heater hoses</b> lot with heater hoses; in carton box; (k01)	60,00
995	1	<b>mobile industrial heater</b> Bini, ms 15, bouwjaar 2000, mobile industrial heater; cap. 25.000 kcal/hour; flow 1670 mc/hour; 538 hours on meter; 220 volt; (k01)	200,00
996	1	<b>mobile industrial heater</b> Bini, ms 15, bouwjaar 2000, mobile industrial heater; cap. 25.000 kcal/hour; flow 1670 mc/hour; 220 volt; (k01)	200,00
997	1	<b>mobile industrial heater</b> S.D.et de R, g.a.c. 1000, mobile industrial heater; cap. 25 kW; 230 volt; (k01)	200,00
998	1	<b>mobile industrial heater</b> S.D.et de R, g.a.c. 1000, mobile industrial heater; cap. 25 kW; 230 volt; (k01)	200,00
999	1	<b>steel trash bin</b> steel trash bin; (k02)	10,00
1000	1	<b>special storage / shipping case</b> Pelican, special storage / shipping case; (k02)	50,00
1001	2	<b>special storage / shipping cases</b> Hardigg, special storage / shipping cases; (k02)	50,00
1002	1	<b>special storage / shipping case</b> Pelican, special storage / shipping case; (k02)	50,00
1003	1	<b>special storage / shipping case</b> SKB, special storage / shipping case; with 3-drawers; (k02)	50,00
1004	1	<b>special storage / shipping case</b> special storage / shipping case; (k02)	50,00
1005	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1006	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1007	1	<b>steel military case</b> steel military case; (k02)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
1008	1	<b>special storage / shipping case</b> special storage / shipping case; (k02)	50,00
1009	3	<b>special storage / shipping cases</b> Hardigg, special storage / shipping cases; (k02)	75,00
1010	5	<b>special storage / shipping cases</b> Hardigg, special storage / shipping cases; (k02)	125,00
1011	5	<b>special storage / shipping cases</b> Hardigg, special storage / shipping cases; (k02)	125,00
1012	3	<b>various storage / shipping cases</b> various storage / shipping cases; (k02)	125,00
1013	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1014	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1015	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1016	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1017	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1018	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1019	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1020	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1021	2	<b>special storage / shipping / flight cases</b> special storage / shipping / flight cases; dim. 50x54x51 cm; (k02)	50,00
1022	2	<b>various storage / shipping cases</b> various storage / shipping cases; (k02)	125,00
1023	4	<b>special storage / shipping cases</b> special storage / shipping cases; (k02)	125,00
1024	8	<b>wooden storage / shipping cases</b> wooden storage / shipping cases; (k02)	125,00
1025	8	<b>wooden storage / shipping cases</b> wooden storage / shipping cases; (k02)	125,00
1026	5	<b>wooden storage / shipping cases</b> wooden storage / shipping cases; (k02)	125,00
1027	4	<b>special storage / shipping cases</b> special storage / shipping cases; (k01)	125,00
1028	3	<b>special storage / shipping cases</b> special storage / shipping cases; (k01)	125,00
1029	3	<b>special rack storage / shipping cases</b> special rack storage / shipping cases; (k01)	125,00
1030	3	<b>special storage / shipping cases</b> Hardigg, special storage / shipping cases; (k02)	75,00
1031	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1032	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1033	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1034	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1035	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1036	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1037	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1038	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1039	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1040	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1041	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1042	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1043	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1044	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1045	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1046	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1047	1	<b>special rack storage / shipping case</b> SKB, special rack storage / shipping case; (k01)	50,00
1048	1	<b>storage / shipping case</b> storage / shipping case; (k01)	60,00
1049	2	<b>various special rack storage / shipping cases</b> various special rack storage / shipping cases; (k01)	50,00
1050	3	<b>various special storage / shipping cases</b> various special storage / shipping cases; (k01)	50,00
1051	2	<b>storage / shipping cases</b> storage / shipping cases; (k01)	50,00
1052	2	<b>galvanized steel post trolleys</b> galvanized steel post trolleys; (k02)	50,00
1053	3	<b>galvanized steel post trolleys</b> galvanized steel post trolleys; max load 325 kg; (k02)	75,00



Kavel	Aantal	Omschrijving	Openingsbod €
1054	3	<b>galvanized steel post trolleys</b> galvanized steel post trolleys; max load 325 kg; (k02)	75,00
1055	3	<b>galvanized steel post trolleys</b> galvanized steel post trolleys; max load 325 kg; (k02)	75,00
1056	2	<b>galvanized steel post trolleys</b> galvanized steel post trolleys; max load 325 kg; (k02)	50,00
1057	1	<b>long model storage / shipping case</b> Hardigg, long model storage / shipping case; (k02)	50,00
1058	1	<b>long model storage / shipping case</b> Hardigg, long model storage / shipping case; (k02)	50,00
1059	1	<b>storage / shipping box</b> storage / shipping box; (k02)	50,00
1060	1	<b>mobile manual lift</b> Genie, m-5, mobile manual lift; max load cap. 800 lbs; flatform height 3 ft; (k02)	50,00
1061	1	<b>1-door safe cabinet</b> Genie, m-5, 1-door safe cabinet; dim. 69x115x131 cm; with code lock; without code; (k02)	50,00
1062	88	<b>plastic stackable storage bins</b> plastic stackable storage bins; (k02)	80,00
1063	2	<b>wheels with protection band for cables</b> wheels with protection band for cables; (k02)	25,00
1064	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1065	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1066	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1067	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1068	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1069	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1070	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1071	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1072	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1073	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1074	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1075	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1076	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1077	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1078	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1079	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1080	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1081	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1082	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1083	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1084	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1085	10	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1086	32	<b>2 lamp tl lighting basket</b> Lithonia lighting, T 8, 2 lamp tl lighting basket; length 122 cm; 120-277 volt; (h4)	50,00
1087	1	<b>6-drawer cabinet</b> Champion, 6-drawer cabinet; dim. 760x540x950 mm; (J01)	50,00
1088	1	<b>6-drawer cabinet</b> Vidmar, 6-drawer cabinet; dim. 760x540x950 mm; (J01)	50,00
1089	1	<b>1-door cabinet</b> Vidmar, 1-door cabinet; dim. 760x540x950 mm; (J01)	25,00
1090	1	<b>7-drawer cabinet</b> Champion, 7-drawer cabinet; dim. 760x540x950 mm; (J01)	10,00
1091	1	<b>insulated vacuum jug</b> Super Chef, insulated vacuum jug; cap. 10 gallon; (J01)	10,00
1092	1	<b>field kitchen</b> field kitchen; dim. 560x620x1100 mm; (without burner) (J01)	50,00
1093	1	<b>1-door cabinet</b> Vidmar, 1-door cabinet; dim. 760x540x950 mm; (J01)	25,00
1094	1	<b>1-door cabinet</b> Vidmar, 1-door cabinet; dim. 760x540x950 mm; (J01)	25,00
1095	1	<b>7-drawer cabinet</b> Champion, 7-drawer cabinet; dim. 760x540x950 mm; (J01)	10,00
1096	26	<b>rolls bubble wrap foil</b> Sealed Air, rolls bubble wrap foil; foil width 600 mm; (J01)	100,00
1097	10	<b>vehicle spat wheels</b> vehicle spat wheels; LH; NSN 2510-01-569-7616; (J01)	100,00
1098	4	<b>vehicle storage racks</b> vehicle storage racks; NSN 8145015790175; (J01)	50,00
1099	3	<b>body panels</b> body panels; NSN 2510015664474; (J01)	30,00



Kavel	Aantal	Omschrijving	Openingsbod €
1100	1	<b>self supporting fabric tank</b> self supporting fabric tank; cap. 3000 gallon; NSN 5430-01-543-0155; (J01)	50,00
1101	1	<b>fabric tank</b> fabric tank; (J02)	10,00
1102	20	<b>rolls of strapping band</b> rolls of strapping band; width 12 mm; length 2300 meter/roll; (J02)	100,00
1103	6	<b>vehicle storage racks</b> vehicle storage racks; NSN 8145015790175; (J01)	75,00
1104	6	<b>vehicle storage racks</b> vehicle storage racks; NSN 8145015790175; (J01)	75,00
1105	1	<b>lot of PVC plumbing fixtures</b> lot of PVC plumbing fixtures; (J02)	20,00
1106	1	<b>hydraulic pedalift platform truck</b> Wesco, PL-54-2230, serienummer 83259, hydraulic pedalift platform truck; cap. 750 lbs; (J02)	25,00
1107	1	<b>threading machine</b> Ridgid, 535, threading machine; 230 Volt; (J02)	150,00
1108	1	<b>lift table</b> Mammuth, lift table; cap. 350 kg; lifting height 435-1500 mm; platform dim. 920x520 mm; foot pedal operated; (J02)	100,00
1109	1	<b>lift table</b> Mammuth, lift table; cap. 500 kg; lifting height 390-910 mm; platform dim. 852x502 mm; foot pedal operated; (I02)	100,00
1110	1	<b>lot of PVC pipe couplings</b> IPEX, lot of PVC pipe couplings; 4"; approx. 800 pcs; on 1 pallet (J02)	100,00
1111	1	<b>lot of various PVC pipe couplings</b> lot of various PVC pipe couplings; on 1 pallet (J02)	50,00
1112	1	<b>lot of various PVC pipe couplings</b> lot of various PVC pipe couplings; on 1 pallet (J02)	50,00
1113	1	<b>lot of PVC pipe couplings</b> IPEX, lot of PVC pipe couplings; 4"; approx. 750 pcs; on 2 pallets (J02)	100,00
1114	1	<b>lot of various PVC pipe couplings and fixtures</b> lot of various PVC pipe couplings and fixtures; on 1 pallet (J02)	50,00
1115	1	<b>lot of various PVC pipe couplings and fixtures</b> lot of various PVC pipe couplings and fixtures; on 1 pallet (J02)	50,00
		<b>PVC</b>	
1116	1	<b>lot of filters</b> lot of filters; NSN 4330-01-458-9915; approx. 70 pcs; (J02)	100,00
1117	1	<b>lot of plastic cord cover</b> lot of plastic cord cover; in 1 carton box; (J01)	25,00
1118	1	<b>lot of v-belts</b> lot of v-belts; approx. 800 pcs; (J01)	100,00
1119	8	<b>liquid tight flexible hoses</b> Kaf-Tech, liquid tight flexible hoses; size 1 1/4"; footage 50'; on 1 pallet; (J01)	50,00
1120	8	<b>liquid tight flexible hoses</b> Kaf-Tech, liquid tight flexible hoses; size 1 1/4"; footage 50'; on 1 pallet; (J01)	50,00
1121	1	<b>lot of radiator support rods</b> lot of radiator support rods; NSN 2510015566228; approx. 140 pcs; (J01)	150,00
1122	1	<b>lot of display port to DVI-D adapters</b> HP, lot of display port to DVI-D adapters; approx. 1100 pcs; on 1 pallet; (J01)	50,00
1123	1	<b>lot of display port to DVI-D adapters</b> HP, lot of display port to DVI-D adapters; approx. 600 pcs; on 1 pallet; (J01)	25,00
1124	1	<b>lot of steel nails</b> lot of steel nails; BRT common 40d 5"; in 1 box pallet; (J01)	100,00
1125	1	<b>lot of steel nails</b> lot of steel nails; BRT common 40d 5"; in 1 box pallet; (J01)	100,00
1126	1	<b>lot of steel nails</b> lot of steel nails; BRT common 40d 5"; in 1 box pallet; (J01)	100,00
1127	1	<b>lot of paint roller covers</b> lot of paint roller covers	5,00
1128	4	<b>tables</b> tables; foldable; dim. 153x62 cm; (J01)	10,00
1129	1	<b>hydraulic motorcycle lift</b> Mammuth, ML37KH, hydraulic motorcycle lift; cap. 360 kg; min/max height 205/780 mm; footpedal operated; (J02)	150,00
1130	1	<b>air hydraulic motorcycle lift</b> Mammuth, ML45KA, air hydraulic motorcycle lift; cap. 450 kg; min/max height 195/780 mm; (J02)	250,00
1131	1	<b>manual motorcycle stand</b> Mammuth, manual motorcycle stand; cap. 680 kg; (J02)	50,00
1132	1	<b>manual lifter</b> Mammuth, manual lifter; (J02)	10,00
1133	1	<b>mobile lifting table</b> PL48, mobile lifting table; cap. 900 kg; max. lifting height 1220 mm; platform dim. 920x610 mm; footpedal operated; (J02)	75,00
1134	1	<b>mobile lifting table</b> PL48, mobile lifting table; cap. 900 kg; max. lifting height 1220 mm; platform dim. 920x610 mm; footpedal operated; (J02)	75,00
1135	1	<b>hydraulic motorlift</b> Mammuth, hydraulic motorlift; cap. 135 kg; footpedal operated; (J02)	50,00
1136	1	<b>hydraulic motorlift</b> Mammuth, hydraulic motorlift; cap. 135 kg; footpedal operated; (J02)	50,00
1137	1	<b>air hydraulic motorcycle lift</b> Mammuth, ML75HA, air hydraulic motorcycle lift; cap. 675 kg; min/max height 185/825 mm; (J02)	300,00
1138	1	<b>hydraulic motorcycle lift</b> Mammuth, hydraulic motorcycle lift; cap. 680 kg; min/max height 135/430 mm; footpedal operated; (J02)	50,00
1139	1	<b>electric pump</b> Mammuth, electric pump; 230 Volt; (J02)	25,00
1140	1	<b>steel workbench</b> steel workbench; dim. 1830x720 mm; (J02)	10,00
1141	1	<b>vehicular towbar adapter</b> vehicular towbar adapter; NSN 2540-01-617-2986; (J02)	50,00
1142	1	<b>lot of non-metallic hoses</b> lot of non-metallic hoses; approx. 80 pcs; (J01)	50,00
1143	54	<b>plastic boxes</b> plastic boxes; box dim. 500x600x280 mm; (J01)	25,00
1144	18	<b>wide recessed rail kits</b> APC, wide recessed rail kits; (J01)	50,00
1145	14	<b>rolls plastic sheeting</b> Envision, rolls plastic sheeting; 16'x100'; (J01)	30,00



Kavel	Aantal	Omschrijving	Openingsbod €
1146	1	<b>lot of straight headed pins</b> lot of straight headed pins; in 1 box; (J01)	100,00
1147	1	<b>lot of air filter elements</b> Cat, lot of air filter elements; approx. 100 pcs; on 2 pallets (J01)	100,00
1148	1	<b>oil drain unit</b> Mammuth, OD30P, oil drain unit; (J01)	20,00
1149	1	<b>oil drain unit</b> Mammuth, OD30P, oil drain unit; (J01)	20,00
1150	1	<b>oil drain unit</b> Mammuth, OD75P, oil drain unit; (J01)	30,00
1151	1	<b>transmission jack</b> transmission jack; cap. 300 kg; (J01)	50,00
1152	1	<b>transmission jack</b> transmission jack; cap. 300 kg; (J01)	50,00
1153	1	<b>transmission jack</b> transmission jack; cap. 300 kg; (J01)	50,00
1154	1	<b>transmission jack</b> transmission jack; cap. 450 kg; (J01)	50,00
1155	1	<b>barrel trolley</b> barrel trolley; (J01)	20,00
1156	1	<b>barrel trolley</b> barrel trolley; (J01)	20,00
1157	1	<b>high jack stand</b> high jack stand; cap. 2 ton; (J02)	20,00
1158	1	<b>headlight tester</b> KT01A, headlight tester; (J02)	25,00
1159	1	<b>transmission jack</b> transmission jack; cap. 300 kg; (J01)	50,00
1160	1	<b>workshop/ engine crane</b> Mammuth, workshop/ engine crane; cap. 2 ton; lifting range 25-2300 mm; (J02)	100,00
1161	1	<b>workshop/ engine crane</b> Mammuth, workshop/ engine crane; cap. 2 ton; lifting range 25-2300 mm; (J02)	100,00
1162	1	<b>workshop/ engine crane</b> Mammuth, workshop/ engine crane; cap. 1 ton; (J02)	75,00
1163	1	<b>engine stand</b> Mammuth, engine stand; cap. 450 kg; (J02)	50,00
1164	1	<b>barrel trolley</b> barrel trolley	5,00
1165	1	<b>pneumatic sandblaster</b> Zionair, SK5B, pneumatic sandblaster; working pressure 60-125 psi; volume 17 litre; (J02)	20,00
1166	1	<b>engine stand</b> Mammuth, engine stand; cap. 450 kg; (J02)	50,00
1167	1	<b>tire balancing machine</b> Trainsway, ZH800, tire balancing machine; with digital display; rim diam. 10"-24"; 230 Volt; (I02)	200,00
1168	1	<b>tire balancing machine</b> Trainsway, ZH825B, tire balancing machine; with digital display; rim diam. 10"-24"; 230 Volt; (I02)	300,00
1169	1	<b>tire changer</b> Mammuth, ZH620, tire changer; rim diam. 10"-22"; 230 Volt; (I02)	300,00
1170	1	<b>tire changer</b> Mammuth, ZH620, tire changer; rim diam. 10"-22"; 230 Volt; (I02)	300,00
1171	1	<b>tire changer</b> Mammuth, ZH620, tire changer; rim diam. 10"-22"; 230 Volt; (I02)	300,00
1172	1	<b>tire changer</b> Mammuth, ZH650HA, tire changer; rim diam. 10"-24"; 230 Volt; (I01)	500,00
1173	1	<b>tire balancing machine</b> Trainsway, ZH825B, tire balancing machine; with digital display; rim diam. 10"-24"; 230 Volt; (I01)	300,00
1174	1	<b>tire balancing machine</b> Trainsway, ZH826B, tire balancing machine; with digital display; 230 Volt; (I01)	400,00
1175	1	<b>tire balancing machine</b> Beissbarth, microtec 840, tire balancing machine; with digital display; 230 Volt; (I01)	100,00
1176	1	<b>truck tire changer</b> Fabbri, STD-302, truck tire changer; rim diam. 13"-27"; 400 Volt; (I01)	500,00
1177	1	<b>air hydraulic shop press</b> Mammuth, SP50HAL, air hydraulic shop press; cap. 50 ton; stroke 200 mm; distance between columns 730 mm; (I01)	400,00
1178	1	<b>air hydraulic shop press</b> Mammuth, SP50HA, air hydraulic shop press; cap. 45 ton; stroke 190 mm; distance between columns 820 mm; (I01)	400,00
1179	1	<b>air hydraulic shop press</b> Mammuth, SP30HAL, air hydraulic shop press; cap. 30 ton; stroke 150 mm; distance between columns 540 mm; (I01)	300,00
1180	1	<b>air hydraulic shop press</b> Mammuth, SP20HH, air hydraulic shop press; cap. 20 ton; distance between columns 540 mm; (I02)	150,00
1181	1	<b>hydraulic shop press</b> Mammuth, hydraulic shop press; cap. 12 ton; distance between columns 460 mm; (I02)	100,00
1182	1	<b>hydraulic shop press</b> Mammuth, hydraulic shop press; cap. 12 ton; distance between columns 460 mm; table model (I02)	100,00
1183	1	<b>machine skate set</b> machine skate set; cap. 3000 kg; (I02)	50,00
1184	1	<b>machine skate set</b> Mammuth, machine skate set; cap. 12000 kg; (I02)	100,00
1185	1	<b>machine skate set</b> Mammuth, machine skate set; cap. 24000 kg; (I02)	150,00
1186	1	<b>hydraulic toe jack</b> Mammuth, HMJ5HD, hydraulic toe jack; cap. 5 ton; lifting height 205 mm; (I02)(I02)	30,00
1187	1	<b>hydraulic toe jack</b> Mammuth, HMJ5HD, hydraulic toe jack; cap. 5 ton; lifting height 205 mm; (I02)(I02)	30,00
1188	1	<b>hydraulic toe jack</b> Mammuth, HMJ10HD, hydraulic toe jack; cap. 10 ton; lifting height 230 mm; (I02)(I02)	50,00
1189	1	<b>hydraulic toe jack</b> Mammuth, HMJ10HD, hydraulic toe jack; cap. 10 ton; lifting height 230 mm; (I02)(I02)	50,00
1190	1	<b>hydraulic positioning jack</b> Mammuth, HV10P, hydraulic positioning jack; cap. 680 kg	5,00
1191	1	<b>hydraulic positioning jack</b> Mammuth, HV10P, hydraulic positioning jack; cap. 680 kg	5,00



Kavel	Aantal	Omschrijving	Openingsbod €
1192	1	<b>hydraulic positioning jack</b> Mammuth, HV10P, hydraulic positioning jack; cap. 680 kg	5,00
1193	1	<b>hydraulic positioning jack</b> Mammuth, HV10P, hydraulic positioning jack; cap. 680 kg	5,00
1194	1	<b>pneumatic oil extractor</b> Mammuth, OD-2197, pneumatic oil extractor; tank cap. 76 litre; pressure 6-8 bar; (I01)	100,00
1195	1	<b>pneumatic oil extractor</b> Mammuth, OD-33026A, pneumatic oil extractor; tank cap. 30 litre; max pressure <8 bar; (I01)	50,00
1196	1	<b>pneumatic oil extractor</b> Mammuth, OD-33026A, pneumatic oil extractor; tank cap. 30 litre; max pressure <8 bar; (I01)	50,00
1197	1	<b>air operated oil pump</b> air operated oil pump; ratio 3:1; inlet 1/4" quick plug; outlet 1/2" BSPT male; with digital meter	5,00
1198	1	<b>aluminum service jack</b> Mammuth, aluminum service jack; cap. 1.5 ton; (I01)	50,00
1199	1	<b>aluminum service jack</b> Mammuth, aluminum service jack; cap. 1.5 ton; (I01)	50,00
1200	1	<b>aluminum service jack</b> Mammuth, aluminum service jack; cap. 1.5 ton; (I01)	50,00
1201	1	<b>aluminum service jack</b> Mammuth, aluminum service jack; cap. 1.5 ton; (I01)	50,00
1202	1	<b>garage jack</b> Mammuth, garage jack; cap. 2 ton; (I01)	75,00
1203	1	<b>garage jack</b> garage jack; cap. 1.5 ton; (I01)	25,00
1204	1	<b>garage jack</b> garage jack; cap. 1.5 ton; (I01)	25,00
1205	1	<b>pneumatic lifter</b> ZH-L3, pneumatic lifter; working pressure 5-7 bar; cap. 3000 kg; min/max height 135/430 mm; (I01)	50,00
1206	1	<b>pneumatic lifter</b> ZH-L3, pneumatic lifter; working pressure 5-7 bar; cap. 3000 kg; min/max height 135/430 mm; (I01)	50,00
1207	1	<b>pneumatic lifter</b> ZH-L2, pneumatic lifter; working pressure 5-7 bar; cap. 3000 kg; min/max height 110/310 mm; (I01)	40,00
1208	1	<b>garage jack</b> Mammuth, garage jack; cap. 3 ton; (I01)	30,00
1209	1	<b>garage jack</b> garage jack; cap. 3 ton; (I01)	30,00
1210	1	<b>garage jack extra low</b> garage jack extra low; cap. 1.5 ton; (I01)	75,00
1211	1	<b>garage jack</b> Mammuth, garage jack; cap. 2 ton; (I01)	75,00
1212	1	<b>garage jack</b> Mammuth, garage jack; cap. 2 ton; (I01)	75,00
1213	1	<b>garage jack</b> Mammuth, garage jack; cap. 3 ton; (I01)	100,00
1214	1	<b>garage jack</b> garage jack; cap. 10 ton; (I01)	100,00
1215	1	<b>garage jack</b> garage jack; cap. 10 ton; (I01)	100,00
1216	1	<b>aluminum garage jack</b> Mammuth, aluminum garage jack; cap. 1.5 ton; (I01)	50,00
1217	1	<b>aluminum garage jack</b> Mammuth, aluminum garage jack; cap. 1.5 ton; (I01)	50,00
1218	1	<b>garage jack</b> garage jack; cap. 2.5 ton; (I01)	75,00
1219	1	<b>2-stage floorjack</b> Mammuth, 2-stage floorjack; air/ hydraulic; cap. 40/20 ton; (I02)	100,00
1220	1	<b>air hydraulic jack</b> Mammuth, air hydraulic jack; cap. 22 ton; (I02)	100,00
1221	1	<b>3-stage floorjack</b> Mammuth, 3-stage floorjack; air/ hydraulic; cap. 50/25/10 ton; (I02)	150,00
1222	1	<b>hydraulic machine toe jack</b> Mammuth, hydraulic machine toe jack; cap. 8 ton; height 20-160 mm; (I02)	60,00
1223	1	<b>hydraulic machine toe jack</b> Mammuth, hydraulic machine toe jack; cap. 8 ton; height 20-160 mm; (I02)	60,00
1224	1	<b>machine skate set</b> Mammuth, sk30, machine skate set; cap. 30 ton; in case; (I02)	150,00
1225	1	<b>machine skate set</b> Mammuth, machine skate set; cap. 8000 kg; (I02)	80,00
1226	1	<b>garage jack</b> Mammuth, garage jack; cap. 2 ton; (I01)	75,00
1227	1	<b>wheelbarrow</b> wheelbarrow; plastic; (I02)	20,00
1228	1	<b>display cabinet</b> display cabinet; for Victorinox knives; (I02)	25,00
1229	1	<b>tool stool</b> tool stool; (I02)	20,00
1230	1	<b>worktable</b> worktable; with 5 drawers; dim. 1530x650 mm; (I02)	150,00
1231	1	<b>aluminum tool case</b> aluminum tool case; with various handtools; (I02)	50,00
1232	1	<b>mobile stool</b> mobile stool; (I02)	10,00
1233	1	<b>color laserjet printer</b> HP, LaserJet CP4005dn, color laserjet printer; no cables; (I02)	25,00
1234	1	<b>film printer</b> Sharp, Drystar 5302, film printer; no cables; (I02)	25,00
1235	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1236	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1237	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
1238	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1239	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1240	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1241	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1242	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1243	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1244	12	<b>speaker sets</b> Cyber Acoustics, CA-2016WB, speaker sets; in 1 box (I02)	20,00
1245	3	<b>docking stations</b> Dell, docking stations; (I02)	10,00
1246	1	<b>lot of keyboards</b> lot of keyboards; USB; (I02)	10,00
1247	1	<b>lcd display</b> NEC, MultiSync LCD4010, lcd display; no cables and remote control; (I02)	25,00
1248	1	<b>lcd display</b> NEC, MultiSync LCD4010, lcd display; no cables and remote control; (I02)	25,00
1249	1	<b>lcd display</b> Avol, lcd display; 26"; 110 Volt; (I02)	5,00
1250	1	<b>lcd display</b> Avol, lcd display; 26"; 110 Volt; (I02)	5,00
1251	1	<b>lcd display</b> Avol, lcd display; 26"; 110 Volt; (I02)	5,00
1252	1	<b>lcd display</b> NEC, MultiSync LCD4010, lcd display; no cables and remote control; (I02)	10,00
1253	1	<b>video conference screen</b> Polycom, video conference screen; no cables and remote control; (I02)	10,00
1254	1	<b>lot of electrical power cords</b> lot of electrical power cords; 115 Volt; (I01)	20,00
1255	1	<b>lot of usb port replicators</b> Lenovo, lot of usb port replicators; (I01)	20,00
1256	1	<b>video presentation stand</b> Sony, video presentation stand; (I01)	5,00
1257	5	<b>various lcd displays</b> various lcd displays; (I01)	5,00
1258	10	<b>various lcd displays</b> various lcd displays; (I01)	10,00
1259	6	<b>various lcd displays</b> various lcd displays; (I01)	5,00
1260	1	<b>lcd television</b> Philips, lcd television; no cables and remote control; (I02)	10,00
1261	3	<b>various lcd displays</b> various lcd displays; (I01)	5,00
1262	1	<b>lot of various keyboards</b> lot of various keyboards; (I01)	5,00
1263	16	<b>various lcd displays</b> various lcd displays; (I01)	20,00
1264	15	<b>various lcd displays</b> various lcd displays; (I01)	20,00
1265	13	<b>various cartridges</b> various cartridges; (I01)	20,00
1266	50	<b>hardware kits</b> APC, hardware kits; in carton box; (I01)	10,00
1267	50	<b>hardware kits</b> APC, hardware kits; in carton box; (I01)	10,00
1268	1	<b>parts cleaner</b> parts cleaner; with pump; 230 Volt; (I01)	20,00
1269	1	<b>parts cleaner</b> parts cleaner; with pump; 230 Volt; (I01)	20,00
1270	1	<b>stainless steel mobile tool chest</b> Toolbox4you, stainless steel mobile tool chest; with 14 drawers; empty; dim. 680x480x1430 mm; (no keys) (I01)	400,00
1271	1	<b>mobile tool chest</b> XP Tools, mobile tool chest; with 7 drawers; various handtools; radio with speakers; dim. 870x460x1000 mm; (I02)	350,00
1272	1	<b>mobile tool chest</b> JMC, mobile tool chest; with 7 drawers; various handtools; dim. 770x460x980 mm; (I02)	200,00
1273	1	<b>tool case</b> tool case; with various tools; (I02)	75,00
1274	1	<b>mobile tool chest</b> Seneca, mobile tool chest; with 7 drawers; various handtools; dim. 840x470x1000 mm; (I02)	250,00
1275	1	<b>tool chest</b> Seneca, tool chest; with various tools; dim. 570x250x280 mm; (I02)	50,00
1276	1	<b>mobile tool chest</b> Seneca, mobile tool chest; with 16 drawers; with various handtools; dim. 1200x470x960 mm; (I02)	500,00
1277	1	<b>automatic welding helmet</b> automatic welding helmet; (I02)	25,00
1278	1	<b>automatic welding helmet</b> automatic welding helmet; (I02)	25,00
1279	1	<b>tool set in aluminum trolley</b> Tool set in aluminum trolley, 186 pieces	90,00
1280	1	<b>Tool case</b> Tool case, 127 pieces tools	90,00
1281	1	<b>mini lift table</b> mini lift table	10,00
1282	2	<b>photo frame</b> photo frame	10,00
1283	2	<b>photo frame</b> photo frame	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
1284	2	<b>photo frame</b> photo frame	10,00
1285	2	<b>photo frame</b> photo frame	10,00
1286	1	<b>photo frame</b> photo frame	5,00
1287	2	<b>photo frame</b> photo frame	10,00
1288	1	<b>photo frame</b> photo frame	5,00
1289	1	<b>Original cockpit jacket</b> Cockpit, Original cockpit jacket, type G-1, leather, including original patches, size 46	245,00
1290	1	<b>Original cockpit jacket</b> Cockpit, Original cockpit jacket, royal airforce flight jacket, type MKVIII leather, size 42	325,00
1291	1	<b>metal schoolbus</b> metal schoolbus	10,00
1292	1	<b>metal schoolbus</b> metal schoolbus	10,00
1293	1	<b>metal police car</b> metal police car	10,00
1294	1	<b>metal police car</b> metal police car	10,00
1295	1	<b>metal bus small</b> metal bus small	5,00
1296	1	<b>metal bus</b> metal bus	10,00
1297	1	<b>metal bus</b> metal bus	10,00
1298	1	<b>wooden plate</b> wooden plate, one way	7,00
1299	1	<b>tarn net</b> tarn net, 5x5mtr	50,00
1300	1	<b>bivy cover</b> bivy cover; (H02)	10,00
1301	3	<b>webbing wrench straps</b> Kinedyne, webbing wrench straps; (H02)	10,00
1302	18	<b>small arm case</b> small arm case; (H02)	10,00
1303	14	<b>individual equipment belts</b> individual equipment belts	10,00
1304	3	<b>first aid field cases</b> first aid field cases; empty (H02)	10,00
1305	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1306	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1307	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1308	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1309	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1310	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1311	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1312	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1313	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1314	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1315	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1316	2	<b>water field bottles</b> water field bottles; (H02)	10,00
1317	15	<b>webbing straps</b> webbing straps; (H02)	10,00
1318	1	<b>blue baret</b> blue baret; (H02)	10,00
1319	6	<b>various laptop bags</b> various laptop bags; (H02)	10,00
1320	6	<b>various laptop bags</b> various laptop bags; (H02)	10,00
1321	30	<b>various sleeping bags</b> various sleeping bags	75,00
1322	9	<b>protection goggles</b> protection goggles; (H02)	10,00
1323	8	<b>protection goggles</b> protection goggles; (H02)	10,00
1324	10	<b>protection goggles</b> protection goggles; (H02)	10,00
1325	10	<b>protection goggles</b> protection goggles; (H02)	10,00
1326	5	<b>helmet inserts</b> -, helmet inserts; (H02)	10,00
1327	5	<b>helmet inserts</b> -, helmet inserts; (H02)	10,00
1328	5	<b>helmet inserts</b> -, helmet inserts; (H02)	10,00
1329	5	<b>helmet inserts</b> -, helmet inserts; (H02)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1330	1	<b>lot of various clothing accessories</b> lot of various clothing accessories; for example ammunition bags, tool carrier bags, belts, fighting load carrier harnesses, etc. in carton box (H02)	10,00
1331	3	<b>undershirt man's</b> undershirt man's; (H02)	10,00
1332	1	<b>nylon suspenders</b> nylon suspenders; (H02)	10,00
1333	25	<b>industrial rubber gloves</b> industrial rubber gloves; (H02)	10,00
1334	1	<b>knee pads</b> knee pads; (H02)	10,00
1335	1	<b>knee pads</b> knee pads; (H02)	10,00
1336	10	<b>hand grenade pouches</b> hand grenade pouches; (H02)	10,00
1337	2	<b>ammunition pouches</b> ammunition pouches; (H02)	10,00
1338	1	<b>waist equipment carrier bag</b> waist equipment carrier bag; (H02)	10,00
1339	3	<b>field bottle pouches</b> field bottle pouches; (H02)	10,00
1340	6	<b>field bottles with pouch</b> field bottles with pouch; (H02)	10,00
1341	17	<b>hand grenade pouches</b> hand grenade pouches; (H02)	10,00
1342	2	<b>industrial rubber gloves</b> industrial rubber gloves; (H02)	10,00
1343	2	<b>hand grenade pouches</b> hand grenade pouches; (H02)	10,00
1344	3	<b>ammunition pouches</b> ammunition pouches; (H02)	10,00
1345	1	<b>all weather coat</b> all weather coat; (H02)	10,00
1346	4	<b>womens skirts</b> womens skirts; size 14R, (H02)	10,00
1347	2	<b>military backpacks with plastic frame</b> military backpacks with plastic frame; (H02)	10,00
1348	2	<b>large field rucksacks</b> large field rucksacks; (H02)	10,00
1349	1	<b>military backpack</b> military backpack; (H02)	10,00
1350	1	<b>military backpack</b> military backpack; (H02)	10,00
1351	1	<b>back carrier water bottle</b> back carrier water bottle; (H02)	10,00
1352	25	<b>ammunition pouches</b> ammunition pouches; (H02)	10,00
1353	1	<b>bivy cover</b> bivy cover; (H02)	10,00
1354	3	<b>protection goggles</b> protection goggles; (H02)	10,00
1355	2	<b>cold weather shirts</b> cold weather shirts	10,00
1356	2	<b>protection goggles</b> protection goggles; (H02)	10,00
1357	3	<b>come weather undershirts</b> come weather undershirts; (H02)	10,00
1358	3	<b>womens skirts</b> womens skirts; size 15L and 13S, (H02)	10,00
1359	7	<b>womens skirts</b> womens skirts; size 16S and 15L, (H02)	10,00
1360	10	<b>waist equipment carrier bags</b> waist equipment carrier bags; (H02)	10,00
1361	10	<b>waist equipment carrier bags</b> waist equipment carrier bags; (H02)	10,00
1362	4	<b>bag covers</b> bag covers; (H02)	10,00
1363	7	<b>cold weather underwear</b> cold weather underwear; (H02)	10,00
1364	3	<b>fuel handling coveralls</b> fuel handling coveralls; (H02)	30,00
1365	4	<b>fuel handling coveralls</b> fuel handling coveralls; (H02)	10,00
1366	1	<b>military backpack with steel frame</b> military backpack with steel frame; (H02)	10,00
1367	1	<b>military backpack with steel frame</b> military backpack with steel frame; (H02)	10,00
1368	3	<b>flame resistant sweaters</b> flame resistant sweaters; (H02)	10,00
1369	3	<b>wool blankets</b> wool blankets; (H02)	10,00
1370	60	<b>deceased military personnel effect bags</b> deceased military personnel effect bags; (H02)	10,00
1371	2	<b>undershirts</b> undershirts; (H02)	10,00
1372	1	<b>military backpack with steel frame</b> military backpack with steel frame; (H02)	10,00
1373	1	<b>back carrier water bottle</b> back carrier water bottle; (H02)	10,00
1374	1	<b>back carrier water bottle</b> back carrier water bottle; (H02)	10,00
1375	1	<b>hand intrenching tool</b> hand intrenching tool (H02)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
1376	1	<b>hand intrenching tool</b> hand intrenching tool (H02)	25,00
1377	1	<b>extreme cold weather parka</b> extreme cold weather parka; (H02)	25,00
1378	1	<b>extreme cold weather parka</b> extreme cold weather parka; (H02)	25,00
1379	1	<b>cold weather hood</b> cold weather hood; (H02)	10,00
1380	10	<b>first aid cases</b> first aid cases; (H02)	10,00
1381	1	<b>reflection belt</b> PT belt, reflection belt; (H02)	10,00
1382	4	<b>cold weather jackets</b> cold weather jackets; (H02)	5,00
1383	2	<b>military backpacks</b> military backpacks; (H02)	25,00
1384	2	<b>extreme cold weather parkas</b> extreme cold weather parkas; (H02)	25,00
1385	4	<b>cold weather jackets</b> cold weather jackets; (H02)	25,00
1386	2	<b>back carrier water bottle</b> back carrier water bottle; (H02)	10,00
1387	4	<b>bottle bags</b> bottle bags; (H02)	10,00
1388	10	<b>double 40 mm pyrotechnic pouches</b> double 40 mm pyrotechnic pouches; (H02)	25,00
1389	1	<b>cold weather jacket</b> cold weather jacket; (H02)	10,00
1390	1	<b>extreme cold weather parka</b> extreme cold weather parka; (H02)	25,00
1391	1	<b>extreme cold weather parka</b> extreme cold weather parka; (H02)	25,00
1392	35	<b>9mm magazine pouches</b> 9mm magazine pouches; (H02)	10,00
1393	22	<b>double 40 mm pyrotechnic pouches</b> double 40 mm pyrotechnic pouches; (H02)	25,00
1394	10	<b>leather womens handbags</b> leather womens handbags; (H02)	10,00
1395	10	<b>leather womens handbags</b> leather womens handbags; (H02)	10,00
1396	2	<b>fighting load carriers</b> fighting load carriers; (H02)	25,00
1397	5	<b>bags</b> bags; (H02)	10,00
1398	2	<b>fighting load carriers</b> fighting load carriers; (H02)	25,00
1399	1	<b>extreme cold weather parka</b> extreme cold weather parka; (H02)	25,00
1400	1	<b>military extreme cold trouser</b> military extreme cold trouser; (h2)	10,00
1401	1	<b>commercial strap</b> commercial strap; (h2)	10,00
1402	7	<b>military magazin m4 pouches</b> military magazin m4 pouches; (h2)	10,00
1403	5	<b>military belt</b> military belt; (h2)	10,00
1404	1	<b>military field bag with frame</b> military field bag with frame; (h2)	20,00
1405	1	<b>military bag</b> military bag; (h2)	10,00
1406	12	<b>military elbow pads</b> military elbow pads; (h2)	10,00
1407	1	<b>military individual belt</b> military individual belt; (h2)	10,00
1408	2	<b>military goggles</b> military goggles; (h2)	10,00
1409	2	<b>military tactical assault belt</b> military tactical assault belt; (h2)	10,00
1410	13	<b>military cold weather under shirts</b> military cold weather under shirts; (h2)	10,00
1411	14	<b>military cold weather under shirts</b> military cold weather under shirts; (h2)	10,00
1412	1	<b>military field bag with frame</b> military field bag with frame; (h2)	20,00
1413	17	<b>utility smock clothes</b> utility smock clothes; (h2)	10,00
1414	1	<b>flyers undershirt</b> flyers undershirt; (h2)	10,00
1415	1	<b>cold weather fleece shirt</b> cold weather fleece shirt; (h2)	10,00
1416	1	<b>cold weather fleece shirt</b> cold weather fleece shirt; (h2)	10,00
1417	1	<b>plastic water bottle with cover</b> plastic water bottle with cover; (h2)	10,00
1418	7	<b>military magazin m4 pouches</b> military magazin m4 pouches; (h2)	10,00
1419	4	<b>military combat vehicular liners</b> military combat vehicular liners; (h2)	10,00
1420	1	<b>lot strap webbing</b> lot strap webbing; (h2)	10,00
1421	4	<b>water canteen covers</b> water canteen covers; (h2)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1422	1	<b>military bag</b> military bag; (h2)	10,00
1423	4	<b>military bottle covers</b> military bottle covers; (h2)	10,00
1424	3	<b>military barrack bags</b> military barrack bags; (h2)	10,00
1425	2	<b>military canteen bottles with cover</b> military canteen bottles with cover; (h2)	10,00
1426	2	<b>military canteen bottles with cover</b> military canteen bottles with cover; (h2)	10,00
1427	1	<b>men coat</b> men coat; (h2)	10,00
1428	6	<b>shovel covers</b> shovel covers; (h2)	10,00
1429	6	<b>clothing bags</b> clothing bags; (h2)	10,00
1430	18	<b>cold insert cloves</b> cold insert cloves; (h2)	10,00
1431	1	<b>military utility coverall</b> military utility coverall; (h2)	10,00
1432	3	<b>water canteen cups</b> water canteen cups; 1 field pan; (h2)	10,00
1433	5	<b>cold insert cloves</b> cold insert cloves; (h2)	10,00
1434	2	<b>military knee pads</b> military knee pads; (h2)	10,00
1435	12	<b>military elbow pads</b> military elbow pads; (h2)	10,00
1436	4	<b>military shirts</b> military shirts; (h2)	10,00
1437	2	<b>military elbow pads</b> military elbow pads; (h2)	10,00
1438	1	<b>military elbow pad</b> military elbow pad; (h2)	10,00
1439	1	<b>military knee pad</b> military knee pad; (h2)	10,00
1440	5	<b>military individual belts</b> military individual belts; (h2)	10,00
1441	8	<b>military individual belts</b> military individual belts; (h2)	10,00
1442	2	<b>military trousers</b> military trousers; (h2)	10,00
1443	2	<b>military flyers coveralls</b> military flyers coveralls; size 34s; (h2)	10,00
1444	2	<b>military canteen bottles with cover</b> military canteen bottles with cover; (h2)	10,00
1445	4	<b>military individual belts</b> military individual belts; (h2)	10,00
1446	2	<b>military biologic nuclear bags</b> military biologic nuclear bags; (h2)	10,00
1447	10	<b>military water resistant bags</b> military water resistant bags; (h2)	10,00
1448	1	<b>military elbow pad</b> military elbow pad; (h2)	10,00
1449	2	<b>military canteen bottles with cover</b> military canteen bottles with cover; (h2)	10,00
1450	4	<b>man's pajama coats</b> man's pajama coats; (h2)	10,00
1451	10	<b>military cloths bags</b> military cloths bags; (h2)	10,00
1452	13	<b>military training jackets</b> military training jackets; (h2)	10,00
1453	1	<b>box shovel covers</b> box shovel covers; (h2)	10,00
1454	1	<b>box strap webbing</b> box strap webbing; (h2)	10,00
1455	50	<b>military knee and elbow pads</b> military knee and elbow pads; (h2)	50,00
1456	8	<b>various cold weather shirts and jackets</b> various cold weather shirts and jackets; (h2)	10,00
1457	15	<b>military individual belts</b> military individual belts; (h2)	10,00
1458	10	<b>military stof sacks</b> military stof sacks; (h2)	10,00
1459	7	<b>military cold weather fleece overalls</b> military cold weather fleece overalls; (h2)	10,00
1460	12	<b>military tactical assault pack</b> military tactical assault pack; (h2)	10,00
1461	4	<b>military field bag packs</b> military field bag packs; (h2)	50,00
1462	5	<b>military combat bags</b> military combat bags; (h2)	20,00
1463	2	<b>military fleece overalls</b> military fleece overalls; (h2)	20,00
1464	5	<b>wet weather liners</b> wet weather liners; (h2)	20,00
1465	12	<b>military individual belts</b> military individual belts; (h2)	10,00
1466	12	<b>military knee pads</b> military knee pads; (h2)	10,00
1467	5	<b>military knee pads</b> military knee pads; (h2)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1468	17	<b>white men trousers</b> white men trousers; (h2)	10,00
1469	6	<b>military carrying bags</b> military carrying bags; (h2)	10,00
1470	4	<b>military assault packs</b> military assault packs; (h2)	10,00
1471	5	<b>military combat bags</b> military combat bags; (h2)	20,00
1472	20	<b>military nug bags</b> military nug bags; (h2)	20,00
1473	20	<b>military nug bags</b> military nug bags; (h2)	20,00
1474	1	<b>box shovel covers</b> box shovel covers; (h2)	10,00
1475	1	<b>box shovel covers</b> box shovel covers; (h2)	10,00
1476	22	<b>military stuff sacks</b> military stuff sacks; (h2)	20,00
1477	13	<b>utility smock clothes</b> utility smock clothes; (h2)	10,00
1478	23	<b>military individu suspenders</b> military individu suspenders; (h2)	10,00
1479	10	<b>military bivy covers</b> military bivy covers; (h2)	10,00
1480	10	<b>military duffel bags</b> military duffel bags; (h2)	20,00
1481	15	<b>military duffel bags</b> military duffel bags; (h2)	20,00
1482	12	<b>military stuff bags</b> military stuff bags; (h2)	20,00
1483	4	<b>military white men trousers</b> military white men trousers; (h2)	20,00
1484	9	<b>military clothing bags</b> military clothing bags; (h2)	20,00
1485	11	<b>military stuff bags</b> military stuff bags; (h2)	20,00
1486	4	<b>military knee pads</b> military knee pads; (h2)	10,00
1487	5	<b>military combat bags</b> military combat bags; (h2)	20,00
1488	6	<b>military sleeping bags</b> military sleeping bags; (h2)	20,00
1489	11	<b>military sleeping mats</b> military sleeping mats; (h2)	20,00
1490	6	<b>military sleeping bags</b> military sleeping bags; (h2)	20,00
1491	6	<b>military sleeping bags</b> military sleeping bags; (h2)	20,00
1492	6	<b>military sleeping bags</b> military sleeping bags; (h2)	20,00
1493	17	<b>military wet weather liners</b> military wet weather liners; (h2)	20,00
1494	1	<b>lot cold weather fleece overalls</b> lot cold weather fleece overalls; (h2)	20,00
1495	1	<b>lot cold weather fleece overalls</b> lot cold weather fleece overalls; (h2)	20,00
1496	6	<b>military sleeping bags</b> military sleeping bags; (h2)	20,00
1497	8	<b>military cold weather fleece shirts</b> military cold weather fleece shirts; (h2)	20,00
1498	60	<b>military stuff sacks</b> military stuff sacks; (h2)	20,00
1499	20	<b>military barrack bags</b> military barrack bags; (h2)	20,00
1500	10	<b>military barrack bags</b> military barrack bags; (h2)	10,00
1501	10	<b>military barrack bags</b> military barrack bags; (h2)	10,00
1502	10	<b>military barrack bags</b> military barrack bags; (h2)	10,00
1503	25	<b>cold weather coat liners</b> cold weather coat liners; various sizes (H02)	10,00
1504	25	<b>cold weather coat liners</b> cold weather coat liners; various sizes (H02)	10,00
1505	16	<b>nylon duffle bags</b> nylon duffle bags (H02)	10,00
1506	9	<b>sleeping mats</b> sleeping mats (H02)	10,00
1507	10	<b>self inflating sleeping mats</b> self inflating sleeping mats (H02)	10,00
1508	4	<b>military rucksacks</b> military rucksacks (H02)	30,00
1509	12	<b>modular patrol sleeping bags</b> modular patrol sleeping bags (H02)	25,00
1510	6	<b>bivy covers</b> bivy covers (H02)	10,00
1511	17	<b>wet weather poncho liners</b> wet weather poncho liners; various colours (H02)	10,00
1512	13	<b>bivy covers</b> bivy covers (H02)	25,00
1513	6	<b>intermediate cold weather sleeping bags</b> intermediate cold weather sleeping bags; black (H02)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1514	8	<b>intermediate cold weather sleeping bags</b> intermediate cold weather sleeping bags; black (H02)	10,00
1515	18	<b>wet weather poncho liners</b> wet weather poncho liners; various colours (H02)	10,00
1516	17	<b>wet weather poncho liners</b> wet weather poncho liners; various colours (H02)	10,00
1517	12	<b>sleeping bags</b> sleeping bags (H02)	10,00
1518	10	<b>sleeping bags</b> sleeping bags (H02)	10,00
1519	25	<b>cold weather fleece jackets</b> cold weather fleece jackets; various sizes (H02)	10,00
1520	19	<b>cold weather overalls</b> cold weather overalls; colour black (H02)	10,00
1521	11	<b>sleeping bags</b> sleeping bags (H02)	10,00
1522	1	<b>fighting load carrier vest</b> fighting load carrier vest (H02)	10,00
1523	2	<b>sets knee pads</b> sets knee pads (H02)	10,00
1524	2	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1525	2	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1526	1	<b>cold weather shirt</b> cold weather shirt; fleece ; size XL (H02)	10,00
1527	3	<b>cold weather coat liners</b> cold weather coat liners; size S (H02)	10,00
1528	2	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1529	2	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1530	2	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1531	3	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1532	3	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1533	3	<b>protection goggles</b> protection goggles; with 1 clear lens and 1 neutral gray lens (H02)	10,00
1534	30	<b>cold weather fleece jackets</b> cold weather fleece jackets; various sizes (H02)	25,00
1535	25	<b>cold weather fleece jackets</b> cold weather fleece jackets; various sizes (H02)	25,00
1536	15	<b>cold weather overalls</b> cold weather overalls; colour black (H02)	10,00
1537	38	<b>jslist chemical protection gear bags</b> jslist chemical protection gear bags (H02)	25,00
1538	18	<b>sleeping bags</b> sleeping bags (H02)	10,00
1539	15	<b>sleeping bags</b> sleeping bags (H02)	10,00
1540	48	<b>jslist chemical protection gear bags</b> jslist chemical protection gear bags (H02)	25,00
1541	10	<b>field backpacks large</b> field backpacks large; with internal frame (H02)	50,00
1542	28	<b>plastic intrenching carriers</b> plastic intrenching carriers (H02)	10,00
1543	11	<b>modular lightweight equipment carriers</b> modular lightweight equipment carriers (H02)	20,00
1544	2	<b>waterproof clothing bags</b> waterproof clothing bags (H02)	10,00
1545	19	<b>physical fitness jackets</b> physical fitness jackets; various sizes (H02)	10,00
1546	30	<b>cold weather fleece jackets</b> cold weather fleece jackets (H02)	10,00
1547	1	<b>modular patrol sleeping bag</b> modular patrol sleeping bag (H02)	10,00
1548	1	<b>modular patrol sleeping bag</b> modular patrol sleeping bag (H02)	10,00
1549	3	<b>modular lightweight rucksacks</b> modular lightweight rucksacks; with plastic frame and various small pouches (H02)	25,00
1550	3	<b>modular lightweight rucksacks</b> modular lightweight rucksacks; with plastic frame and various small pouches (H02)	25,00
1551	10	<b>cold weather fleece jackets</b> cold weather fleece jackets; various sizes (H02)	10,00
1552	35	<b>laundry bags</b> laundry bags (H02)	10,00
1553	6	<b>modular lightweight equipment carriers</b> modular lightweight equipment carriers (H02)	10,00
1554	1	<b>jslist chemical protection gear bags</b> jslist chemical protection gear bags (H02)	10,00
1555	10	<b>cold weather fleece shirts</b> cold weather fleece shirts; size M (H02)	10,00
1556	3	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1557	4	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1558	10	<b>cold weather overalls</b> cold weather overalls; various sizes (H02)	10,00
1559	13	<b>cold weather coat liners</b> cold weather coat liners; size M (H02)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1560	2	<b>bivy covers</b> bivy covers (H02)	10,00
1561	2	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1562	2	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1563	2	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1564	2	<b>flyers coveralls</b> flyers coveralls; size 34S (H02)	10,00
1565	2	<b>personal effects bags</b> personal effects bags (H02)	10,00
1566	10	<b>extreme cold weather parkas</b> extreme cold weather parkas; various sizes (H02)	10,00
1567	10	<b>womens skirts</b> womens skirts; (H02) (H02)	10,00
1568	1	<b>sleeping bag</b> sleeping bag; colour black (H02)	10,00
1569	20	<b>womens skirts</b> womens skirts; (H02) (H02)	10,00
1570	5	<b>steel backpack frames</b> steel backpack frames (H02)	10,00
1571	1	<b>extreme cold weather parka</b> extreme cold weather parka; size XL (H02)	10,00
1572	4	<b>flyers kit bags</b> flyers kit bags (H02)	10,00
1573	2	<b>steel backpack frames</b> steel backpack frames (H02)	10,00
1574	10	<b>plastic backpack frames</b> plastic backpack frames (H02)	10,00
1575	10	<b>leather womens handbags</b> leather womens handbags; (H02) (H02)	10,00
1576	6	<b>modular lightweight equipment carriers</b> modular lightweight equipment carriers; and 1 assault pack (H02)	10,00
1577	10	<b>leather womens handbags</b> leather womens handbags; (H02) (H02)	10,00
1578	5	<b>steel backpack frames</b> steel backpack frames (H02)	10,00
1579	10	<b>sets kneepads</b> sets kneepads (H02)	10,00
1580	1	<b>lot of braces</b> lot of braces; exclusive plastic bin (H02)	10,00
1581	2	<b>sets kneepads</b> sets kneepads (H02)	10,00
1582	1	<b>fuel handling coveralls</b> fuel handling coveralls; size M (H02) (H02)	10,00
1583	1	<b>military backpack</b> military backpack; with frame (H02)	10,00
1584	4	<b>pairs elbow pads</b> pairs elbow pads (H02)	10,00
1585	6	<b>pairs elbow pads</b> pairs elbow pads (H02)	10,00
1586	1	<b>military bag</b> military bag (H02)	10,00
1587	5	<b>9mm magazine pouches</b> 9mm magazine pouches; (H02) (H02)	10,00
1588	6	<b>double 40 mm high explosive pouches</b> double 40 mm high explosive pouches; (H02) (H02)	10,00
1589	1	<b>military bag</b> military bag (H02)	10,00
1590	1	<b>hydration carrier</b> Camelbak, hydration carrier (H02)	10,00
1591	1	<b>hydration carrier</b> Camelbak, hydration carrier ; and 1 Skilcraft hydration carrier (H02)	10,00
1592	1	<b>hydration carrier</b> Camelbak, hydration carrier ; and 1 Skilcraft hydration carrier (H02)	10,00
1593	1	<b>hydration carrier</b> Camelbak, hydration carrier ; and 1 Skilcraft hydration carrier (H02)	10,00
1594	2	<b>various hydration carriers</b> Camelbak, various hydration carriers (H02)	10,00
1595	2	<b>men's coveralls</b> men's coveralls; size L (H02)	10,00
1596	22	<b>double 40 mm pyrotechnic pouches</b> double 40 mm pyrotechnic pouches; (H02) (H02)	25,00
1597	5	<b>military protective ensemble carrying bags</b> military protective ensemble carrying bags (H02)	10,00
1598	5	<b>various pouches</b> various pouches (H02)	10,00
1599	4	<b>undershirts</b> undershirts; 100% polyester (H02)	10,00
1600	2	<b>water canteen cups</b> water canteen cups (H02)	10,00
1601	2	<b>medical smocks</b> medical smocks ; man's ; size S and M (H02)	10,00
1602	1	<b>extreme cold weather trousers</b> extreme cold weather trousers; size medium long (H02)	10,00
1603	4	<b>various safety goggles</b> various safety goggles (H02)	10,00
1604	1	<b>modular lightweight equipment carrier</b> modular lightweight equipment carrier (H02)	10,00
1605	1	<b>military tentage repair kit</b> military tentage repair kit; incomplete (H02)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1606	6	<b>nylon duffel bags</b> nylon duffel bags (H02)	10,00
1607	9	<b>steel backpack frames</b> steel backpack frames (H02)	10,00
1608	50	<b>jslist chemical protection gear bags</b> jslist chemical protection gear bags (H02)	25,00
1609	50	<b>jslist chemical protection gear bags</b> jslist chemical protection gear bags (H02)	25,00
1610	3	<b>modular lightweight equipment carriers</b> modular lightweight equipment carriers; and 12 modular lightweight carrying pouches (H02)	10,00
1611	4	<b>military steel helmets</b> military steel helmets (H02)	10,00
1612	8	<b>military equipment pouches</b> military equipment pouches (H02)	10,00
1613	7	<b>military equipment pouches</b> military equipment pouches (H02)	10,00
1614	5	<b>water canteen covers</b> water canteen covers (H02)	10,00
1615	5	<b>water canteen covers</b> water canteen covers (H02)	10,00
1616	2	<b>sets reflective safety clothing</b> sets reflective safety clothing; existing of coat and trouser ; size L and XL (H02)	10,00
1617	2	<b>sets rain clothing</b> sets rain clothing; existing of coat and trouser ; size L (H02)	10,00
1618	1	<b>set reflective safety clothing</b> set reflective safety clothing; existing of coat and trouser ; size L (H02)	10,00
1619	6	<b>reflective shirts</b> reflective shirts; various sizes (H02)	10,00
1620	1	<b>usb digital articulating borescope inspection camera</b> Vividia, va-800, usb digital articulating borescope inspection camera; handle length 155 mm; probe diameter 8,5 mm; view depth 40-400 mm; (kast I5)	25,00
1621	1	<b>military toy play set</b> military toy play set; (kast I5)	10,00
1622	3	<b>truck identification plates</b> truck identification plates; (kast I5)	10,00
1623	1	<b>temp control unit</b> temp control unit; (kast I5)	10,00
1624	1	<b>intercom unit</b> Clear-com, intercom unit; (kast I5)	10,00
1625	1	<b>broadband connector</b> Polyphases, broadband connector; (kast I5)	5,00
1626	6	<b>number locks</b> Master Lock, number locks; (kast I5)	5,00
1627	6	<b>number locks</b> Master Lock, number locks; (kast I5)	5,00
1628	6	<b>number locks</b> Master Lock, number locks; (kast I5)	5,00
1629	2	<b>padlock sets</b> padlock sets; (kast I5)	5,00
1630	1	<b>digital scopemeter</b> Fluke, 97, digital scopemeter; 50 MHz; in case; (kast I5)	25,00
1631	1	<b>digital scopemeter</b> Fluke, 97, digital scopemeter; 50 MHz; in case; (kast I5)	25,00
1632	1	<b>led flashlight</b> Trustfire, tr-800, led flashlight; in case; (kast I5)	15,00
1633	1	<b>led flashlight</b> Trustfire, tr-800, led flashlight; in case; (kast I5)	15,00
1634	1	<b>led flashlight</b> Trustfire, tr-r2, led flashlight; in case; (kast I5)	15,00
1635	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1636	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1637	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1638	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1639	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1640	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1641	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1642	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1643	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1644	1	<b>twistguard test leads</b> Fluke, tl175, twistguard test leads; (kast I5)	10,00
1645	1	<b>digital multimeter</b> Fluke, 97, digital multimeter; (kast I5)	15,00
1646	1	<b>digital multimeter</b> Fluke, 97, digital multimeter; (kast I5)	15,00
1647	1	<b>special plier</b> Deutsch, hdt-48-00, special plier; (kast I5)	10,00
1648	1	<b>ohmmeter</b> Holtzer-cabot, ohmmeter; (kast I5)	10,00
1649	1	<b>multimeter</b> Fluke, 8025 a, multimeter; (kast I5)	10,00
1650	1	<b>mini anemometer</b> Kurz, 490, mini anemometer; (kast I5)	10,00
1651	1	<b>box with anti fogging kit</b> box with anti fogging kit; (kast I5)	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
1652	1	<b>digital true rms multimeter</b> Fluke, 87, digital true rms multimeter; (kast I5)	10,00
1653	1	<b>rigid usb digital articulating borescope</b> Vividia, va-400, rigid usb digital articulating borescope; handle length 155 mm; probe diameter 8,5 mm; view depth 40-400 mm; (kast I5)	25,00
1654	1	<b>caliper micrometer</b> Hommel, caliper micrometer; (1)	10,00
1655	1	<b>box with painter tape</b> box with painter tape; (1)	10,00
1656	1	<b>box with cilinder reservoirs</b> Mercedes Benz, a 0014319902, box with cilinder reservoirs; (1)	10,00
1657	1	<b>box with v belt</b> Jamaica bearings, box with v belt; (1)	10,00
1658	1	<b>box with connectors</b> Times, box with connectors; (1)	10,00
1659	1	<b>induction heater</b> Hot Rod, H7S, induction heater; (1)	15,00
1660	1	<b>portable power bank</b> Fluxon, pbc 12, portable power bank; 400 amp; (1)	50,00
1661	1	<b>electro siren</b> Nn, lk-sv, bouwjaar 2015, electro siren; 12 volt; (1)	10,00
1662	1	<b>electro siren</b> Jmc, sh220ch, bouwjaar 2015, electro siren; 230 volt; (1)	10,00
1663	1	<b>electro fuses</b> Lawson, bouwjaar 2015, electro fuses; (1)	10,00
1664	5	<b>boxes with switches</b> Contactum, boxes with switches; (1)	10,00
1665	1	<b>box with switches</b> box with switches; (1)	10,00
1666	2	<b>folder lit racks</b> folder lit racks; (1)	10,00
1667	1	<b>battery charger</b> battery charger; (1)	10,00
1668	10	<b>transmission plates</b> transmission plates; (1)	10,00
1669	2	<b>boxes with gaskets</b> boxes with gaskets; (1)	10,00
1670	12	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1671	12	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1672	19	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1673	19	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1674	19	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1675	19	<b>mich communication cables</b> Msa, mich communication cables; (1)	10,00
1676	1	<b>box with encased seal plain</b> box with encased seal plain; (1)	10,00
1677	1	<b>box with plain nut cap</b> box with plain nut cap; (1)	10,00
1678	1	<b>lot with various automotiv parts</b> lot with various automotiv parts; (1)	10,00
1679	1	<b>back up unit</b> Apc, back up unit; (1)	10,00
1680	10	<b>power supply fan</b> power supply fan; (1)	10,00
1681	1	<b>wooden case</b> wooden case; (1)	10,00
1682	3	<b>bucket caps</b> bucket caps; (1)	10,00
1683	1	<b>box hexagon plain nut</b> box hexagon plain nut; (1)	10,00
1684	1	<b>box pipes</b> box pipes; (1)	10,00
1685	1	<b>box shackles</b> box shackles; (1)	10,00
1686	10	<b>filler caps</b> filler caps; (1)	10,00
1687	37	<b>straight headed pins</b> straight headed pins; (1)	10,00
1688	3	<b>general duty switches</b> Square, general duty switches; 60a; 240 volt; (2)	10,00
1689	3	<b>general duty switches</b> Square, general duty switches; 60a; 240 volt; (2)	10,00
1690	1	<b>box circuit breakers parts</b> Spartan, box circuit breakers parts; (2)	10,00
1691	1	<b>box machine plates and pins</b> box machine plates and pins; (2)	10,00
1692	2	<b>bags with rings</b> bags with rings; (2)	10,00
1693	1	<b>box with wing nuts</b> box with wing nuts; (2)	10,00
1694	4	<b>bags with rings</b> bags with rings; (2)	10,00
1695	1	<b>shackle</b> shackle; (2)	10,00
1696	1	<b>lot with special tools</b> lot with special tools; (2)	10,00
1697	1	<b>lot with special tools</b> lot with special tools; (2)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1698	7	<b>boxes with hexagon cap bolts</b> OEC, boxes with hexagon cap bolts; (2)	10,00
1699	1	<b>lot various parts</b> lot various parts; (2)	10,00
1700	1	<b>battery charger</b> Club car, battery charger; (2)	25,00
1701	3	<b>cesium primary reference sources</b> Datum, cesium primary reference sources; (2)	25,00
1702	6	<b>variable resistors</b> variable resistors; (2)	10,00
1703	3	<b>rotary switches</b> rotary switches; (2)	10,00
1704	9	<b>push pull switches</b> push pull switches; (2)	10,00
1705	1	<b>lot pipe tubes</b> lot pipe tubes; shackles; (2)	10,00
1706	1	<b>lot pipe tubes</b> lot pipe tubes; (2)	10,00
1707	11	<b>gaskets</b> gaskets; (2)	10,00
1708	1	<b>box with bolts</b> box with bolts; (2)	10,00
1709	3	<b>boxes with nails</b> boxes with nails; (2)	10,00
1710	1	<b>bag special bolts</b> bag special bolts; (2)	10,00
1711	2	<b>cat parts</b> Cat, cat parts; (2)	10,00
1712	2	<b>bag special bolts</b> bag special bolts; (2)	10,00
1713	2	<b>boxes with pins</b> boxes with pins; (2)	10,00
1714	2	<b>boxes with special bolts</b> boxes with special bolts; (2)	10,00
1715	1	<b>bag special screws</b> bag special screws; (2)	10,00
1716	1	<b>box with spring</b> box with spring; (2)	10,00
1717	1	<b>lot with nut, screws, flat washers</b> lot with nut, screws, flat washers; (2)	10,00
1718	4	<b>vehicular splash guards</b> vehicular splash guards; (2)	10,00
1719	1	<b>box retainer parts</b> box retainer parts; (2)	10,00
1720	14	<b>engine mount inserts</b> engine mount inserts; (2)	10,00
1721	35	<b>straight headed pins</b> straight headed pins; (2)	10,00
1722	1	<b>box with bolts</b> box with bolts; (2)	10,00
1723	1	<b>box with nut</b> box with nut; (2)	10,00
1724	1	<b>box with special pins</b> box with special pins; (2)	10,00
1725	1	<b>box with special pins</b> box with special pins; (2)	10,00
1726	1	<b>box with special bolts</b> box with special bolts; (2)	10,00
1727	10	<b>battery connection parts</b> battery connection parts; (3)	10,00
1728	4	<b>priming engine pump parts</b> priming engine pump parts; (3)	10,00
1729	3	<b>clamps</b> clamps; (3)	10,00
1730	8	<b>special traffic flashlights</b> Fulton, mx-993/u, special traffic flashlights; (3)	10,00
1731	3	<b>electric power cables</b> electric power cables; (3)	10,00
1732	1	<b>bag special fastening bolts</b> bag special fastening bolts; (3)	10,00
1733	1	<b>box hexagon bolts</b> box hexagon bolts; (3)	10,00
1734	1	<b>lot knobs</b> lot knobs; (3)	10,00
1735	1	<b>box hexagon bolts</b> box hexagon bolts; (3)	10,00
1736	1	<b>box hexagon bolts</b> box hexagon bolts; (3)	10,00
1737	1	<b>box hexagon bolts</b> box hexagon bolts; (3)	10,00
1738	1	<b>box hexagon nuts</b> box hexagon nuts; (3)	10,00
1739	7	<b>hexagon nuts</b> hexagon nuts; (3)	10,00
1740	100	<b>self-locking nuts</b> self-locking nuts; (3)	10,00
1741	2	<b>release pins</b> release pins; (3)	10,00
1742	16	<b>self-locking nuts</b> self-locking nuts; (3)	10,00
1743	14	<b>washer bearings</b> washer bearings; (3)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1744	8	<b>pipe plugs</b> pipe plugs; (3)	10,00
1745	6	<b>knob</b> knob; (3)	10,00
1746	100	<b>blind rivet</b> blind rivet; (3)	10,00
1747	21	<b>quick release pins</b> quick release pins; (3)	10,00
1748	70	<b>tube pipe</b> tube pipe; (3)	10,00
1749	74	<b>flat washer</b> flat washer; (3)	10,00
1750	204	<b>flat washer</b> flat washer; (3)	10,00
1751	38	<b>thread machine plugs</b> thread machine plugs; (3)	10,00
1752	20	<b>shear bolts</b> shear bolts; (3)	10,00
1753	81	<b>flat washer</b> flat washer; (3)	10,00
1754	8	<b>hexogon screw caps</b> hexogon screw caps; (3)	10,00
1755	28	<b>lock screws</b> lock screws; (3)	10,00
1756	297	<b>socket screws</b> socket screws; (3)	10,00
1757	12	<b>cleve-lock nuts</b> cleve-lock nuts; (3)	10,00
1758	15	<b>pipe to tube elbows</b> pipe to tube elbows; (3)	10,00
1759	45	<b>quick release pins</b> quick release pins; (3)	10,00
1760	26	<b>bushings rings</b> bushings rings; (3)	10,00
1761	12	<b>wire rope clamps</b> wire rope clamps; (3)	10,00
1762	100	<b>plain nuts</b> plain nuts; (3)	10,00
1763	25	<b>pipe to tube elbows</b> pipe to tube elbows; (3)	10,00
1764	149	<b>pipe to tube</b> pipe to tube; (3)	10,00
1765	29	<b>pipe to tube elbows</b> pipe to tube elbows; (3)	10,00
1766	32	<b>pipe to tube adapters</b> pipe to tube adapters; (3)	10,00
1767	181	<b>pipe to tube adapters</b> pipe to tube adapters; (3)	10,00
1768	1	<b>lot various cable clamps</b> lot various cable clamps; without bin; (3)	10,00
1769	149	<b>eye bolts</b> eye bolts; without bin; (3)	10,00
1770	1	<b>box with bolts</b> box with bolts; (3)	10,00
1771	1	<b>box with special pins</b> box with special pins; (3)	10,00
1772	17	<b>tailgate step</b> tailgate step; (3)	10,00
1773	1	<b>box with bolts</b> box with bolts; (3)	10,00
1774	79	<b>flat washer</b> flat washer; (3)	10,00
1775	1	<b>box machine bolts</b> box machine bolts; (3)	10,00
1776	56	<b>u bolts</b> u bolts; (3)	10,00
1777	1	<b>box machine bolts</b> box machine bolts; (3)	10,00
1778	1	<b>box machine bolts</b> box machine bolts; (3)	10,00
1779	3	<b>flow control thermostat</b> international, flow control thermostat; (4)	10,00
1780	2	<b>bushings</b> bushings (4)	10,00
1781	8	<b>washer bearings</b> washer bearings (4)	10,00
1782	6	<b>cone rollers</b> cone rollers; (4)	10,00
1783	1	<b>fan drive parts kit</b> fan drive parts kit; (4)	10,00
1784	13	<b>spacer rings</b> spacer rings; (4)	10,00
1785	1	<b>electrical drive motor</b> electrical drive motor; (4)	10,00
1786	2	<b>flow control thermostats</b> international, flow control thermostats; (4)	10,00
1787	5	<b>sleeve bearings</b> sleeve bearings; (4)	10,00
1788	35	<b>sleeve bushings</b> sleeve bushings	10,00
1789	1	<b>switch kit</b> Caterpillar, switch kit; (4)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1790	2	<b>hose clamps</b> hose clamps; (4)	5,00
1791	1	<b>lot of flat washers</b> lot of flat washers; (4)	10,00
1792	3	<b>plain sealers</b> plain sealers; (4)	10,00
1793	3	<b>v-belts</b> v-belts; (4)	10,00
1794	1	<b>lot of various parts</b> lot of various parts; excluding crate (4)	10,00
1795	1	<b>lot of various bolts</b> lot of various bolts; excluding crate ; (4)	10,00
1796	1	<b>gasket</b> John Deere, gasket; (4)	10,00
1797	1	<b>valve cover</b> Isuzu, valve cover ; (5)	10,00
1798	1	<b>calliper brake line</b> calliper brake line; (5)	10,00
1799	5	<b>brake screws</b> General Motors, brake screws; (5)	10,00
1800	1	<b>loop clamp</b> loop clamp; (5)	10,00
1801	12	<b>rubber o rings</b> Caterpillar, rubber o rings; (5)	10,00
1802	2	<b>shackles</b> shackles; (5)	10,00
1803	2	<b>mounted fan bearings</b> Seal Master, mounted fan bearings; (5)	10,00
1804	1	<b>diesel fuel filters</b> Fuel manager, 100, diesel fuel filters; (5)	10,00
1805	1	<b>brake chamber</b> MGM, type 16, brake chamber; (5)	25,00
1806	10	<b>retaining rings</b> retaining rings; (5)	10,00
1807	1	<b>lot of windshield wipers</b> lot of windshield wipers	25,00
1808	1	<b>air dryer kit</b> air dryer kit; (5)	10,00
1809	2	<b>air dryer kits</b> air dryer kits; (5)	10,00
1810	2	<b>gaskets</b> gaskets; (5)	10,00
1811	1	<b>lot of various springs</b> lot of various springs; excluding crate ; (5)	10,00
1812	1	<b>vehicle floor mat</b> vehicle floor mat; (5)	10,00
1813	2	<b>u-bolts</b> u-bolts; (5)	10,00
1814	9	<b>gaskets</b> Cummings, gaskets; (6)	10,00
1815	1	<b>pneumatic brake valve</b> Wabco, pneumatic brake valve; (6)	10,00
1816	3	<b>flat pulleys</b> flat pulleys; (6)	10,00
1817	2	<b>turbo guards</b> turbo guards; (6)	10,00
1818	50	<b>rubber grommets</b> rubber grommets; (6)	10,00
1819	3	<b>door regulators lh</b> door regulators lh; (6)	10,00
1820	2	<b>breathers</b> breathers; (6)	10,00
1821	2	<b>solenoid valves</b> Parker, solenoid valves; (6)	10,00
1822	2	<b>roller bearings</b> roller bearings; (6)	10,00
1823	14	<b>roller bearings</b> Timken, roller bearings; (6)	10,00
1824	1	<b>vehicular power tran</b> vehicular power tran; (6)	10,00
1825	1	<b>air compressor part</b> air compressor part; (6)	10,00
1826	1	<b>brake cylinder</b> Caterpillar, brake cylinder; (6)	10,00
1827	1	<b>vehicle drive shaft</b> Caterpillar, vehicle drive shaft; (6)	10,00
1828	1	<b>lot of hexagon plain nuts</b> lot of hexagon plain nuts; (6)	10,00
1829	100	<b>machine bolts</b> caterpillar, machine bolts; (6)	10,00
1830	18	<b>vehicle window lift channels</b> vehicle window lift channels; (6)	10,00
1831	100	<b>vehicle weather strips</b> vehicle weather strips; (6)	10,00
1832	20	<b>vehicle window lift channels</b> vehicle window lift channels; (6)	10,00
1833	1	<b>performed packing</b> performed packing; (6)	10,00
1834	4	<b>fire extinguisher valves</b> Kidde, fire extinguisher valves; (7)	10,00
1835	3	<b>valve assembly's</b> valve assembly's; (7)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1836	5	<b>various pressure switches</b> various pressure switches; (7)	10,00
1837	10	<b>metal retaining straps</b> metal retaining straps; (7)	10,00
1838	3	<b>power relays</b> power relays; (7)	10,00
1839	1	<b>lot of electrical connectors</b> lot of electrical connectors; (7)	10,00
1840	2	<b>fuel filter</b> fuel filter; (7)	10,00
1841	20	<b>governor filter screens</b> governor filter screens; (7)	5,00
1842	1	<b>vehicle transmission part</b> vehicle transmission part; (7)	10,00
1843	1	<b>wire rope assembly</b> wire rope assembly; (7)	10,00
1844	2	<b>switches</b> switches; (7)	10,00
1845	1	<b>hose assembly</b> hose assembly; (7)	10,00
1846	1	<b>hose assembly</b> hose assembly; (7)	10,00
1847	1	<b>deflector flange</b> deflector flange; (7)	10,00
1848	30	<b>key washers</b> key washers; (7)	10,00
1849	10	<b>stop-check valves</b> serienummer <a href="https://">https://</a> , stop-check valves; (7)	10,00
1850	35	<b>vehicular leaf pins</b> vehicular leaf pins ; (7)	10,00
1851	2	<b>loop clamps</b> loop clamps; (7)	10,00
1852	16	<b>temperature gauges analogue</b> temperature gauges analogue; °F ;(8)	10,00
1853	6	<b>fluid needle valves</b> Binks, fluid needle valves; (8)	10,00
1854	1	<b>analogue pressure gauge</b> analogue pressure gauge; (8)	10,00
1855	10	<b>snap hooks</b> snap hooks; (8)	10,00
1856	5	<b>powered valves</b> powered valves; (8)	10,00
1857	3	<b>mini-gard pressure controls</b> Robertshaw, mini-gard pressure controls; (8)	10,00
1858	1	<b>water temperature gauge</b> water temperature gauge; (8)	10,00
1859	1	<b>electrical solenoid</b> electrical solenoid; (8)	10,00
1860	3	<b>flow switches</b> flow switches; (8)	10,00
1861	1	<b>lot of various plain encased seals</b> lot of various plain encased seals; (8)	10,00
1862	8	<b>plain encased seals</b> plain encased seals; (8)	10,00
1863	1	<b>lot of various plain encased seals</b> lot of various plain encased seals; (8)	10,00
1864	1	<b>plain encased seal</b> plain encased seal; (8)	10,00
1865	2	<b>battery retainers</b> battery retainers; (8)	10,00
1866	2	<b>rubber hoses</b> rubber hoses; (8)	10,00
1867	24	<b>metal hose assemblies</b> metal hose assemblies; (8)	10,00
1868	60	<b>metal hose assemblies</b> metal hose assemblies; (8)	10,00
1869	2	<b>fuel tank straps</b> fuel tank straps; (8)	10,00
1870	2	<b>plastic steps</b> plastic steps; (8)	10,00
1871	8	<b>light emitting diodes</b> light emitting diodes; (8)	10,00
1872	1	<b>power cable</b> power cable; (8)	10,00
1873	1	<b>fiber-optic transmitter</b> Ortel, fiber-optic transmitter; (8)	10,00
1874	2	<b>engine transmitters</b> engine transmitters; (8)	10,00
1875	1	<b>temperature transmitter</b> temperature transmitter; (8)	10,00
1876	2	<b>motional transducers</b> motional transducers; (8)	10,00
1877	4	<b>control knob assemblies</b> control knob assemblies; (8)	10,00
1878	3	<b>solid state relays</b> solid state relays; (8)	10,00
1879	12	<b>speedometer adapter</b> speedometer adapter; (8)	10,00
1880	2	<b>push switches</b> push switches; (8)	10,00
1881	3	<b>pneumatic tyre valve</b> pneumatic tyre valve; (8)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1882	2	<b>electromagnet relay</b> electromagnet relay; (8)	10,00
1883	2	<b>capacitor-resistor</b> capacitor-resistor; (8)	10,00
1884	1	<b>end switch</b> end switch; (8)	10,00
1885	4	<b>exhaust gas sensors</b> exhaust gas sensors; (8)	10,00
1886	1	<b>switch assembly</b> switch assembly; (8)	10,00
1887	2	<b>receptacle connector</b> receptacle connector; (8)	10,00
1888	6	<b>temperature regulator switches</b> temperature regulator switches; (8)	10,00
1889	1	<b>vehicular switch</b> VDO, vehicular switch; (8)	10,00
1890	4	<b>loudspeaker covers</b> loudspeaker covers; (8)	10,00
1891	1	<b>dual voltage regulator</b> dual voltage regulator; (8)	10,00
1892	10	<b>elbow pipe tube</b> elbow pipe tube; (8)	10,00
1893	10	<b>rotary switches</b> rotary switches; (8)	10,00
1894	4	<b>inhibitor valves</b> Volvo, inhibitor valves;(8A)	10,00
1895	1	<b>engine shock absorber</b> engine shock absorber;(8A)	10,00
1896	3	<b>elbow pipes</b> elbow pipes; (8A)	10,00
1897	5	<b>solenoid valves</b> solenoid valves; (8A)	10,00
1898	1	<b>fuel injection nozzle</b> fuel injection nozzle; (8A)	10,00
1899	1	<b>lot of various gasket spacer rings</b> lot of various gasket spacer rings; (8A)	10,00
1900	60	<b>axle seals</b> axle seals; (8A)	10,00
1901	60	<b>axle seals</b> axle seals; (8A)	10,00
1902	2	<b>mounting brackets</b> mounting brackets; (8A)	10,00
1903	85	<b>plain encased seals</b> plain encased seals; (8A)	10,00
1904	1	<b>flange yoke</b> flange yoke; (7A)	10,00
1905	10	<b>pneumatic brake valves</b> Wabco, pneumatic brake valves; (7A)	10,00
1906	10	<b>pneumatic brake valves</b> Wabco, pneumatic brake valves; (7A)	10,00
1907	1	<b>ball join part</b> ball join part; (7A)	10,00
1908	4	<b>fire extinguisher valves</b> Kidde, fire extinguisher valves; (7A)	10,00
1909	24	<b>bow door handles</b> bow door handles; (7A)	10,00
1910	6	<b>steering knuckle sleeve assemblies</b> steering knuckle sleeve assemblies; (7A)	10,00
1911	1	<b>tapered roller cup</b> tapered roller cup; (7A)	10,00
1912	3	<b>mounting brackets</b> mounting brackets; (7A)	10,00
1913	1	<b>rubber window seal</b> rubber window seal; (7A)	10,00
1914	1	<b>battery main switch</b> battery main switch; 24V ; (7A)	10,00
1915	2	<b>rollers</b> rollers; (6a)	10,00
1916	20	<b>vehicular door handles</b> vehicular door handles; (6a)	10,00
1917	20	<b>vehicular door handles</b> vehicular door handles; (6a)	10,00
1918	3	<b>vehicular door locks</b> vehicular door locks; (6a)	10,00
1919	16	<b>gaskets</b> gaskets; (6a)	10,00
1920	1	<b>vehicular light</b> vehicular light; (6a)	10,00
1921	14	<b>gaskets</b> gaskets; (6a)	10,00
1922	5	<b>actuating cilinders</b> Cat, actuating cilinders; (6a)	10,00
1923	19	<b>o-rings</b> o-rings; (6a)	10,00
1924	10	<b>electric connector sets</b> electric connector sets; (6a)	10,00
1925	4	<b>radial tube inside tires</b> radial tube inside tires; (6a)	10,00
1926	2	<b>shaft hoses</b> shaft hoses; (5a)	10,00
1927	5	<b>quick half couplings</b> quick half couplings; (5a)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1928	1	<b>fuel filter water seperator</b> Parker, R20S, fuel filter water seperator; (5a)	10,00
1929	5	<b>nonmetallic hoses</b> nonmetallic hoses; (5a)	10,00
1930	6	<b>nonmetallic hoses</b> nonmetallic hoses; (5a)	10,00
1931	12	<b>tapered roller bearings</b> Timken, tapered roller bearings; (5a)	10,00
1932	72	<b>straight tube adapters</b> straight tube adapters; (5a)	10,00
1933	7	<b>mortise latch set</b> mortise latch set; (5a)	10,00
1934	20	<b>straight adapter pins</b> straight adapter pins; (5a)	10,00
1935	3	<b>boxes identification markers</b> boxes identification markers; (5a)	10,00
1936	1	<b>box with nonmetallic hoses</b> box with nonmetallic hoses; (5a)	10,00
1937	1	<b>side bead trim seal</b> side bead trim seal; (5a)	10,00
1938	2	<b>govenor parts</b> Haldex, govenor parts; (4a)	10,00
1939	9	<b>preformed hoses</b> preformed hoses; (4a)	10,00
1940	6	<b>nonmetallic seal</b> nonmetallic seal; (4a)	10,00
1941	4	<b>vehicular boot</b> vehicular boot; (4a)	10,00
1942	4	<b>vehicular boot</b> vehicular boot; (4a)	10,00
1943	3	<b>control assambly</b> control assambly; (4a)	10,00
1944	8	<b>control assambly</b> control assambly; (4a)	10,00
1945	1	<b>special sufruster</b> Danfross, dmv 423, special sufruster; (4a)	10,00
1946	1	<b>valve wheel shield</b> valve wheel shield; (3a)	10,00
1947	1	<b>box window wiper blades</b> box window wiper blades; (3a)	10,00
1948	3	<b>hoses</b> hoses; (3a)	10,00
1949	2	<b>rolls reflection tape</b> 3M, rolls reflection tape; (3a)	10,00
1950	17	<b>u-bolts</b> u-bolts; (3a)	10,00
1951	104	<b>machine bolts</b> machine bolts; (3a)	10,00
1952	1	<b>box flat washers</b> box flat washers; (3a)	10,00
1953	100	<b>wood screws</b> wood screws; (3a)	10,00
1954	2	<b>wiring harness</b> wiring harness; (3a)	10,00
1955	50	<b>ribbed shoulder bolts</b> ribbed shoulder bolts; (3A)	10,00
1956	7	<b>hose assemblies</b> hose assemblies; (3A)	10,00
1957	9	<b>exterally bolts</b> exterally bolts; (3a)	10,00
1958	14	<b>pipe to tube elbows</b> pipe to tube elbows; (3a)	10,00
1959	7	<b>loop clamps</b> loop clamps; (3a)	10,00
1960	160	<b>loop clamps</b> loop clamps; (3a)	10,00
1961	12	<b>control cable parts</b> control cable parts; (3a)	10,00
1962	1	<b>rubber strip</b> rubber strip; (3a)	10,00
1963	1	<b>fuel can stand</b> Hunter, fuel can stand; (3a)	10,00
1964	82	<b>square neck bolts</b> square neck bolts; (3a)	10,00
1965	487	<b>recessed washer</b> recessed washer; (3a)	10,00
1966	84	<b>hexagon bolts</b> hexagon bolts; (3a)	10,00
1967	12	<b>metal molding</b> metal molding; (3a)	10,00
1968	53	<b>pipe to tube elbows</b> pipe to tube elbows; (3a)	10,00
1969	24	<b>spacer sleeves</b> spacer sleeves; (3a)	10,00
1970	11	<b>support hooks</b> support hooks; (3a)	10,00
1971	1	<b>bag with nuts</b> bag with nuts; (3a)	10,00
1972	1	<b>bag with nuts</b> bag with nuts; (3a)	10,00
1973	1	<b>pressure gauge</b> pressure gauge; (3a)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1974	2	<b>roller bearings</b> roller bearings; (3a)	10,00
1975	1	<b>bag straight pins</b> bag straight pins; (3a)	10,00
1976	1	<b>air hose reel</b> Reelworks, air hose reel; diam. 13 mm; length 15 mtr; pressure 20 bar; (a)	10,00
1977	1	<b>air hose reel</b> Reelworks, air hose reel; diam. 6 mm; length 10 mtr; pressure 20 bar; (a)	10,00
1978	1	<b>air hose reel</b> Reelworks, air hose reel; diam. 10 mm; length 15 mtr; pressure 20 bar; (a)	10,00
1979	1	<b>air hose reel</b> Reelworks, air hose reel; diam. 13 mm; length 15 mtr; pressure 20 bar; (a)	10,00
1980	1	<b>air hose reel</b> Reelworks, air hose reel; diam. 10 mm; length 15 mtr; pressure 20 bar; (a)	10,00
1981	1	<b>air hose reel</b> Zionair, air hose reel; diam. 9,5 mm; length 10 mtr; pressure 20 bar; (a)	10,00
1982	1	<b>air hose reel</b> Zionair, air hose reel; diam. 10 mm; length 10 mtr; pressure 20 bar; (a)	10,00
1983	1	<b>air hose reel</b> Zionair, air hose reel; diam. 9,5 mm; length 10 mtr; pressure 20 bar; (a)	10,00
1984	1	<b>air hose reel</b> Zionair, air hose reel; diam. 19 mm; length 10 mtr; pressure 105 bar; (a)	25,00
1985	1	<b>air hose reel</b> Zionair, air hose reel; diam. 19 mm; length 10 mtr; pressure 105 bar; (a)	25,00
1986	1	<b>air hose reel</b> Zionair, air hose reel; diam. 9,5 mm; length 20 mtr; pressure 20 bar; (a)	25,00
1987	1	<b>air hose reel</b> Zionair, air hose reel; diam. 9,5 mm; length 20 mtr; pressure 20 bar; (a)	25,00
1988	1	<b>air hose reel</b> Zionair, air hose reel; diam. 13 mm; length 20 mtr; pressure 20 bar; (a)	25,00
1989	1	<b>air hose reel</b> Zionair, air hose reel; diam. 13 mm; length 20 mtr; pressure 20 bar; (a)	25,00
1990	1	<b>electric reel</b> electric reel; 230 volt; (b)	5,00
1991	1	<b>electric reel</b> electric reel; 230 volt; (b)	5,00
1992	1	<b>electric reel</b> electric reel; 230 volt; (b)	10,00
1993	1	<b>electric reel</b> electric reel; 230 volt; (b)	10,00
1994	1	<b>electric cable</b> electric cable; (b)	10,00
1995	1	<b>electric cable</b> electric cable; 380 volt; (b)	10,00
1996	1	<b>electric cable reel</b> Reelworks, electric cable reel; 230 volt; 15 mtr; (b)	10,00
1997	1	<b>electric cable reel</b> Reelworks, electric cable reel; 230 volt; 8 mtr; (b)	10,00
1998	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230 volt; 10 mtr; (b)	10,00
1999	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230 volt; 50 mtr; (b)	10,00
2000	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230 volt; 50 mtr; (b)	10,00
2001	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230 volt; 30 mtr; (b)	10,00
2002	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230 volt; 30 mtr; (b)	10,00
2003	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230/380 volt; (b)	10,00
2004	1	<b>electric cable reel</b> Fluxon, electric cable reel; 230/380 volt; (b)	10,00
2005	1	<b>electric angle drill</b> DeWalt, electric angle drill; 115 volt; (c)	10,00
2006	1	<b>electric angle drill</b> DeWalt, electric angle drill; 115 volt; (c)	10,00
2007	4	<b>electric drills</b> DeWalt, electric drills; 115 volt; (c)	10,00
2008	1	<b>circular saw</b> DeWalt, circular saw; 115 volt; (c)	10,00
2009	1	<b>special table model saw blade grinder</b> Nn, jmy8-70, special table model saw blade grinder; saw blade diam. 80-700; 2850 rpm; 220 volt; (c)	100,00
2010	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2011	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2012	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2013	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2014	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2015	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2016	1	<b>electric heater</b> Aqua-air, electric heater; 400/800 watt; 230 volt; (c)	5,00
2017	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2018	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2019	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
2020	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2021	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2022	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2023	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2024	1	<b>stainless steel wall drinking fountain</b> Haws, stainless steel wall drinking fountain; (c)	10,00
2025	1	<b>electric blower</b> electric blower; (c)	10,00
2026	1	<b>water pump</b> Aspira, mps60, water pump; q=max 37 ltr/min; h=36 mtr; 220-240 volt; (d)	25,00
2027	1	<b>water pump</b> Aspira, mps60, water pump; q=max 37 ltr/min; h=36 mtr; 220-240 volt; (d)	25,00
2028	1	<b>water pump</b> Aspira, mps60, water pump; q=max 37 ltr/min; h=36 mtr; 220-240 volt; (d)	25,00
2029	1	<b>submersible water pump</b> Nn, bl2524n, submersible water pump; q=max 70 ltr/min; 24 volt; (d)	10,00
2030	1	<b>stainless steel submersible water pump</b> Aspira, mvs10-1, stainless steel submersible water pump; q=max 350 ltr/min; max head 12 mtr; 220-240 volt; (d)	60,00
2031	1	<b>stainless steel submersible water pump</b> Aspira, mvs7-1, stainless steel submersible water pump; q=max 300 ltr/min; max head 9 mtr; 220-240 volt; (d)	60,00
2032	1	<b>stainless steel deep well submersible water pump</b> Aspira, 48m5-12f, stainless steel deep well submersible water pump; q=max 5,0 m3/h; max head 62 mtr; 230 volt; (d)	100,00
2033	1	<b>water pump</b> Aspira, mjs100, water pump; q=max 60 ltr/min; h=45 mtr; 220-240 volt; (d)	25,00
2034	1	<b>liquid filter pump</b> Aspira, liquid filter pump; q=max 1000 ltr/h; h=1,8 mtr; 230 volt; (d)	10,00
2035	1	<b>water pump</b> Aspira, mj 100l, water pump; q=max 60 ltr/min; h=45 mtr; 220-240 volt; (d)	25,00
2036	1	<b>water pump</b> Aspira, mtk2000, water pump; q=max 400 ltr/min; h=20 mtr; 220-240 volt; (d)	60,00
2037	1	<b>stainless steel submersible water pump</b> Grindex, 0716, stainless steel submersible water pump; q=max 89 gpm; max head 52 ft; 115 volt; (d)	60,00
2038	1	<b>stainless steel submersible water pump</b> Aspira, dsf 370, stainless steel submersible water pump; q=max 13 m3/h; max head 10 mtr; 230 volt; (d)	60,00
2039	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (d)	75,00
2040	1	<b>industrial wall sander</b> Jmc, ds 7235, industrial wall sander; disc diam. 215/225 mm; 1220 watt; 230 volt; (d)	60,00
2041	1	<b>industrial wall sander</b> Jmc, ds 7235, industrial wall sander; disc diam. 215/225 mm; 1220 watt; 230 volt; (d)	60,00
2042	1	<b>tig welding machine</b> Solda-tech, tig-200p ac/dc, tig welding machine; with contents; (d)	200,00
2043	1	<b>mobile cutting machine</b> Solda-tech, cut-120, mobile cutting machine; with contents; (d)	200,00
2044	1	<b>mobile welding machine</b> Solda-tech, mig 200, mobile welding machine; range 50a/16,5v-180a/23v; 230/400 volt; with contents; (d)	200,00
2045	1	<b>mobile 4-drawers toolbox</b> Kippertools, mobile 4-drawers toolbox; empty; (e)	50,00
2046	1	<b>mobile 4-drawers toolbox</b> Kippertools, mobile 4-drawers toolbox; empty; (e)	50,00
2047	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2048	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2049	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2050	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2051	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2052	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (e/f)	75,00
2053	1	<b>steel toolbox</b> steel toolbox; with tools; (f) e)	10,00
2054	1	<b>tool case with various tools</b> tool case with various tools; (e)	10,00
2055	1	<b>steel 4 tray cantilever toolbox</b> Big red, steel 4 tray cantilever toolbox; (e)	10,00
2056	1	<b>steel 4 tray cantilever toolbox</b> Big red, steel 4 tray cantilever toolbox; (e)	10,00
2057	5	<b>steel toolboxes</b> steel toolboxes; (e)	10,00
2058	1	<b>mobile shipping case</b> Pelican, mobile shipping case; (f)	10,00
2059	1	<b>electronic tool shipping case</b> electronic tool shipping case; empty; (f)	10,00
2060	1	<b>electronic tool shipping case</b> electronic tool shipping case; empty; (f)	10,00
2061	1	<b>electronic tool shipping case</b> electronic tool shipping case; empty; (f)	10,00
2062	1	<b>steel toolbox</b> steel toolbox; empty; (f)	10,00
2063	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (g)	75,00
2064	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (g)	75,00
2065	14	<b>vehicular shock parts</b> vehicular shock parts; (g)	60,00



Kavel	Aantal	Omschrijving	Openingsbod €
2066	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (g)	75,00
2067	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; (g)	75,00
2068	1	<b>mobile 4-drawers mechanic's toolbox</b> Kippertools, mobile 4-drawers mechanic's toolbox; with various tools; damaged; (g)	75,00
2069	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; with tool; cap. 1/2 ton; (h)	60,00
2070	1	<b>hydraulic break tool</b> hydraulic break tool; cap. 1/2 ton; (h)	25,00
2071	1	<b>hydraulic break tool</b> hydraulic break tool; cap. 1/2 ton; (h)	25,00
2072	1	<b>hydraulic break tool</b> Enerpac, hydraulic break tool; cap. 1/2 ton; (h)	25,00
2073	1	<b>manual pull back ram</b> Mammuth, manual pull back ram; cap. 10 ton; (h)	30,00
2074	1	<b>manual pull back ram</b> Mammuth, manual pull back ram; cap. 20 ton; (h)	50,00
2075	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; (h)	25,00
2076	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; (h)	25,00
2077	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; (h)	25,00
2078	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; (h)	25,00
2079	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; cap. 10 ton; (h)	25,00
2080	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; cap. 10 ton; (h)	25,00
2081	1	<b>manual hydraulic cilnder</b> manual hydraulic cilnder; cap. 10 ton; (h)	25,00
2082	1	<b>hydraulic hose</b> hydraulic hose; (h)	10,00
2083	1	<b>hydraulic hose</b> hydraulic hose; (h)	10,00
2084	1	<b>hydraulic pump</b> Zupper, hydraulic pump; in case; (h)	25,00
2085	1	<b>hydraulic pump</b> Mammuth, hydraulic pump; cap. 480 ml; max pressure 700 bar; in case; (h)	25,00
2086	1	<b>hydraulic pump</b> Mammuth, hydraulic pump; cap. 480 ml; max pressure 700 bar; in case; (h)	25,00
2087	1	<b>hydraulic pump</b> Mammuth, hydraulic pump; cap. 480 ml; max pressure 700 bar; in case; (h)	25,00
2088	1	<b>hydraulic pump</b> Mammuth, hydraulic pump; cap. 480 ml; max pressure 700 bar; in case; (h)	25,00
2089	1	<b>hydraulic pump</b> Zupper, hydraulic pump; in case; (h)	25,00
2090	1	<b>hydraulic body frame repair kit</b> Mammuth, hydraulic body frame repair kit; cap. 10 ton; (h)	75,00
2091	1	<b>hydraulic body frame repair kit</b> Mammuth, hydraulic body frame repair kit; cap. 4 (10) ton; (h)	75,00
2092	1	<b>hydraulic body frame repair kit</b> Mammuth, hydraulic body frame repair kit; cap. 10 ton; (h)	75,00
2093	1	<b>hydraulic body frame repair kit</b> Mammuth, hydraulic body frame repair kit; cap. 10 ton; (h)	75,00
2094	1	<b>hydraulic cilnder</b> Zupper, zhc-60100, hydraulic cilnder; cap. 60 ton; hit 100 mm; height 261 mm; (i)	60,00
2095	1	<b>hydraulic cilnder</b> Zupper, zhc-6050, hydraulic cilnder; cap. 60 ton; hit 50 mm; height 211 mm; (i)	60,00
2096	1	<b>hydraulic cilnder</b> Mammuth, mhc30100, hydraulic cilnder; cap. 30 ton; hit 100 mm; height 238 mm; (i)	60,00
2097	1	<b>hydraulic cilnder</b> Mammuth, mhc30100, hydraulic cilnder; cap. 30 ton; hit 100 mm; height 238 mm; (i)	60,00
2098	1	<b>hydraulic cilnder</b> Mammuth, mhc2050, hydraulic cilnder; cap. 20 ton; hit 50 mm; height 166 mm; (i)	40,00
2099	1	<b>hydraulic cilnder</b> Mammuth, mhc2050, hydraulic cilnder; cap. 20 ton; hit 50 mm; height 166 mm; (i)	40,00
2100	1	<b>hydraulic cilnder</b> Zupper, zpc-20100, hydraulic cilnder; cap. 20 ton; hit 100 mm; height 207 mm; (i)	40,00
2101	1	<b>hydraulic cilnder</b> Zupper, zpc-20100, hydraulic cilnder; cap. 20 ton; hit 100 mm; height 207 mm; (i)	40,00
2102	1	<b>hydraulic cilnder</b> Mammuth, mpc30150, hydraulic cilnder; cap. 30 ton; hit 150 mm; height 257 mm; (i)	40,00
2103	1	<b>hydraulic cilnder</b> Zupper, zhc-60100, hydraulic cilnder; cap. 60 ton; hit 100 mm; height 261 mm; (i)	60,00
2104	1	<b>hydraulic cilnder</b> Mammuth, mpc30150, hydraulic cilnder; cap. 100 ton; hit 50 mm; height 136 mm; (i)	60,00
2105	1	<b>hydraulic cilnder</b> Zupper, zhc-60100, hydraulic cilnder; cap. 50 ton; hit 50 mm; height 104 mm; (i)	40,00
2106	1	<b>hydraulic cilnder</b> Mammuth, mc2050, hydraulic cilnder; cap. 20 ton; hit 50 mm; height 98 mm; (i)	30,00
2107	1	<b>hydraulic cilnder</b> Mammuth, mc2050, hydraulic cilnder; cap. 20 ton; hit 50 mm; height 98 mm; (i)	30,00
2108	1	<b>hydraulic cilnder</b> Zupper, hydraulic cilnder; cap. 10 ton; hit 150 mm; height 239 mm; (i)	30,00
2109	1	<b>hydraulic cilnder</b> Zupper, hydraulic cilnder; cap. 5 ton; hit 150 mm; height 232 mm; (i)	20,00
2110	1	<b>hydraulic cilnder</b> Zupper, hydraulic cilnder; cap. 5 ton; hit 50 mm; height 133 mm; (i)	20,00
2111	1	<b>hydraulic cilnder</b> Zupper, hydraulic cilnder; cap. 10 ton; hit 50 mm; height 139 mm; (i)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
2112	1	<b>hydraulic cilinder</b> Zupper, hydraulic cilinder; cap. 10 ton; hit 100 mm; height 189 mm; (i)	25,00
2113	1	<b>hydraulic flat cilinder</b> Zupper, hydraulic flat cilinder; cap. 30 ton; hit 53 mm; height 63 mm; (i)	25,00
2114	1	<b>hydraulic flat cilinder</b> Mammuth, hydraulic flat cilinder; cap. 10 ton; hit 25 mm; height 47 mm; (i)	25,00
2115	1	<b>hydraulic flat cilinder</b> Mammuth, hydraulic flat cilinder; cap. 10 ton; hit 25 mm; height 47 mm; (i)	25,00
2116	1	<b>hydraulic flat cilinder</b> Mammuth, hydraulic flat cilinder; cap. 30 ton; hit 53 mm; height 63 mm; (i)	25,00
2117	1	<b>hydraulic flat cilinder</b> Mammuth, hydraulic flat cilinder; cap. 20 ton; hit 11 mm; height 52 mm; (i)	25,00
2118	1	<b>hydraulic flat cilinder</b> Mammuth, hydraulic flat cilinder; cap. 20 ton; hit 11 mm; height 52 mm; (i)	25,00
2119	1	<b>hydraulic flat cilinder</b> Zupper, hydraulic flat cilinder; cap. 50 ton; hit 16 mm; height 69 mm; (i)	25,00
2120	1	<b>hydraulic manual pump</b> Zupper, hydraulic manual pump; in case; (i)	50,00
2121	1	<b>hydraulic manual pump</b> Zupper, hydraulic manual pump; in case; (i)	50,00
2122	1	<b>hydraulic manual pump</b> Zupper, hydraulic manual pump; in case; (i)	50,00
2123	1	<b>hydraulic manual pump</b> Mammuth, cp700b, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2124	1	<b>hydraulic manual pump</b> Mammuth, cp700, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2125	1	<b>hydraulic manual pump</b> Mammuth, cp700, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2126	1	<b>hydraulic manual pump</b> Mammuth, cp700, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2127	1	<b>hydraulic manual pump</b> Mammuth, cp-180b, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2128	1	<b>hydraulic manual pump</b> Mammuth, cp-180b, hydraulic manual pump; pressure 700 bar; in case; (i)	50,00
2129	1	<b>hydraulic unit</b> hydraulic unit; 230 volt; with remote; (i)	50,00
2130	1	<b>manual liquid pump</b> manual liquid pump; (i)	10,00
2131	1	<b>electric steel cable winch</b> Torso, electric steel cable winch; cap. 3600 kg; cable 29 mtr; (i)	100,00
2132	2	<b>bead breakers</b> bead breakers; (i)	10,00
2133	1	<b>hydraulic pump with cilinder</b> hydraulic pump with cilinder; (i)	50,00
2134	1	<b>shovel and broom</b> shovel and broom; (i)	10,00
2135	1	<b>fuel transfer pump kit</b> Fuelworks, fuel transfer pump kit; flow rate 72 lpm/19 gpm; in and outlet 1"; 230 volt; (j)	75,00
2136	1	<b>fuel transfer pump kit</b> Fuelworks, fuel transfer pump kit; flow rate 56 ltr/min; in and outlet 1"; 230 volt; (j)	75,00
2137	1	<b>dc oil pump</b> dc oil pump; flow rate 10 ltr/min; pressure 4 bar; in/outlet 3/4"; 24 volt; (j)	25,00
2138	1	<b>pneumatic pump</b> Pressol, pneumatic pump; (j)	10,00
2139	1	<b>heavy duty fuel pump kit</b> Fuelworks, heavy duty fuel pump kit; flow rate 15 gpm/ 57 lpm; 12/24 volt; (j)	50,00
2140	1	<b>dc fuel transfer pump</b> Fuelworks, dc fuel transfer pump; flow rate 10,5 gpm/ 40 lpm; 12/24 volt; (j)	50,00
2141	1	<b>steel cable winch</b> Torso, steel cable winch; cap. 900 kg; (j)	10,00
2142	1	<b>hydraulic car winch</b> Torso, cw08v12, hydraulic car winch; cap. 3620 kg; cable length 29 mtr; 12 volt; (j)	100,00
2143	1	<b>hydraulic car winch</b> Torso, cw012v24l, hydraulic car winch; cap. 3046 kg; cable length 25,5 mtr; 24 volt; (j)	100,00
2144	1	<b>hydraulic car winch</b> Torso, cw15v12, hydraulic car winch; cap. 9720 lbs; cable length 28 mtr; 24 volt; (j)	100,00
2145	1	<b>hydraulic car winch</b> Torso, cw 035v24, hydraulic car winch; cap. 1575 kg; cable length 12,8 mtr; 24 volt; (j)	100,00
2146	1	<b>hydraulic car winch</b> Torso, cw 03v12, hydraulic car winch; 12 volt; (j)	100,00
2147	1	<b>hydraulic car winch</b> Torso, cw 095v12, hydraulic car winch; cap. 4300 kg; cable length 26 mtr; 12 volt; (j)	100,00
2148	1	<b>big lot with insect nets</b> Bioquip, big lot with insect nets; (j)	50,00
2149	1	<b>hydraulic body repair kit</b> Mammuth, hydraulic body repair kit; cap. 4 (10) ton; in 2 cases; (j)	125,00
2150	1	<b>hydraulic body repair kit</b> Mammuth, hydraulic body repair kit; cap. 4 ton; (j)	125,00
2151	1	<b>manual liquid pump</b> manual liquid pump; (j)	10,00
2152	6	<b>various rollers</b> various rollers; (k)	10,00
2153	1	<b>lift hook</b> lift hook; (k)	10,00
2154	3	<b>synthetic ropes</b> synthetic ropes; diameter 5 mm; length 15 mtr; (k)	10,00
2155	1	<b>remote</b> remote; (k)	10,00
2156	1	<b>electric winch</b> electric winch; cap. 2000 lb; 12 volt; (k)	60,00
2157	1	<b>electric winch</b> electric winch; cap. 2000 lb; 12 volt; (k)	60,00



Kavel	Aantal	Omschrijving	Openingsbod €
2158	1	<b>electric winch</b> electric winch; cap. 2000 lb; 12 volt; (k)	60,00
2159	1	<b>electric winch</b> electric winch; cap. 2000 lb; 12 volt; (k)	60,00
2160	4	<b>oil filters</b> Fram, p3613, oil filters; (k)	10,00
2161	11	<b>fuel filters</b> Fram, fuel filters; (k)	10,00
2162	6	<b>fuel filters</b> fuel filters; (k)	10,00
2163	7	<b>engine air filters</b> engine air filters; (k)	10,00
2164	1	<b>filter part</b> Yanmar, filter part; (k)	10,00
2165	2	<b>fluid filters</b> Napa, gold, fluid filters; (k)	10,00
2166	3	<b>airco filters</b> Kmp, airco filters; (k)	10,00
2167	2	<b>fluid filters</b> Case, fluid filters; (k)	10,00
2168	1	<b>electric car winch</b> Off-road, x 16000, electric car winch; dc 12 volt; (k)	150,00
2169	1	<b>electric car winch</b> VP, cw15v12, electric car winch; cap. max 15000 lbs; dc 12 volt; (k)	150,00
2170	1	<b>electric car winch</b> Nn, electric car winch; cap. max 8000 lbs; dc 12 volt; (k)	150,00
2171	12	<b>fluid filter elements</b> fluid filter elements; (k)	10,00
2172	6	<b>light parts</b> Volvo, light parts; (k)	10,00
2173	8	<b>fluid filter elements</b> fluid filter elements; (k)	10,00
2174	10	<b>fluid filter elements</b> Wix, fluid filter elements; (k)	10,00
2175	6	<b>fluid filter elements</b> Fram, fluid filter elements; (k)	10,00
2176	1	<b>oil filter</b> John Deere, oil filter; (k)	10,00
2177	6	<b>oil filter</b> Cat, oil filter; (k)	10,00
2178	1	<b>water hose</b> water hose; (k)	10,00
2179	1	<b>hook hoist</b> hook hoist; (k)	10,00
2180	1	<b>tackle block</b> tackle block; (k)	10,00
2181	1	<b>tackle block</b> tackle block; (k)	10,00
2182	4	<b>lifting belts</b> Torso, lifting belts; cap. 1 ton; length 5 mtr; (k)	10,00
2183	4	<b>lifting belts</b> Torso, lifting belts; cap. 1 ton; length 3 mtr; (k)	10,00
2184	4	<b>lifting belts</b> Torso, lifting belts; cap. 1 ton; length 2 mtr; (k)	10,00
2185	4	<b>lifting belts</b> Torso, lifting belts; cap. 1 ton; length 4 mtr; (k)	10,00
2186	1	<b>lot with various filters</b> lot with various filters; (l)	10,00
2187	9	<b>air filters</b> air filters; (l)	10,00
2188	3	<b>lil filters</b> Napa, lil filters; (l)	10,00
2189	4	<b>air filters</b> air filters; (l)	10,00
2190	10	<b>coalescer elements</b> coalescer elements; (l)	10,00
2191	2	<b>air filters</b> air filters; (l)	10,00
2192	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2193	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2194	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2195	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2196	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2197	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2198	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2199	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2200	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2201	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2202	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2203	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00



Kavel	Aantal	Omschrijving	Openingsbod €
2204	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2205	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2206	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2207	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2208	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2209	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2210	1	<b>vehicular maintenance kit</b> vehicular maintenance kit; (l)	15,00
2211	1	<b>steel cable hoist</b> steel cable hoist; 10.000 lbs; 8 mtr; (l)	15,00
2212	1	<b>steel cable hoist</b> steel cable hoist; 10.000 lbs; 6 mtr; (l)	15,00
2213	6	<b>steel cable hoists</b> steel cable hoists; 10.000 lbs; 4,5/6 mtr; (l)	15,00
2214	4	<b>steel cable hoists</b> steel cable hoists; 10.000 lbs; 4,5/6 mtr; (l)	15,00
2215	4	<b>steel cable hoists</b> steel cable hoists; 3000 lbs; 6 mtr; (l)	15,00
2216	4	<b>steel cable hoists</b> steel cable hoists; 2000 lbs; 6 mtr; (l)	15,00
2217	12	<b>strainer air filter elements</b> strainer air filter elements; (m)	15,00
2218	27	<b>air filter elements</b> air filter elements; (m)	15,00
2219	6	<b>air filter elements</b> air filter elements; (m)	15,00
2220	5	<b>air filter elements</b> air filter elements; (m)	15,00
2221	4	<b>mobile platform dolly's</b> mobile platform dolly's; (m)	15,00
2222	4	<b>mobile platform dolly's</b> mobile platform dolly's; (m)	15,00
2223	3	<b>strap webbing pullers</b> strap webbing pullers; (m)	15,00
2224	2	<b>strap webbing pullers</b> strap webbing pullers; (m)	15,00
2225	8	<b>truck mirror assembly frames</b> truck mirror assembly frames; (n)	15,00
2226	1	<b>box windshield blades</b> box windshield blades; (n)	15,00
2227	4	<b>mirrors</b> mirrors; (n)	15,00
2228	4	<b>cat rollers</b> cat rollers; (n)	15,00
2229	1	<b>cover</b> Mercedes Benz, cover; (n)	15,00
2230	8	<b>truck mirror assembly frames</b> truck mirror assembly frames; (n)	15,00
2231	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2232	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2233	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2234	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2235	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2236	1	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	15,00
2237	4	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	40,00
2238	4	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	40,00
2239	4	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (n)	40,00
2240	2	<b>lift belts</b> Torso, lift belts; cap. 2000 kg; length 2 mtr; (n)	10,00
2241	4	<b>lift belts</b> Torso, lift belts; cap. 4000 kg; length 6 mtr; (n)	10,00
2242	84	<b>steel chain link</b> steel chain link; (n)	10,00
2243	1	<b>4-spring lift chain</b> Torso, 4-spring lift chain; cap. 2 ton; (n)	25,00
2244	1	<b>4-spring lift chain</b> Torso, 4-spring lift chain; cap. 2 ton; (n)	25,00
2245	1	<b>2-spring lift chain</b> Torso, 2-spring lift chain; cap. 2 ton; (n)	25,00
2246	1	<b>2-spring lift chain</b> Torso, 2-spring lift chain; cap. 2 ton; (n)	25,00
2247	1	<b>lift chain</b> Torso, lift chain; cap. 3 ton; (n)	25,00
2248	4	<b>strap webbing pullers</b> strap webbing pullers; (n)	15,00
2249	1	<b>tackle block with shackle</b> tackle block with shackle; (n)	15,00



Kavel	Aantal	Omschrijving	Openingsbod €
2250	1	<b>special cargo hook</b> special cargo hook; in case; (n)	15,00
2251	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2252	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2253	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2254	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2255	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2256	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2257	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2258	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2259	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2260	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2261	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2262	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2263	4	<b>double angle brackets</b> double angle brackets; (o)	10,00
2264	2	<b>heavy water hoses</b> heavy water hoses; pressure 15 bar; (o)	10,00
2265	9	<b>heavy fluid hoses</b> heavy fluid hoses; (o)	10,00
2266	4	<b>heavy water hoses</b> heavy water hoses; pressure 15 bar; (o)	10,00
2267	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2268	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2269	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2270	1	<b>24 volt vehicular diesel heater</b> Eberspächer, airtronic m, 24 volt vehicular diesel heater; 40 watt; 4kW; (o)	20,00
2271	20	<b>mounting brackets</b> mounting brackets; (o)	20,00
2272	1	<b>compressor unit</b> Spartan, compressor unit; (o)	50,00
2273	1	<b>compressor unit</b> Spartan, compressor unit; (o)	50,00
2274	1	<b>compressor unit</b> Spartan, compressor unit; (o)	50,00
2275	5	<b>piggy back plus kit</b> piggy back plus kit; (o)	50,00
2276	1	<b>wire rope pulling hoist</b> Torso, cp 1600, bouwjaar 2014, wire rope pulling hoist; cap. 1600 kg; rope diameter 11 mm; (o)	30,00
2277	1	<b>lot with belts</b> lot with belts; (o)	10,00
2278	1	<b>trailer cover</b> trailer cover; (o)	10,00
2279	1	<b>lift chain</b> lift chain; (o)	10,00
2280	1	<b>lift chain</b> lift chain; (o)	10,00
2281	4	<b>strap pullers</b> strap pullers; (o)	10,00
2282	2	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (o)	40,00
2283	2	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (o)	40,00
2284	2	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (o)	40,00
2285	2	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (o)	40,00
2286	2	<b>heavy strap webbing</b> heavy strap webbing; cap. 10.000 daN; length 4 mtr; (o)	40,00
2287	1	<b>big lot with various gaskets</b> big lot with various gaskets; (p)	50,00
2288	2	<b>winch handles</b> winch handles; (p)	10,00
2289	2	<b>vehicular steering parts</b> vehicular steering parts; (p)	10,00
2290	1	<b>compressor unit part</b> compressor unit part; (p)	10,00
2291	1	<b>electric engine starter</b> electric engine starter; (p)	10,00
2292	1	<b>air compressor unit</b> air compressor unit; 1 compressor unit; (p)	10,00
2293	5	<b>various generator units</b> various generator units; (p)	10,00
2294	1	<b>vehicular steering part</b> vehicular steering part; (p)	10,00
2295	1	<b>vehicular steering part</b> vehicular steering part; (p)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2296	1	<b>non magnetic clutch</b> non magnetic clutch; (p)	50,00
2297	1	<b>brake shoe set</b> brake shoe set; (p)	50,00
2298	2	<b>electric direct current engine starters</b> Leece-Neville, electric direct current engine starters; (p)	50,00
2299	2	<b>electric direct current engine starters</b> electric direct current engine starters; (p)	50,00
2300	2	<b>electric direct current engine starters</b> electric direct current engine starters; (p)	50,00
2301	1	<b>electric direct current engine starter</b> electric direct current engine starter; (p)	20,00
2302	1	<b>direct generator unit</b> direct generator unit; (p)	15,00
2303	1	<b>electric direct current engine starter</b> electric direct current engine starter; (p)	20,00
2304	1	<b>electric direct current engine starter</b> electric direct current engine starter; (p)	20,00
2305	1	<b>direct generator unit</b> direct generator unit; (p)	15,00
2306	2	<b>steering beam parts</b> steering beam parts; (p)	15,00
2307	4	<b>lift belts</b> Torso, lift belts; cap. 1 ton; length 6 mtr; (p)	15,00
2308	4	<b>lift belts</b> Torso, lift belts; cap. 2 ton; length 2 mtr; (p)	15,00
2309	4	<b>lift belts</b> Torso, lift belts; cap. 2 ton; length 4 mtr; (p)	15,00
2310	4	<b>lift belts</b> Torso, lift belts; cap. 3 ton; length 3 mtr; (p)	15,00
2311	4	<b>lift belts</b> Torso, lift belts; cap. 3 ton; length 4 mtr; (p)	15,00
2312	2	<b>lift belts</b> Torso, lift belts; cap. 4 ton; length 3 mtr; (p)	15,00
2313	2	<b>lift belts</b> Torso, lift belts; cap. 4 ton; length 4 mtr; (p)	15,00
2314	2	<b>lift belts</b> Torso, lift belts; cap. 4 ton; length 6 mtr; (p)	15,00
2315	4	<b>lift belts</b> Torso, lift belts; cap. 5 ton; length 3/4 mtr; (p)	30,00
2316	1	<b>set jack stands</b> Mammuth, set jack stands; cap. 2 ton; (p)	15,00
2317	1	<b>set jack stands</b> Mammuth, set jack stands; cap. 3 ton; (p)	15,00
2318	1	<b>set jack stands</b> Mammuth, set jack stands; cap. 6 ton; (p)	15,00
2319	1	<b>set jack stands</b> Mammuth, set jack stands; cap. 12 ton; (p)	15,00
2320	3	<b>vehicular power parts</b> vehicular power parts; (p)	15,00
2321	1	<b>lot various vehicular parts</b> lot various vehicular parts; (q)	15,00
2322	1	<b>lot various vehicular parts</b> lot various vehicular parts; (q)	15,00
2323	17	<b>flexiduct black 25' coil split</b> Lincoln plastic, flexiduct black 25' coil split; (q)	15,00
2324	1	<b>pressure tank</b> pressure tank; (q)	10,00
2325	20	<b>universal joint companion flange</b> universal joint companion flange; (q)	10,00
2326	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; (q)	50,00
2327	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; (q)	50,00
2328	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; (q)	50,00
2329	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; (q)	50,00
2330	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; (q)	50,00
2331	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; in box; (q)	50,00
2332	1	<b>engine generator accessory</b> C.e. Niehoff & Co, engine generator accessory; in box; (q)	50,00
2333	1	<b>electric engine starter</b> Hatz, electric engine starter; 24 v; 3,0 kW; (q)	10,00
2334	1	<b>electric engine starter</b> Bosch, electric engine starter; 24 v; (q)	10,00
2335	1	<b>electric engine starter</b> Bosch, electric engine starter; 24 v; (q)	10,00
2336	2	<b>drip pan</b> drip pan; (q)	10,00
2337	1	<b>box with windshield blades</b> box with windshield blades; (q)	10,00
2338	1	<b>box with windshield blades</b> box with windshield blades; (q)	10,00
2339	1	<b>jack stand</b> Mammuth, jack stand; cap. 12 ton; (q)	20,00
2340	1	<b>air hydraulic bottle jack</b> Mammuth, air hydraulic bottle jack; cap. 20 ton; (q)	50,00
2341	1	<b>air hydraulic bottle jack</b> Mammuth, air hydraulic bottle jack; cap. 20 ton; (q)	50,00



Kavel	Aantal	Omschrijving	Openingsbod €
2342	1	<b>air hydraulic bottle jack</b> Mammuth, air hydraulic bottle jack; cap. 12 ton; (q)	40,00
2343	1	<b>air hydraulic bottle jack</b> Mammuth, air hydraulic bottle jack; cap. 12 ton; (q)	40,00
2344	1	<b>double ram bottle jack</b> Mammuth, double ram bottle jack; cap. 12 ton; (q)	40,00
2345	1	<b>double ram bottle jack</b> Mammuth, double ram bottle jack; cap. 4 ton; (q)	40,00
2346	1	<b>double ram bottle jack</b> Mammuth, double ram bottle jack; cap. 4 ton; (q)	40,00
2347	1	<b>double ram bottle jack</b> Mammuth, double ram bottle jack; cap. 10 ton; (q)	40,00
2348	1	<b>double ram bottle jack</b> Mammuth, double ram bottle jack; cap. 10 ton; (q)	40,00
2349	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 50 ton; (q)	50,00
2350	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 30 ton; (q)	40,00
2351	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 30 ton; (q)	40,00
2352	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 30 ton; (q)	40,00
2353	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 30 ton; (q)	40,00
2354	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 30 ton; (q)	40,00
2355	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2356	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2357	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2358	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2359	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2360	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 20 ton; (q)	35,00
2361	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2362	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2363	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2364	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2365	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2366	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 15 ton; (q)	30,00
2367	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 8 ton; (q)	25,00
2368	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 8 ton; (q)	25,00
2369	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 8 ton; (q)	25,00
2370	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 8 ton; (q)	25,00
2371	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 3 ton; (r)	20,00
2372	1	<b>bottle jack</b> Mammuth, bottle jack; cap. 3 ton; (r)	20,00
2373	2	<b>outrig pads</b> outrig pads; (r)	20,00
2374	1	<b>tent floor</b> tent floor; (r)	20,00
2375	1	<b>surgical tarpaulin</b> surgical tarpaulin; (r)	20,00
2376	1	<b>surgical tarpaulin</b> surgical tarpaulin; (r)	20,00
2377	1	<b>surgical tarpaulin</b> surgical tarpaulin; (r)	20,00
2378	10	<b>crank handles</b> crank handles; (r)	20,00
2379	10	<b>crank handles</b> crank handles; (r)	20,00
2380	10	<b>vehicular seat supports</b> vehicular seat supports; (r)	20,00
2381	1	<b>rubber mat</b> rubber mat; (r)	20,00
2382	1	<b>junction box</b> junction box; (r)	20,00
2383	2	<b>power units parts</b> power units parts; (r)	20,00
2384	1	<b>power unit</b> power unit; 24 volt; (r)	20,00
2385	1	<b>power unit</b> power unit; 24 volt; (r)	20,00
2386	1	<b>lot acce covers</b> lot acce covers; (r)	20,00
2387	1	<b>special wall cover</b> special wall cover; (r)	20,00





Kavel	Aantal	Omschrijving	Openingsbod €
2388	2	<b>air valves</b> Vickers, air valves; (r)	20,00
2389	1	<b>foot paddle</b> foot paddle; (r)	20,00
2390	1	<b>rubber floor matt</b> rubber floor matt; (r)	20,00
2391	3	<b>electric shelf brackets</b> electric shelf brackets; (r)	20,00
2392	1	<b>electric mounting base</b> electric mounting base; (r)	20,00
2393	1	<b>mounting bracket</b> mounting bracket; (r)	20,00
2394	1	<b>propellor</b> propellor; (s)	20,00
2395	1	<b>vehicular cover</b> vehicular cover; (s)	20,00
2396	31	<b>vehicular seat covers</b> vehicular seat covers; (s)	20,00
2397	12	<b>aircraft covers</b> aircraft covers; (s)	20,00
2398	1	<b>cargo net</b> Jmc, cargo net; dim. 200x300 cm; (s)	10,00
2399	1	<b>cargo net</b> Jmc, cargo net; dim. 200x300 cm; (s)	10,00
2400	1	<b>cargo net</b> Jmc, cargo net; dim. 300x700 cm; (s)	15,00
2401	1	<b>cargo net</b> Jmc, cargo net; dim. 300x700 cm; (s)	15,00
2402	1	<b>cargo net</b> Torso, cargo net; dim. 300x700 cm; (s)	15,00
2403	9	<b>clutch assembly</b> John Deere, clutch assembly; (s)	90,00
2404	6	<b>clutch assembly</b> John Deere, clutch assembly; (s)	60,00
2405	4	<b>blocks</b> blocks; (s)	10,00
2406	2	<b>tires</b> Kings tire, tires; (s)	10,00
2407	3	<b>vehicle brackets</b> vehicle brackets; (s)	10,00
2408	1	<b>seat part</b> seat part; (s)	10,00
2409	1	<b>automotive parts</b> automotive parts; (s)	10,00
2410	2	<b>awnings draperies</b> awnings draperies; (s)	10,00
2411	1	<b>automotive parts</b> automotive parts; (s)	10,00
2412	4	<b>conduit assembly</b> conduit assembly; (s)	10,00
2413	2	<b>various tires</b> various tires; (s)	10,00
2414	1	<b>portable gasoline generator</b> VP, ym 950 l, portable gasoline generator; air cooled; 800-950 va; 110 volt; (s)	25,00
2415	1	<b>lot vehicular rubber matts</b> lot vehicular rubber matts; (s)	25,00
2416	1	<b>vehicular rear brake</b> vehicular rear brake; (s)	50,00
2417	1	<b>vehicular hub wheel</b> vehicular hub wheel; (s)	50,00
2418	1	<b>nonmetallic fluid hose</b> nonmetallic fluid hose; (s)	50,00
2419	6	<b>various chock blocks</b> various chock blocks; (s)	50,00
2420	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2421	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2422	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2423	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2424	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2425	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2426	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2427	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2428	1	<b>field bed with muscito net</b> field bed with muscito net; in bag; (h2)	20,00
2429	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00
2430	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00
2431	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00
2432	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00
2433	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
2434	10	<b>field bed with muscito net</b> field bed with muscito net; on pallet; in bags; with damages; (h2)	20,00
2435	1	<b>lot with kitchen equipment</b> lot with kitchen equipment; (9)	20,00
2436	7	<b>soap dispensers</b> soap dispensers; (9)	20,00
2437	2	<b>roast and baking pan</b> roast and baking pan; (9)	20,00
2438	7	<b>cooking pan</b> cooking pan; (9)	20,00
2439	7	<b>crowbars</b> crowbars; (9)	20,00
2440	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2441	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2442	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2443	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2444	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2445	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2446	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2447	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2448	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2449	1	<b>mobile 4-drawers general toolbox</b> Kippertool, mobile 4-drawers general toolbox; with various tools; (9/10/11)	75,00
2450	65	<b>straight adapters</b> straight adapters; (12)	10,00
2451	1	<b>hand operated siren</b> Jmc, sh1g, hand operated siren; (10)	25,00
2452	1	<b>mini motor siren</b> Jmc, ms-190, mini motor siren; 24 volt; (10)	10,00
2453	1	<b>mini motor siren</b> Jmc, ms-190, mini motor siren; 24 volt; (10)	10,00
2454	1	<b>mini motor siren</b> Jmc, sh-12 kl, mini motor siren; 12 volt; (10)	10,00
2455	1	<b>mini motor siren</b> Jmc, ms-190, mini motor siren; 24 volt; (10)	10,00
2456	1	<b>mini motor siren</b> Jmc, sh-12 kl, mini motor siren; 12 volt; (10)	10,00
2457	1	<b>mini motor siren</b> Jmc, sh-12 kl, mini motor siren; 12 volt; (10)	10,00
2458	1	<b>motor siren</b> Jmc, ms-290, motor siren; 24 volt; (10)	10,00
2459	1	<b>motor siren</b> Jmc, ms-290, motor siren; 12 volt; (10)	10,00
2460	1	<b>electro mechanical siren</b> Jmc, sh 220ch, electro mechanical siren; 230 volt; (10)	15,00
2461	1	<b>electro mechanical siren</b> Jmc, electro mechanical siren; 24 volt; (10)	15,00
2462	1	<b>electro mechanical siren</b> Jmc, electro mechanical siren; 12 volt; (10)	15,00
2463	1	<b>special nonmettalic hose</b> special nonmettalic hose; (10)	10,00
2464	6	<b>special nonmettalic hoses</b> special nonmettalic hoses; (10)	10,00
2465	11	<b>mounting plates</b> mounting plates; (10)	10,00
2466	2	<b>swing wheels</b> swing wheels; (10)	10,00
2467	2	<b>nonmettalic hoses</b> nonmettalic hoses; (11)	10,00
2468	2	<b>nonmettalic hoses</b> nonmettalic hoses; (11)	10,00
2469	1	<b>nonmettalic hose</b> nonmettalic hose; (11)	10,00
2470	1	<b>air inflatable sufruster</b> air inflatable sufruster; (11)	10,00
2471	1	<b>electric actuator</b> acd175a-24, electric actuator; (11)	10,00
2472	2	<b>nonmettalic hoses</b> nonmettalic hoses; (11)	10,00
2473	1	<b>starter cable</b> SoldaTech, sk 25, starter cable; 25 mm2; (11)	10,00
2474	1	<b>plate lift clamp</b> Torso, plate lift clamp; cap. 3 ton; (11)	10,00
2475	1	<b>plate lift clamp</b> Torso, plate lift clamp; cap. 3 ton; (11)	10,00
2476	1	<b>plate lift clamp</b> Torso, plate lift clamp; cap. 2 ton; (11)	10,00
2477	25	<b>nonmettalic hoses</b> nonmettalic hoses; (11)	50,00
2478	12	<b>hose clamps</b> hose clamps; (12)	10,00
2479	3	<b>nonmettalic hoses</b> nonmettalic hoses; (12)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
2480	4	<b>nonmetallic hoses</b> nonmetallic hoses; (12)	20,00
2481	5	<b>nonmetallic tubing</b> nonmetallic tubing; (12)	20,00
2482	8	<b>tube assembly</b> tube assembly; (12)	20,00
2483	1	<b>pulling chain hoist</b> Torso, pulling chain hoist; cap. 2 ton; lift 1,5 mtr; (12)	20,00
2484	1	<b>manual chain hoist</b> Torso, manual chain hoist; cap. 0,5 ton; lift 3 mtr; (12)	20,00
2485	1	<b>manual chain hoist block</b> Torso, manual chain hoist block; cap. 1,5 ton; lift 3 mtr; (12)	20,00
2486	1	<b>manual chain hoist block</b> Torso, manual chain hoist block; cap. 5 ton; lift 3 mtr; (12)	30,00
2487	5	<b>hoses</b> hoses; (13)	10,00
2488	5	<b>hoses</b> hoses; (13)	10,00
2489	10	<b>air duct hoses</b> air duct hoses; (13)	10,00
2490	1	<b>box switches</b> box switches; (13)	10,00
2491	1	<b>electric power box</b> Jmc, vd 832ab, electric power box; 32a; 400 volt; (13)	25,00
2492	1	<b>electric power box</b> Jmc, vd 832ab, electric power box; 32a; 400 volt; (13)	25,00
2493	2	<b>heavy wall sockets</b> heavy wall sockets; 125a; 220-415 volt; (13)	25,00
2494	2	<b>heavy couplers</b> heavy couplers; 125a; 220-415 volt; (13)	25,00
2495	2	<b>heavy couplers</b> heavy couplers; 125a; 220-415 volt; (13)	25,00
2496	2	<b>heavy plugs</b> heavy plugs; 125a; 220-415 volt; (13)	25,00
2497	2	<b>heavy plugs</b> heavy plugs; 125a; 220-415 volt; (13)	25,00
2498	1	<b>heavy wall sockets</b> heavy wall sockets; 63a; 220-415 volt; (13)	10,00
2499	1	<b>heavy wall sockets</b> heavy wall sockets; 125a; 220-415 volt; (13)	10,00
2500	2	<b>multiple outlet sockets</b> multiple outlet sockets; 16a; 220-415 volt; (13)	10,00
2501	10	<b>wall outlet sockets</b> 124, wall outlet sockets; 4x32a; 380/415 volt; (13)	10,00
2502	10	<b>wall outlet sockets</b> 124, wall outlet sockets; 4x32a; 380/415 volt; (13)	10,00
2503	10	<b>wall outlet sockets</b> 124, wall outlet sockets; 4x32a; 380/415 volt; (13)	10,00
2504	10	<b>wall outlet sockets</b> 123, wall outlet sockets; 4x32a; 220/250 volt; (13)	10,00
2505	4	<b>wall mounted sockets</b> Fluxon, wall mounted sockets; 16a; 220-415 volt; (13)	10,00
2506	5	<b>multiple outlet sockets</b> multiple outlet sockets; 16a; 220-250 volt; (13)	10,00
2507	1	<b>manual chain hoist block</b> Torso, manual chain hoist block; cap. 1 ton; lift 3 mtr; (13)	20,00
2508	1	<b>manual chain hoist block</b> Torso, manual chain hoist block; cap. 1 ton; lift 3 mtr; (13)	20,00
2509	1	<b>manual chain hoist block</b> Nn, manual chain hoist block; cap. 1,5 ton; lift 3 mtr; (13)	20,00
2510	1	<b>manual chain hoist block</b> Nn, manual chain hoist block; cap. 1,5 ton; lift 3 mtr; (13)	20,00
2511	1	<b>industrial warning light</b> industrial warning light; with siren; speaker; (14)	75,00
2512	1	<b>trailer back light beam</b> trailer back light beam; (14)	15,00
2513	2	<b>boxes with elbow pipes</b> boxes with elbow pipes; (14)	15,00
2514	2	<b>boxes with elbow/straight pipes</b> boxes with elbow/straight pipes; (14)	15,00
2515	2	<b>boxes with straight pipes</b> boxes with straight pipes; (14)	15,00
2516	1	<b>plain trolley</b> Torso, plain trolley; cap. 5000 kg; (14)	15,00
2517	1	<b>plain trolley</b> Torso, plain trolley; cap. 1000 kg; (14)	15,00
2518	1	<b>plain trolley</b> Torso, plain trolley; cap. 1000 kg; (14)	15,00
2519	1	<b>plain trolley</b> Torso, plain trolley; cap. 2000 kg; (14)	15,00
2520	1	<b>beam clamp</b> Nn, beam clamp; cap. 1 ton; (15)	15,00
2521	1	<b>beam clamp</b> Torso, beam clamp; cap. 1 ton; (15)	15,00
2522	1	<b>beam clamp</b> beam clamp; cap. 1 ton; (15)	15,00
2523	1	<b>beam clamp</b> Torso, beam clamp; cap. 1 ton; (15)	15,00
2524	1	<b>beam clamp</b> Torso, beam clamp; cap. 1 ton; (15)	15,00
2525	1	<b>beam clamp</b> Torso, beam clamp; cap. 2 ton; (15)	15,00



Kavel	Aantal	Omschrijving	Openingsbod €
2526	1	<b>beam clamp</b> Torso, beam clamp; cap. 5 ton; (15)	15,00
2527	1	<b>beam clamp</b> Torso, beam clamp; cap. 2 ton; (15)	15,00
2528	12	<b>foot paddles</b> foot paddles; (15)	15,00
2529	1	<b>box tube pipes</b> box tube pipes; (15)	15,00
2530	2	<b>bags tube pipes</b> bags tube pipes; (15)	15,00
2531	1	<b>electric pump</b> Nn, d08-12th, electric pump; 12 ltr/min; h=3 mtr; 230 volt; (15)	15,00
2532	1	<b>box brushing pipes</b> Nn, box brushing pipes; (15)	15,00
2533	1	<b>box nipples and pipes</b> Nn, box nipples and pipes; (15)	15,00
2534	1	<b>box elbow pipes</b> Nn, box elbow pipes; (15)	15,00
2535	1	<b>bag elbow pipes</b> Nn, bag elbow pipes; (15)	15,00
2536	1	<b>bag elbow pipes</b> Nn, bag elbow pipes; (15)	15,00
2537	1	<b>electric power box</b> Fluxon, vd732as, electric power box; 32a; 400 volt; (15)	50,00
2538	1	<b>electric power box</b> Fluxon, vd732as, electric power box; 32a; 400 volt; (15)	50,00
2539	1	<b>electric power box</b> Fluxon, vd732as, electric power box; 32a; 400 volt; (15)	50,00
2540	1	<b>electric power box</b> Fluxon, vd732as, electric power box; 32a; 400 volt; (15)	50,00
2541	1	<b>electric juntion box</b> Fluxon, vdd416, electric juntion box; 16a; 400 volt; (15)	50,00
2542	1	<b>electric juntion box</b> Fluxon, vdd416, electric juntion box; 16a; 400 volt; (15)	50,00
2543	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2544	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2545	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2546	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2547	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2548	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2549	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2550	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2551	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2552	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2553	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2554	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2555	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 20 batr, magnetic food rechargable led floodlight; 20 watt; (16)	15,00
2556	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2557	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2558	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2559	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2560	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2561	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2562	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2563	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2564	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2565	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2566	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2567	1	<b>magnetic food rechargable led floodlight</b> Fluxon, lb 10 batr, magnetic food rechargable led floodlight; 10 watt; (16)	10,00
2568	1	<b>led floodlight</b> Fluxon, lb 18 wc, led floodlight; 20 watt; 100-240 volt; with remote; (16)	10,00
2569	1	<b>led floodlight</b> Fluxon, lb 09 wc, led floodlight; 10 watt; 100-240 volt; with remote; (16)	10,00
2570	1	<b>led floodlight</b> Fluxon, lb 09 wc, led floodlight; 10 watt; 100-240 volt; with remote; (16)	10,00
2571	1	<b>led floodlight</b> Fluxon, lb 09 wdc, led floodlight; 20 watt; 12/24 volt; (16)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2572	1	<b>led floodlight</b> Fluxon, lb 09 wdc, led floodlight; 20 watt; 12/24 volt; (16)	10,00
2573	1	<b>led floodlight</b> Fluxon, lb 09 wdc, led floodlight; 20 watt; 12/24 volt; (16)	10,00
2574	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2575	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2576	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2577	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2578	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2579	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2580	1	<b>automatic welding helmed</b> SoldaTech, ewh 800, automatic welding helmed; (16)	20,00
2581	1	<b>automatic welding helmed</b> SoldaTech, ewh 980, automatic welding helmed; (16)	20,00
2582	1	<b>automatic welding helmed</b> SoldaTech, ewh 980, automatic welding helmed; (16)	20,00
2583	1	<b>automatic welding helmed</b> SoldaTech, ewh 980, automatic welding helmed; (16)	20,00
2584	1	<b>automatic welding helmed</b> SoldaTech, ewh 980, automatic welding helmed; (16)	20,00
2585	1	<b>automatic welding helmed</b> SoldaTech, ewh 980, automatic welding helmed; (16)	20,00
2586	1	<b>led floodlight</b> Fluxon, lb30wdc, led floodlight; 30 watt; 12/24 volt; (17)	20,00
2587	1	<b>led floodlight</b> Fluxon, lb30wa, led floodlight; 30 watt; 100-240 volt; with sensor; (17)	20,00
2588	1	<b>led floodlight</b> Fluxon, lb70ws, led floodlight; 70 watt; 100-240 volt; (17)	25,00
2589	1	<b>led floodlight</b> Fluxon, lb70ws, led floodlight; 70 watt; 100-240 volt; (17)	25,00
2590	1	<b>led floodlight</b> Fluxon, lb 48 ws, led floodlight; 50 watt; 100-240 volt; (17)	25,00
2591	1	<b>led floodlight</b> Fluxon, lb 48 ws, led floodlight; 50 watt; 100-240 volt; (17)	25,00
2592	1	<b>led floodlight</b> Fluxon, lb 48 ws, led floodlight; 50 watt; 100-240 volt; (17)	25,00
2593	1	<b>led floodlight</b> Fluxon, lb 30 ws, led floodlight; 30 watt; 100-240 volt; (17)	20,00
2594	1	<b>led floodlight</b> Fluxon, lb 30 ws, led floodlight; 30 watt; 100-240 volt; (17)	20,00
2595	1	<b>led floodlight</b> Fluxon, lb 30 ws, led floodlight; 30 watt; 100-240 volt; (17)	20,00
2596	1	<b>led floodlight</b> Fluxon, lb 30 ws, led floodlight; 30 watt; 100-240 volt; (17)	20,00
2597	1	<b>led floodlight</b> Fluxon, lb 30 ws, led floodlight; 30 watt; 100-240 volt; (17)	20,00
2598	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2599	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2600	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2601	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2602	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2603	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2604	1	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2605	5	<b>welding helmed</b> SoldaTech, welding helmed; (17)	10,00
2606	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2607	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2608	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2609	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2610	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2611	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2612	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2613	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2614	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2615	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2616	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2617	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2618	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2619	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2620	1	<b>electrical 24 volt floodlight</b> electrical 24 volt floodlight; (17)	10,00
2621	1	<b>led floodlight</b> Fluxon, lb 18 ws, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2622	1	<b>led floodlight</b> Fluxon, lb 18 ws, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2623	1	<b>led floodlight</b> Fluxon, lb 18 ws, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2624	1	<b>led floodlight</b> Fluxon, lb 09 ws, led floodlight; 10 watt; 100-240 volt; (18)	10,00
2625	1	<b>led floodlight</b> Fluxon, lb 09 ws, led floodlight; 10 watt; 100-240 volt; (18)	10,00
2626	1	<b>led floodlight with sensor</b> Fluxon, led floodlight with sensor; 100-240 volt; (18)	10,00
2627	1	<b>led floodlight with sensor</b> Fluxon, led floodlight with sensor; 100-240 volt; (18)	10,00
2628	1	<b>led floodlight with sensor</b> Fluxon, lb 18 wa, led floodlight with sensor; 20 watt; 100-240 volt; (18)	10,00
2629	1	<b>led floodlight with sensor</b> Fluxon, lb 18 wa, led floodlight with sensor; 20 watt; 100-240 volt; (18)	10,00
2630	1	<b>led floodlight with sensor</b> Fluxon, lb 18 wa, led floodlight with sensor; 20 watt; 100-240 volt; (18)	10,00
2631	1	<b>led rgb floodlight</b> Fluxon, lb 18 wc, led rgb floodlight; 18 watt; 230 volt; with remote; (18)	10,00
2632	1	<b>led rgb floodlight</b> Fluxon, lb 18 wc, led rgb floodlight; 18 watt; 230 volt; (18)	10,00
2633	1	<b>led rgb floodlight</b> Fluxon, lb 18 wc, led rgb floodlight; 18 watt; 230 volt; with remote; (18)	10,00
2634	1	<b>led rgb floodlight</b> Fluxon, lb 18 wc, led rgb floodlight; 18 watt; 230 volt; with remote; (18)	10,00
2635	1	<b>led floodlight</b> Fluxon, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2636	1	<b>led floodlight</b> Fluxon, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2637	1	<b>led floodlight with sensor</b> Fluxon, led floodlight with sensor; 10 watt; 100-240 volt; (18)	10,00
2638	1	<b>led floodlight with sensor</b> Fluxon, led floodlight with sensor; 10 watt; 100-240 volt; (18)	10,00
2639	1	<b>led floodlight</b> Fluxon, led floodlight; 20 watt; 100-240 volt; (18)	10,00
2640	1	<b>portable tig welder</b> SoldaTech, tig 160, portable tig welder; with contents; (18)	100,00
2641	1	<b>led searchlight</b> Fluxon, lb 90 vr, led searchlight; 90 watt; 10-30 volt dc; with remote; (19)	40,00
2642	1	<b>led searchlight</b> Fluxon, lb 90 vr, led searchlight; 90 watt; 10-30 volt dc; with remote; (19)	40,00
2643	1	<b>led offroad light</b> Fluxon, lb 180 vb 18, led offroad light; 180 watt; 12/24 volt dc; (19)	40,00
2644	1	<b>led offroad light</b> Fluxon, lb 180 vb 18, led offroad light; 180 watt; 12/24 volt dc; (19)	40,00
2645	1	<b>led offroad light</b> Fluxon, lb 180 vb 18, led offroad light; 180 watt; 12/24 volt dc; (19)	40,00
2646	1	<b>led offroad light</b> Fluxon, lb 180 vb 18, led offroad light; 180 watt; 12/24 volt dc; (19)	40,00
2647	1	<b>led offroad light</b> Fluxon, lb 180 vb 18, led offroad light; 180 watt; 12/24 volt dc; (19)	40,00
2648	1	<b>led offroad light</b> Fluxon, lb 120 vb 12, led offroad light; 120 watt; 12/24 volt dc; (19)	40,00
2649	1	<b>led offroad light</b> Fluxon, lb 120 vb 12, led offroad light; 120 watt; 12/24 volt dc; (19)	40,00
2650	1	<b>led offroad light</b> Fluxon, lb 120 vb 12, led offroad light; 120 watt; 12/24 volt dc; (19)	40,00
2651	1	<b>led offroad light</b> Fluxon, led offroad light; 12/24 volt; (19)	20,00
2652	8	<b>welding holders</b> welding holders; 5 clamps; (19)	20,00
2653	1	<b>portable cut &amp; welder</b> SoldaTech, cut40c, portable cut & welder; range 10a/84v-40a/96v; 230 volt; with torch; (19)	150,00
2654	1	<b>portable cut &amp; welder</b> SoldaTech, cut40, portable cut & welder; range 10a/84v-40a/96v; 230 volt; with torch; (19)	150,00
2655	1	<b>portable cut &amp; welder</b> SoldaTech, cut70 c, portable cut & welder; range 20a/88v-70a/108v; 400 volt; with torch; (19)	250,00
2656	1	<b>portable welder</b> Eps, fidaty 1600, portable welder; range 8a/21v-150a/26v; 230 volt; (20)	150,00
2657	1	<b>portable welder</b> SoldaTech, mini arc 160, portable welder; range 20a/20,8v-140a/25,6v; 230 volt; (20)	150,00
2658	1	<b>portable welder</b> SoldaTech, arc 200 c, portable welder; range 20a/20,8v-200a/28v; 230 volt; (20)	200,00
2659	1	<b>portable welder</b> SoldaTech, arc 250 c, portable welder; range 20a/20,8v-230a/29,2v; 230 volt; (20)	200,00
2660	1	<b>portable welder</b> SoldaTech, arc 400 c, portable welder; range 20a/20,8v-340a/34v; 380-420 volt; (20)	250,00
2661	1	<b>portable welder</b> SoldaTech, arc 400 c, portable welder; range 20a/20,8v-340a/34v; 380-420 volt; (20)	250,00
2662	1	<b>special clamp</b> special clamp; (19)	10,00
2663	1	<b>special clamps</b> special clamps; (20)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2664	1	<b>trailer stand</b> trailer stand; cap. 7000 lbs; (20)	20,00
2665	1	<b>trailer stand</b> trailer stand; cap. 7000 lbs; (20)	20,00
2666	1	<b>trailer stand</b> trailer stand; (20)	20,00
2667	1	<b>trailer stand</b> trailer stand; (20)	20,00
2668	1	<b>led work light</b> led work light; (20)	20,00
2669	1	<b>led work light</b> led work light; (20)	20,00
2670	1	<b>led work light</b> led work light; (20)	20,00
2671	1	<b>led work light</b> led work light; (20)	20,00
2672	1	<b>led work light</b> led work light; (20)	20,00
2673	1	<b>led work light</b> led work light; (20)	20,00
2674	1	<b>led work light</b> led work light; (20)	20,00
2675	1	<b>led work light</b> led work light; (20)	20,00
2676	1	<b>led work light</b> led work light; (20)	20,00
2677	1	<b>led work light</b> led work light; (20)	20,00
2678	1	<b>led work light</b> led work light; (20)	20,00
2679	1	<b>led work light</b> led work light; (20)	20,00
2680	1	<b>work light</b> Seto, work light; (21)	10,00
2681	1	<b>light heads</b> light heads; (21)	10,00
2682	1	<b>lot tie down straps</b> lot tie down straps; (21)	10,00
2683	1	<b>hydraulic gear puller</b> Vp, cps-10l, hydraulic gear puller; (21)	30,00
2684	1	<b>hydraulic gear puller</b> Vp, hydraulic gear puller; (21)	30,00
2685	1	<b>metal halide lamp</b> Fluxon, 3260 a, metal halide lamp; 150 watt; 220-240 volt; (21)	30,00
2686	1	<b>metal halide lamp</b> Fluxon, 3260 a, metal halide lamp; 150 watt; 220-240 volt; (21)	30,00
2687	1	<b>metal halide lamp</b> Fluxon, 3260 a, metal halide lamp; 150 watt; 220-240 volt; (21)	30,00
2688	1	<b>metal halide lamp</b> Fluxon, 3260 a, metal halide lamp; 150 watt; 220-240 volt; (21)	30,00
2689	1	<b>metal halide lamp</b> Fluxon, 3260 a, metal halide lamp; 150 watt; 220-240 volt; (21)	30,00
2690	1	<b>industrial led hanging lamp</b> Fluxon, industrial led hanging lamp; 230 volt; (21)	30,00
2691	1	<b>mirrow support</b> mirrow support; 1 mirrow; (21)	30,00
2692	1	<b>horn</b> horn; (22)	30,00
2693	1	<b>horn</b> horn; 24 volt; (22)	30,00
2694	1	<b>horn</b> horn; 12 volt; (22)	30,00
2695	1	<b>lot automotive parts</b> lot automotive parts; (22)	10,00
2696	1	<b>hydraulic gear puller</b> Mammuth, hgp 20, hydraulic gear puller; output 20 ton; (22)	50,00
2697	2	<b>flexible lamps</b> flexible lamps; (22)	10,00
2698	3	<b>lamps</b> Coleman, lamps; (22)	10,00
2699	3	<b>lamps</b> Coleman, lamps; (22)	10,00
2700	3	<b>lamps</b> Coleman, lamps; (22)	10,00
2701	1	<b>mechanical jack</b> Mammuth, sj015, mechanical jack; cap. 1500 kg; (22)	50,00
2702	1	<b>battery charger</b> battery charger; 24 volt; 20 a; (22)	25,00
2703	1	<b>theodlite</b> Wild, serienummer 85220, theodlite; (blue cabinet)	50,00
2704	1	<b>theodlite storage case</b> Wild, theodlite storage case; (blue cabinet)	10,00
2705	1	<b>military radio receiver</b> military radio receiver; (blue cabinet)	10,00
2706	1	<b>alignment tool</b> serienummer 5076, alignment tool; (blue cabinet)	100,00
2707	1	<b>alignment tool</b> serienummer 4053, alignment tool; (blue cabinet)	100,00
2708	1	<b>truck tire cutter</b> PSO, ps 15, bouwjaar 2017, truck tire cutter; 370 watts; 230 volt; (blue cabinet)	75,00
2709	1	<b>ultrasonic mini bath</b> Nn, ur 4180, ultrasonic mini bath; 230 volt; (blue cabinet)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2710	1	<b>led worklight set</b> Fluxon, wI01bf, led worklight set; (blue cabinet)	10,00
2711	1	<b>led worklight set</b> Fluxon, wI01b, led worklight set; (blue cabinet)	15,00
2712	1	<b>digital scale</b> Put, aptk461, digital scale; (blue cabinet)	15,00
2713	4	<b>pocket scales</b> pocket scales; (blue cabinet)	10,00
2714	1	<b>handheld metal detector</b> ts 100, handheld metal detector; (blue cabinet)	10,00
2715	1	<b>handheld metal detector</b> ts 100, handheld metal detector; (blue cabinet)	10,00
2716	1	<b>5 in 1 multifunctional gauge</b> Kecheng, kc-109a, 5 in 1 multifunctional gauge; (blue cabinet)	10,00
2717	1	<b>5 in 1 multifunctional gauge</b> Kecheng, kc-109a, 5 in 1 multifunctional gauge; (blue cabinet)	10,00
2718	1	<b>infrared thermometer</b> Rohs, infrared thermometer; (blue cabinet)	10,00
2719	1	<b>infrared thermometer</b> Rohs, infrared thermometer; (blue cabinet)	10,00
2720	1	<b>infrared thermometer</b> Rohs, infrared thermometer; (blue cabinet)	10,00
2721	1	<b>infrared thermometer</b> Rohs, infrared thermometer; (blue cabinet)	10,00
2722	1	<b>cable length meter</b> Jmc, em5812, cable length meter; (blue cabinet)	10,00
2723	1	<b>cable length meter</b> Jmc, em5812, cable length meter; (blue cabinet)	10,00
2724	1	<b>insulation resistance tester</b> Jmc, em 480a, insulation resistance tester; (blue cabinet)	10,00
2725	1	<b>milliohm meter</b> Jmc, em 480c, milliohm meter; (blue cabinet)	10,00
2726	1	<b>insulation resistance tester</b> Jmc, em 480a, insulation resistance tester; (blue cabinet)	10,00
2727	1	<b>video inspection unit</b> Nn, kc-360a-2, video inspection unit; (blue cabinet)	10,00
2728	1	<b>usb digital articulating borescope inspection camera</b> Vividia, va-800, usb digital articulating borescope inspection camera; (blue cabinet)	10,00
2729	1	<b>voltage detector</b> Jmc, voltage detector; (blue cabinet)	10,00
2730	1	<b>tape meter</b> Jmc, tape meter; 30 mtr; (blue cabinet)	10,00
2731	2	<b>flash lights</b> flash lights; (blue cabinet)	10,00
2732	3	<b>rolls led strips</b> rolls led strips; (blue cabinet)	10,00
2733	1	<b>intelligent stud scanner</b> Kecheng, intelligent stud scanner; (blue cabinet)	10,00
2734	1	<b>intelligent stud scanner</b> Kecheng, intelligent stud scanner; (blue cabinet)	10,00
2735	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2736	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2737	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2738	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2739	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2740	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2741	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2742	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2743	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2744	1	<b>portable work light</b> Fluxon, portable work light; (blue cabinet)	10,00
2745	3	<b>led lights</b> led lights; (blue cabinet)	10,00
2746	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2747	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2748	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2749	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2750	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2751	2	<b>head led lights</b> head led lights; (blue cabinet)	10,00
2752	5	<b>camping led lights</b> camping led lights; (blue cabinet)	10,00
2753	1	<b>solar panel</b> solar panel; with voltage controller; (blue cabinet)	50,00
2754	1	<b>us army book</b> us army book; (blue cabinet)	10,00
2755	1	<b>us army book</b> us army book; (blue cabinet)	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
2756	1	<b>atlas book</b> atlas book; (blue cabinet)	10,00
2757	1	<b>set 4 pc pick up tool</b> set 4 pc pick up tool; (blue cabinet)	10,00
2758	1	<b>magnetic tool bar</b> magnetic tool bar; (blue cabinet)	10,00
2759	7	<b>magnetic tools</b> magnetic tools; (blue cabinet)	10,00
2760	1	<b>magnetic hook set</b> magnetic hook set; (blue cabinet)	10,00
2761	1	<b>magnetic roller</b> magnetic roller; (blue cabinet)	10,00
2762	19	<b>magnetic tools</b> magnetic tools; (blue cabinet)	10,00
2763	4	<b>double end flare nut wrenches</b> Snap-on, double end flare nut wrenches; (35)	20,00
2764	2	<b>flank drive box wrenches</b> Snap-on, flank drive box wrenches; 3/4"-11/16" and 5/8"-11/16"; (35)	10,00
2765	3	<b>putty knives</b> Blue-point, putty knives; (35)	10,00
2766	3	<b>scrapers</b> Snap-on, scrapers; (35)	10,00
2767	1	<b>pipe wrench</b> Snap-on, pipe wrench; 12"; (35)	10,00
2768	1	<b>speeder</b> Snap-on, speeder; and 1x breaker bar; (35)	10,00
2769	1	<b>speeder</b> Snap-on, speeder; and 1x breaker bar; (35)	10,00
2770	12	<b>various wrenches</b> various wrenches; a.o. Snap-on; (35)	20,00
2771	1	<b>lot of various sockets</b> lot of various sockets; (35)	20,00
2772	1	<b>extension bar</b> extension bar; 3/4" drive; (35)	10,00
2773	4	<b>sockets with bit holder</b> SK Tools, sockets with bit holder; (35)	10,00
2774	3	<b>ratcheting box wrenches</b> Snap-on, ratcheting box wrenches; (35)	20,00
2775	4	<b>circuit testers</b> Snap on, circuit testers; (35)	10,00
2776	4	<b>circuit testers</b> Snap on, circuit testers; (35)	10,00
2777	5	<b>various sockets</b> various sockets; (35)	5,00
2778	10	<b>various sockets</b> various sockets; (35)	10,00
2779	8	<b>various sockets</b> various sockets; (35)	10,00
2780	11	<b>various sockets</b> various sockets; (35)	10,00
2781	7	<b>various sockets</b> various sockets; (35)	10,00
2782	2	<b>various sockets</b> various sockets; (35)	5,00
2783	8	<b>various sockets</b> various sockets; (35)	10,00
2784	7	<b>various sockets</b> various sockets; (35)	10,00
2785	28	<b>various sockets</b> various sockets; (35)	25,00
2786	23	<b>various sockets</b> various sockets; (35)	25,00
2787	11	<b>various sockets</b> various sockets; (35)	10,00
2788	1	<b>digging pick</b> digging pick; (35)	10,00
2789	1	<b>digging pick</b> digging pick; (35)	10,00
2790	1	<b>digging pick</b> digging pick; (35)	10,00
2791	1	<b>digging pick</b> digging pick; (35)	10,00
2792	5	<b>various wrenches</b> various wrenches; a.o. Snap-on; (34)	10,00
2793	5	<b>various pliers</b> various pliers; (34)	5,00
2794	1	<b>test kit</b> test kit; (34)	10,00
2795	3	<b>combination wrenches</b> SK Tools, combination wrenches; 1 7/16"; (34)	20,00
2796	4	<b>handles</b> handles; 1/4" drive; (34)	10,00
2797	4	<b>grabbers</b> grabbers; push-pull; (34)	10,00
2798	1	<b>saw</b> saw; (34)	10,00
2799	7	<b>combination wrenches</b> combination wrenches; 7mm; (34)	5,00
2800	2	<b>adapters</b> adapters; 3/4" - 1"; (34)	5,00
2801	1	<b>plier</b> plier; (34)	5,00



Kavel	Aantal	Omschrijving	Openingsbod €
2802	2	<b>bit holders</b> bit holders; (34)	5,00
2803	16	<b>drills</b> drills; (34)	10,00
2804	7	<b>punch drivers</b> punch drivers; (34)	5,00
2805	7	<b>various open end wrenches</b> various open end wrenches; (34)	20,00
2806	24	<b>various sockets</b> various sockets; (34)	25,00
2807	6	<b>nuts lug off tools</b> nuts lug off tools; (34)	10,00
2808	1	<b>lot of various socket bits</b> lot of various socket bits; (34)	25,00
2809	1	<b>lot of various crowfoot wrenches</b> lot of various crowfoot wrenches; (34)	10,00
2810	1	<b>lot of various sockets</b> lot of various sockets; (without plastic bin); (34)	20,00
2811	1	<b>lot of various wrenches and extension bars</b> lot of various wrenches and extension bars; (without plastic bin); (34)	20,00
2812	1	<b>lot of various wrenches</b> lot of various wrenches; (34)	10,00
2813	1	<b>axe</b> True temper, axe; (34)	10,00
2814	1	<b>axe</b> axe; (34)	10,00
2815	1	<b>axe</b> axe; (34)	10,00
2816	1	<b>axe</b> axe; (34)	10,00
2817	1	<b>hammer</b> hammer; (34)	5,00
2818	3	<b>axes</b> axes; (34)	20,00
2819	8	<b>various files</b> various files; (34)	5,00
2820	1	<b>rasp and knife</b> rasp and knife; (33)	5,00
2821	1	<b>various open end wrenches</b> various open end wrenches; (33)	20,00
2822	3	<b>various pliers</b> various pliers; (33)	10,00
2823	6	<b>various thread cutting dies</b> various thread cutting dies; (33)	10,00
2824	4	<b>drift pins</b> drift pins; (33)	10,00
2825	5	<b>ratcheting box wrenches</b> ratcheting box wrenches; (33)	20,00
2826	5	<b>ratcheting box wrenches</b> ratcheting box wrenches; (33)	20,00
2827	5	<b>ratcheting box wrenches</b> ratcheting box wrenches; (33)	20,00
2828	5	<b>ratcheting box wrenches</b> ratcheting box wrenches; (33)	20,00
2829	5	<b>ratcheting box wrenches</b> ratcheting box wrenches; (33)	20,00
2830	3	<b>rolling wedge bars</b> Craftsman, rolling wedge bars; (33)	10,00
2831	3	<b>rolling wedge bars</b> Craftsman, rolling wedge bars; (33)	10,00
2832	3	<b>rolling wedge bars</b> Craftsman, rolling wedge bars; (33)	10,00
2833	3	<b>rolling wedge bars</b> Craftsman, rolling wedge bars; (33)	10,00
2834	3	<b>rolling wedge bars</b> Craftsman, rolling wedge bars; (33)	10,00
2835	1	<b>lot of various sockets</b> lot of various sockets; (without plastic bin); (33)	25,00
2836	1	<b>lot of various combination wrenches</b> lot of various combination wrenches; (without plastic bin); (33)	25,00
2837	1	<b>bushing tool removing adapter</b> bushing tool removing adapter; (33)	10,00
2838	4	<b>brushes</b> brushes; (33)	5,00
2839	1	<b>lot of various wrenches</b> lot of various wrenches; (without plastic bin); (33)	15,00
2840	1	<b>bushing installer</b> K-M, bushing installer; (33)	5,00
2841	1	<b>lot of various socket head keys</b> lot of various socket head keys; (33)	10,00
2842	1	<b>lot of various hand tools</b> lot of various hand tools; (without plastic bin) (33)	10,00
2843	6	<b>lot of socket wrenches</b> lot of socket wrenches; (33)	10,00
2844	1	<b>hammer</b> hammer; (33)	5,00
2845	1	<b>hammer</b> hammer; (33)	10,00
2846	2	<b>socket wrenches</b> socket wrenches; cross type; (33)	5,00
2847	6	<b>various files</b> various files; (32)	5,00



Kavel	Aantal	Omschrijving	Openingsbod €
2848	6	<b>plinths cutters</b> Löwe, plinths cutters; (32)	10,00
2849	2	<b>amp pliers</b> amp pliers; (32)	5,00
2850	1	<b>crimping tool</b> crimping tool; (32)	10,00
2851	1	<b>crimping tool</b> crimping tool; (32)	10,00
2852	6	<b>adjustable round dies</b> adjustable round dies; (32)	10,00
2853	12	<b>tape measurers</b> tape measurers; inch; length 25 Ft; (32)	10,00
2854	2	<b>vise grip pliers</b> vise grip pliers; (32)	5,00
2855	4	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2856	5	<b>vise grip pliers</b> vise grip pliers; (32)	15,00
2857	2	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2858	2	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2859	3	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2860	3	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2861	3	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2862	2	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2863	2	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2864	2	<b>vise grip pliers</b> vise grip pliers; (32)	10,00
2865	8	<b>screwdrivers</b> screwdrivers; (32)	10,00
2866	1	<b>lot of various screwdrivers</b> lot of various screwdrivers; (without plastic bin)	20,00
2867	1	<b>lot of various sockets</b> lot of various sockets; and socketdrivers; (without plastic bin); (32)	10,00
2868	1	<b>lot of various wrenches</b> lot of various wrenches; (without plastic bin); (32)	20,00
2869	100	<b>blank keys</b> blank keys; (32)	10,00
2870	10	<b>handles</b> handles; with 1/4" drive; (32)	10,00
2871	8	<b>flexible extension bars</b> flexible extension bars; 1/4"; (32)	10,00
2872	3	<b>tap toolholders</b> tap toolholders; (32)	10,00
2873	2	<b>tap toolholders</b> tap toolholders; (32)	10,00
2874	2	<b>tap toolholders</b> tap toolholders; (32)	10,00
2875	3	<b>rolling wedge bars</b> rolling wedge bars; (32)	5,00
2876	2	<b>pry bars</b> pry bars; (32)	5,00
2877	2	<b>axes</b> axes; (32)	10,00
2878	2	<b>axes</b> axes; (32)	10,00
2879	2	<b>axes</b> axes; (32)	10,00
2880	1	<b>axe</b> axe; (32)	10,00
2881	1	<b>axe</b> axe; (32)	5,00
2882	1	<b>axe</b> axe; (32)	10,00
2883	1	<b>axe</b> axe; (32)	10,00
2884	1	<b>lot of various tools</b> lot of various tools; (31)	5,00
2885	1	<b>lot of various pliers</b> lot of various pliers; (31)	10,00
2886	1	<b>adjustable spray tip</b> adjustable spray tip; (31)	5,00
2887	3	<b>various hammers</b> various hammers	5,00
2888	4	<b>digital tape measurers</b> digital tape measurers; (31)	20,00
2889	4	<b>tape measurers</b> tape measurers; metric; length 5 mtr; (31)	10,00
2890	2	<b>long steel tape measurers</b> long steel tape measurers; 30 mtr x 13 mm; (31)	10,00
2891	1	<b>lot of various</b> lot of various; a.o. extension handles; (31)	5,00
2892	1	<b>mainstream CO2 sensor</b> Protocol, mainstream CO2 sensor; (31)	10,00
2893	1	<b>inflator gage</b> Milton, inflator gage; (31)	5,00



Kavel	Aantal	Omschrijving	Openingsbod €
2894	1	<b>lot of various torx screwdrivers</b> lot of various torx screwdrivers; (31)	10,00
2895	7	<b>circuit testers</b> circuit testers; (31)	10,00
2896	1	<b>lot of various socket head keys</b> lot of various socket head keys; (31)	5,00
2897	1	<b>torque wrench</b> Armstrong, 64-455A, torque wrench; 0-800 Nm; (31)	10,00
2898	2	<b>plastic funnels</b> plastic funnels; (31)	10,00
2899	2	<b>plastic square funnels</b> plastic square funnels; (31)	10,00
2900	1	<b>survival axe</b> Torso, survival axe; (31)	10,00
2901	1	<b>survival axe</b> Torso, survival axe; (31)	10,00
2902	1	<b>survival axe</b> Torso, survival axe; (31)	10,00
2903	1	<b>pneumatic screwdriver</b> pneumatic screwdriver; (31)	10,00
2904	3	<b>hand hammers</b> hand hammers; (30)	5,00
2905	2	<b>various hammers</b> various hammers; (30)	5,00
2906	2	<b>hand hammers</b> hand hammers; (30)	5,00
2907	2	<b>hand hammers</b> hand hammers; (30)	5,00
2908	2	<b>various hammers</b> various hammers; (30)	5,00
2909	2	<b>hand hammers</b> hand hammers; (30)	5,00
2910	2	<b>hand hammers</b> hand hammers; (30)	5,00
2911	4	<b>flat coils</b> flat coils; (30)	5,00
2912	2	<b>c-clamps</b> c-clamps; (30)	10,00
2913	1	<b>adjustable wrench</b> adjustable wrench; 18"; (30)	10,00
2914	1	<b>adjustable wrench</b> adjustable wrench; (30)	5,00
2915	4	<b>adjustable wrenches</b> adjustable wrenches; 300 mm; (30)	10,00
2916	2	<b>dead blow hammers</b> dead blow hammers; (30)	10,00
2917	3	<b>ball peen hammers</b> ball peen hammers; (30)	10,00
2918	3	<b>hammers</b> hammers; (30)	15,00
2919	1	<b>dead blow hammer</b> dead blow hammer; (30)	5,00
2920	1	<b>dead blow hammer</b> dead blow hammer; (30)	5,00
2921	3	<b>hammers</b> hammers; (30)	10,00
2922	2	<b>hammers</b> hammers; (30)	10,00
2923	3	<b>chisels</b> chisels; (30)	10,00
2924	4	<b>heavy duty sockets</b> heavy duty sockets; 68/75/85/95 mm; (30)	20,00
2925	1	<b>mechanic puller set</b> mechanic puller set; (30)	10,00
2926	1	<b>grease gun</b> grease gun; (30)	5,00
2927	2	<b>hammers</b> hammers; (30)	10,00
2928	8	<b>ridge extenders</b> ridge extenders; (30)	10,00
2929	1	<b>lot of heavy duty sockets</b> lot of heavy duty sockets; (without plastic bin) (30)	10,00
2930	3	<b>wrenches</b> wrenches; (30)	5,00
2931	1	<b>tube flaring tool set</b> tube flaring tool set; (29)	10,00
2932	3	<b>pliers</b> pliers; (29)	5,00
2933	1	<b>torque wrench</b> torque wrench; 62-345 Nm; (driver broken); (29)	5,00
2934	2	<b>clamp pliers</b> clamp pliers; (29)	10,00
2935	3	<b>clamp pliers</b> clamp pliers; (29)	15,00
2936	2	<b>clamp pliers</b> clamp pliers; (29)	10,00
2937	2	<b>clamp pliers</b> clamp pliers; (29)	10,00
2938	2	<b>clamp pliers</b> clamp pliers; (29)	10,00
2939	2	<b>clamp pliers</b> clamp pliers; (29)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2940	2	<b>clamp pliers</b> clamp pliers; (29)	10,00
2941	4	<b>adjustable wrenches</b> adjustable wrenches; (29)	20,00
2942	3	<b>adjustable wrenches</b> adjustable wrenches; (29)	15,00
2943	3	<b>adjustable wrenches</b> adjustable wrenches; (29)	15,00
2944	3	<b>adjustable wrenches</b> adjustable wrenches; (29)	10,00
2945	5	<b>stud remover tools</b> Craftsman, 4458 P, stud remover tools; (29)	20,00
2946	5	<b>stud remover tools</b> Craftsman, 4458 P, stud remover tools; (29)	20,00
2947	2	<b>iron saws</b> iron saws; (29)	10,00
2948	1	<b>40-pcs tap and die set</b> 40-pcs tap and die set; (29)	20,00
2949	1	<b>108-pcs tap and die set</b> 108-pcs tap and die set; M2 - M16 (29)	40,00
2950	1	<b>38-pcs tap and die set</b> 38-pcs tap and die set; (29)	20,00
2951	1	<b>18-pcs tap and drill set</b> 18-pcs tap and drill set; (29)	10,00
2952	1	<b>32-pcs tap and die set</b> 32-pcs tap and die set; M3-M12; (29)	15,00
2953	1	<b>45-pcs tap and die set</b> 45-pcs tap and die set; (29)	25,00
2954	1	<b>108-pcs tap and die set</b> 108-pcs tap and die set; M2 - M16 (29)	40,00
2955	1	<b>44-pcs tap and die set</b> 44-pcs tap and die set; (29)	25,00
2956	1	<b>starter cable set</b> starter cable set; 50 mm <sup>2</sup> ; length 300 cm; (29)	30,00
2957	1	<b>starter cable set</b> starter cable set; 50 mm <sup>2</sup> ; length 300 cm; (29)	30,00
2958	1	<b>starter cable set</b> starter cable set; 25 mm <sup>2</sup> ; length 300 cm; (29)	20,00
2959	1	<b>starter cable set</b> starter cable set; 25 mm <sup>2</sup> ; length 300 cm; (29)	20,00
2960	1	<b>starter cable set</b> starter cable set; 25 mm <sup>2</sup> ; length 300 cm; (29)	20,00
2961	1	<b>ammunition case</b> ammunition case; (29)	10,00
2962	1	<b>lot of heavy duty socket wrenches</b> lot of heavy duty socket wrenches; (without plastic bin); (29)	20,00
2963	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2964	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2965	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2966	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2967	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2968	1	<b>pressure reducer</b> Oxyturbo, pressure reducer; (28)	20,00
2969	1	<b>bead breaker</b> bead breaker; (28)	10,00
2970	1	<b>fluid filter element</b> fluid filter element; (28)	10,00
2971	2	<b>fuel filters</b> Parker, R20S, fuel filters; (28)	10,00
2972	5	<b>flexible coolant hoses</b> flexible coolant hoses; length 450 mm; with tap; (28)	20,00
2973	5	<b>flexible coolant hoses</b> flexible coolant hoses; length 450 mm; with tap; (28)	20,00
2974	5	<b>flexible coolant hoses</b> flexible coolant hoses; length 450 mm; with tap; (28)	20,00
2975	1	<b>12-pcs wood profile mill set</b> 12-pcs wood profile mill set; (28)	10,00
2976	1	<b>12-pcs wood profile mill set</b> 12-pcs wood profile mill set; (28)	10,00
2977	1	<b>12-pcs wood profile mill set</b> 12-pcs wood profile mill set; (28)	10,00
2978	1	<b>thread repair set</b> thread repair set; (28)	30,00
2979	1	<b>7-pcs SDS drill set</b> 7-pcs SDS drill set; 5-12 mm; (28)	10,00
2980	1	<b>7-pcs SDS drill set</b> 7-pcs SDS drill set; 5-12 mm; (28)	10,00
2981	2	<b>7-pcs SDS drill sets</b> 7-pcs SDS drill sets; 5-12 mm; (28)	20,00
2982	2	<b>7-pcs SDS drill sets</b> 7-pcs SDS drill sets; 5-12 mm; (28)	20,00
2983	1	<b>25-pcs drill set</b> 25-pcs drill set; 1.0-13.0 mm; (28)	15,00
2984	1	<b>18-pcs drill set</b> 18-pcs drill set; 1.0-10.0 mm; (28)	10,00
2985	1	<b>16-pcs hole drill set</b> 16-pcs hole drill set; 19-76 mm; (28)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
2986	1	<b>3-pcs cone drill set</b> 3-pcs cone drill set; 4-12 mm; 4-20 mm; 4-32 mm	10,00
2987	1	<b>3-pcs hole drill set</b> 3-pcs hole drill set; concrete; SDS drill holder; drills ø60/ø82 mm; (28)	20,00
2988	3	<b>spring calipers / dividers</b> spring calipers / dividers; (28)	10,00
2989	1	<b>3-pcs hole drill set</b> 3-pcs hole drill set; concrete; SDS drill holder; drills ø60/ø82 mm; (28)	20,00
2990	3	<b>oil pouring cans</b> oil pouring cans; (28)	10,00
2991	1	<b>hand shovel</b> hand shovel; (28)	5,00
2992	2	<b>axle stands</b> axle stands; (28)	20,00
2993	1	<b>picks</b> picks; (28)	5,00
2994	2	<b>pipe wrenches</b> Ridgid, pipe wrenches; 18"; (27)	10,00
2995	2	<b>pipe wrenches</b> Ridgid, pipe wrenches; 24"; (27)	20,00
2996	3	<b>various pipe wrenches</b> various pipe wrenches; (27)	10,00
2997	1	<b>8-pcs box end wrench set</b> 8-pcs box end wrench set; (27)	10,00
2998	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-32 mm; (27)	20,00
2999	1	<b>10-pcs double open end wrench set</b> 10-pcs double open end wrench set; 6-27 mm; (27)	15,00
3000	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3001	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3002	1	<b>22-pcs metric/ SAE wrench set</b> 22-pcs metric/ SAE wrench set; 6-19 mm; 1/4"-7/8"; (27)	20,00
3003	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3004	1	<b>6-pcs flare nut wrench set</b> 6-pcs flare nut wrench set; 6-22 mm; (27)	10,00
3005	1	<b>8-pcs box end wrench set</b> 8-pcs box end wrench set; deep offset; 6-22 mm; (27)	10,00
3006	1	<b>8-pcs combination wrench set</b> 8-pcs combination wrench set; 8-19 mm; (27)	10,00
3007	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3008	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3009	1	<b>8-pcs combination wrench set</b> 8-pcs combination wrench set; 8-19 mm; (27)	10,00
3010	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (27)	10,00
3011	2	<b>pipe wrenches</b> pipe wrenches; 14"-18"; (27)	20,00
3012	3	<b>pipe wrenches</b> pipe wrenches; 8"-10"-12"; (27)	20,00
3013	4	<b>adjustable wrenches</b> adjustable wrenches; 6"-8"-10"-12"; (27)	20,00
3014	1	<b>grease gun</b> grease gun; (27)	10,00
3015	3	<b>seperate interchangeable puller jaws</b> Snap-on, seperate interchangeable puller jaws; (27)	15,00
3016	3	<b>seperate interchangeable puller jaws</b> Snap-on, seperate interchangeable puller jaws; (27)	15,00
3017	14	<b>hss drills</b> hss drills; (27)	20,00
3018	1	<b>tire lever</b> tire lever; (27)	5,00
3019	4	<b>rolling wedge bars</b> rolling wedge bars; (27)	20,00
3020	3	<b>various prybars</b> various prybars; (27)	10,00
3021	3	<b>various prybars</b> various prybars; (27)	10,00
3022	1	<b>bench grinder</b> bench grinder; 8"; 115 Volt; (27)	20,00
3023	1	<b>low pressure sprayer</b> low pressure sprayer; (27)	10,00
3024	1	<b>low pressure sprayer</b> low pressure sprayer; (27)	10,00
3025	1	<b>low pressure sprayer</b> low pressure sprayer; (27)	10,00
3026	1	<b>double action hand pump</b> double action hand pump; (27)	5,00
3027	3	<b>tire levers</b> tire levers; (27)	10,00
3028	3	<b>various pry bars</b> various pry bars; (27)	15,00
3029	1	<b>12-pcs double open end wrench set</b> 12-pcs double open end wrench set; 6-32 mm; (26)	20,00
3030	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-22 mm; (26)	20,00
3031	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-32 mm; (26)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
3032	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-22mm; (26)	20,00
3033	1	<b>6-pcs double open end wrench set</b> 6-pcs double open end wrench set; 1/4"-3/4"; (26)	10,00
3034	1	<b>10-pcs combination wrench set</b> 10-pcs combination wrench set; stubby set; 10-19 mm; (26)	10,00
3035	1	<b>6-pcs combination wrench set</b> 6-pcs combination wrench set; stubby set; 7/16"-3/4"; (26)	10,00
3036	1	<b>6-pcs flare nut wrench set</b> 6-pcs flare nut wrench set; 8-21 mm; (26)	10,00
3037	1	<b>7-pcs combination wrench set</b> 7-pcs combination wrench set; 1/4"-5/8"; (26)	10,00
3038	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-22 mm; (26)	15,00
3039	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (26)	10,00
3040	1	<b>14-pcs combination wrench set</b> 14-pcs combination wrench set; 6-22 mm; (26)	15,00
3041	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-24 mm; (26)	15,00
3042	1	<b>10-pcs socket set</b> 10-pcs socket set; 10-24 mm; 1/2" drive; (26)	10,00
3043	1	<b>bitset with toolholder</b> bitset with toolholder; (26)	5,00
3044	1	<b>bitset with toolholder</b> bitset with toolholder; (26)	5,00
3045	1	<b>12-pcs deep wall impact socket set</b> 12-pcs deep wall impact socket set; 7/16"- 1 1/4"; 1/2" drive; (26)	20,00
3046	1	<b>5-pcs combination wrench set</b> 5-pcs combination wrench set; 18-22 mm; (26)	10,00
3047	1	<b>4-pcs screwdriver set</b> 4-pcs screwdriver set; (26)	5,00
3048	1	<b>12-pcs combination wrench set</b> 12-pcs combination wrench set; 6-22 mm; (26)	15,00
3049	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (26)	10,00
3050	1	<b>14-pcs combination wrench set</b> 14-pcs combination wrench set; 1/4"-1 1/8"; (26)	20,00
3051	1	<b>6-pcs double open end wrench set</b> 6-pcs double open end wrench set; 1/4"-3/4"; (26)	10,00
3052	1	<b>8-pcs double open end wrench set</b> 8-pcs double open end wrench set; 6-22 mm; (26)	10,00
3053	1	<b>jack</b> jack; (26)	10,00
3054	2	<b>axle supports</b> axle supports; (26)	20,00
3055	2	<b>axle stands</b> axle stands; (26)	20,00
3056	3	<b>truck tire repair kits</b> truck tire repair kits; (incomplete); (25)	10,00
3057	1	<b>2-jaw puller</b> 2-jaw puller; (25)	10,00
3058	1	<b>2-jaw puller</b> 2-jaw puller; (25)	10,00
3059	1	<b>lot of steel wool</b> lot of steel wool; (25)	5,00
3060	1	<b>punch marking letter set</b> punch marking letter set; (25)	10,00
3061	1	<b>punch marking letter set</b> punch marking letter set; (25)	10,00
3062	1	<b>punch marking letter set</b> punch marking letter set; (25)	10,00
3063	1	<b>punch plier</b> punch plier; (25)	10,00
3064	1	<b>punch plier</b> punch plier; (25)	10,00
3065	6	<b>rotary wire brushes</b> rotary wire brushes; (25)	10,00
3066	1	<b>lot of grinding discs</b> Bosch, lot of grinding discs; ø100 mm; approx. 20 pcs (25)	5,00
3067	5	<b>packages abrasive paper</b> packages abrasive paper; a.o. P500; (25)	20,00
3068	4	<b>saw blades</b> saw blades; ø165 mm; (25)	20,00
3069	1	<b>truck tire re-groove machine</b> PSO, PS15 Truckstar plus, truck tire re-groove machine; 230 Volt; (25)	25,00
3070	3	<b>grip pliers</b> grip pliers; (25)	15,00
3071	2	<b>grip pliers</b> grip pliers; (25)	10,00
3072	2	<b>grip pliers</b> grip pliers; (25)	10,00
3073	1	<b>grip plier</b> Cowley, grip plier; 14"; (25)	10,00
3074	1	<b>grip plier</b> Cowley, grip plier; 18"; (25)	10,00
3075	1	<b>bolt cutter</b> Jmc, bc 36l, bolt cutter; 36"; (25)	10,00
3076	1	<b>bolt cutter</b> Jmc, bc 36l, bolt cutter; 36"; (25)	10,00
3077	1	<b>bolt cutter</b> Jmc, bolt cutter; 18"; (25)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3078	1	<b>bolt cutter</b> Jmc, bolt cutter; 14"; (25)	10,00
3079	1	<b>bolt cutter</b> Jmc, bolt cutter; 14"; (25)	10,00
3080	1	<b>bolt cutter</b> Jmc, bolt cutter; 14"; (25)	10,00
3081	1	<b>bolt cutter</b> Jmc, bolt cutter; 14"; (25)	10,00
3082	1	<b>bolt cutter</b> Jmc, bolt cutter; 14"; (25)	10,00
3083	6	<b>hand scissor jacks</b> hand scissor jacks; (25)	10,00
3084	1	<b>set vehicular jacks</b> set vehicular jacks; (25)	10,00
3085	1	<b>tool bag</b> tool bag; (24)	10,00
3086	1	<b>lot welding tools</b> lot welding tools; (24)	10,00
3087	2	<b>special tools</b> special tools; (24)	10,00
3088	3	<b>various gas regulators</b> various gas regulators; (24)	10,00
3089	1	<b>quattro tester</b> quattro tester; (24)	10,00
3090	1	<b>puller</b> puller; (24)	10,00
3091	1	<b>puller</b> puller; (24)	10,00
3092	1	<b>special bolts</b> special bolts; (24)	10,00
3093	1	<b>parts case</b> parts case; (24)	10,00
3094	1	<b>bolt cutter</b> bolt cutter; 24"; (24)	10,00
3095	1	<b>bolt cutter</b> bolt cutter; 18"; (24)	10,00
3096	1	<b>bolt cutter</b> bolt cutter; 14"; (24)	10,00
3097	1	<b>bolt cutter</b> bolt cutter; 18"; (24)	10,00
3098	1	<b>bolt cutter</b> bolt cutter; 14"; (24)	10,00
3099	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3100	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3101	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3102	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3103	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3104	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3105	1	<b>special multipurpose pioneer kit</b> special multipurpose pioneer kit; (24)	10,00
3106	1	<b>hand scissor jack</b> hand scissor jack; (24)	10,00
3107	1	<b>set vehicular supports</b> set vehicular supports; (24)	10,00
3108	1	<b>set vehicular supports</b> set vehicular supports; (24)	10,00
3109	1	<b>manual pipe bender</b> manual pipe bender; (24)	10,00
3110	6	<b>boxes toolkit</b> boxes toolkit; (23)	10,00
3111	1	<b>bag elastic cord</b> bag elastic cord; (23)	10,00
3112	1	<b>vehicular tool kit</b> vehicular tool kit; (23)	10,00
3113	1	<b>vehicular tool kit</b> vehicular tool kit; (23)	10,00
3114	1	<b>vehicular tool kit</b> vehicular tool kit; (23)	10,00
3115	16	<b>safety forest strap</b> safety forest strap; (23)	10,00
3116	3	<b>elastic cord</b> elastic cord; (23)	10,00
3117	2	<b>lift eyes</b> lift eyes; (23)	10,00
3118	2	<b>strap webbing</b> strap webbing; (23)	10,00
3119	1	<b>lot adp supports</b> lot adp supports; (23)	10,00
3120	1	<b>lot wire</b> lot wire; (23)	10,00
3121	1	<b>heavy cable cutter</b> Zupper, heavy cable cutter; (23)	10,00
3122	1	<b>manual liquid pump</b> manual liquid pump; (23)	10,00
3123	1	<b>trim clip cutter</b> trim clip cutter; (23)	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
3124	1	<b>fuel line coupler (de) mounting plier</b> fuel line coupler (de) mounting plier; (23)	10,00
3125	1	<b>aluminium hand pump</b> aluminium hand pump; (23)	10,00
3126	1	<b>aluminium hand pump</b> aluminium hand pump; (23)	10,00
3127	2	<b>vehicular tow hooks</b> vehicular tow hooks; (23)	10,00
3128	7	<b>lift hooks</b> lift hooks; (23)	10,00
3129	1	<b>floor polisher disc</b> floor polisher disc; (23)	10,00
3130	1	<b>lot steel tent pins</b> lot steel tent pins; (23)	10,00
3131	40	<b>strap webbings</b> strap webbings; (23)	10,00
3132	1	<b>lot belt</b> lot belt; (23)	10,00
3133	1	<b>lot slip tent liners</b> lot slip tent liners; (23)	10,00
3134	1	<b>heatschrink tubing</b> Xp-Tools, heatschrink tubing (ST D2)	15,00
3135	1	<b>Truck compression tester kit</b> Xp-Tools, Truck compression tester kit, diesel, 20 pieces (ST D2)	25,00
3136	1	<b>special tool</b> Xp-Tools, special tool (ST D2)	10,00
3137	1	<b>special tool</b> Xp-Tools, special tool (ST D2)	10,00
3138	1	<b>star socket set</b> Xp-Tools, star socket set, 19 pieces (ST D2)	15,00
3139	1	<b>Hose clamp plier kit</b> Xp-Tools, Hose clamp plier kit, 9pcs (ST D2)	25,00
3140	1	<b>Hose clamp plier kit</b> Xp-Tools, Hose clamp plier kit, 9pcs (ST D2)	25,00
3141	1	<b>Hydraulic punch driver</b> Xp-Tools, Hydraulic punch driver, 22,5-61,5mm (ST D2)	95,00
3142	1	<b>Exhaust pipe expander set</b> Xp-Tools, Exhaust pipe expander set, 3 pieces (ST D2)	15,00
3143	1	<b>Piston ring pliers</b> Xp-Tools, Piston ring pliers, 50-100mm (ST D2)	10,00
3144	1	<b>Hydraulic crimping tool</b> Xp-Tools, Hydraulic crimping tool, 4-70mm2 (ST D2)	45,00
3145	1	<b>Radiator pressure and cooling system tester set</b> Xp-Tools, Radiator pressure and cooling system tester set, 28 pieces (ST D2)	70,00
3146	1	<b>Hydraulic crimping tool</b> Zupper, Hydraulic crimping tool, 16-300mm2 (ST D2)	75,00
3147	1	<b>Cable cutting head</b> Zupper, Cable cutting head, 100mm (ST D2)	200,00
3148	1	<b>Cable cutting head</b> Zupper, Cable cutting head, 100mm (ST D2)	200,00
3149	1	<b>Cable cutting head</b> Zupper, Cable cutting head, 100mm (ST D2)	200,00
3150	1	<b>Universal lock-out tool set</b> Xp-Tools, Universal lock-out tool set (ST D2)	5,00
3151	1	<b>Truck compression tester kit diesel</b> Xp-Tools, Truck compression tester kit diesel, 20 pieces (ST D2)	25,00
3152	1	<b>Compression tester kit diesel</b> Xp-Tools, Compression tester kit diesel, 19 pieces (ST D2)	35,00
3153	1	<b>Common rail diesel tester set</b> Xp-Tools, Common rail diesel tester set (ST D2)	20,00
3154	1	<b>Airco diagnoses kit</b> Xp-Tools, Airco diagnoses kit (ST D2)	55,00
3155	1	<b>Compression tester kit gasoline</b> Xp-Tools, Compression tester kit gasoline, 3 pieces (ST D2)	10,00
3156	1	<b>Carter plug repair set</b> Xp-Tools, Carter plug repair set, 64 pieces (ST D2)	25,00
3157	1	<b>Spring compressor kit Mercedes</b> Xp-Tools, Spring compressor kit Mercedes (ST D2)	75,00
3158	1	<b>Locking nut assortment</b> Xp-Tools, Locking nut assortment, 350 pieces (ST D2)	15,00
3159	1	<b>Assorted fir tree fixings</b> Xp-Tools, Assorted fir tree fixings, 340 pieces (ST D2)	10,00
3160	1	<b>Compression tester kit oil gasoline</b> Xp-Tools, Compression tester kit oil gasoline, 20 pieces (ST D2)	30,00
3161	1	<b>Universal oil pressure tester</b> Xp-Tools, Universal oil pressure tester (ST D2)	30,00
3162	1	<b>Cup filter wrench set</b> Xp-Tools, Cup filter wrench set, 15pcs (ST D2)	15,00
3163	1	<b>Coating clips assortment</b> Xp-Tools, Coating clips assortment, 192 pieces (ST D2)	10,00
3164	1	<b>Telescopic compressor tool kit</b> Xp-Tools, Telescopic compressor tool kit ; (ST 48)	115,00
3165	1	<b>Clutch alligner set</b> Xp-Tools, Clutch alligner set, 10 pieces ; (ST 48)	10,00
3166	1	<b>Fuel line pliers set</b> Xp-Tools, Fuel line pliers set ; (ST 48)	5,00
3167	1	<b>Honing device</b> Xp-Tools, Honing device 24 to 63,5mm ; (ST 48)	5,00
3168	1	<b>Honing device</b> Xp-Tools, Honing device, 58 to 168mm ; (ST 48)	10,00
3169	1	<b>Honing device</b> Xp-Tools, Honing device, 24 to 63,5mm ; (ST 48)	35,00



Kavel	Aantal	Omschrijving	Openingsbod €
3170	1	<b>Chain oil filter wrench</b> Xp-Tools, Chain oil filter wrench ; (ST 48)	30,00
3171	1	<b>Axle remover for motorcycles</b> Xp-Tools, Axle remover for motorcycles ; (ST 48)	5,00
3172	1	<b>Exhaust rubber hooks</b> Xp-Tools, Exhaust rubber hooks ; (ST 48)	5,00
3173	1	<b>Brakes and clutch bleeder set</b> Xp-Tools, Brakes and clutch bleeder set ; (ST 48)	105,00
3174	1	<b>special tool</b> Xp-Tools, special tool ; (ST 48)	10,00
3175	1	<b>Universal puller set</b> Xp-Tools, Universal puller set 46pcs ; (ST 48)	10,00
3176	1	<b>Adapter set</b> Xp-Tools, Adapter set, 8pcs ; (ST 48)	10,00
3177	1	<b>Double line flaring tool set</b> Xp-Tools, Double line flaring tool set, 7pcs ; (ST 48)	5,00
3178	1	<b>Vacuum tester brake and bleeding kit</b> Xp-Tools, Vacuum tester brake and bleeding kit ; (ST 48)	25,00
3179	1	<b>Radiator pressure and cooling system tester set</b> Xp-Tools, Radiator pressure and cooling system tester set, 28 pieces ; (ST 48)	70,00
3180	1	<b>Flaring tool set</b> Xp-Tools, Flaring tool set, 5pcs ; (ST 48)	15,00
3181	1	<b>Flaring tool set</b> Xp-Tools, Flaring tool set, 5pcs ; (ST 48)	15,00
3182	1	<b>Nut bolt and stud extractor set</b> Xp-Tools, Nut bolt and stud extractor set, 18 pieces ; (ST 48)	25,00
3183	1	<b>Universal caliper wind back kit</b> Xp-Tools, Universal caliper wind back kit, 21pcs ; (ST 48)	15,00
3184	1	<b>oil filter wrench</b> Xp-Tools, Oil filter wrench, 3 leg ; (ST 48)	5,00
3185	1	<b>oil filter wrench</b> Xp-Tools, Oil filter wrench, 3 leg ; (ST 48)	5,00
3186	1	<b>Carter plug reparation set</b> Xp-Tools, Carter plug reparation set, 64 pieces ; (ST 48)	25,00
3187	1	<b>Valve lapper tool</b> Xp-Tools, Valve lapper tool ; (ST 48)	5,00
3188	1	<b>hose</b> hose ; (ST 48)	10,00
3189	1	<b>air wrench 1"</b> Zion air, air wrench 1", 5800nm ; (ST 48)	170,00
3190	1	<b>air wrench 1"</b> Zion air, air wrench 1", 5800nm ; (ST 47)	170,00
3191	1	<b>air wrench 1"</b> Zion air, air wrench 1", 2200nm ; (ST 47)	120,00
3192	1	<b>air wrench 1"</b> Zion air, air wrench 1", 2200nm ; (ST 47)	120,00
3193	1	<b>air wrench 1"</b> Zion air, air wrench 1", 3500nm ; (ST 47)	140,00
3194	1	<b>Air impact wrench kit</b> Zion air, Air impact wrench kit, 1/2" with sockets, 340nm ; (ST 47)	25,00
3195	1	<b>Air impact wrench 1/2"</b> Zion air, Air impact wrench, 1/2" with sockets 680nm ; (ST 47)	50,00
3196	1	<b>Air impact wrench 3/8"</b> Air impact wrench, 3/8" 244Nm ; (ST 47)	30,00
3197	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3198	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3199	1	<b>air wrench 1/2"</b> air wrench 1/2", short 510nm ; (ST 47)	90,00
3200	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3201	1	<b>air wrench 3/8"</b> air wrench 3/8" ; (ST 47)	15,00
3202	1	<b>air wrench 1/2"</b> Zion air, air wrench 1/2", 1360nm ; (ST 47)	100,00
3203	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3204	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3205	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3206	1	<b>air wrench 1/2"</b> air wrench 1/2", 850nm ; (ST 47)	15,00
3207	1	<b>air wrench 3/8"</b> air wrench 3/8" ; (ST 47)	15,00
3208	1	<b>air wrench 1/2"</b> air wrench 1/2", 850nm ; (ST 47)	15,00
3209	1	<b>air wrench 3/4"</b> Zion air, air wrench 3/4", 1300nm ; (ST 47)	145,00
3210	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3211	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3212	1	<b>air wrench 3/4"</b> air wrench 3/4", 678nm with sockets ; (ST 47)	60,00
3213	1	<b>air wrench 1/2"</b> air wrench 1/2" ; (ST 47)	15,00
3214	1	<b>Air impact wrench 3/8"</b> Air impact wrench 3/8" ; (ST 47)	30,00
3215	1	<b>Air impact wrench 3/8"</b> Air impact wrench 3/8" ; (ST 47)	30,00



Kavel	Aantal	Omschrijving	Openingsbod €
3216	1	<b>Air impact wrench 3/8"</b> Air impact wrench 3/8"; (ST 47)	30,00
3217	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3218	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3219	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3220	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3221	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3222	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3223	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3224	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3225	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3226	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3227	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3228	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3229	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3230	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3231	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3232	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3233	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3234	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3235	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3236	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3237	1	<b>air wrench 1/2"</b> air wrench 1/2"; (ST 47)	15,00
3238	1	<b>Valve polisher pneumatic</b> Zion air, Valve polisher pneumatic, 20, 30, 35, 45mm ; (ST 46)	45,00
3239	1	<b>Paint tank 10 liter with spray gun</b> Zion air, Paint tank 10 liter with spray gun ; (ST 46)	85,00
3240	1	<b>Sandblasting gun</b> Zion air, Sandblasting gun, with mouthpieces and sand ; (ST 46)	10,00
3241	1	<b>Sandblast gun</b> Zion air, Sandblast gun, 2-6 bar ; (ST 46)	20,00
3242	1	<b>bit screwdriver</b> Zion air, bit screwdriver ; (ST 46)	10,00
3243	1	<b>Needle scaler 23 needles</b> Zion air, Needle scaler 23 needles, 4000spm, 170l/min ; (ST 46)	10,00
3244	1	<b>Air cut off tool 3"</b> Zion air, Air cut off tool 3", 20000rpm, 127l/min ; (ST 46)	15,00
3245	1	<b>Needle scaler 19 needles</b> Zion air, Needle scaler 19 needles, straight model ; (ST 46)	50,00
3246	1	<b>Air tire repair tool</b> Zion air, Air tire repair tool, 4500bpm, 142l/min ; (ST 46)	15,00
3247	1	<b>Spray gun</b> Zion air, Spray gun, 1,8mm professional ; (ST 46)	25,00
3248	1	<b>Spray gun</b> Zion air, Spray gun, 0,8mm professional ; (ST 46)	20,00
3249	1	<b>air brush kit</b> Zion air, air brush kit, 6 colours ; (ST 46)	95,00
3250	1	<b>spray gun</b> Zion air, spray gun, 2,0mm ; (ST 46)	25,00
3251	1	<b>spray gun with hose</b> Zion air, spray gun with hose ; (ST 46)	15,00
3252	5	<b>polishing pad</b> Zion air, polishing pad ; (ST 46)	10,00
3253	1	<b>Air tire buffer</b> Zion air, Air tire buffer, 2500rpm, 127 l/min ; (ST 46)	30,00
3254	1	<b>bit screwdriver</b> bit screwdriver ; (ST 46)	10,00
3255	1	<b>Air die grinder set</b> Air die grinder set, 15 pieces, 22000rpm, 127l/min ; (ST 46)	15,00
3256	1	<b>Air die grinder set</b> Air die grinder set, 15 pieces, 22000rpm, 127l/min ; (ST 46)	15,00
3257	1	<b>Extended air die grinder kit</b> Extended air die grinder kit, 25000rpm, 91l/min ; (ST 46)	25,00
3258	1	<b>Palm sander 6"</b> Palm sander 6", 10000rpm ; (ST 46)	30,00
3259	1	<b>Palm sander 6"</b> Palm sander 6", 10000rpm ; (ST 46)	30,00
3260	1	<b>Palm sander 6"</b> Palm sander 6", 12000rpm ; (ST 46)	50,00
3261	1	<b>Air angle sander 2"</b> Air angle sander 2", 15000rpm, 99l/min ; (ST 46)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
3262	1	<b>polishing machine</b> Zion air, polishing machine ; (ST 46)	20,00
3263	1	<b>polishing machine</b> Zion air, polishing machine ; (ST 46)	20,00
3264	1	<b>polishing machine</b> Zion air, polishing machine ; (ST 46)	20,00
3265	1	<b>polishing machine</b> Zion air, polishing machine ; (ST 46)	20,00
3266	1	<b>air grease gun</b> Zion air, air grease gun ; (ST 46)	15,00
3267	1	<b>Air angle polisher 7"</b> Zion air, Air angle polisher 7", 3000rpm 142l/min ; (ST 46)	40,00
3268	1	<b>Micro air die grinder kit</b> Zion air, Micro air die grinder kit, 7000rpm, 226l/min ; (ST 46)	25,00
3269	1	<b>Needle scaler 12 needles</b> Zion air, Needle scaler 12 needles, 2800bpm, 113,3l/min ; (ST 46)	25,00
3270	1	<b>air belt sander</b> Zion air, air belt sander, 10mm, long type ; (ST 46)	25,00
3271	1	<b>air belt sander</b> Zion air, air belt sander, 10mm ; (ST 46)	20,00
3272	1	<b>air belt sander</b> Zion air, air belt sander, 10mm ; (ST 46)	20,00
3273	1	<b>air belt sander</b> Zion air, air belt sander, 20mm ; (ST 46)	30,00
3274	1	<b>Ratchet cable cutter with telescopic handles</b> Zion air, Ratchet cable cutter with telescopic handles, 240mm2, lenght: 350mm-480mm ; (ST 46)	125,00
3275	1	<b>air grinder</b> air grinder, 4" ; (ST 26)	20,00
3276	1	<b>air grinder</b> air grinder, 4" ; (ST 26)	20,00
3277	1	<b>air grinder</b> air grinder, 4" ; (ST 26)	20,00
3278	1	<b>air grinder</b> air grinder, 4" ; (ST 26)	20,00
3279	1	<b>air grinder</b> air grinder, 4" ; (ST 26)	20,00
3280	1	<b>Air hammer kit 190mm</b> Zion air, Air hammer kit 190mm, 9 pieces ; (ST 26)	15,00
3281	1	<b>Sandblast gun</b> Zion air, Sandblast gun, 2-6 bar ; (ST 26)	20,00
3282	1	<b>Air cut off tool 3"</b> Zion air, Air cut off tool 3", 20000rpm, 127l/min ; (ST 26)	15,00
3283	1	<b>Air cut off tool 3"</b> Zion air, Air cut off tool 3", 20000rpm, 127l/min ; (ST 26)	15,00
3284	1	<b>Air cut off tool 3"</b> Zion air, Air cut off tool 3", 20000rpm, 127l/min ; (ST 26)	15,00
3285	1	<b>Air angle die grinder</b> Zion air, Air angle die grinder, 2-1/2" ; (ST 26)	20,00
3286	1	<b>Air cut off tool 3"</b> Zion air, Air cut off tool 3", long model, 18000rpm, 120l/min ; (ST 26)	35,00
3287	1	<b>Air nibbler pull type</b> Zion air, Air nibbler pull type, 3800spm, 275l/min ; (ST 26)	25,00
3288	1	<b>Pneumatic straight air shear</b> Zion air, Pneumatic straight air shear, 3200spm, 113l/min ; (ST 26)	35,00
3289	1	<b>Air shear cutting model</b> Zion air, Air shear cutting model, 2200spm, 113l/min ; (ST 26)	35,00
3290	1	<b>Air ratchet 1/2"</b> Zion air, Air ratchet 1/2", with sockets, 85nm ; (ST 26)	30,00
3291	1	<b>Air shear cutting model</b> Zion air, Air shear cutting model, 2200spm, 113l/min ; (ST 26)	35,00
3292	1	<b>air unit</b> Zion air, air unit ; (ST 26)	30,00
3293	1	<b>Air ratchet 1/2"</b> Zion air, Air ratchet 1/2", with sockets, 85nm ; (ST 26)	30,00
3294	1	<b>Air ratchet 1/2"</b> Zion air, Air ratchet 1/2" ; (ST 26)	20,00
3295	1	<b>Air ratchet 1/2"</b> Zion air, Air ratchet 1/2" ; (ST 26)	20,00
3296	1	<b>bit screwdriver</b> Zion air, bit screwdriver ; (ST 26)	10,00
3297	1	<b>air body saw</b> Zion air, air body saw ; (ST 26)	20,00
3298	1	<b>Keyless reversible air drill</b> Zion air, Keyless reversible air drill, 1/2" 2200rpm, 115l/min ; (ST 26)	25,00
3299	1	<b>Keyless reversible air drill</b> Zion air, Keyless reversible air drill, 1/2" 2200rpm, 115l/min ; (ST 26)	25,00
3300	1	<b>Air drill</b> Zion air, Air drill 3/8", in line, 15000rpm, 99l/min ; (ST 26)	20,00
3301	1	<b>Keyless reversible air drill</b> Zion air, Keyless reversible air drill, 1/2" 800rpm, 113l/min ; (ST 26)	50,00
3302	1	<b>2 in 1 nailer and stapler gun</b> Zion air, 2 in 1 nailer and stapler gun, 25,5l/min ; (ST 26)	25,00
3303	1	<b>Wide crown stapler</b> Zion air, Wide crown stapler, 19,8l/min ; (ST 26)	20,00
3304	1	<b>Air drill</b> Zion air, Air drill 3/8", in line, 15000rpm, 99l/min ; (ST 26)	20,00
3305	1	<b>Air drill</b> Zion air, Air drill 3/8", in line, 15000rpm, 99l/min ; (ST 26)	20,00
3306	1	<b>Heavy duty air stripping tool</b> Zion air, Heavy duty air stripping tool, 4000rpm, 127l/min ; (ST 26)	20,00
3307	1	<b>bit screwdriver</b> Zion air, bit screwdriver ; (ST 26)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3308	1	<b>air regulator 3/4"</b> Zion air, air regulator 3/4" ; (ST 26)	15,00
3309	1	<b>air regulator 3/4"</b> Zion air, air regulator 3/4" ; (ST 26)	15,00
3310	1	<b>air sander 7"</b> Zion air, air sander 7", 3000rpm, 142l/min ; (ST 26)	40,00
3311	1	<b>air filter regulator</b> Zion air, air filter regulator, 1/2" ; (ST 26)	20,00
3312	1	<b>air filter regulator</b> Zion air, air filter regulator, 1/2" ; (ST 26)	20,00
3313	1	<b>air filter regulator</b> Zion air, air filter regulator, 1/2" ; (ST 26)	20,00
3314	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	35,00
3315	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	10,00
3316	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	10,00
3317	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	10,00
3318	1	<b>air regulator 1"</b> Zion air, air regulator 1" ; (ST 26)	50,00
3319	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	35,00
3320	1	<b>air regulator 1/2"</b> Zion air, air regulator 1/2" ; (ST 26)	10,00
3321	1	<b>air regulator 3/4"</b> Zion air, air regulator 3/4" ; (ST 26)	15,00
3322	1	<b>Air tool kit</b> Zion air, Air tool kit, 33 pieces ; (ST 26)	35,00
3323	1	<b>Rubber air hose with couplers</b> Zion air, Rubber air hose with couplers, 10 meter, 9,5mmx17mm ; (ST 26)	10,00
3324	1	<b>Rubber air hose with couplers</b> Zion air, Rubber air hose with couplers, 10 meter, 9,5mmx17mm ; (ST 26)	10,00
3325	1	<b>Air hose reel automatic polymer</b> Zion air, Air hose reel automatic polymer, 3/8" x 15m ; (ST 26)	50,00
3326	1	<b>Air hose reel automatic polymer</b> Zion air, Air hose reel automatic polymer, 3/8" x 15m ; (ST 26)	50,00
3327	1	<b>Rubber air hose bonus kit</b> Zion air, Rubber air hose bonus kit, 15mtrx19,5mm ; (ST 26)	15,00
3328	1	<b>Rubber air hose bonus kit</b> Zion air, Rubber air hose bonus kit, 15mtrx19,5mm ; (ST 26)	15,00
3329	1	<b>car cleaning gun</b> Zion air, car cleaning gun, aluminium, 1ltr, 5-8 bar ; (ST 44)	30,00
3330	1	<b>car cleaning gun</b> Zion air, car cleaning gun, 1ltr, 5-8 bar ; (ST 44)	20,00
3331	1	<b>car cleaning gun</b> Zion air, car cleaning gun, 1ltr, 5-8 bar ; (ST 44)	20,00
3332	1	<b>spray gun kit</b> Zion air, spray gun kit, 45 pieces ; (ST 44)	50,00
3333	1	<b>Air go trough ratchet set</b> Zion air, Air go trough ratchet set ; (ST 44)	135,00
3334	1	<b>Air silicone gun / air caulking gun</b> Zion air, Air silicone gun / air caulking gun, 168l/min ; (ST 44)	10,00
3335	1	<b>Air angle sander 2"</b> Zion air, Air angle sander 2", 15000rpm, 99l/min ; (ST 44)	20,00
3336	1	<b>air ratchet 3/8"</b> Zion air, air ratchet 3/8" ; (ST 44)	20,00
3337	1	<b>Pneumatic straight air shear</b> Zion air, Pneumatic straight air shear, 3200spm, 113l/min ; (ST 44)	35,00
3338	1	<b>air drill</b> Zion air, air drill, 1/2" heavy duty ; (ST 44)	25,00
3339	1	<b>Heavy duty air stripping tool</b> Zion air, Heavy duty air stripping tool, 4000rpm, 127l/min ; (ST 44)	20,00
3340	1	<b>Air angle die grinder</b> Zion air, Air angle die grinder, 2-1/2" ; (ST 44)	20,00
3341	1	<b>Air tire buffer</b> Zion air, Air tire buffer, 2500rpm, 127 l/min ; (ST 44)	30,00
3342	1	<b>Keyless reversible air drill</b> Zion air, Keyless reversible air drill, 1/2", 2200rpm, 115l/min ; (ST 44)	25,00
3343	1	<b>Wide crown stapler</b> Zion air, Wide crown stapler, 19,8l/min ; (ST 44)	20,00
3344	1	<b>Bearing puller set</b> JMC, Bearing puller set, 14 pieces ; (ST 44)	20,00
3345	1	<b>Oil separator puller set</b> JMC, Oil separator puller set ; (ST 44)	35,00
3346	1	<b>Internal &amp; external puller set</b> JMC, Internal & external puller set, 5 pieces ; (ST 44)	30,00
3347	1	<b>Internal &amp; external puller set</b> JMC, Internal & external puller set, 5 pieces ; (ST 44)	30,00
3348	1	<b>Inner bearing puller set</b> JMC, Inner bearing puller set, 5 pieces ; (ST 44)	20,00
3349	1	<b>Inner bearing puller set</b> JMC, Inner bearing puller set, 5 pieces ; (ST 44)	20,00
3350	1	<b>Body repair set</b> JMC, Body repair set, 7 pieces ; (ST 44)	20,00
3351	1	<b>Slide hammer set</b> JMC, Slide hammer set, 17 pieces ; (ST 44)	35,00
3352	1	<b>10 ton hydraulic puller set</b> JMC, 10 ton hydraulic puller set, 23 pieces ; (ST 44)	105,00
3353	1	<b>gear puller</b> JMC, gear puller, 3 leg 4" ; (ST 43)	5,00



Kavel	Aantal	Omschrijving	Openingsbod €
3354	1	<b>gear puller</b> JMC, gear puller, 3 leg 6" ; (ST 43)	10,00
3355	1	<b>gear puller</b> JMC, gear puller, 3 leg 8" ; (ST 43)	15,00
3356	1	<b>gear puller</b> JMC, gear puller, 3 leg 10" ; (ST 43)	25,00
3357	1	<b>gear puller</b> JMC, gear puller, special claw 6" ; (ST 43)	20,00
3358	1	<b>gear puller</b> JMC, gear puller, special claw 5" ; (ST 43)	10,00
3359	1	<b>gear puller</b> JMC, gear puller, special claw 8" ; (ST 43)	30,00
3360	1	<b>gear puller</b> JMC, gear puller, special claw 6" ; (ST 43)	20,00
3361	1	<b>gear puller</b> JMC, gear puller, special claw 3" ; (ST 43)	10,00
3362	1	<b>gear puller</b> JMC, gear puller, 2 and 3 leg 7" ; (ST 43)	30,00
3363	1	<b>gear puller</b> JMC, gear puller, 2 and 3 leg 6" ; (ST 43)	20,00
3364	1	<b>gear puller</b> JMC, gear puller, 2 and 3 leg 4" ; (ST 43)	15,00
3365	1	<b>gear puller</b> JMC, gear puller, 2 and 3 leg 3" ; (ST 43)	15,00
3366	1	<b>Ball joint separator</b> JMC, Ball joint separator ; (ST 43)	10,00
3367	1	<b>gear puller</b> JMC, gear puller, 3" ; (ST 43)	10,00
3368	1	<b>gear puller</b> JMC, gear puller, 6" ; (ST 43)	20,00
3369	1	<b>gear puller</b> JMC, gear puller, 14" ; (ST 43)	75,00
3370	1	<b>Slide hammer</b> JMC, Slide hammer, 1.36kg/3lbs ; (ST 43)	10,00
3371	1	<b>chisel set</b> chisel set ; (ST 43)	15,00
3372	1	<b>gear puller</b> gear puller ; (ST 43)	40,00
3373	1	<b>Tool box</b> JMC, Tool box, 560 x 270 x 245mm ; (ST 43)	10,00
3374	1	<b>Metal tool chest with boxes</b> JMC, Metal tool chest with boxes, 32 trays ; (ST 43)	10,00
3375	1	<b>Torque multiplier</b> Mammuth, Torque multiplier, 3800nm compact ; (ST 43)	35,00
3376	1	<b>Torque multiplier</b> Mammuth, Torque multiplier, 5800nm ; (ST 43)	35,00
3377	1	<b>Torque multiplier</b> Mammuth, Torque multiplier, 3800nm ; (ST 43)	30,00
3378	1	<b>Trim upholstery removal set</b> JMC, Trim upholstery removal set, 5 pieces ; (ST 42)	5,00
3379	1	<b>Plastic scraper set</b> JMC, Plastic scraper set, 4 pieces ; (ST 42)	5,00
3380	1	<b>Waterpump Universel Plier set</b> JMC, Waterpump Universel Plier set, 7", 10", 12", 16" ; (ST 42)	15,00
3381	1	<b>Circlip Plier set</b> JMC, Circlip Plier set, 4 pieces ; (ST 42)	5,00
3382	1	<b>Tubular boxspanner set</b> JMC, Tubular boxspanner set, 8 pieces, chrome vanadium ; (ST 42)	15,00
3383	1	<b>Hole punch set</b> JMC, Hole punch set, 2, 3, 4, 5, 6, 8, 9, 10 and 12 ; (ST 42)	5,00
3384	1	<b>Hole punch set</b> JMC, Hole punch set, 2, 3, 4, 5, 6, 8, 9, 10 and 13 ; (ST 42)	5,00
3385	1	<b>Center punch set</b> JMC, Center punch set, 3, 4, 5, 6mm ; (ST 42)	5,00
3386	1	<b>Pin punch set</b> JMC, Pin punch set, 3, 4, 6, 8, 9mm ; (ST 42)	5,00
3387	3	<b>pliers</b> Seneca, pliers ; (ST 42)	10,00
3388	3	<b>pliers</b> Seneca, pliers ; (ST 42)	10,00
3389	4	<b>electro pliers</b> Seneca, electro pliers, 1000v ; (ST 42)	15,00
3390	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm ; (ST 42)	115,00
3391	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32mm ; (ST 42)	115,00
3392	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4" ; (ST 42)	75,00
3393	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm ; (ST 42)	30,00
3394	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" ; (ST 42)	10,00
3395	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ; (ST 42)	15,00
3396	100	<b>Air hose rubber</b> Zion air, Air hose rubber, 13mm x 22mm ; (ST 42)	75,00
3397	1	<b>Impact extension bar</b> Seneca, Impact extension bar, ball bearing handle 1/2" ; (ST 41)	10,00
3398	1	<b>Impact extension bar</b> Seneca, Impact extension bar, ball bearing handle 3/4" ; (ST 41)	20,00
3399	1	<b>Impact extension bar</b> Seneca, Impact extension bar, ball bearing handle 1" ; (ST 41)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
3400	1	<b>Hex nut driver t-handle set</b> Seneca, Hex nut driver t-handle set, 5, 6, 7, 8, 9, 10, 11, 12, 13mm ; (ST 41)	35,00
3401	1	<b>Socket set 1/2"</b> Seneca, Socket set 1/2", 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21,22, 23, 24, 26, 27, 28, 30, 32mm ; (ST 41)	25,00
3402	1	<b>Hinged socket wrench set</b> Seneca, Hinged socket wrench set, 20x22mm, 21x23mm, 24x27mm ; (ST 41)	25,00
3403	1	<b>Combination wrench set</b> Seneca, Combination wrench set, 26, 27, 28, 30, 32mm ; (ST 41)	30,00
3404	1	<b>T-star tool kit</b> Seneca, T-star tool kit, 43 pieces ; (ST 41)	55,00
3405	1	<b>Double open end wrench set</b> Seneca, Double open end wrench set, 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 ; (ST 41)	30,00
3406	1	<b>One way gear wrenches set</b> Seneca, One way gear wrenches set, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm ; (ST 41)	55,00
3407	1	<b>Hexagon bit socket set 1/2"</b> Seneca, Hexagon bit socket set 1/2", 3, 4, 5, 6, 7, 8, 10, 12, 14mm ; (ST 41)	15,00
3408	1	<b>T-star bit socket set</b> Seneca, T-star bit socket set, E10, E11, E12, E14, E16, E18, E20, E22, E24, T30, T40, T45, T50, T55, T60, T70 ; (ST 41)	20,00
3409	1	<b>Socket wrench set 3/8"</b> Seneca, Socket wrench set 3/8", 26 pieces ; (ST 41)	25,00
3410	1	<b>Adjustable wrench 12"</b> Seneca, Adjustable wrench 12", 300mm ; (ST 41)	15,00
3411	1	<b>Adjustable wrench 15"</b> Seneca, Adjustable wrench 15", 375mm ; (ST 41)	25,00
3412	1	<b>Socket set 1/2"</b> Seneca, Socket set 1/2", 18-24mm ; (ST 41)	10,00
3413	1	<b>Socket set 1/2"</b> Seneca, Socket set 1/2", 8-17mm ; (ST 41)	10,00
3414	1	<b>socket set 1/4"</b> Seneca, socket set 1/4", 4,5-14mm ; (ST 41)	10,00
3415	3	<b>screwdriver</b> Seneca, screwdriver ; (ST 41)	5,00
3416	1	<b>Heavy duty impact driver professional</b> Seneca, Heavy duty impact driver professional ; (ST 41)	15,00
3417	2	<b>adaptor</b> Seneca, adaptor ; (ST 41)	10,00
3418	1	<b>star socket set</b> Seneca, star socket set, 6 pieces ; (ST 41)	10,00
3419	1	<b>Go through twist socket set</b> Seneca, Go through twist socket set, 1/2" 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm ; (ST 41)	30,00
3420	1	<b>Impact Driver Set</b> Seneca, Impact Driver Set, 6 pieces ; (ST 41)	10,00
3421	1	<b>Twist socket set 1/4" + 1/2"</b> Seneca, Twist socket set 1/4" + 1/2", 5x 1/4" socket = 6, 8, 10, 11, 12mm, 8x 1/2" socket = 13, 14, 15, 17, 19, 21, 24, 27mm ; (ST 41)	50,00
3422	1	<b>Twist socket set 1/4" + 1/2"</b> Seneca, Twist socket set 1/4" + 1/2", 5x 1/4" socket = 6, 8, 10, 11, 12mm, 8x 1/2" socket = 13, 14, 15, 17, 19, 21, 24, 27mm ; (ST 41)	50,00
3423	1	<b>Screw extractor set</b> Seneca, Screw extractor set, 15 pieces, 3, 4, 5, 5.5, 6, 8, 10, 11, 12, 14mm, 1/8", 3/16", 1/4", 3/8", 1/2" ; (ST 41)	20,00
3424	1	<b>Screw extractor set</b> Seneca, Screw extractor set, 15 pieces, 3, 4, 5, 5.5, 6, 8, 10, 11, 12, 14mm, 1/8", 3/16", 1/4", 3/8", 1/2" ; (ST 41)	20,00
3425	1	<b>T-star tool kit</b> Seneca, T-star tool kit, 43 pieces ; (ST 41)	55,00
3426	1	<b>Ring wrench set</b> Seneca, Ring wrench set, 6x8, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23 ; (ST 41)	25,00
3427	1	<b>One way gear wrenches set</b> Seneca, One way gear wrenches set, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm ; (ST 41)	55,00
3428	1	<b>Socket wrench set impact 3/4" and 1"</b> JMC, Socket wrench set impact 3/4" and 1", 17 sockets 3/4" drive = 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 40mm, 41mm, 46mm, 50mm, 3 sockets 1" drive = 55mm, 60mm, 65mm ; (ST 41)	75,00
3429	1	<b>Socket wrench set impact 3/4" and 1"</b> JMC, Socket wrench set impact 3/4" and 1", 17 sockets 3/4" drive = 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 40mm, 41mm, 46mm, 50mm, 3 sockets 1" drive = 55mm, 60mm, 65mm ; (ST 41)	75,00
3430	1	<b>Toolset in foam</b> Seneca, Toolset in foam, 17 impact socket = 10,11,12,13,14,15,16,17,18,19,21, 22,23,24,27,30,32mm ; (ST 40)	125,00
3431	1	<b>Toolset in foam</b> Seneca, Toolset in foam, 16 screwdriver = SL3 x 75mm,SL3.5 x100mm SL4x100mm,SL5.5x125mm,SL5.5x38mm,SL6.5x150mm,SL8x175,PH6x60mm,PH1x80mm,PH2x38mm,PH2x100mm,PZ0x60mm,PZ1x80mm,PZ2x38mm,PZ2x100mm ; (ST 40)	55,00
3432	1	<b>Power handle ball point hex set</b> Seneca, Power handle ball point hex set, 2, 2.5, 3, 4, 5, 6, 8, 10, 12mm ; (ST 40)	30,00
3433	1	<b>Hex nut driver t-handle set</b> Seneca, Hex nut driver t-handle set, 5, 6, 7, 8, 9, 10, 11, 12, 13mm ; (ST 40)	35,00
3434	1	<b>Star tamp screwdriver set</b> Seneca, Star tamp screwdriver set, TT8x60mm, TT10x80mm, TT15x80mm, TT20x100mm, TT25x100mm, TT27x115mm, TT30x115mm, TT40x130mm ; (ST 40)	20,00
3435	1	<b>Flexible one way gear wrench set</b> Seneca, Flexible one way gear wrench set, 8, 10, 12, 13, 15, 16, 17, 19mm ; (ST 40)	70,00
3436	1	<b>Hex ball L key set sae</b> Seneca, Hex ball L key set sae, 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" 3/8" ; (ST 40)	5,00
3437	1	<b>Hex ball L key set</b> Seneca, Hex ball L key set, 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 10mm ; (ST 40)	5,00
3438	1	<b>Star torx L key set</b> Seneca, Star torx L key set, T8, T10, T15, T20, T25, T27, T30, T40, T45, T50mm ; (ST 40)	5,00
3439	1	<b>Cable cutting pliers</b> Seneca, Cable cutting pliers, 250mm ; (ST 40)	10,00
3440	4	<b>pliers</b> Seneca, pliers ; (ST 40)	15,00
3441	3	<b>pliers</b> Seneca, pliers ; (ST 40)	10,00
3442	1	<b>Hexagon bit socket set 1/4" 1/2"</b> Seneca, Hexagon bit socket set 1/4" 1/2", -6 = 1/4" hexagon socket 36mm 2, 2.5, 3, 4, 5, 6mm, 6 = 1/2" hexagon socket 55mm 6, 7, 8, 10, 12, 14mm, 6 = 1/2" hexagon socket 100mm 5, 6, 7, 8, 10, 12mm ; (ST 40)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
3443	1	<b>T-star bit socket set 1/4", 1/2"</b> Seneca, T-star bit socket set 1/4", 1/2", 6 = 1/4" t-star socket 36mm T8, T10, T15, T20, T25, T27, 6 = 1/2" t-star socket 55mm T30, T40, T45, T50, T55, T60, 6 = 1/2" t-star socket 100mm T30, T40, T45, T50, T55, T60 ; (ST 40)	25,00
3444	1	<b>T-star bit socket set 1/4", 1/2"</b> Seneca, T-star bit socket set 1/4", 1/2", 6 = 1/4" t-star socket 36mm T8, T10, T15, T20, T25, T27, 6 = 1/2" t-star socket 55mm T30, T40, T45, T50, T55, T60, 6 = 1/2" t-star socket 100mm T30, T40, T45, T50, T55, T60 ; (ST 40)	25,00
3445	1	<b>Power bit set hexagon</b> Seneca, Power bit set hexagon, 6 = bit 150mm HEX 6, 7, 8, 10, 12, 14, 6 = bit 50mm HEX 6, 7, 8, 10, 12, 14, 1 = adaptor 1/2" x 7/16" ; (ST 40)	25,00
3446	1	<b>Power bit set hexagon</b> Seneca, Power bit set hexagon, 6 = bit 150mm HEX 6, 7, 8, 10, 12, 14, 6 = bit 50mm HEX 6, 7, 8, 10, 12, 14, 1 = adaptor 1/2" x 7/16" ; (ST 40)	25,00
3447	1	<b>Shank power bit set</b> Seneca, Shank power bit set, 31 pieces ; (ST 40)	25,00
3448	1	<b>Power bit set t-star</b> Seneca, Power bit set t-star, 6 = bit 150mm TORX T30, T40, T45, T50, T55, T60, 6 = bit 50mm TORX T30, T40, T45, T50, T55, T60, 1 = adaptor 1/2" x 7/16" ; (ST 40)	25,00
3449	2	<b>Bit set</b> Seneca, Bit set, TT = 7, 8, 9, 10, 15, 20, 25, 27, 30, 40 ; (ST 40)	5,00
3450	2	<b>Bit set</b> Seneca, Bit set, TT = 7, 8, 9, 10, 15, 20, 25, 27, 30, 41 ; (ST 40)	5,00
3451	1	<b>Bit set</b> Seneca, Bit set, 53 pieces ; (ST 40)	25,00
3452	1	<b>Bit set</b> Seneca, Bit set, 53 pieces ; (ST 40)	25,00
3453	1	<b>Hexagon bit socket set 1/2"</b> Seneca, Hexagon bit socket set 1/2", 3, 4, 5, 6, 7, 8, 10, 12, 14mm ; (ST 40)	15,00
3454	1	<b>T-star bit socket set 1/2"</b> Seneca, T-star bit socket set 1/2" ; (ST 40)	20,00
3455	1	<b>Torque screwdriver set</b> Seneca, Torque screwdriver set, 28 pieces ; (ST 40)	50,00
3456	1	<b>Torque screwdriver set</b> Seneca, Torque screwdriver set, 28 pieces ; (ST 40)	50,00
3457	1	<b>T-star bit socket set 1/4" 3/8" 1/2"</b> Seneca, T-star bit socket set 1/4" 3/8" 1/2", 30 pieces ; (ST 40)	15,00
3458	1	<b>Socket Wrench Set 3/4" and 1"</b> JMC, Socket wrench set 3/4" and 1", Sockets - 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 40mm, 41mm, 50mm ; (ST 40)	65,00
3459	1	<b>Socket wrench set 3/4"</b> JMC, Socket wrench set 3/4", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8" and 2" ; (ST 40)	35,00
3460	2	<b>locking plier</b> Seneca, locking plier ; (ST 39)	10,00
3461	4	<b>locking plier</b> Seneca, locking plier ; (ST 39)	15,00
3462	2	<b>locking plier</b> Seneca, locking plier ; (ST 39)	10,00
3463	5	<b>locking plier</b> Seneca, locking plier ; (ST 39)	15,00
3464	2	<b>water pump pliers</b> Seneca, water pump pliers ; (ST 39)	10,00
3465	1	<b>Cable cutting pliers</b> Seneca, Cable cutting pliers, 250mm ; (ST 39)	10,00
3466	5	<b>pliers</b> Seneca, pliers ; (ST 39)	20,00
3467	2	<b>pliers</b> Seneca, pliers ; (ST 39)	10,00
3468	3	<b>pliers</b> Seneca, pliers ; (ST 39)	15,00
3469	4	<b>pliers</b> Seneca, pliers ; (ST 39)	10,00
3470	4	<b>pliers</b> Seneca, pliers ; (ST 39)	15,00
3471	4	<b>pliers</b> Seneca, pliers ; (ST 39)	15,00
3472	4	<b>pliers</b> Seneca, pliers ; (ST 39)	10,00
3473	1	<b>hand riveter</b> Seneca, Hand riveter, 360 degrees rotating head, 2.4mm 3/32", 3.2mm 1/8", 4.0mm 5/32", 4.8mm 3/16" ; (ST 39)	10,00
3474	1	<b>hand riveter</b> Seneca, hand riveter, scissor action ; (ST 39)	20,00
3475	1	<b>hand riveter</b> Seneca, hand riveter, scissor action ; (ST 39)	20,00
3476	1	<b>hand riveter</b> Seneca, hand riveter, industrial ; (ST 39)	20,00
3477	1	<b>hand riveter</b> Seneca, hand riveter, heavy duty ; (ST 39)	10,00
3478	1	<b>hand riveter</b> Seneca, hand riveter, heavy duty ; (ST 39)	10,00
3479	1	<b>Spark plug t-wrench magnetic</b> Seneca, Spark plug t-wrench magnetic, 16mm ; (ST 39)	5,00
3480	1	<b>Spark plug t-wrench magnetic</b> Seneca, Spark plug t-wrench magnetic, 21mm ; (ST 39)	5,00
3481	1	<b>tool set</b> Seneca, tool set, 85 pieces ; (ST 39)	95,00
3482	1	<b>aviation tin snip</b> Seneca, aviation tin snip, left cut ; (ST 39)	5,00
3483	1	<b>ratchet 3/4"</b> Seneca, ratchet 3/4", quick release ; (ST 39)	25,00
3484	1	<b>sliding t-bar 1"</b> Seneca, sliding t-bar 1" ; (ST 39)	25,00
3485	1	<b>torque wrench digital</b> Seneca, torque wrench digital, 40-200nm ; (ST 39)	50,00
3486	1	<b>torque wrench digital</b> Seneca, torque wrench digital, 40-200nm ; (ST 39)	50,00
3487	1	<b>torque wrench</b> Seneca, torque wrench , 3/8" including sockets ; (ST 39)	50,00





Kavel	Aantal	Omschrijving	Openingsbod €
3488	1	<b>Socket wrench set 3/4"</b> JMC, Socket wrench set 3/4", 19, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 41, 42, 46, 48 and 50mm ; (ST 39)	40,00
3489	1	<b>Socket wrench set 3/4"</b> Seneca, Socket wrench set 3/4", 9, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35,36, 38, 41, 46, 50mm ; (ST 39)	115,00
3490	1	<b>Socket wrench set 1/4"</b> Seneca, Socket wrench set 1/4", 62 pieces	35,00
3491	1	<b>Socket set 1/2"</b> Seneca, Socket set 1/2", 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21,22, 23, 24, 26, 27, 28, 30, 32mm	25,00
3492	1	<b>One way gear wrenches set</b> Seneca, One way gear wrenches set, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	55,00
3493	1	<b>Screwdriver set</b> Seneca, Screwdriver set, SL3 x 75mm, SL3.5 x 100mm, SL4 x 100mm, SL5.5 x 125mm, SL6.5 x 150mm, SL8 x 175mm, PH1 x 80mm, PH2 x 100mm	15,00
3494	1	<b>Flexible one way gear wrench set</b> Seneca, Flexible one way gear wrench set, 8, 10, 12, 13, 15, 16, 17, 19mm	70,00
3495	1	<b>File set</b> Seneca, File set, 8" flat file, 8" round file, 8" half round file, 8" triangular, 8" square file	20,00
3496	1	<b>T-star tool kit 1/4" 3/8"</b> Seneca, T-star tool kit 1/4" 3/8", 52 pieces	30,00
3497	1	<b>Adjustable wrench set</b> Seneca, Adjustable wrench set, 3 pieces	30,00
3498	1	<b>Accessory set 1/2"</b> Seneca, Accessory set 1/2", 5 pieces	20,00
3499	1	<b>torque wrench</b> Seneca, torque wrench, 1" 140-980nm	205,00
3500	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm	35,00
3501	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm incl 3 sockets	45,00
3502	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm	35,00
3503	1	<b>torque wrench</b> Seneca, torque wrench, 3/8" 19-110nm	30,00
3504	1	<b>torque wrench</b> Seneca, torque wrench, 1/4" 6-30nm	25,00
3505	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm incl sockets	35,00
3506	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm incl 3 sockets	45,00
3507	1	<b>torque wrench</b> Seneca, torque wrench, 1/2" 40-210nm incl 3 sockets	45,00
3508	1	<b>torque wrench</b> Seneca, torque wrench, 3/4" 140-700nm	160,00
3509	1	<b>torque wrench</b> Seneca, torque wrench, 1" 140-980nm	205,00
3510	1	<b>bench vice</b> Seneca, bench vice, superlock	50,00
3511	1	<b>tool box</b> Seneca, tool box	30,00
3512	1	<b>impact socket set</b> Seneca, impact socket set, 1/2" 11 pieces	30,00
3513	1	<b>impact socket set</b> Seneca, impact socket set, 3/4" 8 pieces	60,00
3514	1	<b>impact socket set</b> Seneca, impact socket set, 3/4" 8 pieces	40,00
3515	1	<b>impact socket set</b> Seneca, impact socket set, 1" 8 pieces	60,00
3516	1	<b>impact socket set</b> Seneca, impact socket set, 3/4" 8 pieces	60,00
3517	1	<b>impact socket set</b> Seneca, impact socket set, 3/4" 8 pieces	40,00
3518	1	<b>impact socket set</b> Seneca, impact socket set, 1" 8 pieces	55,00
3519	1	<b>impact socket set</b> Seneca, impact socket set, 3/4" 8 pieces	40,00
3520	1	<b>impact socket set</b> Seneca, impact socket set, 1/2" 11 pieces	20,00
3521	1	<b>impact socket set</b> Seneca, impact socket set, 1/2" 11 pieces	20,00
3522	1	<b>Hexagon Impact bit sockets</b> Seneca, Hexagon Impact bit sockets, 1/2" 8 pieces	25,00
3523	1	<b>Hexagon Impact bit sockets</b> Seneca, Hexagon Impact bit sockets, 1/2" 8 pieces	25,00
3524	1	<b>Universal socket set 3/8"</b> Seneca, Universal socket set 3/8", 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	20,00
3525	1	<b>Universal socket set 3/8"</b> Seneca, Universal socket set 3/8", 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	20,00
3526	1	<b>Star Impact bit sockets</b> Seneca, Star Impact bit sockets, t30, t40, t45, t50, t55, t60, t70, t80	25,00
3527	1	<b>Socket wrench set 1/2"</b> Seneca, Socket wrench set 1/2", 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32mm	55,00
3528	1	<b>ribe bit set</b> Seneca, ribe bit set, 23pieces	30,00
3529	1	<b>Deep sockets 3/8"</b> Seneca, Deep sockets 3/8", 8, 9,10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 and 22mm	15,00
3530	1	<b>Impact socket set 1/2"</b> Seneca, Impact socket set 1/2", 10, 11, 12, 13, 14, 15, 17, 19, 21, 22mm	20,00
3531	1	<b>Sockets with teflon protection 1/2"</b> Seneca, Sockets with teflon protection 1/2", 3 pieces, 17, 19, 21mm	10,00
3532	1	<b>Socket wrench set 1/2"</b> Seneca, Socket wrench set 1/2", 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm	40,00
3533	1	<b>Socket wrench set 3/8"</b> Seneca, Socket wrench set 3/8", 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm	45,00



Kavel	Aantal	Omschrijving	Openingsbod €
3534	1	<b>Socket wrench set 1/4"</b> Seneca, Socket wrench set 1/4", 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm	25,00
3535	1	<b>bench vice</b> Seneca, bench vice, 125mm	50,00
3536	1	<b>bench vice</b> Seneca, bench vice, 125mm	50,00
3537	1	<b>bench vice</b> Seneca, bench vice, 200mm	50,00
3538	1	<b>bench vice</b> Seneca, bench vice, 125mm	30,00
3539	1	<b>bench vice</b> Seneca, bench vice, 100mm	20,00
3540	1	<b>bit set</b> Seneca, bit set, 48 pieces	10,00
3541	1	<b>bit set</b> Seneca, bit set, 31 pieces	10,00
3542	1	<b>bit set</b> Seneca, bit set, 31 pieces	10,00
3543	1	<b>Socket wrench set 1/4"&amp;3/8"&amp;1/2"</b> Seneca, Socket wrench set 1/4"&3/8"&1/2", 123 pieces	100,00
3544	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	15,00
3545	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	20,00
3546	1	<b>power bar extra long</b> Seneca, power bar extra long, 1/2"	15,00
3547	1	<b>power bar</b> Seneca, power bar, 1/2" 380mm	5,00
3548	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	20,00
3549	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	15,00
3550	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	20,00
3551	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	20,00
3552	1	<b>Socket wrench set 3/4"</b> Seneca, Socket wrench set 3/4", 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35,36, 38, 41, 46, 50mm	115,00
3553	1	<b>socket set 1/4"</b> Seneca, socket set 1/4"	15,00
3554	1	<b>socket set 3/8"</b> Seneca, socket set 3/8"	25,00
3555	1	<b>Socket wrench set 1/4"&amp;1/2"</b> Seneca, Socket wrench set 1/4"&1/2", 114 pieces	70,00
3556	1	<b>socket set 3/8"</b> Seneca, socket set 3/8"	25,00
3557	1	<b>socket set 3/8"</b> Seneca, socket set 3/8"	30,00
3558	1	<b>socket set 3/8"</b> Seneca, socket set 3/8"	25,00
3559	1	<b>tool set</b> Seneca, tool set	150,00
3560	1	<b>Socket wrench set 1/2"</b> Seneca, Socket wrench set 1/2", 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm	40,00
3561	1	<b>Torque multiplier</b> Seneca, Torque multiplier, 1/2 to 3/4 output 3:1 professional	120,00
3562	1	<b>machine vice</b> machine vice	40,00
3563	1	<b>machine vice</b> machine vice	20,00
3564	1	<b>machine vice</b> machine vice	10,00
3565	1	<b>wooden plate</b> wooden plate, route 66	10,00
3566	1	<b>wooden plate</b> wooden plate, coca cola	10,00
3567	1	<b>wooden plate</b> wooden plate, coca cola	10,00
3568	1	<b>wooden plate</b> wooden plate, route 66	10,00
3569	1	<b>wooden plate</b> wooden plate, route 66	10,00
3570	1	<b>wooden plate</b> wooden plate, route 66	10,00
3571	1	<b>wooden plate</b> wooden plate, route 66	10,00
3572	1	<b>wooden plate</b> wooden plate, coca cola	10,00
3573	1	<b>key locker</b> key locker, harley davidson	10,00
3574	1	<b>wooden plate</b> wooden plate, coca cola	10,00
3575	1	<b>led floodlight</b> Fluxon, led floodlight; 10 watts; 100-240 volt; with sensor; (i2)	10,00
3576	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 270 kg; (hal 3)	135,00
3577	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 890 kg; (hal 3)	450,00
3578	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 120 kg; (hal 3)	60,00
3579	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 200 kg; (hal 3)	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
3580	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 280 kg; (hal 3)	140,00
3581	1	<b>lot steel pipes</b> lot steel pipes; length approx 6 mtr; weight 800 kg; (hal 3)	400,00
3582	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 105 kg; (hal 3)	50,00
3583	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 7 mtr; weight 230 kg; (hal 3)	115,00
3584	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 145 kg; (hal 3)	75,00
3585	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 85 kg; (hal 3)	40,00
3586	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 105 kg; (hal 3)	50,00
3587	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 580 kg; (hal 3)	250,00
3588	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 280 kg; (hal 3)	140,00
3589	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 380 kg; (hal 3)	190,00
3590	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 250 kg; (hal 3)	125,00
3591	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 340 kg; (hal 3)	170,00
3592	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 550 kg; (hal 3)	275,00
3593	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 280 kg; (hal 3)	140,00
3594	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 230 kg; (hal 3)	115,00
3595	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 580 kg; (hal 3)	290,00
3596	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 825 kg; (hal 3)	400,00
3597	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 580 kg; (hal 3)	290,00
3598	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 125 kg; (hal 3)	60,00
3599	1	<b>lot various steel pipes</b> lot various steel pipes; length approx 6 mtr; weight 120 kg; (hal 3)	60,00
		<b>Steel pipes</b>	
3600	2	<b>heavy duty ratchet straps</b> heavy duty ratchet straps; capacity approx. 5000 kg; with hook and eye; (stelling 04)	50,00
3601	2	<b>heavy duty ratchet straps</b> heavy duty ratchet straps; capacity approx. 5000 kg; with hook and eye; (stelling 04)	50,00
3602	2	<b>heavy duty ratchet straps</b> heavy duty ratchet straps; capacity approx. 5000 kg; with hook and eye; (stelling 04)	50,00
3603	2	<b>heavy duty ratchet straps</b> heavy duty ratchet straps; capacity approx. 5000 kg; with hook and eye; (stelling 04)	50,00
3604	2	<b>heavy duty ratchet straps</b> heavy duty ratchet straps; capacity approx. 5000 kg; with hook and eye; (stelling 04)	50,00
3605	4	<b>boxes with lamps</b> Philips, 7672X, boxes with lamps; 100 Watt; (stelling 04)	25,00
3606	9	<b>boxes with insulation tape</b> Elektro, boxes with insulation tape; approx. 160 rolls; (stelling 04)	25,00
3607	1	<b>waterpump with heat exchanger</b> Firepacks/Bowman, KSB-VAS, waterpump with heat exchanger; capacity 235 m3/h; pressure 9.5 bar @ 2300 rpm; (stelling 04)	75,00
3608	1	<b>pallet with elektromotor, gear and various</b> pallet with elektromotor, gear and various; a.o. hydraulic cylinder and flange; (stelling 04)	100,00
3609	3	<b>rolls plastic sheeting</b> Skillcraft, rolls plastic sheeting; 1 roll 16'x100'; cu 0,022 m; (stelling 04)	10,00
3610	3	<b>rolls plastic sheeting</b> Skillcraft, rolls plastic sheeting; 1 roll 16'x100'; cu 0,022 m; (stelling 04)	10,00
3611	3	<b>rolls plastic sheeting</b> Skillcraft, rolls plastic sheeting; 1 roll 16'x100'; cu 0,022 m; (stelling 04)	10,00
3612	3	<b>rolls plastic sheeting</b> Skillcraft, rolls plastic sheeting; 1 roll 16'x100'; cu 0,022 m; (stelling 04)	10,00
3613	1	<b>tie down chain</b> Campbell, tie down chain; 16 mm hook and eye; capacity approx. 5000 kg; (stelling 04)	50,00
3614	1	<b>tie down chain</b> Campbell, tie down chain; 16 mm hook and eye; capacity approx. 5000 kg; (stelling 04)	50,00
3615	2	<b>adapters</b> MTVR, adapters; capacity approx. 4000 kg; pinhole Ø approx. 40 mm; (stelling 04)	25,00
3616	2	<b>adapters</b> HMWWV, adapters; capacity approx. 4000 kg; pinhole Ø approx. 38/18 mm; (stelling 04)	25,00
3617	4	<b>adapters</b> HMWWV, adapters; capacity approx. 4000 kg; pinhole Ø approx. 38/18 mm; (stelling 04)	50,00
3618	1	<b>tie down chain</b> Alloy, T-80, tie down chain; hook and eye; capacity approx. 8000 kg; (stelling 04)	75,00
3619	1	<b>tie down chain</b> Alloy, T-80, tie down chain; hook and eye; capacity approx. 8000 kg; (stelling 04)	75,00
3620	2	<b>fueltanks for generator</b> fueltanks for generator; dimensions approx. 320x440x110 mm; with tapvalve, cap and meter; (stelling 04)	25,00
3621	2	<b>fueltanks for generator</b> fueltanks for generator; dimensions approx. 320x440x110 mm; with tapvalve, cap and meter; (stelling 04)	25,00
3622	2	<b>fueltanks for generator</b> fueltanks for generator; dimensions approx. 320x440x110 mm; with tapvalve, cap and meter; (stelling 04)	25,00
3623	2	<b>fueltanks for generator</b> fueltanks for generator; dimensions approx. 320x440x110 mm; with tapvalve, cap and meter; (stelling 04)	25,00
3624	9	<b>fueltanks for generator</b> fueltanks for generator; dimensions approx. 230x110x100 mm; with tapvalve and cap; (stelling 04)	25,00
3625	1	<b>heavy duty towing set</b> MTVR, heavy duty towing set; consisting of: towing bar; 2 chains; 2 intervehicular pneumatic connection hoses; electric connection cable; (stelling 04)	150,00



Kavel	Aantal	Omschrijving	Openingsbod €
3626	1	<b>diesel burner stove</b> diesel burner stove; dimensions approx. 470x570x250 mm; (stelling 04)	10,00
3627	1	<b>diesel burner stove</b> Teleflex, MBU, diesel burner stove; dimensions approx. 480x570x250 mm; (stelling 04)	10,00
3628	1	<b>diesel burner stove</b> Teleflex, MBU, diesel burner stove; dimensions approx. 480x570x250 mm; (stelling 04)	10,00
3629	1	<b>forklift chair</b> forklift chair; with seatsensor; adjustable back; fit on every forklift; (stelling 04)	75,00
3630	1	<b>forklift chair</b> forklift chair; with seatsensor; adjustable back; fit on every forklift; (stelling 04)	75,00
3631	1	<b>forklift chair</b> forklift chair; with weightadjustment; seatsensor; adjustable back; fit on every forklift; (stelling 04)	100,00
3632	1	<b>box with firefighting equipment</b> box with firefighting equipment; a.o. 3 sprayguns; splitvalves; 3 hoses and various; (stelling 04)	100,00
3633	1	<b>mobile waterpump with electric motor</b> mobile waterpump with electric motor; with waterhose; build on mobile 4-wheel platform; 380 Volt; (stelling 04)	100,00
3634	1	<b>outboard boat engine</b> Yamabisi, F5BM, serienummer 0614091108, outboard boat engine; nominal power 3,6 kW; 4-stroke gasoline engine; with toolkit and various replacement gaskets; (stelling 04)	150,00
3635	1	<b>outboard boat engine</b> Yamabisi, F15BM(S), serienummer 1216081367, outboard boat engine; nominal power 11 kW; 4-stroke gasoline engine; (stelling 04)	250,00
3636	1	<b>crate with rubber hoses</b> crate with rubber hoses; Ø approx. 150 mm; length approx. 1000 mm; (stelling 04)	10,00
3637	1	<b>waterpump with electric motor</b> waterpump with electric motor; inlet Ø approx. 80 mm; outlet Ø approx. 65 mm; 380 Volt; (stelling 04)	50,00
3638	2	<b>metal steel pipes;</b> metal steel pipes; (stelling 04)	25,00
3639	1	<b>electric winch</b> electric winch; cap. 2000/6000 pounds; 12 volt; (stelling 04)	25,00
3640	1	<b>vehicular seat</b> vehicular seat; (stelling 04)	25,00
3641	1	<b>industrial cleaning unit</b> Karcher, sb hdw 1.981-125.0 hds 600 c, bouwjaar 1996, industrial cleaning unit; 11,2 ltr/min; 4,5 kW; 230 volt; (stelling 04)	50,00
3642	1	<b>stainless steel fire trainer bin</b> Haagen, stainless steel fire trainer bin; (stelling 04)	50,00
3643	1	<b>lift chain</b> lift chain; (stelling 04)	10,00
3644	1	<b>lift chain</b> lift chain; (stelling 04)	10,00
3645	1	<b>lift chain</b> lift chain; (stelling 04)	10,00
3646	1	<b>lift chain</b> lift chain; (stelling 04)	10,00
3647	6	<b>electro motors</b> electro motors; (stelling 04)	60,00
3648	1	<b>lot with strips</b> lot with strips; (stelling 04)	10,00
3649	1	<b>engine support</b> engine support; cap. 0,5 ton; (stelling 04)	60,00
3650	1	<b>lot with wheels</b> lot with wheels; excl. bin; ;stelling 04)	50,00
3651	1	<b>tow bar</b> tow bar; in wooden case; (stelling 04)	50,00
3652	4	<b>axis parts</b> axis parts; (stelling 04)	40,00
3653	1	<b>battery charger</b> SoldaTech, bc630a, battery charger; 12/24 volt; 230 volt; (stelling 04)	50,00
3654	1	<b>generator power cabinet</b> Piller, generator power cabinet; (stelling 04)	50,00
3655	1	<b>steel storage bin</b> steel storage bin; (stelling 04)	10,00
3656	1	<b>fuel counter</b> Tuthill, fuel counter; (stelling 04)	50,00
3657	1	<b>portable generator</b> Draper, pg 3500r, portable generator; (stelling 04)	50,00
3658	1	<b>portable generator</b> Stephill, portable generator; 2,7 kVA; (stelling 04)	50,00
3659	1	<b>portable generator</b> Stephill, portable generator; 2,7 kVA; (stelling 04)	50,00
3660	1	<b>portable generator</b> Europower, portable generator; (stelling 04)	50,00
3661	1	<b>portable generator</b> Stephill, 3400 hm, portable generator; (stelling 04)	50,00
3662	1	<b>steel cable winch</b> Nn, steel cable winch; cap. 13000 lb; (stelling 04)	50,00
3663	1	<b>steel cable winch</b> Nn, steel cable winch; (stelling 04)	50,00
3664	25	<b>joint shafts</b> Nn, joint shafts; (stelling 04)	50,00
3665	3	<b>power units</b> Bosch, power units; (stelling 04)	10,00
3666	1	<b>electric flow valve</b> El-o-matic, electric flow valve; (stelling 04)	50,00
3667	1	<b>siren</b> siren; (stelling 04)	10,00
3668	1	<b>dust filter</b> MB, exhaust for Mercedes-Benz truck type 1017	10,00
3669	1	<b>dust filter</b> MB, exhaust for Mercedes-Benz truck type 1017	10,00
3670	1	<b>dust filter</b> MB, exhaust for Mercedes-Benz truck type 1017	10,00
3671	1	<b>dust filter</b> MB, exhaust for Mercedes-Benz truck type 1017	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3672	3	<b>exhaust for Faun truck</b> exhaust for Faun truck; (stelling 04)	10,00
3673	1	<b>mini mist machine</b> Le Maitre, mini mist machine; (stelling 04)	10,00
3674	1	<b>lot with various filters</b> lot with various filters; (stelling 04)	10,00
3675	1	<b>lot with various shaft parts</b> lot with various shaft parts; (stelling 04)	10,00
3676	1	<b>roller</b> Horton, roller; (stelling 04)	10,00
3677	3	<b>manual valves</b> manual valves; (stelling 04)	10,00
3678	2	<b>mini liqued tanks</b> mini liqued tanks; (stelling 04)	10,00
3679	6	<b>various pneumatic actuators</b> Norbro, various pneumatic actuators; (stelling 04)	60,00
3680	6	<b>various pneumatic actuators</b> Norbro, various pneumatic actuators; (stelling 04)	60,00
3681	1	<b>lot pipes</b> lot pipes; etc; (stelling 04)	10,00
3682	1	<b>lot valve parts</b> lot valve parts; etc; (stelling 04)	10,00
3683	4	<b>brake shoes</b> brake shoes; (stelling 04)	10,00
3684	1	<b>stainless steel filter</b> Pall, stainless steel filter; (stelling 04)	10,00
3685	1	<b>lot high pressure hoses</b> lot high pressure hoses; (stelling 04)	10,00
3686	2	<b>join shafts</b> join shafts; (stelling 04)	10,00
3687	1	<b>box steel tent pins</b> box steel tent pins; (stelling 04)	10,00
3688	7	<b>lights</b> Hella, lights; (stelling 04)	10,00
3689	4	<b>sensor cables</b> sensor cables; (stelling 04)	10,00
3690	1	<b>lot various electric parts</b> lot various electric parts; (stelling 04)	10,00
3691	1	<b>lot clamps</b> lot clamps; (stelling 04)	10,00
3692	1	<b>lot steel pins</b> lot steel pins; (stelling 04)	10,00
3693	1	<b>lot various faun parts</b> lot various faun parts; (stelling 04)	10,00
3694	1	<b>lot various couplings</b> lot various couplings; for faun; (stelling 04)	10,00
3695	1	<b>lot various faun parts</b> lot various faun parts; (stelling 04)	10,00
3696	3	<b>hoses</b> hoses; (stelling 04)	10,00
3697	1	<b>lot faun parts</b> lot faun parts; (stelling 04)	10,00
3698	8	<b>cilinders</b> cilinders; (stelling 04)	10,00
3699	4	<b>sufrusters for faun</b> sufrusters for faun; (stelling 04)	10,00
3700	1	<b>lot clamps</b> lot clamps; (stelling 04)	10,00
3701	1	<b>lot various blue lights</b> lot various blue lights; (stelling 04)	10,00
3702	1	<b>radio</b> FSC, pa 300, radio; (stelling 04)	10,00
3703	1	<b>manual valve</b> manual valve; (stelling 04)	10,00
3704	2	<b>4-way manual valves</b> 4-way manual valves; (stelling 04)	50,00
3705	2	<b>feelers</b> Kubler, feelers; (stelling 04)	10,00
3706	4	<b>air filters</b> air filters; (stelling 04)	10,00
3707	1	<b>box runway lamps</b> box runway lamps; (stelling 04)	10,00
3708	1	<b>vehicular cover</b> vehicular cover; (stelling 04)	10,00
3709	1	<b>set extention forks</b> set extention forks; dim. 180x12 cm; (stelling voor)	100,00
3710	1	<b>set extention forks</b> set extention forks; dim. 180x12 cm; (stelling voor)	100,00
3711	1	<b>set extention forks</b> set extention forks; dim. 180x18,5 cm; (stelling voor)	100,00
3712	1	<b>set extention forks</b> set extention forks; dim. 180x18,5 cm; (stelling voor)	100,00
3713	1	<b>set extention forks</b> set extention forks; dim. 240x16 cm; (stelling voor)	100,00
3714	1	<b>steel ramp</b> Torso, steel ramp; max load 680 kg; length 274 cm; (stelling voor)	60,00
3715	3	<b>aluminium drive on ramp</b> Torso, aluminium drive on ramp; max load 340 kg; length 226 cm; (stelling voor)	60,00
3716	1	<b>aluminium drive on ramp</b> Torso, aluminium drive on ramp; max load 680 kg; length 175 cm; (stelling voor)	60,00
3717	1	<b>aluminium drive on ramp</b> Torso, aluminium drive on ramp; max load 270 kg; length 122 cm; (stelling voor)	60,00



Kavel	Aantal	Omschrijving	Openingsbod €
3718	1	<b>aluminium drive on ramp</b> Torso, aluminium drive on ramp; max load 270 kg; length 186 cm; (stelling voor)	60,00
3719	1	<b>set aluminium drive on ramp</b> Torso, set aluminium drive on ramp; max load 1400 kg; length 233 cm; (stelling voor)	100,00
3720	1	<b>set aluminium drive on ramp</b> Torso, set aluminium drive on ramp; max load 1400 kg; length 323 cm; (stelling voor)	150,00
3721	1	<b>set aluminium drive on ramp</b> Torso, set aluminium drive on ramp; max load 1400 kg; length 395 cm; (stelling voor)	150,00
3722	1	<b>aluminium folding drive on ramp</b> Torso, aluminium folding drive on ramp; max load 270 kg; length 199 cm; (stelling voor)	50,00
3723	1	<b>aluminium folding drive on ramp</b> Torso, aluminium folding drive on ramp; max load 270 kg; length 199 cm; (stelling voor)	50,00
3724	30	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3725	30	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3726	30	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3727	30	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3728	30	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3729	17	<b>box with aluminium beams</b> box with aluminium beams; length 150 cm; (stelling voor)	30,00
3730	4	<b>heavy cylinders</b> heavy cylinders; (stelling voor)	30,00
3731	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 500 kg; chain 10 mtr; (stelling voor)	20,00
3732	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 1500 kg; chain 10 mtr; (stelling voor)	20,00
3733	1	<b>manual pulling chain hoist</b> Mennens, manual pulling chain hoist; cap. 1500 kg; (stelling voor)	20,00
3734	1	<b>rol fuel hose</b> Goodyear, rol fuel hose; (stelling voor)	20,00
3735	1	<b>electric boot winch</b> Vetrus, electric boot winch; (stelling voor)	20,00
3736	2	<b>electric light switches</b> electric light switches; 115 volt; (stelling voor)	20,00
3737	2	<b>filter valves</b> filter valves; (stelling voor)	20,00
3738	1	<b>control cabinet</b> control cabinet; (stelling voor)	20,00
3739	1	<b>antenne power unit</b> Rohde & Schwarz, st 840, antenne power unit; (stelling voor)	25,00
3740	1	<b>antenne power unit</b> Rohde & Schwarz, st 840, antenne power unit; (stelling voor)	25,00
3741	1	<b>antenne power unit</b> Rohde & Schwarz, st 840, antenne power unit; (stelling voor)	25,00
3742	1	<b>walk through metal detector</b> Detro, esv 150 s, bouwjaar 1990, walk through metal detector; (stelling voor)	25,00
3743	1	<b>water hose</b> water hose; (stelling voor)	25,00
3744	1	<b>welding hose</b> welding hose; (stelling voor)	25,00
3745	1	<b>welding hose</b> welding hose; (stelling voor)	25,00
3746	5	<b>steel fuel cans</b> bouwjaar 1945, steel fuel cans; (stelling voor)	25,00
3747	5	<b>steel fuel cans</b> bouwjaar 1945, steel fuel cans; (stelling voor)	25,00
3748	19	<b>boxes with ve rings</b> boxes with ve rings; (stelling voor)	10,00
3749	36	<b>boxes with under rings</b> boxes with under rings; (stelling voor)	10,00
3750	28	<b>boxes with pins</b> boxes with pins; (stelling voor)	10,00
3751	20	<b>boxes with ve rings</b> boxes with ve rings; (stelling voor)	10,00
3752	20	<b>boxes with under rings</b> boxes with under rings; (stelling voor)	10,00
3753	20	<b>boxes with nut</b> boxes with nut; (stelling voor)	10,00
3754	20	<b>boxes with machine bolts</b> boxes with machine bolts; (stelling voor)	10,00
3755	22	<b>boxes with under rings</b> boxes with under rings; (stelling voor)	10,00
3756	20	<b>boxes with under rings</b> boxes with under rings; (stelling voor)	10,00
3757	17	<b>boxes with pins</b> boxes with pins; (stelling voor)	10,00
3758	55	<b>boxes with pins</b> boxes with pins; (stelling voor)	10,00
3759	13	<b>boxes with lock rings</b> boxes with lock rings; (stelling voor)	10,00
3760	16	<b>boxes with pins</b> boxes with pins; (stelling voor)	10,00
3761	25	<b>boxes with pins</b> boxes with pins; (stelling voor)	10,00
3762	1	<b>manual chain hoist</b> Morris, manual chain hoist; cap. 5 ton; (stelling voor)	20,00
3763	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 3 ton; (stelling voor)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
3764	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 3 ton; (stelling voor)	20,00
3765	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 3 ton; (stelling voor)	20,00
3766	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 3 ton; (stelling voor)	20,00
3767	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1/2 ton; chain 3 mtr; (stelling voor)	20,00
3768	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 3 mtr; (stelling voor)	20,00
3769	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 6 mtr; (stelling voor)	20,00
3770	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 3 ton; chain 3 mtr; (stelling voor)	20,00
3771	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1,5 ton; chain 3 mtr; (stelling voor)	20,00
3772	1	<b>manual pulling chain hoist</b> Vital, manual pulling chain hoist; cap. 1,5 ton; (stelling voor)	20,00
3773	1	<b>manual chain hoist</b> manual chain hoist; cap. 2 ton; (stelling voor)	20,00
3774	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 2 ton; (stelling voor)	20,00
3775	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 7 mtr; (stelling voor)	20,00
3776	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1,5 ton; chain 3 mtr; (stelling voor)	20,00
3777	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1,5 ton; chain 3 mtr; (stelling voor)	20,00
3778	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 2 ton; chain 10 mtr; (stelling voor)	20,00
3779	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 3 mtr; (stelling voor)	20,00
3780	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 3 mtr; (stelling voor)	20,00
3781	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1 ton; chain 3 mtr; (stelling voor)	20,00
3782	1	<b>manual chain hoist</b> Vital, manual chain hoist; cap. 1,5 ton; chain 3 mtr; (stelling voor)	20,00
3783	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 3 ton; chain 3 mtr; (stelling voor)	20,00
3784	1	<b>manual chain hoist</b> Mennens, manual chain hoist; cap. 2 ton; chain 6 mtr; (stelling voor)	20,00
3785	2	<b>various drill machines</b> various drill machines; (stelling voor)	10,00
3786	1	<b>top milling machine</b> DeWalt, top milling machine; (stelling voor)	10,00
3787	1	<b>hydraulic cilinder</b> hydraulic cilinder; 2500 psi; (stelling voor)	10,00
3788	7	<b>cilinder parts</b> cilinder parts; (stelling voor)	10,00
3789	7	<b>cilinder parts</b> cilinder parts; (stelling voor)	10,00
3790	1	<b>24 volt cooler</b> 24 volt cooler; (stelling voor)	10,00
3791	1	<b>hydraulic cilinder</b> hydraulic cilinder; (stelling voor)	10,00
3792	7	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3793	6	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3794	5	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3795	6	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3796	6	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3797	6	<b>various hydraulic cilinder</b> various hydraulic cilinder; (stelling voor)	10,00
3798	1	<b>special control box</b> ZF, special control box; (stelling voor)	15,00
3799	1	<b>special control box</b> ZF, special control box; (stelling voor)	15,00
3800	1	<b>special control box</b> ZF, special control box; (stelling voor)	15,00
3801	30	<b>boxes with rings</b> boxes with rings; (stelling voor)	15,00
3802	16	<b>boxes with bolts</b> boxes with bolts; (stelling voor)	15,00
3803	8	<b>boxes with clips</b> boxes with clips; (stelling voor)	15,00
3804	16	<b>boxes with under rings</b> boxes with under rings; (stelling voor)	15,00
3805	3	<b>manual air pumps</b> manual air pumps; (stelling voor)	15,00
3806	1	<b>lot with shell earphones</b> lot with shell earphones; (stelling voor)	15,00
3807	1	<b>lot with rubber seal</b> lot with rubber seal; (stelling voor)	15,00
3808	5	<b>boxes with lamps</b> boxes with lamps; (stelling voor)	15,00
3809	1	<b>bag with connectors</b> bag with connectors; (stelling voor)	15,00



Kavel	Aantal	Omschrijving	Openingsbod €
3810	1	<b>lot with U-bolts</b> lot with U-bolts; (stelling voor)	15,00
3811	1	<b>lot with U-bolts</b> lot with U-bolts; (stelling voor)	15,00
3812	1	<b>lot with U-bolts</b> lot with U-bolts; (stelling voor)	15,00
3813	1	<b>cool fan</b> cool fan; (stelling voor)	15,00
3814	1	<b>lot with multiclamps</b> lot with multiclamps; (stelling voor)	15,00
3815	1	<b>lot with lift eyes</b> lot with lift eyes; (stelling voor)	15,00
3816	1	<b>fuel hoses in bin</b> fuel hoses in bin; (stelling voor)	15,00
3817	7	<b>military ammo cases</b> military ammo cases; (stelling voor)	15,00
3818	23	<b>military ammo cases</b> military ammo cases; (stelling voor)	15,00
3819	3	<b>dc power supplys</b> dc power supplys; 10-14 amps; (stelling voor)	15,00
3820	2	<b>automotive sets</b> automotive sets; (stelling voor)	15,00
3821	2	<b>automotive sets</b> automotive sets; (stelling voor)	15,00
3822	6	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3823	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3824	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3825	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3826	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3827	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3828	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3829	9	<b>electric drive motors</b> Sew, electric drive motors; (stelling voor)	15,00
3830	9	<b>electric drive motors</b> Sew, electric drive motors; (stelling voor)	15,00
3831	1	<b>electric drive motor</b> L&S, electric drive motor; 2300 rpm; (stelling voor)	25,00
3832	1	<b>electric drive motor</b> L&S, electric drive motor; 2300 rpm; (stelling voor)	25,00
3833	1	<b>electric drive motor</b> IP, electric drive motor; 5,5 kW; 1450 rpm; (stelling voor)	25,00
3834	1	<b>electric drive motor</b> Dutchi motors, electric drive motor; 4 kW; 1450 rpm; (stelling voor)	25,00
3835	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3836	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3837	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3838	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3839	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3840	8	<b>lift eyes</b> lift eyes; (stelling voor)	15,00
3841	6	<b>steel cases</b> steel cases; (stelling voor)	15,00
3842	10	<b>steel cases</b> steel cases; (stelling voor)	15,00
3843	10	<b>steel cases</b> steel cases; (stelling voor)	15,00
3844	1	<b>lot soldering wire</b> lot soldering wire; (stelling voor)	15,00
3845	2	<b>boxes with 2 pressure bottles</b> boxes with 2 pressure bottles; (stelling voor)	15,00
3846	2	<b>boxes with 2 pressure bottles</b> boxes with 2 pressure bottles; (stelling voor)	15,00
3847	2	<b>boxes with 2 pressure bottles</b> boxes with 2 pressure bottles; (stelling voor)	15,00
3848	1	<b>lamp</b> lamp; (stelling voor)	10,00
3849	1	<b>lot with fuel pump kit</b> lot with fuel pump kit; (stelling voor)	10,00
3850	3	<b>wooden boot paddles</b> wooden boot paddles; (stelling voor)	10,00
3851	13	<b>turning sufrusters</b> turning sufrusters; (stelling voor)	30,00
3852	15	<b>various roller chain</b> various roller chain; (stelling voor)	30,00
3853	5	<b>special bearings</b> special bearings; (stelling voor)	30,00
3854	13	<b>connecting bolts</b> connecting bolts; (stelling voor)	30,00
3855	10	<b>fuel filters</b> fuel filters; (stelling voor)	30,00





Kavel	Aantal	Omschrijving	Openingsbod €
3856	4	<b>various seperators</b> various seperators; (stelling voor)	30,00
3857	1	<b>lot prisma units</b> lot prisma units; (stelling voor)	30,00
3858	1	<b>lot lift eyes</b> lot lift eyes; (stelling voor)	30,00
3859	1	<b>heavy liquid transfer pump</b> Lpp, heavy liquid transfer pump; (stelling voor)	50,00
3860	1	<b>gasoline blower</b> Stihl, br 600, gasoline blower; (stelling voor)	50,00
3861	1	<b>heater part</b> Stewart, heater part; (stelling voor)	50,00
3862	1	<b>heater part</b> Stewart, heater part; (stelling voor)	50,00
3863	1	<b>heater part</b> Stewart, heater part; (stelling voor)	50,00
3864	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3865	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3866	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3867	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3868	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3869	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3870	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3871	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3872	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3873	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3874	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3875	1	<b>plastic wheel barrow</b> plastic wheel barrow; (l/k1/2)	15,00
3876	1	<b>heavy fan</b> CBI, chb 20, bouwjaar 2007, heavy fan; 2940 rpm; 22 kW; 380/660 volt; (k1)	50,00
3877	1	<b>air compressor</b> air compressor; 380 volt; (k1)	50,00
3878	1	<b>cool fan</b> Hydac, chb 20, bouwjaar 2008, cool fan; 1450 rpm; 3 kW; 220/380 volt; (k1)	50,00
3879	1	<b>cool fan</b> Hydac, chb 20, bouwjaar 2008, cool fan; 1400 rpm; 1,1 kW; 220/380 volt; (k1)	50,00
3880	1	<b>cool fan</b> Hydac, chb 20, bouwjaar 2008, cool fan; 1400 rpm; 1,1 kW; 220/380 volt; (k1)	50,00
3881	1	<b>aluminium stepladder</b> Werner, aluminium stepladder; dim. 2,44 mtr; (aa)	25,00
3882	1	<b>aluminium stepladder</b> Werner, aluminium stepladder; dim. 2,44 mtr; (aa)	25,00
3883	1	<b>aluminium stepladder</b> Werner, aluminium stepladder; dim. 2,44 mtr; (aa)	25,00
3884	1	<b>aluminium stepladder</b> Werner, aluminium stepladder; dim. 2,44 mtr; (aa)	25,00
3885	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3886	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3887	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3888	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3889	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3890	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3891	9	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3892	18	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3893	18	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3894	18	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3895	18	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3896	18	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3897	6	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3898	6	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3899	6	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3900	6	<b>military ammo cases</b> military ammo cases; (aa)	45,00
3901	6	<b>military ammo cases</b> military ammo cases; (aa)	45,00



Kavel	Aantal	Omschrijving	Openingsbod €
3902	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3903	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3904	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3905	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3906	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3907	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3908	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3909	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3910	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3911	12	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3912	25	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3913	16	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3914	16	<b>military ammo cases</b> military ammo cases; (bb)	45,00
3915	5	<b>foot pumps</b> foot pumps; with hoses; (bb)	10,00
3916	5	<b>various gauges</b> various gauges; (bb)	10,00
3917	1	<b>lot with grades</b> lot with grades; (cc)	10,00
3918	1	<b>lot with optics</b> lot with optics; (cc)	10,00
3919	1	<b>lot with universal parts</b> lot with universal parts; (cc)	10,00
3920	2	<b>switches</b> switches; (cc)	10,00
3921	2	<b>switches</b> switches; (cc)	10,00
3922	1	<b>lot with grades</b> lot with grades; (cc)	10,00
3923	1	<b>lot with gauge parts</b> lot with gauge parts; (cc)	10,00
3924	1	<b>lot with various clamps</b> lot with various clamps; (cc)	10,00
3925	1	<b>lot with pump parts</b> lot with pump parts; (cc)	10,00
3926	1	<b>lot with spring bell</b> lot with spring bell; (cc)	10,00
3927	1	<b>lot with vehicular parts</b> lot with vehicular parts; (cc)	10,00
3928	1	<b>turbocharger</b> turbocharger; (cc)	10,00
3929	4	<b>seats</b> seats; (cc)	10,00
3930	7	<b>cat rolls</b> cat rolls; (cc)	10,00
3931	3	<b>boxes with adapters</b> boxes with adapters; (cc)	10,00
3932	9	<b>electro drive motors</b> Sew, electro drive motors; (cc)	90,00
3933	7	<b>electro drive motors</b> Sew, electro drive motors; (cc)	70,00
3934	12	<b>vehicular filters</b> Sew, vehicular filters; (dd)	70,00
3935	2	<b>steel cases</b> steel cases; (dd)	10,00
3936	2	<b>steel cases</b> steel cases; (dd)	10,00
3937	2	<b>steel cases</b> steel cases; (dd)	10,00
3938	2	<b>steel cases</b> steel cases; (dd)	10,00
3939	2	<b>steel cases</b> steel cases; (dd)	10,00
3940	1	<b>lot with solid sheets</b> lot with solid sheets; (dd)	10,00
3941	1	<b>lot with plastic black sheets</b> lot with plastic black sheets; (dd)	10,00
3942	1	<b>pneumatic breaker</b> pneumatic breaker; (dd)	10,00
3943	1	<b>pneumatic breaker</b> pneumatic breaker; (dd)	10,00
3944	1	<b>pneumatic breaker</b> pneumatic breaker; (dd)	10,00
3945	1	<b>pneumatic breaker</b> pneumatic breaker; (dd)	10,00
3946	1	<b>pneumatic breaker</b> pneumatic breaker; (dd)	10,00
3947	1	<b>pneumatic breaker</b> pneumatic breaker; (ee)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
3948	1	<b>pneumatic breaker</b> pneumatic breaker; (ee)	10,00
3949	1	<b>pneumatic breaker</b> pneumatic breaker; (ee)	10,00
3950	1	<b>pneumatic breaker</b> pneumatic breaker; (ee)	10,00
3951	1	<b>lot with rings</b> lot with rings; (ee)	10,00
3952	1	<b>steel vehicular bin</b> steel vehicular bin; (ee)	10,00
3953	1	<b>lot with screens</b> lot with screens; (ee)	10,00
3954	1	<b>lot with ropes</b> lot with ropes; (ee)	10,00
3955	1	<b>lot with vehicular parts</b> lot with vehicular parts; (ee)	10,00
3956	1	<b>lot with burner valves</b> lot with burner valves; (ee)	10,00
3957	1	<b>lot with parts</b> lot with parts; (ee)	10,00
3958	1	<b>lot with fan parts</b> lot with fan parts; (ee)	10,00
3959	7	<b>clamps</b> clamps; (ee)	10,00
3960	7	<b>clamps</b> clamps; (ee)	10,00
3961	15	<b>pressure gauge</b> pressure gauge; (ee)	10,00
3962	1	<b>joystick</b> joystick; (ee)	10,00
3963	1	<b>lot with Cat parts</b> lot with Cat parts; (ee)	10,00
3964	12	<b>heavy lift eyes</b> heavy lift eyes; (ee)	10,00
3965	11	<b>heavy lift eyes</b> heavy lift eyes; (ee)	10,00
3966	3	<b>steel vehicular cases</b> steel vehicular cases; (ee)	10,00
3967	3	<b>steel vehicular cases</b> steel vehicular cases; (ee)	10,00
3968	5	<b>carry cases</b> carry cases; (ff)	10,00
3969	5	<b>carry cases</b> carry cases; (ff)	10,00
3970	5	<b>carry cases</b> carry cases; (ff)	10,00
3971	5	<b>carry cases</b> carry cases; (ff)	10,00
3972	5	<b>carry cases</b> carry cases; (ff)	10,00
3973	11	<b>cases with okular optics</b> cases with okular optics; (ff)	10,00
3974	1	<b>small vehicular tank</b> small vehicular tank; (ff)	10,00
3975	1	<b>vehicular power unit</b> vehicular power unit; (ff)	10,00
3976	1	<b>box with safety valves</b> box with safety valves; (ff)	10,00
3977	1	<b>machine part</b> Weidemann, machine part; (ff)	10,00
3978	5	<b>electric engine starters</b> Cat, electric engine starters; (ff)	50,00
3979	6	<b>electric engine starters</b> Cat, electric engine starters; 24 volt; (ff)	50,00
3980	3	<b>various electric engine starters</b> various electric engine starters; (ff)	50,00
3981	5	<b>various electric engine starters</b> various electric engine starters; (ff)	50,00
3982	2	<b>various electric generator parts</b> various electric generator parts; (ff)	50,00
3983	2	<b>plastic open bins</b> plastic open bins; (ff)	10,00
3984	1	<b>plastic water can</b> plastic water can; volume 20 ltr; (ff)	10,00
3985	4	<b>plastic fuel cans</b> plastic fuel cans; volume 20 ltr; (ff)	20,00
3986	4	<b>plastic water cans</b> plastic water cans; volume 20 ltr; (ff)	20,00
3987	4	<b>plastic water cans</b> plastic water cans; volume 20 ltr; (ff)	20,00
3988	4	<b>plastic water cans</b> plastic water cans; volume 20 ltr; (ff)	20,00
3989	4	<b>plastic water cans</b> plastic water cans; volume 20 ltr; (ff)	20,00
3990	12	<b>laptop bags</b> Thinkpad, laptop bags; (gg)	20,00
3991	10	<b>cilinder parts</b> Axletech, cilinder parts; (gg)	20,00
3992	10	<b>cilinder parts</b> Axletech, cilinder parts; (gg)	20,00
3993	6	<b>steel crow bars</b> steel crow bars; (gg)	20,00



Kavel	Aantal	Omschrijving	Openingsbod €
3994	1	<b>lot with hammers</b> lot with hammers; (gg)	20,00
3995	2	<b>socket wrenches</b> socket wrenches; (gg)	20,00
3996	21	<b>socket wrenches</b> socket wrenches; (gg)	50,00
3997	1	<b>steering gear</b> steering gear; in wooden case; (gg)	50,00
3998	1	<b>steering gear</b> steering gear; in wooden case; (gg)	50,00
3999	1	<b>hose</b> hose; (gg)	20,00
4000	1	<b>water hose</b> Aspira, water hose; (gg)	20,00
4001	1	<b>traffic light</b> traffic light; (gg)	20,00
4002	1	<b>front wheel part kit</b> front wheel part kit; (gg)	20,00
4003	1	<b>trailer support wheel</b> trailer support wheel; (gg)	20,00
4004	10	<b>file</b> file; (hh)	20,00
4005	10	<b>file</b> file; (hh)	20,00
4006	10	<b>file</b> file; (hh)	20,00
4007	10	<b>file</b> file; (hh)	20,00
4008	10	<b>file</b> file; (hh)	20,00
4009	10	<b>file</b> file; (hh)	20,00
4010	10	<b>file</b> file; (hh)	20,00
4011	10	<b>file</b> file; (hh)	20,00
4012	10	<b>file</b> file; (hh)	20,00
4013	10	<b>file</b> file; (hh)	20,00
4014	10	<b>file</b> file; (hh)	20,00
4015	10	<b>file</b> file; (hh)	20,00
4016	10	<b>file</b> file; (hh)	20,00
4017	1	<b>box special kose clamps</b> box special kose clamps; (hh)	20,00
4018	1	<b>box special kose clamps</b> box special kose clamps; (hh)	20,00
4019	1	<b>lot with aluminium boot hooks</b> lot with aluminium boot hooks; (hh)	20,00
4020	2	<b>ventilators</b> Bund, aelv 08/180/2, ventilators; (hh)	20,00
4021	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4022	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4023	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4024	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4025	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4026	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4027	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4028	4	<b>steel shock blocks</b> steel shock blocks; (hh)	20,00
4029	1	<b>water hose</b> Aspira, water hose; (hh)	20,00
4030	3	<b>empty steel tool cases</b> empty steel tool cases; (hh)	20,00
4031	1	<b>big lot with straight headed pins</b> big lot with straight headed pins; (ii)	20,00
4032	1	<b>ceiling fan</b> Hunter, ceiling fan; (ii)	20,00
4033	1	<b>tool bag</b> tool bag; (ii)	10,00
4034	1	<b>tool bag</b> tool bag; (ii)	10,00
4035	2	<b>hammers</b> hammers; (ii)	10,00
4036	2	<b>flash lights</b> flash lights; (ii)	10,00
4037	5	<b>filling pipes</b> filling pipes; (ii)	10,00
4038	3	<b>eye douches</b> eye douches; (ii)	10,00
4039	1	<b>lot wrenches</b> lot wrenches; (ii)	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
4040	3	<b>special lamps</b> special lamps; (ii)	10,00
4041	3	<b>special lamps</b> special lamps; (ii)	10,00
4042	1	<b>mobile power drill</b> Hilti, DD-80E, mobile power drill; with mobile stand; vacuüm pump; type tf5/h; (ii)	100,00
4043	4	<b>various cooking/grill pans</b> Bloomfield, various cooking/grill pans; (ii)	10,00
4044	1	<b>heavy gasoline multi purpose saw</b> Homelite, xl-88, heavy gasoline multi purpose saw; (jj)	75,00
4045	1	<b>circular sawmachine</b> Elu, tgs 172, bouwjaar 1984, circular sawmachine; saw blade cap. max 250 mm; 220 volt; without saw blade; (jj)	75,00
4046	7	<b>boxes medical wast bags</b> boxes medical wast bags; (jj)	20,00
4047	1	<b>mobile battery charger starter</b> SoldaTech, bc630 a, mobile battery charger starter; 12/24 volt; 2-12kW; 230 volt; (jj)	75,00
4048	1	<b>storage shipping case</b> storage shipping case; (jj)	25,00
4049	1	<b>storage shipping case</b> storage shipping case; (jj)	25,00
4050	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4051	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4052	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4053	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4054	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4055	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4056	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4057	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4058	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4059	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4060	1	<b>mobile 2-doors tool cabinet</b> Vp, tgbl-4sp, mobile 2-doors tool cabinet; inside carton box; (i4)	20,00
4061	1	<b>set forklift forks</b> set forklift forks; dim. 1200x100 mm; fem2a; (I3)	50,00
4062	1	<b>set forklift forks</b> MSI Forks, set forklift forks; dim. 1400x125 mm; fem2a; (I3)	50,00
4063	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1800x125 mm; fem3a; (I3)	50,00
4064	1	<b>set forklift forks</b> set forklift forks; dim. 1300x130 mm; fem3a; (I3)	50,00
4065	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1100x125 mm; fem3a; (I3)	50,00
4066	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1100x100 mm; fem2a; (I3)	50,00
4067	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1200x100 mm; fem2a; (I3)	50,00
4068	1	<b>set forklift forks</b> set forklift forks; dim. 1100x100 mm; fem2a; (I3)	50,00
4069	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1200x100 mm; fem2a; (I3)	50,00
4070	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1000x100 mm; fem2a; (I3)	50,00
4071	1	<b>set forklift forks</b> Cascade, set forklift forks; dim. 800x100 mm; fem2a; (I3)	50,00
4072	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1200x100 mm; fem2a; (I3)	50,00
4073	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1200x120 mm; fem2b; (I3)	50,00
4074	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1200x120 mm; fem2b; (I3)	50,00
4075	1	<b>set forklift forks</b> Falkenroth, set forklift forks; dim. 1200x120 mm; fem2b; (I3)	50,00
4076	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 800x100 mm; fem2b; (I3)	50,00
4077	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
4078	1	<b>set forklift forks</b> set forklift forks; dim. 1000x100 mm; fem2a; (I3)	50,00
4079	1	<b>set forklift forks</b> set forklift forks; dim. 900x120 mm; fem2b; (I3)	50,00
4080	1	<b>set forklift forks</b> Vetter, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
4081	1	<b>set forklift forks</b> Kenhar, set forklift forks; dim. 1000x100 mm; fem2b; (I3)	50,00
4082	1	<b>heavy forkboard</b> Kaup, heavy forkboard; 4-forks; cap. 6 ton; length 2400 mm; board dim. 2000 mm; with hydraulic connections; (I3)	500,00
4083	1	<b>set vehicular stand</b> Mak, bouwjaar 2002, set vehicular stand; load cap. 9000 kg; (I4)	75,00
4084	1	<b>set vehicular stand</b> Mak, bouwjaar 2002, set vehicular stand; load cap. 9000 kg; (I4)	75,00
4085	14	<b>drums with fire fighting foam</b> Bio ex, bio fluofoam 6, drums with fire fighting foam; a 200 ltr; fabrication 2010; using until 2020; (hal 3)	25,00



Kavel	Aantal	Omschrijving	Openingsbod €
4086	14	<b>drums with fire fighting foam</b> Bio ex, bio fluofoam 6, drums with fire fighting foam; a 200 ltr; fabrication 2010; using untill 2020; (hal 3)	25,00
4087	14	<b>drums with fire fighting foam</b> Bio ex, bio fluofoam 6, drums with fire fighting foam; a 200 ltr; fabrication 2010; using untill 2020; (hal 3)	25,00
4088	1	<b>big lot with cans fire fighting foam</b> Bio ex, bio fluofoam 6, big lot with cans fire fighting foam; a 20 ltr; fabrication 2011; using untill 2021; approx 20 pallets; (hal 3)	100,00
<b>Fire fighting foam</b>			
4089	1	<b>diesel utility truck</b> Toro, diesel utility truck; 3-cilinder engine; kipper bin; hours on meter 1743,2 hours; (hal 3)	1.000,00
4090	1	<b>forklift mast</b> Still, forklift mast; unused; for RX60-30/35; lifting height ... (hal3)	300,00
4091	1	<b>diesel forklifttruck</b> Still, DFG 2/4002, bouwjaar 1988, serienummer 43022659, diesel forklifttruck; max. lifting cap. 1820 kg; max. lifting height 3700 mm; drive through height 2100 mm; forkboard width 1050 mm; fork length 800 mm; free lift; triple mast; side shift; with Deutz 3-cilinder diesel engine; operational hours on meter 4691hr. (flat battery)	1.000,00
4092	1	<b>hydraulic container hook arm frame</b> hydraulic container hook arm frame; (buiten)	50,00
4093	1	<b>hydraulic container hook arm frame</b> hydraulic container hook arm frame; (buiten)	50,00
4094	1	<b>vehicle enclosure</b> vehicle enclosure; dim. 1700x1700x1100 mm; (buiten)	10,00
4095	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (outside)	50,00
4096	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (outside)	50,00
4097	1	<b>2-doors polyester shipping container</b> 2-doors polyester shipping container; dim. 157x106x73 cm; (outside)	50,00
4098	1	<b>truck</b> MAN, 10.150, truck; with 4 cilinder diesel engine; loading cabin dim. 5000x2250 mm; "Dhollandia" hydraulic tailgate cap. 1500 kg; km on meter 160523 km; papieren ??	600,00
4099	1	<b>coffin</b> Bageville, coffin	75,00
4100	1	<b>coffin</b> Bageville, coffin	75,00



## Algemene voorwaarden Online veiling TroostwijkAuctions.com

### ARTIKEL 1. DEFINITIES

**Aanvaarding:** de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

**Afname:** de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

**Algemene Veilingvoorwaarden voor Kopers:** deze Algemene Voorwaarden.

**Bod:** elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

**Combinatie kavel:** een samenvoeging van kavels die onder één kavelnummer worden geveild.

**Eigendomsoverdracht:** de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

**Gebruiker:** een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

**Gebruikersovereenkomst:** de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

**Kavel:** een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

**Kijkdag:** een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

**Koopovereenkomst:** de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

**Koopsom:** het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

**Koper:** de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

**Opdrachtgever:** de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

**Openbare Veiling:** een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

**Opgeld:** veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

**Auto bod:** Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

**Registratie:** aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

**Statisch bod:** Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

**Specifieke Veilingvoorwaarden voor Kopers:** de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

**Toewijzing:** de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bieder is toegewezen.

**Troostwijk:** Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

**Veiling:** de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

**Verkoper:** de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

**Website(s):** de website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

**Zaken:** roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

### ARTIKEL 2. TOEPASSELIJKHEID

**2.1** De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

**2.2** De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.



## ARTIKEL 3. DE VEILING

**3.1** Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

**3.2** Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

## ARTIKEL 4. ORGANISATIE VAN DE VEILING

**4.1** De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

**4.2** Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfemen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

**4.3** Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

**4.4** Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

**4.5** Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

## ARTIKEL 5. BIEDINGEN; KOOPVERKOMST

**5.1** De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

**5.2** Indien meerdere gebruikers verklaren gezamenlijk een bod uit te brengen of te hebben uitgebracht, zijn zij hoofdelijk aansprakelijk voor de daaruit voortvloeiende verplichtingen.

**5.3** Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfemen.

**5.4** Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

**5.5** Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.





**5.6** De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan. Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toewijsbare bod heeft uitgebracht.

**5.7** De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

**5.8** Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

**5.9** In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

**5.10** Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

**5.11** Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf heeft het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

**5.12** Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

## **ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN**

**6.1** Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

**6.2** Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortkomende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

**6.3** Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

**6.4** De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

**6.5** Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

**6.6** Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

**6.7** Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



## **ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER**

**7.1** De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

**7.2** Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontlenu. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uitlatingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

**7.3** De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

## **ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER**

**8.1** De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

**8.2** Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtigde kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

**8.3** Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

## **ARTIKEL 9. VEILIGHEID**

**9.1** Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

**9.2** Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

## **ARTIKEL 10. AFNAME**

**10.1** Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

**10.2** De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

**10.3** Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.2. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



**10.4** Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

**10.5** De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en – in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

**10.6** Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

**10.7** Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arboretgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

**10.8** Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

**10.9** De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

**10.10** Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

**10.11** Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

## **ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE**

**11.1** Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzage te (doen) geven.

## **ARTIKEL 12. ONTBINDING**

**12.1** Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.



**12.2** Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

**12.3** Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

**12.4** Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

**12.5** In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen.

## **ARTIKEL 13. AANSPRAKELIJKHEID**

**13.1** De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

**13.2** Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

**13.3** Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

**13.4** Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

**13.5** Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

**13.6** Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



**13.7** Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiend uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

**13.8** De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

**13.9** Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

## **ARTIKEL 14. EXECUTIE**

**14.1** Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

## **ARTIKEL 15. AANPASSINGEN; WERKING**

**15.1** Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

**15.2** Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

**15.3** Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

**15.4** Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



## **ARTIKEL 16. TOEPASSELIJK RECHT**

**16.1** Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

**16.2** De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

**16.3** De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

### Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

# *The European Online Auctioneer and Valuer*

### 1300 Veilingen

Troostwijk organiseert  
jaarlijks **1300** veilingen  
In heel Europa

### Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders  
- uit 95 verschillende landen  
- meer dan 500.000 registraties

### 15 landen

Troostwijk heeft  
eigen kantoren  
in 15 Europese landen

### 85 jaar

Troostwijk organiseert  
veilingen sinds 1930 en  
heeft meer dan 85 jaar ervaring