



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

LAB, SYRINGE LINES, PROCESS & UTILITIES (FR)
Laboratory and process machinery and utilities

1 Rue de l'Abbaye - 76960 **Notre Dame de Bondeville**
(Notre Dame de Bondeville)

Closing date: Tuesday **26 SEPTEMBER** starting 15:00



Bidding only on the internet!

15-09-17 17.49

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 26 September 2017 LAB, SYRINGE LINES, PROCESS & UTILITIES

Specific terms and conditions of the online sale

Allocation of the lots	The "Commissaire Priseur" nominates the highest and last bidder and registers him the winning bidder of the lot. Information in "My Troostwijk" and an email confirm the winning bid. The "Commissaire Priseur" tells that a lot is not won if it is taken back by the vendor, because of a lack of bids to reach the reserve price.
Closing date	Tuesday 26 September 2017 starting 15:00 CET
Viewing	By appointment Notre Dame de Bondeville 1 Rue de l'Abbaye 76960 Notre Dame de Bondeville, France By appointment GIDY 1 RUE DU CHENE DE LA CROIX 45520 GIDY, France
Company organising this Online Auction	Roux Troostwijk S.V.V. Agt 2002-169 (compte 15) 1 rue Raoul Follerau 77600 Bussy St Georges, France Phone: +33 (0)1 60 94 76 00 Fax: +33 (0)1 60 35 08 91 E-mail: info@roux-troostwijk.fr
Markup	18.00%
VAT	20.00%
Collection	from Thursday 28 September until Friday 13 October By appointment Notre Dame de Bondeville 1 Rue de l'Abbaye 76960 Notre Dame de Bondeville, France By appointment GIDY 1 RUE DU CHENE DE LA CROIX 45520 GIDY, France
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Payment Details	Your immediate bank payment is required within 48 hours after receipt of the purchase agreement (proforma invoice). Please state your buyer number and the auction name. For buyers located outside the European Community, the EXA document proving the exportation of lots outside the European Community must be received within six weeks following the auction closing date. Without this document the sale will be considered as a French sale.
Collection Instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Auctions cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the date and time decided BY TROOSTWIJK according to their removal planning and only after the buyer receives his delivery copy.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot

www.TroostwijkAuctions.com



will be extended with 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid.

Lots without bid

From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. If not indicated otherwise, please consider the origin documents of the equipments to be unavailable. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	autoclave GETINGE, year built 1998, serial number 2054, Technical documentation available; Double-door; 450 liters; Dimensions: 1200 x 1600 x 2200 mm; Siemens Automate S7-300; P : 3 /-1 bar; T : 143°C /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	3,900.00
2	1	autoclave LEQUEUX, year built 1985, serial number 2046, 2560 litres; Double-door ; Max temperature: 139°C ; Pressure: 2,5 bar ; Overall dimensions approx: 2600x950x1750mm/// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	2,550.00
3	1	autoclave LEQUEUX, year built 1985, serial number 2047, Only one autoclave; Technical documentation available ; Volume: 2560 liters ; Double-door ; Max temperature: 139°C ; Pressure: 2,5 bar ; ; lot sold loaded on truck (if container additional fee)	2,550.00
3a	1	Autoclave Lequeux, serial number 2048, Only one autoclave; Technical documentation available ; Volume: 2560 liters ; Double-door ; Max temperature: 139°C ; Pressure: 2,5 bar ; ; lot sold loaded on truck (if container additional fee)	2,550.00
5	1	autoclave FEDEGARI, FOAF3, year built 1999, serial number 2051, Autoclave horizontal air/steam; FOAF3; Capacity: 3000 liters; with approx. 25 loading trolleys; Technical documentation available; Dimensions: 3000 x 2500 x 2100 mm; 2 doors; Refurbished INTOUCH (Siemens) and PLC Siemens ET200 /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	7,500.00
7	1	distiller STERIS, 300 s4, year built 1998, serial number 2089, Technical documentation available; 300 S4 ; 4 columns /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	2,400.00
8	1	Steris distiller STERIS, 300H5, year built 1982, serial number 2058, 300h5 ; 5 colonnes; Automatism refurbished in 1995; Technical documentation available ; Capacity: 535 l/h /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	6,000.00
10	1	10m3 tank Prominox, year built 1997, serial number 2131 / 29132, Test pressure: 5 bar; Working pressure: 2,5 bar; Former use: WFI storage; Height: 4000 mm / diameter: 2500 mm /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	4,200.00
10a	1	Lot of 2 distribution pumps APV, W 55/35-220 210, year built 1997, Set of 2 distribution pumps; SIC / SIC / EPDM trim /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	750.00
11	1	10m3 tank 3C, year built 1998, serial number 2129 / 5514, Total volume: 11.260 liters; Test pressure: 8 bar; Former use: WFI storage; Height: 4000 mm / diameter: 2500 mm /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	4,200.00
11a	1	Lot of 2 pumps ALFA LAVAL, LKH-35/220 SSS, Lot of 2 pumps; 7,5KW /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	750.00
18	1	Osmosed water production and storage plant PERMO, year built 2000, serial number 2060, 1 µm filtration, reverse osmosis and deionizer on degazing membrane; Flow: 6,6 m3/h; Dimensions: 6000 x 4000 mm /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	12,000.00



Lot	Number	Description	Starting Bid €
19	1	Tank 15 m3 3C, year built 2000, serial number 2140, 8 bar; Former used: WFI storage; Height: 4800 mm / diameter: 2500 mm /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	4,200.00
19a	1	Lot of 2 pumps Lot of 2 pumps /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	750.00
20	1	Tank 10 m3 serial number 2251, Tank 10 m3 /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	1,500.00
23	1	Syringe filling machine B+S, SFM, year built 1991, serial number 2050-1, Speed: 5000 / hour; Under Erea laminar flow; Format 10.85 / 1ml short /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	9,900.00
24	1	Injectable syringe line Bosch, year built 1999, serial number 2053, Under isolator, 12000 / h, 1ml format; External and internal siliconizing; Vetter washer with micro-dosing; Staubli unloading robot; In-line autoclave; 4 injectors; Time-pressure filling; Filler under isolator; Manufacturer: Bosch; Note: no inerting; Lot of spare parts; Year: 1999; Sybernat outfeed; with 200 cassettes /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	39,000.00
25	1	Syringe filling machine B+S, year built 1991, serial number 2056, Speed : 15000/h ; /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	9,600.00
26	1	Syringe filling machine B+S, year built 1988, serial number 2057, Speed : 15000/h; with laminar flow EREA SFM6005/// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	9,900.00
27	1	Combing sybermat sybermat, year built 2009, serial number 2252, Syringe storage /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	4,200.00
28	1	Oven for depyrogenisation FRANCE ETUVES, XL_SP1260, year built 2009, serial number D 359 / 2049, Max temperature: 280 °C; Power: 49 kW; External dimensions: 2100 x 1600 x 3000 mm; internal dimensions: approx 1400 x 750 x 1500mm (Depth x width x height) /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	4,500.00
29	1	Syringe filling machine B+S, SFM202, year built 1986, serial number 2050-2, Speed: 5000 / hour; Erea laminar flow; Format 10.85 / 1ml short; Never used /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	9,900.00
30	1	Machine loading cassettes and plasticomb SYBERMAT, 3001, year built 2003, serial number 2055, Machine loading cassettes and plasticomb /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	6,000.00
31	1	Washer hamo, T-420/1000 Puissance, year built 1999, serial number 2041, Dimensions (WxDxH): 2200 x 1100 x 2200 mm ; Height door open: 3350mm ; Numerous baskets; 2 doors; Chamber dimensions (WxDxH): 1290 x 800 x 1000 mm; Electric heating; Energy: 400V 3-phases, 50Hz, 23,5kW, 39A; F8 filter at air inlet and H13 filter before air inlet in the cleaning chamber; Cleaning chamber: INOX 316L, Ra<0,8 and silicone door seal; Sanitary circulation pump; Purified water: - Tri-clamp 3/4" - 2,5 to 5 bar - 25 l/min ; EPPI: - Tri-clamp 3/4" - 2,5 to 5 bar - 25l /min ; PROCESS compressed air : - Tri-clamp 3/4" - 2 to 6 bar ; 3 dosage pumps for detergent and disinfectant /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	5,400.00



Lot	Number	Description	Starting Bid €
32	1	Washer hamo, T-420/1000 Puissance, year built 1999, serial number 2042, Dimensions: 2300 x 1200 x 2100 mm; Several baskets; 2 doors; Chamber dimensions 1290 x 1000 x 800 mm /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	5,400.00
34	1	freight elevator SERIMATEC, year built 1999, serial number 2250, 3 kW /// Located at Notre-Dame-De-Bondeville; lot sold loaded on truck (if container additional fee)	1,650.00
44	1	Automatic flexible door serial number 10, 3300x3000mm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
46	1	Automatic flexible door year built 1998, serial number 12, 2150x3100mm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
47	1	Automatic flexible door ASTEC, Isotec, year built 2013, serial number 130305000123, Type ISOTEC, Ral 6027, 2150x3100mm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
48	1	Automatic flexible door year built 1998, serial number 14, 1500x2500mm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
56	1	Air treatment station YORK, year built 1996, serial number CTA ZS, YCC50x50, 18000m3/h. /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
57	1	Air treatment station YORK, year built 1996, serial number CTA ZR, YCC50x50, 27503m3/h. /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
60	1	Air treatment station Robatherm, Rmc18/18, year built 1998, serial number CTA 3, 29600m3 / h; 37.4kW; Total pressure 944 Pa; 15kW motor; Cooling 55kW; Dimensions approx. 6x2x2m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
61	1	Air treatment station YORK, serial number ZONE 3A/1, YCC40x50, 14004m3/h /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
63	1	Air treatment station ROBATHERM, Rmc18/18, year built 1998, serial number CTA 5, 32700m3 / h; Total pressure 1058 Pa; 37kW; Motor 18.5kW; Cooling 55kW /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
68	1	Air treatment station Erea, Cc20x30, year built 2006, serial number CTA 10, 4000m3 / h; Dimensions approx. 3x1.5x1.5m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00



Lot	Number	Description	Starting Bid €
70	1	Aerotherm Hydronic, Aerotherm; Dimensions approx. Approx 2 x (1.4x0.4x2.5m) /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	240.00
78	6	Lot of rolling trolley Lot of rolling trolley /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
80	1	lifting table Atlas, SL2, year built 2000, serial number 13677A, lifting table ; Heading: 1T; Weight: 650kg; Table approx 1,25m x 1,10m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
84	1	lifting table Atlas, SL2, year built 2000, serial number 13677A, lifting table ; Heading: 1T; Weight: 650kg; Table approx 1,25m x 1,10m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
95	1	Stainless steel gangway Stainless steel gangway; with s/s sink /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
101	1	cold Group cold Group /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
102	1	Stainless steel ramp with manometers Stainless steel ramp with manometers /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
106	1	Vertical laminar flow Erea, FLV, year built 2006, serial number 06009202, Vertical laminar flow; Dimensions approx. 1.5x1m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	360.00
107	1	Two-storey conveyor Conveyor two floors; Length about 4.5m; 2 way approx 25cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	60.00
110	1	Vertical laminar flow Erea, FLV, year built 2006, serial number 06009201, Vertical laminar flow; Dimensions approx. 2.5x1m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	240.00
114	700	Lot of cassettes Lot of (700) cassettes; With cages and rolls /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	240.00
115	200	Lot of cassette Lot of (200) cassettes; with two trolleys/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	240.00



Lot	Number	Description	Starting Bid €
119	1	ramp ramp approx 5m x 1,6m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	90.00
121	6	Lot of roller conveyor for pallets Batch roller conveyor for pallets; Approx lenght: 4.20m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	450.00
122	1	Automatic flexible door automatic door; approx 3m wide /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
123	1	Automatic flexible door automatic door; Approx 2.10m wide /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
124	3	Lot of Aerotherm Hydronic, Ctb v40 fg2, year built 1998, Lot of Aerotherm; 1.1kw; 8 bar /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	240.00
126	4	lot of roller conveyor for pallets Batch roller conveyor for pallets; Est length 3m ,, with manual brake /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
127	2	lot of lifting tables for loading platform Atlas, lot of lifting tables for platforms; Approx dimensions. 1.3x1.2m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
128	3	lot of lifting tables for loading platform Atlas, lot of lifting tables for platforms; Approx dimensions. 1.3x1.2m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
129	1	taping machine Soco, T-10, year built 1983, taping machine; Est conveyor length 9m; Est width 40cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
131	1	air treatment station Hydronic, ccm 85, air treatment station; Est 2 x 2m; Flow rate 8450m3 / h /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
134	1	extractor Robatherm, rmc 06/09, year built 1999, extractor; 2.2kW; 2850tr / min; 450Pa pressure; Airflow: 5600m3 / h /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
136	21	lot temperature boxes and humidity Kimo, CPE301, Lot temperature humidity and housings; with spares /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	150.00
137	2	Lot of temperature sensors Lot of 2 temperature sensors; 0-100% HR; -20°C to 80°C /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00



Lot	Number	Description	Starting Bid €
138	1	detector gas Oldham, ctx 300, detector gas /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	50.00
139	1	air treatment station Ciat, CTA; Est 7m x 2.5m; flow: 23 000 m3/h /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
140	1	RO water treatment system Veolia, IonproMX, water treatment system osmosis; Approx dimensions. 1.2x1.2x1.6m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	300.00
141	4	Lot of pumps Lot pumps /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	60.00
143	1	purification unit Verdot, year built 1998, purification unit / A - 1 skid mobile: - Dimensions: 1450x1000x26000mm; - 1 tank: O Manufacturer: VERDOT Biotechnologie, O Year: 1998, O Volume = 1200 liters, O PS = 1 bar, O PE = 1.5 bar; - 1 control unit for the entire unit of Chromatography comprising: O Conductivity display E + H, O Flow display E + H, O pH value display E + H, O PRECIA MOLEN weighing display; / B - 1 skid mobile: - Dimensions: 1900X1000X2300mm; - 1 stirred tank of 500 liters: O Supplier: VERDOT Biotechnology, O Year: 1998, O Volume: 500 liters, O PS = 4 bar, O PE = 6 bar, O Magnetic Stirrer NovAseptic type GMP 500 Drive Unit AC; - 4 tanks of 50 liters: O Supplier: VERDOT Biotechnology, O Year: 1998, O Volume: 50L, O PS: 2.2 bar, O PE: 3.3 bar; - Stainless steel CSF transfer pump model AS50.4.3 / B.NPT83; - Flowmeter PROMASS 60 type 60IT25-FTH00A00B1B; - GEMÜ valves; / C - 1 skid mobile: - Dimensions: 1630x850x2100mm, - 3 tanks of 40 liters: O Supplier: VERDOT Biotechnology, O Year: 1998, O Volume: 40L, O PS: 2.5 bar, OPE: 3.3 bar; - 1 pressure sensor E + H 0-1.2 bar; - 2 volumetric pumps: O Manufacturer: Waukesha Cherry-Burrell, O Model: 015 U2, O LEROY SOMER engine type CB 2101 SB3; - Flowmeter PROMASS 60 type 60IT25-FTH00A00B1B; /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	3,000.00
148	3	ventilation motor ventilation motor; cta9 + cta5 /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
150	2	Ventilation fan Comefri, NPL 4500, ventilation turbine /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
151	1	pump Grundfos, CRN 16, pump /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00



Lot	Number	Description	Starting Bid €
152	1	lot of fan lot fan; approx 10 ventilators incl comeфри VENT. THLZ 355 /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	60.00
153	1	pump Grundfos, CRN4, pump/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
153a	1	pump Grundfos, CRN4, pump/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
153b	1	pump Grundfos, CRN4, pump/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
154	1	pump INOXPA INOXPA, S-28 E, year built 2002, serial number 229228 B, pump INOXPA; 2.5m3/h; 3000rpm; 4kW /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
154a	1	pump INOXPA INOXPA, S-28 E, year built 2002, serial number 229228 A, pump INOXPA: 2.5m3/h; 3000rpm; 4kW /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
154b	1	pump STERLING, LEMA 150, serial number AZAEDADM1, pump/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
155	1	centrifugal pump CSF Inox, AS 50-4-3 CSF, centrifugal pump/// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
155d	1	Centrifugal pump HILGE, EURO HYGIA BLOC I 25 A, Centrifugal pump /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
159	1	Fume cupboard Emsm, optimum 1500, year built 2008, serial number 08-173020-46-0, sorbonne; EN 14175 approx size 161 x 280 x 90cm; Est inside dimension: 146 x 70cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
160	1	Fume cupboard Emsm, optimum 1500, year built 2008, serial number 08-173020-64-0, sorbonne; EN 14175 approx size 161 x 280 x 90cm; Est inside dimension: 146 x 70cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
168	1	Fume cupboard Emsm, optimum 1500, year built 2008, serial number 08-173020-33-0, sorbonne; EN 14175 approx size 161 x 280 x 90cm; Est inside dimension: 146 x 70cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00



Lot	Number	Description	Starting Bid €
174	1	Lot of lab table Lot of lab table; Est 12.5m length; approx 75cm depth; 0.9m working height; without content /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
176	1	Fume cupboard Emsm, optimum 1500, year built 2008, serial number 08-173020-40-0, sorbonne; EN 14175 approx size 161 x 280 x 90cm; Est inside dimension: 146 x 70cm /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
179	1	Lot of lab table bench; Approx dimensions. 2x0.75m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
180	1	Fume cupboard Emsm, optimum 1500, year built 2008, serial number 08-173020-26-0, sorbonne; EN 14175 approx size 161 x 280 x 90cm; Est inside dimension: 146 x 70cm; with a lab table /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
181	1	Fume cupboard Emsm, optimum 16/18, year built 2004, serial number 05-105260-002-0, sorbonne; external dimension: 181 x 300 x approx 90cm; Interior dimensions: approx 163 x 67 cm; Standard xpx 15-203 /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
185	1	Lot of lab table without content Lot of lab table without content; Est dimension: 0,75 x 7,15m x 0,9m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
191	1	Fume cupboard Emsm, optimum 16/18, year built 2003, serial number 05-105260-013-0, sorbonne; external dimension: 181 x 300 x approx 90cm; Interior dimensions: approx 163 x 67 cm; Standard xpx 15-203 /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
193	1	lot of various furniture lot of various furniture; Est total length; without content /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	50.00
194	20	lot of carriages has stainless cassettes lot of carriages has stainless cassettes; Approx dimensions. 75x60x138cm; with cassette 3cpalettes /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	150.00
205	1	Aerotherm Ciat, Aerotherm; Est dimensions: 2.50 x 2.10 x 0.8 m /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
206	1	stainless steel wall station stainless steel wall station /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	50.00



Lot	Number	Description	Starting Bid €
212	1	Pump STERLING, LPHX 45316 AB, year built 2006, Pump: 1740 rpm; 33bars; 258m3/h; 6.4kW /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
213	1	Pump STERLING, LPHX 45316 AB, year built 2006, Pump: 1740 rpm; 33bars; 258m3/h; 6.4kW /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
214	20	Lot of motors Lot of motors: incl ABB Motors MEUC 132 S4. 5.5Kw; ABB Motors M2AA 100 LB-4 3.5kW & 2.5kW; ABB Motors M2AA 112 MB-4; Leroy Somer LS63; /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
215	5	Lot of motors ABB Motors, Lot of motors: incl ABB Motors M3AA 160 MA-2 12.5kW; ABB Motors M2AA 132 SB-2 8.6kW; /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
216	5	Pump Pump: incl Hilge Panda 00/01 ; Leroy Somer; Someflu HMP-N 40/150 /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	120.00
222	1	Valve Flowserve, 5801, serial number 1023829/1, Valve: P: 01-1.4 bar; Kvs 3; Tmax: 400°C /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
223	1	Diaphragm valve GEMÜ, DN50, Diaphragm valve: PST 5.5 - 7 bars; PS 10 bars /// Located at Notre-Dame-De-Bondeville; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	100.00
662	1	Motor ; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page	45.00
1000	1	Cutting trolley TAWI, PRO 120/150, Cutting trolley; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1001	1	Forklift truck HOVMAND Liftop, year built 2008, Forklift truck; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	360.00
1002	1	Steam heat exchanger Bältz-thermodynamic, 111-219-195-10, year built 1998, Steam heat exchanger; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1003	1	Expansion tank VAREM, MAXIVAREM LR, year built 2014, Expansion tank; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00



Lot	Number	Description	Starting Bid €
1004	2	Pump GRUNDFOSS, Pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00
1005	5	Lot fans Lot fans; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	225.00
1006	1	Transformer MEROT SODEX, CTAP160, Transformer; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	180.00
1007	1	drycooler SEARLE, MDE114, drycooler; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1008	2	Tubular heat exchangers Tubular heat exchangers; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1009	1	Exchanger plate Exchanger plate; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1010	1	Stainless steel cooling pot Stainless steel cooling pot; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1012	1	Sliding door cupboard Sliding door cupboard; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	15.00
1013	1	Furniture storage Furniture storage; Dimensions approx. 1x1.9x0.65m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1014	20	Double door Double door; Incl dimensions approx. 1.47x2.05m; 1.66x2.05m; 1.27x2.10m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1016	1	4 paper dispensers 3 glasses 4 paper dispensers 3 glasses; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	10.00
1017	1	Shelf Shelf; Dimensions approx. 5.2x2.7x0.3m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1018	1	Air treatment system Air treatment system; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	1,800.00



Lot	Number	Description	Starting Bid €
1019	1	Anti-noise box Anti-noise box; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	225.00
1020	1	Sliding door Sliding door; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1021	3	Stainless steel shelf Stainless steel shelf; 1x dimensions approx.1.2x0.5x1.8m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1022	1	Mobile stainless steel shelves Mobile stainless steel shelves; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1023	1	Mobile stainless steel shelves Mobile stainless steel shelves; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1024	1	Antimicrobial wheel shelf METRO, MAXI , Antimicrobial wheel shelf; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1025	1	Sheet steel shelving unit Sheet steel shelving unit; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1026	1	Marble sink Marble sink;Dimensions approx 0.6x1x0.4m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1028	1	Shelf Aluminum Shelf Aluminum; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	15.00
1029	1	Stainless steel table Stainless steel table; 1.4x0.8x0.9m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	25.00
1030	5	Office corner + 3 caissons Office corner + 3 caissons; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1031	4	White board White board; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	25.00
1033	1	straight desk straight desk; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00



Lot	Number	Description	Starting Bid €
1034	1	Rack + straight desk Rack + straight desk; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00
1036	1	Office with storage cabinet Office with storage cabinet;Dimensions approx.1.6x0.8x1.7m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	40.00
1037	5	Furniture under bench Furniture under bench; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1038	1	Furniture under bench glass door Furniture under bench glass door; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	20.00
1039	1	Furniture under bench on roller door glass Furniture under bench on roller door glass;Dimensions approx.1.2x0.5x0.7m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	35.00
1040	1	Furniture under bench 1 door Furniture under bench 1 door; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	20.00
1041	2	air-conditioner DAIKIN, FAQ100BVV1B, air-conditioner; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1042	2	SAS Personal cupboard SAS Personal cupboard; 1x dimensions approx.4.4x2.15x0.6m + 1x 2.25x2.5x0.5m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1043	1	Furniture under bench double door on roller Furniture under bench double door on roller; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	25.00
1044	1	Double bench top 2700x1200x920mm Double bench top 2700x1200x920mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1045	1	Single bench with backslash 3200x990x920mm Single bench with backslash 3200x990x920mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1046	1	Transfer furniture Transfer furniture;Dimensions approx.1.2x0.8x0.32m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1047	2	Bench with backslash Bench with backslash; 1420x1000x920mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00



Lot	Number	Description	Starting Bid €
1048	1	Partition walls Partition walls; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1049	1	Bench bench; 1750x810x920mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1050	2	Double cabinet for laboratory storage Double cabinet for laboratory storage; Dimensions approx. 2.15x1.2x0.6m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1051	1	cupboard + table cupboard + table; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1052	2	Rectangular table Rectangular table; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	20.00
1053	1	Partition walls Partition walls; Height about 2.75m; Linear length approx. 15m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	10.00
1054	1	Double glass door storage cabinet Storage cabinet with double glass door; Dimensions approx. 1.2x0.6x2.1m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	36.00
1055	1	Bench with backsplash 3370x990x910mm Bench with backsplash 3370x990x910mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1056	1	U-bench with sink U-bench with sink; (2700 + 3850 + 2200) x990x920mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1057	1	Stainless steel shelf Stainless steel shelf; Dimensions approx. 1x0.5x1.8m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	40.00
1059	1	bench bench; 8050x640x910mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1060	1	bench with sink bench with sink; 4700x760x910mm and furniture under bench; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1061	1	Stainless steel tray Stainless steel tray; 767x760x500mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00



Lot	Number	Description	Starting Bid €
1062	1	Automatic dryer SOFMAT, Rush automatic, Automatic dryer; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1063	1	bench bench; 3730x800x880mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1064	1	air-conditioner DAIKIN, Inverter, year built 2009, air-conditioner; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1065	1	Fan SIFAT, CMS200/200, Fan; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1066	2	Fan NEU2M, Fan; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1067	1	Pump Pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1068	1	Double melamine doors Double melamine doors; Dimensions approx. 1.90x2.1m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1069	10	Double door PVC white Double door PVC white; incl. Approx.1.6x2.15m, 1.6x2.1m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1070	1	Lot table + chair Lot table + chair; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1072	7	lab benches lab benches; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1073	36	Single door flying PVC white Single door flying PVC white; Various sizes incl. Approx 0.83x2.05m;1x2.05m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	600.00
1074	36	Single Door Single door type DAGARD; incl.Approx.2.05x0.83m, 2.1x0.93m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	600.00
1076	26	Modular system without content TOUAX, Modular assembly without content; 25 office use and 1 sanitary; 476 square meter floor area; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	3,000.00



Lot	Number	Description	Starting Bid €
1077	2	Fan AIR CONFORT, Fan; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1079	2	Eurobox spare parts Eurobox spare parts; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1080	1	Centrifugal pump STERLING FLUID SYSTEM, ZLND, year built 2007, Centrifugal pump;ATEX; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1081	1	Engine 30KW LEROY SOMER, LS200LT-T, year built 2008, Motor 30KW;1450rpm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1082	1	Engine 15KW LEROY SOMER, LS160L, 15KW motor;1450rpm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1083	2	Helical fan year built 2007, Helical fan; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1084	1	ATEX engine ABB, ATEX engine; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1085	1	Engine 1.5KW ROBAX, LKM-408, Engine 1.5KW; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1086	1	Liquid Ring Vacuum Pump LPHE, Liquid Ring Vacuum Pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1087	2	Engine 15KW ABB, LS160L, year built 2013, Engine 15KW; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1088	1	Eurobox centrifugal pumps, level transducers, flowmeters Eurobox centrifugal pumps, level transducers, flowmeters; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	450.00
1089	1	Box Box; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1090	1	Stainless steel sink with storage Stainless steel sink with storage;Dimensions approx.1x0.6m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	54.00



Lot	Number	Description	Starting Bid €
1091	1	Centrifugal pump LOWARA, CA70/33, Centrifugal pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1092	1	Engine SIEMENS, 1LA70, Engine; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1093	1	Welding machine AMIS, year built 2006, Welding machine; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1094	1	Stainless steel accessories Stainless steel accessories; Please inspect for quantity; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1096	1	Cloakroom lockers Cloakroom lockers; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1097	1	Bench, table, dividing wall break room Bench, table, dividing wall break room; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00
1098	2	s/s box s/s box; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1099	7	integral biochemical suits DASCHER, Targoflex, integral biochemical suits; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	1,050.00
1100	6	Gas Regulator Set Air liquide, Gas Regulator Set; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1101	9	Radiating Cassettes NOIROT, Radiating Cassettes; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	450.00
1102	1	Articulated suction arm Articulated suction arm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1103	3	Hot water tank ARISTON, 300STAB300ASM, Hot water tank;300L; 3000W; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1104	1	Vacuum pump SIHI, LPHE, Vacuum pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00



Lot	Number	Description	Starting Bid €
1106	1	Rinse eye Rinse eye; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1108	1	Transformer MEROT SODEX, CTAP32, Transformer; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1109	1	Lot of laboratory chairs Lot of laboratory chairs; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1110	1	Transformer France TRANSFO, year built 1980, Transformer;160kVA; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00
1111	8	Exterior doors and partitions Exterior doors and partitions; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	450.00
1112	1	Stainless steel sink Stainless steel sink; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1113	1	Lamps Lamps; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1114	1	L-shaped bench L-shaped bench; (6100 + 2000) x820x910mm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	45.00
1115	1	Transformer Transformer; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1116	1	Water heater PACIFIC, Water heater; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1117	1	Air treatment station YORK, CC40x70, Air treatment station; 24983m3 / h, CTA rooms 19 + 5; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	300.00
1118	1	Fan Fan; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1120	2	Flowmeters E+H, Promass F, Flowmeters; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00



Lot	Number	Description	Starting Bid €
1122	8	Mobile separation partition Mobile dividing wall; Dimensions approx. Panels 2x2m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	60.00
1123	2	air-conditioner CIAT, air-conditioner; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	240.00
1124	1	Lighting Lighting; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	120.00
1125	1	2 cupboards + desk 2 cupboards + desk; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1126	1	6 chairs + storage box 6 chairs + storage box; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1127	3	Corner desk Corner desk; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1128	1	Water heater Water heater; 200L; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1129	1	Office laboratory Office laboratory; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1130	1	Office + storage cabinets Office + storage cabinets; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1131	3	Gas pressure regulator Gas pressure regulator; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	180.00
1132	1	Aluminum Shelf Aluminum shelving; Dimensions approx. 1.3x1.95x0.4m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1133	1	Aluminum Shelf Aluminum Shelf; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1134	1	10 chairs + table in triangle 10 chairs + table in triangle; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00



Lot	Number	Description	Starting Bid €
1135	1	Set of 3 sliding door cupboards + chair Set of 3 sliding door cupboards + chair; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1136	1	Rinse eye Rinse eye; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	25.00
1137	1	Wheel box BLICKLE, Templine performance, Wheel box; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1138	1	Lot office + 2 chairs + cupboard Lot office + 2 chairs + cupboard; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1139	1	Lot office + cupboard + panels Lot office + cupboard + panels; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1140	1	Office + low cabinet Office + low cabinet; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1141	1	Office + 3 chairs + 1 cupboard Office + 3 chairs + 1 cupboard; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	100.00
1144	1	Stainless steel shelf Stainless steel shelf; Dimensions approx. 1x0.55x1.7m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	50.00
1145	1	Stainless steel housing Stainless steel casing; Dimensions approx. 1x1.2x0.3m; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	30.00
1146	1	SAS transfer SAS transfer; Dimensions approx. 57x90x90cm; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	150.00
1147	1	Pump STERLING FLUID SYSTEM, ZLND, Pump; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1148	1	Engine LEROY SOMER, LS132M, Engine; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	75.00
1149	1	Hose set + glassware + GETINGE gloves Hose set + glassware + GETINGE gloves; the buyer can dismantle the lot by himself, if you want a dismantling and loading quotation, a file is available for download on the acution page ; lot located in Notre-Dame-de-Bondeville	90.00
1150	1	Stainless steel safety barriers and handrails Stainless steel safety gates and ramps; About 15m barrier + 20m ramp ; lot located in Notre-Dame-de-Bondeville	60.00



Lot	Number	Description	Starting Bid €
1151	34	fixtures fixtures ; lot located in Notre-Dame-de-Bondeville	60.00
1160	1	freezedryer Usifroid, freezedryer; cold trap 150L; 7 plates; ref 2476 ; lot located in Notre-Dame-de-Bondeville ; lot loaded on truck (if container additional fee)	10,500.00
1161	1	isolator with 2 transfers Getinge localhène, isolator with 2 transfers; ref 2329 ; lot located in Notre-Dame-de-Bondeville ; lot loaded on truck (if container additional fee)	15,000.00
1162	1	autoclave Lequeux, year built 1990, autoclave; ref 2316 ; lot located in Notre-Dame-de-Bondeville ; lot loaded on truck (if container additional fee)	1,500.00
2000	1	Shrinkwrapper with oven BFB, 3707, year built 1989, serial number 1964/1973, Shrinkwrapper with oven; Multilingual manual for use and maintenance (including English); Shrinkwrapper: 1850 x 1550 x 2200 mm; Oven: 1850 x 1000 x 1750 mm; Specifications: Net weight: 500 Kg, Dimensions of the reel: , Minimum width: 50 mm, Maximum width: 450 mm, Maximum diameter: 300 mm, Film type: PE 30-60 µ, Power consumption: 1,5-2 Kw, Compressed air consumption: 100-300 NL/h, Working pressure: 4-6 Atm; Package size: Height: 20-124 mm, Width: 42-210 mm, Length: 60-90mm; ref 12; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2001	1	PVC tube feeder Kalix, Chargeur, year built 1994, serial number 7877, PVC tube feeder; PLC: Télémécanique SR1 B121BD; Overall dimensions (l x d x h): approximately 1800 x 700 x 1950 mm; Technical documentation: not available; ref 20; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2002	1	Cartoning machine Uhlmann, C100, year built 1990, Cartoning machine; For blister; With leaflet folder; With argus 6012 barcode reader; Important lot of spare parts; Speed: 100 boxes / mn; Boxes' size range:- Dimension A: from 30 to 100, - Dimension B: from 15 to 85, - Dimension C: from 70 to 150; Leaflet's size:- Minimum: 100x80 mm, - Maximum: 210x300 mm, - Folding length: 100 to 210 mm; Overall dimensions: 3000x1300x1660 mm; Air consumption: 5 to 8 Nm ³ /h; Technical documentation: available; ref 86; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,750.00
2003	1	Syringe inspection machine Seidenader, SI-20-LR, year built 1999, serial number 181/99, Syringe inspection machine; EC compliant; Syringe format: 0,5 ml; Max speed: 220/min-1; 8 cameras: , 1: inspection of the flange, 2 and 3: inspection of particles in the liquid, 4: inspection of the side, 5: inspection of the plunger gasket, 6: inspection of the needle protector, 7 and 8: inspection of the plunger gasket + inspection of the flaws between the plunger and the flange; Complete technical file in French (general documentation, electrical diagrams and documentation, pieces localization, PC-PLC and vision documentation); Overall dimensions (l x d x h): Inspection machine: approximately 1600 x 1600 x 2000 mm, Electrical cabinet: approximately 1850 x 670 x 2100 mm; Weight: Inspection machine: 1200 kg, Electrical cabinet: 400 kg; Noise level: 75 dB(A); Power supply: 220 V, 50 Hz, 3-ph / 3,5 kW max; Compressed air supply: Connection 1/2", Nominal pressure 6 bar, Consumption 140 m ³ /h; ref 92; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2004	1	Safety cabinet Kojair, KR-210 Safety, year built 1998, serial number 14385, Safety cabinet; Air flow: 2100 m ³ /h; Fan: EBM/ZIEHL D4E 225 2 pc.; Energy: 230V / 50Hz; Power: 0,9KW – 5A; HEPA filters: MXLA 914x610x90 and MXLA 305x610x90; Overall dimensions (l x w x h): approx 2000 x 900 x 2300 mm; Manual for use and maintenance in English; ref 98; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00



Lot	Number Description	Starting Bid €
2005	1 Step-by-step horizontal cartoning machine Marchesini, BA 100, year built 1997, serial number 196000263, Step-by-step horizontal cartoning machine; Cadence: approx 60 to 80 cpm; For cartons A20-110, B12-55, C55-170; Former use: Cartoning 3 lip balms diameter 14 x height 71; Unknown carton format (approx A45 B15 C72); Leaflet feeder: No; Overall dimensions (l x d x h): approximately 3100 x 1650 x 2100 mm; ref 162; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2006	1 Horizontal step-by-step cartoning machine Marchesini, BA 100, year built 1998, serial number 198000003, Horizontal step-by-step cartoning machine; Cadence: approx 60 to 80 cpm. For cartons A20-110, B12-55, C55-170; Former use: Cartoning 3 lipsticks' cartons in one carton; Leaflet feeder: No; Dimensions (l x w x h): approx 3,00 x 1,60 x 2,15 m; ref 173; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2007	1 Lot of 15 stainless steel mobile trolleys Lot of 15 stainless steel mobile trolleys; External Dimensions (l x p x h) : 950x1170x1700mm; Number of trays : 9; Trays' dimensions (l x p) : 635x1050mm; ref 219; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,350.00
2008	1 pump layer KVK104 Groninger, KVK104, year built 1999, serial number 3085, pump layer KVK104; 4 stations; 7200 pcs/h; range height vial 30-280mm; range diameter vial 16-100mm; control panel STAHL; vial volume : 75ml, 150ml, 200ml, 250ml; type of pump layer : FLXHD, MK7, NOZZLE, MK8, round pump, "square" pump, beak pump, big pumps; automaton SIEMENS type S7-300; 2 control cells SICK; loading funnel with transversal conveyor approx width 50mm type DE 300; distribution wheel ZSK1000; ref 251; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2009	1 Magnetic stirrer Labortechnik AG, Variomag Mono Direct, Magnetic stirrer; Rotating magnetic field induction system; Stirring capacity: up to 3000 mL; Speed range: 130 to 1000 RPM; Rotary control button; ref 297; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2010	1 Filter testing device Millipore, Steritest rack, serial number 385, Filter testing device; 220 VAC - 1,5 A - 50 Hz - 330 W; Dimensions approx (l x w x h) : 48 x 31 x 57 cm; ref 302; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2011	1 Scale + Printer Scale + Printer; Electronic weighing indicator: Manufacturer: EXA , Model: DX 60, Entirely controlled by microprocessor, Programmable from 1 kg to 150 t, Number of divisions: programmable from 100 to 10000 divisions, Number of conversions per second: adjustable, up to 30 conversions / second, Automatic tare function – Counting function – Threshold function, Display: 6 digits LEDs 14 mm, RS232 output for computer or printer, Manual or automatic printing, on ticket or label, Ticket header: programmable, 2 lines of 16 characters, User manual in French; Weighing platform:s/n: 0621673, Minimum : 400 g / Maximum : 60 kg, e = 20 g, T = - max, Dimensions: 37,5 x 37,5 cm; Printer:Manufacturer: CBM corporation, Model: Citizen iDP 3420, s/n: 0380065, Print mechanism: DP-410 series (CITIZEN), Printing method: serial dot impact method (bi-directional printing), Print head: 9 pins, Print speed: approx 3 lines / seconde, Characters size: Width 1,31 mm / Height: 3,1 mm, Weight: approx. 2,4 kg, Dimensions (l x d x h) : 164 x 248 x 140 mm, Printing width: 64 mm, User manual in English; ref 308; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00



Lot	Number Description	Starting Bid €
2012	<p>1 Rhéomètre capillaire RH2200</p> <p>Bohlin Instruments Rosand, RH2200, year built 2001, Rhéomètre capillaire RH2200; The Rosand RH2000 capillary rheometer system enables controlled extrusion (by volumetric flow) of a sample through a high precision die of known dimensions, to characterize material flow properties typically under conditions of high force (or pressure) and/or high shear rate. Using the twin bore barrel option and a 'zero length' die configuration allows simultaneous determination of shear viscosity and extensional (elongational) viscosity as a function of shear (or deformation) rate.; Twin bores; Maximum drive force: 12kN; Frame stiffness: 100kN; Maximum speed: 600mm/min (standard); Dynamic range in speed: 120.000:1; Speed uncertainty: <0.1%; Temperature range: Ambient to 400°C; Temperature control: <±0.1°C.; Bore diameter: 15mm ; Barrel bore length: 250mm; Dimensions (w x d x h): 0,55 x 0,65 x 1,1m / Weight: 120kg (without accessories).; Electronics box (w x d x h): 0,34 x 0,53 x 0,65m; Power requirements: Single phase AC 230V 50Hz 16A.; Documentation in English + Technical documentation on rheology; Temperature sensors calibration report: 11/03/2011; Incomplete formats set; Software: Flowmaster 8; - Testing material properties; - Analyzing tests data to extract rheological properties; - Exporting tests results to Microsoft Excel; - Possibility to create tests; - User manual in English; ref 316; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	810.00
2013	<p>1 Sterilizer</p> <p>ARFL, Isoste R Type IS serie SV, serial number 79, Sterilizer; Connections: Compressed air intrance, Sterilizing agent output towards the isolator, 220V power supply female plug block + on/off switch with 2 fuses; Functions:1 - Sterilization: , Manometer for compressed air pressure control, Programmation timer, Sterilization start switch and tank heating indicator, Dip tube (sterilizing agent suction), Suction indicator; 2 - Rinsing remaining steam in the isolator: switch + automatic air rinsing indicator (elimination of the sterilizing agent steams in the isolator); 3 - Rinsing remaining PAA solution in the evaporator:Button to put the tank in overpressure to repel the residual solution, Button to put the evaporator in underpressure and aspire the rinsing solutionPrinciple: The air vector of the sterilizing agent is saturated with PAA steams, at the same time: , - By heating at 50°C the peracetic acid solution into a tank (« evaporator »),, - And by bubbling, in the evaporator, hot and humid air coming from the laboratory.; The air obtained, loaded with PAA, is driven out of the tank and mixed with the compressed air feeding the device by a Venturi system.; Note that the venturi effect holds the evaporator in underpressure, allowing its filling by simple suction.; To rinse the evaporator at the end of the sterilization cycle, just put it in overpressure.; User manual + logbook; ref 320; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	240.00
2014	<p>1 Lot of stainless steel crystallizers</p> <p>Lot of stainless steel crystallizers; 660 large version boxes: L 400 x W 200 x H 120 mm ; 18 small version boxes, with a lower height; ref 422; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	1,200.00
2015	<p>1 Banding machine</p> <p>BFB, MS 500, year built 1988, serial number 1708, Banding machine; Speed: up to 30 bundles/minute; Overall dimensions (l x d x h): approx 2850 x 1200 x 1850 mm; Carton dimensions: Length min / max: 15mm / 300mm, Width min / max: 50mm / 300mm, Height min / max: 12mm / 100mm; Bundle dimensions:Length min / max: 60mm / 300mm, Width min / max: 60mm / 300mm, Height min / max: 30mm / 200mm; Technical documentation / Electrical diagrams; ref 448; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	3,000.00



Lot	Number Description	Starting Bid €
2016	1 Banding machine BFB, MS 500 S, year built 1996, serial number 3335, Banding machine; ESA VT420L - operator panel; Dimensions (l x w x h): approximately 2400 x 1400 x 2000 mm; Siemens Simatic S5 PLC; Speed: up to 30 bundles/minute; Carton sizes: , Length min / max: 15mm / 300mm, Width min / max: 50mm / 280mm; Height min / max: 12mm / 85mm; Bundle sizes: , Length min / max: 60mm / 300mm, Width min / max: 60mm / 280mm; Height min / max: 30mm / 170mm; Electrical diagrams; EC declaration of conformity; Manual for use and maintenance; ref 456; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2017	1 Elevator Manuvit, 500kg, serial number 2701016, Elevator; Max load: 500 kg; Mobile, on wheels; Nordyne Electro 1 battery charger; Overall dimensions (l x d x h): approximately 900 x 600 x 1800 mm; Technical documentation: not available; ref 466; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2018	1 Table model labeler Toshiba, TEC B-SX4T barcode printer, year built 2005, serial number 2604R500839, Table model labeler; Technology: thermal; Max resolution: 203 dpi; Print speed: up to 254 mm/s; Life book; ref 484; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2019	1 Table model labeler Zebra, 110 Xi III Plus 300dpi, serial number 9109440138, Table model labeler; Technology: thermal; Resolution: 300 dpi; Print speed: max 203 mm/s; Print width: max 104 mm; ref 486; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2020	1 Semi-automatic strapping machine SEMI AUTOMATIC STRAPPING MACHINE, EXS-206, serial number 8060396, Semi-automatic strapping machine; 230V 50HZ; on wheels; dim approx 100x60x75cm; ref 489; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	360.00
2021	1 Case packer Cermex, SL1100, year built 1989, serial number 41210, Case packer; Overall dimensions (l x d x h): approximately 3850 x 2100 x 2150 mm (+1 pallet); Technical documentation in French; Assures the forming of a boardcard case, the bundling of the products, their introduction in the case, the closing of the flaps by hot-melt glueing.; Speed: 67 cartons/minutes, 1 case/minute (manufacturer data); PLC: Télémécanique TSX 47.10; Pneumatic components: Festo; Motors: SEW Usocom; Thermic glueing system: Nordson Problue 7; Infeed conveyor width: 200 mm; Case dimensions: Length: 250 to 550 mm, Width: 150 to 380 mm, Height: 125 to 325 mm, Product dimensions: ; Length: 80 à 170 mm Thickness: 20 à 60 mm, Width depends on the cases length; ref 501; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,600.00
2022	1 O2 Sensor Ingold, 02-sensor-12/120, O2 Sensor; diameter 12mm; multilanguage user manual; ref 519; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2023	1 Shrinkwrapper BFB, 3707, year built 1984, serial number 949, Shrinkwrapper; Speed: up to 22 packings/minute; Packaging material: Reel's width: min 50mm, max 450mm, Reel's diameter: max 300mm, Polyethylene or polypropylene; Product's dimensions: A: from 60 to 390 mm, B: from 10 to 200 mm, C: from 50 to 400 mm; Quick format change; Overall dimensions (l x d x h): Shrinkwrapper: 1900 x 1450 x 1800 mm, Oven: 1100 x 850 x 1700 mm; 220 V /50 Hz; ref 591; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00



Lot	Number Description	Starting Bid €
2024	1 Centrifuge pump for thermal circuit hot-cold Salmson, BM-LRC204B-20/9, year built 2001, serial number 5135703, Centrifuge pump for thermal circuit hot-cold; Dimensions (l x d x h): approximately 800 x 550 x 750 mm; P.S.C. type motor: - speed: between 2890 and 2910 rpm, depending on the voltage (cf. identification plate), - power: 9,2 kW; Note: supplied with gasket, cast iron impeller, but without pump body ; ref 601; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2025	1 Magnetic stirrer Magnetic stirrer; Voltage: 220 V; Power: 15 W; On/off switch; Min/max rotary button; Documentation: not available; ref 610; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2026	1 100 liters cosmetic creams mixer Krieger, Molto Mat MMU 100, year built 1995, serial number 94460, 100 liters cosmetic creams mixer; Product discharge by tank horizontal tilting (lid and agitators remaining motionless, in high position); Tank interior: AISI 316L stainless steel (presumed, in view of the present field of application); Non-metal materials: ; Gaskets: Silicone and EPDM; Scrapers plates: PTFE ; Finishings: Interior: mirror polished, Exterior: bright; Tank allowable pressure: 4 bar; Double-jacket allowable pressure: -1/+0,5 bar; Working temperatures (evaluation): 140°C (mixing zone) / 120°C (double-jacket); Curved lid, openable (by elevation):- The lid with the mixing tools and motorization are maneuvered by a lateral hydraulic cylinders system , - 1 dia 150 mm manhole, openable, mounted on hinge with screw locking system / Secured opening, Equipped with a dia 70 mm sight glass with manual window-wiper, - 1 dia 60mm spotlight with sight glass, - 1 stainless steel safety valve , - Washing nozzles, - 1 connection with removable bowl and ¼ turn valve, - 1 manifold, mounted on SMS connection, with a filter on stainless steel compressed air connection, a Bourdon manometer and several stainless steel butterfly valves , Agitation : The two following devices are animated by the same motoreducer unit:, - Motor 220 VAC. 50 Hz. , Power: 1,5 / 2,2 / 5 kW, Motor rotation speeds: 730 / 1480 / 2945 tr/min, - One rake-type agitation device, motorized from the top; - One tripod anchor, motorized from the top, including the scrapers, Homogenizer: - 1 axial device on tank bottom, working in two directions, Three-speed homogenizer: 1150 / 2300 / 4500 tr/min (5,5 kW), Direct transmission on the motor shaft (water cooling); Tank bottom accessories: - 1 pneumatic valve. Height above ground: approx 500mm. SMS-type threaded connection; Controlling system:Note: the mixer is controlled by separate cabinet, - Operator terminal: Siemens OP20 (function keys and multiline display), - Electro-mechanical equipment: Schneider – Télémécanique, - PLC: Siemens Simatic S5 95U, - Fuji Electronic FCR Microjet display/recorder (paper, 6-channels) , - Eurotherm 2404 temperature display and regulation system, - Omron MX2 speed regulator, - Lid and hydraulic unit control, - Emergency stop, - Disconnecter ; Others and miscellaneous: - Equipment for utilities connection, - Valves and steam/chilled water equipment for temperature regulation; - Approximate overall dimensions: Mixing tank ext dia: 750 mm, Height with lid in low position, from the ground to the upper part of the motor: 2000 mm, Height with lid in high position, from the ground to the upper part of the motor: 2600 mm, Width: 1600 mm. Depth: 1200 mm; Power supply: 3-ph 230VAC 50 Hz. Power: unknown; ref 615; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2027	1 Unit for cosmetic creams preparation Krieger/Bionaz, Molto Mat MMU 300, serial number WO-4248/5616, Unit for cosmetic creams preparation; Présentation: Two separate tanks: one melter (working volume 300 liters) + one mixer (working volume 300 liters); Direct transfer, by gravity, from the melter to the mixing tank (hose on tanks bottom); Technical documentation: available (original file, as is); MIXER: Manufacturer: KRIEGER (SUI), Model: Molto Mat MMU 300 , Working volume: 300 liters (total volume 450 liters), Year of manufacture: 1980, Serial number: WO-4248; Product discharge by tank horizontal tilting (lid and agitators remaining motionless, in high position); Tank interior: AISI 316L stainless steel (presumed, in view of the actual field of application); Non-metal materials: EPDM and silicone gaskets.	4,500.00



Lot	Number Description	Starting Bid €
-----	--------------------	----------------

Scrapers plates: PTFE; Finishing Interior mirror polished / Exterior: polished; Tank working pressure: +0,5 bar; Heating/cooling double-jacket; Heating by direct steam pressure reduction; Cooling in the same circuits by chilled water circulation; Double-jacket allowable working pressure: 4 bar; Working temperatures: 150°C (mixing zone), 140°C (double-jacket); Curved lid, openable (by elevation): The lid with the mixing tools and motorization are maneuvered by a lateral hydraulic cylinders system - 1 dia 195 mm manhole, openable, mounted on hinge with screw locking system / Secured opening - Equipped with a dia 155 mm sight glass with manual window-wiper - 1 dia 60mm spotlight with sight glass. Classified explosion-risk. 200V 60W - 1 stainless steel safety valve - Washing nozzles - 1 connection for components reception from the mezzanine - 1 manifold, mounted on SMS connection (can receive: a vent filter, a manometer, a vacuum-setting connection, along with several valves); Agitation: The two following devices are animated by the same motoreducer unit: - Motor 220 VAC / 50 Hz. Power 4,4 kW - Motor rotation speeds: 705 + 1450 + 2925 RPM - One rake-type agitation device, motorized from the top - One tripod anchor, motorized from the top, including the scrapers - Rotation speed: unknown; Homogenizer: One axial device on the tank bottom, working in two directions - Three speeds. Rotation speeds: unknown - Voltage and power: unknown; Tank bottom accessories: 2 manual valves (maneuver by steering wheel). Height above ground: approx 500mm. Threaded connection, SMS type - 1 hole : int dia 100 mm - 1 hole for sample-taking or components injection, int dia approx 50 mm; Controlling system: Electro-mechanical equipment: Schneider-Télémécanique - Eurotherm 2108 and 2404 temperature regulator/display - Control panel with buttons and status indicators - Heating/cooling zone selection (high/low) - Agitation on/off with speed indication - Homogenizer on/off with speed indication - Homogenizer direction choice - Tank lighting - Vacuum system on/off - Manometer for oil pressure - Lid and hydraulic unit control - Emergency stop - Disconnect; Others and miscellaneous: Utilities connection equipment - Valves and steam/chilled water equipments for temperature regulation; Approximate overall dimensions: Mixer tank: ext dia 1000 mm - Height with lid on low position, from ground to the upper part of the motor: 3000 mm - Height with lid on high position, from ground to the upper part of the motor: 3500 mm - Width: 2100 mm / Depth: 1300 mm; Power supply: 3-ph, 230 VAC, 50 hZ / power: 23 kVA; MELTER : Manufacturer: BIONAZ (FRA), Working volume: 300 liters, Year of manufacture: 1991, Serial number: 5616; Tank interior: AISI 316 stainless steel; Non-metal materials: EPMD and silicone; Inner finishing: electropolished / Exterior finishing: satin finish; Tank working pressure: Atm; Double-jacket; Heating by steam direct pressure reduction system; Double-jacket allowable working pressure: 4 bar; Curved lid mounted on hinge, openable and including the following equipments: Motorized opening, by electric cylinder - One diameter 200mm manhole, openable, on hinge - One stainless steel safety valve - One washing nozzle on clamp connection for manual cleaning in place - quick connection; Agitation: One axial three-blade device on the tank bottom - Motorization 230-400 VAC / 50 Hz. Power 1,5 kW - Motor rotation speed: 1430 RPM; Tank bottom accessories: One electro-pneumatically controlled ¼ turn drain valve. SMS type threaded connection - Steam heating regulation system - Temperature sensor - Mechanical seal (liquid lubrication, with reserve). Pressure and lubrication monitoring; Controlling system: Manual electro-mechanical control cabinet - Eurotherm 2404 electronic programmable temperature regulator - The agitation turbine speed is manually adjustable with a potentiometer located on the front of the equipment / Eurotherm display - Control by pushbuttons and status indicators - Agitation turbine on/off - Heating on/off - Buttons to open/close the transfer valve. Status indicators - Button to open/close the lid - Emergency stop; Approximate overall dimensions: ext dia 1100mm, height 1600 mm; ref 616; lot sold loaded on truck (if container additional fee) ; lot located in Orléans



Lot	Number Description	Starting Bid €
2028	<p>1 500 liters cream mixer</p> <p>Krieger, Molto Mat MMU 500, year built 1970, serial number WO-8605/1, 500 liters cream mixer; Technical documentation: available (original file, as is); double jacket refurbished in 1989; Product discharge by tank horizontal tilting (lid and agitators remaining motionless, in high position); Tank interior: AISI 316L stainless steel (presumed, in view of the actual field of application); Non-metal materials: EPDM and silicone gaskets. Scrapers plates: PTFE; Finishing Interior mirror polished / Exterior: polished; Tank working pressures: -1/+0,5 bar; Heating/cooling double-jacket; Heating by direct steam pressure reduction; Cooling in the same circuits by chilled water circulation; Double-jacket allowable working pressure: 4 bar; Working temperatures: 120°C (mixing zone), 140°C (double-jacket); Curved lid, openable (by elevation):The lid with the mixing tools and motorization are maneuvered by a lateral hydraulic cylinders system - 1 dia 200 mm manhole, openable, mounted on hinge with screw locking system / Secured opening - Equipped with a dia 160 mm sight glass with manual window-wiper - 1 dia 60mm spotlight with sight glass. Classified explosion-risk. 200V 60W - 1 stainless steel safety valve - Washing nozzles - 1 connection for components reception from the mezzanine - 1 connection with removable bowl and ¼ turn valve for external phases injection- - 1 manifold, mounted on SMS connection (can receive: a vent filter, a manometer, a vacuum-setting connection, along with several valves); Agitation:The two following devices are animated by the same motoreducer unit: - Motor 220 VAC / 50 Hz. Power 4,4 kW - Motor rotation speeds: 705 + 1450 + 2925 RPM - One rake-type agitation device, motorized from the top - One tripod anchor, motorized from the top, including the scrapers - Rotation speeds available: 6/13 + 12/27 + 24/53 RPM; Homogenizer:One axial device on the tank bottom, working in two directions - Three speeds. Rotation speeds: 720 + 1450 +2850 RPM - Voltage and power: unknown; Tank bottom accessories:2 manual valves (maneuver by steering wheel). Height above ground: approx 500mm. Threaded connection, SMS type - 1 hole : int dia 100 mm - 1 hole for sample-taking or components injection, int dia approx 50 mm; Others and miscellaneous:Utilities connection equipment - Valves and steam/chilled water equipments for temperature regulation; Approximate overall dimensions:Mixer tank: ext dia 1100 mm - Height with lid on low position, from ground to the upper part of the motor: 3100 mm - Height with lid on high position, from ground to the upper part of the motor: 3600 mm - Width: 2500 mm / Depth: 1500 mm; Power supply: 3-ph, 220 VAC, 50 hZ / power: 33 kVA; ref 617; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	4,500.00



Lot	Number	Description	Starting Bid €
2029	1	120 liters cream mixer Fryma, VME 120, year built 1981, serial number F23.55-1, 120 liters cream mixer; Technical documentation available in French ; 120 liters mixer: Working volume: 120 liters - Mounted on white lacquered steel chassis - Tank interior: AISI 304 (V2 A) stainless steel - Tank working pressure: Vacuum (0,98). Overpressure: none - Double jacket working pressure: 3 bar - Steam heating and chilled water cooling double jacket - Flat bottom, with motorized vertical opening / Locking by flat top clamp ; Equipped with: 1 lighting spotlight, with sight glass and wiper - 1 connection for analogic tank pressure sensor (JUMO 4-20 mA sensor) - Vacuum-breaking connection, with stainless steel absolute filter - Pneumatic motorized valves - One diameter 25 connection on clamp for purified water injection - Connections for CIP nozzles - Central agitation assured by scrapers and articulated pallets (peripheral and on the tank bottom) , driven by a separate motor, with chain transmission - Toothed mill with direct drive system 1700 RPM - Disperser with direct drive system - Approx overall dimensions: Chassis Width 2100 x Depth 1000 x Height 2000 mm; System for heating and cooling the mixer, placed in the technical area: Manufacturer: SPIRAX-SARCO - Year of manufacture: 2011 - Fluids distribution by stainless steel wall panel placed on the partition wall between the technical zone and the production zone. - Two-channel metal rack, equipped for the mixing tank heating and cooling regulation: - Manual steam valves - Regulation steam valves - Condensates drain system - Manometers - Safety valve - Y-shaped steam filter - Manual chilled water valves - Regulation chilled water valves - Manifolds for drain and heating/cooling circuits inversion - Manometers and thermometers - Filter - Overall dimensions: Width 1200 x Depth 400 x Height 1700 mm; Vacuum unit, situated in the technical area: A liquid ring vacuum pump works with the two tank. - The pump is placed on a chassis including a retention tray. - Instrumentation for vacuum regulation and water presence monitoring; ref 666; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2030	1	Mobile cabinet Mobile cabinet; Overall dimensions (l x w x h): approximately 2150 x 1000 x 2400 mm; Documentation: not available; Mobile: on wheels; Filter clogging measurement dial: 0 / 500 Pa; Potentiometer for air velocity adjustment; ref 797; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2031	1	Vertical laminar flow cabinet Erma flux, HFLVR, year built 2002, serial number GF/CG/00934/06/02/01B, Vertical laminar flow cabinet; Overall dimensions (l x w x h): approximately 1700 x 1100 x 2670 mm; Documentation: electrical diagrams; EC compliant; Potentiometer for air velocity adjustment; Air velocity Mini: 0,36 m/s Maxi: 0,54 m/s; Ziehl-Abegg air velocity display; Filter clogging measurement display: 0/500 Pa; Leds indicate when ventilation and lighting are on; Voltage: 230 V; Current: 10 A; Frequency: 50 Hz; ref 798; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2032	1	Hotte à flux vertical Erma flux, HFLVR, year built 2002, Hotte à flux vertical; Overall dimensions (l x w x h): approximately 1700 x 1100 x 2670 mm; Documentation: electrical diagrams; EC compliant; Potentiometer for air velocity adjustment; Air velocity Mini: 0,36 m/s Maxi: 0,54 m/s; Ziehl-Abegg air velocity display; Filter clogging measurement display: 0/500 Pa; Leds indicate when ventilation and lighting are on; Voltage: 230 V; Current: 10 A; Frequency: 50 Hz; ref 799; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2033	1	Oven Prolabo, EU28, serial number 39509112, Oven; ; ref 877; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00



Lot	Number Description	Starting Bid €
2034	<p>1 Filtration hood</p> <p>Erlab, Captair Flex XLS483, year built 2013, serial number 20802-13, Filtration hood; Overall dimensions (l x d x h): approximately 1350 x 1000 x 1330 mm; Internal dimensions: approximately 1200 x 690 x 880 mm; Documentation: not available; Number of columns: 3; Number of fans (IP44): 3; Processed air flow: 690 m³/h; Air velocity at the openings in working position: 0,4 à 0,6 m/s; Voltage / Frequency 90 - 264 V / 50 Hz; Total power consumption (Including electricity for the lights): 57 -141 Watts; Amperage absorbed : 4.8 A; Documentation: not available; ref 887; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	750.00
2035	<p>1 HPLC chain</p> <p>Waters, 717+ - 626 - 996 - 474, HPLC chain; Includes: Waters 717 plus autosampler, Waters 626 pump, Waters 996 photodiode array detector, Waters 474 fluorescence detector, Documentation: available for each equipment, in English; Waters 717 plus autosampler Injection volume range: 0,1 µL to 2000 µL in 0,1 µL increments, Linearity (1 to 100 µL): > 0,99 coefficient of deviation, Carryover: < 0,1 %, Bandspredding: < 10 % contribution for all solvent systems, Precision (typical, 5 to 50 µL): < 0,5 % RSD, System operating pressure: 31027 Kpa maximum continuous operating pressure 34475 Kpa maximum surge for < 30 seconds, Wash flow, solvent rate: > 0,4 mL per injection, Minimum sample required: 7 µL using low volume inserts, Advanced sampling routines: priority samples, auto standards, auto addition and auto transfer; Waters 626 pump Number of eluents: one to four, Modes of operation: gradient, isocratic, and flow programming, Operating flow range: 0,00 to 10 mL/min (50 µL heads), in 0,01 mL increments, System volume: <500 µL without mixers (<800 µL with two BM-150 mixers), Composition range: 0 to 100% programmable in 1% increments for each of four reservoirs., Compositional accuracy: better than 1,0%, independent of pressure, Automatic eluent sparging: standard, helium gas, input gas pressure range 3,5 to 10,5 kg/cm² (helium flow rate range 0 to 100 mL/min, programmable in 1 mL/ min increments), Pressure maxima: 278,5 kg/cm² over flow rate range; Programmable pressure limits: Lower: 0 to 276,5 kg/cm², Upper: 3,6 to 280 kg/cm², Plunger wash: 0,1 mL/min intermittent and automatic, Program storage: storage for 15 sets of tables (gradient, program event and detector), with a maximum of 15 sets per table. Storage for a time-based multi-method program with up to 48 individual steps. EEPROM stores setup parameters and tables, and preserves memory indefinitely following power loss or extended shutdown, Gradient profiles: eleven gradient curves / up to 80 curve segments can be linked, LCD: 12,7 cm diagonal screen. Sixteen lines with 40 characters per line. 320 x 200 pixels. Displays current operating conditions. Allows operator to monitor complete gradient and timed-event tables on single screens. Reverse video cursor prompts operator through program setup, Keypad, function keys and screen keys: dedicated keys provide direct access to all display screens. Cursor movement keys simplify programming, editing and parameter entering. All keys are eluent-resistant, Programmable timed events: you can program and store 15 timed events for each table. Set S1 through S4 for the following accessory control: audible alarm, sparge rate, column temperature, return to initial conditions, change the new gradient table; Waters 996 photodiode array detector Dimensions: 29 x 56 cm, Weight: 14,3 kg, Wavelength range: 190 to 800 nm, Wavelength accuracy: ± 1 nm, Linearity range: 5% over -0,1 to 2,0 AU, Spectral resolution: 1,2 nm per photodiode, Baseline noise: 5x10⁻⁵ AU peak-to-peak at 254 nm, Drift: 1x10⁻³ AU/hour at 254 nm (after warmup), Operating temperature: 4 to 40 °C, Operating humidity: 20 to 80% noncondensing; Flow cells: Standard: pathlength 10 mm, Semi-preparative: pathlength 3 mm, Microbore: pathlength 6 mm, Inert: pathlength 10 mm; Waters 474 scanning fluorescence detector Monochromator: holographic concave diffraction grating (for both excitation and emission), Light source: 150 W Xenon lamp, Wavelength range: 200 to 700 nm (for excitation and emission). Can be set from 0 to 900, Spectrum band width: , Excitation 18nm, Emission 10, 18 or 40 nm (set on keypad), Wavelength accuracy: ± 2 nm, Wavelength repeatability: ± 0,3 nm; Detector: Excitation: photodiode, Emission: photomultiplier tube, Second order filter: automatically inserted into light path when Ex > 400 nm, Flow cell: 16 µL (standard),</p>	750.00



Lot	Number	Description	Starting Bid €
		<p>Wetted surfaces: synthetic silica, fluoro-resin, PEEK, stainless steel SXS-316, Sensitivity: S/N for the Raman peak of water is 200 or above, where $\text{Ex } \lambda = 350 \text{ nm}$ and time constant is 1.5 sec, 16 μL cell, Attenuation range (recorder output): ten steps, including 1, 2, 4, 8, 16, 32, 64, 128, 256, S, Gain range: 1, 10, 100, 1000, Response: fast, standard, slow and digital filter, Signal processing: digital processing by A/D and D/A converters (with surrounding temperature compensation circuits); Outputs: Recorder: 10 mV full-scale (can be inverted), Integrator: 1 V full-scale, Marker output, Leak output; Inputs: Marker input, Auto-zero input, Program reset; Program functions: time program, with following variables : Wavelength change (excitation and emission), Gain, Attenuation, Wavelength scan, Ex, Em, Spectra; Wavelength scan functions: manual and time program parameters : Time, Interval, Amplitude, Memory location, Ex, Em, Spectra, Spectrum storage: ten locations for both emission and excitation spectra; Self-test diagnostics: Memory (ROM and RAM), DC power, Excitation energy decrease, Leak in cell, Lamp use time; Lamp use timer: internal timer for accumulating the total hours on the Xenon lamp; Dimensions (w x d x h): 300 x 460 x 150 mm / Weight : 19 kg; Power requirement: 115VC, 230 VAC 50/60 Hz / Power consumption: 300 W maxi; ref 901; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	
2036	13	<p>Humidity data loggers Tinytag, Ultra TGU-0304, Humidity data loggers; Documentation: not available; Relative humidity: 0 to 95%; Connection: 3-pin plug for measurement; Powered by a 3,6V lithium battery, type LST14250; ref 932; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	100.00
2037	1	<p>Horizontal cartoner CAM, PRX18, serial number 12574 PRX18, Horizontal cartoner; Overall dimensions (l x d x h): approximately 2150 x 1500 x 1640 mm; Documentation: available, in Italian (instructions manual, electrical diagrams, replacement parts); Power supply: 380 V / 50 Hz; Total power: 1,94 kW; Air consumption: 17 NL/mn; For: blisters, tubes, vials...; Carton format range: A: from 15 to 90 mm, B: from 12 to 50 mm, C: from 50 to 200 mm; Speed: from 20 to 120 cpm; ref 1023; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	6,000.00
2038	1	<p>10.000 liters stainless steel tank Pierre Guréin, year built 1995, serial number N1100052, 10.000 liters stainless steel tank; Overall dimensions (l x d x h): approximately 5200 x 1840 x 2140 mm (with door open : 2570 mm); Documentation: partial; Internal diameter: 1600 mm; Working pressure: atm; Designed to resist to a temperature of 90°C; Included: set of pump + valve; Curved bottom; Material: Parts in contact with the product: 316L stainless steel, Other parts: 304 stainless steel; Upper part: 1 boyer door 405 x 450, 4 connections diameter 38, 3 connections diameter 51; Lower part: 1 outlet diameter 63, 1 immersion sleeve for PT 100 temperature sensor; ref 1044; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	2,550.00
2039	1	<p>pump pump; ; ref 1052; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	150.00
2040	1	<p>Inerting trolley Inerting trolley; ; ref 1075; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	600.00



Lot	Number Description	Starting Bid €
2042	1 Thermoformer IMA, C60, year built 1987, serial number C6026230244, Thermoformer; Overall dimensions (l x d x h): approximately 6200 x 2100 x 1950 mm; Documentation: user manual / mechanical and electrical diagrams / spare parts; Power supply: 380V / 50Hz / 34A / 12KW; Installed power: 9Kw; Compressed air: Consumption: 250 NI/mn, Working pressure: 6 atm; Water consumption for cooling the moulds: 30-40 liters/hour; Blisters dimensions: Min: 30 x 60 mm, Max: 90 x 140 mm; Carton dimensions: Min: 65 x 35 x 10 mm, Max: 145 x 95 x 60 mm; Unfolded leaflet dimensions: Width min/max: 80 mm / 300 mm, Length min/max: 85 mm / 160 mm; Folded leaflet dimensions: Width min/max: 20 mm / 60 mm, Length min/max: 70 mm / 160 mm, Max forming area: 150 x 230 mm or 150 x 276 mm; Blister production speed: from 100 to 350 blisters/min; Forming mould movement speed: 50 cycles/min; Blister pocket depth: max 12 mm; Dimensions and type of thermoformable film: Thickness: 0,2 – 0,35 mm, Width: 70 – 150 mm, Max reel diameter: 400 mm; Type: PVC - PVC / PVCD – PVC / PFC etc.; Dimensions and type of covering material : Thickness: 20 – 35 µm, Width: 66 – 146 mm, Max reel diameter: 300 mm; Type: heat-sealable aluminium foil, heat sealable paper, etc.; Cartoning group speed: max 150 cartons/minute; Quantity of blisters per carton : from 1 to 12; GUK RS21/760 device for leaflet cutting and folding; 8 pallets of spare parts; ref 1200; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2043	1 pump pump; ; ref 1468; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2044	1 polarographic Analyzer EG&G Princeton Applied Research, 384A, polarographic Analyzer; Connection: RS232; simplified control panel; automatic concentration analysis; storage and retrieval of datas and methods; preprogrammed algorithms; suppressed background noise; microchip controlled; various analysis methods programmation methods; mercury drop electrode (smde), type 303A; agitator type 305A, with manual and automatic functions; ref 1470; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2045	1 Electrochemical detector Touzart et matignon, Décade, Electrochemical detector; Electrochemical detector for HPLC; Column linking tube; Chamber with detection cell; Power 150W, 230V; ref 1471; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	180.00
2046	1 Oven for HPLC column Phenomenex, TS430, Oven for HPLC column; Cooling/heating oven for HPLC column; Temperature range: 8°C to 70°C; Chamber dimensions (l x d x h): 163 x 130 x 397 mm; ref 1482; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2047	1 Polarimeter and cooler Polarimeter and cooler; Polarimeter data : Manufacturer : Jasco, Model: DIP-370, Year : 1993, Polarimetry tube: 100 x 10 mm; Cooler data: Manufacturer: Bioblock Scientific, Type: Minichiller Huber, Temperature: -5°C to +40°C; ref 1514; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2048	1 Freezer Caravell, CL300, Freezer; Gross volume: 284 liters; Overall dimensions (l x d x h): 1000 x 700 x 900 mm; Documentation: not available; ref 1517; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2049	1 Load jib Testut, NH CR CCS 60, year built 1997, serial number AA17015, Load jib; Overall dimensions (l x d x h): approximately 600 x 600 x 1880 mm; Max load: 60 kg; Documentation: not available; EC compliant; Mobile: on wheels; ref 1536; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2050	1 Table model labeler Zebra, Z4M, serial number 02C06250541, Table model labeler; Overall dimensions (l x d x h): approximately 500 x 300 x 350 mm ; Documentation: not available; ref 1616; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00



Lot	Number Description	Starting Bid €
2051	1 Table model labeler Zebra, Z4M, serial number 02C05230120, Table model labeler; Overall dimensions (l x d x h): approximately 500 x 300 x 350 mm ; Documentation: not available; ref 1617; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2052	1 Heating plate Chromex, CH-66, Heating plate; Overall dimensions (l x d x h): approximately 220 x 260 x 100 mm; Documentation: not available; 3 positions; Power supply: 220 V / 50 Hz; Power: 1000 W; ref 1641; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2053	1 Gear motor Sew-Eurodrive, R17 DRS71S4BE05HR, serial number 01.1299468902.0001.09, Gear motor; Overall dimensions (l x d x h): approximately 440 x 140 x 200 mm; Documentation: not available; EC standards compliant; Type: coaxial output; Motor speed: 1380 rpm; Shaft speed: 60 rpm; Power: 0,37 kW; Torque: 59 Nm; ref 1643; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2055	1 350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1663; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2056	1 350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1665; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2057	1 300 liters mobile stainless steel tank Gallay, year built 2004, serial number 510.56-06, 300 liters mobile stainless steel tank; Material (parts in contact with the product): stainless steel, grade N/A; Internal working pressure: 2 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 1050 x 1050 x 1260 mm; Documentation: not available; ref 1666; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2058	1 350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1667; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2059	1 300 liters mobile stainless steel tank with heating 3C, serial number 2141, 300 liters mobile stainless steel tank with heating; Materials in contact with the product: stainless steel, grade N/A; Internal working pressure: -0,05 to 3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 770 x 770 x 1700 mm; Documentation: not available; ref 1668; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2060	1 350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1669; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00



Lot	Number	Description	Starting Bid €
2061	1	350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1670; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2062	1	300 liters stainless steel mobile tank Gallay, serial number 509.95-07, 300 liters stainless steel mobile tank; Materials (parts in contact with the product): stainless steel, grade N/A; Internal working pressure: 2 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 1050 x 1050 x 1260 mm; Documentation: not available; ref 1671; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2063	1	300 liters stainless steel mobile tank Gallay, year built 2004, serial number 509.95-18, 300 liters stainless steel mobile tank; Materials (parts in contact with the product): stainless steel, grade N/A; Internal working pressure: 2 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 1050 x 1050 x 1260 mm; Documentation: not available; ref 1672; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2064	1	120 liters stainless steel tank 3C, year built 2006, serial number 8121, 120 liters stainless steel tank; Overall dimensions (l x d x h): approximately 860 x 860 x 1150 mm; Material: 1.4404; Max allowable pressure: -0,05 / +3,6 bar; Min/max allowable temperature: 4 / 30°C; Test pressure: 5,8 bar; Working volume: 100 liters; Total volume: 120 liters; ref 1673; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2065	1	400 liters stainless steel mobile tank Alfa Laval, year built 1985, serial number 23260, 400 liters stainless steel mobile tank; Materials (parts in contact with the product): stainless steel, grade N/A; Internal working pressure: -0,05 to +1,1 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 850 x 770 x 1700 mm; Documentation: not available; ref 1675; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2066	1	1000 liters mobile stainless steel tank 3C, year built 2000, serial number 5983, 1000 liters mobile stainless steel tank; Working pressure: -0,6 to + 2 bar (CODAP 95); Materials in contact with the product: AISI 316L; Manhole diameter 350; Conical bottom; Drain: tank bottom drain ball valve, diameter 50; Overall dimensions: approx. diameter 1100 / l x d x h: approximately 1200 x 1200 x 1900 mm; Documentation: not available; ref 1678; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2067	1	350 liters stainless steel mobile tank with heating Creuset, year built 1998, 350 liters stainless steel mobile tank with heating; Nominal capacity: 350 liters; Materials in contact with the product: Stainless steel, grade N/A; Internal working pressure: -0,05 to +3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): 800 x 800 x 1750 mm; Documentation: not available; ref 1681; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2068	1	1000 liters stainless steel mobile tank 3C, year built 2000, serial number 5868, 1000 liters stainless steel mobile tank; Working pressure: -0,6 to +2 bar (CODAP C); Materials in contact with the product: AISI 316L; Manhole, diameter 350; Conical bottom.; Tank bottom drain valve (ball), diameter 50; Overall dimensions (l x d x h): approximately 1200 x 1200 x 1900 mm; Documentation: not available; ref 1682; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00



Lot	Number	Description	Starting Bid €
2069	1	300 liters mobile stainless steel tank 3C, year built 1991, serial number 1838, 300 liters mobile stainless steel tank; Mobile: on wheels; Overall dimensions (l x d x h): approximately 1200 x 1000 x 1650 mm; Working pressure: vacuum / 2,2 bar; Test pressure: 3,3 bar; ref 1688; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2070	1	pump Fristam, FKI 50, serial number 658460020, pump; With Leroy Somer motor, type CB 2302 SB3; ref 1694; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2071	1	Heating oven Jouan, EB 55, year built 1996, serial number 39603116, Heating oven; Volume: 55L; Temperature range: Ambient to +70°C; Potentiometer for temperature adjustment; Potentiometer for heater security; Double-door; 1 shelf; Power supply: 240 V / 50 / 150 W; ref 1707; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00
2072	1	Dryer Lancer, Labsec 13UP, Dryer; Material: tank in stainless steel; Power supply: 3-ph 400 VAC + N / 50 Hz / 7,5 kW; Overall external dimensions: 650 x 715 x 1460 mm; Internal dimensions: 525 x 500 x 635 mm; Drain + extraction diameter 110 mm; Documentation: available; ref 1712; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2073	1	Oven CEM, MDS 2000, serial number UR 5422, Oven; Type: microwaves; Used for: digesting, dissolving, hydrolyzing, drying; Internal dimensions: approximately 580 x 500 x 500 mm; Max power 1920 W / 50 Hz; EC compliant; ref 1715; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2074	1	Optical ICP Elemental, IRIS Intrepid II XDL, year built 2003, serial number 12073, Optical ICP; Overall dimensions (l x d x h): approximately 1500 x 950 x 1500 mm; ref 1725; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2075	1	atomic absorbtion spectro Varian, SpectrAA 400, atomic absorbtion spectro; sold with Varian Zeeman graphite tube atomizer; ref 1727; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2076	1	gas chromatograph Varian, CP 3800, gas chromatograph; ; ref 1732; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	840.00
2077	1	motor Euromotori, motor; ; ref 1733; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2078	1	motor RPM, serial number 11021408, motor; 420W; 1200rpm; EC compliant; ref 1737; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2079	1	motor P. Lemmens, serial number 11061900, motor; 368W; 1390 rpm; ref 1738; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2080	1	Atomic absorption spectrometer Varian, SpectrAA, Atomic absorption spectrometer; ; ref 1739; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	360.00
2081	1	Microplate cleaner Bio-Rad, PW40, Microplate cleaner; 8-chanel cleaning comb; 96 wells (U or V shaped); Dimensions (l x d x h): 530 x 368 x 243 mm; Power: 100 VA; Accuracy: +5% RSD; Cleaning volume: 50 to 3000 µl/well; Well residual volume: <2 µl/well; ref 1741; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00



Lot	Number	Description	Starting Bid €
2082	1	CO2 incubator Jouan, IG150, CO2 incubator; Volume : 155 liters; CO2 detector: infrared; Temperature range: +5°C to 50°C; External dimensions (l x d x h): 500 x 750 x 1060 mm; Internal dimensions (l x d x h) : 465 x 495 x 675 mm; External door : stainless steel; Internal door : glass; No shelf available; On wheels + 2 brakes; ref 1749; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2083	1	Diluter AES Laboratoires, Dilumat 3, serial number 73300400, Diluter; Support arm for distribution pipes; 2 peristaltic pump; Rotor pump with three rollers; Locking clip; LCD screen and keyboard; Weighing cell; Power supply: 240 V / 50-60 Hz; Dilution factor: From 2,0 to 150,0%; Minimal sample weight: 1 to 25g; Dispensing speed: 800g/min; Maximum weight allowed on the holding plate: 1500g; ref 1754; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00
2084	1	Diluter AES Laboratoires, Dilumat 3, serial number 73300400, Diluter; Support arm for distribution pipes; Bag holder stand; Deflector; 2 peristaltic pump; Rotor pump with three rollers; Locking clip; LCD screen and keyboard; Weighing cell; Power supply: 240 V / 50-60 Hz; Dilution factor: From 2,0 to 150,0%; Minimal sample weight: 1 to 25g; Dispensing speed: 800g/min; Maximum weight allowed on the holding plate: 1500g; ref 1761; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2085	1	motor motor; ; ref 1773; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2086	1	Mobile Archimedes' screw conveyor Ceram, Mobile Archimedes' screw conveyor; Overall dimensions (l x d x h): approx. 250 x 250 x 670 mm; Documentation: not available; Power supply: 3-ph 230/400 VAC; Power: 1,1 kW; Speed: 1415 rpm; Connections diameter 62 and 110 mm; ref 1782; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00
2087	1	Elevator Manuvit, LEV300, serial number A4803, Elevator; EC standards compliant; Working load: 120 kg; Overall dimensions (l x d x h): approx. 1000 x 600 x 1700 mm; Documentation: not available ; ref 1789; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2088	1	Elevator Tawi, Protema 120, Elevator; Max load: 90 kg; Overall dimensions (l x d x h): approx. 1000 x 600 x 2650 mm; Documentation: not available; ref 1790; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2089	1	Electrical lifter Pramac Lifter, TX10/09, serial number 2001 HC 001268, Electrical lifter; Max load: 1000 kg; Overall dimensions (l x d x h): approx. 2000 x 800 x 1300 mm; Documentation: not available; ref 1800; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2090	1	cryostat Leica, CM 1900-1-1, cryostat; high precision microtome enclosed in a specific box to protect it against contamination; quick freezing plate; open-top cryostat with separated sample refrigeration; thickness adjustment : 1-60 µm; max size sample : 55mm; horizontal speed of sample : 25mm; vertical stroke : 59mm; temp range room : 0°C - 35°C; refriferator : R404A approx 210g; refrigeration capacity : 690W; manual and automatic defrosting function; power : 1800VA 230VAc 50Hz; dim 890x1200x730 mm; ref 1815; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2091	1	Gas chromatograph Varian, CP 3800 + CP 8410 auto-injector, year built 2003, serial number 10409, Gas chromatograph; Injector: approximately 470 x 230 x 400 mm; Chromatograph: approximately 670 x 650 x 530 mm ; ref 1856; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	840.00



Lot	Number	Description	Starting Bid €
2092	1	Peristaltic pump Peristaltic pump; ; ref 1858; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2093	1	temperature regulator Prolabo, year built 1995, temperature regulator; with timer; ref 1859; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	25.00
2094	1	Laminar flow Clima Neu, Laminar flow; Overall dimensions (l x d x h): approximately 1000 x 1500 x 2650 mm; Mobile: on wheels; Documentation: not available; Note: sides in plastic are available (absent on the photos); ref 1866; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2095	1	Drum lifter-turner Hovmand, Drum lifter-turner; Overall dimensions (l x d x h): approximately 800 x 1400 x 2000 mm; Documentation: not available; Max load: 100 kg; Adjustable depending on drum diameter; Mobile: on wheels; ref 1906; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2096	1	Weighing platform Mettler Toledo, PBA430-BC60, serial number B426745720, Weighing platform; Weighing range: 0-50 kg; Dangerous area classification: EX II 3GD IIT4 III T135°C (BVS 04 ATEX H/B062); Platform dimensions: 650 x 500 mm; Overall dimensions (l x d x h): 650 x 500 x 100 mm; Documentation: not available; ref 1932; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2097	1	Vacuum pump Rietschle, VLT 40, year built 2002, serial number 2319238, Vacuum pump; Flow: 40 m3/h; EC standards compliant; Overall dimensions (l x d x h): approx. 350 x 270 x 600 mm; Documentation: not available ; ref 1933; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2098	1	Weighing doser Atoma, 233-250, year built 1958, serial number 1742/A, Weighing doser; Overall dimensions (l x d x h): approximately 2250 x 700 x 1700 mm (+ platform); Documentation: available; Weighing range: 25 g / 250 g; E = 0,5 g; For tablets; ref 1938; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2100	1	Single labeller for cylindrical vials Bausch & Strobel, 1001 N 5764, year built 1983, Single labeller for cylindrical vials; Equipped with:- ALLEN hot stamping machine - Stamping detection system - an Avery ALS230 head changed in 2002 - Possibility of receiving a Laetus Argus 6012 control system - Spare parts; Vials 15 ml to 300 ml; Overall dimensions (l x d x h): approximately 1320 x 1200 x 1850 mm (+ conveyor approximately 1150 x 350 x 950 mm); Weight: 260 kg; Documentation: available; Max speed: 6000 pieces/hour (depending on the size and shape of the object); Possible vial formats: diameter 16-160 mm / height 35-320 mm; ref 3; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00



Lot	Number Description	Starting Bid €
2101	<p>1 Thermoforming line for spare parts</p> <p>IMA, C60, year built 1990, serial number C6044180290, Thermoforming line for spare parts; Overall dimensions (l x w x h) : approx 6500 x 2000 x 2950 mm; Documentation: Technical file in French; Working hours: 18 000 h; Fully covered by protection guards; Continuous tension of alufoil by MEROBEL system (optional); Spotted alufoil detection IMA; Colour camera system COVAN (optional); Unit-dose blister cutting and marking by embossing IMA; Loop Control IMA; Leaflets unrolling system ROTANOTICE; Leaflets folding system GUK; Blister packs dimensionsMini: 30 x 60 mm, Maxi: 90 x 140 mmBoxes dimensionsMini: 35 x h 10 mm, Maxi: 145 x 95 x h 60 mm; Max speed: 150 boxes/min, Leaflet dimensions: ; Not folded: ; Width min/max: 80 mm / 300 mmLength min/max: 85 mm / 210 mm, Folded:; Width min/max: 20 mm / 50 mm; Length min/max: 70 mm / 210 mm; Max forming surface: 140 x 276 mm; Blister packs production speed: from 100 to 300 blisters/min; Forming moulds speed: 50 cycles/minute; Air cells depth: max 12 mm, Thermoformable film:; Thickness : 0,2 to 0,35 mm, Width: 70 to 150 mm; Max reel diameter: 400 to 700 mm; Type: PVC-PVC / PVDC-PVC / PFC etc, Covering film:; Thickness: µ 20 to µ 35, Width: 66 to 146 mm; Reel diameter: max 300 mm; Type: heat-sealable alu, alu + heat-sealable paper, alu + paper + heat-sealable mylar, etc; Number of packs / box : 1 to 12; Vacuum pump: , Vacuum: 620 to 660 mm Hg, Flow: 15 to 20 m3/h, Absorbed power: 12 to 18,5 kW; Compressed air:; Consumption: 300 NI/min, Working pressure: 6 atm; Water for moulds cooling: , Flow: 30 to 40 l/h, Temperature: 18 to 20 °C; Machine's weight: 4.000 kg; ref 11; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	900.00
2102	<p>1 Labeler</p> <p>Avery, ALX710, year built 1996, serial number 08900-01-0346, Labeler; Laying speed: between 2 and 30 m/mn; For cartons; PLC: Omron CQM1H-CPU21; Label presence and marking control cell: SICK NT6 laser code reader; Ejection: pneumatic jack; Max width between guides: approx 140 mm; Dimensions (l x p x h) : approx 200 x 115 x 220 cm; User manual + Maintenance manual + Declaration of conformity; ref 17; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	900.00
2103	<p>1 Planetary mixer</p> <p>Herbst, Rapid 10Z, year built 1975, serial number 2189, Planetary mixer; Overall dimensions: approx. 1000 x 1050 x 2000 mm; ref 33; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	300.00
2104	<p>1 Labeller + thermal printing module</p> <p>AI Tech, AI Code, year built 2002, serial number 2039993423, Labeller + thermal printing module; Cadence: 20 boxes/mn.; Labeller for cartons; Belt width: 70 à 100mm; Thermal printing module: SATO M8485SE; Barcode reader: SICK CLV 410-1010; Non-compliant ejection system; Approx dimensions: 180 x 120 x 205 cm; ref 154; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	1,500.00
2105	<p>1 Belt conveyor</p> <p>Belt conveyor; Dimensions: 800x600x900mm ; Belt width: 400mm; Motor LEROY SOMER 1375min-1 0,18kW; On/off button; ref 192; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	120.00
2106	<p>1 Tablet deduster</p> <p>Technilab, VTD100, year built 2002, Tablet deduster; Can dedust up to 500.000 tablets/hour; Dimensions: approximately 500 x 650 x 1600 mm; Power: 0.37 KW; Frequency converter: ISOSPEED-VS137; On wheels; Technical documentation: N/A; ref 234; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	600.00
2107	<p>1 Shrink tunnel</p> <p>Sfere-Emballage Sa, 40,275, year built 1991, serial number 75, Shrink tunnel; Overall dimensions (l x d x h): approximately 1220 x 720 x 1500 mm; ref 245; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	300.00



Lot	Number	Description	Starting Bid €
2108	1	Self-adhesive labeler Pago, Pagomat, year built 2003, serial number 0105/248, Self-adhesive labeler; For vials; Output: 60 cpm.; Bottle dimensions: approx 35 to 50mm.; 2 labeling stations; Label laying front/behind vials; Operating panel SIEMENS type Simatic OP7.; Overall dimensions: approx 3,60m x 1,60m; 1 Conveyor: length 2400mm and width 65mm.; Unloading table type Flex-LINK.; PLC SIEMENS type S7-300; Technical documentation: available; ref 250; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2109	1	Fridge Frigéavia, Fridge; ref 271; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2110	1	Detector ESA Dionex, Coularray, Detector ; 8 coulometric channels; With manuals; 110V power supply; Excellent condition; ref 348; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	840.00
2111	1	Sequencing cell Biorad, Sequi-Gen Cell, serial number 365BR 04094, Sequencing cell; Dimensions (l x w): 210 x 400 mm; Gel thickness range: 0,25 - 0,75 mm; Nominal voltage limit: 3 VDC; Nominal power limit: 100 W; Declaration of conformity; ref 356; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2112	1	Fluorometer Hoefer, DyNA Quant 2000, Fluorometer; Designed specifically for the accurate quantitation of low DNA concentrations even in presence of ARN, proteins and/or nucleotides; Can also measure enzyme activity based on the cleavage of methylumbelliferyl-linked substrates as well as other fluorescent assays for which these excitation and emission wavelengths are appropriate; 220V, 50Hz, 15W; Dimensions (l x w x h): 160x340x120mm; User manual in English; ref 370; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2113	1	Light scattering detector Sedere, Sedex 45, Light scattering detector ; Temperature regulator; Gain adjustment; Two modes: manual or automatic; Condition: almost new (six months of use); Power cable missing; Technical documentation: not available; ref 371; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2114	2	Leitz Projection heads for microscope Leitz, Leitz Projection heads for microscope; ref 377; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	225.00
2115	1	Refrigerated vapor trap Savant, RVT100, Refrigerated vapor trap; Volume: 1 liter; Temperature: up to -55°C; Power supply: 110V – 60Hz; Designed to condense and trap almost all types of solvent vapors that contaminate vacuum pump oil used with rotary evaporators and/or freeze dryers; ref 378; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2116	1	PAD UV/VIS detector for HPLC Shimadzu, SPD-M6A, serial number 70143 LP, PAD UV/VIS detector for HPLC; Power supply: 220V – 3A; Tungsten and deuterium lamps; Power cable missing; Technical documentation: N/A; ref 389; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2117	1	Heating block for tubes Thermolyne, DB26020, serial number 26000426, Heating block for tubes; 3 blocks of 20 tubes each: 2 blocks type BK165/5A, 1 block type BK165/7A; The lid is missing; ref 391; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	36.00



Lot	Number Description	Starting Bid €
2118	<p>1 Filling machine</p> <p>Tirelli, Guja 5E, year built 2003, serial number M793, Filling machine; Voltage: 220V Three Phase + Neutral + Ground ; This machine was formerly used with the following formats : ; 1) Glass bottle - Dimensions in mm: base 66,3 x 66,3 height 162 Ø int 22 Ø ext 27 - Volume 250 ml ; 2) Glass bottle - Dimensions in mm: base 69,7 height 240 Ø int 28 Ø ext 20 - Volume 500 ml ; 3) Sandstone bottle - Dimensions in mm: base 82 height 203 Ø int 31 Ø ext 18 - Volume 500 ml ; Functioning: The vials are conveyed towards the filling station. The "vial-blocker" lets pass five bottles. The "centerers" stop the bottles, and when all the bottles are correctly positioned, the "pusher" pushes them all at the same time under the filling nozzles. The filling nozzles come down and open, dose the product, then return to their initial position. The next empty bottles, when arriving, push the full bottles on the output conveyor: a photocell verifies that all the bottles are away from the action of the "pusher", and a "jam-cell" verifies that there is no jam on the machine's output. ; Cadence: up to 4500 cpm ; 4" multi-language touchscreen for machine's controlling and programming ; Cleaning in place ; Very quick format change ; All parts in contact with the products are made of AISI316 stainless steel ; Machine dimensions (L x w x h) : 1,33 x 1,12 x 2,10 m ; User manual in French (how to put the machine into service / filling station controls / control panel / maintenance / setting parameters / electrical diagrams) ; EC certificate of conformity; ref 402; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	3,000.00
2119	<p>1 UV Spectrometer for HPLC</p> <p>Waters, 481 Lambda Max, year built 1992, UV Spectrometer for HPLC; Wavelength range: 190 to 700 nm; Bandwidth: 5 nm; Linearity: 2.0 AUFS; Drift: 2x10⁻⁵ between 200 and 300 nm; 3x10⁻⁵ between 300 and 650 nm; Power supply: 220 V / 0,75 A; Power cable missing; ref 416; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	360.00
2120	<p>1 Roller conveyor</p> <p>Roller conveyor; dim approx 3x0.4m; ref 431; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	150.00
2121	<p>1 Semi-automatic horizontal case packer</p> <p>Cermex, E722/40, year built 1991, serial number 42994, Semi-automatic horizontal case packer; Semi-automatic machine (manual case presentation) ; Technical file + electrical diagrams ; Machine's overall dimensions (l x d x h): approximately 2400 x 1600 x 1800 mm; Infeed belt width: approximately 200 mm; Possible formats: A: five 2ml ampoules – case: 405 x 180 x 166 , B: five 10ml ampoules – case: 505 x 250 x 236 , C: ten 10ml ampoules – case: 505 x 225 x 236 , D: ten 5ml vials – case: 375 x 270 x 312 , E: ten 10ml vials – case: 375 x 300 x 312 , F: one 230ml vial – case: 350 x 280 x 141; ref 488; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	3,000.00
2122	<p>1 Labeler</p> <p>Avery Dennison, ALS 230 R, year built 1999, serial number 08700-1 -2191, Labeler; Printing head technical specifications: - Label width: 10 ... 100 mm - Label length: 5 ... 999 mm - Label roll diameter: max 300 mm - Labelling accuracy: ± 0,5 mm (with constant speed) - Labels per minute: up to 600/mn, depending on label size and dispensing speed - Dimensions (l x w x h) : 550 x 300 x 600 mm - Weight: 23 kg - Display panel: 4 digit LED display + 4 membrane keys - Label detector: self-adjusting infrared photosensor - User manual in French and English + route book - Mounted on columns and adjustable guides - Belt height: 830 mm - Power supply: 230 VAC 50 Hz. Power: 0,25 kW - Belt conveyor: belt width / width between guides: 200 mm Belt motorization: 2 gear motors, each 400 VAC 50 Hz 0,5 kW; Auxiliary equipments:- Upstream belt conveyor (length: 1600 mm);, Belt width (idem width between carton guides): 200 mm, Belt motorization: gear motor: 400 VAC 50 Hz 0,37 kW; - Downstream belt conveyor (length: 1100 mm);Belt width (idem width between carton guides): 200 mm, Belt motorization: gear motor: 400 VAC 50 Hz 0,37 kW - Electronic equipment: 3 Télémécanique Altivar 18 Square D speed regulators; ref 505; lot sold loaded on truck (if container additional fee) ; lot located in Orléans</p>	600.00



Lot	Number	Description	Starting Bid €
2123	1	Giraffe Giraffe; Dimensions : approx. 2,40 x 1,20 x 2,50 m; ref 557; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2124	1	Labeler Pago, System 165, year built 1994, serial number 416537, Labeler; With Allen printing system; Pagomat unroller; Overall dimensions (l x d x h): approximately 2900 x 1000 x 1500 mm; ref 565; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2125	1	Tube filler Kalix, KX NL, serial number 3627, Tube filler; On wheels; Dimensions: approx 125 x 90 x 205 cm; Formats available for alu tube and pvc tube; ref 568; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,550.00
2126	1	Mobile labeler Coserm, VLP 500, year built 2006, serial number VLP COS-059, Mobile labeler; EC rules compliant; Approximate dimensions (l x d x h): 1000 x 1050 x 1950 mm; Weight: 250 kg; Utilities: Power supply: 220 V 50 Hz Power: 940 W, Pneumatic supply: 5 to 6 bars; Documentation: User manual in French, Qualification file, Life book; Formats and speed: Current cartons formats: 41x95x26 + 41x95x13 + 50x125x15 + 106x140x20 + 41x95x20 + 73x116x15 + 73x116x55, Current labels format: 40x20 / Width of reel 43mm / Labels step 40mm / Max rollers diameter 300 mm, Speed: N/A ; Functions: Zebra 110 PAX 4 (300 DPI) thermal transfer printer. Consumables monitoring cells, Coserm-Leutze GS 06/66 dispensing head, Labels conformity control: Sick CLV 422-0010 laser scanner / Non-compliant ejection (compressed air blowgun); ref 573; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2127	1	2500 liters stainless steel tank with stirrer 2500 liters stainless steel tank with stirrer; Volume: 2500 L; This tank is not ADF/ATEX; Materials: parts in contact with the product: stainless steel (grade: N/A) / others: painted steel; Equipped with weighing modules: No; Interior finish: mechanical mirror finish; Mounted on 4 legs. Access to the lid on platform (height above ground: 2500 mm); Working pressure: vacuum and 1 bar; Overall dimensions: approx H 4400 x 2000 mm; Tank equipment:- Insulated double-jacket (stone wool, with stainless steel Isoxal coating) - Steam heating and chilled water cooling by alternate circulation (compressed air pushing system). Di 35mm connection - Double-jacket max pressure: 2 bar - Product bottom discharge (manual 1/4 turn butterfly drain valve) on Di 35mm SMS connection - Product temperature sensor: Endress & Hauser, type Pt 100 Ohm, mounted in an immersion sleeve; Lid (not opening) equipment :- Dia 400 manhole with safety contact. Equipped with a Dia 150 mm sight glass with manual wiper - Connection for vacuum setting and pressurization. A linking manifold equipped with a membrane manometer -1/3bar, an AISI 316 L PALL filter, a tank safety valve (tare: 1bar) and a sight glass - Two rotary balls for cleaning/rinsing in place, on AISI 316L stainless steel manifold. Di 35 mm SMS connection - Tank lighting: 230 V Dia 150 mm. - Connections on SMS : 2x Di 60, 3x Di 35 et 1x Di 45mm with aerator; Agitator - Disperser:- Central, on-top system. Diameter 450 mm rotary vane module in the lower part of the tank. Material: AISI 316L - Motorization fixed on the lid: electrical motor, 3-ph 380 V 50 Hz 7,5 kW - Transmission via belt/pulleys and angular gearbox - Rotation speeds: N/A - Vacuum/pressure mechanical seal (grade unknown); Complementary accessories:- Float trap: Spirax-Sarco Ft14 DN20. - Y-shaped condensats filter: Spirax-Sarco DN20. - Ball type valves: Spirax-Sarco DN20 - Thermal circuit safety valve (tare 2 bar); ref 575; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2128	1	Labeler ITE, ETIQ75, year built 2008, Labeler; Automatic labeler with two heads, for up/down labeling; Label application only, no marking device available; Manual for use and maintenance in French; ref 576; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,550.00



Lot	Number	Description	Starting Bid €
2129	1	Melter Goavec, year built 1995, serial number 95AH42, Melter; Total capacity: 148 liters; Working capacity: 120 liters; Double-jacket (hot water); With electrical cabinet; Documentation: available; Overall dimensions (l x d x h): approximately 1150 x 1100 x 1950 mm; Manual ¼ turn valve for tank bottom drain; Lid: Bernstein open position sensor - Closing by wing nuts - Sight glass with light and manual window-wiper - 2 manometers: one -1/3 bar and one 0/2,5 bar - 1 manifold with three ¼ turn manual valves - 2 temperature sensors - Manhole with Bernstein open position sensor - 1 threaded connection Ø100 mm; ref 579; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2130	1	10 liters tank with stirrer Fryma, VME-6, year built 1980, serial number FO84790, 10 liters tank with stirrer; With electrical cabinet (motor + heating control); Overall dimensions (l x d x h): approximately 1000 x 800 x 1800 mm; ref 581; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2131	1	Tank with stirrer 300l Tank with stirrer 300l; Double-jacket (hot water) ; Without electrical cabinet; Overall dimensions (l x d x h): approximately 1000 x 1100 x 2050 mm; Technical documentation: not available; Tank bottom drain valve (manual, ¼ turn); Lid, equipped with a Bernstein open position detector:- Lumiglas sight glass with light and manual window-wiper - 2 PT100 temperature sensors - manhole, with Bernstein open position detector - agitator (see photos) - 1 manifold, with 3 manual ¼ turn valves, 1 manometer -1/3 bar, 1 H+ 550BR safety valve - 1 connection, int Ø 36 on 50 mm clamp; ref 582; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2132	1	196 liters melter Cassella AG, year built 1990, serial number 70, 196 liters melter; Double-jacket (hot water); Max temperature: tank 115°C / double-jacket 130°C; Overall dimensions (l x d x h): approximately 1000 x 1000 x 2100 mm; Manual valve for tank bottom drain; Double-jacket connection, with:- manometer 0/4 bar - safety valve tare 1,5 bar - condensates and steam outputs; Lid (closing by hooks and wing nuts), equipped with a Bernstein MAK-4536-6 open position sensor : - Max Müller HLM 100H sight glass with light, with manual window-wiper - threaded connection, ext dia 68 mm - two temperature sensors - manhole, int dia 355 mm; - one manifold, with:- a manometer, -1/0,6 bar - three ¼ turn valves : air, vent, vacuum - a safety valve 0,49 bar; ref 585; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2133	4	lot of s/s pots lot of s/s pots; Approximate dimensions: diameter 29 cm, height 35 cm; ref 600; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2134	1	Cartoner Zanasi, K400, year built 1988, serial number 456785, Cartoner; Overall dimensions (l x d x h): approximately 6000 x 2150 x 1675 mm; Documentation: available; Horizontal cartoner, for automatic vial packaging; Folded leaflet feeder; Former format: cartons 31 x 31 x 60mm (vial diameter 16,25 mm height 34,5 mm); Format range:; Min: 25 x 12 x 60 mm; Max: 80 x 50 x 200 mm; Mechanical speed: 380 cartons/minute; ref 637; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00



Lot	Number Description	Starting Bid €
2135	1 Thermoformer – Blister machine Farcon, FP420, year built 1988, serial number 471, Thermoformer – Blister machine; Speed: from 8 to 35 cpm; Machine for blistering two vials, ampoules, syringes...; Film type: PETG – PVC; Max film capacity: width 320mm, length 216mm, depth 42mm; 1st vial loader: turning table dia 1200mm, fed by manual pushing system; 2nd vial loader: metal conveyor, fed by manual pushing system; Automatic thermoforming station; Blister filling control by laser cell; Upper film placing and continuous thermo-sealing station; Blister-cutting station + collection and destruction of the remains; Blisters are recuperated by a suction device, and bad blisters are treated; Control of the machine is assured by push buttons; PLC: Prysma83; Overall dimensions (l x d x h): 7600 x 3050 x 2400 mm; Power supply: 3-ph 400 VAC; Compressed air (dry and oil-free): 6 bar / 600 NI/h; Documentation: available, complete; 1st loader, vials diameter 18mm, length 38 mm; 2nd loader, vials diameter 16,5mm, length 35mm; Width 300mm for 5 blisters 52x62 mm; Various parts / formats; ref 638; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2136	1 Banding machine BFB, MS 500, year built 1999, serial number 4146, Banding machine; Overall dimensions (l x d x h): approximately 3185 x 1087 x 2165 mm; Documentation: available; Max speed: 30 bundles / minute; PLC: Siemens Simatic S5-100U; Necessary air pressure: 6 bar; Weight: 815 kg; Former format:Product: 32 x 24 x 132 mm, Bundle: 160 x 48 x 132 mm; Format range:Product : Mini: 15 x 12 x 50 mm, Maxi: 330 x 100 x 300 mm; Bundle: Mini: 60 x 30 x 50 mm, Maxi: 330 x 200 x 300 mm; ref 646; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2137	1 Vibrating bowl + linear feeder Rhein Nadel, Vibrating bowl + linear feeder; Overall dimensions (l x d x h): approx 220 x 130 x 230 cm; Vibrating bowl model: SRC – N630 – 1L; Linear feeder model: SLL800-1400; ref 656; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2138	1 Lifting and tipping container Servolift, HC, year built 2004, serial number 10923, Lifting and tipping container; Lifting capacity: 700 Kg; Max hydraulic pressure: 160 bar; Max pneumatic pressure: 8 bar; Power: 400V – 50Hz – 2,2kW; Height of the lifting mast: 4440mm; Support feet dimensions: 520x520mm; Dimensions of the control box (LxWxH in mm): 500x660x1050; Overall dimensions of turning arm: approximately 2250x1700mm; Internal dimensions of the turning arm: approximately 1450x1140mm; ref 762; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,600.00
2139	1 Labeler Al Tech, AL ritma S / Version SX, year built 2002, serial number 2115004158, Labeler; Former use: diameter 60 plastic pots labeling; Speed: approximately 80 pots/minute; Power supply: 230 V / 50 Hz; Power: 300 W; EC compliant; Overall dimensions (l x d x h): approximately 1800 x 1300 x 1300 mm; Easy instructions in French; ref 771; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2140	1 Mobile stainless steel 500 liters tank with magnetic agitation Rheo Mix, Mobile stainless steel 500 liters tank with magnetic agitation; Overall dimensions (l x d x h): approximately 1500 x 1000 x 1700 mm; Documentation: available but incomplete; Simple-jacket; Working volume: 500 liters; Mobile: on trolley with wheels; Supplied with agitation motor; Allen Bradley agitation speed regulator + Jumo electronic mini-disc recorder; Two sight glasses, diameter 35mm on the upper part of the tank; “up/down” steering wheel; Carrying handles + Lifting rings; Lid:- Four connections: int Ø 18mm on 50mm clamp (one with 9mm tubing) - One connection: int Ø 50mm on 63mm clamp; ref 815; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00



Lot	Number	Description	Starting Bid €
2141	1	Mobile stainless steel 500 liters tank with magnetic agitation Mobile stainless steel 500 liters tank with magnetic agitation; Overall dimensions (l x d x h): approximately 1500 x 1000 x 1600 mm; Documentation: available but incomplete (polishing/rugosity); Simple jacket; Working volume: 500 liters; Mobile: on trolley with wheels; Supplied with agitation motor; Allen Bradley agitation speed regulator + Jumo electronic mini-disc recorder; Two sight glasses, diameter 33mm; "up/down" steering wheel; Carrying handles + Lifting rings; Lid:- Four connections int Ø 18mm on 50mm clamp (including two with 9mm tubing) - One connection int Ø 50mm on 63 mm clamp; ref 823; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2142	1	Mobile stainless steel 500 liters tank with magnetic agitation Mobile stainless steel 500 liters tank with magnetic agitation; Overall dimensions (l x d x h): approximately 1500 x 1000 x 1600 mm; Documentation: available but incomplete (electrical diagrams + polishing/rugosity); Simple jacket; Working volume: 500 liters; Mobile: on trolley with wheels; Supplied with agitation motor; Allen Bradley agitation speed regulator + Jumo electronic mini-disc recorder; Two sight glasses, diameter 33mm; "up/down" steering wheel; Carrying handles + Lifting rings; Lid:- Four connections int Ø 18mm on 50mm clamp- One connection int Ø 50mm on 63 mm clamp; ref 824; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2143	1	Mobile stainless steel 200 liters tank with mechanical agitation Mobile stainless steel 200 liters tank with mechanical agitation; Simple-jacket; On mobile trolley; Carrying handles; Overall dimensions: trolley is approximately 950 x 650 mm / tank height: 1250 mm; Documentation: not available; Lid: - Two sight glasses, internal diameter 45 mm - One 40 mm SMS connection - Four 9 mm tubings (2 product entries, 1 product output, 1 air) - One agitator (supplied without motor); ref 831; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2144	1	Mobile stainless steel 200 liters tank with mechanical agitation Mobile stainless steel 200 liters tank with mechanical agitation; Simple-jacket; On mobile trolley; Carrying handles; Overall dimensions: trolley is approximately 950 x 650 mm / tank height: 1300 mm; Documentation: not available; Lid: - Two sight glasses, internal diameter 45 mm - One 40 mm SMS connection - Four 9 mm tubings (2 product entries, 1 product output, 1 air) - One agitator (supplied without motor); ref 832; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2145	1	Mobile stainless steel 200 liters tank with mechanical agitation Mobile stainless steel 200 liters tank with mechanical agitation; Trolley dimensions: approximately 950 x 650mm; Tank height: approximately 1250mm; Documentation: not available; Simple jacket; Mechanical agitation (supplied without motor); Carrying handles; Two sight glasses internal diameter 45mm; Lid:- Four 8mm tubings - One SMS connection, internal diameter 36mm; ref 834; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2146	1	Mobile stainless steel 100 liters tank with mechanical agitation Mobile stainless steel 100 liters tank with mechanical agitation; Simple-jacket; On mobile trolley; Carrying handles; Overall dimensions: trolley is approximately 550 x 500 mm / tank height: 850 mm; Documentation: not available; Lid: - four int dia 36 mm connections on 50 mm clamp, three including 9 mm tubing - agitator: missing; ref 838; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2147	1	Mobile stainless steel 100 liters tank with mechanical agitation Mobile stainless steel 100 liters tank with mechanical agitation; Simple-jacket; On mobile trolley; Carrying handles; Overall dimensions: trolley is approximately 550 x 500 mm / tank height: 1000 mm; Documentation: not available; Lid: - Four int dia 36 mm connections on 50 mm clamp, three including 9 mm tubing - One agitator (supplied without motor); ref 839; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00



Lot	Number	Description	Starting Bid €
2148	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 840; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2149	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 841; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2150	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 842; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2151	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 843; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2152	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 844; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2153	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 845; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2154	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 846; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2155	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 847; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00



Lot	Number	Description	Starting Bid €
2156	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 848; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2157	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 849; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2158	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 850; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2159	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 851; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2160	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 852; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2161	1	Stainless steel 65 liters magnetic drum Stainless steel 65 liters magnetic drum; Technical documentation: available; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 870 mm; Carrying handles; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm dia sight glass - One 40mm int dia SMS connection - Opening/closing by 4 wing nuts; ref 853; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2162	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 854; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2163	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 855; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00



Lot	Number	Description	Starting Bid €
2164	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 856; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2165	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 857; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2166	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 858; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2167	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 859; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2168	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 860; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2169	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 861; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2170	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 862; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2171	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 863; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00



Lot	Number	Description	Starting Bid €
2172	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 864; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2173	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 873; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2174	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 874; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2175	1	Stainless steel 65 liters drum with mechanical agitation Stainless steel 65 liters drum with mechanical agitation; Mobile (on trolleys with wheels); Trolley dimensions: approximately 450 x 450 mm; Height: approximately 1050 mm; Carrying handles; Technical documentation: available; Lid:- Three 8mm dia tubings (air / product entry / product output) - One 40mm int dia SMS connection - Agitation: present (supplied without motor) - Opening/closing by 4 wing nuts; ref 875; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2176	1	Agitation jib Leroy Somer, MVS50 / CB B2 S B3 V5, Agitation jib; Floor dimensions (l x w): approximately 1000 x 1100 mm; Mobile : on wheels; Documentation: not available; Motor:Speed: 2000 RPM - Power: 0,375 kW - Protection: IP 23; Reducer:Reduction: 6,5; Potentiometer for speed regulation; Jumo agitation speed display; Steering wheel for height adjustment; ref 869; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2177	1	Agitation jib Leroy Somer, MVS50 / CB B2 S V5 U, Agitation jib; Floor dimensions (l x w): approximately 1000 x 1100 mm; Mobile : on wheels; Documentation: electrical diagrams; Motor:Speed: 2000 RPM - Power: 0,375 kW - Protection: IP 23; Reducer:Reduction: 6,5; Potentiometer for speed regulation; Jumo electronic mini-disc recorder; Steering wheel for height adjustment; ref 870; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2178	1	Agitation jib Leroy Somer, MVS50 / CB B2 S B3, Agitation jib; Floor dimensions (l x w): approximately 1000 x 700 mm; Mobile : on wheels; Documentation: electrical diagrams; Motor:Speed: 2000 RPM - Power: 0,375 kW - Protection: IP 23; Reducer:Reduction: 6,5; Potentiometer for speed regulation; Jumo electronic mini-disc recorder; Steering wheel for height adjustment; ref 871; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2179	1	Belt conveyor Belt conveyor; Documentation: not available; Belt dimensions (approximately): length 850 mm, width 395 mm ; Motor: Manufacturer: Bonfiglioli - Model: BN63B4 - Power: 0,18 kW - Speed: 1320 rpm - IP55 - EC compliant; Gear motor: Manufacturer: Motovario - Model: NMRV/030 - l: 50; ref 885; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00



Lot	Number	Description	Starting Bid €
2180	1	Labeler Zetes, Zebra PAX 4, year built 2011, serial number Z3iB 11152A, Labeler; Overall dimensions (l x d x h): approximately 1400 x 1100 x 1650 mm; Documentation: not available; Display: Siemens TD 200; Power supply: 230 V / 16 A / 50 Hz; Power: 1 kW; Weight: 370 kg; ref 963; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2181	1	Checkweigher Bosch, KWE 3000, year built 1999, serial number 783600, Checkweigher; Overall dimensions (l x d x h): approximately 800 x 800 x 1600 mm; Documentation: available, in German; e = d = 0,1 g; Weighing range: 50 g – 750 g; Speed: 38 m/mn; Display: Bosch TP35; Spare parts available; ref 966; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2182	1	Labeller Pago, 15/120 E-x, year built 2011, serial number CG007662.01, Labeller; Documentation available in German; Dimensions (l x d x h): 650 x 420 x 570 mm; Alphanumeric keyboard + function keys; Display : LCD, 2 lines, 16 characters; Printing module:Thermic transfer - Ribbon length: 450 or 600 m - Ribbon width: 55 to 110 mm - Printing speed: from 100 to 300 mm/s - Max printing width: 110 mm - Max printing length: 800 mm; Labels:Width: from 25 to 120 mm - Length: from 10 mm to max printing length; ref 967; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2183	1	Bottle blower Sicma, B01-6/301, year built 2004, serial number 200320, Bottle blower; Overall dimensions (l x d x h): approximately 2200 x 1750 x 1950 mm; Documentation: available; Bottle format range;; Body diameter: between 25 and 100 mm; Top diameter: between 9 and 35 mm; Height: between 60 and 210 mm; Speed: up to 3000 bottles/hour; Used formats;; Diameter: 42 / 23 mm – Height: 122 mm – Speed 3000 bottles/hour; Diameter: 50 / 26 mm – Height: 149 mm – Speed 3000 bottles/hour; PLC: Siemens Simatic S7-200; Power supply: 380V 3-ph without neutral; Power: 0,4 kW; Weight: 800 kg; ref 970; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,400.00
2184	1	Giraffe ADMV, Giraffe; Overall dimensions (l x d x h): approximately 2150 x 620 x 2050 mm; Documentation: not available; Motor: Leroy-Somer 0,37 kW; ref 980; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2185	1	Cellophane wrapper BFB, 3791 U, year built 1995, serial number 3337, Cellophane wrapper; Overall dimensions (l x d x h): approximately 1900 x 1100 x 1750 mm; Documentation: available (Multilanguage); EC compliant; Absorbed power: 2,5 kW; Weight: 800 kg; Noise level: max 74 db(A); Control interface: VT-420L; Speed: up to 35 cartons/minute; Used formats:1 – Product: 85,5 x 84,5 x 87 mm / Film: 177 x 348mm - 2 – Product: 96 x 95 x 97mm / Film: 197 x 390mm - 3 – Product: 111x 111 x 111 mm / Film : 228x 452 mm; Format range:Product: A: from 40 to 220 mm - B: from 23 to 130 mm - C: from 52 to 220 mm; Film: H: from 65 to 350 mm - L: from 70 to 470 mm - Max reel diameter: 300 mm; ref 981; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,050.00
2186	1	Filling machine Tonazzi, Nova, year built 1987, serial number 6871794, Filling machine; automaton refurbished 2012; Overall dimensions (l x d x h): approximately 2780 x 1170 x 2400 mm; Speed: 60 tubes/minute; Aluminium tubes; Technical documentation: available; Tube format range:Diameter min 10 mm / max 42 mm - Height min 50 mm / max 200 mm; Used formats:10 ml tube diameter 16 mm and length 95 mm - 15 ml tube diameter 19 mm and length 105 mm - 20 ml tube diameter 22 mm and length 100 mm - 30 ml tube diameter 22 mm and length 130 mm; ref 1024; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	6,000.00



Lot	Number Description	Starting Bid €
2187	1 Tube filler Norden, NM600, serial number 51718, Tube filler ; Overall dimensions (l x d x h): approximately 2000 x 1300 x 1800 mm; Speed: 55 tubes/ mn; Format :15 ml , tube diameter 19 mm length 85 mm - 20 ml , tube diameter 25 length 80 mm - 30 ml , tube diameter 25 length 100 mm - 50 ml tube diameter 30 length 110 mm - 40 ml tube diameter 35 length 90 mm - 75 ml tube diameter35 length 125 mm - 45 ml tube diameter 35 length 135 mm - 100 ml tube diameter 35 length 150 ml; ref 1031; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	6,000.00
2188	1 Labeler Sfere-Emballage Sa, HP tourelle, year built 1991, serial number 824, Labeler; Overall dimensions (l x d x h): approximately 3100 x 1350 x 2300 mm; Documentation: available in French; Printer: Videojet Dataflex plus; Display: Videojet 8.4 clarity; PLC: Siemens Simatic S7-200; ref 1040; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2189	1 Horizontal cartoner CAM, HV/1, year built 2008, serial number 17511.HV/1.17, Horizontal cartoner; Overall dimensions (l x d x h): approximately 4900 x 1680 x 1675 mm; Documentation: available (user manual / format change / maintenance / electrical diagrams / spare parts); For vials; Mechanical speed: max 400 cpm; PLC: Siemens S7-300; Operator panel: Siemens Simatic Touch; Leaflet feeder; Format range:A: from 20 to 95 mm - B: from 12 to 70 mm - C: from 70 to 230 mm - A+B : min 32 mm / max 165 mm; Power supply: 400 V / 50 Hz; EC standards compliant; ref 1162; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	6,000.00
2190	1 Labeler SFE, HP75, year built 1990, serial number 493, Labeler; Overall dimensions (l x d x h): approximately 1100 x 1100 x 2000 mm; Documentation: user manual in French, electrical diagrams; Hot foil printer: Printmaster 1000 (Open Date) - Printing surface : 25 x 50 mm - Printing speed: up to 1000 cpm - Ribbon dimensions: 57 mm x 305 meters length; ref 1201; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2191	1 Marking module SEF Touraine, DATA MATRIX, year built 2009, serial number 10542, Marking module; Speed (min-max): 50 to 220 cpm; Linear speed: 60 m/min; 1 PLC - model: SIEMENS STEP 7 V5.4; 1 IHM display – model: GP PRO EX2.2; Signal lamp (fault / operating status); Two user access levels; Dimensions Length x Width x Height in mm: 1215x1195x1920; Weight: 600 Kg; EC declaration, overall plans, electrical diagram, logic controller program, functional analysis, CD documentation; Composed of: - The lower conveyor is driven by an asynchronous motor equipped with an encoder allowing boxes monitoring management, - The upper conveyor is driven by an asynchronous motor equipped with an encoder allowing marking management, - There is an ejection system (blowing out type) to put aside the bad boxes, - An ejection system (blowing out type) allows sample taking of the good boxes, - A contrast reader allowing marking control, - Space provided for a SYSTECH vision tool, - DOMINO printer - A DOMINO setting screen; ref 1202; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2192	1 Case-packer Cermex, BP150, year built 1994, serial number 147, Case-packer; Overall dimensions (l x d x h): approximately 3300 x 1400 x 2200 mm; Documentation: technical manual, PLC installation guide, electrical diagrams; For cartons; Semi-automatic (manual case presentation); PLC: Omron Sysmac C28; ref 1203; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00



Lot	Number Description	Starting Bid €
2193	1 marking module SEF Touraine, DATA MATRIX, year built 2009, serial number 10539, marking module; Speed (min-max): 50 to 220 cpm; Linear speed: 60 m/min; 1 PLC - model: SIEMENS STEP 7 V5.4; 1 IHM display – model: GP PRO EX2.2; Signal lamp (fault / operating status); Two user access levels; Dimensions Length x Width x Height in mm: 1215x1195x1920; Weight: 600 Kg; EC declaration, overall plans, electrical diagram, logic controller program, functional analysis, CD documentation; Composed of: - The lower conveyor is driven by an asynchronous motor equipped with an encoder allowing boxes monitoring management, - The upper conveyor is driven by an asynchronous motor equipped with an encoder allowing marking management, - There is an ejection system (blowing out type) to put aside the bad boxes, - An ejection system (blowing out type) allows sample taking of the good boxes, - A contrast reader allowing marking control, - Space provided for a SYSTECH vision tool, - DOMINO printer - A DOMINO setting screen; ref 1206; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2194	1 Granulator – Dryer with oscillating tank Zanchetta - Romaco, Rotolab, year built 1999, serial number V0519.01, Granulator – Dryer with oscillating tank; Type and principle: Granulator-mixer with oscillating tank. Works with air or nitrogen. Vacuum setting possible (supplied without vacuum pump); Process tank total volume 2,7 liters; Process tank working volume approx. 2 liters; Product temperature regulation: double-jacket (water); Agitator speed: 120 / 1200 rpmCrusher: 6000 rpm - Temperature range: ambient to 100 °C; Tank material: stainless steel, grade N/A; Graphic operator terminal + keyboard / Programmable cycles; Power supply: 1-ph 230 VAC 50 Hz / Power max approx. 2,5 kW ; Pneumatic supply: compressed air 6 bar, connection ND 8; Process gas supply: compressed air or nitrogen, dry and oil free, ND 6, 4 to 6 bar, 16 NI/mn; Overall dimensions: 325 (785 when oscillating) x 1100 x 800 mm; Documentation: operator manual, maintenance manual, drawings and diagrams; ref 1478; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2195	1 Fridge Liebherr, Profi Line, Fridge; ref 1484; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2196	1 Fridge Fridge; ref 1487; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2197	1 1000 liters Container 1000 liters Container; With tank bottom valve; ref 1535; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2198	1 Filler Kalix, KX NL, serial number 3582, Filler; Overall dimensions (l x d x h): approximately 900 x 1100 x 1800 mm; Documentation: not available; 8 stations (cups); Control panel, with push buttons, switches and emergency stop; ref 1603; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2199	1 Thermal labeller for cartons Hapa, H-300 FB II, year built 1999, serial number 30005, Thermal labeller for cartons; Technology: step-by-step thermal transfer (SECI Dübitech module); Printing speed: not available; Max carton dimensions (folded): approx 350 x 180 mm; Max roll diameter: 100 mm; Several new rolls. Characters set; Overall dimensions: 1600 x 700 x 1500 mm; Power supply: 1-ph 230 VAC / 50 Hz / Approx 0,75 kW; Compressed air: 6 bar; Documentation: not available; ref 1612; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00



Lot	Number	Description	Starting Bid €
2200	1	300 liters mobile stainless steel tank Gallay, year built 2004, 300 liters mobile stainless steel tank; Material (parts in contact with the product): stainless steel, grade N/A; Internal working pressure: 2 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 1050 x 1050 x 1260 mm; Documentation: not available; ref 1659; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2201	1	350 liters mobile stainless steel tank with heating Creuset, year built 1998, serial number 219, 350 liters mobile stainless steel tank with heating; Material in contact with the product: stainless steel (grade N/A); Internal working pressure: -0,05 to + 3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 800 x 800 x 1750 mm; Documentation: not available; ref 1660; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2202	1	300 liters mobile stainless steel tank with heating 3C, serial number 2139, 300 liters mobile stainless steel tank with heating; Material (parts in contact with the product): stainless steel (grade N/A); Internal working pressure: -0,05 to + 3 bar; Heating cord with thermostat; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 770 x 770 x 1700 mm; Documentation: not available; ref 1661; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2203	1	1000 liters mobile stainless steel tank Alfa Laval, year built 1985, serial number 23351, 1000 liters mobile stainless steel tank; Working pressure: +1,1 bar; Safety valve: -0,05 to + 1 bar (plate value); Material in contact with the product: stainless steel (grade N/A); Manhole diameter 350; Conical bottom.; Tank bottom drain valve: ball valve, diameter 50; Overall dimensions: diameter 1100 (approx.) / l x d x h: approx. 1200 x 1200 x 1900 mm; Documentation: not available; ref 1662; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2204	1	400 liters mobile stainless steel tank Creuset, year built 2006, 400 liters mobile stainless steel tank ; Materials in contact with the product: stainless steel, grade N/A; Internal working pressure: -0,05 to 3 bar; Tank bottom drain valve (butterfly); Overall dimensions (l x d x h): approximately 800 x 800 x 1750 mm; Documentation: not available; ref 1664; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2205	1	Grinder Roussele Industrie, Disc 50 L, year built 1995, serial number 1020, Grinder; Overall dimensions (l x d x h): approximately 1200 x 750 x 1900 mm; ref 1693; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2206	1	Vial unscrambler ADMV, Vial unscrambler; ref 1768; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2207	1	Tank 300l 3C, year built 1991, serial number 1837, Tank 300l; Service pressure: 2.2 bar (empty); Working pressure: 3.3 bar; Documentation: not available; Mobile: on wheels ; Opening lid with inspection chamber; Tank bottom valve; Connections: 3; ref 1774; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2208	1	Pump Nord Pompe, 132 S/4 TF, serial number NM 36313071/0328, Pump; Power: 5.5 - 6.3kW, 50-60Hz; Speed: 1445/ 1730 m-1; ref 1775; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2209	1	Mobile giraffe Mobile giraffe; Overall dimensions (l x d x h): approximately 2080 x 800 x 2200 mm; ref 1776; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00



Lot	Number	Description	Starting Bid €
2210	1	Bowl – pump-cap feeder ADMV, Distribution pompes, year built 2004, serial number 11701_01, Bowl – pump-cap feeder; Overall dimensions (l x d x h): approximately 1150 x 1100 x 1850 mm; Bowl's external diameter: 800 mm; Documentation: electrical diagrams; Power supply: 230 V 1-ph / 50 Hz / 3 A / 700 W; SNT Atex motor: Power: 0,18 kW at 50 Hz / 0,21 kW at 60 Hz - Speed: from 880 to 1060 rpm; ref 1777; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2211	1	Semi-automatic case packer Cermex, E472, Semi-automatic case packer; Overall dimensions (l x d x h): approximately 1850 x 1300 x 1700 mm; Supplied with 2 conveyors; Documentation: available, in French; Speed: approximately 200 boxes/minute; Lauer operator terminal; PLC: Télémécanique TSX 17; ref 1802; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2212	1	100 liters mixer Koruma, DH A60/120, year built 1990, serial number 4484, 100 liters mixer ; Double-jacket + heating module ; Overall dimensions (l x d x h): approximately 1200 x 800 x 2000 mm; ref 1867; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,200.00
2213	1	Bowl Ideatec, year built 2010, Bowl; EC Compliant; ref 1868; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2214	1	Bowl ADMV, Bowl; ref 1869; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2215	1	Giraffe Sortotec, ST-VBB 15 744-05, year built 1996, serial number 96/110-051 V, Giraffe; Overall dimensions (l x d x h): approximately 1800 x 700 x 1900 mm; Documentation: not available; ref 1870; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2216	1	Flowpack sachet machine Record, Panda 2000, year built 1996, serial number 11-96-249, Flowpack sachet machine; Overall dimensions (l x d x h): approximately 4100 x 1500 x 1800 mm; Weight: 770 kg; Documentation: available; Max speed: 100 pieces/minute; PLC: Siemens Simatic S5-100U; Product dimensions: Length: min 70 mm / max 450 mm - Width: min 10 mm / max 300 mm - Height: min 10 mm / max 130 mm; ref 1871; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	5,400.00
2217	1	Welder Franco Pack, Welder; Heating temperature adjustable; Power supply: 220V; Documentation: not available; ref 1876; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2218	1	Bulb filling and sealing machine Bausch & Strobel, AVF2005, year built 1978, serial number 4517, Bulb filling and sealing machine; Diameter max: 26mm; Height max: 150mm; Dosage range: 0,5 to 30ml; Cadence: 6000 p/h; 2 filling station and sealing; Power: 220V – 50Hz – 1,5kW; Overall dimensions (LxWxH): approximately 1500x1600x1950mm; ref 1882; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,900.00
2219	1	Filling machine for powder La Main d'Œuvre Mecanique, ETA 7S, serial number S1735, Filling machine for powder; Control panel, with push buttons, switches and emergency stop; ref 1886; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2220	1	Media mill Dyno-Mill, KD15, serial number 831134, Media mill; Chamber volume: 15 liters; Overall dimensions (L x W x H): approximately 830x380x760 mm; Pump housing dimensions (L x W x H): approximately 860x610x600 mm; Power: 380V – 50Hz – 18,5kW; ref 1887; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00



Lot	Number	Description	Starting Bid €
2221	1	Posimat unscrambler Posimaster, Master10, year built 1996, serial number OC9068, Posimat unscrambler; Speed: 10 000 B/H ; Overall-dimensions: 2350 x 2150(diameter) x 2500 (height); Weight: 3 000Kg; Format: Variable; With electric cabinet ; Documentation: available (Notice, engine description, Electric drawing); ref 1889; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2222	1	Powder filler Rovema, year built 1983, serial number 8491-50/61, Powder filler; ref 1890; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2223	1	Powder mixer Lodge, FKM 1600, Powder mixer; ref 1891; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2224	1	Inkjet marking machine Videojet, Excel 2000, Inkjet marking machine; Overall dimensions (l x d x h): approximately 1000 x 800 x 1000 mm; Documentation: available; ref 1937; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2225	1	Tablet counter GNC, CA 60, serial number 75006, Tablet counter; Overall dimensions (l x d x h): approximately 3000 x 1300 x 2300 mm; Documentation: available; Vial format range:- Diameter min 15 mm / max 100 mm - Height min 50 mm / max 150 mm; Speed: up to 6000 vials/hour; CapperManufacturer: COMAS - Model: RF 4 - Year: 1985 - Serial number: 1952 - Overall dimensions (l x d x h): approximately 1500 x 1100 x 1750 mm - Documentation: not available; 2 bowlsManufacturer: ADV - Model: 9DA - Year: 2003; Dimensions : 1st: 1000 x 900 x 1200 mm (diameter 400 mm) - 2nd: 1600 x 900 x 1250 mm (diameter 400 mm); ref 1939; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2226	1	Labeler SFE, 756/4, year built 1991, Labeler; Overall dimensions (l x d x h): approximately 1500 x 1000 x 1900 mm; ref 1955; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2227	1	Giraffe Giraffe; Dimensions : 2000 x 1000 x 2300 mm; ref 1965; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2228	1	Mobile giraffe Mobile giraffe; Overall dimensions (l x d x h): approximately 1650 x 750 x 2000 mm; ref 1966; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2229	1	vibrant bowl Franken Dalaudiere, year built 1999, serial number 44874, vibrant bowl; ec compliant; ref 1970; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2230	1	Case packer CAM, year built 1999, serial number 358-2, Case packer; Overall dimensions (l x d x h): approximately 3000 x 1800 x 2100 mm; Power supply: 400 V 3-ph / 50 Hz / 20 A / 5 KVA; Compressed air pressure: 6 bar; Max compressed air consumption: 700 L/min; Average compressed air consumption: 16L/min; ref 1972; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2231	1	Inkjet marking machine Videojet, Excel 2000, serial number 060741025WD, Inkjet marking machine; Overall dimensions (l x d x h): approximately 1000 x 800 x 1700 mm; dith documentation; ref 2009; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2232	1	Analytical scale 0-220g Mettler Toledo, XS204, Analytical scale 0-220g; Linearity: ± 0,2mg; Repeatability: ± 0,07mg; Readability: 0,1mg; Printer: type RS-P42; ref 2017; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00



Lot	Number Description	Starting Bid €
2233	1 Analytical scale 0-101g Mettler Toledo, AG104, Analytical scale 0-101g; Linearity: $\pm 0,2\text{mg}$; Repeatability: $\pm 0,01\text{mg}$; Readability: $0,1\text{mg}$; power adaptor; ref 2018; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	180.00
2234	1 Scale 0-60kg Mettler Toledo, KB60s.2, Scale 0-60kg; Platform size: 400 x 500mm; emin: 0,01 Kg; d: $\pm 0,001\text{Kg}$; Compatible with ATEX atmosphere: Ex II 3 G/D; Without operator terminal; ref 2019; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2235	1 Scale 5g-15kg Mettler Toledo, KA15s, year built 2015, Scale 5g-15kg; d: 0,1g; e : 1g; Platform dimensions : 350 mm x 280 mm x (Hmin = 117 mm and Hmax = 130mm); Adjustable foot bolts; Level indicator; Measuring cell :- Type : TBrick 15 - ATEX specifications : II 3G Ex nA II T6 – II 3D Ex tD A22 IP67 T70°C – DMT 02 E 012 - Energy : 12VDC – 125mA – 1,4VA; Weighing terminal: - Type : IND690 Desk - Protection : IP69K - Energy : 230V – 50Hz – 600mA – 60VA; Printer :- Type : GA46 - Protection : IP21D - Energy : 230V – 50Hz – 110mA; ref 2020; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	180.00
2236	1 Scale 5g-15kg Mettler Toledo, KA15s, Scale 5g-15kg; d: 0,1g; Platform dimensions: 350 mm x 280 mm x (Hmin = 117mm and Hmax = 130mm); Adjustable foot bolts: 1 foot absent; Level indicator; Energy: 230V – 50Hz – 110mA; ref 2021; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2237	1 Sealing machine Amis, A450, year built 1998, serial number 84136, Sealing machine; Overall dimensions (l x d x h): approximately 610 x 135 x 430 mm; Power supply: 220 V; Power: 2,2 kW; Sealing time adjustable between 0 and 3 seconds; Cooling time adjustable between 0 and 12 seconds; EC standards compliant; ref 2023; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2238	1 Manual capper Zalkin, serial number 6385, Manual capper; Motor: Drouard Paris / Type 4025 / 1380 tr/min; ref 2024; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2239	1 Scale-counter Mettler Toledo, GD46, Scale-counter; Small platform: 32 kg max / accuracy 1g; Big platform: 300 kg max / accuracy 100 g; ref 2027; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2240	1 Floor scale Mettler Toledo, ICS449/ PUA579-FL300, year built 2011, serial number 3240278, Floor scale; Weighing capacity: 300 kg; Accuracy: 50 g; With tilter; Atex; One foot missing; ref 2028; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2241	1 Floor scale Mettler Toledo, DUE600s, serial number 2408077, Floor scale; EC standards compliant; Max weighing: 600 kg; Panel: Mettler-Toledo IND690; Printer: Mettler-Toledo 8857 ; ref 2029; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2242	1 Glove Leak Tester La Calhène, GLT, year built 2007, serial number 83, Glove Leak Tester; A transparent plastic cylinder (with an orifice for the glove cuff ring) mounted on an adjustable pole; A control panel with printer; An oxygen analyzer Zirconia series 350 – PANAMETRICS manufacturer; A 3 m recoiling electrical cable; An RS232 interface for a printer; Equipment on wheels with brake; Automaton SIEMENS S7-200; 230V – 50Hz – 6A – 10kA; ref 2031; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00



Lot	Number	Description	Starting Bid €
2243	1	sterilizer Minntech, year built 2005, sterilizer; Volume cuve : 26 litres; Pression Min/Max pour liquide : Atmosphérique à 0,9 bar; Température Min/Max pour liquide : 0°C à 120°C; Pression Min/Max pour gaz : Atmosphérique à 0,9 bar; Température Min/Max pour gaz : 0°C à 60°C; Matériau : inox 316L; 2 buses de pulvérisation Dry Fog; 2 régulateurs de pression de marque ARIA R3114B, PS=30 bar, TS=-20°C à 60°C sans manomètre; Quantité : 11 humidificateurs DRY FOG avec valise de rangement.; ref 2039; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2244	1	Washing machine Lancer, Washing machine; Overall dimensions (l x d x h): approximately 790 x 690 x 1535 mm; Internal dimensions (l x d x h): approximately 625 x 535 x 790 mm; Supplied with baskets; Mobile: on wheels; ref 2074; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2245	1	IsoPack slurry transfer skid Millipore, STS-1, year built 1998, serial number STS-30, IsoPack slurry transfer skid; Overall dimensions (l x d x h): 900 x 700 x 1330 mm; Air diaphragm pumps; Pressure regulator of pumps; Manometer 0-10 bars; MILLIPORE filter model OPTICAPTM 0,2µm; Inlet piping dimensions: OD 1 in. – Dia. 25.4x1.65; Connection: TC ½ in.; ref 2077; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,050.00
2246	1	Sealer for Ventoline Eri automation, Sertisseuse, serial number C4765, Sealer for Ventoline; Overall dimensions (l x d x h): approximately 760 x 565 x 930 mm; Power supply: 230V + N / 50 Hz / 10 A; PLC: Siemens; ref 2092; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2247	1	Sealer for Ventoline Eri automation, Sertisseuse, year built 2005, serial number C5247, Sealer for Ventoline; Overall dimensions (l x d x h): approximately 760 x 565 x 930 mm; Power supply: 230V + N / 50 Hz / 10 A; PLC: Siemens; ref 2093; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2248	1	Vibrating feeder Frankin, BK06 2/4, year built 1999, serial number 193190, Vibrating feeder; Overall dimensions (l x d x h): approximately 1400 x 550 x 1420 mm; Power supply: 230/380 V / 50 Hz / 110 W; ref 2094; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2249	1	Inkjet marking system Domino, CodeBox 2 Auto, serial number D-8876, Inkjet marking system; ref 2095; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2250	1	Pure steam generator Steris, 1500 s1, year built 2005, Pure steam generator; Technical documentation available; Capacity: 1500 kg/h; ref 2097; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	7,500.00
2251	1	Horizontal cartoner CAM, HF77, year built 1981, serial number 2SHF77.c520.27, Horizontal cartoner; Refurbished between 2005 and 2010; Documentation: available; Speed: 80 cpm (up to 140); Carton format range:; Min: 20 x 12 x 55 mm; Max: 70 x 70 x 200 mm; Control with multi-line Laetus display; ref 2105; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	6,000.00
2252	1	Shrinkwrapper BFB, 3786 A, year built 1997, serial number 2449, Shrinkwrapper; Overall dimensions (l x d x h): approximately 2750 x 1500 x 1900 mm; EC compliant; Documentation: available; For cartons; Carton format range:A: 12 – 85 mm, B: 10 – 85 mm, C: 65 – 250 mm; Bundle format range:D: 70 – 300 mm, E: 25 – 150 mm, F: 65 – 250 mm; ref 2107; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00



Lot	Number Description	Starting Bid €
2253	1 Case packer Cermex, S781, year built 1985, serial number 3204, Case packer; Documentation: available; Type: tape sealing; Cases format range: Length: 200 to 450 mm - Width: 150 to 350 mm - Depth: 150 to 350 mm; Cartons format range: Length: 75 to 150 mm - Thickness: 10 to 80 mm - Width: 20 to 450 mm; Max speed: depending on the product, approx. 30 cartons/minute; Power supply: 380 V; Pneumatic supply: 6 bars; ref 2108; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	5,400.00
2254	1 Dynamometer Imada, DS2-500N, Dynamometer; Capacity: 500 Newton (50kgf); Resolution: 0,1 Newton (0,01 kgf); Measurement unit: N / Kgf / lbf; Functions: value holding / comparator / inverted display; Energy: 4 AA type Ni/MH batteries – AC adaptator connection; ref 2115; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	105.00
2255	1 DIGIMATIC Indicator Mitutoyo, ID-S1012, DIGIMATIC Indicator; Range: 12,7 mm; Resolution 0,01 mm; Stem diameter: 8 mm; Measuring force: 1,4 N max; Syringe control system; ref 2122; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	80.00
2256	1 DIGIMATIC Indicator Mitutoyo, ID-S1012, DIGIMATIC Indicator; Range: 12,7 mm; Resolution 0,01 mm; Stem diameter: 8 mm; Measuring force: 1,4 N max; Syringe control system; ref 2123; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	80.00
2257	1 Floor scale 300kg Mettler Toledo, PUA579-FL300, serial number 3240277, Floor scale 300kg; Atex; Panel: Mettler-Toledo ICS469; Printer: Mettler-Toledo 8857; ref 2124; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2258	1 Agitation device Joffe, AJ 05 750 B, serial number 3802, Agitation device; Overall dimensions (l x d): approximately 2540 x 950 mm; Brook Crompton motor, with potentiometer for speed adjustment; ref 2125; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2259	1 Magnetic stirrer Ika - Werke, MAXI MR 1 digital, Magnetic stirrer; Platform: Stainless steel; Platform dimensions: 500 x 500mm; Speed: from 0 to 600/min; Timer: 0 to 55 min; Dimensions: 505 x 585 x 110 mm; Max stirring quantity: 150L; Without power cable.; ref 2130; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2260	1 Chromatography column Millipore, IPP 630X500, year built 2000, serial number 030-0108, Chromatography column; Overall dimensions (l x d x h): approximately 1200 x 760 x 1670 mm; Volume: 165 liters; Max pressure: 3 bars; ref 2184; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2261	1 Chromatography column Millipore, IPP 440X500, year built 1998, serial number 440/01011P, Chromatography column; Overall dimensions (l x d x h): approximately 900 x 540 x 1420 mm; Max pressure: 3 bar; ref 2185; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2262	1 Chromatography column Millipore, IPP 630X500, year built 2000, serial number 630 - 0107, Chromatography column; Overall dimensions (l x d x h): approximately 1160 x 750 x 1700 mm; Volume: 165 liters; Max pressure: 3 bars; ref 2186; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2263	1 Chromatography column Millipore, IPP 440X500, year built 1998, serial number 440/0100 IP, Chromatography column; Overall dimensions (l x d x h): approximately 900 x 340 x 1420 mm; Max pressure: 3 bar; ref 2187; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00



Lot	Number	Description	Starting Bid €
2264	1	Cellophane wrapper SPR srl, RP0253.4, year built 1991, Cellophane wrapper; Max product dimensions:L=300mm - W=200mm - H=100mm; Documentation; Format parts; Program backup; ref 2207; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2265	1	Cellophane wrapper BFB, 3711U, year built 1996, serial number 3566, Cellophane wrapper; with doc; ref 2213; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,650.00
2266	1	Case packer Cermex, SL26-00, year built 1997, serial number 47165, Case packer; Documentation: available (electric and pneumatic diagrams); EC standards compliant; Formats used before:For cartons 52 x 17 x 117 mm - For cartons 52 x 27 x 117 mm; ref 2225; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	4,500.00
2267	1	Turbine Clemessy, Turbine la Mastra, year built 2010, serial number 1082543-7, Turbine; Documentation : non disponible ; Alimentation : 400V 3-ph + N / 50 Hz; ref 2267; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2268	1	Turbine Clemessy, Turbine BNA, year built 2010, serial number 1082543-6, Turbine; Documentation : non disponible ; Alimentation : 400V 3-ph + N / 50 Hz; ref 2268; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2270	1	mill mill; ref 2477; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2271	1	lab table screen machine Engelsmann, lab table screen machine; ref 2491; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2272	1	oven Lequeux, oven; ref 2488; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2273	1	rotovapor rotovapor; ref 2501; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2274	1	fridge Friginox, fridge; ref 2505; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2275	1	deduster Herding, year built 2006, serial number 13211, deduster; ref 2593; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2276	1	ultraturax IKA, DS1, ultraturax; ref 2499; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2277	1	lot of lab table with sink lot of lab table with sink; ref 2487; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2278	1	lot of s/s lab table with sink Dimitro, lot of s/s lab table with sink; ref 2492; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2279	1	freezer Friginox, Freestar plus, freezer; ref 2480; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2280	1	freezer Friginox, Freestar plus, freezer; ref 2481; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00



Lot	Number	Description	Starting Bid €
2281	1	centrifuge Sharpes, centrifuge; complet with its electrical cabinet; ref 2494; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2282	1	security shower security shower; ref 2506; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2283	1	piston mill APV NANTON COLLIN, piston mill; ref 2513; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,050.00
2284	1	media mill Dyno mill, media mill; ref 2514; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,050.00
2286	1	lot of 3 heating blocks lot of 3 heating blocks; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2287	1	Lot of 12 containers BSI, Lot of 12 containers; Volume : 200 Liters; ref 1849; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,600.00
2287a	1	Lot of 12 containers BSI, Lot of 12 containers; Volume : 200 Liters; ref 1849; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,600.00
2288	1	lot of 13 centrifuge fore spare Beckmann, lot of 13 centrifuge fore spare; 5 beckmann ref j2-mc and 7 beckmann ref j2-21; ref 2517; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2289	11	lot of 11 containers BSI, NGV 06, year built 1996, lot of 11 containers; ref 2278-2288; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,900.00
2300	1	Microbial air sampler SPERI sarl, STREAM'AIR 99 Isolateur, year built 2007, Microbial air sampler; Power: 220V – 50Hz; Carbon fiber turbine; Dimensions: 230x210x100mm; 2 sampling units with body in natural white DELRIN and grid Ø75mm in PTFE; Airflow velocity: 20m/s; Dimensions: height 130mm and external diameter 120mm; Manual pump model 31 V-100 cm3 DRÄGER; Réf : 2188; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	255.00
2301	1	Sachet sealer Audion elektro, D552V10L, year built 1999, serial number 52586, Sachet sealer; Belt length: 1340 mm; Belt width: 300 mm; Overall width: 600 mm; Power supply: 220 V / 50 Hz / power 740 W; Documentation: not available; Réf : 2189; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2302	1	Girafe Sortotec, ST-VBB 15.744-04, year built 1996, serial number 96/110-051 IV, Girafe; Réf : 2196; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2303	1	Bowl ADV, CY500A, year built 2008, serial number 8277, Bowl; Réf : 2197; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2304	1	Bowl ADMV, year built 2010, serial number 16439-11, Bowl; Réf : 2198; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2305	1	Bowl ADV, SPI 750 POM, year built 2006, serial number 7811, Bowl; Réf : 2200; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00
2306	1	Bowl ADV, RVD80, year built 2009, serial number 8327, Bowl; Réf : 2201; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	540.00



Lot	Number	Description	Starting Bid €
2307	1	Girafe Girafe; Mobil; Dimensions: approx. 2000 x 600 x 2100 mm; Réf : 2214; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2308	1	Washing machine for vials Comas, year built 1984, serial number 11984, Washing machine for vials; Réf : 2230; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2309	1	Capper Serac, GAIA + D1S1V1E1/650, Capper; Réf : 2231; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2310	1	Filling machine Kugler, Filling machine; Documentation: available; PLC: Siemens Simatic S5; Operator panel: Siemens Simatic OP27; Réf : 2232; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2311	1	Lot of 2 extraction arms PLYMOVENT, Atex II 2G/D, Lot of 2 extraction arms; Dimensions: L: around 1800 mm; Diameter: around 110mm; Flexibility: 180°; Réf : 2245; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2312	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2269; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2313	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2270; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2314	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2271; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2315	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2272; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2316	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2273; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2317	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2274; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2318	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2275; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,250.00
2319	1	Turbine Turbine; Overall dimensions (l x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; Réf : 2276; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	2,400.00
2320	1	Trolley for drums TAWI, PRO100Es, serial number 4001185, Trolley for drums; Max load: 50 kg; Power: 110/230V; Documentation: not available; Réf : 2292; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00



Lot	Number	Description	Starting Bid €
2321	1	Labeler for glass or plastic vials Libra, Sens 350, year built 2001, serial number LJ1016, Labeler for glass or plastic vials; Overall dimensions (l x d x h): 2600 x 1300 x 2100 mm; Power: 400v - 50Hz - 4A; Weight: 590Kg; Max Speed : 350 vials/min; Max Labels size: L max : 160 mmx H max 100mm; Documentation: available + electrical diagrams; Réf : 2296; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	3,000.00
2322	1	1000 liters stainless steel tank Mauser, inox 1000 litres, year built 2007, serial number 51500-12, 1000 liters stainless steel tank; Volume: 1000 liters; Working pressure: 2 bar; Test pressure: 2,86 bar; Working temperature: -30 / +121 °C; Documentation: not available; Openable lid; Tank bottom drain valve; Réf : 2297; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2323	1	1000 liters stainless steel tank Mauser, inox 1000 litres, year built 2007, serial number 51500-5, 1000 liters stainless steel tank; Volume: 1000 liters; Working pressure: 2 bar; Test pressure: 2,86 bar; Working temperature: -30 / +121 °C; Documentation: not available; Openable lid; Tank bottom drain valve; Réf : 2298; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2324	1	1000 liters stainless steel tank Mauser, inox 1000 litres, year built 2007, serial number 51500-15, 1000 liters stainless steel tank; Volume: 1000 liters; Working pressure: 2 bar; Test pressure: 2,86 bar; Working temperature: -30 / +121 °C; Documentation: not available; Openable lid; Tank bottom drain valve; Réf : 2299; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2325	1	Stainless steel tank STAI, year built 1997, serial number 7423, Stainless steel tank; Overall dimensions (l x d x h): approximately 1564 x 1804 x 3037 mm; Internal dimension (l x d x h): approximately 1400 x 1400 x 2000 mm; Real volume: 3000 liters; Material: 316L ; Documentation: electric diagram, factory drawing...; Réf : 2301; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2326	1	Stainless steel tank STAI, year built 1997, serial number 7424, Stainless steel tank; Overall dimensions (l x d x h): approximately 1564 x 1804 x 3354 mm; Internal dimension (l x d x h): approximately 1400 x 1400 x 2000 mm; Real volume: 3100 liters; Material: 316L ; Documentation: electric diagram, factory drawing...; Réf : 2302; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2327	1	Stainless steel tank STAI, year built 1997, serial number 7426, Stainless steel tank; Overall dimensions (l x d x h): approximately 1564 x 1804 x 3354 mm; Internal dimension (l x d x h): approximately 1400 x 1400 x 2000 mm; Real volume: 3100 liters; Material: 316L ; Documentation: electric diagram, factory drawing...; Réf : 2303; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2328	1	Stainless steel tank STAI, year built 1997, serial number 7425, Stainless steel tank; Overall dimensions (l x d x h): approximately 1564 x 1804 x 3354 mm; Internal dimension (l x d x h): approximately 1400 x 1400 x 2000 mm; Real volume: 3100 liters; Material: 316L ; Documentation: electric diagram, factory drawing...; Réf : 2304; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2329	1	600 liters stainless steel tank Gallay, 600 litres, year built 2004, serial number 51052-01, 600 liters stainless steel tank; Working pressure: 2 bar; Test pressure: 2,86 bar; Working temperature: -30 / +121 °C; Documentation: not available; Openable lid; Tank bottom drain valve; Réf : 2307; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	360.00



Lot	Number	Description	Starting Bid €
2331	1	Sterilizer Sterilizer; Réf : 2320; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	165.00
2332	1	Sterilizer Sterilizer; Réf : 2321; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	165.00
2333	1	Low-humidity hood EREA, BG16, year built 1994, Low-humidity hood; Flow rate: 120m3/h; Dehydrator type M120; Regulator ERTK800; Temperature regulator TC1; Humidity transmitter HBG5F001; Digital display EXM2UF001; Cold battery BSH; Differential pressure switch P33; Filters type HEPA H14; 4 gloves; TRIPLEX glass screen with motorized displacement; A command and control cabinet; Structure in stainless steel 316L; External Dimensions (l x d x h): around 1500 x 850 x 3030 mm; Internal Dimensions (l x d x h): around 1500 x 770 x 1100 mm; Power: 230V, 50Hz; Réf : 2326; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2334	1	-80°C freezer Thermo scientific, 902, serial number 813463 – 631, -80°C freezer; Power supply: 230 V / 50-60Hz; Cooling: R404-A + R290 / R508B; EC standards compliant ; Réf : 2334; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2335	1	Microbiological safety cabinet EREA, EV 013.16, year built 1999, Microbiological safety cabinet; Class: IIB; Speed variator; Differential pressure switches for detection of blow and rejection defects; Blowing and reject filters type HEPA H14; Lighting: A 36W fluorescent waterproof rail and four 18W UV rails placed around filter; Tempered glass screen with motorized displacement; A turntable equipped with controlled and signaling buttons; Structure in stainless steel 316L; External dimensions (l x d x h): around 1730 x 1100 x 2680 mm; Internal dimensions (l x d x h): around 1670 x 700 x 940 mm; Power: 230V, 50Hz; Réf : 2336; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2336	1	Plastic beakers Plastic beakers; Réf : 2337; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2337	1	Glass beakers Glass beakers; Réf : 2338; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2338	1	Test tubes Test tubes; Réf : 2339; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2339	1	Glass vials Glass vials; 20 liters; Réf : 2340; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2340	1	Glass vials Glass vials; Réf : 2341; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2341	1	Microscope Microscope; Réf : 2342; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2342	1	Microscope Microscope; Réf : 2343; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2344	1	Water retention trays DENIOS, Poly Safe-ECO4, year built 2012, Water retention trays; Substance: PE-LLD; Capacity: 405 liters; Bearing load: 1000 Kg; Réf : 2381; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00



Lot	Number	Description	Starting Bid €
2345	1	Water retention trays DENIOS, Poly Safe-ECO4, year built 2012, Water retention trays; Substance: PE-LLD; Capacity: 405 liters; Bearing load: 1000 Kg; Réf : 2382; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2346	1	Water retention trays DENIOS, Poly Safe-ECO4, year built 2012, Water retention trays; Substance: PE-LLD; Capacity: 405 liters; Bearing load: 1000 Kg; Réf : 2383; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2347	1	Water retention trays DENIOS, Poly Safe-ECO4, year built 2012, Water retention trays; Substance: PE-LLD; Capacity: 405 liters; Bearing load: 1000 Kg; Réf : 2384; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2348	1	Charger Chromatography column Charger Chromatography column; Réf : 2385; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2349	1	Chromatography Column Millipore, Chromatography Column; Without documentation; Réf : 2389; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2350	1	500 liters Mobile Container 500 liters Mobile Container; Overall Dimension (L x W x H): approx 1180 x 775 x 1040 mm; Volume: 500 liters; Réf : 2390; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2351	1	Fermentation analyzer Bioprofile, 300, serial number T03A13010, Fermentation analyzer; Power: 50-60Hz, 100 à 240 V, 0.6 à 2A; EC standards Compliant; Réf : 2391; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2352	1	Microbiological safety cabinet EREA, EV 014.16, year built 2000, Microbiological safety cabinet; Class: IIB; Blowing flow: 2155m ³ /h; Extraction flow: 646m ³ /h; Speed variator; Differential pressure switches for detection of blow and rejection defects; Blowing and reject filters type HEPA H14 6P7; Lighting: A 36W fluorescent waterproof rail and four 18W UV rails placed around filter; Tempered glass screen with motorized displacement; A turntable equipped with controlled and signaling buttons; Structure in stainless steel 316L; Dimensions (l x d x h): around 1400 x 900 x 2800 mm; Power: 230V, 50Hz, 35A; Réf : 2394; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2353	1	Etuve JOUAN, year built 1988, Etuve; Gamme de température : Ambiant à 220°C; Sécurité surchauffe; Puissance: 230V, 50Hz, 600W; Dimensions extérieurs (Lxpxh) : 635x635x420 mm; Dimensions intérieurs (Lxpxh) : 510x510x210 mm; Réf : 2395; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2354	1	Coagulation Analyzer Coagulation Analyzer; Réf : 2397; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00
2355	1	Particle counter Particle counter; Réf : 2398; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	360.00
2356	1	Sterilizer Sterilizer; Réf : 2399; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2357	1	lot of steritests lot of steritests; Réf : 2400; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00



Lot	Number Description	Starting Bid €
2358	1 Freeze dryer EDWARDS, LYOFLEX 0.4, year built 1988, Freeze dryer; Number of shelves: 2; Area: 0,4m2; Tank diameter: 530mm; Dimensions of shelf (Depth x Width): 455x305 mm; Dimensions (LxWxH):Freeze dryer skid: 1700x800x2000 mm, Refrigeration compressor skid: 1510x910x2050 mm, Electrical cabinet: 860x720x1850 mm; Vacuum pump EDWARDS model E2M8; Refrigeration compressor COPELAND model DLF 1; Pressure, temperature and vacuum sensors; Dehydrator DANFOSS DX304; FLUXOTROL diaphragm motor valve; Thermostatic expansion valve; Multi-channel streaming recorder HONEYWELL DPR180; VPB/110A PLC protection module; Réf : 2403; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	10,500.00
2359	1 Lot of 2 Fridges Liebherr, Lot of 2 Fridges; Temperature display; Réf : 2404; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2360	1 Grinder Alexanderwerk, UGM, serial number 037-26046, Grinder; Motor: 47DF; Overall dimensions (L x W x H): approximately 900x1200x1000 mm; Power: 380V – 50Hz – 1.4/1.8 kw; Speed: 148/299 min-1; Réf : 2407; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2361	1 Checkweigher Garvens, SL2 VM, Checkweigher; Puissance: 220V, 83 Hz, 90mA; Max pressure: 16 bar; Réf : 2408; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2363	1 Pump DELASCO, GZ40, serial number 24296, Pump; With electric controller ; Réf : 2410; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2364	1 Inkjet marking machine Domino, N4, Inkjet marking machine; Réf : 2412; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2365	1 Bacteriologic oven BINDER, BD-720, year built 2010, Bacteriologic oven; Temperature range: Ambient +5°C to 100°C; Natural convection; Adjustable exhaust air flap; Controller with time function; Inner door made of tempered safety glass; Class 3.1 independent temperature safety device with visual temperature alarm; Interior volume: 720 liters; Internal dimensions (l x d x h): 1000 x 600 x 1200 mm; External dimensions (l x d x h): 1235 x 865 x 1530 mm; Power : 230V, 50Hz, 1.25kW ; Réf : 2419; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	210.00
2366	1 Refrigerated oven BINDER, KB-115, year built 2001, Refrigerated oven; Temperature range: -5°C to 100°C; Natural convection; Forced and adjustable ventilation; Controller with time-segment and real time programming; Inner door made of tempered safety glass; Class 3.1 independent temperature safety device with visual and acoustic alarm; Interior volume: 115 liters; Internal dimensions (l x d x h): 600 x 400 x 430 mm; External dimensions (l x d x h): 835 x 650 x 1025 mm; Power : 230V, 50Hz, 0.46kW ; Réf : 2420; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	180.00
2367	1 Muffle Furnace NABERTHERM, L5/11/S27, year built 2001, Muffle Furnace; Max temperature: 1100 °C; Interior volume: 5 liters; Internal dimensions (l x d x h): 200 x 170 x 130 mm; Power: 230V, 50Hz, 2.4kW ; Réf : 2421; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	300.00
2368	1 Distillation Unit BÜCHI, B323, year built 1990, Distillation Unit; Cooling water consumption: 1 l/min during distillation; Programming unit and display of values; Volume of storage tanks: 10 liters; Volume of distillation vessels: 300ml; Dimensions (L x d x h): 410 x 420 x 750 mm; Power: 230V, 50Hz, 1.85kW ; Réf : 2422; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00



Lot	Number	Description	Starting Bid €
2369	1	Sequence detection system THERMO FISCHER, ABI Prism® 7000, year built 2002, Sequence detection system; Equipment who detects and quantitates nucleic acid sequences; PELTIER based, 96-well block thermal cycling system; Tungsten-halogen excitation source; Fluorescence detection via a four position filter wheel and CCD camera; Dimensions (w x d x h): 390 x 510 x 530 mm; Power: 230V, 50Hz, 1.5kVA, 4A; Supplied without the PC; Installation CD-Rom version 1.2.3 of ABI PRISM® 7000 software supplied; Operating manual and user guide supplied; Réf : 2423; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,200.00
2370	1	Platform vibrating stirrer for microplates HEIDOLPH, Titramax 101, year built 2002, Platform vibrating stirrer for microplates; Load: 2Kg; Capacity: 4 microplates; Amplitudes: 3mm; Plate size: 220x220mm; Speed: 150 to 1350 rpm; Dimensions (L x d x h): 245 x 310 x 125 mm; Power: 31W; Without alimentation cable and documentation; Réf : 2425; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2371	1	Vacuum pump Welch, 2522C-02, Vacuum pump; Power supply: 230 V / 50 Hz; Réf : 2428; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2372	1	Mass spectrometer Thermo Finnigan, Mass spectrometer; Includes: Polaris Q Mass Spectrometer, GC Trace GC Ultra Chromatograph, AS3000 Injector; Réf : 2429; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,500.00
2373	1	SM Detector SM Detector; Réf : 2431; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	600.00
2374	1	Continuous flow analyzer Continuous flow analyzer; Réf : 2432; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	450.00
2375	1	Microplate stirrer Microplate stirrer; Réf : 2435; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2376	1	Hot plates Hot plates; Réf : 2436; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2377	1	Vacuum pump Vacuum pump; Réf : 2437; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2378	1	Microplate Washer Microplate Washer; Réf : 2440; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2379	1	Microplate Washer Microplate Washer; Réf : 2441; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2380	1	Colony counter Bioblock Scientific, Colony counter 50971, serial number 980800027, Colony counter; Réf : 2443; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2381	1	Reaction apparatus Reaction apparatus; Réf : 2444; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	90.00
2383	1	Stirrer Bioblock Scientific, Maxi Mix 2, Stirrer; Réf : 2447; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2385	1	Magnetic Stirrer Magnetic Stirrer; Réf : 2449; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00



Lot	Number	Description	Starting Bid €
2386	1	Fridge Fridge; Réf : 2455; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2387	1	Autoclave Autoclave; Réf : 2456; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2388	1	Heating thermostat Heating thermostat; Réf : 2457; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2389	1	Glassware Glassware; Réf : 2464; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2390	1	Hotplate Hotplate; Réf : 2466; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2391	1	Radiology Scanner Radiology Scanner; Réf : 2469; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2392	1	Dispersing apparatus Dispersing apparatus; Réf : 2474; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2393	1	Centrifuge Beckman, Avanti J-25, serial number JHY97G18, Centrifuge; Speed, time and temperature adjustable with potentiometers; Power supply: 240 V / 50 Hz / 24 A; Réf : 2518; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2394	1	Centrifuge Beckman Coulter, Avanti J-26 XP, serial number JXS11F31, Centrifuge; Speed, time and temperature adjustable with potentiometers; Power supply: 230 V / 50 Hz / 24 A; Réf : 2519; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2395	1	Centrifuge Beckman Coulter, J2-MC, year built 1993, serial number JCY93K11, Centrifuge ; Speed, time and temperature adjustable; Réf : 2520; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2396	1	Automatic injector Automatic injector; Réf : 2527; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2397	1	Water circulator Water circulator; Réf : 2529; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2398	1	Barcode reader Barcode reader; Réf : 2535; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	40.00
2399	1	Turbidimeter Turbidimeter; Réf : 2536; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2400	1	Cold trap Cold trap; Réf : 2540; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2401	1	Vaccum pump Vaccum pump; Réf : 2541; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00



Lot	Number	Description	Starting Bid €
2402	1	Mineralizer LHG, SVD 95/P, serial number 15071009, Mineralizer; Time adjustment: 0 - 120 min; CAL32E Temperature controller; Réf : 2544; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2403	1	Cryostat Cryostat; Réf : 2545; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	120.00
2404	1	Vacuum bell Vacuum bell; Réf : 2546; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	10.00
2406	1	Coagulation Analyzer Coagulation Analyzer; Réf : 2548; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2407	1	Coagulometer Coagulometer; Réf : 2549; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	240.00
2408	1	Can Can; Réf : 2550; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2409	1	Temperature Controller Temperature Controller; Réf : 2551; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2410	1	Tea detector Tea detector; Réf : 2552; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2411	1	CLHP pump CLHP pump; Réf : 2553; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2412	1	GC Acquisition Module GC Acquisition Module; Réf : 2554; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	75.00
2413	1	Chiral detector Chiral detector; Réf : 2555; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	60.00
2414	1	Hygrometer Hygrometer; Réf : 2556; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	50.00
2415	1	Dilutor Gilson, 402, serial number 164404, Dilutor; For 5ml syringes; Réf : 2557; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2416	1	Heater Block Heater Block; Réf : 2562; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	40.00
2417	1	Conductometer Roucaire, Metrohm 660 conductometer, Conductometer; Réf : 2566; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2418	1	Propeller stirrer Propeller stirrer; Réf : 2567; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	45.00
2419	1	Fermentation tanks Fermentation tanks; Réf : 2569; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00



Lot	Number	Description	Starting Bid €
2420	1	Büchner filters Büchner filters; Réf : 2570; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	5.00
2421	1	Stainless steel boxes Stainless steel boxes; Réf : 2575; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2422	1	Welding machine Welding machine; Réf : 2579; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	150.00
2423	1	Millisnap quantum system Millisnap quantum system; Réf : 2580; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	900.00
2424	1	Sachet filler MOM, 478, serial number S 1258, Sachet filler; Réf : 2590; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,350.00
2425	1	Centrifuge Beckman, Aventi J-25, Centrifuge ; Réf : 2521; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2426	1	Centrifuge Beckman, Aventi J-26XP, serial number JXS11F31, Centrifuge ; Réf : 2524; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2427	1	Centrifuge Beckman, Aventi J-25, Centrifuge ; Réf : 2525; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	750.00
2429	1	Crucher MOULINEX, Manque outil, year built 1990, Crucher; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	20.00
2430	1	Cell Homogenizer THERMO SAVANT, FP120, year built 2002, Cell Homogenizer; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	200.00
2431	1	Phmeter ROUCAIRE, 654 Metrohm, year built 1984, Phmeter; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	100.00
2432	1	Microplate Luminometer BERTHOLD, year built 2003, Microplate Luminometer; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	1,000.00
2433	1	Changer TECAN, Genesis RSP 1000, year built 2002, Changer; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	500.00
2434	1	Photocopier HP, Laserjet 9000n, Photocopier; lot sold loaded on truck (if container additional fee) ; lot located in Orléans	800.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

1. Definitions

Website:	the website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the the User:	the General Terms and Conditions for access to and use of Website;
General Online Auction Terms and Conditions:	these General Terms and Conditions;
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as reported on the Website for the Auction in question;
Allocation:	the declaration by the "Commissaire PriEUR" of Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the participation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.

Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
- actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.

www.TroostwijkAuctions.com



Article 4. Organization of the Auction

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;
 - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
 - to take other measures that are, in its judgment, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgment of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that is higher than the previous bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by email on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted.
The "Commissaire PriEUR" of Troostwijk then has the right not to allocate.
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced sale, this will be reported in the Specific Terms and Conditions of the Online Auction.
- 5.8 In the event that the auction occurs in the presence of a Commissaire PriEUR, civil-law notary or court bailiff, he will lead the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

- 6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.
- 6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached there to Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.
- 6.3 If, in respect of the lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.
- 6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

- 7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not



including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in Euros or in another currency to be indicated by Troostwijk.

- 7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.
- 7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

- 8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

Article 9. Delivery

- 9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.
- 9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.
- 9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).
- 9.4 The Purchaser whose Lot(s) hinder the picking up of other Lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.
- 9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).
- 9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.
- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Restrictions concerning the sale of certain lots.

- 10.1 Machines and production components are generally sold in conformity with technical specifications as well as with French legal safety norms or regulations. This conformity is attested to either by a seal of conformity (for a machine put into service after 15 January 1981 – (French) Decrees 80-543 and 544) or a CE seal (machines put into service after 15 January 1993 – (French) decrees 93-40) if they have not undergone significant modifications to the safety mechanisms.
- 10.2 When the item for sale does not conform to technical specifications, or to French legal safety norms or regulations, it is reminded to buyers that this item must be imperatively refurbished in regards to the above norms and/or regulations during its installation and/or use after its auction. Buyers commit to refurbish the item in conformity with their enforceable norms and/or regulations. Items are sold as spare parts.
- 10.3 Machines which are non-compliant and not dangerous are sold as unfit for production. They may be sold in the condition as seen:
- 1 – to an individual or legal entity where the material is not destined for use on French territory. It shall be the buyer's responsibility to conform to the legislation of the country where the material is to be used.
 - 2 – to an individual or legal entity having the status of retailer, salvage dealer, re-manufacturer, scrap merchant, scrap metal dealer or collector who commits beforehand to be responsible for and to ensure conformity to required standards, for possible assignment to a client-operator.



- 3 – to any buyer as a source of spare parts and who testifies, by accepting the general and particular conditions, not to use or assign the material for production.
- 10.4 Machines which are considered dangerous ((French) Decrees dated 5 March and 24 June 1993) and non-compliant may only be sold under categories 1 and 2 of the preceding article.
- 10.5 Buyers formally commit to respect the above criteria by accepting the general and particular conditions of sale.
- 10.6 The measures contained in articles 10.1 to 10.4 are not applicable in the case of auctions by order of the court held after the vendor has been declared legally bankrupt.

Article 11. Termination

- 11.1 If the Purchaser does not fulfill any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Price or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time and/or
 - (iii) not providing the information required before delivery, the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller. In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 11.2 In case of termination as intended in 11.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 12. Liability

- 12.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 12.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 12.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Article 13. Adjustments; Effect

- 13.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 13.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 13.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk.
- 13.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 14. Applicable law

- 14.1 Dutch law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 14.2 The Dutch text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages; the Dutch text will therefore be given preference in case of lack of clarity or contradictions.



14.3 The District Court Amsterdam is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience