



RUCH BAUUNTERNEHMUNG AG (I.L.) CRANES (CH)

**Construction site cranes and crane
transport vehicles**

Thurstrasse 20 - 9214 Kradolf
(Kradolf)

Closing date: Wednesday **28 FEBRUARY** until 14:00

Viewing:

By appointment
Thurstrasse 20 - 9214 Kradolf (Switzerland)



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 28 February 2018 RUCH BAUUNTERNEHMUNG AG (I.L.) CRANES

Auction conditions

Closing date	Wednesday 28 February 2018 closing 14:00 CET
Viewing	By appointment Kradolf Thurstrasse 20 9214 Kradolf, Switzerland
Company organising this Tender	TROOSTWIJK AG
Sale	Kernenriedstrasse 1 CH-3421 LYSSACH, Switzerland Phone: +41 34 411 31 80 Fax: +41 34 411 31 89 E-mail: info@troostwijk.ch
Markup	18.00%
VAT	7.70%
Collection	By appointment Kradolf Thurstrasse 20 9214 Kradolf, Switzerland



Lot	Number	Description
1	1	Construction site crane (no. 9) Conducta, C3010/33, year built 1990, serial number 90103418, Construction site crane (no. 9), crane hook height 18-23 m, boom length up to 33 m, max. capacity 3500-750 kg, inkl. 11 concrete plates at 1.93 tons and 1 concrete plate at 1.26 tons, complete 22.49 tons, balance weight available, turning radius 2.52 m, complete weight crane 13220 kg, next controle (Suva/TÜV) 10.2016, with support wood, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3000 mm, new swing bearing, lifting shaft worn out, remote control available (sold without undercarriage)
2	1	Construction site crane (no. 20) Conducta, C3610/11, year built 1986, serial number 36026, Construction site crane (no. 20), crane hook height 19-23.5 m, boom length 11.97-38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates at 2.0 tons, complete 24.0 tons, balance weight available, turning radius unknown, complete weight crane 19500 kg, next controle (Suva/TÜV) 07.2017, with support wood, dimension for loading: approx. length 14000 mm, width 2480 mm, height 3400 mm, remote control available, with stepless swivel control, swivel motor replaced 2015, lifting motor replaced 2015 (sold without undercarriage)
3	1	Construction site crane (no. 17) Conducta, C3010/33, year built 1984, serial number 84113076, Construction site crane (no. 17), crane hook height 18-23 m, boom length up to 32 m, max. capacity 3500-800 kg, inkl. 9 concrete plates at 2.0 tons, complete 18.0 tons, balance weight available, turning radius 2.52, complete weight crane 13220 kg, next controle (Suva/TÜV) 09.2017, with support wood, dimension for loading: approx. length 14000 mm, width 2480 mm, height 3000 mm, remote control available (sold without undercarriage)
4	1	Construction site crane (no. 2) Conducta, C3610/11, year built 1990, serial number 900536070, Construction site crane (no. 2), crane hook height 19-23.5 m, boom length up to 38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates 2.0 tons, complete 24.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 02.2018, with support wood, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3400 mm, remote control available (sold without undercarriage)
5	1	Construction site crane (no. 18) Conducta, C3610/11, year built 1987, serial number 871036038, Construction site crane (no. 18), crane hook height 19-23.5 m, boom length up to 38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates at 2.0 tons, complete 24.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 08.2017, with support wood, dimension for loading: approx. length 14000 mm, width 2480 mm, height 3400 mm, remote control available, lifting rope replaced 2016 (sold without undercarriage)
6	1	Construction site crane (no. 15) Conducta, E4011/25, year built 1990, serial number 90074049, Construction site crane (no. 15), crane hook height 20-24.5 m, boom length up to 40 m, max. capacity 5000-1100 kg, inkl. 14 concrete plates at 2.0 tons, complete 28.0 tons, balance weight available, turning radius 3.90 m, complete weight crane 24000 kg, next controle (Suva/TÜV) 01.2019, with support wood and 4 support plates at approx. 1 to weight, dimension for loading: approx. length 16000 mm, width 2480 mm, height 3500 mm, remote control available, lifting motor replaced 2014, crane book missing (sold without undercarriage)
7	1	Construction site crane (no. 3) Conducta, C3610/11, year built 1984, serial number 840736010, Construction site crane (no. 3), crane hook height 19-23.5 m, boom length up to 36 m, max. capacity 4000-1000 kg, inkl. 11 concrete plates at 2.0 tons, complete 22.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 01.2018, with support wood, dimension for loading: approx. length 14000 mm, width 2480 mm, height 3300 mm, remote control available, new traveler motor replaced 2014 (sold without undercarriage)
8	1	Construction site crane (no. 16) Conducta, C3610/11, year built 1988, serial number 36046, Construction site crane (no. 16), crane hook height 19-23.5 m, boom length up to 38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates at 2.0 tons, complete 24.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 12.2018, with support wood and 4 support concrete plates at each approx. 1 ton weight, dimension for loading: approx. length 14000 mm, width 2480 mm, height 3400 mm, remote control available (sold without undercarriage)



Lot	Number	Description
9	1	Construction site crane (no. 14) Conducta, C3610/11, year built 1990, serial number 900936074, Construction site crane (no. 14), crane hook height 19-23.5 m, boom length up to 38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates at 2.0 tons, complete 24.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 07.2017, with support wood and 4 concrete plates for support, each approx. 1 ton weight, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3400 mm, remote control available, traveler motor replaced 2014, swivel motor replaced 2015 (sold without undercarriage)
10	1	Construction site crane (no. 1) Conducta, C3610/11, year built 1992, serial number 920536080, Construction site crane (no. 1), crane hook height 19-23.5 m, boom length up to 38 m, max. capacity 4000-900 kg, inkl. 12 concrete plates at 2.0 tons, complete 24.0 tons, balance weight available, turning radius 3.22 m, complete weight crane 19500 kg, next controle (Suva/TÜV) 09.2018, with support wood, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3400 mm, remote control available, swivel motor replaced 2012, traveler motor replaced 2015 (sold without undercarriage)
11	1	Construction site crane (no. 10) with undercarriage Conducta, C2508, year built 1987, serial number 87082504, Construction site crane (no. 10) with undercarriage, crane hook height 13.5-17 m, boom length up to 20 m, max. capacity 2000-800 kg, inkl. 8 concrete plates at 1.93 tons and 1 concrete plate at 1.26 tons, complete 16.7 tons, balance weight available, turning radius 2.8 m, complete weight crane 10000 kg, next controle (Suva/TÜV) 06.2017 with support wood, dimension on the road: approx. length 10500 mm, width 2480 mm, height 2900 mm, remote control available, lifting rope replaced 2013, undercarriage document not available (sold without undercarriage)
12	1	Construction site crane (no. 7) Conducta, E3010, year built 1985, serial number 85093147, Construction site crane (no. 7), crane hook height 18-23 m, boom length up to 32 m, max. capacity 3500-800 kg, inkl. 9 concrete plates at 2.0 tons, complete 18.0 tons, balance weight available, turning radius 3.05 m, complete weight crane 14000 kg, next controle (Suva/TÜV) 02.2018, with support wood, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3000 mm, remote control available, traveler motor replaced 2015 (sold without undercarriage)
13	1	Construction site crane (no. 13) Conducta, C3010/33, year built 1989, serial number 89083339, Construction site crane (no. 13), crane hook height 18-23 m, boom length 25-33 m, max. capacity 3500-750 kg, inkl. 11 concrete plates at 1.93 tons and 1 concrete plate at 1.26 tons, complete 22.49 tons, balance weight available, turning radius 2.52 m, complete weight crane 13220 kg, next controle (Suva/TÜV) 03.2017, with support wood and 4 support plates concrete, each approx. 1 ton weight, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3000 mm, remote control available, swivel motor replaced 2017, lifting motor replaced 2014 (sold without undercarriage)
14	1	Construction site crane (no. 12) Conducta, E2010, year built 1986, serial number 8604194, Construction site crane (no. 12), crane hook height 12/14.5/17.0 m, boom length up to 20 m, max. capacity 2000-100 kg, inkl. 4 concrete plates and 1 center stone weight unknown, complete 11.0 tons, balance weight possible, turning radius unknown, complete weight crane 74000 kg, next controle (Suva/TÜV) 11.2015, with support wood, dimension on the road: approx. length 10500 mm, width 2480 mm, height 2500 mm, remote control available (sold without undercarriage)
15	1	Construction site crane (no. 5) Conducta, C3010/33, year built 1994, serial number 94013511, Construction site crane (no. 5), crane hook height 18-23 m, boom length 25-33 m, max. capacity 3500-750 kg, inkl. 9 concrete plates at 2.0 tons, complete 18.0 tons, balance weight available, turning radius 3.05 m, complete weight crane 14000 kg, next controle (Suva/TÜV) 01.2019, with support wood, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3000 mm, remote control available, lifting motor and lifting rope replaced 2015 (sold without undercarriage)



Lot	Number	Description
16	1	Construction site crane (no. 11) Conducta, C2010, year built 1993, serial number 9306296, Construction site crane (no. 11), crane hook height 12/14.5/17 m, boom length up to 20 m, max. capacity 2000-750 kg, inkl. 4 concrete plates and 1 stone, weight unknown, complete 11.0 tons, balance weight possible, turning radius 2.6 m, complete weight crane 7900 kg, next controle (Suva/TÜV) 10.2017, with support wood, dimension on the road: approx. length 10500 mm, width 2480 mm, height 2500 mm, remote control available, shortend lifting rope (sold without undercarriage)
17	1	Construction site crane (no. 8) Conducta, C3010, year built 1984, serial number 84073099, Construction site crane (no. 8), crane hook height 18-23 m, boom length up to 32 m, max. capacity 3500-800 kg, inkl. 9 concrete plates at 2.0 tons, complete 18.0 tons, balance weight available, turning radius approx. 3 m, complete weight crane 14000 kg, next controle (Suva/TÜV) 02.2017, with 4 support plates concrete, dimension for loading: approx. length 13000 mm, width 2480 mm, height 3000 mm, remote control available, all tower guide rolls broken, crane has to be dismantled at the place (sold without undercarriage and collection approx. end of April 2018)
18	1	Crane transport vehicle double axis (suitable for crane with more than 36 m crane boom) Conducta/ Sperotto, P90, year built 2007, serial number 175 93, Crane transport vehicle double axis (suitable for crane with more than 36 m crane boom), payload P90 front 1x 10300 kg, rear 2x 10300 kg, tyre size front 46x16/ 15.5-20, rear 445/65R22.5, CH brake system, driving speed max. 30 km/h, new wheel rims, tyres and brakes replaced 2015 rear undercarriage, documents available, last control 18.08.2016
19	1	Crane transport vehicle (suitable for crane with less than 34 m crane boom) Conducta/ Sperotto, A60/P90, year built 2005, serial number 34, Crane transport vehicle (suitable for crane with less than 34 m crane boom), pay load front P60=4500 kg, rear P90=10300 kg, CH brake system, driving speed max. 30 km/h, new wheel rims, tyres and brakes replaced 2015 rear undercarriage, documents available, last control 17.02.2015
20	1	Crane transport vehicle (suitable for crane with less than 34 m crane boom) Conducta/ Sperotto, A60/P90S, year built 2008, serial number 137, Crane transport vehicle (suitable for crane with less than 34 m crane boom), pay load front 4500 kg, rear P90S=11600 kg, tyre size front 930x305, rear 46x16, CH brake system, driving speed max. 30 km/h, documents available, last control 03.08.2016



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 28 February 2018 RUCH BAUUNTERNEHMUNG AG (I.L.) CRANES

Auction conditions

Closing date	Wednesday 28 February 2018 closing 14:00 CET
Viewing	By appointment Kradolf Thurstrasse 20 9214 Kradolf, Switzerland
Company organising this Tender	TROOSTWIJK AG
Sale	Kernenriedstrasse 1 CH-3421 LYSSACH, Switzerland Phone: +41 34 411 31 80 Fax: +41 34 411 31 89 E-mail: info@troostwijk.ch
Markup	18.00%
VAT	7.70%
Collection	By appointment Kradolf Thurstrasse 20 9214 Kradolf, Switzerland

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience