



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

FLEISCHVERARBEITUNGSMASCHINEN (DE) **Machines for meat processing and catering technology**

Bersröder Str. - 35447 **Reiskirchen**
(Zentrallager Reiskirchen)

Closing date: Wednesday **08 NOVEMBER** starting 14:00



Viewing:

Thursday 02 November from 08:00 until 16:00
Bersröder Str. - 35447 Reiskirchen (Germany)

Bidding only on the internet!

17-10-17 11.10

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 08 November 2017 FLEISCHVERARBEITUNGSMASCHINEN

Special Conditions

Closing date	Wednesday 8 November 2017 starting 14:00 CET
Viewing	Thursday 2 November from 08:00 until 16:00 CET Zentrallager Reiskirchen Bersröder Str. 35447 Reiskirchen, Germany
Company organising this Online Auction	Troostwijk Auktionen GmbH & Co. KG Stolberger Straße 313 50933 Köln, Germany Phone: +49 221 69066-0 Fax: +49 221 69066-10 E-mail: info@troostwijk.de
Markup	18.00%
VAT	19.00%
Collection	from Wednesday 15 November 08:00 CET until Thursday 16 November 16:00 CET Zentrallager Reiskirchen Bersröder Str. 35447 Reiskirchen, Germany
Collection details	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Auktionen GmbH & Co. KG cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. Please show your purchase agreement upon collection.
Information VAT	Buyers from Germany have to pay the VAT. All foreign buyers from countries belonging to the European Community must inform us of their VAT number. If a buyer does not furnish this proof, the auctioneer has to charge the legal German VAT. This VAT amount cannot be refunded. Foreign buyers from countries not belonging to the European Community have to pay the legal German VAT as deposit to the auctioneer. After receipt of the original customs documents, which must be stamped officially to prove that the export has taken place, the auctioneer will refund the paid German VAT.
Payment	Your immediate bank payment is required within 48 hours after receipt of the purchase agreement (proforma invoice). Please state your buyer number and the auction name. Troostwijk Auktionen GmbH & Co. KG Deutsche Bank AG, Frankfurt Account no.: 802 731 001 Bank code: 500 700 10 IBAN: DE89 5007 0010 0802 7310 01 SWIFT: DEUTDEFF
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Combinations	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 10%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Follow lots	After registration and login, lots can be 'followed' via 'My Troostwijk'. This option has been constrained to a maximum of 100 lots per user per auction.
Subject to allocation and minimum	At certain auctions some lots will be sold under reserve or minimum/reserve prices

www.TroostwijkAuctions.com



prices	have been set! The seller of the machines will be informed about the highest bids after the end of the auction sale. He will then decide if the lots will be sold for the prices realized. Each client will be informed latest 2 work days after the end of the online auction whether his bid is accepted or not. During these days all bids are binding. If a lot is sold under reserve or if you should not have met the minimum/reserve price yet, this is mentioned below the starting bid.
Terms and Conditions of Sale	For the auction the General Terms and Conditions of Online Auction are applicable concerning the (possible) purchase of movable assets, in addition to these Special Conditions.
Contact	e-mail: info@troostwijk.de , phone: +49-221-690660
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	Hampress upperparts Hampress upperparts, inner measurements 245x165mm, in alu box	650.00
2	1	Cookpress with SS-Forms Cookpress SS, rollable with 2 steering and 2 fixed rolls, WDH 1050 x 1050 x 1580 mm, for ham roll meat etc., incl. 5 SS-forms, 4 Rows inside rounded, inner measurements WDH 800 x 85 x 162 mm, 7 SS-forms, 6 rows, 7 inlays between, WDH 800 x 100 x 100 mm, 9 SS-forms, 7 SS-forms inside rounded, inner measurement WDH 800 x 6 x 105 mm	250.00
3	1	Microwave, defect Panasonic, 1700, Microwave, connection 230 V / 2,79 kW, defect	20.00
4	1	Pizza oven Nordcap, KR 44, Pizza oven with frame, capacity 4x4 30cm pizzas, connection 400 V/8,4 kW, functional	150.00
5	1	Exhaust hood for combi-steamer, untested Exhaust hood for combi-steamer, incl. fan motor, dimensions 100x100cm, with 2 stainless steel grease filters, untested	30.00
6	1	Base frame for combi-steamer / oven Stainless steel base frame for combi-steamer / oven, with 16 inserts, max. rack width 37cm, dimensions 100x60x75cm,	50.00
7	1	Base frame for combi-steamer / oven Stainless steel base frame for combi-steamer / oven, with 8 GN 1/1 crosswise inserts, dimensions 110x93x66cm	50.00
8	1	Base frame for pizza oven Base frame for pizza oven, dimensions 110x93x66cm	20.00
10	1	Dishwasher, defect Electrolux, EUCAI, year built 2008, dishwasher, for basket size 500x500mm, connection / power: 400 V / 5.35 kW, defect	20.00
11	1	Glass washer, defect Winterhalter, GS 24, Glass washer, connection 400 V, defect	20.00
13	1	Combi- steamer with mobile frame, defect Buderus / Juno, Combi- steamer with mobile frame, defect (fan motor)	20.00
14	1	Smoking- and cooking trolley Smoking- and cooking trolley, stainless steel, with 6 levels, for up to 108 smoke sticks, smoke stick length 100cm, with 6 rolls on rocker, dimensions BTH: 1020x985x1965mm, very good condition	80.00
15	1	Refrigerator- Freezer pulse chest, defect Nordcap, Focus 131, Refrigerator- Freezer pulse chest	30.00
16	1	Hood type utensil washer, defect Meiko, Dv 125.2, Hood type utensil washer, entry dimensions HxB: 555 x 660mm, suitable for transport baskets, GN containers, pots, etc., theoretical performance baskets/h: 60/40/17, power approx. 12 kW, defective	30.00
17	1	Dish washer Winterhalter, GS 302, serial number 522189, Dishwasher, theoretical performance: 40/25/15 baskets / h, tank temperature: 60°C, boiler temperature: 65-85°C, fresh water requirement per washing cycle: 2,8l, entry height: 425mm, basket dimensions: 500 x 500mm : 6.3kW, Dimensions BTH: 600x600x810mm, used	80.00
18	1	Hood type washer, defect Juno, DV 120 B, year built 1988, Hood type washer, tank capacity 8,5l, boiler connection 7,5 kW, connection 380 V / 50 Hz, defect	30.00
19	1	Autoclave, defect Christian Wagner, KA MK 120, serial number 91004, Autoclave, boiler capacity: 120 litres, power 9 kW, defect	150.00
20	1	Combi-steamer Electrolux, air-o-steam, Combi-steamer with 14 x 1/1 GN inserts, connection / power: 400 V / 17.5 kW, defect	30.00



Lot	Number	Description	Starting Bid €
21	1	Dishwasher, defect Bartscher, TF 400, Dishwasher, connection 380 V / 5.5 kW, defect	30.00
22	1	Dishwasher, defect Miele, Universal G 7760, Dishwasher, with temperature indication, time display, fresh water system, stainless steel washing compartment, stainless steel front, 6-washing programs and 3 additional programs, dim. HBT: 85x60x60mm, defect	30.00
24	1	Cheese grater, defect Santos, Nr. 2, Cheese grater, 600 watts, 1500rpm, 220-240V, defect	30.00
25	1	Microwave, defect Bartscher, P 100 M 25 BSL-5S, Microwave, Capacity 25l, stainless steel cooking chamber, power 1000 W, connection / power 230 V / 1,5 kW, 1 magnetron, 6 power levels, weight: ca. 18kg, defect	20.00
26	1	Microwave, defect Panasonic, NE-7040, Microwave, 1400 W, connection 220 V, defect	20.00
27	1	Microwave, defect Panasonic, NE-1027, Microwave, cooking chamber 22l, housing and cooking chamber made of stainless steel, timer and rotary knob, 1 magnetron, power 1000 W, defect	20.00
28	1	Sink. Defect Sink, with sensor, wall mounting device, basin 37x33x14cm, dim. 47x41x30cm, defect	10.00
29	1	Microwave, defect Panasonic, NE 1747, Microwave, complete stainless steel, 2 magnetrons, 3 microwave power levels, (1700 W / 850 W / 340 W), microwave power 1700 W, timer setting: up to 30 minutes, 18l cooking chamber, dimensions BTH: 420 x 508 x 330mm, defect	20.00
30	1	Slicer, defect Italver, SWPL 300 OP, Slicer, weight 50kg, defect	20.00
31	1	Combination Microwave / Grill, defect Panasonic, NE-C1475, Combination Microwave / Grill, hot air, grill air, 5 power levels, 99 free memory programs, timer 100 min, 2 magnetrons, 30l cooking area, defect	10.00
32	1	Microwave, defect Panasonic, NE-1846, Microwave, with 3 power levels 1800/900/340 W, timer: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power: 230 V / 2830 W, weight 30kg, defect	10.00
33	1	Combi-steamer, defect Senking, air-o-steam, Combi-steamer, defect	10.00
34	1	Coffee machine, defect Bonamat, RL 235, Coffee machine with 2 brewing systems, 2x2 litre vessel, filling control, cup warmer, hot water outlet, with water connection, time approx.6 min., capacity approx.36 litre / 288 cups per hour, flow temp. 90°C, Cafe, dim. WDH 600x470x605mm, connection 400 V/16 A, defect	30.00
35	1	Hot air oven, defect Juno, 4-5001-3-, year built 1978, Hot air oven, defect	20.00
36	1	Dishwasher, defect Winterhalter, GS 302, Dishwasher, with 3 dishwashing programs 1 min / 2 min / 5 min, entry height approx. 42cm, basket size 50 x 50cm, dim. BTH 60 x 60 x 80cm, connection / power: 400 V / 6.3 kW, defect	30.00
37	1	Metal separator for filling applications Sesotec, Liquiscan VF 54/42/216/83-4, Metal separator for filling applications, ss, detector and separator all magnetic and non-magnetic metals, suitable for sausages, cheese, salads, with pump, adaptable for vacuum filler and pumps, connection 100-240 V 50-60 Hz, 0,25-0,12 A, dim. 600x600x1650mm	850.00
38	1	Autoclave, defect Korimat, Autoclave, defect	150.00



Lot	Number Description	Starting Bid €
39	1 Pressureincreasemachine, unchecked Bobby Joseph, Tronic Power 4/4, year built 1995, Pressureincreasemachine, tower construction, for cleaning of preindustrial machines, floors, boxes etc., incl. tube, max. power 110l/min, 60 bar max allowed, electr. Power 380 V/17 kW, waterflowpressure min. 3 till 8 bar, meas.. LBH 1040x650x1450mm, untested	150.00
40	1 Dishwasher, defect Winterhalter, GSR 36 E, Dishwashing machine gastro norm, suitable for euro crates, theoretical power 30/12 baskets / h, basket dimensions 508 x 652/500 x 500mm, dim. BTH 870 x 600/1050 x 815mm, connection / power: 400 V / 6.6 kW, defect	30.00
41	1 Dishwasher, defect Dishwasher, defect	30.00
42	1 Food transport container, defect Blanco, Blancotherm BLT 620 KBRUH, Food transport container, heatable, controllable, with temperature display, front loader, temperature inside the tank can be regulated from +40°C to +85°C, dishwasher capable (door excluded), capacity: 2x GN 1 / 1-200mm or 3x GN 1/1 -150mm, weight approx. 19kg, connection / power: 220-240 V / 200 W, defect	20.00
44	1 Dishwasher, defect Winterhalter, GS 302, Dishwasher, with 3 dishwashing programs 1 min / 2 min / 5 min, entry height approx. 42cm, basket size 50 x 50cm, dim. BTH 60 x 60 x 80cm, voltage: 400 V / 6.3 kW, defect	30.00
45	1 Dishwasher, defect Winterhalter, GS10/2, Dishwasher, with 2 dishwashing programs, basket size: 50 x 50cm, dim. BTH: 60 x 60 x 80cm, connection / power: 380 V / 5.6 kW, defect	30.00
46	1 Electronic noodle kettle, defect Küppersbusch, OEW 600, Electronic noodle kettle, GN 2/1, multifunctional unit for cooking and warming, cooking plate stainless steel, deep basin, thermostatic control 30°C - 100°C, dimensions BTH: 700 x 750 x 900mm, connection 400 V 7 11,4 kW, weight approx. 70kg, defective	20.00
47	1 Microwave, defect Bartscher, P100M25BSL-5S, Microwave, capacity 25l, stainless steel cooking chamber, power 1000 W, connection / power 230 V / 1,5 kW, 1 magnetron, 6 power levels, weight: approx. 18kg, defect	20.00
48	1 Microwave, defect Panasonic, NE-1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power 230 V / 2830 W, weight 30kg	20.00
49	1 Engine block for hand blender, defect Dynamic, Engine block for hand blender, connection 230 V / 460 Watt, defect	10.00
50	1 Hand blender, defect Robot Coupe, MP 600 A, Hand blender, Processing capacity approx. 200-300l, connection / power: 230 V / 750 W, defect	10.00
51	1 Microwave, defect Panasonic, NE-1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power 230 V / 2830 W, weight 30kg, defect	20.00
52	1 Microwave, defect Panasonic, NE 1747, Microwave, connection / power: 230 V / 2.79 kW, defect	20.00
53	1 Handpickleinjektor, defect Handpickleinjektor with brine injector, connection / power: 230 V / 125 W, water pump defect	20.00



Lot	Number	Description	Starting Bid €
54	1	Microwave, defect Panasonic, NE-1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power 230 V / 2830 W, weight 30kg , defect	20.00
55	1	Microwave, defect Panasonic, NE-1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power 230 V / 2830 W, weight 30 kg , defect	20.00
56	1	Slicer, defect Omas, M 250, year built 1998, Slicer, connection / power: 220 V / 330 W, cutting thickness adjustment: 0.5 - 1 mm, blade diameter: 250mm, defect	20.00
58	1	Frame for band saw Mado Frame for band saw Mado, dim. 55 x 53 x 63cm, with height adjustable feet	20.00
59	1	Dishwasher, defect Winterhalter, GS 315, Dishwasher, dim. BTH: 60 x 60 x 80cm, basket dimensions: 50 x 50cm, insertion height 42,5cm, connection / power: 230 V / 3,3 kW, defect	30.00
60	1	Double standing-fryer Franke, FFS42 P, Double standing-fryer, capacity: 2 x 7,5-9l, max. basket filling 1,25kg recommended 0,9kg, precise temperature detection +/- 1 degree, dim. BTH: 400 x 630 x 850-900mm, connection / power: 400 V / 9-11 kW, defect	20.00
61	1	Oven with base frame, untested Wiesheu, M6 E, year built 1981, ss-oven with base frame, not tested	120.00
62	1	Gas cooker, defect Küppersbusch, NGS100 B11, Gas cooker, G20 / 20 mbar, total connection 17 kW, dim. BTH: approx. 900 x 850 x 800mm, gas: 1.8m³/h, defective	20.00
63	1	Base frame for ice maker Base frame for ice maker, incl. ice transport- trolley, dim. BTH: 840 x 1020 x 1050cm, cut-out for ice filling BT: 720 x 505mm	120.00
64	1	Clipper, untested Poly- Clip, SFC 7034, Clipper, mobile, working pressure 5-7 bar, untested	100.00
65	1	Vegetable slicer, defect Electrolux Dito, TRS 1 V, Vegetable slicer, filling arm and funnel made entirely of stainless steel. motor housing made of aluminum, speed: 360 rpmConnection: 500 W / 230 V, dimensions BTH: 252 x 500 x 502mm, weight approx. 24kg, defect	20.00
66	1	Deep freezer, defect Scan cool, Deep freezer, dim. BTH: 1550 x 750 x 820mm, defect	20.00
67	1	Glassdor cabinet cooler, defect Helkama Forste OY, C10, Glassdor cabinet cooler, with 2 sliding doors and height-adjustable shelves, gross / net content: 1050l / 760l, defect	20.00
68	1	High performance-cutter Kilia, Supreme Cut 200 Ltr, year built 2011, High performance-cutter, bowl content 200 ltr, integrated silencer, bowl ss, stepless adjustable knife (50-5500 rpm), with backwards drive, cap. 75 kW, cutting speed 170m/sec, hydr. vacuum lid, hydr. filling for 200 ltr container, hydr. knife lid in sandwich construction of Eco 6000, stepless outlet, "Knecht" knife head with 16 knives, thermometer, digital display, keyboard, switch and control cabinet, 400 Volt, 50 Hz, cap., bowl 4 kW 400 Volt, 50 Hz	39,000.00
69	1	Combi- steamer, defect Eloma, Multimax 10-11, Combi- steamer, suitable for 10 x 1/1 GN containers, for 80-150 meals per day, 6 operating modes, connection: 17.0 kW / 3 NAC 400 V 50/60 Hz, dim. BTH: 925 x 805 x 1120mm, weight: ca 170kg, defect	20.00



Lot	Number	Description	Starting Bid €
70	1	Coffee machine with milk cooler and cup warmer, untested Franke, Spectra S Vetro 8, Coffee machine with milk cooler and cup warmer, suitable for espresso, coffee, milk coffee, cappuccino, latte macchiato. Preparation of warm milk foam possible. Dim. Machine BxTxH: 320 x 615 x 829mm (fully automatic without milk cooler and Cup warmer), daily consumption: 250 cups / day, weight: approx. 45kg, not tested	130.00
71	1	Vegetable slicer, defect Dito-Sama, TRS 1 , Vegetable slicer, filling arm and funnel completely made of stainless steel. Motor housing made of aluminum, speed: 360 rpm Connection: 500 W / 230 V, dimensions BTH: 252 x 500 x 502mm, weight approx. 24kg, defective	10.00
72	1	Boiler, defect Helios, Boiler, capacity approx. 80l, made of stainless steel, defect	20.00
73	1	Minced meat portioner, untested Hobart, 80A, Minced meat portioner, 220 V, not tested	50.00
74	1	Slicer, untested S.A.M., 328 Servo, year built 1996, serial number 15857, Slicer, knife: 300mm, slide length: 250mm, cutting diameter: 50 - 135mm, thickness: 0,5 to 15mm, motor: 0,18 kW - 1,400 rpm, voltage: 230 V, weight: approx. 40kg , untested	130.00
75	1	Electric-roisserie-grill with hood, untested Alto-Shaam, AR-7E, AR-7EVH, Electric rotisserie-grill, with on top hood, Type AR-7EVH, and frame, microprocessor control, 2 steps grill, temp range: grill 121°C to 218°C, warming 60°C- 99°C, connection 380-415 V/8,9 kW, dim. WDH 992x813x1371mm, not tested	250.00
76	1	Cutter Delitech, BC 404, Cutter, bowl volume 40l, with thermometer, connection 400 V/9,55-11,75 kW, knife motor 11 kW, bowl motor 0,75 kW, rotation knife shaft 1800/3600 rpm, rotation bowl 9/18 rpm, 6 knives, lid defect, functional	2,750.00
78	1	Dishwasher, defect Winterhalter, GS 640 Energy, Dishwasher, with integrated exhaust air heat recovery, suitable for euro boxes and appliances up to 2/1 GN, theoretical capacity: 40 baskets / h, dim. BTH 750 x 870/1245 x 1617/1933mm, entry height 670mm, basket size 608 x 672mm, connection value 8.4 to 14.4 kW depending on inlet water temperature, defect (device is leaking)	30.00
79	1	Pizza oven, defect Eloma, Pizza oven with double insert, dim. BTH: 680 x 80 x 47cm, defect	20.00
80	1	Double fryer, defect MKN, London 2, Double fryer, table top unit, housing made of CNS 1.4301, sinks with deep cool fat zone, grease drain down via gate valve, total filling capacity 2 x 12,5 ltr, capacity 2 x 6,5 ltr, contents / tub: approx. 180 x 400mm, 235mm low, dim. BTH: 500 x 700 x 270 mm, connection / power 400 V / 10 kW, defect	20.00
81	1	Continuous drying tunnel VC999, TR2, year built 2013, Continuous drying tunnel fully automatic, automatically adjustable air knife. The continuous flow allows economical drying of large production volumes. Operation without compressed air allows energy to be saved. Stainless steel construction, touch-screen display with pictograms, left or right-hand removal, upper air knives are controlled by photocells at product height, photocell recognition for economical drying process, operation without drying possible (conveyor belt function), automatic fault detection, 330 x 1200mm, maximum product height: 330mm, power: continuous flow, conveyor belt speed: 0.07 - 0.23 m / s Weight: approx. 610kg, functional	9,900.00
82	1	Microwave, defect Panasonic, NE 1440, Microwave, stainless steel, with 4 magnetrons, 60 min./digital, 4 power levels: 1400 W, 700 W, 340 W, 170 W, connection / power: 220 V / 2780 W, microwave power 1400W, 44 L cooking chamber, weight: 52.5kg, dim. BTH: 650 x 540 x 480mm, defective	10.00



Lot	Number	Description	Starting Bid €
83	1	Sealing unit, defect Foodsiegel, 233, year built 2002, Sealing unit, for sealing menu trays, with a sealing frame for 2 and 3-part trays. Temperature range: 50° - 300°C, sealing temperature 110° - 130°C, defect	30.00
84	1	Dishwasher, defect Electrolux, WT37, Dishwasher, connection: 400 V / 6,58 kW, defect	30.00
85	1	Glass washer, defect Winterhalter, GS 24, Glass washer, connection: 230 V / 3,2 kW, pump defect	30.00
86	1	Glass washer, defect GAM, GAM450PS, Glass washer, with lye pump (drain pump), dim. BTH: 530 x 600 x 750mm, basket size BTH: 400 x 400mm, entry height: 320mm, connection: 230 V / 3.82 kW, defect	30.00
87	1	Electric-roisserie-grill with hood, untested Alto-Shaam, AR 7VH / AR 7E, Electric rotisserie-grill, with on top hood, type AR-7EVH, and frame, microprocessor control, 2 steps grill, temp range: grill 121°C to 218°C, warming 60°C- 99°C, connection 380-415 V/8,9 kW, dim. WDH 992x813x1371mm, not tested	150.00
88	1	Freezer, defect Nordcap, E45/GTK45, Freezer, gross / net: 447l / 428l, connection: 220-240 V / 146 W, defect	30.00
89	1	Smoke chamber Beelonia, 113 Räucher F 3 , Smoke chamber, stainless steel, with wood firing, power 12 kW, dim. BTH: 50 x 100 x 170 cm, functional	900.00
90	1	Handpickleinjektor, defect Handpickleinjektor, Qmax: 14l/min, connection / power: 230 V / 120 W, defect	100.00
91	1	Slicer, defect Mettler Toledo, AM3, Slicer, connection / power: 230 V / 300 W, defect	30.00
92	1	Hand blender, defect Dito Sama, Bermixer 350 W, Hand blender, connection / power: 220-240 V / 350 W, defect	10.00
93	1	Dicer, defect Treif, 83/2, Dicer, defect	50.00
94	1	Bone saw, defect Reich, 310032, Bone saw, stainless steel, saw blade 2800x16, 1400 rpm, connection / power: 1,5 kW / 380 V, defect	20.00
95	1	Microwave, defect Panasonic, NE-1646, Microwave, inside and outside stainless steel, with ceramic base, cooking chamber size: 18 litres, 3 power levels: 1600/800/340 Watt, autom. fault diagnosis system, power rating: 230 V, 50 Hz, dim. BTH: 422 x 508 x 33 mm, defect	10.00
96	1	Sealing unit, defect ALX, Classic M-Fix 285/250, Sealing unit, defect	10.00
97	1	Saladette, untested Bartscher, S900, Saladette CNS with foamed evaporator, temperature range: + 2°C - +10°C, for 5 x 1/6 GN, 2 x 1/3 GN and 1 x 1/1 GN, GN container 150 mm deep, cutting board Polyethylene, electronic control, condensation evaporation, capacity: 250 litresPower consumption: 250 Watt / 230 VDim. BTH: 900 x 700 x 875mm, weight 85kg, not tested	300.00
98	1	Combi-steamer, defect MKN, Hans Dampf, Combi-steamer, without door and side panel, defect	10.00
99	1	Stainless steel working table Stainless steel working table, with 2 welded on supports, rear 3cm upstand, with deflectors, dim. BTH: 940 x 630 x 1050cm	50.00



Lot	Number	Description	Starting Bid €
100	1	Freezer pulse chest, defect AHT, Rio S 68, Freezer pulse chest, with 2 sliding elements, increased insulation 72mm, adjustable thermostat, mobile, gross / net: 132/10 l, temperature range °C: -14 to -23, connection / rated power: 230 V / 280 W, Weight: 50kg, dim. BTH: 680 x 650 x 766/880mm, defect	10.00
101	1	Cladding for dishwasher Winterhalter, Cladding for dishwasher, suitable for Winterhalter GS 640	5.00
102	1	Oven Juno, 4-5001-3, Oven, connection / power: 380 V / 6,0 kW, dim. BTH: 600 x 600 x 500mm, weight: about 60kg	100.00
103	1	Microwave, defect Panasonic, NE- 1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power: 230 V / 2830 W, weight 30kg, defect	20.00
104	1	Mincer, defect Bizerba, FW 98/32 T, Mincer, dim. BTH: 545 x 930 x 1100mm, connection: 380 V / 2.8 kW, without cutters, defect	50.00
107	1	Automatic mincer with lifting and tilting device Kilia, E 130 2000 S / 31 192 12, Automatic grinder incl. stationary lifting and tipping device for 200 litre trolleys, made of stainless steel, with 200 ltr. funnel, feeding right, screw and worm casing made of stainless steel, main screw with 2 speeds 200 and 400 rpm, drive power main screw: 11/15 kW 400 V, 50 Hz, feeding screw with 2 speeds: 100 and 20 rpm, drive power Feeding screw: 1.0/1.4 kW 400 V, 50 Hz, reverse running, electrically interlocked running board, electrically interlocked discharge guard, electrically interlocked protective guard with lifting device, PLC control with push buttons, integrated control cabinet, hydraulic screw ejector, with increased feet Mixing capacity approx. 70 kg, weight 1200 kg, functional, hoisting and tipping tilt height: 2050 mm, the tilt height can be reduced in 5 steps with 100 mm, lifting speed 5 m/min, max. Tilting angle 30°, connection: 400 V / 0.8 kW, weight: approx. 325 kg, functional	14,500.00
108	1	Low temperature cooking and warming device, defect Unox, XCH030, Low temperature cooking and warming device, even heat distribution, with hold function, easy operation, maximum temperature 120°C, capacity: 3 x 1/1 GN panel sheets, connection 0,76 kW / 230 V, dim. BTH: 436 x 645 x 409mm, weight 25kg, defect	20.00
109	1	Water purifier / descaler, untested Winterhalter, DuoMatik II, Water purifier / descaler, for use e.g. before Winterhalter dishwasher, regeneration parallel to the rinsing process due to double chamber, water consumption: approx. 32 litres / regeneration, salt consumption: approx. 0.3kg / regeneration, flow rate at 2,5-6 bar, operating pressure: continuous 22l/min, maximum 30l/min, pressure loss: approx. 1 bar, water inlet temperature up to 60°C, no power connection necessary, empty weight 21kg, without cover, not tested	40.00
110	1	Water purifier / descaler with double chamber, untested Hobart, Water purifier / descaler with double chamber, ideal protection against calcification for all downstream machines. Capacity Continuous / maximum: 20l/min / 25l/min, maximum hardness of the inlet water 30° dH, empty weight 21kg, not tested	40.00
113	1	Table-mincer, defect Alexanderwerk, UGM, Table-mincer, motor with meat wolf attachment, 2 stages selectable, connection: 1,4 / 1,8 kW / 380 V, defect	50.00
114	1	Fryer, defect EKU, Snack 2000 KFO-4E, Table-top unit, with bowl, dim. BTH: approx. 60 x 65 x 35 cm, without basket, thermostat defective	20.00
115	1	Microwave, defect Panasonic, NE 1027, Microwave, cooking chamber 22l, housing and cooking chamber made of stainless steel, timer and rotary knob, 1 magnetron, power 1000 W, defect	20.00



Lot	Number	Description	Starting Bid €
116	1	Frying pan with base frame, defect 2542, Frying pan with base frame, connection: 9.0 kW / 380 V, defective	10.00
117	1	Scrub-/suck cleaning machine, untested Alto, SSB 400W, Scrub-/suck cleaning machine for wet cleaning, working width 33 cm, sucking width 44cm, fresh water tank 19l, mud water-tank 25l, 1 brush with 8,5cm diam., brush rotation 650 rpm, suck device 360 W, working period approx.1 h., area cap. approx.860m²/h., dim. LBH 97x48x99cm, not tested	250.00
118	1	Cooker, defect G.S. Stolpen, Cooker, plate diameter 40cm, dim. BTH: 55 x 55 x 55cm, defect	10.00
119	1	Slicer, defect Bizerba, VS8A, Slicer, semi-automatic, connection: 230 V / 0,4 kW, defect	50.00
120	1	Dishwasher with frame, defect Zanussi (Electrolux), LS6EA DPD, Dishwasher with underframe, with 3 rinsing programs 90/120/180 sec., tank capacity approx. 23 L, basket dimensions: 500 x 500 mm, theoretical capacity: 40 baskets/h, connection: 400 V / 6.85 kW; dim. BTH: approx. 600 x 630 x 850 mm, defect	30.00
121	1	Bread slicer, defect Wabäma, Picollo Elektr. 380.10 MB, year built 2006, serial number 060114987, Bread slicer, fully automatic with lubrication, mobile, cutting width: 10mm, power 162kg, connection: 230 VDim. BHT: approx. 52 x 110 x 67mm, defect	10.00
122	1	Industrial dishwasher, defect Decker, Pluvia 260A+RG, Industrial dishwasher, dim. BTH: 600 x 600 x 820mm, connection: 400 V / 5.5 kW, water consumption: 2.9 litres, tank capacity: 15 litres, basket size BT: 500 x 500mm, rack height: 380mm, 2 washing programs 90/120 sec., defect	30.00
123	1	Saladette, defect Küleg, Saladette, temperature range: 0 - 15°C, dim. BTH: 950 x 700 x 950mm, defect	20.00
124	1	Derinder and skinning machine, defect Maja, Vario 2, year built 2004, serial number 44984, Derinder and skinning machine, combined machine, connection: 400 V / 0,88 kW, also manual operation without belt function possible, defect	1,450.00
125	7	Glass-ceramic contact grill, defect Unox, SpidoCook XP010P, Glass-ceramic contact grill, indirect heating by infrared radiators, contact surface: top / bottom 250 x 250mm, max. Temperature: 400°C, power rating: 230 V / 1.5 kW, dim. BTH 331 x 458 x 176mm, weight: approx. 10kg, defective	20.00
126	1	Universal dishwasher, defect Electrolux, WTU40ADPD, year built 2008, Universal dishwasher, front-loading dishwasher with atmospheric boiler, rinse temperature: 84°C, dim. LBH: 723 x 642 x 147 mm, connection: 400 V / 10,2 kW, weight: approx. 96kg, defect	30.00
127	1	Packing centre, defect Rühle, VR 1, year built 2005, serial number 084, Packing centre, sealing of hard shells with products from 80g to 15kg to fill, incl. 3 sealing tools for undivided, 2-divided and 3-divided shells, connection: 230 V / 1,5 kWEquipment:- Magazine for 2 gas cylinders- Tool magazine- Computer expert system- Calibrated weighing system- Consumer information system- Product database- additive database- Steerable transport rollers- automatic foil winder- Thermal label printerCondition: defect	200.00
128	1	Glass washing machine, defect Winterhalter, GS 29, Glass washing machine, 3 dishwashing programs, heating power 5.0 kW, defect	30.00
129	1	Glass washing machine, defect Winterhalter, GS 24, Glass washer, connection: 400 V, defective	30.00



Lot	Number	Description	Starting Bid €
130	1	Dishwasher, defect Electrolux, EUCAIG, year built 2010, Dishwasher, front- and side walls, door, flush tank, tank filter, flush and rinse arms made of chromium nickel steel 1.4301, With 3 rinse cycles 90/120/240 sec, rinse temperature 84°C, with drain pump. Electronic control with temperature display, fault diagnosis system, performance: 720 plates / 40, basket size: 500 x 500mm, connection: 400 V / 5.35 kW, defect	30.00
131	1	Dishwasher, defect Hobart/Dagemax, ECOmax 500S, Dishwasher, dim. BTH: 575 x 630 x 830mm, rack height: 280mm, basket size: 500 x 500mm, flushing capacity: up to 60 baskets/h, 2 washing programs 60/180 sec, connection: 400 V / 5,9 kW, defect	30.00
132	1	Pizza oven, untested Novarredo, X90-N2, year built 1994, Pizza oven, connection: 380 V / 13,2 kW, not tested	40.00
133	1	Under counter dishwasher, defect Zanussi, LS6E , Under counter dishwasher, basket size: 500 x 500mm, theoretical power: 40 baskets/h, connection: 400 V / 6.85 kW; Dim. BTH: about 600 x 630 x 850mm, defect	30.00
134	1	Microwave, defect Panasonic, NE 1027, Microwave, cooking chamber 22l, stainless steel case and cooking chamber, timer and knob, 1 magnetron, connection / power: 230 V / 1000 W, defect	20.00
135	1	Universal dishwasher, defect Winterhalter, GR 64, Universal dishwasher, with 3 programs: approx. 2.4 min. / approx. 5 min. / cleaning, basket size: approx. 630 x 695mm, insertion height: approx. 630mm, tank volume: 85l, dim. BTH: approx. 750 x 870 x 1600mm, connection: 400 V / 11,4 kW, weight: approx. 165kg, defect	30.00
136	1	Dishwasher, defect Electrolux, WT38DWS, year built 2006, Dishwasher, connection: 400 V / 6.58 kW, defect	30.00
138	1	Dishwasher, defect Krefft, DS-X 600, year built 1999, Dishwasher, with 3 dishwashing programs, connection: 400 V / 7.6 kW, 3 cleaning programs, dimensions: 630 x 630 x 1,400mm, defect	30.00
139	1	Combi- steamer, defect Eloma, Multi-Max 10-11, year built 1997, Combi- steamer, suitable for 10 x 1/1 GN containers, for 80-150 meals per day, 6 operating modes, connection: 14.0 kW / 3 NAC 400 V 50/60 Hz, dim. BTH: 925 x 805 x 1120mm, weight: ca 170kg, defect	100.00
140	1	Dishwasher, defect Electrolux, WT4DB, Dishwasher, Connection: 400 V / 5.35 kW, defect	30.00
142	1	Saladette Chromonorm, AKTS079500EV, Saladette, with plastic chopping board, food safe, with sliding cover, bearing height for GN container 54mm, for 1/2 to 1/3 GN container up to 200mm depth, foamed evaporator, recirculating air cooling, automatic defrosting, defrost water evaporation, electr. Thermostat / digital temperature control, ready for connection, temperature range from +2°C to 12°C, gross / net content: 270l / 243l, dim. BTH: 950 x 680 x 850mm, connection / power: 230 V / 320 W, as new with slight transport damage	375.00
143	1	Dishwasher, defect Dexion, LP 101P, Dishwasher, connection: 400 V, defect	30.00
144	1	Dishwasher, defect Ozti, OBY 500 DPLUS, Dishwasher, Dishwasher, 35 baskets / h, basket size BT: 500 x 500mm, with 5 selectable rinse programs, insert height 30 cm, weight: ca. 75kg, dim. 670 x 600 x 830mm, connection / power: 400 V / 5.5 kW, defect	30.00
145	1	Water purifier, untested Aquamatasil, Water purifier, connection: 230 V, not tested	20.00
146	1	Dishwasher, defect Omniwash, K50T/B/D/DD/PS/FS, Dishwasher, connection: 400 V / 6.75 kW, defect	30.00



Lot	Number	Description	Starting Bid €
147	1	Dishwasher, defect ClassEQ, Hydro 750, Dishwasher, rinsing and re-rinsing system, autom. drainage by drain pump, temperature monitoring, basket size: 500 x 500mm, theoretical capacity: 20 baskets / h, slide-in height: 345mm, connection: 400 V / 6.84 kW, dim. BTH: 550 x 602 x 825mm, defect	30.00
148	1	Infrared rotisserie grill Ubert, RT 44 E, year built 2006, serial number RT44E-0206-278, Infrared rotisserie grill, capacity: 7 skewers, heating by special ceramic lights, with central gear box, large fat collecting tray, energy regulator for each heating element, timer with memory function, acoustic signal after time lapse, accessories: 10 skewers + 1 grill basket, dim. BTH: 1370 x 950 x 1045mm, connection: 400 V / 14.4 kW, functional - very good condition	2,200.00
149	1	Slicer Treif, DIVIDER 440 DC, year built 2012, serial number 56000461989113700, Slicer, without blade; connection: 380-480 V / 50/60 hz / 4.8 kW, max. Cut-off length: 0.5-25mm, theoretically max. 1760 cuts/min, max. insertion length: 850mm, insertion cross section: 280 x 160mm, weight approx. 650kg, functional	25,500.00
150	1	Potato peeling machine Lozamet, OZP 15.5, year built 2009, serial number 55522, Potato peeling machine, capacity: 8-10kg, dim.114 x 60 x 60 x 99cm, power: 250-300kg/h, connection: 400 V / 0.55 kW, functional	1,200.00
151	1	Shashlik spit machine Emsens, ESA 49/31, year built 2011, serial number 04.11.553, Shashlik spit machine, capacity: max. 49 shashlik skewers per operation, unit size 31 x 31mm, max. Weight per shashlik skewer 180g, skewer size: 24cm x 3.7mm, dim.: 500 x 420 x 1100mm, weight 80kg, functional	2,200.00
152	1	Cheese and roll grinder Hendi, FGM113, year built 2012, serial number 1221753, Cheese and roll grinder, dim. 280 x 250 x 310mm, weight: 30kg, connection: 230 V / 0.38 kW, functional	250.00
153	1	Minced meat line, defect Webo + Carso, LM 32 A + Portiomat, serial number Wolf 44941, Minced meat line consisting of mobile mixed mincer and minced meat portioner, defect	2,200.00
154	1	Thermal transfer printer Markem, Smartdate 2i, year built 2007, serial number 7274017, Thermal transfer printer, suitable for labelling tubular bag packaging, bags, tray seals, pouches, sachets, Vacuum packaging and labels, functional	750.00
160	1	Deep freezer, defect Cookmax, Armadio AK600F, Deep freezer,, temperature range: -10°C to -25°C, connection / power: 230 V / 350 W, dimensions BTH: 775 x 735 x 1870mm, content, 580l, weight approx. 100kg, defect	20.00
161	1	Industrial rack, untested CSB System , Industrial rack, computerised data processing input terminal designed for wet areas, completely made of stainless steel, front with CSB monitor and protective window, CSB keyboard with weighing keys and trackball, with weighing terminal, freestanding with 4 height-adjustable feet, not tested.	200.00
162	1	Industrial rack, untested CSB System , Industrial rack, computerised data processing input terminal designed for wet areas, completely made of stainless steel, front with CSB monitor and protective window, CSB keyboard with weighing keys and trackball, with weighing terminal, freestanding with 4 height-adjustable feet, not tested.	200.00
163	1	Industrial rack, untested CSB System , Industrial rack, computerised data processing input terminal designed for wet areas, completely made of stainless steel, front with CSB monitor and protective window, CSB keyboard with weighing keys and trackball, with weighing terminal, freestanding with 4 height-adjustable feet, not tested.	200.00



Lot	Number	Description	Starting Bid €
164	1	Industrial rack, untested CSB System , Industrial rack, computerised data processing input terminal designed for wet areas, completely made of stainless steel, front with CSB monitor and protective window, CSB keyboard with weighing keys and trackball, with weighing terminal, freestanding with 4 height-adjustable feet, not tested.	200.00
165	1	Industrial rack, untested CSB System , Industrial rack, computerised data processing input terminal designed for wet areas, completely made of stainless steel, front with CSB monitor and protective window, CSB keyboard with weighing keys and trackball, with weighing terminal, freestanding with 4 height-adjustable feet, not tested.	200.00
166	1	Combi-steamer, untested Bastra / Rational, CPC 102, Combi-steamer with combined liquid smoke chamber, frame and hood, can be used as showsmokechamber, not tested	800.00
167	1	Tray trolley Tray trolley, alu, with 4 roller, 10 levels, for 20 trays, insert 580mm, top left/right 1cm, dim. WDH 680x900x1800mm	30.00
168	1	Tray trolley Tray trolley, alu, with 4 roller, 10 levels, for 20 trays, insert 580mm, top left/right 1cm, dim. WDH 680x900x1800mm	30.00
169	1	Tray trolley Tray trolley, alu, with 4 roller, 10 levels, for 20 trays, insert 580mm, top left/right 1cm, dim. WDH 680x900x1800mm, with 13 trays	30.00
170	1	Tray trolley Tray trolley, alu, with 4 roller, 10 levels, for 20 trays, insert 580mm, top left/right 1cm, dim. WDH 680x900x1800mm	30.00
171	1	Tray trolley Tray trolley, alu, with 4 roller, 10 levels, for 20 trays, insert 580mm, top left/right 1cm, dim. WDH 680x900x1800mm	30.00
172	1	Flour trolley, as new Thermohausser, Flour trolley, plastic, content 140l, with ss lid, dim. WDH 420x750x740mm, as new	250.00
173	1	Tray trolley Tray trolley with 4 roller, stainless steel, insertion size 40.5cm, support left/right 1.5cm, dim. 490x640x1500mm	30.00
174	1	Tilting frying pan, defect Küppersbusch, Tilting frying pan	20.00
175	1	Combi-steamer with hood and frame, defect Unox, ChefTop XVC 505 E, year built 2012, serial number 122, Combi-steamer with underframe and extractor hood with integrated steam condenser, suitable for 7 x 1/1 GN-containers, 67 mm distance between the plates, with automatic cleaning system Rotor Klean, up to 70 programs storable, automatic core temperature control with sensor, air capacity hood min/max: 500m/h³ / 750 m/h³, dim. combi-steamer BTH: 750 x 773 x 895mm, combi steamer connection: 400 V / 8.2 kW, weight approx. 120 kg, defect	200.00
177	1	Saladette, defect Nordcap, Saladette, ready to operate, with circulating air cooling, with PP cutting board, gross / net: 260l / 230l, temperature range: +2°C to +8°C, connection / power: 230 V / 230 W, defect	20.00
178	1	Deep freezer, defect Nordcap, Deep freezer, dim. BTH: 750 x 800 x 2050mm, defect	50.00
179	1	Stainless steel working table Stainless steel working table, with storage area, dim. BTH: 2000 x 700 x 820mm, with 4 small drillings on the table top	30.00
180	1	Glass washing machine, defect Winterhalter, GS 23 H, Glass washing machine, flushing capacity approx. 30 baskets per hour, connection: 230 V, defect	30.00



Lot	Number	Description	Starting Bid €
181	2	Lifting- and stacking trolleys Lifting- and stacking trolleys 200l, stainless steel, 1 trolley without wheels, trolleys have partial cracks	30.00
182	1	Dishwasher, defect Bartscher, TF515 WLP, year built 2011, serial number DWF1003658, Dishwasher, dim. BTH: 590 x 600 x 850mm, theoretical capacity: 30 baskets / h, basket dimensions: 500 x 500mm, connection: 380 V / 3.56 kW, defect	30.00
183	1	Dishwasher, defect Winterhalter, UC-XL, Dishwasher, 4 dishwashing programs, theoretical capacity: 66 / 40/28/24 baskets / h, basket dimensions: 500 x 500mm, suitable for baker's & meat boxes and 1/1 GN gastro norm containers, drive-in height: 404 mm, connection: 400 V / 7,9 kW, weight: ca. 75kg, dim. BTH: 600 x 671 x 850mm, defect	30.00
184	1	Freezer pulse chest, defect RIO H 125S, year built 2011, serial number 60013500001411, Freezer pulse chest, mobile, with insulating sliding cover, quiet cooling, temperature range: -14°C to -23°C, gross / net: 341l / 302l, dim. BTH: 125 x 65 x 88cm, connection: 230 V / 280 W, weight: approx. 70kg, defect	20.00
185	1	Universal dishwasher, defect Winterhalter, GR 66/1, Universal dishwasher, with 3 programs: approx. 2.4 min. / Approx. 5 min. / Cleaning, basket size: approx. 630 x 695mm, insertion height: approx. 630mm, Tank volume: 125l, rinse approx. 7.5l fresh water, weight: approx. 175kg, defect	250.00
186	1	Rotary filter system for pickle injector, untested Günther, GRF 200, year built 2013, serial number 33982, Rotary filter system for pickle injector, complete from stainless steel, 2-chamber system, double suction filter, mobile, discharge gusset for cleaning, connection for brine preparation, fully automatic filtration by rotating split filter drum with geared motor, capacity 185 l, suitable for pickle injectors PI / PIH 21M / 57M / 26M, PI 52 MC 1, PI 54/105 MC2R	250.00
187	1	Combi- steamer, defect Rational, CM 101, year built 2013, serial number 11M91113529, Combi- steamer, for 1/2, 1/3, 2/3, 2/8 GN containers, manual cleaning program, fast cooking chamber cooling by CoolDown function, Descaling program, digital timer from 0 to 24h with continuous setting, Digital temperature displays, Dim. BTH: 847 x 776 x 1017mm, weight: approx. 125kg, connection: 18.4 kW / 3 NAC 380 V, fuse protection 3 x 32 A, defect	200.00
188	1	Dishwasher, defect Winterhalter, UC-XL energy, Dishwasher, with energy recovery, 4 dishwashing programs, theoretical capacity: 24/28/40/65 baskets / h, basket dimensions: 500 x 500mm / 500/540mm, suitable and similar. for bakery meat bins and 1/1 GN gastro norm containers, drive-in height: 404 mm, connection: 400 V / 7,9 kW, weight: approx. 90kg, dim. BTH: 600 x 656 x 895mm, defect	30.00
189	1	Hot food counter, defect Alto-Sham, Halo Heat, Hot food counter, water-free heating technology, dim. BTH: 1250 x 880 x 800mm, defect	30.00
191	1	Dishwasher, defect Electrolux, Dishwasher, defect	30.00
192	1	Combi- steamer, untested Eloma, Genius 10-1, year built 2003, serial number 141404 815, Combi- steamer, suitable for 10 x 1/1 GN containers, fully automatic cleaning system, 400 programs with up to 20 program steps, patented fresh steam system, Cook and Hold function, Delta-T cooking, regeneration, stainless steel hygienic cooking chamber with rounded corners : 30°C to 300°C, dimensions BTH: 925 x 805 x 1120mm, connection: 400 V / 17 kW / 3 x 32 A, untested	200.00



Lot	Number	Description	Starting Bid €
193	1	Dishwasher, defect Winterhalter, UC-XL, serial number 1034857, Dishwasher, 4 dishwashing programs, theoretical capacity: 66 / 40/28/24 baskets / h, basket dimensions: 500 x 500mm, suitable and similar. for baker's meat boxes and 1/1 GN gastro norm containers, drive-in height: 404mm, connection: 400 V / 7,9 kW, weight: ca. 75kg, dim. BTH: 600 x 671 x 850mm, defect	30.00
194	1	Electric sink, defect Roka-Werk, HWB1, Electric sink, mobile, completely made of stainless steel, connection: 230 V / 700 W, defect	30.00
195	1	Dishwasher, defect Winterhalter, UC-XL, serial number 1029199, Dishwasher, with base frame, 4 dishwashing programs, theoretical capacity: 66 / 40/28/24 baskets / h, basket size: 500 x 500mm, suitable and similar. for bakery meat bins and 1/1 GN gastro norm containers, drive-in height: 404mm, connection: 400 V / 7,9 kW, weight: approx. 90kg, dim. BTH: 600 x 671 x 1200mm, defect	20.00
196	1	Gas-lava stone grille, defect Gas-lava stone grille, dim. BTH: 400 x 800 x 1070mm, defect	30.00
197	1	Dishwasher, defect Winterhalter, GS 14, Dishwasher, 2 rinsing programs, theoretical capacity: 24/12 baskets / h, defect	30.00
198	1	Dishwasher, defect Bartscher, Delta Clean TW, Dishwasher, with dosing pump for cleaning agent TG280, with lye pump and water softenerDim. BTH: 590 x 600 x 850mm, max. capacity at 2 bar: 30 baskets / h, basket dimensions: 500 x 500mm, door contact switch, dry-running protection, flushing time: 120/180 sec, connection: 5,15 kW / 3 NAC 400 V, defect	30.00
200	1	Dishwasher, defect Winterhalter, UC-XL, year built 2012, serial number 1082848, Dishwasher, 4 dishwashing programs, theoretical capacity: 66/ 40/28/24 baskets / h, basket dimensions: 500 x 500mm / 500/540mm, suitable and similar. for bakery meat bins and 1/1 GN gastro norm containers, drive-in height: 404 mm, connection: 400 V / 7,9 kW, weight: approx. 75kg, dim. BTH: 600 671 x 850mm, defect	30.00
201	1	Microwave, defect Panasonic, NE 1840, Microwave, version for 2-store operation, with defrost stage, autom. fault diagnosis, cooking chamber: 44l, dim. cooking space BTH 535 x 330 x 250mm (GN 1/1) Power levels: 170/340/900/1800 Watt, connection: 230 V / 3.2 kW, outer dim. BTH: 650 x 526 x 471mm, defect	20.00
202	1	Handpickleinjektor, untested Bachert Garant, Handpickleinjektor, with brine injector, not tested	30.00
203	1	Stunning tong, untested FIAD, Stunning tong, not tested	30.00
204	1	Utensil washer, defect Winterhalter, GR 36 E, Utensil washer, theoretical capacity: 30/12 baskets / h, basket size 508 x 652mm / 500 x 500mm, entry height: 410mm, dim. BTH: 870 x 600 x 815mm, connection: 400 V / 6.6 kW, defect	50.00
207	6	Stainless steel pickle vessel Stainless steel pickle vessel, content 450l	150.00
210	1	Trolley Bastra, Trolley, with 20 plates 600 x 400 x 30mm, stainless steel, insert dimensions 600mm, support left / right 3cm, dim. 890 x 730 x 1700mm	50.00
211	1	Hot air oven, defect Eloma, ELH 10-1, Hot air oven, , suitable for 10 x 1/1 GN containers, one-hand operation due to quick-closing door, removable rack, progressive temperature setting 50° - 250°C, timer up to 120 min or duration, connection: 400 V / 14 kW, dim. BTH: 925 x 805 x 1120mm, weight: 160kg, defect	20.00



Lot	Number	Description	Starting Bid €
212	1	Transport cooling device, untested Wemo, Euro-Transcooler GT, Transport cooling device, partly ss, content 502l, dim. approx. 950x950x1080mm, connection 220 V/400 W, not tested	30.00
213	1	Tray trolley Tray trolley, made of aluminum, incl. 5 plates 60x80x2cm, 2 steering and 2 fixed wheels, dim. BTH 610x870x1475mm	30.00
214	1	Sealing device Boss, Sealing device, incl. 2 sealing frames, connection 230 V, functional	100.00
215	1	Sealing device, defect BS 703, Sealing device, connection 230 V / 1 kW, defect	20.00
216	1	Microwave, defect Panasonic, NE 1846, Microwave, with 3 power levels 1800/900/340 W, time setting: up to 30 min, 2 magnetrons à 900 W, stackable, housing and cooking chamber made of stainless steel with ceramic base, 18l cooking chamber, connection / power 230 V / 2830 W, weight 30kg, defect	20.00
217	1	Freezer pulse chest, defect Rio S 68, Freezer pulse chest, with 2 sliding elements, reinforced insulation 72mm, adjustable thermostat, mobile, gross / net content: 132/102l, temperature range in C°: -14 to -23, connection / nominal power: 230 V / 280 W, weight: 50kg, Dim. BTH: 680 x 650 x 766/880mm, defect	20.00
218	1	Refrigerated counter Intercol, E223 SL 200, Refrigerated counter	100.00
219	1	Refrigerated counter Intercol, E223 CP-2000, Refrigerated counter, dim. LBH 2050x1070x750mm, connection 230 V / 650 W, functional	100.00
220	1	Refrigerated counter Intercol, E223 CP-2000, Refrigerated counter, dim. LBH 2050x1070x750mm, connection 230 V / 650 W, functional	100.00
221	1	Deep freezer, untested Nordcap/Elcold, E61/GTK 61, serial number 492706616, Deep freezer, gross / net content: 607l / 581l, Connection: 230 V / 211 W, TK power: 38kg / 24 hrs., untested	100.00
222	1	Tilting frying pan, untested Küppersbusch, FEP 910, Tilting frying pan, Multifunctional device for roasting, stewing and cooking, innovative KCI touch panel control, DUPLEX ANTIHAFT bottom, electronic temperature control with nominal/actual value display, plated on both sides with stainless steel (DUPLEX-ANTIHAFT), motorized tipping with quick-return, dim. BTH: 1400 x 850 x 900mm, connection: 400 V / 16,25 kW, weight 275kg, depth of construction: 850mm, cooking area: 928 x 660 x 184mm, boiler capacity: 83l, untested	250.00
223	1	Continuous washing machine WVG Kainz, BHW 2/1 + T 2, year built 1995, serial number 276/1, Continuous washing machine, fully automatic crate, container, basket cleaning device, heated, capacity: up to approx. 350 containers / h, a. suitable for Euroboxes in E1, E2 and E3 formats, with 3 cleaning stages in cascade, prewashing, main washing and rinsing / sterilization, with extraction (type VR 184) over all cleaning zones, with dosing pump DSP 9414 up to max size. WxL 40 x 60cm, equipped with a round chain conveyor system for a continuous flow, wash zones 1 and 2 are equipped with a powerful Durabloc pump, Component 1: Cleaning stage 1 Pre-cleaning / preliminary cleaning: Component 2: Cleaning stage 2 Basic cleaning / main cleaning: Component 3: Cleaning stage 3 Final rinsing / Sterilization: Component 4: Extraction, Operating voltage: 230 V, 50 Hz, control voltage 24 V DC, connection: 400 V, 50 Hz, 3 phases, power approx. 30 kW, fuse 63 A, functional	1,500.00
224	1	Refrigerated counter Intercol, E223 SL 200, serial number R3Q0122, Refrigerated counter, functional	100.00



Lot	Number Description	Starting Bid €
226	1 All-purpose cutter Treif, Husky, year built 2003, All-purpose cutter, suitable for cutting cubes and portions, high-throughput dicing: up to 1,500kg - 2,350/hour (depending on product and degree of filling), max. cutting speed: 1,50 kg - 2,350/hour (depending on product and degree of filling). Cut-off length 1 - 50mm, max. Cutting blade speed/min. 300, max. Insertion length 550mm, powerful portion cutting: up to 175 slices/minute, max. Cut-off length 1 - 50mm, max. Sections/min.: 175, insertion cross section: 180 x 180mm, max. Insertion length: 600mm, dim LWH: 2265 x 914 x 1200mm, weight approx. 389kg, functional	500.00
230	1 Cooking set Gico, System 64 (64/320 TL, 64/703 T), Cooking set consisting of, electric cooking plate, model 64/320 TL, table-top unit, with splash guar, even frying surface, dim. BT: 350 x 600mm, connection: 400 V / 3.3 kW Electric double fryer, model 64/703 T, table top unit, capacity 2 x 8 L, with 2 baskets and 2 covers, dim. BT: 700 x 600 mm, connection: 400 V / 13.2 kWBase for Gico System 64, complete stainless steel, 3 sides closed front open, with 3 compartments and 2 GN 1/1 inserts, dim. BT: 1050 x 600mmCondition: New	1,450.00
231	1 Pizza oven Novarredo, Techno 1810TH4, Pizza oven, front and baking chamber made of stainless steel, baking chamber base made of fire-resistant chamotte stone, thermostatic regulation up to 450°C, thermometer, upper and lower heat switchable, interior lighting, pizza number: 4 x 30 Ø cm, dim. BTH: 1011 x 867 x 447 mm, inside dimensions BTH: 620 x 620 x 160 cm, pizza number: 4 x 30 Ø cm, connection: 5.1 kW / 400V, type: mechanical 1810TH4, exhibit equipment	1,150.00
232	1 Milk- and beverage heater Bonamat, HM 520, Milk- and beverage heater, Bain-Marie system with water bath in the double-walled container ensures gentle heating, heating time 55 minutes, buffer 2 l, connection: 230 V / 2850 W, dimensions: 377 x 458mm, new	710.00
233	1 Hot air oven Bartscher, Piccolino, Hot air oven, painted metal,Interior: galvanized steel, cooking chamber: 19 L, 4-step switch, overheat / underheat, 60 minutes timer, thermostat up to 230°C, removable crumb drawConnection: 1.5 kW / 230 V 50 HzDim. BTH: 425 x 380 x 295mmIncludes 1 grate, 1 baking tray, 1 handle, weight: 7. kg, new	70.00
234	1 Hot plate Bartscher, B 500, Hot plate, stainless steel, adjustable thermostat up to 95°C, temperature range: 35° C - 95°C, connection: 230 V / 250 W, dim. BTH: 500 x 375 x 64mm, new	80.00
235	1 Pizza oven Bartscher, CT 200, Pizza oven, with 2 baking chambers for 2 x 4 pizzas Ø 30 cm, housing: steel plate, black lacquered, baking chamber BTH: 610 x 610 x 140 mm, baking chamber: brick of fire-resistant stone, temperature up to 400 ° C, functions: top and bottom heat , without timer, interior lighting, power rating: 8.4 kW / 3 NAC 380 V, dim. BTH: 890 x 880 x 750 mm, weight: 98 kg, condition: very good with slight traces of use	980.00
236	1 Sushi case Neumärker, 05-70119, year built 2009, serial number 200915013915, sushi chiller for 6 x horeca -vessel 1/3-40mm, static cooling, inside ss, outside glass, dim. WDH 1437x380x255mm, connection 230 V/270 W, with little traces of use	500.00
237	1 Tapas case Neumärker, 05-70011B, year built 2009, serial number 200940017508, Tapas case, with little traces of use	300.00
238	3 Gas- kettle grille Rösle, 25010, Gas- kettle grille, mobile, grilling area: 60cm, with stainless steel grate, grill cover with thermometer, power: 9.20 kW, 2 stainless steel burner, electronic ignition, working height: 84cm, dim. BHT: 700 x 560 x 850mm, weight: 37kg, exhibit	350.00
239	2 Charcoal kettle grill Rösle, 25002, Charcoal kettle grill, Grill surface: 50cm, with stainless steel grill grate, grill cover with thermometer, air supply control, storage surface, working height: 80 cm, dim. BHT: 560 x 370 x 560mm, weight: 16kg, exhibit	160.00



Lot	Number	Description	Starting Bid €
240	1	Glass washer Winterhalter, GS 202, Glass washer, 2 washing programs, the original capacity: 48/30 baskets / h, basket size: 400 x 400mm, clearance height: 315mm, connection: 6,0 kW / 400 V, weight approx. 60kg	600.00
241	1	Four-flame gas cooker Bartscher, Serie 700, Classic 4, Four-flame gas cooker, 18/10 CNS, ignition type: piezoelectric ignition, with two-burner burner, pilot flame, combustion cavity with removable collecting tray, substructure open, cast iron grate, cooking zones: 2 x 5,5kW, 2 x 3,6 kW, dim. BTH: 800 x 700 x 850mm, weight: 71kg, exhibition unit, light traces of use	700.00
242	1	Multipurpose chiller cabinet Nordcap, VMS 100, multipurpose chiller cabinet, ready to plug in, mobile with static cooling, low front door for self-service, automatic defrosting by compressor stop, automatic defrosting water evaporation, temperature range: +4°C to +10°C, CNS 1.4301 work surface, 360 mm deep, dim. BTH: 1010 x 940 x 850mm, weight: about 70kg,	370.00
243	1	Deep Fat Fryer MKN, HotLine London 1, serial number 13209175, Deep Fat Fryer, with 1-tank, total capacity 12,5 litres, thermostatic or electronic temperature control, safety temperature limiter for reliable overheat protection, housing made of chrome-nickel steel (1.4301) / stainless steel, control lamp, tube radiator, electric fixed connection, IPX 4, deep cool fat zone below the radiators, frying pan 180 x 400 x 235mm deep, connection: 6 kW / 400 V, recommended fuse 3 x 16 A, dim : 400 x 700 x 700-850mm	500.00
244	1	Dishwasher Meiko, 530F, Dishwasher Fully electronic control infrared interface, digital temperature display for washing and rinsing temperatures, 2 programs 120/180 sec., insertion height: 320mm, capacity: up to 30/20 baskets = 540/360 plates or 1080/720 glasses, basket size: 500 x 500mm, tank capacity: 20 l, dim. BTH: 600 x 600 x 850mm, defective	30.00
245	1	Cooling counter Linde, Visor 1545, serial number 810229, Cooling counter, dim. LWD: 1480 x 1000 x 850 mm, 230 V/650 W connection, functional	100.00
246	2	Cooking grids, as new Cooking grids, dim. WD: 992 x 965 x 60 mm, handles bevelled inwards, as new condition	95.00
247	1	Patty conveyor belt, overhauled Hobart, BC 0606 E, serial number WA 1442 G, Patty conveyor belt, made of 18/9 stainless steel, the conveyor belt is an ideal connection and stowage zone, meat grinder with mincemeat portioning machine and packaging. Height and inclination infinitely adjustable, length: 1585 mm, height (horizontal): 750 ±100 mm, height (task side): 125-1375 mm, height (take-off side): 450-1035 mm, belt width: 150 mm, belt speed: 0.3 m/sec., connection: 380 V / 0.18 kW, completely overhauled	450.00
248	2	Meat maturing box Meat maturing box, perfect alternative to vacuum maturing, longer ripening times compared to vacuum maturing possible, dim. BTH outside: 365 x 480 x 420 mm, dim. BTH interior: 285 x 395 x 365 mm, slight signs of usage	50.00
249	1	Refrigerator Nordcap, Cool KU 710, Refrigerator, for GN 2/1, ready to plug in with convection cooling, visible sides inside and outside made of CNS DIN 1.4301, evaporator-free interior with rounded corners, self-closing door with handle strip, exchangeable door hinge, interior lighting, electronic control and digital display, automatic defrosting, contents (gross/net): 650/597 L, shelf space: 2 x GN trolley, Temperature range: -2° to +10°C at UT 35°C and 70% RF, connection: 230 V / 456 W, weight: approx. 140 kg, dim. WHT: 740 x 850 x 2100 mm, good condition with damage to the outside door	395.00
250	1	Service room door Service room door made of circularly etched stainless steel, lockable with keys, dim. HW: 2100 x 1200 mm, clearance dimension HW: 2000 x 900 mm, like new	475.00



Lot	Number Description	Starting Bid €
251	1 Automatic mincer Mado, MEW 621 Ultra, year built 1998, serial number 9830080, Automatic mincer for minced meat production, mobile, incl. mixing arm, hopper capacity approx. 90 L, speed.1450 rpm, dim. BTH: 1050 x 710 x 1250 mm, connection: 400 V / 50 Hz / 5.5 kW, weight approx. 375 kg, cutting set consisting of: 32 mm stainless steel tungsten disc with groove longlife, 32 mm wolf knife 4-blade longlife, completely overhauled, machine is fully functional	4,800.00
252	1 Food transport containers Blanco, Blancotherm K, Food transport containers, Top loader, dim. WDD: 640 x 420 x 220 mm, capacity: 1 x GN 1/1-100 mm, made of thermoformed plastic, with PUR foam insulation, condition: good	45.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

GENERAL TERMS AND CONDITIONS

for Online Auctions

of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. Definitions

General User

Conditions: The General Terms and Conditions of Business governing the use of the
Troostwijk Veilingen B.V. website

General Terms and

Conditions of

Online Auctions: These General Terms and Conditions for an online auction governing the procedure for the online auction and defining the position, rights and duties of the contracting parties / participants.

User: Anyone who registers on the Troostwijk Veilingen B.V. website

User agreement: Agreement between Troostwijk Veilingen B.V. and the user

Bidder: Anyone who bids in an online auction

Bid: A binding amount bid by the user in an auction for a lot

Purchase price: Made up of the highest bid at the end of the auction, the commission and any VAT due.

Purchase contract: Agreement between the buyer and seller, which comes into being upon acceptance of a bid by Troostwijk

Buyer: Bidder whose bid is accepted for the lot

Lot: (An) item(s) auctioned (also items auctioned collectively under one number)

(Online) auction: The auctioning of movable property organised by Troostwijk on the Troostwijk Veilingen B.V. website

Registration: Registration of the user on the Troostwijk Veilingen B.V. website by completing the registration form on the website

Special Terms and

Conditions of an

Online Auction: Special additional conditions only applying for the respective online auction

Troostwijk: Troostwijk Auktionen GmbH & Co. KG

Seller: The party on behalf of which a lot is auctioned

Website: The www.TroostwijkAuctions.com website, which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which serves as the platform for auctions held by Troostwijk

Bid acceptance: Confirmation by Troostwijk that the highest bidder's bid for a lot or a combination of lots is accepted upon payment of the purchase price

Article 2. General Terms and Conditions of Business

2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The user shall use the website in accordance with the *General User Conditions* of Troostwijk Veilingen B.V.

2.2 The General Terms and Conditions of Online Auctions contain the general regulations for the auction. The auction takes place exclusively on the basis of these conditions. Participation in the auctions constitutes acceptance of these conditions. Special Terms and Conditions of an Online Auction may also apply to an auction. These contain additions or variations to the General Terms and Conditions of Online Auctions. In case of

www.TroostwijkAuctions.com



doubt, the Special Terms and Conditions of the Online Auction take precedence. These General Terms and Conditions solely apply to Online Auctions and not to sales outside of the Online Auction. You can find the General Terms and Conditions for Post Auction Sales, Private Treaty Sales and Tender Sales on page 5.

2.3 Troostwijk can make changes to these General Terms and Conditions. Changes take effect upon receipt of respective notification by the user and bidder.

Article 3. Registration

3.1 Bidders who are registered users with Troostwijk Veilingen B.V. and who have accepted its *General User Conditions* can take part in auctions.

3.2 A bid can be made by anyone who has accepted the *General Terms and Conditions of Online Auctions* and the *Special Terms and Conditions of an Online Auction* for an auction.

Article 4. Auction

4.1 Auctions are held on behalf of and for the account of the *seller*. *Troostwijk* is not a contracting party to any purchase contract which comes into being upon acceptance of the bid; it only brokers the purchase contract.

4.2 Dates, such as the start and the end of an auction, are contained in the Special Terms and Conditions of an Online Auction.

4.3 *Troostwijk* is responsible for organising, preparing and holding the auction.

4.4 *Troostwijk* may choose:

- not to accept a *bid* generally or – for important cause – from certain *bidders*;
- to exclude *bidders* from an auction;
- to correct errors made by *Troostwijk* in bids and/or *accepted bids* with appropriate notification to the *bidder*;
- to take any other measures required;

4.5 *Troostwijk's* decision as regards what happens during the auction is binding.

4.6 Forced sales are marked as such in the Special Terms and Conditions of the Online Auction.

Article 5. Cancellation, technical faults

5.1 *Troostwijk* reserves the right to cancel, prematurely end or extend an auction **for important cause**. In the event of a technical fault to the *website* which results in it being not fully accessible and/or not accessible to all *users*, *Troostwijk* can extend the auction by up to 24 hours. *Troostwijk* can reject bids without stating the reasons.

5.2 By registering, the *user* declares that he is aware of the special circumstances of an internet auction. In particular he is aware that the current state of technology can result in faults and downtime, which can make access to the internet auction and the *website* difficult or impossible.

5.3 *Troostwijk* is only responsible for properly conducting the auction on the www.TroostwijkAuctions.com website, not for any technical faults. *Troostwijk's* liability is limited and is based on the General Provisions, as set out in Article 15.

Article 6. Viewing days; entering buildings & property

6.1 Any viewing dates are specified in the *Special Terms and Conditions of the Online Auction*.

6.2 Viewers enter buildings and property at their own risk. Viewers must follow the instructions issued by *Troostwijk* or its appointees. The seller accepts no liability whatsoever for damages resulting from entering the buildings and property. In addition, the liability limitations of the General Provisions for *Troostwijk* and the seller, as set out in Article 15, apply.



Article 7. Lots

7.1 Individual *lots* or *combinations* are auctioned.

7.2 *Combinations*, i.e. the auctioning of several *lots* together, are displayed in the system. *Combination lots* are auctioned in two stages:

a) Firstly the individual *lots* are auctioned. The *bid is accepted* under the condition precedent that the *lot* is not knocked down as part of a *combination lot*. Once the *bids* for the individual *lots* have been *accepted*, bids can be made on the combination. If no bids are made on the combination, the sale of the individual *lots* goes ahead.

b) If bids are made on the combination, the following applies: The *bid is accepted* for the combination if the highest bid is higher than the total bids resp. the start prices for the individual *lots*. The *bids* for the individual *lots* are then declined because the condition has not been fulfilled.

7.3 *Troostwijk* can combine various items to form *lots*, divide lots and remove lots from the auction.

7.4 *Troostwijk* can demand that a *bidder* provides standard banking security in advance for certain lots.

Article 8. Bids

8.1 A *bidder* can bid in auctions as soon as he has registered on the *Troostwijk* website and has activated his account by clicking the link in the email that he received after registration. *Bidders* can bid on one or more lots. Bids can only be made without conditions and reservations attached. Bids are binding, revocation is not possible. The bidder shall receive email confirmation of every bid made and every higher bid by a third party. This notification is not acceptance of the bid.

8.2 Bids can be made as firm bids or maximum bids.

a) In the case of a firm bid (static), the user offers a fixed amount for each lot which is displayed in the system.

b) In the case of a maximum bid (proxy), the user states the maximum price he is prepared to pay for a lot. The maximum bid is not shown in the system. If a third party outbids the user, the current bid is increased in increments until a third party outbids the maximum bid. A maximum bid can only be retracted by the user in the interim if he makes a firm bid which is the highest bid at that moment.

8.3 Bids do not yet include sales tax and the commission. The amount of the commission can be found in the *Special Terms and Conditions of the Online Auction*.

8.4 *Troostwijk* and/or the seller can reject bids without stating the reasons. *Troostwijk* can bid on behalf of third parties.

Article 9. Acceptance of bid & purchase contract

9.1 A purchase contract for one or more lots only comes into being when the bid has been accepted. The *buyer* is informed by email of the resulting purchase contract (acceptance of bid). A *bid is accepted* within two working days of the close of the auction at the latest.

9.2 Consumers have no right of revocation as per § 312 d BGB [*German Civil Code*], as the purchase contract comes into being in the context of an auction as per § 156 BGB [*German Civil Code*] (§ 312 d Para. 5 No. 5 BGB [*German Civil Code*]).

9.3 *Troostwijk* is entitled not to *accept a bid* or to accept a bid under conditions precedent.

9.4 As a general rule, the *user* with the highest bid is *awarded the bid*. The *bid is accepted* if no further bids are made 10 minutes before the end of the auction. Otherwise the closing time for this lot is postponed for further 5 minutes. If another bid is made, the auction ends when the highest bid is made, if this is not outbid within five minutes.

Article 10. Passage of risk / passage of title

10.1 When a bid is accepted, the risk of accidental perishing or loss of the auctioned goods and the risk of loss or damage through fire, theft or burglary passes to the successful bidder.

10.2 Ownership only passes to the buyer on full payment.

Article 11. Obligations of the buyer



- 11.1 When a bid is accepted, the buyer is obliged to pay the purchase price plus statutory sales tax and the commission and to collect the *lot*.
- 11.2 Payment must be made to the account specified by *Troostwijk* in the stipulated currency within 48 hours (2 working days) of acceptance of the bid.
- 11.3 Statutory default interest shall be charged if payment is delayed. The rights of the seller are based on the statutory provisions. As it is a fixed date transaction, no notice is required for default, § 286 II BGB [German Civil Code].
- 11.4 If the buyer fails to fulfil an obligation, in particular:
- (i) does not pay the purchase price on time or in full
 - (ii) does not collect the *lots* on time, and/or
 - (iii) does not provide the information required for delivery, this shall automatically constitute default without further notice of default being required. *Troostwijk* can then cancel the purchase contract on behalf of the seller. In such cases, *Troostwijk* can assign *lots* to another *bidder*, without *Troostwijk* and/or the seller being liable for damages.
- 11.5 In the event of a cancellation, the buyer is liable to pay compensation for any resulting damages.

Article 12. Collection

- 12.1 The buyer may only and must collect the goods at the times specified in the *Special Terms and Conditions of the Online Auction*. *Troostwijk* can, for technical reasons, specify that a certain *lot* can only be collected once other *lots* have been delivered.
- 12.2 The *buyer*, whose *lot(s)* is/are preventing the collection of other *lots*, must ensure that said *lots* are collected immediately following an email and/or a letter from *Troostwijk* to the address specified by the buyer. If this does not happen, *Troostwijk* can arrange for the *lot(s)* to be collected and possibly stored by a third party at the expense and risk of the buyer.
- 12.3 The *buyer* is obliged to carefully dismantle and collect his *lots*. He shall be liable for any damages caused to the property of others in this respect. Further, he is obliged to protect *Troostwijk* and the seller from all claims by third parties arising from the dismantling and/or collection.
- 12.4 The *buyer* is obliged to follow the instructions of *Troostwijk* and/or *Troostwijk's* appointees when dismantling and collecting his *lots*.
- 12.5 The *buyer* must ensure that he or the person dismantling or transporting the *lots* on his behalf has the required permits. *Troostwijk* and/or the seller cannot be held liable if the required permits are missing and/or official regulations are not observed when the *lot(s)* are being dismantled and/or transported by or for the buyer.
- 12.6 In situations where it is necessary to pull down (parts) of a building to remove the allocated *lots*, prior consultation and written consent must be sought from *Troostwijk* and the conditions imposed by *Troostwijk* at the time of bid acceptance must be observed.
- 12.7 *Troostwijk* reserves the right to make the collection of *lots* conditional upon payment of a deposit for any damages. *Troostwijk* shall notify the buyer of the *lots* concerned and the amount of the deposit. The deposit shall be reimbursed to the buyer following damage-free collection.
- 12.8 *Troostwijk* reserves the right that the dismantling of the buyer's goods has to be done compulsorily by a specific company. In such case, *Troostwijk* will announce this in the auction catalogue. The buyer has to bear the cost of such services. In some cases, the cost will be specified in the auction catalogue.

Article 13. Liability / Troostwijk warranty

Troostwijk only accepts liability for preparing and holding the auction in accordance with the legal regulations.

The following also applies:

- 13.1 Claims by the *seller* as well as by the *bidder* or the *buyer* on the grounds of breach of duty are excluded, in particular as regards advice in valuation matters or defects in the items.
- 13.2 The descriptions of the items by *Troostwijk*, e.g. in the sales catalogue or in a list, are based on information from the seller. *Troostwijk* is only liable for conveying the information appropriately, not for the objective accuracy of this information.
- 13.3 Information provided by *Troostwijk* serves only to help differentiate between products and in no way constitutes a warranty as per § 444 BGB [German Civil Code] or a quality agreement as per § 434 Para. 1 Clause 1 BGB [German Civil Code] for the items on sale.



13.4 The items are used. *Troostwijk* does not sell on its own behalf and thus accepts no warranty for material defects or defects of title and is not liable for the quantity, quality, dimensions, years of construction or completeness.

13.5 The above limitations do not apply if *Troostwijk* acts with deliberate or gross negligence, breaches a fundamental contractual obligation or Liability on account of culpable injury to life, limb or health.

Article 14. Liability / seller warranty

The seller is liable towards the buyer for defects in the items in accordance with the following provisions:

14.1 The *buyer* has had the opportunity to view the items in advance. The items are sold as seen and to the exclusion of any warranty for material defects and defects of title. The items were sold in particular without any guarantee for visible or hidden defects or warranty in respect of completeness, quantity, effect, usability, saleability, the existence or absence of rights or claims by third parties and/or the transfer option to third parties.

14.2 The *seller* accepts no liability for a certain quality or a normal use of the items.

14.3 The *seller* accepts no liability for advertising messages by the manufacturer.

14.4 The above limitations do not apply if the seller acts with deliberate or gross negligence, breaches a fundamental contractual obligation, Liability on account of culpable injury to life, limb or health or mandatory liability according to the German Product Liability Act.

14.5 The legal regulations on warranty rights for consumers as per BGB [*German Civil Code*] apply. The limitation period is shortened to one year.

Article 15. Limitation of liability of Troostwijk / seller

15.1 The limitation of liability applies to Troostwijk and the seller, as well as their legal representatives, managerial employees and any vicarious agents.

15.2 Liability is only accepted in the case of intent or gross negligence.

15.3 Liability for consequential damages, in particular lost profit, is only accepted in the case of intent or gross negligence.

15.4 Liability is limited to the amount of damages typically foreseeable when the contract is concluded, provided there is no intent or gross negligence.

15.5 The above limitations do not apply if a legally fundamental obligation is breached, if an express warranty is accepted or for damages arising from physical injury, harm to health and binding legal regulations.

Article 16. Severability clause / written form

16.1 Should any of the provisions of this agreement be or become wholly or partly ineffective, null and void or unenforceable, this shall not affect the validity of the other provisions of the contract as a whole. The ineffective, null and void or unenforceable provision shall be replaced by the effective and enforceable provision which corresponds most closely to the parties' economic objectives originally intended by the ineffective, null and void or unenforceable provision.

16.2 Amendments to and variations of these *General Terms and Conditions of Online Auctions* are only valid on the basis of written agreement between the parties.

Article 17. Applicable law / place of jurisdiction

17.1 This contract and the resulting obligations are subject to German law. The UN Convention on Contracts for the International Sale of Goods shall not apply.

17.2 All disputes arising in respect of the legal relations with Troostwijk fall under the exclusive jurisdiction of the Cologne local or district court. The General Provisions apply to disputes with the seller.



GENERAL TERMS AND CONDITIONS

for Post Auction Sales, Private Treaty Sales and Tender Sales

of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. General

1.1 Troostwijk sells the used items in the name of and for the account of the seller and receives commission for this from the buyer.

Article 2. Conclusion of the contract

2.1 The purchase price and the commission shall be paid within a period of 48 hours (sale at a fixed point in time), unless otherwise agreed. This time period commences at the latest when the invoice is received, including in electronic format. Payment is to be made exclusively to the named account.

2.2 If payment is not made on time - the time of receipt is decisive - Troostwijk is entitled and empowered to withdraw from the contract in order to ensure the on-time removal of the object sold from the respective location. An additional notice period is not required for the withdrawal but may be given. Troostwijk is entitled on withdrawal to assert claims for damages for non-fulfilment for the seller or themselves.

2.3 Title only transfers to the buyer when payment has been received in full.

2.4 Generally items are to be collected by the buyer from the location specified.

2.5 The risk of accidental deterioration or destruction of the item shall transfer to the buyer on conclusion of the contract.

Article 3. Warranty

3.1 Troostwijk does not carry out sales in their own name and therefore undertakes no guarantee for material defects and defects of title, and is not liable for quantities, quality, dimensions, year of construction and completeness.

3.2 The descriptions of objects by Troostwijk e.g. in the sales catalogue or listing are based on information from the seller. Troostwijk is therefore only liable for accurately providing this information as provided by the seller, not for the objective correctness of this information.

3.3 Information from Troostwijk is merely provided for distinctiveness and in no way forms a guarantee as per § 444 BGB (German Civil Code) or agreed characteristics as per § 434 para. 1 sentence 1 BGB for the object of purchase.

3.4 The sale of items by Troostwijk on behalf of the seller is carried out excluding any warranty for material defects and defects of title.

3.5 Sales are made in particular without the assumption of any liability with regard to obvious or hidden defects or warranty in connection with completeness, quantity, properties, usability, saleability, presence or absence of third party rights and/or the possibility of transfer to third parties.

3.6 The seller excludes liability for particular characteristics or general application of the objects.

3.7 The seller excludes all liability regarding advertising claims of the manufacturer.

3.8 The above restrictions in sections 7 & 8 do not apply if Troostwijk or the seller acts intentionally or with gross negligence, infringes a fundamental contractual obligation or if bodily injury occurs.

3.9 For consumers the statutory provisions in the BGB regarding rights in the event of defects apply. The limitation period is restricted to 1 year.

Article 4. Miscellaneous

4.1 Should individual provisions of the contract including these General Terms and Conditions be or become invalid, in whole or in part, or should the contract contain a gap or omission this shall not affect the validity of the remaining provisions or parts thereof.



4.2 This contract and the entire legal relationship between the parties is subject to the law of the Federal Republic of Germany excluding the UN Convention on the International Sale of Goods.

4.3 Cologne shall have jurisdiction for all disputes arising in connection with the sale.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience