



Complete Chilled Desserts Plant Day 2 (UK) **Complete chilled desserts plant day 2**

Prestleigh Road - BA4 6JZ **Evercreech**
(Greencore site)

Closing date: Thursday **20 SEPTEMBER** starting 14:00



Bidding only on the internet!

18-09-18 10.44



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 20 September 2018 Complete Chilled Desserts Plant Day 2

Specific Online conditions

| | | | | | | | | | | | |
|--|--|--------------|-------------------------------------|------------|----------|-----------|--------|------|------------------------|-------------|-------------|
| Closing date | Thursday 20th September 2018 starting 14:00 GMT (15:00 CET) | | | | | | | | | | |
| Viewing | By appointment via info@troostwijk.co.uk / +44(0)114 246 6830 | | | | | | | | | | |
| | Tuesday 11th and Wednesday 12th September 2018 | | | | | | | | | | |
| | Greencore , Prestleigh Road, Evercreech, BA4 6JZ, United Kingdom | | | | | | | | | | |
| Company organising this Online Auction | Troostwijk Auctions Ltd Client Account (Sterling) Unit 6 Hydra Business Park Nether Lane S35 9ZX Sheffield, United Kingdom Phone: +44 (0) 114 246 6830 E-mail: info@troostwijk.co.uk | | | | | | | | | | |
| Markup | 18.00% | | | | | | | | | | |
| VAT | 20.00% | | | | | | | | | | |
| Collection | By appointment with the dismantling contractor. | | | | | | | | | | |
| Payment Details | A proforma invoice will be available in the buyers "My Troostwijk" section of our website on Friday 21st September 2018. | | | | | | | | | | |
| | Full payment must be made within 3 working days from the date the Purchase Agreement is available in "My Troostwijk". Please use your buyer ID as the payment reference. | | | | | | | | | | |
| | Account details for money transfer:- | | | | | | | | | | |
| | <table><tr><td>Account Name</td><td>Troostwijk Auctions Clients Account</td></tr><tr><td>Account No</td><td>20548448</td></tr><tr><td>Sort Code</td><td>238859</td></tr><tr><td>IBAN</td><td>GB55INGB23885920548448</td></tr><tr><td>BIC (Swift)</td><td>INGBGB22XXX</td></tr></table> | Account Name | Troostwijk Auctions Clients Account | Account No | 20548448 | Sort Code | 238859 | IBAN | GB55INGB23885920548448 | BIC (Swift) | INGBGB22XXX |
| Account Name | Troostwijk Auctions Clients Account | | | | | | | | | | |
| Account No | 20548448 | | | | | | | | | | |
| Sort Code | 238859 | | | | | | | | | | |
| IBAN | GB55INGB23885920548448 | | | | | | | | | | |
| BIC (Swift) | INGBGB22XXX | | | | | | | | | | |
| Viewing Instructions | Bidders are advised that they should view the assets before purchase. Bidding without prior viewing will be at your own risk. | | | | | | | | | | |
| Delivery Instructions | TIME IS OF THE ESSENCE ON THIS CONTRACT. THERE CAN BE NO EXTENSION TO THIS DEADLINE. ANY GOODS LEFT ON SITE AFTER THIS DATE WILL BE SUBJECT TO ADDITIONAL STORAGE CHARGES | | | | | | | | | | |
| | Lots 631, 861, 1418, 1419 and 1425 are sold on the basis of buyer to remove. | | | | | | | | | | |
| | On these lots Removal will be at the buyers cost and his contractors will be subject to and must comply with all applicable health & safety policies when working on their site. The buyer will be responsible for all aspects of dismantling and hire of necessary machines. No equipment such as fork lift trucks or lifting equipment is available for use. | | | | | | | | | | |
| | <small>Removal contractors may be required to provide method statements and risk assessments covering their proposed work to the satisfaction of Troostwijk and/or the seller, and satisfy Troostwijk and/or the seller that they have suitable insurance in place and the competency to carry out the work.</small> | | | | | | | | | | |
| | <small>All lots excluding lots 631, 861, 1418, 1419 and 1425 will be sold on the basis of "loaded to the buyers transport". A charge for dismantling and loading will be noted in the catalogue and added to your invoice. This charge will be plus VAT (if applicable) BUT WILL NOT BE SUBJECT TO THE PREMIUM. This charge will cover removal and loading to the buyers transport only. It may be possible to arrange container stuffing, export packing and shipping, however this will be at additional cost.</small> | | | | | | | | | | |
| | Contact details for the dismantling and loading contractor will be provided upon receipt of payment. | | | | | | | | | | |
| | Please note the goods will not be released until full payment is received by Troostwijk. | | | | | | | | | | |
| | <u>In order that the goods can be loaded in an orderly fashion, collection must be made by appointment.</u> | | | | | | | | | | |

www.TroostwijkAuctions.com



>DISMANTLING & LOADING CHARGE The contract for the lifting and loading service is between The Contractor and the buyer. Troostwijk Auctions act only as a collection agent for the charge. Any claim for damage or short fall as a consequence of dismantling and loading should be directed to the contractor".>

| | |
|--|--|
| General Terms and Conditions of Sale | The general terms and conditions of online auctions are applicable concerning the (possible) purchase of moveable assets in addition to these specific terms and conditions. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail. |
| Following Lots Combinations | After registration and log in, lots can be "followed" via "My Troostwijk". All lots in a combination will be sold individually first. After the last lot is sold, the total of the bids is raised by 5%. This is the starting bid for the combination. If the combination is sold it overrules the individual bids, if not the individual bids are confirmed. |
| Prolongation | If a bid is made in the last 5 mins before the lot closes then the closing time will be extended by 5 mins. With each subsequent bid the closing time will be extended by 5 mins until no further bids are made. |
| Lots Without Bid | All lots without a bid will stay open for a further 30 mins after the posted closing time |
| Quantity, capacity, dimensions and weight of goods | Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. |
| Subject to allocation | Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing. |
| ReservePrices | Certain lots / combination lots may be offered subject to reserve or minimum prices. This is noted in the bidding information for each affected lot. Where the auction closes for a lot where it is noted "Reserve not met" the seller's minimum price has not been reached but the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing. |
| Attending an auction closure for Consumers | This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions Ltd, Unit 6, Hydra Business Park, Nether Lane Sheffield, S35 9ZX. You need to be registered on our website if you want to attend the auction closure. Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an email to the following address: info@troostwijkauctions.co.uk stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us. |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 500 | 1 | rotary cup filling and closing machine Grunwald, HITTPAC AKH-019 SE/2x2, year built 2016, brand: Grunwald; type: HITTPAC AKH-019 SE/2x2; year: 2016; (Dismantling and loading cost 750.00) | 50,000.00 |
| 501 | 1 | continuous aerator Mondomix, continuous aerator for mixing and whipping, with Netzsch pump, Tapflo stainless steel double diaphragm pump, Endress and Hauser flow meter and flow plate (Dismantling and loading cost 300.00) | 5,000.00 |
| 502 | 1 | conveyor Etavoni, Modular Belt, year built 2016, serial number 8304/C1, stainless steel framed, plastic link belt conveyor with guide rails, 250 x 2000mm (Dismantling and loading cost 100.00) | 200.00 |
| 503 | 1 | conveyor Etavoni, serial number 23079-ET1, PP framed, plastic link belt conveyor with guide rails, 230 x 2200mm (Dismantling and loading cost 100.00) | 200.00 |
| 504 | 1 | metal detector checkweigher Loma, IQ3/CW3, year built 2014, serial number 24246D / 54810F, metal detector checkweigher combination unit with twin reject bins, aperture 150 x 250mm (Dismantling and loading cost 300.00) | 2,500.00 |
| 505 | 1 | pot turning conveyor Etavoni, Straight Belt, year built 2016, serial number 16408-ET1, pot turning conveyor, 1-2 lane, plastic link belt with 5 SICK Lector Professional 620 code readers (Dismantling and loading cost 50.00) | 200.00 |
| 506 | 1 | conveyor stainless steel framed plastic link belt conveyor 190 x 2900mm with 2 stainless steel offloading tables 400 x 700mm and 400 x 1500mm (Dismantling and loading cost 100.00) | 300.00 |
| 507 | 1 | cup filling and closing line Regal Packaging, RP502, year built 2006, serial number 27000-104, 3-head rotary cup filling and closing line, previously producing sundaes and mousse in 65mm cups, 32x2 per minute. Capable of fill only, multi fill and inclusions. Line comprising 3 twin nozzle filling stations, lid placer and foil lid heat sealer, control panel, 2 Trepko depositors for liquid chocolate/caramel frappe etc, vibratory depositor and CWM depositor (Dismantling and loading cost 2,800.00) | 12,500.00 |
| 508 | 1 | continuous aerator Haas-Mondomix, VA-15L, year built 2006, continuous aerator for mixing and whipping, with Siemens Simatic touch screen control, Tapflo stainless steel double diaphragm pump, Endress and Hauser flow meter (MONDO 1) (Dismantling and loading cost 400.00) | 5,000.00 |
| 509 | 1 | continuous aerator Haas-Mondomix, VA-15L, year built 2006, continuous aerator for mixing and whipping, with Siemens Simatic touch screen control, Tapflo stainless steel double diaphragm pump, Endress and Hauser flow meter (MONDO 1) (Dismantling and loading cost 400.00) | 5,000.00 |
| 510 | 1 | diaphragm pump Tapflo, T225 STS-BE, stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 50.00) | 300.00 |
| 511 | 1 | metal detector checkweigher Loma, IQ3 / CW3, year built 2014, serial number 24244D / 54808F, metal detector checkweigher combination unit with twin reject bins, aperture 150 x 250mm (Dismantling and loading cost 300.00) | 2,500.00 |
| 512 | 1 | label applicator Graham Labelling Systems, 300-25 TE, year built 1996, serial number 1331, top application label applicator, belt width 210mm with ICE Zodiac label printer????? And Unitech 3m outfeed conveyor (Dismantling and loading cost 250.00) | 250.00 |



| Lot | Number | Description | Starting Bid £ |
|-------|--------|---|----------------|
| © 513 | 1 | cup filling and closing line Regal Packaging, cup filling and closing line, tooled for cup sizes 165mm and 2x 85mm, previously operating at 90 cups/minute, line comprising 2 filling stations each with hopper, 3 filling nozzles and centrifugal pump, film sealing station for 165mm cups, foil sealing for 85mm cups, with Allen-Bradley PanelView 1000 control, stainless steel control cabinet, control PC and outfeed conveyor (Dismantling and loading cost 5,500.00) | 15,000.00 |
| © 514 | 1 | continuous aerator Haas Mondomix, VA 15L, year built 1999, continuous aerator for whipper and mixing, with GE Fanuc Quick Panel, Endress and Hauser flow meter, flowplate, screw pump, diaphragm pump and associated valves (Dismantling and loading cost 1,400.00) | 3,500.00 |
| © 515 | 1 | depositor filling station depositor filling station comprising stainless steel double diaphragm pump, flow plate, valve and interconnecting pipework (Dismantling and loading cost 75.00) | 400.00 |
| © 516 | 1 | conveyor stainless steel framed plastic link belt conveyor, 300 x 1650mm (Dismantling and loading cost 50.00) | 150.00 |
| © 517 | 1 | metal detector checkweigher Loma, IQ3 / CW3, year built 2014, serial number 54806F, metal detector checkweigher combination unit with twin reject bins, aperture 150 x 350mm (Dismantling and loading cost 300.00) | 2,500.00 |
| © 518 | 1 | conveyor description: plus 2 stainless steel tables; (Dismantling and loading cost 250.00) | 500.00 |
| © 519 | 1 | wraparound sleever Freemantle, S09, year built 2015, serial number 15-872, wraparound sleever for 85mm diameter single cups with infeed conveyor, Nordson EPC-15 power supply and Nordson ProBlue 4 hot melt glue unit and Allen-Bradley PanelView Plus 600 control (Dismantling and loading cost 450.00) | 5,000.00 |
| © 520 | 1 | conveyor PP framed plastic link belt conveyor 240 x 2500mm with frame for inkjet coder (inkjet coder not included) (Dismantling and loading cost 75.00) | 250.00 |
| © 521 | 1 | cup filling and closing line Apple, AFP-3, year built 1997, serial number 001, 3-lane cup filling and closing line with 3 filling heads and foil lid sealing unit, previously operating at 28 x 3 cups per minute, tooled for 85mm diameter cups with Mitsubishi GOT 1000 panel, associated pumps, valves, CIP attachments (Dismantling and loading cost 3,500.00) | 13,000.00 |
| © 522 | 1 | continuous aerator Mondomix, continuous aerator for whipping and mixing, with Endress and Hauser flow meter, stainless steel diaphragm pump, flow plate, valves, screw pump and Siemens Simatic touch screen control (MONDO 1) (Dismantling and loading cost 250.00) | 5,000.00 |
| © 523 | 1 | continuous aerator Mondomix, continuous aerator for whipping and mixing, with Endress and Hauser flow meter, stainless steel diaphragm pump, flow plate, valves, screw pump and Siemens Simatic touch screen control (MONDO 2) (Dismantling and loading cost 300.00) | 5,000.00 |
| © 524 | 1 | conveyor Etavoni, 90° bend PP framed plastic link belt outfeed conveyor, approx 250 x 8000mm (Dismantling and loading cost 250.00) | 500.00 |
| © 525 | 1 | metal detector checkweigher Loma, IQ3 / CW3, year built 2014, serial number 54804F, metal detector checkweigher combination unit with twin reject bins, aperture 150 x 250mm (Dismantling and loading cost 300.00) | 2,500.00 |
| © 526 | 1 | conveyor Etavoni, description: with stainless steel mobile table; (Dismantling and loading cost 250.00) | 500.00 |



| Lot | Number | Description | Starting Bid £ |
|-------|--------|--|----------------|
| © 527 | 1 | wraparound sleever Certipak, TM 11, serial number 256K, wraparound sleever for 85mm diameter single cups, Kliklok changeparts sleeve size 95 diameter x 297 (Dismantling and loading cost 450.00) | 2,500.00 |
| 528 | 1 | rotary cup filling and closing machine brand: Grunwald ; type: 2500/1; year: 1998; description: 8 cup positions, was previously used in production of Christmas Puddings, Lauer PCS 095 tooling mini control pad; (Dismantling and loading cost 450.00) | 3,000.00 |
| © 529 | 1 | continuous aerator Tanis Food Tec, RP1000, year built 2002, continuous aerator for whipping and mixing, with Netzsch 1.5kW pump, Endress and Hauser Promag 53 flow meter, stainless steel double diaphragm pump, flow plate, hose and valves (WHIPPER 5) (Dismantling and loading cost 400.00) | 3,000.00 |
| © 530 | 1 | continuous aerator Tanis Food Tec, year built 2003, continuous aerator for mixing and whipping, with Endress and Hauser Promag 33A flow meter, Tapflo stainless steel double diaphragm pump, flow plate, hose and valves (WHIPPER 6) (Dismantling and loading cost 400.00) | 3,000.00 |
| © 531 | 1 | indexing conveyor stainless steel framed, continuous belt, endless ledged indexing conveyor with control panel, 6m x 300mm (Dismantling and loading cost 175.00) | 1,000.00 |
| © 532 | 1 | depositor Apple, MR900, year built 2006, serial number 119808, stainless steel mobile depositor with hopper, up to 60 cycles/min, 20-1250g deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 533 | 1 | depositor Riggs Autopack, 1000, year built 2009, serial number TT 1093, stainless steel mobile depositor with hopper (Dismantling and loading cost 50.00) | 500.00 |
| © 534 | 1 | depositor Unifiller, Pro1000i SV, year built 2015, serial number PVR 85024, stainless steel mobile depositor with 52 litre hopper, up to 120 cycles/min, 10-1064ml deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 535 | 1 | depositor Unifiller, Pro1000i SV, year built 2015, serial number PRV 85026, stainless steel mobile depositor with 52 litre hopper, up to 120 cycles/min, 10-1064ml deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 536 | 1 | depositor Apple, Meterite, serial number MM 397296L, stainless steel mobile depositor with hopper (Dismantling and loading cost 50.00) | 400.00 |
| © 537 | 1 | conveyor stainless steel framed, plastic link belt conveyor, 1000 x 340mm (Dismantling and loading cost 50.00) | 100.00 |
| © 538 | 1 | x-ray machine Thermo, EZX 420, serial number 0714 7030, x-ray machine with reject bin, belt width 310mm, aperture 390 x 200mm (Dismantling and loading cost 150.00) | 2,500.00 |
| © 539 | 1 | s/s table stainless steel table 900 x 1200mm (Dismantling and loading cost 20.00) | 50.00 |
| © 540 | 1 | continuous aerator Tanis Food Tec, skid mounted continuous aerator, for mixing and whipping with Endress and Hauser flow meter, Netzsch pump, Tapflo stainless steel double diaphragm pump, flow plate, hose and valves (WHIPPER 4) (Dismantling and loading cost 300.00) | 2,000.00 |
| © 541 | 1 | continuous aerator Tanis Food Tec, skid mounted continuous aerator for whipping and mixing, with Endress and Hauser flow meter, Netzsch pump, Tapflo stainless steel double diaphragm pump, flow plate, hose and valves (WHIPPER 3) (Dismantling and loading cost 300.00) | 2,000.00 |



| Lot | Number | Description | Starting Bid £ |
|---|--------|--|----------------|
| © 542 | 1 | indexing conveyor stainless steel framed, continuous belt, endless ledged indexing conveyor with control panel, 6m x 300mm (Dismantling and loading cost 250.00) | 1,000.00 |
| © 543 | 1 | depositor Unifiller, Pro1000i SV, year built 2015, serial number PRV 85025, stainless steel mobile depositor with 52 litre hopper, up to 120 cycles/min, 10-1064ml deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 544 | 1 | depositor Apple, MR900, stainless steel mobile depositor with hopper, up to 60 cycles/min, 20-1250g deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 545 | 1 | depositor Apple, MR900, year built 2006, serial number 118707, stainless steel mobile depositor with hopper, up to 60 cycles/min, 20-1250g deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 546 | 1 | depositor Unifiller, Pro1000i SV, year built 2015, serial number PRV 85006, stainless steel mobile depositor with 52 litre hopper, up to 120 cycles/min, 10-1064ml deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 547 | 1 | depositor Apple, MR900, year built 2006, serial number 119606, stainless steel mobile depositor with hopper, up to 60 cycles/min, 20-1250g deposits (Dismantling and loading cost 50.00) | 500.00 |
| © 548 | 1 | depositor Riggs Autopack, 1000, year built 2015, serial number TT 1834, stainless steel mobile depositor with hopper (Dismantling and loading cost 50.00) | 500.00 |
| © 549 | 1 | conveyor stainless steel framed, plastic link belt conveyor, 1000 x 330mm (Dismantling and loading cost 50.00) | 100.00 |
| © 550 | 1 | x-ray machine Thermo, EZX 420, serial number 66338824, x-ray machine with reject bin and 900mm outfeed conveyor, belt width 310mm, aperture 390 x 200mm (Dismantling and loading cost 200.00) | 2,500.00 |
| © 551 | 1 | s/s table stainless steel table 1200 x 610mm (Dismantling and loading cost 20.00) | 50.00 |
| 552 | 1 | aerator / whipper Tanis Food Tec, aerator with Tapflo stainless steel double diaphragm pump and flow plate (WHIPPER 1) (Dismantling and loading cost 250.00) | 2,000.00 |
| 553 | 1 | aerator / whipper Tanis Food Tec, aerator with Tapflo stainless steel double diaphragm pump and flow plate (WHIPPER 2) (Dismantling and loading cost 300.00) | 2,000.00 |
| 554 | 1 | diaphragm pump Tapflo, T225 STS-3R, trolley mounted stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 50.00) | 400.00 |
| © 555 | 1 | tray sealer Proseal, Revolution, serial number 1100, semi automatic two-station rotary table tray sealer (Dismantling and loading cost 150.00) | 1,250.00 |
| Semi automatic cup filling line (A) Lots 529 to 539 and 555 | | | |
| © 556 | 1 | tray sealer Packaging Automation, 185, semi automatic two-station rotary table tray sealer (Dismantling and loading cost 150.00) | 1,250.00 |
| Semi Automatic cup filling line (B) Lots 540 - 551 and 556 | | | |



| Lot | Number | Description | Starting Bid £ |
|--|--------|--|----------------|
| 557 | 1 | tray sealer Packaging Automation, 185, semi automatic two-station rotary table tray sealer (Dismantling and loading cost 150.00) | 1,250.00 |
| 558 | 1 | tooling preheater with storage rack Proseal, PH2, brand: Proseal; type: PH2; serial number: An - 0- 038888; total dimension L: 600 mm; total dimension W: 2850 mm; total dimension H: 1700 mm; description: 4 place tooling preheated; (Dismantling and loading cost 150.00) | 1,000.00 |
| 559 | 1 | tray sealer tooling assorted tray sealer tooling (Dismantling and loading cost 250.00) | 500.00 |
| 560 | 3 | stainless Steel Tables description: sizes: 2300mm x 600mm x 900mm, 750mm x 520mm x 900mm, 2130mm x 400mm x 940mm; (Dismantling and loading cost 50.00) | 150.00 |
| 561 | 3 | stainless Steel Tables description: sizes 1730mm x 760mm x 860mm, 1830mm x 770mm x 870mm, 1840mm x 760mm x 770mm; (Dismantling and loading cost 50.00) | 150.00 |
| 562 | 1 | metal detector Loma, IQ3, year built 2014, serial number 54809F, metal detector with reject bin, plastic link belt 200 x 4400mm, aperture 250 x 110mm (Dismantling and loading cost 150.00) | 1,500.00 |
| 563 | 1 | tray sealer Packaging Automation, PA182, brand: Packaging Automation; type: PA182; mobile: yes; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: tooling for 8 pots sealing, 60mm x 60mm per pot,; (Dismantling and loading cost 100.00) | 1,250.00 |
| 565 | 1 | mixing system Giusti, year built 2002, serial number TM 1873, skid mounted jacketed mixing system with CIP comprising 800 litre stainless steel jacketed scraped surface mixing vessel with top and bottom mounted agitators, design temperature 150°C, design pressure 1.8, with Allen-Bradley PanelView 550 control, 2-door stainless steel control cabinet, twin tank CIP set, associated pumps, valves and interconnecting pipework, integral stairs and access platform. Overall size 4m x 2.6m (Dismantling and loading cost 3,500.00) | 5,000.00 |
| © 566 | 1 | cooking vessel Giusti, year built 1996, serial number M11879B, scraped surface part jacketed cooking vessel; stainless steel; 500 litre volume; design pressure full vacuum; working pressure 1.0; design temperature 150 degrees celsius; with side mounted agitator (Dismantling and loading cost 400.00) | 2,500.00 |
| © 567 | 1 | cooking vessel Giusti, year built 1996, serial number M11879A, scraped surface part jacketed cooking vessel; stainless steel; 500 litre volume; design pressure full vacuum; working pressure 1.0; design temperature 150 degrees celsius; with side mounted agitator (Dismantling and loading cost 400.00) | 2,500.00 |
| © 568 | 1 | balance tank Red Arrow, Powdrench, balance tank; stainless steel with lid; 960mm diameter x 1120mm (Dismantling and loading cost 250.00) | 300.00 |
| © 569 | 1 | diaphragm pump Tapflo, T225 STS-3R, stainless steel double diaphragm pump (Dismantling and loading cost 30.00) | 300.00 |
| © 570 | 1 | positive displacement pump Fristam, FL2 100 L, positive displacement pump (Dismantling and loading cost 30.00) | 250.00 |
| © 571 | 1 | gantry gantry; 3.2 x 3.1m, floor height 900mm; stainless steel with stairs, control panel housing (all contents removed); HRS electric heater exchanger, flow plate. (Dismantling and loading cost 350.00) | 500.00 |
| Twin tank cooking system Lots 566 to 571 (please note where lot numbers go "NB control panel removed") | | | |



| Lot | Number | Description | Starting Bid £ |
|---|--------|--|----------------|
| © 572 | 1 | twin tank mixing system Carlisle Process Systems, year built 2002, twin tank mixing system comprising 2 Carlisle Process Systems stainless steel scraped surface jacketed tanks on load cells with Ytron mixer, design temperature 125°C, design pressure atmospheric, with Allen-Bradley PanelView 1000 touch screen control, gantry, 2 SWEF (2012) heat exchangers, centrifugal pump and 2 steam sets with expansion vessel. (Dismantling and loading cost 2,500.00) | 5,000.00 |
| © 573 | 1 | positive displacement pump Fristam, FL 2 75 S, positive displacement pump with 316L stainless steel housing, shaft and rotors (Dismantling and loading cost 30.00) | 250.00 |
| © 574 | 1 | positive displacement pump Fristam, FL 2 75 S, year built 2017, serial number 0686/00005, positive displacement pump with 316L stainless steel housing, shaft and rotors (Dismantling and loading cost 30.00) | 250.00 |
| © 575 | 1 | centrifugal pump Fristam, FPE 742/175A, stainless steel centrifugal pump, 4kW (Dismantling and loading cost 30.00) | 250.00 |
| © 576 | 1 | centrifugal pump Fristam, FPE 742A, stainless steel centrifugal pump, cover missing (Dismantling and loading cost 30.00) | 125.00 |
| © 577 | 1 | diaphragm pump Tapflo, T225 STT-3R2, stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 30.00) | 300.00 |
| © 578 | 1 | flow plate and panel flow plate with pump control air transfer panel (Dismantling and loading cost 30.00) | 75.00 |
| © 579 | 1 | heat exchanger Fischer, 18 CFG, year built 2002, serial number 02219, skid mounted plate heat exchanger interconnecting pipework, associated pumps and valves (Dismantling and loading cost 300.00) | 500.00 |
| © 580 | 1 | heat exchanger Fischer, 18 CFG, year built 2002, serial number 02220, skid mounted plate heat exchanger with interconnecting pipework, associated pumps and valves (Dismantling and loading cost 300.00) | 500.00 |
| Twin tank cooking system with heat exchangers Lots 572 to 580 | | | |
| © 581 | 1 | jacketed vessel Wincanton, year built 1997, serial number P1310/1, stainless steel jacketed vessel; with scraped surface agitator; design temperature 125 degrees celsius; atmospheric pressure; 900mm diameter x 800mm; with associated valves and Spirax Sarco steam trap; please note this lot shares a control panel with lot 582, please also see lot 583 (Dismantling and loading cost 250.00) | 1,000.00 |
| © 582 | 1 | jacketed vessel Wincanton, year built 1991, serial number 5659, stainless steel jacketed vessel; with scraped surface agitator; design temperature 125 degrees celsius; atmospheric pressure; 900mm diameter x 800mm; with associated valves and Spirax Sarco steam trap; please note this lot shares a control panel with lot 581, please also see lot 583 (Dismantling and loading cost 250.00) | 750.00 |
| © 583 | 1 | control panel control panel; for lot numbers 581 and 582 (Dismantling and loading cost 250.00) | 150.00 |
| © 584 | 1 | positive displacement pump Fristam, FL 2 75 S, positive displacement pump (Dismantling and loading cost 30.00) | 250.00 |
| © 585 | 1 | positive displacement pump Fristam, FL 75 S, positive displacement pump; 1.1kW (Dismantling and loading cost 30.00) | 250.00 |



| Lot | Number | Description | Starting Bid £ |
|--|--------|---|----------------|
| Rice cookers with control panel | | | |
| Lots 581 to 585 | | | |
| 586 | 1 | cooking vessel Wincanton, serial number H5590, stainless steel jacketed cooking vessel 700mm diameter x 750mm with top mounted agitator and Baumer digital thermometer (KETTLE 10) (Dismantling and loading cost 200.00) | 1,000.00 |
| 587 | 1 | cooking vessel Diesenvale Engineering, year built 1991, 250 litre 316 stainless steel cooking vessel 700mm diameter x 800mm, with PCI digital thermometer (KETTLE 11) (Dismantling and loading cost 200.00) | 750.00 |
| 588 | 1 | mixing vessel Wincanton, year built 2003, serial number DFB 4212, stainless steel part jacketed mixing vessel, 1300mm diameter x 1100mm, design temperature 125°C, atmospheric pressure, with Ytron agitator (Dismantling and loading cost 350.00) | 2,500.00 |
| 589 | 1 | cooking and pasteurisation plant Sycamore, skid mounted cooking and pasteurisation plant comprising 250 litre part jacketed stainless steel scraped surface vessel (YOM 2000), Tetra Plex C6-SH plate heat exchanger (2013) 21 litre volume, maximum pressure 21 bar, maximum temperature 120°C, 2 Fristam FPE centrifugal pumps, associated valves, interconnecting pipework and control panel. Previously used for mousse. (Dismantling and loading cost 1,800.00) | 5,000.00 |
| 590 | 1 | twin tank cooking system twin tank cooking system comprising 2 stainless steel jacketed scraped surface vessels, 900mm diameter x 850mm (Wincanton) and 1300mm diameter x 860mm (unbranded), Fristam FL2 75S positive displacement pump, APV centrifugal pump size 1 1/2" and control panel (Dismantling and loading cost 1,200.00) | 1,500.00 |
| 591 | 1 | twin tank cooking system Wincanton, twin tank cooking system comprising 2 stainless steel jacketed scraped surface vessels, each 900mm diameter x 800mm, design temperature 125°C, with positive displacement pump, centrifugal pump and control panel (Dismantling and loading cost 1,100.00) | 2,000.00 |
| © 592 | 1 | pallet lift BD, RLX-10/82-1C, stainless steel pallet lift with ramp and control pendant. Platform size 1350 x 1000mm, lift height 820mm, closed height 180mm (Dismantling and loading cost 300.00) | 500.00 |
| © 593 | 1 | s/s gantry stainless steel gantry with stairs, hose reel and fan. Providing access to lot numbers 3, 8 and 13. Approx 10m long, 940/1760mm wide. (Dismantling and loading cost 800.00) | 500.00 |
| © 594 | 1 | mixing system Wincanton, year built 1999, twin tank mixing system comprising 2 Wincanton stainless steel part jacketed scraped surface mixing vessels on load cells, capacity 250-500kg/hour (product dependant), each vessel 1300mm diameter x 1100mm excluding legs and agitators (overall height 2900mm), design temperature 125°C, design pressure 1.5 barg full vacuum, with 3-door stainless steel control panel, PC control in stainless steel housing, Fristam FL2 75S positive displacement pump, 2 centrifugal pumps including Fristam, stainless steel balance tank, Giusti stainless steel condensate vessel, Tapflo diaphragm pump, associated flow plates, interconnecting pipework and valves (MIX AREA 1) (Dismantling and loading cost 1,850.00) | 7,500.00 |
| © 595 | 1 | heat exchanger Fischer, 18CF, year built 1999, serial number 9963, plate heat exchanger with Fristam and Lowara pumps, stainless steel flow plate, Definox automatic valves, steam traps and interconnecting pipework (Dismantling and loading cost 750.00) | 500.00 |
| © 596 | 1 | homogeniser APV Manton Gaulin, K6-3BS 65509, serial number MH009/99, 2-stage homogeniser (Dismantling and loading cost 400.00) | 2,500.00 |



| Lot | Number | Description | Starting Bid £ |
|---|--------|---|----------------|
| © 597 | 1 | heat exchanger Fischer, 18CF, year built 1999, plate heat exchanger with 2 Lowara centrifugal pumps and associated valves including Definox (Dismantling and loading cost 600.00) | 500.00 |
| © 598 | 1 | positive displacement pump Hilge, Nova Lobe 30/0 33-FS-RJT-2", serial number 284.08 3569SAP 96792603, positive displacement pump (Dismantling and loading cost 30.00) | 400.00 |
| © 599 | 1 | flow meter Endress and Hauser, Promass 300, brand: Endress+Hauser; (Dismantling and loading cost 50.00) | 150.00 |
| © 600 | 1 | filling station mobile vessel filling station with Allen-Bradley PanelView 550 control panel (Dismantling and loading cost 100.00) | 300.00 |
| © 601 | 1 | mixing system Wincanton, year built 1999, twin tank mixing system comprising 2 Wincanton stainless steel part jacketed scraped surface mixing vessels on load cells, capacity 250-500kg/hour (product dependant), each vessel 1300mm diameter x 1100mm excluding legs and agitators (overall height 2900mm), design temperature 125°C, design pressure 1.5 barg, with 3-door stainless steel control panel, PC control in stainless steel housing, Fristam FL2 75S positive displacement pump, 2 centrifugal pumps including Fristam, stainless steel balance tank, Giusti stainless steel condensate vessel, Tapflo diaphragm pump, associated flow plates, interconnecting pipework and valves (MIX AREA 2) (Dismantling and loading cost 2,100.00) | 7,500.00 |
| © 602 | 1 | heat exchanger Fischer, 18CF, serial number 99180, plate heat exchanger with Fristam and Lowara pumps, stainless steel flow plate, Definox automatic valves, steam traps and interconnecting pipework (Dismantling and loading cost 750.00) | 500.00 |
| © 603 | 1 | heat exchanger Fischer, 18CF, year built 1999, plate heat exchanger with 2 Lowara centrifugal pumps and associated valves including Definox (Dismantling and loading cost 550.00) | 500.00 |
| © 604 | 1 | positive displacement pump Fristam, FL2 75S, year built 2012, positive displacement pump, 2.2kW (Dismantling and loading cost 30.00) | 250.00 |
| © 605 | 1 | flow meter Endress and Hauser, Promass 300, brand: Endress+Hauser; type: Promass 300; (Dismantling and loading cost 50.00) | 150.00 |
| © 606 | 1 | filling station mobile vessel filling station with Allen-Bradley PanelView 550 control panel (Dismantling and loading cost 150.00) | 300.00 |
| © 607 | 1 | weighing scale Avery, H300 L101, serial number 100K1222/2, weighing scale, platform size 555 x 505mm, maximum 60kg, minimum 0.4kg, e=0.02kg (Dismantling and loading cost 100.00) | 50.00 |
| 5 tank mix plant with pasteurisation, homogenisation, gantry and filling stations Lots 592 to 613 | | | |
| © 608 | 1 | mixing system Wincanton, year built 1999, serial number P2418, single tank mixing system comprising Wincanton stainless steel part jacketed scraped surface mixing vessels on load cells, 1100mm diameter x 1000mm excluding legs and agitators (overall height 2900mm), design pressure 1.5 barg, with operating control, Fristam FL2 75S positive displacement pump, APV Puma size 2"-2"-9" centrifugal pump, stainless steel balance tank, Tapflo diaphragm pump, flow plate, interconnecting pipework and valves. Please note that the main control panel is shared with lot number 601 and is not included with this lot. (Dismantling and loading cost 850.00) | 1,500.00 |



| Lot | Number | Description | Starting Bid £ |
|-------|--------|--|----------------|
| © 609 | 1 | pasteurisation plant Tetra Pak, Tetra Plex C6-SH, year built 2012, skid mounted pasteurisation plant, capacity 15,000 litres/hour, maximum working pressure 21 bar, maximum temperature 120°C. Plant comprising 2 Tetra Plex C6-SH plate heat exchangers, Wincanton stainless steel balance tank, Fristam FPE 742/170 2kW centrifugal pump, Endress and Hauser Promass 83 flow meter, associated automatic valves and back pressure valve. (Dismantling and loading cost 1,100.00) | 5,000.00 |
| © 610 | 1 | homogeniser APV Manton Gaulin, K3 3PS, 2-stage homogeniser, 1,000 litres/hour, 3000psi (Dismantling and loading cost 150.00) | 2,500.00 |
| © 611 | 1 | diaphragm pump Tapflo, T225 STS-3R2, stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 80.00) | 300.00 |
| © | | Twin tank mix plant with pasteurisation and homogenisation Lots 594 to 600 and 611 | |
| © 612 | 1 | diaphragm pump Tapflo, T225 STS-3R2, stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 80.00) | 300.00 |
| © | | Twin tank mix plant with pasteurisation Lots 601 to 606 and 612 | |
| © 613 | 1 | diaphragm pump Tapflo, T225 STS-3R, stainless steel double diaphragm pump, maximum capacity 330 litres/minute (Dismantling and loading cost 80.00) | 300.00 |
| © | | Mix plant with pasteurisation and homogenisation Lots 608 to 610 and 613 | |
| 614 | 1 | mixing system Giusti, mixing system comprising single skin scraped surface mixing vessel, 1000mm diameter x 1000mm excluding legs with stainless steel control panel, access platform, interconnecting pipework, associated pumps and valves including APV Puma (FRUIT MIX 1) (Dismantling and loading cost 450.00) | 1,250.00 |
| 615 | 1 | mixing system Giusti, mixing system comprising single skin scraped surface mixing vessel, 1000mm diameter x 1000mm excluding legs with stainless steel control panel, access platform, interconnecting pipework, associated pumps and valves including APV Puma (FRUIT MIX 2) (Dismantling and loading cost 450.00) | 1,250.00 |
| 616 | 1 | packing conveyor Qualitec Food Systems, stainless steel framed continuous belt packing conveyor, 470 x 4500mm (Dismantling and loading cost 100.00) | 500.00 |
| 617 | 1 | conveyor stainless steel framed endless belt conveyor, 280 x 2750mm (Dismantling and loading cost 100.00) | 300.00 |
| 618 | 1 | x-ray machine Thermo, EZX 420, year built 2007, serial number 07199491, x-ray machine, aperture 200 x 340mm (Dismantling and loading cost 150.00) | 2,500.00 |
| 619 | 1 | accumulation table Dunelm Supplies, stainless steel accumulation table 850 x 1520mm (Dismantling and loading cost 50.00) | 200.00 |
| 620 | 1 | conveyor stainless steel framed endless belt conveyor, 345 x 4900mm (Dismantling and loading cost 100.00) | 500.00 |
| 621 | 1 | metal detector Safeline, Signature, serial number SR62811, metal detector with reject bin, aperture 250 x 125mm (Dismantling and loading cost 100.00) | 1,500.00 |



| Lot | Number | Description | Starting Bid £ |
|-------|--------|--|----------------|
| 622 | 1 | lazy Susan PP topped lazy Susan rotary table, 1250mm diameter (Dismantling and loading cost 50.00) | 400.00 |
| 623 | 1 | conveyor stainless steel framed plastic link belt conveyor, 200 x 4800mm (Dismantling and loading cost 100.00) | 500.00 |
| 624 | 1 | conveyor stainless steel framed belt conveyor, 300 x 1500mm (Dismantling and loading cost 50.00) | 150.00 |
| 625 | 1 | metal detector Safeline, Signature, metal detector with reject bin (Dismantling and loading cost 100.00) | 1,500.00 |
| 626 | 1 | conveyor Dunelm, conveyor; stainless steel framed, continuous belt; 300 x 1500mm (Dismantling and loading cost 50.00) | 150.00 |
| 627 | 1 | metal detector Safeline, signature V3-C, serial number SR62812, metal detector; aperture 260 x 125mm; with reject bin; overall length 1800mm (Dismantling and loading cost 100.00) | 1,500.00 |
| 628 | 1 | roller conveyor roller conveyor; 500 x 1500mm; s/s framed (Dismantling and loading cost 50.00) | 50.00 |
| 629 | 1 | oven APV, 3 Panel Grill, year built 2002, serial number 5557-01, LPG fired 2-zone conveyor oven with stainless steel wire mesh belt 2020mm wide, 125mm product clearance, approx 15.5m long (OVEN 2) (Dismantling and loading cost 7,000.00) | 7,500.00 |
| 630 | 1 | oven APV, 3/6KW, year built 2002, serial number 5238-01, LPG fired 2-zone conveyor oven with stainless steel wire mesh belt 1250mm wide, 125mm product clearance, approx 15.5m long (OVEN 1) (Dismantling and loading cost 7,000.00) | 6,000.00 |
| 631 | 1 | rack oven Double D, Revorack, serial number 2549, description: Please Note. this Lot is Buyer to remove; | 750.00 |
| © 632 | 1 | depositor brand: unbranded; number of heads: 2; description: stainless steel, mobile, with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| © 633 | 1 | depositor brand: unbranded; number of heads: 2; description: stainless steel, mobile, with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| © 634 | 1 | fruit feeder brand: unbranded; description: 2-lane, vibratory feeder; (Dismantling and loading cost 50.00) | 500.00 |
| © 635 | 1 | depositor brand: CWM Automation; number of heads: 4; description: stainless steel, mobile, with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 636 | 1 | fruit feeder brand: unbranded; description: 2-lane, vibratory feeder; (Dismantling and loading cost 50.00) | 500.00 |
| 637 | 1 | stainless steel sink with dispensers description: single position, knee-operated with 7 dispensers and bin holder; (Dismantling and loading cost 50.00) | 75.00 |
| 638 | 1 | sink brand: Teknomek; with tap: yes; description: internally 600 x 600 x 460mm; (Dismantling and loading cost 50.00) | 150.00 |
| 639 | 2 | stainless steel tables description: 810 x 810mm and 600 x 1500mm; (Dismantling and loading cost 50.00) | 75.00 |



| Lot | Number | Description | Starting Bid £ |
|--|--------|--|----------------|
| 640 | 4 | s/s mobile racks with bins description: 4 racks, 2 with 6 Fletcher plastic bins and 2 with 3 Fletcher bins; (Dismantling and loading cost 50.00) | 300.00 |
| 641 | 22 | folding dolavs brand: Linpac Allibert; type: Maxipac; total dimension L: 600 mm; total dimension W: 800 mm; total dimension H: 1100 mm; description: on castors; (Dismantling and loading cost 100.00) | 100.00 |
| 642 | 1 | stainless steel tables description: tables x 3 620mm x 1500mm x 970mm, 1830 x 1750mm, 600mm x 1200mm x 800mm, with 2 s/s clipboards and 2 label holders; (Dismantling and loading cost 50.00) | 100.00 |
| 643 | 5 | s/s basket stands description: to suit baskets approx 600 x 440mm; (Dismantling and loading cost 50.00) | 50.00 |
| 644 | 4 | s/s basket stands description: to suit baskets approx 600 x 440mm; (Dismantling and loading cost 50.00) | 30.00 |
| © 645 | 1 | coding system brand: AutoCoding Systems; description: with screen in s/s enclosure and Symbol barcode reader; (Dismantling and loading cost 100.00) | 5,000.00 |
| © 646 | 1 | coding system brand: AutoCoding Systems; description: with screen in s/s enclosure and Symbol barcode reader; (Dismantling and loading cost 100.00) | 5,000.00 |
| Regal cup filling line and packing line (A) Lots 507 - 512, 632 - 635, 646 | | | |
| 647 | 1 | air receiver brand: AJ Metal Products; year: 1999; description: welded mild steel, design pressure 11 bar, approx 800 ø x 2200mm; (Dismantling and loading cost 100.00) | 250.00 |
| 648 | 1 | air receiver brand: AJ Metal Products; year: 1999; description: welded mild steel, design pressure 11 bar, approx 800 ø x 2200mm; (Dismantling and loading cost 100.00) | 250.00 |
| 649 | 1 | air receiver brand: Rednal Pneumatics; year: 1999; description: welded mild steel, design pressure 12 bar, approx 500 ø x 1100mm, 200 litre capacity, ; (Dismantling and loading cost 100.00) | 250.00 |
| 650 | 1 | s/s refrigerator Polar Refrigeration, G594, s/s refrigerator, 1200 litre capacity, 815 x 1340 x 1990mm (Dismantling and loading cost 50.00) | 200.00 |
| 651 | 1 | s/s refrigerator Polar Refrigeration, G594, s/s refrigerator, 1200 litre capacity, 815 x 1340 x 1990mm (Dismantling and loading cost 50.00) | 200.00 |
| 652 | 1 | s/s refrigerator Polar Refrigeration, G594, s/s refrigerator, 1200 litre capacity, 815 x 1340 x 1990mm (Dismantling and loading cost 50.00) | 200.00 |
| 653 | 1 | weighing scale Stevens, 190, year built 2014, weighing scale; s/s platform 600 x 600mm; max 1500kg; min 10kg; e=0.5kg; with digital readout and Intermec PF4i label printer in s/s housing (Dismantling and loading cost 50.00) | 400.00 |
| 654 | 3 | ingredient bins Fletcher, 3 mobile ingredient bins (2 x 600 x 350mm x 500mm high) (1 x 600 x 450mm x 500mm high) (Dismantling and loading cost 20.00) | 15.00 |
| 655 | 1 | chemical cabinet chemical cabinet; 900 x 1800; double doors (Dismantling and loading cost 50.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 656 | 1 | recipe formulation system Stevens, DP3000i RFS, year built 2006, serial number 17283, ingredients additions weighing system; comprising s/s platforms 600 x 600mm and 300 x 280mm on wall mounted shelf; touch screen control (Dismantling and loading cost 50.00) | 500.00 |
| 657 | 9 | ingredient bins Fletcher, RM15TR, mobile ingredient bins; red (Dismantling and loading cost 20.00) | 45.00 |
| 658 | 8 | ingredient bins Fletcher, RM20TR, mobile ingredient bins; 4 green and 4 brown (Dismantling and loading cost 20.00) | 40.00 |
| 659 | 3 | mobile ingredients bins mobile ingredients bins; 2 sizes (2 x 380mm x 550mm x 600mm high) (1 x 270mm x 580mm x 600mm high (Dismantling and loading cost 20.00) | 15.00 |
| 660 | 2 | stainless steel mobile vessels stainless steel mobile vessel; 850mm dis x 700mm high (Dismantling and loading cost 50.00) | 50.00 |
| 661 | 3 | access steps/platforms access steps/platforms; 1 x 3 steps 680mm high 400mm wide; 1 x 1 step 600mm x 600mm platform 360mm high; 1 x 2 step 520mm high x 560mm (Dismantling and loading cost 50.00) | 75.00 |
| 662 | 1 | mobile cleaning unit mobile cleaning unit; with diaphragm pump; face mask; 450mm Dia; 900mm high (Dismantling and loading cost 20.00) | 50.00 |
| 663 | 1 | mobile ingredients rack mobile rack; including three bins; 400mm x 500mm (Dismantling and loading cost 20.00) | 50.00 |
| 664 | 1 | packaged heat exchanger brand: Spirax Sarco; type: PHS4HPTDHWPNHL; year: 2004; max. temperature: 180 °c; max. pressure: 10 bar; description: skid mounted unit with Alfa Laval plate heat exchanger; (Dismantling and loading cost 50.00) | 500.00 |
| 665 | 2 | s/s lecturns (Dismantling and loading cost 20.00) | 50.00 |
| 666 | 1 | depositor Riggs Autopack, 1000, year built 2010, serial number TT1146, brand: Riggs Autopack; type: 1000; year: 2010; serial number: TT1146; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 667 | 1 | depositor Riggs Autopack, 1000, year built 2009, serial number TT1135, brand: Riggs Autopack; type: 1000; year: 2009; serial number: TT1135; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 668 | 1 | depositor TurboSystems, D102P, year built 2005, brand: TurboSystems; type: D102P; year: 2005; number of heads: 2; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 669 | 1 | depositor TurboSystems, D150P, year built 2005, serial number TT1146, brand: TurboSystems; type: D150P; year: 2005; serial number: TT1146; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 670 | 1 | depositor TurboSystems, B2197, year built 1996, serial number 1669, brand: TurboSystems; type: B2197; year: 1996; serial number: 1669; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 671 | 1 | depositor Apple, MM150, year built 1997, serial number 42503, brand: Apple; type: MM150; year: 1997; serial number: 42503; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 672 | 1 | depositor Unifiller, Pro 1000i SV, year built 2015, serial number PRV85005, brand: Unifiller; type: Pro 1000i SV; year: 2015; serial number: PRV85005; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 500.00 |
| 673 | 1 | depositor Apple, MM150, year built 1997, serial number 42603, brand: Apple; type: MM150; year: 1997; serial number: 42603; number of heads: 1; description: with hopper; (Dismantling and loading cost 50.00) | 350.00 |
| 674 | 1 | pallet racking pallet racking; 58 bays; uprights 3560mm high; crossbeams 2250mm (Dismantling and loading cost 700.00) | 100.00 |
| 675 | 1 | floor scrubber Taski, Swingo CO755.1, floor scrubber (Dismantling and loading cost 50.00) | 50.00 |
| 676 | 1 | chemical storage unit chemical storage unit (Dismantling and loading cost 50.00) | 200.00 |
| 677 | 1 | hose reel Ramex, AV1100, year built 2016, hose reel (Dismantling and loading cost 50.00) | 75.00 |
| 678 | 5 | tote bins tote bins; with hose connections (Dismantling and loading cost 50.00) | 200.00 |
| 679 | 1 | s/s wash station s/s wash station; 3 troughs (Dismantling and loading cost 50.00) | 50.00 |
| 680 | 1 | emergency shower with eye wash and sink emergency shower with eye wash and sink (Dismantling and loading cost 50.00) | 75.00 |
| 681 | 1 | sorting tables lot comprising 2 sorting tables; 2 s/s tables and 3 Teknomek dispensers (Dismantling and loading cost 50.00) | 100.00 |
| 682 | 1 | mobile pump unit Tetra Pak CPS, year built 2008, mobile pump unit; comprising Fristam FL2 75 L 1.1kW positive displacement pump; Endress and Hauser Promass 40 flow meter; control panel and hoses mounted on a trolley (Dismantling and loading cost 50.00) | 400.00 |
| 683 | 1 | mixer Robert Coupe, MP 450 Combi, mixer; with pp bin and stainless steel mesh top (Dismantling and loading cost 50.00) | 100.00 |
| 684 | 2 | s/s mobile tanks s/s mobile tanks; open topped; 850mm diameter x 700mm (Dismantling and loading cost 50.00) | 100.00 |
| 685 | 1 | diaphragm pump Unbranded, s/s double diaphragm pump (Dismantling and loading cost 30.00) | 300.00 |
| 686 | 1 | sanitiser tunnel IWM, San 100 (opp load), serial number 719-SAN A/2205/40, sanitiser tunnel; aperture 595 x 580mm (Dismantling and loading cost 250.00) | 1,500.00 |
| 687 | 1 | weighing scale Avery Berkel, L116, serial number 79026099, weighing scale; s/s platform 300 x 280mm on wall mounted shelf (Dismantling and loading cost 50.00) | 50.00 |
| 688 | 4 | s/s tables s/s tables; 2 x 810 x 810mm; 800 x 1800mm; 600 x 1500mm (Dismantling and loading cost 40.00) | 150.00 |
| 689 | 3 | s/s tables s/s tables; 750 x 1500mm, 760 x 1830mm and 600 x 1500mm (Dismantling and loading cost 30.00) | 120.00 |
| 690 | 1 | mobile rack with bins mobile rack with 6 bins (Dismantling and loading cost 20.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 691 | 1 | centrifugal pump APV, 2"-2"-9", year built 1995, serial number 89540007, brand: APV; type: 2-2-9; year: 1995; serial number: 89540007; stainless steel: yes; centrifugal: yes; description: 2.2kW; (Dismantling and loading cost 30.00) | 200.00 |
| 692 | 2 | flow plates s/s flow plates (Dismantling and loading cost 50.00) | 75.00 |
| 693 | 1 | utensil washer IWM Crusader, EDI13, serial number 715-EDI13A A/0205/010, utensil washer; internally 1440 x 800 x 830mm (Dismantling and loading cost 250.00) | 750.00 |
| 694 | 1 | wash trough Unitech, wash trough; 1070 x 560 x 420mm (Dismantling and loading cost 50.00) | 50.00 |
| 695 | 2 | evaporators brand: Searle; type: KM80-6; serial number: 954920; serial number: 954921; description: twin fan; (Dismantling and loading cost 50.00) | 200.00 |
| 696 | 1 | evaporator (Dismantling and loading cost 50.00) | 300.00 |
| 697 | 3 | evaporators (Dismantling and loading cost 50.00) | 300.00 |
| 698 | 1 | evaporator (Dismantling and loading cost 50.00) | 300.00 |
| 699 | 1 | evaporator (Dismantling and loading cost 50.00) | 300.00 |
| 700 | 4 | evaporators (Dismantling and loading cost 50.00) | 400.00 |
| 706 | 6 | s/s grundy tanks vertical: yes; dimension W: 800 mm; dimension H: 1200 mm; own weight: 92 kg; total dimension L: 940 mm; total dimension W: 875 mm; total dimension H: 1350 mm; description: skid mounted single skin tanks each with dished base, lid and 35mm hose connections, tare weight 92kg, 94 gallon capacity, NB sample photographs shown; (Dismantling and loading cost 150.00) | 600.00 |
| 711 | 1 | s/s grundy tank Wincanton, year built 2000, brand: Wincanton; year: 2000; vertical: yes; dimension W: 800 mm; dimension H: 1200 mm; total dimension L: 850 mm; total dimension W: 860 mm; total dimension H: 1800 mm; description: skid mounted single skin tank with dished base, lid and 70mm hose connections; (Dismantling and loading cost 30.00) | 150.00 |
| 722 | 1 | s/s grundy tank (Dismantling and loading cost 30.00) | 125.00 |
| 723 | 1 | s/s grundy tank (Dismantling and loading cost 30.00) | 125.00 |
| 724 | 1 | s/s grundy tank dimension L: 860 mm; dimension W: 860 mm; dimension H: 1570 mm; description: single skin; (Dismantling and loading cost 30.00) | 125.00 |
| 725 | 1 | s/s grundy tank (Dismantling and loading cost 30.00) | 125.00 |
| 726 | 3 | evaporators (Dismantling and loading cost 100.00) | 400.00 |
| 727 | 2 | evaporators description: 2 single fan evaporators, 1 Searle type KM50-6, 1 unbranded; (Dismantling and loading cost 50.00) | 50.00 |
| 728 | 1 | evaporator (Dismantling and loading cost 50.00) | 300.00 |
| 729 | 2 | evaporators (Dismantling and loading cost 50.00) | 150.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 730 | 2 | evaporators GEA, SPAE 074, year built 2007, (Dismantling and loading cost 50.00) | 150.00 |
| 731 | 2 | evaporators (Dismantling and loading cost 50.00) | 150.00 |
| 732 | 1 | evaporator (Dismantling and loading cost 50.00) | 300.00 |
| 733 | 1 | ingredient weighing system brand: Stevens; type: DP3000i; serial number: 17112; platform size L: 600 mm; platform size W: 600 mm; description: stainless steel ingredients weighing scales; (Dismantling and loading cost 50.00) | 100.00 |
| 734 | 1 | ingredient weighing system Stevens, brand: Stevens; type: DP3000i; serial number: 120042; platform size L: 600 mm; platform size W: 600 mm; description: stainless steel ingredients weighing scales; (Dismantling and loading cost 50.00) | 100.00 |
| 735 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 736 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 737 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 738 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 739 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 740 | 1 | trolley mounted hose (Dismantling and loading cost 30.00) | 25.00 |
| 741 | 1 | foaming unit brand: Technifoamer; type: 9203; year: 2017; (Dismantling and loading cost 30.00) | 50.00 |
| 742 | 1 | foaming unit (Dismantling and loading cost 30.00) | 50.00 |
| 744 | 8 | Stainless steel bin holders description: bin holders; (Dismantling and loading cost 50.00) | 50.00 |
| 745 | 3 | stainless Steel Tables description: sizes: 1,000mm x 600mm x 820mm, 910mm x 910mm x 870mm, 810mm x 810mm x 850mm; (Dismantling and loading cost 100.00) | 75.00 |
| 746 | 4 | stainless Steel Tables description: sizes: 1380mm x 610mm x 800mm, 910mm x 1530mm x 770mm, 660mm x 560mm x 840mm, 1740mm x 840mm x 820mm; (Dismantling and loading cost 100.00) | 100.00 |
| 747 | 3 | stainless Steel Tables description: sizes: 450mm x 450mm x 880mm, 820mm x 820mm x 920mm (on castor), 1230mm x 610mm x 710mm; (Dismantling and loading cost 100.00) | 75.00 |
| 748 | 31 | ingredient bins (Dismantling and loading cost 150.00) | 150.00 |
| 749 | 8 | ingredient bins (Dismantling and loading cost 50.00) | 150.00 |
| 750 | 2 | stainless steel sinks (Dismantling and loading cost 50.00) | 50.00 |
| 751 | 1 | sink with tap: yes; (Dismantling and loading cost 50.00) | 25.00 |
| 752 | 1 | depositor brand: Turbo Systems ; type: D150P; description: mobile depositor hopper 550, stainless steel ; (Dismantling and loading cost 50.00) | 300.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 753 | 1 | depositor brand: Turbo systems ; type: D150P; description: stainless steel mobile depositor hopper 540mm; (Dismantling and loading cost 50.00) | 350.00 |
| 754 | 1 | depositor brand: Apple; type: MR900; year: 2000; serial number: 9050700; number of heads: 1; description: operating pressure 5.5bar, required flow rate 400l / min; (Dismantling and loading cost 50.00) | 300.00 |
| 755 | 1 | CIP system Wincanton, year built 1999, description: 4-tank, 3-channel CIP system comprising 4 Wincanton s/s tanks each approx 1700 ø x 1500mm, 5 s/s centrifugal pumps, 3 Fischer 18CF plate heat exchangers, approx 35 automatic valves, associated equipment including steam traps and control panel with Allen-Bradley PanelView 550 control; (Dismantling and loading cost 5,000.00) | 2,500.00 |
| 756 | 1 | CIP System description: jacketed vessel 'Carlisle process systems' design temp 85 degrees centigrade, 1500mm dia x 1200mm high excl. legs, stainless steel vessel 600mm dia x 900mm excl. legs, stainless steel water vessel made by Carlisle process systems, year 2005, 1400mm dia x 1400 high excl. legs, 2 centrifugal stainless steel pumps, 4 Realm valves, Knights chemical feed system, PD 340 magnetic flow transmitter, ; (Dismantling and loading cost 950.00) | 500.00 |
| 757 | 1 | s/s weighing Pallet Truck (Dismantling and loading cost 30.00) | 100.00 |
| 758 | 1 | chemical cabinet (Dismantling and loading cost 50.00) | 50.00 |
| 759 | 1 | chemical cabinet total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1850 mm; description: stainless steel chemical cupboard 2 door; (Dismantling and loading cost 50.00) | 25.00 |
| 760 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 761 | 1 | pump (Dismantling and loading cost 50.00) | 150.00 |
| 762 | 5 | stainless steel tables description: sizes: 1500mm x 760mm x 950mm, 1200mm x 600mm x 770mm, 2 off 1840mm x 770mm x 860mm, 760mm x 760mm x 1000; (Dismantling and loading cost 150.00) | 150.00 |
| 763 | 1 | s/s rack with s/s pipe fittings (Dismantling and loading cost 100.00) | 100.00 |
| 764 | 1 | rotary tray Washer brand: New smith stainless steel ltd; serial number: KM 815; stainless steel: yes; total dimension L: 2200 mm; total dimension W: 2000 mm; total dimension H: 2900 mm; description: maximum tray size 700mm high x 130mm deep; (Dismantling and loading cost 1,350.00) | 1,500.00 |
| 765 | 1 | s/s mobile bath total dimension L: 1010 mm; total dimension W: 1930 mm; total dimension H: 750 mm; description: sloped bath 380mm deep falling to 450mm; (Dismantling and loading cost 50.00) | 50.00 |
| 766 | 1 | trolley mounted hose reel (Dismantling and loading cost 30.00) | 50.00 |
| 767 | 1 | depositor number of heads: 2; description: mobile twin head depositor, hopper 390mm dia, Mobile.; (Dismantling and loading cost 50.00) | 300.00 |
| 768 | 1 | depositor number of heads: 2; description: mobile twin head depositor, hopper 390mm; (Dismantling and loading cost 50.00) | 300.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 769 | 1 | depositor brand: GEI Turbo; type: D102P; year: 2002; serial number: D201P5211109; number of heads: 2; description: Twin head depositor, 520mm hopper; (Dismantling and loading cost 50.00) | 300.00 |
| 770 | 1 | emergency shower brand: Hughes Safety Showers; description: with eye wash station; (Dismantling and loading cost 50.00) | 25.00 |
| 771 | 1 | diaphragm pump brand: Tapflo; type: T225 STS-3R2; stainless steel: yes; diaphragm: yes; description: positive displacement pump; (Dismantling and loading cost 30.00) | 300.00 |
| 772 | 3 | pumps stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 50.00) | 25.00 |
| 773 | 1 | stainless steel pallet truck scale Euroscapes, I323, brand: Euroscapes; type: I323; description: no battery, unknown if weighing scale functional; (Dismantling and loading cost 20.00) | 100.00 |
| 774 | 1 | stainless steel pallet truck scale Euroscapes, I323, brand: Euroscapes; type: I323; description: no battery, unknown if weighing scale functional; (Dismantling and loading cost 20.00) | 100.00 |
| 775 | 1 | stainless steel pallet truck scale Euroscapes, I323, brand: Euroscapes; type: I323; description: no battery, unknown if weighing scale functional; (Dismantling and loading cost 20.00) | 100.00 |
| 776 | 1 | stainless steel sink (Dismantling and loading cost 20.00) | 50.00 |
| 777 | 64 | lockers description: with used overall locker and 4 open lockers; (Dismantling and loading cost 150.00) | 400.00 |
| 778 | 1 | dispensers with bench and bag holder description: 4 stainless steel dispensers with bench and wall mounted first aid kit; (Dismantling and loading cost 50.00) | 25.00 |
| 779 | 1 | stainless steel sink (Dismantling and loading cost 50.00) | 50.00 |
| 780 | 1 | s/s boot scrubber (Dismantling and loading cost 50.00) | 100.00 |
| 781 | 8 | stainless steel coat hooks (Dismantling and loading cost 50.00) | 20.00 |
| 782 | 4 | s/s boot racks description: each rack holds 36 pairs of boots, 1500mm wide x 600mm deep x 2050mm high; (Dismantling and loading cost 100.00) | 40.00 |
| 783 | 4 | s/s boot racks description: 36 pairs per rack, 1500mm wide x 600mm deep x 2050mm high; (Dismantling and loading cost 100.00) | 40.00 |
| 784 | 3 | s/s boot racks description: 2 will hold 40 pairs of boot 850mm wide x 980mm deep x 1800mm, 1 holds 13 pairs of boots, 1100mm wide x 650mm deep x 1660; (Dismantling and loading cost 100.00) | 30.00 |
| 785 | 1 | rack with bins and tank connections (Dismantling and loading cost 50.00) | 50.00 |
| 786 | 1 | s/s mobile bath with lid description: size 950mm x 700mm x 450mm, total height 950mm; (Dismantling and loading cost 50.00) | 50.00 |
| 787 | 350 | stacking crates description: internally 360 x 560 x 115mm, with 11 plastic dollies; (Dismantling and loading cost 100.00) | 350.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 788 | 550 | stacking crates description: internally 360 x 560 x 115mm, with 18 plastic dollies; (Dismantling and loading cost 100.00) | 550.00 |
| 789 | 140 | stacking crates description: internally 360 x 560 x 115mm, with 6 plastic dollies; (Dismantling and loading cost 100.00) | 150.00 |
| 790 | 320 | stacking crates description: internally 360 x 560 x 115mm, with 10 plastic dollies; (Dismantling and loading cost 100.00) | 300.00 |
| 791 | 320 | stacking crates description: internally 360 x 560 x 115mm, with 10 plastic dollies; (Dismantling and loading cost 100.00) | 300.00 |
| 792 | 170 | stacking crates description: internally 360 x 560 x 115mm, with 6 plastic dollies; (Dismantling and loading cost 100.00) | 175.00 |
| 793 | 1 | laboratory incubator brand: Nüve; type: EN 500 (PF); max. temperature: 80 °c; description: 120 litre capacity ; (Dismantling and loading cost 50.00) | 50.00 |
| 794 | 1 | refrigerator door description: insulated sliding door panel 1910 x 2030mm, on 4200mm runner; (Dismantling and loading cost 150.00) | 200.00 |
| 795 | 10 | s/s grundy tanks brand: Edenvale; dimension H: 1400 mm; total dimension W: 1000 mm; total dimension H: 1700 mm; description: 10 off stainless steel Grundy tanks tank dia 1000mm x 1400mm high total height 1,700mm; (Dismantling and loading cost 150.00) | 1,500.00 |
| 796 | 1 | tin opener DC Norris, 150, serial number 1536, brand: DC Norris; type: 150; serial number: 1536; description: 150mm ø tin opener; (Dismantling and loading cost 30.00) | 50.00 |
| 797 | 6 | s/s grundy tank vertical: yes; dimension W: 800 mm; dimension H: 1200 mm; own weight: 92 kg; total dimension L: 940 mm; total dimension W: 875 mm; total dimension H: 1350 mm; description: skid mounted single skin tanks each with dished base, lid and 35mm hose connections, tare weight 92kg, 94 gallon capacity, NB sample photographs shown; (Dismantling and loading cost 150.00) | 600.00 |
| 798 | 5 | s/s grundy tanks brand: Wincanton Engineering Ltd ; year: 2000; dimension W: 800 mm; dimension H: 1200 mm; total dimension H: 1800 mm; description: build std GEP, design temp 50 degrees centigrade ; (Dismantling and loading cost 150.00) | 750.00 |
| 799 | 5 | s/s grundy tanks brand: Wincanton Engineering Ltd ; dimension W: 800 mm; dimension H: 1200 mm; total dimension H: 1800 mm; description: year 2 x 1999 & 3 x 2000, build std GEP, design temp 50 degrees centigrade, ; (Dismantling and loading cost 150.00) | 750.00 |
| 800 | 1 | lathe XYZ, serial number 76658, brand: XYZ; serial number: 76658; description: 800mm between centres, 430mm swing with 3-jaw chuck and 2-axis Sino SDS6-2V digital readout ; (Dismantling and loading cost 300.00) | 1,000.00 |
| 801 | 1 | lathe Harrison, M350, serial number M 350533497, brand: Harrison; type: M350; serial number: M 350533497; description: 1500mm between centres, 400mm swing, 3-jaw chuck; (Dismantling and loading cost 300.00) | 800.00 |
| 802 | 1 | milling Machine King Rich Industries, KRV 2000, serial number 6777, brand: King Rich Industries; type: KRV 2000; serial number: 6777; description: table size 1200 x 260mm, with Sino SDS2MS 2-axis digital readout ; (Dismantling and loading cost 250.00) | 600.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 803 | 1 | pillar Drill Fobco, serial number 45392, brand: Fobco; serial number: 45392; number of speeds: 4; spindle speed from N=: 475 rpm; spindle speed till N=: 4260 rpm; description: with platform; (Dismantling and loading cost 50.00) | 75.00 |
| 804 | 1 | double ended grinder Black & Decker, 6" Junior Bench Grinder, brand: Black & Decker; type: 6" Junior Bench Grinder; (Dismantling and loading cost 30.00) | 25.00 |
| 805 | 4 | cabinets with tooling description: with surface plate; (Dismantling and loading cost 100.00) | 100.00 |
| 806 | 3 | vices Record, No 23, brand: Record; type: No 23; (Dismantling and loading cost 50.00) | 50.00 |
| 807 | 2 | vices Record, No 23, brand: Record; type: No 23; (Dismantling and loading cost 40.00) | 40.00 |
| 808 | 1 | trolley jack Dunlop, DLJ/632, brand: Dunlop; type: DLJ/632; capacity: 2 t; (Dismantling and loading cost 20.00) | 25.00 |
| 809 | 1 | assortment of lifting chains and straps with site lights (Dismantling and loading cost 50.00) | 50.00 |
| 810 | 1 | flammables cabinet total dimension L: 915 mm; total dimension W: 460 mm; total dimension H: 1830 mm; (Dismantling and loading cost 50.00) | 50.00 |
| 811 | 1 | mobile workshop crane brand: unbranded; hoist capacity: 2000 kg; (Dismantling and loading cost 50.00) | 50.00 |
| 812 | 1 | cabinet with contents (Dismantling and loading cost 50.00) | 50.00 |
| 813 | 1 | workshop bench total dimension L: 3000 mm; total dimension W: 1220 mm; description: steel framed with plywood top; (Dismantling and loading cost 50.00) | 25.00 |
| 814 | 1 | anvil dimension W: 125 cm; total dimension L: 640 mm; description: with wooden bench; (Dismantling and loading cost 50.00) | 25.00 |
| 815 | 1 | sheet bending rolls Edwards, brand: Edwards; description: roll width 1240mm; (Dismantling and loading cost 100.00) | 75.00 |
| 816 | 1 | pipe vice (Dismantling and loading cost 50.00) | 25.00 |
| 817 | 1 | sheet bending Machine Edwards, 3FT 16G B&P, serial number 73C / 36901, brand: Edwards; type: 3FT 16G B&P; serial number: 73C / 36901; description: capacity 1015mm x 1.5mm, missing teeth ; (Dismantling and loading cost 100.00) | 50.00 |
| 818 | 1 | pipe cutter Georg Fischer, RA41, year built 2002, serial number 046521217, brand: Georg Fischer; type: RA41; year: 2002; serial number: 046521217; (Dismantling and loading cost 50.00) | 50.00 |
| 819 | 1 | pipe Threader Ridgid, 300A, brand: Ridgid; type: 300A; description: with 2 811A clamps; (Dismantling and loading cost 100.00) | 50.00 |
| 820 | 1 | horizontal bandsaw Promach, UE-250, year built 2002, serial number 02062845, brand: Promach; type: UE-250; year: 2002; serial number: 02062845; saw blade size L: 3300 mm; saw blade size W: 25 mm; saw blade thickness: 0.9 mm; description: 10" / 250mm ; (Dismantling and loading cost 100.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 821 | 1 | chop saw Metabo, CS23-355, brand: Metabo; type: CS23-355; description: 14" / 355mm diameter blade, mounted on steel pedestal; (Dismantling and loading cost 100.00) | 25.00 |
| 822 | 1 | sheet bending Machine Scantool, Scan 13S, year built 2014, serial number 82596, brand: Scantool; type: Scan 13S; year: 2014; serial number: 82596; machine weight: 340 kg; description: capacity 1270 x 2mm; (Dismantling and loading cost 100.00) | 50.00 |
| 823 | 1 | radial Drill Qualters and Smith, R3, serial number 846, brand: Qualters and Smith; type: R3; serial number: 846; T-slot fixture table size L: 750 mm; T-slot fixture table size W: 530 mm; (Dismantling and loading cost 175.00) | 300.00 |
| 824 | 1 | garage press Epco, brand: Epco; capacity: 10 t; (Dismantling and loading cost 100.00) | 50.00 |
| 825 | 1 | guillotine Edwards, Truecut, brand: Edwards; type: Truecut; cutting length: 1200 mm; max. sheet thickness: 1.6 mm; (Dismantling and loading cost 140.00) | 250.00 |
| 826 | 1 | welding Fume Extraction unit Nederman, Filter Box, brand: Nederman; type: Filter Box; (Dismantling and loading cost 50.00) | 250.00 |
| 827 | 4 | cabinets with contents description: contents include mild steel and stainless steel welding rods, stainless steel pipe connections, castors etc ; (Dismantling and loading cost 100.00) | 100.00 |
| 828 | 1 | pillar Drill Meddings, S25, year built 2010, serial number 401230 B, brand: Meddings; type: S25; year: 2010; serial number: 401230 B; spindle speed from N=: 1420 rpm; spindle speed till N=: 2840 rpm; table size L: 410 mm; table size W: 330 mm; description: with machine vice, pedestal mounted; (Dismantling and loading cost 100.00) | 75.00 |
| 829 | 1 | double ended grinder Union, serial number 94207, brand: Union; serial number: 94207; grinding wheel ? : 300 mm; grinding wheel thickness: 50 mm; (Dismantling and loading cost 80.00) | 25.00 |
| 830 | 1 | double ended grinder Metabo, DSD 9201, brand: Metabo; type: DSD 9201; grinding wheel ? : 200 mm; grinding wheel thickness: 32 mm; (Dismantling and loading cost 50.00) | 25.00 |
| 831 | 1 | double ended grinder RPM, brand: RPM; grinding wheel ? : 150 mm; grinding wheel thickness: 50 mm; (Dismantling and loading cost 50.00) | 25.00 |
| 832 | 1 | workshop bench with vice total dimension L: 2400 mm; total dimension W: 915 mm; (Dismantling and loading cost 50.00) | 25.00 |
| 833 | 2 | weld cleaning machines Inverter Fusion, 200 PHF, brand: Inverter Fusion; type: 200 PHF; description: only 1 gun and clamp present; (Dismantling and loading cost 50.00) | 50.00 |
| 834 | 2 | weld cleaning machines Inverter Fusion, 200 PHF / Fusion Clean 110, brand: Inverter Fusion; type: 200 PHF / Fusion Clean 110; (Dismantling and loading cost 50.00) | 50.00 |
| 835 | 1 | welding curtain description: approx 10m; (Dismantling and loading cost 50.00) | 50.00 |
| 836 | 1 | plasma Cutting Unit Inverter Fusion, Cut 60S, brand: Inverter Fusion; type: Cut 60S; description: with LT 70 cutting torch; (Dismantling and loading cost 50.00) | 75.00 |
| 837 | 1 | oxy Acetylene canister trolley and hoses (Dismantling and loading cost 30.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 838 | 1 | flammables cabinet total dimension L: 915 mm; total dimension W: 460 mm; total dimension H: 1830 mm; description: contents not included; (Dismantling and loading cost 50.00) | 10.00 |
| 840 | 1 | workshop bench with vice total dimension L: 2400 mm; total dimension W: 925 mm; description: wall supported i.e. front legs only; (Dismantling and loading cost 50.00) | 25.00 |
| 841 | 1 | welding Fume extraction unit Nederman, brand: Nederman; description: with 2 extraction arms and internal pipework; (Dismantling and loading cost 50.00) | 75.00 |
| 842 | 1 | workshop bench total dimension L: 1400 mm; total dimension W: 1000 mm; (Dismantling and loading cost 50.00) | 10.00 |
| 843 | 1 | rack and contents description: contents include assorted stainless steel pipework and wire mesh sheets; (Dismantling and loading cost 50.00) | 100.00 |
| 844 | 1 | trolley mounted weld cleaning machine Inverter Fusion, 151 PHF, brand: Inverter Fusion; type: 151 PHF; description: with clamp, gun and 110v transformer; (Dismantling and loading cost 50.00) | 100.00 |
| 845 | 5 | inkjet coder stands (Dismantling and loading cost 30.00) | 10.00 |
| 846 | 5 | assorted pumps description: not in use, incomplete; (Dismantling and loading cost 50.00) | 100.00 |
| 847 | 27 | spare motors and gearboxes (Dismantling and loading cost 100.00) | 300.00 |
| 848 | 9 | pumps and motors (Dismantling and loading cost 50.00) | 100.00 |
| 849 | 3 | pumps Lowara, CEA70/3/A-V, brand: Lowara; type: CEA70/3/A-V; description: 0.37kW / 1.1kW and 1.5kW; (Dismantling and loading cost 100.00) | 25.00 |
| 850 | 27 | spare motors and gearboxes (Dismantling and loading cost 100.00) | 100.00 |
| 851 | 35 | spare motors, gearboxes, pump and valve parts (Dismantling and loading cost 100.00) | 100.00 |
| 852 | 3 | spare motors and gearboxes (Dismantling and loading cost 100.00) | 100.00 |
| 853 | 1 | racks description: 7 uprights, 30 1.8m cross beams, with steel shelf inserts, and 1 free standing shelving unit, contents not included; (Dismantling and loading cost 100.00) | 50.00 |
| 854 | 2 | filing Cabinets with rack Bisley, brand: Bisley; (Dismantling and loading cost 50.00) | 10.00 |
| 855 | 1 | cabinet dimension L: 500 cm; dimension W: 400 cm; dimension H: 1000 cm; description: with key, contents not included; (Dismantling and loading cost 50.00) | 25.00 |
| 856 | 1 | flammables cabinet total dimension L: 915 mm; total dimension W: 460 mm; total dimension H: 1830 mm; (Dismantling and loading cost 50.00) | 50.00 |
| 857 | 1 | lockers description: assorted 1,2,4 and 5 compartment lockers with 2 benches; (Dismantling and loading cost 50.00) | 50.00 |
| 858 | 1 | assorted air filters description: including unused 10 HEPA filters, ; (Dismantling and loading cost 50.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 859 | 1 | trailer wheel lock brand: Rite-Hite; type: GWL-23E; year: 2017; serial number: 31-0001-09-50; own weight: 800 kg; description: suitable for tyre diameter 30"-44" (760mm-1100mm) with steel guide rails; (Dismantling and loading cost 250.00) | 2,500.00 |
| 860 | 1 | chemical storage unit total dimension L: 3000 mm; total dimension W: 1500 mm; total dimension H: 3300 mm; description: two level, steel construction with sliding doors and lifting eyes; (Dismantling and loading cost 150.00) | 500.00 |
| 861 | 1 | portacabin dimension L: 10000 mm; dimension W: 4100 mm; dimension H: 3300 mm; description: Please note. this Lot is Buyer to remove. divided into 2 rooms 3.6m wide x 4.6/4.75m. With Consort electric heaters, Expelair fan and light fittings; | 1,000.00 |
| 864 | 1 | pallet truck brand: BT; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 25.00 |
| 865 | 1 | assorted cable and storage cage (Dismantling and loading cost 50.00) | 50.00 |
| 866 | 1 | refrigeration plant brand: Arctic Circle; description: skid mounted unit comprising 3 refrigeration compressors, Stanref vessel and control panels, R404A; (Dismantling and loading cost 300.00) | 1,500.00 |
| 867 | 1 | refrigeration plant brand: Carrier; year: 1997; description: skid mounted unit comprising 4 refrigeration compressors, Stanref vessel and control panels, R422D; (Dismantling and loading cost 300.00) | 1,500.00 |
| 868 | 1 | air handling unit brand: Premi-Aire; type: 6.1AA1.5; year: 1997; (Dismantling and loading cost 500.00) | 100.00 |
| 869 | 1 | air handling unit brand: Premi-Aire; type: 2.0AA1.5; year: 1997; (Dismantling and loading cost 500.00) | 100.00 |
| 870 | 1 | air handling unit brand: Premi-Aire; type: 6.1AA2; year: 1997; (Dismantling and loading cost 500.00) | 100.00 |
| 871 | 1 | air handling unit brand: Premi-Aire; type: 6.AA1.5; year: 1997; (Dismantling and loading cost 500.00) | 100.00 |
| 872 | 1 | air handling unit brand: Premi-Aire; type: 11AA1.5W; year: 2000; (Dismantling and loading cost 500.00) | 100.00 |
| 873 | 1 | compressor condenser set brand: Hubbard; type: S10-39S/27; serial number: 41031160; description: twin fan, R22, with Frascold compressor; (Dismantling and loading cost 250.00) | 500.00 |
| 874 | 1 | condenser brand: Italia Refrigerazione; number of fans: 4; description: R403A; (Dismantling and loading cost 250.00) | 300.00 |
| 875 | 1 | condenser brand: Italia Refrigerazione; number of fans: 4; description: R403A; (Dismantling and loading cost 250.00) | 300.00 |
| 876 | 1 | condenser brand: Italia Refrigerazione; number of fans: 4; description: R403A; (Dismantling and loading cost 250.00) | 300.00 |
| 883 | 1 | control panel brand: Pennine; description: evaporator control panel; (Dismantling and loading cost 250.00) | 400.00 |
| 888 | 2 | pumps brand: Grundfos; type: CR61; (Dismantling and loading cost 50.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 889 | 1 | refrigeration plant brand: Beacon; type: BCR5W70-206Y/200; description: skid mounted unit comprising 3 Frascold refrigeration compressors (plus 1 removed) each with stop/start control, Stanref RBV 96166 vessel, heat exchanger, associated equipment and 2-door control panel; (Dismantling and loading cost 250.00) | 500.00 |
| 892 | 1 | twin compressor condenser set brand: Copeland; type: MC-M8-ZF18KE-TFD; description: single fan condensers, in sound attenuating enclosure; (Dismantling and loading cost 250.00) | 500.00 |
| 893 | 1 | twin compressor condenser set brand: Copeland; type: MC-H8-ZB30KE-TFD / MC-P8-ZF24KE-TWD; description: single and twin fan condensers, in sound attenuating enclosure; (Dismantling and loading cost 250.00) | 500.00 |
| 894 | 1 | chemical dosing unit brand: LMI Milton Roy; type: CEP045-352S2; description: comprising dosing pump, Liquitron DC4500 conductivity controller and 108 litre plastic bunded tank; (Dismantling and loading cost 50.00) | 50.00 |
| 895 | 1 | evaporative condenser brand: Baltimore; type: VXC 150 R; serial number: B0711247; number of fans: 4; (Dismantling and loading cost 750.00) | 500.00 |
| 896 | 1 | condenser brand: Searle; number of fans: 8; (Dismantling and loading cost 250.00) | 500.00 |
| 897 | 1 | condenser brand: HC Coils; type: VI 2600; year: 1999; serial number: 32724; number of fans: 4; (Dismantling and loading cost 250.00) | 500.00 |
| 898 | 1 | compressor condenser set brand: Profroid Ind; type: GC2H320M 2; serial number: 991711; description: 4-fan, R404A; (Dismantling and loading cost 250.00) | 500.00 |
| 899 | 1 | compressor condenser set brand: Profroid Ind; type: GC2H320M 2; serial number: 990765; description: 4-fan, R404A; (Dismantling and loading cost 250.00) | 500.00 |
| 900 | 1 | spare parts (Regal) description: for Regal 12000 (lot 39) with wall mounted trays. Stock records value of £23,764 (not verified); (Dismantling and loading cost 100.00) | 1,000.00 |
| 901 | 1 | spare parts (Regal) description: with wall mounted trays. Stock records value £2,599 (not verified); (Dismantling and loading cost 100.00) | 125.00 |
| 902 | 1 | spare parts (Regal) description: for Regal linear cup filling and closing lines, with wall mounted trays. Stock records value £26,268 (not verified); (Dismantling and loading cost 100.00) | 1,250.00 |
| 903 | 1 | spare parts (Regal) description: with wall mounted trays. Stock records value £3,773 (not verified); (Dismantling and loading cost 100.00) | 150.00 |
| 904 | 1 | spare parts (Proseal) description: for Proseal tray sealers, with wall mounted trays. Stock record value of £2,215 (not verified); (Dismantling and loading cost 100.00) | 100.00 |
| 905 | 1 | spare parts (Ytron and APV valves) description: for Ytron mixers and APV valves, with wall mounted trays. Stock record value of £7,556 (not verified); (Dismantling and loading cost 100.00) | 400.00 |
| 906 | 1 | spare parts (Definox and Realm) description: for Realm and Definox valves, with wall mounted trays. Stock record value £9,625 (not verified); (Dismantling and loading cost 100.00) | 500.00 |
| 907 | 1 | spare parts (general) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|---|----------------|
| 908 | 1 | spare parts (general) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 909 | 1 | spare parts (Shuffle and Tapflo) description: for Shuffle mixer and Tapflo diaphragm pumps, with wall mounted trays. Stock records value £10,215 (not verified); (Dismantling and loading cost 100.00) | 500.00 |
| 910 | 1 | spare parts (Blagdon) description: for Blagdon pumps, with wall mounted trays. Stock record value £4,209 (not verified); (Dismantling and loading cost 100.00) | 1,000.00 |
| 911 | 1 | spare parts (Safeline and Universal) description: for Safeline metal detectors and Universal fillers, with wall mounted trays. Stock records value £2,958 (not verified); (Dismantling and loading cost 100.00) | 150.00 |
| 912 | 1 | spare parts (Riggs) description: for Riggs fillers, with wall mounted trays. Stock records value £1,952 (not verified); (Dismantling and loading cost 100.00) | 100.00 |
| 913 | 1 | spare parts (Desserts General) description: spares for all cup filling and closing lines, mix plants and aerators, with wall mounted trays. Stock records value £12,158 (not verified); (Dismantling and loading cost 100.00) | 600.00 |
| 914 | 1 | spare parts (Loma) description: for Loma metal detectors and checkweighers, with wall mounted trays. Stock records value £3,669 (not verified); (Dismantling and loading cost 100.00) | 150.00 |
| 915 | 1 | spare parts (APV ovens) description: for APV ovens, with wall mounted trays. Stock records value £5,577 (not verified); (Dismantling and loading cost 100.00) | 250.00 |
| 916 | 1 | spare parts (Desserts B) description: for "B" production facility equipment such as cup filling and closing lines and mix plants (lot numbers 1, 6, 12, 24, 39) with wall mounted trays. Stock records value £10,683 (not verified) ; (Dismantling and loading cost 100.00) | 500.00 |
| 917 | 1 | spare parts (Tanis) description: for Tanis whippers/aerators with wall mounted trays. Stock records value £31,262 (not verified); (Dismantling and loading cost 100.00) | 1,500.00 |
| 918 | 1 | spare parts (Turbo) description: for Turbo depositors, with wall mounted trays. stock records value £13,862 (not verified); (Dismantling and loading cost 100.00) | 700.00 |
| 919 | 1 | spare parts (sensors & bearings) description: for sensors and bearings, with wall mounted trays. Stock records value £8,590 (not verified); (Dismantling and loading cost 100.00) | 500.00 |
| 920 | 1 | spare parts (air cylinders) description: with wall mounted trays. Stock records value £6,943 (not verified); (Dismantling and loading cost 100.00) | 100.00 |
| 921 | 1 | spare parts (Freemantle) description: for Freemantle sleeving machines (please see lot numbers 22 and 519) with wall mounted trays. Stock record value of £5,212 (not verified); (Dismantling and loading cost 100.00) | 250.00 |
| 922 | 1 | spare parts (tin openers) description: for DC Norris tin openers, with wall mounted trays. Stock records value £1,812 (not verified); (Dismantling and loading cost 100.00) | 100.00 |
| 923 | 1 | spare parts (Apple) description: for Apple cup filling and closing line and Apple depositors, with wall mounted trays. Stock records value £18,829 (not verified); (Dismantling and loading cost 100.00) | 850.00 |
| 924 | 1 | spare parts (Unifiller) description: for Unifiller depositors, with wall mounted trays. Stock records value £2,123 (not verified); (Dismantling and loading cost 100.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|--|--------|--|----------------|
| 925 | 1 | hoses and connections description: assorted sizes; (Dismantling and loading cost 100.00) | 100.00 |
| 926 | 9 | flow meters Endress+Hauser, brand: Endress+Hauser; digital display: yes; description: Promass 63, 2x Promass 40, 3x Promass 50, Promass 53, Promass 80 and Promass 83 with PD 340 and 2x ABB type MF, located in spares storage room and therefore not in use; (Dismantling and loading cost 100.00) | 400.00 |
| 927 | 1 | spare parts (Spirax Sarco) description: for Spirax Sarco and general steam equipment, with wall mounted trays. Stock records value £15,265 (not verified); (Dismantling and loading cost 100.00) | 750.00 |
| 928 | 1 | spare parts (Kliklok) description: with wall mounted trays. Stock records value £332 (not verified); (Dismantling and loading cost 100.00) | 50.00 |
| 929 | 1 | spare parts (Sira) description: for Sira valves, with wall mounted trays. Stock records value £2,799 (not verified); (Dismantling and loading cost 100.00) | 100.00 |
| 930 | 1 | spare parts (mix tank and CIPs) description: for Regal mix tank and CIP systems, with wall mounted trays. Stock records value £11,942 (not verified); (Dismantling and loading cost 100.00) | 600.00 |
| 931 | 1 | spare parts (Fristam) description: with wall mounted trays. Stock records value £17,468 (not verified); (Dismantling and loading cost 100.00) | 850.00 |
| 932 | 1 | spare parts (APV homogeniser) description: with wall mounted trays. Stock records value £15,569 (not verified); (Dismantling and loading cost 100.00) | 750.00 |
| 933 | 1 | spare parts (Nordson) description: with wall mounted trays. Stock records value £4,125 (not verified); (Dismantling and loading cost 100.00) | 200.00 |
| © 934 | 1 | spare parts (Grunwald) description: for Grunwald filling and closing machine (lot 500) with wall mounted trays. Stock records value £18,382 (not verified); (Dismantling and loading cost 100.00) | 900.00 |
| Grunwald mousse filling land packing line Lots 500 to 506, 645 and 934 | | | |
| 935 | 1 | spare parts (Mondo) description: for Mondo whippers / aerators, with wall mounted trays. Stock records value £33,998 (not verified); (Dismantling and loading cost 100.00) | 1,750.00 |
| 936 | 1 | spare parts (Allen-Bradley) Allen-Bradley, brand: Allen-Bradley; description: including 2x PanelView 1000, PanelView Plus 1000 and PanelView Plus 600 touch screen control panels. Stock records value £11,896 (not verified); (Dismantling and loading cost 100.00) | 600.00 |
| 937 | 1 | spare parts (Siemens) description: including 2 touch screen control panels and PLC parts; (Dismantling and loading cost 100.00) | 250.00 |
| 938 | 1 | assorted cable and rack (Dismantling and loading cost 100.00) | 50.00 |
| 939 | 1 | spare parts (conveyor belts) (Dismantling and loading cost 100.00) | 100.00 |
| 940 | 1 | spare parts (tray sealer tooling) (Dismantling and loading cost 100.00) | 100.00 |
| 941 | 1 | racks description: 17 bays, each with 3 shelves, each shelf 900 x 770mm, uprights 2030mm high; (Dismantling and loading cost 100.00) | 50.00 |
| 942 | 1 | spare parts (chains and wheels) (Dismantling and loading cost 100.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|-----|--------|--|----------------|
| 943 | 1 | spare parts (pipe connections) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 945 | 1 | spare parts (pallet trucks) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 946 | 1 | spare parts (Worthington Simpson) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 947 | 1 | spare parts (msea and mins, wal) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 948 | 1 | spare parts (auto and paut) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 949 | 1 | spare parts (Guis Edmo) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 950 | 1 | spare parts (Ishida) description: with wall mounted trays; (Dismantling and loading cost 100.00) | 50.00 |
| 951 | 1 | spare parts (chart recorders) description: including ABB Commander 1900 chart recorder, Chessel chart recorder and quantity of unused charts; (Dismantling and loading cost 100.00) | 50.00 |
| 952 | 1 | spare parts (s/s pipe fittings) (Dismantling and loading cost 100.00) | 50.00 |
| 953 | 1 | spare parts (nozzles and dies) (Dismantling and loading cost 100.00) | 500.00 |
| 954 | 1 | spare parts (Dismantling and loading cost 100.00) | 50.00 |
| 955 | 1 | spare parts (steam valves) (Dismantling and loading cost 100.00) | 50.00 |
| 956 | 1 | racks description: 10 bays, each with 3/4 shelves, with steel/plywood inserts, most shelves 1800 x 450/750mm, uprights 2100mm. contents not included ; (Dismantling and loading cost 100.00) | 100.00 |
| 983 | 2 | dosing pumps brand: Etatron; type: DLX-MA/AD; (Dismantling and loading cost 100.00) | 30.00 |
| 984 | 1 | dust collection unit brand: DCE; type: UMA 252 G5; serial number: 189375; (Dismantling and loading cost 100.00) | 300.00 |
| 985 | 1 | vacuum cleaner brand: Numatic; (Dismantling and loading cost 50.00) | 50.00 |
| 986 | 1 | chilled water plant brand: ICS; type: TAE EVO 602; year: 2005; serial number: 2200064168; description: R407C; (Dismantling and loading cost 150.00) | 500.00 |
| 987 | 1 | chilled water plant brand: ICS; type: TAE602; year: 1999; serial number: 1200908875; description: R407C; (Dismantling and loading cost 150.00) | 500.00 |
| 988 | 1 | tank horizontal: no; description: approx 3.5m ø x 6m; (Dismantling and loading cost 250.00) | 50.00 |
| 989 | 1 | plate Heat Exchanger brand: Fischer; type: Eurocal 610F; year: 1999; description: with 2 centrifugal pumps and Spirax Sarco steam trap; (Dismantling and loading cost 100.00) | 300.00 |
| 990 | 1 | chilled water plant brand: ICS; type: TAE 602; year: 1997; serial number: 12007010946; description: R22, ; (Dismantling and loading cost 150.00) | 500.00 |
| 991 | 1 | chilled water plant brand: ICS; type: TAE602; year: 1997; serial number: 1200701945; description: R22, 2 compressors removed; (Dismantling and loading cost 150.00) | 500.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 992 | 1 | compressor condenser set brand: COS Srl; type: T151 ZB 92; year: 2003; number of fans: 2; description: twin fan, R404A, Copeland scroll compressor type ZB92KCE-TWD-551, max pressure 28 bar; (Dismantling and loading cost 150.00) | 500.00 |
| 993 | 1 | compressor condenser set brand: COS Srl; type: T151 ZB 92; year: 2003; number of fans: 2; description: twin fan, R404A, Copeland scroll compressor type ZB92KCE-TWD-551, max pressure 17 bar; (Dismantling and loading cost 150.00) | 500.00 |
| 1101 | 1 | office furniture description: comprising 11 desks, 11 chairs, 8 pedestal drawer units, 3 shelving units and 1 filing cabinet; (Dismantling and loading cost 100.00) | 10.00 |
| 1102 | 1 | office furniture description: meeting table with 11 chairs and 1 shelving unit; (Dismantling and loading cost 100.00) | 10.00 |
| 1103 | 1 | office furniture description: comprising 4 desks, 5 chairs, 8 pedestal drawer units, 3 shelving units and 1 filing cabinet; (Dismantling and loading cost 100.00) | 10.00 |
| 1104 | 8 | filing Cabinets (Dismantling and loading cost 100.00) | 10.00 |
| 1105 | 4 | racks dimension L: 2160 cm; dimension W: 930 cm; dimension H: 2000 cm; description: 4-tier with Trespa covered shelves; (Dismantling and loading cost 100.00) | 40.00 |
| 1106 | 1 | canteen furniture description: comprising approx 50 assorted chairs, 12 tables; (Dismantling and loading cost 100.00) | 50.00 |
| 1107 | 1 | water boiler brand: Buffalo; type: NBB3F; description: 3000 W; (Dismantling and loading cost 50.00) | 10.00 |
| 1108 | 2 | microwaves brand: Kenwood; description: 900W; (Dismantling and loading cost 20.00) | 5.00 |
| 1109 | 1 | refrigerator brand: Hotpoint; type: RLA80; (Dismantling and loading cost 20.00) | 5.00 |
| 1110 | 1 | lockers description: wire mesh, 20 compartments; (Dismantling and loading cost 50.00) | 25.00 |
| 1111 | 1 | canteen furniture description: comprising approx 45 assorted chairs, 6 tables; (Dismantling and loading cost 150.00) | 50.00 |
| 1112 | 1 | coat hanging rails and benches description: 2 coat hanging rails and 3 benches with coat hangers; (Dismantling and loading cost 50.00) | 10.00 |
| 1113 | 43 | lockers description: assorted single and multi compartment, no keys available; (Dismantling and loading cost 150.00) | 50.00 |
| 1114 | 1 | office furniture description: comprising 10 desks, 9 chairs, 8 pedestal drawer units, 2 shelving units and 1 filing cabinet; (Dismantling and loading cost 100.00) | 10.00 |
| 1116 | 128 | stacking crates description: internally 360 x 560 x 115mm, with 4 plastic dollies; (Dismantling and loading cost 150.00) | 125.00 |
| 1117 | 128 | stacking crates description: internally 360 x 560 x 115mm, with 4 plastic dollies; (Dismantling and loading cost 150.00) | 125.00 |
| 1118 | 160 | stacking crates description: internally 360 x 560 x 115mm, with 5 plastic dollies; (Dismantling and loading cost 150.00) | 175.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1119 | 256 | stacking crates description: internally 360 x 560 x 115mm, with 8 plastic dollies; (Dismantling and loading cost 150.00) | 250.00 |
| 1121 | 1 | rapid roller shutter door brand: Dynaco; type: D311; year: 2007; serial number: GB18508B; total dimension W: 2350 mm; total dimension H: 3450 mm; description: rapid roller shutter door; (Dismantling and loading cost 150.00) | 250.00 |
| 1122 | 1 | steel shutter total dimension W: 2500 mm; total dimension H: 3400 mm; description: steel roller shutter; (Dismantling and loading cost 150.00) | 100.00 |
| 1123 | 3 | working table description: stainless steel tables 1840mm x 770mm x 900mm high, 810mm x 810mm x 850mm high, 760mm x 760mm x 810mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1124 | 1 | Stainless steel pallet truck fork length: 1140 mm; description: stainless steel pallet trolley; (Dismantling and loading cost 20.00) | 75.00 |
| 1125 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1126 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1127 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1128 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1129 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1130 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1131 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1132 | 5 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 5 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 150.00 |
| 1133 | 3 | mobile racking with trays total dimension L: 1180 mm; total dimension W: 730 mm; total dimension H: 1650 mm; description: 3 off mobile tray racks , tray size 500mm x 650mm x 80mm, 32 trays to each rack; (Dismantling and loading cost 100.00) | 100.00 |
| 1135 | 1 | rapid roller shutter door dimension W: 1760 mm; dimension H: 2200 mm; description: rapid roller shutter door ; (Dismantling and loading cost 150.00) | 200.00 |



| Lot | Number | Description | Starting Bid £ |
|---|--------|--|----------------|
| 1136 | 1 | Lectern and cupboard description: stainless steel lectern and cupboard 700mm x 650mm x 950mm, cupboard 1200mm x 400mm x 2100mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1137 | 1 | Stainless steel pallet truck brand: Howard handling; fork length: 1150 mm; description: stainless steel pallet trolley; (Dismantling and loading cost 20.00) | 75.00 |
| 1138 | 30 | plastic dollies total dimension L: 800 mm; total dimension W: 600 mm; description: 30 off dollies; (Dismantling and loading cost 150.00) | 100.00 |
| 1139 | 40 | plastic dollies total dimension L: 800 mm; total dimension W: 600 mm; description: 40 off dollies; (Dismantling and loading cost 150.00) | 125.00 |
| 1140 | 40 | plastic dollies total dimension L: 800 mm; total dimension W: 600 mm; description: 40 off dollies; (Dismantling and loading cost 150.00) | 125.00 |
| 1141 | 134 | stacking crates total dimension L: 600 mm; total dimension W: 390 mm; total dimension H: 200 mm; description: approx 134 off stackable crates on 3 dollies ; (Dismantling and loading cost 150.00) | 125.00 |
| 1142 | 17 | plastic dollies brand: Fletcher; description: dollies 8 off double 600mm x 830mm, 9 single 600mm x 400mm; (Dismantling and loading cost 50.00) | 100.00 |
| 1143 | 1 | pallet racking description: 5 sets racking 1.8m wide; (Dismantling and loading cost 250.00) | 50.00 |
| 1144 | 1 | stainless steel cupboard total dimension L: 480 mm; total dimension W: 920 mm; total dimension H: 1500 mm; description: stainless steel cupboard ; (Dismantling and loading cost 50.00) | 25.00 |
| 1145 | 1 | stainless steel sink description: knee sink, paper towel dispenser, soap dispenser, stainless coat hooks x 2; (Dismantling and loading cost 50.00) | 25.00 |
| © 1146 | 1 | AutoCoding system brand: AutoCoding; description: AutoCoding system; (Dismantling and loading cost 220.00) | 5,000.00 |
| Apple cup filling and packing line Lots 521 to 527 and 1146 | | | |
| © 1147 | 1 | AutoCoding system description: AutoCoding system; (Dismantling and loading cost 220.00) | 5,000.00 |
| Regal cup filling line and packing line (B) Lots 513 to 520, 1147 | | | |
| 1148 | 1 | refrigeration door dimension W: 2200 mm; dimension H: 2400 mm; description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1149 | 3 | safety barriers description: safety barriers ; (Dismantling and loading cost 100.00) | 50.00 |
| 1150 | 1 | refrigerator door description: insulated sliding door panel 1705 x 2060mm, on 3800mm runner; (Dismantling and loading cost 150.00) | 100.00 |
| 1151 | 1 | refrigerator door description: insulated hinged door panel 970 x 2120mm; (Dismantling and loading cost 150.00) | 100.00 |
| 1152 | 1 | refrigerator door description: insulated sliding door panel 1705 x 2205 x 3800mm; (Dismantling and loading cost 150.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1153 | 1 | refrigerator door description: insulated sliding door panel 1705 x 2205 x 4400mm runner; (Dismantling and loading cost 150.00) | 100.00 |
| 1154 | 1 | refrigerator door description: insulated hinged door panel 970 x 2100mm; (Dismantling and loading cost 150.00) | 100.00 |
| 1155 | 1 | refrigerator door description: insulated hinged door panel 1750 x 2050mm; (Dismantling and loading cost 150.00) | 100.00 |
| 1200 | 1 | pump brand: Ebara; type: 3LS 50-125/40; stainless steel: yes; centrifugal: yes; description: 5.5HP; (Dismantling and loading cost 30.00) | 50.00 |
| 1201 | 1 | centrifugal pump brand: APV; type: Puma 2-2.5-9; serial number: D6347MT; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1202 | 1 | centrifugal pump brand: APV; type: Puma 2-2-9; serial number: B2370M; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1203 | 1 | centrifugal pump brand: APV; type: Puma 2-3-9; serial number: D1023; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1204 | 1 | centrifugal pump brand: APV; type: W+35/35; year: 2003; serial number: 300711; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1205 | 1 | pump stainless steel: yes; diaphragm: yes; (Dismantling and loading cost 30.00) | 150.00 |
| 1206 | 1 | pump brand: Crest Process Engineers; stainless steel: yes; diaphragm: yes; (Dismantling and loading cost 30.00) | 150.00 |
| 1207 | 1 | pump brand: Murzan; stainless steel: yes; diaphragm: yes; (Dismantling and loading cost 30.00) | 150.00 |
| 1208 | 4 | pumps stainless steel: no; diaphragm: no; description: 4 assorted pumps including Tapflo T50 PTT; (Dismantling and loading cost 30.00) | 150.00 |
| 1209 | 1 | pump stainless steel: yes; diaphragm: yes; (Dismantling and loading cost 30.00) | 150.00 |
| 1210 | 1 | pump brand: Tapflo; stainless steel: yes; diaphragm: yes; (Dismantling and loading cost 30.00) | 150.00 |
| 1211 | 1 | centrifugal pump brand: Fristam; type: FZ20A; stainless steel: yes; centrifugal: yes; description: 5.5kW; (Dismantling and loading cost 30.00) | 250.00 |
| 1212 | 1 | centrifugal pump stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1213 | 1 | centrifugal pump brand: Fristam; type: FPE 742A; stainless steel: yes; centrifugal: yes; description: 5.5kW; (Dismantling and loading cost 30.00) | 250.00 |
| 1214 | 1 | centrifugal pump brand: APV; type: Puma size2"; serial number: B2043; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1215 | 1 | centrifugal pump brand: Fristam; type: FPE 3532A; stainless steel: yes; centrifugal: yes; description: 5.5kW; (Dismantling and loading cost 30.00) | 250.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1216 | 1 | centrifugal pump brand: APV; type: 2-2-9; stainless steel: yes; centrifugal: yes; description: 4kW, front incomplete; (Dismantling and loading cost 30.00) | 250.00 |
| 1217 | 1 | centrifugal pump brand: APV; type: Puma size 2-2.5; serial number: D1991; stainless steel: yes; centrifugal: yes; (Dismantling and loading cost 30.00) | 250.00 |
| 1218 | 1 | centrifugal pump brand: APV; type: Puma size 2-3; stainless steel: yes; centrifugal: yes; description: front missing; (Dismantling and loading cost 30.00) | 250.00 |
| 1219 | 1 | centrifugal pump brand: Fristam; type: FPE 3402 A; stainless steel: yes; centrifugal: yes; description: 5.5kW; (Dismantling and loading cost 30.00) | 250.00 |
| 1220 | 1 | centrifugal pump brand: Fristam; type: FPE 3402 A; stainless steel: yes; centrifugal: yes; description: 5.5kW; (Dismantling and loading cost 30.00) | 250.00 |
| 1221 | 1 | pump brand: Netzsch; (Dismantling and loading cost 30.00) | 100.00 |
| 1222 | 1 | pump description: 3kW; (Dismantling and loading cost 30.00) | 100.00 |
| 1223 | 1 | pump brand: Alfa Laval; type: SRU 3; description: 3kW; (Dismantling and loading cost 30.00) | 100.00 |
| 1224 | 1 | pumps description: 1 pallet with 5 assorted pumps ; (Dismantling and loading cost 30.00) | 100.00 |
| 1225 | 1 | assorted spare parts description: including pressure gauges; (Dismantling and loading cost 100.00) | 100.00 |
| 1226 | 1 | assorted spare parts (Dismantling and loading cost 100.00) | 100.00 |
| 1227 | 1 | assorted pump parts (Dismantling and loading cost 100.00) | 100.00 |
| 1228 | 2 | water filters brand: Cintropur; (Dismantling and loading cost 100.00) | 20.00 |
| 1229 | 1 | assorted spare parts description: including tray sealer tooling and filling nozzles; (Dismantling and loading cost 100.00) | 100.00 |
| 1230 | 2 | fans description: 540 and 840mm ø; (Dismantling and loading cost 50.00) | 20.00 |
| 1231 | 1 | electrical cable (Dismantling and loading cost 100.00) | 50.00 |
| 1232 | 1 | centrifugal pump brand: APV; type: Puma size 1.5-2-7; serial number: A5645; stainless steel: yes; centrifugal: yes; description: front missing; (Dismantling and loading cost 30.00) | 250.00 |
| 1233 | 1 | centrifugal pump brand: Alfa Laval; type: FM 1A; (Dismantling and loading cost 30.00) | 250.00 |
| 1234 | 1 | centrifugal pump brand: Fristam; type: FZ 22A; (Dismantling and loading cost 30.00) | 250.00 |
| 1235 | 1 | centrifugal pump brand: Fristam; type: FZ 22A; (Dismantling and loading cost 30.00) | 250.00 |
| 1236 | 1 | centrifugal pump brand: Fristam; type: FZ 22A; (Dismantling and loading cost 30.00) | 250.00 |
| 1237 | 1 | compressor condenser set brand: Giusti; type: TAE 015; description: R407C, 3.3kW; (Dismantling and loading cost 150.00) | 250.00 |
| 1238 | 1 | pump brand: Netzsch; (Dismantling and loading cost 30.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1239 | 1 | pump brand: Netzsch; (Dismantling and loading cost 30.00) | 100.00 |
| 1240 | 1 | pump brand: Netzsch; (Dismantling and loading cost 30.00) | 100.00 |
| 1241 | 1 | pumps and valves description: pallet with pumps, valves and parts as shown; (Dismantling and loading cost 100.00) | 50.00 |
| 1242 | 1 | pump brand: Ingersoll rand; type: 405 TDZ-LS250MP; serial number: D90707 JL; description: 63kW motor pump; (Dismantling and loading cost 100.00) | 50.00 |
| 1243 | 1 | film sealer tooling description: pallet of packing machinery tooling etc. as shown; (Dismantling and loading cost 100.00) | 50.00 |
| 1244 | 1 | shell tube heat exchanger stainless steel: yes; description: pipe connection with expansion bellow ; (Dismantling and loading cost 100.00) | 25.00 |
| 1245 | 1 | valves and motors description: pallet of valves and motors etc. as shown; (Dismantling and loading cost 50.00) | 50.00 |
| 1246 | 1 | pumps description: pallet of pumps as shown; (Dismantling and loading cost 50.00) | 50.00 |
| 1247 | 1 | valves description: pallet of valve actuators as shown; (Dismantling and loading cost 50.00) | 50.00 |
| 1248 | 1 | valves and actuators description: pallet of valves and actuators as shown ; (Dismantling and loading cost 50.00) | 50.00 |
| 1249 | 1 | motors description: pallet of motors etc. as shown; (Dismantling and loading cost 50.00) | 25.00 |
| 1250 | 1 | acutators description: pallet of actuator etc. as shown ; (Dismantling and loading cost 50.00) | 50.00 |
| 1251 | 1 | pumps description: pallet with two pumps plus accessories ; (Dismantling and loading cost 50.00) | 50.00 |
| 1252 | 1 | valve actuators description: pallet of valve actuators ; (Dismantling and loading cost 50.00) | 75.00 |
| 1253 | 1 | pumps description: pallet pump and dosing pump as shown ; (Dismantling and loading cost 50.00) | 25.00 |
| 1254 | 1 | filter and electrical testing description: pallet with filter, foster electrical test unit, control panel as shown; (Dismantling and loading cost 50.00) | 25.00 |
| 1255 | 1 | conveyor belts description: spares plastic link belts various width and length as shown ; (Dismantling and loading cost 50.00) | 25.00 |
| 1260 | 9 | tote bins description: tote bin x 9; (Dismantling and loading cost 150.00) | 300.00 |
| 1261 | 1 | Inkjet Coder brand: Linx; type: 6200 series; year: 2001; serial number: MD0117056; description: inkjet coder with stainless steel table; (Dismantling and loading cost 50.00) | 250.00 |
| 1262 | 1 | auto coding machine brand: Auto coding; (Dismantling and loading cost 100.00) | 5,000.00 |
| 1263 | 1 | tote bin tipper brand: Lakidid; description: tipper height approx 2.3m; (Dismantling and loading cost 50.00) | 700.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1264 | 4 | bin holders description: 4 off bin holders stainless steel ; (Dismantling and loading cost 50.00) | 25.00 |
| 1265 | 1 | checkweigher brand: Lock inspection systems; type: CK10; year: 1999; serial number: DO8HCW83; description: checkweigher 200mm x 1350mm ; (Dismantling and loading cost 75.00) | 200.00 |
| 1266 | 1 | labeller brand: Markem imaje; type: 2000; year: 2009; serial number: SE09380129; description: labeller ; (Dismantling and loading cost 50.00) | 500.00 |
| 1267 | 1 | labeller brand: Markem imaje; type: 2000; year: 2011; serial number: R111271021; description: labeller ; (Dismantling and loading cost 50.00) | 500.00 |
| 1268 | 1 | inkjet coder brand: Videojet; type: 1510; serial number: 0928835C11ZH; description: inkjet coder ; (Dismantling and loading cost 50.00) | 300.00 |
| 1269 | 1 | inkjet coder brand: Videojet; type: 1510; serial number: 0928826C11ZH; (Dismantling and loading cost 50.00) | 300.00 |
| 1270 | 1 | inkjet coder brand: Videojet; type: 1520; serial number: 1318362C22ZH; description: inkjet coder ; (Dismantling and loading cost 50.00) | 300.00 |
| 1271 | 1 | tote bin total dimension L: 990 mm; total dimension W: 700 mm; description: food storage and transport bin; (Dismantling and loading cost 50.00) | 40.00 |
| 1272 | 1 | sink description: stainless steel sink; (Dismantling and loading cost 20.00) | 25.00 |
| 1274 | 1 | cupboard and work table description: stainless steel cupboard and table ; (Dismantling and loading cost 50.00) | 50.00 |
| 1276 | 2 | s/s tables description: 1200mm x 600mm x 830mm high and 800mm x 400mm x 720mm stainless steel tables; (Dismantling and loading cost 50.00) | 25.00 |
| 1277 | 1 | Rack and lecturn description: 600mm x 1,100 stainless steel lectern and 1170mm x 560mm x 1200mm 3 shelf mobile racking; (Dismantling and loading cost 50.00) | 25.00 |
| 1278 | 2 | Safety barriers description: stainless steel barriers; (Dismantling and loading cost 50.00) | 25.00 |
| 1279 | 1 | pallet truck brand: Howard handling; lifting capacity: 2300 kg; description: pallet truck; (Dismantling and loading cost 20.00) | 25.00 |
| 1280 | 1 | s/s table total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 950 mm; description: stainless steel work table; (Dismantling and loading cost 50.00) | 25.00 |
| 1281 | 1 | rapid roller shutter door brand: Dynaco; type: D 311 LF; year: 2012; total dimension W: 2230 mm; total dimension H: 2600 mm; description: rapid roller door; (Dismantling and loading cost 200.00) | 200.00 |
| 1282 | 3 | ingredients bins description: ingredients bins ; (Dismantling and loading cost 50.00) | 25.00 |
| 1283 | 1 | sink description: utensil wash sink stainless steel; (Dismantling and loading cost 50.00) | 100.00 |
| 1284 | 1 | s/s table and cupboard description: stainless steel table 100mm x 600mm x 760mm, stainless steel cupboard ; (Dismantling and loading cost 50.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1285 | 1 | rapid roller shutter brand: Dynaco; type: D 311 LF; year: 2012; serial number: GB31570E; total dimension W: 2000 mm; total dimension H: 2800 mm; description: rapid roller shutter door; (Dismantling and loading cost 150.00) | 300.00 |
| 1286 | 1 | transport lift total dimension L: 4200 mm; total dimension W: 1900 mm; description: scissor lift to raise to loading bay level; (Dismantling and loading cost 50.00) | 2,500.00 |
| 1287 | 1 | s/s table and rack description: 900mm x 900mm x 600mm stainless steel table, 1260mm x 620mm 4 shelf rack, cage; (Dismantling and loading cost 50.00) | 50.00 |
| 1288 | 1 | steps work platform description: steps and work platform ; (Dismantling and loading cost 50.00) | 25.00 |
| 1289 | 1 | refrigeration doors dimension H: 2550 mm; total dimension W: 1700 mm; description: refrigeration doors; (Dismantling and loading cost 150.00) | 100.00 |
| 1290 | 1 | refrigeration door description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1291 | 1 | refrigeration door dimension W: 1700 mm; dimension H: 2500 mm; description: refrigeration room door; (Dismantling and loading cost 150.00) | 100.00 |
| 1292 | 1 | refrigeration door dimension W: 1700 mm; dimension H: 2500 mm; description: refrigeration door ; (Dismantling and loading cost 150.00) | 100.00 |
| 1293 | 1 | Refrigeration door dimension W: 1700 mm; dimension H: 2500 mm; description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1294 | 1 | evaporator number of fans: 1; description: single fan evaporator ; (Dismantling and loading cost 50.00) | 30.00 |
| 1295 | 3 | plastic pallets and dolly description: pallets 1m x 1.2m, dolly 800mm x 550mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1296 | 1 | dispensers description: glove dispenser and used glove bins stainless steel; (Dismantling and loading cost 50.00) | 10.00 |
| 1297 | 1 | swing doors total dimension W: 1440 mm; description: food hygiene doors; (Dismantling and loading cost 50.00) | 50.00 |
| 1298 | 1 | fly killer brand: Ecolab; description: fly killers; (Dismantling and loading cost 50.00) | 10.00 |
| 1299 | 1 | sink brand: Unitech; description: double knee sink stainless steel and paper towel dispenser and 2 x soap dispensers; (Dismantling and loading cost 50.00) | 25.00 |
| 1300 | 1 | boot rack description: boot rack ; (Dismantling and loading cost 50.00) | 25.00 |
| 1301 | 1 | bench and hair net dispenser description: bench and dispenser ; (Dismantling and loading cost 50.00) | 25.00 |
| 1302 | 1 | knee sink brand: Unitech; description: knee sink stainless steel and paper towel dispenser; (Dismantling and loading cost 50.00) | 25.00 |
| 1303 | 4 | fly killers brand: Vulcan; description: 3 check services 1 Vulcan fly killers; (Dismantling and loading cost 50.00) | 40.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1304 | 1 | Stainless steel racking total dimension L: 3100 mm; total dimension W: 760 mm; total dimension H: 1630 mm; description: stainless steel racking ; (Dismantling and loading cost 50.00) | 25.00 |
| 1305 | 2 | tote bins description: 2 off tote bins; (Dismantling and loading cost 50.00) | 80.00 |
| 1306 | 1 | sanitising tunnel feedthrough height: 470 mm; total dimension L: 2650 mm; total dimension W: 1300 mm; total dimension H: 1500 mm; description: sanitising tunnel 450mm 720mm, sanitising part is 1m long; (Dismantling and loading cost 150.00) | 750.00 |
| 1307 | 1 | Stainless steel Pallet Truck fork length: 1000 mm; description: pallet truck; (Dismantling and loading cost 20.00) | 75.00 |
| 1308 | 1 | miscellaneous storage and dollies description: miscellaneous storage boxes and dollies as shown ; (Dismantling and loading cost 50.00) | 50.00 |
| 1309 | 1 | rapid roller shutter door brand: Dynaco; total dimension L: 1900 mm; total dimension H: 2100 mm; description: rapid roller door; (Dismantling and loading cost 150.00) | 200.00 |
| 1310 | 1 | working table total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 960 mm; description: stainless steel work bench; (Dismantling and loading cost 50.00) | 25.00 |
| 1311 | 2 | swing doors total dimension W: 1440 mm; total dimension H: 2080 mm; description: 2 off sets double swing doors; (Dismantling and loading cost 50.00) | 100.00 |
| 1314 | 2 | fly killer description: fly killers ; (Dismantling and loading cost 50.00) | 20.00 |
| 1315 | 1 | refrigeration door dimension W: 1700 mm; dimension H: 2100 mm; description: refrigeration door ; (Dismantling and loading cost 150.00) | 100.00 |
| 1316 | 1 | evaporator brand: Cooler condensers ltd; type: CF 11-64 LV; year: 2012; description: stainless steel evaporator R404A refrigerant; (Dismantling and loading cost 100.00) | 100.00 |
| 1317 | 1 | working table description: stainless steel table 1200mm x 610mm x 900mm high, cupboard 1400mm x 450mm x 800mm high; (Dismantling and loading cost 50.00) | 50.00 |
| 1318 | 1 | pallet truck brand: Howard Handling; type: Quick lift ; lifting capacity: 2300 kg; fork length: 1000 mm; description: pallet truck; (Dismantling and loading cost 20.00) | 25.00 |
| 1319 | 1 | valve locks description: safety valve locks off; (Dismantling and loading cost 20.00) | 15.00 |
| 1320 | 1 | condenser brand: JP cooling; type: MG3 B 040 MTYT/S; year: 2012; serial number: OW066; number of fans: 3; description: 3 fan condenser refrigerant R404A; (Dismantling and loading cost 100.00) | 200.00 |
| 1321 | 1 | roller conveyor total dimension L: 1100 mm; total dimension W: 1360 mm; description: twin set stainless steel two level packing roller conveyors; (Dismantling and loading cost 50.00) | 75.00 |
| 1322 | 1 | roller conveyor total dimension L: 1100 mm; total dimension W: 1360 mm; total dimension H: 1700 mm; description: twin set stainless steel two level roller conveyors; (Dismantling and loading cost 50.00) | 75.00 |
| 1323 | 1 | roller conveyor total dimension L: 600 mm; total dimension W: 2000 mm; total dimension H: 1700 mm; description: roller packing conveyor triple set two levels; (Dismantling and loading cost 50.00) | 50.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1324 | 1 | Floor scale brand: Avery; type: L202; serial number: St006305; platform size L: 900 mm; platform size W: 900 mm; description: floor scales max 2000kg, min 25kg, Q = 0.5kg; (Dismantling and loading cost 50.00) | 150.00 |
| 1338 | 5 | racking with trays description: 18 trays per rack, 5 mobile racks, 800 x 520 ; (Dismantling and loading cost 100.00) | 100.00 |
| 1339 | 5 | racking with trays description: 18 trays per rack, 5 mobile racks, 800 x 520 ; (Dismantling and loading cost 100.00) | 100.00 |
| 1340 | 5 | racking with trays description: 18 trays per rack, 5 mobile racks, 800 x 520 ; (Dismantling and loading cost 100.00) | 100.00 |
| 1341 | 1 | sorting table total dimension L: 1200 mm; total dimension W: 700 mm; description: sorting table; (Dismantling and loading cost 50.00) | 50.00 |
| 1342 | 1 | safety shower description: safety shower ; (Dismantling and loading cost 50.00) | 50.00 |
| 1343 | 2 | working table stainless steel: yes; total dimension L: 2200 mm; total dimension W: 600 mm; total dimension H: 710 mm; description: 2 off stainless tables ; (Dismantling and loading cost 50.00) | 50.00 |
| 1344 | 1 | Stainless steel cupboard brand: Hygienox; total dimension L: 400 mm; total dimension W: 1220 mm; total dimension H: 2100 mm; description: stainless steel cupboard ; (Dismantling and loading cost 50.00) | 25.00 |
| 1345 | 1 | trolley, table and bin holders stainless steel: yes; description: trolley, table 500mm x 740mm, 3 off bin holders; (Dismantling and loading cost 50.00) | 50.00 |
| 1346 | 1 | stainless steel sink description: knee sink, paper towel dispenser, soap dispenser; (Dismantling and loading cost 50.00) | 25.00 |
| 1347 | 1 | working table total dimension L: 450 mm; total dimension W: 1150 mm; total dimension H: 880 mm; description: stainless steel table; (Dismantling and loading cost 50.00) | 25.00 |
| 1348 | 1 | steps and dolly description: steps and dollies; (Dismantling and loading cost 50.00) | 15.00 |
| 1349 | 1 | mobile vessel total dimension W: 840 mm; total dimension H: 940 mm; description: stainless steel mobile food vessel; (Dismantling and loading cost 50.00) | 50.00 |
| 1350 | 3 | thermal printers brand: Toshiba; type: SX5; description: barcode printers 3 off; (Dismantling and loading cost 50.00) | 50.00 |
| 1351 | 1 | refrigeration door dimension W: 2200 mm; dimension H: 2550 mm; description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1352 | 1 | refrigeration door dimension W: 2370 mm; dimension H: 2390 mm; description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1353 | 1 | refrigeration door dimension W: 2220 mm; dimension H: 2500 mm; description: refrigeration door ; (Dismantling and loading cost 150.00) | 100.00 |
| 1354 | 1 | evaporator description: 2 fan evaporator ; (Dismantling and loading cost 50.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1355 | 1 | evaporator description: 2 fan evaporator ; (Dismantling and loading cost 50.00) | 100.00 |
| 1356 | 1 | evaporator description: 2 fan evaporator ; (Dismantling and loading cost 50.00) | 100.00 |
| 1357 | 1 | evaporator description: 2 fan evaporator ; (Dismantling and loading cost 50.00) | 100.00 |
| 1358 | 1 | rapid roller shutter brand: Ascot; type: Fastroll; description: rapid roller shutter door ; (Dismantling and loading cost 150.00) | 200.00 |
| 1359 | 1 | swing door description: swing doors; (Dismantling and loading cost 50.00) | 100.00 |
| 1360 | 1 | metal shutter total dimension W: 2400 mm; total dimension H: 2500 mm; description: metal roller shutter; (Dismantling and loading cost 150.00) | 100.00 |
| 1361 | 1 | pallet truck with scissor lift brand: Logiteans; fork length: 1200 mm; description: pallet truck with scissor lift; (Dismantling and loading cost 50.00) | 50.00 |
| 1362 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1363 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1364 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1365 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1366 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1367 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1368 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1369 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1370 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1371 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1372 | 5 | racking brand: Unitech ; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1800 mm; description: 5 off racks of deep pan storage racking tray size 530mm x 320mm 24 trays per rack; (Dismantling and loading cost 250.00) | 250.00 |
| 1373 | 1 | pallet truck lifting capacity: 2000 kg; fork length: 1130 mm; description: pallet truck ; (Dismantling and loading cost 20.00) | 25.00 |
| 1374 | 1 | pallet truck lifting capacity: 2000 kg; fork length: 1130 mm; description: pallet truck ; (Dismantling and loading cost 20.00) | 25.00 |
| 1375 | 1 | glycol pump set description: pump set with control panel and pressure vessel; (Dismantling and loading cost 150.00) | 150.00 |
| 1376 | 1 | rapid shutter door brand: Dynaco; type: D311; year: 2007; total dimension W: 2320 mm; total dimension H: 2500 mm; description: rapid roller shutter door; (Dismantling and loading cost 150.00) | 200.00 |
| 1377 | 1 | condenser brand: JD cooling; number of fans: 6; description: 6 fan condenser, refrigerant R404A; (Dismantling and loading cost 150.00) | 200.00 |
| 1378 | 1 | variable speed drives brand: Danfoss; type: VLT HVAC drives; description: variable speed drives x 2 plus control panel; (Dismantling and loading cost 100.00) | 100.00 |
| 1379 | 2 | drip trays total dimension L: 1300 mm; total dimension W: 1300 mm; total dimension H: 950 mm; description: drip trays ; (Dismantling and loading cost 50.00) | 50.00 |
| 1380 | 2 | chemical pumps brand: Sera; description: chemical pumps; (Dismantling and loading cost 50.00) | 50.00 |
| 1381 | 1 | fly killers brand: Vulcan; description: fly killers ; (Dismantling and loading cost 50.00) | 10.00 |
| 1382 | 1 | Fruit sorting Table stainless steel: yes; total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: fruit sorting table with light; (Dismantling and loading cost 50.00) | 50.00 |
| 1383 | 1 | Time attendance recorder brand: Feedback; description: time attendance recorder; (Dismantling and loading cost 50.00) | 10.00 |
| 1384 | 1 | sink description: 3 tap knee sink, hand dryer and soap and towel dispenser; (Dismantling and loading cost 50.00) | 30.00 |
| 1385 | 1 | sink description: 3 tap knee sink, hand dryer and soap and towel dispenser; (Dismantling and loading cost 50.00) | 30.00 |
| 1386 | 1 | sink description: 1 tap knee sink soap and paper dispenser ; (Dismantling and loading cost 50.00) | 25.00 |
| 1387 | 1 | pallet Racking description: Approximately 50m of pallet rack two levels; (Dismantling and loading cost 250.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1388 | 3 | rinsing Table stainless steel: yes; description: 3 off stainless steel tables 1500mm x 600mm x 970mm high, 2 off 1830mm x 760mm x 850mm high; (Dismantling and loading cost 50.00) | 50.00 |
| 1389 | 1 | refrigeration door dimension W: 1900 mm; dimension H: 2125 mm; description: refrigeration door; (Dismantling and loading cost 150.00) | 100.00 |
| 1390 | 4 | security turnstiles description: security turnstiles ; (Dismantling and loading cost 150.00) | 400.00 |
| 1391 | 1 | smoking shelter total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 2500 mm; description: smoker shelter with smokers 'cease fire' ashtray and bench; (Dismantling and loading cost 150.00) | 100.00 |
| 1392 | 1 | Stainless steel Vessel horizontal: yes; dimension H: 2000 mm; total dimension L: 4000 mm; total dimension H: 2600 mm; description: stainless steel holding vessel with diaphragm pump, 4m x 2m ø, total height approx. 2.6m; (Dismantling and loading cost 750.00) | 1,000.00 |
| 1393 | 1 | metal Detector brand: Loma; type: IQ; belt conveyor dim. L: 2100 mm; belt conveyor dim. W: 300 mm; belt conveyor dim. H: 900 mm; description: metal detector with reject bin, aperture 350mm x 140mm; (Dismantling and loading cost 100.00) | 1,500.00 |
| 1394 | 1 | Inkjet Coder brand: Hitachi Euromark; type: PX-D260E; serial number: PX04344405; own weight: 25 kg; description: damage to indicator light; (Dismantling and loading cost 50.00) | 250.00 |
| 1395 | 1 | Inkjet Coder brand: Hitachi Euromark; type: PX-D260E; serial number: PX03546403; own weight: 25 kg; description: damage to print head and indicator light; (Dismantling and loading cost 50.00) | 200.00 |
| 1396 | 1 | Inkjet Coder brand: Hitachi Euromark; type: PX-D260E; serial number: PX03493403; own weight: 25 kg; (Dismantling and loading cost 50.00) | 250.00 |
| 1397 | 1 | Inkjet Coder brand: Hitachi Euromark; type: PX-D260E; serial number: PXR00404605; own weight: 25 kg; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 200.00 |
| 1398 | 1 | Inkjet Coder brand: Hitachi Euromark; type: PX-D260E; serial number: PX04331405; own weight: 25 kg; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 200.00 |
| 1399 | 1 | sorting table total dimension L: 2130 mm; total dimension W: 870 mm; total dimension H: 950 mm; description: with light; (Dismantling and loading cost 50.00) | 20.00 |
| 1400 | 1 | sorting table total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 930 mm; description: sieve area 350mm x 470mm; (Dismantling and loading cost 50.00) | 20.00 |
| 1401 | 2 | stainless Steel Working Table description: sizes 1200mm x 760mm x 1000mm, 2 level 1400mm x 600mm lower 390mm higher, 970mm; (Dismantling and loading cost 50.00) | 30.00 |
| 1402 | 4 | plastic produce bags brand: Willmotts; description: 4 pallets of 500 litre blue produce bags; (Dismantling and loading cost 50.00) | 25.00 |
| 1403 | 3 | plastic produce bags brand: Willmotts; description: 3 pallets of 1000 litre blue produce bags; (Dismantling and loading cost 50.00) | 25.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1404 | 1 | stacking crates description: 2 pallets mixed stacking crates; (Dismantling and loading cost 50.00) | 50.00 |
| 1405 | 2 | Stainless steel racking description: Sizes: 2040mm x 500mm x 1000mm, 1540mm x 500mm x 1630mm, boxes included as shown; (Dismantling and loading cost 50.00) | 30.00 |
| 1406 | 3 | pallet truck brand: Howard Handling; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 75.00 |
| 1407 | 2 | pallet truck brand: Rolatruc and BT; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 50.00 |
| 1408 | 1 | barcode scanners and printers brand: Zebra and intermec; description: Zebra QLn20 thermal label printers x 5, hand barcode scanners x 11, plus charging ports and battery charger, plus storage cage; (Dismantling and loading cost 50.00) | 100.00 |
| 1409 | 1 | portal multi label scanner brand: Intellident; description: for quick scan for intake or dispatch of goods using HF technology, note units is dismantled; (Dismantling and loading cost 50.00) | 200.00 |
| 1410 | 1 | jacketed vessels dimension W: 920 mm; dimension H: 1000 mm; total dimension H: 1900 mm; description: stainless steel jacketed vessel; (Dismantling and loading cost 150.00) | 750.00 |
| 1411 | 1 | jacketed vessels dimension W: 920 mm; dimension H: 1000 mm; total dimension H: 1900 mm; description: stainless steel jacketed vessel; (Dismantling and loading cost 150.00) | 750.00 |
| 1412 | 1 | powder mixing vessel dimension W: 1400 mm; dimension H: 1500 mm; description: stainless steel mixing vessel; (Dismantling and loading cost 100.00) | 750.00 |
| 1413 | 1 | waste bins description: mixed waste bins; (Dismantling and loading cost 50.00) | 20.00 |
| 1414 | 7 | dolav brand: Dolav's Ltd; total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 730 mm; (Dismantling and loading cost 50.00) | 150.00 |
| 1415 | 1 | mixed food storage brand: Dolav's Ltd; (Dismantling and loading cost 20.00) | 150.00 |
| 1416 | 1 | stainless steel cupboard description: cupboard 900mm x 610mm x 1830mm, table 1800mm x 900mm x 960mm, excluding content.; (Dismantling and loading cost 50.00) | 20.00 |
| 1417 | 1 | ceramic bowls description: pallet of ceramic bowls 450+ bowls measure 150mm Diane x 35mm deep; (Dismantling and loading cost 50.00) | 50.00 |
| 1418 | 1 | rack oven brand: Double D; type: Revorack; serial number: EV 2353; total dimension L: 2040 mm; total dimension W: 2000 mm; description: stainless steel rotary rack oven. Please note this lot is sold on the basis of buyer to remove.; | 500.00 |
| 1419 | 2 | cold store description: Stainless steel refrigeration storage, internal dimensions 1000mm x 2300mm ; (Dismantling and loading cost 500.00) | 600.00 |
| 1420 | 3 | s/s boot racks description: stainless steel, 2 off 950mm x 1570mm hold 24 pairs each, 1070mm x 930mm holds 10 pairs; (Dismantling and loading cost 40.00) | 40.00 |
| 1421 | 2 | coat racks description: stainless steel coat racks 2470mm with 36 hooks, 1250mm with 18 hooks, plus 2 off wall clothes hooks; (Dismantling and loading cost 20.00) | 20.00 |
| 1422 | 1 | fly killer brand: Vulcan; (Dismantling and loading cost 50.00) | 10.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1423 | 1 | knee sink description: stainless steel 2 tap knee sink, soap and towel dispenser ; (Dismantling and loading cost 30.00) | 30.00 |
| 1424 | 1 | knee sink description: stainless steel 2 tap knee sink, soap and towel dispenser ; (Dismantling and loading cost 30.00) | 30.00 |
| 1425 | 1 | mezzanine floor lights: yes; with stairs: yes; description: approx. 130m2, with forklift safety barrier, plus racking as shown. Please note this lot is sold on the basis of buyer to remove.; | 300.00 |
| 1426 | 1 | fly killer brand: Ecolab; type: Halo; (Dismantling and loading cost 50.00) | 10.00 |
| 1427 | 1 | water booster set brand: Harroquip; description: 3 pump booster set with lowara 46SV02G075T vertical multistage pumps each fitted with hydrovar variable control, twin expansion vessels ; (Dismantling and loading cost 60.00) | 150.00 |
| 1428 | 2 | centrifugal pumps brand: Warrington simpson; type: 30M6; description: 3 pump booster set with lowara 46SV02G075T vertical multistage pumps each fitted with hydrovar variable control, twin expansion vessels ; (Dismantling and loading cost 30.00) | 150.00 |
| 1429 | 1 | board room table total dimension L: 3500 mm; total dimension W: 1500 mm; description: board room tables, 11 chairs, storage cupboard; (Dismantling and loading cost 50.00) | 75.00 |
| 1430 | 1 | valves description: 2 valves and PD 340 magnetic flow transmitter; (Dismantling and loading cost 15.00) | 20.00 |
| 1431 | 1 | spare parts description: 2 boxes of fuses and electrical spares as shown; (Dismantling and loading cost 30.00) | 25.00 |
| 1432 | 1 | inverter controls description: 2 boxes of fuses and electrical spares as shown; (Dismantling and loading cost 20.00) | 75.00 |
| 1433 | 1 | electrical parts and spares description: 4 boxes of electrical spares as shown; (Dismantling and loading cost 30.00) | 50.00 |
| 1434 | 1 | control spares description: 3 boxes of control spares; (Dismantling and loading cost 20.00) | 75.00 |
| 1435 | 1 | cable description: 9 reels of cable mixed sizes, sold as seen; (Dismantling and loading cost 30.00) | 50.00 |
| 1436 | 1 | emergency lighting and assorted spares (Dismantling and loading cost 30.00) | 50.00 |
| 1437 | 1 | racking and content description: racking 4700mm wide sold with contents; (Dismantling and loading cost 50.00) | 75.00 |
| 1438 | 1 | racking and cupboard description: pigeon hole rack 860mm x 1760mm and cupboard including contents 910mm x 1840mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1439 | 1 | spares including racking description: electrical spares; (Dismantling and loading cost 50.00) | 50.00 |
| 1440 | 1 | spares brand: Mennekes; type: 933820; description: mixed spares; (Dismantling and loading cost 30.00) | 20.00 |
| 1441 | 1 | electrical isolator brand: Mennekes; type: 933820; description: 16amp electrical isolation switch; (Dismantling and loading cost 10.00) | 30.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1442 | 1 | assorted spares description: gauges and assorted spares as shown; (Dismantling and loading cost 30.00) | 50.00 |
| 1443 | 1 | general spares description: boxes x 3 of mixed spares ; (Dismantling and loading cost 30.00) | 50.00 |
| 1444 | 3 | pumps brand: Grundfos ; type: CR15 - 8; description: multistage pumps, 1.1kW, Hmax 53.5m, H 37.3m; (Dismantling and loading cost 30.00) | 250.00 |
| 1445 | 1 | spare Part description: 6 boxes assorted spares; (Dismantling and loading cost 30.00) | 50.00 |
| 1446 | 3 | flow meters brand: Endress hauser ; description: 2 x promag 33H, 1 x promag 33F; (Dismantling and loading cost 50.00) | 400.00 |
| 1447 | 1 | spare Parts description: 5 boxes assorted bearings etc.; (Dismantling and loading cost 30.00) | 50.00 |
| 1448 | 1 | electrical cable and spares description: assorted cable and electrical pares including rack; (Dismantling and loading cost 30.00) | 50.00 |
| 1449 | 1 | Assorted spares description: assorted spares including rack; (Dismantling and loading cost 30.00) | 50.00 |
| 1450 | 1 | storage boxes description: wooden packing crates including racking; (Dismantling and loading cost 30.00) | 30.00 |
| 1451 | 1 | wall mounted fan heater brand: Dimplex; type: CFH120; (Dismantling and loading cost 10.00) | 50.00 |
| 1452 | 1 | assorted spares description: 5 boxes valve heads, fuses, controls, etc; (Dismantling and loading cost 30.00) | 75.00 |
| 1453 | 1 | water boiler brand: Lincat; description: not in use; (Dismantling and loading cost 5.00) | 25.00 |
| 1454 | 1 | belts description: various size drive belts; (Dismantling and loading cost 20.00) | 20.00 |
| 1455 | 1 | various machinery parts (Dismantling and loading cost 30.00) | 75.00 |
| 1456 | 1 | seals etc. (Dismantling and loading cost 30.00) | 20.00 |
| 1457 | 1 | mixed control and spares (Dismantling and loading cost 30.00) | 50.00 |
| 1458 | 1 | mixed machinery parts (Dismantling and loading cost 30.00) | 50.00 |
| 1459 | 1 | mixed electrical spares (Dismantling and loading cost 30.00) | 50.00 |
| 1460 | 1 | depositor spares (Dismantling and loading cost 30.00) | 100.00 |
| 1461 | 1 | machine parts (Dismantling and loading cost 30.00) | 20.00 |
| 1462 | 1 | filters various (Dismantling and loading cost 20.00) | 30.00 |
| 1463 | 1 | belts and emergency lights (Dismantling and loading cost 30.00) | 30.00 |
| 1464 | 1 | valves description: 2 boxes content as shown; (Dismantling and loading cost 20.00) | 20.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1465 | 1 | fan parts and control (Dismantling and loading cost 30.00) | 30.00 |
| 1466 | 1 | mixed spares (Dismantling and loading cost 30.00) | 20.00 |
| 1467 | 1 | electrical spares and fuses (Dismantling and loading cost 30.00) | 20.00 |
| 1468 | 1 | machinery parts (Dismantling and loading cost 30.00) | 75.00 |
| 1469 | 1 | various machinery parts (Dismantling and loading cost 30.00) | 30.00 |
| 1470 | 1 | pipe clamps and seals (Dismantling and loading cost 20.00) | 20.00 |
| 1471 | 1 | valve and parts (Dismantling and loading cost 30.00) | 100.00 |
| 1472 | 1 | machine parts (Dismantling and loading cost 30.00) | 75.00 |
| 1473 | 1 | conveyor belts and assorted spares (Dismantling and loading cost 30.00) | 30.00 |
| 1474 | 1 | mixer / agitator impeller description: 60mm dia x 1000; (Dismantling and loading cost 10.00) | 50.00 |
| 1475 | 1 | mixer agitator impeller description: 80mm dia x 1250mm; (Dismantling and loading cost 10.00) | 50.00 |
| 1476 | 1 | mixer / agitator impeller description: 60mm dia x 960mm; (Dismantling and loading cost 10.00) | 50.00 |
| 1477 | 1 | mixer / agitator impeller description: 40 dia x 760mm; (Dismantling and loading cost 10.00) | 50.00 |
| 1478 | 1 | Mixer/ agitator impeller description: 40mm dia x 960mm; (Dismantling and loading cost 10.00) | 50.00 |
| 1479 | 1 | bolts, 'O' rings etc. description: boxes and racking incl.; (Dismantling and loading cost 20.00) | 30.00 |
| 1480 | 2 | security barrier description: spanning 9m 4.5m each approx.; (Dismantling and loading cost 100.00) | 200.00 |
| 1481 | 1 | wash tunnel brand: Syspal; type: 512/071508-NS; year: 2016; serial number: c3688; description: belt width 615mm, aperture 540mm x 615mm, tunnel length 1,000mm; (Dismantling and loading cost 140.00) | 300.00 |
| 1482 | 2 | stainless Steel Working Table description: 1250mm x 800mm x 850mm and 700mm x 400mm x 400mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1483 | 3 | stainless steel tray stands description: stainless steel ; (Dismantling and loading cost 30.00) | 30.00 |
| 1484 | 3 | stainless steel lectern2 description: 2 sloping, 1 flat; (Dismantling and loading cost 20.00) | 30.00 |
| 1485 | 1 | white boards on s/s stands (Dismantling and loading cost 30.00) | 25.00 |
| 1486 | 1 | Stainless steel dispenser and small cabinet brand: Teknomek; (Dismantling and loading cost 50.00) | 15.00 |
| 1487 | 7 | power 230volt power double sockets brand: CEE and IDE; (Dismantling and loading cost 20.00) | 50.00 |
| 1488 | 3 | wire racking description: 1,000mm x 350mm x 1800mm x 2, 700mm x 600mm x 1650mm x 1; (Dismantling and loading cost 30.00) | 15.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1489 | 1 | Inkjet Coder brand: Domino; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 300.00 |
| 1490 | 1 | Inkjet Coder brand: Domino; type: A300; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 300.00 |
| 1491 | 1 | Inkjet Coder brand: Domino; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 300.00 |
| 1492 | 1 | Inkjet Coder brand: Domino; description: damage to print head and indicator lights; (Dismantling and loading cost 50.00) | 300.00 |
| 1493 | 1 | fly killer brand: Insect-o-cutor; (Dismantling and loading cost 50.00) | 10.00 |
| 1494 | 1 | pallet truck brand: Howard handling; (Dismantling and loading cost 20.00) | 25.00 |
| 1495 | 1 | breathing apparatus brand: sabre contour; description: fibreglass cabinet with contents incl. breathing apparatus, 4 masks, 8 cylinders and 4 harnesses; (Dismantling and loading cost 30.00) | 200.00 |
| 1496 | 2 | stainless Steel Working Table description: 1100mm x 800mm x 880mm, 920mm x 400mm x 750mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1497 | 1 | refrigeration door dimension W: 1400 mm; dimension H: 2460 mm; description: refr; (Dismantling and loading cost 150.00) | 100.00 |
| 1498 | 12 | direct thermal labels brand: Zebra; description: 101.6mm x 154.2; (Dismantling and loading cost 20.00) | 25.00 |
| 1499 | 1 | pallet truck brand: BT; lifting capacity: 2000 kg; (Dismantling and loading cost 20.00) | 25.00 |
| 1500 | 2 | fly killer (Dismantling and loading cost 50.00) | 20.00 |
| 1501 | 1 | stainless steel sink description: 2 position knee sink, soap and towel dispenser ; (Dismantling and loading cost 20.00) | 30.00 |
| 1502 | 2 | level sensors brand: Anderson negele; type: NVS-50; description: and panel; (Dismantling and loading cost 10.00) | 25.00 |
| 1503 | 1 | stainless Steel Working Station (Dismantling and loading cost 50.00) | 20.00 |
| 1504 | 2 | inkjet coder stands x 2 description: plus basket sand; (Dismantling and loading cost 30.00) | 10.00 |
| 1505 | 1 | weighing scale brand: T-scale; weight range max: 6000 g; (Dismantling and loading cost 10.00) | 10.00 |
| 1506 | 20 | flat pack crates brand: Maxipac; total dimension L: 560 mm; total dimension W: 750 mm; total dimension H: 800 mm; (Dismantling and loading cost 30.00) | 30.00 |
| 1507 | 1 | ingredients bins (Dismantling and loading cost 50.00) | 10.00 |
| 1508 | 2 | fly killer (Dismantling and loading cost 50.00) | 20.00 |
| 1509 | 3 | power 230volt power double sockets brand: IDE and Mennekes; (Dismantling and loading cost 20.00) | 25.00 |
| 1510 | 1 | pallet truck brand: Howard handling; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 25.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1511 | 3 | fly killer brand: Rentokil and Ecolab; (Dismantling and loading cost 50.00) | 30.00 |
| 1515 | 1 | collator and overwrapper machine brand: Europack; type: Tightwrapper; year: 2003; serial number: 03.10826; (Dismantling and loading cost 300.00) | 500.00 |
| 1516 | 1 | rotary cup filling and closing brand: Ampack ammann; description: tooled for square 4 pack; (Dismantling and loading cost 300.00) | 1,000.00 |
| 1517 | 1 | tote bin lifter brand: Nino-kg; type: Skv200 01; year: 2003; serial number: 9913; capacity: 250 kg; description: 2.7m lift; (Dismantling and loading cost 20.00) | 200.00 |
| 1520 | 1 | floor tiles total dimension L: 200 mm; total dimension W: 100 mm; total dimension H: 20 mm; description: 2 pallets mixed tiles as shown, olive green slip resistant. and concrete blocks; (Dismantling and loading cost 50.00) | 250.00 |
| 1521 | 7 | security fencing brand: First fence; description: 3400mm x 2000mm plus 9 base units; (Dismantling and loading cost 20.00) | 50.00 |
| 1522 | 2 | pallet truck brand: Howard handling; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 50.00 |
| 1523 | 1 | pallet truck brand: Howard handling; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 25.00 |
| 1524 | 2 | pallet truck lifting capacity: 2000 kg; (Dismantling and loading cost 20.00) | 50.00 |
| 1525 | 4 | stainless Steel Working Table description: 1500mm x 600mm x 1000mm, 1500mm x 750mm x 940mm, 1300mm x 510mm x 910mm, 1650mm x 625mm x 870mm; (Dismantling and loading cost 50.00) | 50.00 |
| 1526 | 1 | depositor brand: Apple; type: MM150; year: 1997; serial number: 42209; number of heads: 1; (Dismantling and loading cost 50.00) | 350.00 |
| 1527 | 1 | conveyor belt dim. L: 3500 mm; belt dim. W: 250 mm; description: plastic slate ; (Dismantling and loading cost 30.00) | 75.00 |
| 1528 | 1 | air handling unit brand: Mallard euroair; year: 2017; total dimension L: 5800 mm; total dimension W: 1900 mm; total dimension H: 1600 mm; description: used for high care, skid mounted, sectional; (Dismantling and loading cost 500.00) | 500.00 |
| 1529 | 1 | depositor number of heads: 4; description: mobile depositor ; (Dismantling and loading cost 50.00) | 200.00 |
| 1530 | 1 | Stainless steel pallet truck lifting capacity: 2000 kg; (Dismantling and loading cost 20.00) | 75.00 |
| 1531 | 2 | pallet truck brand: Howard handling ; lifting capacity: 2300 kg; (Dismantling and loading cost 20.00) | 50.00 |
| 1562 | 30 | assorted plastic pallets (Dismantling and loading cost 20.00) | 50.00 |
| 1563 | 1 | Stainless steel pallet truck lifting capacity: 2000 kg; (Dismantling and loading cost 20.00) | 75.00 |
| 1564 | 1 | chemical cabinet brand: Arco; total dimension L: 510 mm; total dimension H: 1900 mm; description: 920; (Dismantling and loading cost 50.00) | 75.00 |
| 1565 | 1 | Fume Exhaust Unit brand: Nederman; (Dismantling and loading cost 60.00) | 100.00 |
| 1566 | 1 | further Tools and cabinet (Dismantling and loading cost 50.00) | 100.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|--|----------------|
| 1567 | 1 | centrifugal pump brand: Fristam; type: FPE 742/ 175A; stainless steel: yes; centrifugal: yes; description: 5.5kW, not in use; (Dismantling and loading cost 30.00) | 150.00 |
| 1568 | 1 | DC power supply brand: Thander; description: plus torque vector system and assorted electrical items as shown ; (Dismantling and loading cost 20.00) | 50.00 |
| 1569 | 1 | 3 assorted barrows and trolley (Dismantling and loading cost 20.00) | 30.00 |
| 1570 | 1 | machine Tools (Dismantling and loading cost 30.00) | 25.00 |
| 1571 | 1 | new set heat exchanger plates description: for Alfa Laval clip 6; (Dismantling and loading cost 20.00) | 100.00 |
| 1572 | 1 | metal storage cabinets description: contents included; (Dismantling and loading cost 30.00) | 10.00 |
| 1593 | 1 | Rack Rack with 6 bins with lids and contents including pipe fittings (Lift out cost 30.00) | 50.00 |
| 1594 | 3 | depositor hoppers and s/s buckets 3 depositor hoppers and s/s buckets (Lift out cost 30.00) | 75.00 |
| 1595 | 1 | computer cabinet s/s computer cabinet (Lift out cost 30.00) | 50.00 |
| 1596 | 8 | Plastic Crates 8 plastic crates with contents including pipe fittings and s/s rack (Lift out cost 30.00) | 50.00 |
| 1597 | 6 | depositor hoppers and s/s buckets 6 depositor hoppers with 7 s/s buckets (Lift out cost 30.00) | 75.00 |
| 1598 | 1 | Assorted depositor and filling parts Assorted depositor and filling parts (Lift out cost 30.00) | 100.00 |
| 1599 | 6 | Dolavs 6 Dolavs (Lift out cost 50.00) | 120.00 |
| 1604 | 1 | Machine skates Machine skates set (Lift out cost 30.00) | 50.00 |
| 1606 | 1 | Hydraulic tube bending machine Staffa, Hydraulic tube bending machine (Lift out cost 30.00) | 50.00 |
| 1608 | 4 | Bar stools 4 Bar stools (Lift out cost 20.00) | 20.00 |
| 1609 | 1 | Thermometers and probes Thermometers and probes (Lift out cost 30.00) | 50.00 |
| 1610 | 1 | Assorted depositor and filling attachments Assorted depositor and filling attachments (Lift out cost 30.00) | 50.00 |
| 1611 | 1 | Assorted depositor and filling attachments Assorted depositor and filling attachments (Lift out cost 30.00) | 50.00 |
| 1612 | 1 | Depositor Mondini, VF/SP-E.2, year built 2002, Depositor with Allen-Bradley Panel View 550 control (Lift out cost 30.00) | 350.00 |
| 1613 | 1 | Depositor Mondini, VF/SP-E.2, year built 2002, Depositor with Allen-Bradley PanelView 550 control (Lift out cost 30.00) | 350.00 |
| 1614 | 1 | Depositor Mondini, VF/SP-E.2, year built 2002, Depositor with Allen-Bradley PanelView 550 control (Lift out cost 30.00) | 350.00 |
| 1615 | 1 | Storage cage Storage cage 1670mm x 1160mm x 2100mm (Lift out cost 30.00) | 20.00 |
| 1616 | 1 | Jacketed Vessel Stainless steel jacketed mobile vessel. Overall 1m x 1m x 1.6m (Lift out cost 50.00) | 200.00 |



| Lot | Number | Description | Starting Bid £ |
|------|--------|---|----------------|
| 1617 | 1 | Van Vault Van vault (locked with no key) (Lift out cost 20.00) | 20.00 |
| 1618 | 1 | Rotary pot filling, sealing and lidding machine Packaging Automation, Fastfill RP-60, year built 2004, Single Lane Volumetric Rotary Pot Filling , Sealing and Lidding Machine, 3,600 pots /hour , tooled for 70mm diameter pots/cups,plc controls,denester,lid applier,heat seal/tamping assembly,cap applier, ss outfeed conveyor. (Lift out cost 250.00) | 4,000.00 |
| 1619 | 1 | Sachet form fill and seal machine Adco, 4 lane Sachet Form Fill and Seal Machine, max. sachet length 120mm,4 dosing units,ss hopper,reel fed sachet film. (Loading cost 175.00) | 500.00 |
| 1620 | 1 | 4 Lane depositor and filler Riggs Autopack, year built 2014, serial number TT 1701, 4 Lane Depositor and Filler, on mobile stand. (Lift out cost 150.00) | 1,000.00 |
| 1621 | 1 | Inkjet Printer VideoJet, 1520, serial number 1235.068.C222H, Industrial Inkjet Printer, on stand (formerly used with Trepko Filler) (Lift out cost 50.00) | 200.00 |
| 1622 | 197 | 1530 kg Film Stock for Adco Sachet Filler Rockwell Packaging, year built 2017, total 197 reels of clear laminate,52 micron x 264mm wide on pallets (Lift out cost 50.00) | 200.00 |
| 1623 | 1 | 16 head Sachet Filler Attachment Multivac, year built 2016, 16 head Mini Filling Attachment for thermoforming machine with heat sealing unit and 6 sets of Tooling for sauce sachets (unused 2016) (Lift out cost 50.00) | 1,000.00 |



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

General Terms and Conditions of the Online Auction TroostwijkAuctions.com

The following general terms and conditions ("Terms") are the terms on which Troostwijk (defined below) sells Lots (defined below) at Auctions (defined below).

THE PURCHASER'S ATTENTION IS IN PARTICULAR DRAWN TO THE PROVISIONS OF ARTICLES 3.3, 6, 8.1 AND 11.

Article 1 Definitions

The following words and phrases used in these Terms shall have the following meanings, except where the context clearly requires otherwise:

| | |
|---|---|
| Website: | the website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam; |
| User: | a person who has registered on the Website; |
| Troostwijk: | Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website; |
| Personal Data: | any data by which an individual can be identified (name, address, telephone number, bank details etc) provided to Troostwijk; |
| Privacy Policy: | Troostwijk's privacy policy accessed via the Website; |
| Purchase Sum: | the amount of the highest – Allocated – bid increased by: - Mark-up above the highest bid and - the V.A.T. owed |
| Registration: | registration of User on the Website by means of filling in completely the registration form found on the Website; |
| Bid: | each amount bid by User in the Auction for a Lot; |
| Lot: | an article, or a number of articles that are auctioned together (under one number); |
| Auction: | the public sale of moveable goods facilitated by Troostwijk via the Website; |
| Seller: | a person who has commissioned a Lot to be auctioned; |
| Purchaser: | the User to whom the Lot is Allocated; |
| User's Agreement: | the agreement between Troostwijk and the User; |
| Purchase Agreement: | the purchase agreement between the Purchaser and the Seller; |
| Delivery: | the actual delivery of the Lot to the Purchaser or to his authorized representative pursuant to article 9.1; |
| General Terms and Conditions for the User: | the General Terms and Conditions for access to and use of the Website; |
| Specific Online Auction Terms and Conditions: | the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as reported on the Website for the Auction in question; |
| Allocation: | the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the successful bidder and "Allocate" and "Allocated" shall have a corresponding meaning; |
| Mark-up: | a percentage of the Hammer Price (specified in the Specific Online Auction Terms and Conditions) which is added to the Hammer Price to make up the Purchase Sum; and |
| Hammer Price: | the amount offered by the Purchaser and accepted by Troostwijk in respect of the relevant Lot. |

Article 2. Applicability

2.1 These Terms and the documents referred to in them apply to all Auctions facilitated by Troostwijk Auctions Limited on the Website and supersede all other terms and conditions relating to the subject matter of these Terms.

2.2 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Article 3. The Auction and Use of the Website

3.1 Troostwijk acts as auctioneer at all Auctions and sells the Lots as agent on behalf of the Seller. The Purchase Agreement is entered into between the Purchaser and the Seller.

3.2 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend an Auction. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.

www.TroostwijkAuctions.com



3.3 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the User's use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:

- (i) actions performed by the User that may have been inspired by the information placed on the Website;
- (ii) the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
- (iii) the Lots not meeting the specifications as reported on the Website;
- (iv) the fact that the information on the Website is incorrect, incomplete or out of date;
- (v) errors in the software of the Website and/or the supporting system;
- (vi) the unlawful use of systems, including the Website, by a third party;
- (vii) actions by the Seller after the User has concluded a Purchase Agreement with the Seller.

Article 4. Organization of the Auction

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- (i) not to recognize a Bid as such;
 - (ii) to exclude one or several Users from the Auction;
 - (iii) to collect objects into Lots, to split Lots or to remove Lots from the auction;
 - (iv) to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
 - (v) to take other measures that are, in its judgment, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provides a bank guarantee or other form of security (such as a performance bond) beforehand to the satisfaction of Troostwijk.
- 4.4 The judgment of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of Mark-Up and V.A.T, which shall be added to the Hammer Price and payable by the Purchaser as part of the Purchase Sum. Troostwijk and the seller are authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be Allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be Allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual Lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'proxy bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In a proxy bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. A proxy bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for Allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be Allocated to a different User who has placed the highest sustainable Bid.
- 5.5 The User receives confirmation within 6 days after the Auction has closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk has the right to provisionally allocate a lot to the Users, subject to the Seller(s) approval, and in this event the Purchase Agreement will only come into existence once Troostwijk has confirmed Allocation.
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation. The legal and beneficial title in and to such Lot(s) shall remain with Troostwijk until the Purchaser has paid for the Lot(s) (together with any Mark-up and V.A.T) in full and in cleared funds.
- 5.7 Without prejudice to article 3.1 and for the avoidance of doubt Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of Purchase Agreements.

Article 6. Guarantees, Claims and Indemnity



- 6.1 LOTS ARE SOLD ENTIRELY "AS IS" WITH ALL BENEFITS AND BURDENS ATTACHED THERETO. TROOSTWIJK DOES NOT MAKE ANY REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, AS TO THE MERCHANTABILITY, FITNESS FOR PURPOSE OR CONDITION OF THE LOTS, OR AS TO THE CORRECTNESS OF DESCRIPTION OF SUCH LOTS. THE PURCHASER EXPRESSLY ACKNOWLEDGES AND AGREES THAT SUBJECT TO ARTICLE 11.1 IN NO EVENT SHALL TROOSTWIJK BE LIABLE FOR ANY DAMAGES INCLUDING, WITHOUT LIMITATION, ANY DIRECT, SPECIAL, COMPENSATORY, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL DAMAGES SUFFERED BY THE PURCHASER AS A RESULT OF PARTICIPATING IN AN AUCTION AND/OR PURCHASING ANY LOTS AT AN AUCTION. TROOSTWIJK ACTS AS AUCTIONEER AND SELLS THE LOTS AS AGENT ON BEHALF OF THE SELLER. THE CONTRACT OF SALE IN RESPECT OF LOTS IS BETWEEN THE PURCHASER AND THE SELLER.
- 6.2 THE PROVISIONS OF THE SALE OF GOODS ACT 1979 (AS AMENDED) ARE HEREBY EXPRESSLY EXCLUDED INSOFAR AS PERMITTED BY LAW.
- 6.3 Any defects of whatever kind or disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to a claim for damages against and/or a discount from Troostwijk or the Seller. The Purchaser is assumed to have carefully investigated the Lot(s) bought by him beforehand.
- 6.4 WHERE ANY REGULATIONS TO THE CONSUMER PROTECTION ACT 1987 APPLIES TO ANY LOTS, SUCH LOTS IS SOLD ON THE UNDERSTANDING THAT TROOSTWIJK DOES NOT WARRANT OR REPRESENT THAT SUCH LOTS IS IN A CONDITION THAT MAKES IT SUITABLE FOR DOMESTIC USE. IN THE EVENT OF THE PURCHASER INTENDING TO USE SUCH LOTS IN A DOMESTIC ENVIRONMENT, THE PURCHASER SHOULD ENSURE THAT SUCH LOTS COMPLY WITH THE REQUIREMENTS OF THE RELEVANT REGULATIONS, AS AMENDED FROM TIME TO TIME.
- 6.5 IT IS THE PURCHASER'S RESPONSIBILITY TO ENSURE THAT ANY LOTS CLASSIFIED AS A 'MOTOR VEHICLE' IN TERMS OF SECTION 185 OF THE ROAD TRAFFIC ACT 1988 COMPLIES WITH THE PROVISIONS OF SUCH ACT.
- 6.6 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.
- 6.7 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's Payment Obligations

- 7.1 The Purchaser has the obligation to transfer the Purchase Sum to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.
- 7.2 Time for payment of the Purchase Sum shall be of the essence and any Lot(s) in respect of which full payment (in cleared funds) has not been received by Troostwijk within the timeframe set out in article 7.1 the relevant Auction shall be forfeited and the Purchaser shall be liable for the administrative costs and the shortfall in the resale price and/or disposal costs of Troostwijk for arranging for the resale and/or scrapping of such Lot(s).
- 7.3 The Purchaser shall make all payments due under these Terms in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise.
- 7.4 If the Purchaser fails to pay Troostwijk any sum due pursuant to the Purchaser purchasing any Lot(s) at an Auction, including without limitation the Purchase Sum, by the due date the Purchaser shall be liable to pay interest to Troostwijk on such sum from the due date for payment at the annual rate of 4% above the base lending rate from time to time of Natwest Bank plc, accruing on a daily basis until payment is made, whether before or after any judgment.
- 7.5 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Sum.

Article 8. Viewing days, Auction days, Delivery days

- 8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Subject to article 11.1, Troostwijk and the Seller do not accept any liability for damages arising from the Purchaser or its authorized representative entering their buildings or grounds.
- 8.2 Whoever enters the building and grounds for the Purchaser will be required to comply at all times with the relevant health and safety legislation and regulations the health and safety rules of the Seller(s) and/or Troostwijk as the case may be.
- 8.3 During the Delivery period the Purchaser and/or his authorized representative must at all times act in accordance with all relevant national health and safety and environmental protection legislation. Without limiting the generality of the foregoing, certain types of Lots may contain hazardous materials (such as chemicals) and the Purchaser must ensure that the removal of such hazardous materials is carried out in accordance with the applicable health and safety legislation and/or regulations dealing with the removal and handling of such hazardous materials and that a proper record is kept of such disposal. The Purchaser will be required to comply at all times with the health and safety rules of the Seller(s) and/or Troostwijk as the case may be.
- 8.4 Where mechanical handling is required to remove the lots then the Purchaser and/or his contractor must provide proof of adequate liability insurance and (if required) method statements and risk assessments to the satisfaction of the seller(s) and/or their appointed representatives.
- 8.5 Where the Seller(s) or its appointed representative feel that the removal of a lot poses a risk of damage to the building or neighboring assets then the Seller(s) reserves the right to impose a performance bond on the Purchaser or his contractor returnable following safe removal without



damage to the property of others.

8.6 The Seller(s) or its appointed representative may stop all work on site without any liability for delays so occasioned if the Purchaser or their authorized representative fails to comply with the above conditions.

Article 9. Delivery

- 9.1 It is the Purchaser's responsibility to collect or arrange for the collection of the Lot(s), at the Purchaser's own cost. If and as soon as the Purchaser has met all his payment obligations in full and in cleared funds, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Purchaser is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.
- 9.2 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).
- 9.3 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.
- 9.4 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify, defend and hold harmless Troostwijk and the Seller against all liabilities, damages, costs, expenses and claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).
- 9.5 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.
- 9.6 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.7 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.8 If Troostwijk stipulates such, a deposit or performance bond will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser and/or the performance bond will be released.

Article 10. Termination

- 10.1 If the Purchaser does not fulfill any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Sum or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time; and/or
 - (iii) not providing the information required before Delivery,
- the Purchaser is deemed to be in breach of a material obligation of the Purchase Agreement, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller. In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 10.2 In case of termination as set out in article 10.1, Troostwijk may without prejudice to its other rights or remedies require the Purchaser to pay to it by way of liquidated damages a sum equivalent to 25 % of the Purchase Sum to cover administrative, storage, insurance and transport costs, etc. The parties agree that this is not a penalty but a genuine pre-estimate of the loss that would be suffered by Troostwijk in the event of termination pursuant to article 10.1 above.

Article 11. Liability

- 11.1 Neither Troostwijk nor the Seller limits its liability for fraud or theft by it or its employees or for death or personal injury caused by its negligence or that of its employees, agents or subcontractors as applicable.
- 11.2 Subject to article 11.1, the aggregate liability of Troostwijk arising out of or in connection with (i) these Terms, (ii) the Terms and Conditions for the User and (iii) the Specific Terms and Conditions of the Online Auction, whether arising from negligence, tort, breach of contract or other obligation or duty or otherwise, will be limited to either the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if less, to the Purchase Sum actually paid by the Purchaser to Troostwijk.
- 11.3 Troostwijk shall not be liable for any claim to the extent that such claim is or can be characterised as a claim for (or arising from) loss of revenue or profits (whether direct or indirect), loss of business opportunity or loss of contracts, loss of goodwill or injury to reputation, indirect, consequential or special loss or damage, anticipated savings, loss of use or loss or corruption of data or information. Further, subject to



article 11.1, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.

11.4 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Article 12. Intellectual Property

The copyright in the text appearing on the Website and in any of the photographs, digital images and illustrations of Lots on the Website vests in and shall remain vested in Troostwijk or its licensors. The Purchaser will not reproduce or permit anyone else to reproduce such text, photographs, digital images or illustrations without Troostwijk's prior written consent.

Article 13. Data Protection

13.1 Troostwijk may collect Personal Data from the Purchaser during Registration in order to participate in Auctions.

13.2 The collection, processing and storage of Personal Data will be dealt with by Troostwijk in accordance with the Privacy Policy.

13.3 By registering on the Website the Purchaser consents to Troostwijk collecting, processing and storing the Personal Data submitted as part of Registration for the purposes described in the Privacy Policy.

Article 14. Adjustments; Effect

14.1 The provisions contained in each clause and sub-clause of these Terms is enforceable independently of each of the others and its validity will not be affected if any of the others is invalid. If any of those provisions is void but would be valid if some part of the provision were deleted, the provision in question will apply with such modification as may be necessary to make it valid.

14.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference. If the Specific Online Auction Terms and Conditions apply, they will form part of these Terms.

14.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk

14.4 Troostwijk reserves the right to amend these Terms and any such amendments will take effect 24 hours after these have been sent by e-mail to the User.

Article 15. The Contracts (Rights of Third Parties) Act 1999

Except for a Seller, no Third Party may enforce any of the terms contained in these Terms under the Contracts (Rights of Third Parties) Act 1999.

Article 16. Applicable law

These Terms are governed by and will be construed in accordance with English law. Each Party irrevocably submits to the exclusive jurisdiction of the English Courts for all purposes relating to these Terms.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience