

ONLINE AUCTION

Chocolats Halba (CH) **Chocolate production lines and equipment**

Zürichstrasse 55 - 8340 **Hinwil** (CHOCOLATE PRODUCTION LINES)

Closing date: Wednesday 19 SEPTEMBER starting 14:00







Bidding only on the internet!

03-09-18 11.55



Wednesday 19 September 2018 Chocolats Halba

Special Condition

Closing date Viewing	Wednesday 19 September 2018 starting 14:00 CET Thursday 23 August By appointment Tuesday 11 September By appointment CHOCOLATE PRODUCTION LINES Zürichstrasse 55 8340 Hinwil, Switzerland
Viewing Instructions	Lot 1500,2008, 2009, 2010, 2011, 2017 by appointment Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Company organising this Online Auction	TROOSTWIJK AG Kernenriedstrasse 1 CH-3421 LYSSACH, Switzerland Phone: +41 34 411 31 80 Fax: +41 34 411 31 89 E-mail: info@troostwijk.ch
Markup	18.00%
VAT	7.70%
Collection	Tuesday 2 October from 09:00 until 16:00 CET Wednesday 3 October from 09:00 until 16:00 CET Thursday 4 October from 09:00 until 16:00 CET Friday 5 October from 09:00 until 16:00 CET CHOCOLATE PRODUCTION LINES Zürichstrasse 55 8340 Hinwil, Switzerland
Collection details	Lot 1500,2008, 2009, 2010, 2011, 2017 by appointment The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk AG cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. If the collection of the goods happens later, the customer is responsible for the costs (hire, extra costs)
	Here you can apply for an allowance of short-term work in Switzerland: https://www.sem.admin.ch/sem/en/home/themen/fza_schweiz-eu- efta/meldeverfahren.html
Customs clearance	Troostwijk won't be able to deliver any proof of origin of the goods. On demand, a custom invoice will be issued during the picking-up, but without any declaration of the origin of the goods. Troostwijk does neither issue an EUR1 nor a transit document. As needed, Troostwijk does pass the contact details of a custom agent in Switzerland.
Information VAT	8% over the highest bid including Premium.
	Foreign buyers, i.e. buyers not being based in Switzerland, have to pay the legal Swiss VAT as deposit to the auctioneer. After reception of the original, valid exportation documents, which are properly stamped to prove that the export is carried out, the auctioneer will refund the Swiss VAT paid as deposit.

Payment	Payments have to be effected to Troostwijk AG, Zürich
	Troostwijk account for CHF: UBS, CH-8098 Zürich, Account number 230- 642.916.01W, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH30 0023 0230 6429 1601 W
	Troostwijk account for Euros: UBS, CH-8098 Zürich, Account number 230- 642.916.60Y, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH47 0023 0230 6429 1660Y
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Terms and Conditions of Sale	On the auction the general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Contact	E-Mai: info@troostwijk.ch Tel.: +41 34 411 31 80

С	1	1	tempering station brand: Aasted; type: DMW 250; electric connection: 400 V; description: consisting of; stainless steel double jacket tank 500 ltr. with agitator; 2x centrifugal pump; 2x shut-off valve; temper unit; cap. 250 kg/hr; 6 bar; incl. stainless steel piping up to first connection;	750.00
C	2	1	tempering station brand: Aasted; type: DMW 250; electric connection: 400 V; description: consisting of; stainless steel double jacket tank 500 ltr. with agitator; 1x Sig centrifugal pump; 1x shut- off valve; Aasted temper unit DMW 250; cap. 250 kg/hr.; 6 bar; incl. stainless steel piping up to first connection;	750.00
C	3	1	mould handling station Carle & Motanari, RSV/1R, serial number 3182/86, type: RSV/1R; serial number: 3182/86; belt conveyor: yes; belt conveyor dim. L: 12000 mm; belt conveyor dim. W: 280 mm; electric connection: 400 V; description: consisting of; mould circulation station; chocolade tablet removing unit and mould turning station with noise reduction cabine; buffer station; string and chain conveyor; total belt length approx 20 mtr.; mould size 275x175 mm;	500.00
С	4	1	mould heating station brand: Carle & Motanari / Knobel; belt conveyor: yes; belt conveyor dim. W: 280 mm; electric connection: 400 V; total dimension L: 3650 mm; total dimension W: 2000 mm; total dimension H: 2200 mm; description: 4-levels; temperature approx. 30°C; central control cabinet; mould size 275x175 mm;	500.00
C	5	1	chocolade mould filling line brand: Carle & Motanari; type: Cavemil .275; belt conveyor: yes; belt conveyor dim. W: 280 mm; electric connection: 400 V; description: consisting of; mould buffering/sorting station; 1 chocolate depositor; vertical vibrator; noise reduction covers; scraper unit; chain conveyor belt; total length approx. 11 mtr.; mould size 275x175 mm;	2,000.00
C	6	1	vertical mould cooling station brand: Carle & Motanari; type: NC 275 b; total dimension L: 2600 mm; total dimension W: 2400 mm; total dimension H: 4500 mm; description: mould size 275x175 mm;	750.00
C	7	1	tunnel metal detector brand: Loma; type: IQ; year: 1998; serial number: FMC75158-02944; working width: 345 mm; belt conveyor: yes; belt conveyor dim. L: 1750 mm; belt conveyor dim. W: 290 mm; electric connection: 400 V; description: stainless steel mobile frame;	500.00
C	8	1	mobile S-shape conveyor belt belt dim. L: 5000 mm; belt dim. W: 115 mm; description: incl. stainless steel bridge stairs;	100.00
C	9	1	automatic plate removal station brand: Prefqu; belt conveyor: yes; description: with lift for 10 plates; plate dim. 260x175 mm; infeed belt conveyor dim. 4960x260 mm; outfeed belt conveyor 4000x150 mm; incl. hanging belt conveyor; lenth approx. 15 mtr.; belt width 115 mm; stainless steel frame;	1,000.00
C	10	1	double belt conveyor/positioner brand: Prefqu; type: PSB; belt dim. W: 150 mm; total dimension L: 800 mm; description: with 2 detection gates;	100.00
С	11	1	line control cabinet brand: Carle & Motanari;	100.00
			Cavemil 275 chocolate filling line Lot 1-11	
C	12	1	vertical storage mixing tank stainless steel: yes; steel: yes; capacity: 4500 l; agitator: yes; double walled: yes; weighing cells: yes; description: incl. pump unit; manometers; Siemens Micromaster 420 frequency regulator; stairs and stainless steel safety rails;	500.00

C	-	1 chocolade enrober machine brand: Sollich; type: ST 500K; year: 1962; serial number: 0364; description: volume approx. 250 ltr.; temperature 10-50°C; with pump unit; Mitsubishi D700 frequency regulator;	100.00
C	14	1 chocolade mould filling line brand: Carle & Motanari; belt conveyor: yes; belt conveyor dim. W: 280 mm; electric connection: 400 V; description: total conveyor belt length approx. 85 mtr. with 3 chocolade depositors; form turning stations; vibrating unit; 2 mould heating tunnels; chocolade scraper unit; coating station; drying unit; noise reduction covers; pneumatic form bending unit; tablet hammer/form remover station;	1,000.00
C	15	1 mixing and dosing station brand: Gericke; type: GCM 500; year: 2005; serial number: 500.0044; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1150 mm; total dimension H: 3200 mm; description: cap. 250-2800 l/h; with Knobel digital control;	1,000.00
C	16	1 vertical mould pre-cooling station brand: Carle & Motanari; type: FV2-275; year: 2000; serial number: 8R5G390001; total dimension L: 2840 mm; total dimension W: 1770 mm; total dimension H: 3670 mm;	750.00
C	17	1 mould warming tunnel MGA, HO 16-32/275, year built 2007, serial number 228/KS/07, type: HO 16-32/275; year: 2007; serial number: 228/KS/07; electric connection: 400 V; total dimension L: 21638 mm; total dimension W: 750 mm; total dimension H: 2910 mm; description: cap. 4000 m3/h; infra-red temperature measurement; Siemens dig. control;	10,000.00
C	18	1 chocolade scraper station brand: Carle & Motanari; type: RLSG; year: 2004; serial number: 8R69300016; electric connection: 400 V; total dimension L: 1840 mm; total dimension W: 880 mm; total dimension H: 1830 mm;	1,000.00
С	19	1 vertical mould end-cooling station brand: Carle & Motanari; type: FV8-275; year: 2000; serial number: 8R5G400001; total dimension L: 6250 mm; total dimension W: 1900 mm; total dimension H: 4000 mm;	750.00
C	20	1 stainless steel bridge stairs description: platform height 1000 mm;	10.00
C	21	 automatic plate handling station Prefqu, belt conveyor: yes; description: with 3-fold lift for each 10 plates; plate dim. 260x175 mm; total coveyor belt length approx. 40 mtr.; 2 mould buffer stations; 3 vacuum pick-/place robot arms and 5 ejector/lane change stations; Siemens control system; stainless steel frame, incl. 1x stainless steel bridge stairs (excl. plates); 	2,500.00
C	22	1 tunnel metal detector brand: Loma; type: IQ3; year: 2011; serial number: MDP301-16165D; working width: 345 mm; belt conveyor: yes; belt conveyor dim. L: 1750 mm; belt conveyor dim. W: 290 mm; electric connection: 400 V; description: stainless steel mobile frame;	1,000.00
C	28	1 tempering unit brand: Aasted ; type: AMK 500-P; year: 1999; serial number: 990823-1; electric connection: 400 V; own weight: 1650 kg; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 2400 mm; description: cap. 500 kg/h; temperature range 30-50°C; max. 6 bar; 22 kW; build-in water system; vibrating sieve; automatic 3- way valve; incl. gangway dim. 4300x4300x2500 mm; and centrifugal pump;	1,000.00
C	29	1 vertical storage mixing tank brand: Cromatech; year: 2000; stainless steel: yes; steel: no; capacity: 500 l; agitator: yes; double walled: yes; weighing cells: yes; total dimension H: 1900 mm; description: incl. 1 pump unit; manometer and vibrating sieve;	500.00
C	30	1 tempering unit brand: Aasted ; type: AMC 550 CTS; year: 2004; serial number: 3399-03-0001; electric connection: 400 V; own weight: 1450 kg; total dimension L: 1800 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: cap. 550 kg/h; temperature range 30-50°C; max. 6 bar; build-in water system; vibrating sieve; automatic 3-way valve;	3,000.00

С	31	2	line switch/control cabinet electric connection: 400 V; description: 1x 3-doors; 1x 10-doors;	1,000.00
			Cavemil 62 chocolade filling line Lot 12-22 & 28-31	
	32	1	10-drawer cabinet brand: Lista; dimension L: 120 cm; dimension W: 75 cm; dimension H: 145 cm; description: excl. content!;	100.00
	33	2	storage cabinet brand: Hulfteger; dimension L: 100 cm; dimension W: 50 cm; dimension H: 195 cm; description: excl. content!;	10.00
	34	1	2-door cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 730 mm; total dimension H: 1750 mm; description: excl. content!;	50.00
	35	1	tank mixer station brand: IBW; type: SHW 150-ST; year: 2005; electric connection: 230 V; description: mixer arm length 1200 mm; height adjustment 2000 mm; incl. charging frame and stairs; excl. tanks!;	100.00
	36	1	power distribution board number of outputs 380 V / 16 A: 14; number of outputs 380 V / 32 A: 10; total dimension L: 30000 mm; total dimension W: 1995 mm; total dimension H: 2160 mm;	50.00
	37	2	wash basin total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 920 mm;	50.00
	38	1	wash basin total dimension L: 2200 mm; total dimension W: 550 mm; total dimension H: 200 mm;	20.00
С	39	1	mould spinner + buffer/transport system Awema, HFR-186, year built 2000, type: HFR-186; year: 2000; electric connection: 400 V; total dimension L: 2720 mm; total dimension W: 800 mm; total dimension H: 1350 mm; description: consisting of; mould infeed station; 3 conveyor belts; Awema HFR-186 chocolade spinner with 48 rotating heads; rotating buffer table with 5 positions; 3-lane conveyor belt; Siemens multi panel touch screen control cabinet; Troax safety fencing;	1,000.00
C	40	2	pick and place robot ABB, IRB 6640 M2004 / IRB 260 M2004, year built 2008, serial number 66-61538 / 26- 50233, type: IRB 6640 M2004 / IRB 260 M2004; year: 2008; serial number: 66-61538 / 26-50233; electric connection: 400 V; description: IRB 6640 M2004 handling cap. 185 kg; reach 2800 mm / IRB 260 M2004 handling cap. 30 kg; reach 1560 mm; both with pneumatic grippers; central control unit;	2,500.00
C	41	1	tempering unit brand: Aasted ; type: AMK 500-PPT; electric connection: 400 V; own weight: 1700 kg; total dimension L: 1500 mm; total dimension W: 1044 mm; total dimension H: 2060 mm; description: cap. 500 kg/h; temperature range 30-50°C; max. 6 bar; 22 kW; build-in water system; vibrating sieve; automatic 3-way valve; incl. gangway dim. 4300x4300x2500 mm; and centrifugal pump;	2,500.00
C	42	1		10,000.00
C	43	1	mould pre-cooling station brand: Knobel; year: 2015; belt conveyor: yes; electric connection: 400 V; total dimension L: 3800 mm; total dimension W: 2550 mm; total dimension H: 3960 mm; description: spiral conveyor belt system; Bruner heat exchanger; temp +1/+95°C;	500.00

C	44	1	mould end-cooling station brand: Knobel; year: 2013; belt conveyor: yes; electric connection: 400 V; total dimension L: 4950 mm; total dimension W: 3530 mm; total dimension H: 3165 mm; description: twin spiral conveyor belt system; Bruner heat exchanger; temp +1/+95°C;	500.00
C	45	1	tempering unit brand: Aasted ; type: AMK 500-P; year: 1999; serial number: 990823-3; electric connection: 400 V; own weight: 1650 kg; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 2400 mm; description: cap. 500 kg/h; temperature range 30-50°C; max. 6 bar; 22 kW; build-in water system; vibrating sieve; automatic 3- way valve; incl. gangway dim. 4300x4300x2500 mm; and centrifugal pump;	1,000.00
C	46	1	vertical storage mixing tank brand: Cromatech; year: 1991; stainless steel: yes; steel: no; capacity: 1500 l; agitator: yes; double walled: yes; weighing cells: yes; total dimension H: 2200 mm; description: incl. 2 pump units; manometer and flowmeter;	500.00
C	47	1	tunnel metal detector brand: Loma; type: IQ2; year: 1999; serial number: EMC81123-08979; working width: 345 mm; belt conveyor: yes; belt conveyor dim. L: 1750 mm; belt conveyor dim. W: 290 mm; electric connection: 400 V; description: stainless steel mobile frame;	600.00
C	48	1	tunnel metal detector brand: Loma; type: IQ3+; year: 2012; serial number: QPB55-15-20730D; working width: 550 mm; belt conveyor: yes; belt conveyor dim. L: 5100 mm; belt conveyor dim. W: 390 mm; electric connection: 400 V; description: stainless steel mobile frame; incl. 5-fold belt conveyor; total length approx. 7 mtr.; belt width 400 mm; Siemens Simatic OP17 control; air hose reel;	1,500.00
С	49	1	mobile belt conveyor brand: Prefqu; type: PBF-60; year: 2009; belt dim. L: 1100 mm; belt dim. W: 300 mm; description: stainless steel; in height adjustable; 400 volt;	75.00
			Hydo 18 pralines filling line Lot 39-49	
	50	1	nuts addition feeder electric connection: 400 V; description: screw Ø150 mm; screw lenght 800 mm; with Regloplas chiller; on mobile frame;	100.00
C	51	1	storage/transport tank brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
С	52	1	storage/transport tank brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
С	53	1	storage/transport tank brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
С	54	1	storage/transport tank brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
С	55	1	storage/transport tank brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
			transport tanks Lot 51-55	
	57	1	mobile tank brand: Cromatech; vertical: no; dimension L: 880 mm; dimension W: 660 mm; dimension H: 700 mm; description: with heater unit; 230 volt;	75.00

Number Description Lot

₋ot	Number Description S	Starting Bid €
58	1 mobile tank brand: Cromatech; vertical: yes; total dimension H: 1630 mm; description: with heat unit; 230 volt; inner Ø400x400 mm; exterior Ø600x600 mm;	75.00 er
59	1 full automatic labeling machine with conveyor Pago, PAGOmat 15 /120E-x, year built 2011, type: PAGOmat 15 /120E-x; year: 201 belt conveyor: yes; belt conveyor dim. L: 1500 mm; belt conveyor dim. W: 310 mm conveyor dim. H: 780 mm; electric connection: 230 V; total dimension L: 1700 mm; dimension W: 1300 mm; total dimension H: 1300 mm; description: mobile;	; belt
60	1 glue machine Soco System, T-10, serial number 11-279-T10, brand: Soco System; type: T-10; se number: 11-279-T10; belt conveyor: yes; belt conveyor dim. L: 900 mm; belt conve dim. W: 50 mm; electric connection: 400 V; total dimension L: 1000 mm; total dime W: 700 mm; total dimension H: 1700 mm; description: mobile;	yor
61	 telescope conveyor Verpama, belt conveyor: yes; total dimension L: 2000 mm; total dimension W: 500 total dimension H: 500 mm; description: mobile, height ajustable; 	50.00 mm;
62	 conveyor M.Tanner, serial number 87688, serial number: 87688; belt conveyor: yes; belt conveyor dim. L: 1500 mm; belt conveyor dim. W: 250 mm; electric connection: 230 V; total dimension L: 1650 mm; total dimension W: 340 mm; total dimension H: 900 mm; description: adjustable in height from 700mm up to 900mm, mobile, ; 	100.00 veyor
63	1 balance with label printer Mettler Toledo, IND 465-B60, serial number TC5818, brand: Mettler Toledo; type: Il 465-B60; serial number: TC5818; precision: yes; weight range min.: 10 g; weight ra max: 60000 g; minimum weight: 10 g; digital display: yes; digital control: yes; total dimension L: 550 mm; total dimension W: 670 mm; total dimension H: 1300 mm; description: table inclusive;	
64	 2-door cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 730 mm; total dimensi 1750 mm; description: excl. content!; 	50.00 on H:
65	 2-door cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 730 mm; total dimensi 1750 mm; description: excl. content!; 	50.00 on H:
66	2 storage cabinet brand: Hulfteger; dimension L: 80 cm; dimension W: 40 cm; dimension H: 195 cm; description: excl. content!;	10.00
67	 storage rack steel: yes; total dimension L: 4650 mm; total dimension W: 520 mm; total dimensio 2220 mm; description: excl. content!; 	20.00 n H:
68	 3-drawer cabinet brand: Lista; total dimension L: 800 mm; total dimension W: 400 mm; total dimensio 550 mm; description: excl. content!; 	30.00 on H:
69	 4 canteen table dimension L: 180 cm; dimension W: 80 cm; dimension H: 75 cm; description: incl. table 100x120 cm and 2 chairs (whitout pc table); 	10.00 1 pc
70	12 canteen chair stackable: yes; total dimension L: 450 mm; total dimension W: 450 mm; total dimen H: 800 mm;	10.00 nsion
71	1 Flipchart description: fahrbar 1080x730 mm;	10.00
72	1 refrigerator brand: Novamatic; type: KS 160.3-IB; stainless steel: no; capacity: 100 l; digital disp yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 580 total dimension H: 850 mm;	-

stainless steel;

7	74	1	aluminium office cabin number of windows: 12; total dimension L: 5600 mm; total dimension W: 5800 mm; total dimension H: 5400 mm;	50.00
7	75	1	telescope conveyor Verpama, belt conveyor: yes; total dimension L: 3000 mm; total dimension W: 500 mm; total dimension H: 800 mm; description: mobile, height ajustable;	50.00
7	76	1	full automatic labeling machine with conveyor Pago, PAGOmat 15 /120E-x, year built 2011, type: PAGOmat 15 /120E-x; year: 2011; belt conveyor: yes; belt conveyor dim. L: 1500 mm; belt conveyor dim. W: 460 mm; belt conveyor dim. H: 780 mm; electric connection: 400 V; total dimension L: 1700 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; description: mobile, height adjustable;	150.00
7	77	1	glue machine Soco System, T-10, serial number 87-2003, brand: Soco System; type: T-10; serial number: 87-2003; belt conveyor: yes; belt conveyor dim. L: 900 mm; belt conveyor dim. W: 50 mm; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 1700 mm; description: mobile;	150.00
7	78	1	cleaning station s/s total dimension L: 1500 mm; total dimension W: 920 mm; total dimension H: 2000 mm;	20.00
7	79	1	cleaning station s/s total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 2000 mm;	20.00
8	80	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	81	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	82	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	83	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	84	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	85	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	86	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	87	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	88	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
8	89	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel;	100.00
ç	90	1	Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm;	100.00

Starting Bid €

Starting	Bid	€
----------	-----	---

91	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
92	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
93	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
94	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
95	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
96	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
97	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
98	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
99	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
100	 Storage / transport container brand: stöcklin; content: 500 l; total dimension H: 1200 mm; description: Ø1000 mm; stainless steel; 	100.00
101	 Sliding door / fridge Marke: Sigrest; Abmessung L: 2200 mm; Dimension B: 380 mm; Abmessung H: 1995 mm; Gesamtabmessung L: 4740 mm; Gesamtabmessung B: 330 mm; Gesamtabmessung H: 2700 mm; Beschreibung: Dimension = Laibung! Mit Isoliertür, Anfahrschutz und Zugschalter. Auszug nach Absprache mit Troostwijk AG; 	200.00
102	 Sliding door / fridge Marke: Sigrest; Abmessung L: 2200 mm; Dimension B: 380 mm; Abmessung H: 1995 mm; Gesamtabmessung L: 4740 mm; Gesamtabmessung B: 330 mm; Gesamtabmessung H: 2700 mm; Beschreibung: Dimension = Laibung! Mit Isoliertür, Anfahrschutz. Auszug nach Absprache mit Troostwijk AG; 	200.00
103	1 Sliding gate / heat room brand: Sigrest; dimension L: 120 mm; dimension W: 245 mm; dimension H: 1995 mm; total dimension L: 3060 mm; total dimension W: 280 mm; total dimension H: 2730 mm; description: Dimension = soffit! With insulated door, collision protection. Excerpt after consultation with Troostwijk AG;	100.00
104	 Sliding door / refrigerator with swing door Marke: Sigrest; Abmessung L: 1600 mm; Dimension B: 245 mm; Abmessung H: 1995 mm; Gesamtabmessung L: 4320 mm; Gesamtabmessung B: 280 mm; Gesamtabmessung H: 2730 mm; Beschreibung: Dimension = Laibung! Anfahrschutz mit Pendeltür. Auszug nach Absprache mit Troostwijk AG; 	200.00
105	 Sliding door / refrigerator with swing door Marke: Sigrest; Abmessung L: 1600 mm; Dimension B: 245 mm; Abmessung H: 1995 mm; Gesamtabmessung L: 4320 mm; Gesamtabmessung B: 280 mm; Gesamtabmessung H: 2730 mm; Beschreibung: Dimension = Laibung! Anfahrschutz mit Pendeltür, Auszug nach Absprache mit Troostwiik AG: 	150.00

Sta	rtir	n	Ri	Ь	£
Jla	I UII	ıy	DI	u	\mathcal{T}

106	1 swing door brand: Sigrest; dimension L: 100 mm; dimension W: 1600 mm; dimension l description: Out of service! Excerpt after consultation with Troostwijk AG;	50.00 H: 2200 mm;
107	1 High speed brand: LABEX; type: 1000; year: 1999; serial number: 00051883.02; dimer 2100 mm; dimension H: 2500 mm; total dimension L: 300 mm; total dimension mm; total dimension H: 2900 mm; description: Dimension = soffit! Excerpt a consultation with Troostwijk AG;	sion W: 2700
108	1 High speed brand: LABEX; type: 1000; year: 1999; serial number: 00051883.03; dimer 2100 mm; dimension H: 2500 mm; total dimension L: 300 mm; total dimension mm; total dimension H: 2900 mm; description: Dimension = soffit! Excerpt a consultation with Troostwijk AG;	sion W: 2700
109	1 High speed brand: LABEX; type: 1000; year: 1999; serial number: 00051883.01; dimer 2100 mm; dimension H: 2500 mm; total dimension L: 300 mm; total dimension mm; total dimension H: 2900 mm; description: Dimension = soffit! Out of se Excerpt after consultation with Troostwijk AG;	sion W: 2700
110	1 Workbench with vise brand: GRESSEL;	50.00
111	1 lathe brand: Storebro; type: GK-195; year: 1990; serial number: 18936; coolant p CNC control, brand, type: HAIDEHAIN; electric connection: 400; dimension dimension W: 100 mm; dimension H: 1600 mm; description: With tool. Exc consultation with Troostwijk AG;	L: 2400 mm;
112	1 drill press Flott, SB23St, serial number 13150124, Marke: Flott; Typ: SB23St; Serienn 13150124;	200.00 ummer:
113	 Sägemaschiene brand: JEPSON; type: 9312; serial number: 739; electric connection: 230 V L: 600 mm; dimension W: 300 mm; dimension H: 1500 mm; description: W 	
114	 Sägemaschiene brand: ADIGE; type: B60; electric connection: 400 V; dimension L: 1500 m W: 1000 mm; dimension H: 1500 mm; description: With frame; 	150.00 m; dimension
115	 Sägemaschiene brand: KLAEGER; type: Plus/400; serial number: 85119; table size L: 400 r size W: 50 mm; electric connection: 400 V; dimension L: 1200 mm; dimension mm; dimension H: 800 mm; 	
116	1 stock winds brand: SIMPLEX; type: 522; capacity: 5 t; height: 500 mm; own weight: 20 k dimension L: 300 mm; total dimension W: 150 mm; total dimension H: 800	-
117	1 Shoe Shine brand: GEBAUER; type: 62; serial number: 032007030 A9; electric connect total dimension L: 1000 mm; total dimension W: 550 mm; total dimension H	
118	 metal cabinet sliding doors: yes; total dimension L: 1500 mm; total dimension W: 500 mm dimension H: 2000 mm; description: Removable, without content; 	; total
119	 Lot with trolley brand: Gestor; sliding doors: no; description: Removable, without content; 	50.00
120	 Post with metalware description: Various dimensions, dismantling after consultation with Troostw 	100.00 ijk AG;
121	 Lot with workshop table description: 3x vice with 4x swivel chair, without material; 	200.00

	122	1	Lot with locker total dimension L: 12000 mm; total dimension H: 2000 mm; description: Various dimensions with wardrobe bench with shoe rack. Excerpt after consultation with Troostwijk AG;	300.00
	123		Lot with locker total dimension L: 5000 mm; total dimension H: 2000 mm; description: Various dimensions with wardrobe bench with shoe rack. Excerpt after consultation with Troostwijk AG;	100.00
	124	1	Lot with locker total dimension L: 22000 mm; total dimension H: 2000 mm; description: Various dimensions with wardrobe bench with shoe rack. Excerpt after consultation with Troostwijk AG;	400.00
	125	1	Lot with ceiling lamp electric connection: 230 V; description: Various dimensions 300 ceiling lamps. Excerpt after consultation with Troostwijk AG;	300.00
	126	1	Industriesubsauger brand: Wap; type: ALTO SQ 8; power: 230 W; wet/dry vacuum cleaner: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: mobile;	100.00
	127	1	Dolly platform size L: 120 cm; platform size W: 54 cm; platform capacity: 300 kg; total dimension L: 1200 mm; total dimension W: 540 mm; total dimension H: 920 mm;	30.00
	128	1	transport Bank brand: EUROKRAFT; type: W 3700-FST; year: 2008; own weight: 48 kg; total dimension L: 1050 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
	129	1	Power distribution station number of outputs 380 V / 32 A: 10; total dimension L: 5000 mm; total dimension W: 1500 mm; total dimension H: 2100 mm; description: Excerpt after consultation with Troostwijk AG;	50.00
C	200	1	combi-Steamer brand: Rational; type: CPC 61; year: 2005; serial number: E61CD04031107888; stainless steel: yes; electric: yes; power: 10 W; number of levels: 6; digital control: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 780 mm; total dimension H: 820 mm; description: flowrate 12 l/min; incl. filter unit;	1,000.00
С	201	1	cooking line/working table Salvis, brand: Salvis; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 2450 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: 4-zone ceramic cooking plate; warm holding cabinet;	250.00
С	202	1	frying unit brand: FriFri; type: Basic +; temperature range max.: 195 °c; electric heated: yes; electric connection: 400 V; total dimension L: 400 mm; total dimension W: 660 mm; total dimension H: 1000 mm; description: 2 baskets;	100.00
С	203	1	aluminium suction hood lights: yes; motor not included: yes; total dimension L: 3300 mm; total dimension W: 1100 mm; total dimension H: 1000 mm;	100.00
C	204	1	self-service heated/cooled counter stainless steel: yes; mobile: no; adjustable thermostate: yes; electric connection: 400 V; total dimension L: 4300 mm; total dimension W: 1100 mm; total dimension H: 900 mm; description: cooling counter with 4 drawers; warm holding unit; excl. coffee machine and cups;	1,000.00
С	205	1	horeca refrigerator brand: Liebherr; type: Profiline; stainless steel: yes; capacity: 601 l; digital display: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 700 mm; total dimension H: 2150 mm;	100.00

Starting	a B	id €	3
otarting	9 -	.	-

С	206	1	crate washer brand: Winterhalter; type: GS 502; stainless steel: yes; electric connection: 400 V; total dimension L: 3900 mm; total dimension W: 700 mm; description: for crates 50x50 cm; incl. front loader and sink working tables;	250.00
С	207	1	wall mounted slide door cabinet stainless steel: yes; total dimension L: 1200 mm; total dimension W: 350 mm; total dimension H: 710 mm; description: incl. 2x wall mounted 2-level stainless steel racks;	100.00
С	208	1	stainless steel working table dimension L: 2000 mm; dimension W: 700 mm; dimension H: 900 mm; description: with 2 drawers;	75.00
С	209	2	working table description: various sizes; incl. garbage bin;	25.00
			catering kitchen Lot 200-209	
	211	1	horeca coffee machine brand: Schaerer; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 420 mm; total dimension H: 750 mm; description: incl. cups and rack;	50.00
	212	1	counter top display Kueleg, HAV132, type: HAV132; stainless steel: yes; temperature range min.: 3 °c; temperature range max.: 8 °c; digital display: yes; electric connection: 230 V; total dimension L: 1310 mm; total dimension W: 510 mm; total dimension H: 570 mm;	100.00
	213	1	display cooler table built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1860 mm; total dimension W: 1060 mm; total dimension H: 1360 mm; description: with granite top; incl side table 930x900 mm;	100.00
С	214	1	canteen table description: Ø160 mm;	10.00
С	215	12	canteen table dimension L: 120 cm; dimension W: 75 cm; description: incl. 4 side tables 60x75 cm (without chairs!);	10.00
С	216	20	canteen chair stackable: yes;	10.00
С	217	20	canteen chair stackable: yes;	10.00
С	218	20	canteen chair stackable: yes;	10.00
С	219	1	lot various canteen equipment description: a.o. 2 various refridgerators; microwave etc.;	10.00
С	220	2	canteen fluorescent lamp	50.00
			canteen inventory Lot 214-220	
	222	4	outdoor table Abmessung L: 145 cm; Dimension B: 94 cm; Form: oval; Beschreibung: inkl. 25 Plastikstühle und 2x Zigarettenverkaufsständer;	10.00
	223	1	party tent total dimension L: 3000 mm; total dimension W: 3000 mm; total dimension H: 3350 mm; description: incl. lamp;	10.00
	250	1	freezer brand: NOVAMATIC; type: ÖKO368-IB/BMI 390; serial number: 920 602 110-00; cooling compressor: no; evaporator unit: no; total dimension L: 1620 mm; total dimension W: 680 mm; total dimension H: 890 mm; description: 378 I, mobile;	50.00

251	1	freezer brand: NOVUM; type: 359 LUC; serial number: DICG19/38601; cooling compressor: no; evaporator unit: no; total dimension L: 120 mm; total dimension W: 680 mm; total dimension H: 870 mm; description: 330 l, mobile;	50.00
252	1	freezer brand: AHT; cooling compressor: no; evaporator unit: no; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: mobile;	50.00
253	1	fridge brand: Electrolux; type: SC320; serial number: RF330; cooling compressor: yes; evaporator unit: no; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1550 mm; description: 320 l, mobile;	80.00
254	1	Fridge with freezer brand: SATRAP; type: 263+127CBA; serial number: 023851606; cooling compressor: yes; evaporator unit: no; total dimension L: 660 mm; total dimension W: 600 mm; total dimension H: 1870 mm; description: 390 I;	80.00
255	1	Post with workplace brand: ELAN; charger: no; description: Various dimensions, drawer block, office chair, PC table and magnetic board;	50.00
256	1	Lot with rack and cart description: Various dimensions with content;	50.00
257	1	Filing cabinet ELAN, Gesamtabmessung L: 1200 mm; Gesamtabmessung B: 400 mm; Gesamtabmessung H: 1480 mm;	50.00
© 1000	1	Praline packaging line Schubert, Packstrasse, year built 2004, serial number 00030996, type: Packstrasse; year: 2004; serial number: 00030996; belt conveyor: yes; electric connection: 400 V; total dimension L: 14300 mm; total dimension W: 4500 mm; total dimension H: 2500 mm; description: Packing line with blister loading station on track chain, 5 infeed stations each with 2 loading robots, per station each with 2 product feeding conveyors, including 1 trolley and 3 loading platter plates ;	30,000.00
© 1001	1	conveyor belt belt conveyor dim. L: 4870 mm; belt conveyor dim. W: 360 mm;	150.00
© 1002	1	praline packaging unit Schubert, Anlage zum Verpacken von Pralinen, year built 2004, serial number 00031003, type: Anlage zum Verpacken von Pralinen; year: 2004; serial number: 00031003; belt conveyor: yes; electric connection: 400 V; total dimension L: 12000 mm; total dimension W: 3500 mm; total dimension H: 2500 mm; description: Folding machine for chocolate box, robot for inserting upholstery cushions, warranty slip inserting machine, folding machine for lid with locking robot, including 2 carriages and 12 pallet accessories included;	30,000.00
		Schubert packaging lines Lot 1000-1002	
1003	1	throughput scale with ejection unit Garvens, BF 20 / S3, year built 2004, serial number 4225320200 / 333167, type: BF 20 / S3; year: 2004; type: BF 20 / S3; year: 2004; serial number: 4225320200 / 333167; serial number: 4225320200 / 333167; belt conveyor: yes; belt conveyor dim. L: 1650 mm; belt conveyor dim. W: 300 mm; electric connection: 230 V; electric connection: 230 V; description: Self-contained checkweigher, maximum 3000 g, incl. Roller table; description: Selbständige Kontrollwaage, maximal 3000 g, incl. Rollentisch;	400.00
1004	1	Laser Marker Markem , SmartLase 110, year built 2008, serial number 048430, brand: Markem ; type: SmartLase 110; year: 2008; serial number: 048430; description: Color removal by laser, including dust extractor, "Markem ES400i";	300.00

1005	1 Foil machine with shrinktunnel Kallfass, Universa 400, year built 2004, serial number M.1004.066, type: Universa 400; year: 2004; serial number: M.1004.066; belt conveyor: no; belt conveyor dim. W: 400 mm; electric connection: 400 V; total dimension L: 4200 mm; total dimension W: 1600 mm; total dimension H: 1500 mm; description: Including transitional pedestal;	1,250.00
1006	1 labeler Pago, PAGOmat 6 AM2, year built 2004, serial number 5021451, brand: Pago; type: PAGOmat 6 AM2; year: 2004; serial number: 5021451; total dimension L: 2000 mm; total dimension W: 750 mm; total dimension H: 1150 mm; description: With conveyor belt;	300.00
1007	 Telescopic conveyor rollers Rollen Blume, brand: Rollen Blume; description: Height adjustable, adjustable length from approx. 2000-6500 mm ; 	200.00
1008	 Telescopic conveyor rollers Rollen Blume, brand: Rollen Blume; description: Height adjustable, adjustable length from approx. 2000-6500 mm; 	200.00
1009	 Cardboard gluing machine Solo System, T–10, year built 2004, serial number 579–2004, brand: Solo System; type: T–10; year: 2004; serial number: 579–2004; belt conveyor: no; total dimension L: 920 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: mobile; 	200.00
1010	 Label printing machine with labeling system Pago, PAGOmat 15/120E, year built 2004, serial number 612386, brand: Pago; type: PAGOmat 15/120E; year: 2004; serial number: 612386; description: Including conveyor belt, length approx. 2000 mm, width approx. 300 mm; 	400.00
1011	 Wrapping machine for chocolate Wilhelm Rasch, RK, serial number 6.0261, brand: Wilhelm Rasch; type: RK; serial number: 6.0261; total dimension L: 2250 mm; total dimension W: 1700 mm; total dimension H: 1650 mm; 	200.00
1012	 Wrapping machine for chocolate Wilhelm Rasch, RK, brand: Wilhelm Rasch; type: RK; total dimension L: 2250 mm; total dimension W: 1700 mm; total dimension H: 1650 mm; 	400.00
1013	 conveyor belt belt conveyor: yes; belt conveyor dim. L: 1950 mm; belt conveyor dim. W: 200 mm; description: Height adjustable, mobile; 	60.00
1014	 Wrapping machine for chocolate boxes IMA, 3721 KP, year built 2004, serial number 5231, brand: IMA; type: 3721 KP; year: 2004; serial number: 5231; electric connection: 400 V; total dimension L: 3850 mm; total dimension W: 3650 mm; total dimension H: 1550 mm; 	1,750.00
1015	 conveyor belt belt conveyor: yes; belt conveyor dim. L: 2850 mm; belt conveyor dim. W: 400 mm; description: Height adjustable, mobile, suitable for Lot 1014; 	350.00
1016	 Curved strap for cans Flex–Link, year built 2004, serial number 80061478, brand: Flex–Link; year: 2004; serial number: 80061478; belt conveyor: no; belt conveyor dim. L: 3200 mm; belt conveyor dim. W: 100 mm; description: mobile,; 	350.00
1017	 Inkjet printer for product labeling on conveyor belt Markem, 96 Jets, brand: Markem; type: 96 Jets; 	350.00
1018	1 Inkjet printer for product labeling on conveyor belt Markem, 9064, brand: Markem; type: 9064; description: mobile;	350.00
1019	1 Label printing machine with labeling system Pago, PAGOmat 15/120E, year built 2004, serial number 61394, brand: Pago; type: PAGOmat 15/120E; year: 2004; serial number: 61394; description: Including conveyor belt, length approx. 2000 mm, width approx. 300 mm, suitable for Lot 1014, mobile;	400.00

1020	1	Hot glue machine with glue gun Robatech, Ecoline mit KP ECO12/3, year built 2005, serial number 2005–24–02, brand: Robatech; type: Ecoline mit KP ECO12/3; year: 2005; serial number: 2005–24–02; description: mobile;	150.00
1021	1	roller stand description: Roll length max. 1100 mm, for 4 rolls;	50.00
1022	1	Table with shelftotal dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 1000 mm;description: Tabletop and shelf made of plastic ;	50.00
1023	1	metal cabinet total dimension L: 1000 mm; total dimension L: 1000 mm; total dimension W: 500 mm; total dimension W: 500 mm; total dimension H: 2180 mm; total dimension H: 2180 mm; description: Ohne Inhalt; description: Without content;	60.00
1024	1	Table with pedestaltotal dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 800 mm;description: Table top made of plastic ;	40.00
1025	1	Light trap for insects Chameleon, brand: Chameleon;	30.00
1026	1	VA washbasin total dimension L: 1570 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
1027	1	pallet magazine Solo System, Palmanager, year built 2003, serial number 15–2004, brand: Solo System; type: Palmanager; year: 2003; serial number: 15–2004; total dimension L: 1210 mm; total dimension W: 1380 mm; total dimension H: 1050 mm;	150.00
1028	2	tables description: Plastic tabletop, dimensions approx. 1. 2100x700x830 mm, 2. 1800x700x800 mm;	50.00
1029	3	tables description: Plastic tabletop, dimensions approx. 1. 2100x600x800 mm, 2. 1000x650x800 mm, 3. 1000x800x800 mm;	50.00
1030	2	tool cabinets Bigla, brand: Bigla; total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 1120 mm; description: Without content, with sliding door;	150.00
1031	1	Compressed air hose reel Cejn, LA–16, brand: Cejn; type: LA–16; description: Hose length 16 meters, maximum pressure 16 bar;	20.00
1032	1	pallet magazine Solo System / Bila SA, 01B, serial number 2134 61, brand: Solo System / Bila SA; type: 01B; serial number: 2134 61; total dimension L: 1210 mm; total dimension W: 1380 mm; total dimension H: 1050 mm; description: Without pallets, drive with compressed air 6 bar, ;	150.00
1033	1	metal cabinet total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 2180 mm; description: Without content;	60.00
1034	2	tables description: Plastic tabletop, dimensions approx. 1. 1200x800x790 mm, 2. 1000x700x770 mm;	50.00
1035	1	office table total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 720 mm; description: Including office chair;	40.00
1036	1	folder Rondelle description: Without content, diameter approx. 800 mm;	20.00
1037	1	Light trap for insects	30.00

Chameleon, brand: Chameleon;

Starting Bid €

1038	1 VA washbasin total dimension L: 3300 mm; total dimension W: 810 mm; description: Including 3 automatic mixers "KWC" 2 single - wall;	
1039	1 Zip station Seko, ProMax Flex Gap BXB4F16S000, serial number 43 ProMax Flex Gap BXB4F16S000; serial number: 43E4260 product connections;	
1040	1 pallet racking dimension L: 5650 mm; dimension W: 1240 mm; dimension support elements length 3300 mm, 12 cross beams length	•
1041	 metal cabinet total dimension L: 1200 mm; total dimension W: 500 mm; description: Without content, with 3 drawers; 	otal dimension H: 2130 mm;
1042	 metal cabinet total dimension L: 1000 mm; total dimension W: 500 mm; description: Without content; 	otal dimension H: 2180 mm;
1043	 Air monoblock Fläkt–Airnorm, brand: Fläkt–Airnorm; total dimension L: 42 1040 mm; total dimension H: 1120 mm; description: Disma Troostwijk AG, including pedestal, dimensions 6000x2900 	ntling in consultation with
1044	 Air monoblock Fläkt–Airnorm, brand: Fläkt–Airnorm; total dimension L: 39 1200 mm; total dimension H: 925 mm; description: Dismar Troostwijk AG, including pedestal, dimensions 5000x2610 	tling in consultation with
1045	 pallet racking dimension L: 27000 mm; dimension W: 1100 mm; dimens 11 support elements 20 cross members length 2690 mm; 	500.00 ion H: 3300 mm; description:
1047	1 conveyor belt belt conveyor: yes; belt conveyor dim. L: 3280 mm; belt co electric connection: 400 V; total dimension L: 3380 mm; to total dimension H: 980 mm; description: Height adjustable	tal dimension W: 960 mm;
1048	1 Pallet rack dismantled steel: yes; description: 16 support elements length 4500 m 1890 mm, 44 cross beams 2630 mm, the support element floor. in the yard;	-
1049	1 feed pump Viking Pump, K225, serial number 526618, brand: Viking P number: 526618; electric connection: 400 V; total dimensio dimension W: 600 mm; total dimension H: 420 mm; descri bottom plate, dismantling after consultation with Troostwijk	on L: 1700 mm; total ption: Delivery pump with
1050	1 feed pump Viking Pump, K225, serial number 5266119, brand: Viking number: 5266119; power: 400 kW; total dimension L: 170 mm; total dimension H: 420 mm; description: Delivery pum dismantling after consultation with Troostwijk AG;) mm; total dimension W: 600
1051	1 feed pump Wilhelm Rasch, P3, brand: Wilhelm Rasch; type: P3; elect dimension L: 1000 mm; total dimension W: 700 mm; total description: Delivery pump with bottom plate, dismantling a Troostwijk AG;	dimension H: 420 mm;

1052	1 feed pump Viking Pump, K225, serial number 526617, brand: Viking Pump; type: K225; serial number: 526617; electric connection: 400 V; total dimension L: 1160 mm; total dimension W: 300 mm; total dimension H: 400 mm; description: Delivery pump with bottom plate Dismantling in consultation with Troostwijk AG;	200.00
1053	1 feed pump Wilhelm Rasch, P2, brand: Wilhelm Rasch; type: P2; electric connection: 400 V; total dimension L: 370 mm; total dimension W: 230 mm; total dimension H: 1090 mm; description: Delivery pump with frame, dismantling after consultation with Troostwijk AG;	250.00
1054	1 feed pump Wilhelm Rasch, P2, brand: Wilhelm Rasch; type: P2; electric connection: 400 V; total dimension L: 370 mm; total dimension W: 230 mm; total dimension H: 980 mm; description: Delivery pump with frame, dismantling after consultation with Troostwijk AG;	250.00
1055	1 feed pump Wilhelm Rasch, P2, brand: Wilhelm Rasch; type: P2; electric connection: 400 V; total dimension L: 370 mm; total dimension W: 230 mm; total dimension H: 980 mm; description: Delivery pump with frame, dismantling after consultation with Troostwijk AG;	250.00
1056	1 feed pump Wilhelm Rasch, P2, brand: Wilhelm Rasch; type: P2; electric connection: 400 V; total dimension L: 370 mm; total dimension W: 230 mm; total dimension H: 980 mm; description: Delivery pump with frame, dismantling after consultation with Troostwijk AG;	250.00
1057	1 feed pump Wilhelm Rasch, P2, brand: Wilhelm Rasch; type: P2; electric connection: 400 V; total dimension L: 370 mm; total dimension W: 230 mm; total dimension H: 980 mm; description: Delivery pump with frame, dismantling after consultation with Troostwijk AG;	250.00
1058	1 pressure valve Compair, DA 75-F07 D/94 / 4214, brand: Compair; type: DA 75-F07 D/94 / 4214; electric connection: 230 V; total dimension L: 240 mm; total dimension W: 130 mm; total dimension H: 170 mm; description: Dismantling after consultation with Troostwijk AG;	100.00
1059	1 pressure valve Compair, DA 75-F07 D/94 / 4214, brand: Compair; type: DA 75-F07 D/94 / 4214; electric connection: 230 V; total dimension L: 240 mm; total dimension W: 130 mm; total dimension H: 170 mm; description: Dismantling after consultation with Troostwijk AG;	100.00
1060	1 pressure valve Compair, DA 75-F07 D/94 / 4214, brand: Compair; type: DA 75-F07 D/94 / 4214; electric connection: 230 V; total dimension L: 240 mm; total dimension W: 130 mm; total dimension H: 170 mm; description: Dismantling after consultation with Troostwijk AG;	100.00
1061	1 pressure valve Compair, brand: Compair; electric connection: 230 V; total dimension L: 290 mm; total dimension W: 190 mm; total dimension H: 210 mm; description: Dismantling after consultation with Troostwijk AG;	150.00
1062	1 pressure valve Compair, brand: Compair; electric connection: 230 V; total dimension L: 290 mm; total dimension W: 190 mm; total dimension H: 210 mm; description: Dismantling after consultation with Troostwijk AG;	150.00
1063	1 pressure valve Compair, brand: Compair; electric connection: 230 V; total dimension L: 290 mm; total dimension W: 190 mm; total dimension H: 210 mm; description: Dismantling after consultation with Troostwijk AG;	150.00
1064	1 pressure valve Compair, brand: Compair; electric connection: 230 V; total dimension L: 290 mm; total dimension W: 190 mm; total dimension H: 210 mm; description: Dismantling after consultation with Troostwijk AG;	150.00

1065 1	pressure valve Compair, brand: Compair; electric connection: 230 V; total dimension L: 290 mm; total dimension W: 190 mm; total dimension H: 210 mm; description: Dismantling after consultation with Troostwijk AG;	150.00
1066 1	Double walled tank croma tech, serial number 08657-1840, brand: croma tech; serial number: 08657-1840; diameter: 2000 mm; total dimension W: 2000 mm; total dimension H: 6170 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	1,500.00
1067 1	Double walled tank croma tech, serial number 08657-1840, brand: croma tech; serial number: 08657-1840; diameter: 2000 mm; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 6170 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	1,500.00
1068 1	Double walled tank Thouet Maschienebau Achen, RW-5000, year built 2000, serial number 2259/81, brand: Thouet Maschienebau Achen; type: RW-5000; year: 2000; serial number: 2259/81; diameter: 2200 mm; height: 3370 cm; total dimension W: 2650 mm; total dimension H: 4180 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	500.00
1069 1	Double walled tank Thouet Maschienebau Achen, 2RW 3,5T0 A-B, year built 2000, serial number 2259/86, brand: Thouet Maschienebau Achen; type: 2RW 3,5T0 A-B; year: 2000; serial number: 2259/86; diameter: 1700 mm; height: 2520 cm; total dimension W: 1700 mm; total dimension H: 2890 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	400.00
1070 1	Double walled tank Thouet Maschienebau Achen, 2RW 3,5T0 A-B, year built 2000, serial number 2259/88, brand: Thouet Maschienebau Achen; type: 2RW 3,5T0 A-B; year: 2000; serial number: 2259/88; diameter: 1700 mm; height: 2520 cm; total dimension W: 1700 mm; total dimension H: 2890 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	400.00
1071 1	Double walled tank Gebrüder Baumeister & Co., W.3.5000, serial number 35500, brand: Gebrüder Baumeister & Co.; type: W.3.5000; serial number: 35500; diameter: 1800 mm; height: 2515 cm; total dimension W: 1812 mm; total dimension H: 3275 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	400.00
1072 1	Double walled tank Gebrüder Baumeister & Co., W.3.5000, year built 2000, serial number 35499, brand: Gebrüder Baumeister & Co.; type: W.3.5000; year: 2000; serial number: 35499; tank capacity: 4 m ³ ; diameter: 1800 mm; height: 2515 cm; total dimension W: 1812 mm; total dimension H: 3275 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	400.00
1073 1	Double walled tank Gebrüder Baumeister & Co., W.3.5000, year built 2000, serial number 35501, brand: Gebrüder Baumeister & Co.; type: W.3.5000; year: 2000; serial number: 35501; tank capacity: 4 m ³ ; diameter: 1800 mm; height: 2515 cm; total dimension W: 1812 mm; total dimension H: 3275 mm; description: With stirrer and drive, dismantling after consultation with Troostwijk AG;	400.00
	Post pipeline V2A, V4A, type: V2A, V4A, Stahl, Eisen; description: Various dimensions, +/- 2000 meters, dismantling after consultation with Troostwijk AG;	400.00
1075 1	Tank control, control cabinet Siemens, SIMATIC S7-400, brand: Siemens; type: SIMATIC S7-400; total dimension L: 3520 mm; total dimension H: 2100 mm; description: Tank control, control cabinet with cooling system, dismantling after consultation with Troostwijk AG;	1,500.00

1076	9 Pneumatic gun with spiral hose and hose reel brand: Mavel, Faicom, Cejn; total dimension L: 500 mm; total dimension W: 100 mm; total dimension H: 250 mm; description: Spiral hose approx. 5000 mm, dismantling after consultation with Troostwijk AG;	200.00
1077	6 Pneumatic box tank farm brand: croma tech; year: 2000; serial number: 08657-1840; description: With compressed air hose line and compressed air piping system (about 200 m) suitable for Lot 1058-1065 and 1076 dismantling after consultation with Troostwijk AG;	300.00
1079	1 VA washbasin total dimension L: 970 mm; total dimension W: 650 mm; total dimension H: 1200 mm;	40.00
1100	 Cardboard gluing machine 3M Matic, 12A Adjustable Case Sealer, year built 1998, serial number 2673, Marke: 3M Matic; Typ: 12A Adjustable Case Sealer; Jahr: 1998; Seriennummer: 2673; Beschreibung: Rechtes Laufband demontiert, fahrbar; 	200.00
1101	1 soft sheet dispenser GMA moduline, Kissenspender, year built 2001, serial number GMA-131.1201.003.00, type: Kissenspender; year: 2001; serial number: GMA-131.1201.003.00; belt conveyor: yes; belt conveyor dim. L: 1700 mm; belt conveyor dim. W: 430 mm; electric connection: 230 V; total dimension L: 2070 mm; total dimension W: 740 mm; total dimension H: 1700 mm; description: Height adjustable, mobile with "Siemens" control;	250.00
1102	1 Warranty card dispenser GMA moduline, Garantiescheinspender, year built 2001, serial number GMA- 121.1201.283.00, brand: GMA moduline; type: Garantiescheinspender; year: 2001; serial number: GMA-121.1201.283.00; belt conveyor: yes; belt conveyor dim. L: 450 mm; belt conveyor dim. W: 220 mm; electric connection: 230 V; total dimension L: 1240 mm; total dimension W: 700 mm; total dimension H: 1840 mm; description: Height adjustable, mobile with "Siemens" control;	200.00
1103	 Automatic packaging system Hytech Systems, Nastro Lancio, year built 2004, serial number 888, type: Nastro Lancio; year: 2004; serial number: 888; belt conveyor: yes; total dimension L: 1780 mm; total dimension W: 820 mm; total dimension H: 1130 mm; description: mobile; 	250.00
1104	 Metal detector and conveyor belt Cintex, Autosearch, serial number 67278, brand: Cintex; type: Autosearch; serial number: 67278; belt conveyor: yes; belt conveyor dim. L: 1250 mm; belt conveyor dim. W: 300 mm; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 1370 mm; description: Conveyor belt with pneumatic cylinder and device for compressed air gun, mobile, cutting for conveyor belt on the metal detector 355x305x125 mm; 	400.00
1105	 Metal detector for conveyor belt Loma Systems, IQ3, year built 2011, serial number MPD302-15173D, brand: Loma Systems; type: IQ3; year: 2011; serial number: MPD302-15173D; total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: Conveyor cutout 550x300x100 mm; 	500.00
1106	1 Inkjet printer for product labeling on conveyor belt Markem, 9064, brand: Markem; type: 9064; description: mobile;	350.00
1107	1 Inkjet printer for product labeling on conveyor belt Markem, 9064, brand: Markem; type: 9064; description: With frame;	250.00
1108	1 Inkjet printer for product labeling on conveyor belt Markem, 9096S, brand: Markem; type: 9096S; description: mobile;	400.00
1109	1 Conveyor belt with cross conveyor to separating conveyor belt and with control Broich, GF-8, serial number PN 200901926.3, brand: Broich ; type: GF-8; serial number: PN 200901926.3; belt conveyor: yes; belt conveyor dim. L: 840 mm; belt conveyor dim. W: 350 mm; electric connection: 400 V; description: Separating conveyor belt with "Rasch" control additionally with a conveyor belt (mobile) 3990x100x1050mm;	300.00

•	1110	1	Conveyor belt with cross conveyor to separating conveyor belt and with control Broich , GF-8, serial number PN 200901926.1, brand: Broich ; type: GF-8; serial number: PN 200901926.1; belt conveyor: yes; belt conveyor dim. L: 840 mm; belt conveyor dim. W: 350 mm; electric connection: 400 V; description: Separating conveyor belt with "Rasch" control additionally with a conveyor belt (mobile) 3990x100x1050mm;	300.00
	1111	1	Conveyor belt with cross conveyor to separating conveyor belt and with control Broich , GF-8, serial number PN 200901926.2, brand: Broich ; type: GF-8; serial number: PN 200901926.2; belt conveyor: yes; belt conveyor dim. L: 840 mm; belt conveyor dim. W: 350 mm; electric connection: 400 V; description: Separating conveyor belt with "Rasch" control additionally with a conveyor belt (mobile) 3990x100x1050mm;	300.00
	1112	5	Lot with waste container total dimension L: 580 mm; total dimension W: 540 mm; total dimension H: 1000 mm; description: Chrome steel waste bin with door lockable, mobile;	100.00
	1113	1	Pneumatic conveyor belt Broich, GF 8, serial number PN 200901010-4, brand: Broich; type: GF 8; serial number: PN 200901010-4; belt conveyor: yes; belt conveyor dim. L: 1200 mm; belt conveyor dim. W: 650 mm; electric connection: 230 V; total dimension L: 1760 mm; total dimension W: 860 mm; total dimension H: 1050 mm; description: Height adjustable, suitable for Lot 1111; 1110, 1109; 1047;	250.00
	1114	1	conveyor belt Transver AG, year built 2003, serial number 4501/10, brand: Transver AG; year: 2003; serial number: 4501/10; belt conveyor: yes; belt conveyor dim. L: 2500 mm; belt conveyor dim. W: 200 mm; electric connection: 400 V; total dimension L: 2560 mm; total dimension W: 500 mm; total dimension H: 1020 mm; description: Conveyor belt with electric drive and control, mobile, disassembled;	150.00
	1115	1	conveyor belt M.Tanner AG, serial number 3.40/015.XUV, brand: M.Tanner AG; serial number: 3.40/015.XUV; belt conveyor: no; total dimension L: 1620 mm; total dimension W: 440 mm; total dimension H: 840 mm; description: Conveyor belt without electric drive and treadmill, mobile;	50.00
	1116	1	conveyor belt Ammeraal Beltech AG, Beltech Transportband NonexEM 8/2 00+05 weiss FG, serial number 59108-5, brand: Ammeraal Beltech AG; type: Beltech Transportband NonexEM 8/2 00+05 weiss FG; serial number: 59108-5; belt conveyor: yes; belt conveyor dim. L: 2990 mm; belt conveyor dim. W: 300 mm; electric connection: 400 V; total dimension L: 1510 mm; total dimension W: 580 mm; total dimension H: 90 mm; description: Conveyor belt with drive, mobile;	150.00
•	1117	1	Cross conveyor belt Zellwag, brand: Zellwag; belt conveyor: yes; belt conveyor dim. L: 750 mm; belt conveyor dim. W: 340 mm; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 880 mm; description: Mobile, height adjustable, tiltable;	100.00
	1118	1	conveyor belt 89097, type: 89097; belt conveyor: yes; belt conveyor dim. L: 1450 mm; belt conveyor dim. W: 400 mm; electric connection: 400 V; total dimension L: 1570 mm; total dimension W: 570 mm; total dimension H: 800 mm; description: Conveyor belt with drive, mobile;	150.00
•	1119	1	conveyor belt belt conveyor: yes; belt conveyor dim. L: 1130 mm; belt conveyor dim. W: 300 mm; electric connection: 400 V; total dimension L: 1220 mm; total dimension W: 520 mm; total dimension H: 870 mm; description: Conveyor belt without drive, mobile, height adjustable;	150.00

1120	1 conveyor belt M.Tanner AG, year built 2003, serial number 3.40/015.XUV, brand: M.Tanner AG; year: 2003; serial number: 3.40/015.XUV; belt conveyor: yes; belt conveyor dim. L: 2020 mm; belt conveyor dim. W: 490 mm; electric connection: 400 V; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: Conveyor belt with electric drive, mobile, height adjustable;	250.00
1121	3 Conveyor belt with cross conveyor to singler conveyor belt Broich, GF-8, brand: Broich; type: GF-8; belt conveyor: no; belt conveyor dim. L: 640 mm; belt conveyor dim. W: 315 mm; description: With 2 cross conveyor and singler conveyor belt approx. 870 mm, 60 mm, including various spare conveyor belts and 2 platforms, on 3 pallets with frame;	100.00
1122	1 agitator croma tech, year built 1994, serial number 5712-1004R, brand: croma tech; year: 1994; serial number: 5712-1004R; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: Agitator with "Indur" antria and drainpipe ;	150.00
1123	 Inkjet printer Domino , A200, brand: Domino ; type: A200; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 300 mm; total dimension H: 1420 mm; description: With frame, mobile; 	200.00
1124	1 stacker total dimension L: 850 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: mobile;	50.00
1125	 Verpackmaschiene dimension L: 1300 mm; dimension W: 500 mm; dimension H: 1000 mm; steel: yes; description: Packaging machine with electric drive and control, mobile; 	20.00
1126	1 transport shelf total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: With plastic plates, mobile;	100.00
1127	1 clothes rack EDAK, brand: EDAK; aluminium: yes; description: mobile;	20.00
1128	1 Worktable with shelf total dimension L: 880 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: With plastic plates, suspension device 900 mm, mobile;	25.00
1129	1 Conveyor belt dismantled SSS Förderungstechnik ; belt conveyor: yes; belt conveyor dim. L: 2650 mm; belt conveyor dim. W: 300 mm; electric connection: 400 V; description: With control;	350.00
1130	 switch cabinet Hermann Baumeister, SSM-D 3138, brand: Hermann Baumeister; type: SSM-D 3138; electric connection: 400 V; description: Control cabinet for cocoa mill; 	100.00
1131	 industrial scale Bizerba-Busch AG, brand: Bizerba-Busch AG; dimension L: 600 mm; dimension W: 680 mm; dimension H: 1150 mm; steel: yes; description: Platform 500x450 mm; 	30.00
1132	1 Post with GM spare parts description: 11 WK pallets with spare parts for casting machine and label printer, including WK pallets;	300.00
1133	1 Booster station 1,8 Verder Catag, G35XXCEHFECD, serial number 255062/ 255063, brand: Verder Catag; type: G35XXCEHFECD; serial number: 255062/ 255063; power: 30 kW; capacity: 15240 l/hr; electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 1050 mm; total dimension H: 1660 mm; description: Pressure booster with piston diaphragm pumps, electric drives, "Kaiser" control cabinet, "Siemens Simatic S7-1200 CPU", mounted on a frame, as new;	500.00

1134	 feed pump Gebrüder Baumeister & CO, 150/PG, serial number 561095, brand: Gebrüder Baumeister & CO; type: 150/PG; serial number: 561095; electric connection: 400 V; total dimension L: 1130 mm; total dimension W: 500 mm; total dimension H: 370 mm; description: Feed pump, including pallet; 	30.00
1135	1 temper Sollich, MSV 500 M, year built 1992, brand: Sollich; type: MSV 500 M; year: 1992; belt conveyor dim. L: 1960 mm; belt conveyor dim. W: 900 mm; electric connection: 400 V; total dimension H: 2080 mm; description: "Sollich" temper with "Siemens" 420 control;	1,500.00
1136	 Wrapping machine for chocolate Wilhelm Rasch, RHE , serial number 8.0052, brand: Wilhelm Rasch; type: RHE ; serial number: 8.0052; belt conveyor: yes; belt conveyor dim. L: 800 mm; belt conveyor dim. W: 70 mm; electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 1200 mm; total dimension H: 1700 mm; 	300.00
1137	1 Wrapping machine for chocolate SIG, BBS, serial number Vm 297346-4, brand: SIG; brand: SIG; type: BBS; type: BBS; serial number: Vm 297346-4; serial number: Vm 297346-4; electric connection: 400 V; belt conveyor: no; belt conveyor dim. L: 600 mm; total dimension L: 1900 mm; belt conveyor dim. W: 100 mm; total dimension W: 1550 mm; total dimension H: 1850 mm; electric connection: 400 V; description: "SIG" Wickelmaschine mit "Codlux-Printer LP-40" Heissprägemaschine; total dimension L: 1900 mm; total dimension W: 1550 mm; total dimension H: 1850 mm; description: "SIG" winding machine with "Codlux- Printer LP-40" hot stamping machine;	300.00
1139	 UV disinfection system Christ, P/N 12122, brand: Christ; type: P/N 12122; capacity: 29 l/hr; electric connection 230 V; total dimension L: 1010 mm; total dimension W: 270 mm; total dimension H: 750 mm; 	
1140	2 Cross conveyor with hopper Sprecher+schuh, brand: Sprecher+schuh; belt conveyor: yes; belt conveyor dim. L: 1400 mm; belt conveyor dim. W: 70 mm; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 450 mm; total dimension H: 1250 mm; description: Heigh adjustable, mobile with drive and control;	150.00 nt
1141	1 VA washbasin total dimension L: 1200 mm; total dimension W: 650 mm; total dimension H: 930 mm;	50.00
1142	 Post ventilation ducts description: Various dimensions, +/- 500 meters, dismantling after consultation with Troostwijk AG; 	300.00
1143	1 foil machine brand: muerer; type: CMW/AL 40B; year: 2003; serial number: 2/350131/03; belt conveyor: no; belt conveyor dim. W: 400 mm; electric connection: 400 V; total dimension L: 2875 mm; total dimension W: 1250 mm; total dimension H: 1770 mm; description: mobile;	900.00 on
1144	1 Schrupftunnel (heat channel) brand: Meurer; type: CMS 40; year: 2004; serial number: 2/350133/03; belt conveyor: yes; belt conveyor dim. W: 430 mm; electric connection: 400 V; total dimension L: 2130 mm; total dimension W: 1030 mm; total dimension H: 1310 mm; description: Height adjustable, mobile;	700.00 D
1145	 Inkjet printer brand: Domino ; type: A200; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 300 mm; total dimension H: 1420 mm; description: With frame, mobile; 	300.00 al
1146	 Cardboard gluing machine brand: 3M ; type: 12A Adjustable Case Sealer 48400; serial number: 03159; dimensior L: 1130 mm; dimension W: 700 mm; dimension H: 1300 mm; steel: yes; description: mobile; 	250.00

1147	1	labeler brand: Collamat; type: 300; belt conveyor: yes; belt conveyor dim. L: 1130 mm; belt conveyor dim. W: 300 mm; total dimension L: 1220 mm; total dimension W: 600 mm; total dimension H: 1500 mm; description: With conveyor belt, suitable for Lot 1119;	200.00
1148	1	Curved strap for cans brand: Flex–Link; year: 2004; serial number: 80061478; belt conveyor: yes; belt conveyor dim. L: 5000 mm; belt conveyor dim. W: 115 mm; electric connection: 230 V; total dimension L: 5100 mm; total dimension W: 400 mm; total dimension H: 910 mm; description: mobile,;	400.00
1149	1	Wrapping machine for chocolate brand: SIG; type: EB; serial number: 110203; belt conveyor: yes; belt conveyor dim. L: 840 mm; belt conveyor dim. W: 110 mm; electric connection: 400 V; total dimension L: 3090 mm; total dimension W: 2000 mm; total dimension H: 1220 mm; description: Mobile, for 50g plates;	200.00
1150	1	Lot with replacement risers belt conveyor: yes; description: + - 20 meters;	25.00
1151	1	conveyor belt belt conveyor: yes; belt conveyor dim. L: 2160 mm; belt conveyor dim. W: 200 mm; electric connection: 400 V; total dimension L: 2200 mm; total dimension W: 640 mm; total dimension H: 930 mm; description: Height adjustable with electric drive and control, mobile;	200.00
1152	1	conveyor belt belt conveyor: yes; belt conveyor dim. L: 2600 mm; belt conveyor dim. W: 24 mm; electric connection: 400 V; total dimension L: 2665 mm; total dimension W: 340 mm; total dimension H: 880 mm; description: Height adjustable with electric drive and control, mobile;	150.00
1153	4	Post with tables description: Various dimensions;	100.00
1154	1	Gilessmaschiene without control brand: Knobel; type: 12 CAD; serial number: 93-12-02; belt conveyor dim. L: 1930 mm; belt conveyor dim. W: 450 mm; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 1880 mm; description: Control is missing. ;	200.00
1155	1	VA washbasin total dimension L: 2220 mm; total dimension W: 850 mm; total dimension H: 1050 mm;	50.00
1156	1	dishwasher brand: Hildebrand; total dimension L: 910 mm; total dimension W: 850 mm; total dimension H: 1750 mm; description: V2A industrial dishwasher;	50.00
1157	1	VA washbasin total dimension L: 2980 mm; total dimension W: 720 mm; total dimension H: 910 mm;	60.00
1158	1	Hose brand: Nederman;	50.00
1160	1	Lot with extension cable description: Various dimensions +/- 100 m, including frame, mobile;	80.00
1161	1	Post with industrial hose brand: aquamaag; description: Various dimensions +/- 80m;	20.00
1162	1	drip tray Bauer Südlohn, 201R, year built 2004, serial number 17656, type: 201R; year: 2004; serial number: 17656; own weight: 70 kg; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 250 mm; description: Drip tray with barrels (coolant), collection volume 200l;	50.00
1163	1	welding transformer brand: F.Weider ; type: SB 200; serial number: 33401; ampere range: 200 A; electric connection: 400 V; manual present: yes; dimension L: 350 mm; dimension W: 300 mm; dimension H: 500 mm; description: Including trolley and electrodes;	50.00

1164	1 Lot with spare parts Cavemil 62/82	250.00
1165	 Lot with sanitary parts description: Various dimensions, only cabinet contents ; 	100.00
1166	 drawer cabinet brand: Lista; total dimension L: 730 mm; total dimension W: 720 mm; total dimension H: 1630 mm; 	100.00
1167	2 tool cabinets brand: Bigla; total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 1120 mm; description: Without content, with sliding door;	150.00
1168	1 compressor brand: Carl Kaeser; type: 150-50; serial number: 12090; mobile: yes; buffer tank content: 50 l; air dryer: yes; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: Mobile, including work table;	50.00
1169	1 radiator brand: Lükon; type: 605 L; serial number: 165 85; power: 10 kW; mobile: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: Mobile, angle adjustable;	50.00
1170	 Heat exchanger Unicold, TAE M 10, year built 1999, serial number 1200906222, Marke: Unicold; Typ: TAE M 10; Jahr: 1999; Seriennummer: 1200906222; elektrischer Anschluss: 230 V; Gesamtabmessung L: 530 mm; Gesamtabmessung B: 740 mm; Gesamtabmessung H: 960 mm; Beschreibung: Fahrbar; 	150.00
1171	1 shears manual present: yes; dimension L: 950 mm; dimension W: 540 mm; dimension H: 1100 mm; description: Including work table;	30.00
1300	 screw compressor brand: Bitzer; type: CSH6593-60Y-40P; serial number: 1090600393; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: Dismantling after consultation with Troostwijk AG; 	400.00
1301	1 screw compressor brand: Bitzer; type: HSKC7471-70Y; serial number: 15692154; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1100 mm; description: Dismantling after consultation with Troostwijk AG;	300.00
1302	1 screw compressor brand: Bitzer; type: HSKC7471-70Y; serial number: 15692154; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1100 mm; description: Dismantling after consultation with Troostwijk AG;	300.00
1303	1 screw compressor brand: Bitzer; type: HSKC7471-70Y; serial number: 15692154; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1100 mm; description: Dismantling after consultation with Troostwijk AG;	300.00
1304	 rotary pump brand: Wilo; type: IPN 100/224G/4.0/4; serial number: KVZ LR210; total dimension L: 360 mm; total dimension W: 380 mm; total dimension H: 480 mm; description: Expansion after consultation with Troostwijk AG; 	200.00
1305	 rotary pump brand: Wilo; type: IPN 100/224G/4.0/4; serial number: KVZ LR210; total dimension L: 360 mm; total dimension W: 380 mm; total dimension H: 480 mm; description: Expansion after consultation with Troostwijk AG; 	200.00
1306	1 Kältemaschiene brand: M.T.A S.p.a.; type: NET 150; year: 2015; serial number: 2200234848; total dimension L: 3730 mm; total dimension W: 800 mm; total dimension H: 1950 mm; description: Dismantling after consultation with Troostwijk AG;	1,500.00

1307	 Rotary pump brand: Häny; type: AZ100-250/01/242-U3.9D-M1; serial number: M.34142; capacity: 114000 l/hr; total dimension L: 1250 mm; total dimension W: 560 mm; total dimension H: 620 mm; description: With base plate, dismantling after consultation with Troostwijk AG; 	200.00
1308	 Rotary pump brand: Häny; type: AZ100-250/01/242-U3.9D-M1; serial number: M.34142; capacity: 114000 l/hr; total dimension L: 1250 mm; total dimension W: 560 mm; total dimension H: 620 mm; description: With base plate, dismantling after consultation with Troostwijk AG; 	200.00
1309	1 expansion tank brand: Pneumatex; serial number: 84132.7; stainless steel: no; steel: yes; total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 2000 mm; description: Dismantling after consultation with Troostwijk AG;	80.00
1310	1 compressor brand: Bock; type: HGX3/325-4; serial number: AF14316-006; total dimension L: 1150 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: Dismantling after consultation with Troostwijk AG;	300.00
1311	 compressor brand: Bock; type: HGX34e/380-4 S; serial number: AX53268A045; total dimension L: 1150 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: Dismantling after consultation with Troostwijk AG; 	300.00
1312	2 Pump with drive brand: Biral/Rüetschi; total dimension L: 490 mm; total dimension W: 400 mm; total dimension H: 1070 mm; description: Biral pump with Rüetschi drive, dismantling after consultation with Troostwijk AG;	400.00
1313	1 Tank for coolant brand: Cemo; horizontal: yes; total dimension L: 1750 mm; total dimension W: 1450 mm; total dimension H: 1450 mm; description: 2000 liter tank, dismantling after consultation with Troostwijk AG;	150.00
1314	 Compressed air system brand: Friulair; type: ACT80/AC; serial number: 150020720; description: Fits Lot 1076; 1077, dismantling after consultation with Troostwijk AG; 	700.00
1315	1 screw compressor brand: Almig; type: Variable 28; total dimension L: 1550 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: With ventilation duct, suitable for lot 1314, dismantling after consultation with Troostwijk AG;	800.00
1316	2 centrifugal pump brand: Biral; type: EBZ 55V/2-145; serial number: 99030624.01/ 99030624.02; total dimension L: 430 mm; total dimension W: 210 mm; total dimension H: 240 mm; description: Dismantling after consultation with Troostwijk AG;	200.00
1317	2 frequency brand: Danfoss; type: VLT 6000; description: Without cable, 280x350x940 mm and 280x310x800 mm, dismantling after consultation with Troostwijk AG;	800.00
1318	1 Storage brand: BMS; type: KWS; serial number: 4320 4822; steel: yes; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 2500 mm; description: 2000 liters, dismantling after consultation with Troostwijk AG;	250.00
1319	 1 intermediate vessel brand: Pneumatex; serial number: 764 1000; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 820 mm; description: Dismantling after consultation with Troostwijk AG; 	50.00
1320	1 expansion vessel brand: Pneumatex; serial number: 732 1001; total dimension L: 420 mm; total dimension W: 420 mm; total dimension H: 1300 mm; description: Dismantling after consultation with Troostwijk AG;	60.00

1322	1 VA washbasin total dimension L: 440 mm; total dimension W: 420 mm; total dimension H: 1720 mm;	20.00
1323	 Cooling tower with control description: Cooling towers with control. Cooling Tower 1 (Large Tower) 6200 x 3200 x 3470 mm. Cooling Tower 2 (Small Tower) 5900 x 3200 x 2200 mm. Dismantling after consultation with Troostwijk AG.; 	800.00
1324	 centrifugal pump brand: Biral; type: EBZ 87V/4-225; serial number: 0013124984; total dimension L: 430 mm; total dimension W: 210 mm; total dimension H: 240 mm; description: Dismantling after consultation with Troostwijk AG; 	150.00
1325	 Post cold / heat registers and filters with venturi motors brand: Vim; description: Various dimensions, +/- dismantling after consultation with Troostwijk AG; 	500.00
1326	 Item VA wall protection profile / collision protection description: +/- 400 meters, various dimensions VA and galvanized 80x40 mm; 	250.00
1500	1 Filling unit Hittpac II, AKH 051 GV12, Filling unit; incl. packaging installation, max. allowed number of strokes per hour 2000 strokes x 3 cups = total approx. 6000 cups, practical strokes at filling process 1300-1800, filling temperature up to 75 °C, measurments: max. height 3200 mm, max. width 2600 mm measured over hopper hanging, max. length 2100 mm, without feeder belt etc., weight approx. 2200 kg, incl. labeling machine, without stand and without centrifugal pump, the unit is dismantled	5,000.00
2008	1 Labeling machine LEICHT und MEHL, PAW 80, year built 1996, serial number 5118, Labeling machine, with scale, max. 6/15 kg, min. 40 g, e=d 2/5g, du 0.01 Fr, dp 0.05 Fr, 10°-40°C, accuracy class III, dimension approx. 2100x1100x1700 mm, weight approx. 300 kg (Loading costs 100.00)	200.00
2009	1 Labeling machine LEICHT und MEHL, PAW 80, year built 1998, serial number 5244, Labeling machine, with scale, max. 6000 g, min. 40 g, e=d 2g, du 0.01 Fr, dp 0.05 Fr, 10°-40°C, accuracy class III, dimension approx. 2300x1100x1700 mm, weight approx. 400 kg (Loading costs 100.00)	200.00
2010	1 Labeling machine LEICHT und MEHL, PAW 1000, year built 1990, serial number 5023, Labeling machine, with scale, max. 3000 g, min. 20 g, e=d 1 g du 0.01 Fr, dp 0.05 Fr, 0°-40°C, accuracy class III, voltage 220 V, dimension approx. 1800x900x1700 mm, weight approx. 300 kg (Loading costs 100.00)	200.00
2011	1 Labeling machine LEICHT und MEHL, PAW 1000, year built 1990, serial number 5022, Labeling machine, with scale, max. 3000 g, min. 20 g, e=d 1 g du 0.01 Fr, dp 0.05 Fr, 0°-40°C, accuracy class III, dimension approx. 1800x900x1700 mm, weight approx. 400 kg (Loading costs 100.00)	200.00
2017	1 Crust Flow F-2 /impact freezer Crust Flow V2, 15X6 - HMI, Crust Flow F-2 /impact freezer, compact solution for hardening and impact freezing of small part products, with vacuum vibratory through with nitrogen bath for prompt freezing of the product surface and efficient separation of the product. With some data sheets and drawings, manual in German and French, electric drawing, spare part list, instruction for users, short manual and start-up manual (Loading costs 500.00)	2,000.00





General conditions Online Auction TroostwijkAuctions.com

Article 1. Definitions

o	
General Terms	The general terms and conditions which regulate the use of the Website of Troostwijk Veilingen
and Conditions of	B.V.
Use:	
General Online	The present General Terms and Conditions, which define the stipulations of an auction
Auction	
Terms and	
Conditions:	
User:	A person who registers on the Website of Troostwijk Veilingen B.V.
User contract:	The contract between Troostwijk Veilingen B.V. and the user
Bidder:	A person who submits a bid at an online auction
Bid:	Each binding amount offered for an item in the auction by the user
Purchase price:	Composed of the highest bid at the end of the auction, the surcharge and possibly incurring VAT.
Purchase contract:	Contract between the buyer and the seller which results from the adjudication by Troostwijk
Buyer:	Bidder who receives the knock-down for the item
Lot:	Item(s), which is/are auctioned (combination = several items offered under one lot number)
(Online) Auction:	The auction of movable goods organised by Troostwijk on the website of Troostwijk Veilingen B.V.
Registration:	Registration of the user on the website of Troostwijk Veilingen B.V., whereby the registration form on the website must be completely filled out
Specific Online	Special requirements for a specific auction
Auction	
Terms and	
Conditions:	Tanankuilla ala Zuriala
Troostwijk:	Troostwijk plc, Zurich
Seller:	The person or persons who commission the auction of a lot
Website:	The website www.TroostwijkAuctions.com, which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which is the platform for auctions carried out by Troostwijk
Knock-down:	Confirmation by Troostwijk that the highest bidder wins the bid for an lot or combination by payment of the purchase price.

Article 2. General Terms and Conditions

- 2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The website is used by the user according to the General Terms and Conditions of Troostwijk Veilingen B.V.
- 2.2 The General Online Auction Terms and Conditions contain the general regulations for the auction. The auction takes place solely on the basis of these terms and conditions, which are accepted by participation at the auction. At an auction, Specific Online Auction Terms and Conditions may also apply. These contain amendments or deviations to the General Online Auction Terms and Conditions. The Specific Online Auction Terms and Conditions are accepted.
- 2.3 Troostwijk can amend these General Online Auction Terms and Conditions. Amendments shall enter into force upon receipt of a corresponding notification by users and bidders.

Article 3. Registration

- 3.1 Only bidders who have registered as users with Troostwijk Veilingen B.V. and who have accepted the General Terms and Conditions of Use can participate at auctions.
- 3.2 Only persons who have accepted the General Online Auction Terms and Conditions and the Specific Online Auction Terms and Conditions for an auction may submit a bid.

Article 4. Auction

- 4.1. An auction can take place on behalf of the Seller and on his own account. Troostwijk is not a contractual party of a purchase contract which results from a knock-down, but merely the agent of such a purchase contract.
- 4.2 Deadlines, such as the start and end of an auction, are contained in the Specific Online Auction Terms and Conditions.
- 4.3 The organisation, preparation and execution of the Auction are Troostwijk's business.
- 4.4 Troostwijk is authorized:
 - to refuse the knock-down in general or-for important reasons-to specific Bidders;
 - to exclude Bidders from an auction;
 - to rectify mistakes made by Troostwijk for bids and/or knock-downs by a corresponding notification of the Bidder;
 - to undertake other necessary measures;
- 4.5 The ruling of Troostwijk regarding what has taken place at an auction is binding.

Article 5. Cancellation, Technical Disturbances

5.1 Troostwijk reserves the right to cancel, prematurely terminate or extend an Auction on good cause shown. In cases of a technical disturbance of the Website, or should it not be entirely accessible to some or all Users, Troostwijk has the right to prolong the Auction by up to 24 hours.

Troostwijk and/or the seller can reject bids without stating the reasons. Troostwijk and the Seller are entitled to place bids.

- 5.2 The User declares with his registration that he is aware of the particular circumstances of an Internet auction. He furthermore declares that he is particularly aware of the fact that, according to the present status of technology, technical disturbances and breakdowns can occur which can make access to the Internet auction and the Website either difficult or even impossible.
- 5.3 Troostwijk is only liable for the orderly execution of the auction on the Website of www.Troostwijkauctions.com, but not for technical disturbances. The liability of Troostwijk is limited to and complies with the General Terms and Conditions for Online Auctions as outlined in Article 15.

Article 6. Viewing; Entry to Buildings and Premises

- 6.1 Dates for viewing appointments are listed in the Specific Online Auction Terms and Conditions.
- 6.2 Entry to buildings and premises is at a person's own risk. Instructions by Troostwijk or any persons appointed by them must be followed. Neither the Seller nor Troostwijk shall accept any liability for damages which have occurred as a result of entry to buildings and premises. In any other case, the limits to liability contained in Article 15 of the General Online Auction Terms and Conditions for Troostwijk and the Seller shall apply.

Article 7. Lots

- 7.1 Individual Lots or Combinations shall be auctioned.
- 7.2 Combinations, the simultaneous auction of several Lots, shall be indicated in the system.
 - In the case of Combinations, the auction shall be carried out in two steps:

a) First, the individual Lots shall be submitted to auction. The Knock-down shall take place subject to the prior condition that the Lot is not being adjudicated as part of a Combination. Bidding for the Combinations shall begin after the Knock-down for the individual Lots. If no bids are made for the Combination, the Lots shall be auctioned individually.

b) Insofar as bids are made for Combinations, the following shall apply:

The Knock-down shall be awarded for the Combination when the highest bid which can be made for a knock-down of the Combination is higher than the sum of the bids for the individual Lots. The Knock-down for the individual Lots is then considered as not effected due to lack of condition precedent.

7.3 Troostwijk has the right to assemble different objects into Lots, divide Lots and/or remove them from the auction.

7.4 Troostwijk has the right to request a normal banking security from the Bidder in advance to back certain Lots.

Article 8. Bids

8.1 A Bidder can submit Bids for auctions for which he is registered. Bidders can submit bids for one or several lots. Bids can only be made if they are free of reserve and conditions. Bids are binding and cannot be retracted. The Bidder shall receive a confirmation by e-mail for every bid submitted and overbid by a third party. This notification does not constitute the knock-down.

- 8.2 Bids can be submitted as static bids or auto bids.
 - (a) static bid: The user bids a fixed amount for each Lot indicated in the system.

(b) auto bid: the user indicates the highest price he is willing to pay for a Lot. The auto bid is not displayed in the system. Should a third party overbid the user, the current offer shall be increased by increments until a third party overbids the proxy bid. During this time, an automatic bid

can only be ceased by the user if he submits a static bid which constitutes the highest bid at that moment.

8.3 VAT and surcharge are not included in the bids. The amount of the surcharge results from the Special Online Auction Terms and Conditions.8.4 Troostwijk and/or the seller have the right to refuse bids without giving a reason. Troostwijk has the right to submit bids on behalf of third parties.

Article 9. Award & Contract of sale

- 9.1 A purchase contract for one or several Lots is concluded only after the Knock-down. The Buyer shall be notified by e-mail about the resulting purchase contract (knock-down). The Knock-down shall take place at the latest two working days after the end of the auction.
- 9.2 Troostwijk has the right to make no Knock-down or to grant one subject to condition precedent.
- 9.3 As a rule, the User who has made the highest bid shall receive the Knock-down. The Knock-down takes place if no other bid is made 10 minutes prior to the end of the auction. Should a further bid be submitted, the auction shall end upon the submission of the highest bid which is not overbid within 5 minutes.

Article 10. Transfer of risk/Transfer of title

- 10.1 The risk of accidental loss of the objects purchased at auction as well as risk of loss or damage by fire, theft or burglary shall transfer to the buyer after the knock-down.
- 10.2 Title shall be transferred to the buyer only after payment in full has been effected.

Article 11. Buyer's Obligations

- 11.1 The buyer is obligated to pay the purchase price in addition to the mandatory sales tax and the surcharge as well as to collect the lot(s) when the knock-down has occurred.
- 11.2 Payment must be effected to an account indicated by Troostwijk in the specified currency within three working days after the knock-down.
- 11.3 The statutory default interest shall be charged in the case of delayed payment. The seller's rights shall comply with the legal requirements.
- 11.4 Should the buyer not fulfil an obligation, particularly if:
 - (i) the purchase price is not paid in due time or not paid completely
 - (ii) the Lots are not collected in due time, and/or
 - (iii) the information required for delivery is not procured,

then it shall automatically be considered as default, without any further notice of default being required. Troostwijk shall then have the right to cancel the purchase contract on behalf of the seller. In this case, Troostwijk is free to reassign the Lots to another Bidder, and Troostwijk and/or the seller shall not be liable for damages.

11.5 In the event of a cancellation, the buyer shall be liable for payment of damages which ensue therefrom.

Article 12. Collection

- 12.1 The Buyer is only authorized and bound to the dates and times listed in the Specific Online Auction Terms and Conditions for the collection of items. For technical reasons, Troostwijk can determine that a particular Lot can be collected only after the delivery of other Lots.
- 12.2 The Buyer whose Lot(s) hinder/s the collection of other lots is obligated to see to the collection of those lots without delay after being notified by Troostwijk by email and/or a message of the address supplied by the Buyer. Should this not occur, then Troostwijk shall have the right to undertake the collection and possible storage of the items by third parties on the buyer's risk and expense.
- 12.3 The Buyer is obligated to carefully disassemble, reassemble and collect his Lots. He shall be liable for damages which ensue to the property of third parties in connection with the assembly and collection. Furthermore, he is obligated to protect Troostwijk and the Seller from any claims by third parties which result from the dismantling, reassembly and/or collection of his Lots.
- 12.4 The Buyer is obligated to follow the instructions of Troostwijk and/or any persons mandated by Troostwijk for the dismantling, reassembly and collection of his Lots.
- 12.5 The Buyer is obligated to ensure that he or the person(s) who take care of dismantling, assembly or transport shall be in possession of the necessary authorizations. Neither Troostwijk or the Seller can be held liable for the lack of necessary authorizations and/or that the official requirements are not upheld during dismantling, reassembly and collection.
- 12.6 In cases when it is necessary to dismantle buildings (in pieces) in order to remove the allotted Lots, prior consultation as well as written agreement by Troostwijk are required, and the conditions set down by Troostwijk for awarding of the knock-down must be respected.
- 12.7 Troostwijk reserves the right to request a deposit prior to collection of Lots in order to cover possible damages. The Buyer shall be notified of the Lots concerned and the amount of the deposit. The deposit shall be refunded to the Buyer after safe collection without any damage.



Article 13: Liability/Warranty of Troostwijk

Troostwijk shall only be liable for the preparation and carrying out of the auction according to the legal stipulations. In addition, the following shall apply:

- 13.1 Claims by the Seller, the Bidder or the Buyer for neglect of duty shall be excluded, particularly for any advice regarding appraisals or flaws of the Items.
- 13.2 The descriptions of the Items by Troostwijk, e.g. in the sales catalogue or in any listing, are based on the information supplied by the Seller. Troostwijk shall only be liable for the correct transmission of this information, but not for its objective accuracy.
- 13.3 Details indicated by Troostwijk are only for the purpose of distinguishability and do not constitute any kind of guarantee.
- 13.4 The Items are used. Troostwijk shall not assume any guarantee for material flaws and defects of title and shall not be liable for the amount, quality, measurements, year of construction or completeness.
- 13.5 The above restrictions shall not apply if Troostwijk acts intentionally or with gross negligence, is in breach of a fundamental contract requirement or if bodily harm occurs.

Article 14: Liability/Warranty of Seller

The Seller is liable to the Buyer for defects of the items in compliance with the following stipulations:

- 14.1 The Buyer has had the opportunity to view the items in advance. The sale shall take place as viewed and excluding all warranties for defects and title. The sale has taken place, particularly without guarantee for visible or latent defects or guarantee regarding completeness, number, effect, utility, usability, saleability, the presence or absence of rights or claims of third parties and/or the transferability to third parties.
- 14.2 The Seller excludes liability for a particular characteristic or for common use of the items.
- 14.3 The Seller excludes all liability for publicity statements of the manufacturer.
- 14.4 The above restrictions shall not apply if the Seller has intentionally misrepresented any defects to the Buyer, breached a fundamental contractual obligation or if any bodily harm occurs.

Article 15. Limitation of Liability Troostwijk/Seller

- 15.1 The limitation of liability is valid for Troostwijk and the Seller as well as for their legal representatives, managerial employees and auxiliary helpers.
- 15.2 Liability shall only exist in the case of malicious intent or gross negligence.
- 15.3 Liability shall exist for collateral damage, particularly for lost profit, only in cases of intent or gross negligence.
- 15.4 The liability shall be restricted to the amount of typically foreseeable damages at conclusion of the contract, insofar as there is no case of intent or gross negligence.
- 15.5 The above-mentioned restrictions do not apply in cases of breach of a contractual obligation, acceptance of an explicitly stated guarantee as well as damages resulting from bodily harm, harm to health and obligatory legal regulations.

Article 16. Severability Clause/Written Form

- 16.1 Should any of the provisions of these General Online Auction Terms and Conditions become completely or partly invalid, void or not enforceable, it shall have no effect on the other provisions of the General Online Auction Terms and Conditions. The invalid, void or not enforceable provision shall be replaced by a valid and enforceable provision which comes closest to fulfilling the parties' economic goals which were originally intended by the invalid, void or not enforceable provision.
- 16.2 Modifications and amendments of these General Online Auction Terms and Conditions shall only be effective upon written agreement by the parties.

Article 17. Applicable Law/Court of Jurisdiction

- 17.1 The General Online Auction Terms and Conditions and the obligations ensuing therefrom are subject to Swiss law. The UN Convention on Contracts for the International Sale of Goods (CISG) shall explicitly not apply.
- 17.2 The exclusive court of jurisdiction for all disputes arising in connection with the auction shall be the court of Zurich (Canton of Zurich). The General Terms and Conditions The General Terms and Conditions shall apply for disputes with the seller.
- 17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website,



The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

About Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience