



**Complete toolshop with CNC milling and turning |
From bankruptcy VDP Brussels (BE)**

Precision mechanics | Milling and turning

Nestor Martinstraat 42 - 1083 Ganshoren (Bruxelles)
(Loten | Lots 1-1647)

Closing date: Thursday **29 NOVEMBER** starting 14:00

Viewing:

Wednesday 28 November from 13:00 until 16:00
Nestor Martinstraat 42 - 1083 Ganshoren (Bruxelles) (Belgium)

Bidding only on the internet!

12-11-18 14.25



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 29 November 2018 Complete toolshop with CNC milling and turning |

From bankruptcy VDP Brussels

Specific terms and conditions of the online sale

Closing date	Thursday 29 November 2018 starting 14:00 CET																
Viewing	Wednesday 28 November from 13:00 until 16:00 CET Loten Lots 1-1647 Nestor Martinstraat 42 1083 Ganshoren (Bruxelles), Belgium																
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be																
Markup	Various percentages																
VAT	21.00%																
Collection	Monday 10 December from 09:00 until 16:00 CET Loten Lots 1-1647 Nestor Martinstraat 42 1083 Ganshoren (Bruxelles), Belgium																
Viewing instructions	We hereby underline that it concerns an online auction with possibility of prior viewing. Therefore, bidding without prior viewing will be at your own risk . See also our general conditions.																
Collection instructions	<ol style="list-style-type: none">1. The buyer, or his representative, is requested to submit his purchase agreement the day of loading2. The buyer is responsible for:<ul style="list-style-type: none">◦ Dismantling◦ Loading◦ Transport of the goods																
	Troostwijk NV will not accept any responsibility concerning above mentioned items, unless otherwise stated on the website.																
	Collection/Loading of the purchased goods will only take place on the mentioned date and location. In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date																
Payment details	Purchases need to be paid within 48 hours after closure of sale by bank transfer to one of the below mentioned account numbers. Please mention buyernumber and name of the sale when transferring. <table><tr><th>Bank</th><th>Account</th><th>IBAN nr.</th><th>BIC Code</th></tr><tr><td>Fortis</td><td>220-0725551-27</td><td>BE48 2200 7255 5127</td><td>GEBABEBB</td></tr><tr><td>KBC</td><td>411-1106201-15</td><td>BE83 4111 1062 0115</td><td>KREDBEBB</td></tr><tr><td>ING</td><td>320-0037404-32</td><td>BE90 3200 0374 0432</td><td>BBRUBEBB</td></tr></table>	Bank	Account	IBAN nr.	BIC Code	Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
Bank	Account	IBAN nr.	BIC Code														
Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB														
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB														
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB														
General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.																
Following lots	After registration and login, lots can be ‘followed’ via ‘My Troostwijk’. This option has been constrained to a maximum of 100 lots per user per sale.																
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total																

www.TroostwijkAuctions.com



of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 10 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.

Lots without bid

All lots without any bid will stay open until half an hour after the last closing time bid.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number Description	Starting Bid €
1	1 horizontal CNC machining centre Mori Seiki, NH 5000/50, serial number MH501CB0160, horizontally-CNC machining center; 3 x 400 V, 73 kVA, own weight 12500 kg, with tools magazine 60 iso tool recordings, x = 630 mm, y = 600 mm, z = 670 mm, longitudinal displacement table (x-axis) of 650 mm, transverse displacement head (y- as) 600 mm, height displacement head (z-axis) 730 mm, dim. table 500 x 500 mm (2x), depth of throat between uprights -- spindle center 50 > 650 mm, spindle recording (iso) BT-50, power on spindle 30/22 kW, control type msg-601, 10,000 rpm, length 2595 mm , width 4900 mm, height 2850 mm, weight 12.5 tons, ref. 511278	30,000.00
2	54 iso-50 tool holders iso-50-tool holders; incl. Wohlhaupter cutter heads, end mills, disc mills, twist drills, etc. Located in lot 1, CNC machining centre.	2,700.00
3	1 horizontal CNC machining centre Mori Seiki, NH 4000 DCG, serial number NH401FD1125, horizontal CNC machining centre; L 3755 x W 2300 x H 2610 mm, 3 x 400 V, own weight 6800 kg, equipped with 2 tafels, afm. 400 x 400 mm, gereedschappenmagazijn voor 60 iso gereedschapsopnames, langsverplaatsing tafel (x-as) 560 mm, dwarsverplaatsing kop (y-as) 560 mm, hoogteverplaatsing kop (z-as) 630 mm, spindel opname (iso) bt-40, vermogen op spindel 18,5/11 kW, besturingstype MSX-501 III, 14.000 tpm, hoofdmotorvermogen 42 kVA, ref. 521047	25,000.00
4	56 iso 50 tool holders iso 50 tool holders; amongst which Wohlhaupter kotterkoppen, vingerfrezen, schijffrezen, spiraalboren, enz. This lot is situated in lot 3, CNC machining center.	2,800.00
5	1 electric forklift Clark, GEX25, year built 2007, serial number GEX230-0097-9655 KF, electric forklift; uren op de teller: 12.295, 48 V, cap. 2.500 kg, max. hefhoogte 4.800 mm, doorrijhoogte 2.175 mm, eigen gewicht excl. batterij 2.982 kg, v.v. triplex doorkijkmast, side shift, Freelift containermast, incl. batterijlader. key OK, ref. 51174	2,500.00
6	1 CNC lathe Mori Seiki, CL-253B, serial number 53, CNC lathe; max. swing diameter over bed: 520 mm, max. swing diameter over cross-slide: 410 mm, centre distance: 480 mm, max. longitudinal movement: Z-axis: 500 mm, max. transverse movement: X-axis: 260 mm, spindle taper: a2-8, main spindle bore: 80 mm, power on main spindle: 15/11 kW, speed: 30 > 3500 rpm, turret for 10 tools, control: msg-803, 3 x 400 V, 53 kVA, own weight 4100 kg, L 2000 mm, W 1736 mm, H 1955 mm, weight 4.100 kg, ref. 53178	5,500.00
7	1 CNC lathe Ti, serial number 4500043, type: Ti; serial number: 4500043; turning ? : 440 mm; turning length: 500 mm; number of tool changer stations: 10; chip conveyor: yes; CNC control, brand, type: Fanuc; engine power: 8 kW; dimension L: 2200 mm; dimension W: 1425 mm; dimension H: 1600 mm; description: equipped with Traub TND 5000 hydraulische stangaanvoer, incl. transformator en metalen materiaal kast;	3,500.00
8	1 CNC lathe Mazak, Super Quadrex 200M, serial number 140223, CNC lathe; own weight 6.300 kg, max. swing diameter over bed: 300 mm, centre distance: 610 mm, main spindle bore: 51 mm, power on main spindle: 22 kW, C-as, speed: 5000 rpm, upper turret with 12 driven tools, lower turret with 8 positions, control: Mazatrol fusion 640 te, 3 x 400 V, 43 kVA, weight 6,3 tons, equipped with Mayfran chip removal system with inclined belt conveyor and suction/filtration system, ref. 53481	6,500.00
9	1 5- axle CNC machining centre Hermle, U1000A, serial number 13806, 5-axled CNC machining center; table diam. 800 mm, with tool magazine for 30 iso tool holders, longitudinal displacement X-axis: 1000 mm, transverse displacement Y-axis: 630 mm, displacement Z-axis: 550 mm, power on spindle: 7,5 kW, iso-40 admission in boring head, speeds: 20 > 7000 rpm, control: Heidenhain tnc 426, turret for 32 tools, 3 x 400 V, 25 kVA, own weight 6500 kg, length left-right: 3060 mm, width front--back: 3160 mm, height: 2400 mm, ref. 531056	22,500.00



Lot	Number	Description	Starting Bid €
10	1	CNC lathe Colchester, Tornado 300, year built 1995, serial number C30134, brand: Colchester; type: Tornado 300; serial number: C30134; turning \varnothing : 530 mm; turning length: 500 mm; speed from N=: 4000 rpm; number of tool changer stations: 12; chip conveyor: yes; CNC control, brand, type: Fanuc; engine power: 26 kW; machine weight: 3300 kg; description: with VDI tool holder;	4,500.00
11	1	horizontal CNC machining centre Mori Seiki, MH-50, serial number 586, horizontal CNC machining center; 2 pallets, table size: 500 x 500 mm, with tool magazine for 60 iso tool holders, x = 800 mm, y = 650 mm, z = 750 mm, B-axis: 1°, longitudinal displacement table (X-axis): 800 mm, transverse displacement head (Y-axis): 650 mm, height displacement head (Z-axis): 750 mm, depth of throat between uprights -- spindle center: 50 > 700 mm, spindle taper (iso): bt-50, power on spindle: 15/11 kW, coolant reaching the spindle, 6000 rpm, control: Fanuc, 3 x 400 V, length: 4675 mm, width: 2660 mm, height: 2700 mm, weight: 14 tons, ref. 53548	12,500.00
12	52	iso-50 tool carriers iso-50 tool carriers; incl. Wohlhaupter boring heads, end mills, milling discs, twist drills, etc. (located in lot 11, CNC machining centre)	2,600.00
13	1	horizontal CNC machining centre Mori Seiki, MH-50, serial number 583, horizontal CNC machining center; 2 pallets, table size 500 x 500 mm, with tool magazine for 60 iso tool holders, longitudinal displacement table (X-axis) 800 mm, transverse displacement head (Y-axis) 650 mm, height displacement head (Z-axis) 750 mm, B-axis: 1°, depth of throat between uprights -- spindle center 50 > 700 mm, spindle taper (iso) bt-50, power on spindle 15/11 kW, 6000 rpm, control: Fanuc, 3 x 400 V, length 4675 mm, width 2660 mm, height 2700 mm, weight 14 tons, ref. 53544	12,500.00
14	50	iso-50 tool holders description: iso-50 tool holders; amongst which Wohlhaupter kotterkoppen, vingerfrezen, schijffrezen, spiraalboren, enz. This lot is situated in lot 13, CNC machining centre.;	2,500.00
15	1	straalcabine merk: Vapormatt; type: Vapormate; aansluiting: 230 V; afmeting L: 800 mm; afmeting B: 700 mm; afmeting H: 1630 mm;	100.00
16	1	3-shaft horizontal milling machine prvomajaska-ITAS ivanec, GKA-3HS, year built 1991, serial number 325210/137, type: GKA-3HS; serial number: 325210/137; speed from N=: 9 rpm; speed till N=: 2240 rpm; T-slot fixture table size L: 1400 mm; T-slot fixture table size W: 330 mm; engine power: 15 kW; machine weight: 3700 kg; description: incl. 6 diverse machineessen en een partij spanbussen;	2,500.00
17	1	gereedschapswagen merk: Lista ; totale afmeting L: 725 mm; totale afmeting B: 560 mm; totale afmeting H: 1165 mm; omschrijving: voorzien van 8 lades;	50.00
18	1	horizontal CNC machining centre Mori Seiki, NH5000/50, serial number NH501CB0253, horizontal CNC machining center; 2 pallets, table size: 500 x 500 mm (2x), with tool magazine for 120 iso tool holders, longitudinal displacement table (X-axis): 650 mm, transverse displacement head (Y-axis): 600 mm, height displacement head (Z-axis): 730 mm, depth of throat between uprights -- spindle center: 50 > 650 mm, spindle taper (iso): bt-50, power on spindle: 30/22 kW, 10.000 rpm, refroidissement à haute pression à travers la broche, control: msg-601, 3 x 400 V, 72 kVA, own weight 15000 kg, length: 2595 mm, width: 4900 mm, height: 2850 mm, ref. 53478	22,500.00
19	109	iso-50 tool holders iso-50 tool holders; incl. Wohlhaupter cutter heads, end mills, disc mills, twist drills, etc. (located in lot 18, CNC machining centre)	5,000.00



Lot	Number	Description	Starting Bid €
20	1	vertical CNC machining center MAC-V5, type: MAC-V5; travel x-axis: 915 mm; travel y-axis: 508 mm; travel z-axis: 610 mm; taper ISO: 20; speed from N=: 4000 rpm; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 440 mm; CNC control, brand, type: Fanuc; engine power: 6 kW; machine weight: 5000 kg; description: with iso-50 gereedschapsopname, en iso-50 freeskop opname;	3,500.00
21	1	CNC lathe Femco, durga-25E, year built 1989, serial number 3296, merk: Femco; type: durga-25E; serienummer: 3296; draai : 450 mm; draailengte: 650 mm; snelheid van N =: 40 rpm; snelheid tot N =: 4800 rpm; aantal gereedschapswisselstations: 12; spanentransporteur: ja; CNC-besturing, merk, type: Fanuc series OT; machinegewicht: 3000 kg; afmeting L: 2108 mm; afmeting B: 1273 mm; afmeting H: 1603 mm;	2,500.00
22	1	horizontal CNC machining center Mori Seiki, SH-500, serial number 732, horizontal CNC machining center, L 2725 x W 4500 x H 3267 mm, 3 x 400 V, weight 16 tons, with 3 tables, dim. 500 x 500 mm, equipped with tool magazine for 60 iso tool holders, x = 630 mm, y = 600 mm, z = 650 mm, longitudinal displacement table (x axis) 630 mm, transverse displacement cup (y-axis) 600 mm, height displacement head (z-axis) of 650 mm, spindle holder (iso) iso 40, power on spindle 11.15 kW, control type mSC-516, tool magazine (parking areas) yes, number of tools 60 positions, 12,000 rpm, number of pallets = 3, main power output 56.6 kVA, ref. 521 087	18,000.00
23	57	iso-40 tool holders iso-40 tool holders; amongst which Wohlhaupter cutter heads, end mills, disc mills, twist drills, etc. This lot is located in lot 22, CNC machining centre.	2,850.00
31	1	lot of accessories for lathes lot of accessories for lathes; being for toolholders, clamping jaw sets for chucks, etc.	125.00
38	1	VDI 40 Angle drilling head EWS, 60.4032SQT15R, VDI-40 right angle drilling head; 1: 1	150.00
39	1	VDI 40 Angle drilling head EWS, 60.4032SQT15R, VDI-40 right angle drilling head; 1: 1	150.00
40	6	VDI-40 chisel holders VDI-40 chisel holders; being 4 x EWS and 2 x Mazak	150.00
41	4	sets of claws Schunk, KM-WB 153, sets of claws; 3-part sets, width 60 mm, unused, in original packaging	100.00
42	1	industriële verwarmingsketel merk: babcock Wanson; type: thermobloc NTP 450; jaar: 1995; serienummer: 02101.11; verwarmingscapaciteit: 523 kW; gasgestookt: ja; totale afmeting L: 2700 mm; totale afmeting B: 1450 mm; totale afmeting H: 3500 mm;	750.00
43	1	mazout gestookte industriële verwarmingsketel merk: babcock Wanson; type: thermobloc NTP 225; jaar: 1994; serienummer: 12101.10; verwarmingscapaciteit: 261 kW; gasgestookt: nee; totale afmeting L: 1520 mm; totale afmeting B: 1175 mm; totale afmeting H: 2230 mm; omschrijving: 3 x 220 V;	450.00
44	1	gas- en mazout gestookte industriële verwarmingsketel merk: babcock Wanson; type: WMP 1400; verwarmingscapaciteit: 410 kW; gasgestookt: ja; totale afmeting L: 2000 mm; totale afmeting B: 1360 mm; totale afmeting H: 2700 mm; omschrijving: 3 x 400 V ;	600.00
45	1	mazout gestookte industriële verwarmingsketel merk: babcock Wanson; type: thermobloc NTP 350; jaar: 1994; serienummer: 02101.09; verwarmingscapaciteit: 407 kW; gasgestookt: nee; totale afmeting L: 2050 mm; totale afmeting B: 1370 mm; totale afmeting H: 2700 mm; omschrijving: 3 x 220 V;	550.00



Lot	Number	Description	Starting Bid €
46	1	industriële verwarmingsketel merk: babcock Wanson; type: Thermobloc WDF 1400; serienummer: 2607YY2023; verwarmingscapaciteit: 400 kW; gasgestookt: ja; totale afmeting L: 1500 mm; totale afmeting B: 1150 mm; totale afmeting H: 2230 mm; omschrijving: 3 x 400 V, incl. ca. 35 lopende meter galva luchtschacht;	750.00
47	1	airconditioning unit merk: Daikin; type: RZQ125B8W1B; jaar: 2007; serienummer: 1708933; aansluiting: 400 V; eigen gewicht: 106 kg; omschrijving: b.u. buitenunit en binnenunit voor plafondinbouw;	150.00
48	1	CNC lathe Mori Seiki, ZL-153S, year built 2007, serial number ZL150GE0397, CNC lathe ; 3 x 400 V, 30 kVA, own weight 5550 kg, equipped with Kitagawa lathe chuck , type b-205, max. swing diameter over bed: 680 mm, max swing diameter over cross slide: 510 mm, centre distance: 470 mm, spindle taper: a2 5, main spindle bore: 56 mm, power on main spindle: 7.5 kW, speeds: 5000 rpm at subspindle, control: MSX-501, 30 kVA, weight: 5.5 tons, ref. 52166	27,500.00
49	1	CNC lathe Mori Seiki, ZL-253MC/600, year built 2007, serial number ZL250GE0434, CNC lathe ; 3 x 400 V, 40 kVA, own weight 7600 kg, equipped with Kitagawa lathe chuck , type b-210, max. swing diameter over bed: 700 mm, max. swing diameter over cross slide: 560 mm, centre distance: 725 mm, max longitudinal displacement z- axis: 173 mm, max transverse displacement x-axis: n ° 1: 238 mm / n ° 2: 173 mm, spindle taper: A2-8, main spindle bore: 86 mm, power on the main spindle: 18.5 / 15 kW, speeds: 35 > 3500 rpm, upper turret 12 driven tools, lower turret 12 tools, control: MSX-501, required connected load: 40 kVA, length : 4061 mm, width 2130 mm, height 2070 mm, weight: 7.6 tons, ref. 52177	30,000.00
50	1	driven tool-recording Mt, mta1250-8, driven tool-recording; max. 4,000 tr / min .; 1 = 1: 1; Mori Seiki	50.00
51	1	driven tool-recording Mt, mta1250-8, driven tool-recording; max. 4,000 tr / min .; 1 = 1: 1; Mori Seiki	50.00
52	1	driven tool-recording Mt, mta1250-8, driven tool-recording; max. 4,000 tr / min .; 1 = 1: 1; Mori Seiki	50.00
53	1	driven tool-recording Mt, mta1217-3, driven tool-recording; max. 4,000 tr / min .; 1 = 1: 1; Mori Seiki	50.00
54	1	driven tool-recording Mt, mta1252-1, driven tool-recording; max. 3,000 tr / min .; 1 = 2: 1; Mori Seiki	75.00
55	1	tooling setting probe Renishaw, rp3, tooling setting probe; for 2- and 3-assize CNC lathes	40.00
69	1	CNC lathe Lealde, TCN 12, serial number 12.011, CNC lathe; max. swing diameter over longitudinal bed 670 mm, max. swing diameter over transverse bed 505 mm, centre distance 1.050 mm, spindle speed 3.000 rpm, max. spindel bore 115 mm, X= 775 mm, Z= 305 mm, 1 upper turret for 12 x Dinfex tool holder, 1 lower turret for 8 x VDI-50 tool holder, Fanuc control, chip removal system and air filter incl., 3 x 400 V, 45 kW, own weight approx. 10.000 kg, ref. 53422	9,500.00
73	1	column drill Bimak, EB 16 C, year built 2007, serial number 14362, column drill; 3 x 400 V, up 0.37 kW, cap. 16 mm, dimensions . material table 255 x 210 mm, 90 mm price, unloading 350mm, mounted on mobile profile steel table, no drilling head mounted	250.00
76	6	iso-50 tool holders iso-50 tool holders	150.00
77	5	iso-50 tool holders iso-50 tool holders; incl. 5 face milling, EPB Graflex tensioning tooling and three various milling	125.00
78	11	iso-50 tool holders iso-50 tool holders; Being on milling cutters with mandrel, drill heads, boring head, etc.	275.00



Lot	Number	Description	Starting Bid €
81	15	iso-50 tool holders iso-50 tool holders; Being on milling cutters with mandrel, face mills, reamer, tap holders, etc.	275.00
86	1	lot of drilling and / milling tools lot of drilling and / milling tools; being at Arbors, end mills, drills, etc.	25.00
88	2	boring head with VDI-50 tool holder Wohlhaupter, multibore, boring head with VDI-50 tool holder	50.00
102	9	SK-40 tool holders SK 40-40-120, SK-40 tool holders	200.00
103	10	SK-40 tool holders SK-40 tool holders, being 6 x SK 40-12-160 and 3 x SK 40-16-200	200.00
105	10	iso-50 tool holders iso-50 tool holders	225.00
107	13	iso-50 tool holders iso-50 tool holders	225.00
108	12	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
109	10	iso-50 tool holders iso-50 tool holders	225.00
110	10	iso-50 tool holders iso-50 tool holders	225.00
112	13	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
113	15	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
114	11	iso-50 tool holders iso-50 tool holders	225.00
115	13	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
116	14	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
117	13	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	225.00
118	6	iso-50 tool holders iso-50 tool holders; incl. Lista shunting rack	150.00
128	4	sets of claws sets of claws; for chucks	20.00
139	1	iso-50 quick coupling tool holding fixture Kennametal, DT50RC2079M, iso-50 quick coupling tool holding fixture; bu iso-shot 50 and 13 quick coupling tap holders	150.00
140	1	isa-50 quick coupling tool holding fixture Kennametal, 1SC7UD4, isa-50 quick coupling tool holding fixture; bu isa-50 Recording and 3 quick coupling tap holders	30.00
141	4	iso-50 tool holders 1SC7UD4, iso-50 tool holders; being to Kennametal SK-50, recording with quick coupling, face mill, incl. 2 loose face milling and disk milling cutter	60.00
145	10	iso-50 tool holders iso-50 tool holders; being milling cutters, face mills, quick change chuck, etc.	150.00
146	1	hydraulic NC caliber table set Vischer & Bolli, hydraulic NC caliber table set; bu hydraulic pump and second hydraulic machine plates dimensions . 445 x 445 mm, thickness 45 mm (at present is located on the machining centre with lot number. 8)	900.00



Lot	Number	Description	Starting Bid €
147	1	Hydraulische NC kalibertafel set Omschrijving: Vischer & Bolli hydraulische NC kalibertafel set; b.u. hydraulische pomp en 2 hydraulische machineplaten afm 445 x 445 mm, dikte 45 mm ; ongebruikte nieuwstaat	900.00
148	1	Hydraulische NC kalibertafel set Omschrijving: Vischer & Bolli hydraulische NC kalibertafel set; b.u. hydraulische pomp en 2 hydraulische machineplaten afm 445 x 445 mm, dikte 45 mm ; ongebruikte nieuwstaat	500.00
152	1	boring head with ISO-50 tool holder Wohlhaupter, multibore 148016, boring head with ISO-50 tool holder; Ø 92 to 122 mm, total length corpus under ISO recording 115 mm	100.00
153	1	Vlakslijpmachine merk: Delta; type: LB 300; jaar: 2005; serienummer: 05090;	2,500.00
154	1	Gereedschapswagen Omschrijving: Gereedschapswagen, 3 lades ; zonder inhoud	100.00
155	1	Gereedschapswagen Omschrijving: Gereedschapswagen, 3 lades ; zonder inhoud	100.00
156	1	Gereedschapswagen Omschrijving: Gereedschapswagen, 3 lades ; zonder inhoud	100.00
157	1	Gereedschapswagen Omschrijving: Gereedschapswagen, 3 lades ; zonder inhoud	100.00
158	1	Gereedschapswagen Omschrijving: Gereedschapswagen, 3 lades ; zonder inhoud	100.00
159	1	Klauwplaat Omschrijving: onafhankelijke 4 klauwplaat, diameter 400 mm, tos opname;	2,150.00
160	1	Klauwplaat Omschrijving: Rohm onafhankelijke 4 klauwplaat, diameter 400 mm, camlock opname;	250.00
161	1	Klauwplaat Omschrijving: onafhankelijke 4 klauwplaat, diameter 600 mm, camlock opname;	250.00
162	1	Klauwplaat Omschrijving: onafhankelijke 4 klauwplaat, diameter 350 mm, tos opname;	250.00
163	1	bril Omschrijving: Bril voor draaibank, binnendiameter: 180 mm;	100.00
164	1	bril Omschrijving: Bril voor draaibank, binnendiameter: 520 mm;	250.00
166	1	zinkvonkersiemachine merk: Hahn & Kolb; type: SE600; serienummer: L175; aansluiting: 400 V; eigen gewicht: 1300 kg; omschrijving: X: 350 mm, Y: 300 mm, Z: 380 mm, afm. T-groef tafel 650 x 350 mm;	4,500.00
167	1	buisafschuinapparaat Omschrijving: Protom US 38 buisafschuinapparaat, pneumatisch aangedreven, met extra klauwen;	350.00
169	1	Transportkar Omschrijving: Transportkar, laadcapaciteit: 5 ton, afmetingen: 2500 x 1000 mm, 1 draaibare as, 4 luchtbanden;	75.00
172	1	Transportkar Omschrijving: Transportkar, laadcapaciteit: 5 ton, afmetingen: 2500 x 1000 mm, 1 draaibare as, 4 luchtbanden;	75.00
173	1	Transportkar Omschrijving: Transportkar, laadcapaciteit: 5 ton, afmetingen: 2500 x 1000 mm, 1 draaibare as, 4 luchtbanden;	75.00
180	1	double sharpening stone Silex, MM448, double sharpening stone; 3 x 230/400 V, 350 W, on profile steel pedestal	50.00
182	1	onderlopende cirkelzaagmachine merk: adige; type: SC 425; serienummer: 13888; zaagblad : 400; snelheid van N =: 0 rpm; snelheid tot N =: 150 rpm; aansluiting: 400 V;	450.00



Lot	Number	Description	Starting Bid €
183	1	lapping / fine grinding machine Peter Wolters, FL 5, serial number 321 161, lapping / grinding machine; 3 x 400 V, wheel Ø 585 mm	200.00
184	1	lapping / fine grinding machine Efco, KS 6, year built 2002, serial number 06.600.0138, lapping / grinding machine; 230 V, 1.5 kW, wheel Ø 600 mm	600.00
192	3	electrolytic marking systems Östling, EU-Classic, electrolytic marking systems; 230 V	75.00
199	1	mecano rack with content mechanographical rack with content; content bu 8 boxes pneumatic reducers, folding boxes, tension rings, drill and tap tools, etc.	25.00
203	11	iso-50 tool holders iso-50 tool holders	150.00
205	9	iso-50 tool holders iso-50 tool holders	150.00
211	1	Mobile work table mobile worktable; dimensions . 132 x 72 x 118 cm H, vv lower and tussenlegbord	25.00
212	1	table fridge Frigidaire, table refrigerator; dimensions . 54 x 60 x 85 cm H, incl. Boppas combi-bottom refrigerator	10.00
214	21	iso-40 tool holders iso-40 tool holders; being for face mill, drilling and milling cutters, etc.	200.00
215	20	iso-40 tool holders iso-40 tool holders; being for boring heads, drilling and milling cutters, etc.	200.00
216	18	iso-40 tool holders iso-40 tool holders; being for boring heads, drilling and milling cutters, etc.	175.00
217	11	iso-40 tool holders iso-40 tool holders; being for boring head, drilling and milling holders, etc.	165.00
218	19	iso-40 tool holders iso-40 tool holders; being Wohlhaupter boring head, Kennametal boring heads, drilling and milling cutters, etc.	165.00
219	9	iso-40 tool holders iso-40 tool holders; being Kennametal boring heads, drilling and milling machines, etc.	90.00
220	11	iso-40 tool holders iso-40 tool holders; Being for drilling and milling cutters, etc.	100.00
221	27	iso-40 tool holders iso-40 tool holders; Being for drilling and milling cutters, boring heads, etc.	150.00
222	22	iso-40 tool holders iso-40 tool holders; Being for drilling and milling cutters, etc.	150.00
223	1	iso-40 3D probe Heidenhain, TS 632 A40, serial number 9 222 797 D, iso-40 3D probe; in wooden suitcase	150.00
231	1	CNC milling machine Correa, B-20, year built 1984, serial number 9100316, CNC milling machine; 3 x 400 V, longitudinal movement x axis: 1500 mm, transverse movement y - axis: 650 mm, height displacement z - axis: 600 mm, dimensions opspanvlak- table (LxW): 1800 x 500 mm, power on the main spindle: 15 kW, milling head-mounting spindle (iso): iSO 50, max. number of speeds: 40 > 2000 rpmsturing: Fanuc oi-mc, length l - a: 2900 mm, width v - a: 2400 mm, height: 2720 mm, weight: 5.4 tons, ref. 531 059	4,500.00
232	1	tool trolleys with iso-50 tool holders Lista, tool trolleys with iso-50 tool holders; content bu 26 various iso-50 shooting tool, fitting Correa B-20 milling machine with lot no. 231	400.00
233	28	iso-50 tool holders iso-50 tool holders	400.00



Lot	Number	Description	Starting Bid €
237	1	Mobile work table mobile worktable; dimensions . 132 x 72 x 122 cm H, vv under and between shelf	25.00
238	1	CNC machining centre Mazak, H-500/40, year built 1989, serial number 84681, CNC machining centre; 3 x 400 V, 11 kW, with 2 tables dimensions . 500 x 500 mm, X = 560 mm, Y = 460 mm, Z = 510 mm, rapid advance XYZ 24,000 mm / min Spindle speed 7000 rev / min., Equipped with a tool magazine for 30 iso-40 tool holders, incl. 22 iso-40 tool holders ref. 53596	4,800.00
245	1	column drill Sahinler, BS-42, year built 2002, serial number 354, column drill; 3 x 400 V, 1.1 / 1.6 kW vv OMG double-head drilling device type : VH 102, is mounted on the profile frame of steel equipped with forklift pockets for forklift truck	900.00
246	1	olie- en spanenseparator merk: depureco; type: BOB 500; jaar: 2001; serienummer: V01-052; eigen gewicht: 250 kg; omschrijving: 380 V, 2.2 kW, v.v. mobiele lekbak met vorkkokers;	400.00
248	1	CNC lathe Mazak, Quick Turn-15, year built 1988, serial number 79198, CNC lathe; max. draaidiam. boven het bed 440 mm, max. draaidiam. boven het bed 250 mm, doorlaat hoofdspil 51 mm, 4500 tpm, Mazatrol sturing, 3 x 400 V, its own weight of 4300 kg, incl. spaanafvoer, ref. 53516	2,000.00
254	4	sets of chuckles for chucks Schunk, sets of chucks for chucks; width 40 mm, suitable for Daewoo Puma 240M lathe with lot no. 246 and Mazak quick Turn 15 with lot no. 248	40.00
255	2	sets of chuckles for chucks Schunk, sets of chucks for chucks; width 50 mm, incl. center point with morsekonus	40.00
260	1	dividing head distributor; vv Röhmm three-point clamping chuck Ø 200 mm,	250.00
262	1	universal drive head Nicolas Correa, U200, serial number 2600325, universal powerhead; iso-50 tool-holding fixture, universal 2 x 360 ° adjustable, incl. drive gear, suitable for Correa universal cutter with lot number. 259	500.00
265	1	verdeeltafel Omschrijving: Walter verdeeltafel met zelf centrerende 4 klauwplaat, diameter 400 mm;	500.00
266	1	boring head with iso-50 toolholder Wohlhaupter, multibore 236019, boring head with iso-50 toolholder	90.00
267	1	boring head with iso-50 toolholder Wohlhaupter, multibore 137013, boring head with iso-50 toolholder; Ø 43-54 mm	90.00
268	1	boring head with iso-50 toolholder boring head with iso-50 toolholder; Ø 115-150 mm	90.00
269	9	iso-50 tool holders iso-50 tool holders; being a boring head, spindles for drilling, milling and machine taps	150.00
273	1	iso-50 quick coupling spandoornset Nikken, iso-50 quick coupling spandoornset; bu iso-40 to iso-50 adapter, various arbors, clamping holders, etc. in wooden box	75.00
280	1	lot of lathe accessories party lathe accessories; being for clamping chuck Ø 200 mm with additional set of clamping jaws, clamping chuck Ø 230 mm with additional set of clamping jaws, various tools wo 2 x iso-50-recording, etc.	100.00
286	1	CNC lathe Lealde, TCN 12-4, serial number 12035, CNC lathe; max. swing diameter over bed: 670 mm, centre distance: 1050 mm, max. transverse movement X-axis: 775 mm, spindle taper: 305 mm, main spindle bore: 115 mm, power on main spindle: 30/37 kW, speed: 3000 rpm, control: Fanuc 30hv, upper turret 12 x DINFIX, lower turret 8 x VDI-50, 3 x 400 V, 45 kW, weight 10 tons, incl. chip removal system and air filter, ref. 531088	9,500.00



Lot	Number	Description	Starting Bid €
287	1	lot of lathe accessories lot of lathe accessories; suitable for Lealde TCN-12 lathe with lot no. 286, which is about 11 x 3-piece set clamping jaws for chucks, width 60 mm, incl. Schunk, straight VDI tool holders 50, right-angle tool holders, center points, chisels, etc.	200.00
288	14	sets of chuckles for chucks sets of clamping jaws for chucks; incl. Schunk, matching Lealde TCN-12 lathe with lot no. 286, width 60 mm	100.00
290	12	sets of chuckles for chucks sets of clamping jaws for chucks; incl. Schunk, width 40 mm	100.00
291	27	sets of chuckles for chucks sets of clamping jaws for chucks; incl. Schunk, width 40 mm	175.00
296	1	partij kantoormeubilair omschrijving: zijnde metalen bureau, bijzettafel en dossierkast;	20.00
301	22	sets of chuckles for chucks sets of clamping jaws for chucks; incl. Schunk, width 50 mm, fits on Global M600 CNC lathe with lot no. 300, incl. various chisels, chisel buses, tool holders, four center points, etc.	175.00
304	22	sets of chuckles for chucks sets of clamping jaws for chucks; incl. Schunk, width 50 mm, suitable for lathe with lot no. 306, incl. various toolholders	100.00
306	1	CNC horizontal machining centre Mori Seiki, AL-22S, year built 1991, serial number 100, CNC horizontal machining centre; 3 x 400 V, 26 kVA, max. rotary diam. over bed: 480 mm distance between centers: 305 mm spindle bore 43 mm, speed: 6000 rpm, control: Fanuc, including 2 sets of clamping jaws, ref. 53444	3,000.00
307	1	Hydraulische hefcilinder Omschrijving: Larzep hydraulische hefcilinder 3 ton;	75.00
308	1	Hydraulische hefcilinder Omschrijving: Enerpac hydraulische hefcilinder 10 ton;	75.00
309	1	Hydraulische hefcilinder Omschrijving: Enerpac hydraulische hefcilinder 3 ton;	75.00
311	1	Hydraulische hefcilinder Omschrijving: Enerpac hydraulische hefcilinder 3 ton;	75.00
314	1	Conventional parallel lathe Mondiale, RG14, year built 1972, serial number 720331, Conventional parallel lathe; 3 x 400 V, max. 900 mm distance between centers, max. Above the bed of rotation Ø 350 mm, max. Of rotation Ø top carriage 170 mm, spindle speed 40 to 2000 tr / min., 40 mm Ø shaft feed-through, automatic food, incl. glasses	500.00
315	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00
316	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00
317	1	Hydraulische hefcilinder Omschrijving: Larzep hydraulische hefcilinder 10 ton;	75.00
319	1	Hydraulische hefcilinder Omschrijving: Mingori hydraulische hefcilinder 3 ton;	75.00
320	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00
321	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00
322	1	Hydraulische pomp Omschrijving: Hydraulische pomp;	75.00
323	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00



Lot	Number	Description	Starting Bid €
324	1	Hydraulische cilinder Omschrijving: LJM hydraulische cilinder;	75.00
325	1	Hydraulische pomp Omschrijving: Mingori hydraulische pomp;	75.00
328	25	sets of chucks for chucks sets of clamping jaws for chucks; incl. Schunk, width 50 mm, suitable for Mori Seiki CL-253B lathe with lot no. 327	150.00
329	30	sets of chucks for chucks sets of clamping jaws for chucks; incl. Schunk, width 45 and 50 mm, suitable for Mori Seiki CL-253B lathe with lot no. 327	150.00
333	85	sets of chucks for chucks sets of clamping jaws for chucks; incl. Schunk, widths 35 and 40 mm, inclusive. Regaalkast open metals and metal with sliding doors werkplaatskast	250.00
341	1	tapstation voor olie tapstation voor olie; b.u. 3 Orion vulpistolen met digitale volume meter, RVS spatwand en Castrol lekbak afm. 103 x 30 cm	150.00
364	1	kolomzwenkkrana kolomzwenkkrana; cap. 150 kg, gieklength 240 cm, kolomhoogte 300 cm, v.v. Stahl elektrische kettngtakel met loopkat en peerbediening	200.00
374	1	portaalkraan portaalkraan; cap. 1000 kg, lengte loopkat rail 600 cm, kolomhoogte 300 cm, v.v. elektrische kettngtakel met loopkat en peerbediening	250.00
375	1	portaalkraan Verlinde, portaalkraan; cap. 500 kg, engte loopkat rail 600 cm, kolomhoogte 300 cm, v.v. manuele kettngtakel met loopkat	100.00
392	1	kotterkop met ISO-50 gereedschapsopname Wohlhaupter, multibore 364033, kotterkop met ISO-50 gereedschapsopname; Ø 38-50.5 mm, totale lengte corpus onder ISO opname 140 mm	100.00
405	1	buitenschroefmaat Tesa, buitenschroefmaat; 125-150 mm	30.00
406	1	buitenschroefmaat Tesa, buitenschroefmaat; 100-125 mm	30.00
412	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm; 25-50 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	150.00
415	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	150.00
419	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm; 25-50 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	150.00
420	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm; 25-50 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	150.00
427	1	buitenschroefmaat Mitutoyo, buitenschroefmaat; 75-100 mm; in opbergdoos	25.00
429	5	buitenschroefmaten buitenschroefmaten; w.o. Mitutoyo en Tesa; w.v. 3 x 100-125 mm; 2 x 125-150 mm	125.00
431	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 25-50 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	125.00
432	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm, 25-50 mm, 50-75 mm, 75-100 mm; 100-125 mm; 125-150 mm; in opbergdoos	150.00



Lot	Number	Description	Starting Bid €
433	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; w.v. 0-25 mm, 25-50 mm, 2 x 75-100 mm, 100-125 mm; 125-150 mm; in opbergdoos	150.00
435	3	diverse buitenschroefmaten Mitutoyo, diverse buitenschroefmaten; w.v. 0-25 mm; 2 x 25-50 mm	60.00
436	1	buitenschroefmaat Tesa, buitenschroefmaat; 75-100 mm	20.00
440	1	set buitenschroefmaten Tesa, set buitenschroefmaten; w.v. Mitutoyo en Tesa; 0-25 mm; 25-50 mm; 50-75 mm; 75-100 mm	100.00
442	3	buitenschroefmaten Mitutoyo, buitenschroefmaten; w.v. 25-50 mm; 100-125 mm; 125-150 mm	75.00
468	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; b.u. 0-25 mm; 50-75 mm; 2 x 75-100 mm; 100-125 mm; 125-150 mm	150.00
486	4	diepte schuifmaten diepte schuifmaten; w.o. Mitutoyo en Kanon; lengte 300 mm	20.00
495	1	buitenschroefmaat Filetta, buitenschroefmaat; 100-125 mm	25.00
504	1	set buitenschroefmaten Mitutoyo, set buitenschroefmaten; b.u. 0-25 mm; 25-50 mm; 50-75 mm; 75-100 mm; 100-125 mm; 125-150 mm	150.00
532	1	buitenschroefmaat Somet, buitenschroefmaat; 400-500 mm	90.00
543	1	set buitenschroefmaten set buitenschroefmaten; w.o. 0-25 mm; 25-50 mm; 100-125 mm; 150-175 mm; 175-200mm; 200-225 mm; 250-275 mm	150.00
563	1	buiten schroefmaat Filetta, buiten schroefmaat; 100-125 mm	25.00
564	1	buiten schroefmaat buiten schroefmaat; 125-150 mm	25.00
566	1	buiten schroefmaat Filetta, buiten schroefmaat; 150-175 mm	25.00
569	4	driehoekige kalibers driehoekige kalibers; v.v. hoek van 4°; w.v. diam. 35 mm; 29 mm; 34 mm; 20,5 mm	40.00
585	1	digitale hoogtemeter Tesa, hite 600, digitale hoogtemeter; v.v. aftekenpunt; H 96 cm	700.00
586	1	digitale hoogtemeter Tesa, hite 600, digitale hoogtemeter; H 83 cm	50.00
599	1	buitenschroefmaat Mitoyo, buitenschroefmaat; 25-50 mm; v.v. indicator	25.00
601	1	buitenschroefmaat Mitoyo, buitenschroefmaat; 25-50 mm; v.v. indicator	25.00
603	1	buitenschroefmaat Mitoyo, buitenschroefmaat; 75-100 mm; v.v. indicator	25.00
609	1	halogeen lichtbron voor microscoop Schot, kl1500, halogeen lichtbron voor microscoop; 230 V; max. 150 W	20.00
614	1	meettafel Precimaebre, serial number 2947S, meettafel; v.v. profielstalen onderstel; zwart graniet blad; afm. blad 149,5 x 100 x H 20 cm	200.00
615	11	afstandhouders voor buitennschroefmaten afstandhouders voor buitennschroefmaten	25.00



Lot	Number	Description	Starting Bid €
617	1	pc configuratie pc configuratie; b.u. HP toren; pentium4; v.v Windows XP; Samsung scherm; tyoe S24B350; toetsenbord en muis	40.00
633	1	metalen dossier kast metalen dossier kast; v.v. 4 lades; afm. 41 x 62 x H 133 cm; inclusief inhoud	10.00
636	2	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	40.00
639	2	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	40.00
641	3	metalen gereedschapskoffers merk: facom; metaal: ja; omschrijving: incl. inhoud, zijnde een partij diverse handgereedschappen;	60.00
642	3	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	60.00
643	2	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	40.00
645	6	hamers omschrijving: zijnde 2 koperen hamers van 500 en 1000 g, 3 rubberen hamers en 1 kunststof hamer;	10.00
647	2	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	40.00
648	1	Tool box Facom, toolbox; vv various machine tools	20.00
649	3	profielstalen werktafels omschrijving: excl inhoud;	60.00
651	3	mobiele profielstalen werktafels omschrijving: excl inhoud;	50.00
654	3	metal tool boxes metal tool boxes; wv 2 x Facom; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc	60.00
655	2	metal tool boxes Facom, metal tool boxes; wv 1beschadigd; including content ; bu various hand tools ; incl. . screwdrivers; Allen screws; pliers; wrenches; etc.	25.00
657	2	metal tool boxes Facom, metal tool boxes; including content ; bu various hand tools ; incl. . screwdrivers; Allen screws; pliers; wrenches; etc.	30.00
658	1	empty tool boxes empty tool boxes; wv 2x Facom	40.00
660	3	empty tool boxes Facom, empty tool boxes; including in the partially filled container; vv various hand tools	40.00
661	3	metal tool boxes Facom, metal tool boxes; including various hand tools ; bu wrenches; stitch-ring of keys; various pliers; Torx screwdrivers; hammers; etc; (1 suitcase damaged)	60.00
668	1	lot of hand tools lot of hand tools ; ie to metal tool box, hammer, spanners, wrenches, etc. in 4 PVC boxes	40.00
687	1	manual grease pumps Schunk, manual grease pumps	30.00



Lot	Number	Description	Starting Bid €
692	4	d-lock nut bolts WLL, d-nut fastener bolts; cap. 12 tons, 1 1/4 ", red bolt, incl. various hinges and hydraulic pedal	40.00
697	1	Lift magnet Braillon, PD2, lifting magnet; cap. 440 kg	125.00
701	1	CNC cylindrical grinding machine Fortuna, FM62G1000N40, year built 1999, serial number 16095, CNC cylindrical grinding machine ; 3 x 400 V, 15 kW, max. 6000 rpm, cap. Ø 260 x 1000 mm, with Fortuna FM4 CNC control, balancer and automatic measuring system incl., ref. 52118	5,900.00
702	1	metal drawers metal chest of drawers; dimensions . 102 x 57 x H 102.5 cm; including content ; bu various hand tools ; various machine parts for Fortuna; (Lot 701)	100.00
703	1	Universal cylindrical grinding machine Nyberg & Westerberg Aktiebolag, RSM-2, serial number 4-1004, universal cylindrical grinding machine ; 3 x 400 V, center height 135 mm, distance between centers 600 mm, max. outside diameter 260 mm, MK3 morsekonus, max. Table speed 6 m / min, max. Speed exterior grinding stone 2,400 tr / min, max. Speed interior grindstone 18000 r / min, dimensions . within grindstone 22 x 22 x 6 mm, dimensions . outside grindstone 254 x 25 x 51 mm in dimensions . machine 2200 x 1300 x 1390 mm H, own weight 1250 kg, ref. 52212	600.00
706	1	cylindrical grinding machine AMC, K-2000, serial number 1056, cylindrical grinding machine ; 3 x 400 V, Ø grindstone 800 mm, double-end chucks, ref. 52217	750.00
710	1	clamping equipment clamping equipment; bu 3 x chucks; diam. 20 cm; including rack	50.00
727	1	claws chuck jaws; dimensions . 4 sets of 3; dimensions . 150 x 40 x H 60 mm	45.00
731	1	Conventional parallel lathe Progres jones & Lamson, Stalar 190, serial number 15614, Conventional parallel lathe; 3 x 230 V, max. Distance between the centers 1000 mm, max. Above the bed of rotation Ø 400 mm, max. Of rotation Ø above, the carriage 230 mm, 29 to 1500 tr / min., Ca. 35 mm diameter shaft passage vv Röhm 3-point clamping chuck Ø 200 mm, ref. 52214	900.00
732	1	Conventional parallel lathe Progres jones & Lamson, Stalar 190, serial number 15614, Conventional parallel lathe; 3 x 230 V, max. Distance between the centers 1000 mm, max. Above the bed of rotation Ø 400 mm, max. Of rotation Ø above, the carriage 230 mm, 29 to 1500 tr / min., Ca. 35 mm diameter shaft passage vv Röhm 3-point clamping chuck Ø 200 mm, incl. additional 3-point clamping chuck Ø 200 mm, ref. 52215	900.00
733	2	various jaw clamps various jaw clamps; including 11 sets claw shoes; toolholders; drill bits; for Rohm clamping chuck ; diam. 200 mm	75.00
739	1	measuring table measuring table ; with granite sheet; dimensions . 63 x 63 x 10 cm H; on the metal base; (Leaf cracked)	20.00
742	1	Conventional parallel lathe Demoor, Conventional parallel lathe ; 3 x 230/380 V, max. Distance between the centers 3000 mm, max. Above the bed of rotation Ø 600 mm, max. Of rotation Ø above, the carriage 390 mm, 13.20-1000 tr / min., With 3-point clamping chuck Ø 300 mm, ref. 52231	1,500.00
743	20	various jaw clamps various jaw clamps; sets of three; including one clamping chuck ; diam. 200 mm	100.00
747	33	various ISO40 toolholder various ISO40 toolholder; vv partly vv cutter ; drilling head ; quick coupling ; including various milling	450.00



Lot	Number	Description	Starting Bid €
753	11	various ISO50 tool recordings various ISO50 tool recordings; partly vv milling; rotor head; saw; drilling head	150.00
758	2	ISO-50 tool shots ISO-50 tool recordings; vv 1 x Haimer; 1 vv Secodex cutter	50.00
760	1	refrigerator Fagor, refrigerator; 230 V; (to recover)	5.00
764	1	metal closet metal closet; vv sliding doors ; dimensions . 92 x 45 x 105,5 cm H; including content	20.00
766	1	spark machine Waldmann & weigl, er400 t, year built 1996, serial number 600039557, sparks; for the sparking of chipped tapping and drilling in workpieces, 3 x 400 V; including trolley and metal case with accessories	200.00
772	1	lot of various wire tapping and drilling lot of various wire tapping and drilling; including lot of machine accessories and metal case; with sliding doors	50.00
777	13	iso-40 tool shots iso-40 tool shots; being a Wohlhaupter boring head, drilling, tapping and milling cutters, etc.	200.00
778	14	iso-40 tool shots iso-40 tool shots; being for drilling, tapping and milling cutters, etc.	175.00
779	14	iso-40 tool shots iso-40 tool shots; being 3 Wohlhaupter boring heads, drilling, tapping and milling cutters, etc.	175.00
780	14	iso-40 tool shots iso-40 tool shots; being 2 Wohlhaupter boring heads, drilling, tapping and milling cutters, etc.	175.00
781	14	iso-40 tool shots iso-40 tool shots; being for drilling, tapping and milling cutters, etc.	175.00
782	1	metal tool cabinet Lista, metal tool cabinet; dimensions . 104 x 69 x 145 cm H, vv holders 70 in 5 rows of iso-40 tool recordings	100.00
784	34	iso-40 tool shots iso-40 tool shots; Being for drilling, tapping and milling cutters, boring head, etc. in a wooden holder, incl. a batch of various machine taps and cutters	450.00
785	1	oil filter pump Oil filter pump; vv Harting machine connector	50.00
789	3	iso-40 tool shots iso-40 tool shots; being 2 cuttings and 2 Precicarb boring heads	50.00
796	12	iso-40 tool shots iso-40 tool shots; being clamping fixtures and utensil	150.00
797	1	Metal desk metal desk; dimensions . 152 x 87 x 78 cm	20.00
818	16	iso-50 tool shots iso-50 tool shots; being for drilling, tapping and milling cutters, etc.	175.00
819	15	iso-50 tool shots iso-50 tool shots; Being for drilling, tapping and milling cutters, tool and chisel holders, etc.	175.00
820	12	iso-50 tool shots iso-50 tool shots; being for drilling, tapping and milling cutters, etc.	150.00
821	1	metal material cabinet metallic material cabinet; dimensions . 100 x 46 x 198 cm, incl. 2 mechanographical racks	25.00
822	1	tool trolleys with iso-50 tool recordings Lista, tool trolleys with iso-50 tool recordings; content bu 30 various iso-40 shooting tools, incl. . 2 Wohlhaupter cutter heads, face milling, clamping mandrels, etc.	450.00



Lot	Number	Description	Starting Bid €
824	1	vertical stitch bench Hopfengärtner, STE 16, vertical stitch bank; 3 x 230/400 V, 60/110/180 tr / min., Vv T clamping table dimensions . 540 x 240 mm	300.00
827	1	surface grinding machine ELB, SWR5VAII, serial number 127740974, surface grinding machine ; dimensions . magnetic clamping table 500 x 300 mm, max. grindstone Ø 280 mm, ref. 52810	1,250.00
829	1	metallic material cabinet with content metallic material cabinet with content ; dim. 100 x 45 x 200 cm, content bu accessories and tools for surface grinders with lotnrs. 827 and 828, and electrolytic marking system with lot number. 830	40.00
832	1	mobile metal sink mobile metallic sink; dimensions . 102 x 66 x 100 cm H	25.00
833	1	balancing device Hofmann, NG-2, balancing device; cap. 150 kg, incl. Metal workshop cupboard	20.00
844	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 565 mm	300.00
845	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 565 mm	300.00
846	1	modular NC machine clamp Gerardi, modular NC machine clamp ; total length 565 mm, excl. pelvis	200.00
847	1	NC base plate NC base plate; dimensions . 450 x 450 mm	200.00
853	1	NC base plate with vertical workpiece plate NC-base plate with vertical workpiece plate; dimensions . 500 x 500 x 460 mm H	300.00
854	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 600 mm	300.00
855	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 600 mm	300.00
856	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 600 mm	300.00
857	1	modular NC machine clamp Gerardi, modular NC machine clamp ; jaw width 150 mm, total length 600 mm	300.00
858	1	NC base plate NC base plate; dimensions . 500 x 500 mm	200.00
859	1	NC base plate with vertical workpiece plate NC-base plate with vertical workpiece plate; dimensions . 440 x 345 x 460 mm H	300.00
866	1	lot of parts and mounts for machine vices lot of parts and mounts for machine vices	40.00
867	29	iso-50 tool shots iso-50-tool recordings; incl. . clamping mandrels, drill bits, etc.	750.00
869	1	modular NC machine clamp Triag, PCB 40-50-600, modular NC machine clamp ; vv 3 pelvis, jaw width 93 mm, total length 600 mm	300.00
870	1	modular NC machine clamp Triag, PCB 40-50-600, modular NC machine clamp ; vv 3 pelvis, jaw width 93 mm, total length 600 mm	300.00
871	1	modular NC machine clamp Triag, PCB 40-50-600, modular NC machine clamp ; vv 3 pelvis, jaw width 93 mm, total length 600 mm	300.00
872	1	NC base plate with vertical machine clamping plate NC-machine base plate with a vertical clamping plate; dimensions . 370 x 370 x H 600 mm, excl. Vices	300.00
873	5	basin for NC machine clamp Triag, basin for NC machine clamp ; width 90 mm	150.00



Lot	Number	Description	Starting Bid €
874	5	basin for NC machine clamp Triag, basin for NC machine clamp ; width 90 mm	150.00
875	5	basin for NC machine clamp Triag, basin for NC machine clamp ; width 90 mm	150.00
876	1	NC base plate Gerardi, modular system, NC base plate; dimensions . 545 x 545 mm, equipped with vertical die plate	200.00
913	1	Trolley Trolley; dimensions . 90 x 90 x 58.5 cm H	10.00
919	12	iso-50 tool shots iso-50-tool recordings; incl. . drilling; tap-; spindles	200.00
920	10	iso-50 tool shots iso-50-tool recordings; incl. . drilling; spindles	150.00
921	10	iso-50 tool shots iso-50-tool recordings; incl. . drilling; spindles	150.00
922	1	metal tool cabinet Lista, metal tool cabinet; dimensions . H 145 x 69 x 145 cm, equipped with 36 containers in four rows for iso-tool 40 shots	90.00
923	9	iso-50 tool shots iso-50-tool recordings; incl. . drilling; cutter -; cutter holders	125.00
924	9	iso-50 tool shots iso-50-tool recordings; incl. . drilling; cutter -; Cutting holders; etc.	125.00
925	9	iso-50 tool shots iso-50-tool recordings; incl. . drilling; cutter -; Cutting holders; etc.	125.00
926	9	iso-50 tool shots iso-50-tool recordings; incl. . drilling; cutter -; Cutting holders; etc.	125.00
927	25	iso-50 tool shots iso-50-tool recordings; vv drilling; cutter -; tap holders; Lista including Iso-40 uptake cart; vv containers 25	450.00
929	1	roller bridge Parmentier, pr9328, year built 1986, crane; vv Stahl electric chain hoist approx. . 500 kg; with traveling crab and peer operation; profile on steel rails; dimensions . about 25 x 9 x 282 cm H	750.00
936	1	lintzaagmachine merk: ernst Grob; type: NS 18; serienummer: 258; aansluiting: 400 V; omschrijving: v.v. puntlasinrichting voor lintzaag, incl. ongebruikte Bahco Sandflex Cobra lintzaag;	500.00
937	1	metal tool cabinet with content metal tool cabinet with content , dimensions . 150 x 100 x 170 cm, content bu various hand tools, incl. Metal locker	20.00
943	1	bolted pallet shelve bolted pallet shelve ; bu 4 uprights dimensions . 120 x 365 cm and 12 H profile steel girders divided into 3 sections,	75.00
946	1	wateronthardingsinstallatie merk: ecowater; type: 5000; omschrijving: incl. externe zouttablet container;	250.00
952	1	hydraulic garage press A. Biebuyck, hydraulic workshop press ; cap. 10 tons, max. Height 800 mm, equipped with manual hydraulic pump	200.00
960	1	high pressure density test installation high density test equipment; bu pump line, 3 x 400 V, 3.6 kW, cap. 13.1 L / min., Max. Pressure 140 bar, drip tray dimensions . 125 x 125 x 35 cm, on galvanized chassis vv forklift pockets	150.00
963	1	steel wire small goods warehouse wire small parts; dimensions . 400 x 300 x 220 cm, equipped with steel wire door and roof	200.00



Lot	Number	Description	Starting Bid €
974	1	diathermic solvents distillation station Formeco, D12A, serial number 35744, diathermic solvents, distillation station; 230 V, 1:02 kW, 4.6 A, cap. 12 L, content 6 L diathermic oil, incl. Rosauto end machine for spray guns	100.00
978	1	spray booth spray booth; dimensions . 300 x 300 x 300 cm H	200.00
981	3	mobile profile steel work tables mobile profile steel work tables; incl. non-mobile work table	20.00
983	1	linnenkar	30.00
984	1	linen cart Van egmond, linnenkar; dimensions . 80 x 60 x 173 cm	30.00
985	1	mobile lifting aid for oil barrels DT-300, mobile lifting aid for oil drums; cap. 300 kg	50.00
990	3	pneumatic oil pumps pneumatic oil pumps; being 2x Samoa PumpMaster 4, 6: 1 and 1 x Orion 22710, 3: 1	300.00
996	1	lot of plastic bins lot of plastic containers; 3 on pallets intentionally edge, incl. a lot of loose lids on pallets 2 with edge retainer	50.00
1012	1	high-pressure coolant pump Grundfos, high-pressure coolant pump; 3 x 230/400 V, 2.2 kW, IP54	100.00
1017	4	hydraulic chucks hydraulic chucks; incl. . Samchully, Kitagawa, etc. on the wooden pallet with a second pallet collars	100.00
1020	1	orifice plate for NC machining centre orifice plate for NC machining centre ; dimensions . 545 x 545 mm, thickness 35 mm, for the manufacture of Atlas Copco 1616.7495.01, incl. 2 other kalbierplatten	100.00
1021	1	orifice plate for NC machining centre orifice plate for NC machining centre ; dimensions . 500 x 500 mm, thickness 35 mm, for the manufacture of Atlas Copco 1616.7519	100.00
1030	1	machine plate for NC machining centre machine plate for NC machining centre ; dimensions . 545 x 545 mm, thickness 35 mm	100.00
1032	1	orifice plate for NC machining centre orifice plate for NC machining centre ; dimensions . 800 x 500 mm, thickness 45 mm, for the manufacture of Atlas Copco 1616.7488.01	100.00
1033	1	orifice plate for NC machining centre orifice plate for NC machining centre ; 2-section, dimensions . 400 x 400 mm, thickness 25 mm, for the manufacture of Atlas Copco 1616.7502.01	100.00
1035	1	plate shears SE, sheet metal shears; on metal feet	50.00
1036	1	lot of solid steel lot of solid steel; ie for steel cylinders, etc. 15 pallets with hopper extension	200.00
1037	1	lot of solid steel lot of solid steel; ie for steel cylinders, etc. 26 pallets deliberately edge, incl. 4 large grinding wheels for cylindrical grinding machine , diameter 725 mm	300.00
1038	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1039	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1040	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1041	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1042	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00



Lot	Number	Description	Starting Bid €
1043	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1044	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1045	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1046	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1047	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1048	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1049	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1050	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1051	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1052	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1053	2	steel centrifugaaldeel for compressor Atlas Copco, steel centrifugaaldeel for compressor	50.00
1054	10	steel cylinder houses for compressor Atlas Copco, 1616.548270, steel cylinder houses for compressor	50.00
1055	10	steel cylinder houses for compressor Atlas Copco, 1616.548270, steel cylinder houses for compressor	50.00
1056	10	steel cylinder houses for compressor Atlas Copco, 1616.548270, steel cylinder houses for compressor	50.00
1057	10	steel cylinder houses for compressor Atlas Copco, 1616.548270, steel cylinder houses for compressor	50.00
1058	11	steel cylinder houses for compressor Atlas Copco, 1616.548270, steel cylinder houses for compressor	50.00
1062	40	steel flanges Atlas Copco, 1616.7059.16, steel flanges	25.00
1063	20	steel flanges Atlas Copco, 1616.7059.13, steel flanges	15.00
1064	2	steel centrifugaaldeel for compressor Atlas Copco, 1616.749670, steel centrifugaaldeel for compressor ; incl. 3 brass coupling flanges	50.00
1065	2	steel parts for compressor Atlas Copco, 1621.3109.1, steel parts for compressor ; incl. 3 brass coupling flanges	50.00
1073	1	orifice plate for NC machining centre orifice plate for NC machining centre ; dimensions . 800 x 500 mm, thickness 45 mm, for the manufacture of Atlas Copco 1616.5482	100.00
1074	6	rolls of welding bags Nefab, cortec VpCI-126, rolls of welding bags; 20 kg / roll	30.00
1075	6	rolls of welding bags Nefab, cortec VpCI-126, rolls of welding bags; 20 kg / roll	30.00
1086	1	steel O-ring Mori Seiki, steel O-ring; Ø 530 mm, thickness 57 mm, incl. 2 steel pedestals	50.00
1088	1	Mobile work table mobile worktable; dimensions . 200 x 100 x 74.5 cm, incl. A lot of scrap wood	30.00



Lot	Number	Description	Starting Bid €
1089	1	roll of welding bags Nefab, cortec VpCI-126, roll of welding bags; 100 kg / roll	30.00
1094	1	lot of collars for Euro pallet size lot of collars for Euro pallet size; approximately 64 pieces	160.00
1097	1	lot of collars for Euro pallet size lot of collars for Euro pallet size; about 52 pieces	130.00
1098	1	lot of collars for Euro pallet size lot of collars for Euro pallet size; approx 44 pcs	110.00
1117	1	lot of pallet size wooden shelves lot of pallet size wooden shelves; for pallet shelve or intermediate plate, on pallets 5	30.00
1118	1	lot of collars for Euro pallet size lot of collars for Euro pallet size; approx 18 pcs	10.00
1136	1	belt sanding and wire brushing machine Arboga, EPBX 308, serial number 30226, bandschuur- and steel brushing machine; 3 x 400 V, 1 kW, dimensions . grinding belt 50 x 1600 mm, max. dimensions . wire brush Ø 200 x 32 x 20 mm, on the metal base	125.00
1160	1	partij freesmateriaal partij freesmateriaal; zijnde o.m. Precicarb trapfrezen, Iso-50 gereedschapsopnames, enz.	200.00
1200	1	partij wisselplaten partij wisselplaten; ca. 100 doosjes, Mircona en Precicarb	150.00
1229	1	partij wisselplaten Seco, partij wisselplaten; ca. 120 doosjes, deels aangebroken	150.00
1519	1	set spantangen ER32 omschrijving: 18-delig, 3-20 mm, opgaand per 1 mm, in PVC koffer;	50.00
1520	1	set spantangen ER32 omschrijving: 18-delig, 3-20 mm, opgaand per 1 mm, in PVC koffer;	50.00
1521	1	set spantangen ER40 omschrijving: 23-delig, 4-26 mm, opgaand per 1 mm, in PVC koffer;	70.00
1522	1	set spantangen ER40 omschrijving: 23-delig, 4-26 mm, opgaand per 1 mm, in PVC koffer;	70.00
1526	1	partij wisselplaatfrezen merk: iscar; omschrijving: ca. 12 stuks, diverse Ø en toepassingen;	80.00
1527	1	bt50 boring heads merk: BIG-Kaiser; omschrijving: zijnde 2 x type: BM5 en 1 x type: BM6;	300.00
1529	18	hm-carbide cutters merk: OSG; omschrijving: schacht 20 mm, 5 FLT;	80.00
1540	1	partij multimaster houders merk: iscar; omschrijving: ca. 15 stuks, zijnde T12 SA20 + hm-carbide T12 IC908;	125.00
1541	1	partij multimaster houders merk: iscar; omschrijving: ca. 15 stuks, zijnde T12 SA20 + hm-carbide T12 IC908;	125.00
1551	16	isa 50 spantanghouders merk: erickson; type: DA100; omschrijving: DIN69871;	125.00
1552	16	isa 50 spantanghouders merk: erickson; type: 100HTG; omschrijving: DIN69871;	125.00
1553	5	isa 50 spantanghouders omschrijving: DIN69871 met reductie naar isa 40;	125.00
1556	16	bt 50 freeshouders omschrijving: w.o. Weldon ER spantang e.d.;	125.00
1560	1	partij morse boorhouders omschrijving: voor mesboren, zijnde opsteekhouders MK2/MK5, incl. pallet met opzetrand;	125.00



Lot	Number	Description	Starting Bid €
1562	7	bt 50 spantanghouders omschrijving: ER40;	70.00
1563	7	bt 50 spantanghouders omschrijving: ER32;	70.00
1564	14	bt 50 weldonhouders omschrijving: 20/25/32/40 mm;	125.00
1565	7	bt 50 weldonhouders omschrijving: 12/16 mm;	60.00
1567	1	partij isa 50 tapbushouders omschrijving: din 2080, BIG + verloopstukken;	60.00
1568	1	partij isa 50 tapbushouders omschrijving: ca. 22 stuks, zijnde DIN 69871 tapbushouder, grootte 1/2 + spantanghouders ER32+ weldonhouders, incl sorteerek;	175.00
1572	1	vdi-50 opnames naar capto C6 merk: coromant capto; type: C6-DT115CR00145; omschrijving: incl. 2 x Seco schijffrees Ø 220 mm;	175.00
1575	2	capto C6 T-gleuffrezen merk: sandvik; omschrijving: voor schroefdraad;	125.00
1582	1	klauwplaat Ø 730 mm merk: amestra; 3-klauw: ja; diameter: 730 mm; omschrijving: doorlaat 230 mm, v.v. grondklauwen en 4 sets diverse klauwen, op 1 pallet;	600.00
1587	1	vdi 30 instelgereedschap omschrijving: v.v. microscoop, in koffer;	60.00
1588	11	tapbushouders WE60 omschrijving: voor grote tappen, diverse opnames;	80.00
1589	2	haakse aandrijfkoppen HSKA100 merk: pibomulti; omschrijving: v.v. gradatie voor kotterkop, swiss made;	300.00
1590	1	haakse aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: Ø 105 mm, totale lengte 465 mm;	300.00
1591	1	aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: Ø 105 mm, totale lengte 360 mm;	200.00
1592	1	aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: Ø 105 mm, totale lengte 220 mm;	125.00
1593	1	45° aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: Ø 130 mm, totale lengte 220 mm;	125.00
1594	1	haakse aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: Ø 105 mm, totale lengte 260 mm;	175.00
1595	1	haakse aandrijfkop HSKA100 naar Capto C6 merk: sandvik coromant; omschrijving: heavy duty, totale lengte 220 mm;	175.00
1596	2	HSKA100 haakse spantanghouders merk: pibomulti; omschrijving: totale lengte 400 mm v.v. gradatie, swiss made;	300.00
1597	1	beitels voor kotterkoppen merk: wohlhaupter; type: multi Bore; omschrijving: ca. 28 stuks w.o. art. nr. 149091/149094, enz. in 2 blauwe PVC kisten;	175.00
1598	1	sliding bars voor kotterkoppen merk: wohlhaupter; type: multi Bore; omschrijving: 6 stuks, MV 5 opname Ø 35 mm, zijnde 2x art. nr. 148006 82-103 mm, 2 x art. nr. 148007 100-155 mm en 2 x art. nr. 148009 150-205 mm;	175.00
1599	1	sliding bars voor kotterkoppen merk: wohlhaupter; type: multi Bore; omschrijving: 4 stuks, zijnde 2 x art. nr. 149001 200-280 mm en 2 x art. nr. 149002 275-355 mm;	200.00



Lot	Number	Description	Starting Bid €
1600	1	extensions voor kotterkoppen merk: wohlhaupter; type: multi Bore; omschrijving: 9 stuks, MV 5 opname, zijnde 2 x art. nr. 219061, 2 x art. nr. 219061, 2 x art. nr. 219063, 2 x art. nr. 219064 en 2 x reductie Ø 55 naar Ø 35 mm met art. nr. 219066;	300.00
1603	2	schuifmaten omschrijving: zijnde centrimeter cap. 1000 mm en schuifmaat met fijnregeling cap. 500 mm in houten kist;	60.00
1606	4	buitenmaat micrometers merk: mahr en tesa; meetbereik van: 100 mm; meetbereik tot: 200 mm; omschrijving: 0,01 mm;	60.00
1608	4	buitenmaat micrometers merk: mahr en tesa; meetbereik van: 100 mm; meetbereik tot: 200 mm; omschrijving: 0,01 mm;	60.00
1609	4	buitenmaat micrometers merk: mahr; meetbereik van: 100 mm; meetbereik tot: 200 mm; omschrijving: 0,01 mm;	60.00
1611	2	buitenmaat micrometers merk: mitutoyo; omschrijving: 0,01 mm, zijnde 200-225 mm en 225-250 mm;	30.00
1613	1	lasergestuurde micrometer merk: zygo; type: 1202B LTS; jaar: 1987; serienummer: 87-16-235; digitaal: ja; omschrijving: 230 V;	400.00
1618	22	capto 6 draaigereedschappen merk: sandvik; omschrijving: diverse toepassingen;	175.00
1619	22	capto 6 draaigereedschappen merk: sandvik; omschrijving: diverse toepassingen;	175.00
1623	1	wisselplaat T-gleuffrees merk: walter; type: F2054; omschrijving: Ø 200 mm, dikte 16 mm, ongebruikt, in PVC koffer ;	125.00
1624	1	wisselplaat T-gleuffrees merk: walter; type: F2252; omschrijving: Ø 200 mm, dikte 16 mm, ongebruikt, in PVC koffer ;	125.00
1625	1	grote partij vdi 30 opnames merk: index; omschrijving: incl. toebehoren, verloopbussen en spantangen;	400.00
1627	1	partij schroefdraad kalibers omschrijving: ca. 40 stuks, GO/NO kalibers, metrische fijne draad w.o. M27 x 1.5, M36 x 3, enz. incl. pallet met opzetrand;	225.00
1628	1	partij schroefdraad kalibers omschrijving: ca. 30 stuks, GO/NO kalibers, metrische fijne draad w.o. M42 x 1.5, M80 x 2, enz. incl. pallet met opzetrand;	175.00
1632	1	voorinstelapparaat voor freesinstelling merk: somet; type: SDJ 300; aansluiting: 230 V; handboek aanwezig: ja; totale afmeting L: 1200 mm; totale afmeting B: 500 mm; totale afmeting H: 1850 mm; omschrijving: incl. toebehoren voor isa 40/isa 45/isa 50;	400.00
1633	1	geslepen precisie t-gleuf opspantafel tafel afmeting L: 1000 mm; tafel afmeting B: 600 mm; T-gleufafmeting L: 40 mm; T-gleufafmeting B: 22 mm; tafeldikte: 150 mm; omschrijving: gewicht ca. 600 kg;	250.00
1636	1	geslepen precisie t-gleuf opspantafel tafel afmeting L: 490 mm; tafel afmeting B: 300 mm; T-gleufafmeting L: 22 mm; T-gleufafmeting B: 14 mm; tafeldikte: 70 mm; omschrijving: gewicht ca. 60 kg;	125.00
1637	1	geslepen precisie t-gleuf opspantafel tafel afmeting L: 490 mm; tafel afmeting B: 300 mm; T-gleufafmeting L: 22 mm; T-gleufafmeting B: 14 mm; tafeldikte: 70 mm; omschrijving: gewicht ca. 60 kg;	125.00
1647	11	isa 50 krachtpantanghouders merk: nikken; type: IT50-C32H-105-1DA; omschrijving: DIN 69871 x 32 mm;	175.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at

www.TroostwijkAuctions.com



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
 - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
 - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
 - the fact that the information on the website is false, incomplete or not up-to-date;
 - errors in the website's software and/or in the underlying system;
 - the illegal use of systems, including use of the Troostwijk website by a third party;
 - acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
 - exclude one or more users from the sale;
 - add items to lots, to split up lots and to remove lots from the sale;
 - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
 - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
 - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
 - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
 - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
 - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
 - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
 - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience