



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Brabant Alucast The Netherlands site Heijen B.V. (NL)**  
**Aluminum die casting machines, drying  
kilns and deburring systems**

De Grens 45 - 6598 DK Heijen  
(taxatieadres)

Closing date: Tuesday **12 MARCH** starting 14:00



*Bidding only on the internet!*

08-03-19 16.05

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 12 March 2019 Brabant Alucast The Netherlands site Heijen B.V.**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Tuesday 12 March 2019 starting 14:00 CET
Viewing	<b>Thursday 7 March from 10:00 until 16:00 CET</b> <b>Monday 11 March from 10:00 until 16:00 CET</b> <b>taxatieadres</b> De Grens 45 6598 DK Heijen, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	<b>Tuesday 19 March from 09:00 until 16:00 CET</b> <b>Wednesday 20 March from 09:00 until 16:00 CET</b> <b>taxatieadres</b> De Grens 45 6598 DK Heijen, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b> You need to be registered on our website if you want to attend the auction closure: <a href="http://www.troostwijkauctions.com">www.troostwijkauctions.com</a> . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount <b>within 48 hours after the purchase agreement has been sent.</b> The transfer should be made to one of the following accounts. Please indicate the <b>auction number</b> and your <b>Account ID</b> with your payment.

**Easy and Safe paying?**

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

**Attention please: indicate the Sale nr. and your buyer number with your payment!**

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



After your purchase you will receive a **proforma** per email.

**Original invoices** can be **downloaded** from [MyTroostwijk](#) after having received your payment.

#### Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



## Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	<b>1 Aluminum injection molding machine</b> bühler, GDS-H-630B DC, year built 1989, serial number 10 178 587, brand: bühler; type: GDS-H-630B DC; year: 1989; serial number: 10 178 587; injection volume: 1093-4373 cm³; injection pressure: 2300-574 bar; number of spraying zones: 24 pcs; clamping force: 7250 kN; mould size W: 800 mm; mould size L: 820 mm; input value: 45 kW; digital control: yes; electric connection: 400 V; manual present: yes; machine weight: 27200 kg; total dimension L: 8300 mm; total dimension W: 8300 mm; total dimension H: 5300 mm; description: maximum strength pouring 650-265 kN.; ejection force 340 kN; form height 300-950 mm; casting weight of from 3 to 12.3 kg; plate size approx. 1210x1210 mm; opening up to 900 mm.; equipped with 5 tempereerapparaten "Thermobiehl", "IECI" and "Tool-temp"; 3-door control cabinet ; 2 "ABB" 5-axis pick and place robots include the control system with remote control.; "Pomac" casting installation with an electric-heated crucible; "Journey" SEP 9-30 4-column baler capacity 30 tons, max. Height approx. 1470 mm, ltdk = 940x730 mm; with steel platform (02);	37,500.00
2	<b>1 Aluminum injection molding machine</b> idra, OL 900 PRP, year built 1999, serial number 7368, brand: idra; type: OL 900 PRP; year: 1999; serial number: 7368; injection pressure: 1380-570 bar; horizontal stroke: 700 mm; number of spraying zones: 18 pcs; clamping force: 9800 kN; mould size H: 1000 mm; input value: 44 kW; digital control: yes; electric connection: 400 V; manual present: yes; machine weight: 51000 kg; total dimension L: 9500 mm; total dimension W: 9800 mm; total dimension H: 5700 mm; description: max pour force 920 kN.; ejection force 382 kN; form height 450-1000 mm; casting weight of from 9 to 21.8 kg; plate size approx. 1450x1450 mm; opening up to 1540 mm.; equipped with 5 tempereerapparaten incl. . "Thermobiehl"; 5-door control cabinet vv "Siemen" touchscreen operation; 3 "ABB" 6-axis pick and place robots incl. Qx type IRB 140 year of manufacturer 2003 1x type PS 90 / 6-131p and 1x type IRB4400 year of manufacturer 2002, including control with remote control.; 1 linear matrix spraying unit "Acheson" type DAY 1000 MCT2 year of manufacturer 2015, "ZPF" electrically heated dosing furnace type TD1400 DC year of manufacturer 2013; "Journey" SEP 13-65, 4-column baler capacity 65 tons, max. Height approx. 1470 mm, ltdk = 940x730 mm; with steel platform (07);	45,000.00
3	<b>1 Aluminum injection molding machine</b> brand: bühler; type: GDS-H-630B ; year: 1986; serial number: 10 139 868; injection volume: 1093-4373 cm³; injection pressure: 2300-574 bar; number of spraying zones: 24 pcs; clamping force: 7250 kN; input value: 45 kW; digital control: yes; electric connection: 400 V; manual present: yes; machine weight: 27200 kg; total dimension L: 8300 mm; total dimension W: 8300 mm; total dimension H: 5300 mm; description: maximum strength pouring 650-265 kN.; ejection force 340 kN; form height 300-950 mm; casting weight of from 3 to 12.3 kg; plate size approx. 1000x1000 mm; opening up to 1200 mm.; equipped with 5x tempereerapparaat incl. . "Thermobiehl"; 2-door control cabinet equipped with Buhler digital control console; 2x "ABB" 6-axis pick and place robot 1x type IRB 4600 year of manufacturer 2008 and 1x type IRB 4400 year of manufacturer 2006incl. control system with remote control; One vacuum pump unit; 1 linear matrix spraying unit "Acheson" type Dag1000 MCT2 year of manufacturer 2015; casting installation with electrically-heated "westofen" height-adjustable crucible; "Journey" SEP 9-30 three-column baler capacity 30 tons, max. Height approx. 1470 mm, ltdk = 940x730 mm; steel platform (8);	37,500.00





Lot	Number	Description	Starting Bid €
4	1	<b>Aluminum injection molding machine</b> brand: bühler; type: SC D/42; year: 1998; serial number: 10 298 468; injection volume: 942-2618 cm <sup>3</sup> ; injection pressure: 1730-623 bar; number of spraying zones: 20 pcs; clamping force: 4200 kN; input value: 35 kW; digital control: yes; electric connection: 400 V; manual present: yes; machine weight: 15500 kg; total dimension L: 7500 mm; total dimension W: 10000 mm; total dimension H: 5300 mm; description: max pour force 490 kN.; ejection force 150 kN; form height 300-750mm; casting weight 2.36 to 6.45 kg; plate size approx. 1000x1000 mm; opening up to 1200 mm.; equipped with 5x tempereerappaat "Thermobiehl", "IECI"; 2-door control cabinet equipped with Buhler digital control console; 1 "ABB" 5-axis pick and place robot type PS 90; Incl. With remote control; 1 linear matrix spraying unit "Acheson" type FCT-1N-B year of manufacturer 1998; casting installation with electrically-heated "westofen" height-adjustable crucible; "Journey" SEP 9-30 three-column baler capacity 30 tons, max. Height approx. 1470 mm, ltdk = 940x730 mm; with steel platform (10);	32,500.00
5	1	<b>Aluminum injection molding machine</b> brand: bühler; type: GMD-H-400B; year: 1987; serial number: 10 159 247; injection volume: 905-3041 cm <sup>3</sup> ; injection pressure: 1485-442 bar; number of spraying zones: 24 pcs; clamping force: 4600 kN; input value: 30 kW; digital control: no; electric connection: 400 V; manual present: yes; machine weight: 16000 kg; total dimension L: 6000 mm; total dimension W: 9500 mm; total dimension H: 5300 mm; description: maximum strength pouring 420-180 kN.; ejection force 240 kN; form height 250-780 mm; casting weight 2.5 to 8.5 kg; plate size approx. 990x990 mm; equipped with 5x tempereerappaat incl. . "Thermobiehl"; 2-door control cabinet ; 1 "ABB" 6-axis pick and place robot including control system with remote control.; 1 linear die spray unit "Acheson 'Day 1000 MCT bouwjaar 2015; casting installation with electrically-heated "westofen" height-adjustable crucible; "Journey" SEP 9-30 4-column baler capacity 30 tons, max. Height approx. 1200 mm, ltdk = 930x705 mm; with steel platform (14);	32,500.00
6	1	<b>aluminum melting / warming oven</b> brand: striko; type: WMHR-T-1500/750; year: 1993; serial number: 129820593; description: gas heated ; capacity up to 1500 kg.; smeltcap. Max. 750 kg / h; hydraulically tiltable; equipped with feedstock lift capacity up to 750 kg.; control cabinet ; bedieningsoaneel with digital readout; total furnace size approx. 4300x2850x7000 mm; size material lift approx. 2100x1400x4000 mm;	1,000.00
8	1	<b>melting furnace</b> brand: hindenlang; type: TPE-600; year: 2014; electric connection: 400 V; total dimension H: 1250 mm; description: diameter approx. 1300 mm; capacity , 600 kg.; temperature 730 ° C max.; 33kW;	100.00
9	1	<b>crucible</b> description: diameter approx. 750 mm; height approx. 900 mm ( hall 1);	10.00
10	1	<b>crucible</b> description: diameter approx. 750 mm; height approx. 900 mm ( hall 1);	10.00
11	1	<b>crucible</b> description: diameter approx. 750 mm; height approx. 900 mm ( hall 1);	10.00
12	1	<b>degassing unit</b> brand: foseco; type: ROTO-STATIV Handschwerk; year: 2008; serial number: 1288; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 960 mm; total dimension H: 3400 mm; own weight: 450 kg; description: unloading approx. 1100 mm; n = 450 min (Hal1);	100.00
13	1	<b>warming oven</b> brand: KockenIndustrialOvens; type: KR/G/D 4.5; year: 2017; serial number: 217001; electric connection: 400 V; total dimension L: 3800 mm; total dimension W: 1760 mm; total dimension H: 5600 mm; description: fired gas; max oven temperature is 250 ° C.; working temperature is 60-250 ° C; max load 500 kg.; power 20 kW; gas 150 kW; equipped with automatic sliding door; optical veiligheids gordijn; control cabinet with "Siemens" touch control panel; and aanrij security;	1,000.00



Lot	Number	Description	Starting Bid €
14	1	<b>press machine</b> brand: reis; electric connection: 400 V; dimension L: 1400 mm; dimension W: 1600 mm; dimension H: 4000 mm; description: 3-column; ltdk approx. 910x680 mm; opening max. 1100 mm;	100.00
15	1	<b>Deburring plant</b> brand: USF Walter Trowal; type: AV 1000; year: 1999; electric connection: 400 V; description: consisting of ; feed conveyor dimensions . approx. 3800x400 mm; shaker conveyor setup "Erba" YE 50- year of manufacturer 2001; gutter size approx. 7200x450 mm equipped with ontbraamstenen return sieve, incl. Returns elevator belt dimensions . approx. 6500x350; 1x interconnecting drying tunnel type BF-HL 600 year of manufacturer 2000; conveyor dimensions . approx. 5200x400 mm; rotating buffer table diam. approx. 1200 mm, and 2-door control cabinet equipped with digital read-out;	1,000.00
16	1	<b>Deburring plant</b> brand: Walther; type: AV 600; year: 1990; serial number: 07445; electric connection: 400 V; description: consisting of ; feed conveyor dimensions . approx. 3500x700 mm; shaker conveyor setup gutter size approx. 6000x350 mm equipped with ontbraamstenen return sieve, incl. Returns elevator belt dimensions . approx. 5500x250 mm in the low-noise behuizing 1x walk-through drying tunnel "Rösler" type R2000 transit width approx. 550 mm; rotating buffer table diam. approx. 1200 mm, and 2-door control cabinet equipped with digital readout; setup size approx. 4500x9000 mm;	1,000.00
17	1	<b>Deburring plant</b> brand: Rösler; type: R13/4/2SR-SO; year: 1995; serial number: 50033/96-01; electric connection: 400 V; description: consisting of ; input rotary rake ; lifting conveyor dimensions . approx. 3000x150 mm; shaker conveyor dimensions . 1300x800 mm equipped with pneumatic spool; ontbraamtrommel type R 260 EURO year of manufacturer 1995; 1x interconnecting drying tunnel type M 1000 BT first year of manufacturer 1995 passage width approx. 540 mm; shaker conveyor equipped with ontbraamstenenzeef and control cabinet equipped with digital readout; setup size approx. 3000x5500 mm;	1,000.00
18	1	<b>water filter installation</b> brand: USF Walther Trowal; type: ZA04-DO; year: 2000; serial number: 84165; description: consisting of ; plastic tank dimensions . approx. 300x1800x1050 / 1350 mm; 1x feeding pump; 2x additive pump tyoe beta / 4; 2x electrically driven residue press equipped with pneumatic valves; 2x mobile steel residue output trays, and two-door control cabinet equipped with digital readout; setup dimension approx. 3000x3300x2500 mm; incl. 3x ton "Trowal" THE 97 additive;	100.00
19	1	<b>lot of ontbraamstenen</b> Walther Trowal, CX 16 K-PT, brand: Walther Trowal; type: CX 16 K-PT; description: in 2 plastic bins and on 1 pallet;	10.00
20	1	<b>stainless steel parts cleaning machine</b> brand: NN; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 1470 mm; total dimension H: 1770 mm; description: equipped with front-end loader; basket size approx. 1280x670;	100.00
21	1	<b>stainless steel parts cleaning machine</b> brand: Rösler; type: ROFIDIP150; year: 1997; electric connection: 400 V; description: max input 300x400 mm.; equipped with automatic lowerator (Hal1);	10.00
22	1	<b>stainless steel parts cleaning machine</b> brand: Rösler; electric connection: 400 V; description: max input 820x420 mm.; vv heating and automatic lowerator (Hal1);	10.00
23	1	<b>stainless steel parts cleaning machine</b> brand: Rösler; type: ROFIDIP 400 HDE; year: 1999; electric connection: 400 V; description: max input 820x420 mm.; vv heating and automatic lowerator (Hal1);	10.00
24	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: equipped with electric heating (Hal1);	10.00



Lot	Number	Description	Starting Bid €
25	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: equipped with electric heating (Hal1);	10.00
26	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: equipped with electric heating (Hal1);	10.00
27	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: equipped with electric heating (Hal1);	10.00
28	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 800 mm; total dimension H: 920 mm; description: equipped with electric heating (Hal1);	10.00
29	1	<b>stainless steel plunge pool</b> total dimension L: 920 mm; total dimension W: 920 mm; total dimension H: 1200 mm;	10.00
30	1	<b>car strut assembly line</b> brand: TFT; type: 31-11-00400-A001; year: 2011; total dimension L: 3300 mm; total dimension W: 2500 mm; total dimension H: 2500 mm; description: consisting of rotary buffer / input terminal 12-fold diameter approx. 1260mm; bowl model screws feeder "Weber" type ZEB 360.; 8-fold carousel assembly; built-in power supply box and "Siemens" simatic touch operation ( hall 1);	100.00
31	1	<b>auto parts assembly line</b> brand: TFT; type: RFQ6025; total dimension L: 7000 mm; total dimension W: 2750 mm; total dimension H: 2600 mm; description: consisting of rotating in and output station diameter approx. 490 mm; automatic linear reliefs or similar materials transfer length approx. 6000 mm; 2x pneumatic baler platform 1x dimensions . approx. 1x 900x450 mm dimensions . approx. 750x450 mm; 5 pneumatic positioning fixture; built-in power supply box, and digital control; incl. large quantity of parts and various incl. washers; rubber spring leg members; foil etc. on pallets 15 ( hall 2);	100.00
32	1	<b>auto parts assembly line</b> brand: NN; description: consisting of ; 8- vounding rotary positioning station; 2 conveyors ; 1 stainless steel channel piece; built-in power supply box and digital control with "Siemens" simatic touch operation; note partly dismantled ( hall 2);	100.00
33	1	<b>CNC machining centre</b> brand: Chiron; type: FZ 18 W magnum; year: 2000; serial number: 437-48; travel x-axis: 630 mm; travel y-axis: 400 mm; travel z-axis: 425 mm; taper ISO: SK40; -axis: 5; coolant pump: yes; CNC control, brand, type: Siemens; electric connection: 400 V; total dimension L: 3400 mm; total dimension W: 2000 mm; total dimension H: 2600 mm; machine weight: 5500 kg; description: equipped with 18-fold tool-changer; clamping table dimensions . approx. 850x950 mm; span drain "Knoll" type 340-K 1/400 bj. 1998; span filter unit "Knoll" type AE 1058 BJ. 2006; 26 kVA, incl. various parts in box and pallet;	1,000.00
34	1	<b>CNC machining centre</b> brand: Chiron; type: FZ12W magnum; year: 1999; serial number: 161-03; travel x-axis: 550 mm; travel y-axis: 400 mm; travel z-axis: 325 mm; taper ISO: SK40; speed from N=: 20 rpm; speed till N=: 10500 rpm; coolant pump: yes; CNC control, brand, type: Siemens; electric connection: 400 V; total dimension L: 2850 mm; total dimension W: 2850 mm; total dimension H: 2860 mm; machine weight: 4000 kg; description: equipped with 10-fold tool-changer; Rotary clamping table dimensions . approx. 660x1180mm with horizontal tensioning standards; span drain "Knoll" type 340-K 1/300 bj. 1999; 17 kVA, note mist machine parts ( hall 2);	1,000.00
35	1	<b>6-cup horizontal drilling / milling machine</b> brand: NN; electric connection: 400 V; total dimension L: 2350 mm; total dimension W: 1800 mm; total dimension H: 2600 mm; description: equipped with six "Somex" milling heads type max5b1bbbd6 year of manufacturer 2002; hydraulische pump unit "Van Diepenbeek" ( hall 2);	100.00





Lot	Number	Description	Starting Bid €
36	1	<b>parts cleaner</b> brand: kermad; serial number: 203192; electric connection: 400 V; total dimension L: 1080 mm; total dimension W: 920 mm; total dimension H: 2750 mm; description: equipped with pneumatic sliding door and elevator, timer, and heating ; ( hall 2);	10.00
37	1	<b>various machine parts</b> description: incl. bearings; pneumatic components, etc. in 5-load cabinet frame; dimensions . approx. 1270x900x1090 mm ( hall 2);	10.00
38	3	<b>various workbenches</b> description: incl. dimensions . approx. 800x900 mm; incl. various under workbench ( hall 2);	10.00
39	2	<b>several tables</b>	10.00
40	1	<b>injection molding machine feed arm</b> description: mounted on steel yoke; note non-functional ( hall 2);	10.00
41	1	<b>test setup</b> total dimension W: 600 mm; total dimension H: 1850 mm; description: equipped with monitor and "niebering" AIRTRONIC ( hall 2);	10.00
42	2,700	<b>stack crates</b> dimension L: 400 mm; dimension W: 300 mm; dimension H: 145 mm; description: incl. stacking lids total approx. 65 pallets ( hall 1);	100.00
43	1	<b>press machine</b> dimension L: 1000 mm; dimension W: 600 mm; dimension H: 1700 mm; description: equipped with pneumatic cylinder mounted on the table ( hall 2);	10.00
44	1	<b>various machine parts</b> description: (Hal2);	10.00
45	1	<b>mobile vacuum pump</b> brand: allper; type: MULTI-VAC; electric connection: 400 V; description: vv "Busch" and pump "Siemen" digital control on the horizontal storage tank (Hal 2);	10.00
46	2	<b>steel storage cabinets</b> dimension L: 300 cm; dimension W: 1000 cm; dimension H: 2000 cm; description: incl. table and gauze cart (Hal2);	10.00
47	1	<b>pressure washer</b> brand: kärcher; type: HDS550C; year: 1992; max. pressure: 98 bar; capacity: 460 l/hr; diesel fired: yes; electric connection: 400 V; description: (Hal2);	10.00
48	1	<b>lot of various chairs</b> description: total approx. 40 st. (Hal2);	10.00
49	2	<b>Palletization</b> section dim. L: 2650 mm; section dim. W: 810 mm; section dim. H: 3350 mm; number of uprights: 2; number of cross beams: 6; number of shelves: 3; description: (Hal2);	10.00
50	7	<b>wooden tool boxes</b> total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 310 mm; description: incl. top edges on 2 pallets (Hal2);	10.00
51	6	<b>various tables / desks</b> description: (Hal2);	10.00
52	1	<b>further machine accessories</b> description: incl. hose and cable; in pallet cages 3 (Hal 2);	10.00
53	1	<b>sweepers, self-propelled</b> brand: tennant; type: 6300; year: 2002; working width: 750 mm; electric: yes; battery charger: yes; own weight: 927 kg; description: (Hal2);	100.00
54	1	<b>lot of various brooms and shapes</b> description: in 1 gitterbox (Hal2);	10.00
55	2	<b>various tanks equipped with pump</b> description: 400 V; dimensions . approx. 1000x600x450 mm; incl. hydraulic pump (Hal 2);	10.00



Lot	Number	Description	Starting Bid €
56	1	<b>Palletization</b> section dim. L: 2650 mm; section dim. W: 810 mm; section dim. H: 3350 mm; number of uprights: 2; number of cross beams: 8; number of shelves: 4; description: (Hal2);	10.00
57	1	<b>vertical metal automatic kinmachine</b> brand: winkHaus; year: 1991; serial number: 377001; electric connection: 400 V; own weight: 520 kg; description: equipped with feed hopper dimensions . approx. 470x400x450 mm; material feeder width approx. 120 mm; and scissors length approx. 280 mm; incl. control cabinet (Hal 2);	100.00
58	1	<b>leak test installation</b> brand: nolek; type: TS600; serial number: 9713D; total dimension L: 1670 mm; total dimension W: 950 mm; total dimension H: 2010 mm; description: equipped with two pneumatic cylinders and digital controller in aluminum frame on the steel table (Hal 2);	100.00
59	1	<b>edm controller</b> brand: Agie; type: AGIEPULS60L2; year: 1980; digital display: yes; electric connection: 400 V; dimension L: 750 mm; dimension W: 1450 mm; dimension H: 1980 mm; description: on one pallet; incl. tank equipped with pump dimensions . approx. 1450x800x1400 mm (Hal 2);	100.00
60	1	<b>stainless steel parts cleaning bath</b> electric connection: 400 V; total dimension L: 920 mm; total dimension W: 920 mm; total dimension H: 800 mm; description: equipped with electric heating (Hal 2);	10.00
61	2	<b>various transport yokes</b> description: incl. dimensions . approx. 1000x860x780 mm ( hall 2);	10.00
62	1	<b>mobile filter extraction system</b> brand: HMB; type: TT20/2; serial number: 4179; year: 2005; electric connection: 400 V; dimension L: 820 mm; dimension W: 620 mm; dimension H: 1860 mm; description: connection diameter approx. 150 mm (Hal 2);	10.00
63	1	<b>mobile filter extraction system</b> brand: HMB; type: TT20/2; serial number: 4107; year: 2004; electric connection: 400 V; dimension L: 820 mm; dimension W: 620 mm; dimension H: 1860 mm; description: connection diameter approx. 150 mm (Hal 2);	10.00
64	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2000 kg; fork length: 800 mm; total dimension W: 540 mm; description: ( hall 2);	10.00
65	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2000 kg; fork length: 800 mm; total dimension W: 540 mm; description: ( hall 2);	10.00
66	1	<b>hand hydraulic pallet truck</b> lifting capacity: 2500 kg; fork length: 1000 mm; total dimension W: 540 mm; description: ( hall 2);	10.00
67	1	<b>hand hydraulic pallet truck</b> brand: Pramac ; lifting capacity: 2500 kg; fork length: 1150 mm; total dimension W: 500 mm; description: ( hall 2);	10.00
68	1	<b>hand hydraulic pallet truck</b> brand: nmhg; type: NR7035; year: 2014; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 108 kg; total dimension W: 550 mm; description: ( hall 2);	10.00
69	1	<b>hand hydraulic pallet truck</b> fork length: 1150 mm; total dimension W: 550 mm; description: ( hall 2);	10.00
70	1	<b>hand hydraulic pallet truck</b> brand: nmhg; type: NR7035; year: 2014; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 108 kg; total dimension W: 550 mm; description: ( hall 2);	10.00
71	1	<b>hand hydraulic pallet truck</b> brand: Still ; type: HP20; year: 1997; lifting capacity: 2000 kg; fork length: 1130 mm; own weight: 77 kg; total dimension W: 540 mm; description: defect ( hall 2);	10.00



Lot	Number	Description	Starting Bid €
72	1	<b>hand hydraulic pallet truck</b> brand: nmhg; type: NR7035; year: 2014; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 108 kg; total dimension W: 550 mm; description: ( hall 2);	10.00
73	1	<b>hand hydraulic pallet truck</b> brand: ekwo; lifting capacity: 2000 kg; fork length: 1150 mm; total dimension W: 550 mm; description: ( hall 2);	10.00
74	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HLE/10/3; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
75	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HHL100; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
76	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HHL100; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
77	1	<b>hand hydraulic pallet truck</b> brand: Jungheinrich ; type: TMX C/GN; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1150 mm; own weight: 120 kg; total dimension W: 540 mm; description: ( hall 2);	10.00
78	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HHL100; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
79	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HLE10/3; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
80	1	<b>hand hydraulic pallet truck</b> brand: BT ; type: HHL100; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 156 kg; total dimension W: 560 mm; description: electric lifting ( hall 2);	10.00
81	1	<b>hand hydraulic pallet truck</b> brand: Seco ; type: SGH100P; year: 2013; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 110 mm; total dimension W: 560 mm; description: ( hall 2);	10.00
82	1	<b>hand hydraulic pallet truck</b> brand: Seco ; type: SGH100P; year: 2013; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 110 mm; total dimension W: 560 mm; description: ( hall 2);	10.00
83	1	<b>boxes dumper</b> brand: grus; type: BN1000; year: 2007; load capacity: 1000 kg; own weight: 200 kg; description: dimensions . approx. 540x800; Pivots through 90 °; foot operated ( hall 2);	10.00
84	1	<b>Bottle truck</b> description: incl. hose, pressure reducing valve and the burner ( hall 2);	10.00
85	1	<b>Bottle truck</b> description: incl. hose, pressure reducing valve and the burner ( hall 2);	10.00
86	2	<b>Bottle truck</b> description: ( hall 2);	10.00
87	1	<b>manually operated spreader</b> brand: earthway; description: ( hall 2);	10.00
88	1	<b>manually operated spreader</b> description: ( hall 2);	10.00



Lot	Number	Description	Starting Bid €
89	1	<b>3D measuring machine</b> brand: Mitutoyo; type: Crysta-Apex C 544; year: 2008; serial number: 30861111; range X-axis: 505 mm; range Y-axis: 505 mm; range Z-axis: 405 mm; digital control: yes; own weight: 544 kg; total dimension L: 1122 mm; total dimension W: 1082 mm; total dimension H: 2185 mm; description: vv "renshaw" probe; CMMC remote controller and (measuring room hall 2);	1,000.00
90	1	<b>tooling presetting &amp; measuring machine</b> brand: zoller; type: V520; year: 1990; electric connection: 230 V; total dimension L: 995 mm; total dimension W: 1800 mm; total dimension H: 1880 mm; description: measuring range x = 200 z = 500; vv "zoller" 6080 control system (measuring room hall 2);	100.00
91	1	<b>tooling assembly / shrinkage plant</b> brand: haimer; type: POWER CLAMP Special Edition; year: 2013; serial number: 7103761; digital control: yes; electric connection: 400 V; total dimension L: 550 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: incl. various accessories and cooling unit (hall 2);	100.00
92	1	<b>Shelter set</b> section dim. L: 500 mm; section dim. W: 1050 mm; section dim. H: 2080 mm; number of uprights: 2; number of shelves: 5; description: (Hal2);	10.00
93	1	<b>workbench</b> dimension L: 170 cm; dimension W: 80 cm; dimension H: 95 cm; description: excl. content (Hal 2);	10.00
94	1	<b>workbench</b> dimension L: 200 cm; dimension W: 80 cm; dimension H: 90 cm; description: (Hal2);	10.00
95	1	<b>dresser</b> brand: garant; total dimension L: 600 mm; total dimension W: 630 mm; total dimension H: 650 mm; description: av.v. 5 lden content unknown key shortcoming (Hal 2);	10.00
96	1	<b>machine tools</b> description: various incl. . tool holders , milling, drilling, etc., in addition to 4 and plastic containers (Hal 2);	10.00
97	1	<b>go through parts remover</b> brand: rösler; type: R620; year: 2002; serial number: 778; total dimension L: 4500 mm; total dimension W: 2250 mm; total dimension H: 2800 mm; description: transit width up to 780 mm.; equipped with stainless steel tank. pumps; 2 blowers; extractor ; and control cabinet ; 400V (Hal2);	100.00
98	2	<b>table drill</b> brand: ferm; type: FTB-13; drilling capacity: 13 mm; number of speeds: 5; speed from N=: 580 rpm; speed till N=: 2650 rpm; drilling depth: 50 mm; discharge: 100 mm; electric connection: 230 V; description: on steel table (Hal2);	10.00
99	1	<b>table drill</b> drilling depth: 50 mm; discharge: 100 mm; electric connection: 230 V; description: incl. table (Hal2);	10.00
100	1	<b>table drill</b> brand: contimac; type: CH 16 N; drilling depth: 80 mm; discharge: 170 mm; table size L: 220 mm; table size W: 220 mm; electric connection: 230 V; description: incl. table (Hal2);	10.00
101	1	<b>table drill</b> brand: ferm; drilling depth: 50 mm; discharge: 100 mm; electric connection: 230 V; description: on steel table (Hal2);	10.00
102	1	<b>hydraulic Aggregate</b> brand: aron; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 540 mm; description: equipped with pneumatic connection; standard (Hal 2);	10.00
103	1	<b>hydraulic Aggregate</b> brand: römheld; operating pressure: 250 bar; tank capacity: 5 l; electric connection: 400 V; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 450 mm; description: on standard (Hal2);	10.00



Lot	Number	Description	Starting Bid €
104	1	<b>hydraulic Aggregate</b> brand: römheld; tank capacity: 5 l; electric connection: 400 V; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 450 mm; description: on standard (Hal2);	10.00
105	1	<b>pressure washer</b> brand: KÄRCHER; type: HD 6/Q3; electric connection: 230 V; description: incl. hose and syringe (Hal2);	10.00
© 106	1	<b>locker</b> number of doors: 3; dimension L: 50 cm; dimension W: 117 cm; dimension H: 180 cm; description: incl. steel 2-door cabinet (Hal2);	10.00
© 107	2	<b>locker</b> number of doors: 3; dimension L: 50 cm; dimension W: 118 cm; dimension H: 180 cm; description: note 2 keys manco (Hal2);	10.00
© 108	4	<b>locker</b> number of doors: 3; dimension L: 50 cm; dimension W: 120 cm; dimension H: 180 cm; description: beware 4 keys manco (Hal2);	10.00
		<b>lockers</b>	
109	1	<b>roll band tape</b> brand: strapex; type: Pp13; description: (Hal2);	10.00
110	1	<b>gas burner</b> description: incl. gas tank (Hal2);	10.00
111	1	<b>Water softener</b> brand: hartman; electric connection: 230 V; description: (Hal2);	10.00
112	1	<b>wasser pump</b> brand: optima; electric connection: 230 V; description: (Hal2);	10.00
113	1	<b>table drill</b> brand: ferm; type: FTB-13; drilling capacity: 13 mm; number of speeds: 5; speed from N=: 580 rpm; speed till N=: 2650 rpm; drilling depth: 50 mm; discharge: 100 mm; electric connection: 230 V; description: (Hal2);	10.00
114	1	<b>vibrating bowl feeder</b> brand: RNA; type: SRC-N 250-2 R; year: 2012; serial number: 16253; description: diameter approx. 390 mm; capacity up to 45 kg.; equipped with output and the second controllers; 230 V (Hal 2);	10.00
115	1	<b>vibrating bowl feeder</b> brand: RNA; year: 2013; description: diameter approx. 390 mm; capacity 30 kg.; 230 V (Hal 2);	10.00
116	1	<b>vibrating bowl feeder</b> brand: RNA; type: SRC-N 250-2 L; year: 2013; serial number: 100245840003; description: diameter approx. 390 mm; capacity up to 35 kg.; equipped with output and the second controllers; 230 V (Hal 2);	10.00
117	1	<b>handling robot</b> brand: yaskawa; type: YR-MH00005-E12; year: 2010; serial number: SOM152-1-1; capacity (text): max. 5 kg; own weight: 29 kg; description: 6- axle ; incl. control unit and remote control type JZRCR-NPPO1B7 (Hal 2);	100.00
118	1	<b>handling robot</b> brand: yaskawa; type: Motoman MH5; year: 2011; serial number: SA6611-11-2; capacity (text): max. 5 kg; own weight: 27 kg; description: 6- axle ; incl. control unit and remote control type JZRCR-NPPO1B7 (Hal 2);	100.00
© 119	1	<b>aluminum melting furnace</b> brand: hindenlang; type: KLVE-600; year: 1997; serial number: 8757; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 1970 mm; total dimension H: 2460 mm; description: temperature 900 ° C max.; empty weight per piece approx. 600kg; 440kW; vv control cabinet with digital readout ( hall 1);	100.00





Lot	Number	Description	Starting Bid €
© 120	1	<b>aluminum melting furnace</b> brand: hindenlang; type: KLVE-600; year: 1982; serial number: 6302; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 1950 mm; total dimension H: 2450 mm; description: temperature 900 ° C max.; empty weight per piece approx. 600kg; 440kW vv control cabinet with digital readout ( hall 1);	100.00
		<b>furnaces</b>	
121	1	<b>moderator</b> brand: thermobhiel; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
122	2	<b>fans</b> description: incl. 1 electric heater ( hall 2);	10.00
123	1	<b>scale</b> brand: serenite; type: 9860-A; electric connection: 230 V; description: ( hall 2);	10.00
124	1	<b>scale</b> brand: ohaus; type: 3000 series; weight range max: 3000 g; readability: 5 g; digital display: yes; electric connection: 230 V; description: plate sizes approx. 310x350 mm ( hall 2);	10.00
125	2	<b>manually operated paper cutter</b> brand: ideal; type: 1038A; description: ( hall 2);	10.00
126	1	<b>1 roll of rubber frame profile</b> description: thickness of approx. 24 mm ( hall 2);	10.00
127	1	<b>leak test computer</b> brand: innomatec; type: LTC-602; year: 2006; total dimension L: 300 mm; total dimension W: 560 mm; total dimension H: 130 mm; description: equipped with digital read-out and USB ocket ( hall 2);	10.00
128	1	<b>Multitool</b> brand: Dremel; type: 300; description: incl. "firm" stylus and electric tacker ( hall 2);	10.00
129	1	<b>battery chargers</b> brand: deca; type: Matic119; voltage: 12 V; description: ( hall 2);	10.00
130	1	<b>hydraulic hoses</b> description: ( hall 2);	10.00
131	1	<b>pneumatic squeeze tongs</b> brand: Simonds; type: SP-002-RV/LC; description: ( hall 2);	10.00
132	1	<b>pneumatic squeeze tongs</b> brand: Simonds; type: SP-002-RV/LC; description: ( hall 2);	10.00
133	1	<b>pneumatic squeeze tongs</b> brand: Simonds; type: SP-002-RV/LC; description: ( hall 2);	10.00
134	1	<b>lot of diverse</b> description: incl. lubricating P-80, and bolts ( hall 2);	10.00
135	1	<b>handling robot</b> brand: yaskawa; type: YR-MH00005-C12; year: 2010; serial number: S9M182-11-2; capacity (text): max. 5 kg; own weight: 27 kg; description: 6- axle ; incl. control unit and remote control type JZRCR-NPPO1B7 (Hal 2);	100.00
© 136	22	<b>(h) sk40 tool holders</b> description: incl. 38 various milling ( hall 2);	100.00
© 137	23	<b>(h) sk40 tool holders</b> description: incl. various drilling and milling ( hall 2);	100.00
© 138	17	<b>(h) sk40 tool holders</b> description: incl. various drilling and milling ( hall 2);	100.00
© 139	12	<b>(h) sk40 milling</b> description: diameter of 41-100 mm ( hall 2);	100.00
© 140	35	<b>(h) sk40 tool holders</b> description: partly equipped with cutter ( hall 2);	100.00



Lot	Number	Description	Starting Bid €
© 141	10	<b>(h) sk40 milling</b> description: diameter of 12-43 mm ( hall 2);	100.00
© 142	35	<b>(h) sk40 tool holders</b> description: partly equipped with cutter ( hall 2);	100.00
© 143	35	<b>(h) sk40 tool holders</b> description: partly equipped with cutter ( hall 2);	100.00
© 144	24	<b>(h) sk40 tool holders</b> description: partly equipped with cutter ( hall 2);	100.00
© 145	8	<b>(h) sk40 tool holders</b> description: partly equipped with cutter ( hall 2);	100.00
© 146	8	<b>(h) sk40 tool holders</b> description: ( hall 2);	100.00
		<b>tool holders</b>	
147	1	<b>horizontal storage tank</b> plastic: yes; description: diameter approx. 1600 mm; height approx. 2500 mm ( hall 2);	10.00
148	1	<b>milling head adjustable in degrees in degrees</b> brand: Alberti; type: 590-2.5; serial number: 17260024; description: in case ( hall 2);	100.00
149	3	<b>Pneumatic cylinders</b> brand: festo; description: incl. type DNC-125-50-PPV-A-63-16, and DPA ( hall 2);	10.00
150	2	<b>Stairs</b> brand: skeppschult; number of steps: 4; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
151	2	<b>Stairs</b> brand: skeppschult; number of steps: 4; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
152	2	<b>Stairs</b> brand: skeppschult; number of steps: 4; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
153	1	<b>Stairs</b> brand: Altrex; number of steps: 8; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
154	1	<b>Stairs</b> brand: Altrex; number of steps: 8; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
155	1	<b>Stairs</b> number of steps: 4; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
156	2	<b>Stairs</b> number of steps: 4; aluminium: yes; step ladder: yes; single: yes; description: ( hall 2);	10.00
157	1	<b>barcode scanner</b> brand: cognex; type: DM8100; description: incl. PC, mobile housing ( hall 1);	10.00
158	1	<b>mobile inclined conveyor</b> description: Bandwidth approx. 900 mm; length approx. 2200 mm; head approx. 2800 mm ( hall 1);	10.00
159	1	<b>mobile stainless steel discharge chute</b> total dimension L: 1900 mm; total dimension W: 1630 mm; total dimension H: 2170 mm; description: equipped with adjustable inclination; in aluminum frame ( hall 1);	10.00
160	2	<b>Transport trolley</b> brand: fetra; year: 2015; load capacity: 750 kg; total dimension L: 1210 mm; total dimension W: 810 mm; description: ( hall 1);	10.00
161	2	<b>various machine parts</b> description: on a pallet ( hall 1);	10.00
162	1	<b>rotating buffer table</b> description: diameter approx. 1200 mm; on a steel frame; 400 V ( hall 1);	10.00



Lot	Number	Description	Starting Bid €
163	1	<b>afbraamtrommel</b> brand: cetema; type: ST10PPP; year: 1984; electric connection: 400 V; description: diameter approx. 1040 mm; height approx. 1070 mm ( hall 1);	100.00
164	4	<b>gaaskar</b> dimension L: 700 cm; dimension W: 800 cm; dimension H: 1800 cm; description: ( hall 1);	10.00
165	4	<b>4-column press tables</b> brand: reis; description: incl. dimensions . approx. 1220x970 mm or 960x920 mm ( hall 1);	10.00
166	1	<b>lot of hydraulic hose, and various</b> description: ( hall 1);	10.00
167	1	<b>lot of various machine parts</b> description: incl. retaining materials; pershereedschap; etc. in the second racks - racking and mobile werkplaatskar ( hall 1);	10.00
168	1	<b>party pallet set</b> description: incl. 3 sections dimensions . approx. 2700x1130x3720 mm; 3 sections dimensions . approx. 1670x1100x3300 mm; incl. 9 loose uprights and various horizontal members and shelves in 5 mesh boxes ( hall 1);	100.00
169	4	<b>section racking</b> section dim. L: 300 mm; section dim. W: 900 mm; section dim. H: 1960 mm; number of uprights: 6; number of shelves: 40; description: ( hall 1);	10.00
170	2	<b>roll holders</b> total dimension W: 1790 mm; description: adjustable in height; incl. mobile steel plate ( hall 1);	10.00
171	1	<b>Shelter set</b> total dimension L: 500 mm; total dimension W: 1770 mm; total dimension H: 1650 mm; description: incl. various liquids ( hall 1);	10.00
172	3	<b>various floor wagons</b> description: ( hall 1);	10.00
173	1	<b>Shelter set</b> total dimension L: 500 mm; total dimension W: 1770 mm; total dimension H: 1650 mm; description: incl. various ceramic molds ( hall 1);	10.00
174	1	<b>pneumatic stainless steel high pressure cleaner</b> brand: nn; description: diameter approx. 400 mm; height approx. 900 mm; incl. syringe ( hall 1);	10.00
175	1	<b>liquid piston</b> electric connection: 230 V; description: watch defect ( hall 1);	10.00
176	1	<b>oil drip tray</b> type: TC-2F; year: 2006; total dimension L: 2680 mm; total dimension W: 1300 mm; total dimension H: 500 mm; description: ( hall 1);	10.00
177	1	<b>floor car</b> dimension L: 1230 cm; dimension W: 800 cm; dimension H: 850 cm; description: incl. various liquids ( hall 1);	10.00
178	2	<b>oil drip tray</b> total dimension L: 2420 mm; total dimension W: 1010 mm; total dimension H: 340 mm; description: ( hall 1);	10.00
179	1	<b>oil drip tray</b> total dimension L: 2600 mm; total dimension W: 1300 mm; total dimension H: 480 mm; description: incl. various liquids incl. Castrol Hyspin AWS 46/32 and Magna CL 460 ( hall 1);	10.00
180	1	<b>2-door cabinet workshop</b> dimension L: 50 cm; dimension W: 100 cm; dimension H: 189 cm; description: ( hall 1);	10.00



Lot	Number	Description	Starting Bid €
181	1	<b>band saw</b> brand: pehaka; type: USF-T4; year: 1980; serial number: 34877; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 1260 mm; total dimension H: 2170 mm; description: table size approx. 770x680 mm; unloading 490 mm ( hall 1);	10.00
182	1	<b>universal lathe</b> brand: Hembrug; turning length: 500 mm; turning ? : 250 mm; spindle boring ? : 25 mm; speed from N=: 45 rpm; speed till N=: 4000 rpm; electric connection: 400 V; dimension L: 1500 mm; dimension W: 600 mm; dimension H: 1350 mm; description: incl. wardrobe with accessories ( hall 1);	100.00
183	1	<b>mobile thermal / vacuum analysis unit</b> brand: ideco; type: VAC-TEST; total dimension L: 630 mm; total dimension W: 960 mm; total dimension H: 1630 mm; description: incl. precision scale type DW 620D ( hall 1);	10.00
184	1	<b>lot of various fluorescent fixtures</b> description: in the second pallet cages ( hall 1);	10.00
185	1	<b>boom lift</b> brand: Haulotte ; type: HA151; year: 1998; electric: yes; engine power: 7.7 kW; telescopic boom lift: yes; articulating boom lift: yes; working height: 1500 cm; platform size L: 110 cm; platform size W: 68 cm; battery charger: yes; hours on display: 2451; own weight: 6600 kg; total dimension L: 6000 mm; total dimension W: 1500 mm; total dimension H: 2000 mm; description: ( hall 1);	1,000.00
186	1	<b>reach truck</b> brand: Atlet ; type: UNS/200DTFRE645; year: 2001; serial number: UNS04787; electric: yes; lifting capacity: 2000 kg; lifting height: 6450 mm; fork length: 1200 mm; tripple mast: yes; battery charger: yes; description: ( hall 1);	100.00
187	1	<b>Stacker</b> brand: Jungheinrich ; type: EJC10; year: 2003; serial number: VJG3073962; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 2500 mm; battery charger: yes; description: ( hall 1);	100.00
188	1	<b>forklift truck hydraulic bakkenkantelarm</b> brand: schenk; type: 304207; year: 1995; own weight: 400 kg; description: max. total weight 1,500 kg; inhaakbreedte approx. 930 mm ( hall 1);	10.00
189	1	<b>forklift truck hydraulic bakkenkantelarm</b> brand: schenk; type: 304231; year: 2005; own weight: 530 kg; description: max. total weight 1,350 kg; inhaakbreedte approx. 930 mm ( hall 1);	10.00
190	1	<b>lot of various stacking crates</b> description: approx. 30 st. on one pallet ( hall 1);	10.00
191	1	<b>mobile output chute</b> total dimension L: 2800 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: equipped with adjustable inclination; incl. detached gate ( hall 1);	10.00
192	1	<b>mobile output chute</b> total dimension L: 2800 mm; total dimension W: 1200 mm; total dimension H: 2800 mm; description: equipped with adjustable inclination; incl. detached gate ( hall 1);	10.00
193	3	<b>electric motor</b> description: incl. . "Volts" type VM 200L-6 22kW ( hall 1);	10.00
194	2	<b>Palletization</b> description: 1x dimensions . approx. 2900x1250x3300 mm and 1x dimensions . approx. 1770x500x3300 mm; incl. various content (excluding engines ..) ( hall 1);	10.00
195	1	<b>swing arm crane</b> brand: güde; type: GSZ200; year: 2013; hoist capacity: 200 kg; arm length: 1400 mm; electric connection: 230 V; description: ( hall 1);	10.00
196	1	<b>furnace control cabinet</b> brand: hindenlang; total dimension L: 760 mm; total dimension W: 900 mm; total dimension H: 1670 mm; description: on the mobile chassis ( hall 1);	10.00



Lot	Number	Description	Starting Bid €
197	20	<b>bag of melting additive</b> brand: ecosal; type: AL114; description: 25 kg on a pallet 1 ( hall 1);	10.00
198	10	<b>molds</b> description: dimensions . approx. 550x250x160 mm ( hall 1);	10.00
199	5	<b>various press columns</b> description: diameter approx. 110-175 mm; length to approx. 4950 mm ( hall 1);	100.00
200	1	<b>steel platform</b> total dimension L: 1800 mm; total dimension W: 1300 mm; description: platform height approx. 880 mm ( hall 1);	10.00
201	1	<b>3D measuring machine</b> brand: Mitutoyo; type: Euro-C-A-9166; serial number: 1225011C; range X-axis: 900 mm; range Y-axis: 1600 mm; range Z-axis: 600 mm; digital control: yes; own weight: 2900 kg; total dimension L: 2660 mm; total dimension W: 1620 mm; total dimension H: 2770 mm; description: vv and remote personal computer ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	1,000.00
202	1	<b>motorized probe</b> brand: Renishaw; type: PH10T; description: with control PI20; PHC 10-3 plus; HCU remote control 10, and various sensors with table containers 2;	100.00
203	1	<b>3D measuring machine</b> brand: Mitutoyo; type: Euro-C7106; serial number: 11058060; range X-axis: 700 mm; range Y-axis: 1000 mm; range Z-axis: 600 mm; digital control: yes; own weight: 1951 kg; total dimension L: 1820 mm; total dimension W: 1420 mm; total dimension H: 2800 mm; description: vv and remote personal computer ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	1,000.00
204	1	<b>motorized probe</b> brand: Renishaw; type: PH10T; description: with control PI200; PHC 10-2; HCU remote control 10, and various sensors with 1 table holder;	100.00
205	1	<b>x-ray measurement setup</b> brand: Yxlon; type: MU1200; year: 2008; serial number: 40000023; electric connection: 400 V; manual present: yes; total dimension L: 2050 mm; total dimension W: 1350 mm; total dimension H: 2100 mm; description: equipped with X-ray unit Smart 160; 160 kV; water-cooled; 3-way manipulator; radiation 16mR / min through steel 20 mm; 10-160 kV; mA range from 2.0 to 6 mA; jet angle 40 ° x 40 °; in radiation shielded housing; central control and 2-door cabinet; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	1,000.00
206	1	<b>contour measuring machine</b> brand: Mahr; type: MarSurf CD 120; serial number: XC2-2417; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 550 mm; total dimension H: 960 mm; description: equipped with control unit; partition table; and Mahr calibration tool Contour 2 in suitcase;	100.00
© 207	1	<b>digital column display unit</b> brand: Marposs; type: E4N; electric connection: 230 V; description: with mechanical calibration tool;	10.00
© 208	1	<b>column display unit</b> brand: Marposs; type: E4; electric connection: 230 V; description: with mechanical calibration tool;	10.00
© 209	10	<b>mechanical calibration tools</b> brand: Marposs;	10.00
© 210	2	<b>column display units</b> brand: Marposs; type: E4; electric connection: 230 V;	10.00
© 211	1	<b>measuring computer</b> brand: Marposs; type: Merlin; serial number: 13mj0471; description: with mechanical calibration tool and easy box;	10.00





Lot	Number	Description	Starting Bid €
© 212	1	<b>measuring computer</b> brand: Marposs; type: Merlin; serial number: 13mj0471; description: with mechanical calibration tool and easy box;	10.00
© 213	10	<b>calibration rings</b> brand: MG Marposs; description: ø 4,700-38,030 mm;	10.00
© 214	8	<b>mechanical calibration tools</b> brand: Marposs; description: and 2 easy boxes;	10.00
		<b>marposs tools</b>	
215	1	<b>measure unit</b> brand: Sokkia; type: Placom KP-90N; description: in suitcase;	10.00
216	1	<b>altimeter</b> brand: Mitutoyo; digital: yes; measuring range till: 1000 mm;	10.00
217	1	<b>altimeter</b> brand: Mitutoyo ; type: 192-603; digital: yes; measuring range till: 600 mm;	10.00
218	1	<b>altimeter</b> brand: Preisser; digital: yes; measuring range till: 600 mm;	10.00
219	1	<b>altimeter</b> brand: Mitutoyo ; analog: yes; measuring range till: 600 mm; with case: no; description: with coffin;	10.00
220	1	<b>distribution table</b> brand: Gorree in vorm; total dimension L: 300 mm; total dimension W: 220 mm; total dimension H: 95 mm; description: aluminum;	10.00
221	1	<b>Planer measuring table</b> brand: Wenzel; serial number: 26137; granite: yes; blade size L: 1200 mm; blade size W: 800 mm; total dimension H: 870 mm; description: blade thickness 130 mm;	100.00
222	1	<b>Planer measuring table</b> granite: yes; blade size L: 1010 mm; blade size W: 1010 mm; total dimension H: 915 mm; description: leaf thickness 155 mm;	10.00
223	1	<b>Planer measuring table</b> granite: yes; blade size L: 1000 mm; blade size W: 630 mm; total dimension H: 985 mm; description: blade thickness 100 mm;	10.00
224	1	<b>measuring unit</b> brand: AESensors; type: Aekast OM 502T; electric connection: 230 V;	10.00
225	1	<b>measuring unit</b> brand: AESensors; type: PSD-NB;	10.00
226	1	<b>three-point inner diameter micrometer</b> brand: Triga bore; type: 236-.630; description: equipped with Mitutoyo digital gauge 543-263;	10.00
227	1	<b>Measuring clock</b> brand: Hogetex; digital: yes; with case: yes;	10.00
228	1	<b>Measuring clock</b> brand: Mitutoyo ; type: 543-585; digital: yes;	10.00
229	1	<b>Measuring clock</b> brand: Mahr; type: Umaxum II; digital: yes;	10.00
230	1	<b>Measuring clock</b> brand: Mitutoyo ; type: 543-496B; digital: yes;	10.00
231	1	<b>outer size micrometer</b> brand: Tesa; digital: yes; measuring range from: 25 mm; measuring range till: 55 mm; with case: yes;	10.00
232	1	<b>outer size micrometer</b> brand: Tesa; digital: yes; measuring range from: 25 mm; measuring range till: 55 mm; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
233	1	<b>machine tools</b> description: three chuck; clamping table and vise;	10.00
234	1	<b>defibrillator</b> brand: Zoll; type: AED plus;	10.00
235	1	<b>air treatment installation</b> brand: Berko; description: with filter units Dominick Hunter and Festo;	10.00
236	1	<b>clamping plates</b>	10.00
237	1	<b>Personal computer</b> brand: HP ; type: Dc7900; processor model: Core 2; brand monitor: Acer; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V;	10.00
238	1	<b>measuring equipment</b> description: in 2 boxes incomplete;	10.00
239	1	<b>moderator</b> brand: thermobhiel; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
240	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
241	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
242	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
243	1	<b>moderator</b> brand: ieci; type: PFZ.250.1Z; year: 1998; serial number: 2981; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
244	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
245	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
246	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
247	1	<b>moderator</b> brand: ieci; type: PFZ.250.1Z; year: 1998; serial number: 2942; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
248	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
249	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
250	1	<b>moderator</b> brand: thermobhiel; type: HK2000; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
251	1	<b>moderator</b> brand: ieci; type: PFZ.250.1Z; year: 1998; serial number: 2943; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
252	1	<b>moderator</b> brand: thermobhiel; type: HK2000; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00



Lot	Number	Description	Starting Bid €
253	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
254	1	<b>moderator</b> electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
255	1	<b>moderator</b> brand: thermobhiel; type: 1502/12; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
© 256	1	<b>hydraulically tiltable material supply</b> electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 1600 mm; total dimension H: 2150 mm; description: excl. bucket ( hall 1);	100.00
© 257	5	<b>mobile steel container</b> total dimension L: 1000 mm; total dimension W: 830 mm; total dimension H: 1020 mm; description: ( hall 1);	10.00
© 258	5	<b>mobile steel container</b> total dimension L: 1000 mm; total dimension W: 830 mm; total dimension H: 1020 mm; description: ( hall 1);	10.00
© 259	10	<b>mobile steel container</b> total dimension L: 1000 mm; total dimension W: 830 mm; total dimension H: 1020 mm; description: ( hall 1);	10.00
© 260	10	<b>mobile steel container</b> total dimension L: 1000 mm; total dimension W: 830 mm; total dimension H: 1020 mm; description: ( hall 1);	10.00
© 261	20	<b>mobile steel container</b> total dimension L: 1000 mm; total dimension W: 830 mm; total dimension H: 1020 mm; description: ( hall 1);	10.00
© 262	1	<b>heavy steel lifting frame</b> dimension L: 1350 mm; dimension W: 1350 mm; dimension H: 3560 mm; description: capacity up to 3000 kg.; equipped with built step ( hall 1);	10.00
<b>inverter and boxes</b>			
263	1	<b>floor scale</b> brand: mettler toledo; type: ICS465; description: capacity up to 1500 kg.; e = 500g; platform dimensions . approx. 1500x1500 mm; including "zebra" label printer. type ZM600; aanrijbeveiligingN work table and computer cabinet ( hall 1);	100.00
264	1	<b>air compressor</b> brand: Berko; type: BR25-10; year: 2005; serial number: 055204; capacity: 10 bar; power: 8.5 kW; air dryer: yes; electric connection: 400 V; total dimension L: 1250 mm; total dimension W: 800 mm; total dimension H: 1470 mm; description: incl. horizontal storage tank ,, beware! built up on a steel frame frme height approx. 2750 mm ( compressor space next hall 1);	100.00
265	1	<b>scissor table</b> brand: mammoth; type: ML73KH; platform size L: 1100 mm; platform size W: 500 mm; capacity: 360 kg; description: ( compressor space next hall 1);	10.00
266	1	<b>lot of various defective machinery parts</b> description: incl. robot; control panels; racks - racking , etc. ( compressor space next hall 1);	100.00
267	1	<b>Cleaning table</b> total dimension L: 700 mm; total dimension W: 1120 mm; total dimension H: 1200 mm; description: ( compressor space next hall 1);	10.00
268	1	<b>circular trim saw</b> brand: Huvema; type: HU-315; year: 2011; saw blade ? : 315; coolant pump: yes; electric connection: 400 V; machine weight: 221 kg; description: Incl. And discharge conveyors; arrangement length approx. 5500 mm ( compressor space next hall 1);	100.00



Lot	Number	Description	Starting Bid €
269	1	<b>lot of various machine parts</b> description: w.ol two coolers; workbench ; 2-door wardrobe incl. content ( compressor space next hall 1);	10.00
270	1	<b>lot of various metal</b> description: incl. flat steel; box section and tubes length to approx. 6 meters; from the first rack ( compressor space next hall 1);	10.00
271	1	<b>welding table</b> dimension L: 230 cm; dimension W: 82 cm; description: ( compressor space next hall 1);	10.00
272	1	<b>welding table</b> dimension L: 200 cm; dimension W: 100 cm; description: ( compressor space next hall 1);	10.00
273	1	<b>Workplace crane</b> brand: mega; hoist capacity: 1000 kg; dimension L: 1600 mm; dimension W: 1170 mm; dimension H: 2000 mm; description: hand hydraulic ( compressor space next hall 1);	10.00
274	1	<b>water purification plant</b> brand: duivelaar; type: HU2 DVP18-40; year: 2005; description: consisting of ; 4 stainless steel centrifugal pumps ; 2 controllers type mega control 2; 2 water filters capacity 436 liters per piece; incl. central supply unit (excl. electricity cables) (next compressor room);	100.00
275	2	<b>electric motor</b> brand: weg; power: 7.5 kW; electric connection: 400 V; description: (next to compressor room);	10.00
276	4	<b>electric motor</b> brand: weg; power: 30 kW; electric connection: 400 V; description: (next to compressor room);	10.00
277	1	<b>cooling tower</b> brand: polacel; type: CMC16DM-90PS3/3; year: 2005; electric connection: 400 V; description: capacity up to 150m3 / hr.; dimensions . approx. 2500x2700x3100 mm Weight 2080 kg; incl. 1x type unknown dimensions . approx. 3500x3500x4000 mm;	100.00
278	1	<b>moderator</b> electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
279	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
280	1	<b>moderator</b> brand: thermobhiel; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
281	1	<b>hydraulic Aggregate</b> brand: BÜHLER; type: FLASHTROL; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: defect ( hall 1);	100.00
282	1	<b>hydraulic Aggregate</b> brand: BÜHLER; type: FLASHTROL; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: ( hall 1);	100.00
283	1	<b>hydraulic Aggregate</b> brand: BÜHLER; type: FLASHTROL; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: ( hall 1);	100.00
284	1	<b>hydraulic Aggregate</b> brand: BÜHLER; type: FLASHTROL; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: ( hall 1);	100.00
285	1	<b>hydraulic Aggregate</b> brand: BÜHLER; type: FLASHTROL; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 1300 mm; description: ( hall 1);	100.00



Lot	Number	Description	Starting Bid €
286	1	<b>moderator</b> brand: thermobhiel; type: HK15/9; serial number: 76075; electric connection: 400 V; description: equipped with digital readout ( hall 1);	100.00
300	1	<b>CNC machining centre</b> brand: Mikron; type: VCP 710; year: 1998; serial number: 107.40.98.022; travel x-axis: 710 mm; travel y-axis: 550 mm; travel z-axis: 500 mm; taper ISO: sk40; speed from N=: 0 rpm; speed till N=: 12000 rpm; -axis: 3; T-slot fixture table size L: 900 mm; T-slot fixture table size W: 600 mm; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Mikro ; electric connection: 400 V; total dimension L: 3050 mm; total dimension W: 2460 mm; total dimension H: 2500 mm; machine weight: 9400 kg; description: connection power 40 kW; equipped with spanenavoer; incl. external compressor ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	1,000.00
© 301	1	<b>CNC lathe</b> brand: Tornos Schaublin; type: 125-CCN; year: 2000; serial number: 124-99035; turning ? : 250 mm; turning length: 700 mm; spindle boring ? : 25 mm; coolant pump: yes; CNC control, brand, type: Tornos Schaublin; engine power: 15 kW; electric connection: 380 V; manual present: yes; machine weight: 1415 kg; dimension L: 1850 mm; dimension W: 1250 mm; dimension H: 1800 mm; description: equipped with quick-change tool holder;	1,000.00
© 302	1	<b>machine accessories</b> description: incl. chucks; opspanhouders; Quick-change tool holders; turning tools and various ; and with drawers;	10.00
<b>Combination A</b>			
© 303	1	<b>universal lathe</b> brand: Weiler; type: Primus LZ/G; serial number: 2525; turning length: 470 mm; turning ? : 250 mm; spindle boring ? : 18 mm; speed till N=: 3000 rpm; engine power: 1.5 kW; electric connection: 380 V; manual present: yes; machine weight: 360 kg; dimension L: 1250 mm; dimension W: 800 mm; dimension H: 1450 mm; description: equipped with quick-change tool holder; various opspanhouders;	100.00
© 304	1	<b>machine accessories</b> description: incl. chucks; opspanhouders; turning tools and various ; in cupboard and with;	10.00
<b>Combination B</b>			
305	1	<b>abrasion grinding machine</b> brand: Hasco; type: A190; year: 1987; serial number: 3502; working range: 290 mm; grinding wheel ? : 100 mm; grinding wheel thickness: 10 mm; engine power: 0.65 kW; electric connection: 380 V; manual present: yes; dimension L: 950 mm; dimension W: 550 mm; dimension H: 1250 mm;	100.00
306	1	<b>double brick grinding machine</b> brand: Greif; grinding wheel ? : 125 mm; speed till N=: 3000 rpm; engine power: 0.37 kW; electric connection: 380 V; dimension L: 1040 mm; dimension W: 570 mm; dimension H: 1200 mm;	100.00
307	1	<b>2-Stone grinding machine</b> brand: AEG; type: DWS-200/400; serial number: 87218137; grinding wheel ? : 200 mm; grinding wheel thickness: 10 mm; speed till N=: 3000 rpm; dimension L: 510 mm; dimension W: 350 mm; dimension H: 1120 mm;	100.00
308	1	<b>milling machine</b> brand: Deckel; type: FP2; serial number: 9124; travel x-axis: 400 mm; travel y-axis: 400 mm; travel z-axis: 200 mm; T-slot fixture table size L: 700 mm; T-slot fixture table size W: 330 mm; coolant pump: no; CNC control, brand, type: Heidenhain; engine power: 2.2 kW; electric connection: 380 V; manual present: yes; dimension L: 1250 mm; dimension W: 1300 mm; dimension H: 1800 mm; description: equipped with control cabinet; incl. parts;	100.00





Lot	Number	Description	Starting Bid €
309	1	<b>milling machine</b> brand: Deckel; type: FP2; serial number: 2304; travel x-axis: 500 mm; travel y-axis: 500 mm; travel z-axis: 200 mm; T-slot fixture table size L: 660 mm; T-slot fixture table size W: 375 mm; coolant pump: no; CNC control, brand, type: Heidenhain ; engine power: 3 kW; electric connection: 380 V; manual present: yes; dimension L: 1350 mm; dimension W: 1450 mm; dimension H: 185 mm; description: equipped with control cabinet; incl. parts;	100.00
310	1	<b>distribution table</b> holle spil : 25 mm;	10.00
311	1	<b>machine accessories</b> description: incl. milling heads; opspanhouders; various machine accessories ; in and with cabinet and drawer unit; excl. numbered plots;	10.00
312	1	<b>machine accessories</b> description: incl. chucks; opspanhouders; various hand tools ;	10.00
313	1	<b>kotterkop</b> omschrijving: w.o. opspanhouders; machine toebehoren;	10.00
314	1	<b>kotterkop</b>	10.00
315	1	<b>t-slot clamping table</b> plate thickness: 60 mm; description: Ø 380 mm.;	10.00
316	1	<b>t-slot clamping table</b> plate thickness: 60 mm; description: Ø 380 mm .; and with rack;	10.00
317	1	<b>t-slot clamping table</b> plate thickness: 60 mm; description: Ø 340 mm.;	10.00
318	1	<b>lot of various machine accessories</b> description: and with rack;	10.00
319	1	<b>pantographic turret milling machine</b> brand: Deckel; serial number: 4615J2; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1000 mm; total dimension H: 1400 mm; description: Handbook present; incl. accessories on table;	100.00
320	1	<b>universal lathe</b> brand: Cazeneuve; turning length: 970 mm; turning ? : 440 mm; spindle boring ? : 40 mm; speed from N=: 10 rpm; speed till N=: 700 rpm; electric connection: 380 V; dimension L: 2400 mm; dimension W: 1300 mm; dimension H: 2000 mm;	100.00
321	1	<b>lot of clamping tools</b> description: Incl. Two crates; and with rack;	10.00
322	9	<b>desk and workshop chairs</b>	10.00
323	30	<b>lot of burners</b> description: incl. crate;	10.00
324	1	<b>switchboard</b> description: 400 x 210 x 500 mm.;	10.00
325	1	<b>meter</b> analog: yes;	10.00
326	1	<b>lot of EDM accessories</b> description: in and with closet;	10.00
327	1	<b>lot of EDM accessories</b> description: in and with closet;	10.00
328	1	<b>meter</b> digital: no; description: incl. accessories;	10.00
329	1	<b>clamping table</b> brand: Charmilles; description: ø 300mm and with rack;	10.00
330	1	<b>lot of EDM accessories</b> description: in and with chest of drawers;	10.00



Lot	Number Description	Starting Bid €
331	1 <b>wire spark and erosion machine</b> brand: Agie; type: Mondo 50 Star; serial number: M50 Star-001173; die-sink type: yes; travel x-axis: 500 mm; travel y-axis: 350 mm; travel z-axis: 350 mm; workpiece weight max.: 500 kg; digital display: yes; electric connection: 380 V; manual present: yes; machine weight: 1865 kg; dimension L: 1750 mm; dimension W: 2000 mm; dimension H: 2700 mm; description: equipped with five electrode exchangers; Agie Futura V control cabinet ; Termogamma heat exchanger;	1,000.00
332	1 <b>lot of EDM accessories</b> description: in and with sliding door cupboard;	10.00
333	1 <b>lot of EDM accessories</b> description: and with rack;	10.00
334	1 <b>lot of EDM accessories</b> description: excl. welding table;	10.00
335	1 <b>lot of steel</b> description: in and with a welding table and 2 trestles; excl. numbered lots on the table;	10.00
336	1 <b>control cabinet</b> brand: ZPF Therm;	10.00
337	1 <b>various fittings</b> description: in and with closet;	10.00
338	1 <b>various fittings</b> description: in and with closet;	10.00
339	1 <b>various fittings</b> description: in and with closet;	10.00
340	1 <b>lot of office</b>	10.00
341	1 <b>lot of furniture</b> description: incl. . rack ; offices; closet; incl. installation and IT equipment;	10.00
342	1 <b>various fittings</b> description: in 12 crates;	10.00
343	1 <b>drip tray</b> total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 950 mm; description: pay attention! stuffed up;	10.00
344	1 <b>welding table</b> dimension L: 2000 mm; dimension W: 800 mm; dimension H: 930 mm; description: excl. material ;	10.00
345	1 <b>various fittings</b> description: in and with rack ; Incl. Materials and welding table below; excl. welding table;	10.00
346	1 <b>various fittings</b> description: incl. . hand tools ; aerosols; blind spot mirror; in and with two cabinets ;	10.00
© 347	1 <b>die nozzle accessories</b> description: incl. nozzles;	10.00
© 348	1 <b>die nozzle accessories</b>	10.00
349	1 <b>die nozzle accessories</b> description: incl. nozzles; and miscellaneous;	10.00
350	1 <b>workshop table</b> description: 2000 x 780 x 920 mm .; incl. content loading; excl. content on the table;	10.00
351	1 <b>wooden case on steel frame</b> total dimension L: 1020 mm; total dimension W: 700 mm; total dimension H: 2020 mm; description: Inc.schoonmaakmateriaal and content;	10.00
352	1 <b>welding fume extraction system</b> brand: Nederman; description: arm length approx. 2500 mm. Without engine. Pay attention! Disconnect at first corner.;	10.00



Lot	Number	Description	Starting Bid €
353	1	<b>swing arm crane</b> brand: Güde ; type: GSZ 200/400; year: 2014; serial number: 58165-1406-0633; hoist capacity: 400 kg; max. hoist height: 12 m; arm length: 2350 mm; electric connection: 230 V;	10.00
© 354	9	<b>Die sprayer distribution units</b> description: excl. rack;	100.00
© 355	9	<b>Die sprayer distribution units</b> description: excl. rack;	100.00
© 356	7	<b>Die sprayer distribution units</b> description: excl. rack;	100.00
© 357	1	<b>Die sprayer distribution unit</b> total dimension L: 900 mm; total dimension W: 270 mm; total dimension H: 310 mm;	100.00
© 358	1	<b>Die sprayer distribution unit</b> total dimension L: 550 mm; total dimension W: 400 mm; total dimension H: 320 mm;	100.00
© 359	1	<b>Die sprayer distribution unit</b> total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 320 mm;	100.00
© 360	4	<b>Die sprayer parts</b> <b>mold nozzle accessory</b>	10.00
361	1	<b>Transport car</b> total dimension L: 1510 mm; total dimension W: 610 mm; total dimension H: 570 mm;	10.00
362	1	<b>workshop cupboard</b> total dimension L: 1050 mm; total dimension W: 510 mm; total dimension H: 1020 mm; description: aluminum sheet worksheet;	10.00
363	1	<b>stainless steel cleaning container</b> total dimension L: 800 mm; total dimension W: 650 mm; total dimension H: 1030 mm; description: on and including platform carts.;	10.00
364	1	<b>lot of injection molding machine parts</b> description: excluding rack .;	10.00
365	2	<b>workplace cabinets</b> total dimension L: 570 mm; total dimension W: 700 mm; total dimension H: 1700 mm; description: including content incl. . various machine components.;	10.00
366	1	<b>lot of tools and 380V connection material</b> description: hanging on the wall;	10.00
367	1	<b>control cabinet</b> brand: Reis;	10.00
368	1	<b>control cabinet and tank serving Vacuum System</b> brand: DVP; type: CPA1; year: 2016; serial number: 1613024; electric connection: 380 V; total dimension L: 1600 mm; total dimension W: 550 mm; total dimension H: 1460 mm; description: Without vacuum pump. content tank 270ltr. Built on a mobile frame.;	10.00
369	3	<b>welding screens</b> description: 2x dimensions ca 1260x1740mm; 1x dimensions approx 1700x2200mm.;	10.00
370	1	<b>welding table</b> total dimension L: 1020 mm; total dimension W: 920 mm; total dimension H: 870 mm;	10.00
371	4	<b>Laskappen</b> description: 1x automatic welding hood; including 2x face protection.;	10.00
372	1	<b>swivel arm vapor extraction</b> brand: Nederman; description: Without exhauster. L ca 2500mm. Pay attention! disconnect at first bend.;	10.00
373	1	<b>Welding machine</b> brand: Esab; type: Twin-Tig DTB200; tig type: yes; MMA type: yes; AC/DC: yes; ampere range: 200 A; duty cycle: 35 %; electric connection: 380 V;	100.00



Lot	Number	Description	Starting Bid €
374	1	<b>workshop press</b> 2-column: yes; electro-hydraulic: yes; electric connection: 380 V; total dimension L: 1300 mm; total dimension W: 1010 mm; total dimension H: 2650 mm;	10.00
375	1	<b>pressure washer</b> brand: Nilfisk; type: SC Uno 7P-180/1200; serial number: CM107340541-25; max. pressure: 250 bar; temperature range max.: 80 °c; fixed installation: yes; power: 6.7 kW; electric connection: 400 V; own weight: 81 kg; description: with gas-fired hot water supply unit; wall mounted;	100.00
376	1	<b>blasting cabin</b> brand: Sauer; type: 120S; grit: no; glass: yes; sand: no; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1500 mm; dimension H: 2000 mm;	100.00
377	1	<b>ultrasonic cleaner</b> brand: FinnSonic; type: M160i ; container: yes; electric connection: 380 V; total dimension L: 1330 mm; total dimension W: 500 mm; total dimension H: 950 mm; description: Includes content .;	10.00
378	1	<b>compressed air reel</b> brand: Zeca; air reel: yes; diameter approx.: 10 mm; hose length: 16 m; wall mount: yes;	10.00
379	1	<b>scrubbing and vacuuming machine</b> brand: Nilfisk ; type: SC6000 ecoflex; serial number: 3510163401088; own weight: 1070 kg; total dimension L: 1000 mm; total dimension W: 2000 mm; total dimension H: 1700 mm; description: Includes charger.;	100.00
380	1	<b>workbench</b> total dimension L: 830 mm; total dimension W: 520 mm; total dimension H: 830 mm; description: equipped with perforated sheet; including sieve.;	10.00
381	1	<b>drip tray</b> total dimension L: 1220 mm; total dimension W: 820 mm; total dimension H: 350 mm;	10.00
382	2	<b>lifting yokes</b> total dimension L: 1200 mm; total dimension W: 1060 mm; total dimension H: 800 mm;	10.00
383	1	<b>workshop press</b> capacity: 30 t; 2-column: yes; distance between columns: 525 mm; manually operated: yes; total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 1850 mm;	10.00
384	1	<b>demolition / demolition hammer</b> description: Includes air hose.;	10.00
385	1	<b>high-lifter</b> total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 1880 mm;	10.00
386	1	<b>industrial liquid vacuum cleaner</b> brand: Ravebo; type: MDS030FFBGN; serial number: 990571; wet/dry vacuum cleaner: no;	10.00
387	1	<b>slacker</b>	10.00
388	1	<b>Pickup truck</b>	10.00
389	1	<b>Lever plate shears</b> brand: Mubea; description: Mounted on steel buck.;	10.00
390	1	<b>Lever shrink device</b> description: Mounted on steel buck.;	10.00
391	1	<b>vise</b> description: Mounted on a tripod ; including material holder.;	10.00
© 392	1	<b>lot of various casting buses</b> description: Including rack .;	100.00
© 393	1	<b>lot of sucker rods</b> description: and various different types of floors 4;	100.00
394	1	<b>dresser</b> total dimension L: 1020 mm; total dimension W: 580 mm; total dimension H: 1000 mm; description: Including various machine pins.;	10.00



Lot	Number	Description	Starting Bid €
395	1	<b>chain clamp</b> brand: Ridgid; type: BC-810; description: 1 1/4 "; including Ridgid chain clamp 3233.;	10.00
396	1	<b>2-Stone grinding machine</b> brand: Creusen; type: VSS 9300; year: 1997; grinding wheel ? : 300 mm; engine power: 1.3 kW; electric connection: 380 V; machine weight: 60 kg; dimension L: 700 mm; dimension W: 700 mm; dimension H: 1300 mm; description: with integrated dust extraction on column foot;	10.00
397	1	<b>hacksaw</b> saw blade size L: 500 mm; electric connection: 380 V; dimension L: 600 mm; dimension W: 1600 mm; dimension H: 1300 mm; description: equipped with equipment terminal; Including two roller brackets.;	100.00
398	1	<b>steel</b> description: lot of bar stock. regards content rack ; without the rack .;	10.00
399	1	<b>cantilever racking system</b> double-sided: yes; number of uprights: 5; total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 2600 mm; description: exclusive content .; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
400	1	<b>workbench</b> total dimension L: 940 mm; total dimension W: 570 mm; total dimension H: 860 mm; description: vv vise and drawers with content .;	10.00
401	1	<b>Warehouse racking</b> dismantable: yes; section dim. L: 1600 mm; section dim. W: 700 mm; section dim. H: 2300 mm; number of uprights: 3; number of cross beams: 16; number of shelves: 8; total dimension L: 3400 mm; total dimension W: 700 mm; total dimension H: 2300 mm; description: exclusive content .; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
402	1	<b>honing machine</b> brand: Sunnen; vertical: yes; electric connection: 380 V; manual present: yes; dimension L: 1000 mm; dimension W: 1700 mm; dimension H: 2850 mm; description: Including material cabinet with content .;	100.00
403	1	<b>surface grinder</b> brand: Matra; type: MF6; working range: 600 mm; table size L: 1020 mm; table size W: 280 mm; grinding wheel ? : 200 mm; grinding wheel thickness: 25 mm; distance table / spindle: 430 mm; speed from N=: 1400 rpm; speed till N=: 2800 rpm; magnetic fixture plate size: 545 mm; electric connection: 380 V; manual present: yes; machine weight: 1400 kg; dimension L: 1600 mm; dimension W: 1300 mm; dimension H: 1900 mm; description: Including material cabinet.;	100.00
404	1	<b>table drill</b> brand: Flott; type: TB 10-1; drilling capacity: 10 mm; number of speeds: 4; speed from N=: 410 rpm; speed till N=: 1700 rpm; discharge: 200 mm; table size L: 220 mm; table size W: 235 mm; electric connection: 400 V; description: on steel base;	10.00
405	1	<b>radial drilling machine</b> brand: Donau; type: DR23; serial number: 193-2; drilling capacity: 30 mm; number of speeds: 12; speed from N=: 70 rpm; speed till N=: 1550 rpm; discharge: 750 mm; gear wheel driven: yes; T-slot fixture table size L: 1200 mm; T-slot fixture table size W: 500 mm; electric connection: 400 V; dimension L: 1800 mm; dimension W: 1200 mm; dimension H: 1850 mm; description: equipped with additional t-gleufopspantafel and various accessories;	100.00
406	2	<b>Converters</b> brand: SEW; type: Mc07b0030;	10.00
407	1	<b>engine reductor</b>	10.00
408	1	<b>deburring set</b>	10.00
409	1	<b>miscellaneous hand tools</b>	10.00





Lot	Number	Description	Starting Bid €
410	1	<b>vise</b> description: 65mm beading width on steel profile;	10.00
411	1	<b>machine clamp</b> manually operated: yes; jaw width: 160 mm; description: 2, and various ditto;	10.00
412	1	<b>high pressure hose</b>	10.00
413	1	<b>machine lamp</b>	10.00
414	1	<b>crossroads</b> total dimension L: 1000 mm;	10.00
415	2	<b>transport trolleys</b>	10.00
416	1	<b>lot of hand tooling</b> description: in 2 boxes;	10.00
417	1	<b>lot of hand tool</b>	10.00
418	1	<b>roller sandpaper</b> brand: Klingspor; description: dimensions . 500x50mm; K60; and lot of sanding discs Ø 30 mm case;	10.00
419	1	<b>scale</b>	10.00
421	1	<b>construction lamp</b> halogen: yes; electric connection: 230 V;	10.00
422	1	<b>chain hoist</b> brand: Demag;	10.00
424	1	<b>belt sander</b> brand: Ferm; electric connection: 230 V;	10.00
425	1	<b>mounting table</b> total dimension L: 3100 mm; total dimension W: 1400 mm; total dimension H: 870 mm; description: steel; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
426	1	<b>surface grinder</b> brand: Okamoto; type: ACC 63DX; serial number: 64664; CNC: yes; working range: 600 mm; table size L: 1980 mm; table size W: 500 mm; grinding wheel ? : 355 mm; grinding wheel thickness: 50 mm; distance table / spindle: 500 mm; speed till N=: 1500 rpm; magnetic fixture plate size: 600 mm; control, brand, type: Okamoto; engine power: 3.7 kW; electric connection: 400 V; manual present: yes; machine weight: 2500 kg; dimension L: 2725 mm; dimension W: 1906 mm; dimension H: 1773 mm;	1,000.00
427	1	<b>machine accessories</b> description: in and with 2 steel cabinets;	10.00
428	1	<b>oven</b> brand: Nabertherm; type: N60/65HA; year: 2014; serial number: 299031; capacity (text): Tmax 650° C; total dimension L: 920 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; description: Room size approx. 400x400x600mm; with digital controls; 400V; 9kW;	100.00
429	1	<b>oven</b> brand: Nabertherm; type: N60/65HA; year: 2014; serial number: 299030; capacity (text): Tmax 650° C; total dimension L: 920 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; description: Room size approx. 400x400x600mm; with digital controls; 400V; 9kW;	100.00
430	1	<b>CNC milling machine</b> brand: Maho; type: MH700P; serial number: 71442; travel x-axis: 600 mm; travel y-axis: 400 mm; travel z-axis: 400 mm; taper ISO: Iso 40; number of speeds: 18; speed from N=: 40 rpm; speed till N=: 2000 rpm; T-slot fixture table size L: 900 mm; T-slot fixture table size W: 500 mm; coolant pump: yes; CNC control, brand, type: Heidenhain; engine power: 4 kW; electric connection: 400 V; manual present: yes; machine weight: 2900 kg; dimension L: 1650 mm; dimension W: 2150 mm; dimension H: 2300 mm; description: with various tools on the table;	1,000.00



Lot	Number	Description	Starting Bid €
431	1	<b>lot of machine accessories</b> description: in and with steel 10-load tool cabinet;	10.00
432	1	<b>lot of machine accessories</b> description: in and with steel 2-door wardrobe;	10.00
433	1	<b>column drill</b> brand: Alzmetall; type: AB 35HST; year: 1990; serial number: 2187; drilling capacity: 60 mm; spindle speed from N=: 130 rpm; spindle speed till N=: 3500 rpm; drilling depth: 180 mm; discharge: 300 mm; table size L: 600 mm; table size W: 700 mm; coolant pump: yes; electric connection: 400 V; dimension L: 700 mm; dimension W: 1100 mm; dimension H: 2150 mm;	100.00
434	1	<b>mounting table</b> total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: vv machine clamp and under-built chest of drawers with content;	10.00
435	1	<b>workbench</b> total dimension L: 2000 mm; total dimension W: 750 mm; total dimension H: 860 mm; description: with vise and accumulated lighting;	10.00
436	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 250 mm;	10.00
437	1	<b>machine clamp</b> brand: Gressel; manually operated: yes; jaw width: 160 mm;	10.00
438	1	<b>various machine accessories</b>	10.00
439	1	<b>turning tool</b> description: and various ;	10.00
440	1	<b>various turning tools</b> description: in and with steel 2-door wardrobe;	100.00
441	1	<b>further machine accessories</b> description: on 3 pallets;	10.00
442	1	<b>Tool box</b> aluminium: yes; with content: yes;	10.00
443	1	<b>lot of steel</b> description: in various sizes and types;	10.00
444	14	<b>lot of saw blades</b> description: ø 400;	10.00
445	1	<b>lot of hoses</b> description: ao air hose;	10.00
446	1	<b>tool trolleys</b> brand: Garant; number of drawers: 8; with content: yes;	10.00
447	1	<b>tool trolleys</b> brand: Garant; number of drawers: 8; with content: yes;	10.00
448	1	<b>tool trolleys</b> brand: Metec; number of drawers: 7; with content: yes;	10.00
449	1	<b>tool trolleys</b> brand: Hazet; type: Assistent 179w; number of drawers: 7; with content: yes;	10.00
450	1	<b>tool trolleys</b> brand: Hazet; type: Assistent 179w; number of drawers: 7; with content: yes;	10.00
451	1	<b>tool trolleys</b> brand: Hazet; type: Assistent 179w; number of drawers: 7; with content: yes;	10.00
452	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00
453	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00
454	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00



Lot	Number	Description	Starting Bid €
455	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00
456	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00
457	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 7; with content: yes;	10.00
458	1	<b>ready-made trolley</b> number of drawers: 11; with content: yes;	10.00
459	1	<b>ready-made trolley</b> number of drawers: 7; with content: yes;	10.00
460	1	<b>ready-made trolley</b> brand: Gedore; number of drawers: 9; with content: yes;	10.00
461	1	<b>tool trolleys</b> number of drawers: 5; with content: yes;	10.00
462	1	<b>tool trolleys</b> number of drawers: 5; with content: yes;	10.00
463	1	<b>Welding machine</b> brand: Synergic; type: 324S; mig type: yes; ampere range: 320 A; duty cycle: 50 %; wire feeder: yes; electric connection: 400 V;	100.00
464	1	<b>plasma cutting machine</b> brand: Hypertherm; type: Powermax 85; description: with transport trolley;	100.00
465	1	<b>hydraulic Aggregate</b> electric connection: 400 V;	10.00
466	1	<b>hydraulic Aggregate</b> electric connection: 400 V;	10.00
467	1	<b>afperspomp</b> brand: Ridgid; description: with transport trolley;	10.00
468	1	<b>Oil pump</b> description: hand-hydraulic on transport trolley;	10.00
469	1	<b>mold transport cart</b> dimension L: 75 cm; dimension W: 60 cm; description: adjustable in height;	10.00
470	1	<b>Pole puller</b> type: HHL-5; description: cap.5T; in suitcase; hand-hydraulic;	10.00
471	1	<b>beating kit</b> description: cap.10T hydraulic hand pump; with various accessories in box;	10.00
472	1	<b>mold transport cart</b> dimension L: 75 cm; dimension W: 60 cm; description: adjustable in height;	10.00
473	1	<b>anvil</b> dimension L: 73 cm; dimension W: 13 cm; dimension H: 31 cm; description: with horn on wood block;	10.00
474	1	<b>beating kit</b> description: hydraulic hand pump; with various accessories in box;	10.00
475	1	<b>C-frame baler</b> brand: Holzmann; type: Dop2000; discharge: 130 mm; description: hand operated;	10.00
476	1	<b>machine standard</b>	10.00
477	1	<b>C-frame baler</b> brand: HBM; capacity: 2 t; discharge: 140 mm; description: hand operated;	10.00
478	4	<b>buck and castors</b> description: steel; ø 150mm;	10.00
479	1	<b>forklift spoons</b> total dimension L: 1200 mm; total dimension H: 550 mm;	10.00
480	1	<b>lot of extension cables</b> description: and various under the table;	10.00



Lot	Number Description	Starting Bid €
481	1 <b>Steel work table</b> total dimension L: 3000 mm; total dimension W: 600 mm; total dimension H: 860 mm; description: (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
482	1 <b>tool trolleys</b> number of drawers: 5; with content: yes; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: vv vise and build-up;	10.00
483	1 <b>fastening material</b> description: incl. hex bolts , nuts , washers etc. venture into mobile gripping stock;	10.00
484	1 <b>stock</b> description: galvanized sheet dimensions . approx. 1000x800 mm; 10 st.;	10.00
485	10 <b>Fire extinguishers</b> description: in 1 "Ferta" cart dimensions . approx. 1160x700 mm;	10.00
486	1 <b>hydraulic shears</b> type: HHD-85KF; description: capacity max. 8.5 ton / 85 mm;	10.00
487	1 <b>hydraulic machine jack</b> type: HHQD-20; description: capacity up to 20 tons.; stroke 160 mm;	10.00
488	1 <b>hydraulic hose</b> brand: enerpac;	10.00
489	1 <b>hydraulic jack</b> type: HHYG-10100LS; description: capacity up to 10 tons.; stroke 100 mm;	10.00
490	1 <b>hydraulic jack</b> type: HHYG-10250S; description: capacity up to 10 tons.; stroke 250 mm;	10.00
491	1 <b>hand hydraulic pump</b> type: HHB-700S;	10.00
492	1 <b>pneumatic / hydraulic pump</b> type: HHB-70AQ;	10.00
493	1 <b>hydraulic cylinder</b> brand: dema; type: CI 125-56 100/FA/Z/G-NBR; year: 2017;	10.00
494	2 <b>hydraulic jack</b>	10.00
495	2 <b>hydraulic cylinder</b> brand: merkle; type: BSE 250;	10.00
496	1 <b>various axis measurement system parts</b>	10.00
497	4 <b>Tool holder</b>	10.00
498	1 <b>Socket</b> brand: dowidat; description: incl. 2 ring / wrenches;	10.00
499	2 <b>Pipe pipe</b> brand: gedore;	10.00
500	2 <b>optical security</b> brand: pilz; description: length 1050 mm;	10.00
501	3 <b>various Draadsnijset</b>	10.00
502	1 <b>machine clamp</b> manually operated: yes; jaw width: 80 mm; jaw opening: 100 mm;	10.00
503	1 <b>machine clamp</b> manually operated: yes; jaw width: 135 mm;	10.00
504	1 <b>machine clamp</b> manually operated: yes; jaw width: 125 mm;	10.00
505	1 <b>machine clamp</b> manually operated: yes; jaw width: 125 mm;	10.00
506	1 <b>machine clamp</b> brand: Hoffmann; type: 36 2010 125; manually operated: yes; jaw width: 125 mm;	100.00
507	1 <b>Pneumatic impact wrench</b> brand: emax; square drive: 3/4 " ; max. torque: 1600 Nm;	10.00



Lot	Number	Description	Starting Bid €
508	1	<b>pneumatic hand grinding machine</b>	10.00
509	1	<b>pneumatic hand grinding machine</b> brand: dutco;	10.00
510	1	<b>Pneumatic impact wrench</b> brand: rodac; square drive: 1/2 ";	10.00
511	1	<b>Pneumatic impact wrench</b> brand: RC; square drive: 1/2 ";	10.00
512	1	<b>Pneumatic impact wrench</b> brand: CP; type: CP7749; square drive: 1/2 ";	10.00
513	1	<b>Pneumatic impact wrench</b> brand: CP; square drive: 1/2 ";	10.00
514	1	<b>Pneumatic impact wrench</b> brand: RC; square drive: 3/4 ";	10.00
515	1	<b>Pneumatic impact wrench</b> brand: RC; square drive: 1/2 ";	10.00
516	1	<b>Pneumatic impact wrench</b> brand: Toku; type: MI17heg; square drive: 1/2 ";	10.00
517	1	<b>Pneumatic impact wrench</b> brand: Toku; square drive: 1/2 ";	10.00
518	1	<b>Pneumatic impact wrench</b> brand: Toku; square drive: 1/2 ";	10.00
519	1	<b>Pneumatic impact wrench</b> brand: sumo; square drive: 1/2 ";	10.00
520	1	<b>Pneumatic impact wrench</b> brand: sumo; square drive: 1/2 ";	10.00
521	2	<b>flexible table lamp</b>	10.00
522	1	<b>electric hand-held grinding machine</b> brand: bosch; type: GWS 24-180; disc diameter: 180 mm; electric connection: 230 V;	10.00
523	1	<b>electric hand-held grinding machine</b> brand: bosch; type: GWS 15-125 CI; disc diameter: 125 mm; electric connection: 230 V;	10.00
524	2	<b>electric hand-held grinding machine</b> brand: bosch; type: GWS 15-125 CI; disc diameter: 125 mm; electric connection: 230 V; description: pay attention to 1x rejection;	10.00
525	1	<b>die grinder</b> electric connection: 230 V;	10.00
526	1	<b>die grinder</b> brand: fein; electric connection: 230 V;	10.00
527	1	<b>electric hand drill</b> brand: metabo; electric connection: 230 V;	10.00
528	1	<b>electric hand drill</b> brand: metabo; electric connection: 230 V;	10.00
529	1	<b>electric hand drill</b> brand: hitachi; electric connection: 230 V;	10.00
530	2	<b>various crimping tool</b>	10.00
531	1	<b>soldering</b> brand: weller; type: WTCP 51;	10.00
532	1	<b>multimeter</b> brand: benning; type: MM1;	10.00
533	1	<b>multimeter</b> brand: fluke; type: 115;	10.00
534	1	<b>multimeter</b> brand: fluke; type: 10;	10.00



Lot	Number	Description	Starting Bid €
535	1	<b>digital thermometer</b> type: APPA51;	10.00
536	1	<b>various hand tools</b> description: incl. lamps and grinding machine;	10.00
537	1	<b>mixing pump</b> type: FAG2-800;	10.00
538	1	<b>Steel work table</b> dimension H: 870 cm; total dimension L: 3610 mm; total dimension W: 1350 mm; total dimension H: 2200 mm; description: equipped with 4x vise and lighting ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
539	1	<b>Steel work table</b> dimension H: 870 cm; total dimension L: 3610 mm; total dimension W: 1350 mm; total dimension H: 2200 mm; description: equipped with 4x vise and lighting ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
540	1	<b>Steel work table</b> dimension H: 870 cm; total dimension L: 3610 mm; total dimension W: 1350 mm; total dimension H: 2200 mm; description: equipped with 4x vise and lighting ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
541	1	<b>flat and measuring table</b> granite: yes; blade size L: 500 mm; blade size W: 600 mm; total dimension H: 880 mm;	10.00
542	1	<b>measuring table frame</b> total dimension L: 400 mm; total dimension W: 600 mm; total dimension H: 600 mm;	10.00
543	1	<b>turning tool</b> description: incl. drills, taps, reamers, etc. transshipment centers in 14-drawers cabinet ;	10.00
544	1	<b>various injection molding machine accessories</b> description: in 11-drawer tool cabinet;	10.00
545	1	<b>various injection molding machine accessories</b> description: in 12-drawer tool cabinet;	10.00
546	1	<b>various injection molding machine accessories</b> description: in 12-drawer tool cabinet;	10.00
547	1	<b>various injection molding machine accessories</b> description: in 7-drawer tool cabinet;	10.00
548	1	<b>various injection molding machine accessories</b> description: in 11-drawer tool cabinet;	10.00
549	1	<b>turning tool</b> description: incl. grinding tool; taps, reamers, etc. in 12-ladige cabinet ;	10.00
550	1	<b>turning tool</b> description: incl. drilling; milling cutters, reamers, etc. in 12-ladige cabinet ;	10.00
551	1	<b>Shelter set</b> total dimension L: 2100 mm; total dimension W: 550 mm; total dimension H: 2220 mm; description: equipped with 10 trays; incl. various content incl. injection molding machine accessories;	10.00
552	1	<b>various injection molding machine accessories</b> description: in 13-drawer tool cabinet;	10.00
553	1	<b>various machine accessories</b> description: incl. thermo controllers and safety exits; from 2 cabinets;	10.00
554	1	<b>various injection molding machine accessories</b> description: and various in 2 cabinets;	10.00
555	1	<b>2-door cabinet workshop</b> dimension L: 42 cm; dimension W: 92 cm; dimension H: 195 cm; description: excl. content;	10.00





Lot	Number	Description	Starting Bid €
556	1	<b>Water cooler</b> brand: Viteau; type: CW-818C;	10.00
557	1	<b>Water cooler</b> brand: Viteau; type: CW-818C;	10.00
© 558	1	<b>large warehouse stock</b> description: incl. mounting and fixing materials; water fittings; electro-hydraulic components couplings ; pneumatic cylinders and components; ball bearings; led busse; thermocouples; machine parts; welding and soldering; bolts ; nuts ; cables and hoses ; etc. content warehouse excl. racks - racking , cabinets and Bureau's;	1,000.00
© 559	35	<b>sections racking</b> section dim. L: 970 mm; section dim. W: 550 mm; section dim. H: 2200 mm; description: partly equipped with load; incl. 4 steel 2-door cabinets ; 2x office; crafting table; 2 drawers and chairs (excl. content ) ; (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ; <b>warehouse inventory</b>	100.00
560	1	<b>content mezzanine</b> description: consisting of ; 16 sections shelf rack ; incl. content incl. . lot of wire mesh boxes in machine; hose; circuit boards; switches; plastic crates; empty folders etc. (excl. compressor ) ;	10.00
561	1	<b>tensile strength tester</b> brand: tinius olsen; type: H25KT; max. testing force: 2500 kN; max. testing speed: 500 mm/min; working height: 1100 mm; electric connection: 230 V; manual present: yes; description: distance between the columns 450 mm ( office bg);	100.00
562	1	<b>hand-operated torque tester</b> brand: mecmesin ; type: Coms AFTI; electric connection: 230 V; manual present: yes; description: equipped with digital uitleesmodule; distance between the columns 220 mm; incl. table surface ( office bg);	100.00
563	1	<b>profile projector</b> brand: mitutoyo; type: PJ-3000; serial number: 810160; electric connection: 230 V; description: incl. handbook ( office bg);	100.00
564	1	<b>test indicator</b> brand: peacock; type: NB; description: in case ( office bg);	10.00
565	1	<b>flat and measuring table</b> granite: yes; blade size L: 400 mm; blade size W: 630 mm; total dimension H: 880 mm; description: ( office bg);	10.00
566	1	<b>lot of custom test setups</b> description: from the first cabinet ( office bg);	10.00
567	6	<b>Magnifying vv lighting</b> description: ( office bg);	10.00
568	1	<b>lot of various pen / meetkalibers</b> description: from the first cabinet ( office bg);	10.00
569	1	<b>lot of various pen / meetkalibers</b> description: from the first cabinet ( office bg);	10.00
570	1	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 1000; description: ( office bg);	10.00
571	1	<b>Slider size</b> brand: mitutoyo; analog: yes; measuring range from: 0 mm; measuring range till: 600; description: ( office bg);	10.00
572	3	<b>Slider size</b> brand: mitutoyo; analog: yes; description: 1x 600mm; 1x 050mm and 1x "mahr" 500mm ( office bg);	10.00



Lot	Number	Description	Starting Bid €
573	2	<b>Slider size</b> analog: yes; measuring range from: 0 mm; measuring range till: 300; description: ( office bg);	10.00
574	2	<b>Slider size</b> brand: mitutoyo; analog: yes; digital: yes; measuring range from: 0 mm; measuring range till: 200; description: ( office bg);	10.00
575	2	<b>Slider size</b> brand: holex; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: ( office bg);	10.00
576	2	<b>Slider size</b> brand: filetta/mitutoyo; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: ( office bg);	10.00
577	2	<b>Slider size</b> brand: tesa/NN; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: ( office bg);	10.00
578	1	<b>Slider size</b> brand: ipromat; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 200; description: ( office bg);	10.00
579	4	<b>Slider size</b> analog: no; digital: no; measuring range from: 0 mm; measuring range till: 150; description: ( office bg);	10.00
580	3	<b>Slider size</b> brand: filetta; analog: no; digital: no; measuring range from: 0 mm; measuring range till: 150; description: ( office bg);	10.00
581	1	<b>micrometer</b> brand: mitutoyo; type: 512-404; analog: yes; description: ( office bg);	10.00
582	1	<b>micrometer</b> brand: mitutoyo; type: 512-404; analog: yes; description: ( office bg);	10.00
583	1	<b>micrometer</b> brand: mitutoyo; type: 512-404; analog: yes; description: ( office bg);	10.00
584	1	<b>micrometer</b> analog: no; digital: yes; description: ( office bg);	10.00
585	1	<b>micrometer</b> analog: no; digital: yes; description: ( office bg);	10.00
586	2	<b>micrometer</b> analog: no; digital: yes; description: ( office bg);	10.00
587	10	<b>various micrometer</b> analog: yes; digital: no; description: ( office bg);	10.00
588	2	<b>various micrometer</b> analog: yes; digital: no; description: ( office bg);	10.00
589	3	<b>various micrometer</b> analog: yes; digital: no; description: ( office bg);	10.00
590	1	<b>various micrometer</b> brand: mitutoyo; analog: yes; digital: no; description: ( office bg);	10.00
591	2	<b>Measuring clock</b> brand: käfer; analog: yes; digital: no; description: ( office bg);	10.00
592	2	<b>Measuring clock</b> brand: käfer; analog: yes; digital: no; description: ( office bg);	10.00
593	1	<b>Measuring clock</b> brand: käfer; analog: yes; digital: no; description: ( office bg);	10.00
594	2	<b>Measuring clock</b> brand: käfer; analog: yes; digital: no; description: ( office bg);	10.00
595	2	<b>Measuring clock</b> brand: käfer; analog: yes; digital: no; description: ( office bg);	10.00



Lot	Number	Description	Starting Bid €
596	1	<b>digital temperature meter</b> description: cap. -200-1370 ° C ( office bg);	10.00
597	1	<b>digital temperature meter</b> description: cap. -200-1370 ° C ( office bg);	10.00
598	1	<b>micro degrees gauge</b> brand: keiki; description: ( office bg);	10.00
599	1	<b>micro degrees gauge</b> brand: mitutoyo; description: ( office bg);	10.00
600	1	<b>micrometer</b> brand: mitutoyo; type: Hiactor-2; description: ( office bg);	10.00
601	1	<b>resistance tester</b> brand: metrawatt; type: METRISO 500 VW; description: in case ( office bg);	10.00
602	1	<b>roughness tester</b> brand: suprapgon; description: ( office bg);	10.00
603	1	<b>various measuring tools parts</b> description: in casket ( office bg);	10.00
604	1	<b>micrometer</b> brand: mahr; type: Compramess; description: ( office bg);	10.00
605	1	<b>optical measurement table</b> brand: miller; description: ( office bg);	10.00
606	1	<b>stitch result</b> description: 0.03 mm per meter ( office bg);	10.00
607	1	<b>micrometering pliers</b> measuring range from: 40 mm; measuring range till: 50 mm; description: ( office bg);	10.00
608	1	<b>micrometering pliers</b> description: ( office bg);	10.00
609	1	<b>micrometering pliers</b> brand: kroepelin; digital: yes; measuring range from: 30 mm; measuring range till: 50 mm; description: ( office bg);	10.00
610	1	<b>micrometering pliers</b> brand: kroepelin; digital: no; description: ( office bg);	10.00
611	1	<b>measuring head</b> brand: renschaw; type: PH1; description: in casket ( office bg);	10.00
612	1	<b>tensile strength tester</b> brand: shamrock; description: ( office bg);	10.00
613	1	<b>tensile strength tester</b> brand: shamrock; description: ( office bg);	10.00
614	1	<b>analog plane meter</b> brand: mitutoyo;	10.00
615	1	<b>inner size micrometer set</b> brand: mututoyo; description: 11-piece ( office bg);	10.00
616	1	<b>inner size micrometer set</b> brand: tesa; description: 7-piece ( office bg);	10.00
617	1	<b>flat block</b> measuring range till: 150 mm; description: ( office bg);	10.00
618	1	<b>three-point inner diameter micrometer</b> brand: mitutoyo; type: 125-150; description: ( office bg);	10.00
619	1	<b>inner size micrometer set</b> brand: tesa; description: 4-pieces ( office bg);	10.00
620	1	<b>three-point inner diameter micrometer</b> brand: tesa; measuring range till: 17 mm; description: 3-piece ( office bg);	10.00



Lot	Number	Description	Starting Bid €
621	1	<b>inner size micrometer set</b> brand: bowers; measuring range from: 2 mm; measuring range till: 5 mm; description: 5-piece, excl. Readout ( office bg);	10.00
622	1	<b>calibration set</b> brand: cej; type: M42; serial number: 66082; description: ( office bg);	10.00
623	1	<b>final mat set</b> brand: mitutoyo; type: BM1-10M-0/NKO; serial number: 516-106-70; description: ( office bg);	100.00
624	1	<b>final mat set</b> brand: cej; type: M29C; serial number: 55577; description: ( office bg);	10.00
625	1	<b>final mat set</b> brand: mitutoyo; type: BM1-103B; serial number: 516-943; description: ( office bg);	10.00
626	1	<b>final mat set</b> brand: cej; type: M3; serial number: 860059; description: 4 fog sizes ( office bg);	10.00
627	1	<b>final mat set</b> brand: cej; type: M3W; serial number: 67916; description: ( office bg);	10.00
628	1	<b>measuring pen set</b> brand: mft; description: lacks a number of sizes ( office bg);	10.00
629	1	<b>measuring pen set</b> brand: mft; description: lacks a number of sizes ( office bg);	10.00
630	1	<b>measuring pen set</b> description: lacks a number of sizes ( office bg);	10.00
632	2	<b>micrometer</b> description: incl. 1 magnetic stand ( office bg);	10.00
633	1	<b>various measuring equipment</b> description: incl. data blocks and magnetic tripods ( office bg);	10.00
634	1	<b>c-frame hardness tester</b> brand: ernst; description: equipped with analog dial gauge; incl. various accessories ( office bg);	10.00
635	1	<b>outer size micrometer</b> analog: yes; measuring range from: 275 mm; measuring range till: 300 mm; description: ( office bg);	10.00
636	1	<b>outer size micrometer</b> brand: mitutoyo; analog: yes; measuring range from: 275 mm; measuring range till: 300 mm; description: ( office bg);	10.00
637	1	<b>outer size micrometer</b> analog: yes; measuring range from: 250 mm; measuring range till: 275 mm; description: ( office bg);	10.00
638	1	<b>outer size micrometer</b> brand: mitutoyo; analog: yes; measuring range from: 200 mm; measuring range till: 225 mm; description: ( office bg);	10.00
639	1	<b>outer size micrometer</b> brand: mitutoyo; analog: yes; measuring range from: 225 mm; measuring range till: 250 mm; description: ( office bg);	10.00
640	1	<b>outer size micrometer</b> analog: yes; measuring range from: 175 mm; measuring range till: 200 mm; description: ( office bg);	10.00
641	1	<b>outer size micrometer</b> brand: mauser; analog: yes; measuring range from: 150 mm; measuring range till: 175 mm; description: ( office bg);	10.00
642	1	<b>outer size micrometer</b> brand: hogetex; analog: no; digital: yes; measuring range from: 50 mm; measuring range till: 75 mm; description: ( office bg);	10.00



Lot	Number	Description	Starting Bid €
643	1	<b>outer size micrometer</b> brand: mw; analog: yes; measuring range from: 50 mm; measuring range till: 75 mm; description: ( office bg);	10.00
644	5	<b>various external size of micrometers</b> description: ao measuring range 50-150 mm ( office bg);	10.00
645	4	<b>various external size of micrometers</b> analog: yes; description: measuring range eg 25-75 mm ( office bg);	10.00
646	3	<b>various external size of micrometers</b> analog: yes; description: measuring range eg 25-50 mm ( office bg);	10.00
647	2	<b>various external size of micrometers</b> analog: yes; description: measuring range for example up to 30 mm ( office bg);	10.00
648	1	<b>various external size of micrometers</b> brand: holex; analog: yes; measuring range from: 0 mm; measuring range till: 25 mm; description: ( office bg);	10.00
649	2	<b>various external size of micrometers</b> brand: filetta; measuring range from: 0 mm; measuring range till: 25 mm; description: ( office bg);	10.00
650	1	<b>mass spectrometer</b> brand: spectro; type: SPECTROCAST CAO7A11A ; serial number: 4K0033; electric connection: 230 V; description: ( office bg);	100.00
652	1	<b>moisture determination balance</b> brand: Sartorius; type: MA30-000V1; serial number: 40601806; electric connection: 230 V; description: ( office bg);	10.00
653	1	<b>measuring device accessories</b> brand: Mahr; description: ( office bg);	10.00
654	2	<b>machine parts</b> brand: XEP; description: ( office bg);	10.00
655	1	<b>control cabinet</b> stainless steel: yes; total dimension L: 380 mm; total dimension W: 200 mm; total dimension H: 480 mm; description: ( office bg);	10.00
656	1	<b>Serving autoclave sterilisator</b> brand: SEA; year: 2017; capacity: 25 l; description: ( office bg);	10.00
658	1	<b>membrane keyboard switch</b> brand: ABB; type: TPU 2; serial number: 9717-041; description: ( office bg);	10.00
659	1	<b>leak calibrating instrument</b> brand: Innomatec; type: Digiflow 2003-30; serial number: 2017-6007; description: pmax: 10bar; ( office bg).;	10.00
660	1	<b>One dot inkjet marking system</b> brand: Rea; type: SG/EDC-S; serial number: 3817214; electric connection: 230 V; description: ( office bg);	10.00
661	1	<b>shelves</b> description: Including content incl. Parts of machines; planning board; various canisters with content ; ( office bg);	10.00
662	1	<b>Personal computer</b> brand: HP ; type: Prodesk 400 G1 SFF; processor model: Core i5-4590; processor speed: 3.3 Ghz; RAM memory: 4 GB; total storage capacity: 128 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Xeon E3-1200; LAN port: yes; number of USB ports: 8; brand monitor: Ilyama; type monitor: Prolite B2480HS; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00



Lot	Number	Description	Starting Bid €
663	1	<b>workstation</b> brand: HP ; type: Z420; serial number: CZC4475NBX; processor model: Xeon; LAN port: yes; number of USB ports: 9; brand monitor: Compaq; type monitor: Q2159; screen size: 21 "; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
664	2	<b>personal computers</b> brand: HP ; type: 1x Compaq dc7900 SFF; 1x Pro 3125 MT; processor model: Resp: core2 vpro; AMD Athlon 2; LAN port: yes; brand monitor: 1x HP; 1x Acer; type monitor: Resp: LA2205wg; V243HL; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
665	3	<b>personal computers</b> brand: HP ; type: Compaq dc7900 SFF; processor model: Core 2 Duo; Core 2 Vpro; LAN port: yes; keyboard and mouse: yes; electric connection: 230 V; description: Includes 4 various monitors incl. Ilyama 24 "; Acer 17 "; Dell 22 "; HP 22 "LED; cleaned; ( office bg).;	10.00
666	1	<b>Personal computer</b> brand: HP ; type: Prodesk 400 G1 SFF; serial number: CZC4522749; processor model: Core i5-4590; processor speed: 3.3 Ghz; RAM memory: 4 GB; total storage capacity: 128 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Xeon E3-1200; LAN port: yes; number of USB ports: 8; brand monitor: Philips; type monitor: 226V LA; screen size: 22 "; LED screen: yes; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
667	1	<b>Personal computer</b> brand: HP ; type: Compac 6200 Pro SFF; serial number: CZC1250SHG; processor model: Core i3-2100; processor speed: 3.1 Ghz; RAM memory: 4 GB; total storage capacity: 250 GB; number of discs: 1; solid state drive (SSD): no; hard disk drive (HDD): yes; graphics processing unit: yes; LAN port: yes; number of USB ports: 8; brand monitor: HP; type monitor: LE2201w; screen size: 22 "; LED screen: no; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
668	1	<b>workstation</b> brand: HP ; type: Z440; serial number: CZC7389FT3; processor model: Xeon E5-1620 v4; processor speed: 3.5 Ghz; RAM memory: 16 GB; total storage capacity: 250 GB; number of discs: 1; solid state drive (SSD): yes; hard disk drive (HDD): no; graphics processing unit: yes; LAN port: yes; number of USB ports: 10; brand monitor: Philips; type monitor: 226V LA; screen size: 22 "; LED screen: yes; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
669	1	<b>Personal computer</b> brand: HP ; type: Prodesk 400 G1 SFF; serial number: CZC45223XH; processor model: Core i5-4590; processor speed: 3.3 Ghz; RAM memory: 4 GB; total storage capacity: 128 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Xeon E3-1200; LAN port: yes; number of USB ports: 8; brand monitor: HP; type monitor: X22 LED; screen size: 22 "; LED screen: yes; keyboard and mouse: yes; electric connection: 230 V; description: cleaned; ( office bg);	10.00
670	1	<b>Personal computer</b> brand: HP ; type: Prodesk 400 G1 SFF; serial number: CZC452242E; processor model: Core i5-4590; processor speed: 3.3 Ghz; RAM memory: 4 GB; total storage capacity: 128 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Xeon E3-1200; LAN port: yes; number of USB ports: 8; brand monitor: HP; type monitor: X22 LED; screen size: 22 "; LED screen: yes; keyboard and mouse: no; electric connection: 230 V; description: Included keyboard; cleaned; ( office bg);	10.00





Lot	Number	Description	Starting Bid €
671	3	<b>personal computers</b> brand: 2x HP; 1x Dell; type: Resp: 2x Compaq dc7900 SFF; 1x Optiplex GX280; processor model: 2x Core vPro; 1x Optiplex GX280; LAN port: yes; keyboard and mouse: no; electric connection: 230 V; description: Includes 3 various monitors incl. Ilyama ProLite B2480HS; Acer V223W; Dell 22 "; HP LA2205wgLED; cleaned; ( office bg).;	10.00
672	12	<b>various phones</b> brand: Samsung & Nokia; type: Divers; GSM: yes; charger: no; description: Including eight various chargers; ( office bg).;	10.00
673	1	<b>laminating machine</b> brand: Leitz; type: Office A3 7253-00-84; electric connection: 230 V;	10.00
674	1	<b>Laser printer</b> brand: Xerox; type: Phaser 3320; paper size: A4; number of trays: 1;	10.00
675	1	<b>all-in-one</b> brand: Brother; type: MFC-J6710DW; paper size: A3; number of trays: 1; wifi: yes; description: ( office bg).;	10.00
676	1	<b>beamer</b> brand: Benq; type: TS521P; year: 2014; HDMI: yes; description: ( office bg).;	10.00
677	1	<b>conference call set</b> brand: Polycom; type: Soundstation 2; description: ( office bg).;	10.00
678	1	<b>conference call set</b> brand: Polycom; type: Soundstation 2; description: ( office bg).;	10.00
679	12	<b>various dictionaries</b> description: ( office bg).;	10.00
680	1	<b>Label Printer</b> brand: zebra; type: Z6M; description: ( office bg);	10.00
681	4	<b>various personal computer</b> description: incl. . "Dell" and "hp" equipped with , among other things Core2 and Pentium 4 processor; incl monitor keyboard and mouse ( office bg);	10.00
682	1	<b>Label Printer</b> brand: zebra; type: Z600; description: ( office bg);	10.00
683	4	<b>mobile computer / barcode scanner</b> brand: symbol; type: MC92NO; description: incl. battery charger and 1x "Motorola" scanner ( office bg);	100.00
684	1	<b>Decoration material</b> description: ( office bg);	10.00
685	1	<b>lot of office facility</b> description: ( office bg);	10.00
686	2	<b>roll of plotter paper</b> type: PPC Plus PEFC; description: dimensions . approx. 841 mmx175 m; incl. 1box paper dimensions . approx. 594x120 m ( office bg);	10.00
687	2	<b>Personal computer</b> brand: HP ; description: incl. 1 total screen ( office bg);	10.00
688	1	<b>Paper cutter table</b> brand: hansa; description: working width max. 1540 mm ( office bg);	10.00
689	1	<b>drawing standard</b> brand: maul; type: hebel; description: width max. 900 mm ( office bg);	10.00
690	1	<b>lot of diverse</b> description: incl. aerosols; from the first rack ; excl. rack ( office bg);	10.00
691	1	<b>various turning tools</b> description: incl. tool holders; meetkalibers drill / cutters, etc. ( office bg);	10.00
692	4	<b>various aid kits</b> description: incl. loose connection, etc. in two boxes and two crates ( office bg);	10.00



Lot	Number	Description	Starting Bid €
693	1	<b>filing cabinet</b> cabinet with doors: yes; dimension L: 45 cm; dimension W: 100 cm; dimension H: 196 cm; description: with content incl. 4-drawer dresser ( office bg);	10.00
695	2	<b>drawer unit</b> description: incl. desk and fridge ( office bg);	10.00
696	2	<b>Shelter set</b> section dim. L: 460 mm; section dim. W: 920 mm; section dim. H: 900 mm; description: excl. content ( office bg);	10.00
697	5	<b>various desks / tables</b> description: incl. 4x "giroflex" chair and 1x "topstar" office ( office bg);	10.00
698	1	<b>lot of filing cabinets</b> description: incl. 3 high 2-door cabinets; Chests of drawers 2, 3, and mappenkar drawer units ( office bg);	10.00
699	4	<b>various agencies</b> description: incl. 2 total bureaustoelen ( office bg);	10.00
700	3	<b>dresser</b> number of drawers: 4; description: incl. 1 pedestal ( office bg);	10.00
701	1	<b>lot of filing cabinets</b> description: incl. 4 hoge two-door cabinets; Two chests of drawers ( office bg);	10.00
702	3	<b>various agencies</b> description: incl. dimensions . approx. 160x80 cm ( office bg);	10.00
703	4	<b>various agencies</b> office chair: yes; description: incl. dimensions . approx. 160x80 cm; incl. metal blade center ( office bg);	10.00
704	3	<b>Shelter set</b> section dim. L: 460 mm; section dim. W: 910 mm; section dim. H: 1800 mm; description: excl. content ( office bg);	10.00
705	3	<b>Shelter set</b> section dim. L: 600 mm; section dim. W: 900 mm; section dim. H: 1800 mm; description: . excl content ( office bg); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
706	2	<b>dresser</b> number of drawers: 4; description: ( office bg);	10.00
707	2	<b>filing cabinet</b> cabinet with doors: yes; dimension L: 42 cm; dimension W: 95 cm; dimension H: 195 cm; description: incl. 4-drawer dresser ( office bg);	10.00
708	1	<b>filing cabinet</b> sliding doors: yes; dimension L: 45 cm; dimension W: 1800 cm; dimension H: 201 cm; description: incl. content ( office bg);	10.00
709	3	<b>filing cabinet</b> cabinet with doors: yes; dimension L: 42 cm; dimension W: 95 cm; dimension H: 195 cm; description: incl. dimensions . approx. 92x50x196 cm ( office bg); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
710	1	<b>portemanteau</b>	10.00
711	1	<b>map europe</b> brand: p.van dijk; frame size L: 152 mm; frame size W: 131 mm; description: ( office bg);	10.00
712	1	<b>Flipover</b> description: ( office bg);	10.00
713	1	<b>agencies</b> dimension L: 150 cm; dimension W: 75 cm; dimension H: 85 cm; description: incl. table and 2 chairs ( office bg);	10.00
714	1	<b>conference table</b> dimension L: 200 cm; dimension W: 100 cm; description: incl. 6 chairs ( office bg);	10.00



Lot	Number	Description	Starting Bid €
716	2	<b>various filing cabinet</b> description: high model; . excl content ( office bg); (notice: collection of this lot is possible on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
717	1	<b>office</b> dimension L: 160 cm; dimension W: 80 cm; description: incl. 2-door cabinet dimensions . approx. 90x44x102 cm ( office bg);	10.00
718	6	<b>garbage can</b> description: ( office bg);	10.00
720	4	<b>various table</b> description: incl. dimensions . approx. 180x80 cm; incl. 2 drawer units/ filling pedestal ( office bg); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
721	6	<b>Shelter set</b> section dim. L: 460 mm; section dim. W: 920 mm; section dim. H: 900 mm; description: . excl content ( office bg); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
722	1	<b>2-layer transport cart</b> dimension L: 130 cm; dimension W: 55 cm; dimension H: 115 cm; description: excl. content ( office bg);	10.00
727	1	<b>various office furniture</b> description: incl. office dimensions . approx. 180x90 cm; conference table dimensions . approx. 200x100 cm; 1 chair; 6 cantilevers; 2 conference chairs whiteboard dimensions . approx. 240x120 cm and 1 filing cabinet ( office bg);	10.00
728	1	<b>various office furniture</b> description: incl. corner desk dimensions . approx. 290x180 cm; 1 office chairs; 2 conference chairs; dresser; computer screen, and one file cabinet ( office bg);	10.00
729	1	<b>various office furniture</b> description: incl. table 160x80 cm; 4 cantilevers; 2 conference chairs; 3, and various whiteboards ( office bg);	10.00
730	3	<b>armchair</b> fabric: yes; description: ( office bg);	10.00
731	1	<b>oil pump module on base</b> description: base height approx. 90 cm ( office bg);	10.00
732	1	<b>portemanteau</b> total dimension H: 1800 mm; description: ( office bg);	10.00
733	1	<b>sofa</b> description: 2-seat ( office bg);	10.00
734	1	<b>armchair</b> fabric: no; leather: yes; description: ( office bg);	10.00
735	1	<b>aluminum award on pedestal</b> description: base height about 120 cm ( office bg);	10.00
736	3	<b>artificial plants with pot</b> description: ( office bg);	10.00
737	1	<b>monitor</b> brand: iiyama; type: Prolite B2480hs; description: diagonal 24 "Exc. feet ( office bg);	10.00
738	2	<b>office</b> dimension L: 160 cm; dimension W: 80 cm; pedestal: yes; office chair: yes; description: ( office 1st fl.);	10.00
739	3	<b>Personal computer</b> brand: hp; processor model: Core2; description: incl. on-screen keyboard, and mouse ( office 1st fl.);	10.00
740	1	<b>Personal computer</b> brand: hp; type: 6200 Pro; processor model: I3; brand monitor: samsung ; screen size: 22 "; keyboard and mouse: yes; description: ( office 1st fl.);	10.00



Lot	Number	Description	Starting Bid €
741	1	<b>server</b> brand: HP; type: Proliant ML150; description: ( office 1st fl.);	10.00
742	1	<b>Personal computer</b> brand: hp; type: dc7900 SFF; brand monitor: iiyama; screen size: 24 "; keyboard and mouse: yes; description: ( office 1st fl.);	10.00
743	1	<b>Personal computer</b> brand: hp; type: 6200 Pro; processor model: I3; brand monitor: iiyama; screen size: 24 "; keyboard and mouse: yes; description: ( office 1st fl.);	10.00
744	1	<b>Personal computer</b> brand: hp; type: Pro 3125; processor model: AMD Athlon 2; brand monitor: iiyama; screen size: 24 "; keyboard and mouse: yes; description: ( office 1st fl.);	10.00
745	1	<b>Personal computer</b> brand: hp; type: dc7900 SFF; brand monitor: iiyama; screen size: 24 "; keyboard and mouse: yes; description: ( office 1st fl.);	10.00
746	1	<b>lot of office facility</b> description: incl. folders ... punches calculators etc. ( office 1st fl.);	10.00
747	1	<b>filing cabinet</b> roll-front cabinet: yes; dimension L: 46 cm; dimension W: 120 cm; dimension H: 165 cm; description: incl. wooden rack ; excl. content ( office 1st fl.);	10.00
748	1	<b>filing cabinet</b> roll-front cabinet: no; cabinet with doors: yes; dimension L: 40 cm; dimension W: 120 cm; dimension H: 200 cm; description: incl. shelf and rack ( office 1st fl.);	10.00
749	2	<b>filing cabinet</b> description: incl. . "Plaster" dimensions . approx. 100x40x196 cm ( office 1st fl.);	10.00
750	1	<b>lot of office facility</b> description: incl. paper; folders; router etc. ( office 1st fl.);	10.00
751	1	<b>lot of office facility</b> description: incl. pens; markers; labels; paper; pouches etc. 2 cabinets excl. cabinets ( office 1st fl.);	10.00
752	2	<b>filing cabinet</b> brand: Ahrend; roll-front cabinet: yes; dimension L: 52 cm; dimension W: 120 cm; dimension H: 198 cm; description: . excl content , watch 1x door malfunction ( office 1st fl.); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
753	1	<b>filing cabinet</b> brand: Gispem; cabinet with doors: yes; dimension L: 40 cm; dimension W: 100 cm; dimension H: 196 cm; description: . excl content ( office 1st fl.); (pick this lot on 20-03-2019 between 09.00 and 16.00 / notice: collection of this fate on 20-03-2019 between 09:00 and 16.00hr) ;	10.00
754	1	<b>various UTP and micro-connect cables</b> description: ( office 1st fl.);	10.00
755	2	<b>server hard drive</b> brand: Seagate; type: Cheetah 15K7; total storage capacity: 600 GB; description: ( office 1st fl.);	10.00
756	2	<b>various monitor</b> brand: HP; description: diagonal 19 "and 22" ( office 1st fl.);	10.00
757	2	<b>office</b> brand: griflex; padded: yes; description: ( office 1st fl.);	10.00
758	1	<b>beamer</b> brand: sanyo; type: PROextrax; description: in case; incl. table ( office 1st fl.);	10.00
759	1	<b>projection</b> brand: projecta; total dimension W: 1500 mm; description: ( office 1st fl.);	10.00
760	5	<b>various keyboard</b> description: ( office 1st fl.);	10.00



Lot	Number	Description	Starting Bid €
761	1	<b>monitor</b> brand: iiyama; type: Prolite B2480HS; description: 24 "( office 1st fl.);	10.00
762	1	<b>shredder</b> brand: ideal; type: 4001; dimension L: 43 cm; dimension W: 57 cm; dimension H: 90 cm; description: ( office 1st fl.);	10.00
763	1	<b>various office furniture</b> description: incl. 8 various agencies; 4 office chairs; 2x layer model sliding door wardrobe; whiteboard and folders carousel ( office 1st fl.);	10.00
764	1	<b>Display case</b> dimension L: 150 cm; dimension W: 40 cm; dimension H: 180 cm; description: please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
765	4	<b>armored armchairs</b> description: please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
767	1	<b>steel 2-door wardrobe</b> description: with various tableware and the first side table; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
768	1	<b>Flipover</b> description: please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
769	1	<b>truck parts</b> description: daf truck part; please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
770	1	<b>jalousie sliding door cupboard</b> total dimension L: 1160 mm; total dimension W: 535 mm; total dimension H: 1960 mm; description: please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
771	1	<b>conference table</b> total dimension L: 4000 mm; total dimension W: 1400 mm; total dimension H: 750 mm; description: 6-part; please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
772	13	<b>armchairs</b> description: in different versions; please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
773	1	<b>beamer</b> brand: NEC; type: M403H; HDMI: yes; description: ceiling mounted; exclusive support; please note 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
774	1	<b>steel shelf rack</b> description: and various out of storage room; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
775	2	<b>steel shelves</b> description: with various content ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
776	5	<b>locker cabinets</b> description: in various embodiments; exclusive keys; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
777	32	<b>locker cabinets</b> description: in various embodiments; mostly with key; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
778	1	<b>freezer</b> brand: Liebherr; total dimension L: 1290 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
779	1	<b>Office closet</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00



Lot	Number	Description	Starting Bid €
780	1	<b>refrigerator</b> brand: Gram; total dimension L: 600 mm; total dimension W: 580 mm; total dimension H: 1660 mm; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
781	4	<b>serving dishes</b> description: 7 and table waste bins; canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
782	1	<b>lockout station</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
783	2	<b>scales</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
784	1	<b>standing fan</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
785	1	<b>lot of glassware</b> description: with table; canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
786	1	<b>heater</b> brand: Eurom; type: EK3301; power: 3 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
787	1	<b>heater</b> brand: Eurom; type: EK3301; power: 3 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
788	1	<b>heater</b> brand: Eurom; type: EK3001; power: 3 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
789	1	<b>heater</b> brand: Eurom; type: EK3301; power: 3 kW; ventilator: yes; thermostat: yes; electric connection: 230 V; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
790	1	<b>floor cleaner</b> brand: Floor; type: 350; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
791	1	<b>vacuum cleaner</b> brand: Nilfisk ; type: Aero 21-01; wet/dry vacuum cleaner: yes; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
792	1	<b>carpet cleaner</b> brand: Evolution; type: 909; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
793	1	<b>vacuum cleaner</b> brand: Miele ; type: Compact C2; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
794	1	<b>Bascule</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
795	2	<b>whiteboarding</b> description: wall mounted; canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
796	1	<b>refrigerator</b> brand: Liebherr; total dimension L: 660 mm; total dimension W: 600 mm; total dimension H: 1850 mm; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00





Lot	Number	Description	Starting Bid €
797	1	<b>refrigerator</b> brand: Liebherr; total dimension L: 690 mm; total dimension W: 750 mm; total dimension H: 1500 mm; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
798	1	<b>cash desk</b> brand: Olympia; electric connection: 230 V; description: excluding key; canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
799	1	<b>coffee machine</b> brand: Novo; description: canteen ,, watch 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
800	1	<b>coffee machine</b> brand: Novo; description: canteen ,, watch 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
801	1	<b>toaster</b> brand: Hendi; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
802	2	<b>microwaves</b> brand: Inventum / Samsung; description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
803	1	<b>lot of Canteen</b> description: canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
804	12	<b>canteen tables</b> description: table size 750x1500mm; 42 wooden chairs; canteen ; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
805	1	<b>content office</b> description: including three agencies; 2 tables; 2 various cabinets ; 3 office chairs and 3 monitors; mezzanine; beware 1st floor, no elevator. notice: 1st floor, no elevator present ;	10.00
810	1	<b>ornamental surfster</b>	10.00
© 812	1,152	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 32 pallets; pallet height 2000mm; (outdoor area) ;	100.00
© 813	744	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 31 pallets; pallet height 1380mm; (outdoor area) ;	100.00
© 814	744	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 31 pallets; pallet height 1380mm; (outdoor area) ;	100.00
© 815	744	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 31 pallets; pallet height 1380mm; (outdoor area) ;	100.00
© 816	1,080	<b>stackable and nestable crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 300 mm; description: with perforated bottom; on 15 pallets; pallet height 1900mm; (outdoor area) ;	100.00
© 817	1,440	<b>stackable and nestable crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 300 mm; description: with perforated bottom; on 30 pallets; pallet height 1360mm; (outdoor area) ;	100.00
© 818	1,296	<b>stackable and nestable crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 300 mm; description: with perforated bottom; on 27 pallets; pallet height 1360mm; (outdoor area) ;	100.00
<b>stacking crates B</b>			
819	1	<b>work platform</b> total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1700 mm; description: (outdoor area) ;	10.00



Lot	Number	Description	Starting Bid €
820	6	<b>grate floors</b> description: in various dimensions among others 1900x1500mm; (Outdoor area) ;	10.00
821	50	<b>stacking yokes</b> dimension L: 1225 mm; dimension W: 800 mm; dimension H: 160 mm; steel: yes; description: (outdoor area) ;	10.00
822	1	<b>supper ice-cream</b> description: incl. 3 steel dump buckets dimensions . approx. 1220x800x880 mm ( hall 1);	10.00
823	1	<b>fan</b> description: dim.ca. 1400x1350mm; (outdoor area) ;	10.00
824	1	<b>lot of stacking crates</b> description: in various dimensions; (Outdoor area) ;	10.00
825	2	<b>oil drip trays</b> description: in various dimensions with a residue; (Outdoor area) ;	10.00
826	16	<b>ibc containers</b> description: (outdoor area) ;	10.00
827	1	<b>bottled gas storage unit</b> total dimension L: 3040 mm; total dimension W: 1280 mm; total dimension H: 2250 mm; description: equipped with manifold valves; (Outdoor area) ;	10.00
828	1	<b>lot of lattice boards</b> description: and 1 steel base; (outdoor area) ;	10.00
829	3	<b>steel columns</b> description: dim.ca. each 1000x990x1300mm; (outdoor area) ;	10.00
830	1	<b>exhaust filter unit</b> description: (outdoor area) ;	10.00
831	1	<b>oil storage tank</b> steel: yes; capacity: 8 m³; total dimension L: 4100 mm; total dimension W: 1600 mm; total dimension H: 2300 mm; description: (outdoor area) ;	100.00
832	1	<b>swing arm crane</b> total dimension L: 3100 mm; description: (outdoor area) ;	10.00
833	2	<b>steel mobile export vehicles</b> description: (outdoor area) ;	10.00
834	1	<b>ibc pump unit in steel frame</b> description: 7 with IBC containers and various ; (Outdoor area) ;	10.00
835	1	<b>stainless steel construction</b> description: afm.ca. 990x900x1400mm; and lot of filters gitterbox; (Outdoor area) ;	10.00
836	1	<b>steel melting furnace part</b> brand: Hindenlang; description: ø 1200mm; height 1000mm; (outdoor area) ;	10.00
© 837	36	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 1 pallet; pallet height 2000mm; (outdoor area) ;	10.00
© 838	36	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 1 pallet; pallet height 2000mm; (outdoor area) ;	10.00
© 839	72	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 2 pallets; pallet height 2000mm; (outdoor area) ;	10.00
© 840	72	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 2 pallets; pallet height 2000mm; (outdoor area) ;	10.00
© 841	72	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 2 pallets; pallet height 2000mm; (outdoor area) ;	10.00



Lot	Number	Description	Starting Bid €
842	180	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 5 pallets; pallet height 2000mm; (outdoor area) ;	10.00
843	180	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 5 pallets; pallet height 2000mm; (outdoor area) ;	10.00
844	180	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 5 pallets; pallet height 2000mm; (outdoor area) ;	10.00
845	360	<b>stack crates</b> dimension L: 600 mm; dimension W: 400 mm; dimension H: 200 mm; description: with perforated bottom; on 10 pallets; pallet height 2000mm; (outdoor area) ;	100.00
		<b>stacking crates A</b>	
846	1	<b>hydraulic press</b> brand: Techmaflex; type: PE28; serial number: 0710131167; electro-hydraulic: yes; electric connection: 400 V; manual present: no; dimension L: 700 mm; dimension W: 600 mm; dimension H: 1350 mm; description: with crimp blocks ø 15-18-21-24-27-33-39-45 and 48;	100.00
847	1	<b>lot of press fittings</b> description: in various types and sizes, from 4-floor rack;	10.00
		<b>hose press + links</b>	
848	1	<b>lot of sucker rods</b> description: and various different types of floors 5;	100.00
		<b>piston rods and pour buses</b>	
849	1	<b>lot of hoisting eyes</b> description: exclusive rack;	10.00
850	1	<b>lot of machine accessories</b>	10.00
851	1	<b>lot of machine accessories</b> description: and various 4-section rack;	100.00
852	1	<b>boltless/ warehouse racks/ shelves</b> description: equipped with 5 uprights 500x2200mm; 40 girders length 1600mm; exclusive content ; later delivery;	10.00
853	1	<b>workshop cupboard</b> dimension L: 1430 cm; dimension W: 780 cm; dimension H: 1080 cm; description: with drawers and various content;	10.00
		<b>shelves with accessories</b>	
854	1	<b>3-sections steel boltless/ warehouse racks/ shelves</b> description: exclusive content ;	10.00
855	1	<b>CNC machining center</b> DMG MORI SEIKI, NHX 5000, year built 2014, serial number NHX50140501, displacement x-axis: 730mm; displacement y-axis: 730mm; displacement z-axis: 880mm; recording: BT40; Spindle speed: up to 15000 rpm; Table size: 500x500mm; Control type: M730BM; Workpiece weight max. 700kg; Connection: 400V; Machine weight: 11400kg; Dimension L: 4800; Dimension B: 3100; Dimension H: 2600; 4-axis; workpiece height max. 1000 mm; for example 2 tables; 40-fold tool changer; underflowing chip discharge; hydraulic cooling system "HYDAC"; oil cooler unit "DAIKIN" AKZ329C050 and vacuum rotary filter "KNOLL" FKA / 700; 38 kVA	60,000.00



Lot	Number Description	Starting Bid €
856	<b>1 CNC machining center</b> MORI SEIKI, NHX5000, year built 2012, serial number NHX50121101, displacement x-axis = 730 mm; displacement y-axis = 730 mm; displacement z-axis = 880 mm; recording = BT40; spindle speed = up to 12000 rpm; table size = 500x500 mm; control type = M730BM; workpiece weight max. 500 kg; connection = 400 V; machine weight = 11100 kg; dimension L = 4800; dimension B = 3100; dimension H = 2600; 4-axis; for example 2 tables; 40-fold tool changer; underflowing chip discharge; hydraulic cooling system "HYDAC"; oil cooling unit "DAIKIN" AKZ329C050; pneumatic filter "BERKO" KF3; and vacuum rotary filter "KNOLL" FKA / 500; 37 kVA	50,000.00
857	<b>1 CNC machining center</b> MORI SEIKI, NHX5000, year built 2011, serial number NHX50121001, displacement x-axis = 730 mm; displacement y-axis = 730 mm; displacement z-axis = 880 mm; recording = BT40; spindle speed = up to 12000 rpm; table size = 500x500 mm; control type = M730BM; workpiece weight max. 500 kg; connection = 400 V; machine weight = 11100 kg; dimension L = 4800; dimension B = 3100; dimension H = 2600; 4-axis; for example 2 tables; 40-fold tool changer; underflowing chip discharge; hydraulic cooling system "HYDAC"; oil cooling unit "DAIKIN" AKZ329C050; pneumatic filter "BERKO" and vacuum rotary filter "KNOLL" FKA / 500; 37 kVA	40,000.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

**5.3** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.4** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.5** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.6** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.7** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.8** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.9** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.10** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.





**5.11** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.12** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection



costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience