



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Tuinte Mobihome en Tuinte Aannemingsbedrijf B.V.
(NL)

Woodworking machinery, milling machine,

Het Wegdam 6 - 7496 CA Hengevelde
(taxatieadres)

Closing date: Wednesday **27 MARCH** starting 14:00



Viewing:

Tuesday 26 March from 10:00 until 16:00
Het Wegdam 6 - 7496 CA Hengevelde (The Netherlands)

Bidding only on the internet!

12-03-19 17.30

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 27 March 2019 Tuinte Mobihome en Tuinte Aannemingsbedrijf B.V.

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Wednesday 27 March 2019 starting 14:00 CET
Viewing	Tuesday 26 March from 10:00 until 16:00 CET taxatieadres Het Wegdam 6 7496 CA Hengevelde, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Company organising this Online Auction	
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Wednesday 3 April from 09:00 until 16:00 CET taxatieadres Het Wegdam 6 7496 CA Hengevelde, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount within 48 hours after the purchase agreement has been sent . The transfer should be made to one of the following accounts. Please indicate the auction number and your Account ID with your payment.

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Attention please: indicate the Sale nr. and your buyer number with your payment!

After your purchase you will receive a **proforma** per email.

Original invoices can be **downloaded** from [MyTroostwijk](#) after having received

www.TroostwijkAuctions.com



Deliver instructions	your payment. The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities). It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies: • VDSL can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines. • Auction Logistics can dismantle most of your purchases and deliver directly to your home. In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.
General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data



Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	sliding format circular sawing machine Altendorf, F45, year built 2006, serial number 06-07-10-009, brand: Altendorf; type: F45; year: 2006; serial number: 06-07-10-009; sliding table length: 3200 mm; saw blade ? : 550 mm; swivel range max.: 45 °; speed till N=: 4000 rpm; engine power: 6 kW; electric connection: 400 V; description: table dimensions . approx. 1430x1250 / 2060 mm; equipped with conductor; stop ruler; digital control panel; various cavity knives; saw cover with exhaust duct (up to the first shut-off valve);	1,000.00
2	1	sliding format circular sawing machine Panhans, 690B, year built 2002, serial number 6097, brand: Panhans; type: 690B; year: 2002; serial number: 6097; sliding table length: 3200 mm; saw blade ? : 350 mm; swivel range max.: 45 °; number of speeds: 4; speed from N=: 3000 rpm; speed till N=: 6000 rpm; engine power: 6 kW; electric connection: 400 V; machine weight: 1050 kg; description: table dimensions . approx. 660 / 1410x1200 / 2000 mm; equipped with conductor; stop ruler; digital control panel; saw cover with exhaust duct (up to the first shut-off valve);	100.00
3	1	surface planer Panhans, 335A, year built 2002, serial number 2643, brand: Panhans; type: 335A; year: 2002; serial number: 2643; working width: 510 mm; knife width: 510 mm; table size L: 2860 mm; table size W: 510 mm; angle adjustment (deg): 45; electric connection: 400 V; machine weight: 1050 kg; description: equipped with milling guide and protection; digital read-out; aspiration line (up to the first shut-off valve); incl. spare blades;	100.00
4	1	thicknessing planer Panhans, 436, year built 2002, serial number 436, brand: Panhans; type: 436; year: 2002; serial number: 436; working width: 6250 mm; working height: 2500 mm; feed rate: 14 m/min; digital display: yes; electric connection: 400 V; machine weight: 700 kg; description: equipped with output table and aspiration (as the first shut-off valve); incl. spare blades;	100.00
5	1	4-axis tenoning machine Vertongen, PENTHO C3 , year built 2001, serial number 041101, brand: Vertongen; type: PENTHO C3 ; year: 2001; serial number: 041101; number of axis: 4; number of milling axis: 3; milling axle ? : 40 mm; number of saw axis: 1; clamps: yes; electric connection: 400 V; description: equipped with pneumatic clamping device and exhaust (t / m stent);	1,000.00
6	1	broadband grinder Bütfering, Super 111L, year built 2002, serial number 69808, brand: Bütfering; type: Super 111L; year: 2002; serial number: 69808; working width: 1100 mm; sanding heigth max.: 150 mm; sand belt size L: 1900 mm; sand belt size W: 1120 mm; feed rate: 8 m/min; electric connection: 400 V; machine weight: 1500 kg; description: equipped with digital readout; Output roller conveyor dimensions . approx. 1230x1050 mm;	100.00
7	1	table milling machine SAC, TS.110, serial number 88122, brand: SAC; type: TS.110; serial number: 88122; table size L: 900 mm; table size W: 1100 mm; spindle ? : 40 mm; spindle height: 150 mm; number of speeds: 4; speed from N=: 2800 rpm; speed till N=: 10000 rpm; description: vv "Holzher" 4-roll feed-through device, type : 1112; "Aigner" milling guide / Security; supply and discharge roller conveyor, dimensions . approx. 1000 / 2000x250 mm; afzuigbroekstuk (up to the first shut-off valve); including. various . accessories;	100.00
8	1	table milling machine Frickler, Monster, type: Monster; table size L: 900 mm; table size W: 970 mm; spindle ? : 40 mm; spindle height: 160 mm; number of speeds: 4; speed from N=: 3000 rpm; speed till N=: 9000 rpm; description: vv "Univers" 3-roll feed-through device, type : 508; "Aigner" milling guide / Security; supply and discharge roller conveyor, dimensions . approx. 1000 / 2000x250 mm; afzuigbroekstuk (up to the first shut-off valve); including. various . accessories;	100.00



Lot	Number	Description	Starting Bid €
9	1	band saw Panhans, BSB900, brand: Panhans; type: BSB900; discharge: 870 mm; table size L: 1010 mm; table size W: 835 mm; saw blade size L: 6200 mm; electric connection: 400 V; machine weight: 700 kg; dimension L: 1700 mm; dimension W: 850 mm; dimension H: 2700 mm; description: Max. Cutting height: 600 mm; saw table 45 ° adjustable; equipped with cutting guide; saw cover and aspiration tube (up to the first shut-off valve); including two extra saw blades;	100.00
10	1	counterclock Harwi, 130, year built 1991, serial number 103, brand: Harwi; type: 130; year: 1991; serial number: 103; saw blade ? : 400 mm; max. vertical cut: 110 mm; mitre: yes; table size L: 900 mm; table size W: 1050 mm; engine power: 6 kW; electric connection: 380 V; description: vv "Steff" 3-roll feed-through device, type : 34; guide bar; Saw protection; roller conveyor , dimensions . approx. 2300x500 mm and suction hose (up to the first shut-off valve);	100.00
11	1	vertical oscillating belt sander Lasm, NTS150B, year built 1995, serial number 2175276, type: NTS150B; year: 1995; serial number: 2175276; working width: 1150 mm; sand belt size W: 150 mm; description: sanding belt adjustable in height; table dimensions . approx. 950x300 mm kopschuurtafel dimensions . approx. 300x400 mm;	100.00
12	1	vertical frame clamp Italpresse, SBH3x2, serial number 1367, brand: Italpresse; type: SBH3x2; serial number: 1367; vertical: yes; dimension L: 3000 mm; dimension H: 2000 mm; number of hydraulic press cylinders: 5; with hydrolic pump: yes; dimension L: 3700 mm; dimension W: 1100 mm; dimension H: 2900 mm;	100.00
13	1	radial short cutter machine Maggi, Junior 640, year built 2002, serial number 54310764, type: Junior 640; year: 2002; serial number: 54310764; saw blade ? : 350 mm; discharge: 640 mm; length supply roller conveyor: 4500 mm; length output roller conveyor: 5200 mm; max. vertical cut: 110 mm; mitre: yes; table size L: 670 mm; table size W: 1580 mm; engine power: 3 kW; electric connection: 400 V; description: equipped with 2x material length scale ruler, length approx. 5350 and 6000 mm;	100.00
14	1	radial short cutter machine Maggi, Junior 640, year built 2001, serial number 54311136, type: Junior 640; year: 2001; serial number: 54311136; saw blade ? : 400 mm; discharge: 640 mm; length supply roller conveyor: 2950 mm; length output roller conveyor: 2950 mm; max. vertical cut: 110 mm; mitre: yes; table size L: 600 mm; table size W: 1580 mm; engine power: 3 kW; electric connection: 400 V; description: equipped with 2x material length scale ruler, length approx. 5500 and 6200 mm;	100.00
15	1	radial short cutter machine Graule, brand: Graule; saw blade ? : 350 mm; discharge: 600 mm; max. vertical cut: 140 mm; mitre: yes; table size L: 500 mm; table size W: 700 mm; description: equipped with supply and discharge table with stop ruler, dimensions . approx. 2x 3100x400 mm;	10.00
16	1	square hole drilling machine Multico, MCD, type: MCD; number of spindles: 1; vertical spindle travel: 170 mm; number of speeds: 1; speed till N=: 2850 rpm; table size L: 400 mm; table size W: 170 mm; description: including mobile roller conveyor , dimensions . approx. 1760x250 mm;	100.00
17	1	chisel mortising machine Multi-Flli, OMB1 V, serial number 890229, brand: Multi-Flli; type: OMB1 V; serial number: 890229; vertical spindle travel: 180 mm; number of speeds: 1; speed till N=: 2830 rpm; table size L: 2860 mm; table size W: 140 mm; description: equipped with pneumatic clamping device; incl. 7 chisels;	10.00
18	1	mortiser Masterwood, OM.M, brand: Masterwood; type: OM.M; stroke length: 180 mm; max. workpiece height: 1050 mm; table size L: 1100 mm; table size W: 140 mm; description: including 3 extra chains;	100.00



Lot	Number	Description	Starting Bid €
	19	1 universal notcher Morsø, description: capacity 150x150 mm foot operated; incl. set additional knives;	10.00
	20	1 column drill Strands, S68, brand: Strands; type: S68; drilling capacity: 16 mm; number of speeds: 8; spindle speed from N=: 100 rpm; spindle speed till N=: 1360 rpm; drilling depth: 130 mm; discharge: 255 mm; taper MC: 2; table size L: 680 mm; table size W: 1040 mm;	10.00
©	21	1 dust extractor exhauser Schuko, S 450/0/L2, year built 2005, serial number 018498, merk: Schuko; type: S 450/0/L2; serienummer: 018498; jaar: 2005; capaciteit: 13426 m³/hr; motorvermogen: 22 kW; aansluiting: 400 V; handboek aanwezig: ja; omschrijving: (exclusief afzuigbuis) ;	100.00
©	22	1 galvanized steel dust filter cabinet Schuko, Ecovar 97, merk: Schuko; type: Ecovar 97; afmeting L: 2150 mm; afmeting B: 2010 mm; afmeting H: 4000 mm;	100.00
©	23	1 transport fan Tubro, 4CV4/4 TRP, year built 1994, merk: Tubro; type: 4CV4/4 TRP; jaar: 1994; capaciteit: 4788 m³/hr; motorvermogen: 6 kW;	10.00
©	24	1 moth storage containers inhoud : 20 ft (6m); opslagcontainer: ja; totale afmeting L: 6000 mm; totale afmeting B: 2600 mm; totale afmeting H: 2500 mm; omschrijving: v.v. slede optrek- en haakarmsysteem; afdekzeil; inclusief inhoud;	100.00
©	25	1 lot of div. galvanized steel suction tube Schuko, merk: Schuko; omschrijving: ca. 150 mtr; b.u. diverse diameters, lengtes, bochten en ca. 15 afsluiters (LET OP! afhalen op afspraak); complete engine extraction system	100.00
©	26	1 screw compressor Ingersoll Rand , R7.5i-A101, year built 2015, serial number UVC1007139, merk: Ingersoll Rand ; type: R7.5i-A101; jaar: 2015; serienummer: UVC1007139; capaciteit: 10 bar; luchtstroom: 960 l/min; vermogen: 8 kW; afgelezen urenstand: 4111; totale afmeting L: 690 mm; totale afmeting B: 960 mm; totale afmeting H: 1190 mm; omschrijving: (op 1e verdieping);	1,000.00
©	27	1 screw compressor Renner, RS9.0, year built 2001, serial number 3862, merk: Renner; type: RS9.0; jaar: 2001; serienummer: 3862; capaciteit: 10 bar; luchtstroom: 1090 l/min; vermogen: 9 kW; buffertank inhoud: 250 l; afgelezen urenstand: 16859; luchtdroger: ja; totale afmeting L: 620 mm; totale afmeting B: 1350 mm; totale afmeting H: 1450 mm; omschrijving: LET OP! compressor brandschade, droger en buffertank zijn goed (op 13 verdieping);	10.00
©	28	1 lot of blue plastic air duct omschrijving: leidingwerk in gehele bedrijfspand; inclusief muurplaten en snelkoppelingen (LET OP! op aanwijzing Troostwijk); compressor installation with air line	100.00
	29	1 metal circular (cut-off) saw brand: Berner; type: BS300 ELS; saw blade ? : 300;	10.00
	30	1 radial afkortcirkelzaagmachine DeWalt, DWS780, brand: DeWalt; type: DWS780; description: saw blade diameter approx. 305 mm; depth of cut: 112 mm; 4x miter 45 °; vv "DeWalt" folding sawhorse, type : DE7023;	10.00
	31	1 radial afkortcirkelzaagmachine DeWalt, DWS712, brand: DeWalt; type: DWS712; description: saw blade diameter approx. 216 mm; cutting depth: 70 mm; 3x miter 45 °; vv "DeWalt" folding sawhorse, type : DE7033;	10.00
	32	1 radial afkortcirkelzaagmachine DeWalt, DWS717XPS, brand: DeWalt; type: DWS717XPS; description: saw blade diameter approx. 250 mm; cutting depth: 89 mm; 4x miter 45 °; vv "DeWalt" folding sawhorse, type : DE7033;	10.00



Lot	Number	Description	Starting Bid €
33	1	collapsible circular saw table Festool, CS70EB, brand: Festool; type: CS70EB; description: saw blade diameter approx. 225 mm, table dimensions . approx. 520x700 mm: 45 ° adjustable; equipped with cutting guide and protractor;	10.00
34	1	saw benches description: saw blade diameter approx. 400 mm, table dimensions . approx. 630x920 mm; Saw 45 ° adjustable; equipped with saw cover ;	10.00
35	1	radial short cutter machine brand: DeWalt; type: 1600/S"; saw blade ? : 350 mm; discharge: 700 mm; max. vertical cut: 120 mm; mitre: yes; table size L: 530 mm; table size W: 2440 mm; electric connection: 380 V; description: equipped with diamond saw blade, and noise reducing housing,;	10.00
36	1	raid manual circular saw machine brand: Festool; type: TS 55 REBQ; description: equipped with FS1400 / guide bar 2 and systainerbox;	10.00
37	1	raid manual circular saw machine Festool, TS 55 REBQ, brand: Festool; type: TS 55 REBQ; description: equipped with FS1400 / guide bar 2 and systainerbox;	10.00
38	1	raid manual circular saw machine Festool, TS 55 EBQ, brand: Festool; type: TS 55 EBQ; description: equipped with FS1400 / guide bar 2 and systainerbox;	10.00
39	1	raid manual circular saw machine Festool, TS 55 EBQ, brand: Festool; type: TS 55 EBQ; description: equipped with FS1400 / guide bar 2 and systainerbox;	10.00
40	1	raid manual circular saw machine Festool, TS 55 EBQ, brand: Festool; type: TS 55 EBQ; description: equipped with FS1400 / guide bar 2 and systainerbox;	10.00
41	1	radial afkortcirkelzaagmachine Milwaukee, MS216SB, brand: Milwaukee; type: MS216SB; description: saw blade diameter approx. 216 mm; 3x absentia;	10.00
42	1	circular trim saw DeWalt, DW703, brand: DeWalt; type: DW703; description: saw blade diameter approx. 250 mm; 3x absentia;	10.00
43	1	circular trim saw DeWalt, DW700, brand: DeWalt; type: DW700; description: saw blade diameter approx. 216 mm; 3x absentia;	10.00
44	1	radial afkortcirkelzaagmachine Elu, brand: Elu; description: saw blade diameter approx. 216 mm; 3x absentia;	10.00
45	1	circular saw machine Makita, 5903R, brand: Makita; type: 5903R;	10.00
46	1	circular saw machine Makita, 5903R, brand: Makita; type: 5903R;	10.00
47	1	circular saw machine Skilsaw, 1525H, brand: Skilsaw; type: 1525H;	10.00
48	1	circular saw machine Holzher, 2120 0000, brand: Holzher; type: 2120 0000;	10.00
49	1	circular saw machine Elu, DS140, brand: Elu; type: DS140; description: equipped with steel case;	10.00
50	1	reciprocating saw Makita, JR3050T, brand: Makita; type: JR3050T; with case: yes; electric connection: 230 V;	10.00
51	1	reciprocating saw Makita, JR3050T, brand: Makita; type: JR3050T; with case: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
52	1	reciprocating saw Einhell, RT-AP 1050 E, brand: Einhell; type: RT-AP 1050 E; electric connection: 230 V; description: equipped with swivel head;	10.00
53	1	jig saw Makita, 4350FCT, brand: Makita; type: 4350FCT; with case: yes; electric connection: 230 V;	10.00
54	1	jig saw Makita, 4340FCT, brand: Makita; type: 4340FCT; with case: yes; electric connection: 230 V;	10.00
55	1	jig saw Hitachi, CJ 110MV, brand: Hitachi; type: CJ 110MV; electric connection: 230 V;	10.00
56	1	jig saw Hitachi, CJ 110MV, brand: Hitachi; type: CJ 110MV; electric connection: 230 V;	10.00
57	1	jig saw Atlas Copco, brand: Atlas Copco; electric connection: 230 V;	10.00
58	1	industrial vacuum cleaner Festool, CTL MINI, brand: Festool; type: CTL MINI; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: vv hose;	10.00
59	1	industrial vacuum cleaner brand: Festool; type: CTL 36 E; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: equipped with hose and machine cord;	10.00
60	1	industrial vacuum cleaner brand: Festool; type: CTL 33 E SG; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: vv hose;	10.00
61	1	industrial vacuum cleaner brand: Festool; type: CTL 36 E; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: equipped with hose, cap and reserve systainerbox;	10.00
62	1	vacuum cleaner hose brand: Festool;	10.00
63	1	hand planer brand: DeWalt; type: D26500K; knife width: 80 mm; electric connection: 230 V; description: with plastic bag;	10.00
64	1	hand planer brand: DeWalt; type: D26500K; knife width: 80 mm; electric connection: 230 V; description: with plastic bag;	10.00
65	1	hand planer brand: DeWalt; type: D26500K; knife width: 80 mm; electric connection: 230 V; description: with plastic bag;	10.00
66	1	hand planer brand: DeWalt; type: D26500K; knife width: 80 mm; electric connection: 230 V; description: with plastic bag;	10.00
67	1	hand planer brand: DeWalt; knife width: 80 mm; electric connection: 230 V; description: with plastic bag;	10.00
68	2	hand planer brand: Elu; knife width: 80 mm; electric connection: 230 V; description: equipped with one plastic case;	10.00
69	1	top and edge milling machine brand: DeWalt; type: DW615 ; routing stroke vertical: 50 mm; speed from N=: 8200 rpm; speed till N=: 24000 rpm; electric connection: 230 V;	10.00
70	1	top and edge milling machine brand: DeWalt; type: DW614; routing stroke vertical: 50 mm; speed from N=: 8200 rpm; speed till N=: 24000 rpm; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
71	1	top and edge milling machine brand: DeWalt; type: DW614; routing stroke vertical: 50 mm; speed till N=: 24000 rpm; electric connection: 230 V;	10.00
72	1	top and edge milling machine brand: DeWalt; type: DW614; routing stroke vertical: 50 mm; speed till N=: 27000 rpm; electric connection: 230 V;	10.00
73	1	top and edge milling machine brand: Elu; type: MOF 96; routing stroke vertical: 50 mm; speed till N=: 24000 rpm; electric connection: 230 V;	10.00
74	1	8 mm wood milling set description: including various wood cutters;	10.00
75	1	grinding machine/ belt sander brand: Makita; type: 9403; belt sander: yes; electric connection: 230 V; description: tire dimensions . 100x610; 500 m / min; 1200 w; equipped with automatic belt centering;	10.00
76	1	grinding machine/ belt sander brand: Makita; type: 9401; belt sander: yes; electric connection: 230 V; description: tire dimensions . 100x610; 350 m / min; 940 w;	10.00
77	1	grinding machine/ belt sander brand: Festool; type: RS 100 Q; orbital sander: yes; electric connection: 230 V; description: Max. 6000 p / min; 620 w; including sanding pad; various sanding sheets and dust bags ;	10.00
78	1	grinding machine/ belt sander brand: Metabo; type: SR 358; orbital sander: yes; electric connection: 230 V; description: 350 w;	10.00
79	1	grinding machine/ belt sander brand: Elu; type: VS 41; orbital sander: yes; electric connection: 230 V; description: 300 w;	10.00
80	1	Multitool brand: Fein; type: FMM350Q; year: 2014; electric connection: 230 V; with case: yes; description: including various saws; barn accessories ;	10.00
81	1	grinding and edge grinder-deburring machine brand: Contimac; type: BSM 150 W; description: sharpener sharpener inclusions;	10.00
82	1	2-Stone grinding machine brand: Ferm; type: FSMW 150;	10.00
83	1	slitting saw brand: Makita; type: SG1250 ; year: 2007; serial number: 20701; description: max. grinding wheel dia. 125 mm; Max. Grinding depth 30 mm; Max. Grinding width 30 mm; N = 10000 rpm; capacity 1400 w;	10.00
84	1	water-cooled concrete saw brand: Carat; type: W3511; diameter saw blade: 350 mm; engine power: 2.1 kW; description: N = 3800 rpm; cap;	10.00
85	1	universal diamond blade brand: CNE; description: diam. 350xH25.40 mm;	10.00
86	1	concrete diamond blade brand: Norton; description: diam. 400xH25.40 mm;	10.00
87	1	angle grinder brand: Bosch; type: GWS 22-230 JH; disc diameter: 230 mm; description: equipped with diamond blade;	10.00
88	1	angle grinder brand: Bosch; type: GWS 23-230 J; disc diameter: 230 mm; description: equipped with diamond blade;	10.00
89	1	angle grinder brand: Bosch; type: GWS 23-230 J; disc diameter: 230 mm; description: equipped with diamond blade;	10.00



Lot	Number	Description	Starting Bid €
90	1	angle grinder brand: Bosch; type: GWS 23-230 J; disc diameter: 230 mm; description: equipped with diamond blade;	10.00
91	1	angle grinding machine (230 mm) brand: Makita; type: GA9010C; power: 2000 W;	10.00
92	1	angle grinder brand: Flex; type: L1001; year: 2016; disc diameter: 125 mm;	10.00
93	1	angle grinder brand: Hitachi; type: G13SD; disc diameter: 125 mm;	10.00
94	1	angle grinder brand: Hitachi; type: G12SS; disc diameter: 115 mm;	10.00
95	1	angle grinder brand: Protool; type: AGP 125-12 D; disc diameter: 115 mm; with case: yes;	10.00
96	1	tile cutter brand: Rubi; type: TS-60; description: max. cutting length 660 mm;	10.00
97	1	tile cutter brand: Rubi; type: TX-1200-N; description: max. cutting length 1250 mm;	10.00
98	1	conductor rails brand: Festool; type: FS 3000/2; description: length 3000 mm;	10.00
99	1	conductor rails brand: Festool; type: FS 3000/2; description: length 3000 mm;	10.00
100	1	conductor rails brand: Festool; type: FS 3000/2; description: length 3000 mm;	10.00
101	1	conductor rails brand: Festool; type: FS 3000/2; description: length 3000 mm;	10.00
102	1	conductor rails brand: Festool; type: FS 1400/2; description: length 1400 mm;	10.00
103	2	conductor rails brand: Festool; type: FS 1400; description: length 1400 mm;	10.00
104	4	various gelijdderrails brand: Festool; description: 2x length approx. 800 mm; 2x length approx. 600 mm;	10.00
105	1	various "Festool" accessories brand: Festool; description: incl. connecting cable; glue clamps ; gelijderkoppelstukken;	10.00
106	1	mounting brackets brand: DeWalt; type: DE7025;	10.00
107	1	water-cooled MIG / MAG welding transformer brand: Lorch; type: MicroMIG 350; serial number: 4118-2803-0001-0; mig type: yes; tig type: no; ampere range: 350 A; duty cycle: 45 %; description: capacity 300 Amps @ 60% id, 250 Amp @ 100% id.. equipped with internal wire feeder, stepless voltage adjustment; water-cooled welding torch with hose packet; earth cable and pressure reducer; including 1 roll CO ² (excluding cylinder);	100.00
108	2	bottle of stargon C15 brand: Praxair; type: Stargon C15; description: volume 30 L; exclusive regulator ;	10.00
109	1	edge banding machine brand: Hebrock ; type: KV 16 S; serial number: 16/2016; panel thickness: 50 mm; electric connection: 230 V; description: mounted on a mobile table;	10.00
110	1	dehumidifiers brand: Eurom; type: LO 120; year: 2008; power: 1.86 kW; electric connection: 240 V; description: 120 L / 24 hours;	10.00
111	1	industrial vacuum cleaner brand: CFM; type: 127; year: 2001; power: 2 W; electric connection: 230 V;	10.00
112	1	mobile industrial dust extraction brand: Kiekens; type: D-1232; electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
113	1	plastic construction junction box brand: Nem; electric connection: 63 A; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3;	10.00
114	1	cement butterfly brand: Norton; type: MTA 36; year: 2000; diameter: 900 mm; brand engine: Honda; engine power: 5.5 kW; fuel type: Benzine; own weight: 80 kg;	100.00
115	1	stone cutters brand: Revo;	10.00
116	1	stone cutters brand: Revo;	10.00
117	1	stone cutters brand: Revo;	10.00
118	1	press brake folding length: 1900 mm;	10.00
119	1	guillotine shear cutting length: 70 mm;	10.00
120	1	battery combination set 14.4V brand: Panasonic ; voltage: 14,4 V; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with three batteries 4.2 Ah;	10.00
121	1	battery combination set 14.4V brand: Panasonic ; voltage: 14,4 V; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with three batteries 4.2 Ah;	10.00
122	1	battery combination set 14.4V brand: Panasonic ; voltage: 14,4 V; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with three batteries 4.2 Ah;	10.00
123	1	battery combi set 18V brand: Panasonic ; voltage: 18 V; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with 1 Ah battery 5.0;	10.00
124	1	battery combi set 18V brand: Panasonic ; voltage: 18 V; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with 1 Ah battery 5.0;	10.00
125	1	battery combi set 18V brand: Panasonic ; voltage: 18 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with four batteries 4.2 Ah;	10.00
126	1	battery combination set 14.4V brand: Panasonic ; voltage: 14,4 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with three batteries 5.0 Ah;	10.00
127	1	Battery drilling threading machine 14.4V brand: Panasonic ; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with two batteries 3.3 Ah;	10.00
128	1	Battery drilling threading machine 14.4V brand: Panasonic ; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with two batteries 3,1Ah;	10.00
129	2	battery combination set 14.4V brand: Panasonic ; voltage: 14,4 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: equipped with four batteries 3,1Ah;	10.00
130	2	Charger brand: Panasonic; type: EY0L81 & EY0L80;	10.00



Lot	Number	Description	Starting Bid €
131	1	strap screw machine brand: Senco; type: DS300 AC; electric connection: 230 V; with case: yes; description: N = 3300 rpm; 500W;	10.00
132	1	strap screw machine brand: Senco; type: DS5525-AC; electric connection: 230 V; with case: yes; description: N = 2500 rpm; 600W;	10.00
133	1	strap screw machine brand: Senco; type: DS200-AC; electric connection: 230 V; with case: yes; description: N = 3300 rpm;	10.00
134	1	strap screw machine brand: Bosch; type: GSR 6-25 TE; electric connection: 230 V; with case: no; description: N = 2500 rpm; 500W;	10.00
135	1	strap screw machine brand: Makita; type: 6833; electric connection: 230 V; with case: no; description: N = 4700 rpm; 470W;	10.00
136	1	strap screw machine brand: Makita; type: 6833; electric connection: 230 V; with case: no; description: N = 4700 rpm; 470W;	10.00
137	1	hammer brand: Senco;	10.00
138	1	hammer brand: Senco;	10.00
139	2	hammer brand: Senco;	10.00
140	2	hammer	10.00
141	2	hammer	10.00
142	2	hammer brand: Senco; type: SHT-F;	10.00
143	2	hammer brand: Senco; type: SHT-F;	10.00
144	2	hammer brand: Senco; type: SHT-F;	10.00
145	2	hand tacker	10.00
146	2	electric handtacker brand: Black & Decker;	10.00
147	1	nail tacker brand: Senco; type: FramePro 751XP; capacity: 90 mm; max. pressure: 8 bar;	10.00
148	1	nail tacker brand: Senco; type: FramePro 751XP; capacity: 90 mm; max. pressure: 8 bar;	10.00
149	1	nail tacker brand: Senco; type: FramePro 751XP; capacity: 90 mm; max. pressure: 8 bar;	10.00
150	1	nail tacker brand: Senco; type: FramePro 751XP; capacity: 90 mm; max. pressure: 8 bar;	10.00
151	1	nail D-head tacker brand: Senco; type: SN901XP-CE90; capacity: 90 mm; max. pressure: 8 bar;	10.00
152	1	nail D-head tacker brand: Senco; type: SN901XP-CE90; capacity: 90 mm; max. pressure: 8 bar;	10.00
153	1	nail D-head tacker brand: Senco; type: SN901XP-CE90; capacity: 90 mm; max. pressure: 8 bar;	10.00
154	1	nail non-tacker brand: Senco; type: SN901XP-CE90; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00



Lot	Number	Description	Starting Bid €
155	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
156	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
157	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
158	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
159	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
160	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
161	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
162	1	non-tacker brand: Senco; type: SQS55; capacity: 63 mm; max. pressure: 8 bar; description: no capacity 38-63 mm;	10.00
163	1	non-tacker brand: Senco; type: PW200; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 19-50 mm;	10.00
164	1	non-tacker brand: Senco; type: PW200; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 19-50 mm;	10.00
165	1	non-tacker brand: Senco; type: PW200; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 19-50 mm;	10.00
166	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
167	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
168	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
169	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
170	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
171	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
172	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00



Lot	Number	Description	Starting Bid €
173	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
174	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
175	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
176	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
177	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
178	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
179	1	non-tacker brand: Senco; type: SLS20; capacity: 38 mm; max. pressure: 8 bar; description: no capacity 12-38 mm;	10.00
180	1	drum nailer brand: Senco; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 32-50 mm;	10.00
181	1	drum nailer brand: Senco; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 32-50 mm;	10.00
182	1	drum nailer brand: Senco; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 32-50 mm;	10.00
183	1	drum nailer brand: Senco; capacity: 50 mm; max. pressure: 8 bar; description: no capacity 32-50 mm;	10.00
184	1	drum nailer brand: Senco; capacity: 50 mm; max. pressure: 8 bar; description: not capacity 32-50 mm; 1 without a lid magazine including;	10.00
185	1	non-tacker brand: Duo-Fast; type: KN1848A; capacity: 50 mm; max. pressure: 8 bar;	10.00
186	1	non-tacker brand: Duo-Fast; type: KN1848A; capacity: 50 mm; max. pressure: 8 bar;	10.00
187	1	non-tacker brand: Duo-Fast; type: DS-7664BP; capacity: 50 mm; max. pressure: 8 bar; description: not capacity 32-50 mm; 1 without a lid magazine including;	10.00
188	1	non-tacker brand: Duo-Fast; type: DS-7664BP; capacity: 38 mm; max. pressure: 8 bar;	10.00
189	2	non-tacker brand: Haubold; type: PN 5030 K/B; max. pressure: 8 bar;	10.00
190	2	various non-tacker	10.00
191	2	various non-tacker	10.00
192	2	various drum tackers	10.00
193	1	air compressor brand: Airpress; type: HL340/90; year: 2013; mobile: yes; capacity: 8 bar; power: 2.2 kW; buffer tank content: 90 l; electric connection: 230 V;	10.00
194	1	air compressor brand: Swart industry; mobile: yes; capacity: 8 bar; buffer tank content: 24 l; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
195	1	air compressor brand: Swart industry; mobile: yes; capacity: 8 bar; buffer tank content: 24 l; electric connection: 230 V;	10.00
196	1	low-speed compressor brand: Contimac; type: CM 240/10/5W; capacity: 10 bar; buffer tank content: 5 l; electric connection: 230 V; own weight: 23 kg;	10.00
197	1	low-speed compressor brand: Contimac; type: CM 240/10/5W; year: 2010; capacity: 10 bar; buffer tank content: 5 l; electric connection: 230 V; own weight: 23 kg;	10.00
198	1	low-speed compressor brand: Contimac; type: CM 240/10/5W; year: 2010; capacity: 10 bar; buffer tank content: 5 l; electric connection: 230 V; own weight: 23 kg;	10.00
199	1	low-speed compressor brand: Contimac; type: CM 240/10/5W; year: 2014; capacity: 10 bar; buffer tank content: 5 l; electric connection: 230 V; own weight: 23 kg;	10.00
200	1	air hose reel air reel: yes; hose length: 30 m;	10.00
201	1	air hose reel air reel: yes; hose length: 30 m;	10.00
202	1	air hose reel air reel: yes; hose length: 30 m;	10.00
203	1	air hose reel brand: Union; air reel: yes; hose length: 30 m;	10.00
204	1	pressure vessel with gun	10.00
205	1	Rotary hammer brand: Makita; type: HR2470; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
206	1	Rotary hammer brand: Makita; type: HR2230; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
207	1	Rotary hammer brand: Makita; type: HR2460; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
208	1	Impact drill brand: Makita; type: HP2051; hammer drill: no; with case: yes; electric connection: 230 V;	10.00
209	1	Rotary hammer brand: DeWalt; type: D25102; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
210	1	Rotary hammer brand: DeWalt; type: D25113-QS; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
211	1	drilling machine brand: Metabo; hammer drill: no; with case: no; electric connection: 230 V;	10.00
212	1	drilling machine brand: Metabo; type: BE 1100; hammer drill: no; with case: no; electric connection: 230 V;	10.00
213	1	Impact drill brand: Bosch; type: GBS 90-2B; hammer drill: no; with case: no; electric connection: 230 V;	10.00
214	1	bitschroefmachine brand: Metabo; hammer drill: no; with case: no; electric connection: 230 V;	10.00
215	1	drilling threading machine brand: Hitachi; type: D13VB3; hammer drill: no; with case: no; electric connection: 230 V;	10.00
216	1	Impact drill brand: Hitachi; type: DV20VB2; hammer drill: no; with case: no; electric connection: 230 V;	10.00
217	1	drilling machine brand: Hitachi; type: DV20VB2; hammer drill: no; with case: no; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
218	1	impact wrench brand: Hitachi; type: WH 16; hammer drill: no; with case: no; electric connection: 230 V;	10.00
219	1	breaker brand: Keyang; type: Electric hammer; hammer drill: no; with case: no; electric connection: 230 V; description: including various chisels ;	10.00
220	1	Rotary hammer brand: Keyang; type: RHD-263; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
221	1	battery combi set 18V brand: Protool; type: PDC 18-4 TEC LI SET; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
222	1	Battery impact wrench 18V brand: Hitachi; type: WR 18DMR; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: no; drilling machine: no; impact wrench: yes;	10.00
223	1	battery bit screwdriver 12V brand: Hitachi; type: WH 12DMR; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: no; drilling machine: no; impact wrench: no;	10.00
224	2	Charger brand: Hitachi;	10.00
225	1	Battery drilling threading machine 12V brand: Panasonic ; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
226	1	reciprocating saw brand: DeWalt; type: DW303-QS; with case: yes; electric connection: 230 V; description: equipped with swivel head;	10.00
227	1	electric hand-held grinding machine brand: Proxxon; type: Micromot; electric connection: 230 V;	10.00
228	1	deutzer nailer brand: Blozen Setzer;	10.00
229	1	battery chargers brand: Güde; type: Start170; electric connection: 230 V;	10.00
230	1	Welding machine brand: Rehm; type: Booster 170; MMA type: yes; portable: yes; description: equipped with ground lead and torch;	10.00
231	1	Hand polishing machine	10.00
232	1	building radio	10.00
233	1	lot of various drills	10.00
234	1	lot of various saw blades and grinding wheels	10.00
235	1	various boxes drill description: incl. . diamond ;	10.00
236	1	chain saw brand: Stihl; type: MSE 180C; saw blade size L: 300 mm; electric driven: yes; electric connection: 230 V;	10.00
237	1	extinguisher brand: Ridgid; type: 1450; description: including two various pressure pumps;	10.00
238	1	rotating construction laser with tripod and the Baking brand: Topcon; type: RL-4HC; year: 2017; with case: yes; description: range approx. 800 m Ø ;	100.00
239	1	leveling instrument brand: Fuji-Koh; type: FL25MG ;	10.00
240	1	mushroom inverter brand: Mennekes; number of outputs 230 V: 6; description: 380V input;	10.00



Lot	Number	Description	Starting Bid €
241	1	mushroom inverter brand: Mennekes; number of outputs 230 V: 6; number of outputs 380 V / 32 A: 2; description: 380V input;	10.00
242	1	hand mixer brand: Swinko; type: EHR 23/2.3S; engine power: 1.8 kW;	10.00
243	1	electric vibrating needle brand: Lievers;	10.00
244	1	vibrator description: working width approx. 1500 mm; petrol driven;	10.00
245	1	aluminum loading beam description: length approx. 2350 mm and 2020 mm;	10.00
246	2	adjustable level brand: Sola; length: 1790 mm;	10.00
247	2	adjustable level brand: Sola; length: 1790 mm;	10.00
248	2	adjustable level brand: Sola; length: 1790 mm;	10.00
249	2	various water suit brand: Sola;	10.00
250	2	various water suit brand: Sola;	10.00
251	2	various water suit brand: Sola;	10.00
252	2	various water suit brand: Ironside;	10.00
253	3	various water suit brand: Ironside;	10.00
254	1	digital degree meter brand: Nedo; type: Winkeltronick;	10.00
255	3	survey tape description: incl. . "Gedore";	10.00
256	1	various masonry tooling and various	10.00
257	3	purpist	10.00
258	2	2 component gun	10.00
259	4	caulking gun	10.00
260	1	various caulking guns	10.00
261	1	chemical anchor mounting set brand: Fischer;	10.00
262	1	miscellaneous hand tools description: including suitcase ;	10.00
263	5	handsaw	10.00
264	6	handsaw description: incl. aerated concrete saw;	10.00
265	1	various ratchet sets	10.00
266	1	ratchet sets	10.00
267	1	PPEs	10.00
268	3	leather denim apron	10.00
269	1	various tapes	10.00
270	1	various consumables description: incl. kitten; epoxy; glue;	10.00
271	2	glue clamp brand: Bessy ; type: TGK 125-2K; description: 1250x120 mm;	10.00



Lot	Number	Description	Starting Bid €
272	2	glue clamp brand: Gedore; description: 1000x120 mm;	10.00
273	3	glue clamp brand: Gedore; description: 1000x120 mm;	10.00
274	3	glue clamp brand: Bessy; description: 800x120 mm;	10.00
275	2	glue clamp brand: Bessy; description: 600x120 mm;	10.00
276	2	glue clamp brand: Bessy; description: 600x120 mm;	10.00
277	3	glue clamp brand: Bessy; description: 600x120 mm;	10.00
278	3	several glue clamps description: 600x120 mm;	10.00
279	2	glue clamp brand: Bessy; description: 500x120 mm;	10.00
280	3	glue clamp brand: Bessy; description: 300x140 mm;	10.00
281	6	glue clamps	10.00
282	2	glue clamp brand: Bessy; description: 2000x120 mm;	10.00
283	5	glue clamps	10.00
284	4	glue clamps	10.00
285	5	various conservatory joints	10.00
286	2	quick-release glue clamps	10.00
287	2	3-sole glass carriers	10.00
288	1	door clamp	10.00
289	1	door clamp	10.00
290	1	door clamp brand: Delma;	10.00
291	1	door clamp brand: Delma;	10.00
292	5	various extension reels and -Cables	10.00
293	6	various extension reels and -Cables	10.00
294	9	various extension reels and -Cables	10.00
295	10	various extension reels and -Cables	10.00
296	2	extension cable reels	10.00
297	2	extension cable reels	10.00
298	2	extension cable reels	10.00
299	2	extension cable reels	10.00
300	3	extension cable reels	10.00
301	1	heater brand: Eurom; type: EK 9002; power: 4.5 kW; electric connection: 400 V;	10.00
302	1	heater brand: Eurom; type: BX 9 AE; power: 9 kW; electric connection: 400 V;	10.00
303	4	various construction lamps	10.00
304	4	various construction lamps	10.00
305	4	various construction lamps	10.00
306	1	construction lamp brand: Colombo; type: Galaxy; gas-discharge lamp: yes;	10.00
307	1	construction lamp brand: Colombo; type: Galaxy; gas-discharge lamp: yes;	10.00



Lot	Number	Description	Starting Bid €
308	1	construction lamp halogen: no; gas-discharge lamp: yes; tripod: yes;	10.00
309	1	construction lamp halogen: yes; gas-discharge lamp: no; tripod: yes;	10.00
310	9	various compressed-air hose with coupling air reel: no;	10.00
311	9	various compressed-air hose with coupling air reel: no;	10.00
312	9	various compressed-air hose with coupling air reel: no;	10.00
313	9	various compressed-air hose with coupling air reel: no;	10.00
314	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 2; base section W: 750 mm; base section size L: 500 mm; number of boards: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
315	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 1; base section W: 750 mm; base section size L: 1000 mm; number of boards: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
316	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 1; base section W: 750 mm; base section size L: 1000 mm; number of boards: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
317	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 1; base section W: 750 mm; base section size L: 1000 mm; number of boards: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
318	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 1; base section W: 750 mm; base section size L: 1000 mm; number of boards: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
319	1	aluminum room scaffolding brand: Custers; dimension L: 2500 mm; dimension W: 750 mm; dimension H: 1800 mm; number of base sections: 2; base section W: 750 mm; base section size L: 500 mm; number of boards: 1; number of boards with hatchway: 1; number of horizontal braces: 1; horizontal brace length: 2500 mm; number of wheels: 4; number of handrails: 1; folding scaffold: yes;	10.00
320	1	aluminum scaffold brand: Custers; dimension L: 2500 mm; dimension W: 1300 mm; dimension H: 2200 mm; number of base sections: 2; number of boards: 2; number of boards with hatchway: 1; number of diagonal braces: 6; number of horizontal braces: 4; number of wheels: 4; number of outriggers: 2; number of handrails: 1; folding scaffold: no;	10.00
321	1	aluminum scaffold brand: Custers; dimension L: 2500 mm; dimension W: 1300 mm; dimension H: 2200 mm; number of base sections: 2; number of boards: 2; number of boards with hatchway: 1; number of diagonal braces: 11; number of horizontal braces: 5; number of wheels: 4; number of outriggers: 1; number of handrails: 3; folding scaffold: no; total dimension H: 6400 mm;	10.00



Lot	Number	Description	Starting Bid €
322	1	walking platform brand: Altrex; type: RS Tower 4; dimension L: 2400 mm; dimension W: 600 mm;	10.00
323	1	walking platform with hatch brand: Centrum; dimension L: 2400 mm; dimension W: 600 mm;	10.00
324	1	aluminum Scaffolding work bridge / gangway dimension L: 7000 mm; dimension W: 600 mm;	10.00
325	2	aluminum Scaffolding handrail brand: Custers;	10.00
326	2	aluminum Scaffolding handrail brand: Custers;	10.00
327	2	aluminum Scaffolding handrail brand: Custers;	10.00
328	1	aluminum Scaffolding building part brand: Custers; dimension L: 500 mm; dimension W: 700 mm;	10.00
329	2	aluminum Scaffolding building part brand: Custers; dimension L: 500 mm; dimension W: 700 mm;	10.00
330	2	aluminum Scaffolding building part brand: Custers; dimension L: 500 mm; dimension W: 700 mm;	10.00
331	4	Scaffolding wheels	10.00
332	6	scaffolding tube brand: Custers; dimension L: 1785 mm; description: 4x 1785 mm; 2 x 3052 mm; including two various;	10.00
333	3	scaffolding brace	10.00
334	20	aluminum Scaffolding by walking poles serving handrail brand: Custers;	10.00
335	1	various scaffolding components	10.00
336	1	steel room scaffolding dimension L: 2200 mm; dimension W: 800 mm; dimension H: 1850 mm; number of base sections: 1; folding scaffold: yes; total dimension H: 2850 mm;	10.00
337	1	steel room scaffolding dimension L: 2200 mm; dimension W: 800 mm; dimension H: 1850 mm; number of base sections: 1; folding scaffold: yes; total dimension H: 2850 mm;	10.00
338	1	mobile borderstrap number of steps: 11; access platform: yes; total dimension L: 2250 mm; total dimension W: 880 mm; total dimension H: 3120 mm; description: equipped with left and right door;	100.00
339	1	mobile borderstrap number of steps: 11; access platform: yes; total dimension L: 2250 mm; total dimension W: 880 mm; total dimension H: 3120 mm; description: equipped with left and right door;	100.00
340	1	3-part reform ladder brand: Solide; number of steps: 36; aluminium: yes;	10.00
341	1	3-part reform ladder brand: Solide; number of steps: 36; aluminium: yes;	10.00
342	1	3-part reform ladder brand: Solide; number of steps: 30; aluminium: yes;	10.00
343	1	3-part reform ladder brand: Skyworks; number of steps: 30; aluminium: yes; description: 2x12 sports 1x16 sports;	10.00
344	1	3-part reform ladder brand: Centrum; number of steps: 30; aluminium: yes;	10.00
345	1	2-part extending ladder number of steps: 28; aluminium: yes;	10.00
346	2	Stairs aluminium: yes; step ladder: yes; double: yes; description: 1x 2x2; 1x 2x3;	10.00



Lot	Number	Description	Starting Bid €
347	1	Stairs brand: Kelfort; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
348	1	Stairs brand: Kelfort; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
349	1	Stairs brand: Kelfort; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
350	1	Stairs brand: Kelfort; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
351	1	Stairs brand: Solide; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
352	1	Stairs brand: Solide; number of steps: 3; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
353	1	Stairs brand: Kelfort; number of steps: 5; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
354	1	Stairs number of steps: 6; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
355	1	Stairs number of steps: 6; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
356	1	Stairs number of steps: 6; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
357	1	Stairs number of steps: 6; aluminium: yes; step ladder: yes; single: no; double: yes; description: fixed with wood;	10.00
358	1	Stairs brand: Solide; number of steps: 5; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
359	1	Stairs brand: Solide; number of steps: 5; aluminium: yes; step ladder: yes; single: no; double: yes;	10.00
360	1	ladder brand: Altrex; type: Varitrex indoor; multi-purpose ladder: yes;	10.00
361	1	forklift truck adjustable ground bin brand: Kruizinga; total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
362	1	forklift truck adjustable ground bin brand: Kruizinga; total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
363	1	forklift truck adjustable ground bin brand: Kruizinga; total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
364	1	forklift truck adjustable ground bin brand: Kruizinga; total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
365	1	forklift truck roll adjustable ground bin total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00



Lot	Number	Description	Starting Bid €
366	1	container on mobile base total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
367	1	waste containers total dimension L: 1290 mm; total dimension W: 1070 mm; total dimension H: 835 mm; description: content 600L;	10.00
368	1	workbench total dimension L: 3300 mm; total dimension W: 1000 mm; total dimension H: 940 mm; description: steel frame with wooden top;	10.00
369	1	workbench total dimension L: 3400 mm; total dimension W: 1000 mm; total dimension H: 940 mm; description: steel frame with wooden top;	10.00
370	2	workplace sketch	10.00
371	4	workplace sketch	10.00
372	4	workplace sketch	10.00
373	2	workplace sketch	10.00
374	2	workplace sketch	10.00
375	2	workplace sketch	10.00
376	2	workplace sketch	10.00
377	4	workplace sketch description: incl. 3 various carts;	10.00
378	1	wake-up place cupboard total dimension L: 1140 mm; total dimension W: 600 mm; total dimension H: 2200 mm;	10.00
379	1	wake-up place cupboard total dimension L: 1140 mm; total dimension W: 600 mm; total dimension H: 2200 mm;	10.00
380	1	wake-up place cupboard total dimension L: 1140 mm; total dimension W: 600 mm; total dimension H: 2200 mm;	10.00
381	1	wake-up place cupboard total dimension L: 1140 mm; total dimension W: 600 mm; total dimension H: 2200 mm;	10.00
382	1	mobile cupboard work table total dimension L: 1140 mm; total dimension W: 600 mm; total dimension H: 2200 mm;	10.00
383	1	Mobile work table total dimension L: 1111 mm; total dimension W: 910 mm; total dimension H: 1800 mm;	10.00
384	1	Mobile work table total dimension L: 1700 mm; total dimension W: 650 mm; total dimension H: 1300 mm;	10.00
385	1	four-way truck brand: TCM; type: ACROBA E 30 FA30B; year: 2004; serial number: 80F00235; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4320 mm; overhead guard height: 2150 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 10486; battery charger: yes; own weight: 5080 kg; description: vv battery chargers;	1,000.00
386	1	boom lift brand: Mark industries; type: MAC 25 T; electric: yes; scissor lift: yes; working height: 760 cm; platform size L: 3000 cm; platform size W: 1300 cm; platform capacity: 450 kg; battery charger: no;	100.00
387	1	lifting frame brand: HTZ;	100.00
388	2	lifting bar description: dimensions . approx. 5850x210x200 mm;	10.00
389	2	lifting bar description: dimensions . approx. 3860x160x155 mm;	10.00



Lot	Number	Description	Starting Bid €
390	1	lifting beams set description: 4x dimensions . approx. 2500x310x285 mm; 2x dimensions . approx. 8000x310x285 mm and four lifting eyes 12, including locking pins;	100.00
391	1	stone lifting frame total dimension L: 800 mm; total dimension W: 455 mm; total dimension H: 650 mm;	10.00
392	1	hoist clamp description: max. opening 520 mm; width 450 mm;	10.00
393	1	specikuip lifting aid description: Ø approx. 530 mm;	10.00
394	1	trolley jack brand: Compac; type: 5T-C G1; year: 2003; capacity: 5 t; own weight: 71 kg; description: vv foot control ;	10.00
395	1	drag eye	10.00
396	1	hoist clamp description: working width approx. 1015 mm;	10.00
397	2	transport aid	10.00
398	1	transport assistance	10.00
399	4	hijelp dimension L: 1280 mm;	10.00
400	1	various lifting aids	10.00
401	1	Foldable mobile material lift brand: Müba ; type: Krachtarmlift KAL 275 klappbar; year: 2010; hoist capacity: 600 kg; max. lifting heighth: 2750 m; dimension L: 1570 mm; dimension W: 730 mm; own weight: 86 kg;	10.00
402	1	jack brand: Gedi; type: 301; hoist capacity: 5000 kg;	10.00
403	1	electric cable chain brand: AA-lift; hoist capacity: 250 kg; electric connection: 230 V; description: vv remote ;	10.00
404	1	manual chain hoist brand: Delta Green; hoist capacity: 6000 kg;	10.00
405	1	manual chain hoist brand: Delta Green; hoist capacity: 6000 kg;	10.00
406	1	manual chain hoist brand: Torso; hoist capacity: 3000 kg;	10.00
407	1	manual chain hoist brand: Torso; hoist capacity: 2000 kg;	10.00
408	1	manual chain hoist hoist capacity: 2000 kg;	10.00
409	1	4 jump- lifting chain hoist capacity: 8500 kg; dimension L: 1200 mm;	10.00
410	1	hand hydraulic pump with draw cylinder brand: Enerpack; type: B39 en BRC106;	10.00
411	1	various lifting aids	10.00
412	1	2 jump lifting chain dimension L: 3000 mm;	10.00
413	3	various bottle jacks	10.00
414	2	Pot pot brand: Mennens; year: 2007; hoist capacity: 10000 kg;	10.00
415	2	Pot pot	10.00
416	2	Pot pot	10.00
417	2	Pot pot brand: Mamut; type: BJ08H; hoist capacity: 8000 kg;	10.00
418	2	various bottle jacks	10.00



Lot	Number	Description	Starting Bid €
419	2	Pot pot	10.00
420	2	Pot pot brand: Mamut; type: BJ15H; hoist capacity: 15000 kg;	10.00
421	1	Pot pot brand: Mamut; type: BJ15H; hoist capacity: 15000 kg; description: 1 including various;	10.00
422	2	chain tensioner	10.00
423	2	chain tensioner	10.00
424	2	chain tensioner	10.00
425	1	lot of Tires hoist capacity: 1000 kg; dimension L: 1000 mm;	10.00
426	1	lot of various slings	10.00
427	1	lot of several tension straps	10.00
428	1	various wooden transport blocks description: on 1 pallet;	10.00
429	1	various wooden transport blocks description: on 1 pallet;	10.00
430	1	various wooden transport blocks description: on 2 pallets;	10.00
431	1	hand hydraulic pallet truck lifting capacity: 2500 kg;	10.00
432	2	various tow bars	10.00
433	1	draw eye	10.00
434	1	various transport accessories description: in mobile transport box;	10.00
435	1	pressure washer brand: Bosch; type: AHR 1000;	10.00
436	1	various hose couplings	10.00
437	1	lot of several hoses	10.00
438	1	various cleaning utensils	10.00
439	1	steel storage rack constructed: yes; number of shelves: 1; total dimension L: 1200 mm; total dimension W: 4000 mm; total dimension H: 3000 mm; description: (excl. content) ;	10.00
440	1	workshop table dimension L: 185 cm; dimension W: 50 cm; dimension H: 79 cm; description: vv shelf;	10.00
441	1	start cable	10.00
442	1	battery booster brand: Crown tools; type: jumostart; voltage: 12 V; with booster function: yes; electric connection: 230 V; description: vv compressor ; 12 V. plug connector and work light;	10.00
443	1	clothes dryer brand: Ignis ; type: AWL 220; drain dryer: yes; electric connection: 230 V;	10.00
444	1	built-in refrigerator brand: Bosch; type: KIR1740/31; volume refrigerator: 150 l; electric connection: 230 V;	10.00
445	10	Garden chair brand: Aquarius;	10.00
446	10	canteen chair stackable: yes; description: connectable;	10.00
447	1	vlizotrap brand: Novoferm; type: 1180; number of steps: 14; extension ladder: yes; description: recess size: 60x100 cm; ceiling height: 260 cm;	10.00
448	1	workshop table dimension L: 200 cm; dimension W: 100 cm; dimension H: 78 cm; description: incl. extra table; mobile office chair; plastic garden chair and wall clock;	10.00



Lot	Number	Description	Starting Bid €
449	6	Garden chair brand: Aquarius;	10.00
450	6	Garden chair brand: Jardin; description: incl. 3 various garden chairs;	10.00
451	1	steel trash can	10.00
452	2	Slatted bottom brand: Vroomshoop meubelen; type: Novolat; single bed: yes; dimension W: 79 mm; dimension L: 195 mm;	10.00
453	1	Slatted bottom single bed: yes; dimension W: 79 mm; dimension L: 195 mm;	10.00
454	2	Slatted bottom brand: Diamant; type: Fitness Vast; single bed: yes; dimension W: 80 mm; dimension L: 200 mm; description: partly adjustable;	10.00
455	1	steel workbench dimension L: 70 cm; dimension W: 104 cm; dimension H: 204 cm; description: vv "Heuer" vise ; 2-door upper cabinet; 4 trays and shelf;	10.00
456	1	lot of various Hand Tools description: made of steel work table (excl.) ;	10.00
457	1	Pickup truck brand: Matador; air tyres: yes;	10.00
458	1	corner / workplace table dimension W: 60 cm; total dimension L: 1500 mm; total dimension W: 1500 mm; total dimension H: 920 mm; description: vv shelf;	10.00
459	1	lot of LDPE concertina bags	10.00
460	1	roll subfloor brand: Egal Soft; thickness: 5 mm; total dimension W: 1370 mm;	10.00
461	1	roll subfloor thickness: 5 mm; total dimension W: 2000 mm; description: incl. remainder piece;	10.00
462	3	linoleum roll description: various dimensions . and colors;	10.00
463	1	drill tools description: in drill block;	10.00
464	1	steel workbench dimension L: 380 cm; dimension W: 72 cm; dimension H: 95 cm;	10.00
465	1	various stable window mallemp description: and various;	10.00
466	2	height-adjustable roller stand description: incl. 1x mobile, working width : 1640 mm equipped with brake;	10.00
467	1	height-adjustable roller stand dimension W: 19 cm; description: height approx. 800-1100 mm;	10.00
468	1	height-adjustable roller stand dimension W: 19 cm; description: height approx. 800-1100 mm;	10.00
469	1	height-adjustable roller stand dimension W: 19 cm; description: height approx. 800-1100 mm;	10.00
© 470	1	mobile milling assembly cabinet afmeting L: 100 cm; afmeting B: 67 cm; afmeting H: 145 cm; omschrijving: v.v. 2 freeshouders en partij freesmessen;	10.00
© 471	1	lot of various washers omschrijving: as maat Ø 40 mm;	10.00
© 472	2	milling disc merk: Leitz; type: W35; omschrijving: asgat Ø 40 mm;	10.00
© 473	1	milling disc merk: Leitz; type: W62; omschrijving: asgat Ø 40 mm;	10.00



Lot	Number	Description	Starting Bid €
© 474	1	milling disc merk: Leitz; type: W110; omschrijving: asgat Ø 40 mm;	10.00
© 475	1	milling disc merk: Leitz; type: W91; omschrijving: asgat Ø 40 mm;	10.00
© 476	1	milling disc merk: Leitz; type: T27; omschrijving: asgat Ø 40 mm;	10.00
© 477	1	milling disc merk: Leitz; type: W860; omschrijving: asgat Ø 40 mm;	10.00
© 478	1	milling disc merk: Leitz; type: W33; omschrijving: asgat Ø 40 mm;	10.00
© 479	1	milling disc merk: Leitz; type: W266; omschrijving: asgat Ø 40 mm;	10.00
© 480	2	milling disc merk: Leitz; type: W239; omschrijving: asgat Ø 40 mm;	10.00
© 481	1	milling disc merk: Leitz; type: W64; omschrijving: asgat Ø 40 mm;	10.00
© 482	1	milling disc merk: Leitz; type: W250; omschrijving: asgat Ø 40 mm;	10.00
© 483	2	milling disc merk: Leitz; type: W270 en 271; omschrijving: asgat Ø 40 mm;	10.00
© 484	1	milling disc merk: Leitz; type: W241; omschrijving: asgat Ø 40 mm;	10.00
© 485	2	milling disc merk: Leitz; type: W241; omschrijving: asgat Ø 40 mm;	10.00
© 486	1	milling disc merk: Omas; type: euromec; omschrijving: asgat Ø 40 mm;	10.00
© 487	1	milling disc merk: Leitz; type: W280; omschrijving: asgat Ø 40 mm;	10.00
© 488	1	milling disc merk: Leitz; type: W245; omschrijving: asgat Ø 40 mm;	10.00
© 489	1	milling disc merk: Leitz; type: W291; omschrijving: asgat Ø 40 mm; incl. freesschijf "Leiser";	10.00
© 490	1	milling disc merk: Leitz; type: 220x80x40; omschrijving: asgat Ø 40 mm;	10.00
© 491	1	milling disc merk: Leitz; type: W234; omschrijving: asgat Ø 40 mm;	10.00
© 492	1	milling disc merk: Leitz; type: W206; omschrijving: asgat Ø 40 mm;	10.00
© 493	1	milling disc merk: Leitz; type: 220x77x40; omschrijving: asgat Ø 40 mm;	10.00
© 494	9	wide sanding belt (unused) merk: VSM; type: Vitex antistatic; omschrijving: band afm. ca. 1100x2240 mm; incl. 3x gebruikte "Klingspor";	10.00
© 495	1	lot of div. machine accessories omschrijving: uit houten kast;	10.00
© 496	3	universal profile milling head merk: Leitz; omschrijving: incl. partij div. profielmessen en "VOS" profielfreeskop met 4 sets messen;	10.00
© 497	1	Freeskop merk: Leitz; type: W209; omschrijving: asgat Ø 40 mm;	10.00
© 498	1	Freeskop merk: Leitz; type: W26; omschrijving: asgat Ø 40 mm;	10.00



Lot	Number	Description	Starting Bid €
© 499	1	Freeskop merk: Leitz; type: W201; omschrijving: asgat Ø 40 mm;	10.00
© 500	1	Freeskop merk: Leitz; type: WW590; omschrijving: asgat Ø 40 mm;	10.00
© 501	2	Freeskop merk: Leitz; type: Z19 en Y19; omschrijving: asgat Ø 40 mm;	10.00
© 502	2	Freeskop merk: Leitz; type: SW531-2; omschrijving: asgat Ø 40 mm;	10.00
© 503	1	Freeskop merk: Leitz; type: W2; omschrijving: asgat Ø 40 mm;	10.00
© 504	1	Freeskop merk: Leitz; type: W420; omschrijving: asgat Ø 40 mm;	10.00
© 505	1	Freeskop merk: Leitz; type: W320; omschrijving: asgat Ø 40 mm;	10.00
© 506	1	Freeskop merk: Leitz; type: W325; omschrijving: asgat Ø 40 mm;	10.00
© 507	1	Freeskop merk: Leitz; type: W330; omschrijving: asgat Ø 40 mm;	10.00
© 508	1	Freeskop merk: Leitz; type: W306; omschrijving: asgat Ø 40 mm;	10.00
© 509	1	3-part combined profile milling head merk: Leitz; type: W301; omschrijving: asgat Ø 40 mm;	10.00
© 510	1	Freeskop merk: Leitz; type: W331; omschrijving: asgat Ø 40 mm;	10.00
© 511	1	Freeskop merk: Leitz; type: W208; omschrijving: asgat Ø 40 mm;	10.00
© 512	1	Freeskop merk: Leitz; type: S26; omschrijving: asgat Ø 40 mm;	10.00
© 513	1	Freeskop merk: Leitz; type: W216; omschrijving: asgat Ø 40 mm;	10.00
© 514	1	Freeskop merk: Leitz; type: W332; omschrijving: asgat Ø 40 mm;	10.00
© 515	1	3-part combined profile milling head merk: Leitz; omschrijving: asgat Ø 40 mm;	10.00
© 516	1	Freeskop merk: Leitz; type: W222; omschrijving: asgat Ø 40 mm;	10.00
© 517	1	Freeskop merk: Leitz; type: W206; omschrijving: asgat Ø 40 mm;	10.00
© 518	1	Freeskop merk: Leitz; type: W208; omschrijving: asgat Ø 40 mm;	10.00
© 519	1	Freeskop merk: Leitz; type: W211; omschrijving: asgat Ø 40 mm;	10.00
© 520	1	Freeskop merk: Leitz; werkbreedte: 190 mm; omschrijving: asgat Ø 40 mm;	10.00
© 521	1	Freeskop merk: Leitz; type: W254; omschrijving: asgat Ø 40 mm;	10.00
© 522	1	Freeskop merk: Leitz; type: W206; omschrijving: asgat Ø 40 mm;	10.00
© 523	1	Freeskop merk: Leitz; type: W201; omschrijving: asgat Ø 40 mm;	10.00
© 524	1	Freeskop merk: Leitz; type: W204; omschrijving: asgat Ø 40 mm;	10.00



Lot	Number	Description	Starting Bid €
© 525	1	Freoskop merk: Leitz; type: W203; omschrijving: asgat Ø 40 mm;	10.00
© 526	1	Freoskop merk: Leitz; type: W209; omschrijving: asgat Ø 40 mm;	10.00
© 527	1	Freoskop merk: Leitz; type: WW410; omschrijving: asgat Ø 40 mm;	10.00
© 528	1	Freoskop merk: Leitz; type: W16; omschrijving: asgat Ø 40 mm;	10.00
© 529	1	Freoskop merk: Leitz; type: X19; omschrijving: asgat Ø 40 mm;	10.00
© 530	2	Freoskop merk: Leitz; type: WW410; omschrijving: asgat Ø 40 mm;	10.00
© 531	1	Freoskop merk: Leitz; type: W5; omschrijving: asgat Ø 40 mm;	10.00
© 532	1	Freoskop merk: Leitz; type: W6; omschrijving: asgat Ø 40 mm;	10.00
© 533	1	Freoskop merk: Leitz; type: WW310; omschrijving: asgat Ø 40 mm;	10.00
© 534	1	Freoskop merk: Leitz; type: W209; omschrijving: asgat Ø 40 mm;	10.00
© 535	1	Freoskop merk: Leitz; type: W140; omschrijving: asgat Ø 40 mm;	10.00
© 536	1	Freoskop merk: Leitz; type: W205; omschrijving: asgat Ø 40 mm;	10.00
© 537	1	Freoskop merk: Leitz; type: W217; omschrijving: asgat Ø 40 mm;	10.00
© 538	1	Freoskop merk: Leitz; type: W205; omschrijving: asgat Ø 40 mm;	10.00
© 539	1	Freoskop merk: Leitz; type: W322; omschrijving: asgat Ø 40 mm;	10.00
© 540	1	Freoskop merk: Leitz; type: W207; omschrijving: asgat Ø 40 mm;	10.00
© 541	1	6-part profile milling set omschrijving: asgat Ø 40 mm;	10.00
© 542	3	various milling head and dial omschrijving: asgat Ø 40 mm;	10.00
© 543	2	various milling head merk: Leitz; omschrijving: asgat Ø 40 mm;	10.00
© 544	3	various milling head omschrijving: asgat Ø 40 mm;	10.00
© 545	2	various milling head merk: Astra; omschrijving: asgat Ø 40 mm;	10.00
© 546	3	various milling head omschrijving: asgat Ø 40 mm;	10.00
© 547	1	Freoskop merk: Stehle; type: Protec; omschrijving: asgat Ø 40 mm;	10.00
© 548	1	Freoskop omschrijving: asgat Ø 40 mm;	10.00
© 549	1	wooden workshop cupboard totale afmeting L: 3150 mm; totale afmeting B: 350 mm; totale afmeting H: 2000 mm; omschrijving: incl. extra kast; (beide excl. inhoud) ; milling heads	10.00



Lot	Number	Description	Starting Bid €
550	11	various square hole drill description: various dimensions . ao from 8x8 mm to 20x20 mm;	10.00
551	3	circular saw blade brand: Klein; description: dimensions . Ø 400 mm;	10.00
552	3	circular saw blade brand: Klein; description: dimensions . Ø 350 mm;	10.00
553	7	various circular saw blade	10.00
554	5	various circular saw blade brand: Stehle; description: dimensions . Ø 250 mm, 235 mm and 160 mm;	10.00
555	2	various circular saw blade description: dimensions . Ø 350 mm and 290 mm;	10.00
556	1	aluminum multi-point milling jig description: including door handle drilling template angle drilling template;	10.00
557	1	hinge milling jig (76mm)	10.00
558	1	hinge milling jig (89mm)	10.00
559	1	hinge milling jig (89mm)	10.00
560	1	hinge milling jig (90mm)	10.00
561	1	various multipoint locks brand: Ivana;	10.00
562	1	power current extension	10.00
563	1	power current extension	10.00
564	1	power current extension	10.00
565	1	power current extension	10.00
566	1	power current extension	10.00
567	1	power current extension	10.00
568	1	power current extension	10.00
569	1	power current extension	10.00
570	1	power current extension	10.00
571	1	power current extension	10.00
572	1	power current extension	10.00
573	1	power current extension	10.00
574	1	various extension cables	10.00
575	1	content warehouse description: (excluding stamp; and numbered items);	10.00
576	1	air hose reel brand: Samoa; description: (machine defective);	10.00
577	1	compressor description: compressor is at approx. 5 m high; (Defect) ;	10.00
578	1	swing arm crane brand: DMK; type: Donati; hoist capacity: 500 kg; max. hoist height: 5 m; electric connection: 400 V; description: equipped with trolley and remote control;	10.00
579	1	air hose reel brand: Samoa; type: Reel master;	10.00
© 580	1	grab OSB plate merk: Kronospan; type: OSB 3 UGS; plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 9 mm; omschrijving: pak à 96 platen;	10.00
© 581	1	grab OSB plate merk: Kronospan; type: OSB 3 UGS; plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 9 mm; omschrijving: pak à 96 platen;	10.00
© 582	82	OSB plate merk: Kronospan; type: OSB 3 UGS; plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 9 mm;	10.00



Lot	Number	Description	Starting Bid €
© 583	86	furniture panel plaatafmeting L: 2500 mm; plaatafmeting B: 600 mm; dikte: 18 mm; omschrijving: inclusief 40 meubelpanelen 2500x300/200x18 mm;	10.00
© 584	19	grounded Maranti plywood plaatafmeting B: 1220 mm; dikte: 18 mm;	10.00
© 585	23	primed Maranti plywood (wbp) exterior plaatafmeting L: 2500 mm; plaatafmeting B: 1220 mm; dikte: 10 mm;	10.00
© 586	25	primed plywood interior plaatafmeting L: 2500 mm; plaatafmeting B: 1220 mm; dikte: 10 mm;	10.00
© 587	18	MDF melamine white plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 18 mm;	10.00
© 588	6	ground plywood plaatafmeting L: 2500 mm; plaatafmeting B: 1220 mm; dikte: 18 mm; omschrijving: inclusief 6 multiplex platen wit gegrond 2440x1220x8 mm;	10.00
© 589	1	various HPL plates omschrijving: inclusief divers;	10.00
590	1	various (hard) wood beam from 3 subjects description: incl. oak wood and meranti; longest length approx. 6100 mm;	10.00
© 591	5	concrete plywood with anti-slip plaatafmeting L: 2500 mm; plaatafmeting B: 1250 mm; dikte: 10 mm;	10.00
© 592	8	furniture panel plaatafmeting L: 4000 mm; plaatafmeting B: 1220 mm; dikte: 10 mm;	10.00
©		sheet material A	
593	1	various sheet metal veneer description: black stainless steel and black coated such dimensions . approx. 3050x1250 mm;	10.00
594	1	various plastic (under) side sills description: longest length approx. 6050 mm;	10.00
595	1	lot of various red cedar siding description: longest length approx. 6000 mm;	10.00
596	1	EPDM on roll dimension W: 5000 mm; description: thickness 1.1 mm; approx. 20 mtr;	10.00
© 597	1	double-sided removable cantilever racking system tweezijdig: nee; totale afmeting L: 4350 mm; totale afmeting B: 3150 mm; totale afmeting H: 4100 mm; omschrijving: bestaande uit: 4 staanders; exclusief inhoud;	100.00
© 598	1	double-sided removable cantilever racking system tweezijdig: nee; totale afmeting L: 2120 mm; totale afmeting B: 3150 mm; totale afmeting H: 4100 mm; omschrijving: bestaande uit: 2 staanders; exclusief inhoud;	100.00
© 599	1	constructed 3-compartment storage rack geconstrueerd: ja; totale afmeting L: 2800 mm; totale afmeting B: 1250 mm; totale afmeting H: 3700 mm; omschrijving: exclusief inhoud;	100.00
© 600	1	constructed 2-compartment storage rack geconstrueerd: ja; totale afmeting L: 3400 mm; totale afmeting B: 1250 mm; totale afmeting H: 3700 mm; omschrijving: exclusief inhoud;	100.00
601	1	lot of various radical sheet material	10.00
602	1	built-in shower bath brand: Plieger; dimension L: 170 cm; dimension W: 70 cm; dimension H: 55 cm; description: equipped with drain;	10.00
603	5	various hardwood frames renovation description: Door dimensions . approx. 1x 2x 730x2115 mm and 930x2015 mm;	10.00
604	4	various renovations raamkozijnen description: incl. clear width approx. 740x2090 mm and 1070x1365 mm;	10.00



Lot	Number	Description	Starting Bid €
605	1	hard wooden 4-compartment frame description: clear size 3900x170x90mm ;	10.00
606	1	Dormer window frame with tilt and turn description: clear size 3340x1000x1113 mm;	10.00
607	7	various renovation frames description: incl. for door dimensions . approx. 930x2015 930x2315 mm and mm;	10.00
608	7	various window frames	10.00
609	1	various wooden frames description: main dimensions . approx. 1380x2410 mm;	10.00
610	1	built-in meter cupboard description: door dimensions . approx. 780x2315 mm ;	10.00
611	6	hardwood stacking doors description: dimensions . approx. 1065x2005 mm;	10.00
612	10	hardwood renovation stacking doors description: 1x 1975x1075 mm; 1x 1075x2005 mm; 8x 1065x1975 mm; 2 including various doors and window frame 1 ;	10.00
613	12	various renovations and window frames	10.00
614	1	complete tilt and turn window with frame brand: Hebo; description: clear size 1256x1580 mm;	10.00
615	1	hardwood roof frame description: dimensions . approx. 3200x1330 mm;	10.00
616	4	various hardwood window frames description: incl. dimensions . approx. 2320x2095 mm ;	10.00
617	1	glass remains total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 2230 mm;	10.00
618	1	wooden construction power cabinet	10.00
619	1	bicycle storage total dimension L: 5200 mm; total dimension W: 4050 mm; total dimension H: 2300 mm;	100.00
620	1	lot of various tiles trips description: incl. . "Schlüter" eg aluminum; Stainless steel and plastic; including various plaster profiles (note pickup before 13:00);	10.00
621	1	lot of various profiles description: incl. . "Ellen" include weather stripping; angle sections; connecting strips; etc. etc. (note pickup before 13:00);	10.00
622	1	lot of various flooring strips brand: Forinn; description: (be careful to pick up before 1 p.m.);	10.00
623	1	lot of various wooden profiles description: longest length approx. 5 m. (Note pickup before 13:00);	10.00
624	1	lot of various PVC tubes description: incl. 18x Ø 110 mm length 500 cm; (Note pickup before 13:00);	10.00
625	1	lot of various glass cloth wallpaper description: including various (note pickup before 13:00);	10.00
626	1	lot of various PE-RT floor heating pipe brand: Main; description: incl. 20x2 mm grade 4; 6 bar; including under floor plate (note pickup before 13:00);	10.00
627	1	lot of various PVC fittings brand: Pipelife; description: incl. tees; Y-pieces; various curves; expired; sleeves; including glue and cuffs (note pickup before 13:00);	10.00
628	1	lot of diverse description: incl. wire; among princes; insulated heater outlet; etc. etc. (note pickup before 13:00);	10.00
629	1	lot of heating APK hose description: Including aluminum flexible air tube (be careful to collect before 13:00);	10.00



Lot	Number	Description	Starting Bid €
630	1	various saw ribbons and emery cloth description: (be careful to pick up before 1 p.m.);	10.00
631	1	lot of various wooden racks - racking description: exclusive content ; (Note, pick up after 13:00);	10.00
632	1	lot of various kitchen panels description: incl. skirting boards; body parts; cabinet doors; etc. etc. (note cap pick before 13:00);	10.00
633	1	various hobs and sinks description: incl. . various installation cooktops; Double sink; suction / hoods etc. etc. (note cap pick before 13:00);	10.00
634	1	bathroom furniture dimension L: 107 cm; dimension W: 38 cm; with basin: yes;	10.00
635	3	bathroom furniture with basin: no;	10.00
636	1	various bathroom furniture with basin: no; description: incl. mirror; shower; mirror cabinet; under furniture; shower doors ;	10.00
637	1	bathroom furniture description: incl. . cabinets ; sink; mirror; wall cabinets;	10.00
638	1	lot of various (kitchen) cabinets description: and various (note pickup before 13:00);	10.00
© 639	6	rebated omschrijving: 2x afm. 880x2315 mm; 4x 880x2115 mm;	10.00
© 640	3	blunt inner door merk: Austria; omschrijving: 2x afm. 930x2315 mm en 1x afm. 780x2315 v.v. slotkast uitsparing;	10.00
© 641	12	rebated	10.00
© 642	4	merbau wood pile door sill afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 45 cm ;	100.00
© 643	5	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 830 mm; omschrijving: borstwering 67 cm ;	100.00
© 644	2	meranti stacking door afmeting L: 2015 mm; afmeting B: 930 mm; omschrijving: borstwering 89 cm;	10.00
© 645	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 89 cm ;	10.00
© 646	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 89 cm ;	10.00
© 647	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 89 cm ;	10.00
© 648	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 89 cm ;	10.00
© 649	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 880 mm; omschrijving: borstwering 89 cm ;	10.00
© 650	4	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 780 mm; omschrijving: borstwering 89 cm ;	10.00
© 651	4	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 780 mm; omschrijving: borstwering 89 cm ;	10.00
© 652	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 780 mm; omschrijving: borstwering 89 cm ;	10.00
© 653	3	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 830 mm; omschrijving: borstwering 89 cm ;	10.00
© 654	2	merbau wood pile sill (balcony) door afmeting L: 2015 mm; afmeting B: 830 mm; omschrijving: borstwering 89 cm ;	10.00



Lot	Number	Description	Starting Bid €
© 655	1	lot of plastic windows / doors omschrijving: w.o. "Schüco";	10.00
© 656	1	lot of various interior doors omschrijving: o.a. stomp en opdek;	10.00
© 657	6	merbau wood pile sill (balcony) door omschrijving: w.o. breedte 880 mm; 830 mm; 780 mm;	10.00
© 658	6	merbau wood panel door afmeting L: 2015 mm; afmeting B: 780 mm;	10.00
© 659	5	merbau wood panel door afmeting L: 2015 mm; afmeting B: 780 mm; omschrijving: inclusief 1 met slotkast uitsparing;	10.00
© 660	1	merbau wood door afmeting L: 2115 mm; afmeting B: 880 mm;	10.00
© 661	6	merbau wood pile sill (balcony) door omschrijving: 3x 830x2115 mm; borstwering 89 cm 2x 880x2015 mm; borstwering 67 cm; 1x 780x2015 mm; borstwering 45 cm;	10.00
© 662	1	lot of hardwood door posts and sills	100.00
© 663	2	DIY door frames omschrijving: 1x stomp 54x90/114 deurlengte 2315 mm; 1x opdek 56x90x2315 mm;	10.00
© 664	1	lot of various hardwood frames	10.00
		doors and frames	
665	1	lot of screens building material brand: Hamstra; description: complete roller screens ;	100.00
666	1	various door systems description: including various profiles;	10.00
667	1	lot of metal nastelkozijnprofielen brand: Theuma;	10.00
668	5	various sliding-doors description: 2x dimensions . approx. 725x2560 mm; including three sliding mirrors;	10.00
669	1	large quantity of plastic wall / ceiling scrap description: ao "Keralit"; "Schüco" and "Milin" including various plastic window sills ;	100.00
670	1	polycarbonate plate brand: A.G. plastics; dimension L: 4000 mm; dimension W: 1050 mm; dimension H: 16 mm; description: including various jigsaw pieces;	10.00
671	1	circular trim saw brand: Elu; type: PS174; saw blade ? : 216 mm; mitre: yes; engine power: 1.2 kW; electric connection: 230 V; description: including table dimensions . approx. 60x780 cm;	10.00
672	1	coffee table dimension L: 174 cm; dimension W: 74 cm;	10.00
673	1	Wooden 2-door cabinet dimension L: 126 cm; dimension W: 44 cm; dimension H: 184 cm;	10.00
674	2	arch jig description: including various;	10.00
675	1	roll HPL dimension L: 3000 mm; dimension W: 1325 mm; description: colour White; including various;	10.00
676	1	various metal tubes and tubes description: including various metal;	10.00
677	4	Suspension system brand: Arti teq; length: 2000 mm;	10.00
© 678	1	large quantity of skirting and top slats omschrijving: w.o. meranti plinten; gegronde MDF plinten 120 mm en 40 mm; gegronde beleglatten etc. etc. (let op, afhalen vóór 13:00 uur);	10.00



Lot	Number	Description	Starting Bid €
679	1	long material carrier arm rack totale afmeting L: 3700 mm; totale afmeting B: 750 mm; totale afmeting H: 3350 mm; omschrijving: bestaande uit: 4 staanders; geconstrueerd staal; exclusief inhoud (let op, afhalen op 4 april tussen 09:00 en 16:00 uur);	10.00
		long material support arm racks	
680	1	long material carrier arm rack total dimension L: 3700 mm; total dimension W: 750 mm; total dimension H: 3350 mm; description: consisting of : 4 uprights; constructed steel; exclusive content (note, pick up after 13:00);	10.00
681	1	roll of vapor / air permeable non-woven wall film (spunbond) merk: Don & Low; type: Daltex FrameTX ; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	10.00
682	4	damp open / air insulating underlay for the roof (spunbond) merk: Don & Low; type: Daltex RoofTX; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	100.00
683	2	damp open / air insulating underlay for the roof (spunbond) merk: Don & Low; type: Daltex RoofTX; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	10.00
684	2	damp open / air insulating underlay for the roof (spunbond) merk: Don & Low; type: Daltex RoofTX; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	10.00
685	1	damp open / air insulating underlay for the roof (spunbond) merk: Don & Low; type: Daltex RoofTX; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	10.00
686	1	damp open / air insulating underlay for the roof (spunbond) merk: Don & Low; type: Daltex RoofTX; totale afmeting L: 100000 mm; totale afmeting B: 3000 mm;	10.00
687	1	various rolls spunbond fabric merk: Don & Low; omschrijving: rol breedte 3000 mm;	10.00
		spun cloth	
688	17	moisture resistant chipboard plaatafmeting L: 2500 mm; plaatafmeting B: 1250 mm; dikte: 12 mm;	10.00
689	17	plywood plate plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 8 mm;	10.00
690	45	fiberboard plaatafmeting L: 2500 mm; plaatafmeting B: 1200 mm; dikte: 4 mm;	10.00
691	20	OSB plate plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: inclusief 6 idem met veer en groef;	10.00
692	34	underlayment plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 18 mm;	10.00
693	24	moisture resistant chipboard plaatafmeting L: 2500 mm; plaatafmeting B: 1250 mm; dikte: 12 mm;	10.00
694	1	various chipboard omschrijving: inclusief diverse zaagstukken;	10.00
695	24	moisture resistant chipboard plaatafmeting L: 3970 mm; plaatafmeting B: 1250 mm; dikte: 12 mm;	10.00
696	1	lot of various drywall dikte: 12,5 mm; omschrijving: inclusief zaagstukken;	10.00
697	120	plywood with veneer top afmeting L: 2440 mm; afmeting B: 1220 mm; dikte: 3 mm;	10.00



Lot	Number	Description	Starting Bid €
© 698	65	moisture resistant chipboard plaatafmeting L: 2500 mm; plaatafmeting B: 1250 mm; dikte: 12 mm; omschrijving: 50x 2500x1250x12 mm en 15x 2440x1220x18 mm met veer en groef;	10.00
© 699	22	moisture resistant hardboard plaatafmeting L: 2440 mm; plaatafmeting B: 1220 mm; dikte: 3 mm;	10.00
© 700	1	lot of various ceiling panels merk: Agnes; type: One-step; omschrijving: w.o. lengte ca. 2300 mm;	10.00
© 701	60	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 45 m ² ;	10.00
© 702	60	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 45 m ² ;	10.00
© 703	60	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 45 m ² ;	10.00
© 704	60	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 45 m ² ;	10.00
© 705	60	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 45 m ² ;	10.00
© 706	44	ceiling panels merk: Agnes; type: One-Step; plaatafmeting L: 620 mm; plaatafmeting B: 1220 mm; dikte: 12 mm; omschrijving: pak à 4 platen. totaal ca. 33 m ² ;	10.00
Agnes one step ceiling plates			
707	1	lot of various wooden struts	10.00
708	1	home-made ribbon sander working width: 65 mm; electric connection: 380 V;	10.00
709	1	lot of underlay foil	10.00
© 710	1	2-section pallet shelve demontabel: ja; sectie afm. L: 2700 mm; sectie afm. B: 1100 mm; sectie afm. H: 4000 mm; aantal staanders: 3; aantal liggers: 12; aantal legborden: 6; totale afmeting L: 5720 mm; totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	100.00
© 711	1	2-section pallet shelve demontabel: ja; sectie afm. L: 2700 mm; sectie afm. B: 1100 mm; sectie afm. H: 4000 mm; aantal staanders: 3; aantal liggers: 12; aantal legborden: 6; totale afmeting L: 5720 mm; totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	100.00
712	1	lot of various radical sheet material	10.00
© 713	1	various furniture panels omschrijving: w.o. afm. ca. 1030x2800x10 mm; kleur: wengé/ berken; totaal ca. 25 platen;	10.00
©		sheet material B	
714	2	wooden sliding door element description: 1x dimensions . approx. 1385x2015x40 mm; 1x dimensions . approx. 3700x2015x40 mm; equipped with larch veneer;	10.00
715	1	wooden wall element description: dimensions . approx. 3025x2490x85 mm;	10.00
716	1	wooden framework description: dimensions . approx. 180x194 cm;	10.00
717	1	pallet of double baked wall tiles dimension L: 30 cm; dimension W: 20 cm; wall tiles: yes; description: 48 pack of 25 pieces;	10.00



Lot	Number	Description	Starting Bid €
718	1	pallet wall tiles brand: Villeroy & Boch ; dimension L: 20 cm; dimension W: 20 cm; wall tiles: yes; description: 46 pack of 25 pieces (46 m ²) ;	10.00
719	1	pallet wall tiles brand: Villeroy & Boch ; dimension L: 20 cm; dimension W: 20 cm; wall tiles: yes; description: 46 pack of 25 pieces (46 m ²) ;	10.00
720	1	lot of various floor and wall tiles description: "Sphinx"; "Porcelanosa"; "McTile" "Mosa"; "Grespania" on 5 pallets;	10.00
721	1	lot of various plastic facade elements brand: Zierer facade; description: including various jigsaw pieces (collection before 13:00 am);	10.00
722	1	lot of various laminate flooring description: (pick up before 1 p.m.);	10.00
© 723	1	Palletization geconstrueerd: ja; totale afmeting L: 8350 mm; totale afmeting B: 1050 mm; totale afmeting H: 2250 mm; omschrijving: exclusief inhoud (afhalen op 4 april tussen 09:00 en 16:00 uur);	10.00
724	6	mobile fluorescent fixture	10.00
725	1	double-sided carrier arm trolley total dimension L: 2100 mm; total dimension W: 850 mm; total dimension H: 1940 mm; description: equipped with nylon wheels of which two swivel casters;	10.00
726	1	double-sided carrier arm trolley total dimension L: 2100 mm; total dimension W: 850 mm; total dimension H: 1940 mm; description: equipped with nylon wheels of which two swivel casters;	10.00
727	1	single-sided glass / plate trolley dimension L: 2100 cm; dimension W: 850 cm; dimension H: 1965 cm; description: equipped with nylon wheels of which two swivel casters;	10.00
728	1	single-sided glass / plate trolley dimension L: 2100 cm; dimension W: 850 cm; dimension H: 1965 cm; description: equipped with nylon wheels of which two swivel casters;	10.00
729	1	single-sided glass / plate trolley dimension L: 2100 cm; dimension W: 850 cm; dimension H: 1965 cm; description: equipped with rubber wheels ;	10.00
730	1	double-sided carrying arm drying cart dimension L: 2000 cm; dimension W: 860 cm; dimension H: 2080 cm; description: equipped with nylon wheels of which two swivel casters;	10.00
731	1	double-sided carrying arm drying cart dimension L: 1280 cm; dimension W: 750 cm; dimension H: 2030 cm; description: equipped with 4 rubber castors;	10.00
732	4	steel undercarriage description: equipped with rubber wheels of which two swivel casters; including 8 jukstangen;	10.00
733	4	steel undercarriage description: equipped with rubber wheels of which two swivel casters; including 8 jukstangen;	10.00
734	2	steel undercarriage description: 1 equipped with rubber wheels of which two swiveling wheels, and one equipped with nylon wheels of which two swivel casters including 4 jukstangen;	10.00
735	1	electric rotation unit description: rotary pin dimensions . approx. 60x60x500 mm; N = 1 rev / min; equipped with remote control; 380/400 V; (Used for the turning of the lower frame of flats);	10.00
736	1	swing arm crane brand: DMK; type: Donati; hoist capacity: 500 kg; max. hoist height: 5 m; electric connection: 400 V; description: equipped with trolley and remote control;	10.00



Lot	Number	Description	Starting Bid €
737	1	single-girder underrun crane brand: Nitchi; type: ECT40050; year: 2015; serial number: 150243; hoist capacity: 500 kg; description: runway length approx. 14 meters;	100.00
738	1	tooling trolley	10.00
739	2	tooling box	10.00
740	5	various plastic hand tool case	10.00
741	1	various corrugated hupstukken	10.00
742	7	curved metal golplaat dimension L: 1100 mm; dimension W: 570 mm; description: colour black;	10.00
743	2	marble windowsill description: 1x dimensions . approx. 20x179x3 cm; 1x dimensions . approx. 40x166x3 cm 2 includes various wall cladding;	10.00
744	1	root cloth description: working width approx. 330 cm;	10.00
745	1	scaffolding net	10.00
746	10	roll of construction foil dimension W: 1800 mm; description: length approx. 830 meters per roll;	10.00
747	1	reinforcement mesh brand: STO; description: roll width approx. 110 cm; including various;	10.00
748	4	plastic chute dimension L: 1700 mm; description: width approx. 2x 250mm;	10.00
749	1	various masonry	10.00
750	1	various plastering materials description: incl. plaster contact; egalisatiepleister; decorative plaster; MP75; etc. etc. 4 pallets;	10.00
751	1	various cement mortars and description: incl. Dyckerhoff cement; 3 pallets;	10.00
752	20	bag grout brand: Remix; type: Voegmortel uitbloeiingsarm atraciet; description: including various incl. . "Omnicol" WD flex joint mortar; "Ardex" concrete repair mortar; etc. etc. 4 pallets;	10.00
753	1	various additives and various description: incl. dye; mixing oil; hamoline; cementsluiermverwijderaar etc. etc. 3 pallets;	10.00
754	12	bag of sand-lime brick summer glue brand: Cantillana; description: bag of 25 kg;	10.00
755	1	various plywood description: including various incl. fire retardant fibreboard ;	10.00
756	2	steel grid box dimension L: 1200 cm; dimension W: 800 cm; dimension H: 970 cm; description: incl. various wood;	10.00
757	2	wooden cable reel description: dimensions . approx. Ø 800x480 mm;	10.00
© 758	1	3-section pallet shelf demontabel: ja; sectie afm. L: 2700 mm; sectie afm. B: 1100 mm; sectie afm. H: 4000 mm; aantal staanders: 3; aantal liggers: 12; aantal legborden: 6; totale afmeting L: 8730 mm; totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	100.00
© 759	1	2-section pallet shelf demontabel: ja; sectie afm. L: 2700 mm; sectie afm. B: 1100 mm; sectie afm. H: 4000 mm; aantal staanders: 3; aantal liggers: 12; aantal legborden: 6; totale afmeting L: 5720 mm; totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	100.00
760	1	various dovetail plates brand: Lewis; description: incl. dimensions . approx. 1220x630x16 mm;	10.00
© 761	174	spruce slats rough 22x50 totale afmeting L: 5100 mm;	10.00



Lot	Number	Description	Starting Bid €
© 762	1	lot of fire planed omschrijving: w.o. kopmaat: 75x250 3x 5800 mm; 1x 5400 mm; 4x 4800 mm; kopmaat: 63x160 12x 3000 mm; inclusief diverse w.o. kopmaat: 38x89 6x 3900 mm;	10.00
© 763	1	lot of fire planed omschrijving: w.o. kopmaat: 75x175 2x 5400 mm; 3x 5100 mm; 4x 4200 mm; kopmaat: 50x200 3x 5400 mm; kopmaat: 44x150 14x 3900 mm; inclusief divers;	10.00
© 764	1	lot of various fire planed omschrijving: langste lengte ca. 3500 mm;	10.00
© 765	1	lot of fire planed 32x50 omschrijving: 75x 5400 mm; inclusief 100x 22x50 (panlat) 5100 mm;	10.00
© 766	1	lot of fire planed 38x223,5 omschrijving: 15x 5640 mm; 16x 5000 mm; 4x 4750 mm; 3x 3300 mm; 3x 3000 mm; inclusief divers;	10.00
© 767	1	lot of fire planed 75x250 omschrijving: 2x 9000 mm; 4x 6000 mm; 2x 5100 mm; 4x 4800 mm; 2x 3600 mm; 1x 4200 mm; 2x 2400 mm; inclusief 2x vuren geschaafd 75x275 6000 en 5700 mm;	10.00
© 768	1	lot of fire planed 38x228,5 omschrijving: 21x 3900 mm; 15x 3300 mm; 2x 4800 mm 3x 4200 mm;	10.00
© 769	1	lot of fires planed 38x120 and 32x50 omschrijving: kopmaat: 38x120 36x 5100 mm; kopmaat: 32x50 264x 4800 mm; 16x 5100 mm;	10.00
© 770	1	lot of fires rough and planed omschrijving: kopmaat: 100x200 2x 5400 mm; 1x 6600 mm 100x250 1x 4200 mm; 100x300 1x 6600 mm; inclusief divers ;	10.00
© 771	3	oak wood roof beams beams omschrijving: 2x afm. ca. 190x240x3120 mm; 1x 250x340x 2600/2850 mm;	10.00
© 772	1	lot of wooden wall elements omschrijving: o.a. afm. ca. 5000x1000 mm;	10.00
© 773	1	lot of various douglas omschrijving: balken; palen; planken; in diverse diktes en lengtes;	10.00
© 774	1	lot of various cladding omschrijving: w.o. eiken; red cedar; kunststof; langste lengte ca. 5000 mm;	10.00
© 775	1	lot of various fire wood bar omschrijving: w.o. kopmaat: 63x160 10x 4800 mm;	10.00
© 776	1	lot of various fire wood bar omschrijving: w.o. kopmaat: 50x75 24x 4800 mm;	10.00
© 777	1	lot of various fire wood bar omschrijving: w.o. kopmaat: 44x95 30x 4800 mm;	10.00
© 778	16	polarized wooden board omschrijving: langste lengte ca. 4100 mm;	10.00
© 779	1	various pine tongue and groove boards omschrijving: langste lengte ca. 5200 mm;	10.00
© 780	1	lot of various oak wood and Douglas timber omschrijving: langste lengte ca. 6200 mm;	10.00
© 781	1	lot of various red cedar cladding boards omschrijving: langste lengte ca. 3650 mm; incl. div. gevelbekleding, langste lengte ca. 6000 mm;	10.00
© 782	1	lot of various tongue and groove boards, profiles and various omschrijving: w.o. hard hout; uit 4 schappen; langste lengte ca. 6200 mm;	10.00
© 783	1	lot of red cedar buoy share omschrijving: langste lengte ca. 5600 mm; incl. divers;	10.00
© 784	1	lot of various gypsum boards omschrijving: afm. o.a. ca. 2600x1200x12,5 mm en 4200x600x9,5 mm;	10.00



Lot	Number	Description	Starting Bid €
© 785	1	lot of various red cedar omschrijving: o.a. schroten; langste lengte ca. 3700 mm;	10.00
© 786	1	lot of various beam timber omschrijving: langste lengte ca. 3300 mm; in stalen juk; incl. pallet rest hout;	10.00
© 787	1	lot of various red cedar cladding boards omschrijving: lengte ca. 1550 mm; ca. 80 planken;	10.00
© 788	1	douglas wooden balustrade totale afmeting L: 1900 mm; totale afmeting H: 750 mm; omschrijving: op pallet;	10.00
© 789	1	lot of div. wooden beams , boards and battens omschrijving: langste lengte ca. 2500 mm; op 2 pallets;	10.00
© 790	1	lot of various oak wood planks omschrijving: langste lengte ca. 2700 mm; op pallet;	10.00
© 791	1	lot of various oak wood planks omschrijving: langste lengte ca. 2700 mm; op pallet;	10.00
©		pine and various	
		end combination wood and sheet material	
792	10	galvanized steel Murfor brand: Bekeart; dimension W: 50 mm; length: 3050 mm; thickness: 4 mm;	10.00
© 793	1	double-sided removable cantilever racking system tweezijdig: ja; aantal staanders: 4; totale afmeting L: 4630 mm; totale afmeting B: 2860 mm; totale afmeting H: 4130 mm; omschrijving: draagarm lengte ca. 1300 mm; exclusief inhoud;	100.00
© 794	1	double-sided removable cantilever racking system tweezijdig: ja; aantal staanders: 4; totale afmeting L: 4720 mm; totale afmeting B: 3180 mm; totale afmeting H: 4130 mm; omschrijving: draagarm lengte ca. 1300 mm; exclusief inhoud;	100.00
© 795	1	double-sided removable cantilever racking system tweezijdig: ja; aantal staanders: 4; totale afmeting L: 4630 mm; totale afmeting B: 2860 mm; totale afmeting H: 4130 mm; omschrijving: draagarm lengte ca. 1300 mm; exclusief inhoud;	100.00
		various cantilever racks	
© 796	1	2-section pallet shelf demontabel: ja; aantal staanders: 3; aantal liggers: 12; aantal legborden: 6; totale afmeting L: 5730 mm; totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	100.00
		pallet hooks	
797	1	various window sill stone brand: Wienerberger; type: Terca; description: brown and black 160 and 215 mm;	10.00
798	1	lot of various roofing felt Singles description: color: green;	10.00
799	13	Roller bearings brand: IKO; dimension L: 2000 mm; dimension W: 100 mm;	10.00
800	1	various roof elementen	10.00
801	1	lot of various wall and floor tiles	10.00
802	1	concrete mixer	10.00
803	1	platenkar	10.00
804	1	platenkar	10.00
© 805	1	various EPS foundation formwork and sandwich boards omschrijving: w.o. "Isobouw" Powerkist;	10.00
© 806	1	various PIR insulation boards merk: Recticel; omschrijving: w.o. 7x 100 mm dik spouwplaat isolatie ;	10.00



Lot	Number	Description	Starting Bid €
807	1	140 and 100 mm wood fiber insulation merk: Pavatex; type: Pavaflex light; afmeting L: 1350 mm; afmeting B: 575 mm; omschrijving: 58x 140 mm; 42x 100 mm; inclusief harde isolatieplaten;	10.00
808	25	EPS cavity insulation merk: Kingspan; type: Unidek Polydek RE ; afmeting L: 1245 mm; afmeting B: 715 mm; afmeting H: 83 mm; omschrijving: totaal 25 m ² inclusief 17 platen EPS 200 vloerisolatie afm. ca. 1000x660x100 mm;	10.00
809	25	XPS cavity insulation merk: URSA; type: XPS P N 3; afmeting L: 1250 mm; afmeting B: 600 mm; omschrijving: 13x 60 mm; 14x 40 mm; 3x 80 mm dik;	10.00
810	1	flat roof PIR insulation plate (warm roof construction) merk: Recticel; type: Eurothane Bi-3 en Bi-4; afmeting L: 1200 mm; afmeting B: 600 mm; omschrijving: 18x 70 mm en 10x 50 mm dik; inclusief 1 pak Eurothane silver 81 mm dik en diverse zaagstukken ;	10.00
811	1	various PIR cavity wall insulation boards merk: IKON; type: Enertherm ALU ; afmeting L: 1200 mm; afmeting B: 600 mm; omschrijving: w.o. 24x 80 mm dik; 8x 60 mm dik; inclusief 8x "Kingspan" PIR spouw isolatieplaat afm. ca. 1200x600x107 mm; inclusief divers platen;	10.00
812	1	various EPS insulation boards merk: STO; afmeting L: 1000 mm; afmeting B: 500 mm; omschrijving: 18x 80 mm dik; 28x 210 mm dik;	10.00
813	1	insulated sheet piling merk: Isopan; omschrijving: afm. ca. 3200x1000x60 mm; (let op beschadigd) inclusief 2 zaagstukken;	10.00
814	5	roll nail flange blanket merk: Rockwool; type: 123; afmeting L: 6000 mm; afmeting B: 600 mm; afmeting H: 80 mm;	10.00
815	17	glass wool facade insulation board merk: Isovee; type: RKL-31 Facade ; afmeting L: 3000 mm; afmeting B: 1200 mm; afmeting H: 30 mm;	10.00
816	1	various exhibition stand walls	10.00
817	1	lot of tarpaulins description: approx. 20 pieces including various foil;	10.00
818	45	rock wool wall and floor insulation board merk: Rockwool; type: Boiwplaat 210; afmeting L: 1200 mm; afmeting B: 600 mm; afmeting H: 120 mm; omschrijving: totaal 32 m ² inclusief 4 pak "Rockwool" Rockfloor base 20 mm dik;	10.00
819	18	roll of non-combustible rock wool blanket merk: Paroc; type: PRO WIRED MAT 100 AL1; afmeting L: 8000 mm; afmeting B: 500 mm; afmeting H: 30 mm; omschrijving: totaal 144 m ² inclusief divers;	10.00
820	5	roll of glass wool insulation merk: Isover; type: Systemroll 700; afmeting L: 3050 mm; afmeting B: 1160 mm; afmeting H: 240 mm; omschrijving: totaal ca. 17 m ² ; inclusief 1 rol "Knauf" steenwol;	10.00
821	7	role of rock wool insulation merk: Knauf; type: Naturoll 037; afmeting L: 4600 mm; afmeting H: 140 mm; omschrijving: diverse breedtes en diktes;	10.00
822	6	role of rock wool insulation merk: URSA; type: Terra; afmeting L: 5400 mm; afmeting B: 1200 mm; afmeting H: 60 mm;	10.00
823	1	various machine parts	10.00
824	19	styrofoam insulation board merk: Dow; afmeting L: 1250 mm; afmeting B: 600 mm; afmeting H: 20 mm;	10.00
lot of various insulation material			



Lot	Number	Description	Starting Bid €
	825	4 aluminum partition wall dimension L: 160 cm; dimension H: 135 cm;	10.00
	826	3 roller container	10.00
	827	22 plastic pallet afmeting L: 600 mm; afmeting B: 400 mm;	10.00
	828	1 crafting table omschrijving: afm. ca. 1200x300x84 cm; v.v. stalen onderframe;	100.00
	829	1 crafting table omschrijving: afm. ca. 1200x300x84 cm; v.v. stalen onderframe;	100.00
	830	1 crafting table omschrijving: afm. ca. 1200x300x84 cm; v.v. stalen onderframe;	100.00
	831	3 trailer net omschrijving: inclusief disselslot en verloopstekker;	10.00
	832	3 trailer net	10.00
Ⓒ	850	1 lot of various electrical equipment omschrijving: w.o. diverse inbouwdozen; flexibele buis; spijkerclips etc. ;	10.00
Ⓒ	851	1 lot of various masonry hardware omschrijving: diverse spouwankers; kozijnankers; draadeinden; hijsogen; nagels; houtdraadbouten; volghaken; etc. etc. uit 4 vakken;	10.00
Ⓒ	852	1 lot of various masonry hardware omschrijving: diverse spouw prikankers; stormankers; gordinglassen; hijsogen; ruitkopnagels; houtdraadbouten; volghaken; etc. etc. uit 4 vakken;	10.00
Ⓒ	853	1 lot of various masonry hardware omschrijving: diverse; balkdragers; gordinglassen; vloerkozijnstrips; keilbouten; gordingnagels; duplexnagels; hijsogen; ruitkopnagels;; volghaken; etc. etc. uit 4 vakken;	10.00
Ⓒ	854	1 lot of various masonry hardware omschrijving: diverse keilbouten; gordingnagels; ruitkopnagels; balkhaken; hoekankers; vloerkozijnstrips; etc. etc. uit 4 vakken;	10.00
Ⓒ	855	1 lot of various masonry hardware omschrijving: diverse klikpanhaken; RVS golfplaatbouten; houtdraadbouten; leihaken; keilbouten; ruitkopnagels; vlecht materiaal. etc. uit 4 vakken;	10.00
Ⓒ	856	1 lot of diverse omschrijving: diverse w.o. oplegvilt; DPC folie; isolatieband; lateislabbe; EPDM; koudebrugstenen; dakmortel; ALU-band etc. etc. uit 5 bovenste schappen;	10.00
Ⓒ	857	1 various aluminum leinagels omschrijving: w.o. afm. ca. 3,8x60 mm; 3,8x70 mm; 3,8x80 mm;	10.00
Ⓒ	858	1 lot of various fasteners omschrijving: w.o. bouten; moeren; volgplaten; carrosserieringen; keilbouten en divers;	10.00
Ⓒ	859	1 lot of various fasteners omschrijving: w.o. (klisjes) nagels; bouten; moeren; volgplaten; carrosserieringen;	10.00
Ⓒ	860	1 lot of various fasteners omschrijving: w.o. draadnagels; bouten; RVS schroeven; haaknagels en divers;	10.00
Ⓒ	861	1 lot of diverse omschrijving: w.o. diverse tapes en plankband; verfkwasten/ rollers; stofmaskers; oorpluggen; handzeep; poetspapier; afbraamschijven en divers;	10.00
Ⓒ	862	1 lot of various emery cloth / band omschrijving: in diverse afmetingen en korrelgroottes;	10.00
Ⓒ	863	1 lot of various hinges and locks omschrijving: w.o. scharnieren; sluitplaatjes; inboorpaumelles;	10.00
Ⓒ	864	1 lot of various hinges and locks omschrijving: w.o. scharnieren; raamboompjes; deurkrukken; etc. etc.;	10.00



Lot	Number	Description	Starting Bid €
© 865	1	lot of various fasteners omschrijving: w.o. zelftapbouten; isolatieschroeven; koplozeschroeven; houtdraadbouten; inclusief divers;	10.00
© 866	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 867	1	lot of lifting straps lengte: 1000 mm; omschrijving: max. cap. 500 kg; totaal ca. 400 stuks;	10.00
© 868	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 869	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 870	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 871	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 872	1	lot of various chipboard screws merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 873	1	lot of various bolts and nuts merk: Würth; omschrijving: inclusief 40 kunststof grijpvoorraadbakjes ;	10.00
© 874	1	lot of various paints, coatings and various omschrijving: w.o. kopse sealer; grondverf; primer; onderhoudsolie; reinigingsmiddel en divers;	10.00
© 875	1	lot of various hinges and locks omschrijving: w.o. diverse sloten; deurschilden; sluitkommen etc. etc.;	10.00
© 876	1	lot of various hinges and locks omschrijving: w.o. diverse deurschilden; deurkrukken sluitkommen etc. etc.;	10.00
© 877	1	lot of various hinges and locks omschrijving: w.o. diverse sloten; deurschilden; sluitkommen etc. etc.;	10.00
© 878	1	lot of various hinges and locks omschrijving: w.o. diverse raamboompjes; raamuitzetters; sluitpoaatjes; wdeurschilden; deurkrukken scharnieren etc. etc.;	10.00
© 879	1	lot of various rock panel nails merk: Würth; omschrijving: in diverse afmetingen; inclusief divers;	10.00
© 880	1	various stone sills omschrijving: 2x lengte ca. 1050 mm; 3x lengte ca. 1110 mm;	10.00
© 881	1	lot of various chipboard screws merk: Technofast; omschrijving: in diverse afmetingen; inclusief zelftapbouten;	10.00
© 882	1	lot of diverse omschrijving: w.o. draadeinden; houtdraadbouten; draadnagels; etc. etc. ;	10.00
© 883	1	various kitchen technical material omschrijving: w.o. besteklade inleg; divers kantfineer; stelvoeten; kastdeurkommen; deurgrepen; etc. etc.;	10.00
© 884	1	lot of various door rail systems omschrijving: inclusief divers w.o. keukenkastscharnieren; muurroosters; magneetsnappers; etc. etc.;	10.00
© 885	1	various shelf supports	10.00
© 886	1	lot of various window vents merk: Duco; omschrijving: w.o. breedte ca. 500 mm; 2x 801 mm; 2x 901 mm;	10.00
© 887	1	lot of various rubber profiles omschrijving: w.o. "Deventer" dichtingsprofiel;	10.00
© 888	1	lot of various staples and nails	10.00
© 889	1	various nail roll nail omschrijving: o.a. "Senco" en "Haubold" w.o. 2,1x38 mm en RNCW 30/32;	10.00



Lot	Number	Description	Starting Bid €
© 890	1	lot of various staples and nails omschrijving: o.a. "Senco";	10.00
© 891	1	various nail roll nails, screws and staples tape omschrijving: o.a. "Senco" en "Haubold" w.o. 2,1x38 mm en RNCW 30/32;	10.00
© 892	1	various nail roll nail and tie screws omschrijving: o.a. "Senco" en "Haubold" w.o. 2,1x38 mm en RNCW 30/32;	10.00
© 893	1	lot of various staples omschrijving: o.a. "Senco";	10.00
© 894	1	lot of various staples, nails and screws strap omschrijving: o.a. "Senco";	10.00
© 895	1	tape screws and staples omschrijving: o.a. "Senco" duraspin 4,5x65 mm; "Technofast" 3,9x25/45 mm ;	10.00
© 896	1	lot of various staples omschrijving: o.a. "Senco";	10.00
© 897	1	various shoots nails merk: Senco;	10.00
© 898	1	various insulating tape and tapes omschrijving: inclusief maskingpapier;	10.00
© 899	1	various consumables omschrijving: w.o. primers; smeermiddelen; lakken; reinigingsmiddelen; kitten en oliën ;	10.00
© 900	17	purfoam omschrijving: inclusief 2 purpistolen;	10.00
© 901	22	roll of plastic mounting tape omschrijving: breedte ca. 50 mm;	10.00
© 902	2	roll of reinforcement mesh omschrijving: breedte ca. 100 cm;	10.00
© 903	1	various celband merk: Coroplast;	10.00
© 904	1	various tile and plastering materials omschrijving: inclusief divers;	10.00
© 905	1	primer and sealing paste merk: Kiwitz; type: PRM 110 en ADT 210; omschrijving: inclusief dichtingsfolie en divers;	10.00
© 906	1	plastic glass cubes merk: Silisto;	10.00
© 907	1	lot of various sealants and adhesives omschrijving: inclusief 2 houten vakkenkast afm. ca. 122x147x29 cm;	10.00
© 908	1	plastic cleaner merk: Schmits professional ; omschrijving: inclusief handstoffers en divers;	10.00
© 909	8	kit sleeve crate	10.00
© 910	1	lot of various pneumatically technical material omschrijving: inclusief stalen grijpvoorraadkast;	10.00
© 911	1	polyethylene sealing mat merk: Schlüter; type: Ditra 25; afmeting L: 30000 mm; afmeting B: 1000 mm; omschrijving: totaal ca. 50 m²; inclusief kantband ;	10.00
© 912	1	lot of various multi-point locks omschrijving: en diverse montage "Maco" draaikiep beslag;	10.00
© 913	1	lot of various (floor), ventilation ducts, and various merk: Ubbink; omschrijving: renovatie/ vloerventilatiekokers; dakdoorvoeren; nok en hoekkepperol; vogelschroten; dilatatie schuimband; etc. etc. ;	10.00
© 914	1	linoleum and vinyl roller omschrijving: werkbreedte ca. 380 mm;	10.00
© 915	5	marker board	10.00
© 916	1	reel 5-core ground cable	10.00



Lot	Number	Description	Starting Bid €
© 917	1	shower slope tile with drain omschrijving: afm. ca. 90x91 cm; (tegel beschadigt) ;	10.00
© 918	1	strapping set omschrijving: bestaande uit: omsnoerings band; omsnoerings tang; haspelwagen en sluitclips;	10.00
© 919	4	assortment system	10.00
© 920	1	toilet paper holder and brushes merk: Satino;	10.00
© 921	1	Pneumatic tacker merk: Duo fast; type: RN-32; omschrijving: inclusief divers; w.o. 2 bureau's ;	10.00
© 922	1	multicut saws and various omschrijving: w.o. boren; bitjes; zaagbladen; potloden;	10.00
© 923	15	adjustable pergola support	10.00
© 924	1	analog clock scale merk: Servo; omschrijving: max. cap. 100 kg;	10.00
© 925	1	various 18-lb sheet lead omschrijving: diverse afmetingen w.o.: 8x 100x277 cm; 7x 33x300 cm; 2x 40x300 cm; 1x 25x300 cm;	100.00
© 926	1	various sheet lead	10.00
© 927	1	lot of power (cut pieces)	10.00
© 928	1	lot of zinc (cut pieces)	10.00
©		warehouse stock A	
© 929	1	various tubes / pipes omschrijving: w.o. koper; staal; PVC; flexibele; meerlagenbuizen; etc. etc.;	10.00
© 930	1	gutter merk: Aco; omschrijving: afm. ca. 500x300x120 mm;	10.00
© 931	1	shower drain merk: Easy drain; type: Fixt 50; afmeting L: 600 mm; omschrijving: v.v. zijuitloop;	10.00
© 932	1	electric radiator heater merk: Enix; omschrijving: cap. 600 watt;	10.00
© 933	1	infrared heater merk: Daalderop; omschrijving: cap. 1500 watt;	10.00
© 934	1	various plumbing omschrijving: w.o. diverse fontijnen; toiletpotten en planchetten ;	10.00
© 935	1	expansion vessel merk: Plieger; omschrijving: cap. 18 liter;	10.00
© 936	1	lot of plant material omschrijving: w.o. "Uponor" perskoppelingen; mlc pers muurplaatbeugel "Comap" onderblokset; klemkoppelingen; afsluitplaat; divers aansluitgarnituur; etc. etc.;	10.00
© 937	1	lot of plant material omschrijving: w.o. "Uponor" pers kruisfittings; "Comap" onderblokset; inlaatcombinaties; thermostaatknoppen; onderblokken; (programmeerbare modulaire klok) thermostaten; radiatorbeugels. etc. etc.;	10.00
© 938	1	lot of plant material omschrijving: w.o. radiatorkranen; druk reduceerventielen; designradiatorklemmen; gaskogelkranen; rookgas pvc hulpstukken; diverse schroefkoppelingen; etc. etc.;	10.00
© 939	1	lot of flue material omschrijving: w.o. aluminium afdekkappen; buizen; doorvoeren; aluminium plakplaten; boldraadroosters; doorvoer aansluitstukken; inlaatcombinatie; van 9 schappen en uit rek;	10.00
© 940	1	lot of press fittings	10.00
© 941	1	lot of press fittings	10.00
© 942	1	lot of brass soldeerfittings	10.00
© 943	1	lot of brass compression fittings	10.00



Lot	Number	Description	Starting Bid €
© 944	1	lot of various faucets and mirrors omschrijving: inclusief divers; van 4 schappen;	10.00
© 945	1	frost-resistant faeces merk: Bonfix; omschrijving: van 4 schappen;	10.00
© 946	1	lot of various faucets and plumbing material	10.00
© 947	1	lot of various sanitary (technical) material omschrijving: w.o. badkamer garnituur; afvoeren; etc.; uit 1 sectie stelling;	10.00
© 948	1	lot of various sanitary-engineering omschrijving: w.o. koppelingen; thermostaten; uit 1 sectie stelling;	10.00
© 949	1	lot of brass couplings omschrijving: w.o. kogelkranen; T-stukken; kniestukken; verlopen; etc.; incl. stalen grijpvoorraadkast, afm. ca. 100x20x195 cm;	10.00
© 950	1	lot of construction and mounting omschrijving: w.o. koperen en aluminium nagels; schroeven en div.; uit 1 sectie stelling;	10.00
© 951	1	lot of various PVC material omschrijving: w.o. bochten; T-stukken; Y-stukken; moffen; klemmen; etc.; incl. 6 houten grijpvoorraadbakken;	10.00
© 952	8	various lead roof duct omschrijving: van 1 schap;	10.00
© 953	1	lot of various PVC omschrijving: van 3 schappen;	10.00
© 954	1	lot of various rainwater pipe fitting material omschrijving: w.o. "Walraven"; van 2 schappen;	10.00
© 955	1	lot of various zinc drainpipe and poured material omschrijving: van 2 schappen;	10.00
© 956	1	lot of various steel gutter brackets omschrijving: van 2 schappen;	10.00
© 957	9	various role EPDM adhesive seam tape merk: Mawipex; type: Quickseam; omschrijving: o.a. 6" en 18";	10.00
© 959	1	Boiler merk: itho daalderop; type: Close-in 10;	10.00
© 960	1	lot of various sink drainpipe, gutters and various omschrijving: langste lengte ca. 3 mtr; van schap en uit plafondrek;	10.00
© 961	1	lot of various copper drainpipe, gutters and various omschrijving: langste lengte ca. 3 mtr;	10.00
© 962	1	radiator horizontaal: ja; totale afmeting B: 1000 mm; totale afmeting H: 600 mm;	10.00
© 963	1	convactor radiator horizontaal: ja; totale afmeting B: 1000 mm; totale afmeting H: 200 mm;	10.00
© 964	1	design radiator verticaal: ja; totale afmeting B: 600 mm; totale afmeting H: 1300 mm;	10.00
© 965	1	design radiator merk: inex; verticaal: ja; totale afmeting B: 600 mm; totale afmeting H: 1170 mm;	10.00
© 966	1	radiator merk: Thermrad; type: compact 4; horizontaal: ja; totale afmeting B: 800 mm; totale afmeting H: 600 mm;	10.00
© 967	1	various studded panels	10.00
© 968	1	various fluorescent fixtures omschrijving: van 2 schappen;	10.00
© 969	1	various rolls grounding wire and box clamps	10.00
© 970	1	lot of various ground cable omschrijving: van 3 schappen;	10.00



Lot	Number	Description	Starting Bid €
© 971	1	lot of various enclosures omschrijving: uit 1 sectie stelling;	10.00
© 972	1	lot of various spotlights, lamps, etc. omschrijving: van 2 schappen;	10.00
© 973	1	lot of various plant wire and electric cable	10.00
© 974	1	lot of various electrical switchgear omschrijving: o.a. "Peha"; uit 1 sectie stelling;	10.00
© 975	1	lot of various electrical equipment omschrijving: o.a. led-strip op rol; verwarmingskabel; div. schakelmateriaal; van 3 schappen;	10.00
© 976	1	lot of various electrical equipment omschrijving: w.o. inbouwdozen en elektrakabel; van 1 schap;	10.00
© 977	1	lot of various power current plugs omschrijving: van 2 schappen;	10.00
© 978	1	lot of various cable lugs, crimpers and stee class terminals omschrijving: van 1 schap;	10.00
© 979	1	lot of various electrical switchgear omschrijving: o.a. "Peha"; van 2 schappen;	10.00
© 980	1	lot of various power current plugs omschrijving: van 1 schap;	10.00
© 981	1	lot of various electrical equipment omschrijving: w.o. opbouwdozen, leidingklemmen, serieschakelaars, etc.; van 3 schappen;	10.00
© 982	1	lot of various installation wire, UTP cable and flex. PVC tube	10.00
© 983	1	steel 2-door workshop cabinet with content afmeting L: 42 cm; afmeting B: 100 cm; afmeting H: 195 cm; omschrijving: inhoud o.a. RVS waterpomp; div. verbruiksmiddelen; etc.;	10.00
© 984	1	steel 2-door workshop cabinet with content afmeting L: 42 cm; afmeting B: 100 cm; afmeting H: 195 cm; omschrijving: inhoud o.a. elektro motor; div. verbruiksmiddelen; accu; etc.;	10.00
© 985	1	box various abrasives	10.00
© 986	1	copper and zinc dilatation tape omschrijving: breedte ca. 345 mm en 295 mm;	10.00
© 987	1	box of zinc solder with soldering set merk: Felder; omschrijving: incl. karweibrander;	10.00
© 988	1	meter cupboard base plates	10.00
© 989	1	thermostatic sliding bar set merk: Grohe ; type: Grohtherm 1000 / tempesta 100;	10.00
© 990	1	2-Stone tool sharpener merk: Creusen; aansluiting: 230 V;	10.00
© 991	4	steel pole leveling foot afmeting L: 160 mm; afmeting B: 160 mm; afmeting H: 400 mm;	10.00
© 992	1	Bucket of wood glue merk: Ivana; type: Houtlijm D4 2K; omschrijving: inh. 9,5 kg;	10.00
© 993	1	workplace office with mobile office chair omschrijving: v.v. 2-ladenblok;	10.00
©		warehouse stock B	
© 994	6	storage rack section demonabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 60; aantal legborden: 30; omschrijving: (excl. inhoud) (let op! afhalen 9-4-2019, 9.00 uur);	10.00



Lot	Number	Description	Starting Bid €
© 995	6	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 60; aantal legborden: 30; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 996	6	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 60; aantal legborden: 30; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 997	6	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 64; aantal legborden: 32; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 998	5	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 6; aantal liggers: 50; aantal legborden: 25; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 999	5	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 6; aantal liggers: 50; aantal legborden: 25; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 1000	6	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 60; aantal legborden: 30; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 1001	6	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 7; aantal liggers: 60; aantal legborden: 30; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 1002	7	storage rack section demontabel: ja; sectie afm. L: 1250 mm; sectie afm. B: 600 mm; sectie afm. H: 2240 mm; aantal staanders: 8; aantal liggers: 70; aantal legborden: 35; omschrijving: (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	10.00
© 1003	1	cantilever racking system enkelzijdig: ja; aantal staanders: 6; totale afmeting L: 5300 mm; totale afmeting B: 700 mm; totale afmeting H: 3000 mm; omschrijving: demontabel; (excl. inhoud) (let op! afhaken 9-4-2019, 9.00 uur);	100.00
©		storage racks	
		end combination of warehouse stock and racks	
1004	1	air compressor merk: Teunis; type: K25-270 CT5,5 ; jaar: 2017; capaciteit: 11 bar; vermogen: 5,5 kW; buffertank inhoud: 270 l; aansluiting: 400 V;	100.00
1005	1	panic closure brand: Cisa;	10.00
1006	3	extension cord brand: Botec; electric connection: 230 V; length: 10 m;	10.00
1007	1	"uponor" press jaw brand: Unipipe; type: Type 32;	10.00
1008	13	several blades description: incl. . "Festool" 225x2,6x30; "Makita"; "DeWalt" ;	10.00
1009	1	conduit insulation Numaco, Climaflex XT , brand: NMC; type: Climaflex XT ; description: diam. 22-13 mm; length approx. 1950 mm;	10.00



Lot	Number	Description	Starting Bid €
1010	1	various shovels and various merk: Panhans; type: 335A; jaar: 2002; serienummer: 2643; werkbreedte: 510 mm; mesbreedte: 510 mm; tafel afmeting L: 2860 mm; tafel afmeting B: 510 mm; hoekinstelling (graden): 45; aansluiting: 400 V; machinegewicht: 1050 kg; omschrijving: v.v. freesgeleider en -beveiliging; digitale uitlezing; afzuigleiding (tot eerste afsluiter); incl. extra messen;	10.00
1011	7	various job merk: Panhans; type: 436; jaar: 2002; serienummer: 436; werkbreedte: 6250 mm; werkhoogte: 2500 mm; doorvoersnelheid: 14 m/min; digitale uitlezing: ja; aansluiting: 400 V; machinegewicht: 700 kg; omschrijving: v.v. uitvoertafel en afzuiging (tot eerste afsluiter); incl. extra messen;	10.00
1012	8	various job merk: Vertongen; type: PENTHO C3 ; jaar: 2001; serienummer: 041101; aantal assen: 4; aantal freesassen: 3; freesas : 40 mm; aantal zaagassen: 1; materiaalklemmen: ja; aansluiting: 400 V; omschrijving: v.v. pneumatische klemminrichting en afzuiging (t/m broekstuk);	10.00
1013	2	For hammer merk: Bütfering; type: Super 111L; jaar: 2002; serienummer: 69808; werkbreedte: 1100 mm; schuurhoogte max.: 150 mm; schuurband afm. L: 1900 mm; schuurband afm. B: 1120 mm; doorvoersnelheid: 8 m/min; aansluiting: 400 V; machinegewicht: 1500 kg; omschrijving: v.v. digitale uitlezing; uitvoerrollenbaan, afm. ca. 1230x1050 mm;	10.00
1014	2	wooden pole hammers merk: SAC; type: TS.110; serienummer: 88122; tafel afmeting L: 900 mm; tafel afmeting B: 1100 mm; spil : 40 mm; spilhoogte: 150 mm; aantal snelheden: 4; snelheid van N =: 2800 rpm; snelheid tot N =: 10000 rpm; aansluiting: 380 V; omschrijving: v.v. "Holzher" 4-rollen doorvoerapparaat, type: 1112; "Aigner" freesgeleider/-beveiliging; aan- en afvoerrollenbaan, afm. ca. 1000/2000x250 mm; afzuigbroekstuk (tot eerste afsluiter); inclusief. diverse. toebehoren;	10.00
1015	2	edge trimmers merk: Frickler; type: Monster; tafel afmeting L: 900 mm; tafel afmeting B: 970 mm; spil : 40 mm; spilhoogte: 160 mm; aantal snelheden: 4; snelheid van N =: 3000 rpm; snelheid tot N =: 9000 rpm; aansluiting: 380 V; omschrijving: v.v. "Univer" 3-rollen doorvoerapparaat, type: 508; "Aigner" freesgeleider/-beveiliging; aan- en afvoerrollenbaan, afm. ca. 1000/2000x250 mm; afzuigbroekstuk (tot eerste afsluiter); inclusief. diverse. toebehoren;	10.00
1016	10	shaving stick merk: Panhans; type: BSB900; uitlading (discharge): 870 mm; tafel afmeting L: 1010 mm; tafel afmeting B: 835 mm; zaagblad afm. L: 6200 mm; aansluiting: 400 V; machinegewicht: 700 kg; afmeting L: 1700 mm; afmeting B: 850 mm; afmeting H: 2700 mm; omschrijving: max. zaaghoogte: 600 mm; zaagtafel 45° verstelbaar; v.v. zaaggeleide; zaagbeveiliging en afzuigslang (tot eerste afsluiter); inclusief 2 extra zaagbanden;	10.00
1017	1	lot of hunnebedblokjes and spacers description: including insulation dishes and insulation plates;	10.00
1018	1	lot of various brooms merk: Lasm; type: NTS150B; jaar: 1995; serienummer: 2175276; werkbreedte: 1150 mm; schuurband afm. B: 150 mm; aansluiting: 380 V; omschrijving: schuurband in hoogte verstelbaar; tafel afm. ca. 950x300 mm; kopschuurtafel afm. ca. 300x400 mm;	10.00
1019	1	various foam extinguishers on premises description: vv various wall brackets;	10.00
1020	1	lot of various mounting hardware merk: Italpresse; type: SBH3x2; serienummer: 1367; verticaal: ja; afmeting L: 3000 mm; afmeting H: 2000 mm; aantal hydraulische perscilinders: 5; met hydroliek pomp: ja; aansluiting: 380 V; afmeting L: 3700 mm; afmeting B: 1100 mm; afmeting H: 2900 mm;	10.00
1021	1	gas release lamp Vetec, brand: Vetec; description: including various;	10.00



Lot	Number	Description	Starting Bid €
1022	2	steel single door control cabinet total dimension L: 800 mm; total dimension W: 260 mm; total dimension H: 1000 mm;	10.00
1023	1	various plastic bins merk: Multi-Filli; type: OMB1 V; serienummer: 890229; steekdiepte: 180 mm; aantal snelheden: 1; snelheid tot N =: 2830 rpm; tafel afmeting L: 2860 mm; tafel afmeting B: 140 mm; aansluiting: 380 V; omschrijving: v.v. pneumatische kleminrichting; incl. 7 steekbeitels;	10.00
1024	1	sundry description: incl. handsaws; drilling;	10.00
1025	1	plastic gutter description: longest length approx. 390 cm; including various attachments;	10.00
1026	1	lot of various mounting hardware omschrijving: langste lengte ca. 400 cm; inclusief diverse hulpstukken;	10.00
1027	7	various wooden steal merk: Strands; type: S68; boorcapaciteit: 16 mm; aantal snelheden: 8; spindelsnelheid van N =: 100 rpm; spindelsnelheid tot N =: 1360 rpm; boordiepte: 130 mm; uitlading (discharge): 255 mm; opname MC: 2; tafel afmeting L: 680 mm; tafel afmeting B: 1040 mm; aansluiting: 380 V;	10.00
1028	7	various wooden steal merk: Maggi; type: Junior 640; jaar: 2002; serienummer: 54310764; zaagblad : 350 mm; uitlading (discharge): 640 mm; lengte aanvoerrollenbaan: 4500 mm; lengte uitvoerrollenbaan: 5200 mm; zaaghoogte: 110 mm; verstek: ja; tafel afmeting L: 670 mm; tafel afmeting B: 1580 mm; motorvermogen: 3 kW; aansluiting: 400 V; omschrijving: v.v. 2x materiaal lengte aanslag lineaal, lengte ca. 5350 en 6000 mm;	10.00
1029	16	Fluorescent Wiring accessories various Norton, brand: Norton; description: 7x 2/36 watts; 9x 2/58 watts; inclusions various fluorescent lamps;	10.00
1030	1	mobile storage box description: dimensions . approx. 150x65x104 cm; including wallpaper adhesive device;	10.00
1031	1	mobile 2-door workshop cupboard merk: Tubro; type: 4CV4/4 TRP; jaar: 1994; capaciteit: 4788 m³/hr; motorvermogen: 5,5 kW; aansluiting: 380 V;	10.00
1032	1	forklift truck extension spoons description: length approx. 150 cm ;	10.00
1033	1	forklift truck extension spoons description: length approx. 230 cm ;	10.00
1034	2	roof rack set merk: Ingersoll Rand ; type: R7.5i-A101; jaar: 2015; serienummer: UVC1007139; capaciteit: 10 bar; luchtstroom: 960 l/min; vermogen: 7,5 kW; afgelezen urenstand: 4111; aansluiting: 400 V; totale afmeting L: 690 mm; totale afmeting B: 960 mm; totale afmeting H: 1190 mm; omschrijving: (op 1e verdieping);	10.00
1035	8	wall mounting material long brace merk: Renner; type: RS9.0; jaar: 2001; serienummer: 3862; capaciteit: 10 bar; luchtstroom: 1090 l/min; vermogen: 9 kW; buffertank inhoud: 250 l; afgelezen urenstand: 16859; luchtdroger: ja; aansluiting: 380 V; totale afmeting L: 620 mm; totale afmeting B: 1350 mm; totale afmeting H: 1450 mm; omschrijving: LET OP! compressor brandschade, droger en buffertank zijn goed (op 13 verdieping);	10.00
1036	4	propane gas bottle Absaar, brand: Aantargaz; description: including 2 various burners;	10.00
1037	1	plateau cart total dimension L: 2000 mm; total dimension W: 1000 mm; description: vv tires;	10.00
1038	1	plateau cart total dimension L: 2000 mm; total dimension W: 1000 mm; description: equipped with full rubber wheels;	10.00



Lot	Number	Description	Starting Bid €
1039	1	shower cabin Nicoll , brand: Novellini; total dimension L: 840 mm; total dimension W: 900 mm; total dimension H: 1840 mm;	10.00
1040	1	side wall shower cubicle brand: Bruynzeel; total dimension W: 900 mm; total dimension H: 1850 mm; description: 1 including various;	10.00
1041	1	shower cabin Sanibroyeur , Duka 1500 glass, brand: Sealskin; type: Duka 1500 glass; total dimension L: 900 mm; total dimension W: 860 mm; total dimension H: 1850 mm;	10.00
1042	1	shower cabin Neoperl , brand: Neoperl ; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1750 mm;	10.00
1043	1	glass shower side wall ABU , C110 glass, brand: Sealskin; type: C110 glass; total dimension L: 900 mm; total dimension W: 860 mm; total dimension H: 1850 mm;	10.00
1044	1	polyester shower tray total dimension L: 900 mm; total dimension W: 900 mm;	10.00
1045	1	polyester shower tray total dimension L: 900 mm; total dimension W: 900 mm;	10.00
1046	1	steel shower tray total dimension L: 900 mm; total dimension W: 900 mm;	10.00
1047	1	hook merk: DeWalt; type: DW703; omschrijving: zaagblad, Ø ca. 250 mm; 3x verstek;	10.00
1048	3	wooden trestle dimension W: 260 cm; dimension H: 92 cm;	10.00
1049	8	wooden trestle dimension W: 110 cm; dimension H: 88 cm; description: incl. 2 steel trestles;	10.00
1050	8	wooden trestle dimension W: 110 cm; description: height approx. 70-88 cm;	10.00
1051	8	wooden trestle dimension W: 110 cm; description: height approx. 88 cm;	10.00
1052	8	wooden trestle dimension W: 110 cm; description: height approx. 88 cm;	10.00
1053	3	electrical heater type: Flair; description: ceiling mounted;	10.00
1054	4	loudspeaker (wide range) brand: TOA; type: CS-304; capacity: 330 Ω; power: 30 W; electric connection: 100 V; description: (note: depending on approx. 5 m height) ;	10.00
1055	6	loudspeaker (wide range) brand: TOA; type: CS-304; capacity: 330 Ω; power: 30 W; electric connection: 100 V; description: (note: depending on approx. 5 m height) ;	10.00
1056	1	lot of steel propeller struts description: including length approx. 2400 mm;	10.00
1057	2	flexible drainage pipe description: incl. 2x plastic gas pipe;	10.00
1058	1	3-part bending iron set merk: DeWalt; type: DW700; omschrijving: zaagblad, Ø ca. 216 mm; 3x verstek;	10.00
1059	1	3-part bending iron set merk: Makita; type: 5903R;	10.00
1060	1	pressure gauge Euroindex, S240i, brand: Euroindex; type: S240i;	10.00
1061	1	various bending and tension springs and various merk: Skilsaw; type: 1525H;	10.00



Lot	Number	Description	Starting Bid €
1062	1	various steel gratings merk: Holzher; type: 2120 0000;	10.00
1063	2	Stone wheelbarrow merk: Elu; type: DS140; omschrijving: v.v. stalen koffer;	10.00
1064	3	Stone wheelbarrow merk: Makita; type: JR3050T; met koffer: ja; aansluiting: 230 V;	10.00
1065	5	various mobile workshop table description: equipped with brakes; incl. 2 wooden mobile bins;	10.00
1066	2	steel wheelbarrow	10.00
1067	2	steel wheelbarrow brand: Matador;	10.00
1068	1	lot of various wheelbarrow wheels	10.00
1069	1	galvanized steel waste trolley total dimension L: 1250 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: incl. content;	10.00
1070	1	various mortar tubs and various buckets	10.00
1071	1	steel waste bag holder	10.00
1072	1	lot of bathing wood description: incl. mobile container with residual wood;	10.00
1073	1	lot of bathing wood	10.00
1074	19	wooden masonry profile description: longest length approx. 3250 mm;	10.00
1075	45	wooden masonry profile description: length approx. 2950 mm;	10.00
1076	34	wooden masonry profile description: length approx. 2950 mm;	10.00
1077	24	wooden masonry profile description: length approx. 2950 mm;	10.00
1078	24	aluminum masonry profile description: length approx. 2950 mm;	10.00
1079	40	aluminum masonry profile description: length approx. 2950 mm;	10.00
1080	40	aluminum masonry profile description: length approx. 2950 mm;	10.00
1081	16	steel folding trestles dimension H: 1400 mm;	10.00
1082	15	steel folding trestles dimension H: 1400 mm;	10.00
1083	15	steel folding trestles dimension H: 1400 mm;	10.00
1084	15	steel folding trestles dimension H: 1400 mm;	10.00
1085	26	steel folding trestles dimension H: 500 mm; description: incl. 8x900 mm and 2 wooden trestles;	10.00
1086	8	various hardwood entrance staircase	10.00
1087	1	lot of various beam timber in galvanized steel stapeljuk description: longest length approx. 5 mtr;	10.00
1088	1	lot of various beam timber in galvanized steel stapeljuk description: longest length approx. 5 mtr;	10.00
1089	1	lot of various beam-and residual wood description: on 5 pallets;	10.00
1090	1	lot of various beam-and residual wood description: longest length approx. 5 m; in two steel yokes;	10.00



Lot	Number	Description	Starting Bid €
1091	14	heavy-duty tire on steel screw-rim tyre size: 18x5,5; description: incl. . "Goodyear";	10.00
1092	30	heavy-duty tire on steel screw-rim tyre size: 18x5,5; description: incl. . "Goodyear";	10.00
1093	30	heavy-duty tire on steel screw-rim tyre size: 18x5,5; description: incl. . "Goodyear";	10.00
1094	30	heavy-duty tire on steel screw-rim tyre size: 18x5,5; description: incl. . "Goodyear";	10.00
1095	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1096	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1097	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1098	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1099	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1100	35	galvanized steel screw punch galvanized: yes; with steel rack: yes; description: incl. extended length approx. 350 cm and 300 cm;	10.00
1101	20	galvanized steel screw braces description: incl. 3 handrails;	10.00
1102	1	lot of galvanized steel stamping feet	10.00
1103	1	galvanized steel glass stillages brand: Kmh; dimension L: 200 cm; dimension W: 118 cm; dimension H: 195 cm; description: single sided;	10.00
1104	1	galvanized steel glass stillages brand: Göbel; type: A335; load capacity: 2000 kg; dimension L: 300 cm; dimension W: 120 cm; dimension H: 290 cm; own weight: 170 kg; description: double sided;	10.00
1105	1	galvanized steel glass stillages brand: Hegla; type: GS 115; year: 2006; load capacity: 2000 kg; dimension L: 220 cm; dimension W: 100 cm; dimension H: 240 cm; own weight: 140 kg; description: double sided;	10.00
1106	1	galvanized steel glass stillages brand: Hegla; type: GS 115; year: 2006; load capacity: 2000 kg; dimension L: 220 cm; dimension W: 100 cm; dimension H: 240 cm; own weight: 140 kg; description: double sided;	10.00
1107	1	galvanized steel glass stillages dimension L: 220 cm; dimension W: 113 cm; dimension H: 220 cm; description: double sided;	10.00
1108	1	galvanized steel glass stillages dimension L: 250 cm; dimension W: 125 cm; dimension H: 270 cm; description: double sided;	10.00
1109	1	steel glassbug brand: Hegla; type: GH60S; load capacity: 1500 kg; dimension L: 220 cm; dimension W: 80 cm; dimension H: 240 cm; own weight: 170 kg; description: double sided;	10.00



Lot	Number	Description	Starting Bid €
1110	1	steel glassbug brand: FGL; type: FGL-A; load capacity: 1500 kg; dimension L: 200 cm; dimension W: 100 cm; dimension H: 225 cm; description: double sided;	10.00
1111	1	steel glassbug brand: FGL; type: FGL-A-208-217; year: 2017; load capacity: 2000 kg; dimension L: 200 cm; dimension W: 100 cm; dimension H: 225 cm; own weight: 119 kg; description: double sided;	10.00
1112	1	steel glassbug brand: FGL; type: FGL-A; load capacity: 1500 kg; dimension L: 200 cm; dimension W: 100 cm; dimension H: 240 cm; description: double sided;	10.00
1113	1	galvanized steel glass stillages brand: DEA; type: A-H1S-0343; year: 2016; load capacity: 1500 kg; dimension L: 120 cm; dimension W: 80 cm; dimension H: 230 cm; own weight: 115 kg; description: double sided; incl. glass;	10.00
1114	1	steel glassbug brand: SMT; type: GTG-L; year: 2007; load capacity: 1000 kg; dimension L: 110 cm; dimension W: 80 cm; dimension H: 135 cm; description: single sided;	10.00
1115	1	lot of various wood waste description: in big-bag and wooden case;	10.00
1116	1	lot of various wood waste description: in 2 steel gitter boxes;	10.00
1117	1	lot of various wood waste description: in 2 steel gitter boxes;	10.00
1118	1	lot of various wood waste description: in 4 steel stacking bins;	10.00
© 1119	17	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	10.00
© 1120	12	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	10.00
© 1121	16	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	10.00
© 1122	32	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	10.00
© 1123	32	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	10.00
© 1124	32	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe; incl. 5x juk, 950 mm hoog;	10.00
© 1125	55	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	100.00
© 1126	55	galvanized steel H-scaffold part gegalvaniseerd: ja; totale afmeting B: 1600 mm; totale afmeting H: 1400 mm; omschrijving: v.v. gegalvaniseerd stalen transportframe;	100.00
© 1127	1	lot of scaffolding couplings gegalvaniseerd: ja; omschrijving: in gegalvaniseerd stalen stapelbak, afm. ca. 100x80x60 cm;	10.00



Lot	Number	Description	Starting Bid €
© 1128	1	lot of scaffolding couplings gegalvaniseerd: ja; omschrijving: in gegalvaniseerd stalen stapelbak, afm. ca. 100x80x60 cm;	10.00
© 1129	1	lot of scaffolding couplings gegalvaniseerd: ja; omschrijving: in gegalvaniseerd stalen stapelbak, afm. ca. 100x80x60 cm;	10.00
© 1130	1	lot of scaffolding couplings and tube gegalvaniseerd: ja; omschrijving: in gegalvaniseerd stalen stapelbak (3x), afm. ca. 100x80x60 cm;	10.00
© 1131	44	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 5250 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 3100x750x550 mm;	10.00
© 1132	24	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 6000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 3100x750x550 mm;	10.00
© 1133	48	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 6000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 3100x750x550 mm;	10.00
© 1134	56	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 6000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 3100x750x550 mm;	100.00
© 1135	54	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 3000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 1250x750x350 mm;	100.00
© 1136	115	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 2000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 1400x800x870 mm;	100.00
© 1137	114	galvanized steel scaffolding tube gegalvaniseerd: ja; omschrijving: langste lengte ca. 2000 mm; in gegalvaniseerd stalen stapeljuk, afm. ca. 1400x800x870 mm;	100.00
batch of various scaffolding material			
1138	1	concrete skipper	10.00
1139	1	steel concrete bucket dimension L: 2100 mm; dimension W: 1080 mm; dimension H: 500 mm;	10.00
1140	50	scaffolding board (canned) dimension L: 5000 mm; dimension W: 200 mm; dimension H: 32 mm; wood: yes;	10.00
1141	50	scaffolding board (canned) dimension L: 5000 mm; dimension W: 200 mm; dimension H: 32 mm; wood: yes;	10.00
1142	20	scaffolding board (canned) dimension L: 5000 mm; dimension W: 200 mm; dimension H: 32 mm; wood: yes;	10.00
1143	1	lot of scaffolding boards dimension W: 200 mm; dimension H: 32 mm; wood: yes; description: various lengths; longest length approx. 5000 mm;	10.00
1144	1	various steel lifting equipment dimension L: 2300 mm;	10.00
1145	1	lot of various profiled meranti decking description: longest length approx. 4.5 mtr;	10.00
1146	1	lot of various wooden formwork equipment description: longest length approx. 4.9 mtr;	10.00
1147	1	lot of various wood-based panels description: including 2440x1220 mm;	10.00
1148	1	steel IPE profile / beam total dimension L: 11500 mm; total dimension W: 180 mm; total dimension H: 170 mm;	10.00



Lot	Number	Description	Starting Bid €
1149	1	galvanized steel hoeklatei total dimension L: 2670 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: thickness of approx. 10 mm;	10.00
1150	2	steel columns total dimension L: 2420 mm; total dimension W: 220 mm; total dimension H: 210 mm; description: thickness: 10 mm; incl. profile IPE / beam dimensions . approx. 2820x180x170 mm;	10.00
1151	1	lot of various IPE beams and U-shaped beams description: longest length approx. 6300 mm;	10.00
1152	1	lot of steel tile profile sheets description: approx. 14 pieces; incl. dimensions . approx. 5800x1200 mm ;	10.00
1153	2	steel corner lintels with flood defense total dimension L: 2200 mm; total dimension W: 130 mm; total dimension H: 90 mm; description: thickness of approx. 4 mm;	10.00
1154	1	lot of various stalton lintels description: longest length approx. 3500 mm; incl. head diameter 100x60 mm; incl. concrete lintel, dimensions . approx. 150x60x3400 mm;	10.00
1155	1	lot of various baddinghout description: longest length approx. 5 mtr;	10.00
1156	5	concrete sandwich floor beam description: longest length approx. 3300 mm; height approx. 160 mm;	10.00
1157	2	used garden doors	10.00
1158	12	various wooden ladder	10.00
1159	1	lot of various steel profiles description: longest length approx. 1300 mm;	10.00
1160	1	lot of various steel profiles description: longest length approx. 3300 mm;	10.00
1161	1	galvanized steel construction well	10.00
1162	1	lot of steel support beams total dimension L: 2000 mm; total dimension H: 60 mm; description: incl. div. reinforced steel ; at approx. 4 pallets and in plastic tub;	10.00
1163	1	lot of div. steel ramps description: dimensions . approx. 4200x500 mm; incl. pallet perforated track plates , dimensions . approx. 3000x400 mm, couplable;	10.00
1164	1	lot of various PVC tubes description: longest length approx. 5 mtr;	10.00
1165	1	lot of various wooden planks description: longest length approx. 5 mtr;	10.00
1166	1	lot of various bricks description: at approx. 10 pallets;	10.00
1167	1	lot of various snelbouw- and porizostenen description: about 15 pallets;	10.00
1168	1	lot of various calcareous sandstone blocks description: incl. M100 / 240 and chamfered; at approx. 11 pallets;	10.00
1169	1	lot of various steel cladding / profile plates description: including dimensions . approx. 1150x610 mm;	10.00
1170	1	lot of div. roofing tiles description: incl. 180 "Wienerberger" Coramic pans, type : Narvik; ridge tile pallet pans and baffles efforts;	10.00
1171	1	lot of div. reinforced steel	10.00
1172	1	slider pull-up waste containers description: dimensions . approx. 5450x2400x1850 mm; incl. content , incl. various wood waste;	10.00



Lot	Number	Description	Starting Bid €
1173	1	purchased car brand: Tuinte; dimension L: 4100 mm; dimension W: 2150 mm; dimension H: 2600 mm; number of doors: 1; number of windows: 5; slow traffic: yes; description: (beware! flat tire) ;	10.00
1174	1	purchased car brand: Weiro; type: Sinus 350; dimension L: 4100 mm; dimension W: 2150 mm; dimension H: 2600 mm; number of doors: 1; number of windows: 1; slow traffic: yes; description: incl. div. canteen furniture;	10.00
1175	2	(galvanized) steel hose material yokes total dimension L: 6000 mm; total dimension W: 750 mm; total dimension H: 650 mm;	10.00
1176	14	euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 140 mm;	10.00
1177	34	euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 140 mm;	10.00
1178	34	euro pallet dimension L: 1200 mm; dimension W: 800 mm; dimension H: 140 mm;	10.00
1179	1	lot of div. pallets	10.00
1180	9	construction fence description: incl. Heras;	10.00
© 1181	1	galvanized steel sided cantilever racking system with roof tweezijdig: ja; sectie afm. L: 1000 mm; aantal staanders: 12; totale afmeting L: 11000 mm; totale afmeting B: 2500 mm; totale afmeting H: 4300 mm; omschrijving: armlengte 1150 mm; 8 armen per staander; v.v. 6 schoorkruizen;	100.00
© 1182	1	galvanized steel cantilever racking system with roof enkelzijdig: ja; sectie afm. L: 1000 mm; aantal staanders: 9; totale afmeting L: 8000 mm; totale afmeting B: 1450 mm; totale afmeting H: 4300 mm; omschrijving: armlengte 1250 mm; 4 armen per staander; v.v. 4 schoorkruizen;	100.00
© 1183	1	galvanized steel cantilever racking system with roof enkelzijdig: ja; sectie afm. B: 1000 mm; aantal staanders: 8; totale afmeting L: 6900 mm; totale afmeting B: 1450 mm; totale afmeting H: 4300 mm; omschrijving: armlengte 1250 mm; 4 armen per staander; v.v. 3 schoorkruizen;	100.00
		galvanized steel cantilever racks with roof	
1184	4	various concrete fencing post description: incl. div. hardwood piles;	10.00
1200	1	decorative fireplace total dimension L: 720 mm; total dimension W: 440 mm; total dimension H: 930 mm;	10.00
1201	1	vacuum cleaner brand: Philips ; type: FC8734; bagless: yes;	10.00
1202	1	2-door Venetian blind brand: Ahrend; dimension L: 120 cm; dimension W: 45 cm; dimension H: 194 cm;	10.00
1203	1	office description: dimensions . approx. 180x120 / 80 cm; including 2-door wardrobe envy layer model and various office ;	10.00
1204	1	various displays description: incl. door handle panel and display carousel ;	10.00
1205	1	oak wood wooden dining table with 6 chairs total dimension L: 1950 mm; total dimension W: 870 mm; total dimension H: 770 mm;	10.00
1206	1	2-door Venetian blind brand: Ahrend; dimension L: 120 cm; dimension W: 45 cm; dimension H: 194 cm;	10.00
1207	2	office dimension L: 180 cm; dimension W: 90 cm; height adjustable: yes;	10.00
1208	1	split air-conditioning outside unit brand: Sanyo;	10.00



Lot	Number	Description	Starting Bid €
1209	1	content broom cupboard	10.00
1210	1	2-door Venetian blind dimension L: 120 cm; dimension W: 45 cm; dimension H: 120 cm;	10.00
1211	1	2-door Venetian blind afmeting L: 120 cm; afmeting B: 45 cm; afmeting H: 120 cm; omschrijving: inclusief staande kapstok en klok; exclusief koffiezet apparaat;	10.00
1212	1	U-set up office hoekopstelling: nee; omschrijving: afm. ca. 460x296/245/90x77 cm;	10.00
1213	1	open cupboard omschrijving: afm. ca. 186x50x114 cm;	10.00
1214	1	L-arranged desk hoekopstelling: nee; omschrijving: afm. ca. 295x245/90x77 cm; inclusief vlb;	10.00
1215	1	shelves- rack omschrijving: bestaande uit: 7 staanders en 40 schapdragers; exclusief inhoud;	10.00
1216	1	lot of various . office Supplies	10.00
1217	1	mobile armrest office chair merk: Topstar;	10.00
1218	1	mobile armrest office chair	10.00
1219	1	mobile armrest office chair	10.00
1220	1	other computers and accessories merk: Lenovo; type: Thinkcentre edge; aansluiting: 230 V; omschrijving: v.v. 2 philips monitoren 247EL led; toetsenbord en muis;	10.00
1221	1	Other computer and accessories merk: Lenovo; type: Thinkcentre; aansluiting: 230 V; omschrijving: v.v. 2 diverse monitoren 19 en 20 “; toetsenbord en muis;	10.00
1222	1	Other computer and accessories merk: Antec; aansluiting: 230 V; omschrijving: v.v. 2 Benq lowbluelight monitoren GW2470 met digitus tafelsteun; toetsenbord en muis;	10.00
1223	1	2-door shutter door cupboard afmeting L: 120 cm; afmeting B: 45 cm; afmeting H: 108 cm; omschrijving: v.v. legborden;	10.00
1224	1	Meeting table with chairs afmeting L: 240 cm; afmeting B: 160 cm; afmeting H: 74 cm; omschrijving: v.v. 6 Vepa vergaderstoelen met armleggers;	10.00
1225	1	Other office inventory omschrijving: o.a. divers showroommateriaal en display's;	10.00
1226	1	showroom demo shelf rack with content totale afmeting L: 4100 mm; totale afmeting B: 600 mm; totale afmeting H: 2250 mm; omschrijving: inclusief de inhoud;	10.00
1227	1	demo sliding door wall totale afmeting L: 4160 mm; totale afmeting H: 2590 mm; omschrijving: v.v. 5 demo schuideurpanelen in diverse uitvoeringen; boven -en onder geleide systeem;	10.00
1228	1	plotter printer merk: HP; type: Designjet T610; jaar: 2009; serienummer: MY9885C022; kleurenprinter: ja; totale afmeting L: 1800 mm; totale afmeting B: 700 mm; totale afmeting H: 1040 mm;	100.00
1229	1	server HP merk: Hp; type: Enterprise proliant ML350 Gen9; jaar: 2018; serienummer: CZ273807QN; towerserver: ja; monitor: ja; aansluiting: 230 V; omschrijving: v.v. monitor; toetsenbord en muis; switch;	100.00
1230	1	Laptop merk: Toshiba; type: Satellite L350-24L systeem unit; serienummer: 89299433Q; omschrijving: v.v. adapter;	10.00
1231	1	Other computer and accessories merk: HP ; type: Compaq 6000 Pro; serienummer: CZC03822N7; USB-poort(en): nee; aantal USB-poorten: 4; aansluiting: 230 V; omschrijving: v.v. toetsenbord; scherm; muis;	10.00



Lot	Number	Description	Starting Bid €
1232	1	store center merk: lomega; type: Storcenter ix2; serienummer: LTAN4108BA; omschrijving: v.v. adapter;	10.00
1233	1	office hoekopstelling: ja; ladeblok: ja; bureaustoel: ja; omschrijving: bureau afm. ca. 2030x800x770mm bij 1650x800x770mm; ex. inhoud op of onder het bureau;	10.00
1234	1	Multifunctional merk: Ricoh; type: Afico 2020; serienummer: K8266120407; netwerkprinter: ja; totale afmeting L: 600 mm; totale afmeting B: 560 mm; totale afmeting H: 1200 mm; omschrijving: v.v. zwenkwielen;	10.00
1235	1	Laser printer merk: HP; type: Color Laserjet 2600N ; kleurenprinter: ja; netwerkprinter: ja; eigen gewicht: 18 kg; totale afmeting L: 400 mm; totale afmeting B: 400 mm; totale afmeting H: 400 mm; omschrijving: incl. Brother fax/kopieermachine;	10.00
1236	1	tambour door cabinet totale afmeting L: 1200 mm; totale afmeting B: 430 mm; totale afmeting H: 1980 mm; omschrijving: v.v. legborden; let op. sleutel niet aanwezig;	10.00
1237	1	tambour door cabinet totale afmeting L: 1200 mm; totale afmeting B: 430 mm; totale afmeting H: 1980 mm; omschrijving: v.v. legborden; let op. sleutel niet aanwezig;	10.00
1238	1	filing cabinet draaideurskast: ja; totale afmeting L: 920 mm; totale afmeting B: 420 mm; totale afmeting H: 1950 mm; omschrijving: v.v. legborden;	10.00
1239	1	filing cabinet draaideurskast: ja; totale afmeting L: 920 mm; totale afmeting B: 420 mm; totale afmeting H: 1950 mm; omschrijving: v.v. legborden; let op. sleutel niet aanwezig;	10.00
1240	2	dresser aantal laden: 4; totale afmeting L: 470 mm; totale afmeting B: 620 mm; totale afmeting H: 1320 mm; omschrijving: incl. inhoud;	10.00
1241	1	Multifunctional merk: Ricoh; type: Afico MP C2051; serienummer: V9724002402; aantal papierladen: 4; netwerkprinter: ja; totale afmeting L: 600 mm; totale afmeting B: 560 mm; totale afmeting H: 1200 mm; omschrijving: v.v. zwenkwielen; serviceboek;	10.00
1242	1	paper shredder merk: Acco; type: Rexel V-90; hopper opening L: 2200 mm; hopper opening B: 10 mm; aansluiting: 230 V; totale afmeting L: 380 mm; totale afmeting B: 310 mm; totale afmeting H: 430 mm;	10.00
1243	1	agencies ladeblok: ja; bureaustoel: ja; totale afmeting L: 2400 mm; totale afmeting B: 1600 mm; totale afmeting H: 740 mm; omschrijving: in 3 delen; v.v. bureaustoelen; ladekasten op wielen; ex. pc's ;	10.00
1244	1	Other computer and accessories merk: HP ; USB-poort(en): nee; aansluiting: 230 V; omschrijving: v.v. toetsenbord; 2x Philips scherm; muis;	10.00
1245	1	Other computer and accessories merk: HP ; USB-poort(en): nee; aansluiting: 230 V; omschrijving: v.v. toetsenbord; 2x Philips scherm; muis;	10.00
1246	6	office telephones merk: Yealink; type: T41P; VOIP: ja;	10.00
1247	1	mobile air conditioning merk: Whirlpool; type: Local Air Conditioner; jaar: 2017; serienummer: 711703910196; eigen gewicht: 37 kg; totale afmeting L: 450 mm; totale afmeting B: 360 mm; totale afmeting H: 760 mm; omschrijving: cap. 18-32 C° v.v. digitaal bedieningspaneel en afstandsbediening;	10.00



Lot	Number	Description	Starting Bid €
1248	1	fridge and freezer merk: Pelgrim; type: KG3046E113; serienummer: 912000036; inhoud koelkast: 246 l; inhoud vrieskast: 50 l; totale afmeting L: 600 mm; totale afmeting B: 660 mm; totale afmeting H: 1860 mm; omschrijving: ex. inhoud; invries vermogen circa. 3kg;	10.00
1249	1	coffee machine merk: Douwe Egberts; type: C60-001; jaar: 2008; serienummer: 8.080.010.31021; totale afmeting L: 420 mm; totale afmeting B: 420 mm; totale afmeting H: 620 mm; omschrijving: vermogen. 2100w;	10.00
1250	1	microwave and various merk: AFK; jaar: 2004; serienummer: 7456; rvs: ja; vermogen: 1300 kW; aansluiting: 230 V; totale afmeting L: 510 mm; totale afmeting B: 420 mm; totale afmeting H: 320 mm; omschrijving: incl. inhoud keuken kasten;	10.00
1251	1	corporate audio system merk: Power Dynamics ; type: PA Mixer amplifier PDV 120Z; omschrijving: v.v. sony stereo/fm/am tuner; type "ST-SE520"; TOA Paging microfoon;	10.00
1252	3	canteen table with 8 chairs omschrijving: inclusief klok;	10.00
1253	1	passenger car merk: BMW; type: F11 525D High Executive; jaar: 2011; chassisnummer: WBAMX31000C794510; kenteken: 30-SVH-5; stationwagen: ja; APK vervaldatum: 23-10-2019 02:00:00; diesel: ja; motorvermogen: 150 kW; automaat: ja; tellerstand (bij opname): 299750 km; aantal zitplaatsen: 5; aantal deuren: 5; airconditioning: ja; navigatie: ja; leder bekleding: ja; trekhaak: ja; parkeersensoren: ja; xenon verlichting: ja; LED-koplampen: nee; panoramadak: ja; eigen gewicht: 1745 kg; omschrijving: aantal cilinders: 6; cilinderinhoud: 2993 cm ³ ; kleur: grijs; catalogusprijs: 98287; lengte: 491; euro classificatie: Euro 5; zuinigheidslabel: C; type: 5K; variant: MX31; uitvoering: 5B; v.v. M sportpakket; adaptive cruise control; head up display; active steering op achteras; comfort stoelen met memory; 8-traps automaat; groot navigatiescherm; Bi-xenon; shadow line; 19 inch lichtmetalen velgen v.v. "Good Year" ;	1,000.00
1254	1	passenger car merk: Audi; type: A5; jaar: 2008; kenteken: 24-PPV-4; coupé: ja; APK vervaldatum: 10-03-2019 01:00:00; benzine: ja; motorvermogen: 125 kW; handgeschakeld: ja; tellerstand (bij opname): 125400 km; aantal zitplaatsen: 4; aantal deuren: 2; airconditioning: ja; leder bekleding: ja; parkeersensoren: ja; xenon verlichting: ja; eigen gewicht: 1370 kg; omschrijving: aantal cilinders: 4; cilinderinhoud: 1798 cm ³ ; kleur: grijs; euro classificatie: Euro 4; zuinigheidslabel: B; type: B8; variant: CCABDF1; uitvoering: FM6B1001R8T900GG; v.v. S-line interieur; 19" speed line velgen;	1,000.00
1255	1	van merk: Renault; type: Master t 35 l3/h2 2,5 dci q 107kw e4 fap dc; jaar: 2007; kenteken: 08-VGD-8; APK vervaldatum: 13-08-2019 02:00:00; diesel: ja; motorvermogen: 107 kW; automaat: ja; tellerstand (bij opname): 222876 km; aantal zitplaatsen: 6; aantal deuren: 5; airconditioning: ja; trekhaak: ja; eigen gewicht: 2050 kg; omschrijving: aantal cilinders: 4; cilinderinhoud: 2464 cm ³ ; breedte: 199;	1,000.00
1256	1	van merk: Renault; type: Master 2.8 td; jaar: 2000; kenteken: 09-VP-DB; APK vervaldatum: 14-02-2019 01:00:00; diesel: ja; hybride: nee; motorvermogen: 84 kW; handgeschakeld: ja; aantal deuren: 4; trekhaak: ja; eigen gewicht: 1735 kg; omschrijving: aantal cilinders: 4; cilinderinhoud: 2799 cm ³ ; breedte: 199; v.v. imperial (let op, bak tikt);	100.00
1257	1	trailer brand: Henra; type: PI35es; year: 2015; VIN number: XLUPL350015119409; license plate: 50-WN-JS; number of axis: 2; cargo body size L: 500 cm; cargo body size W: 200 cm; load capacity: 2680 kg; own weight: 820 kg; description: width: 209; type : PL2; variant: PL35350; execution: N / A; equipped with aluminum bulkheads; track plates storage rear registration plate; plastic front locker;	100.00



Lot	Number	Description	Starting Bid €
1258	1	trailer brand: Hapert; type: Al 2700; year: 1999; VIN number: XLHAL270000636446; license plate: WV-51-VS; number of axis: 2; cargo body size L: 410 cm; cargo body size W: 180 cm; load capacity: 2112 kg; own weight: 588 kg; description: width: 186; equipped with aluminum plates and steel front locker;	100.00
© 1259	1	construction connect meter cupboard merk: Bos; type: Master; jaar: 1997; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 1; eigen gewicht: 75 kg;	100.00
© 1260	1	construction connect meter cupboard merk: Bos; type: Master; jaar: 1997; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 1; eigen gewicht: 75 kg;	100.00
© 1261	1	construction connect meter cupboard merk: Bos; type: Master; jaar: 1997; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 1; eigen gewicht: 75 kg;	100.00
© 1262	1	construction connection terminal box merk: Bos; type: Grande; jaar: 1997; aansluiting: 400 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 3; eigen gewicht: 85 kg;	10.00
© 1263	1	construction connection terminal box merk: Bos; type: Grande; jaar: 1997; aansluiting: 400 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 3; eigen gewicht: 85 kg;	10.00
© 1264	1	construction connection terminal box merk: Bos; type: Grande; jaar: 1998; aansluiting: 400 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 3; eigen gewicht: 85 kg;	10.00
© 1265	1	construction connection terminal box merk: Bos; type: Medium; jaar: 2003; aansluiting: 200 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1266	1	construction connection terminal box merk: Bos; type: Medium; jaar: 2003; aansluiting: 200 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1267	1	building flow divide / extend mushroom merk: Friand; type: E30; jaar: 2002; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1268	1	building flow divide / extend mushroom merk: Friand; type: E30; jaar: 1998; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1269	1	building flow divide / extend mushroom merk: Bos; type: Midi hoog; jaar: 1999; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1270	1	building flow divide / extend mushroom merk: Bos; type: Midi hoog; jaar: 1999; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1271	1	building flow divide / extend mushroom merk: Bos; type: Midi hoog; jaar: 1999; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1272	1	building flow divide / extend mushroom merk: Friand; type: E30; jaar: 2002; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1273	1	building flow divide / extend mushroom merk: Friand; type: E30; jaar: 1999; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 1;	10.00
© 1274	1	building flow divide / extend clamp mushroom merk: Friand; type: E30; jaar: 1999; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00



Lot	Number	Description	Starting Bid €
© 1275	1	building flow divide / extend clamp mushroom merk: Friand; type: E30; jaar: 1999; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00
© 1276	1	building flow divide / extend clamp mushroom merk: Friand; type: E30; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00
© 1277	1	building flow divide / extend clamp mushroom merk: Bos; type: Midi hoog; jaar: 1999; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00
© 1278	1	building flow divide / extend clamp mushroom merk: Bos; type: Midi hoog; jaar: 2003; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00
© 1279	1	building flow divide clamp mushroom merk: Friand; type: E30; jaar: 1998; aansluiting: 63 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 2;	10.00
© 1280	1	building flow divide clamp mushroom merk: Bos; type: Midi hoog; jaar: 1997; aansluiting: 125 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 5; aantal uitgangen 380 V / 63 A: 4;	10.00
© 1281	1	building flow distribution / extension box merk: Merz; type: M-SVP; jaar: 2004; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3; aantal uitgangen 380 V / 63 A: 4; eigen gewicht: 12 kg;	10.00
© 1282	1	building flow distribution / extension box merk: Merz; type: M-SVP; jaar: 2004; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3; eigen gewicht: 12 kg;	10.00
© 1283	1	building flow distribution / extension box merk: Friand; type: Z20; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1284	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1285	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1286	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1287	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1288	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2005; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1289	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2005; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1290	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2000; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1291	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1292	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2005; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00



Lot	Number	Description	Starting Bid €
© 1293	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1294	1	building flow distribution / extension box merk: Friand; type: Z20; jaar: 2002; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 12 kg;	10.00
© 1295	1	building flow divide / extension mushroom merk: Bos; type: Unique; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1296	1	building flow divide / extension mushroom merk: Bos; type: Unique; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1297	1	building flow divide / extension mushroom merk: Bos; type: Unique; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1298	1	building flow divide / extension mushroom merk: Friand; type: Y20; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2;	10.00
© 1299	1	building flow divide / extension mushroom merk: Friand; type: Y20; jaar: 1999; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 4;	10.00
© 1300	1	building flow divide / extension mushroom merk: Keraf; type: KE 27; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 2; eigen gewicht: 9 kg;	10.00
© 1301	1	power divide block merk: Friand; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1302	1	power divide block merk: Friand; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1303	1	power divide block merk: Bos; type: Pocket; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1304	1	power divide block merk: Friand; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1305	1	power divide block merk: Friand; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1306	1	power divide block merk: Bos; type: Pocket; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1307	1	power divide block merk: Bos; type: Pocket; aansluiting: 32 A; aantal uitgangen 230V: 6; aantal uitgangen 380 V / 32 A: 3;	10.00
© 1308	1	power power extension cable aansluiting: 400 V; omschrijving: circa. 12,5m; 5 polig 63A;	10.00
© 1309	1	power power extension cable aansluiting: 400 V; omschrijving: circa. 10m; 5 polig 63A;	10.00
© 1310	1	power power extension cable aansluiting: 400 V; omschrijving: circa. 10m; 5 polig 63A;	10.00
© 1311	1	power power extension cable aansluiting: 400 V; omschrijving: circa. 3m; 5 polig 63A;	10.00



Lot	Number	Description	Starting Bid €
© 1312	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1313	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 17,5 mtr;	10.00
© 1314	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1315	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1316	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1317	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1318	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1319	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1320	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1321	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1322	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1323	1	power power extension cable aansluiting: 400 V; lengte: 400 m; omschrijving: lengte ca 20 mtr;	10.00
© 1324	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1325	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1326	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1327	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 10m; 5 polig 32A;	10.00
© 1328	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 15m; 5 polig 32A;	10.00
© 1329	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 10m; 5 polig 32A;	10.00
© 1330	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 10m; 5 polig 32A;	10.00
© 1331	1	power power extension cable omschrijving: lengte circa. 15m; 5 polig 32A;	10.00
© 1332	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 17 mtr;	10.00
© 1333	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1334	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1335	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1336	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1337	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00



Lot	Number	Description	Starting Bid €
© 1338	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1339	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1340	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1341	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 11 mtr;	10.00
© 1342	1	power power extension cable omschrijving: lengte circa. 15m; 5 polig 32A;	10.00
© 1343	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 15m; 5 polig 32A;	10.00
© 1344	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 12,5m; 5 polig 32A;	10.00
© 1345	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 12,tm; 5 polig 32A;	10.00
© 1346	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 10m; 5 polig 32A;	10.00
© 1347	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 12,5m; 5 polig 32A;	10.00
© 1348	1	power power extension cable omschrijving: lengte circa. 8m; 5 polig 32A;	10.00
© 1349	1	power power extension cable aansluiting: 400 V; omschrijving: lengte circa. 10m; 5 polig 32A;	10.00
© 1350	1	power power extension cable omschrijving: lengte circa. 6m; 5 polig 32A;	10.00
© 1351	2	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 2x 6 mtr;	10.00
© 1352	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 8 mtr;	10.00
© 1353	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1354	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1355	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 12 mtr;	10.00
© 1356	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 18 mtr;	10.00
© 1357	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 15 mtr;	10.00
© 1358	1	power power extension cable aansluiting: 400 V; omschrijving: lengte ca 10 mtr;	10.00
© 1359	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1360	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1361	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1362	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1363	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00



Lot	Number	Description	Starting Bid €
© 1364	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1365	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1366	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1367	2	power power extension cable aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1368	1	various power current extension aansluiting: 400 V; omschrijving: 5 polig 32A;	10.00
© 1369	2	power extension cable aansluiting: 230 V;	10.00
© 1370	4	power extension cable	10.00
© 1371	4	power extension cable	10.00
© 1372	4	power extension cable	10.00
© 1373	4	power extension cable	10.00
© 1374	4	power extension cable	10.00
© 1375	4	power extension cable	10.00
© 1376	4	power extension cable aansluiting: 230 V;	10.00
© 1377	4	power extension cable aansluiting: 230 V;	10.00
batch (main) construction power cabinets and power current extension cable			
1378	1	power consumption meter omschrijving: 3x65 A;	10.00
1379	1	power consumption meter omschrijving: 3x65 A;	10.00
1380	1	heater vermogen: 3 kW; aansluiting: 230 V;	10.00
1381	3	various first aid bags	10.00
1382	2	construction lamp gasontladingslamp: ja; aansluiting: 230 V;	10.00
1383	1	air compressor merk: Kaeser; capaciteit: 20 bar;	10.00
1384	2	electrical heating merk: Stiebel eltron; aansluiting: 230 V;	10.00
1385	2	electrical heating merk: Stiebel eltron; aansluiting: 230 V;	10.00
1386	1	galvanized steel construction well merk: Ahuis;	10.00
1387	1	galvanized steel construction well merk: Ahuis;	10.00
1388	1	hand hydraulic pallet truck hefvermogen: 2000 kg; lepellengte: 980 mm;	10.00
1389	1	heater merk: Dikair; type: DE65; vermogen: 12 kW; ventilator: ja; aansluiting: 400 V;	10.00
1390	1	heater merk: Dikair; type: DE65; vermogen: 12 kW; ventilator: ja; aansluiting: 400 V;	10.00
1391	1	air dryer merk: Dryfast; type: Daf2500; jaar: 2016; luchtstroom: 2500 l/min; aansluiting: 230 V; omschrijving: inclusief afvoerslang;	10.00



Lot	Number	Description	Starting Bid €
1392	1	mobile air dryer merk: Dryfast; type: DF600 AX; aansluiting: 230 V; omschrijving: inclusief afvoerslang;	10.00
1393	1	aluminum ladder aantal sporten: 24;	10.00
1394	1	aluminum ladder aantal sporten: 16;	10.00
1395	1	extendable ladder merk: Lado; aantal sporten: 6; aluminium: ja; oplooptrap: ja; dubbel: ja;	10.00
1396	1	extendable ladder merk: Altrex; aantal sporten: 6; aluminium: ja; oplooptrap: ja; enkel: ja; dubbel: nee;	10.00
1397	1	extendable ladder merk: Altrex; aantal sporten: 6; aluminium: ja; oplooptrap: ja; enkel: ja; dubbel: nee;	10.00
1398	2	extendable ladder merk: Altrex; aantal sporten: 6; aluminium: ja; oplooptrap: ja; enkel: ja; dubbel: nee; omschrijving: inclusief 1 houten trap;	10.00
1399	3	plastic waste containers omschrijving: inclusief 3 houten kisten;	10.00
1400	2	galvanized steel crate stack afmeting L: 1000 mm; afmeting B: 800 mm; afmeting H: 600 mm;	10.00
1401	1	various hitches	10.00
1402	1	pallethaak merk: HTZ; type: Revo pallethaak; jaar: 2010; hijsvermogen: 1800 kg; eigen gewicht: 235 kg; omschrijving: lepellengte ca. 980 mm;	10.00
1403	1	pallethaak merk: HTZ; type: Revo pallethaak; jaar: 2009; hijsvermogen: 1800 kg; eigen gewicht: 235 kg; omschrijving: lepellengte ca. 980 mm;	10.00
1404	1	element clamp merk: BSV; type: 40300\120; jaar: 2010; hijsvermogen: 1200 kg; eigen gewicht: 240 kg; omschrijving: max. klembereik 1100 mm; breedte ca. 1200 mm;	10.00
1405	1	tilt clamp merk: Bergshoeff en zn; jaar: 2010; hijsvermogen: 615 kg; eigen gewicht: 250 kg; omschrijving: max. klembereik 1000 mm; breedte ca. 750 mm;	10.00
1406	1	concrete skipper merk: Eichingen; jaar: 2017; hijsvermogen: 1800 kg; eigen gewicht: 320 kg; omschrijving: cap. 750 liter;	10.00
1407	1	galvanized steel tilt / roll debris container merk: HTZ; type: Puincontainer; jaar: 2006; hijsvermogen: 2000 kg; eigen gewicht: 207 kg;	10.00
1408	25	galvanized steel base	10.00
1409	63	galvanized steel screw strut omschrijving: w.o. lengte ca. 240-410 cm; inclusief 2 stalen jukken;	100.00
© 1410	31	(building) site fences in transportation rack afmeting L: 3500 mm; afmeting H: 2000 mm; gegalvaniseerd: ja;	10.00
© 1411	28	(building) site fences in transportation rack afmeting L: 3500 mm; afmeting H: 2000 mm; gegalvaniseerd: ja;	10.00
© 1412	28	(building) site fences in transportation rack afmeting L: 3500 mm; afmeting H: 2000 mm; gegalvaniseerd: ja;	10.00
© 1413	30	plastic construction fence	10.00
© 1414	30	plastic construction fence	10.00
		building fences with feet	
1415	1	galvanized steel construction well merk: Ahuis;	10.00



Lot	Number	Description	Starting Bid €
1416	1	telescopic light tower omschrijving: max. hoogte ca. 16 mtr. v.v. betonnen ballast;	10.00
1417	1	telescopic light tower omschrijving: max. hoogte ca. 16 mtr. v.v. betonnen ballast;	10.00
© 1418	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1419	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1420	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1421	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1422	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1423	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1424	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1425	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1426	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1427	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm;	100.00
© 1428	30	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: inclusief diverse lengtes ;	100.00
1429	1	polyester tube omschrijving: diam. ca. 800x1000 mm en 600x1000 mm;	10.00
© 1430	55	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2000 mm; omschrijving: in stalen stapeljuk;	100.00
© 1431	64	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2000 mm; omschrijving: in stalen stapeljuk;	100.00
© 1432	50	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2000 mm; omschrijving: in stalen stapeljuk;	100.00
© 1433	36	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2000 mm; omschrijving: in stalen stapeljuk;	100.00
© 1434	214	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00



Lot	Number	Description	Starting Bid €
© 1435	200	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00
© 1436	205	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00
© 1437	110	Scaffolding auxiliary spar merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00
© 1438	105	Scaffolding auxiliary spar merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00
© 1439	60	Scaffolding auxiliary spar merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1400 mm; omschrijving: in stalen stapeljuk;	100.00
© 1440	25	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2570 mm; omschrijving: in stalen stapeljuk;	10.00
© 1441	85	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2570 mm; omschrijving: in stalen stapeljuk;	10.00
© 1442	135	Scaffolding girder merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2570 mm; omschrijving: in stalen stapeljuk;	10.00
© 1443	70	Scaffolding post merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1500 mm; omschrijving: in stalen stapeljuk;	100.00
© 1444	20	Scaffolding post merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1500 mm; omschrijving: in stalen stapeljuk;	10.00
© 1445	60	Scaffolding post merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 1500 mm; omschrijving: in stalen stapeljuk;	100.00
© 1446	30	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2500 mm; omschrijving: in stalen stapeljuk;	10.00
© 1447	20	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2500 mm; omschrijving: in stalen stapeljuk;	10.00
© 1448	19	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 2500 mm; omschrijving: in stalen stapeljuk;	10.00
© 1449	90	Scaffolding foot spindle merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 600 mm; omschrijving: in stalen stapelbak;	10.00
© 1450	90	Scaffolding foot spindle merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 600 mm; omschrijving: in stalen stapelbak;	10.00
© 1451	185	Scaffolding rosette merk: Layher; type: Allround; gegalvaniseerd: ja; omschrijving: in stalen stapelbak;	10.00
© 1452	60	Scaffolding stand with the pen merk: Layher; type: Allround; gegalvaniseerd: ja; opbouwdeel afmeting L: 3000 mm; omschrijving: in stalen stapeljuk;	100.00

batch of Layher scaffolding material



Lot	Number	Description	Starting Bid €
© 1453	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1454	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1455	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1456	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1457	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1458	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1459	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1460	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1461	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1462	50	scaffolding board hout: ja; totale afmeting L: 5000 mm; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: (voor de hand weg te nemen);	100.00
© 1463	35	scaffolding board hout: ja; totale afmeting B: 200 mm; totale afmeting H: 32 mm; omschrijving: diverse lengtes 3 t/m 4 mtr;	100.00
		lot of scaffolding wood	
1464	45	plastic road plate afmeting L: 6000 mm; kunststof: ja;	100.00
© 1465	5	steel leveler afmeting L: 6000 mm; afmeting B: 1700 mm; staal: ja; kunststof: nee; omschrijving: dikte ca 12-14 mm;	100.00
© 1466	4	steel leveler afmeting L: 6000 mm; afmeting B: 1600 mm; staal: ja; kunststof: nee; omschrijving: dikte ca 12 mm;	100.00
© 1467	4	steel leveler afmeting L: 6000 mm; afmeting B: 1800 mm; staal: ja; kunststof: nee; omschrijving: dikte ca 12 mm;	100.00
© 1468	9	steel leveler afmeting L: 5000 mm; afmeting B: 500 mm; staal: ja; kunststof: nee; omschrijving: dikte ca 12 mm;	10.00
© 1469	28	diverse stalen rijplaat staal: ja; kunststof: nee; omschrijving: afm. ca. 5000-6000x1500-1800 mm;	100.00
		steel road plates	



Lot	Number	Description	Starting Bid €
1470	1	rack construction lift / builders hoist merk: De Jong; type: ATB50; tandheugel: ja; max. belasting: 500 kg; aantal mastdelen: 9; aansluiting: 380 V; omschrijving: opbouwhoogte ca. 13,5 mtr; mastdeel lengte: 1500 mm;	100.00
1471	1	rack construction lift / builders hoist merk: De Jong; type: ATB50; tandheugel: ja; max. belasting: 500 kg; aantal mastdelen: 9; aansluiting: 380 V; omschrijving: opbouwhoogte ca. 13,5 mtr; mastdeel lengte: 1500 mm;	100.00
1472	1	telehandler merk: Merlo ; type: SL33 panoramic; jaar: 2013; serienummer: ZF1SL3300C3052686; motorvermogen: 62 kW; hefvermogen: 3800 kg; hefhoogte: 12560 mm; cabine: ja; vierwielaandrijving: ja; luchtbanden: ja; vol rubber banden: nee; afgelezen urenstand: 3635; eigen gewicht: 9100 kg; omschrijving: v.v. "Perkins" 4-cilinder dieselmotor; hydraulische stempels "Treeme" grondbak; type PS90; cap. 900 liter max. laadgewicht 1620 kg;	1,000.00
1473	1	telehandler merk: Merlo ; type: S28TD; jaar: 2007; serienummer: ZF1F28T01B7351263; motorvermogen: 74,9 kW; hefvermogen: 3400 kg; hefhoogte: 7000 mm; cabine: ja; vierwielaandrijving: ja; lepelengte: 1200 mm; luchtbanden: ja; afgelezen urenstand: 2677; eigen gewicht: 6600 kg; omschrijving: v.v. "Vetter" vorkenbord, breedte: 1500 mm;	1,000.00
1474	1	battery vacuum cleaner merk: Makita; type: BCL140; voltage: 14,4 V; aantal accu's: 3; accu lader: ja;	10.00
1475	1	large cable cutter merk: Klauke; type: K101/2; omschrijving: cap. Ø 38 mm: incl. betonschaar;	10.00
1476	1	Lamello milling machine merk: Lamello; type: Classic X; aansluiting: 230 V; omschrijving: v.v. diverse toebehoren en doos;	10.00
1477	1	first aid case with content	10.00
1478	20	vacuum cleaner bag merk: Numatic; type: Hepa-Flo NVM-1CH;	10.00
1479	1	pneumatic drum nail gun merk: Bostitch Stanley; type: N58C; omschrijving: spijker cap. 25-55 mm / 2-2,5 mm dik;	10.00
1480	1	battery / gas cartridge nail gun merk: Würst; type: Diga CS-2 Power; aantal accu's: 2; accu lader: ja; met koffer: ja;	10.00
1481	1	Flightcase scharnierend deksel: ja;	10.00
1482	1	kitchen step	10.00
1483	1	insect lamp, heater and radio	10.00
1484	1	vacuum cleaner merk: Dyson ; type: Stowaway; zakloos: ja; omschrijving: v.v. slang, stang en mondstukken;	10.00
1485	1	digital spirit level merk: Sola; type: ENWM 60cm; magnetisch: ja; lengte: 600 mm;	10.00
1486	1	digital degree level merk: Nedo; type: Winkeltronic;	10.00
1487	1	media player merk: Apple; type: Apple TV3; jaar: 2014; afstandsbediening: ja; omschrijving: inclusief afstandsbediening;	10.00
1488	1	led television merk: Samsung; type: UE32C5100QW; schermgrootte: 32 "; LED-scherm: ja; HDMI: ja; USB-poort(en): ja; afstandsbediening: ja;	10.00
1489	1	petrol driven lawn mower merk: Dolmar; type: PM-462; brandstofmotor aangedreven: ja; brandstofsoort: 4-tact benzine; omschrijving: maaibreedte: 460 mm; maaidek 8-standen in hoogte verstelbaar: v.v. "Briggs&Stratton" 190cc motor; opvangbak;	10.00



Lot	Number	Description	Starting Bid €
1490	1	petrol driven string trimmer (strimmers) merk: Dolmar; type: MS246.4UE; jaar: 2017; brandstofmotor aangedreven: ja; brandstofsoort: 4-tact benzine; omschrijving: v.v. draagharnas;	10.00
1491	1	petrol driven hedge trimmer merk: Dolmar; type: HT-2360D; jaar: 2017; lengte: 60 mm; brandstofmotor aangedreven: ja; brandstofsoort: 2-tact benzine;	10.00
1492	1	chain saw merk: Solo; type: 654; zaagblad afm. L: 400 mm; brandstofsoort: Benzine;	10.00
1493	1	circular trim saw merk: Ferm; type: Fkz-210S; zaagblad : 210 mm; verstek: ja; omschrijving: incl. band- en deltaschuurmachine;	10.00
1494	1	battery chargers merk: Mean Well; type: BP-360P-12; omschrijving: inclusief 3 diverse. LED drivers;	10.00
1495	1	GPS controlled smart drone merk: 3D Robotics; type: Solo; jaar: 2017; omschrijving: v.v. gimbal; 14,4 V accu; afstandsbediening met PixHawk 2; autofuncties: no fly zone; return to home; easy start; auto follow; selfie; cable camn orbit; GPS flight LED verlichting;	100.00
1496	1	digital action camera merk: GoPro; type: HERO 4; action camera: ja;	10.00
1497	1	led television merk: LG; jaar: 2014; schermgrootte: 32 "; LED-scherm: ja; HDMI: ja; USB-poort(en): ja; afstandsbediening: nee;	10.00
1498	1	coffee cup machine merk: Krup; type: Dolce Gusto; omschrijving: incl. ca. 3 doosjes cups;	10.00
1499	2	portable navigation merk: Tom Tom; type: 4AA43;	10.00
1500	2	portable navigation merk: Tom Tom;	10.00
1501	1	cross line laser merk: Bosch; type: GGL2 professional;	10.00
1502	1	digital distance meter merk: Leica; type: Disto A3;	10.00
1503	1	digital distance meter merk: Metofix; type: AM70i; omschrijving: v.v. bluetooth;	10.00
1504	1	digital hydrometer merk: Gann; type: BL compact B;	10.00
1505	1	Smartphone merk: Microsoft; type: Lumia 650; opslagcapaciteit: 1 GB; besturingssysteem: Windows; omschrijving: inclusief HTC smartphone;	10.00
1506	1	Smartphone merk: Nokia; type: Lumia 520; opslagcapaciteit: 1 GB; besturingssysteem: Windows; oplader: ja;	10.00
1508	2	Smartphone merk: Apple; type: iPhone 4 en 5; omschrijving: werking onbekend;	10.00
1509	1	Smartphone merk: Apple; type: iPhone 5;	10.00
1510	1	Smartphone merk: Apple; type: iPhone 5;	10.00
1511	1	Smartphone merk: Apple; type: iPhone 5 SE; opslagcapaciteit: 32 GB; omschrijving: v.v. doosje;	10.00
1512	1	Smartphone merk: Apple; type: iPhone 6; opslagcapaciteit: 16 GB; omschrijving: v.v. doosje;	10.00
1513	1	Smartphone merk: Apple; type: iPhone 6; jaar: 2018; opslagcapaciteit: 16 GB;	10.00



Lot	Number	Description	Starting Bid €
1514	1	tablet merk: Apple; type: iPad 4 mini; besturingssysteem: IOS; totale opslagcapaciteit: 16 GB; bluetooth: ja; wifi: ja; mobiele dataverbinding: ja; aantal camera's: 2; omschrijving: v.v. "Otterbox" beschermingscase;	10.00
1515	1	tablet merk: Apple; type: iPad PRO 10,5"; jaar: 2018; besturingssysteem: IOS; totale opslagcapaciteit: 64 GB; bluetooth: ja; wifi: ja; mobiele dataverbinding: nee; aantal camera's: 2; omschrijving: v.v. "Lifeproof" beschermingscase; (LET OP! barst in scherm);	10.00
1516	1	tablet case merk: Lifeproof; bluetooth: nee; wifi: nee; mobiele dataverbinding: nee; omschrijving: t.b.v. iPad 3 mini;	10.00
1517	1	SLR camera merk: Nikon ; type: D5200; spiegelreflexcamera: ja; ingebouwde flitser: ja; Full HD: ja; omschrijving: v.v. 2 lenzen; 1x 18-55 mm; 1x 55-200 mm; 3 accu's; accugrip; met afstandsbediening voor zelfontspanner en draagtas; inclusief digitale camera "Sony" v.v. 3 accu's;	10.00
1518	1	vacuum cleaners and floor cleaner merk: Philips ; type: Silence Star; vermogen: 1200 W; omschrijving: v.v. slang, stang en mondstukken;	10.00
1519	1	Label Printer merk: DYMO; type: LabelWriter450;	10.00
1520	1	multifunctional printer merk: HP; type: LaserJet Pro 400 MFP (M425dn); papierformaat: A4; aantal papierladen: 2; netwerkprinter: ja; touchscreen: ja;	10.00
1521	1	complete spray booth omschrijving: b.u. afzuigunit afm. ca. 300x205x95 cm; 400 volt; rail systeem afm. ca. 400x400 cm; "OPCO" verfpomp; gasgestookte luchtverwarmer "Brink" type Fuore; mobiele verfpomp inclusief diverse verbruiksmiddelen;	100.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

5.3 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.4 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.5 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.6 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.7 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.8 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.9 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.10 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.



5.11 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.12 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection



costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience