



Ex US Army Medical Equipment (NL)

**Ziekenhuis-, tandarts- en
laboratoriumapparatuur**

Meers 33 - 6017 BD Thorn

(Veilinglocatie Ex US Army Surplus Auction)

Sluitingsdatum: dinsdag **12 MAART** vanaf 14:00



Kijkdag:

zaterdag 09 maart van 10:00 tot 16:00

Meers 33 - 6017 BD Thorn (Nederland)

Bieden uitsluitend via internet!



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

dinsdag 12 maart 2019 Ex US Army Medical Equipment

Specifieke Online Veilingvoorwaarden van een openbare veiling

Sluitingsdatum	Dinsdag 12 maart 2019 vanaf 14:00 CET
Kijkdag	zaterdag 9 maart van 10:00 tot 16:00 CET Veilinglocatie Ex US Army Surplus Auction Meers 33 6017 BD Thorn, Nederland
Bedrijf dat deze Online veiling organiseert	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, Nederland Telefoon: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Opgeld	17,00%
BTW	21,00%
Marge goederen	In geval van marge goederen zal de BTW 0% bedragen
Afhalen	woensdag 20 maart van 09:00 tot 16:00 CET donderdag 21 maart van 09:00 tot 16:00 CET Veilinglocatie Ex US Army Surplus Auction Meers 33 6017 BD Thorn, Nederland
Bezichtigingsinstructies	Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.
Bijwonen veilingssluiting voor consumenten	De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk. Het betreft hier een openbare veiling. Dit betekent dat u als consument de gelegenheid heeft om de online veilingssluiting bij te wonen bij ons op kantoor: Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam U dient hiervoor geregistreerd te zijn op onze website: www.troostwijkauctions.com . Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres: bijwonenkoperssluiting@troostwijkauctions.com o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van ons.
Betalingsdetails	Uw betaling dient 48 uur na het versturen van de koopovereenkomst te zijn ontvangen op één van de onderstaande rekeningnummers. Bij bankbetaling gaarne Account ID en veilingnummer vermelden. Veilig en gemakkelijk betalen? Selecteer dan de optie Betalen op onze website, in uw MyTroostwijk menu onder Mijn aankopen om direct en veilig te betalen via Ideal/Ogone.

Bank	IBAN nr.	Rekeningnr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Let op: bij betaling uw kopernummer en veilingnummer vermelden!
Na betaling ontvangt u van ons een **betalingsbevestiging** per e-mail.
Originele facturen zijn te downloaden vanuit [MyTroostwijk](#).

www.TroostwijkAuctions.com



Afhaal instructies

De koper dient op de afhaaldag de koopovereenkomst of de factuur mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).

Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

Algemene Voorwaarden

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing. In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

Toezicht

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleever Fortuijn N.V., advocaten en notarissen, te Den Haag.

Combinatie

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

Verlenging

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht. Troostwijk behoudt zich het recht voor om de verlengingstijd aan te passen.

Kavels zonder biedingen

Van alle kavels waarop niet is geboden, kan de sluitingstijd aangepast worden tot een half uur na de laatste sluitingstijd van kavels binnen deze veiling.

Onder voorbehoud van gunning

Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de biedgegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

Inhoud, afmetingen en gewicht van de kavels

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie.

Privacy Statement

Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



Kavel	Aantal	Omschrijving	Openingsbod €
1	1	lab freezer brand: Kendro Laboratory / Revco; type: ULT1386-9-V37; content: 379 l; temperature range min.: -50 °c; temperature range max.: -86 °c; digital display: yes; mobile: yes; electric connection: 230 V; own weight: 286 kg; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 1990 mm;	100,00
2	1	ultra-low upright lab freezer brand: Kendro Laboratory / Revco; type: ULT2540-3-V36; content: 692 l; temperature range min.: -10 °c; temperature range max.: -40 °c; digital display: yes; mobile: yes; electric connection: 230 V; own weight: 322 kg; total dimension L: 1130 mm; total dimension W: 880 mm; total dimension H: 1990 mm;	100,00
3	1	chromatography refrigerator brand: Uniequip; type: Unichromat 1500; year: 2003; serial number: MED1500; stainless steel: yes; content: 1500 l; temperature range min.: 1 °c; temperature range max.: 18 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 800 mm; total dimension H: 2020 mm;	100,00
4	1	chromatography refrigerator brand: Uniequip; type: Unichromat 1500; year: 2003; serial number: MED1500; stainless steel: yes; content: 1500 l; temperature range min.: 1 °c; temperature range max.: 18 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 800 mm; total dimension H: 2020 mm;	100,00
5	1	cryogenic ultra-low freezer brand: Sanyo; type: MDF-C2156VAN; serial number: 09070033; content: 231 l; temperature range min.: -130 °c; temperature range max.: -150 °c; digital display: yes; mobile: no; electric connection: 230 V; own weight: 318 kg; total dimension L: 1730 mm; total dimension W: 765 mm; total dimension H: 1010 mm;	100,00
6	1	steam sterilizer brand: Harvey; type: SterileMax; capacity number of instruments: 12 pcs; table top model: yes; digital control: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 630 mm; total dimension H: 420 mm; description: reservoir cap. 7 liter;	100,00
7	1	automatic autoclave steam sterilizer brand: Tuttnauer; type: 3870EA; year: 2015; serial number: 219672; capacity number of instruments: 15 pcs; table top model: yes; digital control: yes; electric connection: 230 V; total dimension L: 660 mm; total dimension W: 860 mm; total dimension H: 520 mm; description: chamber volume 85 liters;	100,00
8	1	autoclave sterilizer brand: ASP; type: Sterrad 100S; table top model: no; floor model: yes; digital control: yes; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 1020 mm; total dimension H: 1660 mm;	100,00
9	1	mobile audiometric booth brand: Eckel; type: AB-4230; electric connection: 230 V; weight: 273 kg; total dimension L: 760 mm; total dimension W: 1070 mm; total dimension H: 1960 mm; description: 2" Cam-Lock panel system;	100,00
10	1	hospital chair brand: Biodex; type: 875-190;	10,00
11	1	surgical stretcher brand: Hausted; type: Gemini Series; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 750 mm;	10,00
12	1	hospital bed brand: Hill-Rom; type: Totalcare P1900; electric adjustable: yes; electric connection: 230 V; description: with digital display;	10,00
13	1	hospital bed brand: Hill-Rom; type: Totalcare P1900; electric adjustable: yes; electric connection: 230 V; description: with digital display;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
14	1	hospital bed brand: Hill-Rom; type: Totalcare P1900; electric adjustable: yes; electric connection: 230 V; description: with digital display;	10,00
15	1	hospital bed brand: Hill-Rom; type: Totalcare P1900; electric adjustable: yes; electric connection: 230 V; description: with digital display;	10,00
16	1	hospital examining table brand: Landstuhl; type: Regiona; electric connection: 110 V; total dimension L: 660 mm; total dimension W: 1350 mm; total dimension H: 880 mm;	10,00
17	1	hospital examining table brand: Midmark; type: 404; total dimension L: 680 mm; total dimension W: 1400 mm; total dimension H: 880 mm;	10,00
18	1	hospital examining table brand: Midmark; type: 204; total dimension L: 680 mm; total dimension W: 1400 mm; total dimension H: 880 mm;	10,00
19	1	hospital examining table brand: Ritter; type: 304; total dimension L: 680 mm; total dimension W: 1400 mm; total dimension H: 880 mm;	10,00
20	1	hospital examining table brand: UM; type: 5150; electric connection: 120 V;	10,00
21	1	hospital examining table brand: Enochs; type: 5150; electric connection: 120 V;	10,00
22	3	medical instrument case brand: Pelican;	10,00
23	3	medical instrument case brand: Pelican;	10,00
24	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
25	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
26	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
27	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
28	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
29	1	plastic hospital bed brand: Norix; type: Attenda; total dimension L: 780 mm; total dimension W: 2000 mm; total dimension H: 370 mm; description: fog grey;	10,00
30	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00
31	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00
32	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00





Kavel	Aantal	Omschrijving	Openingsbod €
51	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00
52	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00
53	6	pouche handle bag total dimension L: 870 mm; total dimension W: 2300 mm; description: with zip and blue inner liner; color silver; in 1 box;	10,00
54	1	coffin brand: Batesville; total dimension L: 2100 mm; total dimension W: 710 mm; total dimension H: 500 mm;	10,00
55	1	coffin brand: Batesville; total dimension L: 2100 mm; total dimension W: 710 mm; total dimension H: 500 mm;	10,00
56	1	coffin brand: Batesville; total dimension L: 2100 mm; total dimension W: 710 mm; total dimension H: 500 mm;	10,00
57	1	coffin brand: Batesville; total dimension L: 2100 mm; total dimension W: 710 mm; total dimension H: 500 mm;	10,00
58	1	medical safe cart brand: Armstrong Medical; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: with 6 drawers and code lock;	10,00
59	1	medical cart brand: Armstrong Medical; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
60	1	medical cart brand: Armstrong Medical; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
61	1	medical cart brand: Armstrong Medical; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
62	1	medical cart brand: UniCart; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
63	1	medical cart brand: UniCart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
64	1	medical cart brand: Armstrong Medical; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
65	1	medical cart brand: Armstrong Medical; type: A-Smart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
66	1	medical cart brand: UniCart; total dimension L: 710 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: with 6 drawers;	10,00
67	1	medical cabinet total dimension L: 460 mm; total dimension W: 580 mm; total dimension H: 930 mm;	10,00
68	1	medical cabinet total dimension L: 460 mm; total dimension W: 580 mm; total dimension H: 930 mm;	10,00
69	1	medical cabinet total dimension L: 460 mm; total dimension W: 580 mm; total dimension H: 930 mm;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
70	1	medical cabinet total dimension L: 460 mm; total dimension W: 580 mm; total dimension H: 930 mm;	10,00
71	1	medical cabinet total dimension L: 460 mm; total dimension W: 580 mm; total dimension H: 930 mm;	10,00
72	1	medical cabinet total dimension L: 910 mm; total dimension W: 310 mm; total dimension H: 800 mm;	10,00
73	1	medical cabinet total dimension L: 910 mm; total dimension W: 310 mm; total dimension H: 800 mm;	10,00
74	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
75	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
76	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
77	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
78	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
79	1	dental treatment chair brand: DentalEZ; type: J/V-Generation; electric adjustable: yes; description: incl. dental delivery unit;	100,00
80	1	phlebotomy chair brand: UMF Medical; type: 8678; year: 2017; serial number: 130914-0001; electric adjustable: yes;	10,00
81	1	stationary exercise bicycle brand: Monark; type: Ergomedic 828E; description: with digital display;	10,00
82	1	stationary exercise bicycle brand: Monark; type: Ergomedic 828E; description: with digital display;	10,00
83	1	examining chair brand: Reliance; type: 7000L; electric adjustable: yes; description: colour grey;	10,00
84	1	hospital examining table total dimension L: 1470 mm; total dimension W: 480 mm; description: stainless steel; with foot control;	10,00
85	1	hospital blood drawing chair brand: Lumex; electric adjustable: yes; description: colour blue;	10,00
86	1	hospital examining table brand: Ritter; type: 204; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 850 mm;	10,00
87	1	hospital examining chair brand: Topcon; electric adjustable: yes; electric connection: 230 V;	10,00
88	1	hospital blood drawing chair brand: Lumex; electric adjustable: yes; description: colour blue;	10,00
89	1	hospital stretcher brand: Stryker; type: 0735; year: 2006; serial number: 0611078545; electric adjustable: no; total dimension L: 2100 mm; total dimension W: 730 mm;	10,00
90	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
91	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
92	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
93	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
94	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
95	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
96	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
97	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
98	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
99	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
100	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
101	30	orthopedic shoe description: size medium; curved rocker sole; 10-7/8 x 5";	10,00
102	1	road scooter brand: Poweride; type: Batricar; description: with 24V battery charger;	10,00
103	1	coffin total dimension L: 2200 mm; total dimension W: 670 mm; total dimension H: 450 mm; description: incl. mobile frame;	10,00
104	1	mobile ambulance stretcher brand: Stryker; type: EMS; total dimension L: 2100 mm; total dimension W: 550 mm; description: max. cap. 225 kg;	10,00
105	1	mobile ambulance stretcher brand: Stryker; type: EMS; total dimension L: 2100 mm; total dimension W: 550 mm; description: max. cap. 225 kg;	10,00
106	1	mobile ambulance stretcher brand: Stryker; type: EMS; total dimension L: 2100 mm; total dimension W: 550 mm; description: max. cap. 225 kg;	10,00
107	1	mobile ambulance stretcher brand: Stryker; type: EMS; total dimension L: 2100 mm; total dimension W: 550 mm; description: max. cap. 225 kg;	10,00
108	1	washer/sterilizing unit brand: Steris; floor model: yes; digital control: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 2050 mm; description: incl. load/unload module and (2x) trolley;	100,00
109	1	washer/sterilizing unit brand: Steris; floor model: yes; digital control: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 2050 mm; description: incl. load/unload module and (2x) trolley;	100,00
110	1	washer/sterilizing unit brand: Steris; floor model: yes; digital control: yes; total dimension L: 1050 mm; total dimension W: 850 mm; total dimension H: 2050 mm; description: incl. load/unload module and (2x) trolley;	100,00
111	1	mobile hospital cabinet brand: Herman Miller; total dimension L: 1430 mm; total dimension W: 500 mm; total dimension H: 1880 mm;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
112	1	laboratory refrigerator brand: NN; type: ARF 190/G; content: 88 l; digital display: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 550 mm; total dimension H: 550 mm; description: with "Velp" refrigerated thermostat (Note! Door broken!);	10,00
113	1	laboratory refrigerator brand: NN; type: ARF 190/G; content: 88 l; digital display: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 550 mm; total dimension H: 550 mm; description: with "Velp" refrigerated thermostat ;	10,00
114	1	laboratory refrigerator brand: Kirsch; type: Labex -125; year: 2012; content: 115 l; temperature range min.: 2 °c; temperature range max.: 20 °c; digital display: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 500 mm; total dimension H: 800 mm;	10,00
115	1	blanket warming cabinet brand: Gettinge; type: 5624; stainless steel: yes; temperature range min.: 32 °c; temperature range max.: 71 °c; electric connection: 115 V; total dimension L: 760 mm; total dimension W: 600 mm; total dimension H: 1520 mm; description: max. cap. 475 liters;	100,00
116	1	mobile hospital cabinet brand: Herman Miller; total dimension L: 690 mm; total dimension W: 550 mm; total dimension H: 1740 mm;	10,00
117	1	mobile hospital cabinet brand: Herman Miller; total dimension L: 690 mm; total dimension W: 550 mm; total dimension H: 1070 mm;	10,00
118	2	medical litter total dimension L: 1700 mm; total dimension W: 350 mm; description: incl. mobile frame;	10,00
119	10	folding litter total dimension L: 1910 mm; total dimension W: 570 mm;	10,00
120	10	folding litter total dimension L: 1910 mm; total dimension W: 570 mm;	10,00
121	10	folding litter total dimension L: 1910 mm; total dimension W: 570 mm;	10,00
122	10	folding litter total dimension L: 1910 mm; total dimension W: 570 mm;	10,00
123	10	sleeping mat total dimension L: 1850 mm; total dimension W: 530 mm;	10,00
124	10	sleeping mat total dimension L: 1850 mm; total dimension W: 530 mm;	10,00
125	10	sleeping mat total dimension L: 1850 mm; total dimension W: 530 mm;	10,00
126	1	lot of medical man's trousers description: size Large; approx. 90 pcs. ;	10,00
127	1	lot of steril green wrappers total dimension L: 910 mm; total dimension W: 870 mm;	10,00
128	1	lot of chemical protective boots brand: Hazmax;	10,00
129	1	lot of medical man's jackets description: size Medium; approx. 700 pcs. ;	10,00
130	12	folding camp cot various total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 500 mm; description: photo as example;	10,00
131	10	folding camp cot total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 500 mm;	10,00
132	10	folding camp cot total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 500 mm;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
133	17	folding camp cot various total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 500 mm; description: photo as example;	10,00
134	6	army folding litter	10,00
135	3	army folding litter total dimension L: 2000 mm; description: nylon;	10,00
136	3	army folding litter total dimension L: 2000 mm; description: nylon;	10,00
137	25	army stretcher	10,00
138	25	army medical instrument bag	10,00
139	25	army medical instrument bag	10,00
140	25	army medical instrument bag	10,00
141	25	army medical instrument bag	10,00
142	25	army medical instrument case	10,00
143	25	army medical instrument case	10,00
144	25	army medical instrument case	10,00
145	25	army medical instrument case	10,00
146	25	army medical instrument case	10,00
147	25	army medical instrument case	10,00
148	1	lot of man's surgical shirts description: size Large; approx. 700 pcs. ;	10,00
149	1	lot of man's surgical trousers description: size 46; in 7 boxes;	10,00
150	1	lot of man's pyjamas description: size Large; in 1 box;	10,00
151	1	lot of tampons brand: Tampax; description: in 96 boxes á 200 each;	10,00
152	1	liquid nitrogen storage tank brand: Ortec; description: Ø 400 mm; height 500 mm;	10,00
153	1	liquid nitrogen storage tank brand: Ortec; description: Ø 400 mm; height 500 mm;	10,00
154	1	liquid nitrogen storage tank brand: Ortec; description: Ø 400 mm; height 500 mm;	10,00
155	3	liquid nitrogen storage tank brand: Ortec; description: Ø 400 mm; height 500 mm;	10,00
156	4	liquid nitrogen storage tank brand: Ortec; description: Ø 400 mm; height 500 mm;	10,00
157	1	lot of various army folding litters total dimension L: 2000 mm; description: on 1 pallet;	10,00
158	1	mobile anesthesia machine brand: Draeger; type: Narkomed M; description: flow rate 0 - 5 LPM; digital display; 100-240V; 250 Watts; 2,5 Amps.; in (2x) "Hardigg" cases;	100,00
159	1	mobile anesthesia machine brand: Draeger; type: Narkomed M; description: flow rate 0 - 5 LPM; digital display; 100-240V; 250 Watts; 2,5 Amps.; in (2x) "Hardigg" cases;	100,00
160	1	mobile anesthesia machine brand: Draeger; type: Narkomed M; description: flow rate 0 - 5 LPM; digital display; 100-240V; 250 Watts; 2,5 Amps.; in (2x) "Hardigg" cases;	100,00
161	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
162	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
163	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
164	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
165	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
166	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
167	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
168	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
169	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
170	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
171	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
172	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
173	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
174	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V; incl. various belongings; in "Hardigg" case;	10,00
175	1	hematology analyzer brand: Beckman Coulter; type: ACT10; serial number: 6630-01468-9142; description: with touch screen user interface; 12 µL sample size; incl. various belongings; in "Hardigg" case;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
176	1	hematology analyzer brand: Beckman Coulter; type: ACT10; serial number: 6630-01468-9142; description: with touch screen user interface; 12 µL sample size; incl. various belongings; in "Hardigg" case;	10,00
177	1	hematology analyzer brand: Beckman Coulter; type: ACT10; serial number: 6630-01468-9142; description: with touch screen user interface; 12 µL sample size; incl. various belongings; in "Hardigg" case;	10,00
178	1	medical field sink unit brand: Aseptico; type: ADU-40CF; total dimension L: 390 mm; total dimension W: 390 mm; total dimension H: 270 mm; description: flow 2,2L/min.; incl. footpump; heater; stand and power cords; in case;	10,00
179	1	medical field sink unit brand: Aseptico; type: ADU-40CF; total dimension L: 390 mm; total dimension W: 390 mm; total dimension H: 270 mm; description: flow 2,2L/min.; incl. footpump; heater; stand and power cords; in case;	10,00
180	1	medical field sink unit brand: Aseptico; type: ADU-40CF; total dimension L: 390 mm; total dimension W: 390 mm; total dimension H: 270 mm; description: flow 2,2L/min.; incl. footpump; heater; stand and power cords; in case;	10,00
181	1	medical field scrub sink unit brand: Ran-Paige Company; type: DPSC DWG 60146FD; total dimension L: 560 mm; total dimension W: 400 mm; total dimension H: 170 mm; description: with plastic basin and aluminum frame; incl. footpump and heater;	10,00
182	1	medical field scrub sink unit brand: Ran-Paige Company; type: DPSC DWG 60146FD; total dimension L: 560 mm; total dimension W: 400 mm; total dimension H: 170 mm; description: with plastic basin and aluminum frame; incl. footpump and heater;	10,00
183	1	medical field scrub sink unit brand: Ran-Paige Company; type: DPSC DWG 60146FD; total dimension L: 560 mm; total dimension W: 400 mm; total dimension H: 170 mm; description: with plastic basin and aluminum frame; incl. footpump and heater;	10,00
184	1	medical mobile instrument case brand: Mobile Medical; total dimension L: 840 mm; total dimension W: 540 mm; description: in height adjustable; consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
185	1	medical mobile instrument case brand: Mobile Medical; total dimension L: 840 mm; total dimension W: 540 mm; description: in height adjustable; consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
186	1	medical mobile instrument case brand: Mobile Medical; total dimension L: 840 mm; total dimension W: 540 mm; description: in height adjustable; consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
187	1	medical mobile instrument case brand: Mobile Medical; total dimension L: 840 mm; total dimension W: 540 mm; description: in height adjustable; consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
188	1	medical mobile instrument case brand: Mobile Medical; total dimension L: 840 mm; total dimension W: 540 mm; description: in height adjustable; consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
189	1	X-Ray digitizer brand: AGFA; type: CR 25.0; digital: yes; electric connection: 120 V; weight: 210 kg; total dimension L: 450 mm; total dimension W: 750 mm; total dimension H: 1400 mm; description: up to 73 plates/h.; 12 bits/pixel; 100-240V;	100,00
190	1	wireless column scale brand: SECA; type: 703; weight range max: 25000 g; readability: 100 g; digital display: yes; description: 9-12V;	10,00
191	1	wireless column scale brand: SECA; type: 703; weight range max: 25000 g; readability: 100 g; digital display: yes; description: 9-12V;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
192	1	wireless column scale brand: SECA; type: 703; weight range max: 25000 g; readability: 100 g; digital display: yes; description: 9-12V;	10,00
193	1	eye level digital scale brand: Pelstar; type: 500KL; weight range max: 50000 g; readability: 100 g; digital display: yes; digital control: no; description: multiple functions; height rod 214 cm;	10,00
194	1	eye level beam scale brand: Cardinal Detecto; type: 439; weight range max: 18000 g; digital display: yes; digital control: no;	10,00
195	1	eye level beam scale brand: Cardinal Detecto; type: 439; weight range max: 18000 g; digital display: yes; digital control: no;	10,00
196	1	eye level digital scale brand: Pelstar; type: 500KL; weight range max: 50000 g; readability: 100 g; digital display: yes; digital control: no; description: multiple functions; height rod 214 cm;	10,00
197	1	weighing scale brand: Health o Meter;	10,00
198	1	weighing scale brand: Health o Meter;	10,00
199	1	digital scale brand: Health o Meter; type: 751 KLS; weight range max: 181400 g; digital display: yes;	10,00
200	1	eye level digital scale brand: Pelstar; type: 500KL; weight range max: 50000 g; readability: 100 g; digital display: yes; digital control: no; description: multiple functions; height rod 214 cm;	10,00
201	1	mobile airconditioner brand: De'Longhi ; type: PAC F 130 ECO; electric connection: 230 V;	10,00
202	1	mobile airconditioner brand: De'Longhi ; type: CT 300; electric connection: 230 V;	10,00
203	1	mobile airconditioner brand: De'Longhi ; type: PAC 22 Eco; electric connection: 230 V;	10,00
204	1	mobile hydrocollator brand: Chattanooga; type: SS-2; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: stainless steel;	10,00
205	1	glazing tank and pump stainless steel: yes; power: 0.18 kW; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 590 mm; total dimension H: 720 mm;	10,00
206	1	medical workstation brand: Magnetic; type: TXG90; total dimension L: 620 mm; total dimension W: 550 mm; description: 230V;	10,00
207	1	ultrasound surgical aspirator brand: Integra; type: Dissectron; electric connection: 230 V; total dimension L: 360 mm; total dimension W: 210 mm; total dimension H: 430 mm; description: with foot control;	10,00
208	1	mobile hypothermia unit brand: Blanketrol II; type: 222R; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 960 mm; description: temp. range 4-42°C; with digital display;	10,00
209	1	strip cut paper shredder brand: Martin Yale; type: Intimus 702; hopper opening: 400 mm; electric connection: 230 V; description: sheet cap. 70 ;	10,00
210	1	picture maker cabinet brand: Kodak; type: G3; description: incl. "Kodak" monitor; "Kodak" print scanner; "HP" personal computer and "Kodak" mobile cabinet; 230 Volt;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
211	1	mobile baby warmer system brand: GE Healthcare; type: Panda Warmer 1502; year: 2010; serial number: 204231; description: bed cap. up to 13.6 kg; mattress size 480x650 mm; with digital display;	100,00
212	1	mobile baby warmer system brand: GE Healthcare; type: Panda Warmer 1502; year: 2010; serial number: 204232; description: bed cap. up to 13.6 kg; mattress size 480x650 mm; with digital display;	100,00
213	1	mobile baby warmer system brand: GE Healthcare; type: Panda Warmer 1502; year: 2010; serial number: 204221; description: bed cap. up to 13.6 kg; mattress size 480x650 mm; with digital display;	100,00
214	1	mobile baby warmer system brand: GE Healthcare; type: Panda Warmer 1502; year: 2010; description: bed cap. up to 13.6 kg; mattress size 480x650 mm; with digital display;	100,00
215	1	mobile infant warmer brand: Air Shield Vickers; type: RM78-1; year: 2010; electric connection: 230 V; description: mattress size 600x750 mm;	10,00
216	1	mobile oscillatory ventilator brand: Viasys; type: SensorMedics 3100B; electric connection: 230 V; description: with digital display;	10,00
217	1	portable X-Ray machine brand: MinXRay; type: HF120/60HPPWV; year: 2006; serial number: 31454; digital: yes; description: 100-260V;	100,00
218	1	general purpose aqua bath brand: Lab-Line; type: 18010; content: 44 l; temperature range min.: 15 °c; temperature range max.: 40 °c; power: 1500 W; electric connection: 120 V; manual present: yes; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 250 mm;	10,00
219	1	general purpose aqua bath brand: Lab-Line; type: 18010; content: 44 l; temperature range min.: 15 °c; temperature range max.: 40 °c; power: 1500 W; electric connection: 120 V; manual present: yes; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 250 mm;	10,00
220	1	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
221	1	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
222	1	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
223	1	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
224	3	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
225	4	medical table leg set brand: Hardigg; description: consisting of: (4x) leg assy; (2x) brace; (1x) bag;	10,00
226	1	lot of ring view binders brand: Sparco; total dimension L: 300 mm; total dimension W: 300 mm;	10,00
227	1	wheel chair brand: Ortopedia;	10,00
228	1	lot of biohazard waste disposal bags brand: Medegen; description: colour red; 125 pcs. in 1 box; total 24 boxes;	10,00
229	1	lot of biohazard waste disposal bags brand: Medegen; description: colour red; 125 pcs. in 1 box; total 24 boxes;	10,00
230	1	thermotic gastric drainage pump brand: Gomco; type: 6003; description: mobile; vacuum setting 90-120 MM Hg; flow rate 0,3L/min.; 115/230V;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
231	1	thermotic gastric drainage pump brand: Gomco; type: 6003; description: mobile; vacuum setting 90-120 MM Hg; flow rate 0,3L/min.; 115/230V;	10,00
232	1	thermotic gastric drainage pump brand: Gomco; type: 6003; description: mobile; vacuum setting 90-120 MM Hg; flow rate 0,3L/min.; 115/230V;	10,00
233	1	thermotic gastric drainage pump brand: Gomco; type: 6003; description: mobile; vacuum setting 90-120 MM Hg; flow rate 0,3L/min.; 115/230V;	10,00
234	6	center pull towel dispenser brand: 2XL; plastic: yes; total dimension L: 250 mm; total dimension W: 250 mm; total dimension H: 350 mm;	10,00
235	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
236	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
237	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
238	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
239	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
240	2	electronic handtowel dispenser brand: Lotus; type: K90000A; plastic: yes; total dimension L: 350 mm; total dimension W: 250 mm; total dimension H: 400 mm;	10,00
241	1	lot of plaque removers brand: Slim-U-Dent; description: 25 pcs. in 1 pack;	10,00
242	1	lot of plastic wash basins brand: Vollrath; total dimension L: 320 mm; total dimension W: 260 mm; total dimension H: 140 mm; description: approx. 180 pcs; in 15 boxes;	10,00
243	1	lot of plastic wash basins brand: Vollrath; total dimension L: 320 mm; total dimension W: 260 mm; total dimension H: 140 mm; description: approx. 140 pcs; in 12 boxes;	10,00
244	1	double conversion UPS brand: Tripp-Lite; type: SU1000RTXL2U; power: 800 W; capacity: 1000 VA; electric connection: 120 V; description: 2U;	10,00
245	1	steam autoclave sterilizer brand: Harvey; type: Hydroclave MC8; table top model: yes; digital control: yes; total dimension L: 330 mm; total dimension W: 500 mm; total dimension H: 390 mm; description: 115/230V;	10,00
246	1	portable ventilator brand: Uni-Vent; type: 754; description: battery powered; with LCD display; incl. various belongings in case;	10,00
247	1	blood storage refrigerator/freezer brand: HemaCool; type: HMC-MIL1; content: 56 l; temperature range min.: 4 °c; temperature range max.: -22 °c; total dimension L: 952 mm; total dimension W: 533 mm; total dimension H: 554 mm;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
248	1	floor surgical light brand: FedMedical; type: FMI-301FB; single light: yes; tripod mount: yes; power: 50 W; description: 110-220V; 4500K;	10,00
249	1	hospital table total dimension L: 1150 mm; total dimension W: 600 mm; total dimension H: 280 mm;	10,00
250	1	cardio theater monitor brand: Precor ; type: CXPVS15PTL-102; description: 15"; in height adjustable stand;	10,00
251	1	cardio theater monitor brand: Precor ; type: CXPVS15PTL-102; description: 15"; in height adjustable stand;	10,00
252	1	cardio theater monitor brand: Precor ; type: CXPVS15PTL-102; description: 15"; in height adjustable stand;	10,00
253	1	cardio theater monitor brand: Precor ; type: CXPVS15PTL-102; description: 15"; in height adjustable stand;	10,00
254	1	feed air compressor brand: Pogs; type: 33C; description: 208-240V; 3PH; 15.5A;	10,00
255	1	air compressor brand: Oil-Less; type: M5-A; electric connection: 115 V; description: 14.8A;	10,00
256	1	mobile fume extractor brand: Purex; type: Lx Alpha 200; serial number: LXA-359; year: 2005; stainless steel: yes; power: 0.08 kW; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 900 mm;	10,00
257	1	sterilizer unit brand: Steri-dent; type: 200; stainless steel: yes; electric connection: 230 V;	10,00
258	1	radiographic system brand: Control X; digital: yes; electric connection: 400 V; description: consisting of: float table; tube stand; generator and power cabinet;	100,00
259	1	lot of biohazard waste disposal bags brand: Medegen; description: colour red; 125 pcs. in 1 box; total 24 boxes;	10,00
260	1	lot of biohazard waste disposal bags brand: Medegen; description: colour red; 125 pcs. in 1 box; total 20 boxes;	10,00
261	25	army medical instrument bag description: in 1 box;	10,00
262	25	army medical instrument bag description: in 1 box;	10,00
263	50	army medical instrument bag description: in 2 boxes;	10,00
264	50	army medical instrument bag description: in 2 boxes;	10,00
265	100	army medical instrument bag description: in 4 boxes;	10,00
266	1	ophtalmic instrument stand brand: Reliance; type: 10980; description: 230V;	100,00
267	1	ice maker brand: Exquisit; type: BL-15; capacity: 15 kg/24 hr; built-in cooling compressor: yes; electric connection: 230 V;	10,00
268	6	battery charger brand: Zoll; electric connection: 120 V;	10,00
269	5	battery charger brand: Zoll; electric connection: 120 V;	10,00
270	1	calibration analyzer brand: Timeter; type: RT-200; description: with digital display;	10,00
271	1	calibration analyzer brand: Timeter; type: RT-200; description: with digital display;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
272	1	stereo zoom microscope stand brand: ScienScope; type: EM-Series; stereo: yes; manual present: yes; description: excl. microscope!;	10,00
273	1	stereo zoom microscope stand brand: ScienScope; type: EM-Series; stereo: yes; manual present: yes; description: excl. microscope!;	10,00
274	1	stereo microscope set brand: Leica; type: S4E; stereo: yes; description: zoom 0.63X-3X; 3D visualization; 110/230V; in case;	100,00
275	1	stereo microscope set brand: Leica; type: S4E; stereo: yes; description: zoom 0.63X-3X; 3D visualization; 110/230V; in case;	100,00
276	1	simcube test set brand: Pronk technologies; type: Simcube SC-5; description: with various in bag;	100,00
277	1	microscope brand: Olympus; type: BH-2; transmitted light: yes; electric connection: 230 V; description: 4 optics; 10x/0.25; 20x/0.40; 50x/0.90; 100x/1.25;	10,00
278	1	microscope brand: Olympus; type: BX51; stereo: no; transmitted light: yes; electric connection: 110 V; description: 3 optics; 10x/0.25; 40x/0.65; 100x/1.25;	100,00
279	1	microscope brand: Olympus; type: BX51; stereo: no; transmitted light: yes; electric connection: 110 V; description: 2 optics; 10x/0.25; 100x/1.25;	100,00
280	1	microscope brand: Zeiss; type: 47 30 11-9901; transmitted light: yes; electric connection: 230 V; description: 4 optics; 4x/0.12; 10x/0.22; 40x/0.65; 100x/1.25;	10,00
281	1	biological microscope brand: Richter Optica; type: U2; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25; 100-240V;	10,00
282	1	biological microscope brand: Swift; type: M15; electric connection: 12 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
283	1	microscope brand: Motic; type: BA310E; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25; 100-240V;	10,00
284	1	binocular microscope brand: Nikon; type: Labophot-2; transmitted light: yes; electric connection: 230 V; description: 4 optics; 10x/0.25; 20x/0.4; 40x/0.65; 100x/1.25;	100,00
285	1	multi viewing head microscope brand: Olympus; type: BX51; stereo: yes; description: 4 optics; 10x/0.25; 40x/0.65; 40x/0.75; 100x/1.25; incl. (2x) "Olympus" microscope; type U-TBI-CLI;	100,00
286	1	multi viewing head microscope brand: Olympus; type: BX51; stereo: yes; electric connection: 110 V; description: 4 optics; 10x/0.25; 40x/0.65; 40x/0.75; 100x/1.25; incl. (2x) "Olympus" microscope; type U-TBI-CLI;	100,00
287	1	mobile ultrasound system brand: Philips; type: Envisor HD M2540A; description: incl. "AOC" LCD monitor and "Sony" digital printer; 100-240V;	100,00
288	1	compact ultrasound system brand: Ultrasonix; type: SonixTablet; serial number: SXTAB1.3-1202.0261; description: in height adjustable; 19" monitor; incl. "Sony" digital graphic printer;	100,00
289	1	mobile ultrasound system brand: SonoSite; type: 180 Plus; year: 2007; serial number: 0390FZ; description: incl. 12.1" flat panel display; "Sony" video graphic printer;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
290	1	mobile ultrasound system brand: SonoSite; type: 180 Plus; year: 2006; serial number: 036M03; description: incl. 12.1" flat panel display;	100,00
291	1	mobile ultrasound system brand: BK Medical; type: FlexFocus 400; electric connection: 230 V; description: with ultrasound scanner; type 1202; "Sony" digital graphic printer;	100,00
292	1	mobile universal ultrasound stand brand: SonoSite; electric connection: 230 V;	10,00
293	1	workstation reader/digitizer brand: AGFA; type: 5157/100; year: 2005; total dimension L: 600 mm; total dimension W: 300 mm; total dimension H: 1700 mm; description: 100-240V; incl. "Barco" LCD monitor;	10,00
294	1	harmonic scalpel generator brand: Ethicon; type: Generator 300; description: with digital display; incl. "Ethicon" mobile stand; incomplete;	10,00
295	1	mobile pediatric adult ventilator brand: Covidien / Puritan Bennett; type: 980 Series; year: 2012; serial number: 35B1401342; electric connection: 230 V; description: with 15" touchscreen display; max. 200L/min.;	100,00
296	1	mobile workstation brand: Olympus; type: WM-N60; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 1450 mm;	10,00
297	1	hospital notebook cart brand: Ergotron; type: SV22-92014;	10,00
298	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
299	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
300	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
301	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
302	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
303	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
304	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
305	1	spot vital signs monitor brand: Welch Allyn; type: MasimoSet; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
306	1	spot vital signs monitor brand: Welch Allyn; type: Nelcor SpO2; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
307	1	spot vital signs monitor brand: Welch Allyn; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
308	1	spot vital signs monitor brand: Welch Allyn; type: Nelcor SpO2; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
309	1	vitalcare patient monitor brand: Criticare; type: ComfortCuff 506NT3; digital: yes; description: incl. mobile stand;	10,00
310	1	patient monitor brand: Welch Allyn; type: 202 EL; digital: yes; electric connection: 240 V; manual present: no; description: battery operated; incl. mobile stand;	10,00
311	1	mobile patient monitor stand	10,00
312	1	patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
313	1	patient warming unit brand: Gaymar; type: TC3003; electric connection: 240 V; description: 7A;	10,00
314	1	fogger brand: B&G; electric connection: 230 V; description: max. cap. 6L;	10,00
315	1	patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
316	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
317	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
318	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
319	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
320	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
321	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
322	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
323	1	mobile patient warming unit brand: Arizant; type: Bair Hugger 750; electric connection: 240 V; description: 7.2A; with digital display;	10,00
324	1	medical light unit brand: ORC; type: ORC5800I; description: xenon; 600W; 230V;	10,00
325	1	blood warmer/rapid infuser brand: Belmont; type: FMS2000; power: 1440 W; electric connection: 230 V; description: digital display; flow 2,5-750 ml/min.; incl. mobile stand;	10,00
326	1	blood warmer/rapid infuser brand: Belmont; type: FMS2000; power: 1440 W; electric connection: 230 V; description: digital display; flow 2,5-750 ml/min.;	10,00
327	1	infant flow ventilator brand: CareFusion; type: 675-CFG-003; year: 2014; serial number: BEN01854; electric connection: 230 V; description: incl. mobile stand;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
328	1	workstation generator brand: Gyrus Ami; type: G400; year: 2012; serial number: 1221552; electric connection: 110 V; description: with digital display and footswitch;	10,00
329	1	electrocardiograph brand: Welch Allyn; type: CP200; description: with LCD screen; incl. mobile workstation;	100,00
330	2	surgical neuro spine brand: V.Mueller; type: Vini;	10,00
331	5	stainless forceps	10,00
332	1	lot of stainless steel various surgical tools	10,00
333	7	stainless steel surgical tools	10,00
334	1	precision high directivity coupler brand: Narda; type: 3095;	10,00
335	2	cystoscopy sheath with obturator brand: R. Wolf;	10,00
336	5	stainless forceps	10,00
337	5	stainless forceps	10,00
338	3	stainless forceps	10,00
339	5	stainless forceps	10,00
340	3	stainless steel ribbon retractor brand: Miltex;	10,00
341	3	stainless steel ribbon retractor brand: Princeton;	10,00
342	3	stainless steel ribbon retractor brand: Princeton;	10,00
343	6	stainless suction tubes brand: V.Mueller;	10,00
344	1	stainless steel tension device	10,00
345	3	laryngoscope blade	10,00
346	4	stainless forceps	10,00
347	5	stainless forceps	10,00
348	5	stainless forceps	10,00
349	4	stainless steel forceps	10,00
350	4	stainless vein retractor brand: V.Mueller;	10,00
351	2	stainless steel surgical tool	10,00
352	5	cushing nerve vein retractor	10,00
353	6	cushing nerve vein retractor	10,00
354	6	cushing nerve vein retractor	10,00
355	5	cushing nerve vein retractor	10,00
356	5	cushing nerve vein retractor	10,00
357	5	stainless forceps	10,00
358	4	stainless steel knife handle	10,00
359	2	stainless steel forceps	10,00
360	3	stainless steel forceps	10,00
361	5	stainless steel curettes	10,00
362	3	stainless steel surgical tool	10,00
363	4	stainless steel retractor brand: Princeton;	10,00
364	4	stainless steel forceps	10,00
365	4	stainless steel forceps	10,00
366	5	stainless steel forceps	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
367	3	stainless steel knife handle	10,00
368	3	stainless steel forceps	10,00
369	3	stainless steel curettes	10,00
370	1	stainless steel forcep	10,00
371	1	stainless steel curettes	10,00
372	5	stainless steel surgical tools	10,00
373	6	stainless steel surgical tools	10,00
374	6	stainless steel curettes	10,00
375	4	stainless steel forceps	10,00
376	4	stainless steel knife handle	10,00
377	4	stainless steel knife handle	10,00
378	4	stainless steel forceps	10,00
379	5	stainless steel forceps	10,00
380	5	stainless steel forceps	10,00
381	3	stainless steel retractor	10,00
382	3	stainless steel retractor	10,00
383	3	stainless steel forceps	10,00
384	3	stainless steel forceps	10,00
385	5	stainless steel forceps	10,00
386	5	stainless steel forceps	10,00
387	1	child / infant electrode pads brand: Cardiac; year: 2019;	10,00
388	3	stainless steel forceps	10,00
389	2	stainless steel forceps	10,00
390	1	stainless steel obstretical forcep	10,00
391	1	lot of stainless steel ribbon retractors	10,00
392	4	stainless steel surgical tool	10,00
393	4	stainless steel forceps	10,00
394	5	stainless steel forceps	10,00
395	5	stainless steel forceps	10,00
396	1	surgical tool	10,00
397	5	stainless steel curettes	10,00
398	1	lot of stainless steel surgical tools description: approx. 90 pcs;	10,00
399	5	stainless steel forceps	10,00
400	5	stainless steel forceps	10,00
401	4	stainless steel forceps	10,00
402	2	stainless steel forceps	10,00
403	5	stainless steel forceps	10,00
404	5	stainless steel forceps	10,00
405	5	stainless steel forceps	10,00
406	5	stainless steel forceps	10,00
407	5	stainless steel forceps	10,00
408	5	stainless steel forceps	10,00
409	5	stainless steel surgical tool	10,00
410	3	stainless steel forceps	10,00
411	4	stainless steel forceps	10,00
412	3	stainless steel forceps	10,00
413	3	stainless steel forceps	10,00
414	4	stainless steel retractor	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
415	1	stainless steel surgical tool	10,00
416	3	stainless steel forceps	10,00
417	4	stainless steel forceps	10,00
418	4	stainless steel forceps	10,00
419	3	stainless steel forceps	10,00
420	5	stainless steel forceps	10,00
421	3	stainless steel surgical tool	10,00
422	9	stainless steel surgical tool	10,00
423	3	stainless steel surgical tool	10,00
424	3	stainless steel surgical tool	10,00
425	5	stainless steel surgical tool	10,00
426	5	stainless steel surgical tool	10,00
427	5	stainless steel forceps	10,00
428	5	stainless steel forceps	10,00
429	1	stainless steel surgical tool	10,00
430	5	stainless steel curettes	10,00
431	6	stainless steel curettes	10,00
432	5	stainless steel surgical tool	10,00
433	10	stainless steel surgical tool	10,00
434	3	stainless steel ribbon retractor brand: Princeton;	10,00
435	6	stainless steel curettes	10,00
436	5	cystoscopy sheath with obturator brand: R. Wolf;	10,00
437	5	stainless steel curettes	10,00
438	4	stainless steel elevator	10,00
439	5	stainless steel curettes	10,00
440	5	stainless steel curettes	10,00
441	4	stainless steel surgical tool	10,00
442	5	stainless steel surgical tool	10,00
443	2	stainless steel retractor	10,00
444	3	stainless steel various surgical tool	10,00
445	2	stainless steel surgical tool	10,00
446	7	stainless steel surgical tool	10,00
447	5	stainless steel retractor	10,00
448	1	lot of various stainless steel teaspoons	10,00
449	5	stainless steel forceps	10,00
450	3	stainless steel forceps	10,00
451	2	stainless steel forceps	10,00
452	1	lot of various stainless steel teaspoons	10,00
453	1	lot of various stainless steel teaspoons	10,00
454	4	cystoscopy sheath with obturator brand: R. Wolf;	10,00
455	4	stainless steel curettes	10,00
456	6	stainless steel surgical tool	10,00
457	5	stainless steel retractor	10,00
458	4	stainless steel retractor	10,00
459	4	stainless steel forceps	10,00
460	1	stainless steel forcep	10,00
461	4	stainless steel forceps	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
462	5	stainless steel retractor	10,00
463	5	stainless steel retractor	10,00
464	1	lambotte osteotome brand: Sklar;	10,00
465	3	stainless steel ribbon retractor brand: Codman;	10,00
466	5	stainless steel retractor	10,00
467	2	stainless steel retractor	10,00
468	5	stainless steel forceps	10,00
469	5	stainless steel forceps	10,00
470	5	stainless steel curettes	10,00
471	5	stainless steel curettes	10,00
472	5	stainless steel forceps	10,00
473	5	stainless steel curettes	10,00
474	5	graduated hook probe brand: R.Wolf;	10,00
475	1	stainless steel retractor brand: K.Medic;	10,00
476	3	stainless steel forceps	10,00
477	5	stainless steel retractor	10,00
478	2	stainless steel retractor	10,00
479	3	filshie clip brand: Femcare;	10,00
480	3	stainless steel forceps brand: Sklar;	10,00
481	5	stainless steel retractor	10,00
482	5	stainless steel retractor	10,00
483	1	luar lock tube part brand: R.Wolf;	10,00
484	2	stainless steel forceps brand: Miltex;	10,00
485	2	stainless steel retractor brand: Sklar;	10,00
486	4	stainless steel forceps brand: Sklar;	10,00
487	2	stainless steel surgical tool	10,00
488	1	stainless steel retractor brand: Sklar;	10,00
489	2	stainless steel forceps	10,00
490	2	stainless steel forceps	10,00
491	2	stainless steel surgical tool	10,00
492	2	stainless steel curettes	10,00
493	6	stainless steel retractor	10,00
494	5	stainless steel retractor	10,00
495	5	stainless steel retractor	10,00
496	5	stainless steel retractor	10,00
497	5	stainless steel retractor	10,00
498	3	stainless steel retractor	10,00
499	2	stainless steel surgical tool	10,00
500	1	stainless steel surgical tool brand: Sklar;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
501	3	stainless steel surgical tool brand: Sklar;	10,00
502	3	stainless steel curettes	10,00
503	5	stainless steel curettes	10,00
504	7	stainless steel curettes	10,00
505	5	stainless steel curettes	10,00
506	5	stainless steel curettes	10,00
507	1	ophthalmoscope brand: Welch Allyn; type: 11720; description: 3,5V;	10,00
508	1	lot of sterile cartridge units brand: Carpuject; description: in 2 boxes;	10,00
509	1	infant transport incubator brand: BMD; type: MVP-10;	10,00
510	1	analyzer brand: Acterna; type: Fireberd 8000; description: in bag;	10,00
511	1	docking station brand: HP ; type: HSTNN-110X;	10,00
512	1	digital weighing scale brand: Health-O-Meter; weight range max: 220000 g; digital display: yes;	10,00
513	1	digital weighing scale brand: Health-O-Meter; weight range max: 220000 g; digital display: yes;	10,00
514	1	hospital light cabinet brand: National biological corporation; type: Handfoot II; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 350 mm;	10,00
515	1	hospital light cabinet brand: National biological corporation; type: Handfoot II; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 350 mm;	10,00
516	160	light glove brand: Covedien; type: Devon;	10,00
517	160	light glove brand: Covedien; type: Devon;	10,00
518	160	light glove brand: Covedien; type: Devon;	10,00
519	1	fluidotherapy unit brand: Chattanooga; type: Fluidotherapy FLU115DE;	10,00
520	1	lot of wash bottles description: 250 ml;	10,00
521	1	calibration analyzer brand: Timeter; type: RT-200; description: with digital display; in case;	10,00
522	1	dual fiber optic light source brand: Luminator; type: Pilling; description: halogen; in case ;	10,00
523	2	military back bag	10,00
524	3	military bag	10,00
525	5	modular medical trauma bag brand: Rammp-T;	10,00
526	5	tube aspirator	10,00
527	1	lot of endotracheal tube holders brand: Thomas ST; type: 500 ETH; description: 6.0-9.0 tube; approx. 100 pcs.;	10,00
528	2	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
529	2	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
530	2	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
531	2	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
532	2	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
533	4	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
534	4	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
535	4	synthetic splint system brand: Ortho-Glass; description: 10 cm x 4.6m;	10,00
536	1	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
537	1	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
538	1	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
539	1	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
540	2	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
541	2	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
542	2	hospital light brand: S&S X-Ray; type: 241037S; description: X-Ray film illuminator with foot pedal; 220V;	10,00
543	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
544	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
545	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
546	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
547	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
548	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
549	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
550	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
551	1	oxygen monitor brand: MSA; type: MiniOX 3000; description: battery operated; in case ;	10,00
552	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
553	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
554	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
555	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
556	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
557	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
558	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
559	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
560	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
561	5	multi infusion pump brand: CardinalHealth; digital display: yes;	10,00
562	5	multi infusion pump brand: CardinalHealth; digital display: yes;	10,00
563	1	lot of pipette tips brand: Hach; type: BBP 860; description: approx. 150 pcs. ;	10,00
564	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore ; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display; 120-240V;	10,00
565	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
566	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
567	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
568	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
569	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
570	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
571	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
572	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
573	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
574	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
575	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
576	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
577	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
578	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
579	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
580	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
581	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
582	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
583	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
584	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
585	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
586	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
587	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
588	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
589	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
590	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
591	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
592	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
593	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
594	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
595	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
596	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
597	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
598	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
599	1	infusion pump brand: CardinalHealth; type: Alaris PC 8015; digital display: yes; description: unserviceable; not running;	10,00
600	1	digital mixer/amalgamator brand: Crescent; type: Wig-L-Bug; electric connection: 230 V;	10,00
601	1	portable laryngoscope brand: GlideScope; description: with LCD TFT monitor;	10,00
602	1	defibrillator monitor brand: Zoll; type: Biphasic; description: incomplete;	10,00
603	1	defibrillator monitor brand: Zoll; type: Biphasic; description: incomplete;	10,00
604	1	defibrillator monitor brand: Zoll; type: Biphasic; description: incomplete;	10,00
605	1	defibrillator monitor brand: Zoll; type: Biphasic; description: incomplete;	10,00
606	1	amalgamator brand: Kerr; type: 4000;	10,00
607	1	programmable amalgamator brand: Kerr; type: Optimix;	10,00
608	1	patient Co2 monitor brand: Criticare; type: Poet Plus 8100; year: 2007; digital: yes; electric connection: 230 V; manual present: no;	10,00
609	1	portable electric blanket brand: Chillbuster; type: 8000; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
610	1	portable electric blanket brand: Chillbuster; type: 8000; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
611	1	examination light brand: Welch Allyn; type: 48742; single light: yes; description: halogen;	10,00
612	2	AC power supply brand: EnFlow; type: 120; electric connection: 110 V;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
613	2	AC power supply brand: EnFlow; type: 120; electric connection: 110 V;	10,00
614	3	AC power supply brand: EnFlow; type: 120; electric connection: 110 V;	10,00
615	2	peep valve	10,00
616	1	peep valve	10,00
617	1	peep valve	10,00
618	3	pump parts	10,00
619	1	lot of multiple sample luer adapters brand: BD Vacutainer;	10,00
620	4	blood pressure cuff	10,00
621	1	X-Ray test cassette brand: RMI;	10,00
622	1	lot of medical disposable blankets	10,00
623	1	heated humidifier brand: Fischer & Paykel; type: MR850AGU; power: 0.15 kW; electric connection: 230 V;	10,00
624	1	handheld autorefractor brand: Retinomax; type: K-Plus 3;	10,00
625	1	nebulizer heater brand: Hudson; type: ThermaGard;	10,00
626	1	endoscopic pump brand: Olympus; type: OFP;	10,00
627	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
628	1	Co2 insufflator brand: Karl Storz; type: Thermoflator 26432020; digital: yes;	10,00
629	1	light source brand: Olympus; type: ALS-6250U; power: 0.35 kW; description: 115/230V;	10,00
630	1	smoke evacuator brand: Mega Vac Plus; type: Megadyne;	10,00
631	1	portable suction ventilator description: defect;	10,00
632	1	bipolar generator brand: Richard Wolf; type: 2352; electric connection: 230 V; description: with digital display;	10,00
633	1	defibrillator monitor brand: Zoll; type: R Series Plus;	10,00
634	1	multichannel electrocardiograph brand: GE Healthcare; type: MAC 5500; electric connection: 230 V; description: with LCD screen; incl. mobile workstation;	100,00
635	1	photo therapy unit brand: Dräger; type: 4000; year: 2007; serial number: ARYC 0149; electric connection: 230 V; description: 120W; wavelength 160 nm; on mobile stand;	10,00
636	1	photo therapy unit brand: Dräger; type: 4000; year: 2007; serial number: ARYC 0130; electric connection: 230 V; description: 120W; wavelength 160 nm; on mobile stand;	10,00
637	1	mobile thermal drainage unit brand: Sorensen;	10,00
638	1	mobile hydrocollator brand: Chattanooga; type: SS-2; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: stainless steel;	10,00
639	1	orthovision fx table total dimension L: 1910 mm; total dimension W: 570 mm;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
640	1	clinical chart holder description: approx. 30 pcs. ;	10,00
641	1	digital weighing scale brand: Health-O-Meter; weight range max: 220000 g; digital display: yes;	10,00
642	10	blood transport case brand: Credo; type: Series 22 248;	10,00
643	1	lot of insufflation filters brand: Purple Surgical; description: in 3 boxes;	10,00
644	1	lot of medical tubes description: in 4 boxes;	10,00
645	1	lot of endotracheal tube holders brand: Thomas ST; type: 500 ETH; description: 6.0-9.0 tube; in 1 box;	10,00
646	1	vital signs monitor brand: Critikon; type: Dinamap 400V2; digital: yes; description: incl. mobile stand;	10,00
647	1	vital signs monitor brand: Critikon; type: Dinamap 400V2; digital: yes; electric connection: 240 V; description: incl. mobile stand;	10,00
648	1	ultrasound therapy unit brand: Chattanooga; type: Legend XT; description: digital display;	10,00
649	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; description: battery operated; incl. mobile stand;	10,00
650	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
651	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
652	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
653	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
654	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
655	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
656	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
657	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
658	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
659	1	spot vital signs monitor brand: Welch Allyn; type: Nelcor; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
660	1	spot vital signs monitor brand: Welch Allyn; type: Nelcor; digital: yes; electric connection: 240 V; description: battery operated; incl. mobile stand;	10,00
661	1	spot vital signs monitor brand: Welch Allyn; type: Nelcor; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
662	1	spot vital signs monitor brand: Welch Allyn; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
663	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated;	10,00
664	1	infrared therapy unit brand: Novasan ; type: 36; electric connection: 230 V;	10,00
665	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
666	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
667	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
668	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
669	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
670	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
671	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
672	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
673	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
674	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
675	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V; description: battery operated; incl. mobile stand;	10,00
676	1	video gastroscope brand: Olympus; type: Exera II GIF-N180; description: Ø 4.9 mm; working length 1100 mm; instrument channel 2 mm; field of view 120°; in case;	100,00
677	1	video gastroscope brand: Olympus; type: Exera GIF-2T160; description: Ø 12.6 mm; working length 1030 mm; instrument channel 3.7 and 2.8 mm; field of view 140°; in case;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
678	1	video gastroscope brand: Olympus; type: Exera GIF-XP160; description: Ø 5.9 mm; working length 1030 mm; instrument channel 2.0 mm; field of view 120°; in case;	100,00
679	1	video bronchoscope brand: Olympus; type: Exera BF-1T180; description: Ø 6.0 mm; working length 600 mm; instrument channel 3.0 mm; field of view 120°; in case;	100,00
680	1	video gastroscope brand: Olympus; type: Exera GIF-Q180; description: Ø 8.8 mm; working length 1030 mm; instrument channel 2.8 mm; field of view 140°; in case;	100,00
681	1	video bronchoscope brand: Olympus; type: Exera BF-Q180; description: Ø 5.5 mm; working length 600 mm; instrument channel 2.0 mm; field of view 120°; in case;	100,00
682	1	video duodenoscope brand: Olympus; type: Exera TJF-145; description: Ø 12.5 mm; working length 1240 mm; instrument channel 4.2 mm; field of view 100°; in case;	100,00
683	1	video duodenoscope brand: Olympus; type: Exera TJF-145; description: Ø 12.5 mm; working length 1240 mm; instrument channel 4.2 mm; field of view 100°; in case;	100,00
684	1	video gastroscope brand: Olympus; type: Exera GIF-2T160; description: Ø 12.6 mm; working length 1030 mm; instrument channel 3.7 and 2.8 mm; field of view 140°; in case;	100,00
685	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 12.8 mm; working length 1680 mm; instrument channel 3.7 mm; field of view 170°; in case;	100,00
686	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 12.8 mm; working length 1680 mm; instrument channel 3.7 mm; field of view 170°; in case;	100,00
687	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 12.8 mm; working length 1680 mm; instrument channel 3.7 mm; field of view 170°; in case;	100,00
688	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 12.8 mm; working length 1680 mm; instrument channel 3.7 mm; field of view 170°; in case;	100,00
689	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 11.5 mm; working length 1680 mm; instrument channel 3.2 mm; field of view 140°; in case;	100,00
690	1	video gastroscope brand: Olympus; type: Exera III GIF-XTQ160; description: Ø 12.9 mm; working length 1000 mm; instrument channel 6 mm; field of view 140°; in box;	100,00
691	1	video gastroscope brand: Olympus; type: Exera GIF-1TQ160; description: Ø 10.9 mm; working length 1030 mm; instrument channel 3.7 mm; field of view 140°; in box;	100,00
692	1	video gastroscope brand: Olympus; type: Exera GIF-Q180; description: Ø 8.8 mm; working length 1030 mm; instrument channel 2.8 mm; field of view 140°; in case;	100,00
693	1	video gastroscope brand: Olympus; type: Exera GIF-1TQ160; description: Ø 10.9 mm; working length 1030 mm; instrument channel 3.7 mm; field of view 140°; in box;	100,00
694	1	video colonoscope brand: Olympus; type: Exera CF-H180AL; description: Ø 12.8 mm; working length 1680 mm; instrument channel 3.7 mm; field of view 170°; in case;	100,00
695	1	video gastroscope brand: Olympus; type: Exera GIF-1TQ160; description: Ø 10.9 mm; working length 1030 mm; instrument channel 3.7 mm; field of view 140°; in box;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
696	1	hydraulic hand dynamometer brand: Sammons Preston; type: Jamar; description: max. cap. 90 kg; incl. various belongings; in case;	10,00
697	1	tracheal intubation fiberscope brand: Olympus; type: LF-P;	100,00
698	1	tracheal intubation fiberscope brand: Olympus; type: LF-P;	100,00
699	1	tracheal intubation fiberscope brand: Olympus; type: LF-GP;	100,00
700	1	tracheal intubation fiberscope brand: Olympus; type: LF-GP;	100,00
701	1	tracheal intubation fiberscope brand: Olympus; type: LF-GP;	100,00
702	1	video bronchoscope brand: Fujinon; type: BRO-Y3S; description: Ø 5.7 mm; working length 575 mm; instrument channel 2.0 mm; field of view 100°; incl. various belongings in case;	100,00
703	1	blood collection data mixer brand: Genesis; type: DCM3000; description: with LCD digital display; in case;	100,00
704	1	blood collection data mixer brand: Genesis; type: DCM3000; description: with LCD digital display; in case;	100,00
705	1	lung flow ventilator brand: Percussionaire; type: VDR-4; year: 2008; serial number: WF20291; description: flow 40L./min.; 100-240V; 30W;	100,00
706	1	therapeutic ultrasound center brand: XLTEK; type: ex-ul3;	10,00
707	1	mobile dental microscope brand: Global; description: 0.33-3.0X; with floorstand;	100,00
708	1	ultrasonic cleaner brand: L&R; type: Q650H; description: 6.5 gallon tank; 230V;	10,00
709	1	portable electric blanket brand: Chillbuster; type: 8001; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
710	1	portable electric blanket brand: Chillbuster; type: 8001; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
711	1	portable electric blanket brand: Chillbuster; type: 8001; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
712	1	lot of injection plugs with cap brand: Exel;	10,00
713	1	lot of blood collection needles brand: BD Vacutainer;	10,00
714	1	portable electric blanket brand: Chillbuster; type: 8000; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
715	1	portable electric blanket brand: Chillbuster; type: 8000; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
716	1	portable electric blanket brand: Chillbuster; type: 8000; description: blanket size 76x152 cm; temp. range -10 to +40°C; 110-240VAC;	10,00
717	1	lot of disposable cups description: total 2500 pcs.; 236,58 ml;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
718	1	lot of disposable cups description: total 2500 pcs.; 236,58 ml;	10,00
719	1	lot of disposable cups description: total 2500 pcs.; 236,58 ml;	10,00
720	1	refillable bowl dispenser brand: Highland;	10,00
721	1	refillable bowl dispenser brand: Highland;	10,00
722	1	floor weighing scale brand: Shor-Line;	10,00
723	1	dual observation unit brand: Olympus; type: U-DO; description: incl. "Olympus" microscope; type WH10XH/22;	10,00
724	1	microscope brand: Scienscope; stereo: yes; description: 0.7-4.5;	10,00
725	1	microscope brand: Scienscope; stereo: yes; description: 0.7-4.5;	10,00
726	1	microscope brand: Olympus; type: BX41; stereo: no; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	100,00
727	1	microscope brand: Olympus; type: BX51; stereo: no; description: 120-240V; 4 optics; 4x/0.16; 10x/0.25; 20x/0.50; 40x/0.65; incl. front to back dual observation unit; type U-DO3;	100,00
728	1	microscope brand: Olympus; type: BX51; stereo: no; description: 120-240V; 5 optics; 2x/0.08; 4x/0.16; 10x/0.40; 20x/0.75; 40x/0.90; 100x/1.30; incl. "Olympus" front to back dual observation unit; type U-DO3;	100,00
729	1	microscope brand: Olympus; type: BX60; stereo: no; electric connection: 230 V; description: 4 optics; 4x/0.13; 10x/0.30; 20x/0.50; 40x/0.75; incl. "Olympus" mercury light source;	100,00
730	1	microscope brand: Olympus; type: BX51; stereo: no; electric connection: 230 V; description: 4 optics; 4x/0.13; 10x/0.30; 20x/0.50; 40x/0.75; incl. "Olympus" mercury light source;	100,00
731	1	microscope brand: Olympus; type: BX41; stereo: no; electric connection: 230 V; description: 5 optics; 10x/0.25; 40x/0.75; 50x/0.90; 60x/1.40; 100x/1.25; incl. front to back dual observation unit; type U-DO3;	100,00
732	1	microscope brand: Olympus; type: BX41; stereo: no; electric connection: 230 V; description: incomplete;	10,00
733	1	microscope brand: Olympus; type: BX41; stereo: no; electric connection: 230 V; description: 7 optics; 2x/0.06; 4x/0.10; 10x/0.25; 20x/0.40; 40x/0.65; 60x/0.80; 100x/1.25;	100,00
734	1	microscope brand: Unico; type: G380; stereo: no; electric connection: 110 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
735	1	microscope brand: Leica; type: DM2500; year: 2016; stereo: no; transmitted light: yes; electric connection: 110 V; description: 3 optics; 10x/0.32; 20x/0.55; 40x/0.80;	100,00
736	1	microscope brand: Leica; type: DM2500; year: 2016; stereo: no; transmitted light: yes; description: 3 optics; 10x/0.32; 20x/0.55; 40x/0.80;	100,00
737	1	microscope brand: Olympus; type: CH-2; electric connection: 230 V; description: incomplete;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
738	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
739	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
740	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
741	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
742	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
743	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
744	1	microscope brand: Amscope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
745	1	microscope brand: Wolfe; type: Circa 2000; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
746	1	microscope brand: Motic; type: B1; electric connection: 230 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
747	1	microscope brand: Motic; type: B1; electric connection: 230 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
748	1	microscope brand: Motic; type: B1; electric connection: 230 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
749	1	microscope brand: Accu-Scope; electric connection: 220 V; description: 4 optics; 4x/0.10; 10x/0.25; 40x/0.65; 100x/1.25;	10,00
750	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
751	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
752	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
753	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
754	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
755	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
756	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
757	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
758	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
759	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
760	1	microscope brand: Olympus; type: SZ-ST; stereo: yes; electric connection: 220 V; description: 0.67-4x zoom;	10,00
761	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
762	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
763	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
764	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
765	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
766	1	microscope brand: Nikon; type: SMZ-1; stereo: yes; electric connection: 220 V; description: 0.7-3x zoom;	10,00
767	1	AC power supply brand: Marco; type: Ultra;	10,00
768	1	precision flow unit brand: VapoTherm; type: Precision Flow; electric connection: 230 V;	10,00
769	1	electrocardiograph brand: GE Medical Systems; type: MAC1200; description: 12-lead;	10,00
770	1	electrocardiograph brand: GE Medical Systems; type: MAC1200; description: 12-lead;	10,00
771	1	stethoscope brand: AMD; type: 3700; electric connection: 230 V; description: in box;	10,00
772	1	headset microphone brand: David Clarke;	10,00
773	1	otoscope wall transformer brand: Welch Allyn; type: 767;	10,00
774	1	ophthalmoscope/otoscope set brand: Welch Allyn; description: with charger;	10,00
775	1	ophthalmoscope/otoscope set brand: Welch Allyn; description: with charger;	10,00
776	1	ophthalmoscope/otoscope set brand: Welch Allyn; description: with charger;	10,00
777	1	ophthalmoscope/otoscope set brand: Welch Allyn; description: with charger;	10,00
778	1	ophthalmoscope/otoscope set brand: Welch Allyn; description: with charger;	10,00
779	1	blood pressure meter brand: Welch Allyn; description: with charger;	10,00
780	1	digital linear gauge brand: Ono Sokki; type: DG-270; description: 0.01-20 mm;	10,00
781	1	non-mydratic retinal camera brand: Topcon; type: TRC-NW6S;	100,00
782	1	ophthalmic meter / keratometer brand: Bausch & Lomb; description: with charger;	10,00
783	1	microscope brand: Olympus; type: SZX7; stereo: yes; description: 0.8-5.6x zoom;	100,00
784	1	slit lamp brand: Topcon; type: SL7E; description: magnification ratio: 6X; 10X; 16X; 25X; 40X; 40VA;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
785	1	ultrasonic bath brand: Bandelin Sonorex; type: RK 100 H; description: max. cap. 3L; 230V;	10,00
786	1	dental light source brand: Dentalite;	10,00
787	1	battery test unit	10,00
788	1	digital mixer/amalgamator brand: Crescent; type: Wig-L-Bug; electric connection: 230 V;	10,00
789	1	vitality scanner brand: Analytic ;	10,00
790	1	parametric transformer brand: RTI; type: IPCT-100;	10,00
791	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V;	10,00
792	1	vital signs monitor brand: Welch Allyn; type: 53NTO; digital: yes; electric connection: 230 V;	10,00
793	1	defibrillator brand: Medtronic; type: Lifepak 500; automatic: yes;	10,00
794	1	coagulation meter brand: Coagucheck S; description: in bag;	10,00
795	1	infusion pump brand: Baxter; type: Fio-Gard 6200; digital display: yes; electric connection: 110 V;	10,00
796	1	conductivity meter brand: Control;	10,00
797	1	ultraviolet inspection lamp brand: Spectroline; electric connection: 110 V;	10,00
798	1	doppler brand: Elite; type: 200R; description: with digital display;	10,00
799	1	handheld pulse CO-oximeter brand: Masimo; type: RAD57;	10,00
800	1	handheld pulse oximeter brand: BCI;	10,00
801	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
802	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
803	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
804	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
805	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
806	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
807	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
808	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
809	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
810	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
811	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
812	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
813	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
814	1	dental tool brand: Henry Schein; type: Dhf 25/30;	10,00
815	1	oxygen valve brand: Western medica;	10,00
816	24	2-way glycol and nitrite test strips brand: Penray;	10,00
817	1	forensic light battery charger brand: Ultralite ALS;	10,00
818	1	temp meter brand: Welch Allen; type: SureTemp plus; description: in bag;	10,00
819	1	temp meter brand: Welch Allen; type: SureTemp plus; description: in bag;	10,00
820	1	temp meter brand: Welch Allen; type: SureTemp plus; description: in bag;	10,00
821	1	dual console pack brand: Calamus; type: AEU-55T;	10,00
822	1	ophthalmoscope set brand: Welch Allyn; description: in bag;	10,00
823	1	lot of medical uni pants brand: Reel Research; type: 8801; description: colour blue; size XL;	10,00
824	4	tactical reel splint brand: Reel Research; type: 8801;	10,00
825	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
826	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
827	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
828	1	lot of medical finger rests	10,00
829	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
830	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
831	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
832	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
833	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
834	1	lot of medicine cups description: 30 ml;	10,00
835	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
836	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
837	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
838	6	military head wedge brand: Ambu;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
839	12	cold pack brand: Chattanooga; type: Colpac; description: 28x36 cm;	10,00
840	8	unitary wash bottle brand: Nalgene;	10,00
841	1	lot of men's hospital trouser	10,00
842	1	lot of hospital pillow cases	10,00
843	1	bed net brand: Catoma;	10,00
844	1	stereo microscope set brand: Leica; type: S4E; stereo: yes; description: 0.63X-3X; 3D visualization; in case;	100,00
845	1	lot of medical men's shirts description: size M;	10,00
846	1	lot of medical men's shirts description: size L; approx. 30 pcs. ;	10,00
847	1	lot of medical men's shirts description: size L; approx. 30 pcs. ;	10,00
848	1	lot of medical men's shirts description: size L; approx. 30 pcs. ;	10,00
849	8	low pressure thigh tourniquet cuff brand: Delfi;	10,00
850	1	lot of medical men's shirts description: size L; approx. 30 pcs. ;	10,00
851	25	endotracheal tube holder brand: Thomas ST; type: 500 ETH; description: 6.0-9.0 tube; in 1 box;	10,00
852	300	surgical mask brand: Halyard;	10,00
853	1	lot of hospital pillow cases description: approx 400 pcs. ;	10,00
854	20	particulate respirator brand: 3M; type: N95;	10,00
855	1	lot of examining gloves brand: Nitrile; type: Bubble Gum; description: size XS; approx. 1300 pcs;	10,00
856	1	lot of surgical handpiece sheaths brand: ConMed; description: approx. 100 pcs. ;	10,00
857	1	lot of disposable protective barriers	10,00
858	1	lot of surgical gloves brand: Optifit; type: Latex Biogel; description: approx. 140 pairs;	10,00
859	1	tactical reel splint brand: Reel Research; type: 8801;	10,00
860	1	electrosurgical unit brand: Conmed; type: Hyfrecator 2000; electric connection: 230 V;	10,00
861	1	electrosurgical unit brand: Conmed; type: Hyfrecator 2000; electric connection: 230 V;	10,00
862	1	electrosurgical unit brand: Conmed; type: Hyfrecator 2000; electric connection: 230 V;	10,00
863	1	mobile gas meter trolley	10,00
864	1	emergency aspirator brand: Leardal suction unit; year: 2012;	10,00
865	1	emergency aspirator brand: Leardal suction unit; year: 2012;	10,00
866	1	emergency aspirator brand: Leardal suction unit; year: 2012;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
867	1	dental oven brand: W&H; type: Lisa mb 17; year: 1997; serial number: 106453; description: temp max 138°; 230 volt;	100,00
868	1	calibration analyzer brand: Timeter; type: RT-200;	10,00
869	1	calibration analyzer brand: Timeter; type: RT-200;	10,00
870	1	tablet/ capsule counter brand: Kirby Lester; type: KL15df; electric connection: 110 V;	100,00
871	1	hearing aid test system brand: Fonix; type: 7000; electric connection: 230 V;	10,00
872	1	endoscopic flushing pump brand: Olympus; type: Ofp; electric connection: 230 V;	10,00
873	1	smoke evacuation system brand: Buffalo filter; type: Turbo ; electric connection: 230 V;	10,00
874	1	image processor brand: Olympus; type: Exera II cv-180; electric connection: 230 V;	10,00
875	1	electrosurgical unit brand: Gynecare; type: VersaPoint; electric connection: 230 V;	10,00
876	1	lab analyzer brand: Siemens; type: Clinitek advantus; electric connection: 230 V;	10,00
877	1	ultrasound therapy unit brand: Chattanooga; type: Intellect legend combo 7550; serial number: T3197; description: 12-16 vdc;	10,00
878	1	ultrasound therapy unit brand: Mettler; type: Sonicator plus 930; year: 2013; serial number: 113cb2560; electric connection: 240 V;	100,00
879	1	ambient air analyzer brand: Foxboro; type: Miran sapphire 205b; serial number: IS0038; description: in case;	100,00
880	1	air data flowmeter brand: FlowHood; type: CFM-88; description: in case;	10,00
881	1	eye chart monitor brand: Reichert;	10,00
882	1	electromyograph brand: Natus;	10,00
883	1	slit lamp brand: Topcon; type: SL-D8Z; year: 2005; description: 160 va;	100,00
884	1	slit lamp brand: Topcon; type: SL-D8Z; year: 2005; description: 160 va;	100,00
885	1	slit lamp brand: Haag- Streit; type: BP 900; year: 2005; description: 160 va;	100,00
886	1	slit lamp brand: Topcon; type: SL-8Z; year: 2005; description: 160 va;	100,00
887	1	digital refractor brand: Huvitz; type: HDR-7000; serial number: 7hr11a0021;	10,00
888	1	digital refractor brand: Huvitz; type: HDR-7000; serial number: 7hr11b0049;	10,00
889	1	ophthalmic perimeter brand: Welch Allen / Zeiss; type: Matrix;	100,00
890	1	vision stereoscope tester brand: Optec; type: 5500p; year: 2004; description: with unit;	100,00
891	1	vision stereoscope tester brand: Optec; type: Optec 2300; description: without unit;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
892	1	chart projector brand: Huvitz;	10,00
893	1	chart projector brand: Huvitz;	10,00
894	1	chart projector brand: Huvitz;	10,00
895	1	ophthalmic parts set brand: Reichert; description: in wooden box;	10,00
896	1	ophthalmic refractor brand: Reichert; type: Phoroptor 11636;	10,00
897	1	ophthalmic refractor brand: Reichert; type: Phoroptor 11636;	10,00
898	1	lensometer description: 110 volt;	10,00
899	1	medical diversity receiver brand: Gemini; type: UF-1264;	10,00
900	1	balancer brand: Sartorius; description: max 200 gramm; d=0,1 mg;	100,00
901	1	ophthalmic perimeter brand: Reichert;	100,00
902	1	ophthalmic perimeter brand: Reichert;	100,00
903	1	hplc system brand: Agilent; type: 1100 series; description: incomplete;	100,00
904	1	image processor brand: Olympus; type: Exera II clv-180; electric connection: 230 V;	10,00
905	1	universal endoscope ultrasound center brand: Olympus; type: Eu-me1;	10,00
906	1	image processor brand: Olympus; type: Exera II clv-180; electric connection: 230 V;	10,00
907	1	insufflating pump unit brand: Olympus; type: Obcu;	10,00
908	1	g3 workstation brand: PK technology; type: Gyrus acmi;	10,00
909	1	seal unit brand: Mighty mutt; type: Mpv-18; description: 110 volt;	10,00
910	1	label printer brand: Whittier;	10,00
911	1	lot unwaxed dental floss	10,00
912	1	lot unwaxed dental floss brand: Butler;	10,00
913	1	lot unwaxed dental floss brand: Butler;	10,00
914	1	lot unwaxed dental floss brand: Butler;	10,00
915	1	lot unwaxed dental floss brand: Butler;	10,00
916	1	lot unwaxed dental floss	10,00
917	1	lot unwaxed dental floss	10,00
918	1	lot unwaxed dental floss	10,00
919	1	lot unwaxed dental floss	10,00
920	1	medical shirts	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
921	20	surgical cloth description: in box;	10,00
922	20	surgical cloth description: in box;	10,00
923	20	surgical cloth description: in box;	10,00
924	20	surgical cloth description: in box;	10,00
925	40	surgical cloth description: in box;	10,00
926	40	surgical cloth description: in box;	10,00
927	80	surgical cloth description: in box;	10,00
928	2	boxes surgical caps	10,00
929	1	box surgical trousers	10,00
930	1	box surgical shirts	10,00
931	1	box surgical trousers	10,00
932	1	box surgical trousers	10,00
933	1	extraction device	10,00
934	1	extraction device brand: Ferno;	10,00
935	1	extraction device brand: Skedco;	10,00
936	1	extraction device brand: Skedco;	10,00
937	1	extraction device brand: Skedco;	10,00
938	1	extraction device brand: Skedco;	10,00
939	1	extraction device brand: Skedco;	10,00
940	1	operating Lamp brand: Welch Allen; single light: yes; tripod mount: yes; electric connection: 120 V;	10,00
941	1	operating Lamp brand: Philips; type: Burton sn22fl; single light: yes; tripod mount: yes; electric connection: 240 V;	10,00
942	1	operating Lamp brand: Welch Allen; single light: yes; tripod mount: yes; electric connection: 240 V;	10,00
943	1	operating Lamp brand: ALM; type: Stabilizer 24; single light: yes; tripod mount: yes; electric connection: 120 V;	10,00
944	1	operating Lamp brand: Derings; type: Stabilizer 24; LED: no; single light: no; double light: yes; ceiling mount: yes; wall mount: no; tripod mount: no; electric connection: 230 V;	10,00
945	1	operating Lamp brand: Derings; type: Stabilizer 24; LED: no; single light: no; double light: yes; ceiling mount: yes; wall mount: no; tripod mount: no; electric connection: 230 V;	10,00
946	1	tonfrequenz generator brand: Seba dynatronic;	10,00
947	1	emnesthesi vaporizer brand: Dräger;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
948	1	operating Lamp brand: Steris; type: 1866622; LED: no; single light: yes; double light: no; ceiling mount: yes; wall mount: no; tripod mount: no; electric connection: 230 V;	10,00
949	1	operating Lamp brand: Tristar; type: Sunnex; LED: no; single light: yes; double light: no; ceiling mount: yes; wall mount: no; tripod mount: no; electric connection: 230 V;	10,00
950	1	uv-visible recording spectrophotometer brand: Shimadzu; type: UV-160a; electric connection: 230 V;	10,00
951	1	automatic sterilizer brand: Ritter; type: M9 ultraClave; electric connection: 120 V;	10,00
952	1	dental autoclave brand: Pelton & Crane; type: Delta XL; year: 2003;	10,00
953	1	dental autoclave brand: Pelton & Crane; type: Delta XL; year: 2003;	10,00
954	1	vitality scanner brand: Analystic technology;	10,00
955	1	drill contole brand: Aseptico;	10,00
956	1	amalgamator brand: Sds Kerr; type: Optimix;	10,00
957	1	amalgamator brand: Sds Kerr; type: Optimix;	10,00
958	1	prophylactic unit brand: Cavitron; type: Plus;	10,00
959	1	prophylactic unit brand: Cavitron; type: Plus;	10,00
960	1	amalgamator brand: Acteon; type: Softly;	10,00
961	1	amalgamator brand: Sds kerr; type: 4000;	10,00
962	1	dental lab drill brand: Amann girrbach; type: Giroform;	10,00
963	1	activator light brand: Ivoclar vivadent; type: Bluephase;	10,00
964	1	activator light brand: Ivoclar vivadent; type: Bluephase;	10,00
965	1	activator light brand: Ivoclar vivadent; type: Bluephase;	10,00
966	1	handmachine brand: SybronEndo;	10,00
967	1	scaler brand: Cavitron ; type: Select sps;	10,00
968	1	activator light brand: Kerr; type: Deml;	10,00
969	1	activator light brand: Kerr; type: Optilux 501;	10,00
970	1	drill console brand: Dentsply;	10,00
971	1	water heater brand: Erkodent;	10,00
972	1	tray spacer	10,00
973	1	drill unit	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
974	1	suction unit brand: Laerdal; type: 4;	10,00
975	1	blood warmer brand: Belmont; type: Buddy lite;	10,00
976	1	blood warmer brand: Belmont; type: Buddy lite;	10,00
977	1	fluid warmer brand: Belmont; type: Buddy; electric connection: 120 V;	10,00
978	1	fluid warmer brand: Belmont; type: Buddy; electric connection: 120 V;	10,00
979	1	analyzer system local wide brand: Agilent; type: Z4425a; year: 2007; description: in 4 cases;	100,00
980	1	box cups	10,00
981	1	box cups	10,00
982	3	chair sleeves	10,00
983	4	boxes cups	10,00
984	4	fly killing units brand: John W. Hook;	10,00
985	4	fly killing units brand: John W. Hook;	10,00
986	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
987	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
988	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
989	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
990	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
991	1	battery tender unit brand: Two river medical; type: 300-6; description: 110 vac;	10,00
992	2	medical evacuation kits brand: The phantom;	10,00
993	1	manikin training system brand: Medi; type: Baby Sim; description: in case;	100,00
994	1	automatic air test unit brand: Dräger; type: Quaestor;	10,00
995	1	training test lung brand: Michigan; type: Dual adult ttl 5600 i;	10,00
996	1	lot of various	10,00
997	1	litter	10,00
998	1	spot vital signs monitor brand: Welch Allyn; type: 42NTB; digital: yes; electric connection: 230 V; description: battery operated;	10,00
999	1	spot vital signs monitor brand: Welch Allyn; type: 42NTB; digital: yes; electric connection: 230 V; description: battery operated;	10,00
1000	1	spot vital signs monitor brand: Welch Allyn; type: Nellcor SpO2; digital: yes; electric connection: 230 V; description: battery operated;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1001	1	spot vital signs monitor brand: Welch Allyn; type: Nellcor SpO2; digital: yes; electric connection: 230 V; description: battery operated;	10,00
1002	1	handheld low level cold laser unit brand: Erchonia; type: PL 5000; electric connection: 230 V; description: in case;	10,00
1003	1	low level cold laser unit brand: Chattanooga; electric connection: 110 V;	10,00
1004	1	digital air flow calibrator brand: Radek; type: D-8528; electric connection: 110 V;	10,00
1005	1	patient monitor brand: Welch Allyn; type: 202 EL; digital: yes; electric connection: 240 V; manual present: no;	10,00
1006	1	patient vital signs monitor brand: Welch Allyn; type: Propaq Encore 206 EMPSC; year: 2007; digital: yes; manual present: yes; description: up to 4 viewable waveforms; digital display;	10,00
1007	1	electric dermatome brand: Zimmer; type: 8821-06;	10,00
1008	1	ultrasound wattmeter brand: Bio-Tek; type: UW 4; electric connection: 120 V; description: in bag;	10,00
1009	1	ultrasound wattmeter brand: Bowles; type: UW 6; electric connection: 120 V; description: in bag (incomplete);	10,00
1010	1	co2 analyzer brand: Siemens; type: 930;	10,00
1011	1	vital signs monitor brand: Criticare; type: 506DXNT; digital: yes; electric connection: 230 V; description: battery operated;	10,00
1012	1	endodontic heat source brand: Analytic; type: System B;	10,00
1013	1	endodontic heat source brand: Analytic; type: System B;	10,00
1014	1	gel warmer brand: Thermasonic; electric connection: 230 V;	10,00
1015	1	cd recorder brand: Marantz ; type: CDR310;	10,00
1016	1	portable laryngoscope brand: GlideScope; description: with LCD TFT monitor;	10,00
1017	1	portable suction pump brand: UltraLite; type: 326/326M;	10,00
1018	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1019	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1020	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1021	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1022	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1023	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1024	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1025	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1026	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1027	1	automatic blood pressure meter monitor brand: Omron; type: HEM-780; electric connection: 6 V;	10,00
1028	1	ultrasound patient monitor brand: Tempus Pro; type: MasimoSet; digital: yes; electric connection: 12 V; description: incl. various belongings;	10,00
1029	1	medical kit guide brand: AMK;	10,00
1030	1	medical kit guide brand: AMK;	10,00
1031	1	soldering unit brand: Pace; type: MBT 301;	10,00
1032	1	AC power supply brand: EnFlow; type: 120;	10,00
1033	1	lab power supply brand: Olympus; type: U-RFL-T-200;	10,00
1034	1	analyzer brand: Viasys; type: 81300;	10,00
1035	1	analyzer brand: Viasys; type: 81300;	10,00
1036	1	dental portable LED light system brand: Kerr; type: Zeon Discovery; description: incl. various belongings in case;	10,00
1037	1	dental portable LED light system brand: Kerr; type: Zeon Discovery; description: incl. various belongings in case;	10,00
1038	1	dental portable LED light system brand: Kerr; type: Zeon Discovery; description: incl. various belongings in case;	10,00
1039	1	ultrasound patient monitor brand: Tempus Pro; type: MasimoSet; digital: yes; electric connection: 12 V; description: incl. various belongings;	10,00
1040	1	defibrillator brand: MedTronic; type: Lifepak 1000; automatic: yes;	100,00
1041	1	defibrillator brand: MedTronic; type: Lifepak 1000; automatic: yes;	100,00
1042	1	surgical free flow unit brand: Ohmeda; type: BDKM50050; description: incl. suction regulator;	10,00
1043	1	lab instrument brand: Bego;	10,00
1044	1	smoke evacuator brand: Mega Vac Plus; type: Megadyne;	10,00
1045	1	desktop metabolic system brand: Cosmed; type: Fitmate; description: 230 V; incl. various belongings in case;	100,00
1046	1	electrosurgery unit brand: Hyfrecator; type: 2000; electric connection: 230 V;	10,00
1047	1	precision pressure indicator brand: Druck; type: Pace 1000;	10,00
1048	1	handheld blood analyzer brand: Abbott; type: I-Stat1; year: 2016;	100,00
1049	1	defibrillator brand: MedTronic; type: Lifepak 1000; automatic: yes;	100,00
1050	1	defibrillator brand: MedTronic; type: Lifepak 1000; automatic: yes;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1051	1	defibrillator brand: Coretec; type: Trainer 1000; automatic: yes;	10,00
1052	1	defibrillator brand: MedTronic; type: Lifepak CR Plus; automatic: yes;	100,00
1053	1	portable ventilator brand: Uni-Vent; type: 754; description: battery powered; with LCD display; incl. various belongings in case;	10,00
1054	1	pipette calibration system brand: Artel; type: PCS;	100,00
1055	1	image & illumination system brand: AMD; type: 400; digital: no; description: 230V;	10,00
1056	1	portable sleep monitor brand: T3; type: Nox 3; description: with bluetooth; in bag;	10,00
1057	1	portable sleep monitor brand: T3; type: Nox 3; description: with bluetooth; in bag;	10,00
1058	1	maintenance unit brand: Olympus; type: MU-1; description: incomplete;	10,00
1059	1	leak tester brand: Olympus; type: MU-1; electric connection: 110 V;	10,00
1060	1	temp meter brand: Welch Allen; type: SureTemp plus; description: in bag;	10,00
1061	1	defibrillator brand: ZOLL; type: AED Plus; automatic: yes;	100,00
1062	1	defibrillator/pacer analyzer brand: Fluke; type: Impulse 4000; automatic: no; description: in bag;	100,00
1063	1	defibrillator brand: Philips; type: FR2+; automatic: yes;	100,00
1064	1	defibrillator brand: Philips; type: FR2+; automatic: yes;	100,00
1065	1	electrosurgical analyzer brand: Fluke; type: 454A;	10,00
1066	1	EMS monitor/defibrillator brand: Philips; type: M3536A; automatic: yes; description: incl. various belongings;	100,00
1067	1	extremity pump brand: Arjo Huntleigh; type: Flowtron Excel; electric connection: 230 V; description: with digital display;	10,00
1068	1	base power charger brand: Zoll;	10,00
1069	1	mechanical force gauge brand: Chatillon; type: LG-100; description: 100 lb x .50 lb;	10,00
1070	1	psychologic monitor brand: Philips; type: IntelliVue X2;	10,00
1071	1	psychologic monitor brand: Philips; type: IntelliVue X2;	10,00
1072	1	psychologic monitor brand: Philips; type: IntelliVue MP2;	10,00
1073	1	dual-frequency doppler type: 915-BL; description: with digital display;	10,00
1074	1	ultraviolet inspection lamp brand: Luxo; electric connection: 110 V;	10,00
1075	1	defibrillator brand: PhysioControl; type: LifePak 12; automatic: no; description: incomplete;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1076	1	defibrillator monitor brand: Zoll; type: Biphasic; description: incomplete;	10,00
1077	1	infusion pump brand: Alaris; description: incomplete;	10,00
1078	1	infusion pump brand: Alaris; description: incomplete;	10,00
1079	1	infusion pump brand: Alaris; description: incomplete;	10,00
1080	1	infusion pump brand: Alaris; description: incomplete;	10,00
1081	1	thermometer brand: Braun / Welch Allen;	10,00
1082	1	thermometer brand: Exergen;	10,00
1083	1	thermometer brand: Exergen;	10,00
1084	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
1085	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
1086	1	temp meter brand: Welch Allen; type: SureTemp plus;	10,00
1087	1	tympanomezic instrument brand: Welch Allen; type: MicroTymp 3; serial number: 23650; description: with charger;	10,00
1088	1	thermometer brand: Braun / Welch Allen;	10,00
1089	1	thermometer brand: Braun / Welch Allen;	10,00
1090	1	thermometer brand: Braun / Welch Allen;	10,00
1091	1	thermometer brand: Braun / Welch Allen;	10,00
1092	1	point of care analyzer brand: HemoCue; type: Hb 201+; description: 110 volt;	10,00
1093	1	point of care analyzer brand: Precision Xceed Pro; description: 110 volt;	10,00
1094	1	point of care analyzer brand: Precision Xceed Pro; description: 110 volt;	10,00
1095	1	point of care analyzer brand: Precision Xceed Pro; description: 110 volt;	10,00
1096	1	point of care analyzer brand: Precision Xceed Pro; description: 110 volt;	10,00
1097	1	ultrasonic iunit brand: SonoSite; type: Micro Maxx;	10,00
1098	1	cardiac pacemaker brand: Medtronic; type: 5348; description: single chamber;	10,00
1099	1	medical simulator brand: B. Braun; type: Stimuplex hns 12;	10,00
1100	1	measuring part brand: Agilent; type: Press m1006a T;	10,00
1101	1	nonrechargeable battery brand: Ultralife;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1102	1	nonrechargeable battery brand: Ultralife;	10,00
1103	1	nonrechargeable battery brand: Ultralife;	10,00
1104	1	ophthalmoscope / otoscope brand: Welch Allen; description: in case;	10,00
1105	1	ophthalmoscope / otoscope brand: Welch Allen; description: in case;	10,00
1106	1	ophthalmoscope / otoscope brand: Welch Allen; description: in case;	10,00
1107	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1108	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1109	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1110	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1111	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1112	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1113	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1114	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1115	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1116	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1117	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1118	1	iV fluid/blood warmer brand: EnFlow; type: 100;	10,00
1119	1	universal power supply brand: Impact; type: 754/754 m; description: for suction apparatus;	10,00
1120	1	universal power supply brand: Impact; type: 754/754 m; description: for suction apparatus;	10,00
1121	1	universal power supply brand: Impact; type: 754/754 m; description: for suction apparatus;	10,00
1122	1	universal power supply brand: Impact; type: 754/754 m; description: for suction apparatus;	10,00
1123	1	universal power supply brand: Impact; type: 754/754 m; description: for suction apparatus;	10,00
1124	1	patient monitor brand: Welch Allen; type: Pro paq;	10,00
1125	1	light source fiberoptic brand: Olympus; type: U-rfl-t;	10,00
1126	1	temporal scanner brand: Exergen;	10,00
1127	1	temporal scanner brand: Exergen;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1128	1	temporal scanner brand: Exergen;	10,00
1129	1	temporal scanner brand: Exergen;	10,00
1130	1	temporal scanner brand: Exergen;	10,00
1131	1	temporal scanner brand: Exergen;	10,00
1132	1	ambit pump brand: AmbiT; type: Pca;	10,00
1133	1	air check brand: AirChek xr5000; type: 210-5000;	10,00
1134	1	electrical safety analyzer brand: Fluke; type: 180;	10,00
1135	1	multiparameter simulator brand: Fluke; type: Mps450;	10,00
1136	1	pressure meter brand: Fluke; type: Dpm 2 plus;	10,00
1137	1	pressure meter brand: Fluke; type: Dpm 2 plus;	10,00
1138	1	graphic recorder part brand: Hp; type: M1116b;	10,00
1139	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1140	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1141	1	parameter tester brand: Fluke; type: Dpm 4;	10,00
1142	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1143	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1144	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1145	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1146	1	oxygen monitor brand: MSA; type: MiniOx 3000;	10,00
1147	1	stainless sterilization trays	10,00
1148	1	cordless driver instrument tray brand: Stryker; type: CD 3; description: with various drill head; stainless container; no battery;	100,00
1149	1	labware washer brand: Sonorex; type: Bandelin rk31; electric connection: 240 V;	10,00
1150	1	variable medical screws brand: Medtronic;	10,00
1151	2	hyfrecator pushbutton pencil brand: ConMed;	10,00
1152	1	medical scope brand: Karl Storz; type: Hopkins II;	10,00
1153	2	medical scopes brand: Stryker;	10,00
1154	1	transducer brand: SonoSite; type: P21; year: 2011;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1155	1	transducer brand: SonoSite; year: 2011;	10,00
1156	3	bags adapters	10,00
1157	1	phototherapy unit brand: CMV; type: BiliTx;	10,00
1158	3	utility cases	10,00
1159	1	centrifuge housing	10,00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Algemene voorwaarden Online veiling TroostwijkAuctions.com

ARTIKEL 1. DEFINITIES

Aanvaarding: de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

Afname: de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

Algemene Veilingvoorwaarden voor Kopers: deze Algemene Voorwaarden.

Bod: elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

Combinatie kavel: een samenvoeging van kavels die onder één kavelnummer worden geveild.

Eigendomsoverdracht: de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

Gebruiker: een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

Gebruikersovereenkomst: de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

Kavel: een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

Kijkdag: een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

Koopovereenkomst: de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

Koopsom: het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

Koper: de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

Opdrachtgever: de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

Openbare Veiling: een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

Opgeld: veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

Auto bod: Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

Registratie: aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

Statisch bod: Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

Specifieke Veilingvoorwaarden voor Kopers: de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

Toewijzing: de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bieder is toegewezen.

Troostwijk: Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

Veiling: de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

Verkoper: de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

Website(s): de website www.TroostwijkAuctions.com, die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

Zaken: roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

ARTIKEL 2. TOEPASSELIJKHEID

2.1 De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

2.2 De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.

2.3 Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



ARTIKEL 3. DE VEILING

3.1 Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

3.2 Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

ARTIKEL 4. ORGANISATIE VAN DE VEILING

4.1 De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

4.2 Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfangen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

4.3 Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

4.4 Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

4.5 Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

ARTIKEL 5. BIEDINGEN; KOOPOVERKOMST

5.1 De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

5.2 Indien meerdere gebruikers verklaren gezamenlijk een bod uit te brengen of te hebben uitgebracht, zijn zij hoofdelijk aansprakelijk voor de daaruit voortvloeiende verplichtingen.

5.3 Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfangen.

5.4 Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

5.5 Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

5.6 De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan.



Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toegewezen bod heeft uitgebracht.

5.7 De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

5.8 Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

5.9 In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

5.10 Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

5.11 Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

5.12 Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN

6.1 Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

6.2 Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortvloeiende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

6.3 Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

6.4 De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

6.5 Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

6.6 Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

6.7 Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER

7.1 De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

7.2 Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontleen. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uittalingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

7.3 De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER

8.1 De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

8.2 Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtelijke kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

8.3 Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

ARTIKEL 9. VEILIGHEID

9.1 Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

9.2 Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

ARTIKEL 10. AFNAME

10.1 Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

10.2 De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

10.3 Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.2. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



10.4 Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

10.5 De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en – in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

10.6 Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

10.7 Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arbowetgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

10.8 Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

10.9 De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

10.10 Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

10.11 Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE

11.1 Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzake te (doen) geven.

ARTIKEL 12. ONTBINDING

12.1 Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.

12.2 Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de



koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

12.3 Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.4 Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.5 In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen.

ARTIKEL 13. AANSPRAKELIJKHEID

13.1 De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

13.2 Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

13.3 Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

13.4 Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

13.5 Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

13.6 Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



13.7 Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiende uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

13.8 De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

13.9 Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

ARTIKEL 14. EXECUTIE

14.1 Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

ARTIKEL 15. AANPASSINGEN; WERKING

15.1 Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

15.2 Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

15.3 Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

15.4 Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



ARTIKEL 16. TOEPASSELIJK RECHT

16.1 Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

16.2 De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

16.3 De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

The European Online Auctioneer and Valuer

1300 Veilingen

Troostwijk organiseert
jaarlijks **1300** veilingen
In heel Europa

Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders
- uit 95 verschillende landen
- meer dan 500.000 registraties

15 landen

Troostwijk heeft
eigen kantoren
in 15 Europese landen

85 jaar

Troostwijk organiseert
veilingen sinds 1930 en
heeft meer dan 85 jaar ervaring