



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Bouwmaterialen, gereedschappen, containers en
units, rollend materieel (NL)**

Building materials, rolling stock, containers

and units
Ringdijk 10 - 3332LD Zwijndrecht
(Veilinglocatie)

Closing date: Thursday **28 FEBRUARY** starting 19:00



Viewing:

Tuesday 26 February from 09:00 until 16:00
Ringdijk 10 - 3332LD Zwijndrecht (The Netherlands)

Bidding only on the internet!

21-02-19 16.02

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 28 February 2019 Bouwmaterialen, gereedschappen, containers en units, rollend materieel

Specific Online Auction Terms and conditions of a public auction sale

| | |
|--|--|
| Closing date | Thursday 28 February 2019 starting 19:00 CET |
| Viewing | Tuesday 26 February from 09:00 until 16:00 CET Veilinglocatie Ringdijk 10 3332LD Zwijndrecht, The Netherlands TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com |
| Company organising this Online Auction | |
| Markup | 17.00% |
| VAT | 21.00% |
| Margin goods | In case of margin goods the VAT will be 0% |
| Collection | Thursday 7 March from 09:00 until 16:00 CET Friday 8 March from 09:00 until 16:00 CET Veilinglocatie Ringdijk 10 3332LD Zwijndrecht, The Netherlands |
| Viewing Instructions | Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. |
| Attending an auction closure for consumers | This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam . You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. |
| Payment Details | If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount within 48 hours after the purchase agreement has been sent . The transfer should be made to one of the following accounts. Please indicate the auction number and your Account ID with your payment. |

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

| Bank | IBAN nr. | Account nr. | BIC code |
|------|-----------|-------------|----------|
| ING | NL79 INGB | 0697311422 | INGBNL2A |

Attention please: indicate the Sale nr. and your buyer number with your payment!

After your purchase you will receive a **proforma** per email.

www.TroostwijkAuctions.com



Original invoices can be **downloaded** from [MyTroostwijk](#) after having received your payment.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers



in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 1 | 1 | four-wheel drive farm tractor brand: Renault; type: CERES 70X; hours on display: 5063; gear box type: Schakel, 5 versnelling; tyre size front: 12.4 R TZR2; tyre size rear: 16.9 R 30 TZR2; number of hydraulic valves: 6; front linkage: yes; cabin: yes; description: vv behind branch axis, hydraulic 3-point redesign, radio / cassette player, spotlights.; | 1,000.00 |
| 2 | 1 | forklift brand: Daewoo ; type: B 25 S; serial number: 45 X 00201; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3800 mm; overhead guard height: 2560 mm; fork length: 1200 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 9420; battery charger: yes; own weight: 3075 kg; total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 2550 mm; description: Pay attention! Pick up on 08-03 from 13.00 to 16.00 / Note! Collection on the 3rd of March between 13.00 and 16.00!); | 100.00 |
| 3 | 1 | forklift brand: Komatsu; type: FB 20-3; serial number: 1U109; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3000 mm; overhead guard height: 2110 mm; fork length: 1000 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 28265; battery charger: yes; own weight: 3500 kg; total dimension L: 3700 mm; total dimension W: 1060 mm; total dimension H: 2100 mm; description: equipped with bright lights (Note: Collect on 08-03 from 13.00 to 16.00 / Note! Collection on the 3th of March between 13:00 and 16:00!); | 100.00 |
| 4 | 1 | forklift brand: Linde; type: H 30 D; serial number: 331310019230; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3000 mm; overhead guard height: 2540 mm; fork length: 1500 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 10632; own weight: 4550 kg; total dimension L: 4300 mm; total dimension W: 1200 mm; total dimension H: 2530 mm; description: vv spotlights (Note: Pick up on 08-03 from 13.00 to 16.00 / Note! Collection on the 3rd of March between 13.00 and 16.00!); | 100.00 |
| 5 | 1 | 4x4x2 tower crane brand: Holland Lift ; type: Q135DL24/4WDPN; year: 2007; serial number: 0135-04-4600; diesel: yes; engine power: 23.5 kW; scissor lift: yes; working height: 1350 cm; platform size L: 440 cm; platform size W: 230 cm; platform capacity: 750 kg; description: equipped with manual; | 1,000.00 |
| 6 | 1 | residential unit number of doors: 1; number of windows: 4; total dimension L: 10000 mm; total dimension W: 3000 mm; total dimension H: 3000 mm; description: equipped with kitchen and bathroom; | 100.00 |
| 7 | 1 | light tower unit on trailer brand: Tcp; type: Hylite; year: 2006; VIN number: 0LY00000TKET00352; license plate: WS-SB-62; diesel: yes; own weight: 690 kg; description: length : 390cm; width: 146cm; working hours : 4254hrs; equipped with LED lighting ; Kubota 3- cylinder engine; | 100.00 |
| 8 | 1 | forklift brand: Om-Pimespo ; type: D25; year: 2003; serial number: F14141N00514; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3300 mm; overhead guard height: 2530 mm; fork length: 1150 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 6040; own weight: 3980 kg; total dimension L: 3700 mm; total dimension W: 1300 mm; total dimension H: 2540 mm; description: equipped with closed cab with sunroof , windshield wipers, windscreen washer, heater unit, lights and direction indicators (Note: Collect on 08-03 from 13.00 to 16.00 / Note! Collection on the 3th of March between 13:00 and 16:00!); | 1,000.00 |
| 9 | 1 | zoutstrooier brand: Meyer; type: Crossfire; description: content : 1m3; pay attention! tailpiece and worm drive: 2018; worm shaft is fixed; partly dismantled for maintenance; no repair was carried out.; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 10 | 1 | mini excavator brand: Bobcat; type: 220; serial number: 508211289; brand engine: Kubota; number of cylinders: 3; fuel type: Diesel; boom length: 2500 mm; with bucket: yes; bucket size W: 900 mm; track width: 230 mm; cabin: yes; hours on display: 5201; description: Includes cleaning tray.; | 1,000.00 |
| 11 | 1 | office container serial number: 021806969; dimension L: 3000 mm; dimension W: 2400 mm; dimension H: 2600 mm; number of doors: 1; number of windows: 2; | 100.00 |
| 12 | 1 | office container serial number: 021806968; dimension L: 3000 mm; dimension W: 2400 mm; dimension H: 2600 mm; number of doors: 1; number of windows: 1; | 100.00 |
| 13 | 1 | mini excavator brand: JCB; type: 8008 CTS; year: 2011; serial number: JCB08008C00763765; brand engine: Perkins; engine power: 9.07 kW; number of cylinders: 3; fuel type: Diesel; boom length: 2300 mm; with bucket: yes; track width: 180 mm; hours on display: 1161; own weight: 950 kg; description: Including opschoonbak b ca 70cm and ground bucket b ca 35cm.; | 1,000.00 |
| 14 | 1 | forklift brand: Clark ; type: EM 25 S.; year: 1995; serial number: EM 375-0392-GEF 7426; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3720 mm; overhead guard height: 2420 mm; fork length: 1100 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 6361; battery charger: yes; own weight: 3170 kg; total dimension L: 3500 mm; total dimension W: 1200 mm; total dimension H: 2410 mm; description: (Note: Pick up on 08-03 from 13.00 to 16.00 hours / Note! Collection on the 3rd of March between 13.00 and 16.00!); | 100.00 |
| 15 | 1 | toilet unit number of doors: 1; number of windows: 2; number of toilets: 2; number of sinks: 1; total dimension L: 4050 mm; total dimension W: 2500 mm; total dimension H: 2650 mm; description: equipped with 2 urinals; | 10.00 |
| 16 | 1 | storage containers brand: Fladafi; chemical storage container: yes; total dimension L: 2100 mm; total dimension W: 3000 mm; total dimension H: 2380 mm; | 100.00 |
| 17 | 1 | electric drill / breaker brand: Makita; type: HR4000C; serial number: 232544E; | 10.00 |
| 18 | 1 | Rotary hammer brand: Makita; type: HR2470; year: 2007; hammer drill: yes; capacity: 13 mm; power: 780 W; electric connection: 230 V; | 10.00 |
| 19 | 1 | electric hand-held grinding machine brand: Hitachi; type: G 23MRU; year: 2013; serial number: 130009; disc diameter: 230 mm; power: 2500 W; electric connection: 230 V; | 10.00 |
| 20 | 1 | Impact drill brand: Bosch; type: RSB 600 R; impact drill: yes; capacity: 16 mm; electric connection: 230 V; | 10.00 |
| 21 | 1 | electric hand saw brand: Hitachi; type: PSU-9; serial number: 330215; plunge-cut saw: yes; saw blade ? : 240 mm; max. depth of cut: 90 mm; angle adjustment (deg): 45 °; electric connection: 230 V; | 10.00 |
| 22 | 1 | breaker brand: Hilti ; type: TE 500-AVR; hammer drill: yes; combi drill: yes; power: 1100 W; electric connection: 230 V; | 10.00 |
| 23 | 1 | battery tooling brand: Hitachi; type: DH 18DL; year: 2010; serial number: J900527; voltage: 18 V; number of batteries: 1; battery charger: yes; hammer drill: yes; | 10.00 |
| 24 | 1 | battery tooling brand: Hitachi; type: WH14DCAL; year: 2008; serial number: JD 80324; voltage: 14,4 V; number of batteries: 2; battery charger: yes; screw machine: yes; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 25 | 1 | Hand planer brand: Hitachi; type: F-30A; year: 1998; serial number: 680023; electric connection: 230 V; | 10.00 |
| 26 | 1 | electric hammer brand: Hitachi; type: DH 24PB3; year: 2009; serial number: 793692; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 27 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; year: 2012; serial number: C523534; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 28 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; year: 2008; serial number: N85501; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 29 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; year: 2005; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 30 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 31 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; year: 2010; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 32 | 1 | Impact drill brand: Hitachi; type: VTV-16; year: 2014; serial number: 140007; impact drill: yes; capacity: 16 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 33 | 1 | electric drill hammer brand: Hitachi; type: DH 24PB3; year: 2007; hammer drill: yes; capacity: 24 mm; power: 800 W; electric connection: 230 V; | 10.00 |
| 34 | 1 | battery tooling brand: Hitachi; type: DS QWDVA; voltage: 12 V; number of batteries: 2; battery charger: yes; screw machine: yes; drilling machine: yes; | 10.00 |
| 35 | 1 | battery tooling brand: Hitachi; voltage: 25,2 V; number of batteries: 2; battery charger: yes; hammer drill: yes; | 10.00 |
| 36 | 1 | Impact drill brand: Metabo; type: 500; capacity: 13 mm; electric connection: 230 V; | 10.00 |
| 37 | 1 | battery tooling brand: Hitachi; type: DS 14 DFL; year: 2009; serial number: J 492967; voltage: 14,4 V; number of batteries: 2; screw machine: yes; drilling machine: yes; | 10.00 |
| 38 | 1 | battery tooling brand: Hitachi; type: DS 12DVB2; serial number: J 492967; capacity: 10 mm; description: 12 volts. with charger and extra battery.; | 10.00 |
| 39 | 1 | magnetic core drill brand: DMS EUROBOOR; type: 30/2; serial number: 301127; electric connection: 230 V; description: Attention !!, housing damaged.; | 10.00 |
| 40 | 1 | electric hand saw brand: Hitachi; type: C 9u2; serial number: M880299; saw blade ? : 235 mm; angle adjustment: yes; angle adjustment (deg): 45 °; electric connection: 230 V; description: Pay attention!! excluding saw blade; | 10.00 |
| 41 | 1 | impact wrench brand: Makita; type: 6905B; year: 2002; serial number: 303254E; electric connection: 230 V; with case: yes; description: cap: 12.7 mm.; | 10.00 |
| 42 | 1 | Rotary hammer brand: Hitachi; type: DH24PB3; year: 2006; serial number: 460463; capacity: 24 mm; power: 800 W; with case: yes; electric connection: 230 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 43 | 1 | battery tooling brand: Hitachi; type: WR120MR; year: 2007; serial number: 670082; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; | 10.00 |
| 45 | 1 | battery tooling brand: Hitachi; type: WR12DAF; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: cap: 12.7mm, metaldehyde and extra battery.; | 10.00 |
| 46 | 1 | Crimping tool brand: Viega NUSSBAUM; type: 830.01.01; year: 2003; serial number: 10.00537; electric connection: 230 V; with case: yes; description: with pressing jaws 7 incl. diam: 15, 16/17, 18, 20, 22, 28, 35 mm.; | 10.00 |
| 47 | 1 | battery tooling brand: Metabo; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; | 10.00 |
| 48 | 1 | electric hand-held polishing machine brand: Carpoint; electric connection: 230 V; description: cap: 180mm, with accessories .; | 10.00 |
| 49 | 1 | Hedge brand: Hitachi; type: FH 45; serial number: Y 490089; length: 450 mm; electric connection: 230 V; | 10.00 |
| 50 | 1 | electrical low-speed drilling machine brand: Fein; type: Dsk 672; serial number: R16001; capacity: 26 mm; power: 1050 W; electric connection: 230 V; description: speed: 185 / min.; | 10.00 |
| 51 | 1 | electrical low-speed drilling machine brand: Fein; type: Dsk e 658; serial number: 461096; capacity: 19 mm; power: 540 W; electric connection: 230 V; description: with 2 speed: 420/200 / min.; | 10.00 |
| 52 | 1 | automatic welding helmet brand: Jackson; type: J5033; | 10.00 |
| 53 | 1 | screwdriverset piece: 6; | 10.00 |
| 54 | 1 | screwdriverset piece: 6; | 10.00 |
| 55 | 1 | screwdriverset piece: 6; | 10.00 |
| 56 | 1 | screwdriverset piece: 6; | 10.00 |
| 57 | 1 | screwdriverset piece: 6; | 10.00 |
| 58 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 59 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 60 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 61 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 62 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 63 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 64 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 65 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 66 | 1 | electric hand-held circular saw brand: Gamma; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 67 | 1 | electric hand-held circular saw brand: Makita; type: 5703R; saw blade ? : 190 mm; electric connection: 230 V; | 10.00 |
| 68 | 1 | reciprocating saw brand: Ridgid; type: 550-1; electric connection: 230 V; | 10.00 |
| 69 | 1 | reciprocating saw brand: Makita; type: JR3050T; electric connection: 230 V; | 10.00 |
| 70 | 1 | hand metal detector brand: Garret; type: Super scanner; | 10.00 |
| 71 | 1 | hand metal detector brand: MikoScan; type: 20; | 10.00 |
| 72 | 1 | hand metal detector brand: MikoScan; type: 20; | 10.00 |
| 73 | 1 | soldering iron brand: Varo; | 10.00 |
| 74 | 1 | soldering iron brand: Varo; | 10.00 |
| 75 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 76 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 77 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 78 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 79 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 80 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 81 | 1 | construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 82 | 1 | extension cable reel electric connection: 230 V; on reel: yes; | 10.00 |
| 83 | 1 | led driver Phyllion, brand: Phyllion; electric connection: 230 V; description: concerns Led driver; charger for electric bike; | 10.00 |
| 84 | 1 | Air conditioning brand: Andrews sykes; type: ET 9; electric connection: 230 V; description: mobile; | 10.00 |
| 85 | 1 | Air conditioning brand: Remko; electric connection: 230 V; description: mobile; | 10.00 |
| 86 | 1 | Air conditioning brand: Zibro; type: P122; electric connection: 230 V; description: mobile; | 10.00 |
| 87 | 1 | Water cooler | 10.00 |
| 88 | 1 | Water cooler | 10.00 |
| 89 | 1 | Water cooler | 10.00 |
| 90 | 1 | Water cooler | 10.00 |
| 91 | 1 | stage trainer brand: Energetics; type: ET 99 magnetic; | 10.00 |
| 92 | 1 | mini tractor brand: Mtd; description: equipped with Briggs & Stratton engine; 12hp; | 10.00 |
| 93 | 1 | airless paint sprayer brand: Wagner; type: 1400 H; serial number: 685475; electric connection: 220 V; description: equipped with gun; max 240bar; volumem: 2,6ltr / min.; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 94 | 1 | electric golfcar brand: Clubcar; electric: yes; description: with battery chargers; | 10.00 |
| 95 | 1 | electric hand-held circular saw brand: Makita; type: Sp6000; plunge-cut saw: yes; saw blade ? : 165 mm; with case: yes; electric connection: 230 V; | 10.00 |
| 96 | 1 | battery tooling brand: Wurth; type: Hks28a; voltage: 28 V; number of batteries: 2; battery charger: yes; with case: yes; sawing machine: yes; | 10.00 |
| 97 | 1 | electric hand drill brand: Wurth; type: Bm40; hammer drill: no; combi drill: yes; with case: yes; electric connection: 230 V; | 10.00 |
| 98 | 1 | electric hand drill brand: DeWalt; type: D25600; hammer drill: no; combi drill: yes; with case: yes; electric connection: 230 V; | 10.00 |
| 99 | 1 | angle grinder brand: Bosch; type: Gws 21-230; disc diameter: 230 mm; electric connection: 230 V; | 10.00 |
| 100 | 1 | sawing machine brand: AEG; type: K55; | 10.00 |
| 101 | 1 | reciprocating saw brand: Metabo; type: PsE 0525; | 10.00 |
| 102 | 1 | electric hand drill brand: Bosch; type: Gbh 4dfe; hammer drill: yes; electric connection: 230 V; | 10.00 |
| 103 | 1 | belt sander brand: Metabo; type: Ba6100; year: 1994; serial number: 64963; working width: 90 mm; electric connection: 230 V; | 10.00 |
| 104 | 1 | plan | 10.00 |
| 105 | 1 | submersible electric connection: 230 V; | 10.00 |
| 106 | 1 | Welding machine brand: Esab; type: Lhl160; inverter type: yes; portable: yes; ampere range: 160 A; electric connection: 380 V; | 10.00 |
| 107 | 1 | automatic welding helmet brand: Jackson; type: J5033; | 10.00 |
| 108 | 1 | automatic welding helmet brand: Jackson; type: J5033; | 10.00 |
| 109 | 1 | electric hand drill brand: Duss; type: D38-rle; electric connection: 230 V; | 10.00 |
| 110 | 1 | tapper brand: Bosch; electric connection: 230 V; | 10.00 |
| 111 | 1 | reciprocating saw brand: Rems; type: Rw 56; | 10.00 |
| 112 | 1 | Welding machine brand: Deca; type: Silver Watt 200; MMA type: yes; portable: yes; ampere range: 200 A; duty cycle: 20 %; electric connection: 400 V; | 10.00 |
| 113 | 1 | Decoupling machine brand: Festool; type: PS 300 EQ; | 10.00 |
| 114 | 1 | battery tooling brand: Makita; type: Btd134; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; | 10.00 |
| 115 | 1 | battery tooling brand: Wurth; type: Abh 20-sle; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 116 | 1 | battery tooling brand: Wurth; type: Bs18a; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; | 10.00 |
| 117 | 1 | plastic welding machine brand: Rothenberger; type: CR-JQ-40; electric connection: 230 V; with case: yes; | 10.00 |
| 118 | 9 | Grinding wheels brand: Flexovite; type: 300x4.0x25,4; | 10.00 |
| 119 | 1 | screw machine brand: Makita; type: Fs4300; electric connection: 230 V; | 10.00 |
| 120 | 1 | angle grinder brand: Black en Decker; type: CD115; disc diameter: 115 mm; electric connection: 230 V; | 10.00 |
| 121 | 1 | light hammer brand: Wurth; type: H 20-SLE; hammer drill: yes; capacity: 20 mm; power: 500 W; electric connection: 230 V; | 10.00 |
| 122 | 5 | various cut-off wheels | 10.00 |
| 123 | 1 | handsaw machine brand: Milwaukee; type: CS35; year: 2007; saw blade ? : 165 mm; max. depth of cut: 55 mm; angle adjustment: yes; angle adjustment (deg): 45 °; electric connection: 230 V; | 10.00 |
| 124 | 1 | Rotary hammer brand: Milwaukee; type: Code 4000 3874 71; serial number: 11595 C2011; hammer drill: yes; capacity: 26 mm; power: 725 W; electric connection: 230 V; | 10.00 |
| 125 | 1 | scale brand: Vetek; type: VB2-100-EC; serial number: 92960; weight range min.: 1000 g; weight range max: 10000 g; digital control: yes; electric connection: 9 V; description: with adapter and soft bag.; | 10.00 |
| 126 | 1 | Rotary hammer brand: Einhell; type: BBH 850; year: 2003; serial number: 054298; hammer drill: yes; power: 850 W; with case: yes; electric connection: 230 V; | 10.00 |
| 127 | 1 | various instruments brand: Kimo; type: MDP 600; serial number: 08122368; description: Pay attention!! AMI 300 joystick operation defective.; | 10.00 |
| 128 | 1 | drilling dust extraction system brand: Hilti; type: TE DRS-6-A; | 10.00 |
| 129 | 1 | drill dust extraction system brand: Hilti; type: TE DRS-6-A; | 10.00 |
| 130 | 1 | Hand drill electric connection: 230 V; | 10.00 |
| 131 | 1 | drill dust extraction system brand: Hilti; type: TE DRS-M; | 10.00 |
| 132 | 1 | electric angle grinding machine/ belt sander brand: KGS; type: L 1506 Vr; rotary sander : yes; electric connection: 230 V; | 10.00 |
| 133 | 1 | electric hand saw brand: Black & Decker; type: DN 54 ; plunge-cut saw: yes; saw blade ? : 120 mm; angle adjustment (deg): 45 °; electric connection: 230 V; | 10.00 |
| 134 | 1 | diamond concrete drill brand: MILWAUKEE ; power: 2200 W; electric connection: 230 V; description: equipped with VSK tensioning drill rig and diamond drill, dia: 130 mm x H410.; | 10.00 |
| 135 | 1 | jig saw brand: Makita; type: 4350 FCT; electric connection: 230 V; | 10.00 |
| 136 | 1 | electric hand drill brand: Fein; type: ASK 672; capacity: 26 mm; power: 1050 W; electric connection: 230 V; | 10.00 |
| 137 | 1 | Milling tool brand: M; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 138 | 1 | construction plenum box electric connection: 63 A; number of outputs 230 V: 6; number of outputs 380 V / 63 A: 3; total dimension W: 750 mm; total dimension H: 1230 mm; | 10.00 |
| 139 | 1 | glue pressure vessel with spray gun brand: PRO-TEK; type: 3000; description: equipped with a pressure vessel.; | 10.00 |
| 140 | 11 | fluorescent lighting fixture brand: clamox; type: MIR-Z 54 236-E3 3/6 TW PK M20; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 140 mm; total dimension H: 140 mm; | 10.00 |
| 141 | 10 | fluorescent lighting fixture brand: clamox; type: MIR-Z 54 236-E3 3/6 TW PK M20; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 140 mm; total dimension H: 140 mm; | 10.00 |
| 142 | 10 | fluorescent lighting fixture brand: clamox; type: MIR-Z 54 236-E3 3/6 TW PK M20; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 140 mm; total dimension H: 140 mm; | 10.00 |
| 143 | 1 | drilling machine brand: Metabo; type: BSZ 12; voltage: 12 V; number of batteries: 2; with case: yes; screw machine: yes; drilling machine: yes; | 10.00 |
| 144 | 1 | electric hand drill brand: Metabo; type: Bh E 6010 S R+L; hammer drill: yes; capacity: 20 mm; power: 500 W; with case: yes; electric connection: 230 V; | 10.00 |
| 145 | 1 | diamond drilling machine brand: Elu; with case: yes; electric connection: 230 V; description: with Carat safety transformer.; | 10.00 |
| 146 | 1 | power cord electric connection: 400 V; | 10.00 |
| 147 | 1 | power cord electric connection: 400 V; | 10.00 |
| 148 | 1 | power cord electric connection: 400 V; | 10.00 |
| 149 | 1 | construction lamp brand: Primae Lux; type: 400 W MH; electric connection: 220 V; | 10.00 |
| 150 | 1 | battery chargers brand: Lester; type: 24EL8; serial number: 02-92; voltage: 220 V; charging power: 4 A; electric connection: 220 V; | 10.00 |
| 151 | 1 | ceramic stove brand: Eurom; description: 1800 watts; 230 volts; | 10.00 |
| 152 | 1 | rotation laser brand: Quante; type: QL250DI; serial number: 987293; description: including receiver and suitcase; calibration: 02/2017.; | 10.00 |
| 153 | 1 | rotation laser brand: Quante; type: QL310D; serial number: B954089; description: including receiver and suitcase; calibration: 01/2017.; | 10.00 |
| 154 | 1 | 5-beam laser pointer description: including suitcase.; | 10.00 |
| 155 | 1 | leveling instrument brand: Topcon; type: AT-G4; serial number: 5W5183; description: calibration: 10/2016; including suitcase.; | 10.00 |
| 156 | 1 | leveling instrument brand: Nikon; type: AP-7; description: including suitcase.; | 10.00 |
| 157 | 1 | leveling instrument brand: Topcon; type: ATB3; serial number: N00270; description: calibration: 11/2015; including suitcase.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 158 | 1 | leveling instrument brand: Leica; type: NA724; serial number: 5230558; description: calibration: 06/2016; including suitcase.; | 10.00 |
| 159 | 1 | leveling instrument brand: Leica; type: NA-820; serial number: A60132; description: calibration: 08/2016; including suitcase.; | 10.00 |
| 160 | 1 | leveling instrument brand: Sokkia; type: C320; serial number: 407165; description: calibration: 10/2016; including suitcase.; | 10.00 |
| 161 | 1 | precision laser brand: Spectra; type: LP30; description: handheld line laser.; | 10.00 |
| 162 | 1 | rotation laser brand: Leica; type: Rugby 100LR; year: 2004; description: including receiver.; | 10.00 |
| 163 | 1 | rotation laser brand: Leica; type: Rugby 100LR; year: 2004; description: including receiver.; | 10.00 |
| 164 | 1 | leveling instrument brand: Geomax; type: ZAL124; serial number: 410439; description: calibration: 12/2016; including suitcase.; | 10.00 |
| 165 | 1 | demolition-breaking hammer brand: Makita; type: HM1317C; electric connection: 230 V; with case: yes; description: including chisels.; | 10.00 |
| 166 | 1 | rotation laser brand: Laser Alignment; type: LB10; serial number: 490020092; description: calibration: 06/2016; including receiver and suitcase.; | 10.00 |
| 167 | 1 | battery press pliers brand: Rems; type: 578001; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 168 | 1 | magnetic drill brand: Atra Master; type: M-320; electric connection: 230 V; description: equipped with Duss drilling machine D32 2.; | 10.00 |
| 169 | 1 | wire cutting machine brand: Rems; type: Mini-Amigo; electric connection: 230 V; with case: yes; description: including 3 heads: 3/8 "; 1/2 "; 3/4 ".; | 10.00 |
| 170 | 1 | battery drill hammer brand: Bosch; type: GBH 18V-EC; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 171 | 1 | diamond drilling machines brand: Hilti; type: DD100; electric connection: 230 V; with case: yes; | 10.00 |
| 172 | 1 | cordless drill brand: Hilti; type: SF100-A; voltage: 9,6 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 173 | 1 | screw machine brand: Hilti; type: SF 4000; electric connection: 230 V; with case: yes; | 10.00 |
| 174 | 1 | cordless drill brand: Wurth; type: BS12-A solid; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 175 | 1 | cordless drill brand: Blue-Point; type: SAIS1918VEU; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 176 | 1 | combihammer brand: Hilti; type: TE 30-C; electric connection: 230 V; | 10.00 |
| 177 | 1 | combihammer brand: Hilti; type: TE 6-S; electric connection: 230 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 178 | 1 | cordless drill brand: Wurth; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 179 | 1 | Decoupling machine brand: Black&Decker; type: KS999E; description: including suitcase.; | 10.00 |
| 180 | 1 | cordless drill brand: Metabo; type: BSZ12; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 181 | 1 | chain hoist brand: Yale; type: Lift360; year: 2014; serial number: E14050028; hoist capacity: 2000 kg; | 10.00 |
| 182 | 1 | chain hoist brand: Yale; type: Lift360; year: 2013; serial number: E13011144; hoist capacity: 5000 kg; | 10.00 |
| 183 | 1 | chain hoist brand: Yale; type: Lift360; year: 2013; serial number: E16030955; hoist capacity: 2000 kg; | 10.00 |
| 184 | 1 | chain hoist brand: Mennens; hoist capacity: 600 kg; | 10.00 |
| 185 | 1 | ratchet hoist brand: Yale; year: 2012; hoist capacity: 800 kg; | 10.00 |
| 186 | 1 | ratchet hoist brand: Yale; year: 2012; hoist capacity: 1600 kg; | 10.00 |
| 187 | 1 | chain hoist brand: Vital; hoist capacity: 1000 kg; | 10.00 |
| 188 | 1 | chain hoist brand: Mennens; type: TM-B-OP-20; hoist capacity: 2000 kg; | 10.00 |
| 189 | 1 | chain hoist brand: Mennens; type: TM-B-OP-05; hoist capacity: 500 kg; | 10.00 |
| 190 | 1 | chain hoist brand: Mennens; type: TM-B-OP-10; hoist capacity: 1000 kg; | 10.00 |
| 191 | 1 | chain hoist brand: Mennens; type: TM-B-OP-10; hoist capacity: 1000 kg; | 10.00 |
| 192 | 1 | chain hoist brand: Vital; hoist capacity: 1000 kg; | 10.00 |
| 193 | 1 | ratchet hoist brand: Breamark; hoist capacity: 1600 kg; max. hoist height: 1.5 m; | 10.00 |
| 194 | 1 | rotation laser brand: Agatec; type: A510G; description: including suitcase.; | 10.00 |
| 195 | 1 | rotation laser brand: Agatec; type: A510S; description: including receiver and suitcase.; | 10.00 |
| 196 | 1 | rotation laser brand: Agatec; type: GAT220; description: including receiver and suitcase.; | 10.00 |
| 197 | 1 | rotation laser brand: Agatec; type: GAT220; description: including receiver and suitcase.; | 10.00 |
| 198 | 1 | precision laser brand: Spectra; type: 1452GC; year: 2004; serial number: 4110377; manual present: yes; description: self-leveling.; | 10.00 |
| 199 | 1 | rotation laser brand: Agatec; type: A510S; description: including receiver and suitcase.; | 10.00 |
| 200 | 1 | pipe search device brand: Laserliner; type: CableTracer Pro; with case: yes; | 10.00 |
| 201 | 1 | video inspection system brand: Laserliner; type: VideoFlex G3; with case: yes; | 10.00 |
| 202 | 1 | moisture meter brand: Laserliner; type: Moisturemaster; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 203 | 1 | floorcross linelaser brand: Sola; type: FCL; manual present: no; description: Includes suitcase.; | 10.00 |
| 204 | 1 | floorcross linelaser brand: Sola; type: FCL; manual present: no; description: Includes suitcase.; | 10.00 |
| 205 | 1 | floorcross linelaser brand: Sola; type: FCL; manual present: no; description: Includes suitcase.; | 10.00 |
| 206 | 1 | rotating construction laser with tripod brand: Futech; type: Nexus; description: in suitcase; | 10.00 |
| 207 | 1 | building laser brand: Nedo; type: Crossliner 3Pro; description: Includes bag with accessories .; | 10.00 |
| 208 | 1 | 3D cross-line laser brand: Futech; type: Multicross 3D; description: Includes suitcase.; | 10.00 |
| 209 | 1 | 3D cross-line laser brand: Futech; type: Multicross 3D; description: Including suitcase; Pay attention! without a mains adapter.; | 10.00 |
| 210 | 1 | tripod brand: Futech; | 10.00 |
| 211 | 1 | tripod brand: Laserliner; | 10.00 |
| 212 | 1 | tripod brand: Laserliner; | 10.00 |
| 213 | 1 | millimeter receiver and staff brand: Agatec; type: SmartRod; | 10.00 |
| 214 | 1 | millimeter receiver and staff brand: Agatec; type: SmartRod; | 10.00 |
| 215 | 1 | millimeter receiver and staff brand: Agatec; type: SmartRod; | 10.00 |
| 216 | 1 | millimeter receiver and staff brand: Agatec; type: SmartRod; | 10.00 |
| 217 | 1 | chain hoist brand: Mennens; type: TM-B-OP-30; year: 2007; serial number: 8651; hoist capacity: 3000 kg; | 10.00 |
| 218 | 1 | chain hoist brand: Yale; type: Lift360; year: 2014; hoist capacity: 2000 kg; | 10.00 |
| 219 | 1 | chain hoist brand: Vital; serial number: 6000566; hoist capacity: 1500 kg; | 10.00 |
| 220 | 1 | chain hoist brand: Yale; type: Lift360; year: 2014; hoist capacity: 1000 kg; | 10.00 |
| 221 | 1 | ratchet hoist brand: Vital; type: 08; serial number: 10277759V; hoist capacity: 800 kg; | 10.00 |
| 222 | 1 | chain hoist brand: Mennens; type: TM-B-OP-30; year: 2007; hoist capacity: 3000 kg; | 10.00 |
| 223 | 1 | chain hoist brand: Mennens; type: TM-B-OP-30; year: 2007; serial number: 8478; hoist capacity: 3000 kg; | 10.00 |
| 224 | 1 | ratchet hoist hoist capacity: 3000 kg; | 10.00 |
| 225 | 1 | ratchet hoist type: TM-LB-OP-150N; year: 2009; serial number: 1254; hoist capacity: 1500 kg; | 10.00 |
| 226 | 1 | chain hoist brand: Mennens; type: TM-B-OP-30; year: 2007; serial number: 8654; hoist capacity: 3000 kg; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 227 | 1 | chain hoist brand: Mennens; type: TM-B-OP-05; year: 2007; hoist capacity: 500 kg; | 10.00 |
| 228 | 1 | chain hoist brand: Vital; serial number: 3014709; hoist capacity: 1000 kg; | 10.00 |
| 229 | 1 | chain hoist brand: Yale; type: Lift360; year: 2016; hoist capacity: 1000 kg; | 10.00 |
| 230 | 1 | chain hoist brand: Yale; type: Lift360; year: 2014; serial number: E14107320; hoist capacity: 2000 kg; | 10.00 |
| 231 | 1 | chain hoist brand: Vital; serial number: 441-0531; hoist capacity: 1000 kg; | 10.00 |
| 232 | 1 | chain hoist brand: Yale; type: Lift360; year: 2014; serial number: E14060678; hoist capacity: 1000 kg; | 10.00 |
| 233 | 1 | ground cable on reel description: 7-wire ground cable on wooden reel.; | 10.00 |
| 234 | 1 | industrial vacuum cleaner wet/dry vacuum cleaner: yes; electric connection: 230 V; | 10.00 |
| 235 | 4 | tires on rims serving Volvo V60 brand: Vredestein; type: Wintrac Extreme; tyre size: 215/50 R17 95V; bolt platform: 11; with rims: yes; winter tyre: yes; | 10.00 |
| 236 | 1 | car parts type: PZ-PE 1260; description: set of roof racks; 130x110.; | 10.00 |
| 237 | 1 | rotation laser brand: Futech; type: Gyro Red; serial number: 2014010100524; description: Includes receiver and case.; | 10.00 |
| 238 | 1 | surface laser brand: Bosch; type: GSL 2; serial number: 205002305; description: Including battery; Pay attention! without charger.; | 10.00 |
| 239 | 1 | line laser brand: Futech; type: Multicross 3; description: Includes suitcase.; | 10.00 |
| 240 | 1 | line laser brand: Laserliner; type: Precision Cross-Laser 8; description: Includes suitcase.; | 10.00 |
| 241 | 1 | surface laser brand: Bosch; type: GSL 2; serial number: 205002305; description: Includes battery, charger and case.; | 10.00 |
| 242 | 1 | digital voltage tester brand: Laserliner; type: AC-tiveMaster Digital; | 10.00 |
| 243 | 1 | digital electronic laser level brand: Laserliner; type: DigiLevel Pro 60; | 10.00 |
| 244 | 1 | digital electronic angle gauge brand: Laserliner; type: ArcoMaster 40; measuring range till: 400 mm; | 10.00 |
| 245 | 1 | digital electronic angle gauge brand: Laserliner; type: ArcoMaster 40; measuring range till: 400 mm; | 10.00 |
| 246 | 1 | laser rangefinder brand: Futech; type: Disty 80; measuring range till: 80000 mm; | 10.00 |
| 247 | 1 | laser rangefinder brand: Futech; type: Disty 80; measuring range till: 80000 mm; | 10.00 |
| 248 | 1 | moisture meter brand: Laserliner; type: MoistureMaster; | 10.00 |
| 249 | 1 | moisture meter brand: Laserliner; type: MoistureMaster; | 10.00 |
| 250 | 1 | laser rangefinder brand: Futech; type: Disty 40; measuring range till: 40000 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 251 | 1 | laser rangefinder brand: Futech; type: Disty 40; measuring range till: 40000 mm; | 10.00 |
| 252 | 1 | laser rangefinder brand: Futech; type: Disty 40; measuring range till: 40000 mm; | 10.00 |
| 253 | 1 | laser rangefinder brand: Futech; type: Disty 80; measuring range till: 80000 mm; | 10.00 |
| 254 | 1 | cross line laser brand: LaserLiner; type: SuperCross Laser Compact; | 10.00 |
| 255 | 1 | cross line laser brand: LaserLiner; type: SuperCross Laser Compact; | 10.00 |
| 256 | 1 | digital rangefinder brand: Agatec; type: DM100; | 10.00 |
| 257 | 1 | digital rangefinder brand: Agatec; type: DM100; | 10.00 |
| 258 | 1 | line tracer red receiver brand: Futech; type: 150.10.LT; | 10.00 |
| 259 | 1 | line laser brand: Futech; type: Multicross 7; description: Pay attention! 1 paw is missing.; | 10.00 |
| 260 | 1 | line laser brand: Futech; type: MultiCross 8; | 10.00 |
| 261 | 1 | line laser brand: Futech; type: MultiCross 7; | 10.00 |
| 262 | 2 | hi lift brand: Langaa; description: 1x max 150cm; 1x max 120cm.; | 10.00 |
| 263 | 1 | lifting chain hoist capacity: 3190 kg; dimension L: 5000 mm; description: equipped with two lifting eyes.; | 10.00 |
| 264 | 1 | lever chain saw description: 12 drops; Forced steel; nr .: 85.; | 10.00 |
| 265 | 1 | chain hoist brand: Gedi; type: 105; year: 1963; serial number: 4/7290/A1 744; hoist capacity: 1000 kg; max. hoist height: 3 m; | 10.00 |
| 266 | 1 | submersible electric connection: 380 V; | 10.00 |
| 267 | 1 | pressure washer brand: Vos clean; type: 200; electric connection: 230 V; | 10.00 |
| 268 | 1 | industrial vacuum cleaner brand: Protool; type: VCP 170 E; plug-socket: yes; electric connection: 230 V; description: Pay attention! without rod and suction nozzle.; | 10.00 |
| 269 | 1 | motor water pump brand: Honda; type: WB20XT; power: 2.6 kW; H-max.: 32 m; description: yield: 620ltr / min.; | 10.00 |
| 270 | 1 | chain hoist brand: U-Mega; type: UH-205; hoist capacity: 500 kg; electric connection: 230 V; | 10.00 |
| 271 | 1 | industrial vacuum cleaner brand: Hitachi; type: WDE 1200M; power: 1200 W; plug-socket: yes; electric connection: 230 V; description: Pay attention! without squeegee.; | 10.00 |
| 272 | 1 | motor water pump brand: Zehnder; type: USS 3000; power: 0.3 kW; capacity: 3000 l/hr; H-max.: 12 m; electric connection: 230 V; | 10.00 |
| 273 | 1 | nail gun on gas brand: Paslode ; type: Impulse IM350; | 10.00 |
| 274 | 1 | nail gun on gas brand: Paslode ; type: Impulse IM350; description: Pay attention! without charger and adapter.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 275 | 1 | nail gun on gas brand: Paslode ; type: Impulse IM350; | 10.00 |
| 276 | 1 | nail gun on gas brand: Paslode ; type: Impulse IM350; | 10.00 |
| 277 | 1 | nail gun on gas brand: Paslode ; type: Impulse IM350; | 10.00 |
| 278 | 4,000 | tie wire description: plasticized.; | 10.00 |
| 279 | 1 | Pneumatic tacker brand: Senco; type: M2; serial number: 64651; | 10.00 |
| 280 | 1 | Pneumatic tacker brand: Senco; type: M2; serial number: 64651; | 10.00 |
| 281 | 1 | riveting machine brand: APT; type: 720; | 10.00 |
| 282 | 1 | riveting machine brand: APT; type: 720; | 10.00 |
| 283 | 1 | Crimping tool description: including accessories and including suitcase.; | 10.00 |
| 284 | 12 | ball head transport anchors brand: Starcon en Philipp; description: various WLL.; | 10.00 |
| 285 | 1 | pneumatic cylinder brand: Atlas Copco; type: C4-100-32-75; max. pressure: 10 bar; description: equipped with foot-operated.; | 10.00 |
| 286 | 1 | Pneumatic drilling machine | 10.00 |
| 287 | 1 | Pneumatic drilling machine | 10.00 |
| 288 | 1 | Pneumatic drilling machine brand: Yokota; type: YRD-10N; | 10.00 |
| 289 | 1 | Pneumatic drilling machine brand: Yokota; type: YRD-13N; | 10.00 |
| 290 | 1 | pneumatic hand grinding machine | 10.00 |
| 291 | 1 | pneumatic hand grinding machine | 10.00 |
| 292 | 1 | pneumatic hand grinding machine brand: Yokota; type: G40-EF; | 10.00 |
| 293 | 1 | Pneumatic drilling machine | 10.00 |
| 294 | 1 | steel cutting and bending apparatus brand: Novopress; type: EM6; electric connection: 230 V; with case: yes; | 10.00 |
| 295 | 10 | Fire extinguishers description: various brands and types; Pay attention! elapsed maintenance / inspection period.; | 10.00 |
| 296 | 1 | car parts description: back door for Mercedes-Benz Sprinter.; | 10.00 |
| 297 | 1 | air compressor brand: Fiac; serial number: 721304942; mobile: yes; capacity: 10 bar; air flow: 510 l/min; buffer tank content: 22 l; own weight: 70 kg; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 760 mm; description: equipped with Honda petrol engine type : GX160; | 10.00 |
| 298 | 1 | lot of various fall protection description: Pay attention! completeness unknown.; | 10.00 |
| 299 | 1 | construction plenum box number of outputs 230 V: 2; description: 2x 380V out; 2x 220V out; | 10.00 |
| 300 | 1 | multigas detector brand: GasAlert O2; type: Extreme; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 301 | 1 | multigas detector brand: GasAlert O2; type: Extreme; | 10.00 |
| 302 | 1 | multigas detector brand: GasAlert O2; type: Extreme; | 10.00 |
| 303 | 1 | multigas detector brand: GasAlert O2; type: Extreme; | 10.00 |
| 304 | 9 | beacons | 10.00 |
| 305 | 9 | beacons | 10.00 |
| 306 | 1 | Welding machine brand: Thermal Arc; type: 300S; tig type: yes; MMA type: yes; portable: yes; electric connection: 380 V; description: DC inverter Arc welder; | 10.00 |
| 307 | 1 | converter brand: Carat; | 10.00 |
| 308 | 13 | various hex keys description: including handsaw.; | 10.00 |
| 309 | 1 | electric motor electric connection: 400 V; description: P1 5.2kW; P2 3.5kW; | 10.00 |
| 310 | 1 | electric motor electric connection: 400 V; description: P1 5.2kW; P2 3.5kW; | 10.00 |
| 311 | 1 | electric motor electric connection: 400 V; description: P1 5.2kW; P2 3.5kW; | 10.00 |
| 312 | 1 | Refrigerator box brand: Electrolux; type: JCB4; serial number: 10901566; dimension L: 600 mm; dimension W: 400 mm; dimension H: 440 mm; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 530 mm; description: Mobile cooler 12V; 230; gas; gross content : 35ltr.; | 10.00 |
| 313 | 1 | outboard motor brand: Johnson; type: Sea Horse; long shaft: no; fuel type: Benzine; number of cylinders: 1; | 10.00 |
| 314 | 1 | aggregate brand: Robin; serial number: 71366; engine brand: Robin EY20; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 560 mm; description: Mobile aggregate; | 10.00 |
| 315 | 1 | Welding machine brand: Esab; type: THF250; MMA type: yes; ampere range: 250 A; electric connection: 380 V; dimension L: 600 mm; dimension W: 500 mm; dimension H: 1000 mm; | 10.00 |
| 316 | 11 | various chisels serving breakers | 10.00 |
| 317 | 4 | various chisels serving breakers | 10.00 |
| 318 | 3 | various chisels serving breakers | 10.00 |
| 319 | 3 | various chisels serving breakers | 10.00 |
| 320 | 1 | diamond core drill description: diameter: 102mm; L 450mm.; | 10.00 |
| 321 | 1 | diamond core drill description: diameter: 82mm; L 410mm.; | 10.00 |
| 322 | 1 | diamond core drill description: diameter: 110mm; L 430mm.; | 10.00 |
| 323 | 1 | diamond core drill description: diameter: 80mm; L 440mm.; | 10.00 |
| 324 | 1 | lot of 380V plugs and sockets description: In and including crate.; | 10.00 |
| 325 | 1 | lot of 380V plugs and sockets description: In and including box.; | 10.00 |
| 326 | 1 | lot of 380V plugs / sockets and 220V 3-pole. description: In and including box.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 327 | 1 | rotation laser brand: QBL; type: Powerlevel; description: calibration: 03/2017; including receiver and suitcase.; | 10.00 |
| 328 | 1 | rotation laser brand: QBL; type: Powerlevel; description: Includes receiver and case.; | 10.00 |
| 329 | 1 | rotation laser brand: Sokkia; type: LP31A; description: Calibration: 02/2017; receiver and suitcase.; | 10.00 |
| 330 | 1 | rotation laser brand: QBL; type: QL320HV; description: Calibration: 03/2017; receiver and suitcase.; | 10.00 |
| 331 | 1 | pneumatic demolition / demolition hammer brand: Atlas Copco; type: TEX 230 PE; serial number: 004775; year: 2010; max. pressure: 7 bar; | 10.00 |
| 332 | 1 | material container for Kruiwagen brand: Matador; dimension L: 92 cm; dimension W: 54 cm; dimension H: 44 cm; | 10.00 |
| 333 | 1 | air compressor brand: Bull; mobile: yes; buffer tank content: 10 l; electric connection: 230 V; | 10.00 |
| 334 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 020000857914; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 335 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 020000957499; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 336 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 020000733730; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 337 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 020000809419; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 338 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 020000873600; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 339 | 1 | catering coffee machine brand: Douwe Egberts; type: C60-001; serial number: 0200001057693; capacity: 2.1 kW; electric connection: 230 V; | 10.00 |
| 340 | 1 | pressure washer brand: Kanzle; type: Profi-Jet B13/150; serial number: GK10006555; max. pressure: 165 bar; capacity: 780 l/hr; mobile: yes; description: equipped with Honda petrol engine type : GX160.; | 10.00 |
| 341 | 1 | aggregate brand: Honda; type: EC2200; electric connection: 220 V; engine brand: Honda; generator brand: Makron; generator type: EC22GV; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 440 mm; | 10.00 |
| 342 | 1 | aggregate brand: Power Kraft; type: PK8500W; electric connection: 220 V; engine brand: Honda; generator brand: Makron; generator type: EC22GV; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 430 mm; description: Pay attention! according to instructions, this gives no power, machine starts and runs.; | 10.00 |
| 343 | 1 | aggregate brand: Europower; type: EC3300; year: 2006; serial number: 1517-06; capacity: 3.5 kVA; electric connection: 230 V; engine brand: Honda; generator brand: Europower; generator type: S16W-90/A; machine weight: 42 kg; total dimension L: 580 mm; total dimension W: 420 mm; total dimension H: 440 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 344 | 1 | aggregate brand: Maka Powerpack; type: 203; year: 2006; serial number: 1517-06; capacity: 2.2 kVA; electric connection: 230 V; engine brand: Kawasaki; generator brand: Europower; generator type: AP85/2.B9/19; machine weight: 42 kg; total dimension L: 600 mm; total dimension W: 410 mm; total dimension H: 440 mm; | 10.00 |
| 345 | 1 | sweepers, self-propelled brand: Tennant; type: 215; working width: 1000 mm; hours on display: 4243 hr; total dimension L: 1150 mm; total dimension W: 1700 mm; total dimension H: 1300 mm; description: Fuel: LPG; | 100.00 |
| 346 | 1 | board staircase brand: ASC; number of steps: 6; aluminium: yes; extension ladder: no; single: yes; double: no; access platform: yes; | 10.00 |
| 347 | 1 | aggregate brand: Europower; type: EP6500T; year: 2007; serial number: 8968-07; capacity: 7 kVA; electric connection: 230 V; engine brand: Honda; generator brand: Europower; generator capacity: 16 A; total dimension L: 840 mm; total dimension W: 510 mm; total dimension H: 560 mm; | 10.00 |
| 348 | 1 | airless paint sprayer brand: Wagner; type: FineCoat 9800; year: 2002; serial number: D0351256; electric connection: 230 V; description: equipped with gun; max 3,7bar.; | 100.00 |
| 349 | 1 | paint sprayer brand: Wagner; type: FineCoat 8000; serial number: 092 338; electric connection: 230 V; description: equipped with a cup gun; | 10.00 |
| 350 | 1 | positioning clamp description: In and including a suitcase.; | 10.00 |
| 351 | 1 | lot of hand tool description: In and including bucket.; | 10.00 |
| 352 | 1 | lot of hand tool description: In and including bucket.; | 10.00 |
| 353 | 1 | demolition / demolition hammer brand: Hitachi; type: DH 40MR; year: 2005; serial number: 050004; electric connection: 110 V; with case: yes; | 10.00 |
| 354 | 7 | construction lights brand: Bos; type: Tubelight; TL lamp: yes; electric connection: 230 V; | 10.00 |
| 355 | 1 | winch brand: L'europa; type: 2394 1412; year: 2017; electric connection: 230 V; | 10.00 |
| 356 | 1 | pneumatic demolition / demolition hammer brand: Red Rooster; type: RRI-4612K VL; max. pressure: 6 bar; description: In and including steel box.; | 10.00 |
| 357 | 1 | pneumatic demolition / demolition hammer description: In and including steel box.; | 10.00 |
| 358 | 1 | pneumatic demolition / demolition hammer brand: Atlas Copco; type: TEX 21PE; serial number: 001845; year: 2009; | 10.00 |
| 359 | 1 | pneumatic demolition / demolition hammer brand: Irmer+Elze; description: In and including steel box.; | 10.00 |
| 360 | 1 | pneumatic demolition / demolition hammer brand: Toku; description: In and including steel box.; | 10.00 |
| 361 | 1 | electric hoist lifter brand: BT ; type: HHL100; lifting capacity: 1000 kg; own weight: 135 kg; description: Spoon length: approx 120cm; track width: ca 56cm.; | 10.00 |
| 362 | 1 | electric hoist lifter brand: Still ; type: HPT 10 XT; year: 2014; serial number: HLI047VBOAL; lifting capacity: 1000 kg; own weight: 125 kg; description: Spoon length: ca 114cm; track width: ca 54cm. ; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 363 | 1 | sweepers, hand operated brand: Karcher; type: KM 70/20C; working width: 700 mm; | 10.00 |
| 364 | 1 | floor cleaner brand: Floorpul; type: Twist 510E; year: 2006; serial number: 00743; working width: 500 mm; rechargeable: yes; electric connection: 230 V; | 100.00 |
| 365 | 1 | vibrating plate brand: Wacker; type: DPU 5045H; year: 2004; serial number: 0007852; base plate size L: 900 mm; base plate size W: 600 mm; brand engine: Hatz; engine power: 6.1 kW; fuel type: Diesel; own weight: 410 kg; | 100.00 |
| 366 | 1 | aggregate brand: Kipor; type: KDE13SS3; serial number: 10727060025; capacity: 13.1 kVA; generator capacity: 18 A; hours on display: 26; machine weight: 675 kg; description: 230 / 400V; 50 / 60Hz; 3 phases.; | 100.00 |
| 367 | 1 | airless paint sprayer brand: Wagner; type: EP2900; year: 1994; serial number: 589; electric connection: 230 V; description: equipped with gun; 5,6ltr / min; max 210bar; | 10.00 |
| 368 | 1 | vibrating plate brand: Shatal; type: PC1211; operation weight: 82 kg; base plate size L: 400 mm; base plate size W: 550 mm; brand engine: Honda; type GX160; engine power: 3.6 kW; fuel type: benzine; | 10.00 |
| 369 | 1 | vibrating plate brand: Mikasa; type: MVC-F70H; year: 2011; serial number: S6084; operation weight: 75 kg; base plate size L: 400 mm; base plate size W: 450 mm; brand engine: Honda; type GX160; engine power: 3.6 kW; fuel type: benzine; | 10.00 |
| 370 | 1 | generator brand: Makita; type: G5500; gasoline: yes; engine power: 4.4 kW; description: 19.1 Amp .; 2x 230 Volt; | 10.00 |
| 371 | 1 | industrial ton model vacuum cleaner brand: Kiekens; type: KE1118; power: 3000 W; electric connection: 230 V; description: air displacement 540 m3 / h.; | 10.00 |
| 372 | 1 | industrial ton model vacuum cleaner brand: Nilfisk; type: GA73-7111; power: 1500 W; electric connection: 230 V; | 10.00 |
| 373 | 1 | electric breaker brand: Wacker Neuson; type: EH 23/230 ; description: weight 22.4 kg; 2.2 kW; 230 Volt; on hand trolley; | 10.00 |
| 374 | 1 | paint spray system brand: Walther / Wiltec; type: REx1-44220; year: 2011; serial number: 13602487; description: operating pressure 10 bar max.; including "Walther" pressure vessel.; type MDG24; content 23.5 liters; max 6 bar operating pressure.; 400 Volt; | 100.00 |
| 375 | 1 | vibrating plate brand: Wacker; type: WP1550A; year: 2002; serial number: 007579; operation weight: 86 kg; base plate size L: 400 mm; base plate size W: 550 mm; brand engine: Honda; type GX160; engine power: 4.1 kW; fuel type: benzine; | 10.00 |
| 376 | 1 | filing cabinet cabinet with doors: yes; dimension L: 93 cm; dimension W: 42 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |
| 377 | 1 | filing cabinet dimension L: 92 cm; dimension W: 42 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |
| 378 | 1 | filing cabinet cabinet with doors: yes; dimension L: 89 cm; dimension W: 42 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |
| 379 | 1 | filing cabinet cabinet with doors: yes; dimension L: 92 cm; dimension W: 42 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 380 | 1 | filing cabinet cabinet with doors: yes; dimension L: 100 cm; dimension W: 40 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |
| 381 | 1 | ladenblok dimension L: 77 cm; dimension W: 46 cm; dimension H: 60 cm; description: exclusive key; | 10.00 |
| 382 | 1 | filing cabinet cabinet with doors: yes; dimension L: 92 cm; dimension W: 43 cm; dimension H: 194 cm; description: exclusive key; | 10.00 |
| 383 | 1 | filing cabinet cabinet with doors: yes; dimension L: 92 cm; dimension W: 42 cm; dimension H: 194 cm; description: exclusive key; | 10.00 |
| 384 | 1 | filing cabinet cabinet with doors: yes; dimension L: 92 cm; dimension W: 44 cm; dimension H: 198 cm; description: exclusive key; | 10.00 |
| 385 | 1 | filing cabinet cabinet with doors: yes; dimension L: 80 cm; dimension W: 40 cm; dimension H: 180 cm; description: exclusive key; | 10.00 |
| 386 | 1 | filing cabinet cabinet with doors: yes; dimension L: 92 cm; dimension W: 42 cm; dimension H: 195 cm; description: exclusive key; | 10.00 |
| 387 | 4 | drawer units/ filling pedestal | 10.00 |
| 388 | 1 | filing cabinet dimension L: 47 cm; dimension W: 62 cm; dimension H: 132 cm; description: exclusive key; | 10.00 |
| 389 | 1 | filing cabinet dimension L: 47 cm; dimension W: 62 cm; dimension H: 132 cm; description: exclusive key; | 10.00 |
| 390 | 1 | filing cabinet cabinet with doors: yes; dimension L: 89 cm; dimension W: 44 cm; dimension H: 120 cm; description: exclusive key; | 10.00 |
| 391 | 1 | pedal bin total dimension H: 64 mm; | 10.00 |
| 392 | 1 | pedal bin total dimension H: 64 mm; | 10.00 |
| 393 | 1 | pedal bin total dimension H: 64 mm; | 10.00 |
| 394 | 1 | filing cabinet cabinet with doors: yes; dimension L: 90 cm; dimension W: 44 cm; dimension H: 120 cm; description: exclusive key; | 10.00 |
| 395 | 19 | cutting board | 10.00 |
| 396 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 397 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 398 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 399 | 1 | Colonial dining room table dimension L: 190 cm; dimension W: 93 cm; dimension H: 76 cm; | 10.00 |
| 400 | 1 | Stacker brand: Baka ; type: BOV 79-1600; year: 1988; serial number: 18190; lifting capacity: 1600 kg; fork length: 1180 mm; lifting height: 2850 mm; battery charger: yes; own weight: 900 kg; total dimension L: 2000 mm; total dimension W: 1060 mm; total dimension H: 1930 mm; description: Pay attention! hydraulic cylinder is leaking.; | 10.00 |
| 401 | 1 | locker number of doors: 3; dimension L: 93 cm; dimension W: 50 cm; dimension H: 185 cm; description: + various parts cabinet.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 402 | 1 | locker number of doors: 2; dimension L: 60 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 403 | 1 | locker number of doors: 2; dimension L: 60 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 404 | 1 | locker number of doors: 2; dimension L: 60 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 405 | 1 | locker number of doors: 2; dimension L: 60 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 406 | 1 | locker dimension L: 60 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 407 | 1 | filing cabinet dimension L: 92 cm; dimension H: 195 cm; total dimension W: 42 mm; description: exclusive key; | 10.00 |
| 408 | 1 | locker number of doors: 2; dimension L: 61 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 409 | 1 | locker number of doors: 2; dimension L: 61 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 410 | 1 | locker number of doors: 2; dimension L: 61 cm; dimension W: 50 cm; dimension H: 180 cm; | 10.00 |
| 411 | 1 | pedal bin total dimension H: 640 mm; | 10.00 |
| 412 | 1 | pedal bin total dimension H: 640 mm; | 10.00 |
| 413 | 1 | pedal bin total dimension H: 640 mm; | 10.00 |
| 414 | 1 | filing cabinet cabinet with doors: yes; dimension L: 100 cm; dimension W: 40 cm; dimension H: 130 cm; description: exclusive key; | 10.00 |
| 415 | 1 | filing cabinet cabinet with doors: yes; dimension L: 93 cm; dimension W: 42 cm; dimension H: 195 cm; | 10.00 |
| 416 | 1 | Pine dining table dimension L: 175 cm; dimension W: 97 cm; dimension H: 85 cm; description: with 4 chairs; | 10.00 |
| 417 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 418 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 419 | 1 | Table lamp brand: FLOS; table lamp: yes; electric connection: 220 V; total dimension H: 68 mm; | 10.00 |
| 420 | 1 | washing machine brand: Bosch ; type: WLM68; serial number: WAN28090NL; filling capacity: 6 kg; max. spinning speed: 1400 rpm; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 590 mm; | 10.00 |
| 421 | 1 | biologic brand: safety Cabinet; total dimension L: 120 mm; total dimension W: 60 mm; total dimension H: 198 mm; | 10.00 |
| 422 | 1 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |
| 423 | 2 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |
| 424 | 2 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 425 | 2 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |
| 426 | 2 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |
| 427 | 2 | armchair leather: yes; total dimension L: 100 mm; total dimension W: 90 mm; total dimension H: 87 mm; description: equipped with aluminum base.; | 10.00 |
| 428 | 1 | Stacker brand: Linde ; type: L 10; serial number: 364 F 09 2 030 10/; lifting capacity: 1000 kg; fork length: 1140 mm; lifting height: 2596 mm; stand-on stacker: no; battery charger: yes; own weight: 700 kg; total dimension L: 2050 mm; total dimension W: 760 mm; total dimension H: 1800 mm; description: equipped with intrigued charger 24v / 220 volts.; | 100.00 |
| 429 | 1 | electric pallet truck brand: BT ; type: LPE200/8; year: 2007; serial number: 979737; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 435 kg; | 100.00 |
| 430 | 1 | electric pallet truck brand: BT ; type: LPE200/8; year: 2007; serial number: 979736; lifting capacity: 2000 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 435 kg; | 100.00 |
| 431 | 1 | sliding ladder number of steps: 24; extension ladder: yes; single ladder: yes; | 10.00 |
| 432 | 1 | step closer brand: Safescaffold; number of steps: 10; aluminium: yes; access platform: yes; | 10.00 |
| 433 | 1 | folding ladder number of steps: 12; aluminium: yes; multi-purpose ladder: yes; | 10.00 |
| 434 | 1 | step closer brand: Safescaffold; number of steps: 10; aluminium: yes; access platform: yes; | 10.00 |
| 435 | 1 | step closer number of steps: 8; aluminium: yes; access platform: yes; | 10.00 |
| 436 | 1 | step closer number of steps: 8; aluminium: yes; access platform: yes; | 10.00 |
| 437 | 1 | step closer number of steps: 735; access platform: yes; | 10.00 |
| 438 | 1 | step closer brand: safescarfold; number of steps: 5; access platform: yes; | 10.00 |
| 439 | 1 | step closer brand: safescarfold; number of steps: 5; access platform: yes; | 10.00 |
| 440 | 1 | sliding ladder brand: Solide; number of steps: 28; aluminium: yes; extension ladder: yes; | 10.00 |
| 441 | 1 | step closer number of steps: 5; aluminium: yes; access platform: yes; | 10.00 |
| 442 | 1 | step closer number of steps: 5; aluminium: yes; access platform: yes; | 10.00 |
| 443 | 1 | step closer aluminium: yes; double: yes; | 10.00 |
| 444 | 1 | forklift truck spoons total dimension L: 1400 mm; | 10.00 |
| 445 | 1 | set of pallet forks description: Spoon length: about 100cm; | 10.00 |
| 446 | 1 | Trimmer brand: Wacker; type: BS60Y; year: 1996; operation weight: 67 kg; shoe size L: 270 mm; shoe size W: 300 mm; engine power: 2 kW; fuel type: benzine; description: incl. hand trolley; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 447 | 1 | Trimmer brand: Wacker; operation weight: 67 kg; shoe size L: 270 mm; shoe size W: 300 mm; engine power: 2 kW; fuel type: benzine; | 10.00 |
| 448 | 1 | floor scrubber brand: Alfamatic; type: E 45; serial number: 930260; power: 750 W; | 100.00 |
| 449 | 1 | aggregate brand: Pramac; type: P4500; year: 2011; serial number: PWF0289466; electric connection: 230 V; generator capacity: 14 A; machine weight: 98 kg; total dimension L: 850 mm; total dimension W: 520 mm; total dimension H: 690 mm; | 10.00 |
| 450 | 1 | Combined plane thickening planer brand: Lurem; type: C311; year: 1985; serial number: EU009; working width: 310 mm; working height: 180 mm; table size L: 1400 mm; table size W: 340 mm; electric connection: 400 V; | 100.00 |
| 451 | 1 | column drill brand: Huvema; type: HU45K; year: 1995; drilling capacity: 16 mm; spindle speed from N=: 750 rpm; spindle speed till N=: 1500 rpm; drilling depth: 120 mm; discharge: 220 mm; gear wheel driven: yes; table size L: 350 mm; table size W: 300 mm; engine power: 2.5 kW; electric connection: 400 V; description: vv clamping device; | 10.00 |
| 452 | 1 | waterhose | 10.00 |
| 453 | 1 | construction plenum box number of outputs 230 V: 2; number of outputs 380 V / 32 A: 2; | 10.00 |
| 454 | 1 | construction plenum box number of outputs 230 V: 2; number of outputs 380 V / 32 A: 2; | 10.00 |
| 456 | 1 | column drill brand: EMC; type: SB-25; year: 2003; serial number: 0312004; drilling capacity: 16 mm; spindle speed from N=: 1910 rpm; spindle speed till N=: 150 rpm; drilling depth: 120 mm; discharge: 240 mm; gear wheel driven: yes; table size L: 350 mm; table size W: 350 mm; engine power: 1.5 kW; electric connection: 400 V; | 10.00 |
| 457 | 1 | industrial heating installation brand: Thermagas; type: Universum LowNox URS 47 HL; year: 1997; serial number: 4797275; gas-heated: yes; total dimension L: 860 mm; total dimension W: 900 mm; total dimension H: 850 mm; description: gas flow rate: 6.2 m ³ / h; nom.bel.: 57.3kW; air displacement: 4600m ³ / h; | 10.00 |
| 458 | 1 | lot of carpet tiles dimension L: 50 cm; dimension W: 50 cm; | 10.00 |
| 459 | 1 | air compressor brand: ABAC; mobile: no; capacity: 10 bar; power: 1.5 kW; buffer tank content: 100 l; electric connection: 400 V; | 10.00 |
| 460 | 1 | electric grinding machine brand: MPS; electric connection: 230 V; description: Ø 320-426 mm; | 10.00 |
| 461 | 1 | electric grinding machine brand: MPS; electric connection: 230 V; description: incl. various molds; | 10.00 |
| 462 | 1 | wire cutting machine electric: yes; electric connection: 230 V; description: incl. various accessories; | 10.00 |
| 463 | 1 | boiler brand: Remeha; type: Quinta Pro 45; power: 40000 kW; combi: yes; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 450 mm; total dimension H: 750 mm; description: including "Remeha" open gas boiler.; type BW100-NL; content 360 liters; 27.5 kW; | 10.00 |
| 464 | 1 | boiler brand: Remeha; type: Quinta 45 Pro; power: 40000 W; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 450 mm; total dimension H: 750 mm; description: including "Remeha" open gas boiler.; type BW100-NL; content 360 liters; 27.5 kW; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 465 | 1 | steel sliding door total dimension L: 1180 mm; total dimension H: 1340 mm; description: steel cabin door; | 10.00 |
| 466 | 1 | steel door and window | 10.00 |
| 467 | 2 | Filters brand: Georg Schuneman; type: F450; year: 2004; serial number: 76485/2; description: Included accessories ; And including pallet crate.; | 10.00 |
| 468 | 1 | Strapping machine brand: Cyklop; type: Silvarom; mobile: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 720 mm; | 10.00 |
| 469 | 1 | sieve shaker brand: Endecotts; type: EFL2 mk3; | 10.00 |
| 470 | 1 | dynamo test bench brand: Banco de Pruebas; type: CV9L; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 1400 mm; description: equipped with control; clamp and foot control; | 100.00 |
| 471 | 1 | Stainless steel 2-door tray trolley stainless steel: yes; total dimension L: 1200 mm; total dimension W: 570 mm; total dimension H: 1500 mm; description: (6x) 5-place; | 10.00 |
| 472 | 1 | aluminum sink total dimension L: 1220 mm; total dimension W: 400 mm; total dimension H: 420 mm; | 10.00 |
| 473 | 1 | screw compressor brand: Compair ; type: Cyclon 111; year: 1997; serial number: F162/1021; capacity: 10 bar; power: 13.59 kW; air dryer: yes; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 950 mm; | 100.00 |
| 474 | 1 | Plateau scale brand: Molenschot; weight range min.: 0 g; weight range max: 1000000 g; platform size L: 1600 mm; platform size W: 1200 mm; electric connection: 230 V; | 10.00 |
| 475 | 1 | lot of various hose clamps brand: MPC; description: in various sizes; colour black; on pallet; | 10.00 |
| 476 | 1 | electrode oven type: LCR/E0-300; electric connection: 230 V; dimension L: 285 mm; dimension W: 252 mm; dimension H: 610 mm; description: inside dimensions . approx. 100x40x470; Max. Length 450 mm; temperature range 50-300 ° C; | 10.00 |
| 477 | 1 | electric demolition hammer brand: Ryobi; type: CH-420P; combi drill: yes; power: 950 W; with case: yes; electric connection: 230 V; | 10.00 |
| 478 | 1 | plastic chair Bootstoel | 10.00 |
| 479 | 1 | set of pallet forks description: Spoon length: approx. 140cm; | 10.00 |
| 480 | 1 | workbench total dimension L: 2000 mm; total dimension W: 700 mm; description: steel frame with plywood wooden worktop and vise; | 10.00 |
| 481 | 1 | electrode oven type: LCR/E0-300; electric connection: 230 V; dimension L: 285 mm; dimension W: 252 mm; dimension H: 610 mm; description: inside dimensions . approx. 100x40x470; Max. Length 450 mm; temperature range 50-300 ° C; | 10.00 |
| 482 | 1 | electrode oven type: LCR/E0-300; electric connection: 230 V; dimension L: 285 mm; dimension W: 252 mm; dimension H: 610 mm; description: inside dimensions . approx. 100x40x470; Max. Length 450 mm; temperature range 50-300 ° C; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 483 | 1 | electrode oven electric connection: 230 V; dimension L: 285 mm; dimension W: 252 mm; dimension H: 610 mm; description: inside dimensions . approx. 100x40x470; Max. Length 450 mm; temperature range 50-300 ° C; | 10.00 |
| 484 | 1 | electrode oven electric connection: 230 V; dimension L: 285 mm; dimension W: 252 mm; dimension H: 610 mm; description: inside dimensions . approx. 100x40x470; Max. Length 450 mm; temperature range 50-300 ° C; | 10.00 |
| 485 | 1 | ladder number of steps: 14; aluminium: yes; single ladder: yes; single: yes; | 10.00 |
| 486 | 1 | ladder number of steps: 11; aluminium: yes; single: yes; | 10.00 |
| 487 | 1 | ladder number of steps: 11; aluminium: yes; single: yes; | 10.00 |
| 488 | 1 | battery booster brand: Wurth; description: 12 / 24V; 3400 / 1700A peak.; | 10.00 |
| 489 | 1 | board staircase number of steps: 2; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 490 | 1 | industrial vacuum cleaner brand: Festool; type: CTL midi; electric connection: 230 V; | 10.00 |
| 491 | 1 | refrigerator brand: Liebherr; type: Comfort 7 6008 4; serial number: 45.718.388.2; volume refrigerator: 92 l; freezing compartment: yes; content freezing compartment: 6 l; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 650 mm; total dimension H: 620 mm; | 10.00 |
| 492 | 11 | manometers analog: yes; description: including fuel gauge.; | 10.00 |
| 493 | 9 | manometers brand: Econ en Wika; analog: yes; | 10.00 |
| 494 | 12 | gas heater faucets brand: Gimeg; description: 6 / 8x8mm; Including various couplings .; | 10.00 |
| 495 | 1 | measurement / test setup brand: Eurotron; type: PCP-700; serial number: 255300; digital: yes; description: 0-700bar.; | 10.00 |
| 496 | 1 | tool holder with pipe deburrer brand: Maus; type: F/26; description: size: MC3; self-centering.; | 10.00 |
| 497 | 5 | pen calibers description: various sizes.; | 10.00 |
| 498 | 1 | tripod serving Instrument brand: Linhof; | 10.00 |
| 499 | 1 | leveling instrument brand: Geo Fennel; type: Nr. 10; serial number: 6017; description: Calibration: 05/12; including tripod and carrying case.; | 10.00 |
| 500 | 1 | electric motor brand: Hanning; type: E9LGH4B; power: 1.4 kW; electric connection: 230 V; description: P1: 1950W.; | 10.00 |
| 501 | 1 | 8ft storage containers | 100.00 |
| 502 | 1 | 20FT unit description: including content; | 100.00 |
| 503 | 1 | sloop length over all: 4.3 m; width: 1.63 m; draught: 0.7 m; hull material : Polyester; fuel type: Benzine; description: equipped with Yamaha 6 outboard motor; including trailer; | 100.00 |
| 504 | 1 | 20FT material container | 100.00 |
| 505 | 1 | office container brand: Portakabin; type: Pacemaker; own weight: 3100 kg; total dimension L: 10400 mm; total dimension W: 3300 mm; total dimension H: 2700 mm; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 506 | 1 | office container number of windows: 3; pantry: yes; description: including content ; Brand: Ardax; | 100.00 |
| 507 | 1 | 40 ft. walk-through storage containers description: openwork 40ft container; exclusive lot 503.; | 100.00 |
| 508 | 1 | office container dimension L: 8000 mm; dimension W: 3050 mm; dimension H: 2700 mm; number of doors: 1; number of windows: 5; | 100.00 |
| 509 | 1 | office container dimension L: 6200 mm; dimension W: 3050 mm; dimension H: 2950 mm; number of doors: 1; number of windows: 1; | 100.00 |
| 510 | 1 | sanitary unit brand: Fort; type: K600; serial number: 091002; dimension L: 6160 mm; dimension W: 2850 mm; dimension H: 2800 mm; number of doors: 1; number of sinks: 3; description: equipped with three toilets and three urinals. ; | 100.00 |
| 511 | 1 | shower unit brand: Fort; type: K600; serial number: 200712; dimension L: 6160 mm; dimension W: 2850 mm; dimension H: 2800 mm; number of doors: 3; number of showers: 10; | 10.00 |
| 512 | 1 | double office unit brand: Fort; type: K600; modular: yes; dimension L: 6200 mm; dimension W: 5750 mm; dimension H: 2800 mm; number of doors: 3; number of windows: 4; | 100.00 |
| 513 | 1 | sanitary unit dimension L: 6200 mm; dimension W: 3120 mm; dimension H: 3120 mm; number of doors: 2; number of sinks: 2; description: equipped with 8x 4x urinal and toilet.; | 100.00 |
| 514 | 1 | trailer brand: Hrd; type: N.t.l.; year: 2000; license plate: OG-51-LD; number of axis: 2; load capacity: 23321 kg; tarpaulin: yes; own weight: 6679 kg; description: length : 1390; width: 255; pay attention! without content ; Rear doors are missing.; | 100.00 |
| 515 | 1 | meager trailer (graswagen) brand: Gijzen; type: 5221; year: 1999; number of axis: 2; cargo body size L: 500 cm; cargo body size W: 210 cm; load capacity: 6000 kg; description: pay attention! slow traffic.; | 100.00 |
| 516 | 1 | meager trailer (graswagen) number of axis: 2; cargo body size L: 2800 cm; cargo body size W: 1500 cm; description: pay attention! slow traffic.; | 10.00 |
| 517 | 1 | meager trailer (graswagen) brand: Gijzen; type: 5221; number of axis: 2; cargo body size L: 500 cm; cargo body size W: 210 cm; load capacity: 6000 kg; description: pay attention! slow traffic.; | 100.00 |
| 518 | 1 | meager trailer number of axis: 2; cargo body size L: 381 cm; cargo body size W: 150 cm; description: pay attention! slow traffic.; | 10.00 |
| 519 | 1 | fuel tank on trailer brand: Steenbergen; type: IBC type: CIB300; year: 2003; serial number: SPT-200104497-3-K3; own weight: 940 kg; total dimension L: 5100 mm; total dimension W: 2400 mm; total dimension H: 2300 mm; description: Pay attention! slow traffic; no certificate.; | 10.00 |
| 520 | 1 | asphalt joint saw on 2-axle trailer brand: Wakra; type: KF32; year: 1987; serial number: 32141; brand engine: Hatz; number of cylinders: 2; total dimension L: 3700 mm; total dimension W: 1600 mm; total dimension H: 1600 mm; description: Pay attention! no registration number .; | 10.00 |
| 521 | 1 | trailer brand: Anssems; type: A-s1300-2513; year: 1994; VIN number: 84T190152; license plate: WL-68-PY; number of axis: 1; cargo body size L: 2500 cm; cargo body size W: 130 cm; load capacity: 980 kg; own weight: 320 kg; description: width: 178cm.; | 10.00 |
| 522 | 1 | trailer number of axis: 1; cargo body size L: 180 cm; cargo body size W: 114 cm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 523 | 1 | meager trailer (graswagen) number of axis: 2; cargo body size L: 260 cm; cargo body size W: 130 cm; description: pay attention! slow traffic.; | 10.00 |
| 524 | 1 | queue trailer brand: Henra; type: F27v1; year: 1995; VIN number: 39365; license plate: WN-61-VF; number of axis: 2; cargo body size L: 390 cm; cargo body size W: 188 cm; load capacity: 2050 kg; own weight: 600 kg; description: width: 243cm; pay attention! ramps are missing.; | 100.00 |
| 526 | 1 | outlet waste containers total dimension L: 5500 mm; total dimension W: 2200 mm; total dimension H: 850 mm; | 100.00 |
| 527 | 1 | Stairs number of steps: 17; access platform: yes; | 10.00 |
| 528 | 1 | Stairs number of steps: 18; access platform: yes; | 10.00 |
| 529 | 1 | Stairs number of steps: 16; access platform: yes; | 10.00 |
| 530 | 1 | Building cabinet total dimension L: 1500 mm; total dimension W: 560 mm; total dimension H: 1550 mm; | 10.00 |
| 531 | 1 | water pump in housing construction brand: Grundfos; type: CR2-40 A-A-A-BUBE; total dimension L: 750 mm; total dimension W: 600 mm; total dimension H: 1550 mm; description: Q: 2.5m3 / h; H: 25.2 m.; | 10.00 |
| 532 | 1 | floodlight gas-discharge lamp: yes; electric connection: 380 V; description: Including various electrical enclosures.; | 10.00 |
| 533 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; description: Including electrical switch box; pay attention! 1x lamp defective.; | 10.00 |
| 534 | 2 | floodlights gas-discharge lamp: yes; electric connection: 50 V; | 10.00 |
| 535 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 536 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 537 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 538 | 4 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 539 | 5 | floodlights gas-discharge lamp: yes; electric connection: 380 V; description: Including various electrical junction boxes.; | 10.00 |
| 540 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; description: Including various electrical junction boxes.; | 10.00 |
| 541 | 4 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 542 | 1 | lot of electrical junction boxes | 10.00 |
| 543 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 544 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 545 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 546 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 547 | 1 | workbench total dimension L: 2500 mm; total dimension W: 1220 mm; total dimension H: 1000 mm; description: steel frame with plywood wooden worktop; equipped with control box and air connection.; | 10.00 |
| 548 | 1 | workbench total dimension L: 2900 mm; total dimension W: 1230 mm; total dimension H: 910 mm; description: steel base with plywood wooden worktop.; | 10.00 |
| 549 | 1 | split spreader brand: Burttec; type: SM1000H; year: 1997; serial number: 903; brand engine: Kubota; number of cylinders: 4; hours on display: 1800; | 100.00 |
| 550 | 1 | workbench total dimension L: 2500 mm; total dimension W: 1220 mm; total dimension H: 1000 mm; description: steel base with plywood wooden worktop.; | 10.00 |
| 551 | 1 | air compressor brand: Fini; mobile: yes; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 750 mm; description: equipped with Honda 11 Horse Power gasoline; 2-stage compressor; | 10.00 |
| 552 | 1 | workbench total dimension L: 2000 mm; total dimension W: 700 mm; description: steel frame with plywood wooden worktop and vise; | 10.00 |
| 553 | 1 | Palletization dismantable: yes; description: consisting of 10 uprights (80x390cm) and 40 beams (270cm).; | 10.00 |
| 554 | 1 | mule car brand: BPT; type: 2G1; dimension L: 1800 cm; dimension W: 720 cm; dimension H: 480 cm; | 10.00 |
| 555 | 1 | mule car brand: BPT; type: 2G1; dimension L: 1800 cm; dimension W: 720 cm; dimension H: 480 cm; | 10.00 |
| 556 | 1 | compressor trailer brand: Atlas Copco ; type: XAS 56; description: equipped with Deutz two-cylinder diesel engine; | 10.00 |
| 557 | 1 | hydraulic with loading crane brand: Hiab; type: 1165; description: scope max approx. 8.3 meters; | 10.00 |
| 558 | 1 | concrete skipper brand: Eichinger; volume: 750 l; description: yellow; | 10.00 |
| 559 | 1 | pallet ice yoke brand: Hhn; year: 2008; hoist capacity: 2000 kg; | 10.00 |
| 560 | 1 | pallet ice yoke brand: Hhn; hoist capacity: 2000 kg; | 10.00 |
| 561 | 1 | winch brand: AMX; description: hydraulic winch; | 10.00 |
| 562 | 1 | winch brand: AMX; description: hydraulic winch; | 10.00 |
| 563 | 1 | pallet ice yoke | 10.00 |
| 564 | 1 | winch brand: AMX; description: hydraulic winch; | 10.00 |
| 565 | 1 | winch brand: AMX; description: hydraulic winch; | 10.00 |
| 566 | 1 | winch brand: AMX; description: hydraulic winch; | 10.00 |
| 567 | 1 | diesel storage tank brand: Krampitz; type: Centaur TA-700-A; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1250 mm; description: without certificate; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 568 | 1 | diesel storage tank total dimension L: 1900 mm; total dimension W: 1100 mm; total dimension H: 1100 mm; description: without certificate; | 10.00 |
| 569 | 1 | IBC description: content approx. 1000 liters; | 5.00 |
| 571 | 1 | barrel pump, pneumatic brand: Samoa; type: 2; | 10.00 |
| 572 | 1 | base plate serving Flood Lights total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1750 mm; | 10.00 |
| 573 | 1 | workbench total dimension L: 2500 mm; total dimension W: 1230 mm; total dimension H: 1000 mm; description: steel frame with plywood wooden worktop; equipped with electricity, uprising serving lighting and air connection.; | 10.00 |
| 574 | 1 | toilet unit number of doors: 1; number of toilets: 3; total dimension L: 5100 mm; total dimension W: 2450 mm; total dimension H: 2450 mm; description: equipped with 3 urinals; | 10.00 |
| 575 | 1 | gitterbox total dimension L: 1220 mm; total dimension W: 850 mm; total dimension H: 800 mm; description: stackable; | 10.00 |
| 576 | 1 | stacking yoke total dimension L: 1400 mm; total dimension W: 1050 mm; total dimension H: 1000 mm; description: stackable; | 10.00 |
| 577 | 1 | sanitary unit brand: TMT; year: 2013; dimension L: 5000 mm; dimension W: 2400 mm; number of doors: 1; number of toilets: 5; description: equipped with double wasco sole with 2 taps; electrical installation (including boiler.); liquid proof floor.; | 1,000.00 |
| 578 | 1 | sanitary unit brand: TMT; year: 2013; dimension L: 6000 mm; dimension W: 2400 mm; number of doors: 2; number of toilets: 2; number of showers: 2; description: equipped with two showers (separately accessible end-face), two toilets and urinals 2, double wasco sole equipped with two cranes, electric installation (incl. cylinder), liquid-tight floor.; | 1,000.00 |
| 579 | 2 | base plate and the mast serving Flood Lights brand: Delta; total dimension L: 12000 mm; description: equipped with hand cable winch ; dimension base plate ca 200x200x14cm; | 10.00 |
| 580 | 4 | floodlights and mast parts description: Includes 3x mast part L mast part approx 6mtr.; | 10.00 |
| 581 | 1 | scaffolding boards and masonry profiles etc. description: and including in the first yoke; longest length approx. 6 mtr; | 10.00 |
| 582 | 1 | swing arm crane brand: Abus; hoist capacity: 500 kg; arm length: 4000 mm; description: without hoist; | 10.00 |
| 583 | 1 | Stairs brand: Roossien; description: collapsible; | 10.00 |
| 584 | 1 | roller shutter, electric brand: SIMU; type: 835_124; serial number: 42336 / 09; total dimension W: 5300 mm; | 10.00 |
| 585 | 1 | roller shutter, electric serial number: 42336 / 09; total dimension W: 6000 mm; | 10.00 |
| 586 | 1 | roller shutter, electric brand: GMF; type: FV 20/35; serial number: 42336 / 09; total dimension W: 3500 mm; | 10.00 |
| 587 | 1 | roller shutter, electric brand: SIMU; type: 5007752B; total dimension W: 4500 mm; | 10.00 |
| 588 | 1 | roller shutter, electric total dimension W: 2300 mm; | 10.00 |
| 589 | 20 | barbed feet | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 590 | 1 | container closed: yes; total dimension L: 6000 mm; total dimension W: 2400 mm; total dimension H: 2250 mm; | 100.00 |
| 591 | 1 | purchased car brand: De meeuw; type: Ea-430; year: 1998; license plate: WV-35-JF; number of doors: 2; number of windows: 2; own weight: 1050 kg; description: width: 218cm.; | 100.00 |
| 592 | 1 | purchased car brand: De meeuw; type: Ea 430; year: 1998; license plate: WT-23-FK; number of doors: 2; number of windows: 2; own weight: 1150 kg; description: width: 218cm.; | 100.00 |
| 593 | 1 | purchased car brand: De meeuw; type: Ea 90 v; year: 1994; license plate: WL-44-VR; number of doors: 2; number of windows: 2; own weight: 1020 kg; description: width: 218cm.; | 100.00 |
| 594 | 1 | purchased car brand: De meeuw; type: Ea-430; year: 1999; license plate: WX-66-NF; number of doors: 2; number of windows: 2; own weight: 1150 kg; description: width: 218cm.; | 100.00 |
| 595 | 1 | emergency power generator brand: Atlas copco; type: QAS14; year: 2006; serial number: YA3-062768-60548072; capacity: 12.5 kVA; electric connection: 400 V; engine brand: Perkins 3 cilinder; total dimension L: 2100 mm; total dimension W: 1000 mm; total dimension H: 1500 mm; description: silenced; | 100.00 |
| 596 | 1 | emergency power generator brand: Atlas copco; type: QAS14; year: 2006; serial number: YA3-062764-60559781; capacity: 12.5 kVA; electric connection: 400 V; engine brand: Perkins 3 cilinder; total dimension L: 2100 mm; total dimension W: 1000 mm; total dimension H: 1500 mm; description: silenced; | 100.00 |
| 597 | 2 | floodlights gas-discharge lamp: yes; electric connection: 380 V; | 10.00 |
| 598 | 1 | floodlight gas-discharge lamp: yes; electric connection: 380 V; description: Including various electrical junction box.; | 10.00 |
| 599 | 4 | tires and rims serving Agriculture Trailers brand: Goodyear; tyre size: 11.5/80-15.3; with rims: yes; description: 6-hole rims.; | 10.00 |
| 600 | 1 | compressor trailer brand: Ingersoll Rand ; type: P70WN; year: 1996; serial number: 151344 E96 240; capacity: 8 bar; air flow: 2000 l/min; description: equipped with Perkins three-cylinder diesel engine; | 10.00 |
| 601 | 1 | compressor trailer brand: Atlas Copco ; type: XAS46DD; year: 2000; serial number: YA3-062317-Y035248; capacity: 7 bar; description: equipped with Deutz two-cylinder diesel engine; | 10.00 |
| 602 | 2 | yoke total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: stackable; | 5.00 |
| 603 | 1 | vibrating plate brand: Weber; type: TC52SE; year: 2000; serial number: 000750; brand engine: Hatz; engine power: 5.7 kW; fuel type: Diesel; own weight: 37 kg; description: working width approx. 64cm .; electric start; | 10.00 |
| 604 | 1 | Trash can used for builders waste: yes; used for glass: yes; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: galvanized; | 5.00 |
| 605 | 1 | Trash can total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: galvanized; | 5.00 |
| 606 | 1 | Trash can total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: galvanized; | 5.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 607 | 1 | board staircase number of steps: 5; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 608 | 4 | Tension band | 10.00 |
| 609 | 4 | Tension band | 10.00 |
| 610 | 1 | wire cutting machine brand: Rothenberger; type: Supertronic 2000; electric: yes; electric connection: 230 V; | 10.00 |
| 611 | 1 | electric hand-held grinding machine brand: Makita; year: 2007; disc diameter: 125 mm; electric connection: 230 V; | 10.00 |
| 612 | 1 | electric hand-held grinding machine brand: Flex; type: L1001; year: 2017; serial number: 62016; disc diameter: 125 mm; power: 1010 W; electric connection: 230 V; | 10.00 |
| 613 | 1 | electric hand-held grinding machine brand: Hitachi; disc diameter: 125 mm; electric connection: 230 V; | 10.00 |
| 614 | 1 | electric hand-held grinding machine brand: Flex; type: L1001; serial number: 53376; disc diameter: 125 mm; power: 1010 W; electric connection: 230 V; | 10.00 |
| 615 | 1 | electric hand-held grinding machine brand: Hitachi; type: G13SB3; year: 2006; serial number: 760; disc diameter: 125 mm; power: 1300 W; electric connection: 230 V; | 10.00 |
| 616 | 1 | electric hand-held grinding machine brand: Flex; type: L1001; disc diameter: 125 mm; power: 1010 W; electric connection: 230 V; | 10.00 |
| 617 | 1 | electric hand sander brand: Rupes; type: LS21A; delta sander: yes; electric connection: 230 V; | 10.00 |
| 618 | 1 | electric hand drill brand: Bosch; type: PSB500RE; electric connection: 230 V; | 10.00 |
| 619 | 1 | angle screwdriver brand: Bosch; type: GWB10; electric connection: 230 V; | 10.00 |
| 620 | 1 | battery reciprocating saw brand: DeWalt; type: DC385; voltage: 18 V; number of batteries: 1; battery charger: yes; | 10.00 |
| 621 | 1 | battery tooling brand: Hitachi; type: DS 12VF3; voltage: 12 V; number of batteries: 2; battery charger: yes; screw machine: yes; drilling machine: yes; | 10.00 |
| 622 | 1 | hand circular saw brand: DeWalt; type: DC390; voltage: 18 V; number of batteries: 2; battery charger: yes; description: diameter: 165mm.; | 10.00 |
| 623 | 1 | cable winch brand: Gude; type: 1200/12V; electric connection: 12 V; own weight: 11 kg; | 10.00 |
| 624 | 1 | water pump hose brand: VBW; type: Nr. 111; description: 1 1/2"; | 10.00 |
| 625 | 1 | water pump hose description: 2"; | 10.00 |
| 626 | 1 | water pump hose description: 2"; | 10.00 |
| 627 | 1 | water pump hose brand: RemsCatch; description: 2"; | 10.00 |
| 628 | 1 | water pump hose brand: Ridgid; description: 24"; | 10.00 |
| 629 | 9 | ball head transport anchors brand: Starcon ; description: various WLL.; | 10.00 |
| 631 | 2 | lifting chain hoist capacity: 1120 kg; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 632 | 1 | lifting chain hoist capacity: 5300 kg; dimension L: 1000 mm; | 10.00 |
| 633 | 1 | lifting chain hoist capacity: 2000 kg; dimension L: 2500 mm; | 10.00 |
| 634 | 1 | lifting chain hoist capacity: 1120 kg; dimension L: 2000 mm; | 10.00 |
| 635 | 1 | 2 jump lifting chain hoist capacity: 2000 kg; dimension L: 2000 mm; | 10.00 |
| 636 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 1500 mm; | 10.00 |
| 637 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 2000 mm; | 10.00 |
| 638 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 1820 mm; | 10.00 |
| 639 | 1 | lifting chain hoist capacity: 2000 kg; dimension L: 2100 mm; | 10.00 |
| 640 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 4000 mm; | 10.00 |
| 641 | 1 | 2 jump lifting chain hoist capacity: 3150 kg; dimension L: 2500 mm; | 10.00 |
| 642 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; | 10.00 |
| 643 | 1 | lifting chain hoist capacity: 2000 kg; dimension L: 2500 mm; | 10.00 |
| 644 | 1 | 2 jump lifting chain hoist capacity: 2000 kg; dimension L: 3000 mm; | 10.00 |
| 645 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; | 10.00 |
| 646 | 1 | board staircase brand: Solide; number of steps: 4; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 647 | 1 | lifting chain hoist capacity: 1500 kg; dimension L: 3000 mm; | 10.00 |
| 648 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; dimension L: 3600 mm; | 10.00 |
| 649 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; dimension L: 2800 mm; | 10.00 |
| 650 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 4000 mm; | 10.00 |
| 651 | 1 | 2 jump lifting chain hoist capacity: 2000 kg; dimension L: 2500 mm; | 10.00 |
| 652 | 1 | lifting chain hoist capacity: 2000 kg; dimension L: 2600 mm; | 10.00 |
| 653 | 1 | 2 jump lifting chain hoist capacity: 2000 kg; dimension L: 2500 mm; | 10.00 |
| 654 | 1 | lifting chain hoist capacity: 1120 kg; dimension L: 2000 mm; | 10.00 |
| 655 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; dimension L: 2500 mm; | 10.00 |
| 656 | 1 | board staircase brand: Van Wijnen; number of steps: 7; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 657 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 800 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 658 | 1 | 2 jump lifting chain hoist capacity: 3150 kg; dimension L: 1300 mm; | 10.00 |
| 659 | 1 | lifting chain hoist capacity: 3150 kg; dimension L: 1000 mm; | 10.00 |
| 660 | 1 | lifting chain hoist capacity: 1500 kg; dimension L: 1400 mm; | 10.00 |
| 661 | 1 | lifting chain hoist capacity: 1500 kg; dimension L: 3000 mm; | 10.00 |
| 662 | 1 | lifting chain hoist capacity: 1500 kg; dimension L: 3000 mm; | 10.00 |
| 663 | 1 | lifting chain dimension L: 1500 mm; | 10.00 |
| 664 | 1 | lifting chain dimension L: 1500 mm; | 10.00 |
| 665 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; dimension L: 4500 mm; | 10.00 |
| 666 | 1 | hook dimension L: 300 mm; | 10.00 |
| 667 | 1 | 2 jump lifting chain hoist capacity: 1500 kg; dimension L: 3200 mm; | 10.00 |
| 668 | 1 | vacuum pump brand: Edwards; type: E2M0.7; serial number: 006727339; power: 0.9 kW; electric connection: 230 V; own weight: 11 kg; | 10.00 |
| 669 | 1 | heater brand: Alke; type: 8; gas-heated: yes; material: Staal; total dimension L: 520 mm; total dimension W: 390 mm; total dimension H: 175 mm; | 10.00 |
| 670 | 1 | heater brand: Alke; type: 8; gas-heated: yes; material: Staal; total dimension L: 520 mm; total dimension W: 390 mm; total dimension H: 175 mm; | 10.00 |
| 671 | 3 | Pipe bends brand: Swagelok; description: size: 1/4, 3/8, 1 1/2 "; | 10.00 |
| 672 | 1 | pe / pp scaffolding foil, armed brand: Cover; type: Standard natural; dimension L: 20000 mm; dimension W: 3200 mm; | 10.00 |
| 673 | 1 | flip-over cutting / table circular saw brand: Elu; type: TGS 173 AI; year: 1992; saw blade ? : 250 mm; max. vertical cut: 70 mm; mitre: yes; table size L: 500 mm; table size W: 500 mm; electric connection: 230 V; | 10.00 |
| 674 | 1 | pneumatic hand grinding machine | 10.00 |
| 675 | 1 | pneumatic hand grinding machine brand: Toku; type: TAG50 MLH; serial number: 2013-H032; | 10.00 |
| 676 | 1 | pneumatic hand grinding machine | 10.00 |
| 677 | 1 | pneumatic hand grinding machine | 10.00 |
| 678 | 1 | pneumatic hand grinding machine brand: Toku; type: TAG50 MLH; serial number: 2013-B02; | 10.00 |
| 679 | 1 | wasser pump brand: Home Plumber; type: Professional series; electric connection: 230 V; | 10.00 |
| 680 | 1 | paint spray description: equipped with gun.; | 10.00 |
| 681 | 1 | saw benches brand: Gjerde; type: 1603; year: 1996; serial number: 0495; saw blade ? : 400 mm; electric connection: 230 V; description: P1: 3750W; P2: 3000W.; | 10.00 |
| 682 | 1 | pressure washer brand: Nilfisk Alto; type: Neptune; diesel fired: yes; mobile: yes; electric connection: 380 V; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 683 | 1 | pressure washer brand: Nilfisk Alto; type: Neptune 3-26; serial number: 2008831959/26/08; diesel fired: yes; mobile: yes; power: 40 kW; electric connection: 230 V; | 10.00 |
| 684 | 1 | Welding machine brand: ESS; type: 211 DTG; serial number: 0999153; tig type: yes; electric connection: 230 V; description: I2: 100% 140A / 16V; U2: 100% 120A / 25V; Includes gas bottle.; | 10.00 |
| 686 | 1 | vuilwaterpomp brand: Flygt; power: 1 kW; electric connection: 400 V; | 10.00 |
| 687 | 1 | vuilwaterpomp brand: Grindex; power: 12 kW; electric connection: 400 V; description: H-max. 98 FT; | 10.00 |
| 688 | 1 | generator brand: Europower; type: EP3300; year: 2002; capacity: 3.2 kVA; gasoline: yes; diesel: no; | 10.00 |
| 689 | 1 | generator brand: Europower; type: EP6000DE; year: 2001; capacity: 6 kVA; diesel: yes; engine brand + model: Hatz; type 1930-4; engine power: 5.4 kW; | 10.00 |
| 690 | 1 | chain hoist brand: HHN; hoist capacity: 1000 kg; wireless remote control: yes; max. hoist height: 22 m; electric connection: 400 V; | 10.00 |
| 691 | 1 | chain hoist brand: HHN; hoist capacity: 1000 kg; wireless remote control: yes; electric connection: 400 V; | 10.00 |
| 693 | 1 | wire cutting machine brand: Ridgid; type: 300; electric: yes; electric connection: 115 V; description: 1 / 8-2 pipe; 1 / 4-2 bolt; Includes 2 Ridgid rolling jacks.; | 10.00 |
| 694 | 1 | pump brand: Grundfos; type: CR16-30; total dimension L: 850 mm; description: AFA-Bube 3x400D.; | 10.00 |
| 695 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 696 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 697 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 698 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (3x) 400 Volt; | 10.00 |
| 699 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 700 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 701 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 702 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 703 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 704 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 705 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (3x) 400 volts; 32 Amp.; | 10.00 |
| 706 | 1 | building power distribution box brand: Helaf; type: Multi; description: (6x) 230 Volt; (2x) 400 volts; 32 Amp.; | 10.00 |
| 707 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 708 | 1 | building power distribution box brand: Helaf; description: (6x) 230 Volt; (2x) 400 volts; | 10.00 |
| 709 | 1 | electric pallet truck brand: BT ; type: LT-2200/11; year: 1997; serial number: 308405AA; lifting capacity: 2200 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 490 kg; | 100.00 |
| 710 | 1 | electric pallet truck brand: BT ; type: LT-2200/11; year: 1997; serial number: 308406AA; lifting capacity: 2200 kg; fork length: 1150 mm; stand-on pallet truck: yes; battery charger: yes; own weight: 490 kg; | 100.00 |
| 711 | 1 | hand hydraulic pallet truck brand: Logitrans ; type: P2571; year: 2011; lifting capacity: 2500 kg; fork length: 1520 mm; | 10.00 |
| 712 | 1 | hand hydraulic pallet truck brand: Corlido; type: ODP150; year: 2011; lifting capacity: 2000 kg; fork length: 1500 mm; | 10.00 |
| 713 | 1 | Laser printer brand: HP; paper size: A4; | 10.00 |
| 714 | 1 | Hand hydraulic pipe bender brand: EgaMaster; type: Curvamatic-3; description: Including accessories and steel box.; | 10.00 |
| 715 | 1 | Bending machine brand: Abird; electric driven: yes; electric connection: 230 V; description: Including bread and cake.; | 10.00 |
| 716 | 1 | chain hoist brand: Yale; type: VS Plus; year: 2008; serial number: 1007698; hoist capacity: 3000 kg; | 10.00 |
| 717 | 1 | lifting chain | 10.00 |
| 718 | 1 | lifting chain | 10.00 |
| 719 | 1 | lifting chain | 10.00 |
| 720 | 1 | hook brand: Gunnebo; | 10.00 |
| 721 | 1 | self-closing hook brand: Cartec; | 10.00 |
| 722 | 1 | lifting chain description: equipped with self-locking lifting hook; | 10.00 |
| 723 | 1 | 2 jump lifting chain description: equipped with self-locking lifting hook; | 10.00 |
| 724 | 1 | lifting chain description: equipped with self-locking lifting hook; | 10.00 |
| 725 | 1 | 4 jump- lifting chain hoist capacity: 6400 kg; | 10.00 |
| 726 | 1 | board staircase brand: ASC; number of steps: 5; aluminium: yes; extension ladder: no; single: yes; double: no; access platform: yes; | 10.00 |
| 728 | 1 | board staircase brand: Van Wijnen; number of steps: 8; aluminium: yes; single: no; double: yes; access platform: yes; | 10.00 |
| 730 | 1 | Pneumatic sprayer brand: NN; description: vv spray gun; mobile; | 10.00 |
| 731 | 2 | jaw various | 10.00 |
| 732 | 4 | diamond drill various brand: Spit; description: various diameters; length 300 mm; | 10.00 |
| 733 | 1 | lot of various batteries description: in crate; | 10.00 |
| 734 | 1 | digital multimeter type: DT-9205A; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 735 | 1 | digital multimeter type: DT-9205A; | 10.00 |
| 736 | 1 | battery charger brand: Hitachi; type: UC 3SML; voltage: 3,6 V; | 10.00 |
| 737 | 1 | right-angled screw and drilling machine brand: Atlas Copco; type: S085; | 10.00 |
| 738 | 1 | work lamp brand: Makita; type: ML902; voltage: 9,6 V; description: without battery / without battery; | 10.00 |
| 739 | 1 | Tool box brand: Parat; plastic: yes; aluminium: yes; dimension L: 470 mm; dimension W: 320 mm; | 10.00 |
| 740 | 1 | electric hand-held grinding machine brand: Makita; type: 9565CV; disc diameter: 125 mm; | 10.00 |
| 741 | 4 | key lock total dimension L: 100 mm; total dimension W: 80 mm; | 10.00 |
| 742 | 4 | key lock total dimension L: 100 mm; total dimension W: 80 mm; | 10.00 |
| 744 | 1 | nail gun brand: Hilti; type: DX600N; description: in suitcase; | 10.00 |
| 745 | 1 | rotating battery construction laser brand: Spectra; type: LL500; description: without charger / without charger; | 10.00 |
| 746 | 1 | ladders and trapp brand: Altrex; number of steps: 10; | 10.00 |
| 747 | 1 | tripod serving Instrument brand: Wild; type: GST10; | 10.00 |
| 748 | 1 | Blower brand: Robuschi; type: RV 140/V; serial number: 02600; | 10.00 |
| 749 | 1 | Welding machine brand: Smitweld; type: Transpuls MIG 400; mig type: yes; ampere range: 400 A; duty cycle: 80 %; wire feeder: yes; electric connection: 400 V; dimension L: 550 mm; dimension W: 1200 mm; dimension H: 1000 mm; description: mobile; incl. electrodes (Note: Operation unknown / Note! Working unknown); | 10.00 |
| 750 | 1 | fuse trigger | 10.00 |
| 752 | 1 | airless paint sprayer brand: Airlessco; type: LP400; serial number: 0902798; electric connection: 220 V; description: equipped with gun; 205bar max.; | 10.00 |
| 753 | 1 | FI-fester | 10.00 |
| 754 | 1 | electric forklift Hyster, A1.50XL, lifting capacity: 1500kg, lifting height: 430cm, door height: 264cm, for example duplex mast and charger. | 1,000.00 |



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

5.3 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.4 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.5 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.6 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.7 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.8 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.9 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.10 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.



5.11 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.12 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection



costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience