

ONLINE AUCTION

Plant closure of an high quality aerosol plant (DE) Aerosol plant closure

Wellastraße 2 - 36088 Hünefeld (Coty Location)

Closing date: Thursday 28 FEBRUARY starting 14:00

Bidding only on the internet!

28-02-19 11.51

www.TroostwijkAuctions.com



Thursday 28 February 2019 Plant closure of an high quality aerosol plant

Special Conditions

| Closing date | Thursday 28 February 2019 starting 14:00 CET |
|-----------------------------------|--|
| Viewing | By appointment |
| Company organising this Online | Troostwijk Auktionen GmbH & Co. KG |
| Auction | Stolberger Straße 313 |
| | 50933 Köln, Germany |
| | Phone: +49 221 69066-0 |
| | Fax: +49 221 69066-10 |
| | E-mail: info@troostwijk.de |
| Markup | 18.00% |
| VAT | 19.00% |
| Collection | By appointment |
| Concetion | Coty Location |
| | Wellastraße 2 |
| | 36088 Hünefeld, Germany |
| | |
| Information VAT | Buyers from Germany have to pay the VAT. All foreign buyers from countries |
| | belonging to the European Community must inform us of their VAT number. If a |
| | buyer does not furnish this proof, the auctioneer has to charge the legal German |
| | VAT. This VAT amount cannot be refunded. Foreign buyers from countries not |
| | belonging to the European Community have to pay the legal German VAT as deposit |
| | to the auctioneer. After receipt of the original customs documents, which must be |
| | stamped officially to prove that the export has taken place, the auctioneer will refund |
| | the paid German VAT. |
| Payment | Your immediate bank payment is required within 48 hours after receipt of the |
| \$ | purchase agreement (proforma invoice). Please state your buyer number and the |
| | auction name. |
| | Troostwijk Auktionen GmbH & Co. KG |
| | Deutsche Bank AG, Frankfurt |
| | Account no.: 802 731 001 |
| | Bank code: 500 700 10 |
| | IBAN: DE89 5007 0010 0802 7310 01 |
| | SWIFT: DEUTDEFF |
| Prolongation | If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot |
| | will be extended with 5 minutes until no bids are made. |
| Combinations | All lots in a combination will be sold individually first. After the last lot is sold, the total |
| | of bids is raised 10%. This is the starting bid of the combination. If the combination |
| | is sold it overrules the individual bids, if not the individual bids are applicable. |
| Follow lots | After registration and login, lots can be 'followed' via 'My Troostwijk'. This option has |
| | been constrained to a maximum of 100 lots per user per auction. |
| Subject to allocation and minimum | At certain auctions some lots will be sold under reserve or minimum/reserve prices |
| prices | have been set! The seller of the machines will be informed about the highest bids |
| | after the end of the auction sale. He will then decide if the lots will be sold for the |
| | prices realized. Each client will be informed latest 2 work days after the end of the |
| | online auction whether his bid is accepted or not. During these days all bids are |
| | binding. If a lot is sold under reserve or if you should not have met the |
| | minimum/reserve price yet, this is mentioned below the starting bid. |
| Terms and Conditions of Sale | For the auction the General Terms and Conditions of Online Auction are applicable |
| | concerning the (possible) purchase of movable assets, in addition to these Special |

www.TroostwijkAuctions.com



Contact Quantity, capacity, dimensions and weight of goods

Conditions.

e-mail: info@troostwijk.de, phone: +49-221-690660 Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

www.TroostwijkAuctions.com

| 609651 | 1 Gronemeyer VFA Aerosol Can Unloading Lifting System Line 34 Aerosol Packaging Line, Gronemeyer VFA Empty steel can vertical adjustable rubber side pressure lifting elevation system. Includes:Empty steel can vertical adjustable rubber side pressure lifting elevation system. Complete with horizontal infeed and top second floor transfer conveyor system.Empty steel can. Can infeed/buffer elevation feed unit.Gronemeyer pallet delayer/can transfer unit mobile. (Dismantling and loading costs 2,750.00) | 10.00 |
|--------|--|-------|
| 609653 | 1 Gronemeyer VFA Aluminum Can Lifting System Line 33 Lift, serial number 4407-150-4, Gronemeyer VFA Aluminum Can Lifting System Line 33Includes:Empty Aluminum can vertical 7mm rubber side finger pressure elevating system. Please note: This system is missing the empty steel can infeed buffer feeding systemImpress pallet/pallet delayer can transfer unit, mobile. (Dismantling and loading costs 2,420.00) | 10.00 |
| 609654 | 1 BKLS ST Pallet Stacker Dispenser Pallet Handler, serial number 360000162540-0, BKLS ST+ Pallet Stacker DispenserAutomated pallet stacker/dispenser for 1200mm x800mm wide pallets.Stack up to 10 pallets in the magazine. (Dismantling and loading costs 440.00) | 10.00 |
| 609655 | 1 BKLS ST Pallet Stacker Dispenser Pallet Handler, serial number L08015, BKLS ST+ Pallet Stacker DispenserAutomated pallet stacker/dispenser for 1200mm x800mm wide pallets.Stack up to 10 pallets in the magazine. (Dismantling and loading costs 440.00) | 10.00 |
| 609672 | 1 VT Combined Tray Former And Loading Machine Line 34 Tray Packer, VT Combined Tray Former And Loading Machine Line 34(1-5) VT Tray Former Machine With 1400 mm Long Flat Pack 180 mm Wide X 300 mm High Manually Loaded Infeed Trays Are Glued(2-5) Central Platform Tray Double Conveyor & Marshaling Section Into 2 X 4 Stations (3-5) Robotic Aerosol Can Pick N Place Section For Loading 2 Streams Of 12 Off Cans Into 2 X 4 Trays(4-5) U Link Double Slat Conveyoring(5-5) Remote Mezzanine Control Panels (X 6 Door Panel)Pack Line 34 is Multi-Listing That Consists of Listings 609651, 609672 Through 609676 & 609679 (Dismantling and loading costs 6,050.00) | 10.00 |
| 609673 | 1 Hugo Beck Trayed Aerosol Over Wrapper Line 34 Overwrapper, serial number 11440, 11441, Hugo Beck Trayed Aerosol Over Wrapper Line 34(1-5) Hugo Beck Trayed Aerosol Over Wrapper Model PS 400; Year 1998; Infeed Trayed Aerosol Overwrap Tunnel Forming Vertical Separation (2-5) Overwrap Heat Shrink Tunnel Model SLB5020/45 2000 mm L X 500 mm W X 460 mm H(3-5) Overwrap Overhead Auto Gravity Feed(4-5) Overwrap Material Reel Feed Station For 1000 mm W X 370 mm Reels(5-5) Remote Mezzanine Mounted Double Door Control Panel Pack Line 34 is Multi-Listing That Consists of Listings 609651, 609672 Through 609676 & 609679 (Dismantling and loading costs 2,860.00) | 10.00 |
| 609675 | 1 Ambaflex SV-200-1000 Overwrapped Product Tranfer System Line 34 Conveyor, serial number 6621-05, Ambaflex SV-200-1000 Overwrapped Product Tranfer System Line 34(1-5) Ambaflex Lift Spiral Elevator(2-5) Infeed 100 mm Wide Slat U Bend Infeed Conveyor With Reject Dividers Buffer Conveyor(3-5) Overhead 2.7 Meter High Side Guided 100 mm Slat Transfer Conveyor(4-5) Ambaflex 2 Meter Decline Spiral Elevator(5-5) Main Double Door Control Panel Pack Line 34 is Multi- Listing That Consists of Listings 609651, 609672 Through 609676 & 609679 (Dismantling and loading costs 4,220.00) | 10.00 |
| 609677 | Ambaflex SV-200-1000 Overwrapped Product Tranfer System Line 33 Conveyor, serial number 6621-07, Ambaflex SV-200-1000 Overwrapped Product Tranfer System Line 33Ambaflex 2 Meter Lift Spiral ElevationMain Double Door Control PanelOverhead 2.7 Meter High Side Guided 100 mm Slat Transfer ConveyorAmbaflex 2 Meter Decline Spiral ElevatorTransfer To Robot Infeed Horizontal 100 mm Slat Side Guided ConveyorPack Line 33 is Multi-Listing That Consists of Listings 609653, 609677, 609678 & 609680 (Dismantling and loading costs 3.890.00) | 10.00 |

| 609678 | 1 Transnova LP43046 Palletizer Line 33 Palletizer and Depalletizer, serial number S06033, Transnova LP43046 Palletizer Line 33(1-3) This Overhead Gravity Layer Building End Of Line Palletizer Is Fitted With Pallet Infeed Store, Slip Sheet Tore, And Driven Roll Loaded Pallet Dischange System(2-3) Local Operator Control Panel(3-3) Remote Overhead Mezzanine 3 Door Main Control PanelPack Line 33 is Multi-Listing That Consists of Listings 609653, 609677, 609678 & 609680 (Dismantling and loading costs 2,860.00) | 10.00 |
|--------|---|-------|
| 609679 | 1 700 Liter Jacketed Tank Line 34 Tank, serial number 02-516-1, 700 Liter Jacketed Tank Line 34(1-2) 700 Liter Jacketed Tank Line 34, Vertical Ethanol Feed Tank With 60 Liter Jacket Mounted On Mezzanine; Domed Topped With 9 Top Inlets & 200 mm Blanking Range & 400 mm Hinged Inspection Hatch. Domed Base Mounted On 4 Feet With Centrifuge Valved Outlet(2-2) Pepperl & Fuchs Tank Level Control PanelPack Line 34 is Multi-Listing That Consists of Listings 609651, 609672 Through 609676 & 609679 (Dismantling and loading costs 935.00) | 10.00 |
| 609680 | 1 Jacketed 700 Liter Stainless Steel Ethanol Feed Tank Line 33 Tank, serial number 02-517, Jacketed 700 Liter Stainless Steel Ethanol Feed Tank Line 33(1-2) Jacketed Stainless Steel 700 Liter Capacity Ethanol Mezzanine Mounted Day Feed Tank. Domed Top Has 9 Top Inlets, 200 mm Blanking Flange, 400 mm Hinged Inspection Hatch. Domed Base Mounted On 4 Feet With Central Valved 50 mm Outlet. (2-2) Pepperl & Fuchs Tank Level Controls PanelPack Line 33 is Multi-Listing That Consists of Listings 609653, 609677, 609678 & 609680 (Dismantling and loading costs 935.00) | 10.00 |
| 609691 | 1 Thermo Scientific Water Bath Line 31 Waterbath and Circulator, serial number 111314038, Thermo Scientific Water Bath Line 31This 50C Hot Water Bath Is Used For Leak Detection Of Every 2000 Filled/Capped Aerosol CansThis Multi-Listing Consists of Listings 609681 Through 609696Aerosol Can Packing/Filling Line 31 (Dismantling and loading costs 82.50) | 10.00 |
| 609697 | 1 Unused Cital S.r.I. 3300 Liter Stainless Steel Pressurization Tank-Line 32 Tank, serial number 723, Cital S.r.I. 3300 Liter Stainless Steel Pressurization Tank-Line 324,000 liter total capacity lagged aluminum clad stainless steel pressurization tankDP: -1 to 3 barDT: -10 to 130 CTP: 5 barDomed top has (8) top inletsClamped inspect hatchDomed Bottom has a central 50 mm diameter outlet at 250 mm highSandpiper Pump with 50 mm diameter pipe connections (Dismantling and loading costs 1,320.00) | 10.00 |
| 609698 | 1 BWT Group LLC B590A.1 Stainless Steel CIP Tank Skid-Line 32 CIP (Clean In Place), serial number 13721-10-1, BWT Group LLC B590A.1 Stainless Steel CIP Tank Skid-Line 32Stainless steel pallet skid supported 1000 liter purified water CIP tankPumping Skid for adjacent ethanol twin tank discharge stationDT: 120 C(3) Wall Mounted BWT Control Panels (Dismantling and loading costs 935.00) | 10.00 |
| 609787 | 1 AZO Manual Powder Feeding System Hopper, serial number 4,07025, AZO Manual Powder Feeding SystemDescription:Manual dust extractor powder bag unloading hopper, fitted with vibrating cone discharger and overhead dust extraction hood.Rear mounted dust extracted fan filter unit.Bottom powder blowline Westinghouse rotary valve.Wall mounted control display panel. (Dismantling and loading costs 605.00) | 10.00 |
| 609788 | Hecht BigBag x 6 Unloading System Bag Making, serial number 209804-7302577, Hecht BigBag x 6 Unloading System(1- 14) Hecht BigBag x 6 Unloading System(2-14) Hecht Big Base Stainless Steel Feed Hopper(3-14) Hecht Big Base Stainless Steel Feed Hopper(4-14) Hecht Big Base Stainless Steel Feed Hopper(5-14) Hecht Big Base Stainless Steel Feed Hopper(6- 14) Hecht Big Base Stainless Steel Feed Hopper(7-14) Hecht Big Base Stainless Steel Feed Hopper(8-14) Hecht 1000kg SWL Big Bag 3M Electrical Lifting Hoists(14- 14) Dust Extraction Fan (Dismantling and loading costs 4,180.00) | 10.00 |

| Starting | Bid € |
|----------|-------|
|----------|-------|

| 609789 | | AZO Powder Feed Hopper Hopper, serial number ETP8, AZO Powder Feed HopperDescription:Stainless steel originally manual top hinged door loaded powder feed hopper has now been fitted with a semi-automatic big bag top mounted vacuum feed system. Fitted with a 600mm diameter vibratory discharger.200 mm diameter bottom mounted Westinghouse rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
|--------|---|---|-------|
| 609790 | 1 | AZO Powder Feed Hopper Hopper, serial number ETP3, AZO Powder Feed HopperDescription:Stainless steel originally manual top hinged door loaded powder feed hopper has now been fitted with a semi-automatic big bag top mounted vacuum feed system. Fitted with a 600mm diameter vibratory discharger.200 mm diameter bottom mounted Westinghouse rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
| 609791 | 1 | AZO Powder Feed Hopper Hopper, serial number ET P2, AZO Powder Feed HopperDescription:Stainless steel originally manual top hinged door loaded powder feed hopper has now been fitted with a semi-automatic big bag top mounted vacuum feed system. Fitted with a 600mm diameter vibratory discharger.200 mm diameter bottom mounted Westinghouse rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
| 609792 | 1 | AZO Powder Feed Hopper Hopper, serial number ET P4, AZO Powder Feed HopperDescription:Stainless steel originally manual top hinged door loaded powder feed hopper has now been fitted with a semi-automatic big bag top mounted vacuum feed system. The 800-600mm x 1050H stainless steel base with a 600g vibratory discharger.200 mm diameter bottom mounted Westinghouse rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
| 609793 | 1 | AZO Powder Feed Hopper Hopper, serial number ET P1, AZO Powder Feed HopperDescription:Stainless steel originally manual top hinged door loaded powder feed hopper has now been fitted with a semi-automatic big bag top mounted vacuum feed system. The 800-600mm x 1050H stainless steel base with a 600g vibratory discharger.200 mm diameter bottom mounted Westinghouse rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
| 609794 | 1 | AZO Powder Feed Hopper Hopper, serial number ET P6, AZO Powder Feed HopperDescription:Top and bottom cowed powder feed hopper fitted with a 300mm semi-automatic big bag top mounted vacuum feed system. The 800-300mm x 800H stainless steel cowed base is fitted with a 150mm vibratory discharge.150 mm diameter bottom mounted rotary valve to 75mm diameter blow line. (Dismantling and loading costs 1,155.00) | 10.00 |
| 609795 | 1 | Binder 110 Liters Powder Feeding System Vibratory Feeder, serial number 696/1, Binder Powder Feeding SystemManually set Siemens parafin liquid metering system via 35mm diameter stainless steel pipe work into adjacent 100 Liter holding tank.110 Liter binder stainless steel vertical holding tank with hinged top lid and 20mm diameter central bottom valved outlet. (Dismantling and loading costs 302.50) | 10.00 |
| 609796 | 1 | AZO NW-1100 Powder Weigh Bin Storage Bin, serial number 4.07025/2-41, AZO NW-1100 Powder Weigh BinDescription:Overhead 1100 Liters mezzanine mounted bulk powder weigh bin for blow line fed ingredients. Upper weigh bin is supported on load cells and fitted with a coned 300mm diameter valved outlet.Twin valved 300 diameter piped outlet to lower feed bin on manual baggin off station. (Dismantling and loading costs 1,980.00) | 10.00 |

| | | | - |
|--------|---|--|----------|
| 609797 | 1 | AZO NW-1100 Powder Weigh Bin Storage Bin, serial number 407025/2-41, AZO NW-1100 Powder Weigh BinDescription:Overhead 1100 Liters mezzanine mounted bulk powder weigh bin for blow line fed ingredients. Upper weigh bin is supported on load cells and fitted with a coned 300mm diameter valved outlet.Twin valved 300 diameter piped outlet to lower feed bin on manual baggin off station. (Dismantling and loading costs 1,540.00) | 10.00 |
| 609798 | 1 | AZO 2000 Liters Mixer Powder Feed Bin Storage Bin, AZO 2000 Liters Mixer Powder Feed BinDescription: This lower level mixer stainless steel bulk powder ingredients feed bin is fitted with a domed top having 2x300mm powder inlets plus 300mm top inspection hatch, with 200mm top vent filter. The bin is supported from the underside of the second floor support frame.Bottom mounted vibratory discharge mixer top feed unit. (Dismantling and loading costs 1,980.00) | 10.00 |
| 609799 | 1 | AZO Powder Feeding System Vibratory Feeder, AZO Powder Feeding SystemDescription:Overhead gantry blow line.Main powder pre/weighing mixer infeed control panel.Power supply panel.Indication panel. (Dismantling and loading costs 302.50) | 10.00 |
| 609800 | 1 | Lodige FKM2000D Horizontal Mixer Mixer, serial number 11516, Lodige FKM2000D Horizontal MixerDescription:Horizontal Lodige powder mixer fitted with 3 bottom hi-speed chopper unit.Top of mixer is fitted with 2 x 300 diameter, 1 x 200mm and 1 x 350mm top inlets.Main 3 door control panel.Operational control panel.Mixer has a central bottom 300mm diameter valved outlet. (Dismantling and loading costs 2,860.00) | 4,250.00 |
| 609801 | 1 | AZO Big Bag Filling System Vibratory Feeder, AZO Big Bag Filling SystemDescription:Big bag filling system support framework with pneumatically lifted/lowered big bag support frame and flexible cowed mixed powder fixed head having 100mm inlet.Framed mounted operational control panel. (Dismantling and loading costs 220.00) | 10.00 |
| 609802 | 1 | Busch MINK MM 1252AV Blowline Vacuum Pump Vacuum Pump, serial number 110009217, Busch MINK MM 1252AV Blowline Vacuum PumpDescription:75 mm powder blowline vacuum pump.Speed: 2000rpm.Volume: 250 m3/hr.Pressure: 150 mBar. (Dismantling and loading costs 82.50) | 10.00 |
| 609803 | 1 | AZO 250-138 Blowline Vacuum Pump Vacuum Pump, serial number 321814, AZO 250-138 Blowline Vacuum Pump75mm diameter powder blowlines vacuum pump.Vacuum 20mB. (Dismantling and loading costs 82.50) | 10.00 |
| 609804 | 1 | AZO 250-138 Blowline Vacuum Pump Vacuum Pump, AZO 250-138 Blowline Vacuum Pump75mm diameter powder blowlines vacuum pump.Vacuum 20mB. (Dismantling and loading costs 82.50) | 10.00 |
| 609805 | 1 | Schneider LC12 IND 236 Pallet Weighscale Truck Pallet Handler, serial number B509638567, Schneider LC12 IND 236 Pallet Weighscale TruckDescription:Stainless steel big bag manual lifting hydraulic pallet truck, fitted with built in Mettler Toledo weight scale/display unit.Maximum weigh: 2000kgsd=0.2kg.Fitted with 1200ml x 200mm wide forks, spaced 550mm apart. (Dismantling and loading costs 11.00) | 10.00 |
| 609807 | 1 | Hugo Beck Twin Bag Inserting Machine Inserting/Outserting Machine, Hugo Beck Twin Bag Inserting MachineDescription:Semi- automatic twin headed 500g/800g soap powder tub bag inserting machine. The bags are manually loaded into the vacuum head.With 500g/800g head change parts trolley. (Dismantling and loading costs 1,320,00) | 10.00 |

| 609808 | 1 | CAM Twin Tub Powder Feeding System Vibratory Feeder, serial number D31-628, CAM Twin Tub Powder Feeding SystemDescription: Twin headed 400/500/800g plastic bag inserted tub filling machine. Fitted with 2 off stirred coned discharge 50mm stainless steel filling head. Overhead platform supported 1000mm x 350mm H stirred powder supply bin, fitted with 2 off 150mm diameter valved bottom outlet feeding 2 tub feed heads. AZO big bag unloading frame and big bag lifting hoist with 1000kg SWL lift cradle. AZO big bag coned discharge hopper and inclined powder screw conveyor to feed top of the adjacent room located powder supply bin. Mobile change parts trolley loaded with 800g parts. Wall mounted cabinet of infeed slat buffer conveyor 400g side guided change parts. Mobile main control panel with overhead operation/display panel. (Dismantling and loading costs 5,720.00) | 1,250.00 |
|--------|---|--|----------|
| 609809 | | Thermo Scientific GPVW Checkweigher Check Weigher, serial number 8365, Thermo Scientific GPVW CheckweigherDescription:Previously used to check the filling of 400/500/800g powder tubs.With 80mm slat 90 degree rejected tubs conveyor discharge system. (Dismantling and loading costs 440.00) | 10.00 |
| 609810 | 1 | Kwik Lok Bag Closing System Bag Making, serial number 90496, Kwik Lok Bag Closing SystemIncludes:Bag closing system via application of a plastic clip to the top twisted shut bag sides.Infeed powder filled tub bag 80mm side guided slat conveying system and control panel.Inner tub powder filled bag rotary side brushing system, ready for bag closer. (Dismantling and loading costs 82.50) | 10.00 |
| 609811 | 1 | BKLS Capped Soap Powder Tub Conveying System Conveyor, serial number 509030A91, BKLS Capped Soap Powder Tub Conveying System(1-10) Operation conveying control panel(2-10) Combined filled capped soap powder tub bottom, 80mm side guided slat conveyor, 3 pass buffering system.(3-10) 80mm side guided slat conveyor, transfer system through inspection station.(4-10) Twin side drive conveyors over tub base date coding gun location.(5-10) S bend side guided 80mm slat conveyor.(6-10) Tub return manual packing off single to twin 80mm side guided slat counter.(7-10) Mobile twin side pressure tub conveyor unit.(8-10) Infeed to case packer side guided 80mm conveyor.(9-10) Case packer 90 degrees outfeed to palletizer conveyor.(10-10) Main 4 door conveying system control panel. (Dismantling and loading costs 1,760.00) | 10.00 |
| 609812 | 1 | Mettler Toledo 6 Camera Inspection System Inspection Machine, serial number 51073, Mettler Toledo 6 Camera Inspection SystemIncludes:6 camera auto tub label inspection system, mounted above tub transfer conveyor. Fitted with a discharge pneumatic side mounted auto reset pusher system.Infeed 2 off high/low sidequip tub spacing system prior to inspection. (Dismantling and loading costs 2,420.00) | 1,750.00 |
| 609814 | 1 | Stielow SLX720 Print and Apply Thermal Transfer Case Side Labeler Labeler, serial number 720-6-0014B01, Stielow SLX720 Case Side LabelerDescription:This combined 100mm High x 90mm wide self adhesive thermal printer/case side labeler is mounted on an adjustable support stand.Can handle label reels up to 300mm diameter x 150mm High. (Dismantling and loading costs 137.50) | 10.00 |
| 609815 | 1 | Transnova Layer Palletizer Palletizer and Depalletizer, serial number 430/10, Transnova Layer PalletizerDescription:Transnova layer palletizer for top/bottom taped closed 350x220x180mm H cases, onto a 1000 x 1200mm pallet controlled by Siemens S5 PLC.Main palletizer control panel. (Dismantling and loading costs 2,475.00) | 10.00 |
| 609816 | 1 | Haloila Octopus Genius Pallet Shrinkwrapper Wrapper/Overwrapper/Bundler, serial number 985303-001, Haloila Octopus Genius Pallet ShrinkwrapperIncludes:Frame mounted overhead lowering automatic pallet shrinkwrapper.Main control panel.Infeed driven roller pallet transfer conveying 90 degrees discharge driven roller turntable for Pallet conveying control panel. (Dismantling and loading costs 2,530.00) | 10.00 |

| Sta | rtir | na | Bi | d | € |
|-----|------|-----|----|---|---|
| ou | | - 9 | | | |

| 609817 | 1 | LogoPak 920 II PFR Pallet Side Labeler Labeler, serial number 2040374, LogoPak 920 II PFR Pallet Side Labeler(1-4) Pallet side labeler local operation linked to roller conveyor pallet positioning sensor.(2-4) Pallet label 200x150mm wide thermal printer side arm actuated label placement unit.(3- 4) LogoPak VLP210F manual label printer/dispenser.(4-4) Operation control panel. (Dismantling and loading costs 82.50) | 10.00 |
|--------|---|---|----------|
| 609819 | 1 | Transnova Ruf Layer Palletizer Complete System Palletizer and Depalletizer, serial number 24-32-03, Transnova Ruf Layer Palletizer Complete SystemIncludes:Layer palletizer for liquid soap packed cases of product controlled by a Siemens PLC.Main 3 door control panel. (Dismantling and loading costs 3,410.00) | 10.00 |
| 609820 | 1 | ABB Automation 470 Robot Arm Palletizer Palletizer and Depalletizer, serial number 218; 64Z-26263, ABB 470 Robot Arm Palletizer(1-2) ABB 470 Robotic Arm Palletizer, missing infeed conveying and pallet layer card feed system.(2-2) ABB robotic arm control panel model S4C Plus M2000. (Dismantling and loading costs 3,080.00) | 10.00 |
| 609821 | 1 | Ambaflex Spriralveyor SV Vertical Spiral Elevating Conveyor Conveyor, serial number 15778-01, Ambaflex Spriralveyor SV Vertical Spiral Elevating ConveyorIncludes:Vertical spiral elevating conveyor for 200mm wide filled cases, from 950mm infeed height to 3450mm discharge height.High level 3450mm H x 100mm wide side guided case transfer.Vertical de-elevating spiral conveyor.Main 2 door control panel. (Dismantling and loading costs 3,080.00) | 10.00 |
| 609822 | 1 | Ambaflex Spriralveyor SV Vertical Spiral Elevating Conveyor Conveyor, serial number 15778-03, Ambaflex Spriralveyor SV Vertical Spiral Elevating ConveyorIncludes:Vertical spiral elevating conveyor for 200mm wide filled cases, from 950mm infeed height to 3450mm discharge height.21m long x 3450mm H, 100mm wide side guided horizontal case transfer conveyor.Vertical de-elevating spiral conveyor. (Dismantling and loading costs 3,410.00) | 10.00 |
| 609825 | 1 | Schwarz 20,000 Liter Stainless Steel Bottom Stirred Tank Tank, serial number 13 524 1, Schwarz 20,000 Liter Stainless Steel Bottom Stirred TankThis Stainless Steel 20,000 Liter Externally Heated, Lagged & Aluminium Clad, Bottom Stirred Via Offset Bottom Stirrer Unit, Liquid Soap Storage Tank is Mounted On Four Legs. The Domed Top Has 7 Top Inlets & 450 mm Diameter Hinged/Clamped Hatch. Bottom Has a Central 75 Diameter X 750 H Valved Outlet (Dismantling and loading costs 2,530.00) | 1,250.00 |
| 609826 | 1 | Schwarz 20,000 Liter Stainless Steel Bottom Stirred Tank Tank, serial number 13 524 7, Schwarz 20,000 Liter Stainless Steel Bottom Stirred TankThis Stainless Steel 20,000 Liter Externally Heated, Lagged & Aluminium Clad, Bottom Stirred Via Offset Bottom Stirrer Unit, Liquid Soap Storage Tank is Mounted On 4 Legs. The Domed Top Has 7 Top Inlets & 450 mm Diameter Hinged/Clamped Hatch. Bottom Has a Central 75 Diameter X 750 H Valved Outlet (Dismantling and loading costs 2,530.00) | 1,250.00 |
| 609827 | 1 | Unused Schwarz 20,000 Liter Stainless Steel Bottom Stirred Tank Tank, serial number 13 524 5, Unused Schwarz 20,000 Liter Stainless Steel Bottom Stirred TankDP=0.5 BarDT=30CCapacity 21,500 LitersThis Vertical Stainless Steel Un- jacketed Tank is Fitted With a Offset Bottom Stirrer Unit Fitted with 7.5 kw Drive.Domed Top Has 7 Top Inlets & 450 mm Diameter Hinged/Clamped Hatch.The Domed Bottom is Fitted With a 100 mm Diameter Male Screwed Pipe Connection Central Outlet-800 mm High (Dismantling and loading costs 2,310.00) | 6,500.00 |

| 609828 | 1 Unused Schwarz 20,000 Liter Stainless Steel Bottom Stirred Tank Tank, serial number 13 524 3, Unused Schwarz 20,000 Liter Stainless Steel Bottom Stirred TankDP=0.5 BarDT=30CCapacity 21,500 LitersThis Vertical Stainless Steel Un- jacketed Tank is Fitted With a Offset Bottom Stirrer Unit Fitted with 7.5 kw Drive.Domed Top Has 7 Top Inlets & 450 mm Diameter Hinged/Clamped Hatch.The Domed Bottom is Fitted With a 100 mm Diameter Male Screwed Pipe Connection Central Outlet-800 mm High (Dismantling and loading costs 2,310.00) | 6,500.00 |
|--------|--|----------|
| 609829 | 1 Schwarz 20,000 Liter Stainless Steel Storage Tank Tank, serial number 13524 8, Schwarz 20,000 Liter Stainless Steel Storage TankDP=0.5 BarDT=30CMax Capacity= 21,500 LitersThis Vertical Stainless Steel Un- jacketed Tank is Un-stirred but has Bottom Blanking Flange for Fitting a Bottom Stirrer. Used for Stirring Cold De-ionized Water Domed Top Has Top Inlets & 450 Diameter Hinged/Clamped Hatch, Domed Bottom Supported On 4 Legs with Central 100 mm Diameter Valved X 750 mm High Outlet (Dismantling and loading costs 2,310.00) | 1,250.00 |
| 609830 | 1 Schwarz 20,000 Liter Stainless Steel Traced Heated Tank Tank, serial number 13524 10, Schwarz 20,000 Liter Stainless Steel Traced Heated TankDP=0.5 BarDT=30CCapacity= 21,500 LitersThis Vertical Stainless Steel Externally Trace Heated Lagged/Clad Hot De-Ionized Water Storage Tank is Un-stirred with a Domed Top Has 11 Top Inlets & 200 mm Diameter Surround Insulated Inspection Window. Domed Bottom Supported On 4 Legs With A Central 100 mm Diameter Valved X 750 mm High Outlet (Dismantling and loading costs 3,410.00) | 1,250.00 |
| 609831 | 1 Schwarz 20,000 Liter Stainless Steel Traced Heated Tank Tank, serial number 13524 9, Schwarz 20,000 Liter Stainless Steel Traced Heated TankDP=0.5 BarDT=30CCapacity= 21,500 LitersThis Vertical Stainless Steel Externally Trace Heated Lagged/Clad Hot De-Ionized Water Storage Tank is Un-stirred with a Domed Top Has 7 Top Inlets & 200 mm Diameter Surround Insulated Inspection Window. Domed Bottom Supported On 4 Legs With A Central 100 mm Diameter Valved X 400 mm High Outlet (Dismantling and loading costs 3,410.00) | 1,250.00 |
| 609832 | 1 Schwarz 20,000 Liter Stainless Steel Traced Heated Tank Tank, serial number 13524 2, Schwarz 20,000 Liter Stainless Steel Traced Heated TankDP=0.5 BarDT=30CCapacity= 21,500 LitersThis Vertical Stainless Steel Externally Trace Heated Lagged/Clad Hot De-Ionized Water Storage Tank is Un-stirred with a Domed Top Has 7 Top Inlets & 450 mm Hinged & Clamped Hatch. Domed Bottom Mounted on 4 Legs with Central 200 mm Diameter X 750 mm High Valved Outlet (Dismantling and loading costs 2,530.00) | 1,250.00 |
| 609833 | Christ Hot Deionization Water System Water Purification and Still System, serial number 24-3847, Christ Hot Deionization Water System(1-2) Christ Hot Deionization Water Skid with Attached PLC/Operation Control Panel & Pumping System(2-2) Return Vertical Variable Speed Pumping Skid (Dismantling and loading costs 1,265.00) | 10.00 |
| 609834 | 1 Christ Cold Deionization Water System Water Purification and Still System, serial number 24-3922, Christ Cold Deionization Water SystemChrist Cold Deionization Skid with Attached PLC/Operator Control Panel & Pumping SystemReturn Vertical Variable Speed Pumping Skid (Dismantling and loading costs 1,265.00) | 10.00 |
| 609835 | 1 BWT Care Packing Deionization Water System Water Purification and Still System, serial number 24.813B.001, BWT Care Packing Deionization Water System(1-2) Care Packing Deionized Water Supply Control Panel(2-2) Deionized Water Supply Vertical Grund Fos Variable Speed Pump Skid (Dismantling and loading costs 660.00) | 10.00 |

| Sta | rti | na | Bi | d | € |
|-----|-----|----|----|---|---|
| | | | | | |

| 609840 | Christ Bin Deionization Water Washing System Water Purification and Still System, serial number 24-3924, Christ Bin Deionization Water Washing System(1-3) Bin Washing Station Deionized Water Valve Feed & Return PLC Control Panel (2-3) Bin Washing Docking Station with Local Deionized Water Pressure Pump and Operation Station Controls(3-3) Wall Mounted Christ Pneumatic Valve Control Panel (Dismantling and loading costs 825.00) | 10.00 |
|--------|---|-------|
| 609853 | 1 Sirch 15,000 Liter Stainless Steel Horizontal Water Storage Tank Tank, serial number 3/905, Sirch 15,000 Liter Stainless Steel Horizontal Water Storage TankThis Horizontal Saddle Mounted Stainless Steel Lagged & Aluminium Clad Deionized Water Storage Tank is Fitted with a Top End 100 mm Diameter Inlet & a Bottom Opposite End 100 mm Diameter Outlet. Fitted with 2 Pressure Switches & 1 Level Switch & has a Central 50 mm Diameter Drain (Dismantling and loading costs 1,925.00) | 10.00 |
| 609855 | Parker Dominick Hunter PS 460 Hot Water Pump Skid Positive Displacement Pump / Lobe, serial number A915281, Parker Dominick Hunter PS 460 Hot Water Pump Skid (Dismantling and loading costs 385.00) | 10.00 |
| 609856 | 1 OPK/BWT Chilled Water Pump Skid Positive Displacement Pump / Lobe, serial number 24-4221, OPK/BWT Chilled Water Pump SkidTwin Pump & Pressurization Vessel, Chilled Water Pumping Skid (Dismantling and loading costs 385.00) | 10.00 |
| 609857 | 1 KOPF 3,000 Liter Stainless Steel Chilled Water Tank Tank, serial number 13790, KOPF 3,000 Liter Stainless Steel Chilled Water TankTP=8.6 BarDP=6 BarDT=50 CVertical Stainless Steel Chilled Water Storage Tank, Externally Lagged & Aluminium Clad. Fitted Top Side 100 mm Diameter Inlet & Bottom Opposite Side 100 mm Diameter Outlet (Dismantling and loading costs 1,650.00) | 10.00 |
| 609858 | KOPF 3,000 Liter Stainless Steel Chilled Water Tank Tank, serial number 13791, KOPF 3,000 Liter Stainless Steel Chilled Water TankTP=8.6 BarDP=6 BarDT=50 CVertical Stainless Steel Chilled Water Storage Tank, Externally Lagged & Aluminium Clad. Fitted Top Side 100 mm Diameter Inlet & Bottom Opposite Side 100 mm Diameter Outlet (Dismantling and loading costs 1,650.00) | 10.00 |
| 609859 | 1 Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water Tank Tank, serial number 37901, Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water TankDP Max: 6 barCapacity: 3063 LDiameter: 1300 mmLagged and Aluminum CladChilledFitted With Top Side 100 mm Diameter and Bottom Opposite Side 100 mm Diamter Outlets25 mm Diameter Bottom Discharge (Dismantling and loading costs 1,650.00) | 10.00 |
| 609860 | Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water Tank Tank, serial number 38196, Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water TankDP Max: 6 barCapacity: 3063 LDiameter: 1300 mmLagged and Aluminum CladChilledFitted With Top Side 100 mm Diameter and Bottom Opposite Side 100 mm Diamter Outlets25 mm Diameter Bottom Discharge (Dismantling and loading costs 1,650.00) | 10.00 |
| 609861 | Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water Tank Tank, serial number 42581, Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water TankDP Max: 6 barCapacity: 3063 LDiameter: 1300 mmLagged and Aluminum CladChilledFitted With Top Side 100 mm Diameter and Bottom Opposite Side 100 mm Diamter Outlets25 mm Diameter Bottom Discharge (Dismantling and loading costs 1,650.00) | 10.00 |
| 609862 | Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water Tank Tank, serial number 42580, Sirch GmbH PS 3063 Liter Stainless Steel Chilled Water TankDP Max: 6 barCapacity: 3063 LDiameter: 1300 mmLagged and Aluminum CladChilledFitted With Top Side 100 mm Diameter and Bottom Opposite Side 100 mm Diamter Outlets25 mm Diameter Bottom Discharge (Dismantling and loading costs 1,650.00) | 10.00 |

| 609863 | 1 Harton 5000 Liter Stainless Steel Rework Heat Recovery Tank Tank, serial number AB201399, Harton 5000 Liter Stainless Steel Rework Heat Recovery TankDT: 5 to 50 Deg CCapacity: 5,000 LStainless Steel Aluminum Lagged(4) 100 mm Diameter Inlets550 mm Diameter Hinged Top Clamped HatchBottom Side Fitted With a 100 mm Diameter OutletFeeding T Valves Feed to (2) 50 mm Diameter 1.5 kW Centrifugal Pumps (Dismantling and loading costs 825.00) | 10.00 |
|--------|--|-------|
| 609864 | Harton 5000 Liter Stainless Steel Rework Heat Recovery Tank Tank, serial number AB200540, Harton 5000 Liter Stainless Steel Rework Heat Recovery TankDT: 5 to 50 Deg CCapacity: 5,000 LStainless Steel Aluminum Lagged(4) 100 mm Diameter Inlets550 mm Diameter Hinged Top Clamped HatchBottom Side Fitted With a 100 mm Diameter OutletFeeding T Valves Feed to (2) 50 mm Diameter 1.5 kW Centrifugal Pumps (Dismantling and loading costs 825.00) | 10.00 |
| 609865 | 1 AAR Montagen 1000 Liter Stainless Steel Horizontal Hot Water Tank Tank, serial number 43618, AAR Montagen 1000 Liter Stainless Steel Horizontal Hot Water TankDT: 100 Deg CDP: 0.45 barCapacity: 1000 LLagged and Aluminum CladFitted with (3) top Inlets and 100 mm Diameter Top End Inlets at Each End50 mm Diameter Bottom End Outlet Mounted 1.5 kW Centrifugal Pump (Dismantling and Ioading costs 330.00) | 10.00 |
| 609870 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-End of Line 51 Lift, serial number 1407907-195307, Langhammer PAH8 BB1100 End of Line Pallet Lift StationEnd of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station90 Deg Pallet Transfer Stated; Fitted With Driven 75 mm Diameter Rollers and Twin 60 mm Lifting 1050 mm Spaced Apart Pallet Transfer Conveyor Chains (Dismantling and loading costs 1,045.00) | 10.00 |
| 609871 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-End of Line 24 Lift, serial number 1302421-184510, Langhammer PAH8 BB1100 Pallet Lift Station- End of Line 24End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station90 Deg Pallet Transfer Stated; Fitted With Driven 75 mm Diameter Rollers and Twin 60 mm Lifting 1050 mm Spaced Apart Pallet Transfer Conveyor Chains (Dismantling and loading costs 220.00) | 10.00 |
| 609872 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-End of Line 22 Lift, serial number 1302421-184511, Langhammer PAH8 BB1100 Pallet Lift Station- End of Line 22End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station90 Deg Pallet Transfer Stated; Fitted With Driven 75 mm Diameter Rollers and Twin 60 mm Lifting 1050 mm Spaced Apart Pallet Transfer Conveyor Chains (Dismantling and loading costs 220.00) | 10.00 |
| 609873 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-End of Line 30 Lift, serial number 1302421-184512, Langhammer PAH8 BB1100 Pallet Lift Station- End of Line 30End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station90 Deg Pallet Transfer Stated; Fitted With Driven 75 mm Diameter Rollers and Twin 60 mm Lifting 1050 mm Spaced Apart Pallet Transfer Conveyor ChainsAdded 90 Deg Pallet Transfer Station; Fitted with 75 mm Diameter Rollers and Twin 60 mm Spaced Apart Pallet Transfer Conveyor Chains (Dismantling and loading costs 220.00) | 10.00 |
| 609874 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-End of Line 30 Lift, serial number 1302421-184513, Langhammer PAH8 BB1100 Pallet Lift Station- End of Line 30End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station90 Deg Pallet Transfer Stated; Fitted With Driven 75 mm Diameter Rollers and Twin 60 mm Lifting 1050 mm Spaced Apart Pallet Transfer Conveyor Chains (Dismantling and loading costs 220.00) | 10.00 |

| | | | • |
|--------|---|--|-------|
| 609875 | 1 | Langhammer AN61 Pallet Top Layer Card Placement System Pallet Handler, Langhammer AN61 Pallet Top Layer Card Placement SystemTwin 1100 x 1550 Top Pallet Layer Card Picking Magazine; Fully InterlockedOverhead Gantry Supported Vertical 4 Suction Head Layer Pick and Place Onto Bottom Conveyor Positioned PalletPneumatically Operated Pallet Conveyed Braking Unit; When Pallet Is On Connect Position For Top Layer Card PlacementTwin Side Chain Pallet Transfer ConveyorNote: Machine Supplied Without Main Control Panel (Dismantling and loading costs 1,595.00) | 10.00 |
| 609876 | 1 | BKLS ST Pallet Stacker Dispenser Pallet Handler, serial number L08015., BKLS ST+ Pallet Stacker DispenserAutomated pallet stacker/dispenser for 1200 mm x 800 mm wide pallets.Stack up to 10 pallets in the magazine vertically110 V; 1 PH; 50 Hz; 6 Bar Air (Dismantling and loading costs 165.00) | 10.00 |
| 609877 | 1 | Lot of 2 Langhammer PDK 100 3-SPUR Pallet Turntables Pallet Wrapper, serial number 1302421-184547; 1302421-184548, Lot of 2 Langhammer PDK 100 3-SPUR Pallet Turntables(2) Pallet Conveyor 90 Deg Triple Transfer Chain Turntable; Fitted with 620 mm High Transfer ChainsNote: Sold Without Control Panel (Dismantling and loading costs 275.00) | 10.00 |
| 609878 | 1 | Lot of 12 Langhammer Transfer Twin Chain Pallet Conveying Systems Conveyor, serial number 1455649-182793, Lot of 12 Langhammer Transfer Twin Chain Pallet Conveying SystemsSet of (12) Off Twin Chain Pallet Transfer Systems Using 1000 mm C/Line Spaced Apart x 600 mm High Twin ChainsNote: All Conveyors Are Supplied Without Control Panel (Dismantling and loading costs 3,740.00) | 10.00 |
| 609879 | 1 | Lot of Langhammer Transfer Pallet Conveyors Conveyor, serial number 1352307-175918, Lot of Langhammer Transfer Pallet Conveyors(10) Twin Chain Pallet Transfer Conveyors Using 1000 mm C/Line Spaced Apart x 600 mm High Twin Chains(2) 90 Degree Roller/Chain Transfer Stations(1) Driven Roller 75 mm Diameter ConveyorNote: All Conveyors Are Supplied Without a Control Panel (Dismantling and loading costs 3,740.00) | 10.00 |
| 609880 | 1 | MJ Maillis Vario Master 9460-TL Pallet Strapping Machine Strapping Machine, serial number 63062, MJ Maillis Vario Master 9460-TL Pallet Strapping MachineMounted Over Top Lay Sheet Covered Pallet Delivery Roller ConveyorFolds Down The Overhanging Sides of The Layer Sheet And Then Applies (2) Shelving Straps Around The PalletLocal Outside Operation Control Panel Can double cross strap pallets at maximum rate of 120 pallets / hour, but was used by Coty, Huenfeld to operate at 80 pallets / hour Strapping tension = 4000 N Strapping material spec can range from 10 to 16 mm wide x 0.5 to 1 mm thick (Dismantling and loading costs 2,475.00) | 10.00 |
| 609881 | 1 | MJ Maillis Vario Master 9460-TL Pallet Strapping Machine Strapping Machine, MJ Maillis Vario Master 9460-TL Pallet Strapping MachineMounted Over Top Lay Sheet Covered Pallet Delivery Roller ConveyorStraps Pallet With (2) 90 Degree StrapsLocal Outside Operation Control Panel Can double cross strap pallets at maximum rate of 120 pallets / hour, but was used by Coty, Huenfeld to operate at 80 pallets / hour Strapping tension = 4000 N Strapping material spec can range from 10 to 16 mm wide x 0.5 to 1 mm thick (Dismantling and loading costs 2,475.00) | 10.00 |
| 609882 | 1 | Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 31 Lift, serial number A070701153-112061, Langhammer PAH8 BB1100 Pallet Lift | 10.00 |

Station-Aerosol Pack Line 31End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts Pallet 530 mm (Dismantling and loading costs 1,045.00) 1 Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 33 609883 10.00 Lift, serial number A0701153-112176, Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 33End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts

Pallet 530 mm (Dismantling and loading costs 1,045.00)



| 609884 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 34 Lift, serial number A0701153-112178, Langhammer PAH8 BB1100 Pallet Lift Station- Aerosol Pack Line 34End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts Pallet 530 mm (Dismantling and loading costs 385.00) | 10.00 |
|--------|--|-------|
| 609885 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 35 Lift, serial number A0701153-1112180, Langhammer PAH8 BB1100 Pallet Lift Station- Aerosol Pack Line 35End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts Pallet 530 mm (Dismantling and loading costs 385.00) | 10.00 |
| 609886 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 36 Lift, serial number A0701153-112182, Langhammer PAH8 BB1100 Pallet Lift Station- Aerosol Pack Line 36End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts Pallet 530 mm (Dismantling and loading costs 385.00) | 10.00 |
| 609887 | 1 Langhammer PAH8 BB1100 Pallet Lift Station-Aerosol Pack Line 32 Lift, serial number 1009241-149147, Langhammer PAH8 BB1100 Pallet Lift Station- Aerosol Pack Line 32End of Line Palletized Discharged Pallet Driven Roller/530 mm Lifting Table System Onto Linking 90 Deg Pallet Transfer Conveying Station; Lifts Pallet 530 mm (Dismantling and loading costs 385.00) | 10.00 |
| 609889 | 1 LogoPak 920 II DK Pallet Side Labeling System Labeler, serial number 2040373, LogoPak 920 II DK Pallet Side Labeling SystemLeft Hand Side 150 mm Wide x 210 mm High Printed Pressure Sensitive Side Pallet Label ApplicatorRoller Conveyor Pallet Position SensorRight Hande Side 125 mm Wide x 80 mm High Printed Pressure Sensitive Side Pallet Label Applicator(2) Operation Control Panels (Dismantling and loading costs 1,980.00) | 10.00 |
| 609890 | 1 Langhammer AN61 Pallet Transfer and Top Layer Card Placing System Pallet Handler, serial number A0701162, Langhammer AN61 Pallet Transfer and Top Layer Card Placing SystemTwin 1100 mm x 1500 mm Top Palley Layer Card Picking Magazine; Fully InterlockedOverhead Gantry Supported Vertical 4 Suction Head Layer Card Pick and Place Onto Bottom Conveyor Positioned Pallet(3) 90 Degree Pallet Transfer Stations; Fitted With Driven Roller and 60 mm Lifting 90 Degree Transfer Chain(2) Driven 75 mm Diameter x 580 mm High Roller Section(2) Driven Roller Sections With End Mounted 90 Degree Transfer Station With Driven Rollers and 60 mm Lifting 90 Degree Transfer Chains(6) Vertical Light Guard Posts Positioned on Either Side of ConveyorTwin Side Change Transfer ConveyorRoller Transfer ConveyorManual Pallet Discharge StationTwin Chain Pallet Transfer Conveyor(4) Twin Side Chain Pallet Transfer Conveyors; Each 3 m Long x 1.05 m Wide x 530 mm High(8) Twin Chain Transfer Conveyors(3) Pedestal Operation Control Panels4 Door Main Control Panel6 Door Main Control PanelElectrical: 400 V/3 PH/50 Hz; 6 Bar Air (Dismantling and loading costs 24,750.00) | 10.00 |
| 609891 | Bay Kesselfabrik 9 Ton Dual Fuel Steam Boiler Boiler, serial number 3850, Bay Kesselfabrik 9 Ton Dual Fuel Steam BoilerThis Skid Mounted Dual Fuel Diesel/Gas Boiler Produces 9 Tons SteamWorking Pressure: 7 Bar Pressure at 140 Deg CMax DP: 12 BarFitted With a 2002 Aged Weishaupt Dual Buel Burner UnitIncludes:Double Door Main Control PanelMobile Burner Sound Enclosure (Dismantling and loading costs 6,380.00) | 10.00 |
| 609892 | 1 Bay Kesselfabrik 12 Ton Dual Fuel Steam Boiler Boiler, serial number 18450, Bay Kesselfabrik 12 Ton Dual Fuel Steam BoilerSki Mounted Dual Fuel Diesel/Gas Fired Boiler Produces 12 Tons of SteamWorking Pressure: 7 Bar at 140 Deg CMP: 16 BarFitted With:1987 Aged Weishaupt Dual Fuel Burner UnitLocal Operation Floor Standing Control PanelMobile Burner Sound Enclosure (Dismantling and loading costs 6,380.00) | 10.00 |

| 609893 | 1 | Bay Kesselfabrik 9 Ton Dual Fuel Steam Boiler Boiler, Bay Kesselfabrik 9 Ton Dual Fuel Steam BoilerThis Skid Mounted Dual Fuel Diesel/Gas Boiler Produces 9 Tons SteamWorking Pressure: 7 Bar Pressure at 140 Deg CMax DP: 12 BarFitted With a 2002 Aged Weishaupt Dual Buel Burner UnitIncludes:Floor Standing Boiler Control PanelMobile Burner Sound Enclosure (Dismantling and loading costs 6,380.00) | 10.00 |
|--------|---|---|----------|
| 609894 | 1 | Kogel Schornsteine Stainless Steel Interior Boiler House Chimney Miscellaneous Plant Equipment, serial number 2231009, Kogel Schornsteine Stainless Steel Interior Boiler House ChimneyVertical 27.5 Meter High External Chimney Containing (3) Steam Boiler ExhaustsInterior Material: Stainless Steel 1.4571Exterior Material: Carbon Steel St. 37.2 (Dismantling and loading costs 13,750.00) | 10.00 |
| 609896 | 1 | Kaeser DSB 220 Screw Blower Blower, serial number 212060, Kaeser DSB 220 Screw BlowerVolume: 17.33 cu m/minMax Pressure: 11 barSkid Mounted75 mm Diameter Rear Screwed Air Pipework OutletHours: 23,045 (Dismantling and loading costs 1,210.00) | 10.00 |
| 609897 | 1 | Kaeser DS 220 Rotary Screw Compressor Rotary Screw Compressor, serial number 212303, Kaeser DS 220 Rotary Screw CompressorVolume: 17.33 cu m/minMax Pressure: 11 bar132 KWSkid Mounted75 mm Diameter Rear Screwed Air Pipework OutletHours: 25, 122 (Dismantling and loading costs 1,210.00) | 10.00 |
| 609898 | 1 | Kaeser TH 451 Refrigeration Air Dryer Air Dryer, serial number 1046, Kaeser TH 451 Refrigeration Air DryerDT: -10 to 50 CDP Max: 16 barFitted With:Top Mounted 100 mm Diameter Flanged Compressed Air Inlet/Outlet Pipe Connections (Dismantling and loading costs 440.00) | 10.00 |
| 609899 | 1 | Kaeser TH 451 Refrigeration Air Dryer Air Dryer, Kaeser TH 451 Refrigeration Air DryerDT: -10 to 50 CDP Max: 16 barFitted With:Top Mounted 100 mm Diameter Flanged Compressed Air Inlet/Outlet Pipe Connections (Dismantling and loading costs 440.00) | 10.00 |
| 609900 | 1 | Kaeser TH 451 Refrigeration Air Dryer Air Dryer, Kaeser TH 451 Refrigeration Air DryerDT: -10 to 50 CDP Max: 16 barFitted With:Top Mounted 100 mm Diameter Flanged Compressed Air Inlet/Outlet Pipe Connections (Dismantling and loading costs 440.00) | 10.00 |
| 609901 | 1 | Maschinen-und Behalterbau 6000 Liter Compressed Air Receiver Tank Air Compressor, serial number B433391, Maschinen-und Behalterbau 6000 Liter Compressed Air Receiver TankDT Max: 50 CVertical Mild Steel Painted 6,000 Liter Capacity Compressed Air ReceiverDomed Top Has a 50 mm Diameteer Pressure Relief ValveFitted With:100 mm Diameter Flanged Compressed Air Inlet/Outlet Connections400 mm x 320 mm Clamped Hatch (Dismantling and loading costs 1,265.00) | 10.00 |
| 609989 | 1 | Shanghai Morimatsu TK3115-003 688 Liters Stainless Steel Tank Tank, serial number 8MM09-5-4014, Shanghai Morimatsu TK3115-003 688L Stainless Steel Tank Manufacturer: Shanghai Morimatsu Model: TK3115-008 Year: 2009 Capacity: 688 Liters Jacket: Yes Medium Density: 950 Kg/m ³ Nominal Inside Diameter: 825mm Tank Designe Temperature 125 °C Tank Material: SA-240 Designe Vacuum: 1bar Design Liquid Level: 1047mm Top Lid Hat, 8 Top inlets Central Valve Outlet 75Ø Tank Agitator Model: RSE-P120-2S-541 Year: 2009 Motor Power: 2.2 Kw Motor Speed: 1420 rpm Mixing Speed: 106 rpm Impeller Type: P120 Impeller Diameter: 541mm Shaft Diameter: 40mm Weight: 135Kg Eletric Panel (Dismantling and Ioading costs 935.00) | 1,250.00 |
| 609990 | 1 | | 10.00 |
| 609991 | 1 | Briggs Tk 211200 3600 Liters Shampoo Mixer Tank Tank, serial number GSS 06/FMT, Briggs Tk 211200 3600 Liters Shampoo Mixer Tank (Dismantling and loading costs 2,640.00) | 10.00 |

| Lot | Numb | er Description | Starting Bid € |
|--------|------|--|---|
| 609992 | 1 | Briggs Tk - 211150 1550 Liters Shampoo Mixer Tank Tank, Briggs Tk - 211150 1550 Liters Shampoo Mixer Tank (Dismantling and load costs 2,640.00) | 10.00 ding |
| 609994 | 1 | BWT B2001 Holding Tank Tank, serial number 14205, BWT B2001 Holding Tank Manufacturer: BWT Mode B2001 Year of Manufactur: 2012 Capacity: 1250 Liters Made in Stainless Steel v legs Injacted: Yes Supported plataform via gravity 50Ø Feed pipe With 6 Top inl 50Ø Top Hatch 600Ø Valve outlet 75Ø (Dismantling and loading costs 440.00) | vith 3 |
| 609995 | | Christ B0701 Dry Tank Tank, Christ B0701 Dry Tank Manufacturer: Christ Model: B0701 Year of Manufacturer: Christ Model: B0701 Year of Manufacturer: 2009 Capacity: 1250 Liters Made in Stainless Steel with 3 legs Injacted: No Supplataform via gravity 50Ø Feed pipe With 6 Top inlets 50Ø Top Hatch 650Ø Valvoutlet 75Ø (Dismantling and loading costs 440.00) | ported |
| 609996 | 1 | Christ B0701 Dry Tank Tank, Christ B0701 Dry Tank Manufacturer: Christ Model: B0701 Year of Manufacturer: Christ Model: B0701 Year of Manufacturer: 2009 Capacity: 1250 Liters Made in Stainless Steel with 3 legs Injacted: No Supplataform via gravity 500mm Feed pipe With 6 Top inlets 500mm Top Hatch 65 Valve outlet 750mm (Dismantling and loading costs 495.00) | ported |
| 609997 | 1 | Waukesha Cherry Burrell 030U2 Transfer Lobe Pump Positive Displacement Pump / Lobe, serial number 100000280/850, Waukesha Burrell 030U2 Transfer Lobe Pump Stainless Steel Stand Mounted Lobe Transfe Pump Fitted With Side Mounted 75Ø mm Diameter Inlet/Outlet Ports (Dismantlin Ioading costs 137.50) | er |
| 609998 | 1 | Double IBC Platform Miscellaneous Plant Equipment, Double IBC Platform Made in Steainless Steel (Dismantling and loading costs 247.50) | 10.00 |
| 609999 | 1 | Four IBC Support Platform Miscellaneous Plant Equipment, Four IBC Support Platform Made in Stainless S (Dismantling and loading costs 605.00) | 10.00 teel |
| 610000 | 1 | Ytron ZC3 Homogenizer Mixer, Ytron ZC3 Homogenizer Hopper in Stainless Steel Power Supply: 440V, 6 15.0Kw, 24A Local Central Eletric Panel Infeed pipe with 75Ø mm (Dismantling a loading costs 440.00) | |
| 610001 | 1 | Alfa Laval M6-MFG Heat Excchanger Heat Exchanger/Condenser, Alfa Laval M6-MFG Heat Exchanger Alfa Laval Plat Exchanger 68 Square Feet, Model M6-MFG. (47) 0.50mm Thick 304 stainless s plates, approximate 6" wide x 30" tall. Designed 150 psi at -20 to 150 degrees F Openings. Mounted on a carbon steel expandable frame. Details Manafacturer: A Laval Model: M6-MFG Year: 2009 Inlet/Outlet: S1 - S2 / S3 - S4 Volume: 18.0 / 2 Design Press: 0-6.0bar / 0-6.0bar Design Temp: 0-120°C / 0-120°C Test Press: bar / 8-6 bar (Dismantling and loading costs 302.50) | teel ⁵ . (4) 2" Alfa 18.4 |
| 610002 | 1 | Alfa Laval M6-MFG Heat Excchanger Heat Exchanger/Condenser, serial number 3106-42/78, Alfa Laval M6-MFG Heat Exchanger Alfa Laval Plate Exchanger 68 Square Feet, Model M6-MFG. (47) 0.5 Thick 304 stainless steel plates, approximate 6" wide x 30" tall. Designed 150 p -20 to 150 degrees F. (4) 2" Openings. Mounted on a carbon steel expandable f Details Manafacturer: Alfa Laval Model: M6-MFG Year: 2009 Inlet/Outlet: S1 - S2 S4 Volume: 18.0 / 18.4 Design Press: 0-6.0bar / 0-6.0bar Design Temp: 0-120° 120°C Test Press: 8-6 bar / 8-6 bar (Dismantling and loading costs 302.50) | 50mm si at rame. 2 / S3 - |

| 610003 | 1 Alfa Laval M6-MFG Heat Excchanger Heat Exchanger/Condenser, Alfa Laval M6-MFG Heat Exchanger Alfa Laval Plate Exchanger 68 Square Feet, Model M6-MFG. (47) 0.50mm Thick 304 stainless steel plates, approximate 6" wide x 30" tall. Designed 150 psi at -20 to 150 degrees F. (4) 2" Openings. Mounted on a carbon steel expandable frame. Details Manafacturer: Alfa Laval Model: M6-MFG Year: 2009 Inlet/Outlet: S1 - S2 / S3 - S4 Volume: 18.0 / 18.4 Design Press: 0-6.0bar / 0-6.0bar Design Temp: 0-120°C / 0-120°C Test Press: 8-6 bar / 8-6 bar (Dismantling and loading costs 302.50) | 10.00 |
|--------|---|-------|
| 610004 | 1 Alfa Laval M10-MFG Heat Excchanger Heat Exchanger/Condenser, serial number 30111-79-783, Alfa Laval M10-BFG Heat Exchanger Alfa Laval Plate Exchanger 68 Square Feet, Model M6-MFG. (47) 0.50mm Thick 304 stainless steel plates, approximate 6" wide x 30" tall. Designed 150 psi at -20 to 150 degrees F. (4) 2" Openings. Mounted on a carbon steel expandable frame. Details Manafacturer: Alfa Laval Model: M10-BFG Year: 2008 Inlet/Outlet: S1 - S2 / S3 - S4 Volume: 10.5 / 11.8 Design Press: 10 bar / 10 bar Design Temp: 100°C / 1000°C Test Press: 13 bar / 13 bar (Dismantling and loading costs 302.50) | 10.00 |
| 610006 | 1 Parker Dominick FME 440 Chiller Chiller, serial number A915281, Parker Dominick FME 440 Chiller(1-2) Parker Dominick FME 440 Chiller 370 Kw Cooling Capacity.(2-2) Control Panel (Dismantling and loading costs 3,575.00) | 10.00 |
| 610009 | 1 Demaq Gondola Elevator Escalator/Elevator, Demaq Gondola Elevator(1-2) Demaq Gondola Elevator(2-2) Demaq Gondola Elevator - Oppositive Hand (Dismantling and loading costs 3,520.00) | 10.00 |
| 610010 | 1 Demag AM Automation Level Transfer Gondola Escalator/Elevator, Demag AM Automation Level Transfer Gondola(1-1) Demag AM Automation Level Transfer Gondola system, , consisting of 30 off 2nd Floor Hi Level Interconnecting Building Tunnel Flow & Return Over-wrapped Palletised Product Transfer Gondola Units, from 2nd Floor Building 66 Aerosol Packing area to nearby Ground Floor Warehouse Storage Area. (Dismantling and loading costs 1,700.00) | 10.00 |
| 610012 | 1 ITW Mima Octopus 1800 BF High Speed Pallet Wrapper Pallet Wrapper, serial number 370313-001, ITW Mima Octopus 1800 BF High Speed Pallet Wrapper ITW Mima Octopus 1800 BF High Speed Pallet Wrapper 100 pallets p/h high speed wrapper High speed wrapper, with auto change, hold down platen, single or double stacked pallets Desk Type Remote Man Control Power (Dismantling and loading costs 715.00) | 10.00 |
| 610013 | 1 Pago System 300 Rotary 2 Head Bottle Side Labeler Labeler, Pago System 300 Rotary 2 Head Bottle Side Labeler Pago System 300 Rotary 2 Head Bottle Side Labeler Siemens S7 Plc Machine Parts Eletric Panel (Dismantling and loading costs 660.00) | 10.00 |
| 610014 | 1 Pago System 200 Carton Side 2 Head Labeler Labeler, Pago System 200 Carton Side 2 Head Labeler DESCRIPTION: for front and back labelling, 2 labelling units Pagomat 6C/220, output max. 200 objects/min, max. object height 70 - 300 mm, max. object diam. 80 mm, max. label height 220 mm, max. label width 100 mm, 3rd labelling unit Pagomat 6C/90R, max. label height 90 mm, operating panel Pagomat 6AC/6HS, top belt, mobil, connection 400V/50Hz/5.5A Control Painel (Dismantling and loading costs 220.00) | 10.00 |
| 610015 | 1 Garvens BF 8 Check Weigher Check Weigher, serial number 160007, Garvens BF 8 Check Weigher Garvens Automation GmbH checkweigher, type: V03, year of construction: 1998, weighing cells: BF 8, 240 V, 50 Hz, +10°C/+40°C, maximum capacity: 800 gram, plastic belt, belt width: 200 mm, total dimensions: 2250 mm x 950 mm x 1600 mm. Double chain. (Dismantling and loading costs 275.00) | 10.00 |

| 610016 | 1 HEK TW3/1100-80 Transfer Pump Centrifugal Pump, serial number Z 213528, HEK TW3/1100-80 Transfer Pump Stainless Steel Skid Supported Lobe Transfer Pump With 80 mm Diameter Top & Bottom Inlet/Outlet Ports (Dismantling and loading costs 137.50) | 10.00 |
|--------|---|-------|
| 610017 | HEK TW4/3257-180 Transfer Pump Centrifugal Pump, HEK TW4/3257-180 Transfer Pump Stainless Steel Supported Lobe Transfer Pump With 100 mm Diameter side Bottom Inlet/Outlet Ports, at 320mm in line height (Dismantling and loading costs 55.00) | 10.00 |
| 610018 | 1 Mobile Cap Elevator Escalator/Elevator, Mobile Cap Elevator Mobile manualy loaded cap hopper, feed elevation unit, fitted with a 900mm wide x 500mm x 700 mm deep hopper, with hinged lid, elevator discharge height 2050mm (Dismantling and loading costs 27.50) | 10.00 |
| 610491 | 1 Optimum OPTi Drill B14 Drill Press Drills, Optimum OPTi Drill B14 Drill Press (Dismantling and loading costs 110.00) | 10.00 |
| 610492 | Solid Drill Press Drills, Solid Drill PressFitted with Tapamatic 50X Reversible Tapping Device (Dismantling and loading costs 165.00) | 10.00 |
| 610493 | August Mossner SFF/420 Standard Band Saw Machine Saw, serial number 19088, August Mossner SFF/420 Standard Band Saw Machine (Dismantling and loading costs 275.00) | 10.00 |
| 610494 | 1 MAFAC K100 Belt Grinding Machine Grinder, MAFAC K100 Belt Grinding MachineThe K 100 flat belt grinding machine offers the most flexible option for grinding, polishing, deburring, chamfering, edge breaking of most ferrous and non-ferrous metals, plastics and ceramics (Dismantling and loading costs 137.50) | 10.00 |
| 610495 | Maho MCH 700CNC Universal Milling Machine Milling Machine, serial number 75176, Maho MCH 700CNC Universal Milling Machine(1- 2) Maho MCH 700CNC Universal Milling Machine, Working Area Measures 1100 mm X 700 mm(2-2) Control Panel (Dismantling and loading costs 605.00) | 10.00 |
| 610496 | 1 Kasto SBL280U Horizontal Band Saw Machine Saw, Kasto SBL280U Horizontal Band Saw Machine (Dismantling and loading costs 385.00) | 10.00 |
| 610497 | Friedrich Deckel FP2 Milling Machine Milling Machine, serial number 8141, Friedrich Deckel FP2 Milling Machine (1-2) Friedrich Deckel FP2 Milling Machine (2-2) Heidenhain ND780 Controller (Dismantling and loading costs 385.00) | 10.00 |
| 610502 | Stenhoj 500993 Manual Hydraulic Press Hydraulic Press, Stenhoj 500993 Manual Hydraulic Press (Dismantling and loading costs 220.00) | 10.00 |
| 610503 | Gruse HF 3 Manual Lift Lift, serial number 36189, Gruse HF 3 Manual Lift On Wheels (Dismantling and loading costs 27.50) | 10.00 |
| 610504 | 1 Grief Double Sided Grinding Machine Grinder, Grief Double Sided Grinding Machine (Dismantling and loading costs 55.00) | 10.00 |
| 610506 | 1 Altendorf F-90 Sliding Table Saw Machine with Dust Extraction Unit Saw, serial number 908198, Altendorf F-90 Sliding Table Saw Machine with Dust Extraction Unit(1-2) Altendorf F-90 Sliding Table Saw Machine (2-2) BGU RLG 2000 Dust Extraction Unit (Dismantling and loading costs 1,045.00) | 10.00 |
| 610508 | Karcher NT 361 ECO Wet and Dry Vacuum Cleaner Vacuum, serial number 654823, Karcher NT 361 ECO Wet and Dry Vacuum Cleaner (Dismantling and loading costs 5.50) | 10.00 |
| 610510 | 1 PCA 75-120 Plasma Cutting System Welder, serial number 37141188, PCA 75-120 Plasma Cutting System (Dismantling and loading costs 55.00) | 10.00 |

| Lot | Number Description Startin | ng Bid € |
|--------|--|----------|
| 610511 | 1 Mobile Tool Cabinet with Vise Cafeteria and Kitchen Items and Furniture, Mobile Tool Cabinet with Mounted Vise6 Drawer (Dismantling and loading costs 55.00) | 10.00 |
| 610514 | 1 Eisele VMS-II Vertical Circular Cold Metal Saw Saw, Eisele VMS-II Vertical Circular Cold Metal Saw (Dismantling and loading costs 220.00) | 10.00 |
| 610515 | 1 Bohrer SSB 2 G Drill Press Drills, serial number 10781, Bohrer SSB 2 G Drill Press (Dismantling and loading costs 137.50) | 10.00 |
| 610516 | Hamburg APM50-2100 Press Brake Brakes and Press Brakes, serial number 2386, Hamburg APM50-2100 Press Brake (Dismantling and loading costs 275.00) | 10.00 |
| 610517 | Stielow Round Conveyor Belt System Conveyor, Stielow Round Conveyor Belt System2 Motor DrivesStop, Start, Variable Speed Control Box (Dismantling and loading costs 275.00) | 10.00 |
| 610518 | Hera US II Press Brake Brakes and Press Brakes, serial number 1464, Hera US II Press Brake (Dismantling and loading costs 275.00) | 10.00 |
| 610519 | 1 Ageo 16/410 Pillar Spindle Press Press, serial number 9051, Ageo 16/410 Pillar Spindle Press (Dismantling and loading costs 110.00) | 10.00 |
| 610520 | Zopf ZB 60 M Pipe Bender Bender, Zopf ZB 60 M Pipe Bender3 Roller Pipe Bending Machine On Casters (Dismantling and loading costs 110.00) | 10.00 |
| 610521 | Peddinghaus 1BR/6 Hand Lever Shear Shear, Peddinghaus 1BR/6 Hand Lever Shear (Dismantling and loading costs 55.00) | 10.00 |
| 610522 | Hydraulic Pipe Bender Bender, Hydraulic Pipe BenderRoller Length: 1000 mm (Dismantling and loading costs 110.00) | 10.00 |
| 610523 | 1 Dako Pipe Bender Bender, Dako Pipe Bender (Dismantling and loading costs 82.50) | 10.00 |
| 610524 | Reinhardt Maschinenbau 44.10 Roll Sheet Metal Bender Bender, Reinhardt Maschinenbau 44.10 Roll Sheet Metal BenderRoller Length= 1010 mm (Dismantling and loading costs 165.00) | 10.00 |
| 610525 | Lot of 3 Pallet Jacks Pallet Jack, Lot of 3 Pallet JacksGap Between Forks= 200 mm (Dismantling and loading costs 49.50) | 10.00 |
| 610526 | Jaespa MSU 4 Vertical Metal Band Saw Saw, Jaespa MSU 4 Vertical Metal Band SawBlade Length: 3640 mm (Max) & 3450 (Dismantling and loading costs 220.00) | 10.00 |
| 610527 | Alzmetall AB3ESW Drilling Machine Drills, Alzmetall AB3ESW Drilling Machine (Dismantling and loading costs 165.00) | 10.00 |
| 610528 | 1 Technolit Power-TIG 170 TIG Pulse Welding System Welder, Technolit Power-TIG 170 TIG Pulse Welding SystemTechnical specifications:Mains voltage: 1 x 230 V (±15 %)Mains frequency: 50 HzMains fuse: 16 A trägeMax. power consumption: 6,3 kVAEffective power consumption: 5,0 kVAControl range (TIG) 5 – 170 AControl range (electrode) 5 – 140 ADuty cycle: 40 % - 170 A / 16,8 V100 % - 120 A / 14,8 VElectrode duty cycle: 50 % - 140 A / 25,6 V100 % - 120 A / 24,8 VArc ignition (TIG DC): HF/LIFT-ARCPower factor (cos phi): 0,85Open circuit voltage: 65 VIP rating: IP 23Insulation class: HOperating temperature: -10 °C bis +40 °C (Dismantling and loading costs 27.50) | 10.00 |
| 610529 | 1 Technolit PROFI 240 TIG Pulse Welding System Welder, Technolit PROFI 240 TIG Pulse Welding System (Dismantling and loading costs 27.50) | 10.00 |

| Starting | Bid | € |
|----------|-----|---|
|----------|-----|---|

| 610530 | 1 Rehm Synergic 254 Welder Welder, Rehm Synergic 254 Welder (Dismantling and loading costs 27.50) | 10.00 |
|--------|---|-------|
| 610531 | | 10.00 |
| 610532 | 1 Esab LHJ 170 Welder Welder, serial number 2419, Esab LHJ 170 Welder (Dismantling and loading costs 27.50) | 10.00 |
| 610533 | 1 Esab LAE-250 Mobile Welder Welder, Esab LAE-250 Mobile Welder (Dismantling and loading costs 27.50) | 10.00 |
| 610534 | Steel Rack with Miscellaneous Stock Metal Racking Equipment, Steel Rack with Miscellaneous Stock Metal49 Arm Holders on Each Side=98 Total (Dismantling and loading costs 385.00) | 10.00 |
| 610535 | Demag 250 KG Wall Mounted Hoist Hoist, serial number 8, Demag 250 KG Wall Mounted Hoist (Dismantling and loading costs 137.50) | 10.00 |
| 610536 | Metabo 7222 D Dual Grinder Grinder, serial number 1451, Metabo 7222 D Dual GrinderGrinding Disc: 200 mm Diameter (Dismantling and loading costs 55.00) | 10.00 |
| 610537 | Lot of 3 Aluminium Step Ladders Ladder, Stair and Crossover, Lot of 3 Aluminium Step Ladders (Dismantling and loading costs 49.50) | 10.00 |
| 610538 | 1 Tripus KSVAW L1 Wall Mounted Disc Grinder Grinder, Tripus KSVAW L1 Wall Mounted Disc GrinderDisc Size: 300 mm Diameter (Dismantling and loading costs 27.50) | 10.00 |
| 610539 | 1 Isel GFV 102/72-SW CNC Flatbed Milling Machine Milling Machine, Isel GFV 102/72-SW CNC Flatbed Milling Machine (Dismantling and loading costs 1,375.00) | 10.00 |
| 610541 | - , | 10.00 |
| 610542 | | 10.00 |
| 610543 | | 10.00 |
| 610544 | | 10.00 |
| 610545 | | 10.00 |
| 610546 | 1 Lot of 10 SWE and Lenze Gearbox Drives with Rack Motor, Lot of 10 SWE & Lenze Gearbox Drives with Rack (Dismantling and loading costs 385.00) | 10.00 |
| 610548 | , | 10.00 |
| 610549 | | 10.00 |
| 610550 | | 10.00 |

| Lot | Number Description | Starting Bid € |
|--------|--|------------------|
| 610551 | Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinets Storage Cabinet, Lot of 5 Schafer Double Door Steel Workshop Tooling Cabine (Dismantling and loading costs 220.00) | 10.00 ets |
| 610553 | Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinets Storage Cabinet, Lot of 5 Schafer Double Door Steel Workshop Tooling Cabine (Dismantling and loading costs 220.00) | 10.00 ets |
| 610554 | Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinets Storage Cabinet, Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinet (Dismantling and loading costs 220.00) | 10.00 ets |
| 610555 | Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinets Storage Cabinet, Lot of 5 Schafer Double Door Steel Workshop Tooling Cabine (Dismantling and loading costs 220.00) | 10.00 ets |
| 610556 | Lot of 5 Schafer Double Door Steel Workshop Tooling Cabinets Storage Cabinet, Lot of 5 Schafer Double Door Steel Workshop Tooling Cabine (Dismantling and loading costs 220.00) | 10.00 ets |
| 610557 | Lot of 5 Lateral Double Door Steel Cabinets Storage Cabinet, Lot of 5 Lateral Double Door Steel Cabinets (Dismantling and costs 220.00) | 10.00 loading |
| 610559 | Kemper Welding Fume Extraction System with Wall Mounted Kemper Adjustable Arm Fume and Flow Hood, Kemper Welding Fume Extraction System (1-2) Kemper Welding Fume Extraction Trap(2-2) Wall Mounted Kemper Adjustable Arm (Disr and loading costs 715.00) | |
| 610560 | Kemper Welding Fume Extraction System with Wall Mounted Kemper Adjustable Arm Fume and Flow Hood, Kemper Welding Fume Extraction System (1-2) Kemper Welding Fume Extraction Trap(2-2) Wall Mounted Kemper Adjustable Arm (Disr and loading costs 715.00) | |
| 610561 | Linde L14L SP Electric Pallet Stacker Pallet Jack, serial number W4X133F00967, Linde L14L SP Electric Pallet Stack (Dismantling and loading costs 55.00) | 10.00 ker |
| 610566 | Jungheinrich Timetronic Plus 24Volt 60 Amp Fork Lift Battery Charger Battery Charger, Jungheinrich Timetronic Plus 24Volt 60 Amp Fork Lift Battery C (Dismantling and loading costs 27.50) | 10.00 Charger |
| 610568 | IEB Filon Classic 24 Volt 80 Amp Fork Lift Battery Charger Battery Charger, IEB Filon Classic 24 Volt 80 Amp Fork Lift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 610570 | Jungheinrich EJE 222 Electric Pallet Jack Pallet Jack, serial number 90120432, Jungheinrich EJE 222 Electric Pallet Jack 1500x170x60 (Each)Gap Between Forks: 200 mmIEB Filon Futur 24 Volt 40 Ar Lift Battery Charger (Dismantling and loading costs 55.00) | mp Fork |
| 610573 | Indag IPK 811 B Transfer Pump Centrifugal Pump, serial number 319, Indag IPK 811 B Transfer Pump Stainless 290MM high stand mounted, Stainless Steel lobe positive displacement transfer drive unit. Pump is fitted with top bottom 65Ø mm (Dismantling and loading cost | r pump |

27.50)

| 610576 | 1 | Hobart FUX-S-A-PF Utensil Washing System Rinser, serial number 867000065, Hobart FUX-S-A-PF Utensil Washing System In the tunnel cleaning system FUX parts cleaning you can remove oil, emulsion, or chips from the preceding production process from components, and dry the components afterward. A conveyor belt moves the parts through the cleaning system where they are cleaned. Description Manufacturer: Hobart Corporation Model: FUX-S-A-PF Year: 2012 Made in Stainless Stell Tunnel machine fitted with an internal 600mm wide x 60000mm long x 900mm high Conveyor Feeder Gravity Roller Conveyor Gravity Roller Conveyor Set of Cleaning Cases Parts size up 700mm x 900mm (Dismantling and loading costs 3,850.00) | 10.00 |
|--------|---|---|-------|
| 610578 | 1 | Truck, Mercedes Benz Atego 818 Stonne Box Van Description Manufacturer: Mercedes Benz Model: Atego 818 Engine: Mercedes-Benz OM904LA Max. torque: 675Nm (Dismantling and loading costs 55.00) | 10.00 |
| 610579 | 1 | 2 Sets of Motorola MT953CG Fire Station Desk Top Radio Transmitter Units Miscellaneous Plant Equipment, serial number 938TPM2010, 2 Sets of Motorola MT953CG Fire Station Desk Top Radio Transmitter Units(1-2) Motorola MT953CG & M83PFS6TZ4AG 3 off Fire Station Desk Top Radio Transmitter Units(2-2) Motorola MTP850FUG 2 off Fire Station Desk Top Radio Transmitter Units, plus 1 off ICOM Fug 13b Radio Unit (Dismantling and loading costs 27.50) | 10.00 |
| 610581 | 1 | Mercedes Benz 811D Fire Engine Truck, Mercedes Benz 811D Not LF8/6 German Fire Brigade Compliant Fire Engine, for use for Spillage Clearance Work Includes Top mounted Extendable Aluminium Ladder, plus Spill Recovery Stainless Steel Drum Also includes 6 off 60 mm diameter Fire Hoses, plus 10 off 45mm diameter Fire Hoses, plus 2 off Breathing Apparatus Sets, plus 4 off Firemen Radio Handsets, plus Water Hose Reel. (Dismantling and loading costs 55.00) | 10.00 |
| 610582 | 1 | Kisters MA198 40D 6 Lane Aerosol Can Bundling and Overwrappering System Wrapper/Overwrapper/Bundler, serial number 8197, Kisters MA198 40D 6 Lane Aerosol Can Bundling and Overwrappering System, Aerosol Packing Line 36(1-10) Kisters MA198 40D 6 Lane Aerosol Can Bundling and Overwrappering System, for Overwrapping 2 off sets of 2x3 bundled sets of 45mm diameter, 200 upto 300 ml Aluminium Cans, sitting on 95 x 140 mm Card bases at the rate of 2 x 20/minute, prior to being rotated through 180 degrees to expose the bottom seam to sealing by the following Shrink Heating Tunnel(2-10) Kisters Overwrap Heat Shrink Tunnel, has a 590 mm wide x 440 mm high (currently restricted to 250 mm high) x 3700 mm long Tunnel, fitted with 700 mm wide x 1220 mm high wire transfer conveyor belt.(3-10) Infeed Single Side guided Slat Conveyor feeding 6 way pneumatic Can Diversion system(4- 10) Lower mounted manually loaded twin magazine 3 wide x 2 across base card Infeed System, for 2x3 bundled can, support 95 x 140 mm base cards(5-10) Angled Twin Overwrapped 3 x 2 Can Discharge Conveyor(6-10) Driven Roller Twin Overwrapped 3 x 2 Can Cross Conveyor to Single Slat Conveyor(7-10) Mechandling Mobile Manual 95 Kgs SWL Overwrap Shrink Film Reel Lifter(8-10) Shrink Tunnel Remote Control Panel(9-10) Operator Mobile Side mounted Access Platform(10-10) Main Kisters Overwrapper Remote Control Panel (Dismantling and loading costs 5,060.00) | 10.00 |
| 610583 | 1 | | 10.00 |

| 610584 | Ta Th W ac Iag | vasco 1,500,000 Litre Capacity Fire Water Sprinkler Tank ank, serial number 9913, Avasco 1,500,000 Litre Capacity Fire Water Sprinkler Tank his sectional galvanised mild steel Sprinkler Fire System 1,500,000 Litre capacity Fire dater Tank, measures 14,606 mm diameter x 9,485 mm high. It is fitted with a side ounted vertical hooped top access ladder, and a 600 mm diameter bolted bottom ccess hatch. It is piped to and from the adjacent Fire Sprinkler Pump unit by 2 off gged / clad 250 mm diameter pipes, and is fitted with a 50 mm diameter bottom side ounted valved Fire Hose Connector drain point. (Dismantling and loading costs 9,250.00) | 10.00 |
|--------|---|---|-------|
| 610585 | Pa Co Si 53 Co Al x 9 | ronemeyer VFA F 5326 6 Vertical 6500 mm Side Pressure Aerosol Can acking Line 36 Lifting Conveyor onveyor, serial number 12002-110-4, Gronemeyer VFA F 5326 6 Vertical 6500 mm ide Pressure Aerosol Can Packing Line 36 Lifting Conveyor(1-4) Gronemeyer VFA F 326 6 Vertical 6500 mm Side Pressure Aerosol Can Packing Line 36 Lifting onveyor, for 45 mm diameter x 190 mm high 200 ml Aluminium Cans, plus 300 ml luminium Cans(2-4) Aluminium 200 - 300 ml Aerosol Single side Guided 90 mm wide 970 mm high Slat Infeed Conveyor(3-4) Aerosol Sample weighscale(4-4) Wall ounted Operator Control Panel (Dismantling and loading costs 2,420.00) | 10.00 |
| 610586 | Pa Pa mi | KLS ST Pallet Stacker Dispenser allet Handler, serial number LO8015, BKLS Maschinenbau GmbH and Co. KG ST+ allet Handler Pallet Stack & Dispensing Magazine for upto 10 off 1200 x 800 x 120 m high Wooden Pallets, used to collate pallets into stacks of 10. Fitted with a Safety ght Curtain Guard on both Sides (Dismantling and loading costs 302.50) | 10.00 |
| 610588 | Fu La su illu ac | hermo Scientific Herasafe KS 18 Laminar Flow Hood ume and Flow Hood, serial number 41939704, Thermo Scientific Herasafe KS 18 aminar Flow Hood This Laminar Flow Cabinet is fitted with hinged, twin gas strut upported front clear glass 1800 mm wide x 620 mm high viewing window, which is uminated by a externally top mounted strip lamp. The viewing window opens to allow ccess to the 1800 mm wide x 600 mm deep x 770 mm high Stainless steel erforated and ventilated work table. (Dismantling and loading costs 275.00) | 10.00 |
| 610589 | 1 Th Fu La su illu ac Si | hermo Scientific Herasafe KS 18 Laminar Flow Hood ume and Flow Hood, serial number 41939695, Thermo Scientific Herasafe KS 18 aminar Flow Hood This Laminar Flow Cabinet is fitted with hinged, twin gas strut upported front clear glass 1800 mm wide x 620 mm high viewing window, which is uminated by a externally top mounted strip lamp. The viewing window opens to allow ccess to the 1800 mm wide x 600 mm deep x 770 mm high Stainless steel erforated and ventilated work table. This Laminar Flow Hood is fitted with a Left Hand ide rear mounted Propane Gas Valved Flexible Pipe Connector. (Dismantling and ading costs 165.00) | 10.00 |
| 610590 | St Ta 10 St to dia Ty Inl ma Tr cru St | ot of 2 off Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top tirred Transfer Tanks ank, serial number SB90, SB91, Lot of 2 off Robin Hood Unjacketed Stainless Steel 000 Litre Capacity Top Stirred Transfer Tanks Item 1, Robin Hood Unjacketed tainless Steel 1000 Litre Capacity Top Stirred Transfer Tank, Serial No SB 90. Domed p is fitted with central 400 mm diameter hinged/clamped hatch, with central 100 mm ameter screwed blanking plate, plus a top mounted angled, Geppert Air Mixer Drive, ype GLP-D300/1,0-AS, to the internal 3 bladed Impeller, plus 35 mm diameter top let, plus a 25 mm diameter Pressure Relief Valve. Domed base is fitted with a central anually valved 50 mm diameter x 200 mm centre line height piped outlet. The ransfer tank is supported on 4 legs, linked by lower welded pallet truck lifting bars oss bracing. Item 2, Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top tirred Transfer Tank, Serial No SB 91, same description as Item 1, detailed above. Dismantling and loading costs 220.00) | 10.00 |

| 610591 | Lot of 2 off Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tanks | 10.00 |
|--------|---|-------|
| | Tank, serial number SB92, SB93, Lot of 2 off Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tanks Item 1, Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tank, Serial No SB 92. Domed top is fitted with central 400 mm diameter hinged/clamped hatch, with central 100 mm diameter screwed blanking plate, plus a top mounted angled, Geppert Air Mixer Drive, Type GLP-D300/1,0-AS, to the internal 3 bladed Impeller, plus 35 mm diameter top Inlet, plus a 25 mm diameter Pressure Relief Valve. Domed base is fitted with a central manually valved 50 mm diameter x 200 mm centre line height piped outlet. The Transfer tank is supported on 4 legs, linked by lower welded pallet truck lifting bars cross bracing. Item 2, Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tank, Serial No SB 93, same description as Item 1, detailed above. (Dismantling and loading costs 220.00) | |
| 610592 | Lot of 2 off Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tanks | 10.00 |
| | Tank, serial number SB94, 29382, Lot of 2 off Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tanks Item 1, Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tank, No SB 94. Domed top is fitted with central 400 mm diameter hinged/clamped hatch, with central 100 mm diameter screwed blanking plate, plus a top mounted angled, Geppert Air Mixer Drive, Type GLP-D300/1,0-AS, to the internal 3 bladed Impeller, plus 35 mm diameter top Inlet, plus a 25 mm diameter Pressure Relief Valve. Domed base is fitted with a central manually valved 50 mm diameter x 200 mm centre line height piped outlet. The Transfer tank is supported on 4 legs, linked by lower welded pallet truck lifting bars cross bracing. Item 2, Robin Hood Unjacketed Stainless Steel 1000 Litre Capacity Top Stirred Transfer Tank, No SB 95, same description as Item 1, detailed above. (Dismantling and loading costs 220.00) | |
| 610593 | Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Tank, serial number SB80, SB81, Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Item 1, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 80 Domed top has a central 400 mm diameter hinged and clamped lid, with central screwed 100 mm diameter blanking plate Domed base is fiited with a central manually 50 mm diameter valved piped outlet at 140 mm centre line height Transfer tank is supported on 4 legs, linked together by pallet truck lifting bars. Item 2, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 81, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
| 610594 | Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Tank, serial number SB82, SB83, Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Item 1, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 82 Domed top has a central 400 mm diameter hinged and clamped lid, with central screwed 100 mm diameter blanking plate Domed base is filted with a central manually 50 mm diameter valved piped outlet at 140 mm centre line height Transfer tank is supported on 4 legs, linked together by pallet truck lifting bars. Item 2, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 83, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
| 610595 | Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Tank, serial number SB84,SB85, Lot of 2 off Stainless Steel Unjacketed 700 Litre Capacity Transfer Tanks Item 1, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 84 Domed top has a central 400 mm diameter hinged and clamped lid, with central screwed 100 mm diameter blanking plate Domed base is fiited with a central manually 50 mm diameter valved piped outlet at 140 mm centre line height Transfer tank is supported on 4 legs, linked together by pallet truck lifting bars. Item 2, Stainless Steel Unjacketed 700 Litre Capacity Transfer Tank, Serial No SB 85, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |

| 610596 | 1 | Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Tank, serial number MB01013, MB01014, Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Item 1, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01013 Domed top is 800 mm diameter, and is fitted with a 400 mm diameter hinged and clamped lid, which is fitted with a central 100 mm diameter screwed pressure relief valve. The Tank cones down from 800 mm diameter to a flat 350 mm diameter base, fitted with a side mounted 50 mm diameter manually valved x 130 mm centre line height Oulet. The tank is supported on 4 off top mounted legs which are linked together by bottom pallet truck support bars. Item 2, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01014, same description as Item 1 (Dismantling and loading costs 220.00) | 10.00 |
|--------|---|---|-------|
| 610597 | 1 | Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Tank, serial number MB01015, MB01016, Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Item 1, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01015 Domed top is 800 mm diameter, and is fitted with a 400 mm diameter hinged and clamped lid, which is fitted with a central 100 mm diameter screwed pressure relief valve. The Tank cones down from 800 mm diameter to a flat 350 mm diameter base, fitted with a side mounted 50 mm diameter manually valved x 130 mm centre line height Oulet. The tank is supported on 4 off top mounted legs which are linked together by bottom pallet truck support bars. Item 2, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01016, same description as Item 1 (Dismantling and loading costs 220.00) | 10.00 |
| 610598 | 1 | Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Tank, serial number MB01017, MB01018, Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Item 1, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01017 Domed top is 800 mm diameter, and is fitted with a 400 mm diameter hinged and clamped lid, which is fitted with a central 100 mm diameter screwed pressure relief valve. The Tank cones down from 800 mm diameter to a flat 350 mm diameter base, fitted with a side mounted 50 mm diameter manually valved x 130 mm centre line height Oulet. The tank is supported on 4 off top mounted legs which are linked together by bottom pallet truck support bars. Item 2, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01018, same description as Item 1 (Dismantling and loading costs 220.00) | 10.00 |
| 610599 | 1 | Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Tank, serial number MB01019, MB01020, Lot of 2 off Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tanks Item 1, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01019 Domed top is 800 mm diameter, and is fitted with a 400 mm diameter hinged and clamped lid, which is fitted with a central 100 mm diameter screwed pressure relief valve. The Tank cones down from 800 mm diameter to a flat 350 mm diameter base, fitted with a side mounted 50 mm diameter manually valved x 130 mm centre line height Outlet. The tank is supported on 4 off top mounted legs which are linked together by bottom pallet truck support bars. Item 2, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01020, same description as Item 1 (Dismantling and loading costs 220.00) | 10.00 |
| 610600 | 1 | Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank Tank, serial number MB01021, Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank Vertical Coned Stainless Steel 350 Litre Capacity Transfer Tank, Serial No MB01021 Domed top is 800 mm diameter, and is fitted with a 400 mm diameter hinged and clamped lid, which is fitted with a central 100 mm diameter screwed pressure relief valve. The Tank cones down from 800 mm diameter to a flat 350 mm diameter base, fitted with a side mounted 50 mm diameter manually valved x 130 mm centre line height Oulet. The tank is supported on 4 off top mounted legs which are linked together by bottom pallet truck support bars. (Dismantling and loading costs 110.00) | 10.00 |

| 610601 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tanks Tank, serial number 32, 104, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 32 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 220 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 104, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |
|--------|---|---|-------|
| 610602 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tanks Tank, serial number 31, 133, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 31 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 220 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 133, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |
| 610603 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tanks Tank, serial number 19, 08, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 19 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 220 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 08, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |
| 610604 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tanks Tank, serial number 129, 112, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 129 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 220 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1300 Litre Capacity Transfer Tank, Serial No 112, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |

| 610605 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Tank, serial number 905001, 905007, Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, No 51 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 275 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, Serial No 57, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |
|--------|---|---|-------|
| 610606 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Tank, serial number 905010, 905002, Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, No 60 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 275 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, Serial No 52, has same description as Item 1 above, but please note, that this tank is missing the central lid mounted 120 mm diameter screwed Pressure Relief Valve. (Dismantling and loading costs 275.00) | 10.00 |
| 610607 | 1 | Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Tank, serial number 905006, 905005, Lot of 2 off Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tanks Item 1, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, No 56 Fitted with Domed Top, having central clamped 400 mm diameter lid, fitted with central 120 mm diameter screwed Pressure Relief Valve. The Coned bottom is fitted with a 50 mm diameter manually valved piped Side 275 mm centre line height Outlet The Transfer Tank is supported on 4 legs, linked together by bottom pallet truck lifting bars Item 2, Thielmann Vertical Ribbed Stainless Steel ATEX Rated 1000 Litre Capacity Transfer Tank, Serial No 55, has same description as Item 1 above. (Dismantling and loading costs 275.00) | 10.00 |
| 610608 | 1 | Lot of 2 off Ucon Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 3, 4, Lot of 2 off Ucon Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 1 Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 2 off 25 mm Inlets, one being used for a Pressure Relief valve. Coned base is fitted with a side mounted 50 mm diameter manual valve with piped 240 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 2, same description as Item 1 above (Dismantling and loading costs 275.00) | 10.00 |

| Tank, serial number 1, 2, Lot of 2 off Ucon Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks. Item 1, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks. No 3 Domed top fitted with a central 400 mm diameter hinged and clamped iid, plus 2 off 25 mm Inlets, one being used for a Pressure Relief valve. Coned base is fitted with a side mounted 50 mm diameter manual valve with piped 240 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars ltem 2, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 4, same description as ltem 1 above (Dismantling and loading costs 220.00) 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Is met 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Is then 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Is minet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars ltem 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ise Im 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Trans | 610609 | 1 | Lot of 2 off Ucon Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks | 10.00 |
|--|--------|---|--|-------|
| val⁵e. Coned base is fitted with a side mounted 50 mm diameter manual valve with piped 240 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 4, same description as Item 1 above (Dismantling and loading costs 220.00) 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer Tanks Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer Tanks Transfer Tanks vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer Tanks Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank tem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank tem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank It | | | Stackable ATEX Transfer tank, No 3 Domed top fitted with a central 400 mm diameter | |
| piped 240 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 4, same description as Item 1 above (Dismantling and loading costs 220.00) 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped IId, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Sument 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Sument 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Sument 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Sument 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Sument 4, Vertical Stainless Ste | | | | |
| supported on 4 corner legs, linked by pallet truck lifting cross bars titem 2, Vertical Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tanks Transfer tank Tr | | | | |
| Stainless Steel 1500 Litre Capacity Stackable ATEX Transfer tank, No 4, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Stem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Some description as Item 1 above (Disman | | | | |
| description as Item 1 above (Dismantling and loading costs 220.00) 1 10.00 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable 10.00 ATEX Transfer tanks Tank, serial number 039037, 039064, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped IId, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Qutlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Stael 1000 Litre Capacity Stackable ATEX Transfer tanks Nomed top fitted with a central 400 mm diameter hinged and clamped IId, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as 1 mabve (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as 1 tem 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtec | | | | |
| 610610 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks 10.00 Tank, serial number 039037, 039064, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Nomed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Verti | | | | |
| ATEX Transfer tanks Tank, serial number 039037, 039064, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped Idi, plus 1 off 25 mm Inilet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks, same description as Item 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped Iid, plus 1 off 25 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted 75 mm diameter manual valve with piped 275 mm high centre line (Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as ltem 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX T | 610610 | 1 | | 10.00 |
| Tank, serial number 039037, 039064, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) <tr< td=""><td>010010</td><td>•</td><td></td><td>10.00</td></tr<> | 010010 | • | | 10.00 |
| 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 nm diameter hinged and clamped lid, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as tem 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top Fitted with a central 400 mm diameter hinged and clamped lid, plus 1 oft 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corne legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank sitem 1, Vertical Stainless | | | | |
| 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm lnlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, Stame description as Item 1 above (Dismantling and loading costs 220.00) 610612 | | | | |
| Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks 10.00 610611 1 Lot of 2 Longacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless 10.00 610612 1 Lot of 2 Longacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, serial number 00001047, 00001056, Lo | | | | |
| piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars ltem 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as ltem 1 above (Dismantling and loading costs 220.00) 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable 10.00 ATEX Transfer tanks Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless 10.00 Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank lem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank acentral 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by palle | | | mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure | |
| supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610611 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank tem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank. Same description as Item 1 above (Dismantling and Ioading costs 220.00) 610613 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Tr | | | Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with | |
| Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks 10.00 Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 4, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer ta | | | | |
| as Item 1 above (Dismantling and loading costs 220.00) 10.00 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm lnlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 4, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Bornet to a Pressure Relief valve. Flat base is fitted with a side mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and lo | | | | |
| 610611 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks 10.00 Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Name description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Nomed top fitted with a central 400 mm diameter hinged and clamped Iid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 < | | | | |
| ATEX Transfer tanks Tank, serial number 00001042, 0001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks ltem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks ltem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks ltem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks ltem 2, Vertical 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corn | | | · · · · · | |
| Tank, serial number 00001042, 00001054, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 4, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above | 610611 | 1 | | 10.00 |
| Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106121Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Trank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm hight centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, | | | | |
| Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Ibem 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank one top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot o | | | | |
| 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106121 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank lomed top fitted with a cent | | | | |
| Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106121Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter | | | | |
| piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.0006106121Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Trank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical | | | | |
| supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 | | | | |
| Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | • | |
| as Item 1 above (Dismantling and loading costs 220.00) 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litr | | | | |
| 610612 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks 10.00 Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm lnlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 10.00 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 2, Vertical 400 mm diameter hinged and clamped lid, plus 1 off 25 mm ligh cortrer line Outlet The tank i | | | | |
| ATEX Transfer tanks Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame <t< td=""><td>610612</td><td>1</td><td></td><td>10.00</td></t<> | 610612 | 1 | | 10.00 |
| Tank, serial number 00001047, 00001056, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | 010012 | • | | 10.00 |
| Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck | | | | |
| 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm linlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central | |
| piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm lnlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure | |
| supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00)10.006106131 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| as Item 1 above (Dismantling and loading costs 220.00) 610613 1 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| 6106131 Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| ATEX Transfer tanks Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Tank, serial number 00001069, 00001044, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | 610613 | 1 | | 10.00 |
| Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description | | | | |
| | | | | |
| | | | | |

| 610614 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001040, 00001062, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
|--------|---|--|-------|
| 610615 | | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001041, 00001055, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
| 610616 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001057, 00001053, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
| 610617 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001045, 00001034, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |
| 610618 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Tank, serial number 00001052, 00001046, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | 10.00 |

| 610619 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks | 10.00 |
|--------|---|---|-------|
| | | Tank, serial number 00001071, 00001050, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | |
| 610620 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable | 10.00 |
| | | ATEX Transfer tanks Tank, serial number 00001058, 00001096, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | |
| 610621 | 1 | Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable | 10.00 |
| | | ATEX Transfer tanks Tank, serial number 00001051, 00001070, Lot of 2 Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | |
| 610622 | 1 | Umformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank | 10.00 |
| | | Tank, serial number 1049, UmformtechnikUmformtechnik Vertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tankVertical Stainless Steel 1000 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 75 mm diameter manual valve with piped 275 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars (Dismantling and loading costs 110.00) | |
| 610623 | 1 | Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks | 10.00 |
| | | Tank, serial number 00001022, 00001072, Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank, No 31 Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 50 mm diameter manual valve with piped 220 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | |

| 610624 | 1 | Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks | 10.00 |
|--------|---|---|-------|
| | | Tank, serial number 00001059, 00001060, Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank, No 43 Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 50 mm diameter manual valve with piped 220 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank, No 33, same description as Item 1 above (Dismantling and loading costs 220.00) | |
| 610625 | 1 | Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks | 10.00 |
| | | Tank, serial number 01527, 00001061, Lot of 2 off Thyssen Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tanks Item 1, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank Domed top fitted with a central 400 mm diameter hinged and clamped lid, plus 1 off 25 mm Inlet, used for a Pressure Relief valve. Flat base is fitted with a side mounted 50 mm diameter manual valve with piped 220 mm high Centre line Outlet The tank is mounted in a galvanised frame supported on 4 corner legs, linked by pallet truck lifting cross bars Item 2, Vertical Stainless Steel 400 Litre Capacity Stackable ATEX Transfer tank, same description as Item 1 above (Dismantling and loading costs 220.00) | |
| 610627 | 1 | LogoPak VLP 210 II F Pallet Label Printer Printer, serial number 204 0377, LogoPak VLP 210 II F Pallet Label Printer & Support Trolley (1-2) LogoPak VLP 210 II F Pallet Label Printer For printing manually applied Pressure Sensitive 150 mm wide Pallet Identification Labels(2-2) Mobile Pallet Label Printer Support Trolley, complete with PC, Flat screen monitor, and Keyboard (Dismantling and loading costs 27.50) | 10.00 |
| 610628 | 1 | LogoPak VLP 210 II F Pallet Label Printer Printer, serial number 204 0375, LogoPak VLP 210 II F Pallet Label Printer & Support Trolley (1-2) LogoPak VLP 210 II F Pallet Label Printer For printing manually applied Pressure Sensitive 150 mm wide Pallet Identification Labels(2-2) Mobile Pallet Label Printer Support Trolley (Dismantling and loading costs 55.00) | 10.00 |
| 610640 | 1 | Sielaff GF 99 Automated Can and Plastic Bottle Vending Machine Vending Machine, serial number 90422756, Sielaff GF 99 Automated Can and Plastic Bottle Vending Machine Fitted with 4 levels of 8 across, 75mm wide x 600mm deep x 95mm high, can & plastic bottle automated dispensing shelves, into the lower 700mm wide x 120mm x 190mm deep collection trough. (Dismantling and loading costs 110.00) | 10.00 |
| 610641 | 1 | Sielaff Robimat Automated Plastic Bottle Recyling Machine Vending Machine, Sielaff Robimat Automated Plastic Bottle Recyling Machine Fitted with a 180mm wide x 160mm high Plastic Bottle Posting Hole, which is 1550 mm high up the front of the machine. Money repayments for returned recycled Plastic Bottles are credited to the PayCult Credit Card (Dismantling and loading costs 82.50) | 10.00 |
| 610642 | 1 | Paycult Internal Site Payment Card Credit Money Loading and Unloading MachinesVending Machine, Paycult Internal Site Payment Card Credit Money Loading and Unloading Machines(1-2) Paycult Internal Site Payment Card Credit Money Loading Machine For loading credit from deposited Euro Bank Notes onto the Paycult internal Site Payment Card(2-2) Paycult Internal Site Payment Card Credit Money Unloading Machine For unloading upto Euro's 20.00 credit from the Paycult internal Site Payment Card, as Euro's cash (Dismantling and loading costs 55.00) | 10.00 |

| 610643 | 1 AHT Cooling Systems R10 S 100 Mobile Ice Cream Chest Freezer 10 Ice Cream Freezer, serial number 600 462 00001466, AHT Cooling Systems R10 S 100 Mobile Ice Cream Chest Freezer(1-2) AHT Cooling Systems R10 S 100 Mobile Ice Cream Chest Freezer, fitted with a 500 mm x 860 mm x 700 mm max depth 100 mm ber, and overhead twin sliding clear perspex viewing doors The chamber is fitted with 2 off 2 x 6 pocket and 1 off 1 x 3 pocket white plastic coated wire ice cream holder 100 baskets(2-2) Rear Mobile Ice Cream Chest Freezer Flat Screen Advertising Display Unit (Dismantling and loading costs 44.00) 100 mobile Ice Cream Chest Freezer Flat Screen Advertising Display | 0.00 |
|--------|---|------|
| 610644 | 1 Blanco Mikado UKM 4 Mobile Refridgerated Stainless Steel Salad Display and 10 Servery Unit Cafeteria and Kitchen Items and Furniture, serial number 6566 FO 0907, Blanco 10 Mikado UKM 4 Mobile Refridgerated Stainless Steel Salad Display and Servery Unit(1- 2) Blanco Mikado UKM 4 Mobile Refridgerated Stainless Steel Salad Display and Servery Unit(1- 2) Blanco Mikado UKM 4 Mobile Refridgerated Stainless Steel Salad Display and Servery Unit Fitted with a central 1350 mm long x 565 mm wide x 255 mm deep Stainless steel cooling chamber. The Servery unit is fitted either side externally with triple tray support rails, plus end mounted hinged fold down 625 mm x 280 mm x 850 mm high Shelves.(2-2) Inner Salad Bar Stainless Steel Food Tray (Dismantling and loading costs 385.00) | 0.00 |
| 610645 | 1 Ebac BI22WH EU Mobile Chilled Drinking Water Fountain 10 Cafeteria and Kitchen Items and Furniture, serial number 117009042, Ebac BI22WH 10 EU Mobile Chilled Drinking Water Fountain, complete with Paper Cups Holders Fitted 10 with a removable 18.9 Litre top mounted Plastic Drinking Water Container (Dismantling and loading costs 38.50) 10 | 0.00 |
| 610646 | 1 Liebherr Profi Line Vertical Display Refrigerator 360 Litre Gross capacity 10 Refrigerator, serial number 210914, Liebherr Profi Line Vertical Display Refrigerator 360 360 Litre Gross capacity Vertical 36 x 30 mm vertically pitched shelf side support Fridge, fitted with 4 off 420 mm deep x 550 mm wide White Plastic Coated Metal Grill Shelves. Shelves to take max of 45 kgs loading Fridge fitted with full front glass vision panel hinged door (Dismantling and loading costs 55.00) | 0.00 |
| 610647 | 1 Liebherr Profi Line Vertical Refrigerator 360 Litre Gross capacity 10 Refrigerator, serial number 200061, Liebherr Profi Line Vertical Refrigerator 360 Litre 10 Gross capacity Vertical 36 x 30 mm vertically pitched shelf side support Fridge, fitted 10 with 4 off 420 mm deep x 550 mm wide White Plastic Coated Metal Grill Shelves. 10 Shelves to take max of 45 kgs loading Fridge fitted with white painted metal hinged 10 front door (Dismantling and loading costs 55.00) 10 | 0.00 |
| 610648 | 1 Winterhalter GS 502 Dishwashing System 10 Cafeteria and Kitchen Items and Furniture, serial number 1042070, Winterhalter GS 502 Dishwashing System(1-3) Winterhalter GS 502 Dishwasher This Vertical Cantilever 10 Supported Top & Bottom Spinner Dishwasher, with Lowering Top Cleaning Enclosure, around the bottom rail mounted Dishwasher filled crockery tray, is fitted with Lower and Upper 550 x 600 mm Cleaning Systems, spaced 420 mm vertically apart.(2-3) 10 Combined Stainless Steel Pre Flush Sink, and Dishwasher Tray Infeed Shelf Unit(3-3) 10 Combined Dishwasher Tray Discharge Shelf, and emptied Tray Stacking Table (Dismantling and loading costs 495.00) 10 | 0.00 |
| 610649 | | 0.00 |

| 610650 | | MKN Stainless Steel Twin Basket Deep Fat Fryer Cafeteria and Kitchen Items and Furniture, MKN Stainless Steel Twin Basket Deep Fat Fryer Mounted in a Stainless steel Support Stand, fitted with Side mounted Splash Shields. Each Electrically heated Fat Fryer is fitted with a 300 x 150 x 110 mm deep Stainless steel wire Fat Frying Basket, and is fitted with individual heating controls (Dismantling and loading costs 165.00) | 10.00 |
|--------|---|---|-------|
| 610651 | 1 | Lot of 2 off Stainless Steel 3 Tray Electrically Bottom Water Heated Tray Serving Units Cafeteria and Kitchen Items and Furniture, Stainless Steel 3 Tray Electrically Bottom Water Heated Tray Serving Unit(1-2) Stainless Steel 3 Tray Electrically Bottom Water Heated Tray Serving Unit Each of the 3 off Tray Serving Unit Holders measures 510 x 310 x 210 mm deep, and each Tray Serving unit has individual bottom electric front mounted rotary variable heating controls. Below the Servery top Stainless steel counter, is mounted 3 off storage cabinets fitted with hinged front doors.(2-2) Stainless Steel 3 Tray Electrically Bottom Water Heated Tray Serving Unit Each of the 3 off Tray Serving Unit Holders measures 510 x 310 x 210 mm deep, and each Tray Serving unit has individual bottom electric front mounted rotary variable heating controls. Below the Servery top Stainless steel counter, is mounted 3 off storage cabinets fitted with hinged front doors. (Dismantling and loading costs 385.00) | 25.00 |
| 610652 | 1 | Lot of 2 off Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment Systems Vending Machine, serial number JHDF001548, JHDF001821, Lot of 2 off Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment Systems(1- 2) Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Fitted with a rear mounted Epson paper receipt printer unit (2-2) Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Fitted with a rear mounted Epson paper receipt printer unit (Dismantling and loading costs 55.00) | 10.00 |
| 610653 | 1 | Canteen Stainless Steel Dish Warming Cabinet Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Dish Warming Cabinet Consists of a Single Bottom mounted Stainless steel Plate Electrically Heated Warming Cabinet, fitted with internal shelves, and 2 sets of Sliding Doors, and a Central 3 off set of pull out Cutlery Storage Drawers On top of the Bottom Cabinet is mounted a Stainless Steel Top mounted Cup / Glass Electrically Heated Warming Cabinet, fitted with internal shelves, 2 sets of Sliding Doors (Dismantling and Ioading costs 275.00) | 25.00 |
| 610654 | 1 | Lot of 2 off Canteen Stainless Steel Sideboard Storage Cabinets Cafeteria and Kitchen Items and Furniture, Lot of 2 off Canteen Stainless Steel Sideboard Storage Cabinets(1-2) Canteen Stainless Steel Sideboard Storage Cabinet Fitted with internal shelf, external sliding doors, plus full length Stainless steel worktop(2-2) Canteen Stainless Steel Sideboard Storage Cabinet Fitted with internal shelf, external sliding doors, and 3 off pull out cutlery drawers, plus full length Stainless steel worktop (Dismantling and loading costs 275.00) | 25.00 |
| 610655 | 1 | Canteen Stainless Steel Sideboard Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Sideboard Fitted with internal shelf, and external sliding doors, plus full length stainless steel worktop (Dismantling and loading costs 55.00) | 10.00 |
| 610656 | 1 | Lot of 2 off Canteen Stainless steel double level Crockery Storage Cabinets Cafeteria and Kitchen Items and Furniture, Lot of 2 off Canteen Stainless steel double level Crockery Storage Cabinets(1-2) Canteen Stainless steel double level Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors(2-2) Canteen Stainless steel double level Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors (Dismantling and loading costs 275.00) | 25.00 |

| Starting Bid € |
|----------------|
|----------------|

| 610657 1 Lot of 2 off Canteen Stainless Steel Mobile Food Preparation Tables 25.00 610657 1 Lot of 2 off Canteen Stainless Steel Mobile Food Preparation Table Fitted 2 off lower level full size Shelves(2-2) Canteen Stainless Steel Mobile Food Preparation Table, fitted with Table top end mounted Can Opener Fitted 2 off lower level full size Shelves (Dismantling and loading costs 220.00) 10.00 610658 1 Lot of 3 off Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm(2-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm (0-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm (0-3) Canteen Stainless Steel Food Transfer Trolley Gaster and Kitchen Items and Furniture, Canteen Stainless Evel Double Bowl Sink and left hand sided Drainer unit Cafteria and Kitchen Items and Furniture, Canteen Stainless Evel Double Bowl Sink and left hand sided Drainer unit Qasteries and Kitchen Items and Furniture, Canteen Stainless Steel Double Bowl Sink and left hand sided Drainer unit Qasteries stage shelf (Dismantling and loading costs 192.50) 10.00 610660 1 Paycent Maz 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycuit pre credit Ubarged Payment card Fitted with a remounted Epson paper receipt printer unit Mounted on a hinged cantilever support bracket (Dismantling and loading costs 27.60) 10.00 610661 1 Canteen Stainless Steel Hinged Lidded Rubbish Bag Holder Carde Payment System For 2 o | | | | |
|---|--------|---|---|-------|
| Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Food Transfer Trolley (1-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top sheff, which each measure 500 x 800 mm(2-3) Canteen Stainless Steel 500 x 800 mm(3-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top sheff, which each measure 500 x 800 mm (Dismantling and loading costs 49.50) 610659 1 Canteen Stainless Steel Double Bowl Sink and left hand sided Drainer unit Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Double Bowl Sink and left hand sided Drainer unit Fitted with central Mixer tap, and lower mounted full size storage sheff (Dismantling and loading costs 192.50) 610660 1 Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Fitted with a rear mounted Epson paper receipt printer unit Mounted on a hinged cantilever support bracket (Dismantling and loading costs 27.50) 10.00 610661 1 Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Cafeteria and Kitchen Items and Furniture, Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Cafeteria and Kitchen Items and Furniture, Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Each of the removable to 10 Litre Hot water decanting Vessels is fitted with a 200 Vol.50 Hz, Single Phase Electric Heater (Dismantling and loading costs 38.50) 10.00 610662 1 Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Steel A t | | | Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Mobile Food Preparation Table(1-2) Canteen Stainless Steel Mobile Food Preparation Table Fitted 2 off lower level full size Shelves(2-2) Canteen Stainless Steel Mobile Food Preparation Table, fitted with Table top end mounted Can Opener Fitted 2 off lower level full size Shelves (Dismantling and loading costs 220.00) | |
| Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Double Bowl Sink and left hand sided Drainer unit Fitted with central Mixer tap, and lower mounted full size storage shelf (Dismantling and loading costs 192.50)10.006106601Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System Vending Machine, serial number JHDF001822, Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Fitted with a rear mounted Epson paper receipt printer unit Mounted on a hinged cantilever support bracket (Dismantling and loading costs 27.50)10.006106611Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Cafeteria and Kitchen Items and Furniture, Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder fitted with a top hinge mounted solid Stainless steel lid. (Dismantling and loading costs 44.00)10.006106621Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels | 610658 | 1 | Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Food Transfer Trolley(1-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm(2-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm(3-3) Canteen Stainless Steel Food Transfer Trolley Fitted with 3 off Shelves including top shelf, which each measure 500 x 800 mm (Dismantling and | 10.00 |
| Payment System Vending Machine, serial number JHDF001822, Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Flitted with a rear mounted Epson paper receipt printer unit Mounted on a hinged cantilever support bracket (Dismantling and loading costs 27.50)10.006106611Cafeteria and Kitchen Items and Furniture, Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Eaded Rubbish Bag Holder Each Holder fitted with a top hinge mounted solid Stainless steel Iid. (Dismantling and loading costs 44.00)10.006106621Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Cafeteria and Kitchen Items and Furniture, Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Each of the removable 10 Litre Hot water decanting Vessels is fitted with a 230 Volt, 50 Hz, Single Phase Electric Heater (Dismantling and loading costs 38.50)10.006106631Canteen Stainless steel Double level Crockery Storage Cabinet Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors (Dismantling and loading costs 110.00)10.006106641Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage | | 1 | Cafeteria and Kitchen Items and Furniture, Canteen Stainless Steel Double Bowl Sink and left hand sided Drainer unit Fitted with central Mixer tap, and lower mounted full size | 10.00 |
| Cafeteria and Kitchen Items and Furniture, Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Each Holder fitted with a top hinge mounted solid Stainless steel Iid. (Dismantling and loading costs 44.00)10.006106621Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels | 610660 | 1 | Payment System Vending Machine, serial number JHDF001822, Paycult M 225A Customer Canteen Meal selection and Internal Credit Card Payment System For use with internal Paycult pre credit charged payment card Fitted with a rear mounted Epson paper receipt printer unit Mounted on a hinged cantilever support bracket (Dismantling and loading costs | 10.00 |
| Removable Hot Water Vessels Cafeteria and Kitchen Items and Furniture, Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Each of the removable 10 Litre Hot water decanting Vessels is fitted with a 230 Volt, 50 Hz, Single Phase Electric Heater (Dismantling and loading costs 38.50) 1 Canteen Stainless steel Double level Crockery Storage Cabinet 10.00 610663 1 Canteen Stainless steel Double level Crockery Storage Cabinet 10.00 Cafeteria and Kitchen Items and Furniture, Canteen Stainless steel double level Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors 10.00 610664 1 Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage 10.00 610664 1 Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage 10.00 610664 1 Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage 10.00 610664 1 Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems 10.00 Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 5 off Galvanised 5 Level 150 Kgs 10.00 Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems 10.00 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 10.00 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay | 610661 | 1 | Cafeteria and Kitchen Items and Furniture, Canteen Twin Stainless Steel Hinged Lidded Rubbish Bag Holder Each Holder fitted with a top hinge mounted solid | 10.00 |
| Cafeteria and Kitchen Items and Furniture, Canteen Stainless steel double level Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors (Dismantling and loading costs 110.00)10.006106641Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems(1-2) 4 Bays and 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is | 610662 | 1 | Removable Hot Water Vessels Cafeteria and Kitchen Items and Furniture, Bonamat B 10 Twin 10 Litre Capacity Hot Water Heating System for 2 off Removable Hot Water Vessels Each of the removable 10 Litre Hot water decanting Vessels is fitted with a 230 Volt, 50 Hz, Single Phase | 10.00 |
| Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems(1-2) 4 Bays and 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is | 610663 | 1 | Cafeteria and Kitchen Items and Furniture, Canteen Stainless steel double level Crockery Storage Cabinet Fitted with internal shelf, and external sliding doors | 10.00 |
| | 610664 | 1 | Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 5 off Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems(1-2) 4 Bays and 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is pitched 540 mm vertically apart(2-2) 2 x 2 Bays and 2 x 1 Bay of Galvanised 5 Level 150 Kgs SWL Shelved Canteen Food Storage Racking Systems Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 500 x 1000 mm long, and is | 10.00 |

| 610665 | 1 | Lot of 3 off Triple Canteen Staff Vertical Padlockable Hinged Door Vented Personal Clothes Lockers | 10.00 |
|--------|---|--|-------|
| | | Cafeteria and Kitchen Items and Furniture, Lot of 3 off Triple Canteen Staff Vertical Padlockable Hinged Door Vented Personal Clothes Lockers(1-3) Triple Canteen Staff Vertical Cream Painted Padlockable Hinged Door Vented Personal Clothes Locker Each Locker is fitted with a Coat Hanger Support Bar, mounted below the top Hat support Shelf(2-3) Triple Canteen Staff Vertical cream Painted Padlockable Hinged Door Vented Personal Clothes Locker Each Locker is fitted with a Coat Hanger Support Bar, mounted below the top Hat support Shelf(3-3) Triple Canteen Staff Vertical Cream Painted Padlockable Hinged Door Vented Personal Clothes Locker Each Locker is fitted with a Coat Hanger Support Bar, mounted below the top Hat support Shelf (Dismantling and loading costs 82.50) | |
| 610666 | 1 | Lot of 2 off Twin Canteen Staff Vertical Padlockable Hinged Door Vented | 10.00 |
| | | Personal Clothes Lockers Cafeteria and Kitchen Items and Furniture, Twin Canteen Staff Vertical Cream Painted Padlockable Hinged Door Vented Personal Clothes Lockers, (1-2) Twin Canteen Staff Vertical Cream Painted Padlockable Hinged Door Vented Personal Clothes Lockers Each Locker is fitted with an internal Coat Hanger Support rail, mounted below top Hat Shelf unit (2-2) Twin Canteen Staff Vertical Grey Painted Padlockable Hinged Door Vented Personal Clothes Lockers Each Locker is fitted with an internal Coat Hanger Support rail, mounted below top Hat Shelf unit (Dismantling and loading costs 55.00) | |
| 610668 | 1 | Lot of 2 off Stainless Steel Canteen 150 kg SWL Cold Room Food Storage | 10.00 |
| | | Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 2 off Stainless Steel Canteen 150 kg SWL Cold Room Food Storage Racking Systems(1-2) 6 Bays of 5 high Stainless Steel Canteen 150 Kg SWL Cold Room Food Storage Racking Each Bay is fitted with 5 Shelf Levels, and each Shelf measures 535 x 940 mm long(2-2) 2 Bays of 5 high Stainless Steel Canteen 150 kg SWL Cold Room Food Storage Racking 1st Bay is fitted with 6 Shelf Levels, and each Shelf measures 535 x 940 mm long, and 2nd Bay is fitted with 4 Shelf Levels, and each Shelf measures 535 x 740 mm long (Dismantling and loading costs 220.00) | |
| 610669 | 1 | Lot of 2 off Stainless Steel Canteen 150 kg SWL Food Storage Racking Systems Cafeteria and Kitchen Items and Furniture, Lot of 2 off Stainless Steel Canteen 150 kg SWL Food Storage Racking Systems(1-2) 1 Bay of 5 high Stainless Steel Canteen 150 Kg SWL Food Storage Racking Rack is fitted with 5 Solid Stainless Steel Shelf Levels, and each Shelf measures 500 x 700 mm long(2-2) 1 Bay of 5 high Stainless Steel Canteen 150 kg SWL Cold Room Food Storage Racking Rack is fitted with 5 Solid Stainless Steel Shelf Levels, and each Shelf measures 500 x 700 mm long (Dismantling and loading costs 110.00) | 10.00 |
| 610670 | 1 | Canteen Mobile Stainless Steel Table and Bulk Food Transfer Trolley Cafeteria and Kitchen Items and Furniture, Canteen Mobile Stainless Steel Table(1-2) Canteen Mobile Stainless Steel Table Fitted with a full length Stainless steel worktop, plus 2 lower mounted full size shelves(2-2) Bulk Food Transfer Trolley (Dismantling and loading costs 22.00) | 10.00 |
| 610671 | 1 | Dynamic PMF 250 Handheld Food Blending System Cafeteria and Kitchen Items and Furniture, serial number 90171, Dynamic PMF 250 Handheld Food Blending System Item 1, consists of the Hand held Food Blender Drive Unit Item 2, Consists of the following;a) Removable Twin Stainless steel Blender Headb) Removable Stainless steel Rotary Whiskc) Removable Liddded Enclosed Cutting Bowl Unit All items are mounted in a common carrying tray (Dismantling and loading costs 27.50) | 10.00 |



| 610673 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump | 10.00 |
|--------|---|--|-------|
| | | Pressure Pump, serial number LU0211341202, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | |
| 610674 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump | 10.00 |
| | | Pressure LPG Gas Pump Pressure LPG Gas Pump Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | |
| 610675 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage | 10.00 |
| | | Hi Pressure LPG Gas Pump Pressure Pump, serial number LU0212630701, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | |
| 610676 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump | 10.00 |
| | | Pressure Pump, serial number D-02-66268-02, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | |
| 610677 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump | 10.00 |
| | | Pressure LPG Gas Pump Pressure LPG Gas Pump Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | |

| 610678 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump Pressure Pump, serial number D-01-61907-02, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and | 10.00 |
|--------|---|--|-------|
| | | loading costs 137.50) | |
| 610679 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump Pressure Pump, serial number D-01-61907-01, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 235 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 375 mm. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | 10.00 |
| 610680 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump Pressure Pump, serial number 96-4010-01, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 165 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 310 mm. Mounted in upside down Skid support. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | 10.00 |
| 610681 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump Pressure Pump, serial number 96-4010-02, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 165 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 310 mm. Mounted in upside down Skid support. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | 10.00 |
| 610682 | 1 | Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump Pressure Pump, serial number 96-4010-03, Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ Hour Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pumped Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flanged Inlet connection, having 165 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 310 mm. Mounted in upside down Skid support. Please Note; When dismantling / removing pump No Hot Work is allowed. (Dismantling and loading costs 137.50) | 10.00 |



Starting Bid €

Number Description Lot

| _ot | Number Description S | Starting Bid \in |
|--------|---|----------------------------------|
| 610683 | 1 Sterling SIHI CEHB3608AF2AA1A4P Skid mounted ATEX Horizontal Multi St Hi Pressure LPG Gas Pump Pressure Pump, serial number 96-4010-04, Sterling SIHI CEHB3608AF2AA1A4F Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG Gas Pump 4.3 M3/ He Pumping Throughput 170 m Pumping Head 520 Kgs / m3 LPG Gas product pump Fitted with Exe rated 4.25 Kw Drive, Speed = 1450 RPM Operating Temperature Range = 10 to 20 degrees C Fitted with a front end valved 75 mm diameter flange Inlet connection, having 165 mm Centre-line height, and rear top mounted 35 mm diameter flanged valved Outlet connection, at top flange height of 310 mm. Mounte upside down Skid support. Please Note; When dismantling / removing pump No He Work is allowed. (Dismantling and loading costs 137.50) | our oed od ed in |
| 610684 | Indag Maschinenbau GmbH INICC55VTDS50 Stainless Steel Skidded Positie Displacement Lobe Pump Positive Displacement Pump / Lobe, serial number 55459, Indag Maschinenbau G INICC55VTDS50 Stainless Steel Skidded Positive Displacement Lobe Pump NW 15 Bar Pressure Fitted with side mounted Inlet / Outlet Quick Release Screwed Ma 50 mm diameter Pipe Connectors, at 300 mm Centre line height (Dismantling and loading costs 27.50) | GmbH / 50, |
| 610685 | Indag Maschinenbau GmbH INI0125VTD65 Stainless Steel Skidded Positive Displacement Lobe Pump Positive Displacement Pump / Lobe, serial number 1251207, Indag Maschinenbau GmbH INI0125VTD65 Stainless Steel Skidded Positive Displacement Lobe Pump 65, 15 Bar Pressure Fitted with side mounted Inlet / Outlet Quick Release Screwer Male 65 mm diameter Pipe Connectors, at 350 mm Centre line height (Dismantling loading costs 55.00) | u p NW d |
| 610686 | Indag Maschinenbau GmbH INI0125VTD65 Stainless Steel Skidded Positive Displacement Lobe Pump Positive Displacement Pump / Lobe, serial number 1251209, Indag Maschinenbau GmbH INI0125VTD65 Stainless Steel Skidded Positive Displacement Lobe Pump 65, 15 Bar Pressure Fitted with side mounted Inlet / Outlet Quick Release Screwer Male 65 mm diameter Pipe Connectors, at 350 mm Centre line height (Dismantling loading costs 27.50) | u p NW d |
| 610687 | Indag Maschinenbau GmbH HTIRM 55VT DS Stainless Steel Skidded Positi Displacement Lobe Pump Positive Displacement Pump / Lobe, serial number 551588, Indag Maschinenbau GmbH HTIRM 55VT DS Stainless Steel Skidded Positive Displacement Lobe Pur NW 50, 10 Bar Pressure Fitted with side mounted Inlet / Outlet Quick Release Screwed Male 50 mm diameter Pipe Connectors, at 350 mm Centre line height (Dismantling and loading costs 137.50) | |
| 610688 | 1 Sterling SIHI Skid mounted ATEX Horizontal Multi Stage Hi Pressure LPG G Pump plus spare Pumphead Pressure Pump, Sterling SIHI Skid mounted ATEX Horizontal Multi Stage Hi Press LPG Gas Pump (1-2) Sterling SIHI Skid mounted ATEX Cast Steel Painted Horizo Multi Stage Hi Pressure LPG Gas Pump, fitted with top Inlet / outlet 40 mm diameter Flanged Connections, which are 350 mm high (2-2) Spare ATEX Cast Steel Painted Horizontal Multi Stage Hi Pressure LPG Gas Pumphead, fitted with top Inlet / outlet mm diameter Flanged Connections, which are 250 mm high (Dismantling and load costs 137.50) | sure ntal er ed t 30 |
| 610689 | 1 Nord SK9042AF 132 Vertical Tank Stirrer Reduction Gearbox and Drive unit Drive, serial number 7/1001 332788, Nord SK9042AF 132 Vertical Tank Stirrer Reduction Gearbox and Drive unit This top Tank vertical stirrer drive unit is fitted wit 60 mm diameter x 300 mm long keyed vertical Stainless steel drive shaft, which ro at 63 RPM. The Drive Gearbox is fitted with a 400 mm PCD x 12 off x 25 mm Bolt Top Tanking Mounting Flange. (Dismantling and loading costs 27.50) | th a tates |

| 610690 | Memmert GmbH ICP 400 Stainless Steel Lab Oven Lab Oven, serial number K498.0026, Memmert GmbH ICP 400 Stainless Steel Lab Oven Fitted with Variable Heating and Timer Controls Fitted with an internal Stainless steel 300 mm deep x 400 mm wide x 420 mm high Oven Chamber, fitted with 2 off perforated Stainless steel shelves, mounted on side shelf supports, pitched 80 mm vertically apart. Inner Oven chamber is closed by an inner hinged glass vision panel door, inside lockable outer hinged door. (Dismantling and loading costs 55.00) | 10.00 |
|--------|---|-------|
| 610691 | 1 Caba Blind WO 7 50 1 Lift Top Winch Winding Reel System 1 Lift, serial number 239252, Caba Blind WO 7 50 1 Lift Top Winch Winding Reel 1 System This 800 mm wide x 420 mm diameter Winch Drum is designed to operate 1 with a 10 mm diameter Lift Support Steel Cable The Winch Drum is fitted with a 50 : 1 1 Renold Reduction Drive Gearbox, which is missing its Electric Drive The Winch Drum 8 Gearbox assembly is already skidded (Dismantling and loading costs 27.50) 1 | 10.00 |
| 610692 | Jungheinrich HC10G52115160E Manual push along Electric Battery Fork Lift Truck Fork Lift Truck, serial number 92A 706 20051, Jungheinrich HC10G52115160E Manual push along Electric Battery Fork Lift Truck Single mast manually operated and pushed along, battery electric forks lifting system Can lift maximum 1000 kg weight at 600 mm load centre distance to a maximum height of 1600 mm Fitted with 2 off 1150 mm long x 160 mm wide forks, spaced externally 520 mm apart. (Dismantling and loading costs 82.50) | 10.00 |
| 610693 | 1 AZO 160 138 Vacuum Pump Vacuum Pump, serial number 39506, AZO 160 138 Vacuum Pump 20 mBar Vacuum ratedFitted with 50 mm diameter Vacuum pump Inlet and Outlet Pipe connections. (Dismantling and loading costs 27.50) | 10.00 |
| 610694 | 1 Eska X02506 2500 Kg SWL Hydraulic Actuated Platform Scissor Lift 1 Lift, serial number 4/331266/1, Eska X02506 2500 Kg SWL Hydraulic Actuated 1 Platform Scissor Lift Item 1, Eska X02506 2500 Kg SWL Hydraulic Actuated Platform 5 Scissor Lift Lifting Platform measures 1000 x 1500 mm, and is 250 mm high when fully 1 Iowered. Item 2, Hydraulic Power Pack (Dismantling and loading costs 55.00) 1 | 10.00 |
| 610695 | 1 Blume Rollen Flexible Mobile Adjustable Height Extending Gravity Roller 1 Conveyor Conveyor, Blume Rollen Flexible Mobile Adjustable Height Extending Gravity Roller Conveyor Variable height from 630 to 860 mm high Variable length from 2.5 m to 5 m long (Dismantling and loading costs 110.00) | 10.00 |
| 610696 | Unused Wistro DV 132 160 Vertical Tank Stirrer Reduction Gearbox and Drive unit Drive, serial number 186 108 5, Unused Wistro DV 132 160 Vertical Tank Stirrer Reduction Gearbox and Drive unit(1-2) Unused Wistro DV 132 160 Vertical Tank Stirrer Reduction Gearbox and Drive unit Fitted with a 95 mm diameter x 170 mm long Cast Steel Drive Shaft, fitted with a 25 mm wide x 160 mm long key. Vertical Reduction Gearbox is driven by a directly coupled 2610 RPM Wistro Drive Unit(2-2) Box of Spare Parts (Dismantling and loading costs 27.50) | 10.00 |
| 610697 | Cage of Argus RDF090-0-3-0 Valves and a Endress Hauser Promass 83 Flow Meter Valve, Cage of Argus RDF090-0-3-0 Valves and a Endress Hauser Promass 83 Flow Meter Cage filled with the following; 4 off Argus DIN 100 PN 40 Actuated Stainless Steel Ball Valves 5 off Argus DIN 40 Actuated Stainless Steel Ball Valves 3 off Argus DIN 100 Non Actuated Stainless Steel Ball Valves Actuated 75 mm diameter Stainless Steel Butterfly Valves 1 off Endress Hauser 2012 aged Promass 83 Flow Meter (Dismantling and loading costs 55.00) | 10.00 |
| 610976 | 1 Mitsubishi PBP20M Electric Pallet Jack Pallet Jack, serial number 57004449010, Mitsubishi PBP20M Electric Pallet Jack (Dismantling and loading costs 55.00) | 10.00 |

| Lot | Number Description Star | ting Bid € |
|--------|---|------------|
| | • | • |
| 610979 | Linde T20 Electric Pallet Jack Pallet Jack, serial number W4X131T04562, Linde T20 Electric Pallet Jack (Dismantling and loading costs 55.00) | 10.00 |
| 610980 | TGL FEHCI Electric Pallet Jack Pallet Jack, serial number F 01309, TGL FEHCI Electric Pallet JackForks: 1200x190x60Gap Between Forks: 170 mm (Dismantling and loading costs 55.00) | 10.00 |
| 610981 | 1 TGL FEHCI Electric Pallet Jack Pallet Jack, TGL FEHCI Electric Pallet JackForks: 1200x190x60Gap Between Forks: 170 mm (Dismantling and loading costs 55.00) | 10.00 |
| 610982 | 1 Linde R14 Electric Pallet Jack Pallet Jack, serial number G1X115N01369, Linde R14 Electric Pallet Jack (Dismantlin and loading costs 137.50) | 10.00 g |
| 610983 | Linde R14 Electric Pallet Jack Pallet Jack, serial number G1X115M01170, Linde R14 Electric Pallet Jack (Dismantlin and loading costs 137.50) | 10.00 g |
| 610984 | 1 Gottschalk Feuerschutzanlagen GMBH Foam Fire Extinguishing System Safety Equipment, Gottschalk Feverschutzanlagen GMBH Foam Fire Extinguishing System Includes:(1-4) FireDos FD8000/1-PP-S Foam Concentrate Dosing Unit(2-4) Birkenstock K 11 350/40/400 Compressor(3-4) DDX 100 MM Dry Pipe Valve(4-4) Reliable 150 mm Deluge Valve 6" Model B FMUL Gate ValveCterhard Weber W4802 2900 Liter Polyethylene Foam Tank (1620 mm X 1620 mm X 1460 mm)Power Contro CabinetAST 3820 Sprinkler System Controller Foam Sprinkler Heads (10 in total)(4-4) Reliable 150 mm Deluge Valve 6" Model B (Dismantling and loading costs 0.00) | |
| 610985 | MIC Model MIC GM-100-160S Electric Pallet Jack Pallet Jack, serial number 7.65.05 6010, MIC Model MIC GM-100-160S Electric Palle JackLoad Center 800 mmForks: 1500 mm X 170 mm X 700 mmGap Between Forks 300 mm (In Front) & 170 mm (Back) (Dismantling and loading costs 82.50) | 10.00 t |
| 610986 | 1 Linde L12 Electric Pallet Stacker Pallet Jack, serial number W4X379K02884, Linde L12 Electric Pallet Stacker (Dismantling and loading costs 55.00) | 10.00 |
| 610987 | TGL FEHCI PE Electric Pallet Stacker Pallet Jack, serial number F 01608, TGL FEHCI PE Electric Pallet StackerForks: 1200 mm X 200 mm X 70 mm Gap: 70 mm (Dismantling and loading costs 55.00) | 10.00) |
| 610988 | Lafis LEHCI Electric Pallet Stacker Pallet Jack, serial number 1127985, Lafis LEHCI Electric Pallet StackerForks: 1200 mm X 190 mm X 70 mmForks Gap: 180 mm (Dismantling and loading costs 55.00) | 10.00 |
| 610989 | 1 Lafis LEHCI Electric Pallet Stacker Pallet Jack, serial number 1.1.36377, Lafis LEHCI Electric Pallet StackerForks: 1200 mm X 190 mm X 70 mmForks Gap: 180 mmIncluding: Intronic SE 24 Volt 50 Amp Electric Forklift Battery Charger (Dismantling and loading costs 55.00) | 10.00 |
| 610990 | Lafis LEHCI Electric Pallet Stacker Pallet Jack, serial number 1128636, Lafis LEHCI Electric Pallet StackerForks: 1200 mm X 190 mm X 70 mmForks Gap: 180 mm (Dismantling and loading costs 55.00) | 10.00 |
| 610991 | Lafis LEHCI Electric Pallet Stacker Pallet Jack, serial number 41040,001, Lafis LEHCI Electric Pallet StackerForks: 1200 mm X 190 mm X 70 mmForks Gap: 180 mm (Dismantling and loading costs 55.00) | 10.00 |
| 610992 | 1 Linde T20 Electric Pallet Jack Pallet Jack, serial number W4X140Z00033, Linde T20 Electric Pallet Jack (Dismantling and loading costs 55.00) | 10.00 |
| 610993 | 1 Linde L12LHPSP Electric Pallet Stacker Pallet Jack, serial number W4X133200439, Linde L12LHPSP Electric Pallet Stacker (Dismantling and loading costs 110.00) | 10.00 |
| 610994 | 1 TGL FEHCI Electric Pallet Stacker Pallet Jack, serial number F00791, TGL FEHCI Electric Pallet Stacker (Dismantling and loading costs 82.50) | 10.00 |

| Lot | Number Description Starting | Bid € |
|--------|---|-------|
| 610995 | Crown DT 3040 Electric Pallet Stacker Pallet Jack, serial number 5A147892, Crown DT 3040 Electric Pallet Stacker (Dismantling and loading costs 55.00) | 10.00 |
| 610998 | Lifter HX10E 540 Electric High Lift Pallet Jack Pallet Jack, serial number LL10010756, Lifter HX10E 540 Electric High Lift Pallet Jack800 mm Elevation2000 x 540 fork size (Dismantling and loading costs 16.50) | 10.00 |
| 610999 | 1 Mic G100MB Electric Pallet Stacker Pallet Jack, serial number 83A701 20010, Mic G100MB Electric Pallet Stacker (Dismantling and loading costs 55.00) | 10.00 |
| 611000 | 1 Jungheinrich EJD 20 Electric Pallet Stacker Pallet Jack, serial number 90112104, Jungheinrich EJD 20 Electric Pallet Stacker (Dismantling and loading costs 55.00) | 10.00 |
| 611001 | Jungheinrich EJC 16 Electric Pallet Jack Pallet Jack, Jungheinrich EJC 16 Electric Pallet JackForks: 1500 mm X 160 mm X 60 mmGap: 200 mm (Dismantling and loading costs 55.00) | 10.00 |
| 611003 | Charger One L E24-L-25 Electric Forklift Battery Charger Battery Charger, serial number 30618751001, One L E24 L25 Electric Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611004 | Indatron S 24 Volt 25 Amp Electric Forklift Battery Charger Battery Charger, serial number 81140/ / 00018 /06/5, Indatron S 24 Volt 25 Amp Electric Forklift Battery ChargerType: E 24/ 25 (Dismantling and loading costs 27.50) | 10.00 |
| 611005 | Indatron S 24 Volt 25 Amp Electric Forklift Battery Charger Battery Charger, serial number 75644/2652/09/8, Indatron S 24 Volt 25 Amp Electric Forklift Battery ChargerType: E 24/ 25 (Dismantling and loading costs 27.50) | 10.00 |
| 611007 | 1 Tebreton-E 24/40 220 Volt Electric Forklift Battery Charger Battery Charger, Tebreton-E 24/40 220 Volt Electric Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611010 | Lewa Ecoflow LDB1 Gas Liquid Diaphragm Metering Pump System Metering and Dye Pump, serial number 626096.010.001, Lewa Ecoflow LDB1 Gas Liquid Diaphragm Metering Pump System129 Liters Per HourFitted with: Hydac SB0250-2A6/347U1-180AK Diaphragm Accumulator PS 180 Bar & Rotadisk RDF 5-3 Pneumatic Actuator (Dismantling and loading costs 55.00) | 10.00 |
| 611011 | 1 Linde T16 Battery Operated Forklift Pallet Jack, serial number W4X360R03898, Linde T16 Battery Operated Forklift (Dismantling and loading costs 55.00) | 10.00 |
| 611012 | 1 Linde R14 Battery Operated Reach Truck Pallet Jack, serial number G1X115P01491, Linde R14 Battery Operated Reach Truck (Dismantling and loading costs 137.50) | 10.00 |
| 611014 | 1 Jungheinrich EJE-R 20 Battery Operated Forklift Pallet Jack, serial number 90088348, Jungheinrich EJE-R 20 Battery Operated ForkliftForks: 1500mm X 170mm X 60mm Gap: 200mm (Dismantling and loading costs 55.00) | 10.00 |
| 611018 | Lafis LEH 18 c Battery Operated Forklift Pallet Jack, serial number 1.1.36123, Lafis LEH 18 c Battery Operated ForkliftForks: 1200mm x 160mm x 50mmGap: 2000mm (Dismantling and loading costs 55.00) | 10.00 |
| 611019 | 1 TriCOM Type E 230 G 24/30 B1-FML 24 Volt 30 Amp Forklift Battery Charger Battery Charger, serial number T0060 488687, TriCOM Type E 230 G 24/30 B1-FML | 10.00 |

Battery Charger, serial number T0060 488687, TriCOM Type E 230 G 24/30 B1-FML
24 Volt 30 Amp Forklift Battery Charger (Dismantling and loading costs 27.50)10.006110211Deta Tebetron-E 24/40 Forklift Battery Charger
Battery Charger, Deta Tebetron-E 24/40 Forklift Battery Charger (Dismantling and
loading costs 27.50)10.006110231Lafis LEHCI Electric Pallet Stacker
Pallet Jack, serial number 1.1.34333, Lafis LEHCI Electric Pallet StackerForks: 1200
mm X 190 mm X 70 mmForks Gap: 180 mm (Dismantling and loading costs 55.00)10.00

| Lot | Number Description Starting | g Bid € |
|--------|---|---------|
| 611024 | Lafis LEH 16 C Battery Operated Forklift Pallet Jack, serial number 1.1.27782, Lafis LEH 16 C Battery Operated Forklift (Dismantling and loading costs 55.00) | 10.00 |
| 611025 | Linde T18 Battery Operated Forklift Pallet Jack, serial number W4X360L07258, Linde T18 Battery Operated Forklift (Dismantling and loading costs 55.00) | 10.00 |
| 611026 | Lot of 3 Miscellaneous Forklift Battery Chargers Battery Charger, Lot of 3 Miscellaneous Forklift Battery Chargers(1-3) Indatron SE 24V 25A Forklift Battery Charger(2-3) Chloride Motive Power Classic Plus 24V 25A Forklift Battery Charger(3-3) Mini Select 24V 25A Forklift Battery Charger (Dismantling and loading costs 55.00) | 10.00 |
| 611027 | Mettler Toledo KB60s.2 Floor Scale with ID20 Weighing Terminal Scale, serial number 2588464, 2740494, Mettler Toledo KB60s.2 Floor Scale with ID20 Weighing Terminal (Dismantling and loading costs 82.50) | 10.00 |
| 611035 | Linde T18 Battery Operated Forklift Pallet Jack, Linde T18 Battery Operated Forklift (Dismantling and loading costs 55.00) | 10.00 |
| 611037 | Linde E15 Electric Forklift Truck Fork Lift Truck, serial number 324G03129915, Linde E15 Electric Forklift Truck (Dismantling and loading costs 110.00) | 10.00 |
| 611039 | Lifter HX10E 540 GEL Electric Fork Lift Pallet Jack, serial number LL10010754, Lifter HX10E 540 GEL Electric Fork Lift (Dismantling and loading costs 16.50) | 10.00 |
| 611041 | 1 Hanning Graule 85 Saw Machine with Nilfisk Wet and Dry Vacuum Cleaner Saw, Hanning Graule 85 Saw Machine with Nilfisk Wet and Dry Vacuum Cleaner(1-2) Hanning Graule 85 Saw Machine with(2-2) Nilfisk SQ 450-21Wet and Dry Vacuum Cleaner (Dismantling and loading costs 55.00) | 10.00 |
| 611042 | 1 Optimum Opti B 23 Pro Drill Press Drills, Optimum Opti B 23 Pro Drill PressSpeed: 1600 U/Minute (Dismantling and loading costs 55.00) | 10.00 |
| 611043 | 1 Scheppach SM 200 Dual Sided Grinder Grinder, Scheppach SM 200 Dual Sided GrinderDisc Size: 200mm 220-240 Volt, 50 HZ (Dismantling and loading costs 27.50) | 10.00 |
| 611044 | Georg Fischer RA 41 Pipe Cutting Machine Misc. Machine Tool / Shop Equipment, serial number 46510905, Georg Fischer RA 41 Pipe Cutting Machine150-270 U/Minute (Dismantling and loading costs 27.50) | 10.00 |
| 611045 | 1 Ridgid 1224-GS Threading Machine Misc. Machine Tool / Shop Equipment, serial number EB02000, Ridgid 1224-GS Threading Machine (Dismantling and loading costs 55.00) | 10.00 |
| 611046 | 1 Lot of 15 Ari Euro-Wedi Shut Off Valves Valve, Ari Euro-Wedi Shut Off Valve(1-15) Ari Euro-Wedi Shut Off ValveAri Euro Wedi DN/50 PN/G, DN 50 PN 16, DN 40 PN 16, DN 65 PNG, DN65 PN 6 (Dismantling and loading costs 27.50) | 10.00 |
| 611047 | 1 Linde T16 Battery Operated Forklift Pallet Jack, Linde T16 Battery Operated Forklift (Dismantling and loading costs 55.00) | 10.00 |
| 611050 | 1 Grundfos NB50-1251135 Rotary Pump Positive Displacement Pump / Lobe, serial number DE63082ZC3, Grundfos NB50- 1251135 Rotary Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611051 | Unused Grundfos CRNE15-03E-CX-G1-E-HQ9E Centrifugal Pump Positive Displacement Pump / Lobe, serial number 3842, Unused Grundfos CRNE15- 03E-CX-G1-E-HQ9E Centrifugal Pump (Dismantling and loading costs 27.50) | 250.00 |
| 611052 | 1 Thermotex Spirit 2/3 Automatic Heat Seal Machine with Thermotex 3-24 Label Printer Heat Sealer, serial number 5SP060800, Thermotex Spirit 2/3 Automatic Heat Seal | 10.00 |

Machine with Thermotex 3-24 Label Printer (Dismantling and loading costs 44.00)

| Lot | Number Description | Starting Bid € |
|--------|--|---------------------|
| 611053 | Lot of 20 Miscellaneous Demag Motor Drives Motor, Lot of 20 Miscellaneous Demag Motor Drives(1-20 through 20-20) Miscellaneous Demag Motor Drives (Dismantling and loading costs 935.00) | 10.00 |
| 611054 | SEW Eurodrive KH77 Gear Box Motor Drive Gear Box, SEW Eurodrive KH77 Gear Box Motor Drive (Dismantling and loadin 27.50) | 10.00 g costs |
| 611056 | Binder KBF-115 Laboratory Incubator Incubator, Binder KBF-115 Laboratory IncubatorPlease note the picture for this a representation. (Dismantling and loading costs 82.50) | 10.00 listing is |
| 611057 | Lot of 5 Miscellaneous Demag Motor Drives Motor, Demag Motor Drive(1-5 through 5-5) Demag Motor Drives (Dismantling a loading costs 82.50) | 10.00 Ind |
| 611058 | 1 Lot of 6 VideoJet Excel 170i Date Coders Printing or Code Marker, Lot of 6 VideoJet Excel 170i Date Coder(1-6 through 6 VideoJet Excel 170i Date Coders (Dismantling and loading costs 110.00) | 10.00 6-6) |
| 611059 | Lot of 6 VideoJet Excel 170i Date Coders Printing or Code Marker, Lot of 6 VideoJet Excel 170i Date Coders(1-6 through VideoJet Excel 170i Date Coders (Dismantling and loading costs 110.00) | 10.00 |
| 611060 | Linde E12 Battery Operated Forklift Fork Lift Truck, serial number 324F11116712, Linde E12 Battery Operated ForkliftAdjustable Pallet Forks (Dismantling and loading costs 110.00) | 10.00 |
| 611061 | Linde E127-02 Battery Operated Forklift Fork Lift Truck, serial number H2X324N01075, Linde E127-02 Battery Operate Forklift (Dismantling and loading costs 110.00) | 10.00 d |
| 611062 | Linde E12-02 Battery Operated Forklift Fork Lift Truck, serial number H2X324K01777, Linde E12-02 Battery Operated (Dismantling and loading costs 110.00) | 10.00 Forklift |
| 611063 | Linde E12Z-02 Forklift Truck Fork Lift Truck, serial number H2X324P00045, Linde E12Z-02 Forklift Truck (Dismantling and loading costs 110.00) | 10.00 |
| 611066 | Lafis LEHCI Electric Pallet Stacker Pallet Jack, serial number 1.1.36495, Lafis LEHCI Electric Pallet StackerForks: mm X 190 mm X 70 mmForks Gap: 170 mm (Dismantling and loading costs 55) | |
| 611067 | 1 Linde L12LHPSP Battery Operated Pallet Stacker Pallet Jack, serial number W4X133U00269, Linde L12LHPSP Battery Operated StackerForks 1500mm x 180mm x 60mmGap: 200mm (Dismantling and loadin 110.00) | |
| 611068 | Linde T20 Electric Pallet Jack Pallet Jack, Linde T20 Electric Pallet JackIncluding: Linde Indraton Plus 24 Volt Amp (Dismantling and loading costs 110.00) | 10.00 t 50 |
| 611069 | 1 Linde L12LHPSP Battery Operated Pallet Stacker Pallet Jack, serial number W4X 133 U00253, Linde L12LHPSP Battery Operate Pallet StackerForks 1500mm x 180mm x 60mmGap: 200mm (Dismantling and costs 55.00) | |
| 611070 | Jungheinrich 24 Volt 85 Amp Forklift Battery Charger Battery Charger, Jungheinrich 24 Volt 85 Amp Forklift Battery Charger (Dismant loading costs 27.50) | 10.00 ling and |
| 611071 | 1 Jungheinrich 48 Volt 90 Amp SLT 100 Forklift Battery Charger | 10.00 |

6110711Jungheinrich 48 Volt 90 Amp SLT 100 Forklift Battery Charger10.00Battery Charger, serial number 93741796, Jungheinrich 48 Volt 90 Amp SLT 100Forklift Battery Charger (Dismantling and loading costs 38.50)10.006110721Jungheinrich 48 Volt 90 Amp SLT 100 Forklift Battery Charger, serial number 93663964, Jungheinrich 48 Volt 90 Amp SLT 10010.00Battery Charger, serial number 93663964, Jungheinrich 48 Volt 90 Amp SLT 100Forklift Battery Charger (Dismantling and loading costs 27.50)10.00

| 611073 | Charger One S 24 Volt 80 Amp Forklift Battery Charger Battery Charger, serial number 7656313/00004/11/03, Charger One S 24 Volt 80 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
|--------|--|-------|
| 611074 | 1 IEB Industries Filon Classic 24 Volt 25 Amp Forklift Battery Charger Battery Charger, IEB Industries Filon Classic 24 Volt 25 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611075 | 1 Indatron SE 24 Volt 25 Amp Forklift Battery Charger Battery Charger, Indatron SE 24 Volt 25 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611077 | Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger Battery Charger, Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger (Dismantling and loading costs 16.50) | 10.00 |
| 611079 | Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger Battery Charger, Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611080 | Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger Battery Charger, Linde Tebetron Plus 24 Volt 50 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611084 | Intronic SE 24 Volt 50 Amp Forklift Battery Charger Battery Charger, serial number 0229205/0010/2004/06/0001, Intronic SE 24 Volt 50 Amp Forklift Battery ChargerType: E 24/50 (Dismantling and loading costs 27.50) | 10.00 |
| 611085 | Linde E20P-02 Electric Forklift Truck Fork Lift Truck, Linde E20P-02 Electric Forklift TruckAdjustable Hydraulic Forks (Dismantling and loading costs 110.00) | 10.00 |
| 611089 | 1 Linde Itronic S 48 Volt 140 Amp Forklift Battery Charger Battery Charger, Linde Itronic S 48 Volt 140 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611090 | Linde Itronic SE 24 Volt 125 Amp Forklift Battery Charger Battery Charger, Linde Itronic SE 24 Volt 125 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611091 | Linde Itronic SE 24 Volt 125 Amp Forklift Battery Charger Battery Charger, Linde Itronic SE 24 Volt 125 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611092 | Linde Indraton S 24 Volt 100 Amp Forklift Battery Charger Battery Charger, Linde Indraton S 24 Volt 100 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611093 | 1 Linde Indraton SE 24 Volt 80 Amp Forklift Battery Charger Battery Charger, Linde Indraton SE 24 Volt 80 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611095 | 1 Linde Indraton SE 24 Volt 25 Amp Forklift Battery Charger Battery Charger, Linde Indraton SE 24 Volt 25 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611096 | 1 Itronic E 24 Volt 36 Amp Forklift Battery Charger Battery Charger, Itronic E 24 Volt 36 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611097 | 1 Charger One L E24 L30 Forklift Battery Charger Battery Charger, Charger One L E24 L30 Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611098 | 1 Weg 200L2 Electric Motor Motor, Weg 200L2 Electric Motor (Dismantling and loading costs 27.50) | 10.00 |
| 611099 | 1 Wilo IL 100/170-3/4 Ganded Pump Gear Pump, Wilo IL 100/170-3/4 Ganded Pump (Dismantling and loading costs 27.50) | 10.00 |

| 611100 | Lot of 2 SEW Eurodrive AN S37/R27 Gearbox Motor Drives Motor, Lot of 2 SEW Eurodrive AN S37/R27 Gearbox Motor Drives Includes:(1-2) SEW Eurodrive AN S37/R27 Gearbox Motor Drive(2-2) SEW Eurodrive AN S37/R27 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
|---------------------|---|--------|
| 611101 · | Lot of 2 SEW Eurodrive Gearbox Motor Drives Motor, Lot of 2 SEW Eurodrive Gearbox Motor Drives (Dismantling and loading costs 27.50) | 10.00 |
| 611102 · | Lot of 2 SEW Eurodrive B S47 Gearbox Motor Drives Motor, Lot of 2 Lot of 2 SEW Eurodrive B S47 Gearbox Motor Drives (Dismantling and loading costs 27.50) | 10.00 |
| 611103 | Sew Eurodrive A/B S77 Gear Motor Drive Motor, Sew Eurodrive A/B S77 Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611104 | Mitsubishi PBR20N Electric Forklift with Hawker Life Tech 26 Volt 60 Amp Forklift Battery Charger Fork Lift Truck, Mitsubishi PBR20N Electric Forklift with Hawker Life Tech 26 Volt 60 Amp Forklift Battery Charger with Hawker Life Tech 26 Volt 60 Amp Forklift Battery ChargerForks: 1500mm X 170mm X 50 (Each)Gap: 200mm (Dismantling and loading costs 55.00) | 10.00 |
| 611105 | Mitsubishi PBR20N Electric Forklift with Hawker Life Tech 26 Volt 60 Amp Forklift Battery Charge Fork Lift Truck, Mitsubishi PBR20N Electric Forklift with Hawker Life Tech 26 Volt 60 Amp Forklift Battery Charge with Hawker Life Tech 26 Volt 60 Amp Forklift Battery ChargeForks: 1500mm X 170mm X 50 (Each)Gap: 200mm Including Hawker Life Tech 26 Volt 60 Amp Forklift Battery Charger (Dismantling and loading costs 55.00) | 10.00 |
| 611106 | Linde Itronic SE 48 Volt 75 Amp Forklift Battery Charger Battery Charger, Linde Itronic SE 48 Volt 75 Amp Forklift Battery Charger (Dismantling and loading costs 27.50) | 10.00 |
| 611111 | Lot of 5 Spiral Gearboxes as Lotted Gear Box, Lot of 5 Spiral Gearboxes as Lotted (Dismantling and loading costs 82.50) | 10.00 |
| 611114 | Grundfos CRNE 20-17 Vertical Centrifugal Pump Centrifugal Pump, Grundfos CRNE 20-17 Vertical Centrifugal Pump (Dismantling and loading costs 27.50) | 250.00 |
| 611115 | Unused Grundfos CRNE 20-07 Vertical Centrifugal Pump Centrifugal Pump, Unused Grundfos CRNE 20-07 Vertical Centrifugal Pump (Dismantling and loading costs 27.50) | 550.00 |
| 611116 ⁻ | Grundfos CRNE 15-17 Vertical Centrifugal Pump Centrifugal Pump, Grundfos CRNE 15-17 Vertical Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611117 · | Grundfos CRNE 45-4 Vertical Centrifugal Pump Centrifugal Pump, Grundfos CRNE 45-4 Vertical Centrifugal Pump (Dismantling and loading costs 27.50) | 450.00 |
| 611119 · | Unused Grundfos CRNE 10-05 Vertical Centrifugal Pump Centrifugal Pump, Unused Grundfos CRNE 10-05 Vertical Centrifugal Pump (Dismantling and loading costs 27.50) | 550.00 |
| 611120 | Unused Grundfos CRNE 20-03 Vertical Centrifugal Pump Centrifugal Pump, Unused Grundfos CRNE 20-03 Vertical Centrifugal Pump (Dismantling and loading costs 28.00) | 550.00 |
| 611122 | Unused Grundfos NB 32 Centrifugal Pump Centrifugal Pump, Unused Grundfos NB 32 Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611123 | Unused Grundfos NB 32 Centrifugal Pump Centrifugal Pump, Unused Grundfos NB 32 Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |

| Starting | Bid | € |
|-----------------|-----|---|
| U | | _ |

| 611124 | 1 Grundfos NBE50-125/135 Centrifugal Pump Centrifugal Pump, Grundfos NBE50-125/135 Centrifugal Pump (Dismantling and loading costs 27.50) | 350.00 |
|--------|---|--------|
| 611126 | 1 Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611127 | Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, serial number 991724, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611128 | Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, serial number 991720, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611129 | Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, serial number 1081438, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611130 | Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, serial number 1089016, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611131 | 1 Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive Gear Box, serial number 991726, Stober R17 W0-1000-037-4 Adjustable Gear Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611132 | 1 Lot of 7 Miscellaneous Gearboxes and Motor Drives Motor, Lot of 7 Miscellaneous Gearboxes and Motor Drives Includes:(1-7) Atek Angle Gearbox(2-7) Lenze Angle Gearbox(3-7) Sew Eurodrive Flat Gearbox(4-7) Sew Eurodrive Flat Gearbox(5-7) Lenze SPL62 Motor Drive(6-7) Siemens 1FT5074 Servomotor(7-7) Lenze Gearbox Motor Drive (Dismantling and loading costs 275.00) | 10.00 |
| 611133 | 1 SEW Eurodrive RFX61 Gearbox Motor Drive Gear Box, serial number 01.1176038001.0001.07, SEW Eurodrive RFX61 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611134 | 1 SEW Eurodrive KA67B DV112M4/BMG Gearbox Motor Drive Gear Box, serial number 01.3121341702.0001.04, SEW Eurodrive KA67B DV112M4/BMG Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611136 | 1 Unused Siemens Loher DNGW-071BS-04E Atex Rated Motor Drive Motor, Unused Siemens Loher DNGW-071BS-04E Atex Rated Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611139 | 1 Lot of 7 Miscellaneous Gearboxes and Motor Drives Motor, Lot of 7 Miscellaneous Gearboxes and Motor Drives(1-7) SEW Eurodrive KAF37 Gearbox Motor(2-7) Lenze 52.609 Gearbox Motor Drive(3-7) Lenze 52.609 Gearbox Motor Drive(4-7) Lenze 52.609 Gearbox Motor Drive(5-7) Stober RD111W0 Gearbox Motor Drive(6-7) SEW Eurodrive S47 Gearbox Motor Drive(7-7) SEW Eurodrive S47 Gearbox Motor Drive (Dismantling and loading costs 110.00) | 10.00 |
| 611140 | 1 Unused Stober B21R 100 Gearbox Motor Drive Gear Box, Unused Stober B21R 100 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611141 | 1 Lot of 8 Miscellaneous Gearbox Motor Drives Gear Box, Lot of 8 Miscellaneous Gearbox Motor Drives Includes:(4)Lenze Gearbox Motor DrivesNord 1S32 Gearbox Motor DriveSEW Eurodrive Motor DriveBauer B G 06 Motor DriveStober KZ1R Adjustable Gearbox Motor Drive (Dismantling and loading costs 165.00) | 10.00 |
| 611142 | Lot of 2 Unused Weg AL71-02 Motor Drives Fitted with Blower Blower, serial number 1014833055, 1014833027, Lot of 2 Unused Weg AL71-02 Motor Drives Fitted with Blower (Dismantling and loading costs 44.00) | 10.00 |

| 611144 | 1 Lot of 8 Miscellaneous Gearbox Motor Drives Gear Box, Lot of 8 Miscellaneous Gearbox Motor Drives Includes:Unused Sew Eurodrive WAF 20 DR Gearbox Motor DriveSNT 1163B4 Gearbox Motor DriveBrown Pestell 140 GearboxBonfiglioli BN63H4 Gearbox Drive(2)Unused Sew Eurodrive W37SMP Spiroplan Angular Geared MotorSEW Eurodrive SA37 Gearbox Motor DriveLenze 1=60 Gearbox (Dismantling and loading costs 165.00) | 10.00 |
|--------|---|-------|
| 611146 | Spirax Sarco PN 16 Condensate Pump Pressure Pump, Spirax Sarco PN 16 Condensate Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611147 | Grundfos CRNE 5-8 Centrifugal Pump Centrifugal Pump, serial number 1, Grundfos CRNE 5-8 Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611148 | Unused Grundfos CRNE 64-4 Centrifugal Pump Centrifugal Pump, serial number 4679, Unused Grundfos CRNE 64-4 Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611151 | Lot of 3 Cemp Motor Drives Motor, Lot of 3 Cemp Motor DrivesModels E080B & E071BEEX-D Flame Proof (Dismantling and loading costs 55.00) | 10.00 |
| 611153 | Siemens ELMO-G Blower Unit Blower, Siemens ELMO-G Blower Unit (Dismantling and loading costs 27.50) | 10.00 |
| 611154 | 1 Lot of 2 Unused Sew Eurodrive Gear Motor Drives Gear Box, Lot of 2 Unused Sew Eurodrive Gear Motor Drives(1-2) Unused Sew Eurodrive Gear Motor Drive Model DRE100LC4BES FF TF(2-2) Unused Sew Eurodrive Gear Motor Drive Model RF47DRS71M4BE1 (Dismantling and loading costs 55.00) | 10.00 |
| 611156 | Lot of 3 Allen Bradley Servomotor Drives Motor, Lot of 3 Allen Bradley Servomotor Drives(1-3) Unused Allen Bradley Model MPL B22OT Servomotor Drive (2-3) Allen Bradley Model MPL B22OT Servomotor Drive (3- 3) Unused Allen Bradley Model BB8402 Servomotor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611157 | 1 Unused SEW Eurodrive FH67B Gearbox Motor Drive Gear Box, serial number 01.1782209501.0001.12, Unused SEW Eurodrive FH67B Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611159 | | 10.00 |
| 611160 | 1 Unused Sew Eurodrive R27 Gearbox Motor Drive Gear Box, serial number 01.1739519001.0001.11, Unused Sew Eurodrive R27 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611161 | 1 Unused Sew Eurodrive R27 Gearbox Motor Drive Gear Box, serial number 01.1739519002.0001.11, Unused Sew Eurodrive R27 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611162 | 1 Unused Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1739519008.0001.11, Unused Sew Eurodrive SA37 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611163 | Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1184237401.0004.07, Sew Eurodrive SA37 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611164 | 1 Unused Sew Eurodrive FA87/C Gearbox Motor Drive Gear Box, Unused Sew Eurodrive FA87/C Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611165 | Unused Sew Eurodrive S57 Gearbox Motor Drive Gear Box, Unused Sew Eurodrive S57 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |

Starting Bid €

| Gear Box, serial number 64.1745170302.0001.11.70, Unused Sew Eurodrive SF47 Gearbox Motor Drive (Dismantling and loading costs 27.50) 10.00 611167 1 Unused Sew Eurodrive RXF57 Gearbox Motor Drive Gear Box, serial number 01.1582898501.0001.12, Unused Sew Eurodrive RXF57 Gearbox Motor Drive (Dismantling and loading costs 27.50) 10.00 611168 1 Lot of 33 Miscellaneous Endress Hauser Equipment Motor, Lot of 33 Miscellaneous Endress Hauser Equipment(1-33) Endress and Hauser FTW360 Pump Protector(2-33) Endress and Hauser FTW360 Pump Protector(3-33) Endress and Hauser FTW360 Pump Protector(3-33) Endress and Hauser FTW360 Pump Protector(5-33) Endress and Hauser TLP Point Level Detection (12-33) Endress and Hauser Liquiphant FTL Point Level Detection (22-33) Endress Hauser Resistance Thermometer (26-33) Endress Hauser Deta Priot S(3) Si Endress Hauser Resistance Thermometer (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Suphant M Point Level Detection (23-33) Endress Hauser Deta Priot S(3) Si Endress Hauser Resistance Thermometer (28-33) Endress Hauser Deta Piot S(31-33) Endress Hauser Cerabar Gauge P | | | , |
|--|--------|--|-------|
| Gear Box, serial number 01.1582898501.0001.12, Unused Sew Eurodrive RXF67 Gearbox Motor Drive (Dismantiing and loading costs 27.50) 10.00 611168 1 Lot of 33 Miscellaneous Endress Hauser Equipment Motor, Lot of 33 Miscellaneous Endress Hauser ETW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(6-33) Endress and Hauser FTW360 Pump Protector(6-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(6-33) Endress and Hauser FTW360 Pump Protector(6-33) Endress and Hauser Liquiphant FTL Point Level Detector (10-33) Endress and Hauser Liquiphant FTL Point Level Detector (11-33) Endress and Hauser Liquiphant FTL Point Level Detector (15-33) Endress and Hauser Liquiphant FTL Point Level Detector (15-33) Endress and Hauser Liquiphant FTL Point Level Detector (16-33) Endress and Hauser Liquiphant FTL Point Level Detector (16-33) Endress and Hauser Liquiphant FTL Point Level Detector (16-33) Endress and Hauser Liquiphant FTL Point Level Detector (23-33) Endress and Hauser Liquiphant FTL Point Level Detection (17-33) Endress and Hauser Liquiphant FTL Point Level Detector (18-33) Endress and Hauser Liquiphant FTL Point Level Detector (18-33) Endress and Hauser Liquiphant FTL Point Level Detector (23-33) Endress Hauser Resistance Thermometer (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Resistance Thermometer (26-33) Endress Hauser Detector (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Detector (23-33) Endress Hauser Detector (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Detector (23-33) Endress Hauser Detector (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Detector (23-33) Endress Hauser Detector (25-77B 15 Inch Touch Screen Panel (Dismantling and loading costs 16.50) 10.00 | 611166 | Gear Box, serial number 64.1745170302.0001.11.70, Unused Sew Eurodrive SF47 | 10.00 |
| Motor, Lot of 33 Miscellaneous Endress Hauser Équipment(1-33) Endress and Hauser FTW360 Pump Protector(2-33) Endress and Hauser FTW360 Pump Protector(3-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(5-33) Endress and Hauser FTW360 Pump Protector(3-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(8-33) Endress and Hauser FTW360 Pump Protector(9-33) Endress and Hauser FTW360 Fump Protector(7-33) Endress and Hauser FTW360 Pump Protector(8-33) Endress and Hauser FTW360 Pump Protector(9-33) Endress and Hauser Liquiphant FTL Point Level Detection (11-33) Endress and Hauser Liquiphant FTL Point Level Detection (13-33) Endress and Hauser Liquiphant FTL Point Level Detection (14-33) Endress and Hauser Liquiphant FTL Point Level Detection (14-33) Endress and Hauser Liquiphant FTL Point Level Detection (18-33) Endress and Hauser Liquiphant FTL Point Level Detection (24-33) Endress Hauser Reisitance Thermometer (27-33) Endress Hauser Reisitance Thermometer (26-33) Endress Hauser Reisitance Thermometer (27-33) Endress Hauser Reisitance Thermometer (28-33) Endress Hauser Soliphant M Point Level Detection(24-33) Endress Hauser Deta Pilot S(30-33) Endress Hauser Deta Pilot S(31-33) Endress Hauser Cerabar Gauge Pressure (Dismantling and loading costs 166.00) 10.00 611170 1 Unused Alien Bradley Yanel View Plus 1000 Controller, Unused Alien Bradley Panel View Plus 1000 Controller, Unused Alien Bradley Panel View Plus 1000 Controller, Unused Alien Bradley Pane | 611167 | Gear Box, serial number 01.1582898501.0001.12, Unused Sew Eurodrive RXF57 | 10.00 |
| Controller, Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel (Dismantling and loading costs 16.50)10.006111701Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel (Dismantling and loading costs 16.50)10.006111711Unused Allen Bradley Panel View Plus 1000 Controller, Unused Allen Bradley Panel View Plus 1000 (Dismantling and loading costs 16.50)10.006111721Unused Allen Bradley Powerflex 70 Frequency AC Drive Drive, serial number 21427949, Unused Allen Bradley Powerflex 70 Frequency AC Drive Drive (Dismantling and loading costs 27.50)10.006111731Unused Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- 2) Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00)10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.00 | 611168 | Motor, Lot of 33 Miscellaneous Endress Hauser Equipment(1-33) Endress and Hauser FTW360 Pump Protector(2-33) Endress and Hauser FTW360 Pump Protector(3-33) Endress and Hauser FTW360 Pump Protector(4-33) Endress and Hauser FTW360 Pump Protector(5-33) Endress and Hauser FTW360 Pump Protector(6-33) Endress and Hauser FTW360 Pump Protector(7-33) Endress and Hauser FTW360 Pump Protector(8-33) Endress and Hauser FTW360 Pump Protector(9-33) Endress and Hauser Liquiphant FTL Point Level Detection (10-33) Endress and Hauser Liquiphant FTL Point Level Detection (11-33) Endress and Hauser Liquiphant FTL Point Level Detection (12-33) Endress and Hauser Liquiphant FTL Point Level Detection (17-33) Endress and Hauser Liquiphant FTL Point Level Detection (12-33) Endress and Hauser Liquiphant FTL Point Level Detection (22-33) Endress Hauser Resistance Thermometer (26-33) Endress Hauser Resistance Thermometer (27-33) Endress Hauser Resistance Thermometer (28-33) Endress Hauser Soliphant M Point Level Detection(29-33) Endress Hauser Detta Pilot S(30-33) Endress Hauser Detta Pilot S(31-33) Endress | 10.00 |
| Controller, Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel (Dismantling and loading costs 16.50)10.006111711Unused Allen Bradley Panel View Plus 1000 Controller, Unused Allen Bradley Panel View Plus 1000 (Dismantling and loading costs 16.50)10.006111721Unused Allen Bradley Powerflex 70 Frequency AC Drive Drive, serial number 21427949, Unused Allen Bradley Powerflex 70 Frequency AC Drive (Dismantling and loading costs 27.50)10.006111731Unused Lot of 2 Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- 2) Allen Bradley Kinetix 6000 Servo Drive (Dismantling and loading costs 44.00)10.006111741Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00)10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.00 | 611169 | 1 Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel Controller, Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel | 10.00 |
| Controller, Unused Allen Bradley Panel View Plus 1000 (Dismantling and loading costs 16.50)10.006111721Unused Allen Bradley Powerflex 70 Frequency AC Drive Drive, serial number 21427949, Unused Allen Bradley Powerflex 70 Frequency AC Drive (Dismantling and loading costs 27.50)10.006111731Unused Lot of 2 Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- 2) Allen Bradley Kinetix 6000 Servo Drive (Dismantling and loading costs 44.00)10.006111741Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00)10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.00 | 611170 | Controller, Unused Siemens Simatic PC 577B 15 Inch Touch Screen Panel | 10.00 |
| Drive, serial number 21427949, Unused Allen Bradley Powerflex 70 Frequency AC Drive (Dismantling and loading costs 27.50)10.006111731Unused Lot of 2 Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- 2) Allen Bradley Kinetix 6000 Servo Drive (Dismantling and loading costs 44.00)10.006111741Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00)10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.00 | 611171 | Controller, Unused Allen Bradley Panel View Plus 1000 (Dismantling and loading costs | 10.00 |
| 6111731Unused Lot of 2 Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- 2) Allen Bradley Kinetix 6000 Servo Drive (Dismantling and loading costs 44.00)10.006111741Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00)10.006111751Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo10.00 | 611172 | Drive, serial number 21427949, Unused Allen Bradley Powerflex 70 Frequency AC | 10.00 |
| Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00) 611175 1 Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo | 611173 | 1 Unused Lot of 2 Allen Bradley Kinetix 6000 Servo Drive Drive, serial number 21866177, 22048396, Allen Bradley Kinetix 6000 Servo Drive(1- | 10.00 |
| Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo | 611174 | Drive, serial number 21957618, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo | 10.00 |
| | 611175 | Drive, serial number 22077747, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo | 10.00 |

| 611176 | 1 Unused Allen Bradley Powerflex 40 Frequency AC Drive with Power Supply Drive, serial number DB8P0N0W3020102, Unused Allen Bradley Powerflex 40 Frequency AC Drive with Power Supply(1-2) Unused Allen Bradley Powerflex 40 Frequency AC Drive(2-2) Unused Allen Bradley Power Supply (Dismantling and loading costs 27.50) | 10.00 |
|--------|---|-------|
| 611177 | 1 Unused Allen Bradley Powerflex 40 Frequency AC Drive Drive, serial number 24388484, Unused Allen Bradley Powerflex 40 Frequency AC Drive (Dismantling and loading costs 22.00) | 10.00 |
| 611178 | 1 Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive Drive, serial number 23599274, Unused Allen Bradley Kinetix 6000 Multi-Axis Servo Drive (Dismantling and loading costs 22.00) | 10.00 |
| 611181 | 1 Lot of 8 Keyence CL Sensors Sensor, Lot of 8 Keyence CL Sensors Includes:(1-8) Keyence CZ-H32 Lazer Sensor(2-8) Keyence CZ-H32 Lazer Sensor(3-8) Keyence CZ-H32 Lazer Sensor(4-8) Keyence CZ-H32 Lazer Sensor(5-8) Keyence CZ-V21P Lazer Senor(6-8) Keyence CZ-V21P Lazer Senor(7-8) Keyence CZ-V21P Lazer Senor(8-8) Keyence CZ-V21P Lazer Senor (Dismantling and loading costs 16.50) | 10.00 |
| 611182 | 1 Lot of 12 Sick MSL2 Safety Light Curtains Safety Equipment, Lot of 12 Sick MSL2 Safety Light Curtains Includes:(1-12) Sick MSL2 Safety Light Curtain(2-12) Sick MSL2 Safety Light Curtain(3-12) Sick MSL2 Safety Light Curtain(4-12) Sick MSL2 Safety Light Curtain(5-12) Sick MSL2 Safety Light Curtain(6-12) Sick Eco Transmitter(7-12) Sick Eco Receiver(8-12) Sick LGTS Transmitter(12-12) Sick LGTS Transmitter (Dismantling and loading costs 27.50) | 10.00 |
| 611183 | 1 Unused Sew Eurodrive R27 Gearbox Motor Drive Gear Box, serial number 01.1739519006.0001.11, Unused Sew Eurodrive R27 DT80K4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611184 | 1 Unused Sew Eurodrive R27 Gearbox Motor Drive Gear Box, serial number 01.1739519003.0002.11, Unused Sew Eurodrive R27 DT80K4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611185 | 1 Unused Sew Eurodrive R27 Gearbox Motor Drive Gear Box, serial number 01.1739519007.0001.11, Unused Sew Eurodrive R27 DT71D4/BMG/TF/NV26 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611186 | 1 Unused Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1195807601.0005.07, Unused Sew Eurodrive SA37 DT71D4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611187 | 1 Unused Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1739519010.0001.11, Unused Sew Eurodrive SA37 DT71D4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611188 | 1 Unused Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1195807602.0002.07, Unused Sew Eurodrive SA37 DT71D4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611189 | 1 Unused Sew Eurodrive SA37 Gearbox Motor Drive Gear Box, serial number 01.1739519009.0001.11, Unused Sew Eurodrive SA37 DT71D4/TF Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611190 | 1 Unused Sew Eurodrive R37 Gearbox Motor Drive Gear Box, serial number 01.1265700501.0001.08, Unused Sew Eurodrive R37 Gearbox Motor Drive (Dismantling and loading costs 27.50) | 10.00 |
| 611192 | Mettler Toledo Floor Balances with IND780 Weighing Terminal Balance, Mettler Toledo Floor Balances with IND780 Weighing Terminal(1-3) Balance 1 Max=150 kg d=0.05 kg(2-3) Balance 2: Max=15 kg d=0.005 kg(3-3) Mettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 82.50) | 10.00 |
| 611193 | 1 Mettler Toledo Benchtop Balance with IND780 Weighing Terminal Scale, Mettler Toledo Benchtop Balance with IND780 Weighing Terminal(1-2) Mettler Toledo Benchtop Balance (2-2) Mettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 55.00) | 10.00 |

| 611194 | 1 | Mettler Toledo Benchtop Balance with IND780 Weighing Terminal Scale, serial number 032209P, 3114819-5LL, Mettler Toledo Benchtop Balance with IND780 Weighing Terminal(1-2) Mettler Toledo Benchtop Balance (2-2) Mettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 110.00) | 10.00 |
|--------|---|--|-------|
| 611195 | 1 | Scale, serial number 2063086, 3143253-5DM, Mettler Toledo Benchtop Balance with IND780 Weighing Terminal(1-2) Mettler Toledo Benchtop Balance (2-2) Mettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 55.00) | 10.00 |
| 611196 | 1 | Mettler Toledo Floor Scale with IND780 Weighing Terminal Scale, serial number 3143258, Mettler Toledo Benchtop Balance with IND780 Weighing Terminal(1-3) Floor Scale 2: Max=600 kg d=0.2 kg(2-3) Benchtop Scale Max 15 kg d=0.005 kg(3-3) Mettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 82.50) | 10.00 |
| 611197 | 1 | Mettler Toledo Floor Scale with IND780 Weighing Terminal Scale, serial number 2648187, 3143257-5DM, Mettler Toledo Floor Scale: Max 600 kg d=0.2 kgBenchtop Scale: Max 15 kg d=0.005 kg d=0.005 kgMettler Toledo IND780 Weighing Terminal (Dismantling and loading costs 82.50) | 10.00 |
| 611199 | 1 | Nederman Fume Extraction Arm with Hood Damper Fume and Flow Hood, Nederman Fume Extraction Arm with Hood Damper (Dismantling and loading costs 192.50) | 10.00 |
| 611200 | 1 | Nederman Fume Extraction Arm with Hood Damper Fume and Flow Hood, Nederman Fume Extraction Arm with Hood Damper (Dismantling and loading costs 192.50) | 10.00 |
| 611201 | 1 | Nederman Fume Extraction Arm with Hood Damper Fume and Flow Hood, Nederman Fume Extraction Arm with Hood Damper (Dismantling and loading costs 192.50) | 10.00 |
| 611202 | 1 | Nederman Fume Extraction Arm with Hood Damper Fume and Flow Hood, Nederman Fume Extraction Arm with Hood Damper (Dismantling and loading costs 192.50) | 10.00 |
| 611203 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611204 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611205 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611206 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611207 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611208 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |
| 611209 | 1 | Lot of 10 Stainless Steel Storage Containers Container, Lot of 10 Stainless Steel Storage Containers Lids are Not Included with this Listing (Dismantling and loading costs 110.00) | 10.00 |
| 611210 | 1 | Lot of 10 Stainless Steel Storage Containers with Lids Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) | 10.00 |

Lot **Number Description** Starting Bid € 611211 1 Lot of 10 Stainless Steel Storage Containers with Lids 10.00 Container, Lot of 10 Stainless Steel Storage Containers with Lids(1-10 through 10-10) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 110.00) 1 Lot of 18 Stainless Steel Storage Containers with Lids 611212 10.00 Container, Lot of 18 Stainless Steel Storage Containers with Lids(1-18 through 18-18) Stainless Steel Storage Containers with Lids (Dismantling and loading costs 82.50) 611213 1 Lot of 40 Stainless Steel Storage Containers with Lids 10.00 Container, Lot of 40 Stainless Steel Storage Containers with Lids as Lotted(1-40 through 40-40) Stainless Steel Storage Containers with LidsDimensions for each container are: 270mmx270mmx380mm (Dismantling and loading costs 220.00) 611214 1 Lot of 5 Stainless Steel Storage Containers 10.00 Container, Lot of 5 Stainless Steel Storage Containers Lids are Not Included with this Listing (Dismantling and loading costs 82.50) 1 Krahnen KEVA30H Vacuum Cleaner 611215 10.00 Vacuum, serial number 15A49599, Krahnen KEVA30H Vacuum Cleaner (Dismantling and loading costs 27.50) 1 Gram Bio Plus ER 1400 Laboratory Refrigerator 611216 10.00 Refrigerator, Gram Bio Plus ER 1400 Laboratory RefrigeratorAtex RatedFront Doors have Scratch Marks and a Couple of Dents (Dismantling and loading costs 82.50) 1 Fritz Schafer PR 350 Warehouse Shelving Racking System 611218 10.00 Racking Equipment, Fritz Schafer PR 350 Warehouse Shelving Racking System Racking is already Dismantled Including: 135 Shelves Dimensions for each Shelf=300X1060X60There are 11 Racks and dimensions for each are: 2800x1050x3600Overall dimensions=30800x1050x3600, 2000kg (Dismantling and loading costs 110.00) 611219 1 Stainless Steel Sink 10.00 Sink, Stainless Steel SinkSink Dimensions: 600X500X250 LXWXH (Dismantling and loading costs 165.00) 1 Ruby 55T Floor Scrubber 611220 10.00 Floor Scrubber, Ruby 55T Floor Scrubber (Dismantling and loading costs 27.50) 611221 1 Fluid WH 01 Geared Drive Liquid Mixer 10.00 Mixer, Fluid WH 01 Geared Drive Liguid MixerIncluding the Blade in the Block Bucket Adjusted up to 1150 mmManual Included (Dismantling and loading costs 385.00) 611222 1 Lafis LEH 20 c Electric Pallet Jack 10.00 Pallet Jack, serial number 40083, Lafis LEH 20 c Electric Pallet JackForks: 1200X160X80 mm LXWXHGap: 200 mm (Dismantling and loading costs 55.00) 611224 1 TGL FEHCI Electric Pallet Jack 10.00 Pallet Jack, serial number F01606, TGL FEHCI Electric Pallet JackForks: 1200x190x60Gap Between Forks: 170 mm (Dismantling and loading costs 55.00) 611225 1 Chloride Motive Power Classic Plus 24V 25A Forklift Battery Charger 10.00 Battery Charger, serial number WE 0779692, Chloride Motive Power Classic Plus 24V 25A Forklift Battery Charger (Dismantling and loading costs 27.50) 1 Charger One S 48V 80A Forklift Battery Charger 611226 10.00 Battery Charger, serial number 0534714/00004/01/1, Charger One S 48V 80A Forklift Battery Charger (Dismantling and loading costs 27.50) 1 Itronic E 24V 36A Forklift Battery Charger 10.00 611227 Battery Charger, serial number 72405/0/00001/07/8, Itronic E 24V 36A Forklift Battery ChargerType E 24/36140-230 Ah (Dismantling and loading costs 27.50) 611228 1 Lifter HL10E L540 Battery Operated Pallet Jack 10.00 Pallet Jack, serial number 2002 HH 000453, Lifter HL10E L540 Battery Operated Pallet JackForks: 1150X460X50 mm (LXWXH)Gap: 210 mm (Dismantling and loading

costs 16.50)

| 611229 | 1 Jungheinrich ELE16G Electric Pallet Jack Pallet Jack, Jungheinrich ELE16G Electric Pallet JackForks=1150X160X50 mm (LXWXH)Gap: 200 mmHours: 9191 (Dismantling and loading costs 55.00) | 10.00 |
|--------|--|-------|
| 611233 | Lafis LEHCI Electric Pallet Stacker Pallet Jack, Lafis LEHCI Electric Pallet StackerForks: 1200 mm X 190 mm X 70 mmForks Gap: 180 mmIncluding: Itronic SE 24V 36A Forklift Battery Charger (Dismantling and loading costs 55.00) | 10.00 |
| 611234 | Jungheinrich EJD220 Electric Pallet Truck Pallet Jack, serial number 90399361, Jungheinrich EJD220 Electric Pallet TruckForks: 1700X190X100 mm (LXWXH)Gap: 200 mm (Dismantling and loading costs 55.00) | 10.00 |
| 611235 | 1 Jungheinrich ETV 214 Electric Pallet Truck Pallet Jack, serial number 91017795, Jungheinrich ETV 214 Electric Pallet TruckAdjustable ForksJungheinrich Timetronic Plus 48V 105A Forklift Battery Charger (Dismantling and loading costs 110.00) | 10.00 |
| 611236 | Jungheinrich ETV 214 Electric Pallet Truck Pallet Jack, serial number 91090403, Jungheinrich ETV 214 Electric Pallet TruckAdjustable Forks (Dismantling and loading costs 110.00) | 75.00 |
| 611237 | Jungheinrich ETVA10 Electric Forklift Fork Lift Truck, serial number 7.6222.44.02, Jungheinrich ETVA10 Electric ForkliftDistance of Load Center: 600 mmAdjustable ForksGap between Front Wheels: 900 mmIncluding: Power One 24V 65A Forklift Battery Charger (Dismantling and loading costs 110.00) | 10.00 |
| 611238 | Jungheinrich ETGA10 Electric Forklift Fork Lift Truck, serial number 7.6211.02.01, Jungheinrich ETGA10 Electric ForkliftType: ETGA 10 GE 115-290 TAdjustable ForksHours: 33406Including: Power One 24V 65A Forklift Battery Charger (Dismantling and loading costs 110.00) | 10.00 |
| 611241 | Linde E16P Electric Forklift Fork Lift Truck, serial number 322C08503616, Linde E16P Electric ForkliftHours: 4,336 (Dismantling and loading costs 110.00) | 10.00 |
| 611242 | 1 Schafer Industrial Warehouse Storage System Racking Equipment, Schafer Industrial Warehouse Storage System7 Double Racks Each Rack: 2800X1050X3600 (Dismantling and loading costs 715.00) | 10.00 |
| 611243 | 1 Soco System T-10 Case Sealer Glue Machine, Soco System T-10 Case SealerCarton Width: 150-510 mmCarton Height: 150-480 mm (Dismantling and loading costs 55.00) | 10.00 |
| 611244 | 1 Jungheinrich EFT-50 Profishop Electric Scissor Lift Table on Wheels Fork Lift Truck, serial number 170223, Jungheinrich EFT-50 Profishop Electric Scissor Lift Table on Wheels (Dismantling and loading costs 27.50) | 10.00 |
| 611245 | 1 Pramac HL10E L540 Electric Pallet Jack Pallet Jack, serial number 2002 HH 001099, Pramac HL10E L540 Electric Pallet JackForks: 1150x160x50mm. (Dismantling and loading costs 16.50) | 10.00 |
| 611247 | 1 Pramac Industries TX10 16 Electric Walkie Fork Lift Fork Lift Truck, serial number HL10001472, Pramac Industries TX10 16 Electric Walkie Fork LiftForks: 1150x170x50mm. (Dismantling and loading costs 55.00) | 10.00 |
| 611249 | 1 ICEM CTS 6 296F Electric Fork Lift with Bauerflex-H Drum Tipper Fork Lift Truck, serial number 21217, ICEM CTS 6 296F Electric Fork Lift with Bauerflex-H Brum TipperAdjustable forks.Lifts barrels with diameter: 580mm.Battery height: 2960mm.With ICEM Battery Charger, 24V, 40A. (Dismantling and loading costs 220.00) | 10.00 |
| 611250 | 1 Nilfisk Alto Scrubtec R 586 Floor Scrub Cleaning Machine Floor Scrubber, serial number 3000087806, Nilfisk Alto Scrubtec R586 Floor Scrub Cleaning Machine (Dismantling and loading costs 55.00) | 10.00 |
| 611251 | 1 Doosan LEDD Electric Pallet Jack Pallet Jack, serial number 3127, Doosan LEDD Electric Pallet JackForks: 1200x190x70mm. (Dismantling and loading costs 55.00) | 10.00 |

| 611253 | 1 Jungheinrich EJC 16 Electric Walkie Fork Lift Fork Lift Truck, serial number 90013411, Jungheinrich EJC 216 Electric Walkie Fork LiftForks: 1600x190x60mm.Load center distance: 600mm.Maximum height: 2800mm. (Dismantling and loading costs 55.00) | 10.00 |
|--------|--|-------|
| 611254 | 1 Avery TTX 650 Bar Code Label Printer Printing or Code Marker, serial number 254760898651, Avery TTX 650 Bar Code Label Printer (Dismantling and loading costs 27.50) | 10.00 |
| 611255 | 1 Oculus Binoptometer 3 Eye Test Device with Oculus 59851 Standard Console Optical Reader, serial number 99617060, Oculus Binoptometer 3 Eye Test Device with Oculus 59851 Standard Console (Dismantling and loading costs 27.50) | 10.00 |
| 611261 | 1 Lot of 5 Fiberglass Step-Ladders Ladder, Stair and Crossover, Lot of 5 Fiberglass Step-Ladders(1-5) Fiberglass Step- Ladder (Dismantling and loading costs 82.50) | 10.00 |
| 611262 | 1 Lot of 2 Racks with Cushioned Pipe Clamps Clamp, Lot of 2 Racks with Cushioned Pipe ClampsMore than 500 assorted cushioned pipe clamps.Clamp sizes: 0.5" to 6". (Dismantling and loading costs 165.00) | 10.00 |
| 611263 | 1 Lot of Shut Off Valves Elbow Inox Fitting Pipes and T-Shaped Fitting Pipes Valve, Lot of Shut Off Valves Elbow Inox Fitting Pipes and T-Shaped Fitting PipesIncludes steel rack.As lotted. (Dismantling and loading costs 605.00) | 10.00 |
| 611264 | 1 Unused TLV DN50 PN40 Steam Trap Valve, Unused TLV DN50 PN40 Steam Trap(1-2) Unused TLV DN50 PN40 Steam Trap(2-2) Box 2 (Dismantling and loading costs 82.50) | 10.00 |
| 611265 | 1 Lot of 2 Wilo MV13202-3 16 Vertical Inline High Pressure Pumps Pressure Pump, Lot of 2 Wilo MV13202-3 16 Vertical Inline High Pressure Pumps (Dismantling and loading costs 55.00) | 10.00 |
| 611266 | 1 Lot of 6 Wilo Top Water Pumps Pressure Pump, Lot of 6 Wilo Top Water Pumps (Dismantling and loading costs 82.50) | 10.00 |
| 611267 | 1 Lot of 2 Seepex MD 012-12 Dosing Pumps Pressure Pump, serial number 255221; 255222, Lot of 2 Seepex MD 012-12 Pumps (Dismantling and loading costs 44.00) | 10.00 |
| 611268 | Lot of Free Flow Steam Traps Ari-Euro-Wedi Shut Off Valves and Toyo Shut Off Valves with Steel Rack Valve, Lot of Free Flow Steam Traps Ari-Euro-Wedi Shut Off Valves and Toyo Shut Off Valves with Steel Rack (Dismantling and loading costs 220.00) | 10.00 |
| 611269 | 1 Unused Grundfos CM10 Centrifugal Pump Centrifugal Pump, Unused Grundfos CM10 Centrifugal Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611271 | 1 Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump Pressure Pump, serial number 4019088, Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump (Dismantling and loading costs 27.50) | 10.00 |
| 611272 | MIC TM22 Pallet Jack Pallet Jack, serial number 5004102, MIC TM22 Pallet JackForks: 1150x150x80mm (Dismantling and loading costs 16.50) | 10.00 |
| 611273 | 1 Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump Pressure Pump, serial number 4435927/0808, Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump (Dismantling and loading costs 137.50) | 10.00 |
| 611274 | 1 Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump Pressure Pump, serial number 4435927/0702, Wilo MV1814-2 25 V 3-400-50-2 Vertical Inline High Pressure Pump (Dismantling and loading costs 137.50) | 10.00 |
| 611275 | 1 Wilo MV1814-2 25 E 3-400-50-2 Vertical Inline High Pressure Pump Pressure Pump, Wilo MV1814-2 25 E 3-400-50-2 Vertical Inline High Pressure Pump (Dismantling and loading costs 137.50) | 10.00 |

| Lot | Number Description | Starting Bi | d € |
|--------|--|---|-------|
| 611276 | 1 Lot of 5 Steel Storage Storage Cabinet, Lot of costs 110.00) | 4 Shelves Cabinet 5 Steel Storage 4 Shelves Cabinet (Dismantling and loading | 10.00 |
| 611277 | 1 MIC WN 20 Electric Pa Pallet Jack, MIC WN 20 loading costs 55.00) | Ilet Jack Electric Pallet JackForks: 1150x180x50mm. (Dismantling and | 10.00 |
| 611278 | 1 Ramfan UB 20 XX Atex Fan, Ramfan UB 20 XX 44.00) | Atex Rated Turbo Ventilator 1 Atex Rated Turbo Ventilator (Dismantling and loading costs | 10.00 |
| 611279 | 1 AEG TB13P Table Drill Drills, serial number 265 and loading costs 137.5 | 045, AEG TB13P DrillWorking area: 230x230mm (Dismantling | 10.00 |
| 611280 | | Storage 4 Shelves Cabinet 1 6 Schafer Steel Storage 4 Shelves Cabinet (Dismantling and 1 | 10.00 |
| 611281 | 1 Karcher NT 8021 Wet Vacuum, serial number (Dismantling and loading | 12717, Karcher NT 8021 Wet Dry Vacuum CleanerOn Casters | 10.00 |
| 611282 | 1 Karcher NT 8021 Wet Vacuum, serial number (Dismantling and loading | 12229, Karcher NT 8021 Wet Dry Vacuum CleanerOn Casters | 10.00 |
| 611283 | Nilfisk CTT40 Wet Dry Vacuum, Nilfisk CTT40 V loading costs 11.00) | Vacuum Cleaner Net Dry Vacuum CleanerMounted on casters. (Dismantling and | 10.00 |
| 611285 | e | Stock Metal with Rack of Miscellaneous Stock Metal with RackAluminium, Iron Pipes, c.Steel Stock Metal Rack Included (Dismantling and loading | 10.00 |
| 611286 | | olleys on Casters I Trolleys on CastersWooden BaseEach Push Trolley has s (Dismantling and loading costs 55.00) | 10.00 |
| 611287 | Storage Cabinet, E-Plus | el Workbench Tool Cabinet with Drawers 1 Heavy Duty Steel Workbench Tool Cabinet 4-Drawers, Single ntling and loading costs 55.00) | 10.00 |
| 611288 | Hilti TE 18-M Multi Hamı | Drills ner Drills(1-3) Hilti TE 5A Hammer Drill (Case Included)(2-3) mer Drill (Case Included)(3-3) Hilti TE 35 Rotary & Chiseling uded)Hilti Battery Charger (Dismantling and loading costs | 10.00 |
| 611289 | | Dilleys on Casters on Casters Each Trolley has a Metal Frame with 2-Tier Wooden g and loading costs 138.00) | 10.00 |
| 611290 | 1 Custom Made Hamme Misc. Machine Tool / Sh (Dismantling and loading | op Equipment, Custom Made Hammer Anvil Iron Block | 10.00 |
| 611291 | Casters)(2-2) Mobile Too | g Cabinets 1 Tooling Cabinet (On Casters)(1-2) Mobile Tooling Cabinet (On oling Cabinet (On Casters)Each have 4-Drawers with Locking ng and loading costs 28.00) | 10.00 |
| 611292 | Pallet Handler, serial nu | PAH8 BB900 Pallet Lift Station 1 mber A1611307-223374, Unused Langhammer PAH8 BB900 antling and loading costs 138.00) | 10.00 |

| Sta | rting | a Bi | id € | ! |
|-----|-------|------|---------|---|
| | | | · · · · | , |

| 611293 | 1 Garvens Automation VF 8 Checkweigher Check Weigher, serial number 160006, Garvens Automation VF 8 CheckweigherMinimum 150 grams (Dismantling and loading costs 28.00) | 10.00 |
|--------|---|-------|
| 611294 | 1 Unused Mettler Toledo Sidegrip Conveyor Conveyor, serial number 60000020, Unused Mettler Toledo Sidegrip ConveyorDouble Side Grips for Liquid ContainersSidegrip belts are conveyors that support a package bycontacting its sides. They are used for packages which aredifficult to transfer with conventional conveyors. They canalso be used to space packages, and to maintain packagestability. Where a conventional conveyor has pulleys withhorizontal axes, sidegrip belts have vertical axes. Sidegripsshould be adjustable for different package widths ordiameters, without the need for tools. (Dismantling and loading costs 82.00) | 10.00 |
| 611295 | Unused Fristam FZ 22 PMK Centrifugal Pump Centrifugal Pump, serial number 550700070, Unused Fristam FZ 22 PMK Centrifugal Pump (Dismantling and loading costs 28.00) | 10.00 |
| 611296 | Indatron SE 24 Volt 100 Amp Forklift Battery Charger Battery Charger, Indatron SE 24 Volt 100 Amp Forklift Battery Charger (Dismantling and loading costs 28.00) | 10.00 |
| 611297 | 1 Indatron SE 24 Volt 105 Amp Forklift Battery Charger Battery Charger, serial number 0503997/00003/05/9, Indatron SE 24 Volt 105 Amp Forklift Battery ChargerType: D 24/105Capacity 380-770 A h (Dismantling and loading costs 28.00) | 10.00 |
| 611298 | 1 Still Electron Memory 48 Volt 90 Amp Forklift Battery Charger Battery Charger, serial number 0354019-0010-001, Still Electron Memory 48 Volt 90 Amp Forklift Battery Charger (Dismantling and loading costs 28.00) | 10.00 |
| 611299 | 1 Jungheinrich Timetronic II 24 Volt 40 Amp Forklift Battery Charger Battery Charger, serial number 179827, Jungheinrich Timetronic II 24 Volt 40 Amp Forklift Battery ChargerType E 230 G 24/40 B-ET 2250 AH (Dismantling and loading costs 28.00) | 10.00 |
| 611300 | 1 Jungheinrich Timetronic 24 Volt 30 Amp Forklift Battery Charger Battery Charger, serial number 191398, Jungheinrich Timetronic 24 Volt 30 Amp Forklift Battery ChargerType E 230V G 24V/30A B-ET190 Ah (Dismantling and loading costs 28.00) | 10.00 |
| 611301 | 1 HF-Line 4 E 24-30 High Frequency Battery Charger Battery Charger, serial number 201002624, HF-Line 4 E 24-30 High Frequency Battery ChargerType HF-line 4 24 Volt 30 Amp180-300 Ah (Dismantling and loading costs 16.00) | 10.00 |
| 611302 | Lifter HX10E 540 Electric Fork Lift Pallet Jack, serial number HLI0122157, Lifter HX10E 540 Electric Fork Lift (Dismantling and loading costs 16.00) | 10.00 |
| 611303 | 1 DMP Double Diaphragm Pump Diaphragm Pump, DMP Double Diaphragm PumpMounted on 2-Wheels for Mobility (Dismantling and loading costs 28.00) | 10.00 |
| 611305 | 1 Lot of 6 Miscellaneous Tooling Storage Cabinets Storage Cabinet, Lot of 6 Miscellaneous Tooling Storage Cabinets (Dismantling and loading costs 220.00) | 10.00 |
| 611306 | Lot of 6 Miscellaneous Storage Cabinets Storage Cabinet, Lot of 6 Miscellaneous Storage Cabinets (Dismantling and loading costs 220.00) | 10.00 |
| 611307 | Nilfisk ALTO ATTIX 9 Wet Dry Vacuum Cleaner Vacuum, serial number 3510130903028, Nilfisk ALTO ATTIX 9 Wet Dry Vacuum Cleaner (Dismantling and loading costs 27.50) | 10.00 |
| 611308 | 1 Stielow All-Round Conveyor System Conveyor, Stielow All-Round Conveyor System (Dismantling and loading costs 27.50) | 10.00 |

| Lot | Number Description Sta | arting Bid € |
|--------|--|---------------|
| 611309 | Schafer PR400 Steel Pallet Rack Racking Equipment, Schafer PR400 Steel Pallet Rack (Dismantling and loading cos 385.00) | 10.00 ts |
| 611310 | Schafer PR 600 Steel Pallet Rack Racking Equipment, Schafer PR 600 Steel Pallet Rack (Dismantling and loading cos 385.00) | 10.00 sts |
| 611311 | Cable Reel Rack Racking Equipment, Cable Reel Rack (Reels Not Included) (Dismantling and loading costs 605.00) | 10.00 9 |
| 611312 | Schafer PR 400 Steel Pallet Rack Racking Equipment, Schafer PR 400 Steel Pallet Rack (Dismantling and loading cos 605.00) | 10.00 sts |
| 611313 | Schafer PR 400 Steel Pallet Rack Racking Equipment, Schafer PR 400 Steel Pallet Rack (Dismantling and loading cos 330.00) | 10.00 sts |
| 611314 | Efaflex EFA-SRT-L Safe High Speed Door Doors, serial number 8000050563, Efaflex EFA-SRT-L Safe High Speed DoorWall Mounted Control BoxStainless Steel Construction (Dismantling and loading costs 0.) | 10.00 |
| 611315 | Tapflo TX425 STT Diaphragm Pump Diaphragm Pump, Tapflo TX425 STT Diaphragm PumpMounted On Cart (Dismantlin and loading costs 55.00) | 10.00 ng |
| 611316 | 1 Miscellaneous Lot of Metal Pipes and Aluminum Frames Miscellaneous Warehouse Equipment, Miscellaneous Lot of Metal Pipes and Alumir FramesRacking Not Included (Dismantling and loading costs 825.00) | 10.00 ium |
| 611317 | Rothenberger Robend 3000 Portable Tube Bending Device Bender, Rothenberger Robend 3000 Portable Tube Bending DeviceTravel Case Included (Dismantling and loading costs 16.50) | 10.00 |
| 611318 | Makita HM1202C Hammer Drill Drills, Makita HM1202C Hammer Drill950-1900 RPMTravel Case Included (Dismant and loading costs 16.50) | 10.00 ling |
| 611319 | 1 Lot of 3 Hilti Hammer Drills Drills, Lot of 3 Hilti Hammer Drills(1-3) Hilti TE 72 Hammer Drill(2-3) Hilti TE 14 Hammer Drill(3-3) Hilti TE 5A Hammer Drill (Dismantling and loading costs 33.00) | 10.00 |
| 611320 | 1 Lot of 3 Hilti Hand Power Tools Drills, Lot of 3 Hilti Hand Power Tools(1-3) Hilti T 54 Drill(2-3) Hilti TE 5 A Rotary Hammer Drill(3-3) Hilti TE-17 Hammer Drill (Dismantling and loading costs 33.00) | 10.00 |
| 611321 | 1 Denios 2G 614.OST-ISO Slide Doors Warming Cabinet Storage Cabinet, serial number 110040684-000100-001, Denios 2G 614.OST-ISO Slide Doors Warming Cabinet (Dismantling and loading costs 275.00) | 10.00 |
| 611322 | 1 Avery TTX 650 Bar Code Label Printer Printing or Code Marker, serial number 0254760897-651, Avery TTX 650 Bar Code Label Printer (Dismantling and loading costs 27.50) | 10.00 |
| 611323 | VideoJet XL 170i UHS Ink Jet Marking Machine Printing or Code Marker, serial number 08165038CWD, VideoJet XL 170i UHS Ink Marking Machine (Dismantling and loading costs 82.50) | 10.00 Jet |
| 611324 | 1 Avery ALX 720 Paint and Apply Labeling System Labeler, serial number 0506020404-ALX720, Avery ALX 720 Paint and Apply Labe System (Dismantling and loading costs 82.50) | 10.00 ling |
| 611325 | 1 H and B Schleuter ALS 341 RH Print and Apply Labeling System Labeler, serial number 13306, H and B Schleuter ALS 341 RH Print and Apply Labe System (Dismantling and loading costs 82.50) | 10.00 ling |
| 611326 | 1 H and B Schleuter ALS 341/L Print and Apply Labeling System Labeler, serial number 13120/2, H and B Schleuter ALS 341/L Print and Apply Labe System (Dismantling and loading costs 55.00) | 10.00 ling |

| Starting | g B | id € |
|----------|-----|------|
| | | |

| 611327 | Stielow SLX 720-6 Label Printer Labeler, Stielow SLX 720-6 Label Printer (Dismantling and loading costs 82.50) | 10.00 |
|--------|---|-----------|
| 611336 | Kaeser Classic 460/90 Air Compressor Air Compressor, serial number 1463, Kaeser Classic 460/90 Air Compressor (Dismantling and loading costs 110.00) | 10.00 |
| 611337 | Steel Storage Cabinet Storage Cabinet, Steel Storage CabinetDouble Door Upright (Dismantling and loading costs 27.50) | 10.00 |
| 611338 | Indac IN1CC40VTD50 Rotary Piston Pump Piston Pump, serial number 40958, Indac IN1CC40VTD50 Rotary Piston PumpMounted on Cart with Explosion Proof Control Box with Stainless Steel Sanitary Fittings (Dismantling and loading costs 27.50) | 10.00 |
| 611339 | Waukesha Cherry-Burrell 030U2C Lobe Transfer Pump Positive Displacement Pump / Lobe, serial number 1000002424862, Waukesha Cherry-Burrell 030U2C Lobe Transfer PumpNord Type SK 112 M/4 TF F Motor (Dismantling and loading costs 137.50) | 10.00 |
| 611340 | Alfa Laval M10-BFD Heat Exchanger Heat Exchanger/Condenser, serial number 301 12-67-378, Alfa Laval M10-BFD Heat Exchanger (Dismantling and loading costs 605.00) | 10.00 |
| 611341 | Waukesha Cherry Burrell 130U2 Lobe Transfer Pump Positive Displacement Pump / Lobe, serial number 1000002309716, Waukesha Cherry Burrell 130U2 Lobe Transfer PumpSanitary Fittings (Dismantling and loading costs 137.50) | 10.00 |
| 611342 | Waukesha Cherry Burrell 030U2 Lobe Transfer Pump Positive Displacement Pump / Lobe, serial number L000002310323, Waukesha Cherry Burrell 030U2 Lobe Transfer PumpMounted on a Metal Frame Stainless Steel Sanitary Fittings (Dismantling and loading costs 137.50) | 10.00 |
| 611343 | Hanse Lifter SDJ1025-01 Manual Pallet Stacker Pallet Jack, Hanse Lifter SDJ1025-01 Manual Pallet StackerForks: 1150 mm X 170 mm X 60 mm Gap: 210 mm (Dismantling and loading costs 82.50) | 10.00 |
| 665362 | Complete Pamasol 30 to 50 ml Aerosol Plastic PET Bottle Filling Line Aerosol Filling Line, Aerosol Volume Range = 30 to 50 mlAerosol Size Range Handled = 30 mm diameter, x 90 up to 125 mm highAerosol Filling / Packing Speed = 120 up to 140 Aerosols/minCombined Plastic PET Bottle Puck Loading & Side Labelling System, Tolke / Pago, Age 1999, Plastic PET Bottle Rotary 12 Headed Filling System, IMA, Model F540, Age 1998, Twin Rotary 12 Headed Valve Inserting, and Rotary 6 Headed Valve Crimping System, Pamasol, Model 2018/6-472-6, Age 1999, Garvens Checkweigher, Model VS3 Plus, Age 1995, VideoJet 1610DH, Single gun, Aerosol Can side date coder, Age ?, Gronemeyer Filled / Valve sealed Plastic PET Bottle Elevator/De-Elevator Overhead Conveying Transfer System, Model VFA-K450, Age 2007, ATEX Gas Room Enclosed, Single Rotary 9 Headed Gas Pressurisation Machine, Pamasol, Model ?, Age 1998, Aerosol In Line Camera Leak Detection Inspection System, Omron, Age 2011, Garvens Checkweigher, Model VS3, Age 1998, Combined Twin 8 Headed Valve Sprayhead and Outer Dustcap Capping System, Tolke, Model ?, Age 1999, Thermo Scientific, 50 degree C Hot Water Bath, for Manual Leak Detection post Capping of every 2000th Aerosol, Age ?, (Dismantling and loading costs 40,700.00) | 12,500.00 |

Starting Bid €

6,500.00

665363

Parasol Combined Aerosol Can or Plastic PET Bottle End of Line Aerosol Packaging Line, The Packing Line 32c consists of the following components;VT Open Box / Tray Forming Machine, VT, Model VTA-01, Age 1994, Oli Tray Loading / Box Closing and Aerosol Can or Plastic PET Bottle Conveyor Marshalling System, Age 2011, Weber, Aerosol Can or Plastic PET Bottle Date Code Inspection Machine, Model = Vision System, Age 2014, Aerosol Trayed / PET Bottle Boxed Product Overwrapping System, Kallfass / Hugo Beck, Model Universa Servo 500 FSV / SLB 5020/45, Age 2009, 4 off Avery Denison Side Labelers, 2 off Left Handed 720 ALX Printer/Labellers, Age 2013, and 2 off Right Handed ALS 206 Preprinted Side Labellers, Age 2013, End of Line Conveying, Spiral Elevating, Hi Level Conveying, Spiral De-elevating System Ambaflex, Model = Spiralveyor SV, Age 2011, End of Line, Oli, Layer Building Palletising System, Age 2011, (Dismantling and loading costs 23,870.00)



General conditions Online Auction TroostwijkAuctions.com

GENERAL TERMS AND CONDITIONS

for Online Auctions of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. Definitions

| General User | |
|---|---|
| Conditions: | The General Terms and Conditions of Business governing the use of the |
| | Troostwijk Veilingen B.V. website |
| General Terms and | |
| Conditions of | |
| Online Auctions: position, rights anddut | These General Terms and Conditions for an online auction governing the procedure for the online auction and defining the ies of the contracting parties / participants. |
| User: | Anyone who registers on the Troostwijk Veilingen B.V. website |
| User agreement: | Agreement between Troostwijk Veilingen B.V. and the user |
| Bidder: | Anyone who bids in an online auction |
| Bid: | A binding amount bid by the user in an auction for a lot |
| Purchase price: | Made up of the highest bid at the end of the auction, the commission and any VAT due. |
| Purchase contract: | Agreement between the buyer and seller, which comes into being upon acceptance of a bid by Troostwijk |
| Buyer: | Bidder whose bid is accepted for the lot |
| Lot: | (An) item(s) auctioned (also items auctioned collectively under one number) |
| (Online) auction: | The auctioning of movable property organised by Troostwijk on the Troostwijk Veilingen B.V. website |
| Registration: | Registration of the user on the Troostwijk Veilingen B.V. website by completing the registration form on the website |
| Special Terms and | |
| Conditions of an | |
| Online Auction: | Special additional conditions only applying for the respective online auction |
| Troostwijk: | Troostwijk Auktionen GmbH & Co. KG |
| Seller: | The party on behalf of which a lot is auctioned |
| Website: serves as the platform | The www.TroostwijkAuctions.com website, which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which for auctions held by Troostwijk |
| Bid acceptance: purchase price | Confirmation by Troostwijk that the highest bidder's bid for a lot or a combination of lots is accepted upon payment of the |

Article 2. General Terms and Conditions of Business

2.1 *Troostwijk* auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The user shall use the website in accordance with the *GeneralUser Conditions* of Troostwijk Veilingen B.V.

2.2 The General Terms and Conditions of Online Auctions contain the general regulations for the auction. The auction takes place exclusively on the basis of these conditions. Participation in the auctions constitutes acceptance of these conditions. Special Terms and Conditions of an Online Auction may also apply to an auction. These contain additions or variations to the General Terms and Conditions of Online Auctions. In case of



doubt, the Special Terms and Conditions of the Online Auction take precedence. These General Terms and Conditions solely apply to Online Auctions and not to sales outside of the Online Auction. You can find the General Terms and Conditions for Post Auction Sales, Private Treaty Sales and Tender Sales on page 5.

2.3 Troostwijk can make changes to these General Terms and Conditions. Changes take effect upon receipt of respective notification by the user and bidder.

Article 3. Registration

3.1 Bidders who are registered users with Troostwijk Veilingen B.V. and who have accepted its *General User Conditions* can take part in auctions.

3.2 A bid can be made by anyone who has accepted the *General Terms and Conditions of Online Auctions* and the *Special Terms and Conditions of an Online Auction* for an auction.

Article 4. Auction

4.1. Auctions are held on behalf of and for the account of the *seller*. *Troostwijk* is not a contracting party to any purchase contract which comes into being upon acceptance of the bid; it only brokers the purchase contract.

- 4.2 Dates, such as the start and the end of an auction, are contained in the Special Terms and Conditions of an Online Auction.
- 4.3 *Troostwijk* is responsible for organising, preparing and holding the auction.
- 4.4 Troostwijk may choose:
- not to accept a *bid* generally or for important cause from certain *bidders*;
- to exclude bidders from an auction;
- to correct errors made by Troostwijk in bids and/or accepted bids with appropriate notification to the bidder;
- to take any other measures required;
- 4.5 Troostwijk's decision as regards what happens during the auction is binding.
- 4.6 Forced sales are marked as such in the Special Terms and Conditions of the Online Auction.

Article 5. Cancellation, technical faults

5.1 *Troostwijk* reserves the right to cancel, prematurely end or extend an auction **for important cause**. In the event of a technical fault to the *website* which results in it being not fullyaccessible and/or not accessible to all *users*, *Troostwijk* can extend the auction by up to 24hours. Troostwijk can reject bids without stating the reasons.

5.2 By registering, the *user* declares that he is aware of the special circumstances of an internet auction. In particular he is aware that the current state of technology can result in faults and downtime, which can make access to the internet auction and the *website* difficult or impossible.

5.3 *Troostwijk* is only responsible for properly conducting the auction on the www.TroostwijkAuctions.com website, not for any technical faults. *Troostwijk's* liability is limited and is based on the General Provisions, as set out in Article 15.

Article 6. Viewing days; entering buildings & property

6.1 Any viewing dates are specified in the Special Terms and Conditions of the Online Auction.

6.2 Viewers enter buildings and property at their own risk. Viewers must follow the instructions issued by *Troostwijk* or its appointees. The seller accepts no liability whatsoever for damages resulting from entering the buildings and property. In addition, the liability limitations of the General Provisions for Troostwijk and the seller, as set out in Article 15, apply.

Article 7. Lots

- 7.1 Individual *lots* or *combinations* are auctioned.
- 7.2 Combinations, i.e. the auctioning of several lots together, are displayed in the system. Combination lots are auctioned in two stages:

a) Firstly the individual *lots* are auctioned. The *bid is accepted* under the condition precedent that the *lot* is not knocked down as part of a *combination lot*. Once the *bids* for the individual *lots* have been *accepted*, bids can be made on the combination. If no bids are made on the combination, the sale of the individual *lots* goes ahead.

b) If bids are made on the combination, the following applies: The *bid is accepted* for the combination if the highest bid is higher than the total bids resp. the start prices for the individual *lots*. The *bids* for the individual *lots* are then declined because the condition has not been fulfilled.

- 7.3 Troostwijk can combine various items to form lots, divide lots and remove lots from the auction.
- 7.4 Troostwijk can demand that a bidder provides standard banking security in advance for certain lots.

Article 8. Bids

8.1 A *bidder* can bid in auctions as soon as he has registered on the Troostwijk website and has activated his account by clicking the link in the email that he received after registration. *Bidders* can bid on one or more lots. Bids can only be made without conditions and reservations attached. Bids are binding, revocation is not possible. The bidder shall receive email confirmation of every bid made and every higher bid by a third party. This notification is not acceptance of the bid.

8.2 Bids can be made as firm bids or maximum bids.

a) In the case of a firm bid (static), the user offers a fixed amount for each lot which is displayed in the system.

b) In the case of a maximum bid (proxy), the user states the maximum price he is prepared to pay for a lot. The maximum bid is not shown in the system. If a third party outbids the user, the current bid is increased in increments until a third party outbids the maximum bid. A maximum bid can only be retracted by the user in the interim if he makes a firm bid which is the highest bid at that moment.

8.3. Bids do not yet include sales tax and the commission. The amount of the commission can be found in the Special Terms and Conditions of the Online Auction.

8.4. Troostwijk and/or the seller can reject bids without stating the reasons. Troostwijk can bid on behalf of third parties.

Article 9. Acceptance of bid & purchase contract

9.1 A purchase contract for one or more lots only comes into being when the bid has been accepted. The *buyer* is informed by email of the resulting purchase contract (acceptance of bid). A *bid is accepted* within two working days of the close of the auction at the latest.

9.2. Consumers have no right of revocation as per § 312 d BGB [*German Civil Code*], as the purchase contract comes into being in the context of an auction as per § 156 BGB [*GermanCivil Code*] (§ 312 d Para. 5 No. 5 BGB [*German Civil Code*]).

9.3 Troostwijk is entitled not to accept a bid or to accept a bid under conditions precedent.

9.4 As a general rule, the *user* with the highest bid is *awarded the bid*. The *bid is accepted* if no further bids are made 10 minutes before the end of the auction. Otherwise the closing time for this lot is postponed for further 5 minutes. If another bid is made, the auction ends when the highest bid is made, if this is not outbid within five minutes.

Article 10. Passage of risk / passage of title

10.1 When a bid is accepted, the risk of accidental perishing or loss of the auctioned goods and the risk of loss or damage through fire, theft or burglary passes to the successful bidder.

10.2 Ownership only passes to the buyer on full payment.

Article 11. Obligations of the buyer

11.1 When a bid is accepted, the buyer is obliged to pay the purchase price plus statutory sales tax and the commission and to collect the *lot*.



11.2 Payment must be made to the account specified by *Troostwijk* in the stipulated currency within 48 hours (2 working days) of acceptance of the bid.

11.3 Statutory default interest shall be charged if payment is delayed. The rights of the seller are based on the statutory provisions. As it is a fixed date transaction, no notice is required for default, § 286 II BGB [German Civil Code].

11.4 If the buyer fails to fulfil an obligation, in particular:

(i) does not pay the purchase price on time or in full

(ii) does not collect the lots on time, and/or

(iii) does not provide the information required for delivery, this shall automatically constitute default without further notice of default being required. *Troostwijk* can then cancel the purchase contract on behalf of the seller. In such cases, *Troostwijk* can assign *lots* to another *bidder*, without *Troostwijk* and/or the seller being liable for damages.

11.5 In the event of a cancellation, the buyer is liable to pay compensation for any resulting damages.

Article 12. Collection

12.1 The buyer may only and must collect the goods at the times specified in the *Special Terms and Conditions of the Online Auction*. *Troostwijk* can, for technical reasons, specify that acertain *lot* can only be collected once other *lots* have been delivered.

12.2 The *buyer*, whose *lot(s)* is/are preventing the collection of other lots, must ensure that said lots are collected immediately following an email and/or a letter from *Troostwijk* to the address specified by the buyer. If this does not happen, *Troostwijk* can arrange for the lot(s) to be collected and possibly stored by a third party at the expense and risk of the buyer.

12.3 The *buyer* is obliged to carefully dismantle and collect his *lots*. He shall be liable for any damages caused to the property of others in this respect. Further, he is obliged to protect *Troostwijk* and the seller from all claims by third parties arising from the dismantling and/or collection.

12.4 The buyer is obliged to follow the instructions of *Troostwijk* and/or *Troostwijk*'s appointees when dismantling and collecting his lots.

12.5 The *buyer* must ensure that he or the person dismantling or transporting the lots on his behalf has the required permits. Troostwijk and/or the seller cannot be held liable if the required permits are missing and/or official regulations are not observed when the lot(s) are being dismantled and/or transported by or for the buyer.

12.6 In situations where it is necessary to pull down (parts) of a building to remove the allocated *lots*, prior consultation and written consent must be sought from *Troostwijk* and the conditions imposed by *Troostwijk* at the time of bid acceptance must be observed.

12.7 *Troostwijk* reserves the right to make the collection of *lots* conditional upon payment of a deposit for any damages. *Troostwijk* shall notify the buyer of the *lots* concerned and the amount of the deposit. The deposit shall be reimbursed to the buyer following damage-free collection.

12.8 Troostwijk reserves the right that the dismantling of the buyer's goods has to be done compulsory by a specific company. In such case, Troostwijk will announce this in the auction catalogue. The buyer has to bear the cost of such services. In some cases, the cost will be specified in the auction catalogue.

Article 13. Liability / Troostwijk warranty

Troostwijk only accepts liability for preparing and holding the auction in accordance with the legal regulations.

The following also applies:

13.1 Claims by the *seller* as well as by the *bidder* or the *buyer* on the grounds of breach of duty are excluded, in particular as regards advice in valuation matters or defects in the items.

13.2 The descriptions of the items by *Troostwijk*, e.g. in the sales catalogue or in a list, are based on information from the seller. *Troostwijk* is only liable for conveying the information appropriately, not for the objective accuracy of this information.

13.3 Information provided by *Troostwijk* serves only to help differentiate between products and in no way constitutes a warranty as per § 444 BGB [*German Civil Code*] or a quality agreement as per § 434 Para. 1 Clause 1 BGB [*German Civil Code*] for the items on sale.

13.4 The items are used. *Troostwijk* does not sell on its own behalf and thus accepts no warranty for material defects or defects of title and is not liable for the quantity, quality, dimensions, years of construction or completeness.



13.5 The above limitations do not apply if *Troostwijk* acts with deliberate or gross negligence, breaches a fundamental contractual obligation or Liability on account of culpable injury to life, limb or health.

Article 14. Liability / seller warranty

The seller is liable towards the buyer for defects in the items in accordance with the following provisions:

14.1 The *buyer* has had the opportunity to view the items in advance. The items are sold as seen and to the exclusion of any warranty for material defects and defects of title. The items were sold in particular without any guarantee for visible or hidden defects or warranty in respect of completeness, quantity, effect, usability, saleability, the existence or absence of rights or claims by third parties and/or the transfer option to third parties.

14.2 The *seller* accepts no liability for a certain quality or a normal use of the items.

14.3 The *seller* accepts no liability for advertising messages by the manufacturer.

14.4 The above limitations do not apply if the seller acts with deliberate or gross negligence, breaches a fundamental contractual obligation, Liability on account of culpable injury to life, limb or health or mandatory liability according to the German Product Liability Act.

14.5 The legal regulations on warranty rights for consumers as per BGB [*German Civil Code*] apply. The limitation period is shortened to one year.

Article 15. Limitation of liability of Troostwijk / seller

15.1 The limitation of liability applies to Troostwijk and the seller, as well as their legal representatives, managerial employees and any vicarious agents.

15.2 Liability is only accepted in the case of intent or gross negligence.

15.3 Liability for consequential damages, in particular lost profit, is only accepted in the case of intent or gross negligence.

15.4 Liability is limited to the amount of damages typically foreseeable when the contract is concluded, provided there is no intent or gross negligence.

15.5 The above limitations do not apply if a legally fundamental obligation is breached, if an express warranty is accepted or for damages arising from physical injury, harm to health and binding legal regulations.

Article 16. Severability clause / written form

16.1 Should any of the provisions of this agreement be or become wholly or partly ineffective, null and void or unenforceable, this shall not affect the validity of the other provisions of the contract as a whole. The ineffective, null and void or unenforceable provision shall be replaced by the effective and enforceable provision which corresponds most closely to the parties' economic objectives originally intended by the ineffective, null and void or unenforceable provision.

16.2 Amendments to and variations of these *General Terms and Conditions of Online Auctions* are only valid on the basis of written agreement between the parties.

Article 17. Applicable law / place of jurisdiction

17.1 This contract and the resulting obligations are subject to German law. The UN Convention on Contracts for the International Sale of Goods shall not apply.

17.2 All disputes arising in respect of the legal relations with Troostwijk fall under the exclusive jurisdiction of the Cologne local or district court. The General Provisions apply to disputes with the seller.

17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

GENERAL TERMS AND CONDITIONS

for Post Auction Sales, Private Treaty Sales and Tender Sales

of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. General

1.1 Troostwijk sells the used items in the name of and for the account of the seller and receives commission for this from the buyer.

Article 2. Conclusion of the contract

2.1 The purchase price and the commission shall be paid within a period of 48 hours (sale at a fixed point in time), unless otherwise agreed. This time period commences at the latest when the invoice is received, including in electronic format. Payment is to be made exclusively to the named account.

2.2 If payment is not made on time - the time of receipt is decisive - Troostwijk is entitled and empowered to withdraw from the contract in order to ensure the on-time removal of the object sold from the respective location. An additional notice period is not required for the withdrawal but may be given. Troostwijk is entitled on withdrawal to assert claims for damages for non-fulfilment for the seller or themselves.

- 2.3 Title only transfers to the buyer when payment has been received in full.
- 2.4 Generally items are to be collected by the buyer from the location specified.
- 2.5 The risk of accidental deterioration or destruction of the item shall transfer to the buyer on conclusion of the contract.

Article 3. Warranty

3.1 Troostwijk does not carry out sales in their own name and therefore undertakes no guarantee for material defects and defects of title, and is not liable for quantities, quality, dimensions, year of construction and completeness.

3.2 The descriptions of objects by Troostwijk e.g. in the sales catalogue or listing are based on information from the seller. Troostwijk is therefore only liable for accurately providing this information as provided by the seller, not for the objective correctness of this information.

3.3 Information from Troostwijk is merely provided for distinctiveness and in no way forms a guarantee as per § 444 BGB (German Civil Code) or agreed characteristics as per § 434 para. 1 sentence 1 BGB for the object of purchase.

3.4 The sale of items by Troostwijk on behalf of the seller is carried out excluding any warranty for material defects and defects of title.

3.5 Sales are made in particular without the assumption of any liability with regard to obvious or hidden defects or warranty in connection with completeness, quantity, properties, usability, presence or absence of third party rights and/or the possibility of transfer to third parties.

3.6 The seller excludes liability for particular characteristics or general application of the objects.

3.7 The seller excludes all liability regarding advertising claims of the manufacturer.

3.8 The above restrictions in sections 7 & 8 do not apply if Troostwijk or the seller acts intentionally or with gross negligence, infringes a fundamental contractual obligation or if bodily injury occurs.

3.9 For consumers the statutory provisions in the BGB regarding rights in the event of defects apply. The limitation period is restricted to 1 year.

Article 4. Miscellaneous

4.1 Should individual provisions of the contract including these General Terms and Conditions be or become invalid, in whole or in part, or should the contract contain a gap or omission this shall not affect the validity of the remaining provisions or parts thereof.

4.2 This contract and the entire legal relationship between the parties is subject to the law of the Federal Republic of Germany excluding the UN



Convention on the International Sale of Goods.

4.3 Cologne shall have jurisdiction for all disputes arising in connection with the sale.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience