



Metaalbewerkingsmachines- metalworking (NL) **Metalworking machinery**

Zandhaarweg 30 - 7595 KM **Weerselo**
(Veilinglocatie Metaalbewerkingsmachines en gereedschappen
(Weerselo))

Closing date: Tuesday **26 MARCH** starting 14:00



Viewing:

Monday 25 March from 09:00 until 12:00
Zandhaarweg 30 - 7595 KM Weerselo (The Netherlands)

Bidding only on the internet!



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 26 March 2019 Metaalbewerkingsmachines- metalworking

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Tuesday 26 March 2019 starting 14:00 CET
Viewing	Monday 25 March from 09:00 until 12:00 CET Veilinglocatie Metaalbewerkingsmachines en gereedschappen (Weerselo) Zandhaarweg 30 7595 KM Weerselo, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Tuesday 2 April from 09:00 until 16:00 CET Wednesday 3 April from 09:00 until 16:00 CET Veilinglocatie Metaalbewerkingsmachines en gereedschappen (Weerselo) Zandhaarweg 30 7595 KM Weerselo, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Attending an auction closure for consumers	<p>The article of the law "purchase on distance" is not applicable on the services of Troostwijk.</p> <p>This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</p> <p>You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com. Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.</p>
Payment Details	<p>If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount within 48 hours after the purchase agreement has been sent. The transfer should be made to one of the following accounts. Please indicate the auction number and your Account ID with your payment.</p>

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Attention please: indicate the Sale nr. and your buyer number with your payment!

After your purchase you will receive a **proforma** per email.

www.TroostwijkAuctions.com



Original invoices can be **downloaded** from [MyTroostwijk](#) after having received your payment.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers



in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	broadband throughput metaalschuur- / grinding machine brand: Bütfering; type: SPO 411/RTBB; year: 2008; serial number: 0418260162; CNC: yes; working range: 1380 mm; table size L: 3350 mm; table size W: 1400 mm; engine power: 56 kW; electric connection: 400 V; dimension L: 3400 mm; dimension W: 2050 mm; dimension H: 2000 mm;	1,000.00
2	1	broadband throughput metaalschuur- / grinding machine brand: Bütfering; type: Prima 2KB 11; year: 1997; serial number: 37576; CNC: no; working range: 1150 mm; table size L: 1950 mm; table size W: 1160 mm; electric connection: 400 V; dimension L: 2000 mm; dimension W: 1700 mm; dimension H: 2000 mm; description: equipped with abrasive belt unit; cleaning unit; digital control panel ;	100.00
3	1	press brake brand: Beyeler; type: RTS 63X1200-CNC; year: 1985; serial number: 87'2280; number of axis: 2; foot control: yes; electric backgauge: yes; CNC control, brand, type: Cybelec synchro; 7300 PSSG; engine power: 0.55 kW; electric connection: 380 V; dimension L: 2040 mm; dimension W: 1580 mm; dimension H: 3200 mm; description: equipped with control unit; instructions; various side knives;	1,000.00
4	1	guillotine shear brand: Wila; type: HS 205-3; cut width: 2040 mm; table size L: 440 mm; table size W: 2210 mm; foot control: yes; electric connection: 380 V; total dimension L: 1540 mm; total dimension W: 2450 mm; total dimension H: 1350 mm; description: vv various accessories;	100.00
5	1	CNC milling machine brand: Matsuura; type: MC-1000V5; year: 1988; serial number: 880706880; travel x-axis: 1050 mm; travel y-axis: 510 mm; travel z-axis: 560 mm; taper ISO: BT45; speed from N=: 20 rpm; speed till N=: 4600 rpm; T-slot fixture table size L: 1400 mm; T-slot fixture table size W: 500 mm; workpiece weight max.: 1000 kg; coolant pump: yes; CNC control, brand, type: Fanuc, 11M; electric connection: 400 V; manual present: yes; machine weight: 7300 kg; dimension L: 4100 mm; dimension W: 3500 mm; dimension H: 3100 mm; description: equipped with 35-fold tool carousel;	1,000.00
6	1	CNC lathe brand: Gildemeister; type: NEFplus 500; year: 1995; serial number: 504306; turning ? : 550 mm; turning length: 1100 mm; spindle boring ? : 70 mm; speed from N=: 8 rpm; speed till N=: 2800 rpm; coolant pump: yes; CNC control, brand, type: Grundig, Manual plus; hours on display: 20078; electric connection: 400 V; dimension L: 2700 mm; dimension W: 1700 mm; dimension H: 1850 mm; description: equipped with 4- clamping chuck , Ø 315 mm; rotation control and central control ;	100.00
7	1	CNC lathe brand: Style; type: 410x1250; year: 1999; serial number: Style-4-146; turning ? : 410 mm; turning length: 1250 mm; spindle boring ? : 80 mm; speed from N=: 15 rpm; speed till N=: 2500 rpm; coolant pump: yes; CNC control, brand, type: Style; engine power: 16 kW; electric connection: 400 V; machine weight: 2400 kg; dimension L: 2500 mm; dimension W: 1500 mm; dimension H: 1600 mm; description: equipped with 3- clamping chuck , Ø 250 mm; work light and closed case;	100.00
8	1	universal lathe brand: M; type: 380x1000; turning length: 1000 mm; turning ? : 380 mm; spindle boring ? : 50 mm; number of speeds: 12; speed from N=: 45 rpm; speed till N=: 2000 rpm; coolant pump: no; electric connection: 380 V; description: equipped with pneumatic 3- clamping chuck , Ø 200 mm and safety cap;	100.00
9	1	circular trim saw brand: Kaltenbach; type: SKL; serial number: 46970; coolant pump: yes; dimension L: 9350 mm; dimension W: 1250 mm; dimension H: 2750 mm; description: cutting range up to 95x987 mm.; equipped with CNC-controlled supply of material, length approx. 8150x400 mm; pneumatic clamping device and zaagbeveiging;	100.00



Lot	Number	Description	Starting Bid €
10	1	circular cutting machine brand: Johann Kunz Söhne; type: HL/1S; year: 1983; serial number: 4071; electric connection: 380 V; dimension L: 2750 mm; dimension W: 1150 mm; dimension H: 1800 mm; description: Max. Cutter diameter 1480 mm; table dimensions . approx. 900x850 mm; equipped with pneumatic clamping device; central control panel and steel frame;	100.00
11	1	forklift brand: Yale; type: GDP25VX V2770; year: 2008; serial number: B875B17238F; diesel: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4330 mm; overhead guard height: 2750 mm; fork length: 1200 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 9047; own weight: 4270 kg; description: equipped with half-glazed cabin;	100.00
12	1	pallet wrapper brand: MSK Coverttech; type: MSK 280 E; year: 2008; serial number: 298200; electric connection: 400 V; description: max. pallet dimensions . approx. 1200x1000 mm; pallet height approx. 300-1300 mm; equipped with in and output conveyors; central control and safety fence; (Note: already dismantled) ;	100.00
13	1	CNC milling machine brand: Charmilles Technologies; type: Megaform 810; year: 1998; serial number: 70059; travel x-axis: 800 mm; travel y-axis: 600 mm; travel z-axis: 200 mm; T-slot fixture table size L: 1200 mm; T-slot fixture table size W: 800 mm; coolant pump: yes; CNC control, brand, type: Charmilles Technologies; electric connection: 400 V; machine weight: 6000 kg; dimension L: 3100 mm; dimension W: 2800 mm; dimension H: 3000 mm; description: equipped with 24-fold tool carousel; cabinet;	1,000.00
14	1	radial drilling machine brand: Femco; type: WRD50/1250; year: 1981; serial number: 81-4238; number of speeds: 24; speed from N=: 34 rpm; speed till N=: 1920 rpm; drilling depth: 110 mm; discharge: 1250 mm; taper MC: 4; T-slot fixture table size L: 450 mm; T-slot fixture table size W: 650 mm; coolant pump: yes; electric connection: 380 V; dimension L: 2000 mm; dimension W: 900 mm; dimension H: 2400 mm;	100.00
15	1	CNC milling machine brand: Aciera; type: F55; travel x-axis: 750 mm; travel y-axis: 500 mm; travel z-axis: 500 mm; taper ISO: SK40; speed till N=: 24000 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 500 mm; coolant pump: no; CNC control, brand, type: Elesta, Poselesta II, CNC3000; electric connection: 380 V; description: equipped with switch box;	100.00
16	1	horizontal drilling machine brand: Wotan; type: B75; serial number: 50062; number of speeds: 18; speed from N=: 17 rpm; speed till N=: 910 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 800 mm; electric connection: 380 V; description: X / Y / Z axis: 1200/800/800 mm; distance between centers: 1600 mm; incl. pallet div. accessories ;	100.00
17	1	circular trim saw brand: Rapid; type: SAT; year: 1989; serial number: 1337; coolant pump: yes; electric connection: 380 V; dimension L: 3900 mm; dimension W: 1100 mm; dimension H: 1500 mm; description: equipped with pneumatic material supply terminal, displacement: 820 mm; pneumatic clamping device and a central control panel, ;	100.00
© 18	1	punching machine brand: Sunrise; type: PMNC-120LT; year: 2010; serial number: 394576; capacity: 120 t; foot control: yes; digital display: yes; electric connection: 400 V; manual present: yes; description: unloading: 500 mm; equipped with X / Y table, displacement: 600x450 mm; rolkogeltafel dimensions . approx. 1000x950 mm;	1,000.00
© 19	1	punching and cutting machine brand: IMS; type: HY 60; year: 1998; serial number: 2096; capacity angle section: 7 mm; round bar max.: 40 mm; square bar max.: 35 mm; punching capacity: 28 mm; punching force: 60000 kN; foot control: yes; engine power: 6 kW; electric connection: 400 V;	100.00



Lot	Number	Description	Starting Bid €
20	1	traverse robot Yushin, RA-a-70SLL-7, year built 2007, brand: Yushin; type: RA-a-70SLL-7; year: 2007; description: equipped with mobile control cabinet with handheld touch-screen;	250.00
21	1	traverse robot brand: Yushin; type: RA-a-70SLL-7; year: 2007; description: equipped with mobile control cabinet with handheld touch-screen;	250.00
22	1	hydraulic hoses crimping machine capacity (text): Ø 19 - 75 mm; description: equipped with 10 crimp molds; double foot pedal and work lamp (unused);	1,000.00
23	1	Steel clamping table total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 880 mm; description: 200 holes in leaves; compartments, 100x100 mm; edge blade 200mm, with 120 holes; hole Ø 28 mm; equipped with 30 attributes;	10.00
24	1	plates cleaning machine brand: Polimero-A2; type: 1953.901; serial number: 11-014; infeed size L: 700 mm; infeed size W: 500 mm; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 870 mm; total dimension H: 1300 mm; description: Hours 1494; equipped with cleaning chamber; 2-tray dryer and 2x anti-tacking tray;	100.00
25	1	Welding machine brand: Kemppi; type: kempoweld K400; serial number: 880106H; mig type: yes; ampere range: 400 A; duty cycle: 40 %; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 400 mm; dimension H: 1420 mm; description: water-cooled; equipped with mobile wire feeder; ex. welding clamp and torch;	10.00
26	1	Welding machine brand: Kemppi; type: kempoweld K400; serial number: 967652L; mig type: yes; ampere range: 400 A; duty cycle: 40 %; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 400 mm; dimension H: 1420 mm; description: water-cooled; equipped with external wire feeder; ex. welding clamp and torch;	10.00
27	1	mobile lift brand: tumakon; type: z313930; year: 2012; serial number: 2120445; voltage: 24 V; battery charger: yes; description: wll 90kg; equipped with digital battery meter; roller conveyor on lifting table; footbrake; dimensions . approx. 1100x1100x1750mm;	10.00
28	1	Welding machine brand: Kemppi; type: kempoweld K400; mig type: yes; ampere range: 400 A; duty cycle: 40 %; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 400 mm; dimension H: 970 mm; description: mobile and water-cooled; equipped with mobile external wire feeder; incl. terminal block and torch;	10.00
29	1	Stainless steel plate cleaning machine brand: AV Flexologic; type: AquaSuperspeed 30x40; year: 2007; serial number: 140907-214; infeed size L: 300 mm; infeed size W: 400 mm; digital control: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: equipped with cleaning chamber; 3-compartment tray drying cabinet, and anti-tacking;	100.00
30	1	blasting cabin dimension L: 610 mm; dimension W: 610 mm; dimension H: 1620 mm; description: equipped with loose-hinged viewing window (note hinges defect.); on a steel frame; incl. gloves;	10.00
31	1	band saw brand: Mössner Record; type: SM/320; year: 1970; serial number: 18139; saw blade size W: 10 mm; saw blade thickness: 1 mm; electric connection: 220 V; dimension L: 800 mm; dimension W: 700 mm; dimension H: 1630 mm; description: unloading: 315mm; table dimensions . approx. 505x505mm; equipped with grindstone; 8 speeds; work light ;	100.00
32	1	electric motor brand: Baumuller; type: 6MP02.2.80.ZP.C_B3; year: 1997; power: 0.75 kW; electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
33	1	universal notcher brand: rainer; type: 300/3; serial number: 103; dimension W: 835 mm; dimension H: 1370 mm; total dimension L: 1250 mm; total dimension W: 835 mm; total dimension H: 1370 mm; description: air controlled ; equipped with foot-operated; t-slot clamping table dimensions . approx. 730x835x870; various media clamps;	100.00
34	1	lot of diverse description: incl. screw tap parts; drilling; filters and various;	10.00
35	1	surface grinder brand: Jung; type: HF 50; serial number: OHF 50-180-26; CNC: no; table size L: 280 mm; table size W: 1700 mm; grinding wheel ? : 180 mm; grinding wheel thickness: 20 mm; distance table / spindle: 160 mm; speed from N=: 1000 rpm; speed till N=: 4000 rpm; magnetic fixture plate size: 505 mm; control, brand, type: bausch&lomb; 0675263; engine power: 1.5 kW; electric connection: 400 V; dimension L: 1370 mm; dimension W: 1760 mm; dimension H: 1560 mm; description: equipped with lubrication; various accessories;	100.00
36	2	Vacuum brand: Euromate; type: T-FLEX; serial number: T0219820004; engine power: 0.55 kW; electric connection: 400 V; description: equipped with hose; junction box; lighting ; pay attention. 1x plug missing and final piece of broken;	10.00
37	1	fuel pump electric connection: 230 V; description: capacity 10-40l / m; nozzle; incl. crate;	10.00
38	1	work table with sharpening stone dimension L: 120 cm; dimension W: 60 cm; dimension H: 85 cm; total dimension H: 1040 mm; description: equipped with double grindstone "King Craft, KSM-125"; closet; la; shelves; ex. loose stuff on the table;	10.00
39	1	pneumatic drill tripod brand: Druck-star; total dimension H: 1440 mm; description: equipped with air-driven extendable support; pull- dimensions . approx. 880mm; air hose;	10.00
40	1	pallet wrapper brand: Strema; type: M 500; serial number: 636; plateau ? : 1520 mm; foil width: 550 mm; max. height: 2300 mm; electric connection: 380 V; total dimension L: 2570 mm; total dimension W: 1520 mm; total dimension H: 2360 mm;	10.00
41	1	pallet A4 Copy Paper brand: White Paper; type: A4; description: approx. 80 boxes; 2 pallets; High Whiteness;	10.00
42	1	support material description: equipped with height adjustment; roller fairlead;	10.00
43	1	Welding machine brand: Ine; type: CMM 380; serial number: FG 0336; mig type: yes; ampere range: 360 A; duty cycle: 60 %; wire feeder: no; electric connection: 380 V; dimension L: 1050 mm; dimension W: 470 mm; dimension H: 790 mm; description: mobile; equipped with welding gun and bottle connection; safety glasses;	10.00
44	1	Welding machine brand: phillips; type: PZ2038/01; serial number: WB 730; mig type: no; MMA type: yes; ampere range: 250 A; duty cycle: 40 %; wire feeder: yes; electric connection: 380 V; dimension L: 790 mm; dimension W: 540 mm; dimension H: 690 mm; description: mobile; equipped with welding gun; . including various electrodes; connector block and electrode holder;	10.00
45	1	Welding machine brand: Kemppi; type: Kempotig ; serial number: 6160252; mig type: no; AC/DC: yes; ampere range: 250 A; duty cycle: 30 %; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 400 mm; dimension H: 1420 mm; description: mobile; vv various accessories;	10.00
46	1	wire straightening machine with cutting function	10.00
47	1	various bolts description: consisting of 3 packs; various hex bolts ;	10.00



Lot	Number	Description	Starting Bid €
	48	1 ball valves, various dimensions description: including various faucets; incl. bak;	10.00
©	49	1 wheels serving pallet truck total dimension L: 970 mm; total dimension W: 670 mm; total dimension H: 500 mm; description: equipped with single or double wheels; from 1 pallet box;	10.00
©	50	1 wheels serving pallet truck total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 770 mm; description: from 1 pallet box; ao "Sigma Elastic, 200 / 50-140";	10.00
	51	1 cooler brand: Behr; type: LK 24 W-1; year: 1991; type of refrigerant: R12/ 1.1 kg; electric connection: 230 V; description: operating pressure max. 20 bar;	10.00
	52	1 lot of tape sandpaper description: various sizes of paper for the belt sander ; incl. 2 boxes; Two separate sets;	10.00
	53	1 vise jaw width: 150 mm; description: incl. drill ø10mm;	10.00
	54	1 machine clamp manually operated: yes; jaw width: 140 mm; overall length: 530 mm;	10.00
	55	1 welding table total dimension L: 2080 mm; total dimension W: 1060 mm; total dimension H: 920 mm; description: ex. stuff on and around the welding table;	10.00
	56	2 Vacuum brand: Euromate; type: T-FLEX; serial number: T0219830092; engine power: 0.55 kW; electric connection: 400 V; description: equipped with hose; junction box; lighting ; pay attention. plug is missing;	10.00
	57	1 drill tools description: table drill tripod ; floating drilling height dimensions . approx. 90 / 400mm; overall dimensions . approx. 370x220x700mm;	10.00
	58	1 printer brand: Xerox; type: workcentre 3315; number of trays: 2; ethernet printer: yes; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 430 mm; description: equipped with scan and fax, and copy function; Incl. Manual; incl. loudspeakers "Labtec";	10.00
	59	1 extension cable reels and cord electric connection: 230 V; male-female: yes; on reel: yes; description: including socket; reel;	10.00
	60	1 lot of diverse tooling grinder: yes; sawing machine: yes; description: incl. . angle grinder ; 3x cordless drill; grinding machine/ belt sander ; telephone stations; circular saw; Incl. Case; ex. stuff on the shelf;	10.00
	61	3 dispencer stainless steel: yes;	10.00
	62	1 coffee machine with thermos brand: Philips; type: Senseo; description: incl. 2 boxes of dolls;	10.00
	63	1 coffee cups machine brand: Krups; type: Citiz; description: incomplete; incl;	10.00
	64	2 waste bag holder brand: Knapsack; total dimension L: 530 mm; total dimension W: 540 mm; total dimension H: 1020 mm;	10.00
	65	1 tool drawer cabinet total dimension L: 560 mm; total dimension W: 720 mm; total dimension H: 390 mm;	10.00
	66	1 circular trim saw brand: Kaltenbach; type: SKL; serial number: 46965; saw blade ? : 300; number of speeds: 2; coolant pump: yes; electric connection: 400 V; description: equipped with to-and outlet roller conveyor ; size ca 2 x 300 cm;	100.00



Lot	Number	Description	Starting Bid €
67	10	various fluorescent recessed ceiling lighting electric connection: 230 V;	10.00
© 68	1	lot of various punch-and hand tools description: various punch-and hand tools; including 2-door cabinet and work lights on the cabinet; punching / cutting machine with accessories	10.00
69	1	suction hose	10.00
70	1	lot of various other hoisting and lifting description: including galvanized stacking bin; size approx 105 x 84 x 50 cm;	10.00
71	1	vulcanizer press brand: B.F.B.; type: PV 300T; serial number: D126; electro-hydraulic: yes; table size L: 560 mm; table size W: 720 mm; electric connection: 400 V; dimension L: 1200 mm; dimension W: 1400 mm; dimension H: 1500 mm;	100.00
72	1	rod material strapping / packaging machine brand: Müller & engels; type: EWM450 SA; year: 1994; serial number: 540; electric connection: 400 V; total dimension L: 2150 mm; total dimension W: 1600 mm; total dimension H: 1900 mm;	100.00
© 73	1	various punching tool description: including plateau days;	10.00
© 74	1	various punching tool description: including mobile base unit; size approximately 85 x 60 x 86 cm; punching machine with accessories	10.00
75	1	circular trim saw brand: Thomas; type: 300 D.V. Super cut; year: 2000; serial number: 000189; saw blade ? : 300; electric connection: 400 V;	100.00
76	4	internal chiller aom (s) brand: H.I.B. ; type: RK/W 1200 L; year: 2007; type of refrigerant: R134a / 500gr; electric connection: 230 V; total dimension L: 430 mm; total dimension W: 590 mm; total dimension H: 310 mm;	10.00
77	1	industrial chip suction brand: Madeko; type: MDS200LD drain; serial number: 990404; bagless: yes;	100.00
78	1	-en abrasive polishing machine electric connection: 400 V; total dimension L: 950 mm; total dimension W: 1150 mm; total dimension H: 700 mm;	10.00
© 79	4	roll of magnetic foil description: thickness 0.4 mm; 1000 mm width; length 20 m;	10.00
80	1	lot of torches and earth cable	10.00
81	1	weighing installation brand: Berkel; type: 5000; year: 1961; serial number: 79002; working width: 1050 mm; total dimension L: 1050 mm; total dimension W: 1700 mm; total dimension H: 2020 mm; description: weighing capacity 200 kg;	100.00
82	1	floor weighing installation with printer description: floor unit size approx. 150 x 125 x 13 cm; weighing capacity 1500 kg;	100.00
83	1	pneumatic grease gun Climax, 1699, serial number 8062, brand: Climax; type: 1699; serial number: 8062;	10.00
84	1	counting mechanism serving a suspended track system Maytec, brand: Maytec;	10.00
85	1	welding fume extraction system brand: Nederman; type: Fbox Twintig A 3ph; year: 2015; serial number: 12667163; mobile: yes; filterunit: yes; boom length: 2500 mm; electric connection: 400 V; manual present: yes; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 1600 mm; description: 2x 900-500 m3 / h (unused);	1,500.00



Lot	Number	Description	Starting Bid €
86	1	mobile welding vapor filter extraction system brand: Nederman; type: Fbox 12H; year: 2015; mobile: yes; filterunit: yes; boom length: 3000 mm; electric connection: 400 V; description: arm length 3000 mm in box; 15 liter receptacle; filter surface area 13 m2; air flow 1200 m3 / hr;	1,000.00
87	1	mobile welding fume extraction / filter installation brand: Nederman; type: 663; year: 1994; serial number: 603263; electric connection: 400 V; dimension L: 800 mm; dimension W: 1200 mm; dimension H: 1900 mm;	100.00
88	1	telescoping mast boom lift brand: Upright; type: R303 ; year: 1996; serial number: 15242; lifting capacity: 159 kg; tray size L: 660 mm; tray size W: 660 mm; electric connection: 230 V;	100.00
89	1	industrial vacuum cleaner brand: CFM; type: 517; serial number: 25G55; power: 3 W; bagless: yes; electric connection: 230 V;	10.00
90	1	industrial vacuum cleaner brand: CFM; type: 3557760; year: 2000; serial number: 07AA585; power: 4000 W; bagless: yes; electric connection: 230 V;	100.00
91	1	industrial vacuum cleaner brand: Esta; type: DUROSOG-I-D; electric connection: 380 V;	10.00
92	1	C-frame baler brand: Vogel & co; type: 4x140S; serial number: 710; capacity: 4 t; discharge: 140 mm; table size L: 300 mm; table size W: 210 mm; electric connection: 400 V; description: including mobile chassis; size approximately 52 x 112 x 105 cm;	100.00
93	1	fast polisher machine brand: LOH; type: PM150; year: 1993; serial number: 3918; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 1700 mm; description: equipped with adjustable speed; Two polishing heads / compartment; motor 4 kw;	100.00
94	1	tube clinker PTN12U, year built 2008, serial number 0007, type: PTN12U; year: 2008; serial number: 0007; electric driven: yes; electric connection: 400 V; manual present: yes; description: unused; for 8 different diameters up to 2 inches;	10.00
95	1	drill grinder brand: Kahl; type: GS-1(11); year: 2008; serial number: 08011333600; electric connection: 230 V; manual present: yes;	10.00
96	1	tooling switching arm brand: DMG gildemeister; serial number: 2390215; description: unused in crate;	10.00
97	1	industrial chip suction brand: Wieland; type: FS-216; year: 1999; serial number: 407; bagless: yes; electric connection: 400 V;	100.00
98	1	foil packaging machine brand: Kallfass; type: KW5050; year: 1989; serial number: E 589 1879; mobile: yes; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 1000 mm; total dimension H: 1170 mm;	100.00
99	1	gasheater Universum, total dimension L: 1100 mm; total dimension W: 580 mm; total dimension H: 670 mm;	10.00
100	1	table drill Flott, P23 ST/R2, brand: Flott; type: P23 ST/R2; number of speeds: 18; speed from N=: 80 rpm; speed till N=: 4000 rpm; stepless speedcontrol: yes; drilling depth: 100 mm; discharge: 240 mm; taper MC: 2; table size L: 200 mm; table size W: 260 mm; engine power: 1 kW; electric connection: 400 V; description: on steel table dimensions . approx. 580x880x1220 mm; stepless speed control; digital read-out drilling depth; digital read-out speed;	10.00



Lot	Number	Description	Starting Bid €
101	1	hydraulic oil spool and filtration unit operating pressure: 400 bar; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 650 mm; total dimension H: 1400 mm; description: equipped with 3x electric motor; 4 various filters and flush unit;	100.00
102	3	steel stacking dimension L: 820 mm; dimension W: 500 mm; description: incl. various steel grab hoppers;	10.00
103	3	Warehouse bin	10.00
104	1	round profile grinding machine Petewe, PFS 3d, brand: Petewe; type: PFS 3d; universal: no;	400.00
105	1	reach truck brand: Atlet ; type: A/ATF/DTFVJN540; year: 2007; serial number: ATF53631/02; electric: yes; number of wheels: 4; lifting capacity: 1000 kg; lifting height: 4800 mm; overhead guard height: 2400 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 372; battery charger: yes; own weight: 2000 kg; description: equipped with extendable spoons;	100.00
106	1	reach truck brand: Stöcklin; type: EF1 1600; year: 1993; serial number: 93 2457; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 4300 mm; overhead guard height: 2000 mm; fork length: 1150 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; hours on display: 28108; battery charger: yes; own weight: 1370 kg;	100.00
107	1	extension cable reel electric connection: 230 V; on reel: yes;	10.00
108	1	filling machine total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: equipped with vibration motor; steel frame;	10.00
109	2	electric hot water heater brand: Fläkt; type: ATDA-45-6-3; year: 1986; total dimension L: 840 mm; total dimension W: 500 mm; total dimension H: 750 mm; description: max. temp. 150 ° C; Max. Pressure: 1.6 MPa; volume : 0.003 m³;	10.00
110	1	manipulator Gefra, brand: Gefra; electric connection: 400 V; description: N = 1300/2600/4000 t / min; table dimensions . approx. 300x200 mm; equipped with 3- clamping chuck , Ø 100 mm;	10.00
111	1	band saw machine brand: Bomar; type: BMR 230 PD; year: 2003; serial number: 102; max. workpiece height: 230 mm; working width: 350 mm; saw blade size L: 2720 mm; saw blade size W: 25 mm; saw blade thickness: 0.9 mm; electric connection: 400 V; machine weight: 300 kg; description: equipped with mechanical clamping device;	100.00
112	1	screw compressor brand: Grassair; type: S19.10; year: 2001; capacity: 10 bar; power: 7.5 kW; electric connection: 400 V;	100.00
© 113	4	hydraulic cylinder brand: Parker; type: DD2HP; total dimension L: 1950 mm; total dimension W: 130 mm; total dimension H: 130 mm;	100.00
© 114	7	various hydraulic cylinder description: longest length approx. 1800 mm;	100.00
		party various hydraulic cylinders	
© 115	1	lot of plastic (pallet truck) wheels description: incl. dimensions . approx. Ø 80x60 mm, with bearings and Ø80x80 mm without bearings; in wooden box;	10.00
116	1	pneumatic stapling machine brand: Autosplice; description: unloading: 350 mm; equipped with foot control and mobile table;	10.00



Lot	Number	Description	Starting Bid €
© 117	1	lot of rubber (pallet truck) wheels brand: Sigma; type: Elastic ; description: dimensions . approx. 200 / 50-140; equipped with bearings; in wooden box;	10.00
© 118	1	lot of plastic pallet truck spoon wheelsets description: in wooden pallet box;	10.00
© 119	1	lot of plastic pallet truck spoon wheelsets description: in wooden pallet box;	10.00
120	3	indoor air-conditioning -unit brand: Lennox ; type: UN11; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V;	10.00
121	1	ytterbium fiber laser engraving device brand: IPG; type: YLR-100-SM; year: 2006; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 440 mm; total dimension H: 180 mm; description: equipped with cable and digital control panel ;	10.00
122	1	ytterbium fiber laser engraving device brand: IPG; type: YLR-100-SM; year: 2006; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 440 mm; total dimension H: 180 mm; description: equipped with cable and digital control panel ;	10.00
123	1	table drill brand: Ferm; type: TDM1025; drilling capacity: 13 mm; number of speeds: 5; speed from N=: 580 rpm; speed till N=: 2650 rpm; drilling depth: 50 mm; discharge: 105 mm; electric connection: 230 V;	10.00
124	1	engine part brand: Rexroth; type: LSP120U;	10.00
125	6	div. lijmtang	10.00
126	1	precision gear brand: Sumitomo; type: F2CFS-T555-171; description: year of manufacturer 2008; dimensions . approx. Ø 290x140 mm;	10.00
127	1	precision gear brand: Sumitomo; type: F2CFS-T555-171; description: year of manufacturer 2008; dimensions . approx. Ø 290x140 mm;	10.00
128	1	power multiplier brand: OMAG; type: Titan 250; description: max. capacity 2500 Nm; equipped with a plastic case ;	10.00
129	1	clamping chuck brand: Rohm; type: ZGF; 3-jaw: yes; diameter: 160 mm;	10.00
130	1	precision gear brand: Sumitomo; type: F2CFS-T555-171; description: year of manufacturer 2008; dimensions . approx. Ø 290x140 mm;	10.00
131	1	precision gear brand: Sumitomo; type: F2CFS-T555-171; description: year of manufacturer 2008; dimensions . approx. Ø 290x140 mm;	10.00
132	1	Wire cutting description: incl. various in plastic tray ;	10.00
133	1	indoor ceiling air-conditioning -unit western, type of refrigerant: R410a; electric connection: 230 V; description: 1 piece; incl. condensate pump;	10.00
134	1	Stainless steel wheels / rims washing machine brand: Performtec; type: 4-rad waschanlage; year: 2006; serial number: 300; electric connection: 400 V; total dimension L: 1750 mm; total dimension W: 1100 mm; total dimension H: 2000 mm;	100.00



Lot	Number	Description	Starting Bid €
135	1	Stainless steel drinking water disinfection system brand: Jung; type: Lisotec 50/520; year: 2008; serial number: 50/520/0001; capacity (text): 1500 Watt; UV type: yes; total dimension L: 1040 mm; total dimension W: 600 mm; total dimension H: 1400 mm; description: equipped with 4x UV radiator, type : NDS-HO; 4x enclosure pipe type : Ilpasil PN; Sensor, type : SUV 20.2Y1C; ultrasonic generator, type : dura Sonic II and digital control panel ;	100.00
136	1	table drill Flott, P23 ST/R2, brand: Flott; type: P23 ST/R2; number of speeds: 18; speed from N=: 80 rpm; speed till N=: 4000 rpm; stepless speedcontrol: yes; drilling depth: 100 mm; discharge: 240 mm; taper MC: 2; table size L: 200 mm; table size W: 260 mm; engine power: 1 kW; electric connection: 400 V; description: stepless speed control; equipped with digital read-out drilling depth; digital read-out speed;	10.00
137	1	table drill Flott, P23 ST/R2, brand: Flott; type: P23 ST/R2; number of speeds: 18; speed from N=: 80 rpm; speed till N=: 4000 rpm; stepless speedcontrol: yes; drilling depth: 100 mm; discharge: 240 mm; taper MC: 2; table size L: 200 mm; table size W: 260 mm; engine power: 1 kW; electric connection: 400 V; description: stepless speed control; equipped with digital read-out drilling depth; digital read-out speed;	10.00
138	1	wire feeder for welding machine Epower, 77024070L, brand: Epower; type: 77024070L; description: 200 t / min; max. throughput capacity 5 mm;	10.00
139	1	autogenous cutting burner brand: Rhöna; description: equipped with hose and two pressure reducing valves;	10.00
140	1	steel workbench dimension L: 165 cm; dimension W: 77 cm; dimension H: 87 cm; description: equipped with wooden worktop; 4-cabinet and shelf;	10.00
© 141	1	lot of plastic wheels brand: Sigma; type: P68; description: dimensions . approx. 200x50; equipped with bearings; in wooden box;	10.00
		party various pallet car wheels	
142	1	mobile trouser filter extraction system brand: Höcker Polytechnik; engine power: 2.2 kW; number of filters: 2; number of collector bins: 2; electric connection: 400 V; dimension L: 1650 mm; dimension W: 760 mm; dimension H: 3000 mm;	10.00
143	1	lot of stop- / enclosures description: in pallet box;	10.00
144	1	electrical hydraulic shear elevator brand: Trepel; type: KDS 20/12; max. load: 2000 kg; platform size L: 1640 mm; platform size W: 900 mm; electric connection: 380 V; own weight: 910 kg;	10.00
145	1	frequency controlled compressor Ecoair, D31, year built 1993, serial number 31200139, brand: Ecoair; type: D31; year: 1993; serial number: 31200139; capacity: 8 bar; air flow: 3500 l/min; power: 22 kW; hours on display: 2121; total dimension L: 1950 mm; total dimension W: 820 mm; total dimension H: 1500 mm; description: equipped with digital control panel, "Emotron" eldutronik you; in geluidsgedemte housing;	100.00
146	1	electric pallet truck brand: Atlet ; type: PLL 145; lifting capacity: 1450 kg; fork length: 1150 mm; battery charger: yes; own weight: 430 kg;	10.00
147	1	electro-hydraulic scissor lift brand: Hymo; hoist capacity: 1000 kg; dimension L: 1350 mm; dimension W: 1050 mm;	10.00
148	1	electric chain hoist (not used) brand: Demag; type: DKUN2; year: 1995; hoist capacity: 500 kg; electric connection: 400 V; description: equipped with electric trolley and remote control ;	100.00



Lot	Number	Description	Starting Bid €
149	1	mobile air treatment installation brand: ESTA; type: SRF-1800 NS; year: 1989; serial number: 7187; total dimension L: 1300 mm; total dimension W: 730 mm; total dimension H: 1010 mm;	10.00
150	1	calamiteitenkar with content brand: Fetra; total dimension L: 1600 mm; total dimension W: 720 mm; total dimension H: 1800 mm; description: max. capacity 750 kg; content incl. dusters; div.mbeschermingskleding; various clay materials; hose; vessel with absorption granules; equipped with push handle;	10.00
151	4	steel chemicals bucket	10.00
152	1	tooling front counter brand: Messma-kelch-robot; range X-axis: 600 mm; range Z-axis: 400 mm; control, brand, type: Industrial computer 615; electric connection: 400 V; description: equipped with tool-holder turret, Ø 700 mm; foot control;	100.00
153	1	circular trim saw brand: Thomas; type: 315 VR1; saw blade ? : 315; cutting range: 110; coolant pump: yes; electric connection: 380 V; description: equipped with pneumatic high / low; -kleminrichting and foot control;	100.00
154	1	backstand grinder brand: Scantool; type: S75-2250; electric connection: 400 V; description: sanding belt dimensions . approx. 75x2250 mm;	10.00
155	1	welding column brand: AP Hamacher; column height: 2200 mm; boom length: 2100 mm; electric connection: 400 V; description: equipped with central schake- / control cabinet and control console;	10.00
156	1	more spillige column drill brand: G. Boley; type: VG16; number of drills: 18; number of speeds: 16; speed from N=: 280 rpm; speed till N=: 3150 rpm; table size L: 440 mm; table size W: 320 mm; coolant pump: yes; engine power: 3 kW; electric connection: 380 V;	100.00
157	1	backstand grinder brand: KEF; type: BSH 20-75; electric connection: 400 V; own weight: 76 kg; description: sanding belt dimensions . approx. 75x2000 mm;	10.00
158	1	lot of various grinding wheels and rods	10.00
159	1	Electric universal notcher brand: Tumakon; type: TU 250 6; electric connection: 400 V; description: backwater capacity 270x270 mm; table dimensions . approx. 900x800 mm; equipped with foot-operated;	100.00
160	5	various materials roller block	10.00
161	1	height-adjustable table leg	10.00
162	1	liquid container total dimension L: 450 mm; total dimension W: 710 mm; total dimension H: 870 mm; description: equipped with foot-operated valve; inlet and outlet;	10.00
163	1	washing machines and clothes dryer brand: Miele ; type: Hydromatic W797; serial number: 00/10318576; filling capacity: 4 kg; max. spinning speed: 1250 rpm; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 450 mm; total dimension H: 880 mm; description: equipped with drain hose; waterhose;	10.00
164	1	coffee machine brand: Siro Touch; multiple hot drinks: yes; bean-to-cup: yes; total dimension L: 540 mm; total dimension W: 380 mm; total dimension H: 860 mm; description: machine number: 991007;	10.00
165	1	positioner brand: Trakis-Hetra; type: FOA-300; serial number: 598; horizontal: yes; table ? : 320 mm; electric connection: 230 V; dimension L: 320 mm; dimension W: 410 mm; dimension H: 170 mm; description: vv foot control;	10.00



Lot	Number	Description	Starting Bid €
166	1	coffee machine brand: Siro Touch; multiple hot drinks: yes; bean-to-cup: yes; total dimension L: 540 mm; total dimension W: 380 mm; total dimension H: 860 mm; description: machine number: 990741;	10.00
167	1	tool trolleys brand: Platinum Tools; number of drawers: 7; with content: yes; total dimension L: 840 mm; total dimension W: 450 mm; total dimension H: 910 mm; description: -filled tool trolley ; equipped with keys; side door;	100.00
168	1	tool trolleys brand: Snipp-on; type: professional-line; number of drawers: 7; with content: yes; total dimension L: 840 mm; total dimension W: 450 mm; total dimension H: 970 mm; description: -filled tool trolley ; equipped with side door; ex. Keys; incl. lot of various in crate;	100.00
169	1	Universal circular saw brand: Bewo; type: CPO315 ZWHA-LT; serial number: 1590; saw blade ? : 315 mm; electric connection: 380 V; dimension L: 860 mm; dimension W: 550 mm; dimension H: 1430 mm; description: worktable dimensions . approx. 150x390mm; vv various accessories ; coolant connection;	10.00
170	1	lot of hoisting tools description: ao hoisting belts; rope; incl. cement vat;	10.00
171	1	column drill brand: KMS; type: GHM-40AF; year: 2017; serial number: 1704001; drilling capacity: 32 mm; number of speeds: 12; spindle speed from N=: 50 rpm; spindle speed till N=: 2520 rpm; discharge: 275 mm; taper MC: 4; gear wheel driven: yes; table size L: 730 mm; table size W: 210 mm; engine power: 1.1 kW; electric connection: 400 V; manual present: yes; machine weight: 315 kg; dimension L: 700 mm; dimension W: 500 mm; dimension H: 1800 mm; description: spindle max. stroke : 130mm; equipped with equipment terminal; guard;	10.00
172	1	Lift magnet total dimension L: 245 mm; total dimension W: 120 mm; total dimension H: 220 mm; description: incl. lifting belt;	10.00
173	1	vertical lifting clamp capacity: 1500 kg; total dimension L: 330 mm; total dimension W: 180 mm; description: equipped with hoisting belt;	10.00
174	1	vertical lifting clamp capacity: 1500 kg; total dimension L: 330 mm; total dimension W: 180 mm; description: equipped with hoisting belt;	10.00
175	1	glue sprayer brand: Milwaukee; type: POG 12; serial number: 6560-50; voltage: 14,4 V; number of batteries: 1; battery charger: yes;	10.00
176	2	vertical lifting clamp capacity: 1500 kg; total dimension L: 160 mm; total dimension W: 120 mm; total dimension H: 160 mm; description: equipped with hoisting belt;	10.00
177	1	Lift magnet total dimension L: 245 mm; total dimension W: 120 mm; total dimension H: 220 mm; description: incl. lifting belt;	10.00
178	1	trolley jack brand: Holmatro; capacity: 25 t; height: 380 mm; total dimension W: 220 mm; total dimension H: 245 mm;	10.00
179	1	tackle brand: Demag; type: PK 1N-F; serial number: 5522862; hoist capacity: 250 kg; electric connection: 380 V; total dimension L: 240 mm; total dimension W: 240 mm; total dimension H: 410 mm; description: pay attention. defective; lacks parts;	10.00
180	1	cutting burner set description: equipped with pressure-reducing valve;	10.00



Lot	Number	Description	Starting Bid €
181	1	cutting burner set description: equipped with pressure-reducing valve;	10.00
182	1	cutting burner set description: equipped with pressure-reducing valve;	10.00
183	1	tackle brand: Secalt; description: equipped with manual operation; SWR;	10.00
184	1	cutting burner set description: equipped with pressure-reducing valve;	10.00
185	1	lot of cables on reel: yes; description: incl. approx. 12 reels; various types of electrical cables;	10.00
186	1	lot of cutting torch sets description: including various welding torches ; 3 cases; 1 plastic crate with snijbranderset; Incl. Equipment terminals; ex. drilling tools;	10.00
187	1	drill tools description: various sizes drill tool;	10.00
188	1	lot of diverse description: ao Multigas detector; welding burner front pieces; from 1 shelf;	10.00
189	1	lot of regulators description: including reducing valve: approx. 10 pieces; Incl. Consumables; of 1 shelf;	10.00
190	1	chain hoist brand: Stahl; description: equipped with remote control; incl. differential pressure meter of shelf 1;	10.00
191	1	lot of diverse description: among others grinding wheels; cutting fire sets; sharpening stone; earplugs; welding glasses; fire blanket; from 1 shelf;	10.00
192	1	lot of diverse description: including grease gun; grease cartridges; pressure sprayer; sandpaper belt; extension cables and various ; of 1 shelf;	10.00
193	1	shield brand: Bollé; type: Working Vision; description: incl. output board;	10.00
194	2	Eye shower brand: Bradley;	10.00
195	1	oxypack brand: Air Liquide; type: Oxypack 3000; description: vv regulators;	10.00
196	1	oxypack brand: Air Liquide; type: Oxypack 3000; dimension L: 200 mm; dimension W: 350 mm; dimension H: 740 mm; description: vv regulators;	10.00
197	1	oxypack brand: Air Liquide; type: Oxypack 3000; dimension L: 200 mm; dimension W: 350 mm; dimension H: 740 mm; description: equipped with a plurality of lasvoorzetstukken;	10.00
© 198	1	lot of rattles description: including various caps; various bits; of 1 shelf;	10.00
© 199	1	lot of caps description: incl. hex; extensions; tap wrench; of 1 shelf;	10.00
© 200	1	lot of sling with piercing triangle description: ao tensioning straps; various slings; of 1 shelf;	10.00
© 201	1	lot of caps description: incl. size 13/16/21; of 1 shelf;	10.00
© 202	1	lot of hand tool description: incl. caps; various push handles; material clamp; of 1 shelf;	10.00
© 203	1	Milling tool description: incl. . various milling heads; caps; of 1 shelf;	10.00



Lot	Number	Description	Starting Bid €
© 204	2	tool trays total dimension L: 830 mm; total dimension W: 430 mm; total dimension H: 330 mm; description: from 1 shelf;	10.00
© 205	1	lot of fluorescent tubes brand: Philips; description: ao fluorescent tube 36w / 54; approx. 20 pieces;	10.00
		party of various tools	
206	1	various electric hand drill description: incl. 3 drills; metal filing; pliers; gas burner; level; Extension of force; of 1 shelf;	10.00
207	1	lot of diverse description: incl. ring / spanners; insulated ratchet; various user agents; of 1 shelf;	10.00
208	1	lot of diverse description: incl. ring / spanners; spanners; push handles; of 1 shelf;	10.00
209	2	Diamond disc description: diamond wheel dimensions . approx. ø410mm;	10.00
210	1	circular saw brand: Hitachi; type: Circular saw; saw blade ? : 335 mm; cutting angle max.: 45 °; engine power: 2 kW; electric connection: 220 V;	10.00
211	1	concrete saw description: equipped with gasoline engine; water connection; ex. saw blade;	10.00
212	1	digital readout system brand: Newall; type: B60; serial number: K0558HH; electric connection: 230 V; description: vv various accessories;	100.00
213	3	lot of various saw blades description: vv various sizes of blades: dimensions . approx. ø 450mm; ø 370mm; ø 450mm;	10.00
214	1	wood router brand: Eugen; type: MOF 31; serial number: 2379; routing stroke vertical: 45 mm; speed till N=: 20000 rpm; electric connection: 230 V; description: ao 3 hand drills ;	10.00
215	1	lot of cups description: incl. two boxes of paper cups;	10.00
216	1	shaft support height: 600 mm; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 335 mm; description: equipped with adjustable height;	10.00
217	1	shaft support height: 600 mm; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 335 mm; description: equipped with adjustable height;	10.00
218	2	inverter brand: Siemens; type: Micromaster; serial number: XAL482MV208C; electric connection: 230 V;	10.00
219	1	lot of rotating wire brush description: approx. 8 pieces; dimensions . approx. ø 250mm;	10.00
220	1	lot of various chains description: various chains and shackles; approx. 20 pieces; including length dimensions . approx. 5m;	10.00
221	1	pipe bending machine dimension L: 850 mm; dimension H: 660 mm; description: vv various accessories ; of 1 shelf;	10.00
222	1	lot of poelitrekkers description: including 2 arm and 3 arm pullers;	10.00
223	1	hand press brand: Janson; description: incl. adhesive clip;	10.00
224	1	lot of Pliers description: ao various pipe pliers; poelitrekker; pump; filter pack; of 1 shelf;	10.00



Lot	Number	Description	Starting Bid €
225	1	various control cabinets description: approx. 7 pieces; of 2 shelves;	10.00
226	1	stereoset brand: Philips ; number of speakers: 6; total dimension W: 440 mm; description: vv various speakers; set consists of 3 parts; of 1 shelf;	10.00
227	2	engineer's bed brand: Bosal; total dimension L: 1040 mm; total dimension W: 440 mm; total dimension H: 100 mm; description: mobile engineer's bed;	10.00
228	1	lot of wheels description: vv various sizes dimensions . approx. 130x110x200mm and 110x50x80mm; fixed and swivel wheels; incl. box with various tooling ; of 1 shelf;	10.00
229	1	electric chain hoist brand: Fa; remote control: yes; electric connection: 400 V; total dimension L: 470 mm; total dimension W: 350 mm; total dimension H: 330 mm; description: incl. cutting burner set; from 1 shelf;	10.00
230	1	control box brand: Holec;	10.00
231	1	turning tool description: various center tools;	10.00
232	1	cutting burner set description: equipped with cutting set; various welding torches ; Incl. Harness; of 1 shelf;	10.00
233	2	chain hoist description: hand hoist; ao 3 tons hoist; 1500kg hoist;	10.00
234	1	pressure tester type: 361.01 R/8d/120/20/tr; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 280 mm; description: max. pressure. 40 bar; incl. box;	10.00
235	1	generator brand: Powertech; type: PT6500W; manual present: yes; machine weight: 40 kg; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 440 mm; description: gasoline generator; power. 6.5pk; capacity 6500W; Output 3x 220V: 1x 380; equipped with voltage meter; various accessories;	100.00
236	1	whole glasses type: TUR 630; description: Ø 140-300;	10.00
237	4	kipp drilling head brand: Mapal; description: 4 drilling heads; various type programs; including storage box;	10.00
238	1	magnetic clamping plate description: Ø ca 50 cm; thickness about 8 cm;	10.00
239	1	whole glasses type: TUR 630; description: including various accessories;	10.00
240	1	half glasses type: TUR 630; description: including various accessories;	10.00
241	1	Pneumatic car crimp device brand: Cembre; description: vv foot control;	10.00
242	1	pneumatic 2-spindle press device	10.00
243	1	machine tools brand: Kinkelder; description: ao 2 circular saw blades ; Ø 350 and 450 mm;	10.00
244	4	ultraviolet cartridges with spray gun kit	10.00
245	1	main switch cabinet total dimension L: 270 mm; total dimension W: 180 mm; total dimension H: 270 mm;	10.00
246	1	hydroPure deionizing cartridge brand: HydroPure;	10.00



Lot	Number	Description	Starting Bid €
247	1	laser printer system Domino brand: Domino; type: D 320i; serial number: S341389S; touch screen control: yes; digital control: yes; electric connection: 230 V; description: including Domino controller D series; various accessories ; 3 Zarges aluminum transport boxes;	100.00
248	1	workbench / vise accessories description: length about 120 cm;	10.00
249	1	vacuum pump brand: Edwards; type: E1M18; year: 1996; electric connection: 230 V; own weight: 36 kg;	10.00
250	1	vacuum pump brand: Edwards;	10.00
251	1	trolley jack capacity: 4000 t;	10.00
252	1	trailer light bar	10.00
253	4	various pneumatic cylinder description: incl. 2 various parts;	10.00
254	1	autogenous tube finder brand: Smc; type: Tulsa; description: including accessories and transport case;	100.00
255	1	injection tester	10.00
256	1	air compressor	10.00
257	1	pneumatic indexer brand: ITB; type: TRI 270 CP; capacity: 270 mm;	10.00
258	1	pneumatic indexer brand: ITB; type: TAR 270; capacity: 270 mm;	10.00
259	1	column drill brand: Rexon; type: RDM-700MPF; serial number: 4455; drilling depth: 130 mm; discharge: 340 mm; taper MC: 3; table size L: 620 mm; table size W: 240 mm; electric connection: 400 V;	10.00
260	1	div. diamond grinding wheels	10.00
261	1	various Pressure Test description: in plastic case ;	10.00
262	1	ratchet hoist brand: Mennens; type: TM-LB-OP-150N; hoist capacity: 1500 kg;	10.00
263	4	steel container lifting hook brand: G-R; type: CH3/8; hoist capacity: 12500 kg;	10.00
264	4	steel container lifting hook brand: G-R; type: CH3/8; hoist capacity: 12500 kg;	10.00
265	4	universal hand ratchet brand: toolbox; description: 2x 8-14 mm and 2x 14-21 mm;	10.00
266	4	universal hand ratchet brand: toolbox; description: 2x 8-14 mm and 2x 14-21 mm;	10.00
267	1	hoisting screw type: 16/8; hoist capacity: 8000 kg; description: M30 screw;	10.00
268	2	hook hoist capacity: 6000 kg;	10.00
269	3	mobile loading block	10.00
270	1	round rim description: in steel box;	10.00
271	4	div. electric tooling description: incl. cordless drill; 2x battery chargers and jigsaw in plastic case ;	10.00
272	1	various fall protection	10.00
273	1	heavy wheel wrench brand: OMAG; type: Titan 250; description: max. capacity 2500 Nm; equipped with a plastic case ;	10.00



Lot	Number	Description	Starting Bid €
274	1	Vibrating table brand: Fleximech; type: toevoersys.; year: 2001; description: consisting of : bunker supply conveyor, dimensions . approx. 600x300x160 mm; "Schinko" vibrating table, Ø 320 mm; output and switch;	10.00
275	3	Tool box plastic: yes; description: empty;	10.00
© 276	4	roll of magnetic foil description: thickness 0.4 mm; 1000 mm width; length 20 m;	10.00
© 277	4	roll of magnetic foil description: thickness 0.4 mm; 1000 mm width; length 20 m;	10.00
		12 rolls magnetic foil	
278	2	workbench dimension L: 115 cm; dimension W: 55 cm; dimension H: 85 cm; description: equipped with closet, drawer and shelf;	10.00
279	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 4500 mm; description: 3x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
280	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 4500 mm; description: 3x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
281	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 4500 mm; description: 3x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
282	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 4500 mm; description: 3x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
283	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 4500 mm; description: 3x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
284	1	electric overhead door (unused) brand: Condoor; type: UST 1K; total dimension W: 4050 mm; total dimension H: 5000 mm; description: 7x panel with plastic windows; complete; equipped with rail; engine control unit;	100.00
285	3	chain saw	10.00
© 286	3	various electric tooling brand: Bosch; description: incl. drilling;	10.00
© 287	4	various electric tooling brand: Bosch; electric connection: 230 V; description: incl. drilling;	10.00
© 288	1	wasser pump brand: Foras; power: 1.1 kW; capacity: 3000 l/hr; H-max.: 48 m; electric connection: 230 V; description: vv hose;	10.00
© 289	1	electric hand drill brand: Makita; type: HR4011C; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
© 290	4	various electric tooling electric connection: 230 V; description: incl. Bosch; including drills and circular saw;	10.00
© 291	2	Electric stapler brand: Bosch; description: incl. 9 boxes of measuring points;	10.00
© 292	1	shelf various hand tools description: incl. chore burners and water pump;	10.00
© 293	3	various electric tooling description: incl. 2x construction lamp and impact drill;	10.00
© 294	1	electric hand belt sander and circular saw brand: Hitachi en Makita;	10.00



Lot	Number	Description	Starting Bid €
© 295	9	various pneumatic tooling description: from 1 shelf;	10.00
© 296	1	electric SDS hand drill brand: Bosch; type: GBH 4-32 DFR; hammer drill: yes; with case: yes; electric connection: 230 V; description: equipped with quick-action chuck; incl. Hilti drilling machine;	10.00
© 297	1	electric SDS hand drill brand: Bosch; type: GBH 5-40 DE; hammer drill: yes; with case: yes; electric connection: 230 V;	10.00
© 298	1	electric wire cutter brand: Hitachi; type: CL10D2; voltage: 12 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
© 299	1	air compressor brand: Diacom; electric connection: 230 V;	10.00
		various electric, pneumatic and hand tools	
300	1	battery drilling machine (not used) brand: Hitachi; type: DS18DJL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes;	10.00
301	1	total station brand: Nikon; type: DTM-B10lg; electric connection: 12 V; description: equipped with digital control panel; Incl. Charger; receiver and plastic case ;	10.00
302	1	Battery drilling machine brand: Hilti; type: SP12; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes;	10.00
303	1	battery drilling machine with work lamp brand: Hitachi; number of batteries: 0; with case: yes; description: incl. Makita tool bag;	10.00
© 304	1	battery LED work light brand: Hitachi; type: UB 18DDL; voltage: 18 V; description: (excluding battery) ;	10.00
© 305	1	battery LED work light brand: Hitachi; type: UB 18DDL; voltage: 18 V; description: (excluding battery) ;	10.00
© 306	1	battery LED work light brand: Hitachi; type: UB 18DDL; voltage: 18 V; description: (excluding battery) ;	10.00
© 307	1	battery LED work light brand: Hitachi; type: UB 18DDL; voltage: 18 V; description: (excluding battery) ;	10.00
© 308	3	battery work light brand: Hitachi; type: UB 18DAL; voltage: 18 V; number of batteries: 0; description: (excluding battery) ;	10.00
© 309	3	battery work light brand: Hitachi; type: UB 18DAL; voltage: 18 V; number of batteries: 0; description: (excluding battery) ;	10.00
© 310	3	battery work light brand: Hitachi; type: UB 18DAL; voltage: 18 V; number of batteries: 0; description: (excluding battery) ;	10.00
		batch of battery worklights (unused)	
311	1	electric hand saw (unused) brand: Hitachi; type: C 7UY; plunge-cut saw: no; saw blade ? : 190 mm; max. depth of cut: 70 mm; angle adjustment: no; angle adjustment (deg): 45 °; with case: yes; electric connection: 230 V;	10.00
312	1	battery drilling machine (not used) brand: Hitachi; type: DS9DVB2; voltage: 9,6 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes;	10.00
313	1	battery reciprocating saw (not used) brand: Hitachi; type: CR 18DL; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; sawing machine: yes;	10.00



Lot	Number	Description	Starting Bid €
314	1	angle grinder (not used) brand: Hitachi; type: G23ST; disc diameter: 230 mm; power: 2000 W; electric connection: 230 V; description: in box;	10.00
315	1	angle grinder (not used) brand: Hitachi; type: G23ST; disc diameter: 230 mm; power: 2000 W; electric connection: 230 V; description: in box;	10.00
316	1	angle grinder (not used) brand: Hitachi; type: G 13SS; disc diameter: 125 mm; power: 580 W; electric connection: 230 V; description: in box;	10.00
317	2	angle grinder (not used) brand: Hitachi; type: G 13SS; disc diameter: 125 mm; power: 580 W; electric connection: 230 V; description: in box;	10.00
318	1	angle grinder (not used) brand: Hitachi; type: G 13STA (S); disc diameter: 125 mm; power: 600 W; electric connection: 230 V; description: in box;	10.00
319	1	angle grinder (not used) brand: Hitachi; type: G 13STA (S); disc diameter: 125 mm; power: 600 W; electric connection: 230 V; description: in box;	10.00
320	1	electric reciprocating saw (unused) brand: Hitachi; type: CR 13VBY; plunge-cut saw: no; angle adjustment: no; with case: yes; electric connection: 230 V;	10.00
321	1	angle grinder brand: DeWalt; disc diameter: 230 mm; electric connection: 230 V; description: incl. emergency lighting lamp;	10.00
322	1	portable air compressor (not used) brand: Senco; type: PC1010EU; year: 2017; capacity: 8.6 bar; power: 0.3 kW; buffer tank content: 4 l; electric connection: 230 V;	10.00
323	1	portable air compressor (not used) brand: Senco; type: PC1010EU; year: 2017; capacity: 8.6 bar; power: 0.3 kW; buffer tank content: 4 l; electric connection: 230 V;	10.00
324	1	construction junction box (unused) number of outputs 230 V: 6; number of outputs 380 V / 16 A: 1; number of outputs 380 V / 32 A: 1; description: in box;	10.00
325	1	construction junction box (unused) number of outputs 230 V: 6; number of outputs 380 V / 16 A: 1; number of outputs 380 V / 32 A: 1; description: in box;	10.00
326	1	construction junction box (unused) number of outputs 230 V: 6; number of outputs 380 V / 16 A: 1; number of outputs 380 V / 32 A: 1; description: in box;	10.00
327	1	battery leaf blower body (unused) brand: Makita; type: DUB362PT4; voltage: 36 V; number of batteries: 0; description: in box (excluding batteries) ;	10.00
328	1	battery leaf blower body (unused) brand: Makita; type: DUB362PT4; voltage: 36 V; number of batteries: 0; description: in box (excluding batteries) ;	10.00
329	1	electric jigsaw machine (unused) brand: Hitachi; type: CJ 160V; with case: yes; electric connection: 230 V;	10.00
330	1	electric jigsaw machine (unused) brand: Hitachi; type: CJ 160V; with case: yes; electric connection: 230 V;	10.00
331	1	battery fan (unused) brand: Hitachi; type: UF 18DSL; description: can be used with 14.4 and 18 V. batteries; incl. adapter;	10.00



Lot	Number	Description	Starting Bid €
332	1	battery fan (unused) brand: Hitachi; type: UF 18DSL; description: can be used with 14.4 and 18 V. batteries; incl. adapter;	10.00
333	1	electric heater (unused) brand: Wacker Neuson; type: HE 9; power: 9 kW; ventilator: yes; thermostat: yes; own weight: 11 kg; electric connection: 400 V; description: max. capacity 760 m ³ / h; in box;	10.00
334	1	electric heater (unused) brand: Wacker Neuson; type: HE 9; power: 9 kW; ventilator: yes; thermostat: yes; own weight: 11 kg; electric connection: 400 V; description: max. capacity 760 m ³ / h; in box;	10.00
335	1	industrial vacuum cleaner (unused) brand: Hecht; type: 8212; power: 1250 W; bagless: yes; wet/dry vacuum cleaner: yes; plug-socket: no; electric connection: 230 V; description: complete in box;	10.00
336	1	industrial vacuum cleaner (unused) brand: Hecht; type: 8212; power: 1250 W; bagless: yes; wet/dry vacuum cleaner: yes; plug-socket: no; electric connection: 230 V; description: complete in box;	10.00
337	1	industrial vacuum cleaner (unused) brand: viper; type: DSU12-EU; bagless: no; wet/dry vacuum cleaner: no; plug-socket: no; electric connection: 230 V; description: complete in box;	10.00
338	1	industrial vacuum cleaner (unused) brand: viper; type: DSU12-EU; bagless: no; wet/dry vacuum cleaner: no; plug-socket: no; electric connection: 230 V; description: complete in box;	10.00
339	1	extension cable reel (unused) brand: InterElek; type: Robusta 1; electric connection: 230 V; male-female: yes; length: 50 m; on reel: yes; description: in box;	10.00
340	2	extension cable reel (unused) brand: InterElek; type: Robusta 1; electric connection: 230 V; male-female: yes; length: 50 m; on reel: yes; description: in box;	10.00
341	2	extension cable reel (unused) brand: InterElek; type: Robusta 1; electric connection: 230 V; male-female: yes; length: 50 m; on reel: yes; description: in box;	10.00
342	1	exhaust gas meter brand: Bosch; type: ETT 008.55; year: 1997; digital display: yes; electric connection: 230 V; description: with accessories in wooden box;	10.00
343	2	trolley description: working width : 115 mm;	10.00
344	1	double worklight (unused) brand: Erro; type: EL1030; TL lamp: yes; power: 20 W; tripod: no; electric connection: 230 V; description: in box;	10.00
345	2	double worklight (unused) brand: Erro; type: EL1030; TL lamp: yes; power: 20 W; tripod: no; electric connection: 230 V; description: in box;	10.00
346	2	double worklight (unused) brand: Erro; type: EL1030; TL lamp: yes; power: 20 W; tripod: no; electric connection: 230 V; description: in box;	10.00
© 347	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 8000 kg; dimension L: 6000 mm;	10.00
© 348	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 8000 kg; dimension L: 6000 mm;	10.00
© 349	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 8000 kg; dimension L: 6000 mm;	10.00
© 350	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 8000 kg; dimension L: 6000 mm;	10.00



Lot	Number	Description	Starting Bid €
© 351	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 12000 kg; dimension L: 6000 mm; dimension W: 180 mm;	10.00
© 352	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 12000 kg; dimension L: 6000 mm; dimension W: 180 mm;	10.00
© 353	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 12000 kg; dimension L: 6000 mm; dimension W: 180 mm;	10.00
© 354	2	heavy lifting belt (unused) brand: TIP; type: EN 1492-1; hoist capacity: 12000 kg; dimension L: 6000 mm; dimension W: 180 mm;	10.00
		batch of heavy lifting straps	
355	4	fluorescent fixture with lamp total dimension L: 1200 mm; description: incl. various advertising banners;	10.00
356	2	construction lamp	10.00
357	6	steel hoisting cable brand: Ayla; hoist capacity: 5120 kg; description: equipped with plastic sleeve;	10.00
358	1	various absorption and mess blockers	10.00
359	1	lot of trash cans description: approx. 20 pieces; in the first pallet box;	10.00
360	3	industrial vacuum cleaner plug-socket: yes; electric connection: 230 V; description: pay attention. ex. fittings;	10.00
361	4	canteen chair description: 4 plastic seats ;	10.00
362	4	car parts brand: Omega; type: Worklamp; description: building worklights;	10.00
363	4	car parts brand: Omega; type: Worklamp; description: building worklights;	10.00
364	2	car parts brand: Omega; type: Worklamp; description: building worklights;	10.00
365	2	steering knobs brand: Knob;	10.00
366	2	steering knobs brand: Knob;	10.00
367	2	steering knobs brand: Knob;	10.00
368	1	jig saw brand: Hitachi; type: FCJ65V3; with case: yes; electric connection: 230 V;	10.00
369	1	jig saw brand: Hitachi; type: FCJ65V3; with case: yes; electric connection: 230 V;	10.00
370	1	drilling machine brand: Hitachi; type: DV 16VBL; year: 2010; serial number: 100249; power: 600 W; with case: yes; electric connection: 230 V;	10.00
371	1	Hedge brand: Dolmar; type: AY-1820 LG; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: no; description: vv various accessories ; in box;	10.00
372	1	Hedge brand: Dolmar; type: AY-1820 LG; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: no; description: vv various accessories ; in box;	10.00
373	1	Hedge brand: Dolmar; type: AY-1820 LG; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: no; description: vv various accessories ; in box;	10.00



Lot	Number	Description	Starting Bid €
374	2	liquid syringe description: vv various accessories;	10.00
375	2	liquid syringe description: vv various accessories;	10.00
376	3	clamping sleeves brand: Fischer; type: FNH 6/40; description: approx. . 100 per box;	10.00
377	10	knock plugs brand: Fischer; type: N 6X60/30 S; description: approx. . 50 per box;	10.00
378	1	Torque wrench brand: Stahlwille; type: Manoskop 730; taper: inwendige vierkant "; torque range from: 40 Nm; torque range till: 200 Nm; description: incl. steel safety gloves;	10.00
379	1	Torque wrench brand: Stahlwille; type: Manuskop 730a/qp; serial number: 609133586; taper: inwendige vierkant "; torque range from: 20 Nm; torque range till: 100 Nm; description: equipped with calibration certificate;	10.00
380	1	Torque wrench torque range from: 0 Nm; torque range till: 100 Nm;	10.00
381	1	blind rivet machine brand: Avdel; serial number: 07531; description: equipped with foot-operated; various accessories;	10.00
382	1	angle grinder brand: Carat; type: HS-1250; year: 2013; serial number: 130761; power: 730 W; with case: no; electric connection: 230 V; description: equipped with box manual ;	10.00
383	1	angle grinder brand: Carat; type: HS-1250; year: 2013; power: 730 W; with case: no; electric connection: 230 V; description: equipped with box manual ;	10.00
384	1	drill tools brand: HSS Spiral-Bohrer; type: Magazin; description: suitcase with various drilling;	10.00
385	1	drill tools brand: HSS Spiral-Bohrer; type: Magazin; description: suitcase with various drilling;	10.00
386	2	drill tools brand: HSS Spiral-Bohrer; type: Magazin; description: suitcase with various drilling;	10.00
387	2	drill tools brand: HSS Spiral-Bohrer; type: Magazin; description: suitcase with various drilling;	10.00
388	1	heater brand: Eurom; type: Industrial Carbon Heating Lamp; power: 0.8 kW; ventilator: no; own weight: 2 kg; electric connection: 230 V;	10.00
389	1	heater brand: Eurom; type: Industrial Carbon Heating Lamp; power: 0.8 kW; ventilator: no; own weight: 2 kg; electric connection: 230 V;	10.00
390	1	heater brand: Eurom; type: Industrial Carbon Heating Lamp; power: 0.8 kW; ventilator: no; own weight: 2 kg; electric connection: 230 V;	10.00
391	1	heater brand: Eurom; type: Industrial Carbon Heating Lamp; power: 0.8 kW; ventilator: no; own weight: 2 kg; electric connection: 230 V;	10.00
392	1	hand vacuum cleaner brand: Hitachi ; type: R 14DSL; description: pay attention. ex. battery;	10.00
393	1	hand vacuum cleaner brand: Hitachi ; type: R 14DSL; description: pay attention. ex. battery;	10.00
394	1	hand vacuum cleaner brand: Hitachi ; type: R 14DSL; description: pay attention. ex. battery;	10.00
395	1	hand vacuum cleaner brand: Hitachi ; type: R 14DSL; description: pay attention. ex. battery;	10.00



Lot	Number	Description	Starting Bid €
396	1	Socket piece: 8; with case: yes; description: various sizes; ao size 26 t / m 38; incl.boorset;	10.00
397	1	Socket piece: 8; with case: yes; description: various sizes; ao size 26 t / m 38; incl.boorset;	10.00
398	1	Socket piece: 8; with case: yes; description: various sizes; ao size 26 t / m 38; incl.boorset;	10.00
399	1	submersible total dimension H: 480 mm; description: connection ø 40mm; 230 volts; equipped with rope;	10.00
400	1	diagnostic equipment brand: Horiba; type: MEXA-201X; year: 1986; serial number: x11113; total dimension L: 600 mm; total dimension W: 220 mm; total dimension H: 220 mm; description: connection: 230 volts; vv various accessories;	10.00
401	1	co2 tester brand: Allen; type: Abgastester; description: vv various accessories;	10.00
402	1	Welding machine brand: Pocki; type: 140; MMA type: yes; ampere range: 140 A; duty cycle: 25 %; electric connection: 230 V; manual present: yes; machine weight: 9 kg; dimension L: 400 mm; dimension W: 200 mm; dimension H: 250 mm; description: incl. earth clamp and electrode cables ;	10.00
403	1	Welding machine brand: Gala; type: I74; MMA type: yes; portable: yes; electric connection: 230 V; manual present: no; machine weight: 9 kg; dimension L: 400 mm; dimension W: 200 mm; dimension H: 250 mm; description: Incl. Earth clamp and electrode cables; various accessories;	10.00
404	2	battery brand: hitachi; type: Koki; voltage: 18 V; number of batteries: 2;	10.00
405	1	pneumatic nibbler type: CP835; serial number: 01233L; description: pay attention not complete;	10.00
406	1	battery brand: Hitachi; type: Koki; voltage: 18 V; number of batteries: 1;	10.00
407	2	battery brand: Makita; voltage: 18 V; number of batteries: 2;	10.00
408	2	battery brand: Hitachi; type: BSL 1430; voltage: 14,4 V; number of batteries: 2;	10.00
409	2	accu merk: Hitachi; type: BSL 1430; voltage: 14,4 V; aantal accu's: 2;	10.00
410	2	battery brand: Hitachi; type: BSL 1430; voltage: 14,4 V; number of batteries: 2;	10.00
411	2	battery brand: Hitachi; type: BCC 1215; voltage: 12 V; number of batteries: 2;	10.00
412	2	battery brand: Hitachi; type: BCL 1430; voltage: 14,4 V; number of batteries: 2;	10.00
413	2	battery brand: Hitachi; type: BCL 1430; voltage: 14,4 V; number of batteries: 2;	10.00
414	1	battery brand: Hitachi; type: EBM 1830; voltage: 18 V; number of batteries: 1;	10.00
415	1	battery brand: Hitachi; type: BSL 1840; voltage: 18 V; number of batteries: 1;	10.00
416	2	battery brand: Hitachi; type: BSL 1840; voltage: 18 V; number of batteries: 2;	10.00



Lot	Number	Description	Starting Bid €
417	1	heater brand: Dikair; type: DE 15; serial number: 2400; power: 3 kW; ventilator: yes; total dimension L: 280 mm; total dimension W: 250 mm; total dimension H: 300 mm; electric connection: 230 V;	10.00
418	2	tape dispenser total dimension L: 350 mm; total dimension W: 120 mm; total dimension H: 280 mm;	10.00
419	3	blind rivet machine description: incl. Lopster; Avdel " type : 74200;	10.00
420	1	co2 tester brand: Bosch; serial number: 242061; description: 230 volt connection;	10.00
421	1	blind rivet pliers brand: Gspida; type: Gbm-10; description: vv various accessories ;	10.00
422	1	impact wrench brand: Hitachi; type: WR 16SA; year: 2007; serial number: 070784; electric connection: 230 V; description: speed 1900 p / min; power: 480 watts;	10.00
423	1	blind rivet machine brand: Avdel; type: 71420; max. pressure: 7 bar; description: equipped with foot-operated; various accessories;	10.00
424	1	chain hoist brand: Nitchi; type: H-40; year: 1988; hoist capacity: 500 kg; description: equipped with manual operation; roller; incl. small ratchet chain;	10.00
425	1	heater brand: Remko; type: PGM 30 E; serial number: CE-0085AP0240; power: 26 kW; ventilator: yes; thermostat: no; description: 230 volt connection;	10.00
426	1	screw machine brand: Makita; type: DFR550; year: 2014; serial number: 98678; voltage: 18 V; number of batteries: 0; screw machine: yes; description: pay attention. ex. battery;	10.00
427	4	idlers total dimension L: 270 mm; total dimension W: 160 mm; total dimension H: 290 mm; description: incl. 4 wheels;	10.00
428	1	various plastic bins description: approx. 6: dimensions . approx. 600x270x130mm; approx. 16: dimensions . approx. 300x120x90mm;	10.00
429	1	oil / water filter description: incl. crate with content;	10.00
430	1	locking pliers description: including 2 grip pliers; 2 tension chains;	10.00
431	3	tablet cover brand: Apple; type: Gecko covers; description: 3x apple ipad 2 cover; incl money box;	10.00
432	1	Laskappen description: approx. 4 pieces;	10.00
433	1	lever platform scissors knife length: 300 mm;	10.00
434	1	lever platform scissors knife length: 90 mm;	10.00
435	1	lever platform scissors knife length: 160 mm;	10.00
436	1	hand punch	10.00
437	2	dehumidifiers Andrews, DE65, brand: Andrews; type: DE65; power: 12 kW; electric connection: 400 V; description: operation unknown;	10.00



Lot	Number	Description	Starting Bid €
438	1	power generator (unused) brand: Power Kraft; type: PK7500W; year: 2015; capacity: 7.5 kVA; gasoline: yes; number of cylinders: 1; engine power: 4.7 kW; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: output 3x 230 V and 1x 380 V .; in box;	10.00
439	1	power generator (unused) brand: Power Kraft; type: PK7500W; year: 2015; capacity: 7.5 kVA; gasoline: yes; number of cylinders: 1; engine power: 4.7 kW; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: output 3x 230 V and 1x 380 V .; in box;	10.00
440	1	power generator (unused) brand: Power Kraft; type: PK7500W; year: 2015; capacity: 7.5 kVA; gasoline: yes; number of cylinders: 1; engine power: 4.7 kW; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: output 3x 230 V and 1x 380 V .; in box;	10.00
441	1	power generator (unused) brand: Power Kraft; type: PK7500W; year: 2015; capacity: 7.5 kVA; gasoline: yes; number of cylinders: 1; engine power: 4.7 kW; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: output 3x 230 V and 1x 380 V .; in box;	10.00
442	1	power generator (unused) brand: Power Kraft; type: PK7500W; year: 2015; capacity: 7.5 kVA; gasoline: yes; number of cylinders: 1; engine power: 4.7 kW; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: output 3x 230 V and 1x 380 V .; in box;	10.00
443	1	power generator (unused) brand: iTools; capacity: 0.95 kVA; gasoline: yes; number of cylinders: 1; description: output 230 V .; in box;	10.00
444	1	power generator (unused) brand: iTools; capacity: 0.95 kVA; gasoline: yes; number of cylinders: 1; description: output 230 V .; in box;	10.00
445	1	power generator (unused) brand: iTools; capacity: 0.95 kVA; gasoline: yes; number of cylinders: 1; description: output 230 V .; in box;	10.00
446	1	power generator (unused) brand: iTools; capacity: 0.95 kVA; gasoline: yes; number of cylinders: 1; description: output 230 V .; in box;	10.00
447	1	power generator (unused) brand: iTools; capacity: 0.95 kVA; gasoline: yes; number of cylinders: 1; description: output 230 V .; in box;	10.00
448	1	lot of plastic storage bins description: in pallet box;	10.00
449	1	hydraulic press brand: Gedro; type: HTK50; year: 1992; electro-hydraulic: yes; 2-column: yes; distance between columns: 570 mm; stroke: 120 mm; table size L: 580 mm; table size W: 200 mm; electric connection: 230 V; description: mobile;	10.00
450	1	manual hydraulics pallet stacker brand: Lifter; type: MX10; year: 2017; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1550 mm; own weight: 210 kg;	10.00
451	4	folding workbench description: (excluding roll container) ;	10.00
452	1	lot of rubber covering / opverrijmat brand: Bubblemat; dimension L: 90 cm; dimension W: 60 cm; description: can be coupled; approx. 14 pieces; (Excl. Trolley) ;	10.00
453	2	steel trolley dimension L: 86 cm; dimension W: 68 cm; dimension H: 150 cm; description: (excl. content) ;	10.00
454	1	lot of various lances and high pressure hose description: (excluding transport cart) ;	10.00



Lot	Number	Description	Starting Bid €
455	2	various two-storey wagon description: (excl. content) ;	10.00
456	1	standing fan (unused) description: in box;	10.00
457	1	roll of magnetic foil description: thickness 0.65 mm; width 610 mm; length 30 m;	10.00
458	2	various electric tooling description: incl. Angle drilling machine ; pencil sharpener; incl. lifting clamp;	10.00
459	1	Bottle truck	10.00
460	1	motorcycle brand: Yamaha; type: Fj1200; year: 1989; license plate: MX-93-YN; mileage (at intake): 42848 mi; description: number of cylinders: 4; cylinder capacity: 1188 cm ³ ;	100.00
461	1	lot of various tape machines description: in pallet box;	10.00
462	1	Key grinding machine brand: Borkey; type: 173; electric connection: 220 V;	10.00
463	1	construction lamp brand: Interelek; LED: yes; power: 100 W; degree of protection (IP): 44; electric connection: 230 V; description: equipped with 2x 230v output; on tripod ; adjustable in height;	10.00
464	1	construction lamp brand: Interelek; LED: yes; power: 100 W; degree of protection (IP): 44; electric connection: 230 V; description: equipped with 2x 230v output; on tripod ; adjustable in height;	10.00
465	1	construction lamp brand: Interelek; LED: yes; power: 100 W; degree of protection (IP): 44; electric connection: 230 V; description: equipped with 2x 230v output; on tripod ; adjustable in height;	10.00
466	1	construction lamp brand: Interelek; LED: yes; power: 100 W; degree of protection (IP): 44; electric connection: 230 V; description: equipped with 2x 230v output; on tripod ; adjustable in height;	10.00
467	1	construction lamp brand: Interelek; LED: yes; power: 100 W; degree of protection (IP): 44; electric connection: 230 V; description: equipped with 2x 230v output; on tripod ; adjustable in height;	10.00
468	1	air compressor brand: Hydrovane; type: SR1800/100 MK3; electric connection: 400 V;	10.00
469	1	Mobile shredder Rapid, Granulator 1528, year built 2003, serial number 240 6263, brand: Rapid; type: Granulator 1528; year: 2003; serial number: 240 6263; hopper opening: 275 mm; hopper opening W: 235 mm; rotor length: 270 mm; number of knives: 5; electric connection: 400 V;	100.00
470	1	Mobile shredder Rapid, Granulator 1528, year built 2001, serial number 240 5513 W, brand: Rapid; type: Granulator 1528; year: 2001; serial number: 240 5513 W; hopper opening: 290 mm; hopper opening W: 280 mm; rotor length: 275 mm; number of knives: 4; electric connection: 400 V; description: (Note: stop button is defective);	100.00
471	1	Mobile shredder Rapid, Granulator 1528, year built 2001, serial number 2405517 W, brand: Rapid; type: Granulator 1528; year: 2001; serial number: 2405517 W; hopper opening: 290 mm; hopper opening W: 280 mm; rotor length: 275 mm; number of knives: 4; electric connection: 400 V;	100.00



Lot	Number	Description	Starting Bid €
472	1	Mobile shredder brand: Rapid; type: 150 series G15035-DT; year: 2005; serial number: 79370.002; hopper opening: 400 mm; hopper opening W: 300 mm; rotor length: 345 mm; number of knives: 5; electric connection: 400 V;	100.00
473	3	Special tooling brand: Fischer;	10.00
474	4	saw blades saw blade ? : 250 mm;	10.00
475	1	lot of measuring pins	10.00
476	1	t-slot clamping table brand: Helios; table size L: 480 mm; table size W: 70 mm;	10.00
477	1	installation tester brand: Lem; type: Unilap 100e; description: max 300v; cat III; in suitcase;	10.00
478	1	inductive timing light brand: Kal; type: L-10;	10.00
479	1	inductive timing light brand: Taskmaster; type: Tmtl 12;	10.00
480	1	plunger device brand: Hilti; type: DX-450;	10.00
481	4	other hoisting and lifting techniques	10.00
482	4	machine tools brand: Oster;	10.00
483	1	electric hand drill brand: Bosch; type: Gbh 2se; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
484	2	clamping chuck 3-jaw: yes; diameter: 150 mm; description: with various;	10.00
485	1	Welding machine brand: Siemens; type: LR2; ampere range: 130 A; electric connection: 220 V;	10.00
486	1	machine clamp manually operated: yes; jaw width: 125 mm;	10.00
487	1	machine clamp manually operated: yes; jaw width: 125 mm;	10.00
488	1	machine clamp manually operated: yes; jaw width: 140 mm;	10.00
489	1	various eyebolts description: and various;	10.00
490	7	saw blades	10.00
© 491	5	Rattles brand: Dooco; description: 8-14mm;	10.00
© 492	5	Rattles brand: Dooco; description: 8-14mm;	10.00
© 493	5	Rattles brand: Dooco; description: 8-14mm;	10.00
494	1	power supply tester brand: Van der Heem; type: 8623;	10.00
495	1	lap table part brand: Stöhli;	10.00
496	1	clamping tools	10.00
497	1	Wire cutting brand: Ridgid;	10.00
© 498	5	Rattles brand: Dooco; description: 14-21mm;	10.00



Lot	Number	Description	Starting Bid €
© 499	5	Rattles brand: Dooco; description: 14-21mm;	10.00
© 500	5	Rattles brand: Dooco; description: 14-21mm;	10.00
		batch of uni rattles	
501	2	various socket wrench sets brand: Kraftwerk; description: and 1 bit set;	10.00
502	2	socket wrench sets brand: Kraftwerk; type: Modulo; description: equipped with bit set;	10.00
503	1	clamping sleeves brand: Hoffmann;	10.00
504	1	jack brand: Peddinghaus;	10.00
505	1	clamping tools Compac, brand: Compac; description: incl. cylinders; clamping table;	10.00
506	2	lifting clamps	10.00
507	1	chain tensioner	10.00
508	1	electric hand-held grinding machine brand: Bosch; type: GWS; electric connection: 230 V;	10.00
509	1	pneumatic filter brand: Festo;	10.00
510	1	machine tools description: various chisels;	10.00
511	15	COMBINATION spanners brand: Kraftwerk; type: 3000; description: 18mm;	10.00
512	15	COMBINATION spanners brand: Kraftwerk; type: 3000; description: 18mm;	10.00
513	12	voltage meters	10.00
514	10	special screws brand: Motometer; type: 622.010.4037;	10.00
515	1	pneumatic needle bar brand: Eagle; type: EG 472;	10.00
516	1	pneumatic needle bar brand: Eagle; type: EG 472;	10.00
517	1	miscellaneous hand tools	10.00
518	2	pneumatic die grinders brand: Eagle; type: EG 403;	10.00
519	1	backhoe loader brand: Eagle; type: EG 7401924; electric connection: 230 V; description: 19.2 v;	10.00
520	1	burner set	10.00
521	4	various measuring stands	10.00
522	1	micrometer set	10.00
523	1	machine tools description: various chisels;	10.00
524	1	machine tools description: various drills;	10.00
525	9	clamps	10.00
526	8	Dip description: 28mm;	10.00
527	9	drill brand: Irwin; description: 10mm;	10.00



Lot	Number	Description	Starting Bid €
528	1	machine tools description: various drilling; free container; chuck holders;	10.00
529	1	solder unit description: with a charger and an automotive set;	10.00
530	1	Torque wrench brand: Gedore; type: C; description: 50-300 Nm;	10.00
531	1	Other grinding machine brand: Greif; type: D17; electric connection: 380 V;	10.00
532	1	flow distribution cable electric connection: 380 V;	10.00
533	5	various ceiling lights	10.00
534	1	pressure washer brand: Blue Clean; type: 955; electric connection: 380 V; description: vv spray lance;	10.00
535	1	universal milling machine brand: IBO; type: Arfo; number of speeds: 8; speed from N=: 500 rpm; speed till N=: 4650 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with mechanical clamp material and work light;	10.00
536	1	universal lathe brand: Loewe; type: DL 6 AV; turning length: 1100 mm; turning ? : 480 mm; spindle boring ? : 60 mm; number of speeds: 27; speed from N=: 11.2 rpm; speed till N=: 2240 rpm; electric connection: 380 V; description: equipped with 3- clamping chuck , Ø 320 mm; incl. pallet div. accessories;	100.00
537	1	pneumatic tool holder / arm Roscamat, 300, serial number 28, brand: Roscamat; type: 300; serial number: 28; description: pneumatic tapping arm: capacity up to 12m;	10.00
538	1	positioner brand: Madison; type: ZS-150; vertical: yes; electric connection: 380 V; description: rotary dimensions . approx. 220x1500 mm Ø;	10.00
539	1	hydraulic press electro-hydraulic: yes; electric connection: 380 V; description: 6-column baler ; working width : 6300 mm; equipped with hydro pack and control box;	100.00
540	1	universal lathe brand: Harrison; type: M250; turning length: 750 mm; turning ? : 280 mm; spindle boring ? : 35 mm; number of speeds: 9; speed from N=: 40 rpm; speed till N=: 1500 rpm; control, brand, type: GCS900-2DB; electric connection: 400 V; manual present: yes; machine weight: 500 kg;	100.00
541	1	blasting cabin sand: yes; chamber dimension L: 1200 mm; chamber dimension W: 1200 mm; chamber dimension H: 900 mm; exhaustor: yes; electric connection: 380 V; description: equipped with turntable; verichting;	100.00
542	1	tooling grinding machine brand: La Prora; type: beta a.p. 45; grinding wheel ? : 180 mm; grinding wheel thickness: 40 mm; electric connection: 380 V; description: hollow spindle Ø 45 mm; equipped with 6- clamping chuck , Ø 160 mm;	100.00
543	1	workshop table dimension L: 100 cm; dimension W: 200 cm; dimension H: 72 cm;	10.00
544	1	laboratory oven brand: Genlab; type: SPPP15V50; chamber dimension L: 800 mm; chamber dimension W: 600 mm; chamber dimension H: 900 mm; minimum temperature: 30 °c; maximum temperature: 250 °c; electric connection: 230 V;	100.00
© 545	1	chemicals storage cabinet brand: Labsaver; dimension L: 100 cm; dimension W: 51 cm; dimension H: 201 cm; description: content approx. 150 ltr; equipped with three shelves, and drip tray;	10.00



Lot	Number	Description	Starting Bid €
© 546	1	chemicals storage cabinet brand: Labsaver; dimension L: 100 cm; dimension W: 51 cm; dimension H: 201 cm; description: content approx. 150 ltr; equipped with three shelves, and drip tray;	10.00
© 547	1	chemicals storage cabinet brand: Labsaver; dimension L: 100 cm; dimension W: 51 cm; dimension H: 201 cm; description: content approx. 150 ltr; equipped with three shelves, and drip tray;	10.00
© 548	1	chemicals storage cabinet brand: Labsaver; dimension L: 100 cm; dimension W: 51 cm; dimension H: 201 cm; description: content approx. 150 ltr; equipped with three shelves, and drip tray;	10.00
	4	chemical storage cabinets	
549	1	milling machine brand: Forst; type: SFN; travel x-axis: 1050 mm; travel y-axis: 400 mm; travel z-axis: 340 mm; number of speeds: 6; speed from N=: 190 rpm; speed till N=: 2050 rpm; T-slot fixture table size L: 1050 mm; T-slot fixture table size W: 350 mm; electric connection: 380 V;	10.00
550	1	laboratory temperature cabinet brand: Grenco; type: GTS500-80; serial number: 328; temperature range min.: -100 °c; temperature range max.: 100 °c; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1100 mm; total dimension H: 2000 mm; description: room dimensions . approx. 770x750x760 mm; equipped with take-out hatch;	100.00
551	1	2-Stone tool sharpener brand: Wotzel; electric connection: 380 V; description: on steel column;	10.00
552	1	Welding machine brand: Metallit; type: Mastermig 400 DEW; mig type: yes; ampere range: 400 A; duty cycle: 60 %; wire feeder: yes; electric connection: 380 V; description: water-cooled; mobile; equipped with water-cooled welding torch; earth cable and pressure reducer;	10.00
553	1	mobile electric conveyor dimension L: 420 cm; dimension W: 39 cm; dimension H: 110 cm; description: 400 V.;	10.00
554	1	forklift brand: Yale; type: ERP20AAFE1980; year: 1999; serial number: A814A02224W; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 4500 mm; overhead guard height: 2200 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; full rubber tyres: yes; battery charger: yes; own weight: 3850 kg; description: equipped with 3 ^e hydraulic function and safety cage;	100.00
555	1	forklift brand: Yale; type: GDP040RCV095; serial number: Y385130; diesel: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3650 mm; overhead guard height: 2400 mm; fork length: 1050 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 3855; own weight: 4500 kg; description: equipped with 3 ^e hydraulic function and safety cage;	100.00
556	9	various hose reel machine oil reel: yes; air reel: yes; description: 4, among other things equipped with filling nozzle;	10.00
557	1	lot of various Hand Tools description: in 5 plastic bins;	10.00
558	1	lot of various brush machine brushes description: from 1 shelf;	10.00
559	1	Warehouse racking dismantable: yes; section dim. L: 2000 mm; section dim. W: 700 mm; section dim. H: 2700 mm; number of uprights: 2; number of cross beams: 6; number of shelves: 3; description: (excl. content) ;	10.00
© 560	1	machine tools description: various milling;	10.00
© 561	1	machine tools description: various milling;	10.00
© 562	1	machine tools description: various milling; chisels;	10.00



Lot	Number	Description	Starting Bid €
batch of various machine tools			
563	3	forklift truck seats description: 1 excl. Seat;	10.00
564	2	pneumatic vacuum lifters brand: Val.tile;	10.00
565	1	Tool kit	10.00
566	15	various measurement and test units	10.00
567	1	lot of several sockets	10.00
568	1	lot of diverse tooling	10.00
569	5	boxes screws with plug brand: Borgh; description: m6; 6x40;	10.00
570	1	various abrasives	10.00
571	2	tensioners	10.00
572	2	angle grinders brand: Bosch; type: Gws 7-115; electric connection: 230 V;	10.00
573	1	lot of diverse	10.00
© 574	29	toolholders description: bt 40;	10.00
© 575	11	toolholders description: bt 40; 2 sawbladeb;	10.00
© 576	60	toolholders description: bt 40;	100.00
batch of tool holders (A)			
577	1	current extension reel description: 380 volts;	10.00
578	1	lot of hose clamps	10.00
579	1	lot of tarps	10.00
580	1	other hoisting and lifting techniques description: incl. eyebolts and lifting hooks;	10.00
581	1	other hoisting and lifting techniques description: incl. slings;	10.00
582	1	stock description: fastening material;	10.00
© 583	2	angle grinders electric connection: 230 V;	10.00
© 584	3	angle grinders brand: Metabo; electric connection: 230 V;	10.00
© 585	3	various drills	10.00
© 586	1	angle grinder brand: Bosch; type: GWS 23-180; electric connection: 230 V;	10.00
© 587	1	angle grinder brand: Hitachi; type: G18 SH; electric connection: 230 V;	10.00
© 588	2	drilling machines brand: Hitachi; type: D13VB; electric connection: 230 V;	10.00
© 589	2	drilling machines brand: Hitachi; electric connection: 230 V;	10.00
© 590	2	drilling machines brand: Hitachi; electric connection: 230 V;	10.00
batch of various electrical tools			
© 591	1	lot of various hand tools	10.00
© 592	1	lot of various hand tools	10.00



Lot	Number	Description	Starting Bid €
© 593	1	lot of various hand tools	10.00
		batch of hand tools	
594	1	lot of electricity plugs	10.00
595	1	vacuum lifter brand: Al-Vac; hoist capacity: 155 kg;	10.00
596	1	lot various description: incl. bulbs; chargers;	10.00
597	2	construction lights	10.00
598	1	lot of machine tools	10.00
599	1	hand tool	10.00
600	1	machine tools	10.00
601	1	further machine accessories brand: Matsuura;	10.00
602	1	digital indoor micrometer brand: Hogetex; measuring range from: 20 mm; measuring range till: 40 mm; description: 0.0005mm;	10.00
603	1	electric motor brand: Weg; power: 1.5 kW;	10.00
© 604	16	drill tools	10.00
© 605	16	drill tools	10.00
© 606	7	drill tools	10.00
© 607	3	drill tools	10.00
© 608	13	drill tools	10.00
© 609	9	drill tools	10.00
610	1	lot of electricity plugs	10.00
611	5	various flow reels description: and 1 air reel;	10.00
612	8	clamping chuck 3-jaw: yes; 4-jaw: yes;	10.00
613	15	valves regulators	10.00
614	1	lever platform scissors brand: Apsa; knife length: 130 mm;	10.00
615	1	drill tools brand: Phantom; description: 30.0x580.0x385.0mm;	10.00
616	1	various measuring equipment	10.00
617	4	stock description: several blades;	10.00
© 618	6	machine tools description: iso 50;	10.00
© 619	8	machine tools description: iso 50;	10.00
© 620	4	machine tools description: iso 50;	10.00
© 621	4	machine tools description: iso 50;	10.00
622	5	autogenous burners	10.00
623	5	various goats	10.00
624	1	carpet tape machine brand: Roberts; type: Speedseam; year: 1996; description: 230 volts;	10.00
625	1	machine clamp manually operated: yes; jaw width: 200 mm; description: equipped with opspaaplaat;	10.00



Lot	Number	Description	Starting Bid €
626	1	mobile pressure pump brand: Tecalement;	10.00
© 627	5	machine tools description: iso 50;	10.00
© 628	6	machine tools description: iso 50;	10.00
© 629	11	machine tools description: iso 50;	10.00
© 630	4	machine tools description: iso 50;	10.00
© 631	9	machine tools description: iso 50;	10.00
© 632	26	machine tools description: iso 50;	10.00
© 633	16	machine tools description: iso 50;	10.00
© 634	12	machine tools description: iso 50;	10.00
© 635	4	machine tools description: iso 50;	10.00
© 636	7	machine tools description: iso 50;	10.00
© 637	5	machine tools description: iso 50;	10.00
© 638	4	machine tools description: iso 50;	10.00
© 639	4	machine tools description: iso 50;	10.00
© 640	8	machine tools description: iso 50;	10.00
© 641	8	machine tools description: iso 50;	10.00
© 642	6	machine tools description: iso 50;	10.00
© 643	9	machine tools	10.00
© 644	1	machine tools description: sundry;	10.00
© 645	11	machine tools description: sundry;	10.00
© 646	11	machine tools description: various incl. chisels; holders;	10.00
© 647	16	machine tools description: iso 50;	10.00
© 648	16	machine tools description: iso 50;	10.00
© 649	8	machine tools description: iso 50;	10.00
© 650	8	machine tools description: iso 50;	10.00
© 651	9	machine tools description: iso 50;	10.00
batch of machine tools			
© 652	18	drill tools	10.00



Lot	Number	Description	Starting Bid €
		batch of drilling tools	
653	3	separation welding screens	10.00
654	1	Palletization dismantable: yes; section dim. L: 2720 mm; section dim. W: 800 mm; section dim. H: 1500 mm; number of uprights: 7; number of cross beams: 20; description: 1870x800x1500mm (please note: pick up on 3-4-2019 after 12.00) ;	10.00
655	1	office container management unit: yes; dimension L: 12000 mm; dimension W: 2600 mm; dimension H: 2800 mm; number of doors: 1; number of windows: 7; pantry: yes; toilet: no; description: equipped with fuse box; lighting and heating (note: see and pick up by appointment, loc. Parallelweg 2, 7611 DB Aadorp) ;	100.00
656	1	sanitary unit number of doors: 2; number of windows: 2; number of toilets: 7; number of sinks: 2; total dimension L: 4280 mm; total dimension W: 2410 mm; total dimension H: 2640 mm; description: equipped with men's room, 3x urinal, 1x fixed toilet, including sink, heating , lighting ; woman space 3x toilet fixed, including sink, heating , lighting , mirror (note: see and pick up by appointment, loc. Parallelweg 2, 7611 DB Aadorp) ;	100.00
660	1	boom lift brand: MBB; type: MMLKR/79; year: 1967; serial number: 250054; electric: yes; platform capacity: 300 kg; description: platform rotatable; 4-axle trailer; platform extendable; excl. hydraulic unit;	100.00
661	1	extension cable reels and cord brand: ETK cable; description: fiber optic;	10.00
662	1	horizontal storage tank Dehoust, Pe kombi, brand: Dehoust; type: Pe kombi; steel: yes; capacity: 1000 l; description: double walled;	100.00
663	18	stock description: special cylinders;	10.00
664	1	hydraulic Aggregate	10.00
665	1	storage containers storage container: yes; total dimension L: 3000 mm; total dimension W: 2440 mm; total dimension H: 2600 mm;	100.00
666	1	roof exhaust fan	10.00
667	1	Scaffolding materials brand: Layher;	100.00
668	1	storage containers storage container: yes; total dimension L: 2750 mm; total dimension W: 1920 mm; total dimension H: 2100 mm;	100.00
669	1	oil dispenser cupboard brand: Fami; total dimension L: 715 mm; total dimension W: 760 mm; total dimension H: 1460 mm; description: equipped with drip tray;	10.00
670	1	oil dispenser cupboard brand: Fami; total dimension L: 715 mm; total dimension W: 760 mm; total dimension H: 1460 mm; description: equipped with drip tray;	10.00
671	1	storage tank brand: Kärcher; year: 1987; capacity content: 500 l; plastic: yes; description: equipped with pump unit;	10.00
672	1	storage tank brand: Kärcher; year: 1987; capacity content: 500 l; plastic: yes; description: equipped with pump unit;	10.00
673	18	steel grate floor	10.00
674	1	other internal transport	10.00
675	1	other hoisting and lifting techniques brand: Mennens; hoist capacity: 175 kg;	10.00



Lot	Number	Description	Starting Bid €
676	1	tubes and hose	10.00
677	1	construction lamp tripod: yes; electric connection: 230 V;	10.00
678	1	Palletization number of uprights: 6; number of cross beams: 10;	10.00
679	1	sweeper	10.00
680	1	forklift truck mast brand: Nissan; type: C2 31-w 515; serial number: 5y 199; tripple mast: yes;	100.00
681	1	forklift truck mast brand: Nissan; type: C2 31-w 515; serial number: 5y 199; tripple mast: yes;	100.00
682	1	forklift truck mast brand: Nissan; tripple mast: yes;	100.00
683	1	roller conveyor track size L: 2550 mm; track size W: 840 mm;	10.00
684	1	roller conveyor track size L: 2550 mm; track size W: 840 mm;	10.00
685	28	polyester parts	10.00
686	1	steel heavy trestles	10.00
687	1	column behalf crane	100.00
© 690	51	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 691	55	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 692	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 693	55	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 694	55	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 695	55	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 696	51	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 697	51	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 698	51	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 699	63	sheet steel dimension L: 2000 mm; dimension W: 1200 mm; description: thickness: 1.5 mm; weight per plate approx. 28,25 kg; unused on pallet;	100.00
© 700	62	sheet steel dimension L: 2000 mm; dimension W: 1200 mm; description: thickness: 1.5 mm; weight per plate approx. 28,25 kg; unused on pallet;	100.00



Lot	Number	Description	Starting Bid €
© 701	33	sheet steel dimension L: 2000 mm; dimension W: 1200 mm; description: thickness: 1.5 mm; weight per plate approx. 28,25 kg; unused on pallet;	100.00
© 702	62	sheet steel dimension L: 2000 mm; dimension W: 1200 mm; description: thickness: 1.5 mm; weight per plate approx. 28,25 kg; unused on pallet;	100.00
© 703	29	sheet steel dimension L: 2000 mm; dimension W: 1200 mm; description: thickness: 1.5 mm; weight per plate approx. 28,25 kg; unused on pallet;	100.00
© 704	51	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 705	56	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 706	43	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 707	55	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 708	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 709	52	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 710	37	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 711	37	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 712	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 713	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 714	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
© 715	50	sheet steel dimension L: 1800 mm; dimension W: 1250 mm; description: thickness: 1.5 mm; weight per plate approx. 26.5 kg; unused on pallet;	100.00
batch of sheet steel			



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

5.3 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.4 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.5 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.6 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.7 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.8 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.9 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.10 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.



5.11 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.12 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection



costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience