



**Frima producer of frozen meals and snacks in  
bankruptcy (BE)**

**Frima producer of frozen meals and snacks**

Victorialaan 16 - 8400 Oostende  
(Loten | Lots 1-1616)

Closing date: Tuesday **09 APRIL** starting 14:00

**Viewing:**

Monday 08 April from 09:00 until 16:00  
Victorialaan 16 - 8400 Oostende (Belgium)

*Bidding only on the internet!*



**Tuesday 09 April 2019    Frima producer of frozen meals and snacks in bankruptcy**

## Specific terms and conditions of the online sale

Closing date	Tuesday 9 April 2019 starting 14:00 CET																
Viewing	<b>Monday 8 April from 09:00 until 16:00 CET</b> <b>Loten   Lots</b> Victorialaan 16 8400 Oostende, Belgium																
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be																
Markup	Various percentages																
VAT	21.00%																
Collection	<b>Tuesday 16 April from 09:00 until 16:00 CET</b> <b>Loten   Lots</b> Victorialaan 16 8400 Oostende, Belgium																
Viewing instructions	We hereby underline that it concerns an online auction with possibility of prior viewing. Therefore, <b>bidding without prior viewing will be at your own risk</b> . See also our general conditions.																
Collection instructions	<ol style="list-style-type: none"><li>1. The buyer, or his representative, is requested to submit his purchase agreement the day of loading</li><li>2. The buyer is responsible for:<ul style="list-style-type: none"><li>◦ Dismantling</li><li>◦ Loading</li><li>◦ Transport of the goods</li></ul></li></ol>																
	Troostwijk NV will not accept any responsibility concerning above mentioned items, unless otherwise stated on the website.																
	<b>Collection/Loading of the purchased goods will only take place on the mentioned date and location.</b> In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date																
Payment details	Purchases need to be paid <b>within 48 hours after closure of sale</b> by bank transfer to one of the below mentioned account numbers. Please mention buyernumber and name of the sale when transferring. <table><tr><th>Bank</th><th>Account</th><th>IBAN nr.</th><th>BIC Code</th></tr><tr><td>Fortis</td><td>220-0725551-27</td><td>BE48 2200 7255 5127</td><td>GEBABEBB</td></tr><tr><td>KBC</td><td>411-1106201-15</td><td>BE83 4111 1062 0115</td><td>KREDBEBB</td></tr><tr><td>ING</td><td>320-0037404-32</td><td>BE90 3200 0374 0432</td><td>BBRUBEBB</td></tr></table>	Bank	Account	IBAN nr.	BIC Code	Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
Bank	Account	IBAN nr.	BIC Code														
Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB														
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB														
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB														
General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.																
Following lots	After registration and login, lots can be 'followed' via 'My Troostwijk'. This option has been constrained to a maximum of 100 lots per user per sale.																
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total																



of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 10 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.

Lots without bid

All lots without any bid will stay open until half an hour after the last closing time bid.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	<b>fully automatic in-line tray sealer</b> brand: Multivac; type: T700; year: 2012; serial number: 161173; total dimension L: 3300 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: power: 4.2 kW;	17,000.00
2	1	<b>fully automatic in-line tray sealer</b> brand: Multivac; type: T700; year: 2012; serial number: 161174; total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: power: 4.2 kW;	17,000.00
3	1	<b>double stainless steel chain conveyor</b> brand: Mondini; type: AC/G; description: provided with carriers pitch 295 mm, total length 12.5 m;	1,250.00
4	1	<b>double stainless steel filling line</b> description: coming from tanks 1 and 3, total length approx. 12.5 m (disassembly down to the screw coupling of supply pipe);	750.00
5	1	<b>in-line control weighing unit</b> brand: Loma Systems; type: AS; year: 2001; serial number: DCW10826 23822;	1,500.00
6	1	<b>in-line control weighing unit</b> brand: Loma Systems; type: AS; year: 2001; serial number: DCW1080123823;	1,500.00
7	1	<b>Stainless steel conveyor belt</b> brand: Mondini; type: ND/2V; year: 1991; description: driven , provided with plastic chain conveyor belt, length approx. 1 m, width of 180/400 mm;	125.00
8	1	<b>Stainless steel conveyor belt</b> brand: Mondini; type: ND/2V; year: 1991; description: driven , provided with plastic chain conveyor belt, length approx. 1 m, width of 180/400 mm;	125.00
9	1	<b>Stainless steel conveyor belt with 90 ° tray turning system</b> brand: Ryll; year: 2000; description: driven , provided with plastic chain conveyor belt, length approx. 3 m, width 1800 mm;	600.00
10	1	<b>horizontal stainless steel conveyor belt</b> belt dim. W: 900 mm; description: Stainless steel frame, driven , provided with chain belt, length approx. 2.5 m, width 260 mm;	125.00
11	1	<b>bowl cutter</b> brand: Seydelmann; type: K206DC8; serial number: 91078-1; electric connection: 380 V; total dimension L: 2900 mm; total dimension W: 1900 mm; total dimension H: 1500 mm; description: equipped with standard bins lift; cutter bowl diameter 1250 mm; cutter knives; digital control;	10,000.00
12	1	<b>Meat cutter</b> brand: Kerslicer; type: Xr370/120; year: 2007; serial number: 1210018; electric connection: 400 V; total dimension L: 4500 mm; total dimension W: 1100 mm; total dimension H: 1850 mm; description: vv under the conveyor belt; vv band saw; blade missing; including RvS platform and ramp stairs;	4,000.00
13	1	<b>elevating conveyor</b> belt dim. W: 350 mm; total dimension L: 3500 mm; total dimension W: 900 mm; total dimension H: 2000 mm; description: fitted with erthalon side walls; Stainless steel chassis; 400 volts; mobile ;	500.00
14	1	<b>frozen meat shredder</b> brand: Magurit; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1900 mm; description: fitted with a B 600mm drum; electro pneumatic power supply; Stainless steel version with Erthalon side walls ;	1,000.00
15	1	<b>frozen meat shredder</b> brand: Magurit; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1900 mm; description: fitted with a B 600mm drum; electro pneumatic power supply; Stainless steel version with Erthalon side walls ;	1,000.00



Lot	Number Description	Starting Bid €
16	<b>1 sauce pump</b> brand: Stephan; type: MC10/2 Microcut ; year: 2005; serial number: M05053; stainless steel: yes; centrifugal: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 650 mm; total dimension H: 1400 mm; description: 5.5 / 7.5Kw; mobile; provided with fill and drain line; lid;	1,500.00
17	<b>1 sauce pump / mixer</b> stainless steel: yes; centrifugal: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension H: 2200 mm; description: fitted with filling lid; pump stainless steel ;	2,000.00
18	<b>1 floor scale</b> brand: Precia Molen; type: X112-A; serial number: 02F896282; platform size L: 800 mm; platform size W: 800 mm; digital display: yes; electric connection: 230 V; description: with stainless steel ramp ;	800.00
19	<b>1 double-axis paddle mixer</b> brand: Karl Schnell; year: 1994; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: with accompanying Standard Baking Elevator type 603 capacity 200kg; stainless itvoering ;	2,500.00
20	<b>1 cheese slicer</b> brand: Groba; type: RB400-A; serial number: 111499; year: 2000; stainless steel: yes; electric connection: 400 V; own weight: 600 kg; total dimension L: 3500 mm; total dimension W: 1100 mm; total dimension H: 2100 mm; description: oorzien of exchangeable versnijroosters; on oertransportband bagging with stainless steel; hydraulic baler ;	3,000.00
21	<b>1 cheese mill</b> brand: Urschel; type: CC; serial number: 4940; year: 2007; stainless steel: yes; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 900 mm; total dimension H: 1700 mm; description: provided with hopper; Centrifugal; including a lot of various spare parts;	1,500.00
22	<b>1 Stainless steel cooking / mixing kettle</b> brand: Hamilton Copper & Brass works; year: 1951; serial number: E13001; description: equipped with electromotive agitator (internal no. 0433);	750.00
23	<b>1 industrial boiling kettle / mixer</b> brand: capic; type: W237052; serial number: 180707019; description: steam fired;	5,000.00
24	<b>1 industrial boiling kettle / mixer</b> brand: capic; type: W237052; serial number: 180707018; description: steam fired;	5,000.00
25	<b>1 double-axis paddle mixer</b> brand: Karl Schnell; type: 750; year: 1996; serial number: 13032; description: equipped with stainless steel bucket lift, capacity 250 kg;	6,000.00
26	<b>1 double-axis paddle mixer</b> brand: Karl Schnell; year: 2009; serial number: 14336; description: equipped with stainless steel bucket lift, capacity 250 kg;	10,000.00
27	<b>1 Stainless steel cooking / mixing kettle</b> brand: Hamilton Copper & Brass works; year: 1951; serial number: A13001; description: equipped with electromotive agitator (internal no. 0433);	750.00
28	<b>1 Stainless steel cooking / mixing kettle</b> description: equipped with electromotive agitator (internal no. 0432);	750.00
29	<b>1 Stainless steel cooking / mixing kettle</b> brand: Hamilton Kettles; year: 1980; serial number: C-1925; description: equipped with electromotive agitator (internal no. 0431);	750.00
30	<b>1 Stainless steel cooking / mixing kettle</b> brand: Hamilton Kettles; year: 1980; serial number: C-1807; description: equipped with electromotive agitator (internal number 0430);	750.00



Lot	Number	Description	Starting Bid €
31	1	<b>bunker conveyor belt</b> brand: Farleygreene Limited; type: Sievmaster Slimli e 950; year: 2007; serial number: 43696; total dimension L: 1500 mm; total dimension W: 1450 mm; total dimension H: 3400 mm; description: consisting of : stainless steel inner bunker with vibrating screen; Stainless steel bunker with electro-pneumatic butterfly shut-off valve; boiler lid, with stainless steel stofafzuigsicloon dimensions 1000x1000x3400mm; all mounted in stainless steel construction; control box ;	3,000.00
32	1	<b>vertical stainless steel water dosing tank</b> brand: Tex Mex; type: auto 7; total dimension L: 1000 mm; total dimension W: 1500 mm; total dimension H: 3000 mm; description: equipped with electropneumatic dosing pump; guard bunker 1000x1200mm; mounted on stainless steel chassis; control box;	1,250.00
33	1	<b>spiral knot</b> brand: Diosna; type: W160A; serial number: 6602-040; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: engine power 24.3 kW; equipped with double knead spiral; 2 X stainless steel cutting-in tubs diameter 840 mm H 480 mm; control box;	1,500.00
34	1	<b>spice strainer</b> brand: Russell; type: CEM400; total dimension L: 1100 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: Consisting of vibrating unit with sieve diameter 400 mm; stainless steel mobile chassis; control box ;	500.00
35	1	<b>digital scale</b> brand: Radwag; type: PUEC-31; serial number: puec311454; weight range min.: 400 g; weight range max: 15000 g; readability: 20 g; platform size L: 800 mm; platform size W: 800 mm; electric connection: 230 V; total dimension L: 1850 mm; total dimension W: 1160 mm; total dimension H: 1450 mm; description: Consisting of stainless steel table chassis with scale support; 1x stainless steel mobile rack ;	800.00
36	1	<b>bucket elevator</b> brand: Meykell; type: MK1000; year: 2003; serial number: 4920-325; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2250 mm; description: equipped with mixing bowl bracket; chain lift with pouring function; control box; safety shield ;	1,500.00
37	1	<b>mobile dough dispenser</b> electric connection: 400 V; total dimension L: 2500 mm; total dimension W: 1500 mm; total dimension H: 1900 mm; description: consisting of stainless steel funnel with block dosage 6 kg; electro pneumatic seal and push; conveyor belt W 450mm L 2500mm; without further details ;	1,500.00
38	1	<b>Mobile transport conveyor</b> working width: 450 mm; electric connection: 400 V; total dimension L: 3500 mm; total dimension W: 1200 mm; total dimension H: 2950 mm; description: consisting of stainless steel chassis; without further details ;	1,500.00
39	1	<b>overhead conveyor</b> belt dim. W: 450 mm; total dimension L: 10000 mm; total dimension W: 1200 mm; total dimension H: 1000 mm; description: provided with underlying tire with 6 pneumatic push cylinders; Stainless steel construction hanging from the ceiling; without further data; (to be dismantled by the buyer) ;	3,000.00
40	1	<b>mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00
41	1	<b>mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00





Lot	Number Description	Starting Bid €
42	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00
43	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00
44	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00
45	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; + Additional drain band L B 120mm 1350mm on stainless steel chassis;	500.00
46	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN300; year: 1995; power: 20 kW; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ;	300.00
47	<b>1 mixing and dosing unit</b> brand: Rheon; type: KN300; year: 1995; power: 20 kW; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ;	300.00
48	<b>2 mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x bagging auger; dosing; discharge strap; various accessories ; to recover;	300.00
49	<b>1 conveyor</b> belt dim. W: 1040 mm; total dimension L: 9500 mm; total dimension W: 1500 mm; total dimension H: 800 mm; description: equipped with erthalon pressure roller in stainless steel chassis;	1,500.00
50	<b>1 conveyor</b> belt dim. W: 900 mm; total dimension L: 2100 mm; total dimension W: 1500 mm; total dimension H: 830 mm; description: provided with variable conveyor belt length; stainless steel chassis;	750.00
51	<b>1 hot plate multipers</b> brand: Tomcat ; type: Multi Press MK20 ; year: 2000; serial number: MK2032; working width: 800 mm; electric connection: 220 V; total dimension L: 3400 mm; total dimension W: 1400 mm; total dimension H: 1450 mm; description: provided with baking tray input; chain treadmill; electro-hydraulic baking press; control box; Stainless steel chassis;	1,500.00
52	<b>1 conveyor with platinum lift</b> brand: HDC ; year: 1995; serial number: 950310; belt dim. W: 900 mm; total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 2300 mm; description: Consisting of 1x S-shaped platinum supply line L 10m transport width 60cm; 1x U-shaped discharge line L 13m; 1x platine lift for 18 x 600 x 800 mm platines; Stainless steel construction; control box;	2,000.00



Lot	Number Description	Starting Bid €
53	<b>1 double tunnel proof cabinet</b> brand: panem; type: SPFA1010; year: 2010; serial number: 2010/10183A; chamber dimension L: 9000 mm; chamber dimension W: 700 mm; chamber dimension H: 1940 mm; electric connection: 400 V; total dimension L: 9000 mm; total dimension W: 2000 mm; total dimension H: 2220 mm; description: consisting of double tunnel; central middle wall; indexing chain; 4x door insulation; 33kw; R404A gas; 2x chiller; digital control; including a lot of various spare parts;	3,000.00
54	<b>1 Stainless steel filler</b> brand: obrut; serial number: NMD4211187;	100.00
55	<b>1 Stainless steel filler</b> brand: Turbo Systems; serial number: D90014105223;	100.00
56	<b>1 Stainless steel filler</b> description: on a mobile stainless steel trolley;	100.00
57	<b>1 Stainless steel filler</b> description: on a mobile stainless steel trolley;	100.00
58	<b>1 Stainless steel filler</b> brand: Turbo Systems; serial number: 90014007033;	100.00
59	<b>1 Stainless steel filler</b> brand: turbo systems; serial number: D90014201337;	100.00
60	<b>1 Stainless steel filler</b> brand: Turbo Systems; type: D150P; year: 2006; serial number: 5601506;	100.00
61	<b>1 Stainless steel filler</b> brand: Turbo Systems; serial number: 90014007031;	100.00
62	<b>1 Stainless steel filler</b> description: on a mobile stainless steel trolley; height adjustable with scissors system;	100.00
63	<b>1 Stainless steel filler</b> brand: Turbo Systems; type: 90014201350;	100.00
64	<b>1 Stainless steel filler</b> brand: obrut; serial number: NMD4071087;	100.00
65	<b>1 Stainless steel filler</b> brand: Turbo Systems; description: including stainless steel pump-transporter with boiler;	100.00
66	<b>1 Stainless steel filler</b> description: internal number: 0477;	100.00
67	<b>1 Stainless steel filler</b>	100.00
68	<b>1 Stainless steel filler</b> description: internal number: 0476;	100.00
69	<b>1 Stainless steel vacuum filler</b> brand: Handtmann; type: VF 300; description: including a lot of various spare parts;	1,000.00
70	<b>1 mobile inlay conveyor</b> electric connection: 220 V; total dimension L: 1030 mm; total dimension W: 1200 mm; description: provided with pizza insert; with control box and emergency stop;	200.00
71	<b>1 adjustable pizzamatic pumps</b> total dimension L: 3500 mm; total dimension W: 1500 mm; total dimension H: 1800 mm; description: on the mobile chassis; comprising mobile stainless steel hopper and stainless steel under the conveyor belt (width: 87cm); including a lot of various spare parts;	1,000.00
72	<b>1 pizza topping machine</b> brand: rademaker; working width: 700 mm; electric connection: 220 V; total dimension L: 2000 mm; total dimension W: 2060 mm; total dimension H: 2020 mm; description: with string and dividing fingers; 1x return conveyor;	2,000.00
73	<b>1 conveyor</b> working width: 800 mm; electric connection: 220 V; total dimension L: 45000 mm; total dimension W: 1200 mm; total dimension H: 960 mm;	1,000.00





Lot	Number	Description	Starting Bid €
74	1	<b>belt conveyor with water spray unit</b> working width: 800 mm; electric connection: 220 V; total dimension L: 4500 mm; total dimension W: 1200 mm; total dimension H: 1350 mm; description: on mobile stainless steel base;	1,000.00
75	1	<b>pizza topping machine</b> brand: rademaker; working width: 700 mm; electric connection: 220 V; total dimension L: 2000 mm; total dimension W: 2060 mm; total dimension H: 2020 mm; description: with dividing fingers; 1x return conveyor;	2,000.00
76	1	<b>belt conveyor</b> working width: 800 mm; electric connection: 220 V; total dimension L: 3200 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: with 1x pressure roller + water sprayer; on stainless steel mobile frame; provided with collection drawers;	500.00
77	1	<b>belt conveyor</b> belt dim. W: 850 mm; total dimension L: 4500 mm; total dimension W: 1200 mm; total dimension H: 1200 mm; description: provided with 23 string positions; Stainless steel mobile chassis; tilt on the ends; provided with collection drawers;	500.00
78	1	<b>belt conveyor</b> belt dim. W: 850 mm; total dimension L: 4500 mm; total dimension W: 1200 mm; total dimension H: 1200 mm; description: provided with 23 string positions; Stainless steel mobile chassis; provided with collection drawers;	500.00
79	1	<b>conveyor</b> belt dim. W: 900 mm; total dimension L: 3500 mm; total dimension W: 1300 mm; total dimension H: 950 mm; description: on stainless steel mobile chasis;	500.00
80	1	<b>mobile link conveyor</b> belt dim. W: 900 mm; total dimension L: 2600 mm; total dimension W: 1450 mm; total dimension H: 850 mm; description: Stainless steel mobile chassis, electrically driven ;	500.00
81	1	<b>portioning machine</b> brand: Kortlever; type: KX6; electric connection: 400 V; total dimension L: 2500 mm; total dimension W: 1700 mm; total dimension H: 2200 mm; description: consisting of hopper; electro pneumatic control; dosing unit; stainless steel version; + mobile conveyor belt stainless steel size 8000x1350x1050mm with tray conveyor; including "Kortlever" standard bucket elevator;	15,000.00
82	1	<b>sauce curtain</b> brand: BCT; type: OTM800; year: 2007; serial number: 07034/0; working width: 800 mm; electric connection: 230 V; total dimension L: 1300 mm; total dimension W: 1100 mm; total dimension H: 1900 mm; description: mobile setup ; equipped with stainless steel casing; Syringe Pump; mobile ;	1,000.00
83	1	<b>material lift</b> brand: Base Products; type: BTM; serial number: 98602; total dimension L: 1700 mm; total dimension W: 1550 mm; total dimension H: 4500 mm; description: Stainless steel version; security doors; chain lift ;	1,500.00
84	1	<b>sorting and weighing installation</b> brand: Rutland Handling; type: TC.21/2.3; year: 1998; serial number: 6335; working width: 170 mm; electric connection: 400 V; total dimension L: 2300 mm; total dimension W: 800 mm; total dimension H: 1750 mm; description: mobile setup ; stainless steel version ;	500.00
85	1	<b>sorting and weighing installation</b> brand: Rutland Handling; type: 6335; year: 1998; serial number: TC.21/2.3; working width: 170 mm; electric connection: 400 V; total dimension L: 2300 mm; total dimension W: 800 mm; total dimension H: 1750 mm; description: mobile setup ; stainless steel version ;	500.00
86	1	<b>rotary oven</b> brand: Miwe; type: RI2 0608 TL ; year: 2016; serial number: 42603; stainless steel: yes; gas: yes; electric: no; power: 3.5 kW; digital control: yes; electric connection: 400 V; total dimension L: 2170 mm; total dimension W: 3300 mm; total dimension H: 3000 mm; description: door opening W 1270 mm; Stainless steel housing; (can be dismantled up to roof passage);	1,500.00



Lot	Number	Description	Starting Bid €
87	1	<b>rotary oven</b> brand: Miwe; type: RT2/1 60/80 roll-in; year: 1995; serial number: 42603; stainless steel: yes; gas: yes; electric: no; power: 3.5 kW; digital control: yes; electric connection: 400 V; total dimension L: 2350 mm; total dimension W: 4850 mm; total dimension H: 2350 mm; description: door opener W 1250 mm; Stainless steel casing ;	1,500.00
88	1	<b>rotary oven</b> brand: Miwe; type: RT2/1 60/80 roll-in; year: 1995; serial number: 42361; stainless steel: yes; gas: yes; electric: no; power: 3.5 kW; digital control: yes; electric connection: 400 V; total dimension L: 2350 mm; total dimension W: 4850 mm; total dimension H: 2350 mm; description: door opener W 1250 mm; Stainless steel casing ;	1,500.00
89	1	<b>Stainless steel shrink tunnel</b> brand: Burnley; total dimension L: 2500 mm; total dimension W: 900 mm; total dimension H: 1700 mm; description: electrothermal, tunnel width 360 mm, height 200 mm;	100.00
90	1	<b>in-line metal detector</b> brand: Loma Systems; type: IQ <sup>3</sup> ; year: 2012; serial number: MD301-19915D; total dimension L: 1900 mm; total dimension W: 1000 mm; total dimension H: 1150 mm; description: detection of 2 mm ferrous metal, 4 mm non ferrous metal and 4 mm stainless steel, with pneumatic product triage, bandwidth 300 mm;	100.00
91	1	<b>mobile tilted stainless steel conveyor belt</b> description: feeding packaging line, driven , equipped with plastic chain belt, length approx. 2.5 m, width 400 mm;	100.00
92	1	<b>flow pack</b> brand: Tehama; type: VSE 2000 E; year: 1999; serial number: 91970/4; total dimension L: 7700 mm; total dimension W: 1200 mm; total dimension H: 2200 mm; description: Stainless steel; divisible into 2 parts of 370 cm / 400 cm ;	100.00
93	1	<b>flow pack</b> brand: Tehama; type: VSE 2000 E; year: 1999; serial number: 91970/2; description: Stainless steel;	100.00
94	1	<b>in-line metal detector</b> brand: Loma Systems; serial number: 895105; description: detection, of 2 mm ferrous metal, non ferrous and 4 mm 4 mm stainless steel metal; mounted on the belt conveyor with a stainless steel chassis, and plastic chain belt; band width 33 cm; length band 400cm; including optical inspection station;	100.00
95	1	<b>in-line metal detector</b> brand: Loma Systems; description: detection of 2 mm ferrous metal, 4 mm non-ferrous metal and 4 mm stainless steel; mounted on conveyor belt with stainless steel chassis and plastic switch belt; including optical inspection station;	100.00
96	1	<b>in-line inkjet coding printer</b> brand: Getra; type: Videojet 1220; serial number: 1209303C21ZH; description: on mobile stainless steel chassis;	100.00
97	1	<b>in-line inkjet coding printer</b> brand: Getra; type: Videojet 1210; serial number: 1118666C10ZH; description: on mobile stainless steel chassis;	100.00
98	1	<b>90 ° horizontal stainless steel conveyor belt</b> description: driven , equipped with plastic chain belt, length approx. 4 m, width 300 mm;	10.00
99	1	<b>90 ° horizontal stainless steel conveyor belt</b> description: driven , equipped with plastic chain belt, length approx. 3 m, width 300 mm;	10.00
100	1	<b>2-to-1 horizontal stainless steel conveyor belt</b> description: driven , equipped with plastic chain belt, length approx. 2 m, width 120 mm; including pneumatic change station;	10.00
101	1	<b>Stainless steel pile-up conveyor</b> brand: Head Seal; year: 1998; belt dim. W: 900 mm; description: Stainless steel frame, driven , provided with rubber belts, length approx. 1.5 m;	100.00



Lot	Number	Description	Starting Bid €
102	1	<b>Stainless steel boxes forming and packaging machine</b> brand: Kliklok-Woodman; type: Concorde K100R; year: 1998; description: size of boxes 92 x 42 x 185 mm, pitch 280 mm, including Nordson Problue 4 hot melt plunger pump s / n SA16B20903;	1,000.00
103	1	<b>Stainless steel conveyor belt</b> brand: Leon Torfs; type: 1020 M05; description: with a rubber band, and stopper 90 ° twist, length approx. 1 m;	10.00
104	1	<b>in-line inkjet coding printer</b> brand: Getra; type: Videojet 1210; serial number: 1024766C10ZH; description: product coding printer click clock line packaging machine , mobile on stainless steel frame;	100.00
105	1	<b>in-line metal detector</b> brand: Loma Systems; type: IQ <sup>3</sup> ; year: 2011; serial number: MD301-17438D; description: detection of 2 mm ferrous metal, 4 mm non-ferrous metal and 4 mm stainless steel with pneumatic product triage;	1,500.00
106	1	<b>spiral elevator conveyor</b> brand: Deniconda; type: Wendel 2; year: 2011; serial number: 31285586; description: driven , equipped with plastic chain conveyor, spiral length approx. 7 m, width 240 mm;	100.00
107	1	<b>Stainless steel conveyor belt</b> brand: Leon Torfs; type: 1020 M3 ; description: freezers feed plates 1 and 2, equipped with plastic chain belt 180 width, total length approx. 25 m;	10.00
108	1	<b>Stainless steel plate freezer 2</b> brand: STAL Samifi; type: Platematic FF2S 250 FX; year: 1991; serial number: 860; own weight: 18000 kg; description: equipped with control box;	1,000.00
109	1	<b>Stainless steel plate freezer 1</b> brand: STAL Samifi; type: FF2/21; year: 1988; serial number: 893; own weight: 12900 kg; description: equipped with control box;	1,000.00
110	1	<b>Stainless steel output conveyor</b> brand: Leon Torfs; type: 1020 M3 ; description: output plate freezers 1 and 2, equipped with plastic chain belt 180 width, total length approx. 20 m;	10.00
111	1	<b>Stainless steel plate freezer 3</b> brand: STAL Samifi; type: FF2S 35; own weight: 16500 kg;	1,000.00
112	1	<b>plate freezer (APV 3)</b> brand: A.P.V. Jackstone LTD; description: size 3500 x 4000 x H 4300 mm, including supply and discharge conveyor;	1,000.00
113	1	<b>plate freezer (APV2)</b> brand: A.P.V. Jackstone LTD; description: size 3500 x 4000 x H 4300 mm, including supply and discharge conveyor;	1,000.00
114	5	<b>stainless steel conveyors</b> brand: Leon Torfs; type: 1020 M3 ; description: plate freezers output to the packaging department, equipped with plastic chain belt 180 width, total length together approx. 50 m;	1,000.00
115	1	<b>hanging ascending stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1020 M14; description: driven , provided with plastic chain conveyor belt, length approx. 5 m, width 190 mm (to be disassemble to the first bolt connection);	100.00
116	1	<b>hanging ascending stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1020 M14; description: driven , provided with plastic chain conveyor belt, length approx. 5 m, width 190 mm (to be disassemble to the first bolt connection);	100.00
117	1	<b>hanging ascending stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1020 M14; description: driven , provided with plastic chain conveyor belt, length approx. 5 m, width 190 mm (to be disassemble to the first bolt connection);	100.00
118	1	<b>stainless steel denester</b> brand: Sealpac; serial number: ZAS-0584;	100.00



Lot	Number	Description	Starting Bid €
119	1	<b>Stainless steel conveyor belt</b> brand: Sealpac; belt dim. W: 900 mm; description: Stainless steel chassis, driven , length approx. 11 m, width 130 mm;	550.00
120	1	<b>tray sealing machine / tray sealer</b> brand: Sealpac; type: sealpac 750; year: 2004; serial number: TVG 04 1069 01; own weight: 300 kg; total dimension L: 2500 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: power: 6.5 kW; Including: 4-fold mold shape for round bowl trays diameter 170 mm, round heat seal plate and stainless steel interchangeable trolley;	3,250.00
121	1	<b>in-line control weighing unit</b> brand: Loma Systems; type: AS; year: 2004; serial number: DCW40816-36373;	1,000.00
122	1	<b>mobile horizontal stainless steel conveyor belt</b> belt dim. W: 900 mm; description: Stainless steel frame, driven , provided with chain belt, length approx. 3 m, width 190 mm, adjustable speed, 230 V;	10.00
123	1	<b>Stainless steel boxes forming and packaging machine</b> brand: Kliklok-Woodman; type: Concorde K100R; year: 1998; description: size of boxes 92 x 42 x 185 mm, pitch 280 mm, including Nordson Problue 4 hot melt plunger pump s / n 1022230A;	2,500.00
124	1	<b>in-line metal detector</b> brand: Loma Systems; type: IQ <sup>2</sup> ; serial number: 892456; description: detection of 3 mm ferrous metal, 2 mm non ferrous metal and 4 mm stainless steel with pneumatic product triage;	100.00
125	1	<b>Stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 1.3 m, width 240 mm;	75.00
126	1	<b>Stainless steel spiral conveyor</b> brand: Gronemeyer; type: Wendel 1; year: 1987; serial number: F1892/7 3528-110-4; description: driven , equipped with plastic chain conveyor, spiral length approx. 10 m, width 120 mm;	100.00
127	1	<b>spiral freezer</b> brand: Gyro; description: equipped with stainless steel chain conveyor, spiral belt width 800 mm, total height of the spiral approx. 3.5 m, erected in isolated space in sandwich panels dimensions 9350 x 7100 x 3500 mm H (cooling conduits to disconnect the valve);	1,000.00
128	1	<b>Mobile conveyor</b> belt dim. W: 900 mm; description: Stainless steel frame, output from Gyro spiral freezer, driven , equipped with plastic chain belt length approx. 3 m, width 840 mm;	500.00
129	1	<b>Mobile conveyor</b> belt dim. W: 900 mm; description: Stainless steel frame, driven , equipped with plastic chain belt length approx. 2 m, width 400 mm;	10.00
130	1	<b>in-line control weighing unit with metal detector</b> brand: Loma Systems; type: AS 5000 RS1; year: 2008; serial number: DCB080260-46474; description: consisting of AS in-line weighing conveyor and IQ <sup>3</sup> metal detector for 3 mm non-ferrous metal, ferro-3 mm and 4 mm stainless steel metal;	1,000.00
131	1	<b>Stainless steel conveyor belt</b> brand: Sealpac; belt dim. W: 900 mm; description: Stainless steel frame, driven , provided with stainless steel chain with carriers, pitch of 20 cm, length approx. 8 m, adjustable width guides of from 60 to 320 mm;	100.00
132	1	<b>semi-mobile tilted conveyor belt</b> brand: Kliklok; belt dim. W: 900 mm; description: Stainless steel frame, driven , 3 x 400 V, fitted with rubber conveyor belt length approx. 5.8 m, width 260 mm, maximum head 2200 mm;	100.00
133	1	<b>Mobile conveyor</b> brand: Kliklok; belt dim. W: 900 mm; description: Stainless steel frame, driven , 3 x 400 V, provided with ertalon chain belt length approx. 3.7 m, a width of 250 mm;	100.00
134	1	<b>Stainless steel cleaning satellite</b>	75.00



Lot	Number	Description	Starting Bid €
135	1	<b>Mobile conveyor</b> brand: Klikklok; belt dim. W: 900 mm; description: Stainless steel frame, driven , 3 x 400 V, fitted with rubber conveyor belt length approx. 1.75 m, width 300 mm;	100.00
136	1	<b>flow divider</b> description: equipped with: 6 x 230 V and 2 x 400 V, including Harting distribution block and three-phase extension cable;	75.00
137	1	<b>Stainless steel work table</b> total dimension L: 1045 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with: ertalon worktop and 2 levels; level difference: 150 mm;	30.00
138	1	<b>electric insect killer</b> brand: Anticimex;	20.00
139	1	<b>hotplate baler for pizza crusts / croques</b> brand: Apache press; type: 32 x 42; serial number: A3215X; total dimension L: 5000 mm; total dimension W: 1500 mm; total dimension H: 2000 mm; description: connection: 3 x 400 V; thermal power: 5200 W; provided with: a mobile stainless steel frame and autonomous hydraulic group, conveyor width 800 mm; including a lot of spare parts;	100.00
140	1	<b>film packaging machine</b> brand: BVM; type: Compacte Trend 5015; year: 2003; serial number: 20030703472; total dimension L: 2100 mm; total dimension W: 1800 mm; total dimension H: 1850 mm; description: connection: 3 x 400 V; power: 6 kVA; maximum width of feed roll: 700 mm; equipped with: double cut-off knife, sealing bar and mobile base;	300.00
141	1	<b>shrink tunnel</b> brand: BVM; type: SC 4030; year: 2003; serial number: 20030703473; total dimension L: 1650 mm; total dimension W: 1100 mm; total dimension H: 1700 mm; description: electrothermal; power: 14 kW; tunnel height 330 mm; equipped with: spindle strap width 440 mm, mobile base;	300.00
142	1	<b>spiral knot</b> brand: Oase; type: SPK 125 AE; volume: 250 l; electric connection: 400 V; description: diameter stainless steel bowl 900 mm, bowl depth 450 mm;	1,500.00
143	3	<b>Stainless steel production furniture</b> description: being puppy furniture, mobile whiteboard and paper reel;	150.00
144	1	<b>in-line inkjet coding printer</b> brand: Getra; type: Videojet 1220; serial number: 1230922C21ZH; description: product coding printer click Clock line packaging machine , mobile on stainless steel frame;	750.00
145	1	<b>in-line inkjet coding printer</b> brand: Getra; type: Videojet 1220; serial number: 1335719C21ZH; description: product coding printer click Clock line packaging machine , mobile on stainless steel frame;	750.00
146	1	<b>mobile corner set up stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 120 M01 3; description: driven , 3 x 400 V, equipped with plastic chain conveyor belt, length approx. 2.5 m, width 190 mm;	10.00
147	1	<b>tray seal packaging machine</b> brand: Sealpac; type: Sealpac Mini; year: 2006; serial number: TVG 03 1384 01; own weight: 270 kg; total dimension L: 1100 mm; total dimension W: 1000 mm; total dimension H: 1850 mm; description: roll width: 330 mm;	100.00
148	1	<b>dosing / extrusion machine</b> brand: Rheon; type: Cornucopia KN300; year: 1995; serial number: 311; total dimension L: 1400 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: Harting 3 x 220 V, mobile;	750.00
149	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: provided with: ertalon worktop;	40.00
150	1	<b>Stainless steel work table</b> total dimension L: 1000 mm; total dimension W: 900 mm; total dimension H: 830 mm; description: Equipped with: ertalon worktop and shelf;	60.00





Lot	Number Description	Starting Bid €
151	<b>1 Grill oven</b> brand: Roller Grill; type: Turbo quartz; stainless steel: yes; power: 3 kW; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: equipped with 2 grilles and stainless steel table with ertalon top size 650 x 850 x H 920 mm;	10.00
152	<b>1 computer controlled multi-head weighing and dosing device</b> brand: ishida; type: CCW-S-212-WP; year: 1990; serial number: 89/12272; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 2400 mm; description: 14 sections, including control box and filler mouth;	1,750.00
153	<b>1 bag forming and filling machine</b> total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 1550 mm;	1,500.00
154	<b>4 Stainless steel steps</b> total dimension L: 600 mm; total dimension W: 400 mm; description: equipped with: aluminum tear plate;	20.00
155	<b>1 Stainless steel work table</b> total dimension L: 1045 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with: ertalon worktop and 2 levels;	30.00
156	<b>1 Stainless steel work table</b> total dimension L: 1045 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with: ertalon worktop and 2 levels;	30.00
157	<b>3 Stainless steel work tables</b> description: provided with: ertalon worktop, being size 900 x 600 x H 930 mm, size 890 x 510 x H 730 mm and size 600 x 400 x H 570 mm;	100.00
158	<b>1 pneumatic stainless steel filling nozzle</b> total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: on mobile stainless steel chassis;	50.00
159	<b>2 Stainless steel production furniture</b> description: being pupil furniture, foil reel;	150.00
160	<b>2 Stainless steel work tables</b> description: provided with: ertalon worktop; being: size 1600 x 800 x H 820 mm and size 830 x 600 x H 730 mm;	100.00
161	<b>1 mobile accordion roller conveyor</b> description: roll width 385 mm, adjustable height;	100.00
162	<b>1 box coding system</b> brand: Markem; type: 5200; serial number: 081614; description: including stainless steel conveyor belt width 400 mm, length 1300 mm stainless steel with adjustable guides, together on a mobile underframe;	1,250.00
163	<b>1 mobile boxes shutter</b> brand: Siat; type: SM8/4 P A; year: 1996; serial number: 33066;	100.00
164	<b>1 Stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 870 mm; description: equipped with ertalon worktop and shelf;	10.00
165	<b>1 mobile stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1020 M35; description: driven , provided with plastic chain conveyor belt, length approx. 800 mm, width 400 mm;	10.00
166	<b>1 tilted stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 12 m, width 500 mm, provided with conductors ertalon;	10.00
167	<b>1 Stainless steel trash can</b> total dimension L: 650 mm; total dimension W: 650 mm; total dimension H: 1230 mm; description: equipped with: pedal lid lift;	25.00
168	<b>1 Stainless steel hanging board with stainless steel process connectors</b>	20.00
169	<b>1 Stainless steel reel</b>	10.00





Lot	Number	Description	Starting Bid €
170	1	<b>mobile alu warehouse staircase</b> brand: Altrex; number of steps: 8; aluminium: yes; single: yes; access platform: yes; description: including stainless steel platform platform;	75.00
171	1	<b>standard bins elevator</b> brand: Syspal KG; type: 601.2053.2; year: 1998; serial number: 2828; capacity (text): 250 kg; description: connection: 3 x 400 V ;	10.00
172	1	<b>mobile stainless steel process pump</b> brand: Sine Pump; type: SPS-3"; serial number: 17670889; description: connection: 3 x 400 V ;	150.00
173	1	<b>mobile stainless steel feed hopper</b> total dimension L: 760 mm; total dimension W: 950 mm; total dimension H: 1870 mm;	100.00
174	1	<b>Stainless steel cleaning satellite</b> description: including hose;	75.00
175	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 590 mm; total dimension H: 950 mm; description: with ertalon worktop and 2 levels, level difference 155 mm;	30.00
176	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 620 mm; total dimension H: 900 mm; description: with ertalon worktop and 2 levels, level difference 150 mm;	30.00
177	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 590 mm; total dimension H: 950 mm; description: with ertalon worktop and 2 levels, level difference 155 mm;	30.00
178	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 620 mm; total dimension H: 900 mm; description: with ertalon worktop and 2 levels, level difference 150 mm;	30.00
179	1	<b>Stainless steel suspension for steel tools</b> description: equipped with: 3 hooks;	10.00
180	1	<b>Stainless steel hand washer</b> description: equipped with faucets and knee controls;	50.00
181	1	<b>distributor / mushroom</b> description: in: 3 x 400 V;	25.00
182	1	<b>Stainless steel cleaning satellite</b>	75.00
183	1	<b>Stainless steel industrial vegetable cutter</b> brand: Herbolt; serial number: 26D175; description: internal no. 0457;	750.00
184	1	<b>Stainless steel side table</b> total dimension L: 590 mm; total dimension W: 400 mm; total dimension H: 620 mm; description: equipped with ertalon worktop;	30.00
185	1	<b>Stainless steel side table</b> total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 570 mm; description: equipped with ertalon worktop;	30.00
186	1	<b>mobile stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 840 mm; description: equipped with ertalon worktop and shelf;	30.00
187	1	<b>Stainless steel work table</b> total dimension L: 1640 mm; total dimension W: 1000 mm; total dimension H: 915 mm; description: equipped with ertalon countertop and bottom board;	30.00
188	1	<b>whiteboard on stainless steel frame</b> total dimension W: 1060 mm; total dimension H: 870 mm; description: equipped with: aluminum border;	10.00
189	1	<b>stainless steel racking</b> description: 2 levels, size approx. 4500 x 400 x 1270 mm H;	50.00
190	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	75.00



Lot	Number	Description	Starting Bid €
191	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	75.00
192	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	75.00
193	1	<b>digital platform scale</b> brand: Radwag; type: WPT 6H2; description: capacity 6000 g, size platform 245 x 305 mm;	10.00
194	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	10.00
195	1	<b>digital platform scale</b> brand: Radwag; type: WPT 6H2; description: capacity 6000 g, size platform 245 x 305 mm;	10.00
196	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	10.00
197	1	<b>digital platform scale</b> brand: Kubota; type: KA-10; description: capacity 3200 g, size platform 250 x 350 mm;	10.00
198	3	<b>three-phase extension cords</b> description: including a lot of electro installation equipment including two stainless steel enclosures;	10.00
199	1	<b>mobile stainless steel crate position</b> total dimension L: 660 mm; total dimension W: 260 mm; total dimension H: 480 mm;	10.00
200	1	<b>mobile stainless steel crate position</b> total dimension L: 665 mm; total dimension W: 310 mm; total dimension H: 485 mm;	10.00
201	1	<b>mobile alu warehouse staircase</b> brand: Altus; number of steps: 6; aluminium: yes; single: yes; description: platform height: 1500 mm;	75.00
202	1	<b>semi-mobile stainless steel staircase</b> number of steps: 3; single: yes; total dimension L: 900 mm; total dimension W: 920 mm; total dimension H: 1450 mm; description: on mobile chassis ;	60.00
203	1	<b>industrial tonne vacuum cleaner</b> brand: Nilfisk; type: S3B L50; serial number: 3820164100041; description: 230 V, 3 kW;	100.00
204	1	<b>drinking water dispenser</b> brand: elis; type: EBAC kil netw; year: 2016; serial number: 960 114 62 08;	10.00
205	1	<b>mobile stainless steel work table</b> total dimension L: 1200 mm; total dimension W: 820 mm; total dimension H: 870 mm; description: comprising: stainless steel fasteners, height 100 mm; including: 5 various steel plates and grates;	50.00
206	1	<b>Stainless steel side table</b> total dimension L: 600 mm; total dimension W: 395 mm; total dimension H: 560 mm; description: provided with: ertalon leaf;	20.00
207	1	<b>Stainless steel work table</b> total dimension L: 940 mm; total dimension W: 640 mm; total dimension H: 910 mm; description: provided with: ertalon worktop;	35.00
208	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 920 mm; description: provided with: ertalon worktop;	35.00
209	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with: ertalon worktop and 2 levels; level difference: 150 mm; note: ertalon leaf lowest level is missing, including 2 loose ertalon plates;	30.00
210	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 600 mm; total dimension H: 940 mm; description: equipped with: ertalon worktop and 2 levels; level difference: 150 mm;	30.00



Lot	Number	Description	Starting Bid €
211	1	<b>Stainless steel work table</b> total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 880 mm; description: provided with: ertalon worktop;	65.00
212	1	<b>Stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 890 mm; description: provided with: ertalon worktop;	75.00
213	1	<b>Stainless steel cleaning satellite</b>	75.00
214	1	<b>mobile stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 840 mm; description: provided with: ertalon worktop and ertalon plate;	75.00
215	1	<b>Stainless steel work table</b> total dimension L: 1020 mm; total dimension W: 665 mm; total dimension H: 890 mm; description: provided with: ertalon worktop;	75.00
216	1	<b>Stainless steel reel</b> description: wall mounted, including stainless steel suspension, soap dispenser and double coat rack;	10.00
217	1	<b>electric insect killer</b> brand: Anticimex; type: Cobra Jet;	20.00
218	1	<b>Stainless steel step</b> total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 150 mm; description: equipped with: aluminum tear plate;	10.00
219	1	<b>mobile stainless steel implement suspension</b> description: including stainless steel bucket, 3 plastic buckets, ertalon tool board and 2 level raisers with diamond plate;	20.00
220	1	<b>electric hot water boiler</b> brand: Bulex; type: E-SD W 200 B T; capacity (text): 200 L; total dimension L: 900 mm; total dimension W: 670 mm; total dimension H: 3300 mm; description: connection: 230 V; power: 2.4 kW; provided with! Stainless steel frame with grid for buckets and tap;	10.00
221	1	<b>electric insect killer</b> brand: Anticimex;	20.00
222	1	<b>Stainless steel cleaning satellite</b> brand: Elpress;	10.00
223	1	<b>Stainless steel 2 door freezer</b> brand: Pelican; type: YBF9219; year: 2015; serial number: YBF9219150116B8025; total dimension L: 700 mm; total dimension W: 1200 mm; total dimension H: 1940 mm;	125.00
224	1	<b>horizontal stainless steel conveyor belt</b> description: 1 & 2 flowpack lateral discharge line, driven , provided with flat conveyor belt, length approx. 2.5 m, width 300 mm;	10.00
225	1	<b>buns robot</b> brand: De Wilde Engineering; serial number: 17624; description: lateral output with 4 x 4 vacuum lifters to adjacent conveyor belt; siemens simatic hmi; equipped with safety cage;	100.00
226	1	<b>Stainless steel boxes forming and packaging machine</b> brand: Kliklok-Woodman; type: MSR; year: 2004; serial number: HSK-MSR-031-KM; description: box dimensions 140 x 36 x 192 mm, pitch 280 mm; including plunger pump "meler";	1,000.00
227	1	<b>stainless steel boxes forming and packaging machine</b> brand: Kliklok-Woodman; type: SFR; year: 2004; serial number: HSK-SFR-018-KM; description: 118 x 42 x 150 mm boxes, pitch 360 mm, including 5 form molds for other box sizes and mobile label dispenser;	1,000.00
228	1	<b>mobile horizontal stainless steel conveyor belt</b> description: electrically driven 3x220V, equipped with plastic chain belt, length approx. 5 m, width 400 mm stainless steel on the mobile chassis;	100.00
229	1	<b>in-line control weighing unit</b> brand: Loma Systems; type: ACW43429; year: 2005; serial number: 40081;	100.00



Lot	Number	Description	Starting Bid €
230	1	<b>bridge mounted stainless steel conveyor belt</b> description: electrically driven , provided with flat conveyor belt, length approx. 20 m, band width 300 mm, height 230 cm below horizontal bridge; provided with ceiling attachment;	100.00
231	1	<b>in-line metal detector</b> brand: Loma Systems; type: IQ <sup>2</sup> ; description: detection of 2 mm ferrous metal, 4 mm non-ferrous metal and 4 mm stainless steel with pneumatic product triage;	100.00
232	1	<b>mobile stainless steel conveyor belt</b> description: elektrisch driven , provided with plastic chain conveyor belt, length approx. 1.7 m, width 400 mm;	10.00
233	1	<b>mobile ascending stainless steel conveyor belt</b> description: electrically driven , provided with flat conveyor belt, length approx. 8 m, range 300 mm;	10.00
234	1	<b>mobile 90 ° stainless steel conveyor belt</b> brand: ICS; type: schakelband; year: 2004; serial number: D028-7; description: electrically driven , provided with plastic chain conveyor belt, length approx. 6 m, width 400 mm;	10.00
235	1	<b>mobile stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 4.5 m, width 580 mm;	10.00
236	1	<b>mobile stainless steel conveyor belt</b> brand: ICS; type: schakelband; year: 2004; serial number: D028-2; description: driven , provided with plastic chain conveyor belt, length approx. 3 m, width 400 mm;	10.00
237	1	<b>in-line control weighing unit</b> brand: Loma Systems; type: CW <sup>3</sup> ; year: 2017; serial number: DCW170714-58389F;	1,000.00
238	1	<b>mobile stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 2 m, width 400 mm;	10.00
239	1	<b>mobile 90 ° stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 4.5 m, width 400 mm;	200.00
240	1	<b>mobile tilted stainless steel conveyor belt</b> description: electrically driven , equipped with plastic chain belt, length approx. 2.5 m, width 400 mm;	100.00
241	1	<b>Stainless steel roller conveyor</b> description: length approx. 5 m, width 500 mm;	10.00
242	1	<b>Stainless steel conveyor belt</b> description: lateral discharge 20 kg bags, driven , equipped with plastic chain belt, length approx. 4 m, width 800 mm;	100.00
243	1	<b>90 ° stainless steel conveyor belt</b> description: supply of packaging line, driven , equipped with plastic chain belt, length approx. 9 m, width 400 mm;	100.00
244	1	<b>90 ° stainless steel conveyor belt</b> description: electrically driven , equipped with plastic chain belt, length approx. 9 m, width 400 mm;	100.00
245	1	<b>tilted stainless steel conveyor belt</b> description: electrically driven , equipped with plastic chain belt, length approx. 9 m, width 800 mm;	100.00
246	1	<b>stainless steel spiral freezer</b> brand: Eurotek; type: Sr4829-150; serial number: P307; description: equipped with stainless steel chain conveyor, spiral belt width of 1200 mm, total height of the coil 5 m, equipped with 6 electromotive fans; including a lot of various spare parts;	10,000.00
247	1	<b>Stainless steel hose reel</b> description: including rubber hose with quick connectors;	30.00
248	1	<b>Stainless steel hose reel</b> description: including rubber hose with quick connectors;	30.00



Lot	Number	Description	Starting Bid €
249	8	<b>plastic handle tools</b> description: being 2 shovels, 4 floor wipers and 1 brush;	10.00
250	1	<b>Stainless steel hose reel</b> description: wall mounted, including rubber hose with quick couplings;	30.00
251	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 620 mm; total dimension H: 930 mm; description: with ertalon worktop and 2 levels, level difference 150 mm;	30.00
252	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 620 mm; total dimension H: 930 mm; description: with ertalon worktop and 2 levels, level difference 150 mm;	30.00
253	1	<b>Stainless steel work table</b> total dimension L: 1060 mm; total dimension W: 620 mm; total dimension H: 930 mm; description: with ertalon worktop and 2 levels, level difference 150 mm;	30.00
254	4	<b>Stainless steel suspension</b> description: various heights under 210 cm;	20.00
255	1	<b>alu staircase</b> number of steps: 6; aluminium: yes; double: yes; access platform: yes; total dimension L: 2800 mm; total dimension W: 750 mm; total dimension H: 2400 mm; description: landing height: 1370 mm; maximum height under landing part: 1250 mm; equipped with: anti-slip steps and handrail;	100.00
256	1	<b>chisel group for flowpack 1</b> brand: Tehama; description: blade width: 380 mm; including: stainless steel trolley; suitable for: lot 92;	200.00
257	1	<b>chisel group for flowpack 2</b> brand: Tehama; description: blade width: 380 mm; including: stainless steel trolley; suitable for: lot 93;	200.00
258	1	<b>Stainless steel transport cart for chisel group flowpack</b>	20.00
259	1	<b>Stainless steel hose reel</b> description: wall mounted, including rubber hose with quick couplings;	30.00
260	2	<b>Stainless steel side tables</b> description: being dimensions 600 x 400 x H 580 mm and dimensions 600 x 400 x H 700 mm;	20.00
261	1	<b>insect light</b> brand: Nemesis; type: Ultima 80; description: Stainless steel, 230 V, size 65 x 43 x 15 cm;	20.00
262	1	<b>distributor / mushroom</b> description: in: 3 x 400 V;	25.00
263	3	<b>Stainless steel side tables</b> description: being dimension 1010 x 820 x H 780 mm, dimension 620 x 420 x H 580 mm and dimension 600 x 400 x H 610 mm;	60.00
264	1	<b>Stainless steel process step</b> number of steps: 2; description: provided with: balustrade; including: stainless steel process platform;	20.00
265	1	<b>Stainless steel puppy furniture</b> total dimension L: 600 mm; total dimension W: 360 mm; total dimension H: 1270 mm;	10.00
266	1	<b>Stainless steel puppy furniture</b> total dimension L: 600 mm; total dimension W: 460 mm; total dimension H: 1285 mm;	10.00
267	1	<b>alu stepladder</b> brand: Altrex; type: TME 4; description: 4 steps;	10.00
268	1	<b>alu stepladder</b> brand: Altrex; type: Taurus; description: 6 steps;	10.00
269	1	<b>Stainless steel transport cart</b> total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 800 mm; description: equipped with: ertalon platform;	20.00



Lot	Number	Description	Starting Bid €
270	2	<b>Stainless steel side tables</b> description: being dimensions 700 x 500 x H 580 mm and dimensions 600 x 400 x H 570 mm, including stainless steel step with alu diamond plate;	20.00
271	1	<b>Stainless steel side table</b> total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 740 mm; description: provided with: ertalon worktop;	20.00
272	1	<b>Stainless steel side table</b> total dimension L: 900 mm; total dimension W: 590 mm; total dimension H: 900 mm; description: provided with: ertalon worktop;	20.00
273	1	<b>Stainless steel platform scale</b> brand: Sartorius; type: DX BM 500; platform size L: 240 mm; platform size W: 320 mm; digital display: yes; electric connection: 230 V;	70.00
274	1	<b>Stainless steel platform scale</b> brand: Allscales; type: WPT150H5; serial number: 279314; weight range min.: 1000 g; weight range max: 1500 g; readability: 50 g; platform size L: 600 mm; platform size W: 600 mm; digital display: yes; electric connection: 230 V;	70.00
275	1	<b>lot of PVC stacking crates</b> description: approx. 110 pieces, including 7 ertalon platform trolleys and pallets 3 PVC;	100.00
276	1	<b>Stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: equipped with ertalon worktop;	70.00
277	1	<b>insect light</b> brand: Nemesis; type: Ultima 80; description: Stainless steel, 230 V, size 65 x 43 x 15 cm;	10.00
278	1	<b>electric insect killer</b> brand: Anticimex;	20.00
279	1	<b>Stainless steel side table</b> total dimension L: 730 mm; total dimension W: 530 mm; total dimension H: 640 mm; description: provided with: ertalon worktop;	10.00
280	1	<b>Stainless steel side table</b> total dimension L: 620 mm; total dimension W: 420 mm; total dimension H: 570 mm; description: provided with: ertalon worktop;	10.00
281	1	<b>Stainless steel side table</b> total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 630 mm; description: provided with: ertalon worktop;	10.00
282	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: provided with: ertalon worktop;	10.00
283	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 920 mm; description: provided with: ertalon worktop;	10.00
284	1	<b>Stainless steel work table</b> total dimension L: 1210 mm; total dimension W: 700 mm; total dimension H: 890 mm; description: equipped with: stainless steel worktop;	10.00
285	1	<b>Stainless steel steps</b> number of steps: 2; total dimension H: 400 mm;	10.00
286	1	<b>Stainless steel booster</b> number of steps: 2; total dimension L: 1010 mm; total dimension W: 510 mm; total dimension H: 400 mm;	10.00
287	1	<b>Stainless steel puppy furniture</b> total dimension L: 460 mm; total dimension W: 600 mm; total dimension H: 1320 mm;	10.00
288	1	<b>Stainless steel work table</b> total dimension L: 1045 mm; total dimension W: 620 mm; total dimension H: 930 mm; description: equipped with: ertalon worktop and 2 levels; level difference: 150 mm;	30.00





Lot	Number	Description	Starting Bid €
289	1	<b>Stainless steel work table</b> total dimension L: 1045 mm; total dimension W: 620 mm; total dimension H: 930 mm; description: equipped with: ertalon worktop and 2 levels; level difference: 150 mm;	30.00
290	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 920 mm; description: provided with: ertalon worktop;	30.00
291	1	<b>Stainless steel ramp with alu tear plate</b> total dimension W: 710 mm; description: platform height: 345 mm;	20.00
292	1	<b>Stainless steel ramp with alu tear plate</b> total dimension W: 710 mm; description: platform height: 345 mm;	20.00
293	1	<b>Stainless steel steps</b> number of steps: 2; description: including 3 stainless steel process supports;	10.00
294	1	<b>fan</b> brand: Multifan; type: 4E/50; electric connection: 220 V; description: on mobile stainless steel chassis;	75.00
295	2	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 910 mm;	75.00
296	2	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 910 mm;	75.00
297	2	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 910 mm;	75.00
298	2	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	50.00
299	2	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	50.00
300	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	75.00
301	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	75.00
302	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	75.00
303	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	75.00
304	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm;	75.00
305	3	<b>Stainless steel Euro standard cars</b> stainless steel: yes; dimension L: 680 mm; dimension W: 680 mm; dimension H: 670 mm; description: including 1 with rim;	75.00
306	1	<b>Stainless steel reel</b> total dimension W: 1560 mm; total dimension H: 1020 mm; description: roll width 1400 mm;	25.00
307	1	<b>Stainless steel reel</b> total dimension W: 1000 mm; total dimension H: 930 mm; description: roll width 800 mm;	25.00



Lot	Number	Description	Starting Bid €
308	1	<b>Stainless steel reel</b> total dimension W: 1530 mm; total dimension H: 1070 mm; description: roll width 1400 mm;	25.00
309	1	<b>Stainless steel reel</b> total dimension W: 1010 mm; total dimension H: 1020 mm; description: roll width 800 mm;	25.00
310	1	<b>Stainless steel cleaning satellite</b> brand: elpress;	10.00
311	1	<b>Stainless steel hand washer</b> description: equipped with tap work and paper dispenser;	50.00
312	1	<b>Stainless steel work table</b> total dimension L: 3000 mm; total dimension W: 800 mm; total dimension H: 880 mm; description: provided with: teflon worktop;	100.00
313	1	<b>Stainless steel pallet</b> lifting capacity: 2000 kg; fork length: 1150 mm; total dimension W: 540 mm;	75.00
314	1	<b>transpallet</b> brand: BT ; lifting capacity: 2000 kg; fork length: 1200 mm; total dimension W: 530 mm;	30.00
315	1	<b>transpallet</b> brand: BT ; lifting capacity: 2000 kg; fork length: 1150 mm; total dimension W: 510 mm;	30.00
316	1	<b>transpallet</b> fork length: 1150 mm; total dimension W: 540 mm;	30.00
317	1	<b>transpallet</b> fork length: 1150 mm; total dimension W: 540 mm;	30.00
318	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
319	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
320	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
321	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
322	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
323	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
324	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00



Lot	Number	Description	Starting Bid €
325	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
326	1	<b>Stainless steel plate trolley for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	30.00
327	1	<b>Stainless steel plate trolley for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	30.00
328	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
329	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
330	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
331	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
332	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
333	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
334	2	<b>Stainless steel plate trolleys for rotary oven</b> total dimension L: 830 mm; total dimension W: 665 mm; total dimension H: 1790 mm; description: comprising: 18 levels; size per level: 600 x 800 mm; including a lot of plates; Description: suitable for MIWE rotary oven;	60.00
335	1	<b>Stainless steel cleaning satellite</b> brand: elpress;	10.00
336	1	<b>Stainless steel hose holder</b> description: including: rubber hose;	15.00
337	1	<b>Stainless steel side table</b> total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 680 mm; description: with ertalon top;	20.00
338	1	<b>Stainless steel work table</b> total dimension L: 3000 mm; total dimension W: 800 mm; total dimension H: 890 mm; description: with ertalon top;	100.00
339	1	<b>Stainless steel puppy furniture</b> total dimension L: 1850 mm; total dimension W: 470 mm; total dimension H: 1300 mm; description: with teflon top;	50.00



Lot	Number	Description	Starting Bid €
340	1	<b>Digital plateau scale</b> brand: Radwag; type: WPT 150H5; weight range min.: 1000 g; weight range max: 150000 g; readability: 50 g; platform size L: 600 mm; platform size W: 600 mm; digital display: yes; electric connection: 230 V; description: cap. 150 kg;	200.00
341	1	<b>membrane pump</b> brand: Prominent; type: FM SD 120; description: on mobile stainless steel support;	10.00
342	1	<b>membrane pump</b> brand: Prominent; type: S1BAH; description: on mobile stainless steel support;	10.00
343	1	<b>floor scale</b> brand: Precia Molen; type: IQ Plus 355; platform size L: 1500 mm; platform size W: 1250 mm; digital display: yes; electric connection: 230 V; description: equipped with stainless steel ramp;	400.00
344	1	<b>mobile stainless steel pump installation</b> brand: Murzan; type: DUS-51NH; description: equipped with stainless steel roller conveyor;	1,250.00
345	1	<b>floor scale</b> brand: Precia Molen; type: i20; platform size L: 1500 mm; platform size W: 1250 mm; digital display: yes; electric connection: 230 V; description: with stainless steel ramp ;	800.00
346	1	<b>food pump on stainless steel frame</b>	175.00
347	1	<b>Stainless steel hose holder</b>	10.00
348	1	<b>Stainless steel cubitainer stand</b>	75.00
349	1	<b>industrial can opener</b> brand: Edlund; description: on mobile stainless steel base with ejection opening;	100.00
350	1	<b>Stainless steel transport cart</b> total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 800 mm; description: equipped with: ertalon platform;	20.00
351	1	<b>insect light</b>	20.00
352	1	<b>Stainless steel trash can</b>	10.00
353	1	<b>Stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 550 mm; total dimension H: 640 mm; description: equipped with ertalon worktop;	10.00
354	1	<b>mobile 90 ° stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 3.5 m, width 400 mm;	10.00
355	1	<b>vrac boxes packaging machine</b> brand: AssiDomän; type: WA 1200; year: 1997; serial number: UKB 7401; description: equipped with: Nordson Problue7 hot melt plunger pump;	3,250.00
356	1	<b>box coding system</b> brand: Markem; type: 5200; serial number: 081615; description: including stainless steel conveyor belt;	100.00
357	1	<b>mobile accordion roller conveyor</b> description: roll width 385 mm;	100.00
358	1	<b>mobile accordion roller conveyor</b> description: roll width 385 mm (internal number 0020);	100.00
359	1	<b>vrac boxes packaging machine</b> brand: Breda; type: Unipack 25; year: 1995; serial number: 295; description: equipped with: Nordson hot melt plunger pump;	3,250.00
360	1	<b>box coding system</b> brand: Markem; type: 5200; serial number: 042108; description: including stainless steel conveyor belt, together on mobile base;	1,250.00
361	1	<b>Pallet wrapper</b> brand: Borst; type: Mustang; year: 1998; serial number: 134/98; description: including stainless steel operator cupboard with PC configuration and ticket printer;	1,500.00



Lot	Number	Description	Starting Bid €
362	1	<b>mobile 90 ° stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 7.5 m, a width of 250 mm;	100.00
363	1	<b>mobile 90 ° stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 10 20 M27; description: driven , provided with plastic chain conveyor belt, length approx. 2 m, width 200 mm;	10.00
364	1	<b>90 ° stainless steel conveyor belt</b> brand: Polyketting; type: PLT; serial number: 91/C-1885; description: driven , provided with plastic chain conveyor belt, length approx. 2.3 m, a width of 250 mm;	10.00
365	1	<b>box coding system</b> brand: Markem; type: 5200; serial number: 081612; description: including stainless steel conveyor belt, together on mobile base;	100.00
366	1	<b>mobile boxes shutter</b> brand: Siat; type: SM8/4/94 P; year: 1995; serial number: 24675;	100.00
367	1	<b>mobile stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 2.8 m, width 400 mm;	10.00
368	1	<b>mobile stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 5 m, width 300 mm;	100.00
369	1	<b>mobile stainless steel conveyor belt</b> description: driven , provided with plastic chain conveyor belt, length approx. 4 m, a width of 250 mm;	200.00
370	1	<b>mobile 90 ° stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1216 2; description: driven , provided with plastic chain conveyor belt, length approx. 10 m, width 190 mm;	500.00
371	1	<b>semi-mobile U-arranged stainless steel conveyor belt</b> brand: Leon Torfs; serial number: 1020M01 2; description: driven , provided with plastic chain conveyor belt, length approx. 12 m, width 190 mm;	100.00
372	1	<b>mobile boxes shutter</b> brand: Siat; type: SM8/4 P A; year: 1996; serial number: 28337;	100.00
373	1	<b>box coding system</b> brand: Markem; type: 5200; serial number: 081613; description: including stainless steel conveyor belt, together on mobile base;	1,250.00
374	1	<b>mobile accordion roller conveyor</b> description: roll width 385 mm;	100.00
375	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 920 mm; description: equipped with ertalon worktop;	10.00
376	1	<b>Stainless steel puppy furniture</b> total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1600 mm;	10.00
377	1	<b>Stainless steel bordstrap</b> total dimension H: 770 mm;	20.00
378	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: with ertalon worktop, including stainless steel side table size 600 x 400 x H 580 mm;	35.00
379	1	<b>Stainless steel bordstrap</b> total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 790 mm; description: 3 roster steps;	20.00
380	1	<b>Stainless steel work table</b> total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 890 mm; description: with green ertalon worktop, including stainless steel side table size 600 x 400 x H 580 mm;	50.00



Lot	Number	Description	Starting Bid €
381	1	<b>Stainless steel bordstrap</b> total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 480 mm; description: provided with roster steps;	10.00
382	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: equipped with ertalon worktop;	40.00
383	1	<b>Stainless steel work table</b> total dimension L: 930 mm; total dimension W: 640 mm; total dimension H: 770 mm; description: equipped with ertalon worktop;	40.00
384	1	<b>Stainless steel work table</b> total dimension L: 2200 mm; total dimension W: 800 mm; total dimension H: 880 mm; description: equipped with ertalon worktop;	40.00
385	1	<b>metal material cabinet</b> total dimension L: 1000 mm; total dimension W: 460 mm; total dimension H: 1950 mm;	25.00
386	1	<b>stainless steel racking</b> description: ertalon provided with shelves, dimension approx. 260 x 80 x 170 cm H;	75.00
387	1	<b>Stainless steel work table</b> total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1700 mm; description: height work surface: 1000 mm; equipped with: shunting bars for adhesive tape;	10.00
388	1	<b>Stainless steel washbasin</b> total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: including 2 soap dispensers and 1 paper dispenser;	50.00
389	1	<b>mobile alu warehouse staircase</b> brand: Altrex; number of steps: 8; aluminium: yes; single: yes; description: 8 steps;	75.00
390	1	<b>Stainless steel bordstrap</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 700 mm; description: fitted with tread plate steps;	20.00
391	1	<b>alu stepladder</b> brand: Altus; aluminium: yes; double: yes; description: 3 steps;	20.00
392	1	<b>Stainless steel work table</b> total dimension L: 950 mm; total dimension W: 630 mm; total dimension H: 940 mm; description: equipped with ertalon worktop;	20.00
393	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: equipped with ertalon worktop;	20.00
394	1	<b>Stainless steel partition</b> total dimension W: 2520 mm; total dimension H: 2130 mm;	50.00
395	1	<b>insect light</b> brand: Nemesis; type: Ultima 80; description: Stainless steel, 230 V, size 65 x 43 x 15 cm;	20.00
396	1	<b>take out conveyor belt</b> belt dim. W: 350 mm; description: Total length : approx. 7 m; includes: plastic slats with stainless steel carriers, in part gedemonteers;	50.00
397	1	<b>steam cooker</b> brand: Stephan; type: TC 850; year: 1989; serial number: 2656120;	1,000.00
398	1	<b>Stainless steel mixing wolf</b> brand: meissner; type: GW130/2M; serial number: 329079; description: 3 x 400 V, 16 kW;	1,750.00
399	1	<b>Stainless steel bucket lift</b> description: capacity 250 kg (internal no. 0054);	100.00
400	1	<b>screw compressor</b> brand: Atlas Copco ; type: GA75VSD; year: 2016; serial number: API669859; capacity: 13 bar; power: 75 kW; hours on display: 13150; electric connection: 400 V; own weight: 1534 kg; total dimension L: 2200 mm; total dimension W: 1100 mm; total dimension H: 2000 mm; description: flow rate: 251.4 L / s (can be connected to the first valve);	20,000.00





Lot	Number	Description	Starting Bid €
401	1	<b>screw compressor</b> brand: atlas Copco; type: GA75VSD; year: 2009; serial number: API656080; capacity: 13 bar; power: 75 kW; hours on display: 37468; electric connection: 400 V; own weight: 1680 kg; total dimension L: 2300 mm; total dimension W: 1080 mm; total dimension H: 1960 mm; description: flow rate: 244.7 L / s (can be connected to the first valve);	7,500.00
402	1	<b>air dryer with vertical expansion tank and filters</b> brand: Atlas Copco ; type: FX14; year: 2016; serial number: CAI926393; electric connection: 400 V; own weight: 146 kg; description: power: 3 kW; comprising: dryer , vertical galvanized steel tank 2000 L capacity, and two moisture separators (release to be coupled to the first valve after the shut-off valves);	1,500.00
403	1	<b>oil-water separator</b> brand: Atlas Copco ; type: OSC 355; year: 2009; serial number: APIO21464;	500.00
404	1	<b>floor scale</b> brand: Precia Molen; type: X112-A; serial number: 01F896282; platform size L: 800 mm; platform size W: 800 mm; digital display: yes; electric connection: 230 V; description: with stainless steel ramp ;	800.00
405	1	<b>industrial refrigeration compressor</b> brand: Howden; year: 2004; serial number: MK6B/WRV20414550/622; description: rebuild in 2012 (can be dismantled responsibly in the distribution box);	5,000.00
406	1	<b>industrial refrigeration compressor (disassembled / repaired)</b> brand: Howden; serial number: MK4BS/WRVB255/22026/165; description: rebuild in 2012; including ammonia gas discharge up to collector tube (can be disassembled responsibly in the distribution box);	1,250.00
407	1	<b>industrial refrigeration compressor</b> brand: Grasso; description: including ammonia gas discharge up to collector tube (can be disassembled responsibly in the distribution box);	1,750.00
408	1	<b>industrial refrigeration compressor</b> brand: Sabroe; type: SMC108E; year: 2011; serial number: 148861; description: including ammonia gas discharge up to collector tube (can be disassembled responsibly in the distribution box);	7,500.00
409	1	<b>industrial refrigeration compressor</b> brand: Howden; year: 2003; serial number: MK4A/XRV204145MVI/168; description: (to be dismantled in a responsible manner in the distribution box);	5,000.00
410	1	<b>industrial refrigeration compressor</b> brand: Howden; serial number: MK4G/WRV255/11050/1200; description: (to be dismantled in a responsible manner in the distribution box);	3,250.00
411	1	<b>industrial refrigeration compressor</b> brand: Grasso; type: RC 611; description: (to be dismantled in a responsible manner in the distribution box);	100.00
412	1	<b>steel liquid tanks 2000 and 5000 L</b> description: to be disassembled on indication Troostwijk (internal no. liquid vessels 1 and 2);	1,000.00
413	1	<b>ammonia liquid separator</b> brand: Brandt; year: 1991; serial number: 12875; description: content 12875 L, including profile steel construction, disassemble designate Troostwijk (internal call no. Liquid separator 2 -40);	100.00
414	2	<b>pumping ammonia</b> description: including control cabinet;	500.00
415	3	<b>glycol pumps</b> description: being 2 x Allweiler (disassembly on the first valve before and after the pumps);	500.00
416	2	<b>glycol cooling and intercooler tanks</b> year: 1991; serial number: 12875; description: content cooling tank: 12 875 L; content intercooler: 5000 L (dismantling on designating Troostwijk);	100.00



Lot	Number	Description	Starting Bid €
417	2	<b>pumping ammonia</b> brand: Witt; description: (disassembly on the first valve);	150.00
418	2	<b>pumping ammonia</b> brand: Witt; description: (disassembly on the first valve);	150.00
419	1	<b>ammonia liquid separator</b> description: content 8000 L, (internal call no. Liquid separator 1 -40);	500.00
420	1	<b>profile steel workbench with content</b> description: comprising: vise , and content other than a lot of various plant components such as pumps, motors, valves, three phase extension cords, etc.;	100.00
421	1	<b>car purger M</b> brand: Hansen; type: APMC-2E; serial number: F2660;	250.00
422	1	<b>ammonia gas insulated storage tank</b> brand: Johnson Controls; description: including 2 pumps and electromotive valves;	100.00
423	1	<b>heavy electric motor</b> brand: Schorch;	175.00
424	1	<b>water treatment plant</b> brand: Nalco; type: 3D Trasar; serial number: 1008/21; description: consisting of 2 x plastic containers Porta Feed content 440 L and 750 L, both in drip tray, two dosing pumps, control circuit board, and;	750.00
425	1	<b>mobile vacuum pump</b> brand: Rietschle;	350.00
426	1	<b>plastic drip tray</b> total dimension L: 2600 mm; total dimension W: 900 mm; total dimension H: 150 mm; description: provided with: plastic ramp; Including: 3 x 200 L barrels opened, including 1 with crank pump and 2 with hand pump;	50.00
427	1	<b>polyester painter's ladder</b> brand: Zarges; double: yes; description: 2 x 12 alu sports;	45.00
428	1	<b>centrifugal pump</b> description: disassembled on a pallet, including a separate electric motor;	150.00
429	1	<b>mobile oil pump</b>	150.00
430	1	<b>alu stepladder</b> brand: Altrex; aluminium: yes; double: yes; description: 5 steps;	10.00
431	1	<b>mobile profile steel workbench</b> description: provided with vise;	50.00
432	1	<b>tool trolleys</b> brand: Facom; type: Chrono+;	20.00
433	1	<b>manual press brake</b> brand: Dreis & Krump; type: 1016; serial number: 93869; description: working width 3000 mm;	500.00
434	1	<b>drip tray</b> total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 180 mm; description: equipped with: galva grid;	25.00
435	1	<b>mobile manbak for forklift truck</b> description: capacity: 300 kg; cage size: 1200 x 800 mm; includes: forklift pockets for forklift truck;	100.00
436	1	<b>three-phase extension cord</b>	25.00
437	2	<b>Extension spoons for forklift truck</b> description: length approx. 2.5 m;	125.00
438	1	<b>mobile pressure washer</b>	125.00
439	2	<b>support profile languages</b>	15.00
440	1	<b>profile steel mounting yoke for forks</b> brand: Still; type: 705319; capacity (text): 1300 kg; description: for hafteuck batteries;	25.00



Lot	Number	Description	Starting Bid €
441	1	<b>digital platform scale</b> brand: Robbe; type: 9306; serial number: 12709; weight range min.: 20 kg; weight range max: 2000 kg; platform size L: 1250 mm; platform size W: 1500 mm; digital display: yes; electric connection: 230 V; description: capacity 2000 kg;	500.00
442	1	<b>electric stacker</b> brand: Jungheinrich; serial number: 712723109; description: (internal no. 3 Cardboard);	250.00
443	1	<b>Stainless steel Euro standard bucket lift</b> brand: Van Oirschot; description: cap. 800 kg;	450.00
444	1	<b>Stainless steel sauce buffer / mixed cooling tank</b> brand: Packo; year: 1988; serial number: 1; description: capacity 800 L, including switch box and pump, internal number 0415;	350.00
445	1	<b>Stainless steel sauce buffer / mixed cooling tank</b> brand: Packo; year: 1988; serial number: 4; description: capacity 800 L, including switch box and pump, internal number 0416;	350.00
446	1	<b>Stainless steel sauce buffer / mixed cooling tank</b> brand: Packo; year: 1988; serial number: 2; description: capacity 800 L, including switch box and pump, internal number 0417;	350.00
447	1	<b>Stainless steel sauce buffer / mixed cooling tank</b> brand: Packo; year: 1988; serial number: 3; description: capacity 800 L, including switch box and pump, internal number 0418;	350.00
448	1	<b>stainless steel centrifugal feed pump</b> brand: Inoxpa; type: SE-26; year: 2016;	10.00
449	1	<b>scraping system heat exchanger</b> brand: Alfa-Laval; description: (internal number 0413);	100.00
450	1	<b>scraping system heat exchanger</b> brand: Alfa-Laval; description: (internal number 0410);	100.00
451	1	<b>scraping system heat exchanger</b> brand: Alfa-Laval; description: (internal number 0411);	100.00
452	1	<b>scraping system heat exchanger</b> brand: Alfa-Laval; description: (internal number 0412);	100.00
453	1	<b>scraping system heat exchanger</b> brand: Alfa-Laval; description: (internal number 0414);	100.00
454	1	<b>central cleaning / SIP installation</b> brand: Elpress; description: consisting of stainless steel pump group with circulation pumps 2, 3 desinfection stations with tank and membrane pump for acid-foam and disinfection, each in plastic lektank, including stainless steel piping, steam pipes and stainless steel control cabinet;	1,000.00
455	1	<b>steam boiler</b> brand: Unibel; type: TWH60; year: 2006; serial number: 112S; description: gas heated , air Sicma burner unit;	1,000.00
456	1	<b>reverse osmosis installation</b> brand: Nalco; type: UO 1200 ND; year: 2008; serial number: 800818; description: consisting of water softening, RO tank, pumps, 2 pumps for concentrate, drip tray and control;	100.00
457	1	<b>industrial stainless steel hood</b> description: size 11 mx 2.5 m;	100.00
458	1	<b>industrial stainless steel hood</b> description: size 11 mx 2 m;	100.00
459	1	<b>Stainless steel shoe disinfection machine</b> brand: Elpress; total dimension L: 2700 mm; total dimension W: 1100 mm; total dimension H: 1350 mm; description: equipped with double disinfection brush diameter 200 mm L 1400 mm; water and soap supply; drain; motion detection ; 3-phase 400V connection;	10.00



Lot	Number	Description	Starting Bid €
460	1	<b>Stainless steel sink</b> total dimension L: 3000 mm; total dimension W: 420 mm; total dimension H: 600 mm; description: equipped with 5x water tap with detection; 2x soap dispenser; 2x paper dispenser; 1x Pedal bin Rubbermaid ;	10.00
461	1	<b>Stainless steel sink</b> total dimension L: 2400 mm; total dimension W: 420 mm; total dimension H: 600 mm; description: equipped with 4x water tap with detection; 2x soap dispenser; 1x paper dispenser; 1x Pedal bin Rubbermaid ;	10.00
462	1	<b>Stainless steel access control</b> brand: Automatic Systems; total dimension L: 920 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: equipped with 3-armed input mill; 3-tube fence 1000x1000mm; Axess TMC digital badge reader ;	10.00
463	1	<b>Stainless steel access control</b> brand: Automatic Systems; total dimension L: 920 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: equipped with 3-armed input mill; 3-tube fence 1000x1000mm; digital badge reader GPS;	10.00
464	1	<b>Stainless steel exit control</b> brand: Automatic Systems; total dimension L: 920 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: equipped with 3-armed input mill; Axess TMC digital badge reader;	10.00
465	1	<b>Stainless steel exit control</b> brand: Automatic Systems; total dimension L: 920 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: equipped with 3-armed input mill; Axess TMC digital badge reader;	10.00
466	1	<b>Stainless steel shoe disinfection machine</b> total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: equipped with disinfection brush diameter 200 mm L 450 mm; water supply; drain; 3-phase 400V connection;	10.00
467	1	<b>Stainless steel shoe brush</b> total dimension L: 300 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: equipped with brush diameter 200mm L 200mm; 3-phase 400V connection;	10.00
468	1	<b>alu flower silo 1</b> brand: A-Steij; year: 1976; serial number: 7824; description: content 55 m <sup>3</sup> , height approx. 10 m, diameter 2900 mm, provided with closable dosing slide;	750.00
469	1	<b>polyester flower silo 2</b> description: height approx. 10 m, diameter 2800 mm, provided with closable dosing slide;	500.00
470	1	<b>kaasmolen</b> merk: Urschel; type: CC; serienummer: 3952; jaar: 2000; rvs: ja; aansluiting: 400 V; totale afmeting L: 1300 mm; totale afmeting B: 900 mm; totale afmeting H: 1700 mm; omschrijving: voorzien van vultrechter ; centrifugaalmolen; inclusief: handboeken;	900.00
471	1	<b>horizontale vorm-vul-seal machine</b> merk: Fujii; type: FW3710B-R; jaar: 1992; serienummer: 049708; omschrijving: inclusief handboek;	750.00
472	1	<b>lichte vrachtwagen</b> merk: Ford; type: Transit 110 T260; chassisnummer: WF0XXXBDFX8A81811; diesel: ja; handgeschakeld: ja; tellerstand (bij opname): 182635 km; aantal zitplaatsen: 3; trekhaak: ja; omschrijving: eerste maal in gebruik: 28/04/2008; motorinhoud: 2198 cc, motorvermogen: 81 kW; milieuklasse: Euro 4; CO2-uitstoot: 222 g/km; inschrijvingsbewijs: deel I&II OK; gelijkvormigheidsattest: OK; voorzien van: alu dakdrager (koetswerkschade);	500.00
613	42	<b>rolls of polypropylene foil</b> type: CL25; description: roll width: 285 mm; length per roll: 1500 m;	400.00
614	42	<b>rolls of polypropylene foil</b> type: CL25; description: roll width: 285 mm; length per roll: 1500 m;	400.00



Lot	Number	Description	Starting Bid €
615	1	<b>lot of various foil</b> description: being, among other things, 2 rolls of bottom film 526 mm x 300 m, 9 rolls of Sylvaphane CL25, 285 mm x 1500 m, 1 roll of bottom film 523 mm x 600 m, etc. together on 1 pallet;	100.00
616	1	<b>lot of various foil</b> description: being, inter alia, 9 rolls Sylvaphane CL25, 285 mm x 1500 m, 2 boxes suitable power supply bags HD 400, blue transparent, size 400 x 400 x 0.050 mm, along approx. 2500 bags;	100.00
617	1	<b>lot of plastic inserts</b> description: for palletizing boxes, size 1150 x 740 mm, in galva gitter box;	50.00
618	1	<b>lot of PET trays</b> description: approx. 6000 pieces, size 170 x 115 x 40 mm, galvanized gitterbox ;	50.00
619	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1080 pieces; size: 292 x 192 x 144 mm;	50.00
620	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1080 pieces; size: 292 x 192 x 144 mm;	50.00
621	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
622	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
623	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
624	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 950 pieces; size: 340 x 200 x 121 mm;	50.00
625	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
626	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
627	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
628	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
629	1	<b>lot of folding cartons</b> description: including approx. 130 Ikea boxes dimension 390 x 255 x 130 mm;	50.00
630	1	<b>lot of folding cartons</b> brand: DS Smith; type: ikea doos; description: number: approx. 414 pieces; size: 391 x 292 x 234 mm;	50.00
631	1	<b>lot of folding cartons</b> brand: DS Smith; type: ikea doos; description: number: approx. 414 pieces; size: 391 x 292 x 234 mm;	50.00
632	1	<b>lot of folding cartons</b> brand: DS Smith; type: ikea doos; description: number: approx. 504 pieces; being 224 x dimension: 391 x 292 x 234 mm and dimensions 280 x 390 x 240 x 125 mm;	50.00
633	1	<b>lot of folding cartons</b> brand: DS Smith; type: ikea doos; description: number: approx. 414 pieces; size: 391 x 292 x 234 mm;	50.00
634	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
635	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
636	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
637	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00





Lot	Number	Description	Starting Bid €
638	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
639	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
640	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
641	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 621 pieces; size: 390 x 250 x 122 mm;	50.00
642	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 248 x 160 x 312 mm;	50.00
643	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 248 x 160 x 312 mm;	50.00
644	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 621 pieces; size: 390 x 250 x 122 mm;	50.00
645	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
646	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1020 pieces; size: 340 x 200 x 121 mm;	50.00
647	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
648	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
649	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
650	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
651	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
652	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
653	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
654	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
655	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
656	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 238 x 118 mm;	50.00
657	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
658	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
659	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
660	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1100 pieces; size: 340 x 200 x 121 mm;	50.00
661	5	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	75.00
662	6	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	100.00





Lot	Number	Description	Starting Bid €
663	6	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	100.00
664	6	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	100.00
665	6	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	100.00
666	6	<b>rolls of PP foil</b> brand: Schur Flexibles; type: C-base FP, black; description: width: 524 mm; length : 800 m per roll; thickness: 500 microns;	100.00
667	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 580 x 198 x 210 mm;	50.00
668	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1200 pieces; size: 248 x 160 x 260 mm;	50.00
669	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 580 x 198 x 210 mm;	50.00
670	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 580 x 198 x 210 mm;	50.00
671	176	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 4 pallets;	100.00
672	176	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 4 pallets;	100.00
673	176	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 4 pallets;	100.00
674	176	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 4 pallets;	100.00
675	176	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 4 pallets;	100.00
676	88	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 2 pallets;	50.00
677	88	<b>PE-HD stacking crates</b> brand: Ringo Plast; dimension L: 640 mm; dimension W: 440 mm; dimension H: 180 mm; description: on 2 pallets;	50.00
678	1	<b>lot of PE food bowls</b> description: in 16 boxes, 2 compartments;	10.00
679	1	<b>lot of various packaging materials</b> description: being, among other things, 9 boxes of LD-polyethylene bags with dimensions 250 x 300 mm, 1000 pieces per box, 2 boxes of HDPE bags loose, transparent green dimensions 720/150 x 700 x 0.013 mm, 1000 pieces per box, 9 stacking crates with transparent dishes, etc. on 1 pallet;	10.00
680	18	<b>boxes of vacuum cooking bags</b> brand: Cabral; description: approx. 9000 pieces, 500 pieces per box; size: 400 x 600 mm;	100.00
681	1	<b>lot of folding cartons</b> description: number: approx. 330 pieces; size: 580 x 198 x 210 mm;	10.00
682	1	<b>lot of folding cartons</b>	10.00



Lot	Number	Description	Starting Bid €
683	1	<b>lot of folding cartons</b> description: number: approx. 550 pieces; size: 390 x 165 x 317 mm;	40.00
684	1	<b>lot of folding cartons</b>	10.00
685	1	<b>lot of cardboard edge protectors for pallets</b> dimension L: 1595 mm; description: approx. 1400 pieces;	25.00
686	1	<b>lot of cardboard blisterdozen</b>	10.00
687	1	<b>lot of folding cartons</b>	10.00
688	1	<b>lot of folding cartons</b>	10.00
689	1	<b>lot of folding cartons</b>	10.00
690	1	<b>lot of PE food bowls</b> description: in 20 boxes, 2 compartments;	10.00
691	1	<b>lot of PE food bowls</b> description: in 16 boxes, 2 compartments;	10.00
692	1	<b>lot of PE food bowls</b> description: in 30 boxes, 2 compartments;	10.00
693	1	<b>lot of PPC jars</b> description: in 24 boxes; content : 70 ml; 702 jars per box;	10.00
694	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1500 pieces; size: 276 x 188 x 124 mm;	50.00
695	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1200 pieces; size: 248 x 160 x 260 mm;	50.00
696	1	<b>lot of folding cartons for pizza</b>	10.00
697	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 525 x 264 x 185 mm;	50.00
698	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 525 x 264 x 185 mm;	50.00
699	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1200 pieces; size: 248 x 160 x 260 mm;	50.00
700	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 1500 pieces; size: 276 x 188 x 124 mm;	50.00
701	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 400 pieces; size: 362 x 360 x 214 mm;	50.00
702	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 400 pieces; size: 362 x 360 x 214 mm;	50.00
703	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 400 pieces; size: 362 x 360 x 214 mm;	50.00
704	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 400 pieces; size: 362 x 360 x 214 mm;	50.00
705	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 400 pieces; size: 362 x 360 x 214 mm;	50.00
706	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 525 pieces; size: 375 x 240 x 120 mm;	50.00
707	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 900 pieces; size: 375 x 240 x 120 mm;	50.00
708	1	<b>lot of folding cartons</b> brand: Schut; description: number: approx. 2800 pieces; in 14 boxes; size: 142 x 42.5 x 190 mm;	50.00
709	1	<b>lot of cardboard dividers</b> brand: Soenen; description: number: approx. 18375 pieces; size: 273 x 183 x 0.3 mm;	10.00
710	1	<b>lot of cardboard boxes test</b> brand: Soenen; description: for pizzas and more;	10.00
711	1	<b>lot of cardboard boxes test</b> brand: Soenen; description: being, among others, 1000 pieces size 184 x 36 x 232 mm;	10.00



Lot	Number	Description	Starting Bid €
712	39	<b>euro pallets</b>	40.00
713	37	<b>euro pallets</b>	40.00
714	10	<b>euro pallets</b> description: including 13 oneway pallets;	10.00
715	1	<b>lot of HDPE and MDPE plastic bags</b> description: ie approx. 8000 pieces of HDPE, size: 720/150 x 700 x 0013 mm, approx. 16000 pieces MDPE, dimensions: 740 x 450 x 0025 mm, and approx. 3000 pieces MDPE, dimensions: 400 x 400 x 0045 mm;	50.00
716	1	<b>lot of MDPE plastic bags</b> description: approx. 5700 pieces, size: 720/150 x 800 x 0.06mm;	50.00
717	1	<b>lot of MDPE plastic bags</b> description: approx. 3600 pieces, size: 720/150 x 800 x 0.05 mm;	50.00
718	1	<b>lot of paper tape</b> description: approx. 256 rollers, size 38 mm x 500 m;	50.00
719	1	<b>lot of MDPE plastic bags</b> description: approx. 720 pieces, size: 720/150 x 800 x 0.06mm;	50.00
720	20	<b>roll labels</b> brand: Tupos Graphic; description: size: 148 x 210 mm; 750 labels per roll;	10.00
721	72	<b>rolls of transparent tape for box sealer</b> brand: Tupos Graphic; description: dimensions: 48 mm x 990 m;	10.00
722	1	<b>lot of MDPE plastic bags</b> description: approx. 15000 pieces, size: 720/150 x 700 x 0013 mm;	50.00
723	16	<b>boxes with rolls of transparent tape</b> description: size: 48 mm x 66 m; 36 rolls per box;	10.00
724	1	<b>lot of stretch film</b> brand: Coeman Packaging; description: in approx. 16 boxes, six rolls per box, width 500 mm;	100.00
725	1	<b>lot of foil</b> description: being, inter alia, 10 rolls of width 320 mm, length 2500 m, width 183 mm rolls, etc.;	10.00
726	1	<b>lot of MDPE plastic bags</b> description: approx. 4200 pieces, size: 720/150 x 800 x 0.05 mm;	50.00
727	1	<b>lot of plastic bags</b> description: approx. 34000 pieces, rollers 17, HD770 / 950 / 0.020 mm, blue transparent;	50.00
728	1	<b>lot of PET foil</b> brand: Gepack; description: approx. 37 rolls, width 200 mm, ;	50.00
729	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 360 x 240 x 159 mm;	50.00
730	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 600 pieces; size: 392 x 275 x 265 mm;	50.00
731	1	<b>lot of folding cartons</b> brand: DS Smith;	10.00
732	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
733	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
734	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
735	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
736	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00



Lot	Number	Description	Starting Bid €
737	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
738	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
739	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 405 pieces; size: 384 x 244 x 110 mm;	50.00
740	1	<b>lot of cardboard inserts</b> brand: DS Smith; description: number: approx. 500 pieces; size: 795 x 1195 mm;	50.00
741	1	<b>lot of cardboard folding boxes</b> brand: DS Smith; description: upon pallets 4, being among other things, approx. 20 boxes, 225 pieces per box; size: 240 x 136 x 28 mm, approx. 4 boxes, 750 pieces per box, size: 185 x 15 x 132 mm, etc.;	50.00
742	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 550 pieces; size: 560 x 237 x 308 mm;	50.00
743	1	<b>lot of folding cartons</b> brand: DS Smith; description: number: approx. 900 pieces; size: 400 x 340 x 229 mm;	50.00
744	1	<b>lot of folding cartons</b> brand: DS Smith; description: 3 on pallets; number: approx. 3100 pieces; size: 355 x 176 x 141 mm;	100.00
745	1	<b>lot of folding cartons</b> brand: DS Smith; description: upon pallets 4; number: approx. 1600 pieces; size: 362 x 360 x 214 mm;	100.00
746	1	<b>lot of folding cartons</b> brand: DS Smith; description: 2 on pallets; number: approx. 2400 pieces; size: 248 x 160 x 260 mm;	100.00
747	1	<b>lot of folding cartons</b> brand: DS Smith; description: 2 on pallets; number: approx. 4800 pieces; size: 286 x 194 x 114 mm;	100.00
748	1	<b>lot of folding cartons</b> brand: DS Smith; description: on one pallet; number: approx. 2200 pieces; size: 286 x 194 x 136 mm;	100.00
749	1	<b>large quantity of film</b> description: upon pallets 13, each of these rollers 53, among other things name Sidamil X-ABDQ- (90/92), width 522 mm, including 52 roll length 500 m and 1 roll length 440 m; 15 rolls Hostaphan polyester film, width 250 mm, length 2300 m per roll;	200.00
750	1	<b>lot of foil</b> description: on pallets 7, which is, inter alia 15 roles Schur Flexibles Vacuflex T MB-100, thickness 100 microns, width 520 mm, length 700 m, 5 reels Bolphane thickness 25 microns, length 800 m per roll, etc.;	100.00
751	1	<b>lot of cellulose food bowls</b> brand: Cellugastro; description: in 17 boxes; number: approx. 10 200 pieces; colour White; size: 190 x 135 x 35 mm H;	50.00
752	3	<b>pallets of HICPET trays</b> brand: Faerch Plast; description: 7632 dishes per pallet;	150.00
753	9	<b>pallets of HICPET trays</b> brand: Faerch Plast; description: 6912 trays per pallet, including 12 boxes with 477 trays C 2227-3B and 4 boxes with 288 trays C 0170-1B;	250.00
754	3	<b>galvanized mesh boxes with content HICPET bowls</b> description: content being C 12096 pcs per 2187-1F dishes glitterbox;	150.00
755	1	<b>lot of PP trays and pots</b> description: various versions, including a lot of caps;	25.00
756	1	<b>lot of PP caps</b> description: suitable for PP trays from lot 755;	10.00



Lot	Number	Description	Starting Bid €
757	22	<b>boxes of cardboard soup cups</b> brand: Colpac; description: 500 pieces per box, with lid;	100.00
758	1	<b>lot of baking paper on wooden cooking molds</b> brand: Panibois; type: Marquis Neutre;	50.00
759	1	<b>lot of various round jars and lids</b>	25.00
760	1	<b>lot of folding cartons</b> brand: DS Smith; description: 3 pallets number: approx. 9600 pieces; size: 373 x 186 x 129 mm;	100.00
761	17	<b>bags of salt</b> brand: Zoutman Industries; description: 25 kg per bag;	30.00
762	40	<b>bags of hot melt glue pellets</b> brand: Intercol B.V.; type: HM futura 51C; description: 20 kg per bag;	30.00
763	1	<b>lot of Styrofoam trays</b> description: on 4 pallets;	30.00
764	1	<b>lot of cardboard pallet boxes with lid</b> brand: Europal Packaging; description: on 3 pallets; number: 80 boxes per pallet; dimensions: 1200 x 800 x H 1200 mm, including 3 pallets with lids;	100.00
765	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-pallettes ;	100.00
766	1	<b>lot of folding cartons</b> brand: DS Smith ; description: ca 2700 pieces dimensions . 248 x 160 x 312 mm, lying in the first section of the rack ;	100.00
767	1	<b>lot of folding cartons</b> brand: DS Smith ; description: ca 1200stuks dimensions . 400 x 340 x 192mm, on pallet;	50.00
768	1	<b>lot of folding cartons</b> brand: DS Smith ; description: ca 620 dimensions . 390 x 250 x122mm, on a pallet, + various cardboard folding boxes lying in one section of the rack ;	50.00
769	1	<b>lot of folding cartons</b> brand: DS Smith ; description: ca 414 pieces dimensions . 391 x 292 x 234mm, on pallet;	25.00
770	1	<b>lot of various folding cartons</b> brand: DS Smith ; description: including 193 pieces 390 x 298 x 242 mm, + 150 pieces, on 2 pallets ;	25.00
771	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 800 pieces dimensions . 284 x 188 x 123mm on a pallet ;	25.00
772	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 3 x 800 pieces dimensions . 360 x 240 x 159mm on pallets 3 ;	100.00
773	1	<b>lot of various folding cartons</b> brand: DS Smith ; description: including 815 pieces, and 169 pieces blank;	25.00
774	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-pallettes ;	100.00
775	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 5 x 3200stuks dimensions . 373 x 186 x 129mm, 5 pallettes ;	250.00
776	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 5 x 3200stuks dimensions . 373 x 186 x 129mm, 5 pallettes ;	250.00
777	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-pallettes ;	100.00



Lot	Number	Description	Starting Bid €
778	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-palettes ;	100.00
779	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-palettes ;	100.00
780	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 2-palettes ;	100.00
781	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 3200stuks dimensions . 373 x 186 x 129mm, a 3-palettes ;	125.00
782	1	<b>lot of cardboard folding boxes</b> brand: DS Smith ; description: 2 x 2400 mm, dimensions . 286 x 194 x 114mm, 2 pallets ;	100.00
783	1	<b>lot of salt for water softeners</b> brand: Regesal ; description: packed in 25 kg bags, a total of 6 pallets of 40 bags ;	400.00
784	500	<b>HDPE stack crates</b> dimension L: 480 mm; dimension W: 390 mm; dimension H: 315 mm; description: on 14 pallets;	500.00
785	212	<b>HDPE stack crates</b> dimension L: 590 mm; dimension W: 390 mm; dimension H: 315 mm; description: on 14 PVC pallets;	200.00
786	374	<b>HDPE stack crates</b> dimension L: 480 mm; dimension W: 390 mm; dimension H: 315 mm; description: on 11 PVC pallets;	500.00
787	340	<b>HDPE stack crates</b> dimension L: 480 mm; dimension W: 390 mm; dimension H: 315 mm; description: on 10 PVC pallets;	500.00
788	340	<b>HDPE stack crates</b> dimension L: 480 mm; dimension W: 390 mm; dimension H: 315 mm; description: on 10 PVC pallets;	500.00
789	11	<b>folding galva gitter boxes</b> brand: K.Hartwall; type: HPD System; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1250 mm;	250.00
790	11	<b>folding galva gitter boxes</b> brand: K.Hartwall; type: HPD System; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1250 mm;	250.00
791	1	<b>drive-in pallet shelve</b> dismantable: yes; number of uprights: 15; number of cross beams: 24; total dimension L: 4000 mm; total dimension W: 6000 mm; total dimension H: 6000 mm; description: bolted girders, exclusive content;	1,500.00
792	1	<b>hook on pallet rack</b> dismantable: yes; number of uprights: 3; number of cross beams: 8; total dimension L: 5600 mm; total dimension W: 800 mm; total dimension H: 4500 mm; description: consisting of three uprights and girders 8 L 2700 mm, with cross members;	125.00
793	1	<b>hook on pallet rack</b> brand: AR; description: consisting of 10 uprights dimensions 1000 x H approx. 7000 mm L 3600 mm and girders 54, profile size 140 x 50 mm ( rack A);	700.00
794	1	<b>hook on pallet rack</b> brand: AR; description: consisting of 10 uprights dimensions 1000 x H approx. 7000 mm L 3600 mm and girders 54, profile size 140 x 50 mm ( rack B);	700.00
795	1	<b>hook on pallet rack</b> brand: AR; description: consisting of 10 uprights dimensions 1000 x H approx. 7000 mm L 3600 mm and girders 54, profile size 140 x 50 mm ( rack C);	700.00





Lot	Number	Description	Starting Bid €
796	1	<b>hook on pallet rack</b> brand: AR; description: consisting of 10 uprights dimensions 1000 x H approx. 7000 mm L 3600 mm and girders 54, profile size 140 x 50 mm ( rack D);	700.00
797	4	<b>hooking pallet racking</b> description: together consisting of 18 galvanized steel uprights dimensions 1000 x 2100 mm, and H 22 beams L 2700 mm, profile size 100 x 40 mm;	300.00
798	1	<b>Palletization</b> dismantable: yes; section dim. L: 2700 mm; section dim. W: 1000 mm; section dim. H: 3250 mm; number of uprights: 4; number of cross beams: 12; total dimension L: 8500 mm; total dimension W: 1000 mm; total dimension H: 3250 mm; description: dismantling by the buyer; consisting of four galvanized steel uprights dimensions 1000 x 2100 mm, and H 12 beams L 2700 mm, profile size 100 x 40 mm (exclusive content );	200.00
799	2	<b>hooking pallet racking</b> description: together consisting of 8 galvanized steel uprights dimensions 1000 x 2100 mm, and H 10 beams L 2700 mm, profile size 100 x 40 mm;	100.00
800	2	<b>hooking pallet racking</b> brand: Dexion; type: Speedlock; description: together consisting of 8 uprights dimensions 1140 x 2300 mm, and H 14 beams L 2900 mm, profile size 90 x 50 mm;	100.00
801	2	<b>hooking pallet racking</b> description: together consisting of 14 galvanized steel uprights dimensions 800 x 6000 mm, and H 72 beams L 2700 mm, profile size 90 x 50 mm, including crossheads;	1,000.00
802	1	<b>transpallet</b> lifting capacity: 2000 kg; fork length: 950 mm;	50.00
803	1	<b>transpallet</b> brand: BT ; lifting capacity: 2000 kg; fork length: 1140 mm;	50.00
804	1	<b>mobile powder extinguisher</b> brand: Ansul; description: 50 kg ABC powder;	40.00
805	1	<b>spindle conveyor</b> brand: Shuttle worth; dimension L: 400 cm; dimension W: 25 cm; dimension H: 82 cm; description: electrically driven 400V, partly disassembled;	10.00
807	1	<b>packaging machine</b> brand: Cama; serial number: 99046CL165; electric connection: 400 V; description: with Siemens simatic OP 7 digital setting, spare part carrier;	200.00
808	1	<b>paper / cardboard cutter</b> brand: Ideal; electric connection: 230 V; description: max cutting length 65 cm ;	50.00
809	1	<b>Stainless steel mold transport cart</b> total dimension L: 1000 mm; total dimension W: 1200 mm; total dimension H: 950 mm; description: Equipped with: 2 aluminum shelves, including stainless steel lifting yoke for coils;	20.00
810	1	<b>driven stainless steel conveyor belt</b> belt dim. W: 300 mm; total dimension L: 3100 mm; description: rubber conveyor belt, 3 x 230 V;	100.00
811	1	<b>Stainless steel shrink tunnel</b> total dimension L: 2450 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: equipped with mesh conveyor belt width 400 mm and operation. ;	200.00
812	1	<b>cartoning machine</b> brand: Klikklok ; type: Concorde K; year: 2004; serial number: HSK-8199-KM; mobile: yes; electric connection: 400 V; description: cap carton size 175x45x175 having inrijokers for forklift truck , including manual and certificate of conformity;	100.00
813	1	<b>weighing belt</b> brand: Loma; type: 6000; serial number: DCW303313-29556; weight range max: 3000 g; digital display: yes; electric connection: 230 V; description: conveyor belt width: 350 mm; with pre-sorting strap;	200.00



Lot	Number	Description	Starting Bid €
814	1	<b>Strapping machine</b> brand: Cyklop; type: M-Pac 3 ; serial number: 11009201 111; mobile: yes; electric connection: 230 V; description: including manual;	10.00
815	1	<b>mobile stainless steel conveyor belt</b> belt dim. W: 500 mm; total dimension L: 5000 mm; description: in curve shape with plastic chain belt, electrically driven ;	200.00
816	2	<b>conveyors</b> brand: ITP; type: CP254; year: 2012; serial number: 1824-15;	100.00
817	1	<b>mobile stainless steel machine shielding</b> total dimension L: 1350 mm; total dimension W: 1500 mm; total dimension H: 1200 mm;	40.00
818	1	<b>transpallet</b> brand: BT ; lifting capacity: 2000 kg; fork length: 1140 mm;	40.00
819	1	<b>Stainless steel main switch cabinet</b> total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 800 mm;	100.00
820	1	<b>Stainless steel main switch cabinet</b> brand: GTIE; total dimension L: 600 mm; total dimension W: 300 mm; total dimension H: 800 mm;	70.00
821	1	<b>Stainless steel main switch cabinet</b> brand: COMO; serial number: 20000183NL832; total dimension L: 600 mm; total dimension W: 300 mm; total dimension H: 800 mm; description: 380V; 8A; 16kA; Including conveyor belt with dimensions: L 70 cm x W 50 cm x H 90 cm;	100.00
822	1	<b>vacuum pump</b> brand: Huckepack; type: 433-013; year: 1989; serial number: 22872; nominal capacity: 250 m³/hr; electric connection: 380 V; total dimension L: 1500 mm; total dimension W: 850 mm; total dimension H: 1150 mm;	150.00
823	1	<b>conveyor</b> belt dim. L: 1620 mm; belt dim. W: 360 mm; total dimension L: 2050 mm; total dimension W: 1650 mm; total dimension H: 1300 mm;	200.00
824	1	<b>denester for plastic trays</b> brand: Megapack; year: 2004; serial number: 104066; power: 1 kW; electric connection: 400 V; own weight: 300 kg;	200.00
825	1	<b>crafting table</b> stainless steel: yes; total dimension L: 2000 mm; total dimension W: 640 mm; total dimension H: 1580 mm; description: equipped with stainless steel base and rear wall with hooks; with ertalon worksheet; worktop height: 100cm; including various accessories ;	50.00
826	1	<b>crafting table</b> stainless steel: yes; total dimension L: 700 mm; total dimension W: 570 mm; total dimension H: 800 mm; description: equipped with stainless steel base and removable ertalon worktop; height work surface: 80 cm;	20.00
827	1	<b>galvanized plate cart</b> total dimension L: 1310 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: provided with: 36 baking trays; capacity for 38 plates max .; on wheels;	50.00
828	1	<b>galvanized plate cart</b> total dimension L: 1310 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: provided with: 38 baking trays; capacity for 38 plates max .; on wheels;	50.00
829	1	<b>galvanized plate cart</b> total dimension L: 1310 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: provided with: 43 baking trays; capacity for 38 plates max .; on wheels;	50.00
830	1	<b>galvanized plate cart</b> total dimension L: 1310 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: provided with: 38 baking trays; capacity for 38 plates max .; on wheels;	50.00
831	1	<b>galvanized plate cart</b> total dimension L: 1310 mm; total dimension W: 900 mm; total dimension H: 1680 mm; description: provided with: 39 baking trays; capacity for 38 plates max .; on wheels;	50.00



Lot	Number	Description	Starting Bid €
832	1	<b>content onderdelenrek</b> description: consisting of include: various stainless steel tanks, stainless steel hoppers and filling nozzles; 2 boxes with "Rockwool Alu" pipe insulation, various lamellae conveyors , ducts, conveyor belt guides, etc. ;	200.00
833	1	<b>Stainless steel storage tank</b> brand: Vyncke G.; year: 1995; serial number: 9057; vertical: yes; content: 61500 l; description: height: approx. 4.5 meters; diameter: approx. 4.4 meters; provided with several tapping points, manhole, ventilation, etc.;	1,000.00
834	1	<b>air compressor</b> brand: ABAC; type: B 2800B/200 CM3 V230 MEC90; year: 2013; serial number: 4116017938; capacity: 10 bar; power: 2.2 kW; buffer tank content: 200 l; electric connection: 230 V; own weight: 82 kg; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 950 mm;	150.00
835	1	<b>wasser pump</b> brand: Pentair; type: PVM 15-4 F; year: 2015; serial number: P05A1300400; power: 4 kW; capacity: 17000 l/hr; H-max.: 41.5 m; electric connection: 230 V;	150.00
836	1	<b>wasser pump</b> brand: Pentair; type: PVM 15-4 F; year: 2015; serial number: P05A1300400; power: 4 kW; capacity: 17000 l/hr; H-max.: 41.5 m; electric connection: 230 V;	150.00
837	1	<b>wasser pump</b> brand: DP pumps; type: DPVCF 15/4 B; power: 4 kW; capacity: 18000 l/hr; H-max.: 42.6 m; electric connection: 230 V;	150.00
838	2	<b>vertical stainless steel water dosing tanks</b> brand: Huch; year: 2018; serial number: 595905; stainless steel: yes; capacity content: 500 l; description: max. working pressure: 6 bar; temperature: 0-50 C °;	150.00
839	1	<b>water softening installation</b> brand: Structural; year: 1996; description: provided with two tanks with content up to 1020 liters; operating pressure: 10 bar; Minimum temperature: 1 ° C;	300.00
840	1	<b>mobile stainless steel feed hopper</b> total dimension L: 2100 mm; total dimension W: 1100 mm; total dimension H: 2200 mm;	100.00
841	1	<b>mixing and dosing unit</b> description: equipped with harting connector;	100.00
842	1	<b>pick &amp; place for frozen meals</b> brand: IC&S; type: H 002; year: 2008; electric connection: 400 V;	200.00
843	2	<b>vacuum pumps</b> brand: Rietschle Thomas; type: VC300; year: 2004; electric connection: 400 V; description: mounted in and on a metal frame; including manuals;	200.00
844	2	<b>vacuum pumps</b> brand: Rietschle Thomas; type: VC300; year: 2004; electric connection: 400 V; description: mounted in and on a metal frame; including manuals;	200.00
845	1	<b>conveyor</b> belt dim. L: 3900 mm; belt dim. W: 900 mm; total dimension L: 3900 mm; total dimension W: 1200 mm; total dimension H: 800 mm; description: equipped with stainless steel base; connection: 3 x 400V;	200.00
846	1	<b>Mobile conveyor</b> belt dim. L: 6500 mm; belt dim. W: 400 mm; description: equipped with stainless steel base; connection: 3 x 400V;	200.00
847	1	<b>Mobile transport conveyor</b> belt dim. L: 4000 mm; belt dim. W: 250 mm; description: equipped with stainless steel base; connection: 3 x 400V; max height: 145 cm; min. height: 73 cm;	200.00
848	1	<b>elevating conveyor</b> belt dim. L: 5000 mm; belt dim. W: 500 mm; description: including water casing;	200.00



Lot	Number	Description	Starting Bid €
849	1	<b>mobile add-on pump</b> brand: Mondomix; type: A05; year: 2007; serial number: 41304; electric connection: 400 V; own weight: 300 kg;	100.00
850	1	<b>sauce dispenser</b> description: without further data;	200.00
851	1	<b>industrial dishwasher</b> brand: Mafo; type: 350 S; year: 1995; serial number: 12498-696/1 ; stainless steel: yes; rack model: no; tunnel model: yes; electric connection: 400 V; description: including manuals;	500.00
852	1	<b>mobile stainless steel parts rack</b> total dimension L: 1250 mm; total dimension W: 600 mm; total dimension H: 1700 mm; description: including various parts for dosing pumps;	50.00
853	1	<b>mixing and dosing unit</b> brand: Turbo Systems; type: DIO2P; year: 2005; serial number: DIO2P5511136; electric connection: 230 V;	100.00
854	1	<b>mixing and dosing unit</b> description: without further data;	100.00
855	1	<b>double-walled cooking kettle</b> brand: Ets. A. Bionaz; year: 1988; serial number: 5352; electric connection: 400 V; description: container capacity: 400 liters; tiltable;	200.00
856	1	<b>double-walled cooking kettle</b> brand: Ets. A. Bionaz; year: 1988; serial number: 5352; electric connection: 400 V; description: container capacity: 400 liters; tiltable;	200.00
857	1	<b>slicer / applicator</b> brand: Grote; type: 2-636; serial number: 1067665; stainless steel: yes; electric connection: 400 V; description: including mobile steel platform ;	200.00
858	2	<b>mobile conveyors</b> belt dim. L: 4800 mm; belt dim. W: 200 mm; description: consisting of the 2nd various conveyors ; dimensions band 1: approx. 4.8 m x 20 cm; dimensions band 2: approx. 4.5 meters x 20cm; Connection 400V;	100.00
859	1	<b>gates and gate</b> material: staal; total dimension L: 29000 mm; total dimension H: 2450 mm; description: consisting of : 13 various solid elements with various lengths, and the first single port; total running meters: approx. 29 meter equipped with steel spikes at the top; disassembly by the purchaser;	100.00
860	1	<b>floor cleaner</b> brand: Tennant; type: T5 ; working width: 800 mm; rechargeable: yes; description: read hours: 388 hours; rechargeable via mains;	200.00
861	1	<b>lot of various water hoses</b> description: including various extension cords with 400V industrial plugs;	20.00
862	1	<b>transpallet</b> year: 2004; lifting capacity: 2000 kg; fork length: 1150 mm;	30.00
863	1	<b>mobile pressure vessel sprayer</b> brand: Tensio;	20.00
864	1	<b>pvc storage tank</b> plastic: yes; capacity: 1 m³; description: including lot of empty bottles of 20 liters;	10.00
865	1	<b>lot of chlorinated foam cleaner</b> brand: Tensio ; type: Tensafoam CL ; description: including residual batch "Chlorodes 100";	100.00
866	1	<b>mobile pressure vessel sprayer</b> description: including 3 water bottles with cleaning agent and 15 nestable PVC crates;	20.00
867	1	<b>lot of alkaline detergent</b> description: including 7 nestable PVC crates, pressure vessel sprinkler, etc.;	20.00



Lot	Number	Description	Starting Bid €
868	1	<b>transpallet</b> lifting capacity: 2000 kg; fork length: 1150 mm;	30.00
869	1	<b>acid foam cleaner</b> brand: Tensio; type: Tensafoam paz; description: in PVC storage tank with capacity 1000 liters ;	100.00
870	1	<b>disinfectant cleaner</b> brand: Tensio; type: tensiodes quat; description: in PVC storage tank with capacity 1000 liters ;	100.00
871	1	<b>lot of detergent</b> brand: Tensio; type: tensiodes quat; description: consisting of : 5 x 20 liter "Tensiodes quat", 4 x 20 liter "Perades 150" and 3 x 5 liters of "Alcotens surface" ;	100.00
872	4	<b>Stainless steel mobile foam cleaning systems</b>	100.00
873	1	<b>hand-operated fluid barrier</b> brand: Denios; type: AST 20; total dimension W: 2030 mm; total dimension H: 320 mm; description: color: red RAL 3000; material: alu;	100.00
874	1	<b>hand-operated fluid barrier</b> brand: Denios; type: AST 20; total dimension W: 2030 mm; total dimension H: 320 mm; description: color: red RAL 3000; material: alu;	100.00
875	1	<b>hand-operated fluid barrier</b> brand: Denios; type: AST 20; total dimension W: 2030 mm; total dimension H: 320 mm; description: color: red RAL 3000; material: alu;	100.00
876	1	<b>transformer 1600 kVA</b> brand: France Transfo; year: 2004; serial number: 692116-02; capacity: 1600 kVA; machine weight: 3210 kg; description: windings: copper; in: 11,000 V; from: 3 x 400 V; insulating liquid: oil: including: power switch and switch box;	800.00
877	1	<b>transformer 1600 kVA</b> brand: France Transfo; year: 2004; serial number: 692116-01; capacity: 1600 kVA; machine weight: 3210 kg; description: windings: copper; in: 11,000 V; from: 3 x 400 V; insulating liquid: oil: including: power switch and switch box;	800.00
878	1	<b>heavy duty stator of electric motor</b> description: disassembled on pallet;	175.00
879	1	<b>boom lift</b> brand: Genie ; type: Z-30/20N; year: 1997; serial number: 998; electric: yes; articulating boom lift: yes; working height: 910 cm; horizontal outreach: 640 cm; platform size L: 110 cm; platform size W: 70 cm; platform capacity: 227 kg; hours on display: 844; own weight: 3577 kg; description: Charging on mains, key OK;	2,000.00
880	1	<b>alu sliding ladder</b> aluminium: yes; extension ladder: yes; description: 2 x 18 sports;	90.00
881	1	<b>alu sliding ladder</b> brand: Zarges; aluminium: yes; extension ladder: yes; description: 3 x 18 sports;	10.00
882	1	<b>alu sliding ladder</b> brand: Altrex; aluminium: yes; extension ladder: yes; description: 2 x 20 sports;	10.00
883	1	<b>alu sliding ladder</b> brand: Altrex; aluminium: yes; extension ladder: yes; description: 2 x 20 sports;	10.00
884	1	<b>fuel oil tank in drip tray</b> total dimension L: 1530 mm; total dimension W: 900 mm; total dimension H: 1900 mm;	200.00
885	1	<b>PVC container with content fluorescent lamps</b> total dimension L: 1300 mm; total dimension W: 1150 mm; total dimension H: 1250 mm; description: equipped with lid, including 2 pallets including paint pots;	25.00
886	1	<b>galva steel wire roll container</b> brand: Kaiser+Kraft; total dimension L: 800 mm; total dimension W: 710 mm; total dimension H: 1630 mm;	10.00
887	1	<b>mobile welding screen / partition</b> description: equipped with rubber strips and 2 folding elements;	20.00



Lot	Number	Description	Starting Bid €
888	1	<b>process fan</b>	30.00
889	2	<b>mobile partitions</b> total dimension W: 2160 mm; total dimension H: 1660 mm; description: with plexiglass and stainless steel frame;	20.00
890	1	<b>wagon with content hoses</b>	125.00
891	1	<b>mobile stainless steel conveyor belt</b> belt dim. L: 2700 mm; description: including stainless steel frame for process equipment;	50.00
892	1	<b>Stainless steel belt conveyor belt</b> belt dim. L: 1250 mm; belt dim. W: 200 mm;	50.00
893	1	<b>Stainless steel lifting conveyor</b> belt dim. L: 2100 mm; belt dim. W: 250 mm;	50.00
894	1	<b>Stainless steel conveyor belt</b> belt dim. L: 2000 mm; belt dim. W: 180 mm;	50.00
895	2	<b>Stainless steel process elements</b> description: being frame for height adjustment with crank and mobile material container;	50.00
896	1	<b>Stainless steel conveyor belt</b> belt dim. L: 2900 mm; belt dim. W: 190 mm; description: equipped with plastic slats, driven ;	50.00
897	1	<b>Stainless steel chicane conveyor frame</b> belt dim. W: 260 mm; description: including various stainless steel process elements ;	50.00
898	1	<b>detection machine</b> brand: Graseby; type: CDX 240C; year: 1994; serial number: CDX 48.94.19; description: with digital readout ;	600.00
899	1	<b>Stainless steel mixing kettle</b> description: equipped with electric driven agitator, 3 x 400 V, boiler diameter 900 mm, depth 850 mm boiler;	100.00
900	1	<b>box forming machine</b> brand: Klikklok; type: SR; serial number: SR-139-KM; description: including manuals;	200.00
901	1	<b>box forming machine</b> brand: Klikklok; type: PRSW; serial number: PRSW-042-K; description: including manuals;	200.00
902	1	<b>packaging machine</b> brand: Freemantle; type: S11; year: 2007; serial number: 07-356; mobile: yes; electric connection: 220 V;	500.00
903	1	<b>mobile elevator with dosing lock</b> brand: Groba ; type: TB 404; year: 2003; serial number: 104303; own weight: 290 kg; description: with distribution hopper type PD, weight 90 kg, electrically driven 380V ;	250.00
904	1	<b>multi head weigher</b> brand: Bilwinco; type: DW60/14-D; number of heads: 14; weight range max: 1000 g; electric connection: 400 V; own weight: 250 kg; description: 3 x 380V; 5-10 bar, 100-1000g distribution, including manual;	100.00
905	2	<b>mobile steel conveyors</b> belt dim. L: 1100 mm; belt dim. W: 485 mm; description: both driven and equipped with crates frame;	50.00
906	1	<b>Stainless steel conveyor belt</b> belt dim. L: 2650 mm; belt dim. W: 300 mm; description: both driven and equipped with crates frame;	50.00
907	1	<b>mobile stainless steel chicane conveyor</b> belt dim. L: 3000 mm; belt dim. W: 190 mm; description: equipped with plastic slats, driven ;	50.00
908	2	<b>mobile vacuum pumps</b> brand: Busch; type: SE 0170 C; description: in stainless steel housing with Harting connector;	100.00





Lot	Number	Description	Starting Bid €
909	1	<b>Stainless steel conveyor frame</b> brand: Sealpac;	50.00
910	1	<b>additional transport conveyor</b> brand: Cama; description: 380 V + input transport with push system, for parts ;	200.00
911	1	<b>additional transport conveyor</b> brand: Cama; description: 380 V + input transport with push system, for parts ;	200.00
912	2	<b>alu ladders</b> description: being 2-part aluminum sliding ladder, 2 x 8 rungs and alu ladder element with 9 rungs;	15.00
913	1	<b>alu stepladder</b> brand: Altrex; type: Taurus TGB 12; number of steps: 12;	30.00
914	1	<b>alu stepladder</b> brand: Altrex; type: Taurus TGB 12; number of steps: 12;	30.00
915	1	<b>alu sliding ladder</b> brand: Altrex; description: 2 x 10 sports;	30.00
916	1	<b>alu rolling scaffolding</b> description: maximum height 420 cm, consisting of 1 part with wheels height 180 cm, height 80 cm, and 1 part of 1 part of height 160 cm;	100.00
917	1	<b>alu rolling scaffolding</b> description: maximum height 12 m, consisting of 12 parts of 2 m, including wheels 8 and decking;	100.00
918	1	<b>Stainless steel column for column hoist</b> total dimension L: 3000 mm;	100.00
919	1	<b>lot of process elements</b>	10.00
920	1	<b>hot water</b> brand: Kärcher; type: HDS 1290; temperature range max.: 150 °c; diesel fired: yes; mobile: yes; electric connection: 400 V;	50.00
921	1	<b>Stainless steel funnel</b> total dimension H: 1550 mm; description: equipped with: bag filter; diameter: 600 mm;	50.00
922	6	<b>Stainless steel process doors</b> description: being 4 x dimensions 1890 x 550 mm and 2 x dimensions 700 x 750 mm;	50.00
923	2	<b>packing machines</b>	100.00
924	1	<b>food pump on stainless steel frame</b>	175.00
925	1	<b>water bath</b> brand: Lauda; type: master; total dimension L: 980 mm; total dimension W: 360 mm; total dimension H: 1060 mm; description: consisting of water bath Lauda LCG heater with 2 x 0090, on stainless steel frame;	50.00
926	1	<b>food pump on mobile stainless steel frame</b>	150.00
927	1	<b>mobile stainless steel process station</b> description: equipped with: Harting connector;	50.00
928	1	<b>lot of Styrofoam trays</b> description: approx. 17 pieces, on one pallet, including dimensions 600 x 400 x 270 mm;	30.00
929	1	<b>lot of pipe insulation</b> description: approx. 25 pieces including diameter 90 and 60 mm, including plastic container Dolav;	10.00
930	8	<b>metal-halide industrial lamps</b> description: on 2 pallets;	20.00
931	1	<b>small parts with stainless steel platform and stairs</b> description: comprising: galvanized racking ; consisting of : 7 uprights height 3500 mm, depth 720 mm, and 42 shelves; Stainless steel platform height 2200 mm, length 8500 mm and stainless steel stairs with grate steps;	150.00



Lot	Number	Description	Starting Bid €
932	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 18 galvanized steel uprights H 390 cm and 16 beams bolted, size per section: 1200 x 2100 H 1800 mm;	750.00
934	1	<b>grinding and edge grinder-deburring machine</b> double sided: yes; electric connection: 400 V; dimension L: 650 mm; dimension W: 900 mm; dimension H: 1300 mm; description: without further data ;	10.00
935	3	<b>Stainless steel cable trays</b> description: dimension: 60 x 100 mm; length 3 meters; unused; including: two accumulators, and various sheet material;	20.00
936	1	<b>transport machine tooling</b> brand: Walzwagen; type: Express; description: in metal case;	50.00
937	1	<b>hydraulic forklift jack</b> brand: Barnier; serial number: 527; description: capacity 10 tons ;	25.00
938	1	<b>nylon strap strapping reel</b> description: including pliers and a lot of terminals;	20.00
939	1	<b>manual chain hoist</b> brand: Elephant; type: Super-100; hoist capacity: 1000 kg;	20.00
940	1	<b>4 jump- lifting chain</b> brand: Gunnebo; total dimension L: 1500 mm; description: length chains: 1400 mm; including two jump rope hoist;	20.00
941	1	<b>extension cable reel</b> brand: Brennenstuhl; electric connection: 230 V; male-female: yes; length: 50 m; description: max 3500W; + 2 x halogen site light ;	25.00
942	1	<b>hydraulic pressure pump</b> brand: enerpac; type: P80; total dimension L: 550 mm; total dimension W: 100 mm; total dimension H: 120 mm; description: equipped with hand pump; 2x press cylinder diameter 800 mm L 150 + 50 mm ;	25.00
943	1	<b>Stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: with stainless steel top;	40.00
944	1	<b>eccentric hand sander</b> brand: Metabo; orbital sander: yes; electric connection: 230 V;	10.00
945	1	<b>electric hand-held grinding machine</b> brand: Metabo; type: WX 22-230; disc diameter: 230 mm; power: 2200 W; electric connection: 230 V;	10.00
946	1	<b>reciprocating saw</b> brand: Worx; type: WX80RS; electric connection: 230 V;	20.00
947	2	<b>electric hand drills</b> brand: bosch; impact drill: yes; hammer drill: no; with case: yes; electric connection: 230 V; description: including CSB700-2RL;	10.00
948	1	<b>electric jigsaw</b> brand: Metabo; type: STE100plus; serial number: 10501000; max. depth of cut: 110 mm; angle adjustment: yes; electric connection: 230 V;	15.00
949	1	<b>hot air blower - paint stripper</b> brand: Leister; type: Electron; electric connection: 230 V; description: power: 3400 W; including soldering iron;	10.00
950	1	<b>electric hand drill</b> brand: hilti; type: TE6-S; year: 2007; serial number: 343138; impact drill: yes; hammer drill: no; capacity: 24 mm; power: 650 W; with case: yes; electric connection: 230 V; description: SDS-plus; with accessories in PVC case ;	75.00
951	1	<b>lot of various hand tools</b> description: being, among others: heavy cable shoe pliers, pipe wrench, socket wrench set, punch set, bell drill set with drill holders, and 5 Helicoil thread repair kits;	50.00



Lot	Number Description	Starting Bid €
952	1 <b>lot of electrical components</b> description: lying on the work table against the wall and in 6 PVC stacking crates, including switch material, 2 electric motors, electric cable, flashing light, etc.;	25.00
953	1 <b>profile steel workbench</b> total dimension L: 3360 mm; total dimension W: 920 mm; total dimension H: 935 mm; description: equipped with: steel worktop, 2 vice and drawer;	75.00
954	2 <b>tool boxes/ cabinets with content</b> brand: Fami; total dimension L: 725 mm; total dimension W: 560 mm; total dimension H: 810 mm; description: content being a lot of various hand tools;	50.00
955	1 <b>mobile stainless steel work table</b> total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: provided with erthalon leaf;	40.00
956	1 <b>column drill</b> number of speeds: 8; taper MC: 2; gear wheel driven: yes; table size L: 500 mm; coolant pump: no; electric connection: 400 V; dimension L: 800 mm; dimension W: 500 mm; dimension H: 2300 mm; description: equipped with turnbuckle ;	10.00
957	1 <b>transpallet</b> lifting capacity: 2000 kg; fork length: 1150 mm; total dimension L: 1500 mm; total dimension W: 500 mm; description: provided with teeth load wheels; nylon steering wheel ;	40.00
958	1 <b>hydraulic garage press</b> brand: p/tsar; type: forza 20000 kg; capacity: 20 t; 2-column: yes; distance between columns: 565 mm; manually operated: yes; total dimension L: 900 mm; total dimension W: 300 mm; total dimension H: 2000 mm; description: without further data; equipped with hand pump; adjustable height;	75.00
959	1 <b>anvil</b> total dimension L: 800 mm; total dimension W: 300 mm; total dimension H: 300 mm; description: on wooden block diameter 700 mm;	25.00
960	5 <b>workshop metal cabinets with content</b> description: content being, among other things: installation, and machine parts, relaxants, stroke letters and numbers, a lot of stainless steel fasteners in metal drawer cabinet with drawers 28, etc. including sorting cabinet with springs, wooden desk and chair.;	50.00
961	1 <b>set of adjustable reamers</b> description: including steel flat table size 300 x 200 mm and 3 honing tools ;	25.00
962	1 <b>lot of measuring tools</b> description: being set micrometer consisting of 0-25 mm, 25-50 mm, 50-75 mm and 75-100 mm, depth gauge, set micrometer extension and 2, sliding callipers;	30.00
963	1 <b>ISO 40 boring head</b> brand: OMDP; type: 375 standard; description: in wooden suitcase ;	25.00
964	2 <b>electromechanical valves</b> brand: RTK; type: ST5112-33;	50.00
965	1 <b>belt sander</b> brand: grimax; type: 75-200; serial number: 45677; single sided: yes; electric connection: 400 V; machine weight: 75 kg; dimension L: 1050 mm; dimension W: 400 mm; dimension H: 1000 mm; description: drive roll dimensions 200x75x24mm; tire size 75x2000mm; on sheet steel base;	175.00
966	1 <b>lot of various hand tools and welding materials</b> description: being, inter alia, 2 machine clamps, lot of spanners, 2 dakbrander torches including Sievert, 2 welding masks, welding cable, 12, safety helmets, 2-acetylene burner torches, welding electrodes, etc.;	30.00
967	1 <b>welding table</b> total dimension L: 2020 mm; total dimension W: 1000 mm; total dimension H: 930 mm;	75.00



Lot	Number	Description	Starting Bid €
968	1	<b>welding table</b> total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 890 mm; description: comprising: vise;	50.00
969	1	<b>welding vapor extraction</b> brand: Nederman; type: 0050201300; serial number: 93120-00; total dimension L: 3000 mm; total dimension W: 500 mm; total dimension H: 600 mm; description: hanging on wall including drain pipe and mounting bracket; control cabinet;	10.00
971	1	<b>tubular bottle trolley</b> description: for 1 gas bottle;	10.00
972	1	<b>acetylene burner set</b> description: consisting of Gloor torch, relaxants and tubular steel cylinder trolley;	75.00
973	1	<b>Welding machine</b> brand: Lastek; type: laswig 300ac-dc; serial number: 120F0102258; tig type: no; MMA type: no; AC/DC: yes; inverter type: yes; ampere range: 300 A; electric connection: 230 V; dimension L: 1300 mm; dimension W: 600 mm; dimension H: 900 mm; description: fitted with welding torch; mobile; excluding gas bottle; (to be seen);	40.00
974	1	<b>electrode welding machine</b> brand: Lastek; type: Primus 200; MMA type: yes; AC/DC: yes; ampere range: 200 A; electric connection: 230 V; dimension L: 600 mm; dimension W: 400 mm; dimension H: 500 mm; description: fitted with welding torch; on transport trolley;	25.00
975	1	<b>pressure washer</b> mobile: yes; electric connection: 230 V; description: equipped with: HD hose reel, gun and lance; 230 V; (without further information, without any further information, aucune autre information indiquées);	10.00
976	1	<b>industrial tonne vacuum cleaner</b> brand: Gesco; electric connection: 230 V;	25.00
977	1	<b>mobile stainless steel oil pump</b> brand: Liquiflo; type: rotogear; description: including installation and maintenance book; 3 x 400 V;	30.00
978	3	<b>digital platform scales</b> brand: Radwag; description: Stainless steel; operation unknown; being 2 x capacity 6 kg and 1 x capacity 30 kg ;	30.00
979	1	<b>hot melt plunger pump</b> brand: Nordson; type: 3500-1AA34; serial number: AA94C60706;	50.00
980	1	<b>tool trolleys with content</b> with content: yes; total dimension L: 1050 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: content consisting of keys, etc ..;	125.00
981	1	<b>tool trolleys with content</b> with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 800 mm; description: content consisting of hand tools etc ..;	40.00
982	1	<b>tool trolleys with content</b> brand: powerex; with content: yes; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 950 mm; description: content consisting of keys, etc ..;	10.00
983	1	<b>tool trolleys with content</b> with content: yes; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 950 mm; description: content consisting of various cutting tools; keys etc ..;	125.00
984	1	<b>tool trolleys with content</b> brand: facom; type: Chrono +; number of drawers: 6; with content: yes; total dimension L: 760 mm; total dimension W: 520 mm; total dimension H: 970 mm; description: content is not known; locked ;	125.00
985	1	<b>tool trolleys with content</b> brand: Fetra; with content: yes; total dimension L: 1250 mm; total dimension W: 750 mm; total dimension H: 900 mm; description: content consisting of keys, etc ..;	125.00



Lot	Number	Description	Starting Bid €
986	1	<b>tool trolleys</b> brand: Fetra; with content: yes; total dimension L: 1250 mm; total dimension W: 750 mm; total dimension H: 900 mm; description: content consisting of keys, etc ...;	125.00
987	1	<b>tool trolleys with content</b> brand: Fetra; with content: yes; total dimension L: 1250 mm; total dimension W: 750 mm; total dimension H: 900 mm; description: content consisting of keys, etc ...;	125.00
988	1	<b>tool trolleys with content</b> brand: Fetra; with content: yes; total dimension L: 980 mm; total dimension W: 590 mm; total dimension H: 900 mm; description: content consisting of keys, etc ...;	125.00
989	1	<b>lot of collets and milling</b> description: in PVC suitcase;	10.00
990	1	<b>mounting set for bearings</b> brand: Kukko; type: 71-L; description: in Sortimo case ;	50.00
991	1	<b>ph measuring device</b> brand: eutech; type: phtestr 30; description: in PVC case; including Probator row meter;	10.00
992	1	<b>electric drill hammer</b> brand: Bosch; description: in metal case;	10.00
993	1	<b>metalizing gun</b> brand: Metco; description: in metal case;	20.00
994	1	<b>adjustable circular cutter</b> brand: S.Barbier; description: in wooden suitcase ;	10.00
995	5	<b>ni-cd batteries</b> brand: Metabo; description: including charger for Ni-cd and NiMH batteries 4.8-18 V ;	10.00
996	3	<b>adjustable keys</b> description: being 2 x pipe key and 1 x english key, being Bahco, Rothenberger and Virax;	10.00
997	2	<b>bolt cutters</b> brand: Record;	10.00
998	1	<b>transpallet</b> lifting capacity: 2000 kg; fork length: 1150 mm; total dimension L: 1500 mm; total dimension W: 500 mm; description: provided with teeth load wheels; vulcolon steering wheel ;	10.00
999	1	<b>Stainless steel pallet</b> description: capacity 2000 kg, unknown force (internal no. debbox 1);	75.00
1000	1	<b>stainless steel transpallet</b> lifting capacity: 2000 kg; fork length: 1150 mm; total dimension L: 1500 mm; total dimension W: 500 mm; description: + 2-wheel transport trolley ;	10.00
1001	1	<b>universal lathe</b> brand: Colchester; type: Triumph; turning length: 1100 mm; turning ? : 200 mm; spindle boring ? : 500 mm; coolant pump: yes; control, brand, type: mechanisch; electric connection: 380 V; dimension L: 2500 mm; dimension W: 700 mm; dimension H: 1400 mm; description: provided with associated tools ;	10.00
1002	1	<b>universal lathe</b> brand: Demoor; turning length: 1100 mm; turning ? : 250 mm; spindle boring ? : 500 mm; coolant pump: yes; control, brand, type: mechanisch; electric connection: 380 V; dimension L: 2500 mm; dimension W: 900 mm; dimension H: 1400 mm; description: provided with associated tools; without further details ;	10.00
1003	1	<b>milling machine</b> brand: vernier; type: FV250; serial number: 24016; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 260 mm; coolant pump: yes; electric connection: 400 V; dimension L: 2000 mm; dimension W: 1700 mm; dimension H: 1700 mm; description: with accompanying tools ;	750.00
1004	1	<b>mobile garage hoist</b> brand: AC Hydraulics; type: WJN5; year: 1999; serial number: 122602; hoist capacity: 550 kg;	100.00



Lot	Number	Description	Starting Bid €
1005	1	<b>column drill</b> brand: quantum; type: B30GS; year: 2001; serial number: 10955; number of speeds: 8; spindle speed from N=: 100 rpm; spindle speed till N=: 2900 rpm; taper MC: 2; gear wheel driven: yes; table size L: 500 mm; table size W: 400 mm; coolant pump: yes; engine power: 0.75 kW; electric connection: 400 V; dimension L: 700 mm; dimension W: 500 mm; dimension H: 2100 mm; description: equipped with turnbuckle ;	125.00
1007	1	<b>band saw machine</b> brand: Uzay Makina; type: 220 DG; serial number: 9620508; max. workpiece height: 220 mm; saw blade size L: 3030 mm; saw blade size W: 27 mm; saw blade thickness: 9 mm; number of speeds: 1; engine power: 1.5 kW; electric connection: 380 V; dimension L: 1800 mm; dimension W: 1400 mm; dimension H: 1500 mm; description: provided with clamping table tightening screw; roller conveyor support 1200x350x1000mm ;	750.00
1008	1	<b>band saw machine</b> brand: Pearce; type: HS5D266; max. workpiece height: 350 mm; working width: 250 mm; saw blade size W: 15 mm; number of speeds: 1; electric connection: 400 V; dimension L: 1150 mm; dimension W: 1150 mm; dimension H: 1900 mm; description: stainless version; mobile setup ; without any further information ;	10.00
1009	1	<b>manual bending machine</b> manually operated: yes; dimension L: 900 mm; dimension W: 1800 mm; dimension H: 1200 mm; description: working width 1000mm; without any further information ;	75.00
1010	1	<b>screw compressor</b> brand: Atlas Copco ; type: GX2 FF; year: 2010; serial number: CAI452007; capacity: 10 bar; power: 2.2 kW; buffer tank content: 200 l; hours on display: 2773; air dryer: yes; electric connection: 400 V; own weight: 187 kg; total dimension L: 600 mm; total dimension W: 1400 mm; total dimension H: 1300 mm;	1,000.00
1011	2	<b>adjustable shaft supports</b> brand: Ridgid; description: including 2 metal trestles ;	30.00
1012	4	<b>stainless steel platinum transport carts</b> total dimension L: 850 mm; total dimension W: 660 mm; total dimension H: 1800 mm; description: equipped with 18 levels;	10.00
1013	26	<b>Stainless steel baking trays</b> total dimension L: 600 mm; total dimension W: 800 mm; description: unused;	50.00
1014	1	<b>mixing and dosing unit for parts</b> brand: Rheon; type: KN; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: disassembled machine / parts carrier;	100.00
1015	1	<b>Stainless steel spindle conveyor</b> brand: Leon Torfs; serial number: 1020 M38; belt dim. L: 2000 mm; belt dim. W: 185 mm; total dimension H: 900 mm; description: driven;	100.00
1016	1	<b>mixing and dosing unit</b> brand: Rheon; type: KN200; year: 1995; serial number: 333; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with 2x filling nozzle with mixing auger; dosing unit; (to be seen) ;	500.00
1017	1	<b>mobile scissor table</b> brand: Unicraft; type: FHT 500; description: size platform: 850 x 500 mm; adjustable height up to: 900 mm;	30.00
1018	1	<b>workbench</b> total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 850 mm; description: comprising: vise and two drawers;	40.00
1019	1	<b>workbench</b> total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 850 mm; description: comprising: vise and two drawers;	40.00
1020	1	<b>workbench</b> total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 850 mm; description: comprising: vise and two drawers;	40.00





Lot	Number	Description	Starting Bid €
1021	1	<b>workbench</b> total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 830 mm;	40.00
1022	1	<b>workbench</b> total dimension L: 2400 mm; total dimension W: 840 mm; total dimension H: 830 mm; description: equipped with: Rothenberger pipe clamp and Peddinghaus plate shears;	75.00
1023	1	<b>electromotive fan</b> type: HLS 400; description: 3 kW; diameter: 400 mm;	50.00
1024	1	<b>lot of parts for mixing and dosing</b> brand: Rheon; type: KN; description: lying on 4 workbenches;	100.00
1025	1	<b>Wire cutting</b> brand: Virax; description: consisting of : 4 wire cutting pads from 1/2 "to 1" 1/4; in metal case ;	20.00
1026	1	<b>electric hot water boiler</b> brand: Ariston; type: ARI 100 Vert 560 TIT+ MT; description: content : 100 L, including platform trailer;	50.00
1027	1	<b>industrial roof fan</b> brand: Vortice; type: Torretta TRM/TRT-ED; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 860 mm; description: 0.55 m³; resistant to 400 ° C for 2 hours; in original packaging;	50.00
1028	1	<b>hydraulic pipe crew</b> description: consisting of : hydraulic pump and various molds;	50.00
1029	1	<b>ventilated metal storage cabinet with content</b> brand: Köttermann; type: 2-333 C; total dimension L: 580 mm; total dimension W: 1200 mm; total dimension H: 1920 mm; description: comprising: fan group and 3 shelves with 30 kg load capacity; including content being a lot of three-phase extension leads;	100.00
1030	10	<b>Videojet ink cartridges</b> description: being 5 x V411-V706-D, and 5 x D, including: various inks, and components for Markem process Videojet printers and timber storage box with dimensions: 1200 x 400 x 1980 mm H ;	100.00
1031	1	<b>powder extinguisher</b> brand: turex; type: poederblusser 50kg; year: 2006; total dimension L: 550 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: mobile;	10.00
1032	1	<b>electric motors</b> description: consisting of magazijnrek 3200x900x3000mm with content consisting of various electric motors; reductions; pump groups; valves; lot of wooden beams etc ...;	500.00
1033	1	<b>lot of various machine tools and accessories</b> description: for lathes and milling machines, among other things, being recording with ISO40 free face milling, collet chuck ISO40, ISO50 recording with face mill, glasses for lathe , distribution head for lathe , etc. including metal material cabinet. size: 800 x 380 x 1775 mm H ;	100.00
1034	1	<b>rack with MK drills</b> description: dimension rack: 570 x 570 x H 1365 mm;	20.00
1035	1	<b>lot of stainless steel profile</b> description: including stainless steel racking and various residues steel;	50.00
1036	2	<b>heavy duty screws</b> description: length : 1400 mm;	10.00
1037	1	<b>large quantity of disassembled machine and process components</b> description: lying in and including 2 bolted profile steel shelf racks, 7 plastic stacking crates and on 5 pallets;	100.00




Lot	Number	Description	Starting Bid €
1038	1	<b>lot of compressor components, power and machine parts</b> description: being, among other things: Atlas Copco unused filter kits, seals, Roto-Food Grade fluid oil, maintenance kits, etc., two electric motors, rollers 4 come power cable including 3G1.5, 3G2.5, 5G4,. various valves, Loma AS components, various teflon strips, etc. including stainless steel. racking dimensions: 2090 x 605 x H, 1935, provided with wooden shelves;	150.00
1039	3	<b>hooking shelving with content</b> description: being 1 x dimensions: 1305 x 390 x H 2000 mm, and x 2 x dimensions: 1610 x 445 x H 1450 mm, including content being among other things, Ridgid pipe cutter, wire cutting pad holders, nylon spansets with hook and ratchet, tarpaulins, 2 Rite-on safety harnesses , grease pump, various hand tools , nylon round sling lifting straps, etc.;	75.00
1040	1	<b>lot of Puller and threading pillows</b> description: hang on wall on wooden plate; consisting of 13 wire cushions sanitary tss 1 / 4-2 " "; 8 Puller and 3 turnbuckles;	40.00
1041	1	<b>grinding and edge grinder-deburring machine</b> brand: silex; type: T448; engine power: 0.43 kW; electric connection: 220 V; dimension L: 200 mm; dimension W: 400 mm; dimension H: 250 mm; description: mounted on wall mount;	10.00
1042	1	<b>partij elektrische onderdelen</b> omschrijving: zijnde ondermeer 5 dozen kabel sectie 0,75 mm², 5 dozen kabel sectie 1,5 mm², 2 dozen kabel sectie 2,5 mm², enz. in en inclusief 2-deurs Rittal schakelkast, afmeting 1000 x 300 x H 1410 mm;	50.00
1043	1	<b>grote partij diverse metaal- en RVS voorraden</b> omschrijving: zijnde de volledige inhoud van de overkapping op het buitenterrein waaronder RVS leidingwerk en profielstaal, dubbelzijdige draagarmstelling, RVS legbordstellingen, normwagens, Ridgid assteunen, BT-Lifter transpallet, Vabor kruiwagen, Grundfos pomp, RVS en alu plaatwerk, enz.;	500.00
1044	1	<b>mobiele onderdelenreiniger</b> totale afmeting L: 685 mm; totale afmeting B: 1150 mm; totale afmeting H: 975 mm;	50.00
1045	2	<b>lekbakken</b> totale afmeting L: 1850 mm; totale afmeting B: 1360 mm; omschrijving: inclusief vatenkar en 5 aangebroken olievaten waaronder 3 voorzien van handbediende vatpomp;	50.00
1046	2	<b>lekbakken</b> omschrijving: inclusief RVS legbordstelling voorzien van ertalon legborden en diverse aangebroken vaten smeermiddelen en producten ;	50.00
1047	1	<b>kunststof lekbak</b> totale afmeting L: 885 mm; totale afmeting B: 2600 mm; omschrijving: inclusief diverse aangebroken bussen zoutzuur en PVC afvalbak ;	50.00
1048	1	<b>partij divers schroot</b> omschrijving: waaronder RVS en alu, zich bevindend rechts binnen in het olielokaal en buiten langs de overkapping;	100.00
1049	3	<b>microwaves</b> description: being Whirlpool M602, Zanker Grill KOG 9615 and Sharp R-23;	30.00
1050	1	<b>combi-bottom fridge</b> brand: Siemens; type: Sika frost Combi;	20.00
1051	1	<b>large kitchen coffee maker</b> brand: Animo; type: MT100;	20.00
1052	1	<b>lot of canteen furniture</b> description: being 3 refectory tables, 10 chairs, paper dispenser, dustbin, kettle, thermos and radio;	10.00
1053	1	<b>linen / laundry locker cabinets</b> brand: Helmsan; total dimension L: 455 mm; total dimension W: 385 mm; total dimension H: 1820 mm;	20.00



Lot	Number	Description	Starting Bid €
1054	1	<b>lot of metal locker cabinets</b> description: including 2 x 3-door, modular deployable ;	10.00
1055	2	<b>metal lockers</b> description: including 1 x 3-door and 1 x 1-door;	10.00
1056	1	<b>Stainless steel spring water fridge</b> brand: Springcooler;	20.00
1057	4	<b>tables</b> description: including 2 metal drawers;	10.00
1058	2	<b>metal filing cabinets</b> total dimension L: 430 mm; total dimension W: 885 mm; total dimension H: 1800 mm;	20.00
1059	2	<b>metal filing cabinets</b> total dimension L: 430 mm; total dimension W: 885 mm; total dimension H: 1800 mm;	20.00
1060	2	<b>office desks</b> description: including 2 office chairs;	5.00
1061	47	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 160 mm; kunststof: ja;	250.00
1062	26	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 165 mm; kunststof: ja;	150.00
1063	16	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 155 mm; kunststof: ja;	100.00
1064	5	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 160 mm; kunststof: ja;	25.00
1065	27	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 165 mm; kunststof: ja;	150.00
1066	80	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 1000 mm; afmeting H: 165 mm; kunststof: ja; omschrijving: diverse kleuren, 78 x afmeting 1200 x 1000 mm en 2 x afmeting 1200 x 800 mm;	400.00
1067	10	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	50.00
1068	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1069	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1070	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1071	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1072	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1073	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1074	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00



Lot	Number	Description	Starting Bid €
1075	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1076	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1077	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1078	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1079	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1080	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1081	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1082	28	<b>kunststof pallets</b> merk: Craemer; type: Euro H1; afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; eigen gewicht: 18 kg; omschrijving: draaglast: 850 kg;	150.00
1083	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1084	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1085	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1086	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1087	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1088	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1089	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1090	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1091	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1092	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00





Lot	Number	Description	Starting Bid €
1111	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1112	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1113	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1114	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1115	14	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja; omschrijving: diverse uitvoering, voornamelijk zwart, samen ingeseald in 1 pakket;	100.00
1116	32	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja;	150.00
1117	28	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja;	150.00
1118	28	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja;	150.00
1119	42	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja;	250.00
1120	12	<b>kunststof pallets</b> afmeting L: 1200 mm; afmeting B: 800 mm; kunststof: ja;	60.00
1201	2	<b>hook shelf racks</b> description: together consisting of : 6 galvanized steel uprights dimensions 800 x 2150 mm, and H 8 beams L 2650 mm, including associated shelves ertalon ;	100.00
1202	1	<b>galvanized hooking pallet shelve</b> max. section load: 4400 kg; description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 22, length 3600 mm, profile size 50 x 140 mm;	300.00
1203	1	<b>galvanized hooking pallet shelve</b> max. section load: 4400 kg; description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 24, length 3600 mm, profile size 50 x 140 mm;	300.00
1204	1	<b>galvanized hooking pallet shelve</b> max. section load: 4400 kg; description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 30, length 3600 mm, profile size 50 x 140 mm;	350.00
1205	1	<b>galvanized hooking pallet shelve</b> max. section load: 4400 kg; description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 32 length 3600 mm, profile size 50 x 140 mm;	350.00
1206	1	<b>electric pallet lifter</b> brand: Jungheinrich; type: HC 110; year: 2008; serial number: 14406823; lifting capacity: 1000 kg; own weight: 300 kg;	200.00
1207	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 22, length 3600 mm, profile size 50 x 140 mm;	300.00
1208	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 21, length 3600 mm, profile size 50 x 140 mm;	300.00
1209	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and 20 beams length 3600 mm, profile size 50 x 140 mm;	300.00





Lot	Number	Description	Starting Bid €
1210	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and 20 beams length 3600 mm, profile size 50 x 140 mm;	300.00
1211	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 5 uprights dimensions 1000 x 6900 mm, and beams 26, length 3600 mm, profile size 50 x 140 mm;	300.00
1212	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 6 uprights dimensions 1000 x 6900 mm, 30 beams including length 3600 mm;	300.00
1213	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 6 uprights dimensions 1000 x 6900 mm, 30 beams including length 3600 mm;	300.00
1214	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 8 uprights dimensions 1000 x 6900 mm, 40 beams including length 3600 mm;	300.00
1215	1	<b>galvanized hooking pallet shelve</b> description: consisting of : 8 uprights dimensions 1000 x 6900 mm, 40 beams including length 3600 mm;	300.00
1216	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 34 galvanized steel uprights H 800 cm and 51 beams bolted, size per section: 1200 x 2100 H 1800 mm;	750.00
1217	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 33 galvanized steel uprights H 800 cm and 40 beams bolted, size per section: 1200 x 4000 H 2200 mm;	750.00
1218	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 63 galvanized steel uprights H 800 cm and 114 bolted girders, size per section: 1200 x 4000 H 2200 mm;	750.00
1219	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 96 galvanized steel uprights H 800 cm and 516 bolted girders, size per section: 1200 x 10000 H 1800 mm;	1,000.00
1220	1	<b>drive-in pallet shelve</b> dismantable: yes; description: consisting of 28 galvanized steel uprights H 600 cm and 48 beams bolted, size per section: 1200 x 1800 H 1800 mm;	250.00
1221	1	<b>hook on pallet rack</b> description: consisting of four uprights 18 and girders;	200.00
1222	1	<b>hook on pallet rack</b> description: consisting of seven uprights 36 and girders;	350.00
1391	1	<b>alu schuilhokje/rook overkapping</b> totale afmeting L: 2500 mm; totale afmeting B: 2350 mm; totale afmeting H: 2500 mm; omschrijving: alu structuur met polycarbonaat dak en 2 zijwanden;	100.00
1392	1	<b>fietsstalling</b> totale afmeting L: 2100 mm; totale afmeting B: 4400 mm; totale afmeting H: 2400 mm; omschrijving: galva structuur met metalen beplating op het dak en aan 3 zijden, inclusief 2 fietrekken;	100.00
1393	1	<b>alu schuilhokje/rook overkapping</b> totale afmeting L: 2500 mm; totale afmeting B: 2350 mm; totale afmeting H: 2500 mm; omschrijving: alu structuur met polycarbonaat dak en 2 zijwanden, inclusief RVS asbak;	100.00
1394	1	<b>transpallet</b>	10.00
1395	1	<b>stationaire warmwater hogedrukreiniger</b> merk: Kärcher; type: HDS1290ST; jaar: 1998; serienummer: 014665; max. werkdruk: 178 bar; temperatuurbereik max.: 155 °c; capaciteit: 1200 l/hr; dieselgestookt: ja; vaste installatie: ja; vermogen: 77 kW; aansluiting: 400 V;	50.00
1396	1	<b>mobiele warmwater hogedrukreiniger</b> merk: Kärcher; type: HDS 9/18-4M;	250.00



Lot	Number	Description	Starting Bid €
1397	1	<b>filter/flotatie afvalwaterzuiveringsinstallatie met slakafvoer</b> merk: Nijhuis; capaciteit: 30 m³/hr; omschrijving: RVS constructie;	2,000.00
1398	1	<b>air treatment oven space</b> brand: Mark;	1,000.00
1399	1	<b>air treatment hot kitchen</b> brand: Ciat; type: IPF360; year: 2008; serial number: CB00083;	1,000.00
1400	1	<b>cooling tower</b> brand: Baltimore BAC; type: VXC-S808R; serial number: H082036;	1,000.00
1401	1	<b>hot water bath</b> brand: Memmert ; type: WNB 14; serial number: L415.0998; electric connection: 230 V; description: 1800W, max 95 ° C ;	75.00
1402	1	<b>sterilization boiler</b> brand: Dixons ; type: ST19T; serial number: DA 016 AA; year: 2012; power: 2 kW; electric connection: 230 V;	40.00
1403	1	<b>laboratory oven</b> brand: Selecta; type: 209; serial number: 95298; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 630 mm;	100.00
1404	1	<b>lab oven</b> brand: Jouan; type: EB 170S ; year: 1983; serial number: 83442; electric connection: 230 V; total dimension L: 640 mm; total dimension W: 620 mm; total dimension H: 830 mm;	75.00
1405	1	<b>lab oven</b> brand: Besko; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 580 mm; total dimension H: 1000 mm;	100.00
1406	1	<b>lab oven</b> brand: Besko; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 580 mm; total dimension H: 1000 mm;	100.00
1407	1	<b>precision scale</b> brand: Radwag ; type: AS 220/C/2; weight range max: 220 g; minimum weight: 1 g; digital display: yes; electric connection: 230 V; description: e = 1 mg, d = 0.1 mg ;	30.00
1408	1	<b>laboratory refrigerator</b> brand: Liebherr; type: 26082 3/; serial number: 9986443-03; content: 650 l; digital display: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 800 mm; total dimension H: 2000 mm; description: equipped with integrated stainless steel cooling cabinet ;	250.00
1409	1	<b>laboratory refrigerator</b> brand: Liebherr; type: 20008 1; serial number: 9986443-03; content: 352 l; digital display: no; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1570 mm;	100.00
1410	1	<b>precision scale</b> brand: Mettler Toledo ; type: PB3001; weight range max: 3100 g; minimum weight: 5 g; digital display: yes; electric connection: 230 V;	30.00
1411	1	<b>stomacher shake device</b> brand: iul; type: Masticator; serial number: 571/470; year: 2002;	50.00
1412	2	<b>bunsen burners</b>	20.00
1413	1	<b>shaker</b> brand: Labinco ; type: L24; electric connection: 230 V; description: pipettes rotary rake + pipettes ;	20.00
1414	1	<b>precision scale</b> brand: Kern ; type: TB ; weight range max: 3500 g; readability: 1 g; digital display: yes; digital control: no;	100.00
1415	1	<b>precision scale</b> brand: Mettler ; type: PM3000; serial number: M61954; digital display: yes; description: with Mettler Toledo printer;	40.00



Lot	Number	Description	Starting Bid €
1416	1	<b>laboratory freezer</b> brand: Whirlpool; type: AFG363; content: 293 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1800 mm;	75.00
1417	1	<b>freezer bag</b> brand: Siemens ; digital display: yes; electric connection: 230 V; total dimension L: 1560 mm; total dimension W: 700 mm; total dimension H: 850 mm;	75.00
1418	1	<b>freezer bag</b> brand: Bosch; digital display: yes; electric connection: 230 V; total dimension L: 1560 mm; total dimension W: 700 mm; total dimension H: 850 mm;	100.00
1419	1	<b>freezer bag</b> brand: Caravel ; type: 521-112; serial number: 8633; content: 497 l; digital display: no; electric connection: 230 V; total dimension L: 1560 mm; total dimension W: 700 mm; total dimension H: 900 mm;	50.00
1420	1	<b>freezer bag</b> brand: Whirlpool ; type: AFG 6552 AP ; serial number: 8633; content: 365 l; digital display: no; electric connection: 230 V; total dimension L: 1560 mm; total dimension W: 700 mm; total dimension H: 900 mm;	75.00
1421	1	<b>freezer bag</b> brand: Siemens ; digital display: yes; electric connection: 230 V; total dimension L: 1560 mm; total dimension W: 700 mm; total dimension H: 850 mm;	75.00
1422	1	<b>microwave oven</b> brand: Whirlpool ; type: Famille chef ; stainless steel: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 400 mm; total dimension H: 350 mm;	30.00
1423	1	<b>microwave oven</b> brand: Whirlpool ; type: Jet stream JT358; stainless steel: no; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 400 mm; total dimension H: 350 mm;	30.00
1424	1	<b>microwave oven</b> brand: Siemens; stainless steel: no; power: 900 W; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 360 mm; total dimension H: 300 mm;	20.00
1425	1	<b>microwave oven</b> brand: Whirlpool; type: Jet stream ; stainless steel: no; power: 900 W; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 360 mm; total dimension H: 300 mm; description: to recover ;	10.00
1426	1	<b>conventional oven</b> brand: Roller Grill; type: Turbo quartz; stainless steel: yes; electric connection: 230 V; description: equipped with 4 grill shelves ;	100.00
1427	1	<b>Grill oven</b> brand: Roller Grill; type: Turbo quartz; stainless steel: yes; electric connection: 230 V; description: equipped with 4 grill shelves ;	100.00
1428	1	<b>trolley</b> brand: Blanco; description: equipped with castors, bumpers and push and pull handle;	30.00
1429	1	<b>water dispenser</b> brand: Elis;	50.00
1430	1	<b>coffee machine</b> brand: Animo; description: including thermos and accessories ;	50.00
1431	1	<b>lab table</b> total dimension L: 5000 mm; total dimension W: 2000 mm; total dimension H: 960 mm; description: manufactured in porcelain tiles (60x60 cm) adhered to each other; vv light and power beam; exclusive content;	50.00
1432	2	<b>metal 4 drawers file cabinets</b> brand: Bisley;	40.00
1433	2	<b>metal desks</b> brand: Bisley; description: 4 to load the left and right load 4; including office; exclusive content ;	50.00



Lot	Number	Description	Starting Bid €
1434	1	<b>pc configuration</b> brand: Dell; type: optiplex 745; description: windows XP Pentium D; Dell screen; including keyboard and mouse;	15.00
1435	1	<b>pc configuration</b> brand: Q-Force ; serial number: X16-96119; description: intel core inside screen Dell keyboard and mouse;	15.00
1436	1	<b>pc configuration</b> brand: Dell; type: optiplex 760; serial number: X13-04600; description: windows Vista; screen philips; including keyboard and mouse; including HP laserjet 2300 printer;	15.00
1437	2	<b>office desks</b> dimension L: 165 cm; dimension W: 80 cm; dimension H: 78 cm; description: including 1 side table; including 2 mobile office chairs and 2 side chairs; including mobile drawer cabinet;	25.00
1438	4	<b>high office cabinets</b> description: 3 x 4 doors with shelves and 1 x 2 doors with shelves ;	50.00
1439	1	<b>corner desk configuration</b> description: consisting of the 2nd office tables and 6-door wardrobe;	25.00
1440	1	<b>lot of office</b> description: consisting of three desks, 2 mobile office chairs, chairs 2 side, 6-door wardrobe, 16-door cabinet 4 and mobile drawer units; exclusive content , computers and documents;	20.00
1441	1	<b>pc configuration</b> brand: Hp; type: HP pro ; description: windows 7; Dell screen; including keyboard and mouse; including HP officejet pro 6230 printer;	50.00
1442	1	<b>pc configuration</b> brand: Hp; type: HP pro ; description: windows 7; Dell screen; including keyboard and mouse; including printer Hp laser jet P2015dn ;	10.00
1443	1	<b>wooden conference table</b> total dimension L: 4100 mm; total dimension W: 1200 mm; total dimension H: 780 mm; description: including 11 tubular steel conference chairs on a sled base; (note the 1-piece tabletop) ;	50.00
1444	9	<b>various chairs</b> description: including 1 side table;	10.00
1445	1	<b>water dispenser</b> brand: Elis;	10.00
1446	1	<b>refrigerator</b> brand: Ignis; type: ARL350GC; description: net content : 163 liters;	10.00
1447	1	<b>beamer</b> brand: Acer; type: P1120; description: including remote control and roll-up screen; including flip chart and round table;	10.00
1448	1	<b>combi microwave</b> brand: Whirlpool; type: Combimaster;	10.00
1449	1	<b>Stainless steel coffee maker</b> brand: Autobar; description: including coffee set;	10.00
1450	1	<b>paper hole punch</b> brand: Leitz;	5.00
1451	1	<b>paper shredder</b> brand: EBA ; description: including PVC crate;	10.00
1452	1	<b>content management office</b> description: consisting of office with three chairs, round conference table with 4 chairs; 2 additional cabinets, a display cabinet and a metal coat; exclusive computer and telecom;	30.00



Lot	Number	Description	Starting Bid €
1453	1	<b>content office</b> description: consisting of corner office, 4 wooden door wardrobe, bijzettafelmet two chairs, and a second door metal file cabinet; exclusive of documentation and content cabinets ;	10.00
1454	1	<b>Laptop</b> brand: HP ; description: including 1 Dell PC screen, keyboard and mouse;	10.00
1455	1	<b>content office</b> description: consisting of : 2 angle desks, metal table 1, 3 chairs and a 16-door wardrobe;	50.00
1456	1	<b>printer</b> brand: HP ; type: Color laserjet CP3525dn;	10.00
1457	1	<b>Laptop</b> brand: Fujitsu; type: Lifebook; description: including 1 "Dell" screen, keyboard and mouse;	10.00
1458	1	<b>Laptop</b> brand: Dell; description: including monitor and keyboard;	10.00
1459	1	<b>conference table</b> total dimension L: 2700 mm; total dimension W: 1200 mm; total dimension H: 740 mm; description: including 10 conference seats; including 1 "Zanussi" refrigerator;	10.00
1460	1	<b>content office R &amp; D</b> description: consisting of three various office tables and the first locker; all fixed to the wall; 3 including mobile chairs; exclusive documents and computers ;	10.00
1461	1	<b>Laptop</b> brand: Hp; type: Compaq 6730B; serial number: Cnu9415q2s; description: including 1 pc screen "Philips" ;	10.00
1462	1	<b>Laptop</b> brand: FUJITSU; type: Lifebook; serial number: YLKW035685; description: including 1 keyboard; including carrying case;	10.00
1463	1	<b>electronic letter scale</b> brand: Flexiscale; serial number: 2.620.151;	10.00
1464	1	<b>Franking machine</b> brand: Optimail; serial number: 710191;	10.00
1465	1	<b>combi flat screen DVD player</b> brand: Takara; description: 19";	10.00
1466	1	<b>PC configuration</b> brand: hp; type: compaq 8100 elite; serial number: CZC0333GFF; description: equipped with Intel Core i5 processor, 2 flat screens, keyboard and mouse;	10.00
1467	1	<b>PC configuration</b> brand: Q-Force; description: equipped with Intel Core i3 processor, flat screen, keyboard and mouse;	10.00
1468	1	<b>lot of front office</b> description: consisting of angle positioned desk, 2 cabinets , desk and two chairs;	100.00
1469	2	<b>metal filing cabinets</b> total dimension L: 430 mm; total dimension W: 1200 mm; total dimension H: 1980 mm; description: with horizontal roller shutters, including content consisting of a lot of various office equipment;	100.00
1470	1	<b>lot of reception furniture</b> description: consisting of coffee table with glass top and four chairs;	10.00
1471	1	<b>Display case</b> total dimension L: 400 mm; total dimension W: 450 mm; total dimension H: 1800 mm; description: equipped with: glass shelves;	10.00
1472	1	<b>lot of office furniture</b> description: being 1 corner-mounted desk table size 2400/2400 x 800 x H 720 mm, 3 2-door file cabinets size 800 x 400 x H 2020 mm, 1 commodity cabinet, mobile chest of drawers and office chair ;	100.00



Lot	Number	Description	Starting Bid €
1473	1	<b>lot of office furniture</b> description: being 2 hoekopgestelde desks dimension 2400/2000 x 800 x H 720 mm, 3 2-door file cabinets dimension 800 x 400 x H 2020 mm, 2 low 2-door file cabinets dimension 800 x 400 x H 1280 mm, two mobile drawer units/ filling pedestal , straight desk table dimension 1600 x 800 x H 720 mm, 2, and 3 side seats of office chairs;	100.00
1474	1	<b>Laptop</b> brand: HP; type: Probook 450 G3; description: equipped with: intel core i5 processor; including: charger, stainless steel laptop stand, USB keyboard and (password: u2FnDvNJ);	100.00
1475	1	<b>PC configuration</b> brand: Fujitsu; serial number: YLRR028669; description: including HP flat screen monitor, keyboard and mouse;	75.00
1476	1	<b>Color laser printer</b> brand: Brother; type: HL-L9310CDW;	75.00
1477	1	<b>Color laser printer</b> brand: HP; type: CP3525dn;	25.00
1478	1	<b>content office</b> description: being 1 corner-mounted desk table size 2400/2000 x 800 x H 720 mm, 2 2-door file cabinets size 800 x 400 x H 2020 mm, 1 armchair, mobile chest of drawers, office chair, 2 side chairs, magnetic whiteboard and flat screen monitor;	100.00
1479	1	<b>microwave</b> brand: Whirlpool; type: VT255;	10.00
1480	1	<b>Combi magnetron</b> brand: Daewoo; type: VT255;	10.00
1481	1	<b>Grill oven</b> brand: Domo; type: Be Smart;	10.00
1482	1	<b>Combi magnetron</b> brand: Whirlpool; type: FT347;	10.00
1483	1	<b>Bake-off oven</b> brand: Blue Line; type: G4EP; serial number: 009420901; description: 3 x 400 V, 7.7 kW;	150.00
1484	2	<b>metal filing cabinets</b> description: size. 91 x 43 x H 180 cm;	10.00
1485	1	<b>freezer bag</b> brand: Pro Line; description: size 60 x 55 x 85 cm;	10.00
1486	1	<b>lot of conference room furniture</b> description: being oval meeting table size 275 x 145 x H 75 cm, 7 chairs, side table size 125 x 60 x H75 cm, including flipchart;	10.00
1487	1	<b>table fridge</b> brand: Everglades; type: EVTT109;	30.00
1488	1	<b>beamer</b> brand: Epson; type: EMP/TW700; description: including ceiling support, lowerable projection screen and overhead projector;	100.00
1489	1	<b>lot of conference room furniture</b> description: being meeting table size 353 x 120 x 75 cm H, chairs 12, a side table dimensions 120 x 80 cm x H75, side table dimensions . 60 x 100 cm x H75;	10.00
1490	1	<b>3-part magnetic whiteboard</b> total dimension W: 2000 mm; total dimension H: 1200 mm; description: including flip chart;	30.00
1491	1	<b>conference phone</b> brand: Konftel; type: 300; serial number: 910101059;	25.00
1492	1	<b>paper cutter</b> brand: Ideal; type: 1046; description: including binding device, table and 3 chairs;	10.00





Lot	Number	Description	Starting Bid €
1493	1	<b>content office</b> description: being metal file cabinet, office chair, computer table, mobile desk, wooden cabinet, laptop stand, etc.;	10.00
1494	1	<b>19, "server rack with content</b> brand: Logon; description: content being HP Proliant DL370G6 server with flat screen, two keyboards, 891FW IProuter Cisco and APC UPS unit type 2200XL;	250.00
1495	1	<b>19, "server rack with content</b> brand: Logon; description: content being 4 x HP switch JG924 A, 6 x patch panel, NAS DS412 drive, DVD drive network;	350.00
1496	1	<b>roll cat5 UTP cable</b> description: approx. 200 m, including lot of various electric cable and switchgear in PVC boxes and various ancient ICT (excluding Proximus PABX);	10.00
1497	1	<b>alu sliding ladder</b> description: 2 x 10 sports;	10.00
1498	1	<b>yucca houseplant</b> description: in plastic planter;	10.00
1499	2	<b>palm house plants</b> description: in plastic planter;	10.00
1500	1	<b>round spy mirror</b> description: diameter 600 mm;	5.00
1501	1	<b>Laminating device</b> brand: Rexel; type: LP30;	10.00
1502	1	<b>Stainless steel grill</b> brand: Milantoast; type: 16054; year: 2017; serial number: 1703797; description: double grill surface;	10.00
1503	1	<b>vacuum packaging machine</b> brand: Multivac;	10.00
1504	1	<b>Stainless steel toaster</b> brand: Philips; type: HD2648;	10.00
1505	1	<b>Digital plateau scale</b> brand: Mettler Toledo; type: SB16001 DeltaRange;	10.00
1506	1	<b>Blender</b> brand: Double circuit; type: BL-020(PRO);	10.00
1507	1	<b>Stainless steel hotseal device</b> brand: STE ORA; type: B1240IN; year: 2001; serial number: 1 180;	10.00
1508	1	<b>Combi microwave</b> brand: Whirlpool; type: VT265;	10.00
1509	1	<b>microwave</b> brand: Siemens;	10.00
1510	1	<b>Combi microwave</b> brand: Whirlpool; type: FT380;	10.00
1511	1	<b>microwave</b> brand: Whirlpool; type: VT261;	10.00
1512	1	<b>combi steamer</b> brand: Rational; type: self cooking center; total dimension L: 850 mm; total dimension W: 820 mm; total dimension H: 750 mm; description: 3 x 400 V, for 6 baking trays;	100.00
1513	1	<b>Pizza oven</b> brand: Miwe; type: Condo C-1-64; year: 1995; description: 3 x 400 V, 3.9 kW;	100.00
1514	1	<b>high speed mixer</b> brand: Silverson; type: L4R; serial number: 8052;	100.00
1515	1	<b>stainless steel table</b> description: equipped with shelf;	10.00



Lot	Number	Description	Starting Bid €
1516	1	<b>gas-fired cooker</b> description: 6 pips, size 120 x 80 x 90 cm;	10.00
1517	1	<b>Stainless steel filter hood</b> brand: Robby;	10.00
1518	14	<b>copper saucepans</b> description: including various stainless steel cookware;	10.00
1519	1	<b>Digital plateau scale</b> brand: Vibra;	10.00
1520	1	<b>bar mixer</b> brand: Robotcoupe; type: mini MP 2200 vv;	10.00
1521	1	<b>Digital plateau scale</b> brand: Mettler; type: PM34;	10.00
1522	1	<b>Stainless steel kettle</b> brand: Elta;	10.00
1523	1	<b>Stainless steel dishwasher</b> brand: Comenda; type: LF320; serial number: CB 13409/11/01; description: on stainless steel base;	100.00
1524	1	<b>incubator</b> brand: Memmert; type: U 40; serial number: 830 978;	100.00
1525	1	<b>drinking water dispenser</b> brand: Elis; type: EBAC KIL Netw;	10.00
1526	1	<b>plastic platform trolley</b> description: 3 levels;	10.00
1527	1	<b>Stainless steel quick freezer / shock freezer</b> brand: Foster; type: BCF51;	100.00
1528	1	<b>refrigerator</b> brand: Electrolux;	10.00
1529	1	<b>Stainless steel platform carts</b> description: 3 levels;	10.00
1530	1	<b>lot of various furniture</b> description: being for utensils incl. plates, cups, bowls, dishes, cutlery, etc. being the entire remaining content of the kitchen cabinets;	10.00
1531	1	<b>glue gun</b> brand: Metabo; type: KE 3000;	10.00
1532	1	<b>planet mixer / spiral kneader</b> brand: I.G.F.; type: 2200/S12; serial number: A9509030;	100.00
1533	1	<b>Digital plateau scale</b> brand: Radwag; type: WPS 6000/C/1;	10.00
1534	1	<b>vegetable cutter</b> brand: RobotCoupe; type: R211;	10.00
1535	1	<b>Digital plateau scale</b> brand: AllScales; type: WDS 042061;	10.00
1536	1	<b>bowl mixer</b> brand: Bosch;	10.00
1537	1	<b>showcase refrigerator</b> brand: Liebherr; type: 4112;	10.00
1538	1	<b>alu stepladder</b> description: 3 steps, including 2 platform trucks;	5.00
1539	1	<b>Freeze cell</b> brand: Isobar; description: 295 x 230 x 320 cm, including cooling compressor and evaporator;	100.00



Lot	Number	Description	Starting Bid €
1540	1	<b>aluminum cooling cell elongation</b> brand: Fermod; description: dimensions . 250 x 36 x 170 cm H, bu two uprights and shelves 8 synthetic;	10.00
1541	1	<b>aluminum cooling cell elongation</b> brand: Fermod; description: dimensions . 280 x 36 x 170 cm H, bu uprights 3 and 8 of plastic shelves;	10.00
1542	1	<b>aluminum cooling cell elongation</b> brand: Fermod; description: dimensions . 150 x 36 x 170 cm H, bu 2 4 uprights and shelves plastic;	10.00
1543	1	<b>aluminum cooling cell elongation</b> brand: Fermod; description: dimensions . 220 x 36 x 170 cm H, bu 1 uprights and shelves 8 synthetic;	10.00
1544	1	<b>PVC waste bin</b>	10.00
1545	1	<b>PVC waste bin</b>	10.00
1546	1	<b>refrigerator</b> brand: Bosch; type: economic cooler;	10.00
1547	1	<b>drinking water dispenser</b> brand: Elis; type: ABAC kill; serial number: 1006043653;	10.00
1548	1	<b>microwave</b> brand: Whirlpool; type: GT283;	10.00
1549	1	<b>microwave</b> brand: Whirlpool; type: VT265;	10.00
1550	1	<b>combi flat screen television DVD</b> brand: Toshiba; description: size 64 x 30 cm;	10.00
1551	1	<b>mobile stainless steel magnetic board</b> description: size 160 x 190 cm;	10.00
1552	1	<b>alu warehouse ladder</b> description: 9 steps. size. 60 x 710 x 260 cm;	10.00
1553	1	<b>alu coat rack</b> description: equipped with 18 hooks, length 250 cm, including two mailboxes, wooden brochure holder, five paintings, side table, trophies, ticker, clock and decorations;	10.00
1554	21	<b>canteen tables</b> description: size 120 x 80 x 75 cm;	10.00
1555	80	<b>stackable canteen chairs</b>	10.00
1556	1	<b>beamer</b> brand: Nec; type: V302X; description: including wall mount and projection screen;	10.00
1557	1	<b>Laptop</b> brand: dell; type: Latitude D620; description: incl. charger;	10.00
1559	1	<b>alu poster frame</b> description: size 165 x 125 cm, with plexiglass, including 2 wooden notice boards and PVC waste bin;	10.00
1560	1	<b>insect light</b> brand: Nemesis; type: Ultima 80; description: Stainless steel, 230 V, size 65 x 43 x 15 cm;	10.00
1561	1	<b>3-compartment stainless steel dispenser</b> description: size. 920 x 200 x 400 mm, for overshoes and hair nets, including mirror;	10.00
1562	2	<b>magnetic whiteboards</b> description: size 2420 x 1200 mm, including 3 aluminum display case announcements;	10.00
1563	2	<b>alu coat hangers</b> brand: oortoom; description: total length 220 cm, with 19 hooks;	10.00
1564	1	<b>mobile paper rack</b>	10.00
1565	1	<b>paper dispenser</b> description: including 2 rolls of paper;	10.00



Lot	Number	Description	Starting Bid €
1566	3	<b>wooden cabinets</b> description: including various PVC file boxes and office equipment;	10.00
1567	1	<b>coffee</b> brand: Animo; type: M-line; description: including 4 stainless steel thermos and various furniture;	10.00
1568	1	<b>lot of office</b> description: being 2 desks, 3 office chairs, 3 wooden file cabinets, 3 mobile drawer units, 2 visitor's chairs; excluding computers;	10.00
1569	1	<b>PC configuration</b> brand: Dell; type: 760; description: including flat screen, keyboard and mouse;	10.00
1570	1	<b>PC configuration</b> brand: HP; description: including flat screen, keyboard and mouse;	10.00
1571	1	<b>metal file cabinet</b> description: equipped with horizontal rolling doors;	10.00
1572	1	<b>tree coat rack</b>	10.00
1573	6	<b>wooden file cabinets</b>	10.00
1574	2	<b>office desks</b> description: including 2 office chairs, 2 mobile drawer units, partition wall;	10.00
1575	1	<b>metal chest of drawers</b> description: for hanging standings;	10.00
1576	1	<b>PC configuration</b> brand: Fujitsu; description: equipped with 3 x Dell flat screen, keyboard, mouse and HP Laserjet Pro400 laser printer;	10.00
1577	1	<b>corner desk</b> description: including office chair, mobile drawer unit and visitor's chair;	10.00
1578	1	<b>lot of various office equipment</b> description: being magnetic whiteboard, office supplies, file trays, paper and soap dispenser, etc.;	10.00
1579	6	<b>stainless steel locker cabinets</b> description: 4-door;	300.00
1580	6	<b>stainless steel locker cabinets</b> description: 4-door, with lock for padlock;	300.00
1582	1	<b>Stainless steel coat hanger</b> description: including PVC waste bin and bench;	10.00
1583	3	<b>dirty laundry linen cupboards</b> brand: Helmsman Collector; description: dimension 38 x 45 x 200 cm, including 4 open compartments for clean clothes cupboards and stainless steel base for cabinets;	10.00
1584	3	<b>dirty laundry linen cupboards</b> brand: Helmsman Collector; description: dimension 38 x 45 x 200 cm, including 4 open compartments for clean clothes cupboards and 2 stainless steel chassis for cabinets;	10.00
1585	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1586	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1587	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1588	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1589	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1590	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00



Lot	Number	Description	Starting Bid €
1591	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1592	1	<b>Stainless steel coat hanger</b> total dimension L: 400 mm; total dimension W: 1500 mm; description: including Overtoom alu coat rack;	10.00
1593	2	<b>alu coat hangers</b> brand: Overtoom; description: length : 1245 mm;	10.00
1594	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1595	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1596	1	<b>Stainless steel dressing table</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	50.00
1597	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1598	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1599	2	<b>Stainless steel dressing furniture</b> brand: Globucon; description: size 160 x 90 x H 210 cm, including 8 lockers on top;	100.00
1600	1	<b>Stainless steel coat hanger</b> total dimension L: 400 mm; total dimension W: 1500 mm; description: including Overtoom alu coat rack;	10.00
1601	3	<b>dirty laundry linen cupboards</b> brand: Helmsman Collector; description: size 38 x 45 x 200 cm, including 2 open compartments for clean clothes, 2 5-door locker cupboards and stainless steel base;	10.00
1602	8	<b>metal open compartments for clean clothing</b> description: including stainless steel base;	50.00
1603	6	<b>stainless steel locker cabinets</b> total dimension L: 500 mm; total dimension W: 950 mm; total dimension H: 2100 mm; description: 4-door;	300.00
1604	6	<b>stainless steel locker cabinets</b> total dimension L: 500 mm; total dimension W: 950 mm; total dimension H: 2100 mm; description: 4-door;	300.00
1605	1	<b>Stainless steel coat hanger</b> description: including PVC waste bin, sofa, PVC racking and metal cabinet with a horizontal roller shutters;	10.00
1606	3	<b>law desks</b> description: including 3 office chairs;	10.00
1607	1	<b>PC configuration</b> brand: HP; type: Elite 7100 MT; serial number: CZC025370W; description: equipped with flat screen, keyboard and mouse;	10.00
1608	1	<b>PC configuration</b> brand: HP; type: Elite 7100 MT; serial number: CZC025370P; description: equipped with flat screen, keyboard and mouse;	10.00
1609	1	<b>PC configuration</b> brand: Dell; description: equipped with 2 flat screens, keyboard and mouse, including HP deskjet 930C inkjet printer;	10.00
1610	1	<b>wooden file cabinets</b> description: being dimensions 1200 x 450 x H 2260 mm and dimensions 940 x 440 x H 2350 mm, including a low file cabinet;	10.00
1611	2	<b>inkjet printers</b> description: being HP Deskjet 5550 and Photosmart, operation unknown, including flat screen monitor;	10.00



Lot	Number	Description	Starting Bid €
1612	1	<b>content executive boardroom</b> description: consisting of the 1st round meeting table 1200 mm diameter; 1 corner office and one wooden file cabinet, leather-look desk, two chairs in imitation leather and Samsung flat;	100.00
1613	1	<b>diepvrieskast</b> merk: Electrolux; type: TT120F MX;	30.00
1614	1	<b>tafelkoelkast</b> merk: Zanussi; type: ZRG616CW;	30.00
1615	1	<b>meubilair dokterskabinet</b> omschrijving: zijnde consultatiebed, 2 bureautafels, 3 bijzetstoelen, bureaustoel, 2 metalen ladekasten en lengtemeter;	10.00
1616	1	<b>mobiele alu magazijntrap</b> aantal treden: 8; aluminium: ja;	20.00





**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

### ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)  
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website [www.TroostwijkAuctions.com](https://www.TroostwijkAuctions.com) that is maintained by the private limited company Troostwijk Veilingen B.V., established at

**[www.TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)**



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

## ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

## ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
  - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
  - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
  - the fact that the information on the website is false, incomplete or not up-to-date;
  - errors in the website's software and/or in the underlying system;
  - the illegal use of systems, including use of the Troostwijk website by a third party;
  - acts on the part of the seller after the user has concluded a purchase agreement.

## ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
  - exclude one or more users from the sale;
  - add items to lots, to split up lots and to remove lots from the sale;
  - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
  - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

## ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

## ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER**

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

## **ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS**



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

## ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

## ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

## **ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY**

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

## **ARTICLE 12. TERMINATION**

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.





12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

## ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
  - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
  - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
  - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
  - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
  - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
  - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

## ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

## **ARTICLE 15. APPLICABLE LAW**

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience