




Bankruptcy Auction of Mapper Litography B.V. -1 (NL)
**Stroomvoorzieningen, mobiele werktafels,
mobiele tracks, pallettrucks**

Schoenmakerstraat 97C - 2628VK **Delft**
(Mapper Lithography B.V. Schoenmakerstraat)

Sluitingsdatum: dinsdag **12 MAART** vanaf 10:00



Bieden uitsluitend via internet!

28-02-19 10.35



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

dinsdag 12 maart 2019 Bankruptcy Auction of Mapper Lithography B.V. -1

Specifieke Online Veilingvoorwaarden van een openbare veiling

Sluitingsdatum	Dinsdag 12 maart 2019 vanaf 10:00 CET
Kijkdag	maandag 11 maart van 09:00 tot 12:00 CET Mapper Lithography B.V. Schoenmakerstraat Schoenmakerstraat 97C 2628VK Delft, Nederland maandag 11 maart van 12:30 tot 13:30 CET Mapper Lithography B.V. Hooipolderweg Hooipolderweg 6 2635 CZ Den Hoorn, Nederland
Bedrijf dat deze Online veiling organiseert	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, Nederland Telefoon: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Opgeld	17,00%
BTW	21,00%
Marge goederen	In geval van marge goederen zal de BTW 0% bedragen
Afhalen	dinsdag 19 maart van 09:00 tot 16:00 CET Mapper Lithography B.V. Schoenmakerstraat Schoenmakerstraat 97C 2628VK Delft, Nederland vrijdag 22 maart van 09:00 tot 16:00 CET Mapper Lithography B.V. Hooipolderweg Hooipolderweg 6 2635 CZ Den Hoorn, Nederland
Bezichtigingsinstructies	Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.
Bijwonen veilingssluiting voor consumenten	De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk. Het betreft hier een openbare veiling. Dit betekent dat u als consument de gelegenheid heeft om de online veilingssluiting bij te wonen bij ons op kantoor: Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam
Betalingsdetails	U dient hiervoor geregistreerd te zijn op onze website: www.troostwijkauctions.com . Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres: bijwonenkoperssluiting@troostwijkauctions.com o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van ons. Uw betaling dient 48 uur na het versturen van de koopovereenkomst te zijn ontvangen op één van de onderstaande rekeningnummers. Bij bankbetaling gaarne Account ID en veilingnummer vermelden. Veilig en gemakkelijk betalen? Selecteer dan de optie Betalen op onze website, in uw MyTroostwijk menu onder Mijn aankopen om direct en veilig te betalen via Ideal/Ogone.

www.TroostwijkAuctions.com



Bank	IBAN nr.	Rekeningnr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Let op: bij betaling uw kopernummer en veilingnummer vermelden!

Na betaling ontvangt u van ons een **betalingsbevestiging** per e-mail.

Originele facturen zijn te **downloaden** vanuit [MyTroostwijk](#).

De koper dient op de afhaaldag de koopovereenkomst of de factuur mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).

Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing. In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleever Fortuijn N.V., advocaten en notarissen, te Den Haag.

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht. Troostwijk behoudt zich het recht voor om de verlengingstijd aan te passen.

Van alle kavels waarop niet is geboden, kan de sluitingstijd aangepast worden tot een half uur na de laatste sluitingstijd van kavels binnen deze veiling.

Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de biedgegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

A number of lots have the following note: (This lot is subject to allocation due to the "Dual Use Regulations"). This means that the goods cannot be sold to buyers from



countries outside of the EU. If you are the highest bidder and you placed your bid with an account listed on a country outside of the EU and/or you placed a bid from a country outside of the EU the lot will not be allocated. Troostwijk and / or its client decides on allocation of the lots. Even if you are the highest bidder within the EU, we can decide to not allocate lots without giving a reason.

Inhoud, afmetingen en gewicht van de kavels

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie.

Privacy Statement

Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



Kavel	Aantal	Omschrijving	Openingsbod €
1	2	aquacaperix description: 1 and 2 frame to integrate wafer clamping stations; vacuum chamber control box; control unit s002; Pfeiffer stainless steel vacuum unit model TMU 071 P; Pfeiffer vacuum pump model MVP 055-3; 2008; partially mounted on Coomach aluminium frame and with trolley; (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
2	1	wireless machine vision teaching device brand: Cyberoptics; type: Wafersense ATS300C; serial number: H8300410; description: with charger and case (ground floor, WCS labspace) ;	10,00
3	1	vacuum tool brand: Mityvac; type: Faro; description: with case (ground floor, WCS labspace) ;	10,00
4	3	pump units description: (ground floor, WCS labspace) ;	10,00
5	1	bending and cutting tools description: with connectors etc. in case ls;	10,00
6	1	stainless steel WCS tool brand: Hitech; serial number: S003; hoist capacity: 100 kg; description: (ground floor, WCS labspace) ;	10,00
7	1	lot of vacuum leak test tools brand: Festo; description: with 4x unit 160233; abd 1 stainless steel tank model CRVZS-20 (ground floor, WCS labspace) ;	10,00
8	1	power and control verification box description: (ground floor, WCS labspace) ;	10,00
9	1	microscope brand: Bresser; type: Biorit ICD CS; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10,00
10	2	cable strain tools description: with case (ground floor, WCS labspace) ;	10,00
11	3	lq tools brand: Smc; type: LQ-GJ; description: with belongings and case (ground floor, WCS labspace) ;	10,00
12	1	soldering station brand: Weller; type: WSD 81i; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10,00
13	1	workbench vise brand: Heuer; type: Front 100; description: (ground floor, WCS labspace) ;	10,00
14	1	adhesive dispenser brand: Nordson; type: EFD LLC; description: with foot pedal (ground floor, WCS labspace) ;	10,00
15	1	soldering station brand: Weller; type: WSD 81i; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10,00
16	1	dc power supply brand: Tenma; type: 72-10480; description: (ground floor, WCS labspace) ;	10,00
17	2	laboratory tables description: with chair and monitor (ground floor, WCS labspace) ;	10,00
18	4	measuring tools brand: Mitutoyo ; description: with stands (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
19	6	positioning tools description: with 12 Mitutoyo digital gauges (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
20	2	positioning tools description: with 2 Mitutoyo digital gauges (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
21	1	digital scale brand: Kern; type: FCB 8K0.1; description: cap. 8kg; d=0.1g (ground floor, WCS labspace) ;	10,00
22	3	mounting frames description: aluminium (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
23	4	wafer cassettes description: (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
24	1	seal unit brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, CR 1) ;	10,00
25	1	laboratory press brand: HBM; description: cap 10T; hand hydraulic; between the columns 33cm; total height 106cm; (ground floor, WCS labspace) ;	10,00
26	1	lot of cases description: plastic and aluminium; (ground floor, WCS labspace) ;	10,00
27	1	vacuum test unit description: with various belongings on table; (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
28	3	laboratory tables description: with chairs and steel cabinet (ground floor, WCS labspace) ;	10,00
29	1	tool drawer cabinet total dimension L: 710 mm; total dimension W: 725 mm; total dimension H: 1255 mm; description: with 9 drawers; content included a.o connectors; glue dispenser parts etc. (ground floor, WCS labspace) ;	100,00
30	1	laboratory refrigerator brand: Severin; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 460 mm; total dimension H: 500 mm; description: content included; a.o Loctite glues and sealant (ground floor, WCS labspace) ;	10,00
31	1	fastener description: in 6 drawer boxes ; stainless steel fasteners in various sorts and sizes; (ground floor, WCS labspace) ;	10,00
32	1	lot of spares and machine belongings description: in plastic boxes ; racking not included (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
33	1	lot of chrome steel racking description: 6 sections; size each section 1200x600x1900mm; content not included (ground floor, WCS labspace) (collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	100,00
34	1	locker cabinet total dimension L: 1320 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; no keys (ground floor, WCS labspace) ;	10,00
35	1	cabinet total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 1980 mm; description: with various content; 1 aluminium stand ; (pump room);	10,00
36	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139466609; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
37	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159453310; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
38	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169463082; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
39	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2012; serial number: 129407754; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
40	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149556686; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
41	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159453311; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
42	1	vacuum Pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139469916; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100,00
43	1	locker cabinet total dimension L: 1329 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; shoe rack and various (ground floor, hall);	10,00
44	1	clamping process test set-up description: with wafer clamping vacuum chamber; wafer clamping station; vacuum chamber with Pfeiffer model TMH 400M P H; Jenoptik variocam HD head; 2 WCS modular facilities and control units; built-on control boxes and Genmark WLS robot controller; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
45	1	clamping process test set-up description: with 2 wafer clamping vacuum stations; WLS-WHS station; Jenoptik variocam HD head; built-on control box and Genmark WLS robot controller; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
46	1	wcts build sheet set-up description: with Pfeiffer vacuum unit model TMH400M P H; control unit TCM1601; built-on control box and Canon digital camera; mounted on aluminium frame; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
47	1	clampix test set-up total dimension L: 980 mm; total dimension W: 810 mm; total dimension H: 900 mm; description: with built-on sensors and Canon digital camera; 2 tables and 2 chairs(ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
48	1	foto box total dimension L: 800 mm; total dimension W: 810 mm; total dimension H: 900 mm; description: with light; (ground floor, clamping clean room) ;	10,00
49	1	lot of wafer cassettes description: partially with content; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
50	1	shaker brand: Dragonlab; type: MS-H-Pro+; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10,00
51	1	power supply brand: Delta Elektronika; type: ES 030-10; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10,00
52	1	ethernet multimeter brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10,00
53	1	vacuum Pump brand: Vacuubrand; type: ME 2 NT; year: 2016; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
54	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard ecp; air circulation: 900 m³/hr; class: H14; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; description: (ground floor, clamping clean room) ;	100,00
55	1	cabinet description: 2-doors and 1 tool cabinet; (ground floor, clamping clean room) ;	10,00
56	1	lot of wafer tables description: in and with sliding door cabinet; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
57	1	lot of wafer tools description: verification tools and various in plastic containers; racking not included; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
58	1	lot of chrome steel racking description: 2 sections; size each section 1200x600x1900mm; content not included (ground floor, CR 1)(collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	10,00
59	1	chemical storage cabinet total dimension L: 540 mm; total dimension W: 540 mm; total dimension H: 1000 mm; description: with various content: glue etc. (ground floor, CR 1) ;	10,00
60	1	vacuum Pump brand: Vacuubrand; type: ME 2 NT; year: 2015; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10,00
61	1	digital scale brand: Kern; type: PCB; description: cap. max 100g; d=0.001g; (ground floor, CR 1) ;	10,00
62	1	surface table brand: Mytri; granite: yes; table size L: 400 mm; table size W: 400 mm; description: thickness 65mm; 2 corners damaged; (ground floor, CR 1) ;	10,00
63	1	seal unit brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, CR 1) ;	10,00
64	4	tables description: with 4 desk chairs; (ground floor, CR 1) ;	10,00
65	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard eco 1.8; year: 2015; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (ground floor, clamping clean room) ;	100,00
66	1	laminair Flow Cabinet brand: Interflow; type: Crossflow; year: 2006; electric connection: 230 V; total dimension L: 2470 mm; total dimension W: 790 mm; total dimension H: 2080 mm; description: 1480W; (ground floor, CR 1) ;	100,00
67	1	lot of wafer tools description: assembly tools; wafer table and flip tools; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
68	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard eco 1.8; year: 2015; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (ground floor, clamping clean room) ;	100,00
69	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard eco 1.8/95; year: 2016; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; description: (ground floor, CR 1) ;	100,00
70	1	vacuum Pump brand: Vacuubrand; type: ME 2 NT; year: 2016; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
71	1	vacuum Pump brand: Vacuubrand; type: ME 2 NT; year: 2018; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10,00
72	1	adhesive dispencer brand: Nordson; type: EFD LLC; description: (ground floor, CR 1) ;	10,00
73	1	adhesive dispencer brand: Nordson; type: EFD LLC; description: with foot pedal; (ground floor, CR 1) ;	10,00
74	1	adhesive dispencer brand: Nordson; type: EFD LLC; description: with foot pedal; (ground floor, CR 1) ;	10,00
75	1	ethernet multimeter brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, CR 1) ;	10,00
76	1	power supply brand: Delta Elektronika; type: ES 030-10; electric connection: 230 V; description: (ground floor, CR 1) ;	10,00
77	1	vacuum Pump brand: Pfeiffer; type: MVP 055-3; year: 2008; electric connection: 230 V; description: (ground floor, CR 1) ;	10,00
78	1	locker cabinet total dimension L: 1320 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; no keys; (ground floor, CR 1) ;	10,00
79	1	lot of wafer tools description: stands,, cassettes etc. (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
80	19	monitors brand: HP; description: in various sorts and sizes; (ground floor, Susf) ;	10,00
81	18	monitors brand: Samsung; description: in various sorts and sizes; (ground floor, Susf) ;	10,00
82	4	monitors brand: Dell; description: in various sorts and sizes; (ground floor, Susf) ;	10,00
83	1	lot of keyboards description: mouses and cables; (ground floor, Susf) ;	10,00
84	1	tool trolley brand: Garant; type: 91 6330-6; number of drawers: 6; with content: yes; total dimension L: 1110 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100,00
85	1	tool trolley brand: Garant; type: 91 6310-6; number of drawers: 6; with content: no; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	10,00
86	1	tool trolley number of drawers: 6; with content: yes; total dimension L: 560 mm; total dimension W: 510 mm; total dimension H: 1050 mm; description: (ground floor, Susf) ;	10,00
87	1	tool trolley brand: Garant; type: 91 6320-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100,00
88	1	tool trolley brand: Garant; type: 91 6310-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100,00
89	1	tool trolley brand: Garant; type: 91 6310-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
90	4	tool Boxes plastic: yes; metal: yes; with content: yes; description: (ground floor, Susf) ;	10,00
91	3	calipers brand: Mitutoyo ; type: Absolute; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: (ground floor, Susf) ;	10,00
92	5	torque wrenches brand: Wiha/Holex; torque range till: 20 Nm; description: (ground floor, Susf) ;	10,00
93	7	torque wrenches brand: Garant; torque range till: 60 Nm; description: (ground floor, Susf) ;	10,00
94	3	socket Wrench Sets brand: Garant; drive : 1/4 " ; with case: yes; description: (ground floor, Susf) ;	10,00
95	6	torque wrenches torque range till: 3 Nm; description: (ground floor, Susf) ;	10,00
96	1	lot of pliers description: (ground floor, Susf) ;	10,00
97	4	hot air guns brand: Steinel; electric connection: 230 V; description: (ground floor, Susf) ;	10,00
98	7	clamps brand: Bessey/Sencys; description: (ground floor, Susf) ;	10,00
99	1	lot of marking tools description: (ground floor, Susf) ;	10,00
100	1	multitool brand: Dremel; type: 4000; electric connection: 230 V; with case: yes; description: (ground floor, Susf) ;	10,00
101	1	laboratory press brand: HBM; description: cap 10T; hand hydraulic; between the columns 33cm; total height 106cm; (ground floor, Susf) ;	10,00
102	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 89E0001; year: 2016; stainless steel: yes; electric connection: 230 V; own weight: 45 kg; total dimension W: 335 mm; total dimension H: 380 mm; description: 36.500rpm; (ground floor, Susf) ;	1.000,00
103	3	vices brand: Bernstein; description: (ground floor, Susf) ;	10,00
104	1	lot of pliers description: (ground floor, Susf) ;	10,00
105	1	verification box description: (ground floor, Susf) ;	10,00
106	1	workbench total dimension L: 1900 mm; total dimension W: 740 mm; total dimension H: 850 mm; description: with stand and drawers with content; including partition and chair(ground floor, Susf) ;	10,00
107	2	soldering stations brand: Weller; type: WSL/Pu81; electric connection: 230 V; description: (ground floor, Susf) ;	10,00
108	1	digital storage oscilloscope brand: Tektronix; type: TDS 2014B; electric connection: 230 V; description: (ground floor, Susf) ;	10,00
109	3	power supplys brand: Delta Elektronika; type: ES 030-5/ ES 075-2/ ES 0300-0.45; electric connection: 230 V; description: (ground floor, Susf) ;	10,00
110	1	digital multimeter brand: Agilent; type: 34410A; electric connection: 230 V; description: (ground floor, Susf) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
111	1	dc power supply brand: HQ power; type: PS1503SB; electric connection: 230 V; description: (ground floor, Susf) ;	10,00
112	1	stock description: cables; fasteners and various with racking; (ground floor, Susf) ;	10,00
113	1	lot of aluminium parts description: in various forms and sizes; (ground floor, Susf) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10,00
114	1	locker cabinet description: with plastic bench ; and partition wall; (ground floor, hallway) ;	10,00
115	1	lot of stools description: (ground floor, Susf) ;	10,00
116	1	stainless steel cabinet total dimension L: 1060 mm; total dimension W: 760 mm; total dimension H: 980 mm; description: (ground floor, Susf hallway);	10,00
117	1	cooling unit electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, hallway);	1.000,00
118	1	cooling unit electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, WS.1) ;	1.000,00
119	1	cooling unit electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, WS.1) ;	1.000,00
120	1	steel cabinet total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 3120 mm; description: with flow regulators and top mounted tank; (ground floor, WS.1) ;	100,00
121	1	aluminium frame description: and various with plastic crate; (ground floor, WS.1) ;	10,00
122	1	vacuum cleaner brand: Kärcher; type: NT 27/1; electric connection: 230 V; description: and 1 Tristar ditto; (ground floor, WS.1) ;	10,00
123	1	lot of parts description: and various with chrome steel rack; (ground floor, WS.1) ;	10,00
124	1	workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: with vice and tool-cabinet; (ground floor, WS.1) on stand with various content;	10,00
125	1	digital scale brand: Kern; type: PCB; description: cap. max 1000g; d=0.01g; (ground floor, WS.1) ;	10,00
126	1	gauge set brand: Mitutoyo ; digital: yes; measuring range from: 0 mm; measuring range till: 50 mm; with case: yes;	10,00
127	1	lot of measuring tools description: (ground floor, WS.1) ;	10,00
128	2	infrared thermometers description: (ground floor, WS.1) ;	10,00
129	1	lot of pliers description: (ground floor, WS.1) ;	10,00
130	3	socket Wrench Sets brand: Hoxlex; drive : 1/4+1/2 " ; with case: yes; description: (ground floor, WS.1) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
131	1	lot of measuring tools description: (ground floor, WS.1) ;	10,00
132	1	torque wrench brand: Garant; torque range till: 25 Nm; description: with various inserts; (ground floor, WS.1) ;	10,00
133	1	plier brand: Cimco; type: 10 1888; description: (ground floor, WS.1) ;	10,00
134	1	torque screwdriver brand: Wiha; type: Vario-s; torque range till: 5 Nm; description: (ground floor, WS.1) ;	10,00
135	1	fastener description: in 3 plastic boxes ; stainless steel; (ground floor, WS.1) ;	10,00
136	1	particle counter brand: Lighthouse; type: Handheld 3016; description: in transport-case; (ground floor, WS.1);	10,00
137	1	cordless Tool brand: Bosch; type: GSR 10.8-2-li; voltage: 10,8 V; number of batteries: 1; battery charger: yes; screw machine: yes; description: (ground floor, WS.1) ;	10,00
138	1	lot of drill sets description: thread cutting set; and socketset(incomplete); (ground floor, WS.1) ;	10,00
139	1	multi tool brand: Dremel; type: 3000; electric connection: 230 V; with case: yes; description: (ground floor, WS.1) ;	10,00
140	1	cordless Tool brand: AEG; type: SE 3.6; voltage: 3,6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: (ground floor, WS.1) ;	10,00
141	1	cordless tool brand: AEG; type: AS12C2; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: no; description: (ground floor, WS.1) ;	10,00
142	1	ethernet multimeter brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, WS.1) ;	10,00
143	1	vacuum Pump brand: Pfeiffer; type: MVP 055-3; year: 2005; electric connection: 230 V; description: (ground floor, WS.1) ;	10,00
144	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (ground floor, WS.1) ;	100,00
145	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (ground floor, WS.1) ;	100,00
146	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (ground floor, WS.1) ;	100,00
147	4	tool Boxes brand: Parat; plastic: yes; description: (ground floor, WS.1) ;	10,00
148	1	lot of tools description: in 5 boxes; (ground floor, WS.1) ;	10,00
149	1	cut off machine brand: Hitachi; type: CC 14 SF; year: 2016; disc diameter: 355 mm; power: 2000 W; electric connection: 230 V; description: (ground floor, WS.1) ;	10,00
150	1	multi layer cable rack total dimension L: 990 mm; total dimension W: 340 mm; total dimension H: 2110 mm; description: mobile; with various cables (ground floor, WS.1) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
151	1	trolley total dimension L: 1050 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: with top mounted Swagelock press unit; (ground floor, WS.1) ;	10,00
152	1	stock description: various in 2 plastic crates; (ground floor, WS.1) ;	10,00
153	2	digital multimeter brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10,00
154	1	digital multimeter brand: Benning; type: MM 1-3; description: (ground floor, hallway) ;	10,00
155	2	digital multimeter brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10,00
156	1	digital multimeter brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10,00
157	3	digital multimeters brand: Tenma; type: 72-7770; description: (ground floor, hallway) ;	10,00
158	1	digital multimeter brand: Fluke ; type: 112; description: (ground floor, hallway) ;	10,00
159	1	digital multimeter brand: Fluke ; type: 112; description: (ground floor, hallway) ;	10,00
160	1	digital multimeter brand: Fluke ; type: 115; description: (ground floor, hallway) ;	10,00
161	1	digital multimeter brand: Voltcraft; type: M4660M; description: (ground floor, hallway) ;	10,00
162	1	digital multimeter brand: Voltcraft; type: M4660A; description: (ground floor, hallway) ;	10,00
163	1	digital multimeter brand: Filetto; type: MT220; description: (ground floor, hallway) ;	10,00
164	1	digital mill-ohmmeter brand: Rhopoint; type: M210; description: (ground floor, hallway) ;	10,00
165	1	wall scanner brand: Bosch; type: GMS120; description: (ground floor, hallway) ;	10,00
166	1	digital meterset brand: Extech; description: (ground floor, hallway) ;	10,00
167	1	digital infra red camera brand: Raycam; type: C.a. 1886; description: with belongings in transportcase (ground floor, hallway) ;	10,00
168	1	digital camera brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10,00
169	1	digital camera brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10,00
170	1	digital camera brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10,00
171	1	digital camera brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10,00
172	1	digital camera brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
173	2	digital cameras brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery; charger not included; and various ; (ground floor, hallway) ;	10,00
174	1	tripod brand: Hama; description: (ground floor, hallway) ;	10,00
175	1	lifting chain description: length approx. 400mm; in case; (ground floor, hallway) ;	10,00
176	1	lot of labelwriters description: and a laminator; (ground floor, hallway) ;	10,00
177	1	seal unit brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, hallway) ;	10,00
178	1	flatscreen tv brand: Samsung ; screen size: 42 "; remote control: yes; description: wall mounted; (ground floor, hallway) ;	10,00
179	1	bench total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 1890 mm; description: with coat hanger; (ground floor, hallway) ;	10,00
180	1	chemical storage cabinet total dimension L: 920 mm; total dimension W: 420 mm; total dimension H: 1960 mm; description: with various content: (ground floor, hallway) ;	10,00
181	1	table and chairs description: and 1 desk with chair; (ground floor, hallway) ;	10,00
182	1	stacker brand: Ameise; type: SDJ1025; year: 2012; lifting capacity: 1000 kg; fork length: 1090 mm; lifting height: 2500 mm; own weight: 284 kg; description: (ground floor, hallway) ;	100,00
183	1	stacker brand: Climax; year: 2016; lifting capacity: 800 kg; fork length: 1150 mm; lifting height: 1100 mm; description: (ground floor, hallway) ;	100,00
184	1	laboratory elephant brand: Schefer; type: 2051510WKP/f500pks; year: 2017; hoist capacity: 500 kg; own weight: 130 kg; description: with foldable legs; (ground floor, hallway) ;	100,00
185	1	laboratory elephant hoist capacity: 1000 kg; description: with foldable legs; (2nd floor, cleanroom) ;	100,00
186	1	hydraulic Hand Pallet Truck brand: Ekwo; lifting capacity: 2500 kg; fork length: 1150 mm; description: (ground floor, hallway) ;	10,00
187	1	hydraulic Hand Pallet Truck brand: BT ; type: BTL2000; lifting capacity: 2000 kg; fork length: 1000 mm; description: (ground floor, hallway) ;	10,00
188	1	vacuum cleaner brand: Kärcher; type: NT27/1; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: (ground floor, hallway);	10,00
189	1	vacuum cleaner brand: Safe-t-vac; electric connection: 230 V; description: (ground floor, hallway) ;	10,00
190	1	flatscreen tv brand: Samsung ; screen size: 32 "; remote control: yes; description: wall mounted; (ground floor, hallway) ;	10,00
191	1	office furniture description: content of 1 room; (ground floor) ;	10,00
192	1	stock description: various plastic crates; and racks with content (ground floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
193	1	lot of vacuum equipment description: a.o: Pfeiffer; in 4 plastic boxes; (ground floor) ;	10,00
194	1	office furniture description: content of 1 room; (ground floor) ;	10,00
195	1	office furniture description: content of 1 room; (ground floor) ;	10,00
196	1	office furniture description: content of 1 room; (ground floor) ;	10,00
197	1	stock description: various plastic crates; and racks with content (ground floor);	100,00
198	1	office furniture description: content of 1 room; (ground floor) ;	10,00
199	1	office furniture description: content of 1 room; (ground floor) ;	10,00
200	1	lot of heavy duty transportcases description: in various sizes; without content; (ground floor) ;	10,00
201	1	conference Table dimension L: 2200 cm; dimension W: 1140 cm; dimension H: 750 cm; description: with 7 chairs; (ground floor) ;	10,00
202	1	whiteboard total dimension L: 1500 mm; total dimension W: 670 mm; total dimension H: 1950 mm; description: (ground floor) ;	10,00
203	1	monitors and Television brand: Samsung; type: UE43MU6100; screen size: 43 "; USB port(s): yes; description: with remote control; (ground floor) ;	10,00
204	1	cleaning equipment description: with Numatic vacuum cleaner and various; (ground floor) ;	10,00
205	1	lot of mobile bins description: (ground floor) ;	10,00
206	1	foil roll holder total dimension L: 1340 mm; total dimension W: 800 mm; total dimension H: 1660 mm; description: with cutting system; (ground floor, storage room) ;	10,00
207	1	rack mount laser unit brand: Metrology Electronics; description: with flightcase dim.approx.1300x890x580; (ground floor, storage room) ;	100,00
208	1	rack mount laser unit brand: Metrology Electronics; description: with flightcase dim.approx.1300x890x580; (ground floor, storage room) ;	100,00
209	1	wafer clamping station brand: Hitech; description: in wooden transport case dimensions approx 1050x810x750mm; (ground floor, storage room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
210	1	flightcase total dimension L: 1300 mm; total dimension W: 880 mm; total dimension H: 600 mm; description: (ground floor, storage room) ;	10,00
211	1	flightcase total dimension L: 880 mm; total dimension W: 710 mm; total dimension H: 750 mm; description: (ground floor, storage room) ;	10,00
212	1	flightcase total dimension L: 880 mm; total dimension W: 710 mm; total dimension H: 750 mm; description: (ground floor, storage room) ;	10,00
213	1	2-door cabinet total dimension L: 1200 mm; total dimension W: 420 mm; total dimension H: 1950 mm; description: with various content; (ground floor, storage room) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
214	1	lot of plastic boxes description: with content and chrome steel racking; (ground floor, storage room) ;	10,00
215	7	plastic boxes total dimension L: 600 mm; total dimension W: 380 mm; total dimension H: 360 mm; description: (ground floor, storage room) ;	10,00
216	2	trolleys total dimension L: 900 mm; total dimension W: 600 mm; description: (ground floor, storage room) ;	10,00
© 217	1	stainless steel vacuum tank total dimension L: 1400 mm; total dimension H: 2150 mm; description: with Alcatel magnetically levitated turbo pump model ATH 1600; tank dimensions approx ø 900x1000mm; (1st floor, room 1.14) ;	1.000,00
© 218	1	purifix 19" test rack serial number: 1110; description: with Purifix Safety interlock unit; Micri ion controller; Alcarell controller ACT 1600M Ht; Purifix electronics box; Keithley picoameter; and Inficon rate/thickness meter model SQM-160; (1st floor, room 1.14) ;	100,00
© 219	1	recirculating chiller brand: ThermoScientific; type: Thermoflex 1400; serial number: 111052039; description: (1st floor, room 1.14) ;	100,00
© 220	1	rackmounted valve set-up total dimension L: 1100 mm; total dimension W: 430 mm; total dimension H: 1750 mm; description: with Krohne meters and MKS mass-flo controller; (1st floor, room 1.14) ;	100,00
combinatie a			
221	1	nognix test set-up total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: with MKS microvision ip unit; Pfeiffer vacuum controller DCU; and Granville-Phillips Micro ion controller; (1st floor, room 1.14) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
© 222	1	toetatis test set-up total dimension L: 1400 mm; total dimension W: 950 mm; total dimension H: 1320 mm; description: with Pfeiffer vacuum unit model TMU 521 P; on aluminium frame; (1st floor, room 1.14) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
© 223	1	Toetatis 19" test rack serial number: 1110; description: with Seren radio frequency power supply model R601; Pfeiffer control unit DCU,, Inficon rate/thickness tester SQM 160 and Delta elektronika power supply;(1st floor, room 1.14) du;	100,00
combinatie b			
224	1	19" rack power unit brand: Seren; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 440 mm; total dimension H: 135 mm; description: (1st floor, room 1.14) ;	10,00
225	1	lot furniture description: 5 tables; 3 chairs; 2 drawer cabinets and 2 chrome steel racks; (1st floor, room 1.14) ;	10,00
226	1	pillar jib crane brand: Mitari; hoist capacity: 250 kg; max. hoist height: 3000 m; arm length: 1500 mm; total dimension H: 3370 mm; description: with electric chain-hoist; (1st floor, room 1.14) (collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	100,00
227	1	shelve racking dismantable: yes; section dim. L: 1290 mm; section dim. W: 600 mm; section dim. H: 2520 mm; number of uprights: 2; number of shelves: 12; description: (1st floor, hallway) ;	10,00
228	1	water Treatment unit brand: BWT; type: Aqa perla; electric connection: 230 V; description: with pump unit; piping and drip-tray not included; (1st floor, hallway);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
229	1	homeopatix test set-up description: with Microvision ip unit; Seren power unit model AT6M; Pfeiffer vacuum unit model TMU 071 P, TMu200M P, TMU 262; mounted in aluminium frame on 4 Newport Lablegs; (1st floor, room 1.13) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
230	1	19" rack set-up description: with Granville-Phillips micro ion controller; power supply; Kimball Physics inc electron gun power supply; 4 Pfeiffer control units; (1st floor, room 1.13);	100,00
231	1	19" rack set-up description: with BK triple output programmable DC power supply 9130B; and monitor; (1st floor, room 1.13) ;	10,00
232	1	water Bath brand: Julabo; type: F33; power: 2700 W; digital display: yes; electric connection: 230 V; description: (1st floor, room 1.13) ;	10,00
233	5	desks description: incl. 5 chairs; Note! 3rd floor;	10,00
234	1	air handling unit brand: Salda; type: SmartAir 4-KR SW50 N; year: 2016; serial number: GU299823; heat recovery: no; description: consisting of: (5x) modular units; digital temperature meter; digital humidity meter; pascal meter with "Humisteam" unit ; type Xplus and central switch cabinet; until first valve; dim. approx. 5500x1400x1000/1740 mm (Note! 2nd floor);	1.000,00
241	1	air compressor brand: Werther; type: SA50/9; year: 2018; capacity: 8 bar; electric connection: 230 V; description: 43dB/A; (1st floor, room 1.13) ;	10,00
242	1	vacuum Pump brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: (1st floor, room 1.13) ;	100,00
243	1	vacuum Pump brand: Pfeiffer; type: MVP 055-3; year: 2007; electric connection: 230 V; description: (1st floor, room 1.13) ;	10,00
244	1	vacuum Pump brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: (1st floor, room 1.13) ;	100,00
245	1	vacuum Pump brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: (1st floor, room 1.13) ;	100,00
246	1	vacuum Pump brand: Pfeiffer; type: MVP 055-3; year: 2006; electric connection: 230 V; description: (1st floor, room 1.13) ;	10,00
247	1	dc power supply brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; (1st floor, room 1.13) ;	10,00
248	1	dc power supply brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; (1st floor, room 1.13) ;	10,00
249	1	dc power supply brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; (1st floor, room 1.13) ;	10,00
250	1	dc power supply brand: TTI; type: EL302RD; electric connection: 230 V; description: dual; (1st floor, room 1.13) ;	10,00
251	1	ionizing air blower brand: Dr.Schneider pc; type: SL-001; electric connection: 230 V; description: (1st floor, room 1.13) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
252	1	laboratory Furniture description: chrome steel rack with various content; (1st floor, room 1.13) ;	10,00
253	1	laboratory Furniture description: 2 tables; 2 ESD chairs; (1st floor, room 1.13) ;	10,00
254	1	microscope brand: NN; description: with built in lamp; (1st floor, room 1.18) ;	10,00
255	1	tool drawer cabinet brand: Eurokraft; total dimension L: 560 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: with 5 drawers and content; (1st floor, room 1.18) ;	10,00
256	1	laboratory Furniture description: 2 tables; 2 chairs; 2 chrome steel racks with various content; (1st floor, room 1.18) ;	10,00
257	1	office furniture description: 2 tables; 1 chrome steel rack; 1 bin and 1 clothes hanger; (1st floor, hallway);	10,00
258	1	photo box set-up total dimension L: 660 mm; total dimension W: 660 mm; total dimension H: 670 mm; description: (1st floor, room 1.12b) ;	10,00
259	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard eco 1.8; year: 2017; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (1st floor, room 1.12b) ;	100,00
260	1	wafer test set-up description: with controller rack; (1st floor, room 1.12b) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
261	1	chemical storage cabinet brand: Hiltru; type: Labsaver LS320; year: 2013; total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 630 mm; description: without content; (1st floor, room 1.12b) ;	10,00
262	1	fume cupboard electric connection: 230 V; total dimension L: 1370 mm; total dimension W: 800 mm; total dimension H: 1600 mm; description: with lights and power connectors; (1st floor, room 1.12b) ;	100,00
263	1	ultra sonic cleaner brand: Branson; type: 2510; description: with belongings; (1st floor, room 1.12b) ;	10,00
264	1	hyper test set-up description: on Newport IG breadboard table size 900x900mm; 4 Newport Lablegs height 700mm; 1 Vacuubrand vacuum pump and mobile datarack with content; (1st floor, room 1.12b) ;	100,00
265	1	laboratory Furniture description: 4 tables; 2 chairs; 2 chrome steel racks with content; (1st floor, room 1.12b) ;	10,00
266	1	weight test set-up description: with Kern digital weighing device; max 15kg; d=20g; (1st floor, room 1.12b) ;	10,00
267	1	stock description: machine parts; electronic equipment plastic boxes and various with racking; (1st floor, room 1.10) ;	100,00
268	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (1st floor, room 1.12A) ;	100,00
269	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (1st floor, room 1.12A) ;	100,00
270	1	workshop Furniture total dimension L: 2000 mm; total dimension W: 850 mm; total dimension H: 1300 mm; description: work bench with stand; drawers and vice; (1st floor, room 1.12A) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
271	1	laboratory Workbench total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp; and drawers with content; (1st floor, room 1.10) ;	10,00
272	1	soldering pump brand: CIF; type: 852A++; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
273	1	soldering station brand: Weller; type: PU81; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
274	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.10) ;	10,00
275	1	laboratory Workbench total dimension L: 2000 mm; total dimension W: 760 mm; total dimension H: 880 mm; description: with lamp; side stands vice and drawers with content; (1st floor, room 1.10) ;	10,00
276	1	soldering station brand: JBC; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
277	1	fume suction device brand: Nederman; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.10) ;	10,00
278	1	computer monitor brand: Samsung; screen size: 24 "; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
279	1	laboratory Workbench total dimension L: 1500 mm; total dimension W: 760 mm; total dimension H: 860 mm; description: with lamp; vice and drawers with content; (1st floor, room 1.10) ;	10,00
280	1	fume suction device brand: Nederman; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.10) ;	10,00
281	1	soldering station brand: Weller; type: WXA2; electric connection: 230 V; description: with pump and belongings(1st floor, room 1.10) ;	10,00
282	1	digital storage oscilloscope brand: Keysight; type: DSOX2004A; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
283	1	microscope brand: Photonic; type: PI3000; description: (1st floor, room 1.10) ;	10,00
284	1	dc power supply brand: Tenma; type: 72-2640; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
285	1	laboratory pump brand: KNF Lab; type: PM19627-86; electric connection: 230 V; description: (1st floor, room 1.10) ;	10,00
286	1	lot of pliers description: (1st floor, room 1.10) ;	10,00
287	1	lot of spares description: and various with 2 chrome steel racks; (1st floor, room 1.10) ;	10,00
288	1	aluminium frame total dimension L: 815 mm; total dimension W: 1200 mm; total dimension H: 720 mm; description: (1st floor, room 1.10) ;	10,00
289	1	tool drawer cabinet brand: Eurokraft; total dimension L: 560 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: 5 drawers; with content; (1st floor, room 1.10) ;	10,00
290	1	tool cabinet total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: with various content; (1st floor, room 1.10) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
291	1	19" test rack total dimension L: 590 mm; total dimension W: 775 mm; total dimension H: 2080 mm; description: with Agilent gauge controller; supply units; and 2 Heinziger control units model PNC 6000-300 neg and PNChp 30000-20 pos; (1st floor, room 1.10) ;	100,00
292	1	locker cabinet description: with keys and chrome steel rack; (1st floor, room 1.10) ;	10,00
293	3	trolleys brand: Manutan; description: with plastic boxes; (1st floor, room 1.10) ;	10,00
294	4	laboratory chairs description: (1st floor, room 1.10) ;	10,00
295	1	tool drawer cabinet brand: Garant ; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 13 drawers; with content; (1st floor, room 1.10) ;	100,00
296	1	stock description: lot of parts and various in plastic boxes and with 2 shelf racks and table; (1st floor, room 1.10);	100,00
297	2	multi layer cable racks description: with various cables (1st floor, room 1.10) ;	10,00
298	1	Illumination verification set-up year: 2014; description: with automated discharge creation box; simulator and termination boxes; 20Kv Dummy; and various in rack; (1st floor, room 1.09) ;	100,00
299	1	Illumination verification set-up year: 2014; description: with simulator and termination boxes; 20Kv Dummy; and various in rack; (1st floor, room 1.09) ;	100,00
300	1	pth verification set-up year: 2014; description: with power supply and control unit; Agilent digital multimeter 34410A in rack; (1st floor, room 1.09) ;	100,00
301	1	bms sw verification set-up year: 2016; description: with various content in rack; (1st floor, room 1.09) ;	10,00
302	1	meterix set-up description: with power supply; wafevorm generator; 2 multimeters and various drivers in rack; (1st floor, room 1.09) ;	100,00
303	1	shelve rack total dimension L: 1290 mm; total dimension W: 600 mm; total dimension H: 2520 mm; description: with various content; and table and chair (1st floor, room 1.09) ;	10,00
304	1	high voltage wiring verification setup type: Blixem; year: 2018; description: c.o: stainless steel vacuum tank ø670mm with Pfeiffer vacuum unit and Denver vacuum pump; built-on stainless steel chamber dimensions approx 1330x510x360mm and control rack with 6 dc power supplys; Heinziger unit PNChp 20000-3 pos; Pfeiffer control unit; (1st floor, room 1.08) ;	100,00
305	1	air compressor brand: HBM; type: 50; year: 2017; mobile: yes; capacity: 8 bar; air flow: 300 l/min; buffer tank content: 50 l; electric connection: 230 V; own weight: 45 kg; description: low noise; (1st floor, room 1.08) ;	10,00
306	1	wire setup table total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: (1st floor, room 1.08) ;	10,00
307	1	wire setup table total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: (1st floor, room 1.08) ;	10,00
308	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.08) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
309	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.08) ;	10,00
310	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (1st floor, room 1.08) ;	100,00
311	1	lot of parts description: and various; (1st floor, room 1.08) ;	10,00
312	1	digital scale brand: Kern; type: PCB; description: cap. max 350g; d=0.001g; (1st floor, room 1.08) ;	10,00
313	1	soldering station brand: Weller; type: PU81; electric connection: 230 V; description: (1st floor, room 1.08) ;	10,00
314	1	digital storage oscilloscope brand: Tektronix; type: TDS 2014B; electric connection: 230 V; description: (1st floor, room 1.08) ;	10,00
315	1	tool cabinet total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: 1 2 door cabinet with various content; 1 2-door locker cabinet and 1 chrome steel rack with bench and bin; (1st floor, room 1.08) ;	10,00
316	1	lot of office furniture description: (1st floor, room 1.07);	10,00
317	1	lot of office furniture description: (1st floor, room 1.06);	10,00
318	1	lot of office furniture description: (1st floor, room 1.04);	10,00
319	1	lot of office furniture description: (1st floor, room 1.03)(monitors not included);	10,00
320	1	lot of monitors description: in various sizes and brands; (1st floor, room 1.03) ;	10,00
321	1	lot of office furniture description: (1st floor, room 1.02);	10,00
322	1	table description: height adjustable; 7 chairs and 1 mirror; (1st floor, room 1.01);	10,00
323	1	flatscreen television brand: Samsung; type: UE48J5200AWXXN; screen size: 48 "; description: wall mounted; no remote control; (1st floor, room 1.01);	10,00
324	1	lot of packaging materials description: and 1 rack; (1st floor, room 1.21);	10,00
325	1	water Bath brand: Julaba; type: FP51; electric connection: 400 V; description: (1st floor, room 1.20);	10,00
326	1	vacuum unit brand: Pfeiffer ; type: TSU 261; year: 2006; electric connection: 230 V; description: (1st floor, room 1.20);	100,00
327	1	lot of equipment description: out of 1 room; (1st floor, room 1.20);	10,00
328	1	furniture description: tools; and various out of 1 room;(1st floor, room 1.19);	10,00
329	3	coffee Machines description: with belongings; (1st floor, hallway);	10,00
330	7	desk Chairs brand: Ahrend; padded: yes; description: (1 chair misses 1 wheel); (1st floor, hallway);	10,00
332	1	locker cabinets description: coat-hangers; chrome steel baskets; bench; 4 tables and various ; (2nd floor, cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
333	2	seal units description: (2nd floor, cleanroom) ;	10,00
334	1	alignment setup type: Archimedes; description: with Fiber lite high intensity LED illuminator; built in electronics box on Thorlabs laboratory table and aluminium frame; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
335	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100,00
336	1	Measurement setup type: Prolix; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 625 mm; description: with Edmunds high intensity illuminator; 2 laser units; built on Newport laboratory table and aluminium frame ; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
337	1	reference mirror glueing setup description: with 2 laser beam units; 2 Micro radian digital autocollimator controller; dimensions approx 535x560mm; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
338	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (2nd floor, cleanroom) ;	100,00
339	1	further PCB equipment description: various parts; cases and chrome steel rack; (2nd floor, cleanroom) ;	10,00
340	1	lot of pl s devices description: with chrome steel rack; (2nd floor, cleanroom) ;	10,00
341	6	tables description: in various sizes; (2nd floor, cleanroom) ;	10,00
342	1	lot of assortment boxes brand: Raaco; description: with various content; (2nd floor, cleanroom) ;	10,00
343	1	laboratory table brand: Treston; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: with stand; monitor; lamp; and drawer with content; (2nd floor, cleanroom) ;	10,00
344	1	fiber coupled laser source brand: Thorlabs; description: (2nd floor, cleanroom) ;	10,00
345	1	measuring test unit description: (2nd floor, cleanroom) ;	10,00
346	1	digital scale brand: Kern; type: KB; description: cap. max 361g; d=0.001g;(2nd floor, cleanroom) ;	10,00
347	1	19" rack unit brand: PI; description: with servo controller module and LVPZT Amplifier module; (2nd floor, cleanroom) ;	10,00
348	1	lot of aluminium plate holders description: with chrome steel rack; (2nd floor, cleanroom) ;	10,00
349	1	lot of assortment boxes brand: Raaco; description: with various content; plastic boxes and 3 chrome steel racks (2nd floor, cleanroom) ;	100,00
350	1	laboratory hotplate brand: VWR; type: 7x7 Alu; electric connection: 230 V; description: (2nd floor, cleanroom) ;	10,00
351	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
352	1	leak verification setup type: Heron; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 820 mm; description: mounted on aluminium frame; (2nd floor, cleanroom) ;	100,00
353	1	microscope brand: Leitz; electric connection: 230 V; description: with Leitz VRZ-XY digital read out; Heidenhain controller; Hund wetzlar lightsource; Vermason ionizer; built on Thorlabs laboratory table size 1500x900mm; (2nd floor, cleanroom) ;	100,00
354	1	3D measuring instrument brand: Faro; total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 1500 mm; description: mounted on trolley with granite surface size 910x610x100mm; (2nd floor, cleanroom) ;	100,00
355	1	data rack description: with various content; (2nd floor, cleanroom) ;	10,00
356	1	wire bonding unit brand: Marpet enterprises inc.; electric connection: 230 V; description: with Leica microscope; Uthc power logicon and belongings with table; (2nd floor, cleanroom) ;	100,00
357	1	laminair Flow Cabinet brand: Thermo scientific; type: Hera guard eco 1.8; year: 2010; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (2nd floor, cleanroom) ;	100,00
358	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100,00
359	1	assembly table total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 820 mm; description: (2nd floor, cleanroom) ;	10,00
360	1	lot of assortment boxes brand: Raaco; description: with various content; plastic boxes and 3 chrome steel racks (2nd floor, cleanroom) ;	100,00
361	1	laboratory Oven brand: Despatch; type: LCC1-16NV-3; serial number: 177487; chamber dimension L: 350 mm; chamber dimension W: 350 mm; chamber dimension H: 350 mm; maximum temperature: 260 °c; digital display: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 910 mm; total dimension H: 560 mm;	100,00
362	1	lot of vacuum cabinets description: with content and chrome steel rack ; (2nd floor, cleanroom) ;	100,00
363	4	laboratory chairs description: (2nd floor, cleanroom) ;	10,00
364	2	test units description: (2nd floor, cleanroom) ;	10,00
365	2	seal units description: (2nd floor, cleanroom) ;	10,00
366	1	assortment boxes brand: Raaco; description: with content and rack; (2nd floor, cleanroom) ;	10,00
367	6	laboratory bins description: (2nd floor, cleanroom) ;	10,00
368	1	laboratory table brand: Treston; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 1440 mm; description: with stand; and drawer with content ;	10,00
369	1	laser power meter console brand: Thorlabs ; type: PM100A; description: (2nd floor, cleanroom) ;	10,00
370	1	soldering station brand: Weller; type: PU81; electric connection: 230 V; description: (2nd floor, cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
371	1	labeler brand: Brother; type: Ptouch 18r; description: (2nd floor, cleanroom) ;	10,00
372	2	digital meters description: (2nd floor, cleanroom) ;	10,00
373	1	vacuum gas pump brand: VWR; description: (2nd floor, cleanroom) ;	10,00
374	1	storage cabinet total dimension L: 750 mm; total dimension W: 350 mm; total dimension H: 600 mm; description: with various content; (2nd floor, cleanroom) ;	10,00
375	2	digital scales brand: Kern; type: KB/EMB 200-3; description: (2nd floor, cleanroom) ;	10,00
376	1	lot of meters description: (2nd floor, cleanroom) ;	10,00
377	2	digital multimeters brand: Fluke; type: 112; description: (2nd floor, cleanroom) ;	10,00
378	1	various meters description: (2nd floor, cleanroom) ;	10,00
379	1	fiber camera brand: Exfo; type: Maxtester/FIP 430b; description: (2nd floor, cleanroom) ;	10,00
380	1	laboratory table total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 750 mm; description: with mounted cable eye wire checker; (2nd floor, cleanroom) ;	10,00
381	1	Measurement setup total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 625 mm; description: for wiring; on Thorlabs laboratory table size 900x600x740mm; (2nd floor, cleanroom);	100,00
382	1	pl module lift description: with camera; (2nd floor, cleanroom) ;	100,00
383	1	lot of special tools and holders description: with chrome steel rack ;	100,00
384	1	biological Safety Cabinet brand: Thermo scientific; type: MSC 1.2; year: 2016; serial number: 41988910; electric connection: 230 V; total dimension L: 1300 mm; total dimension W: 760 mm; total dimension H: 2200 mm; description: class II; working volume 1200x465x780mm; (2nd floor, cleanroom) ;	100,00
385	1	chemical storage cabinet brand: Asecos; total dimension L: 600 mm; total dimension W: 620 mm; total dimension H: 1300 mm; description: with various content; (2nd floor, cleanroom) ;	10,00
386	1	adhesive dispenser brand: Nordson; type: EFD LLC; description: with foot pedal and Knf lab pump; (2nd floor, cleanroom) ;	10,00
387	3	laboratory chairs description: (2nd floor, cleanroom) ;	10,00
388	6	laboratory chairs description: (2nd floor, cleanroom) ;	10,00
390	1	vacuum pump brand: Pfeiffer; type: MVP 055-3; year: 2007; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: (2nd floor);	10,00
391	1	fiber coupled laser source brand: Thorlabs; type: S1FC635PM; description: 635 nm; 2,5 mW (2nd floor);	10,00
392	1	illuminator microscope brand: Dicon; type: MSB; electric connection: 12 V; description: 40W;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
393	1	stock description: lot of parts and various in plastic boxes and with 2-section shelf rack; a.o. archimedes parts; spotifix parts; power and ground entry; IBC shields etc. (Note! 2nd floor);	100,00
394	1	pallet rack dismantable: yes; section dim. L: 1340 mm; section dim. W: 1100 mm; section dim. H: 2000 mm; number of uprights: 2; number of cross beams: 6; number of shelves: 3; description: (Note! 2nd floor);	10,00
395	1	Full HD LED TV brand: Samsung ; type: UE48J5200AWXXN; screen size (inch): 48 "; Full HD: yes; remote control: yes; electric connection: 230 V;	10,00
396	1	conference table dimension L: 250 cm; dimension W: 120 cm; description: incl. (9x) various chairs; (2x) desks and whiteboard (excl. hardware) (Note! 2nd floor);	10,00
397	1	lot of office furniture dimension L: 250 cm; dimension W: 120 cm; description: consisting of: (16) desks; (16x) mobile chair; (16x) mobile drawer cabinets; (1x) display cabinet; (1x) sliding door cabinet and whiteboard (excl. hardware) (Note! 2nd floor);	10,00
398	20	various computer monitor description: various models (3rd floor);	10,00
399	1	lot of office furniture dimension L: 250 cm; dimension W: 120 cm; description: consisting of: (4x) desks; (4x) mobile chair; (4x) mobile drawer cabinets and whiteboard (excl. hardware) (Note! 2nd floor);	10,00
400	7	various computer monitor description: various models (3rd floor);	10,00
401	1	PLWPPF verification setup electric connection: 230 V; description: with "ELMA" POS module; "Cableeye" cable & harness tester in rack; incl. "Thorlabs" laser power meter (2nd floor);	100,00
402	1	aluminum verification setup mobile frame total dimension L: 880 mm; total dimension W: 780 mm; total dimension H: 2600 mm; description: dim. approx. incl. various in case (2nd floor);	10,00
403	1	mobile patch cabinet total dimension L: 600 mm; total dimension W: 850 mm; total dimension H: 1300 mm; description: incl. server elements and monitor; Note! 2nd floor;	10,00
404	1	laboratory workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10,00
405	1	laboratory workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10,00
406	1	laboratory workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10,00
407	1	laboratory workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10,00
408	1	locker cabinet number of doors: 3; dimension L: 119 cm; dimension W: 50 cm; dimension H: 180 cm;	10,00
409	1	lot of PCB materials description: a.o. cable sets; connector parts; aluminum foil etc.; incl. sliding door cabinet;	10,00
410	2	office table brand: Manutan; description: incl. bench and rack;	10,00
411	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (2nd floor);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
412	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (2nd floor);	10,00
413	1	lot of fasteners description: in (5x) various cases;	10,00
414	1	foil dispenser brand: Legro; type: Multi-Block; description: incl. sealer (Note! 2nd floor);	10,00
415	2	laboratory chairs description: (Note! 2nd floor);	10,00
416	4	chair description: (Note! 2nd floor);	10,00
417	1	hot air rework station brand: Tenma; type: 2311402; power: 0.5 kW; electric connection: 230 V; description: incl. "Weller" soldering station (Note! 2nd floor);	10,00
418	1	deflector control box electric connection: 230 V; description: (Note! 2nd floor);	10,00
419	1	deflector control box electric connection: 230 V; description: (Note! 2nd floor);	10,00
420	1	deflector control box electric connection: 230 V; description: (Note! 2nd floor);	10,00
421	1	vacuum pump brand: Adixen; type: ACP 15; description: max. press 1013 mBar; 6000 rpm (Note! 2nd floor!);	100,00
422	1	benchtop zero volt ionizer brand: Emit; type: 50670; year: 2018; description: (Note! 2nd floor);	10,00
423	1	benchtop zero volt ionizer brand: Emit; type: 50670; year: 2018; description: (Note! 2nd floor);	10,00
424	1	cable length measuring tool brand: Cimco; description: cap. Ø 4-35 mm (Note! 2nd floor);	10,00
425	1	paper dispenser brand: Legro; type: Multi-Block; description: in package (Note! 2nd floor);	10,00
426	1	lot of various PCB materials description: a.o. interconnect flange adapter; processor boards; test tools; spare parts; cables; fasteners; empty crates etc. etc.; incl. 8-sections shelf rack (Note! 2nd floor);	100,00
427	1	lot of laboratory materials description: a.o. cleanroom floor mats; nitrile gloves; CPE overshoes; tool trolley; 2-sections rack; office table; chair etc. (Note 2nd floor);	10,00
428	3	various cart description: (Note! 2nd floor);	10,00
429	3	various cart description: (Note! 2nd floor);	10,00
430	4	various stair aluminium: yes; step ladder: yes; single: yes; description: (Note! 2nd floor);	10,00
431	4	various stair aluminium: yes; step ladder: yes; single: yes; description: (Note! 2nd floor);	10,00
432	1	portable staircase brand: Little Giant; number of steps: 3; aluminium: yes; multi-purpose ladder: yes; single: yes; description: (Note! 2nd floor);	10,00
433	1	aluminum staircase brand: Altrex; type: Castor; number of steps: 5; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10,00
434	1	aluminum staircase brand: Altrex; type: Andes; number of steps: 7; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
435	1	aluminum staircase brand: Altrex; type: Castor; number of steps: 7; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10,00
436	1	aluminum staircase brand: Kelfort; type: Castor; number of steps: 3; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10,00
437	1	mobile scaffold brand: Altrex; type: 5400; dimension L: 2000 mm; dimension W: 700 mm; dimension H: 1950 mm; number of base sections: 2; number of boards: 1; folding scaffold: yes; description: (Note! 2nd floor);	10,00
438	1	defibrillator brand: Defibtech; type: LifeLine; year: 2015; serial number: DDU-100E; automatic: yes; description: (Note! 2nd floor);	10,00
451	2	interconnect integration tooling description: in 2 flightcases; dim. approx. 1250x850x500 mm; Note! 3rd floor;	10,00
452	1	lot various LPCP parts in plastic boxes description: boxes various sizes; incl. rack; Note! 3rd floor;	10,00
453	4	mobile patch cabinet description: incl. server elements and 4 monitors; Note! 3rd floor;	100,00
454	3	various PCB test units description: incl. rack with various; Note! 3rd floor;	10,00
455	1	mobile patch cabinet description: Note! 3rd floor;	10,00
456	2	various tables description: incl. bench; Note! 3rd floor;	10,00
457	1	test unit description: incl. rack with various; Note! 3rd floor;	10,00
458	1	lot of various PCB equipment description: a.o. breakout box; mount lens; LCPC electric cables; machine parts; signal generator; incl. shelf rack (Note! 3rd floor!);	10,00
459	1	triple axis EMF tester brand: Exttech; type: 480826; description: Note! 3rd floor;	10,00
460	2	oscilloscope brand: Tektronix; type: TDS 2014C; description: 1x defect; Note! 3rd floor;	10,00
461	2	power supply brand: Delta Elektronika; type: EST 150; electric connection: 230 V; description: Note! 3rd floor;	10,00
462	1	multimeter brand: Fluke; type: 8845A; description: Note! 3rd floor;	10,00
463	2	power supply brand: Delta Elektronika; type: EST 0300; electric connection: 230 V; description: Note! 3rd floor;	10,00
464	1	arbitrary waveform generator brand: Agilent; type: 3325A; electric connection: 230 V; description: Note! 3rd floor;	10,00
465	1	semi conductor brand: CyberOptics; type: Wafersense ATS; description: Note! 3rd floor;	100,00
466	1	fume suction device brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (3rd floor) ;	10,00
467	1	digital force gauge set brand: Sauter; type: FL; max. testing force: 25 kN; description: Note! 3rd floor;	100,00
468	1	hot air rework station brand: Rohs; type: CIF 852A++; power: 0.5 kW; electric connection: 230 V; description: (Note! 3rd floor!);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
469	1	analog force gauge brand: Sauter; type: FA300; description: cap. 300N; in case (Note! 3rd floor!);	10,00
470	1	soldering station brand: Weller; type: PU81; power: 0.1 kW; electric connection: 230 V; description: (Note! 3rd floor!);	10,00
471	1	bag sealer brand: Packer; type: PBS/300; electric connection: 230 V; description: 300 x 2 mm seal (Note! 3rd floor);	10,00
472	1	differential pressure transmitter brand: Dwyer; type: DM-2000; description: incl. various belongings; in box (Note! 3rd floor);	10,00
473	2	shielded 68-pin I/O connector block brand: National Instruments; type: SCB-68; description: Note! 3rd floor;	10,00
474	1	lot of stacking crates brand: Georg Utz; description: approx. 13 pcs. (Note! 3rd floor);	10,00
475	1	lot of various electric cables description: incl. mobile frame (Note! 3rd floor);	10,00
476	1	lot of various (hand) tools description: a.o. screwdrivers; pliers; crimp tools; wrenches; heat gun; probe; installation wires; incl. 2-door cabinet and trolley (Note! 3rd floor);	10,00
477	1	lot of various PCB equipment description: a.o. wafer stage cables; sensors; processor boards; test tools; glue supplies etc. etc.; incl. shelf rack and 2-doors cabinet (Note! 3rd floor!);	10,00
478	1	external cavity diode laser brand: New Focus; type: Vortex II TLB-6900; description: Note! 3rd floor;	100,00
479	1	optical fiber microscope brand: JDSU; type: Westover P5000; description: incl. optical fiber connector cleaner; Note! 3rd floor;	10,00
480	1	lot of office furniture description: consisting of: (5x) various desks and (5x) chairs; (excl. hardware!) (Note! 3rd floor);	10,00
481	2	various computer monitor brand: Dell / HP; description: (3rd floor);	10,00
482	1	lot of office furniture description: consisting of: (8x) various desks and (8x) chairs; (5x) mobile drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10,00
483	15	various computer monitor description: various models (3rd floor);	10,00
484	1	lot of office furniture description: consisting of: (10x) various desks and (8x) chairs; (9x) mobile drawer cabinets; (1x) sliding door cabinet; (2x) whiteboard (excl. hardware!) (Note! 3rd floor);	10,00
485	19	various computer monitor description: various models (3rd floor);	10,00
486	1	desk brand: Ahrend; dimension L: 180 cm; dimension W: 80 cm; height adjustable: yes; pedestal: yes; office chair: yes; description: incl. (2x) mobile drawer and cabinets and chair (excl. hardware!) (Note! 3rd floor);	10,00
487	1	lot of office furniture description: consisting of: (1x) 4-part office desk and (2x) chairs; (2x) drawer cabinets; (1x) conference table with 4 chairs (excl. hardware!) (Note! 3rd floor);	10,00
488	2	2-doors filing cabinet dimension L: 130 cm; dimension W: 50 cm; dimension H: 130 cm; description: (Note! 3rd floor);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
489	1	2-doors display cabinet dimension L: 70 cm; dimension W: 44 cm; dimension H: 180 cm; description: incl. content (Note! 3rd floor);	10,00
490	1	lot of office furniture description: consisting of: (10x) various desks and (9x) chairs; (9x) drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10,00
491	12	various computer monitor description: various models (3rd floor);	10,00
492	1	conference table dimension L: 300 cm; dimension W: 140 cm; description: incl. (12x) chairs and (1x) desk;	10,00
493	1	projection screen brand: iVisions; description: width 300 cm;	10,00
494	1	lot of office furniture description: consisting of: (6x) desks; (6x) chairs; (5x) drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10,00
495	8	various computer monitor description: various models (3rd floor);	10,00
496	1	lot of office furniture description: consisting of: (6x) desks; (4x) chairs; (5x) drawer cabinets; (1x) 2-doors cabinet (excl. hardware!) (Note! 3rd floor);	10,00
497	1	lot of office furniture description: consisting of: (6x) various desks; (5x) chairs; (6x) drawer cabinets; (3x) various sliding door cabinets (excl. hardware!) (Note! 3rd floor);	10,00
498	13	various computer monitor description: various models (3rd floor);	10,00
499	1	lot of canteen furniture description: consisting of: (3x) various tables; (12x) various chairs; "Severin" refrigerator and microwave;	10,00
500	1	cleaning cart description: incl. various (Note 3rd floor);	10,00
501	1	office table dimension L: 220 cm; dimension W: 100 cm; description: incl. (4x) chairs (Note! 3rd floor);	10,00
502	1	stock description: lot of parts and various in plastic boxes and with 4-section shelf racks; (Note! 3rd floor);	100,00
549	1	airconditioning brand: Thermocold; type: Domino EA 140 ZC SB; year: 2016; serial number: DE-4498-G0; type of refrigerant: R410A; electric connection: 400 V; own weight: 711 kg; total dimension L: 1900 mm; total dimension W: 1150 mm; total dimension H: 2100 mm; description: 6 bar(outside);	100,00
550	1	airconditioning brand: Aermec; type of refrigerant: R410A; electric connection: 400 V; description: 6 bar(outside);	100,00
601	1	pneumatic lift system description: arm length 800 mm; arm width 1500 mm; distance between columns 1750 mm; lifting height 500 mm; in wooden box; dim. approx. 2350x2350x2450 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
602	1	aluminum stand total dimension L: 1030 mm; total dimension W: 550 mm; total dimension H: 1300 mm; description: in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
603	1	dismantled pallet raised floor lift description: on 4 plastic pallets (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
604	2	various high pressure vessel brand: Chart; type: 180/24; stainless steel: yes; capacity content: 186 l; description: min. temp. -196°C; max. work pressure 15,9 bar (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
605	1	straddle base material lift brand: Genie; type: GL-12; year: 2006; serial number: GL06-49881; max. load: 159 kg; platform size L: 520 m; platform size W: 570 m; overhead guard height: 2300 mm; manually operated: yes; description: max. lift height 4,20 m (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
606	1	manual stacker lift brand: Seco; type: 1112; year: 2016; serial number: 160910609; lifting capacity: 1100 kg; fork length: 1150 mm; lifting height: 1270 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
607	1	manual stacker lift brand: Hanselifter ; type: SDJ1030-01; year: 2010; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1200 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
608	1	manual stacker lift brand: Hanselifter ; type: SDJ1516-01; year: 2011; lifting capacity: 1500 kg; fork length: 1150 mm; lifting height: 1150 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
609	1	electric stacker lift brand: Linde; type: L16; year: 2008; serial number: W4X372W01809; lifting capacity: 1600 kg; fork length: 1150 mm; description: (Note! Battery low, no electricity on site!) (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
610	1	manual stacker lift brand: Kentuck; type: HLQ1000; year: 2006; serial number: 051081; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 2350 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
611	1	hydraulic hand pallet truck lifting capacity: 2500 kg; fork length: 1000 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
612	1	aluminum stair brand: Zarges; number of steps: 5; aluminium: yes; single: yes; access platform: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
613	1	aluminum stair brand: Zarges; number of steps: 3; aluminium: yes; single: yes; access platform: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
614	1	mobile scaffold brand: Altrex; type: 3400; dimension L: 1630 mm; dimension W: 720 mm; dimension H: 2750 mm; number of base sections: 4; number of boards: 1; number of wheels: 4; folding scaffold: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
615	1	aluminum base plate description: dim. approx. 1080x1070x200 mm; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
616	1	floor ramp total dimension L: 890 mm; total dimension W: 980 mm; total dimension H: 160 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
617	1	lot of package material dimension L: 1200 mm; dimension W: 1000 mm; description: in plastic crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
618	1	vertical storage tank brand: Pentair; type: WellMate WM6; year: 2103; plastic: yes; capacity content: 75 l; description: in plastic transport crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
619	1	machine aluminum frame description: dim. approx. 980x650x450 mm; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
620	1	lot of floor mats description: colour red; dim. approx. 480x500 mm; on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
621	1	lot of acoustic ceiling tiles brand: Rockwool; type: Rockfon; description: total approx. 23 m2; in 2 boxes (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
622	1	lot of fluorescent lighting ceiling light: yes; electric connection: 230 V; total dimension L: 2320 mm; total dimension W: 185 mm; total dimension H: 80 mm; description: total approx. 24 pcs.; on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
623	2	window frame total dimension L: 1180 mm; total dimension W: 1200 mm; total dimension H: 100 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
624	1	lot of built-in spotlamps description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
625	1	dismantled storage rack dismantable: yes; section dim. L: 1200 mm; section dim. W: 700 mm; section dim. H: 2500 mm; number of uprights: 5; number of cross beams: 15; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
626	1	patch cabinet brand: Supermicro; description: 14U; 19" (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
627	1	machine part max. product width: 730 mm; max. product length: 450 mm; description: in plastic box (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
628	1	cleanroom machine parts stainless steel: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
629	1	cleanroom machine parts stainless steel: yes; description: on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
630	2	aluminum stand total dimension L: 1030 mm; total dimension W: 550 mm; total dimension H: 1300 mm; description: for power supply; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
631	1	aluminum machine part description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
632	1	aluminum frame description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
633	1	vacuum turbo pump brand: Pfeiffer; type: TMU 1000 MP; own weight: 45 kg; description: 910L./sec. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
634	1	vacuum turbo pump brand: Pfeiffer; type: TMU 1000 MP; own weight: 45 kg; description: 910L./sec. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
635	1	lot of aluminum floor tiles description: in 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
636	2	interconnect integration tooling description: in 2 boxes; with mobile flightcase; dim. approx. 1250x850x500 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
637	2	interconnect integration tooling description: in 2 boxes; with mobile flightcase; dim. approx. 1250x850x500 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
638	1	ultra-low temperature circulator brand: Neslab; type: ULT-95; content: 150 l; temperature range min.: -30 °c; temperature range max.: -90 °c; digital display: yes; electric connection: 400 V; description: 12,4 LPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100,00
639	1	magnetic hot plate brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
640	1	magnetic hot plate brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
641	1	magnetic hot plate brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
642	1	magnetic hot plate brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
643	1	triple output programable DC power supply brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
644	1	triple output programable DC power supply brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
645	1	triple output programable DC power supply brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
646	1	triple output programable DC power supply brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
647	1	triple output programable DC power supply brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
648	1	lot various equipment description: monitor and keyboard etc. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
649	1	special product housing total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: aluminium frame (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
650	1	special product in flightcase brand: Metrology Electronics; type: MES-E; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
651	1	various special product parts description: in wooden case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
652	1	special cleanroom cables description: in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
653	1	spare part for Matrix brand: SUSAS; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
654	1	storage and control node electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
655	1	deflector control box electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
656	2	special product parts description: incl. box with cables (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
657	1	pl wiring patch panel and flange build sheet description: and spare parts; total in 2 boxes (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
658	4	flightcase hinged lid: yes; total dimension L: 770 mm; total dimension W: 470 mm; total dimension H: 300 mm; description: incl. wooden transportbox with plastic pallet dim. 980x720x620 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
659	1	lot various power cables description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
660	2	flexible hoses description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
661	1	inside vacuum fiber plant part description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
662	1	waf packaging / in-air cable box description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
663	1	beam switcher parts description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
664	1	lot various machine parts description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
665	1	lot various machine parts description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
666	1	lot various machine parts description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
667	1	lot various machine parts description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
668	1	vacuum pump brand: Varian; type: 949-9412; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
669	3	various frames description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
670	1	oudside vacuum fiber part description: incl. wooden box dim. 1020x1310x1540 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
671	1	empty reel description: Ø1000 mm; in palletbox (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
672	1	empty reel description: Ø1000 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
673	1	empty reel description: Ø1000 mm; incl. wooden box dim. 1020x1310x1540 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
674	1	tool trolley brand: Garant; with content: yes; description: incl. wrench set and plastic toolbox (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
675	16	bags road salt brand: Esco; description: each 25 kg (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
676	1	lot of steel pallet beams description: length 2700 mm; approx. 30 pcs.; incl. wooden plates (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
677	1	lot of package materials description: a.o. wooden crates; pallets etc. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00
678	1	canteen table total dimension L: 2000 mm; total dimension W: 1000 mm; description: with 6 chairs (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10,00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Algemene voorwaarden Online veiling TroostwijkAuctions.com

ARTIKEL 1. DEFINITIES

Aanvaarding: de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

Afname: de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

Algemene Veilingvoorwaarden voor Kopers: deze Algemene Voorwaarden.

Bod: elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

Combinatie kavel: een samenvoeging van kavels die onder één kavelnummer worden geveild.

Eigendomsoverdracht: de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

Gebruiker: een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

Gebruikersovereenkomst: de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

Kavel: een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

Kijkdag: een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

Koopovereenkomst: de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

Koopsom: het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

Koper: de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

Opdrachtgever: de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

Openbare Veiling: een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

Opgeld: veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

Auto bod: Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

Registratie: aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

Statisch bod: Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

Specifieke Veilingvoorwaarden voor Kopers: de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

Toewijzing: de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bieder is toegewezen.

Troostwijk: Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

Veiling: de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

Verkoper: de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

Website(s): de website www.TroostwijkAuctions.com, die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

Zaken: roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

ARTIKEL 2. TOEPASSELIJKHEID

2.1 De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

2.2 De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.

2.3 Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



ARTIKEL 3. DE VEILING

3.1 Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

3.2 Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

ARTIKEL 4. ORGANISATIE VAN DE VEILING

4.1 De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

4.2 Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfangen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

4.3 Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

4.4 Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

4.5 Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

ARTIKEL 5. BIEDINGEN; KOOPOVERKOMST

5.1 De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

5.2 Indien meerdere gebruikers verklaren gezamenlijk een bod uit te brengen of te hebben uitgebracht, zijn zij hoofdelijk aansprakelijk voor de daaruit voortvloeiende verplichtingen.

5.3 Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfangen.

5.4 Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

5.5 Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

5.6 De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan.



Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toegewezen bod heeft uitgebracht.

5.7 De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

5.8 Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

5.9 In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

5.10 Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

5.11 Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

5.12 Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN

6.1 Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

6.2 Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortvloeiende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

6.3 Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

6.4 De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

6.5 Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

6.6 Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

6.7 Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER

7.1 De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

7.2 Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontleen. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uittalingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

7.3 De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER

8.1 De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

8.2 Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtelijke kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

8.3 Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

ARTIKEL 9. VEILIGHEID

9.1 Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

9.2 Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

ARTIKEL 10. AFNAME

10.1 Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

10.2 De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

10.3 Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.2. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



10.4 Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

10.5 De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en - in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

10.6 Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

10.7 Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arbowetgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

10.8 Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

10.9 De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

10.10 Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

10.11 Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE

11.1 Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzake te (doen) geven.

ARTIKEL 12. ONTBINDING

12.1 Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.

12.2 Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de



koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

12.3 Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.4 Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.5 In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen.

ARTIKEL 13. AANSPRAKELIJKHEID

13.1 De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

13.2 Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

13.3 Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

13.4 Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

13.5 Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

13.6 Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



13.7 Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiend uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

13.8 De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

13.9 Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

ARTIKEL 14. EXECUTIE

14.1 Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

ARTIKEL 15. AANPASSINGEN; WERKING

15.1 Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

15.2 Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

15.3 Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

15.4 Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



ARTIKEL 16. TOEPASSELIJK RECHT

16.1 Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

16.2 De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

16.3 De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

The European Online Auctioneer and Valuer

1300 Veilingen

Troostwijk organiseert
jaarlijks **1300** veilingen
In heel Europa

Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders
- uit 95 verschillende landen
- meer dan 500.000 registraties

15 landen

Troostwijk heeft
eigen kantoren
in 15 Europese landen

85 jaar

Troostwijk organiseert
veilingen sinds 1930 en
heeft meer dan 85 jaar ervaring