




**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Bankruptcy Auction of Mapper Litography B.V. -1 (NL)**  
**Power supplies, mobile worktables, mobile  
tracks, pallet trucks**

Schoenmakerstraat 97C - 2628VK **Delft**  
(Mapper Lithography B.V. Schoenmakerstraat)

Closing date: Tuesday **12 MARCH** starting 10:00



*Bidding only on the internet!*

28-02-19 10.35

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 12 March 2019 Bankruptcy Auction of Mapper Lithography B.V. -1**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Tuesday 12 March 2019 starting 10:00 CET
Viewing	<b>Monday 11 March from 09:00 until 12:00 CET</b> <b>Mapper Lithography B.V. Schoenmakerstraat</b> Schoenmakerstraat 97C 2628VK Delft, The Netherlands <b>Monday 11 March from 12:30 until 13:30 CET</b> <b>Mapper Lithography B.V. Hooipolderweg</b> Hooipolderweg 6 2635 CZ Den Hoorn, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	<b>Tuesday 19 March from 09:00 until 16:00 CET</b> <b>Mapper Lithography B.V. Schoenmakerstraat</b> Schoenmakerstraat 97C 2628VK Delft, The Netherlands <b>Friday 22 March from 09:00 until 16:00 CET</b> <b>Mapper Lithography B.V. Hooipolderweg</b> Hooipolderweg 6 2635 CZ Den Hoorn, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b> You need to be registered on our website if you want to attend the auction closure: <a href="http://www.troostwijkauctions.com">www.troostwijkauctions.com</a> . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount <b>within 48 hours after the purchase agreement has been sent</b> . The transfer should be made to one of the following accounts. Please indicate the <b>auction number</b> and your <b>Account ID</b> with your payment.  <b>Easy and Safe paying?</b> Please select the option <b>Pay</b> on our website, in your <a href="#">MyTroostwijk account</a> at <a href="#">My purchases</a> to pay directly and safe with Ideal/Ogone.

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

**Attention please: indicate the Sale nr. and your buyer number with your payment!**

After your purchase you will receive a **proforma** per email.

**Original invoices** can be **downloaded** from [MyTroostwijk](#) after having received your payment.

**Deliver instructions**

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

**General Terms and Conditions of sale**

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

**Supervision**

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

**Combination**

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

**Prolongation**

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

**Lots without bid**

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

**Allocation**

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.



A number of lots have the following note: (This lot is subject to allocation due to the “Dual Use Regulations”). This means that the goods cannot be sold to buyers from countries outside of the EU. If you are the highest bidder and you placed your bid with an account listed on a country outside of the EU and/or you placed a bid from a country outside of the EU the lot will not be allocated. Troostwijk and / or its client decides on allocation of the lots. Even if you are the highest bidder within the EU, we can decide to not allocate lots without giving a reason.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	2	<b>aquacaperix</b> description: 1 and 2 frame to integrate wafer clamping stations; vacuum chamber control box; control unit s002; Pfeiffer stainless steel vacuum unit model TMU 071 P; Pfeiffer vacuum pump model MVP 055-3; 2008; partially mounted on Coomach aluminium frame and with trolley; (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
2	1	<b>wireless machine vision teaching device</b> brand: Cyberoptics; type: Wafersense ATS300C; serial number: H8300410; description: with charger and case (ground floor, WCS labspace) ;	10.00
3	1	<b>vacuum tool</b> brand: Mityvac; type: Faro; description: with case (ground floor, WCS labspace) ;	10.00
4	3	<b>pump units</b> description: (ground floor, WCS labspace) ;	10.00
5	1	<b>bending and cutting tools</b> description: with connectors etc. in case ls;	10.00
6	1	<b>stainless steel WCS tool</b> brand: Hitech; serial number: S003; hoist capacity: 100 kg; description: (ground floor, WCS labspace) ;	10.00
7	1	<b>lot of vacuum leak test tools</b> brand: Festo; description: with 4x unit 160233; abd 1 stainless steel tank model CRVZS-20 (ground floor, WCS labspace) ;	10.00
8	1	<b>power and control verification box</b> description: (ground floor, WCS labspace) ;	10.00
9	1	<b>microscope</b> brand: Bresser; type: Biorit ICD CS; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10.00
10	2	<b>cable strain tools</b> description: with case (ground floor, WCS labspace) ;	10.00
11	3	<b>lq tools</b> brand: Smc; type: LQ-GJ; description: with belongings and case (ground floor, WCS labspace) ;	10.00
12	1	<b>soldering station</b> brand: Weller; type: WSD 81i; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10.00
13	1	<b>workbench vise</b> brand: Heuer; type: Front 100; description: (ground floor, WCS labspace) ;	10.00
14	1	<b>adhesive dispenser</b> brand: Nordson; type: EFD LLC; description: with foot pedal (ground floor, WCS labspace) ;	10.00
15	1	<b>soldering station</b> brand: Weller; type: WSD 81i; electric connection: 230 V; description: (ground floor, WCS labspace) ;	10.00
16	1	<b>dc power supply</b> brand: Tenma; type: 72-10480; description: (ground floor, WCS labspace) ;	10.00
17	2	<b>laboratory tables</b> description: with chair and monitor (ground floor, WCS labspace) ;	10.00
18	4	<b>measuring tools</b> brand: Mitutoyo ; description: with stands (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
19	6	<b>positioning tools</b> description: with 12 Mitutoyo digital gauges (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00



Lot	Number	Description	Starting Bid €
20	2	<b>positioning tools</b> description: with 2 Mitutoyo digital gauges (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
21	1	<b>digital scale</b> brand: Kern; type: FCB 8K0.1; description: cap. 8kg; d=0.1g (ground floor, WCS labspace) ;	10.00
22	3	<b>mounting frames</b> description: aluminium (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
23	4	<b>wafer cassettes</b> description: (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
24	1	<b>seal unit</b> brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, CR 1) ;	10.00
25	1	<b>laboratory press</b> brand: HBM; description: cap 10T; hand hydraulic; between the columns 33cm; total height 106cm; (ground floor, WCS labspace) ;	10.00
26	1	<b>lot of cases</b> description: plastic and aluminium; (ground floor, WCS labspace) ;	10.00
27	1	<b>vacuum test unit</b> description: with various belongings on table; (ground floor, WCS labspace) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
28	3	<b>laboratory tables</b> description: with chairs and steel cabinet (ground floor, WCS labspace) ;	10.00
29	1	<b>tool drawer cabinet</b> total dimension L: 710 mm; total dimension W: 725 mm; total dimension H: 1255 mm; description: with 9 drawers; content included a.o connectors; glue dispenser parts etc. (ground floor, WCS labspace) ;	100.00
30	1	<b>laboratory refrigerator</b> brand: Severin; electric connection: 230 V; total dimension L: 440 mm; total dimension W: 460 mm; total dimension H: 500 mm; description: content included; a.o Loctite glues and sealant (ground floor, WCS labspace) ;	10.00
31	1	<b>fastener</b> description: in 6 drawer boxes ; stainless steel fasteners in various sorts and sizes; (ground floor, WCS labspace) ;	10.00
32	1	<b>lot of spares and machine belongings</b> description: in plastic boxes ; racking not included (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
33	1	<b>lot of chrome steel racking</b> description: 6 sections; size each section 1200x600x1900mm; content not included (ground floor, WCS labspace) (collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	100.00
34	1	<b>locker cabinet</b> total dimension L: 1320 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; no keys (ground floor, WCS labspace) ;	10.00
35	1	<b>cabinet</b> total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 1980 mm; description: with various content; 1 aluminium stand ; (pump room);	10.00
36	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2013; serial number: 139466609; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
37	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2015; serial number: 159453310; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00





Lot	Number	Description	Starting Bid €
38	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2016; serial number: 169463082; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
39	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2012; serial number: 129407754; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
40	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2014; serial number: 149556686; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
41	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2015; serial number: 159453311; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
42	1	<b>vacuum Pump</b> brand: Edwards; type: XDS35i; year: 2013; serial number: 139469916; electric connection: 230 V; own weight: 48 kg; description: (pump room);	100.00
43	1	<b>locker cabinet</b> total dimension L: 1329 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; shoe rack and various (ground floor, hall);	10.00
44	1	<b>clamping process test set-up</b> description: with wafer clamping vacuum chamber; wafer clamping station; vacuum chamber with Pfeiffer model TMH 400M P H; Jenoptik variocam HD head; 2 WCS modular facilities and control units; built-on control boxes and Genmark WLS robot controller; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
45	1	<b>clamping process test set-up</b> description: with 2 wafer clamping vacuum stations; WLS-WHS station; Jenoptik variocam HD head; built-on control box and Genmark WLS robot controller; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
46	1	<b>wcts build sheet set-up</b> description: with Pfeiffer vacuum unit model TMH400M P H; control unit TCM1601; built-on control box and Canon digital camera; mounted on aluminium frame; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
47	1	<b>clampix test set-up</b> total dimension L: 980 mm; total dimension W: 810 mm; total dimension H: 900 mm; description: with built-on sensors and Canon digital camera; 2 tables and 2 chairs(ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
48	1	<b>foto box</b> total dimension L: 800 mm; total dimension W: 810 mm; total dimension H: 900 mm; description: with light; (ground floor, clamping clean room) ;	10.00
49	1	<b>lot of wafer cassettes</b> description: partially with content; (ground floor, clamping clean room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
50	1	<b>shaker</b> brand: Dragonlab; type: MS-H-Pro+; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10.00
51	1	<b>power supply</b> brand: Delta Elektronika; type: ES 030-10; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10.00
52	1	<b>ethernet multimeter</b> brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10.00
53	1	<b>vacuum Pump</b> brand: Vacuubrand; type: ME 2 NT; year: 2016; electric connection: 230 V; description: (ground floor, clamping clean room) ;	10.00



Lot	Number	Description	Starting Bid €
54	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard ecp; air circulation: 900 m³/hr; class: H14; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; description: (ground floor, clamping clean room) ;	100.00
55	1	<b>cabinet</b> description: 2-doors and 1 tool cabinet; (ground floor, clamping clean room) ;	10.00
56	1	<b>lot of wafer tables</b> description: in and with sliding door cabinet; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
57	1	<b>lot of wafer tools</b> description: verification tools and various in plastic containers; racking not included; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
58	1	<b>lot of chrome steel racking</b> description: 2 sections; size each section 1200x600x1900mm; content not included (ground floor, CR 1)(collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	10.00
59	1	<b>chemical storage cabinet</b> total dimension L: 540 mm; total dimension W: 540 mm; total dimension H: 1000 mm; description: with various content: glue etc. (ground floor, CR 1) ;	10.00
60	1	<b>vacuum Pump</b> brand: Vacuubrand; type: ME 2 NT; year: 2015; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10.00
61	1	<b>digital scale</b> brand: Kern; type: PCB; description: cap. max 100g; d=0.001g; (ground floor, CR 1) ;	10.00
62	1	<b>surface table</b> brand: Mytri; granite: yes; table size L: 400 mm; table size W: 400 mm; description: thickness 65mm; 2 corners damaged; (ground floor, CR 1) ;	10.00
63	1	<b>seal unit</b> brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, CR 1) ;	10.00
64	4	<b>tables</b> description: with 4 desk chairs; (ground floor, CR 1) ;	10.00
65	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard eco 1.8; year: 2015; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (ground floor, clamping clean room) ;	100.00
66	1	<b>laminair Flow Cabinet</b> brand: Interflow; type: Crossflow; year: 2006; electric connection: 230 V; total dimension L: 2470 mm; total dimension W: 790 mm; total dimension H: 2080 mm; description: 1480W; (ground floor, CR 1) ;	100.00
67	1	<b>lot of wafer tools</b> description: assembly tools; wafer table and flip tools; (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
68	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard eco 1.8; year: 2015; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (ground floor, clamping clean room) ;	100.00
69	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard eco 1.8/95; year: 2016; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; description: (ground floor, CR 1) ;	100.00
70	1	<b>vacuum Pump</b> brand: Vacuubrand; type: ME 2 NT; year: 2016; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10.00





Lot	Number	Description	Starting Bid €
71	1	<b>vacuum Pump</b> brand: Vacuubrand; type: ME 2 NT; year: 2018; electric connection: 230 V; description: with Velp digital vortex mixer (ground floor, CR 1) ;	10.00
72	1	<b>adhesive dispencer</b> brand: Nordson; type: EFD LLC; description: (ground floor, CR 1) ;	10.00
73	1	<b>adhesive dispencer</b> brand: Nordson; type: EFD LLC; description: with foot pedal; (ground floor, CR 1) ;	10.00
74	1	<b>adhesive dispencer</b> brand: Nordson; type: EFD LLC; description: with foot pedal; (ground floor, CR 1) ;	10.00
75	1	<b>ethernet multimeter</b> brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, CR 1) ;	10.00
76	1	<b>power supply</b> brand: Delta Elektronika; type: ES 030-10; electric connection: 230 V; description: (ground floor, CR 1) ;	10.00
77	1	<b>vacuum Pump</b> brand: Pfeiffer; type: MVP 055-3; year: 2008; electric connection: 230 V; description: (ground floor, CR 1) ;	10.00
78	1	<b>locker cabinet</b> total dimension L: 1320 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: with plastic bench ; no keys; (ground floor, CR 1) ;	10.00
79	1	<b>lot of wafer tools</b> description: stands,, cassettes etc. (ground floor, CR 1) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
80	19	<b>monitors</b> brand: HP; description: in various sorts and sizes; (ground floor, Susf) ;	10.00
81	18	<b>monitors</b> brand: Samsung; description: in various sorts and sizes; (ground floor, Susf) ;	10.00
82	4	<b>monitors</b> brand: Dell; description: in various sorts and sizes; (ground floor, Susf) ;	10.00
83	1	<b>lot of keyboards</b> description: mouses and cables; (ground floor, Susf) ;	10.00
84	1	<b>tool trolley</b> brand: Garant; type: 91 6330-6; number of drawers: 6; with content: yes; total dimension L: 1110 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100.00
85	1	<b>tool trolley</b> brand: Garant; type: 91 6310-6; number of drawers: 6; with content: no; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	10.00
86	1	<b>tool trolley</b> number of drawers: 6; with content: yes; total dimension L: 560 mm; total dimension W: 510 mm; total dimension H: 1050 mm; description: (ground floor, Susf) ;	10.00
87	1	<b>tool trolley</b> brand: Garant; type: 91 6320-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100.00
88	1	<b>tool trolley</b> brand: Garant; type: 91 6310-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100.00
89	1	<b>tool trolley</b> brand: Garant; type: 91 6310-6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 960 mm; description: (ground floor, Susf) ;	100.00



Lot	Number	Description	Starting Bid €
90	4	<b>tool Boxes</b> plastic: yes; metal: yes; with content: yes; description: (ground floor, Susf) ;	10.00
91	3	<b>calipers</b> brand: Mitutoyo ; type: Absolute; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: (ground floor, Susf) ;	10.00
92	5	<b>torque wrenches</b> brand: Wiha/Holex; torque range till: 20 Nm; description: (ground floor, Susf) ;	10.00
93	7	<b>torque wrenches</b> brand: Garant; torque range till: 60 Nm; description: (ground floor, Susf) ;	10.00
94	3	<b>socket Wrench Sets</b> brand: Garant; drive : 1/4 " ; with case: yes; description: (ground floor, Susf) ;	10.00
95	6	<b>torque wrenches</b> torque range till: 3 Nm; description: (ground floor, Susf) ;	10.00
96	1	<b>lot of pliers</b> description: (ground floor, Susf) ;	10.00
97	4	<b>hot air guns</b> brand: Steinel; electric connection: 230 V; description: (ground floor, Susf) ;	10.00
98	7	<b>clamps</b> brand: Bessey/Sencys; description: (ground floor, Susf) ;	10.00
99	1	<b>lot of marking tools</b> description: (ground floor, Susf) ;	10.00
100	1	<b>multitool</b> brand: Dremel; type: 4000; electric connection: 230 V; with case: yes; description: (ground floor, Susf) ;	10.00
101	1	<b>laboratory press</b> brand: HBM; description: cap 10T; hand hydraulic; between the columns 33cm; total height 106cm; (ground floor, Susf) ;	10.00
102	1	<b>turbo molecular pump</b> brand: Edwards; type: STP-iS2207; serial number: 89E0001; year: 2016; stainless steel: yes; electric connection: 230 V; own weight: 45 kg; total dimension W: 335 mm; total dimension H: 380 mm; description: 36.500rpm; (ground floor, Susf) ;	1,000.00
103	3	<b>vices</b> brand: Bernstein; description: (ground floor, Susf) ;	10.00
104	1	<b>lot of pliers</b> description: (ground floor, Susf) ;	10.00
105	1	<b>verification box</b> description: (ground floor, Susf) ;	10.00
106	1	<b>workbench</b> total dimension L: 1900 mm; total dimension W: 740 mm; total dimension H: 850 mm; description: with stand and drawers with content; including partition and chair(ground floor, Susf) ;	10.00
107	2	<b>soldering stations</b> brand: Weller; type: WSL/Pu81; electric connection: 230 V; description: (ground floor, Susf) ;	10.00
108	1	<b>digital storage oscilloscope</b> brand: Tektronix; type: TDS 2014B; electric connection: 230 V; description: (ground floor, Susf) ;	10.00
109	3	<b>power supplys</b> brand: Delta Elektronika; type: ES 030-5/ ES 075-2/ ES 0300-0.45; electric connection: 230 V; description: (ground floor, Susf) ;	10.00
110	1	<b>digital multimeter</b> brand: Agilent; type: 34410A; electric connection: 230 V; description: (ground floor, Susf) ;	10.00



Lot	Number	Description	Starting Bid €
111	1	<b>dc power supply</b> brand: HQ power; type: PS1503SB; electric connection: 230 V; description: (ground floor, Susf) ;	10.00
112	1	<b>stock</b> description: cables; fasteners and various with racking; (ground floor, Susf) ;	10.00
113	1	<b>lot of aluminium parts</b> description: in various forms and sizes; (ground floor, Susf) (This lot is subject to allocation due to the "Dual Use Regulations") ;	10.00
114	1	<b>locker cabinet</b> description: with plastic bench ; and partition wall; (ground floor, hallway) ;	10.00
115	1	<b>lot of stools</b> description: (ground floor, Susf) ;	10.00
116	1	<b>stainless steel cabinet</b> total dimension L: 1060 mm; total dimension W: 760 mm; total dimension H: 980 mm; description: (ground floor, Susf hallway);	10.00
117	1	<b>cooling unit</b> electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, hallway);	1,000.00
118	1	<b>cooling unit</b> electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, WS.1) ;	1,000.00
119	1	<b>cooling unit</b> electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 650 mm; total dimension H: 1880 mm; description: with Thermo Scientific unit model Neslab thermoflex deluxe; filter and built-in control box; (ground floor, WS.1) ;	1,000.00
120	1	<b>steel cabinet</b> total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 3120 mm; description: with flow regulators and top mounted tank; (ground floor, WS.1) ;	100.00
121	1	<b>aluminium frame</b> description: and various with plastic crate; (ground floor, WS.1) ;	10.00
122	1	<b>vacuum cleaner</b> brand: Kärcher; type: NT 27/1; electric connection: 230 V; description: and 1 Tristar ditto; (ground floor, WS.1) ;	10.00
123	1	<b>lot of parts</b> description: and various with chrome steel rack; (ground floor, WS.1) ;	10.00
124	1	<b>workbench</b> brand: Garant; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: with vice and tool-cabinet; (ground floor, WS.1) on stand with various content;	10.00
125	1	<b>digital scale</b> brand: Kern; type: PCB; description: cap. max 1000g; d=0.01g; (ground floor, WS.1) ;	10.00
126	1	<b>gauge set</b> brand: Mitutoyo ; digital: yes; measuring range from: 0 mm; measuring range till: 50 mm; with case: yes;	10.00
127	1	<b>lot of measuring tools</b> description: (ground floor, WS.1) ;	10.00
128	2	<b>infrared thermometers</b> description: (ground floor, WS.1) ;	10.00
129	1	<b>lot of pliers</b> description: (ground floor, WS.1) ;	10.00
130	3	<b>socket Wrench Sets</b> brand: Hoxex; drive : 1/4+1/2 " ; with case: yes; description: (ground floor, WS.1) ;	10.00



Lot	Number	Description	Starting Bid €
131	1	<b>lot of measuring tools</b> description: (ground floor, WS.1) ;	10.00
132	1	<b>torque wrench</b> brand: Garant; torque range till: 25 Nm; description: with various inserts; (ground floor, WS.1) ;	10.00
133	1	<b>plier</b> brand: Cimco; type: 10 1888; description: (ground floor, WS.1) ;	10.00
134	1	<b>torque screwdriver</b> brand: Wiha; type: Vario-s; torque range till: 5 Nm; description: (ground floor, WS.1) ;	10.00
135	1	<b>fastener</b> description: in 3 plastic boxes ; stainless steel; (ground floor, WS.1) ;	10.00
136	1	<b>particle counter</b> brand: Lighthouse; type: Handheld 3016; description: in transport-case; (ground floor, WS.1);	10.00
137	1	<b>cordless Tool</b> brand: Bosch; type: GSR 10.8-2-li; voltage: 10,8 V; number of batteries: 1; battery charger: yes; screw machine: yes; description: (ground floor, WS.1) ;	10.00
138	1	<b>lot of drill sets</b> description: thread cutting set; and socketset(incomplete); (ground floor, WS.1) ;	10.00
139	1	<b>multi tool</b> brand: Dremel; type: 3000; electric connection: 230 V; with case: yes; description: (ground floor, WS.1) ;	10.00
140	1	<b>cordless Tool</b> brand: AEG; type: SE 3.6; voltage: 3,6 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; description: (ground floor, WS.1) ;	10.00
141	1	<b>cordless tool</b> brand: AEG; type: AS12C2; voltage: 12 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: no; description: (ground floor, WS.1) ;	10.00
142	1	<b>ethernet multimeter</b> brand: Keithley; type: 2701; electric connection: 230 V; description: (ground floor, WS.1) ;	10.00
143	1	<b>vacuum Pump</b> brand: Pfeiffer; type: MVP 055-3; year: 2005; electric connection: 230 V; description: (ground floor, WS.1) ;	10.00
144	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (ground floor, WS.1) ;	100.00
145	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (ground floor, WS.1) ;	100.00
146	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (ground floor, WS.1) ;	100.00
147	4	<b>tool Boxes</b> brand: Parat; plastic: yes; description: (ground floor, WS.1) ;	10.00
148	1	<b>lot of tools</b> description: in 5 boxes; (ground floor, WS.1) ;	10.00
149	1	<b>cut off machine</b> brand: Hitachi; type: CC 14 SF; year: 2016; disc diameter: 355 mm; power: 2000 W; electric connection: 230 V; description: (ground floor, WS.1) ;	10.00
150	1	<b>multi layer cable rack</b> total dimension L: 990 mm; total dimension W: 340 mm; total dimension H: 2110 mm; description: mobile; with various cables (ground floor, WS.1) ;	10.00



Lot	Number	Description	Starting Bid €
151	1	<b>trolley</b> total dimension L: 1050 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: with top mounted Swagelock press unit; (ground floor, WS.1) ;	10.00
152	1	<b>stock</b> description: various in 2 plastic crates; (ground floor, WS.1) ;	10.00
153	2	<b>digital multimeter</b> brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10.00
154	1	<b>digital multimeter</b> brand: Benning; type: MM 1-3; description: (ground floor, hallway) ;	10.00
155	2	<b>digital multimeter</b> brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10.00
156	1	<b>digital multimeter</b> brand: Multimetrix; type: DMM240; description: (ground floor, hallway) ;	10.00
157	3	<b>digital multimeters</b> brand: Tenma; type: 72-7770; description: (ground floor, hallway) ;	10.00
158	1	<b>digital multimeter</b> brand: Fluke ; type: 112; description: (ground floor, hallway) ;	10.00
159	1	<b>digital multimeter</b> brand: Fluke ; type: 112; description: (ground floor, hallway) ;	10.00
160	1	<b>digital multimeter</b> brand: Fluke ; type: 115; description: (ground floor, hallway) ;	10.00
161	1	<b>digital multimeter</b> brand: Voltcraft; type: M4660M; description: (ground floor, hallway) ;	10.00
162	1	<b>digital multimeter</b> brand: Voltcraft; type: M4660A; description: (ground floor, hallway) ;	10.00
163	1	<b>digital multimeter</b> brand: Filetto; type: MT220; description: (ground floor, hallway) ;	10.00
164	1	<b>digital mill-ohmmeter</b> brand: Rhopoint; type: M210; description: (ground floor, hallway) ;	10.00
165	1	<b>wall scanner</b> brand: Bosch; type: GMS120; description: (ground floor, hallway) ;	10.00
166	1	<b>digital meterset</b> brand: Extech; description: (ground floor, hallway) ;	10.00
167	1	<b>digital infra red camera</b> brand: Raycam; type: C.a. 1886; description: with belongings in transportcase (ground floor, hallway) ;	10.00
168	1	<b>digital camera</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10.00
169	1	<b>digital camera</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10.00
170	1	<b>digital camera</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10.00
171	1	<b>digital camera</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10.00
172	1	<b>digital camera</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery and charger; (ground floor, hallway) ;	10.00



Lot	Number	Description	Starting Bid €
173	2	<b>digital cameras</b> brand: Canon ; type: EOS 1200D; DSLR camera: yes; lens f=: 1:3.5-5.6 18-55 mm; built-in flash: yes; description: with battery; charger not included; and various ; (ground floor, hallway) ;	10.00
174	1	<b>tripod</b> brand: Hama; description: (ground floor, hallway) ;	10.00
175	1	<b>lifting chain</b> description: length approx. 400mm; in case; (ground floor, hallway) ;	10.00
176	1	<b>lot of labelwriters</b> description: and a laminator; (ground floor, hallway) ;	10.00
177	1	<b>seal unit</b> brand: Audion elektro; type: TPS 2; electric connection: 230 V; description: (ground floor, hallway) ;	10.00
178	1	<b>flatscreen tv</b> brand: Samsung ; screen size: 42 "; remote control: yes; description: wall mounted; (ground floor, hallway) ;	10.00
179	1	<b>bench</b> total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 1890 mm; description: with coat hanger; (ground floor, hallway) ;	10.00
180	1	<b>chemical storage cabinet</b> total dimension L: 920 mm; total dimension W: 420 mm; total dimension H: 1960 mm; description: with various content: (ground floor, hallway) ;	10.00
181	1	<b>table and chairs</b> description: and 1 desk with chair; (ground floor, hallway) ;	10.00
182	1	<b>stacker</b> brand: Ameise; type: SDJ1025; year: 2012; lifting capacity: 1000 kg; fork length: 1090 mm; lifting height: 2500 mm; own weight: 284 kg; description: (ground floor, hallway) ;	100.00
183	1	<b>stacker</b> brand: Climax; year: 2016; lifting capacity: 800 kg; fork length: 1150 mm; lifting height: 1100 mm; description: (ground floor, hallway) ;	100.00
184	1	<b>laboratory elephant</b> brand: Schefer; type: 2051510WKP/f500pks; year: 2017; hoist capacity: 500 kg; own weight: 130 kg; description: with foldable legs; (ground floor, hallway) ;	100.00
185	1	<b>laboratory elephant</b> hoist capacity: 1000 kg; description: with foldable legs; (2nd floor, cleanroom) ;	100.00
186	1	<b>hydraulic Hand Pallet Truck</b> brand: Ekwo; lifting capacity: 2500 kg; fork length: 1150 mm; description: (ground floor, hallway) ;	10.00
187	1	<b>hydraulic Hand Pallet Truck</b> brand: BT ; type: BTL2000; lifting capacity: 2000 kg; fork length: 1000 mm; description: (ground floor, hallway) ;	10.00
188	1	<b>vacuum cleaner</b> brand: Kärcher; type: NT27/1; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: (ground floor, hallway);	10.00
189	1	<b>vacuum cleaner</b> brand: Safe-t-vac; electric connection: 230 V; description: (ground floor, hallway) ;	10.00
190	1	<b>flatscreen tv</b> brand: Samsung ; screen size: 32 "; remote control: yes; description: wall mounted; (ground floor, hallway) ;	10.00
191	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
192	1	<b>stock</b> description: various plastic crates; and racks with content (ground floor);	100.00





Lot	Number	Description	Starting Bid €
193	1	<b>lot of vacuum equipment</b> description: a.o: Pfeiffer; in 4 plastic boxes; (ground floor) ;	10.00
194	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
195	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
196	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
197	1	<b>stock</b> description: various plastic crates; and racks with content (ground floor);	100.00
198	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
199	1	<b>office furniture</b> description: content of 1 room; (ground floor) ;	10.00
200	1	<b>lot of heavy duty transportcases</b> description: in various sizes; without content; (ground floor) ;	10.00
201	1	<b>conference Table</b> dimension L: 2200 cm; dimension W: 1140 cm; dimension H: 750 cm; description: with 7 chairs; (ground floor) ;	10.00
202	1	<b>whiteboard</b> total dimension L: 1500 mm; total dimension W: 670 mm; total dimension H: 1950 mm; description: (ground floor) ;	10.00
203	1	<b>monitors and Television</b> brand: Samsung; type: UE43MU6100; screen size: 43 "; USB port(s): yes; description: with remote control; (ground floor) ;	10.00
204	1	<b>cleaning equipment</b> description: with Numatic vacuum cleaner and various; (ground floor) ;	10.00
205	1	<b>lot of mobile bins</b> description: (ground floor) ;	10.00
206	1	<b>foil roll holder</b> total dimension L: 1340 mm; total dimension W: 800 mm; total dimension H: 1660 mm; description: with cutting system; (ground floor, storage room) ;	10.00
207	1	<b>rack mount laser unit</b> brand: Metrology Electronics; description: with flightcase dim.approx.1300x890x580; (ground floor, storage room) ;	100.00
208	1	<b>rack mount laser unit</b> brand: Metrology Electronics; description: with flightcase dim.approx.1300x890x580; (ground floor, storage room) ;	100.00
209	1	<b>wafer clamping station</b> brand: Hitech; description: in wooden transport case dimensions approx 1050x810x750mm; (ground floor, storage room) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
210	1	<b>flightcase</b> total dimension L: 1300 mm; total dimension W: 880 mm; total dimension H: 600 mm; description: (ground floor, storage room) ;	10.00
211	1	<b>flightcase</b> total dimension L: 880 mm; total dimension W: 710 mm; total dimension H: 750 mm; description: (ground floor, storage room) ;	10.00
212	1	<b>flightcase</b> total dimension L: 880 mm; total dimension W: 710 mm; total dimension H: 750 mm; description: (ground floor, storage room) ;	10.00
213	1	<b>2-door cabinet</b> total dimension L: 1200 mm; total dimension W: 420 mm; total dimension H: 1950 mm; description: with various content; (ground floor, storage room) ;	10.00



Lot	Number	Description	Starting Bid €
214	1	<b>lot of plastic boxes</b> description: with content and chrome steel racking; (ground floor, storage room) ;	10.00
215	7	<b>plastic boxes</b> total dimension L: 600 mm; total dimension W: 380 mm; total dimension H: 360 mm; description: (ground floor, storage room) ;	10.00
216	2	<b>trolleys</b> total dimension L: 900 mm; total dimension W: 600 mm; description: (ground floor, storage room) ;	10.00
© 217	1	<b>stainless steel vacuum tank</b> total dimension L: 1400 mm; total dimension H: 2150 mm; description: with Alcatel magnetically levitated turbo pump model ATH 1600; tank dimensions approx ø 900x1000mm; ( 1st floor, room 1.14) ;	1,000.00
© 218	1	<b>purifix 19" test rack</b> serial number: 1110; description: with Purifix Safety interlock unit; Micri ion controller; Alcarell controller ACT 1600M Ht; Purifix electronics box; Keithley picoameter; and Inficon rate/thickness meter model SQM-160; ( 1st floor, room 1.14) ;	100.00
© 219	1	<b>recirculating chiller</b> brand: ThermoScientific; type: Thermoflex 1400; serial number: 111052039; description: ( 1st floor, room 1.14) ;	100.00
© 220	1	<b>rackmounted valve set-up</b> total dimension L: 1100 mm; total dimension W: 430 mm; total dimension H: 1750 mm; description: with Krohne meters and MKS mass-flo controller; ( 1st floor, room 1.14) ; <b>combination a</b>	100.00
221	1	<b>nognix test set-up</b> total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: with MKS microvision ip unit; Pfeiffer vacuum controller DCU; and Granville-Phillips Micro ion controller; ( 1st floor, room 1.14) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
© 222	1	<b>toetatis test set-up</b> total dimension L: 1400 mm; total dimension W: 950 mm; total dimension H: 1320 mm; description: with Pfeiffer vacuum unit model TMU 521 P; on aluminium frame; ( 1st floor, room 1.14) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
© 223	1	<b>Toetatis 19" test rack</b> serial number: 1110; description: with Seren radio frequency power supply model R601; Pfeiffer control unit DCU,, Inficon rate/thickness tester SQM 160 and Delta elektronika power supply;( 1st floor, room 1.14) du; <b>combination b</b>	100.00
224	1	<b>19" rack power unit</b> brand: Seren; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 440 mm; total dimension H: 135 mm; description: ( 1st floor, room 1.14) ;	10.00
225	1	<b>lot furniture</b> description: 5 tables; 3 chairs; 2 drawer cabinets and 2 chrome steel racks; ( 1st floor, room 1.14) ;	10.00
226	1	<b>pillar jib crane</b> brand: Mitari; hoist capacity: 250 kg; max. hoist height: 3000 m; arm length: 1500 mm; total dimension H: 3370 mm; description: with electric chain-hoist; ( 1st floor, room 1.14) (collection of this lot is on 20-03-2019 09.00-16.00 hr.) ;	100.00
227	1	<b>shelve racking</b> dismantable: yes; section dim. L: 1290 mm; section dim. W: 600 mm; section dim. H: 2520 mm; number of uprights: 2; number of shelves: 12; description: ( 1st floor, hallway) ;	10.00
228	1	<b>water Treatment unit</b> brand: BWT; type: Aqa perla; electric connection: 230 V; description: with pump unit; piping and drip-tray not included; ( 1st floor, hallway);	10.00



Lot	Number	Description	Starting Bid €
229	1	<b>homeopatix test set-up</b> description: with Microvision ip unit; Seren power unit model AT6M; Pfeiffer vacuum unit model TMU 071 P, TMu200M P, TMU 262; mounted in aluminium frame on 4 Newport Lablegs; ( 1st floor, room 1.13) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
230	1	<b>19" rack set-up</b> description: with Granville-Phillips micro ion controller; power supply; Kimball Physics inc electron gun power supply; 4 Pfeiffer control units; ( 1st floor, room 1.13);	100.00
231	1	<b>19" rack set-up</b> description: with BK triple output programmable DC power supply 9130B; and monitor; ( 1st floor, room 1.13) ;	10.00
232	1	<b>water Bath</b> brand: Julabo; type: F33; power: 2700 W; digital display: yes; electric connection: 230 V; description: ( 1st floor, room 1.13) ;	10.00
233	5	<b>desks</b> description: incl. 5 chairs; Note! 3rd floor;	10.00
234	1	<b>air handling unit</b> brand: Salda; type: SmartAir 4-KR SW50 N; year: 2016; serial number: GU299823; heat recovery: no; description: consisting of: (5x) modular units; digital temperature meter; digital humidity meter; pascal meter with "Humisteam" unit ; type Xplus and central switch cabinet; until first valve; dim. approx. 5500x1400x1000/1740 mm (Note! 2nd floor);	1,000.00
241	1	<b>air compressor</b> brand: Werther; type: SA50/9; year: 2018; capacity: 8 bar; electric connection: 230 V; description: 43dB/A; ( 1st floor, room 1.13) ;	10.00
242	1	<b>vacuum Pump</b> brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: ( 1st floor, room 1.13) ;	100.00
243	1	<b>vacuum Pump</b> brand: Pfeiffer; type: MVP 055-3; year: 2007; electric connection: 230 V; description: ( 1st floor, room 1.13) ;	10.00
244	1	<b>vacuum Pump</b> brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: ( 1st floor, room 1.13) ;	100.00
245	1	<b>vacuum Pump</b> brand: Edwards; type: nXDS15iC; electric connection: 230 V; own weight: 48 kg; description: ( 1st floor, room 1.13) ;	100.00
246	1	<b>vacuum Pump</b> brand: Pfeiffer; type: MVP 055-3; year: 2006; electric connection: 230 V; description: ( 1st floor, room 1.13) ;	10.00
247	1	<b>dc power supply</b> brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; ( 1st floor, room 1.13) ;	10.00
248	1	<b>dc power supply</b> brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; ( 1st floor, room 1.13) ;	10.00
249	1	<b>dc power supply</b> brand: BK Precision; type: 9130; electric connection: 230 V; description: Triple output programmable; ( 1st floor, room 1.13) ;	10.00
250	1	<b>dc power supply</b> brand: TTI; type: EL302RD; electric connection: 230 V; description: dual; ( 1st floor, room 1.13) ;	10.00
251	1	<b>ionizing air blower</b> brand: Dr.Schneider pc; type: SL-001; electric connection: 230 V; description: ( 1st floor, room 1.13) ;	10.00



Lot	Number	Description	Starting Bid €
252	1	<b>laboratory Furniture</b> description: chrome steel rack with various content; ( 1st floor, room 1.13) ;	10.00
253	1	<b>laboratory Furniture</b> description: 2 tables; 2 ESD chairs; ( 1st floor, room 1.13) ;	10.00
254	1	<b>microscope</b> brand: NN; description: with built in lamp; ( 1st floor, room 1.18) ;	10.00
255	1	<b>tool drawer cabinet</b> brand: Eurokraft; total dimension L: 560 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: with 5 drawers and content; ( 1st floor, room 1.18) ;	10.00
256	1	<b>laboratory Furniture</b> description: 2 tables; 2 chairs; 2 chrome steel racks with various content; ( 1st floor, room 1.18) ;	10.00
257	1	<b>office furniture</b> description: 2 tables; 1 chrome steel rack; 1 bin and 1 clothes hanger; ( 1st floor, hallway);	10.00
258	1	<b>photo box set-up</b> total dimension L: 660 mm; total dimension W: 660 mm; total dimension H: 670 mm; description: ( 1st floor, room 1.12b) ;	10.00
259	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard eco 1.8; year: 2017; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: ( 1st floor, room 1.12b) ;	100.00
260	1	<b>wafer test set-up</b> description: with controller rack; ( 1st floor, room 1.12b) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
261	1	<b>chemical storage cabinet</b> brand: Hilti; type: Labsaver LS320; year: 2013; total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 630 mm; description: without content; ( 1st floor, room 1.12b) ;	10.00
262	1	<b>fume cupboard</b> electric connection: 230 V; total dimension L: 1370 mm; total dimension W: 800 mm; total dimension H: 1600 mm; description: with lights and power connectors; ( 1st floor, room 1.12b) ;	100.00
263	1	<b>ultra sonic cleaner</b> brand: Branson; type: 2510; description: with belongings; ( 1st floor, room 1.12b) ;	10.00
264	1	<b>hyper test set-up</b> description: on Newport IG breadboard table size 900x900mm; 4 Newport Lablegs height 700mm; 1 Vacuubrand vacuum pump and mobile datarack with content; ( 1st floor, room 1.12b) ;	100.00
265	1	<b>laboratory Furniture</b> description: 4 tables; 2 chairs; 2 chrome steel racks with content; ( 1st floor, room 1.12b) ;	10.00
266	1	<b>weight test set-up</b> description: with Kern digital weighing device; max 15kg; d=20g; ( 1st floor, room 1.12b) ;	10.00
267	1	<b>stock</b> description: machine parts; electronic equipment plastic boxes and various with racking; ( 1st floor, room 1.10) ;	100.00
268	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; ( 1st floor, room 1.12A) ;	100.00
269	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; ( 1st floor, room 1.12A) ;	100.00
270	1	<b>workshop Furniture</b> total dimension L: 2000 mm; total dimension W: 850 mm; total dimension H: 1300 mm; description: work bench with stand; drawers and vice; ( 1st floor, room 1.12A) ;	10.00



Lot	Number	Description	Starting Bid €
271	1	<b>laboratory Workbench</b> total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp; and drawers with content; ( 1st floor, room 1.10) ;	10.00
272	1	<b>soldering pump</b> brand: CIF; type: 852A++; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
273	1	<b>soldering station</b> brand: Weller; type: PU81; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
274	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; ( 1st floor, room 1.10) ;	10.00
275	1	<b>laboratory Workbench</b> total dimension L: 2000 mm; total dimension W: 760 mm; total dimension H: 880 mm; description: with lamp; side stands vice and drawers with content; ( 1st floor, room 1.10) ;	10.00
276	1	<b>soldering station</b> brand: JBC; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
277	1	<b>fume suction device</b> brand: Nederman; total dimension L: 1300 mm; description: motor not included; ( 1st floor, room 1.10) ;	10.00
278	1	<b>computer monitor</b> brand: Samsung; screen size: 24 "; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
279	1	<b>laboratory Workbench</b> total dimension L: 1500 mm; total dimension W: 760 mm; total dimension H: 860 mm; description: with lamp; vice and drawers with content; ( 1st floor, room 1.10) ;	10.00
280	1	<b>fume suction device</b> brand: Nederman; total dimension L: 1300 mm; description: motor not included; ( 1st floor, room 1.10) ;	10.00
281	1	<b>soldering station</b> brand: Weller; type: WXA2; electric connection: 230 V; description: with pump and belongings( 1st floor, room 1.10) ;	10.00
282	1	<b>digital storage oscilloscope</b> brand: Keysight; type: DSOX2004A; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
283	1	<b>microscope</b> brand: Photonic; type: PI3000; description: ( 1st floor, room 1.10) ;	10.00
284	1	<b>dc power supply</b> brand: Tenma; type: 72-2640; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
285	1	<b>laboratory pump</b> brand: KNF Lab; type: PM19627-86; electric connection: 230 V; description: ( 1st floor, room 1.10) ;	10.00
286	1	<b>lot of pliers</b> description: ( 1st floor, room 1.10) ;	10.00
287	1	<b>lot of spares</b> description: and various with 2 chrome steel racks; ( 1st floor, room 1.10) ;	10.00
288	1	<b>aluminium frame</b> total dimension L: 815 mm; total dimension W: 1200 mm; total dimension H: 720 mm; description: ( 1st floor, room 1.10) ;	10.00
289	1	<b>tool drawer cabinet</b> brand: Eurokraft; total dimension L: 560 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: 5 drawers; with content; ( 1st floor, room 1.10) ;	10.00
290	1	<b>tool cabinet</b> total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: with various content; ( 1st floor, room 1.10) ;	10.00



Lot	Number	Description	Starting Bid €
291	1	<b>19" test rack</b> total dimension L: 590 mm; total dimension W: 775 mm; total dimension H: 2080 mm; description: with Agilent gauge controller; supply units; and 2 Heinziger control units model PNC 6000-300 neg and PNChp 30000-20 pos; ( 1st floor, room 1.10) ;	100.00
292	1	<b>locker cabinet</b> description: with keys and chrome steel rack; ( 1st floor, room 1.10) ;	10.00
293	3	<b>trolleys</b> brand: Manutan; description: with plastic boxes; ( 1st floor, room 1.10) ;	10.00
294	4	<b>laboratory chairs</b> description: ( 1st floor, room 1.10) ;	10.00
295	1	<b>tool drawer cabinet</b> brand: Garant ; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 13 drawers; with content; ( 1st floor, room 1.10) ;	100.00
296	1	<b>stock</b> description: lot of parts and various in plastic boxes and with 2 shelf racks and table; (1st floor, room 1.10);	100.00
297	2	<b>multi layer cable racks</b> description: with various cables ( 1st floor, room 1.10) ;	10.00
298	1	<b>Illumination verification set-up</b> year: 2014; description: with automated discharge creation box; simulator and termination boxes; 20Kv Dummy; and various in rack; (1st floor, room 1.09) ;	100.00
299	1	<b>Illumination verification set-up</b> year: 2014; description: with simulator and termination boxes; 20Kv Dummy; and various in rack; (1st floor, room 1.09) ;	100.00
300	1	<b>pth verification set-up</b> year: 2014; description: with power supply and control unit; Agilent digital multimeter 34410A in rack; (1st floor, room 1.09) ;	100.00
301	1	<b>bms sw verification set-up</b> year: 2016; description: with various content in rack; (1st floor, room 1.09) ;	10.00
302	1	<b>meterix set-up</b> description: with power supply; wafevorm generator; 2 multimeters and various drivers in rack; (1st floor, room 1.09) ;	100.00
303	1	<b>shelve rack</b> total dimension L: 1290 mm; total dimension W: 600 mm; total dimension H: 2520 mm; description: with various content; and table and chair (1st floor, room 1.09) ;	10.00
304	1	<b>high voltage wiring verification setup</b> type: Blixem; year: 2018; description: c.o: stainless steel vacuum tank ø670mm with Pfeiffer vacuum unit and Denver vacuum pump; built-on stainless steel chamber dimensions approx 1330x510x360mm and control rack with 6 dc power supplys; Heinziger unit PNChp 20000-3 pos; Pfeiffer control unit; (1st floor, room 1.08) ;	100.00
305	1	<b>air compressor</b> brand: HBM; type: 50; year: 2017; mobile: yes; capacity: 8 bar; air flow: 300 l/min; buffer tank content: 50 l; electric connection: 230 V; own weight: 45 kg; description: low noise; (1st floor, room 1.08) ;	10.00
306	1	<b>wire setup table</b> total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: (1st floor, room 1.08) ;	10.00
307	1	<b>wire setup table</b> total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 1800 mm; description: (1st floor, room 1.08) ;	10.00
308	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.08) ;	10.00





Lot	Number	Description	Starting Bid €
309	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (1st floor, room 1.08) ;	10.00
310	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (1st floor, room 1.08) ;	100.00
311	1	<b>lot of parts</b> description: and various; (1st floor, room 1.08) ;	10.00
312	1	<b>digital scale</b> brand: Kern; type: PCB; description: cap. max 350g; d=0.001g; (1st floor, room 1.08) ;	10.00
313	1	<b>soldering station</b> brand: Weller; type: PU81; electric connection: 230 V; description: (1st floor, room 1.08) ;	10.00
314	1	<b>digital storage oscilloscope</b> brand: Tektronix; type: TDS 2014B; electric connection: 230 V; description: (1st floor, room 1.08) ;	10.00
315	1	<b>tool cabinet</b> total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: 1 2 door cabinet with various content; 1 2-door locker cabinet and 1 chrome steel rack with bench and bin; (1st floor, room 1.08) ;	10.00
316	1	<b>lot of office furniture</b> description: (1st floor, room 1.07);	10.00
317	1	<b>lot of office furniture</b> description: (1st floor, room 1.06);	10.00
318	1	<b>lot of office furniture</b> description: (1st floor, room 1.04);	10.00
319	1	<b>lot of office furniture</b> description: (1st floor, room 1.03)(monitors not included);	10.00
320	1	<b>lot of monitors</b> description: in various sizes and brands; (1st floor, room 1.03) ;	10.00
321	1	<b>lot of office furniture</b> description: (1st floor, room 1.02);	10.00
322	1	<b>table</b> description: height adjustable; 7 chairs and 1 mirror; (1st floor, room 1.01);	10.00
323	1	<b>flatscreen television</b> brand: Samsung; type: UE48J5200AWXXN; screen size: 48 "; description: wall mounted; no remote control; (1st floor, room 1.01);	10.00
324	1	<b>lot of packaging materials</b> description: and 1 rack; (1st floor, room 1.21);	10.00
325	1	<b>water Bath</b> brand: Julaba; type: FP51; electric connection: 400 V; description: (1st floor, room 1.20);	10.00
326	1	<b>vacuum unit</b> brand: Pfeiffer ; type: TSU 261; year: 2006; electric connection: 230 V; description: (1st floor, room 1.20);	100.00
327	1	<b>lot of equipment</b> description: out of 1 room; (1st floor, room 1.20);	10.00
328	1	<b>furniture</b> description: tools; and various out of 1 room;(1st floor, room 1.19);	10.00
329	3	<b>coffee Machines</b> description: with belongings; (1st floor, hallway);	10.00
330	7	<b>desk Chairs</b> brand: Ahrend; padded: yes; description: (1 chair misses 1 wheel); (1st floor, hallway);	10.00
332	1	<b>locker cabinets</b> description: coat-hangers; chrome steel baskets; bench; 4 tables and various ; (2nd floor, cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
333	2	<b>seal units</b> description: (2nd floor, cleanroom) ;	10.00
334	1	<b>alignment setup</b> type: Archimedes; description: with Fiber lite high intensity LED illuminator; built in electronics box on Thorlabs laboratory table and aluminium frame; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
335	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100.00
336	1	<b>Measurement setup</b> type: Prolix; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 625 mm; description: with Edmunds high intensity illuminator; 2 laser units; built on Newport laboratory table and aluminium frame ; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
337	1	<b>reference mirror glueing setup</b> description: with 2 laser beam units; 2 Micro radian digital autocollimator controller; dimensions approx 535x560mm; (2nd floor, cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
338	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (2nd floor, cleanroom) ;	100.00
339	1	<b>further PCB equipment</b> description: various parts; cases and chrome steel rack; (2nd floor, cleanroom) ;	10.00
340	1	<b>lot of pl s devices</b> description: with chrome steel rack; (2nd floor, cleanroom) ;	10.00
341	6	<b>tables</b> description: in various sizes; (2nd floor, cleanroom) ;	10.00
342	1	<b>lot of assortment boxes</b> brand: Raaco; description: with various content; (2nd floor, cleanroom) ;	10.00
343	1	<b>laboratory table</b> brand: Treston; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: with stand; monitor; lamp; and drawer with content; (2nd floor, cleanroom) ;	10.00
344	1	<b>fiber coupled laser source</b> brand: Thorlabs; description: (2nd floor, cleanroom) ;	10.00
345	1	<b>measuring test unit</b> description: (2nd floor, cleanroom) ;	10.00
346	1	<b>digital scale</b> brand: Kern; type: KB; description: cap. max 361g; d=0.001g;(2nd floor, cleanroom) ;	10.00
347	1	<b>19" rack unit</b> brand: PI; description: with servo controller module and LVPZT Amplifier module; (2nd floor, cleanroom) ;	10.00
348	1	<b>lot of aluminium plate holders</b> description: with chrome steel rack; (2nd floor, cleanroom) ;	10.00
349	1	<b>lot of assortment boxes</b> brand: Raaco; description: with various content; plastic boxes and 3 chrome steel racks (2nd floor, cleanroom) ;	100.00
350	1	<b>laboratory hotplate</b> brand: VWR; type: 7x7 Alu; electric connection: 230 V; description: (2nd floor, cleanroom) ;	10.00
351	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
352	1	<b>leak verification setup</b> type: Heron; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 820 mm; description: mounted on aluminium frame; (2nd floor, cleanroom) ;	100.00
353	1	<b>microscope</b> brand: Leitz; electric connection: 230 V; description: with Leitz VRZ-XY digital read out; Heidenhain controller; Hund wetzlar lightsource; Vermason ionizer; built on Thorlabs laboratory table size 1500x900mm; (2nd floor, cleanroom) ;	100.00
354	1	<b>3D measuring instrument</b> brand: Faro; total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 1500 mm; description: mounted on trolley with granite surface size 910x610x100mm; (2nd floor, cleanroom) ;	100.00
355	1	<b>data rack</b> description: with various content; (2nd floor, cleanroom) ;	10.00
356	1	<b>wire bonding unit</b> brand: Marpet enterprises inc.; electric connection: 230 V; description: with Leica microscope; Uthc power logicon and belongings with table; (2nd floor, cleanroom) ;	100.00
357	1	<b>laminair Flow Cabinet</b> brand: Thermo scientific; type: Hera guard eco 1.8; year: 2010; air circulation: 900 m³/hr; electric connection: 230 V; total dimension L: 1910 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: (2nd floor, cleanroom) ;	100.00
358	1	<b>tool drawer cabinet</b> brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 7 drawers; with content; (2nd floor, cleanroom) ;	100.00
359	1	<b>assembly table</b> total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 820 mm; description: (2nd floor, cleanroom) ;	10.00
360	1	<b>lot of assortment boxes</b> brand: Raaco; description: with various content; plastic boxes and 3 chrome steel racks (2nd floor, cleanroom) ;	100.00
361	1	<b>laboratory Oven</b> brand: Despatch; type: LCC1-16NV-3; serial number: 177487; chamber dimension L: 350 mm; chamber dimension W: 350 mm; chamber dimension H: 350 mm; maximum temperature: 260 °c; digital display: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 910 mm; total dimension H: 560 mm;	100.00
362	1	<b>lot of vacuum cabinets</b> description: with content and chrome steel rack ; (2nd floor, cleanroom) ;	100.00
363	4	<b>laboratory chairs</b> description: (2nd floor, cleanroom) ;	10.00
364	2	<b>test units</b> description: (2nd floor, cleanroom) ;	10.00
365	2	<b>seal units</b> description: (2nd floor, cleanroom) ;	10.00
366	1	<b>assortment boxes</b> brand: Raaco; description: with content and rack; (2nd floor, cleanroom) ;	10.00
367	6	<b>laboratory bins</b> description: (2nd floor, cleanroom) ;	10.00
368	1	<b>laboratory table</b> brand: Treston; total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 1440 mm; description: with stand; and drawer with content ;	10.00
369	1	<b>laser power meter console</b> brand: Thorlabs ; type: PM100A; description: (2nd floor, cleanroom) ;	10.00
370	1	<b>soldering station</b> brand: Weller; type: PU81; electric connection: 230 V; description: (2nd floor, cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
371	1	<b>labeler</b> brand: Brother; type: Ptouch 18r; description: (2nd floor, cleanroom) ;	10.00
372	2	<b>digital meters</b> description: (2nd floor, cleanroom) ;	10.00
373	1	<b>vacuum gas pump</b> brand: VWR; description: (2nd floor, cleanroom) ;	10.00
374	1	<b>storage cabinet</b> total dimension L: 750 mm; total dimension W: 350 mm; total dimension H: 600 mm; description: with various content; (2nd floor, cleanroom) ;	10.00
375	2	<b>digital scales</b> brand: Kern; type: KB/EMB 200-3; description: (2nd floor, cleanroom) ;	10.00
376	1	<b>lot of meters</b> description: (2nd floor, cleanroom) ;	10.00
377	2	<b>digital multimeters</b> brand: Fluke; type: 112; description: (2nd floor, cleanroom) ;	10.00
378	1	<b>various meters</b> description: (2nd floor, cleanroom) ;	10.00
379	1	<b>fiber camera</b> brand: Exfo; type: Maxtester/FIP 430b; description: (2nd floor, cleanroom) ;	10.00
380	1	<b>laboratory table</b> total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 750 mm; description: with mounted cable eye wire checker; (2nd floor, cleanroom) ;	10.00
381	1	<b>Measurement setup</b> total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 625 mm; description: for wiring; on Thorlabs laboratory table size 900x600x740mm; (2nd floor, cleanroom);	100.00
382	1	<b>pl module lift</b> description: with camera; (2nd floor, cleanroom) ;	100.00
383	1	<b>lot of special tools and holders</b> description: with chrome steel rack ;	100.00
384	1	<b>biological Safety Cabinet</b> brand: Thermo scientific; type: MSC 1.2; year: 2016; serial number: 41988910; electric connection: 230 V; total dimension L: 1300 mm; total dimension W: 760 mm; total dimension H: 2200 mm; description: class II; working volume 1200x465x780mm; (2nd floor, cleanroom) ;	100.00
385	1	<b>chemical storage cabinet</b> brand: Asecos; total dimension L: 600 mm; total dimension W: 620 mm; total dimension H: 1300 mm; description: with various content; (2nd floor, cleanroom) ;	10.00
386	1	<b>adhesive dispenser</b> brand: Nordson; type: EFD LLC; description: with foot pedal and Knf lab pump; (2nd floor, cleanroom) ;	10.00
387	3	<b>laboratory chairs</b> description: (2nd floor, cleanroom) ;	10.00
388	6	<b>laboratory chairs</b> description: (2nd floor, cleanroom) ;	10.00
390	1	<b>vacuum pump</b> brand: Pfeiffer; type: MVP 055-3; year: 2007; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: (2nd floor);	10.00
391	1	<b>fiber coupled laser source</b> brand: Thorlabs; type: S1FC635PM; description: 635 nm; 2,5 mW (2nd floor);	10.00
392	1	<b>illuminator microscope</b> brand: Dicon; type: MSB; electric connection: 12 V; description: 40W;	10.00



Lot	Number	Description	Starting Bid €
393	1	<b>stock</b> description: lot of parts and various in plastic boxes and with 2-section shelf rack; a.o. archimedes parts; spotifix parts; power and ground entry; IBC shields etc. (Note! 2nd floor);	100.00
394	1	<b>pallet rack</b> dismantable: yes; section dim. L: 1340 mm; section dim. W: 1100 mm; section dim. H: 2000 mm; number of uprights: 2; number of cross beams: 6; number of shelves: 3; description: (Note! 2nd floor);	10.00
395	1	<b>Full HD LED TV</b> brand: Samsung ; type: UE48J5200AWXXN; screen size (inch): 48 "; Full HD: yes; remote control: yes; electric connection: 230 V;	10.00
396	1	<b>conference table</b> dimension L: 250 cm; dimension W: 120 cm; description: incl. (9x) various chairs; (2x) desks and whiteboard (excl. hardware) (Note! 2nd floor);	10.00
397	1	<b>lot of office furniture</b> dimension L: 250 cm; dimension W: 120 cm; description: consisting of: (16) desks; (16x) mobile chair; (16x) mobile drawer cabinets; (1x) display cabinet; (1x) sliding door cabinet and whiteboard (excl. hardware) (Note! 2nd floor);	10.00
398	20	<b>various computer monitor</b> description: various models (3rd floor);	10.00
399	1	<b>lot of office furniture</b> dimension L: 250 cm; dimension W: 120 cm; description: consisting of: (4x) desks; (4x) mobile chair; (4x) mobile drawer cabinets and whiteboard (excl. hardware) (Note! 2nd floor);	10.00
400	7	<b>various computer monitor</b> description: various models (3rd floor);	10.00
401	1	<b>PLWPPF verification setup</b> electric connection: 230 V; description: with "ELMA" POS module; "Cableeye" cable & harness tester in rack; incl. "Thorlabs" laser power meter (2nd floor);	100.00
402	1	<b>aluminum verification setup mobile frame</b> total dimension L: 880 mm; total dimension W: 780 mm; total dimension H: 2600 mm; description: dim. approx. incl. various in case (2nd floor);	10.00
403	1	<b>mobile patch cabinet</b> total dimension L: 600 mm; total dimension W: 850 mm; total dimension H: 1300 mm; description: incl. server elements and monitor; Note! 2nd floor;	10.00
404	1	<b>laboratory workbench</b> brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10.00
405	1	<b>laboratory workbench</b> brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10.00
406	1	<b>laboratory workbench</b> brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10.00
407	1	<b>laboratory workbench</b> brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with lamp and drawers (2nd floor);	10.00
408	1	<b>locker cabinet</b> number of doors: 3; dimension L: 119 cm; dimension W: 50 cm; dimension H: 180 cm;	10.00
409	1	<b>lot of PCB materials</b> description: a.o. cable sets; connector parts; aluminum foil etc.; incl. sliding door cabinet;	10.00
410	2	<b>office table</b> brand: Manutan; description: incl. bench and rack;	10.00
411	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (2nd floor);	10.00



Lot	Number	Description	Starting Bid €
412	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (2nd floor);	10.00
413	1	<b>lot of fasteners</b> description: in (5x) various cases;	10.00
414	1	<b>foil dispenser</b> brand: Legro; type: Multi-Block; description: incl. sealer (Note! 2nd floor);	10.00
415	2	<b>laboratory chairs</b> description: (Note! 2nd floor);	10.00
416	4	<b>chair</b> description: (Note! 2nd floor);	10.00
417	1	<b>hot air rework station</b> brand: Tenma; type: 2311402; power: 0.5 kW; electric connection: 230 V; description: incl. "Weller" soldering station (Note! 2nd floor);	10.00
418	1	<b>deflector control box</b> electric connection: 230 V; description: (Note! 2nd floor);	10.00
419	1	<b>deflector control box</b> electric connection: 230 V; description: (Note! 2nd floor);	10.00
420	1	<b>deflector control box</b> electric connection: 230 V; description: (Note! 2nd floor);	10.00
421	1	<b>vacuum pump</b> brand: Adixen; type: ACP 15; description: max. press 1013 mBar; 6000 rpm (Note! 2nd floor!);	100.00
422	1	<b>benchtop zero volt ionizer</b> brand: Emit; type: 50670; year: 2018; description: (Note! 2nd floor);	10.00
423	1	<b>benchtop zero volt ionizer</b> brand: Emit; type: 50670; year: 2018; description: (Note! 2nd floor);	10.00
424	1	<b>cable length measuring tool</b> brand: Cimco; description: cap. Ø 4-35 mm (Note! 2nd floor);	10.00
425	1	<b>paper dispenser</b> brand: Legro; type: Multi-Block; description: in package (Note! 2nd floor);	10.00
426	1	<b>lot of various PCB materials</b> description: a.o. interconnect flange adapter; processor boards; test tools; spare parts; cables; fasteners; empty crates etc. etc.; incl. 8-sections shelf rack (Note! 2nd floor);	100.00
427	1	<b>lot of laboratory materials</b> description: a.o. cleanroom floor mats; nitrile gloves; CPE overshoes; tool trolley; 2-sections rack; office table; chair etc. (Note 2nd floor);	10.00
428	3	<b>various cart</b> description: (Note! 2nd floor);	10.00
429	3	<b>various cart</b> description: (Note! 2nd floor);	10.00
430	4	<b>various stair</b> aluminium: yes; step ladder: yes; single: yes; description: (Note! 2nd floor);	10.00
431	4	<b>various stair</b> aluminium: yes; step ladder: yes; single: yes; description: (Note! 2nd floor);	10.00
432	1	<b>portable staircase</b> brand: Little Giant; number of steps: 3; aluminium: yes; multi-purpose ladder: yes; single: yes; description: (Note! 2nd floor);	10.00
433	1	<b>aluminum staircase</b> brand: Altrex; type: Castor; number of steps: 5; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10.00
434	1	<b>aluminum staircase</b> brand: Altrex; type: Andes; number of steps: 7; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10.00





Lot	Number	Description	Starting Bid €
435	1	<b>aluminum staircase</b> brand: Altrex; type: Castor; number of steps: 7; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10.00
436	1	<b>aluminum staircase</b> brand: Kelfort; type: Castor; number of steps: 3; aluminium: yes; single: yes; access platform: yes; description: (Note! 2nd floor);	10.00
437	1	<b>mobile scaffold</b> brand: Altrex; type: 5400; dimension L: 2000 mm; dimension W: 700 mm; dimension H: 1950 mm; number of base sections: 2; number of boards: 1; folding scaffold: yes; description: (Note! 2nd floor);	10.00
438	1	<b>defibrillator</b> brand: Defibtech; type: LifeLine; year: 2015; serial number: DDU-100E; automatic: yes; description: (Note! 2nd floor);	10.00
451	2	<b>interconnect integration tooling</b> description: in 2 flightcases; dim. approx. 1250x850x500 mm; Note! 3rd floor;	10.00
452	1	<b>lot various LPCP parts in plastic boxes</b> description: boxes various sizes; incl. rack; Note! 3rd floor;	10.00
453	4	<b>mobile patch cabinet</b> description: incl. server elements and 4 monitors; Note! 3rd floor;	100.00
454	3	<b>various PCB test units</b> description: incl. rack with various; Note! 3rd floor;	10.00
455	1	<b>mobile patch cabinet</b> description: Note! 3rd floor;	10.00
456	2	<b>various tables</b> description: incl. bench; Note! 3rd floor;	10.00
457	1	<b>test unit</b> description: incl. rack with various; Note! 3rd floor;	10.00
458	1	<b>lot of various PCB equipment</b> description: a.o. breakout box; mount lens; LCPC electric cables; machine parts; signal generator; incl. shelf rack (Note! 3rd floor!);	10.00
459	1	<b>triple axis EMF tester</b> brand: Exttech; type: 480826; description: Note! 3rd floor;	10.00
460	2	<b>oscilloscope</b> brand: Tektronix; type: TDS 2014C; description: 1x defect; Note! 3rd floor;	10.00
461	2	<b>power supply</b> brand: Delta Elektronika; type: EST 150; electric connection: 230 V; description: Note! 3rd floor;	10.00
462	1	<b>multimeter</b> brand: Fluke; type: 8845A; description: Note! 3rd floor;	10.00
463	2	<b>power supply</b> brand: Delta Elektronika; type: EST 0300; electric connection: 230 V; description: Note! 3rd floor;	10.00
464	1	<b>arbitrary waveform generator</b> brand: Agilent; type: 3325A; electric connection: 230 V; description: Note! 3rd floor;	10.00
465	1	<b>semi conductor</b> brand: CyberOptics; type: Wafersense ATS; description: Note! 3rd floor;	100.00
466	1	<b>fume suction device</b> brand: Alsident system; total dimension L: 1300 mm; description: motor not included; (3rd floor) ;	10.00
467	1	<b>digital force gauge set</b> brand: Sauter; type: FL; max. testing force: 25 kN; description: Note! 3rd floor;	100.00
468	1	<b>hot air rework station</b> brand: Rohs; type: CIF 852A++; power: 0.5 kW; electric connection: 230 V; description: (Note! 3rd floor!);	10.00



Lot	Number	Description	Starting Bid €
469	1	<b>analog force gauge</b> brand: Sauter; type: FA300; description: cap. 300N; in case (Note! 3rd floor!);	10.00
470	1	<b>soldering station</b> brand: Weller; type: PU81; power: 0.1 kW; electric connection: 230 V; description: (Note! 3rd floor!);	10.00
471	1	<b>bag sealer</b> brand: Packer; type: PBS/300; electric connection: 230 V; description: 300 x 2 mm seal (Note! 3rd floor);	10.00
472	1	<b>differential pressure transmitter</b> brand: Dwyer; type: DM-2000; description: incl. various belongings; in box ( Note! 3rd floor);	10.00
473	2	<b>shielded 68-pin I/O connector block</b> brand: National Instruments; type: SCB-68; description: Note! 3rd floor;	10.00
474	1	<b>lot of stacking crates</b> brand: Georg Utz; description: approx. 13 pcs. ( Note! 3rd floor);	10.00
475	1	<b>lot of various electric cables</b> description: incl. mobile frame ( Note! 3rd floor);	10.00
476	1	<b>lot of various (hand) tools</b> description: a.o. screwdrivers; pliers; crimp tools; wrenches; heat gun; probe; installation wires; incl. 2-door cabinet and trolley ( Note! 3rd floor);	10.00
477	1	<b>lot of various PCB equipment</b> description: a.o. wafer stage cables; sensors; processor boards; test tools; glue supplies etc. etc.; incl. shelf rack and 2-doors cabinet (Note! 3rd floor!);	10.00
478	1	<b>external cavity diode laser</b> brand: New Focus; type: Vortex II TLB-6900; description: Note! 3rd floor;	100.00
479	1	<b>optical fiber microscope</b> brand: JDSU; type: Westover P5000; description: incl. optical fiber connector cleaner; Note! 3rd floor;	10.00
480	1	<b>lot of office furniture</b> description: consisting of: (5x) various desks and (5x) chairs; (excl. hardware!) (Note! 3rd floor);	10.00
481	2	<b>various computer monitor</b> brand: Dell / HP; description: (3rd floor);	10.00
482	1	<b>lot of office furniture</b> description: consisting of: (8x) various desks and (8x) chairs; (5x) mobile drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10.00
483	15	<b>various computer monitor</b> description: various models (3rd floor);	10.00
484	1	<b>lot of office furniture</b> description: consisting of: (10x) various desks and (8x) chairs; (9x) mobile drawer cabinets; (1x) sliding door cabinet; (2x) whiteboard (excl. hardware!) (Note! 3rd floor);	10.00
485	19	<b>various computer monitor</b> description: various models (3rd floor);	10.00
486	1	<b>desk</b> brand: Ahrend; dimension L: 180 cm; dimension W: 80 cm; height adjustable: yes; pedestal: yes; office chair: yes; description: incl. (2x) mobile drawer and cabinets and chair (excl. hardware!) (Note! 3rd floor);	10.00
487	1	<b>lot of office furniture</b> description: consisting of: (1x) 4-part office desk and (2x) chairs; (2x) drawer cabinets; (1x) conference table with 4 chairs (excl. hardware!) (Note! 3rd floor);	10.00
488	2	<b>2-doors filing cabinet</b> dimension L: 130 cm; dimension W: 50 cm; dimension H: 130 cm; description: (Note! 3rd floor);	10.00



Lot	Number	Description	Starting Bid €
489	1	<b>2-doors display cabinet</b> dimension L: 70 cm; dimension W: 44 cm; dimension H: 180 cm; description: incl. content (Note! 3rd floor);	10.00
490	1	<b>lot of office furniture</b> description: consisting of: (10x) various desks and (9x) chairs; (9x) drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10.00
491	12	<b>various computer monitor</b> description: various models (3rd floor);	10.00
492	1	<b>conference table</b> dimension L: 300 cm; dimension W: 140 cm; description: incl. (12x) chairs and (1x) desk;	10.00
493	1	<b>projection screen</b> brand: iVisions; description: width 300 cm;	10.00
494	1	<b>lot of office furniture</b> description: consisting of: (6x) desks; (6x) chairs; (5x) drawer cabinets; (1x) sliding door cabinet (excl. hardware!) (Note! 3rd floor);	10.00
495	8	<b>various computer monitor</b> description: various models (3rd floor);	10.00
496	1	<b>lot of office furniture</b> description: consisting of: (6x) desks; (4x) chairs; (5x) drawer cabinets; (1x) 2-doors cabinet (excl. hardware!) (Note! 3rd floor);	10.00
497	1	<b>lot of office furniture</b> description: consisting of: (6x) various desks; (5x) chairs; (6x) drawer cabinets; (3x) various sliding door cabinets (excl. hardware!) (Note! 3rd floor);	10.00
498	13	<b>various computer monitor</b> description: various models (3rd floor);	10.00
499	1	<b>lot of canteen furniture</b> description: consisting of: (3x) various tables; (12x) various chairs; "Severin" refrigerator and microwave;	10.00
500	1	<b>cleaning cart</b> description: incl. various (Note 3rd floor);	10.00
501	1	<b>office table</b> dimension L: 220 cm; dimension W: 100 cm; description: incl. (4x) chairs (Note! 3rd floor);	10.00
502	1	<b>stock</b> description: lot of parts and various in plastic boxes and with 4-section shelf racks; (Note! 3rd floor);	100.00
549	1	<b>airconditioning</b> brand: Thermocold; type: Domino EA 140 ZC SB; year: 2016; serial number: DE-4498-G0; type of refrigerant: R410A; electric connection: 400 V; own weight: 711 kg; total dimension L: 1900 mm; total dimension W: 1150 mm; total dimension H: 2100 mm; description: 6 bar(outside);	100.00
550	1	<b>airconditioning</b> brand: Aermec; type of refrigerant: R410A; electric connection: 400 V; description: 6 bar(outside);	100.00
601	1	<b>pneumatic lift system</b> description: arm length 800 mm; arm width 1500 mm; distance between columns 1750 mm; lifting height 500 mm; in wooden box; dim. approx. 2350x2350x2450 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
602	1	<b>aluminum stand</b> total dimension L: 1030 mm; total dimension W: 550 mm; total dimension H: 1300 mm; description: in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
603	1	<b>dismantled pallet raised floor lift</b> description: on 4 plastic pallets (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00



Lot	Number	Description	Starting Bid €
604	2	<b>various high pressure vessel</b> brand: Chart; type: 180/24; stainless steel: yes; capacity content: 186 l; description: min. temp. -196°C; max. work pressure 15,9 bar (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
605	1	<b>straddle base material lift</b> brand: Genie; type: GL-12; year: 2006; serial number: GL06-49881; max. load: 159 kg; platform size L: 520 m; platform size W: 570 m; overhead guard height: 2300 mm; manually operated: yes; description: max. lift height 4,20 m (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
606	1	<b>manual stacker lift</b> brand: Seco; type: 1112; year: 2016; serial number: 160910609; lifting capacity: 1100 kg; fork length: 1150 mm; lifting height: 1270 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
607	1	<b>manual stacker lift</b> brand: Hanselifter ; type: SDJ1030-01; year: 2010; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 1200 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
608	1	<b>manual stacker lift</b> brand: Hanselifter ; type: SDJ1516-01; year: 2011; lifting capacity: 1500 kg; fork length: 1150 mm; lifting height: 1150 mm; description: with footpump (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
609	1	<b>electric stacker lift</b> brand: Linde; type: L16; year: 2008; serial number: W4X372W01809; lifting capacity: 1600 kg; fork length: 1150 mm; description: (Note! Battery low, no electricity on site!) (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
610	1	<b>manual stacker lift</b> brand: Kentuck; type: HLQ1000; year: 2006; serial number: 051081; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 2350 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
611	1	<b>hydraulic hand pallet truck</b> lifting capacity: 2500 kg; fork length: 1000 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
612	1	<b>aluminum stair</b> brand: Zarges; number of steps: 5; aluminium: yes; single: yes; access platform: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
613	1	<b>aluminum stair</b> brand: Zarges; number of steps: 3; aluminium: yes; single: yes; access platform: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
614	1	<b>mobile scaffold</b> brand: Altrex; type: 3400; dimension L: 1630 mm; dimension W: 720 mm; dimension H: 2750 mm; number of base sections: 4; number of boards: 1; number of wheels: 4; folding scaffold: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
615	1	<b>aluminum base plate</b> description: dim. approx. 1080x1070x200 mm; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
616	1	<b>floor ramp</b> total dimension L: 890 mm; total dimension W: 980 mm; total dimension H: 160 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
617	1	<b>lot of package material</b> dimension L: 1200 mm; dimension W: 1000 mm; description: in plastic crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00



Lot	Number	Description	Starting Bid €
618	1	<b>vertical storage tank</b> brand: Pentair; type: WellMate WM6; year: 2103; plastic: yes; capacity content: 75 l; description: in plastic transport crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
619	1	<b>machine aluminum frame</b> description: dim. approx. 980x650x450 mm; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
620	1	<b>lot of floor mats</b> description: colour red; dim. approx. 480x500 mm; on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
621	1	<b>lot of acoustic ceiling tiles</b> brand: Rockwool; type: Rockfon; description: total approx. 23 m2; in 2 boxes (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
622	1	<b>lot of fluorescent lighting</b> ceiling light: yes; electric connection: 230 V; total dimension L: 2320 mm; total dimension W: 185 mm; total dimension H: 80 mm; description: total approx. 24 pcs.; on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
623	2	<b>window frame</b> total dimension L: 1180 mm; total dimension W: 1200 mm; total dimension H: 100 mm; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
624	1	<b>lot of built-in spotlamps</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
625	1	<b>dismantled storage rack</b> dismantable: yes; section dim. L: 1200 mm; section dim. W: 700 mm; section dim. H: 2500 mm; number of uprights: 5; number of cross beams: 15; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
626	1	<b>patch cabinet</b> brand: Supermicro; description: 14U; 19" (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
627	1	<b>machine part</b> max. product width: 730 mm; max. product length: 450 mm; description: in plastic box (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
628	1	<b>cleanroom machine parts</b> stainless steel: yes; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
629	1	<b>cleanroom machine parts</b> stainless steel: yes; description: on 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
630	2	<b>aluminum stand</b> total dimension L: 1030 mm; total dimension W: 550 mm; total dimension H: 1300 mm; description: for power supply; in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
631	1	<b>aluminum machine part</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
632	1	<b>aluminum frame</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
633	1	<b>vacuum turbo pump</b> brand: Pfeiffer; type: TMU 1000 MP; own weight: 45 kg; description: 910L./sec. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
634	1	<b>vacuum turbo pump</b> brand: Pfeiffer; type: TMU 1000 MP; own weight: 45 kg; description: 910L./sec. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00



Lot	Number	Description	Starting Bid €
635	1	<b>lot of aluminum floor tiles</b> description: in 1 pallet (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
636	2	<b>interconnect integration tooling</b> description: in 2 boxes; with mobile flightcase; dim. approx. 1250x850x500 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
637	2	<b>interconnect integration tooling</b> description: in 2 boxes; with mobile flightcase; dim. approx. 1250x850x500 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
638	1	<b>ultra-low temperature circulator</b> brand: Neslab; type: ULT-95; content: 150 l; temperature range min.: -30 °c; temperature range max.: -90 °c; digital display: yes; electric connection: 400 V; description: 12,4 LPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	100.00
639	1	<b>magnetic hot plate</b> brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
640	1	<b>magnetic hot plate</b> brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
641	1	<b>magnetic hot plate</b> brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
642	1	<b>magnetic hot plate</b> brand: DLab; type: MS7-H550-Pro; temperature range max.: 550 °c; electric connection: 230 V; description: max. 1500 RPM (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
643	1	<b>triple output programable DC power supply</b> brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
644	1	<b>triple output programable DC power supply</b> brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
645	1	<b>triple output programable DC power supply</b> brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
646	1	<b>triple output programable DC power supply</b> brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
647	1	<b>triple output programable DC power supply</b> brand: BK Precision; type: 9130; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
648	1	<b>lot various equipment</b> description: monitor and keyboard etc. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
649	1	<b>special product housing</b> total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: aluminium frame (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
650	1	<b>special product in flightcase</b> brand: Metrology Electronics; type: MES-E; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00





Lot	Number	Description	Starting Bid €
651	1	<b>various special product parts</b> description: in wooden case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
652	1	<b>special cleanroom cables</b> description: in wooden crate (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
653	1	<b>spare part for Matrix</b> brand: SUSAS; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
654	1	<b>storage and control node</b> electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
655	1	<b>deflector control box</b> electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
656	2	<b>special product parts</b> description: incl. box with cables (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
657	1	<b>pl wiring patch panel and flange build sheet</b> description: and spare parts; total in 2 boxes (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
658	4	<b>flightcase</b> hinged lid: yes; total dimension L: 770 mm; total dimension W: 470 mm; total dimension H: 300 mm; description: incl. wooden transportbox with plastic pallet dim. 980x720x620 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
659	1	<b>lot various power cables</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
660	2	<b>flexible hoses</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
661	1	<b>inside vacuum fiber plant part</b> description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
662	1	<b>waf packaging / in-air cable box</b> description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
663	1	<b>beam switcher parts</b> description: incl. transport case (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
664	1	<b>lot various machine parts</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
665	1	<b>lot various machine parts</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
666	1	<b>lot various machine parts</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
667	1	<b>lot various machine parts</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
668	1	<b>vacuum pump</b> brand: Varian; type: 949-9412; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
669	3	<b>various frames</b> description: (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00



Lot	Number	Description	Starting Bid €
670	1	<b>oudside vacuum fiber part</b> description: incl. wooden box dim. 1020x1310x1540 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
671	1	<b>empty reel</b> description: Ø1000 mm; in palletbox (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
672	1	<b>empty reel</b> description: Ø1000 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
673	1	<b>empty reel</b> description: Ø1000 mm; incl. wooden box dim. 1020x1310x1540 mm (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
674	1	<b>tool trolley</b> brand: Garant; with content: yes; description: incl. wrench set and plastic toolbox (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
675	16	<b>bags road salt</b> brand: Esco; description: each 25 kg (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
676	1	<b>lot of steel pallet beams</b> description: length 2700 mm; approx. 30 pcs.; incl. wooden plates (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
677	1	<b>lot of package materials</b> description: a.o. wooden crates; pallets etc. (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00
678	1	<b>canteen table</b> total dimension L: 2000 mm; total dimension W: 1000 mm; description: with 6 chairs (andere locatie/other location: Hooipolderweg 6, 2635 CZ Den Hoorn);	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

**5.3** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.4** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.5** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.6** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.7** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.8** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.9** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.10** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.



**5.11** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.12** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection





costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.





**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience