



Bankruptcy Auction of Mapper Lithography B.V. -2
(NL)

**High end elektronica o..a wafers, mobiele
werktafels, mobiele tracks, pallettrucks**
Rotterdamseweg 394 - 2629 HH Delft
(Mapper Lithography B.V. Rotterdamseweg 394)

Sluitingsdatum: dinsdag **26 MAART** vanaf 10:00



Bieden uitsluitend via internet!

12-03-19 15.58



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

dinsdag 26 maart 2019 Bankruptcy Auction of Mapper Lithography B.V. -2

Specifieke Online Veilingvoorwaarden van een openbare veiling

Sluitingsdatum	Dinsdag 19 maart 2019 vanaf 10:00 CET
Kijkdag	maandag 18 maart van 09:00 tot 12:00 CET Mapper Lithography B.V. Rotterdamseweg 392 Rotterdamseweg 392 2629HH Delft, Nederland maandag 18 maart van 09:00 tot 12:00 CET Mapper Lithography B.V. Rotterdamseweg 394 Rotterdamseweg 394 2629 HH Delft, Nederland maandag 18 maart van 09:00 tot 12:00 CET Mapper Lithography B.V. Rotterdamseweg 406 Rotterdamseweg 406 2629 HH Delft, Nederland
Bedrijf dat deze Online veiling organiseert	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, Nederland Telefoon: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Opgeld	17,00%
BTW	21,00%
Marge goederen	In geval van marge goederen zal de BTW 0% bedragen
Afhalen	dinsdag 26 maart van 09:00 tot 16:00 CET Mapper Lithography B.V. Rotterdamseweg 394 Rotterdamseweg 394 2629 HH Delft, Nederland woensdag 27 maart van 09:00 tot 16:00 CET Mapper Lithography B.V. Rotterdamseweg 392 Rotterdamseweg 392 2629HH Delft, Nederland woensdag 27 maart van 09:00 tot 16:00 CET Mapper Lithography B.V. Rotterdamseweg 406 Rotterdamseweg 406 2629 HH Delft, Nederland
Bezichtigingsinstructies	Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.
Bijwonen veilingssluiting voor consumenten	De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk. Het betreft hier een openbare veiling. Dit betekent dat u als consument de gelegenheid heeft om de online veilingssluiting bij te wonen bij ons op kantoor: Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam U dient hiervoor geregistreerd te zijn op onze website: www.troostwijkauctions.com . Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres: bijwonenkoperssluiting@troostwijkauctions.com o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van

www.TroostwijkAuctions.com



Betalingsdetails

ons.

Uw betaling dient 48 uur na het versturen van de koopovereenkomst te zijn ontvangen op één van de onderstaande rekeningnummers. Bij **bankbetaling** gaarne **Account ID** en **veilingnummer** vermelden.

Veilig en gemakkelijk betalen?

Selecteer dan de optie **Betalen** op onze website, in uw [MyTroostwijk menu](#) onder [Mijn aankopen](#) om direct en veilig te betalen via Ideal/Ogone.

Bank	IBAN nr.	Rekeningnr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Let op: bij betaling uw kopernummer en veilingnummer vermelden!

Na betaling ontvangt u van ons een **betalingsbevestiging** per e-mail.

Originele facturen zijn te **downloaden** vanuit [MyTroostwijk](#).

Afhaalinstructies

De koper dient op de afhaaldag de koopovereenkomst of de factuur mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).

Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Algemene Voorwaarden

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing. In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

Toezicht

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleever Fortuijn N.V., advocaten en notarissen, te Den Haag.

Combinatie

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

Verlenging

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht. Troostwijk behoudt zich het recht voor om de verlengingstijd aan te passen.

Kavels zonder biedingen

Van alle kavels waarop niet is geboden, kan de sluitingstijd aangepast worden tot



Onder voorbehoud van gunning

een half uur na de laatste sluitingstijd van kavels binnen deze veiling.
Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de biedgegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

Inhoud, afmetingen en gewicht van de kavels

A number of lots have the following note: (This lot is subject to allocation due to the "Dual Use Regulations"). This means that the goods cannot be sold to buyers from countries outside of the EU. If you are the highest bidder and you placed your bid with an account listed on a country outside of the EU and/or you placed a bid from a country outside of the EU the lot will not be allocated. Troostwijk and / or its client decides on allocation of the lots. Even if you are the highest bidder within the EU, we can decide to not allocate lots without giving a reason.

Privacy Statement

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie. Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



Kavel	Aantal	Omschrijving	Openingsbod €
1001	1	electron beam verification setup type: Telecentrix; description: c.o: stainless steel vacuum tank on steel frame and Lablegs; dimensions approx ø 1000x1900mm; 3 built-on Pfeiffer vacuum units model TM700; MKS microvision-ip unit 14 connector inlets with sensors and connectors; power supply box; datarack with various control units and valve table on aluminum frame (cleanroom) ;	1.000,00
1002	1	light optics viewport camera test and verification setup type: LOVC; description: c.o: stainless steel vacuum tank on Lablegs; dimensions approx ø 800x2100mm; Pfeiffer built-on vacuum unit model HiPace 400; data rack with content ; (cleanroom) ;	1.000,00
1003	1	high voltage measurement setup type: Debutantus; description: c.o: stainless steel vacuum tank on Lablegs; dimensions approx ø 600x1800mm; Pfeiffer built-on vacuum unit model TMU 1600M P; mobile groundbox and data rack with content; (cleanroom) ;	1.000,00
1004	1	pressure sensing and venting verification setup type: Startrix; description: stainless steel build up with Alcatel turbopump model ATH 400M; MKS e-Vision module on an an aluminum mobile frame and data cabinet with content; (cleanroom) ;	100,00
1005	1	wire force measurement setup total dimension L: 1280 mm; total dimension W: 960 mm; total dimension H: 2050 mm; description: built on aluminum frame; 2 Sauter digital gauges model FL; 2 Elgo digital displays; Serenity scale with digital display etc.;(cleanroom) ;	100,00
1006	2	lift tools brand: Demcon; own weight: 50 kg; total dimension H: 1000 mm; description: 2012+2013; max lifting height 600mm; (cleanroom) ;	100,00
1007	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; locked, no keys(cleanroom) ;	100,00
© 1008	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10,00
1009	1	chrome steel rack description: with various content (most cases are empty); 1 aluminum frame and 1 mobile computerdesk with monitor (cleanroom) ;	10,00
1010	1	chrome steel rack description: with various content; (cleanroom) ;	10,00
1011	1	assembly setup total dimension L: 950 mm; total dimension W: 935 mm; total dimension H: 2600 mm; description: in aluminum frame; (cleanroom) ;	10,00
1012	1	chrome steel rack description: with various content; (cleanroom) ;	10,00
1013	3	stainless steel trolley brand: Blanco; dimension L: 800 cm; dimension W: 500 cm; dimension H: 950 cm; description: (cleanroom) ;	10,00
1014	1	laboratory workbench total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with drawers and content; (cleanroom) ;	10,00
1015	1	ground bond tester brand: Slaughter; type: 2630; electric connection: 230 V; description: (cleanroom) ;	10,00
1016	1	vacuum gauge controller brand: Agilent; type: XGS 600; electric connection: 230 V; description: (cleanroom) ;	10,00
1017	1	synthesizer/function generator brand: Philips; type: PM5193; electric connection: 230 V; description: (cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1018	1	thermocouple data logger brand: Omegabench ; type: USB TC08; description: (cleanroom) ;	10,00
1019	2	autocollimator brand: Newport; type: LDS-Vector; description: (cleanroom) ;	100,00
1020	3	weighing scales brand: Kern; description: various models ;	10,00
1021	3	weighing scales brand: My Weigh; type: Ultra 75; description: (cleanroom) ;	10,00
1022	3	weighing scales brand: Ohaus; type: CI 5000; weight range max: 5000 g; readability: 1 g; digital control: no; description: (cleanroom) ;	10,00
1023	1	power supply brand: Delta Elektronika; type: Es 075-2; electric connection: 230 V; description: (cleanroom) ;	10,00
1024	1	stirrer brand: Dragonlab; type: MS-H-Pro+; electric connection: 230 V; description: (cleanroom) ;	10,00
1025	1	magnet hot stirrer brand: VWR; type: 7x7 alu; electric connection: 230 V; description: (cleanroom) ;	10,00
1026	1	helium leak tester brand: Oerlikon/ Leybold; type: Phoenix L300i + cart. ; electric connection: 230 V; description: with Scrollvac oilfree scroll vacuum pump; (cleanroom) ;	1.000,00
1027	1	gas reductor brand: Linde ; type: HiQ; description: (cleanroom) ;	10,00
1028	1	trolley description: plastic with drawer and content; (cleanroom) ;	10,00
1029	1	chrome steel rack description: with various content; (cleanroom) ;	10,00
1030	1	laboratory workbench total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: with stand; (cleanroom) ;	10,00
1031	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (cleanroom) ;	100,00
1032	2	labelprinters brand: Dymo/Brother; type: 450duo/P-touch 2730; description: (cleanroom) ;	10,00
1033	1	weighing scale brand: Kern; type: FCB 3 ko.1; weight range max: 3000 g; readability: 1 g; digital display: yes; electric connection: 230 V; description: (cleanroom) ;	10,00
1034	1	weighing scale brand: Ohaus; type: RC31P3; weight range min.: 20 g; weight range max: 3000 g; readability: 1 g; digital display: yes; electric connection: 230 V; description: (cleanroom) ;	10,00
1035	1	laboratory press brand: Berg&scmid; type: HK 800; description: press force 8,0 kN; (cleanroom) ;	10,00
1036	1	laboratory workbench brand: Treston; total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: with stand; drawers with content and lamp (cleanroom) ;	10,00
1037	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100,00
1038	3	laboratory tables description: (cleanroom) (various on and under the tables are not included);	10,00
1039	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1040	1	tool drawer cabinet total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 11 drawers; with content; (cleanroom) ;	100,00
1041	1	lot of beam generator parts and belongings description: in and with 2 chrome steel racks; in plastic boxes and from the tabletop; (cleanroom) ;	100,00
1042	2	laboratory workbenches brand: Treston; total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: with stand; drawers with content and lamp (cleanroom) ;	10,00
1043	2	mobile tables brand: Item; description: on aluminum frames; dimensions each approx 1200x1200x780mm; (cleanroom) ;	10,00
1044	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1045	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1046	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1047	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1048	1	beam generator machine part description: (cleanroom) ;	100,00
© 1049	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator)(cleanroom) ;	10,00
© 1050	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator)(cleanroom) ;	10,00
© 1051	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10,00
© 1052	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10,00
© 1053	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10,00
© 1054	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm (cleanroom) ;	10,00
1055	1	aluminum frame total dimension L: 1250 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: with shelf and lamp; (cleanroom) ;	10,00
1056	1	baking out setup type: Infernix; description: c.o: aluminum frame with insulated hood; Pfeiffer vacuum unit model TM 700; beam generator; frame dimensions approx 2000x1550x3100mm; data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1057	1	lot of aluminum fixtures description: with table; and various parts in plastic boxes and chrome steel rack (cleanroom) ;	10,00
1058	1	surface table brand: Mytri; granite: yes; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 965 mm; description: thickness 155mm; with various attached fixtures (cleanroom) ;	100,00
1059	1	measuring setup brand: Heidenhain; type: Mt 60M; granite: yes; blade size L: 420 mm; blade size W: 420 mm; description: table thickness 80mm; with Heidenhain digital controller model nostalgisch design 280; (cleanroom) ;	100,00
1060	1	weighing scale brand: Kern; type: Pcb; weight range max: 200 g; digital display: yes; electric connection: 230 V; description: d= 0.01g (cleanroom) ;	10,00
1061	1	spotfix plate unit description: in heavy duty transport-case ;	10,00
1062	3	laboratory tables description: size each 1200x800mm; with lamp and monitor; (cleanroom) ;	10,00
1063	1	workshop hoist brand: Euro shop; type: SA 1000; year: 2015; hoist capacity: 1000 kg; max. lifting heighth: 2150 m; description: (cleanroom) ;	10,00
1064	1	workshop hoist brand: Rodac; type: RQCF05C; year: 2013; hoist capacity: 500 kg; max. lifting heighth: 2100 m; description: with foldable legs; (cleanroom) ;	10,00
1065	1	hydraulic hand pallet truck brand: Bad; type: TM 15 inox; lifting capacity: 1500 kg; fork length: 1500 mm; description: stainless steel ; (cleanroom) ;	100,00
1066	1	hydraulic hand pallet truck lifting capacity: 2500 kg; fork length: 1000 mm; description: (cleanroom) ;	10,00
1067	1	measuring table granite: yes; blade size L: 1500 mm; blade size W: 1000 mm; total dimension H: 720 mm; description: table thickness 200mm; on aluminum frame with rubber compensators; (cleanroom) (tools on the table not included);	100,00
1068	1	assembly / verification setup type: Short stroke alignment ; description: with data rack (surface table not included); (cleanroom) ;	100,00
1069	1	3D measuring tool brand: Faro; year: 2013; description: battery and charger not included; with table fixture; table not included; (cleanroom) ;	100,00
1070	1	aluminum verification module total dimension L: 540 mm; total dimension W: 520 mm; total dimension H: 140 mm; description: with 6 Mitutoyo gauges; (cleanroom) ;	100,00
1071	3	laboratory tables description: with 3 monitors ; (cleanroom) ;	10,00
1072	6	short stroke chucks description: 4 in box and 2 aluminum frames;	1.000,00
1073	1	lot of equipment description: and various from 1 shelf (cleanroom) ;	100,00
1074	3	wafer stage WPS module trolleys description: with 1 aluminum base; all with cover; (cleanroom) ;	100,00
1075	1	pallet rack dismantable: yes; section dim. L: 3600 mm; section dim. W: 1100 mm; number of uprights: 2; number of cross beams: 6; total dimension H: 3000 mm; description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1076	1	wps hw teststand description: with aluminum module fixture; aluminum base size 1070x1070mm; and data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
1077	1	wps hw teststand description: with aluminum module fixture; aluminum base size 1070x1070mm; wafer module transport trolley and data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1.000,00
1078	1	lot of various parts description: in plastic boxes and with chrome steel rack (cleanroom) ;	10,00
1079	1	flammable liquid storage cabinet brand: Justrite; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 560 mm; description: with content (cleanroom) ;	10,00
1080	1	chrome steel rack description: with various content (cleanroom) ;	10,00
1081	1	weighing scale brand: Serenite; type: L50; total dimension L: 600 mm; total dimension W: 500 mm; description: cap. 50kg; (cleanroom) ;	10,00
1082	1	interferometer head test setup type: Bmts; description: with various mounts and dummy's; on granite surface table size 1200x400x150/210mm in aluminum box; loc;	100,00
1083	1	angular orientation align setup type: Ibas; description: with 3 Allied Visions ccd cameras; aluminum angle fixtures; 2 beam laser units; mounted on granite surface tables; sizes 1000x1000mm and 600x630mm; in aluminum frame with cover; and data rack with content (cleanroom) ;	100,00
1084	1	laser alignment setup type: Optix; description: with laser unit Allied Vision; and Superlum; Newport digital optical power/energy meter model 842-pe; aluminum alignment tool mounted on granite surface table size 1390x1200x140mm on steel frame with aluminum hood and various electronic equipment (cleanroom) ;	100,00
1085	1	measuring table granite: yes; blade size L: 1500 mm; blade size W: 1000 mm; total dimension H: 720 mm; description: table thickness 200mm; on aluminum frame (cleanroom) (tools on the table not included);	100,00
1086	1	long stroke repair setup total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 310 mm; description: (cleanroom) (table not included);	100,00
1087	1	interferometer laser module description: (cleanroom) ;	100,00
1088	1	aluminum rack brand: Festo; description: (cleanroom) ;	10,00
1089	1	measuring tool brand: Wyler; type: Blue level; year: 2016; serial number: T1312; description: with remote (cleanroom) ;	10,00
1090	1	chrome steel rack description: with various content and 2 door cabinet (cleanroom) ;	10,00
1091	1	stacker brand: Hanselifter; year: 2010; lifting capacity: 1000 kg; lifting height: 3000 mm; own weight: 316 kg; description: (cleanroom) ;	10,00
1092	4	aluminum transport wheels description: (cleanroom) ;	10,00
1093	4	aluminum transport wheels description: (cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1094	1	clamp tower control unit description: and various(cleanroom) ;	10,00
1095	1	clamp tower frame brand: Levitech; type: 1300041222; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 3330 mm; description: with wafer handler; (cleanroom) ;	1.000,00
1096	1	lifting frame total dimension L: 1900 mm; total dimension W: 1000 mm; total dimension H: 2200 mm; description: (cleanroom) ;	10,00
1097	1	lot of hoses description: a.o. vacuum and connectors (cleanroom) ;	10,00
1098	1	aluminum frame total dimension L: 1145 mm; total dimension W: 780 mm; total dimension H: 1720 mm; description: (cleanroom) ;	10,00
1099	1	vertical transfer robot description: lifting height approx 1600mm; in mobile aluminum frame size 1200x800x1980mm; (cleanroom) ;	100,00
1100	1	lot of various parts description: in and with chrome steel racks (cleanroom) ;	10,00
1101	1	vertical transfer robot brand: Screen; type: VTR; year: 2017; description: lifting height approx 1000mm; on granite surface table size 1100x1250x100mm (cleanroom) ;	100,00
1102	1	wafer handler setup total dimension L: 1120 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: on granite surface table verification setup; table size 1350x1100x100mm; with vertical robot; wafer tables; wafer loader; Edwards turbo molecular pump; Pfeiffer vacuum unit; (cleanroom) ;	1.000,00
1103	1	whs lifting tool description: (cleanroom) ;	10,00
1104	2	tool trolleys description: size each 510x480x760mm; (cleanroom) ;	10,00
1105	1	transport trolley total dimension L: 740 mm; total dimension W: 460 mm; total dimension H: 480 mm; description: (cleanroom);	10,00
1106	1	whs service frame total dimension L: 1110 mm; total dimension W: 820 mm; total dimension H: 800 mm; description: (cleanroom) ;	10,00
1107	1	ss lifting frame total dimension L: 1100 mm; total dimension W: 800 mm; description: (cleanroom) ;	10,00
1108	4	stairs description: (cleanroom) ;	10,00
1109	1	lot of various parts description: in and with chrome steel rack (cleanroom) ;	10,00
1110	2	teaching pendants brand: Idec; type: HG1H-SB12BH-MK1461-S3; description: (cleanroom) ;	10,00
1111	1	ground bond tester brand: Slaughter; type: 2630; description: (cleanroom) ;	10,00
1112	1	aluminum test rack description: (cleanroom);	10,00
1113	1	oscilloscope brand: Rigol; type: DS1054; description: (cleanroom) ;	10,00
1114	1	labelprinter brand: Brother; type: P-touch E550W; description: in case; (cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1115	4	aluminum base plates total dimension L: 170 mm; total dimension W: 170 mm; total dimension H: 115 mm; description: (cleanroom) ;	10,00
1116	4	aluminum base plates total dimension L: 170 mm; total dimension W: 170 mm; total dimension H: 115 mm; description: (cleanroom) ;	10,00
1117	2	tables description: and 1 trolley (cleanroom) ;	10,00
1118	1	gantry crane brand: Abus; span: 2550 m; hoist capacity: 1600 kg; self-traveling: yes; total dimension L: 6600 mm; total dimension W: 4570 mm; total dimension H: 3500 mm; description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
1119	1	gantry crane brand: Bollegraaf; span: 2550 m; hoist capacity: 1000 kg; double girder: no; self-traveling: yes; total dimension L: 10000 mm; total dimension W: 5800 mm; total dimension H: 3500 mm; description: with Verlinde electric hoist; (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
1120	1	gantry crane brand: Swart; span: 2550 m; hoist capacity: 250 kg; double girder: no; self-traveling: yes; electric connection: 230 V; total dimension L: 9100 mm; total dimension W: 5750 mm; total dimension H: 3500 mm; description: with Electrolift electric hoist; (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
1121	1	ladder brand: Altrex; number of steps: 8; aluminum: yes; multi-purpose ladder: no; access platform: yes; description: (cleanroom) ;	10,00
1122	1	ladder brand: Altrex; number of steps: 7; aluminum: yes; multi-purpose ladder: no; access platform: yes; description: (cleanroom) ;	10,00
© 1123	1	tool trolley brand: Facom; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: (cleanroom) ;	100,00
© 1124	1	tool trolley brand: Facom; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: (cleanroom) ;	100,00
© 1125	1	tool trolley brand: Garant; type: 91 6330_6; number of drawers: 6; with content: yes; total dimension L: 1100 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (cleanroom) ;	100,00
© 1126	1	tool trolley brand: Garant; type: 91 6310_8; number of drawers: 8; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100,00
© 1127	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100,00
© 1128	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100,00
© 1129	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
© 1130	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100,00
		tool trolleys	
1131	1	lot of hand tools description: (cleanroom) ;	10,00
1132	1	ceramic gauge blocks measuring range from: 1 mm; measuring range till: 40 mm; description: (cleanroom) ;	10,00
1133	2	heat guns brand: Steinel; type: HG 2310 LCD; electric connection: 230 V; description: (cleanroom) ;	10,00
1134	1	shims brand: Skf; type: TMAS50/kit; description: (cleanroom) ;	10,00
1135	1	lot of various pliers description: (cleanroom) ;	10,00
1136	3	measuring gauge brand: Mahr; type: Marcator 1086; digital: yes; description: with magnetic stand (cleanroom) ;	10,00
1137	6	measuring gauges brand: Mitutoyo ; type: 543-790B; digital: yes; description: (cleanroom) ;	10,00
1138	4	calipers brand: Mitutoyo ; type: 500-181-30; digital: yes; measuring range till: 150; description: (cleanroom) ;	10,00
1139	1	caliper brand: Garant; digital: yes; description: and 1 measuring tool; (cleanroom) ;	10,00
1140	3	engineers levels brand: Stiefelmayer; description: (cleanroom) ;	10,00
1141	2	torque wrenches brand: Hoxet; taper: 1/4 "; torque range from: 4 Nm; torque range till: 20 Nm; description: (cleanroom) ;	10,00
1142	7	torque wrenches description: in various sorts and sizes (cleanroom) ;	10,00
1143	1	multimeter brand: Keithley; type: 2700; description: (cleanroom) ;	10,00
1144	1	cordless tool brand: AEG; type: BS 12G; voltage: 12 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: (cleanroom) ;	10,00
1145	1	torque wrench brand: Garant ; type: 65 5910/100; torque range from: 10 Nm; torque range till: 100 Nm; description: (cleanroom) ;	10,00
1146	1	angle driver description: (cleanroom) ;	10,00
1147	1	torque wrenches description: in various sorts and sizes; digital and analog; (cleanroom) ;	10,00
1148	5	torque wrenches brand: Stahlwille; description: (cleanroom) ;	10,00
1149	1	precision multimeter brand: Fluke ; type: 8845A; description: (cleanroom) ;	10,00
1150	1	laser power meter console brand: Thorlabs ; type: PM100A; description: (cleanroom) ;	10,00
1151	3	oscilloscopes brand: Tektronix; type: TDS1001B/2041B; description: (cleanroom) ;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1152	1	lot of clamps brand: Bessey; description: (cleanroom) ;	10,00
1153	1	optical power meter brand: Thorlabs ; type: pm20; description: and 1 Rhopoint milli-ohmmeter; (cleanroom) ;	10,00
© 1154	2	digital multimeters brand: Multimatrix/Benning; description: (cleanroom) ;	10,00
© 1155	2	digital multimeters brand: Metrix; type: MX22; description: (cleanroom) ;	10,00
© 1156	3	multimeters description: (cleanroom) ;	10,00
© 1157	2	multimeters brand: Fluke ; type: 114/112; description: (cleanroom) ;	10,00
© 1158	2	multimeters brand: Fluke ; type: 114; description: (cleanroom) ;	10,00
© 1159	2	multimeters brand: Fluke ; type: 114/115; description: (cleanroom) ;	10,00
© 1160	1	multimeter brand: Fluke ; type: 179; description: (cleanroom) ;	10,00
		multimeters	
© 1161	8	small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10,00
1162	1	vice brand: Garant; jaw width: 120 mm; description: (cleanroom) ;	10,00
1163	1	vice jaw width: 100 mm; description: (cleanroom) ;	10,00
© 1164	18	small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10,00
1165	1	manual press pump brand: Rems; type: Push; description: (cleanroom) ;	10,00
1166	1	Esd vacuum cleaner electric connection: 230 V; description: in case; (cleanroom) ;	10,00
© 1167	5	small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10,00
1168	1	lot of machine parts description: with chrome steel rack; (cleanroom) ;	10,00
1169	1	stainless steel mobile pump unit type: Liquix; description: with UV water sterilising unit; (cleanroom) ;	100,00
1170	1	lot of machine parts description: (cleanroom) ;	10,00
1171	1	collimator description: (cleanroom) ;	100,00
1172	1	collimator description: (cleanroom) ;	10,00
1173	9	laboratory tables description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00
1174	1	stainless steel machine part total dimension L: 2100 mm; description: (cleanroom) ;	10,00
1175	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1176	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100,00
1177	1	measurement tools description: (cleanroom) ;	10,00
1178	1	measurement tools description: (cleanroom) ;	10,00
1179	1	measurement tool description: (cleanroom) ;	10,00
1180	1	machine parts description: (cleanroom) ;	10,00
1181	1	water pump brand: Husqvarna; type: 3500/4; description: in box; (cleanroom) ;	10,00
1182	1	lot of locker cabinets description: chrome steel rack; chrome steel baskets; coat rack and various; (cleanroom entrance);	10,00
1183	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007707; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100,00
1184	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007559; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100,00
1185	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188009669; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100,00
1186	1	turbo molecular pump brand: Edwards; type: STP-IXA2205C; serial number: 127001405; year: 2012; electric connection: 230 V; own weight: 45 kg; total dimension H: 420 mm; description: ø 300; 27000 rpm; (cleanroom entrance);	100,00
1187	1	turbo molecular pump brand: Edwards; type: STP-IXA2205C; serial number: 167001480; year: 2016; electric connection: 230 V; own weight: 45 kg; total dimension H: 420 mm; description: ø 300; 27000 rpm; (cleanroom entrance);	100,00
1188	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007836; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100,00
1189	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188008092; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100,00
1190	1	robot unit brand: Genmark; description: ø 320mm; height 330/440mm; in heavy duty transport case; (cleanroom entrance);	100,00
1191	1	air supply filter unit brand: VTR; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 1140 mm; description: with built on switch box; (cleanroom entrance);	100,00
1192	1	laboratory work bench total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: with stand and drawers;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1193	1	water pump description: with stainless steel bassin size 860x360x440mm; (piping and valve not included) (cleanroom entrance);	10,00
1194	1	vacuum pump brand: Vacuubrand; type: MD4NT; electric connection: 230 V; description: (cleanroom-cleaningstreet);	10,00
1195	1	laboratory oven brand: MMM; type: Vacucell 22; serial number: B070213; chamber dimension L: 250 mm; chamber dimension W: 355 mm; chamber dimension H: 300 mm; maximum temperature: 200 °c; digital display: yes; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 430 mm; total dimension H: 700 mm;	100,00
1196	1	ultrasonic cleaning street brand: Kemet; total dimension L: 4100 mm; total dimension W: 460 mm; total dimension H: 1000 mm; description: with flushing unit; heating unit; and ultrasonic units; with belongings and wall mounted switch box (cleaning room) ;	100,00
1197	1	double sided locker total dimension L: 540 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: (cleaning room) ;	10,00
1198	1	weighing scale brand: Kern; type: EOB; weight range max: 150 g; digital display: yes; electric connection: 230 V; total dimension L: 315 mm; total dimension W: 300 mm; description: d=0.05kg; (cleaning room) ;	10,00
1199	1	hotplate brand: VWR; electric connection: 230 V; description: 250x250; aluminum; (cleaning room) ;	10,00
1200	1	ultra sonic bath brand: Bandelin sonorex; type: RK100; description: (cleaning room) ;	10,00
1201	1	lot of laboratory furniture description: (cleaning room) ;	10,00
1202	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 111346104; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; with BWT water treatment unit; (clean room hallway) ;	100,00
1203	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169441727; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1204	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169440668; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1205	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441257; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1206	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441255; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1207	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 111346103; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	100,00
1208	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2008; electric connection: 230 V; description: (clean room hallway) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1209	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 0127263501140909; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; with BWT water treatment unit; (clean room hallway) ;	100,00
1210	1	vacuum pump brand: Edwards; type: XDS35i; year: 2011; serial number: 119507044; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1211	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441260; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1212	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441183; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1213	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 1400; serial number: 109309027; electric connection: 230 V; description: R134A, 0,5kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	10,00
1214	1	chemical storage cabinet brand: Asecos; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 1880 mm; description: without content (clean room hallway) ;	10,00
1215	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 1111842501171113; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	100,00
1216	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100,00
1217	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100,00
1218	1	vacuum pump brand: Adixen; type: ACP15; electric connection: 230 V; description: (clean room hallway) ;	100,00
1219	1	vacuum pump brand: Pfeiffer ; type: MVP 070-3C; year: 2014; electric connection: 230 V; description: (cleanroom-cleaningstreet);	10,00
1220	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2008; electric connection: 230 V; description: (clean room hallway) ;	100,00
1221	1	reverse osmosis water purifier brand: Elga; type: dv 25; serial number: Mr00014716; year: 2017; electric connection: 230 V; description: (clean room hallway) ;	100,00
1222	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100,00
1223	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159453314; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1224	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149556687; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1225	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149557099; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1226	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139488448; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1227	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139486171; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1228	1	micro ion controller brand: Granville-Phillips; type: 358; description: (clean room hallway) ;	10,00
1229	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139469911; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100,00
1230	1	display cabinet total dimension L: 1020 mm; total dimension W: 440 mm; total dimension H: 1980 mm; description: with various machine parts; (clean room hallway) ;	10,00
1231	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2006; electric connection: 230 V; description: with micro ion controller (clean room hallway) ;	100,00
1232	1	main power cabinet total dimension L: 600 mm; total dimension W: 340 mm; total dimension H: 1950 mm; description: (clean room hallway) ;	10,00
1301	1	fume cupboard brand: Potteau; type: EN-14175; chamber dimension L: 1500 mm; chamber dimension W: 700 mm; chamber dimension H: 1400 mm; electric connection: 230 V; total dimension L: 1550 mm; total dimension W: 900 mm; total dimension H: 2610 mm; description: motor not included (Note! Need to be dismantled and guidance has to be capped off) (cleanroom small);	10,00
1302	8	spanners metric: yes; description: 36 and 65 mm (cleanroom small);	10,00
1303	3	torque wrench various brand: Garant; torque range from: 0 Nm; torque range till: 25 Nm; description: (cleanroom small);	10,00
1304	2	torque wrench various description: a.o. "Garant" (cleanroom small);	10,00
1305	1	torque wrench brand: Garant; type: 65 6050_120; torque range from: 20 Nm; torque range till: 120 Nm; description: (cleanroom small);	10,00
1306	1	socket ratchet wrench set brand: Hoxley; type: 64 0220; piece: 16; with case: yes; description: (cleanroom small);	10,00
1307	2	socket ratchet wrench set brand: Garant; type: 63 0013; piece: 16; with case: yes; description: (cleanroom small);	10,00
1308	3	block level brand: Stiefelmayer; description: (cleanroom small);	10,00
1309	5	caliper analog: yes; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: (cleanroom small);	10,00
1310	1	digital measuring indicator brand: Mitutoyo; type: ID-C125XB; digital: yes; measuring range from: 0 mm; measuring range till: 25 mm; description: (cleanroom small);	10,00
1311	2	digital measuring indicator brand: Hoxley; type: 43 4004; digital: yes; measuring range from: 0 mm; measuring range till: 12 mm; with case: yes; description: (cleanroom small);	10,00
1312	3	digital measuring indicator brand: Jewels; analog: yes; digital: no; measuring range from: 0 mm; measuring range till: 100 mm; with case: yes; description: (cleanroom small);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1313	1	gas detector brand: Buveco; type: ST650EX; description: (cleanroom small);	10,00
1314	1	cordless screwdriver brand: Makita; type: 6339D; voltage: 14,4 V; number of batteries: 4; battery charger: yes; screw machine: yes; drilling machine: yes; description: (cleanroom small);	10,00
1315	1	electric hand grinder brand: Fein; type: GSZ8-280PE; power: 750 W; electric connection: 230 V; description: in box (cleanroom small);	10,00
1316	4	measuring indicator various brand: Horex / Mitutoyo; analog: yes; description: magnetic (cleanroom small);	10,00
1317	1	cordless screwdriver brand: Milwaukee; type: M18 CPD; voltage: 18 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; impact drill: yes; description: (cleanroom small);	10,00
1318	1	manual cardboard stapler brand: Prebena; description: incl. "Union" staples (cleanroom small);	10,00
1319	1	cleanroom vacuum cleaner brand: Numatic; type: CRQ370-2; power: 1200 W; electric connection: 230 V; description: (cleanroom small);	10,00
1320	1	miter saw machine brand: Metabo; type: KS 216 M; saw blade ? : 216 mm; mitre: yes; engine power: 1.35 kW; electric connection: 230 V; description: incl. mobile aluminum frame and "Numatic" vacuum cleaner; type HVR 181-11 (cleanroom small);	10,00
1321	1	vacuum turbo pump brand: Pfeiffer; type: HiPace 80; year: 2011; serial number: PM P03 944; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min. (cleanroom small);	100,00
1322	1	vacuum turbo pump brand: Varian; type: TV-301 Navigator; serial number: 9698919; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min. (cleanroom small);	100,00
1323	1	DC power supply brand: Tenma; type: 72-10480; electric connection: 230 V; description: 0-30V; 3A (cleanroom small);	10,00
1324	1	soldering station brand: Weller; type: PU 81; electric connection: 230 V; description: (cleanroom small);	10,00
© 1325	3	small parts organizer brand: Raaco; type: Carry-Lite; plastic: yes; with content: yes; description: incl. stainless steel hardware (cleanroom small);	10,00
© 1326	5	small parts organizer brand: Raaco; plastic: yes; with content: yes; description: incl. stainless steel hardware (cleanroom small);	10,00
© 1327	6	small parts organizer brand: Raaco; type: Assorter; plastic: yes; with content: yes; description: (cleanroom small);	10,00
© 1328	8	small parts organizer brand: Raaco; type: Boxxser; plastic: yes; with content: yes; description: (cleanroom small);	10,00
© 1329	6	small parts organizer brand: Raaco; type: Boxxser; plastic: yes; with content: yes; description: (cleanroom small);	10,00
		small parts organizers	
1330	1	tool drawer cabinet total dimension L: 730 mm; total dimension W: 950 mm; total dimension H: 850 mm; description: incl. various (cleanroom small);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1331	1	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10,00
1332	2	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10,00
1333	2	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10,00
1334	3	lift hook brand: Bauer; type: LH-II 1,5; year: 2013; serial number: 447124; hoist capacity: 1500 kg; own weight: 21 kg; description: (cleanroom small);	100,00
1335	1	strapping reel plastic strap: yes; description: (cleanroom small);	10,00
1336	1	lot of slings and straps description: in 2 crates (cleanroom small);	10,00
1337	1	lot of various hand tools description: in 1 crate (cleanroom small);	10,00
1338	1	lot of various hand tools description: a.o. sockets; ratchets; spanners; hex keys etc.; in 2 crates (cleanroom small);	10,00
1339	6	C-clamp various brand: Bessey; type: SC150/SC100; description: (cleanroom small);	10,00
1340	6	plumb bob setter brand: Tajima; type: PZB-300; description: (cleanroom small);	10,00
1341	1	lot of various lifting tools description: (cleanroom small);	10,00
1342	2	glass suction plate description: (cleanroom small);	10,00
1343	6	glass suction plate description: (cleanroom small);	10,00
1344	7	clamp various description: (cleanroom small);	10,00
1345	2	cordless screwdriver brand: Gamma; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: incl. hand tool case (cleanroom small);	10,00
1346	2	level brand: Stabila; length: 1000 mm; description: (cleanroom small);	10,00
1347	1	tool trolley brand: Garant; type: 91 6330_6; number of drawers: 6; with content: yes; total dimension L: 1100 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (cleanroom small);	100,00
1348	1	tool trolley brand: Garant; number of drawers: 6; with content: yes; total dimension L: 560 mm; total dimension W: 500 mm; total dimension H: 1050 mm; description: (cleanroom small);	10,00
1349	1	construction heater brand: Dryfast; type: DF 800AX; air displacement: 940 m³/hr; electric connection: 230 V; description: (cleanroom small);	100,00
1350	1	air compressor brand: Einhell; type: BT-AC 200/24 OF; mobile: yes; capacity: 8 bar; air flow: 176 l/min; power: 1.1 kW; buffer tank content: 200 l; electric connection: 230 V; description: (cleanroom small);	10,00
1351	1	lot of PCB equipment and various description: a.o. laboratory gloves and clothes; glasses; power supply; empty crates etc.; out of 3-sections rack (Note! Excl. rack!) (cleanroom small);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1352	3	storage rack dismantable: yes; section dim. L: 1500 mm; section dim. W: 600 mm; section dim. H: 1900 mm; number of uprights: 12; number of shelves: 12; description: excl. content! (cleanroom small) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00
1353	4	office table various description: excl. content! (cleanroom small) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00
1354	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14258572; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100,00
1355	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (defect!) (Note! first floor);	10,00
1356	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14261633; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100,00
1357	2	stainless steel flange description: Ø 150 mm; hose length 600 mm (Note! first floor);	10,00
1358	1	lot of various PCB equipment description: a.o. discharge detectors; level sensor flanges; thermocouple input modules; electric supplies; out of 1-section rack (Note! first floor);	10,00
1359	1	lot of various PCB equipment description: a.o. aluminum frames; power cable; server racks; "FUG" power supply; installation wire etc.; out of 1-section rack (Note! first floor);	10,00
1360	1	projection lens transport frame total dimension L: 650 mm; total dimension W: 600 mm; total dimension H: 260 mm; description: incl. box (Note! first floor);	10,00
1361	1	WCB integration tool frame total dimension L: 670 mm; total dimension W: 600 mm; total dimension H: 1050 mm; description: max. cap. 35 kg (Note first floor);	10,00
1362	1	surface table brand: Carl Mahr; type: 107 AG; granite: yes; table size L: 640 mm; table size W: 630 mm; description: incl. stand (Note! first floor);	10,00
1363	1	dismounted tool drawer cabinet total dimension L: 730 mm; total dimension W: 950 mm; total dimension H: 850 mm; description: incl. various (Note! first floor);	10,00
1364	6	power supply brand: Delta Elektronika; type: 150 SX 75-75; description: 30-150V; 1A (Note! first floor);	10,00
1365	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100,00
1366	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100,00
1367	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100,00
1368	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100,00
1369	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100,00
1370	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1371	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10,00
1372	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10,00
1373	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10,00
1374	1	beam generator transport box total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: with plastic pallet (Note! first floor);	10,00
1375	1	machine vise brand: Vertex; jaw width: 100 mm; precision: yes; tilting: yes; description: (Note! first floor);	10,00
1376	1	PLC controller description: with "Siemens" logic module; type 12/24rc (Note! first floor);	10,00
1377	1	pulse generator brand: Colby; type: PG 5000A; electric connection: 110 V; description: 10 to 5000 MHz (Note! first floor);	10,00
1378	1	electron gun power supply brand: Kimball; type: EGPS-3001B; description: incl. various (Note! first floor);	10,00
1379	3	shielded connection block brand: National Instruments; type: BNC-2110; description: 10-pins (Note! first floor);	10,00
1380	2	power supply brand: Delta Elektronika; type: ES 0030-0.45; description: 300V; 0.45A (Note! first floor);	100,00
1381	1	suction hose brand: Hi Metal Flex; description: on plastic pallet; inside Ø 35 mm (Note! first floor);	10,00
1382	2	optical breadboard brand: VMC; total dimension L: 900 mm; total dimension W: 600 mm; description: incl. frame (Note! first floor);	10,00
1383	2	motor controller brand: PI; type: E-755; description: incl. various belongings; in crate (Note! first floor);	10,00
1384	1	aluminum base plate total dimension L: 590 mm; total dimension W: 610 mm; total dimension H: 80 mm; description: (Note! first floor);	10,00
1385	3	rackmount keyboard brand: HP; type: 1U RKMT ; description: in 3 boxes (Note! first floor);	10,00
1386	1	server brand: NN; description: no hard disk (Note! first floor);	10,00
1387	2	DC power supply various brand: FUG; description: (Note! first floor);	10,00
1388	2	DC power supply brand: FUG; type: HCP 14-6500 ; description: 6500V; 2 mA (Note! first floor);	10,00
1389	1	power supply brand: Delta Elektronika; type: SM 3004-D; description: 4A-300V (Note! first floor);	10,00
1390	1	high voltage power supply brand: Hivolt; type: HME-30P5-24-10; description: (Note! first floor);	10,00
1391	7	shielded connector block brand: National Instruments; type: SCB-68; description: (Note! first floor);	10,00
1392	1	all metal gas valve control unit brand: Pfeiffer; type: RVG050C; description: (Note! first floor);	10,00
1393	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100,00
1394	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1395	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100,00
1396	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	10,00
1397	1	vacuum turbo pump control unit brand: Pfeiffer; type: DCU 100; description: with digital display (Note! first floor);	10,00
1398	1	vacuum turbo pump control unit brand: Pfeiffer; type: DCU 100; description: with digital display (Note! first floor);	10,00
1399	1	vacuum gauge controller brand: Granville-Phillips; type: 316; description: with digital display (Note! first floor);	10,00
1400	1	transformer brand: Quality transformer and Electronics; type: 9489; description: 12 kVA; in box (Note! first floor);	10,00
1401	1	lot of various PCB equipment description: a.o. "Swagelok" couplings; "Pfeiffer" vacuum safety valves; electric cables; flangebase plate; fasteners; switch etc; out of 1-section rack (Note! first floor);	10,00
1402	1	illumination cable module description: in case (Note! first floor);	10,00
1403	1	illumination cable module description: in case (Note! first floor);	10,00
1404	2	water demineralisation pattern brand: Ministil; type: P-12; description: cap. 300L/h. (Note! first floor);	10,00
1405	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14379963; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100,00
1406	1	beam generator total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: Ø 420 mm (Note! first floor)(This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1407	1	high voltage PNC power supply brand: Heinzinger; type: PNC 6000-300 ump; electric connection: 230 V; description: (Note! first floor);	100,00
1408	2	high voltage PNC power supply brand: Heinzinger; type: PNC 6000-300 ump; electric connection: 230 V; description: 6000V; 300 mA (Note! first floor);	100,00
1409	2	high voltage PNC power supply various brand: Heinzinger; electric connection: 230 V; description: (Note! first floor);	100,00
1410	2	high voltage PNC power supply various brand: Heinzinger; type: PNC 10000-6 ump; electric connection: 230 V; description: 10.000V; 6 mA (Note! first floor);	100,00
1411	1	resin trolley case brand: HPRC; type: 2780 W; plastic: yes; dimension L: 600 mm; dimension W: 400 mm; dimension H: 800 mm; description: (Note! first floor);	10,00
1412	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169465175; electric connection: 230 V; own weight: 48 kg; description: (Note! first floor);	100,00
1413	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; nominal capacity: 37 m³/hr; description: (Note! first floor);	100,00
1414	1	vacuum pump brand: Pfeiffer; type: XtraDry 150-2; power: 0.55 kW; nominal capacity: 7.5 m³/hr; electric connection: 230 V; own weight: 29 kg; description: (Note! first floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1415	1	vacuum pump brand: Pfeiffer; type: XtraDry 150-2; power: 0.55 kW; nominal capacity: 7.5 m³/hr; electric connection: 230 V; own weight: 29 kg; description: (motor defect!) Note! first floor);	10,00
1416	1	vacuum pump brand: Pfeiffer; type: Hena 25; year: 2014; serial number: 21922848; nominal capacity: 25 m³/hr; electric connection: 230 V; own weight: 42 kg; description: (Note! first floor);	100,00
1417	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: power 1/4 HP (Note! first floor);	10,00
1418	1	vacuum pump brand: Oerlikon; type: Ecodyr M; nominal capacity: 15 m³/hr; description: defect! incl. various cables (Note! first floor);	10,00
1419	1	vacuum pump brand: Oerlikon; type: Ecodyr M; nominal capacity: 15 m³/hr; electric connection: 400 V; own weight: 47 kg; description: (Note! first floor);	100,00
1420	2	high voltage PNC power supply various brand: Heinzinger; type: PNC 6000-300 neg / PNC 30000-20 pos; electric connection: 230 V; description: in aluminum frame; on plastic pallet (Note! first floor);	100,00
© 1421	1	beam generator total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: Ø 420 mm (Note! first floor)(This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1422	1	illumination cable module description: in case (Note! first floor);	10,00
© 1423	1	beam generator part description: (Note! first floor);	100,00
© 1424	1	beam generator part description: (Note! first floor);	100,00
© 1425	1	beam generator part description: (Note! first floor);	100,00
© 1426	1	beam generator base plate total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: (Note! first floor);	10,00
1427	1	lot of laboratory equipment description: a.o. foils; empty crates and plastic pallets; out of 1-section rack (Note! first floor);	10,00
1428	4	bakeout heater brand: Tectra; electric connection: 230 V; description: (Note! first floor);	10,00
1429	1	lot of various PCB equipment description: a.o. (2x) source control; flange modules; foils etc.; out of 1-section rack (Note! first floor);	10,00
1430	1	lot of various PCB equipment description: a.o. storage cans; aluminum base plates; clamps; foils; gauges; beam generator loader top; flanges etc.; out of 1-section rack (Note! first floor);	10,00
1431	1	lot of stacking crates and various description: out of 1 section (Note! first floor);	10,00
1432	1	lot of various PCB equipment description: a.o. source controls; single axis stepper system; load resistors; bins; pipettes; tool boxes; flanges etc. etc.; out of 1-section rack (Note! first floor);	10,00
1433	1	lot of various PCB equipment description: a.o. pump control units; aluminum couplings; power supplies; splitters; bins; hoses; flanges etc. etc.; out of 1-section rack (Note! first floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1434	1	lot of various PCB equipment description: a.o. motor control units; aluminum plates; couplings; pressure tester; flanges etc. etc.; out of 1-section rack (Note! first floor);	10,00
1435	1	lot of various PCB equipment description: a.o. stainless steel fasteners; hand tools; "Swagelok" couplings; flanges; storage cans; etc. etc.; out of 1-section rack (Note! first floor);	100,00
1436	1	lot of various PCB equipment description: a.o. power supplies; RF generator; switches; flange; etc.; out of 1-section rack (Note! first floor);	100,00
1437	1	lot of various PCB equipment description: a.o. vacuum gauges; small larts organizers; installation wires; flanges; hoses; etc.; out of 1-section rack (Note! first floor);	100,00
1438	3	mobile patch cabinet description: with content; consisting of (36x) various power supplies; switch and various (Note! first floor);	100,00
1439	1	mobile patch cabinet description: with content; consisting of (2x) "FUG" power supplies; (2x) "Matsusada" power supplies; "Heinzinger" power supply; monitor and keyboard (Note! first floor);	100,00
1440	1	mobile patch cabinet description: with content (Note! first floor);	10,00
1441	10	high vacuum angle valve brand: VAT; type: 26328; description: (Note! first floor);	10,00
1442	1	vacuum pump brand: Pfeiffer; type: TMU 1600M P; year: 2008; serial number: 14177606; own weight: 61 kg; description: 1380 L./sec. DN250 (Note! first floor);	100,00
1443	1	vacuum pump brand: Pfeiffer; type: TMU 1601 P; own weight: 51 kg; description: 1380 L./sec. DN250 (Note! first floor);	100,00
1444	1	vacuum gate valve brand: NGI; type: 51101; description: inside Ø 100 mm (Note! first floor);	100,00
1445	1	vacuum gauge controller brand: Agilent; type: XGS-600; electric connection: 230 V; description: incl. various belongings (Note! first floor);	100,00
1446	3	multimeter brand: Keithley; type: 2700; description: (Note! first floor);	100,00
1447	3	low voltage power supply various brand: Heinzinger; type: LNG 350-0.6/03; electric connection: 230 V; description: (Note! first floor);	100,00
1448	1	acrylic desiccator cabinet brand: Nalgene; type: 5317-0120; total dimension L: 310 mm; total dimension W: 310 mm; total dimension H: 310 mm; description: (Note! first floor);	10,00
1449	6	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	10,00
1450	2	DC high voltage power supply brand: FUG; type: HCL 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	10,00
1451	14	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	100,00
1452	14	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1453	5	19" rack unit various electric connection: 230 V; description: a.o. high vacuum solid state switch (Note! first floor);	10,00
1454	3	tower UPS brand: Powerware; type: 9125; description: 3000VA (Note! first floor);	10,00
1455	1	optical breadboard brand: ThorLabs; total dimension L: 600 mm; total dimension W: 450 mm; description: (Note! first floor);	10,00
1456	1	automated spectrograph brand: Andor; type: SR-303I-B; year: 2008; serial number: SR0480; bandwidth: 600 nm; electric connection: 230 V; manual present: yes; description: wavelength accuracy 0.04 nm; with Newton EM; power supply and various belongings in box (Note! first floor);	100,00
© 1457	1	hydraulic scissor table lift hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator) (Note! first floor); beam generator and parts	10,00
© 1458	1	hydraulic scissor table lift hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator) (Note! first floor); hydraulic scissor tables	10,00
1459	1	lot of wooden boxes and various description: (Note! first floor);	10,00
1460	1	18-sections pallet rack section dim. L: 2700 mm; section dim. W: 1000 mm; section dim. H: 3000 mm; number of uprights: 38; number of cross beams: 81; description: incl. 9-sections pallet rack; section dim. 1850x600x2500 mm and 8-sections storage rack; section dim. 1170x1140x2500 mm (Note! excl. content! / first floor!) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
1461	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14260377; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100,00
1462	6	high vacuum angle valve brand: VAT; description: with tubing (Note! first floor);	10,00
1463	2	power supply brand: Thurlby Thandar; type: PL310QMD; description: 30V; 1A (Note! first floor);	10,00
1464	4	optical table legs brand: Newport; type: LabLegs SL Series; description: (Note! first floor);	100,00
1470	1	step ladder brand: Alpe; number of steps: 27; aluminum: yes; extension ladder: yes; single ladder: no; single: no; description: incl. stair;	10,00
1471	1	lot of electric wires and various description: incl. 2-section rack; sliding door cabinet and wheelie bins;	10,00
1472	1	aluminum ramp set total dimension L: 2000 mm; total dimension W: 550 mm; description: incl. aluminum pallet;	10,00
1473	1	lot of office furniture and various description: consisting of: (1x) desk; (1x) table; (1x) sliding door cabinet with content; printer and monitor;	10,00
1474	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1475	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 11 drawers; with content; (cleanroom) ;	100,00
1476	1	weighing scale brand: Soehnle; type: 2790; year: 2013; serial number: 13195970; weight range min.: 0 g; weight range max: 2000000 g; readability: 1000 g; digital control: yes; electric connection: 230 V; description: plateau dim. approx. 920x1200 mm;	10,00
1477	2	furniture trolley description: cap. 300 kg;	10,00
1478	1	pallet rack section dim. L: 2700 mm; section dim. W: 1000 mm; section dim. H: 3000 mm; number of uprights: 2; number of cross beams: 4; number of shelves: 2; description: incl. content;	10,00
1479	8	desk chair imitation leather: yes;	10,00
1480	1	lot of mobile laboratory chairs description: total approx. 31 pcs;	100,00
1481	1	frequency setup total dimension L: 740 mm; total dimension W: 970 mm; total dimension H: 1650 mm; description: with mobile aluminum frame;	10,00
1482	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10,00
1483	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10,00
1484	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10,00
1485	4	storage rack description: various dimensions; incl. content; a.o. power cable; wipes; foils; pressure meter etc. ;	10,00
1486	1	lot of office furniture description: consisting of: (14x) various desks and (10x) chair (excl. content!);	10,00
1487	1	defibrillator brand: Defibtech; type: Lifeline; year: 2010; serial number: 0197; automatic: yes;	100,00
1488	1	toilet seat brand: AquaVive; description: MDF;	10,00
1489	2	computer monitor various brand: HP; type: EliteDisplay E190i;	10,00
1490	1	door trolley control box brand: DTCB;	10,00
1491	1	magnet hot stirrer brand: VWR; type: 7x7; power: 1 kW; electric connection: 230 V;	10,00
1492	1	magnet hot stirrer brand: VWR; type: 4x4; power: 0.3 kW; electric connection: 230 V;	10,00
1493	1	high voltage PNC power supply various brand: Heinzinger; type: PNC 10000-6 ump; electric connection: 230 V; description: 10.000V; 6 mA; incl. solid state switch (Note! first floor);	100,00
1494	1	digital camera brand: SVS Vistek; type: 16000 MUGE;	10,00
1495	1	altimeter stand analog: no;	10,00
1496	1	engrave unit brand: Schäfer; type: D-70734; electric connection: 230 V;	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1497	1	lot of packaging materials	10,00
1498	1	electron source temperature measurement setup type: Thermostatix; description: with 4 Keller pyrometers model PA 50 AF 3 on mobile frame and with data rack with content (This lot is subject to allocation due to the "Dual Use Regulations") ;	100,00
1499	1	double shut off valve verification tool description: with data rack;	10,00
1500	1	data rack description: with content ;	10,00
1501	1	wafer clamping station part total dimension L: 515 mm; total dimension W: 600 mm; total dimension H: 240 mm;	10,00
1502	1	transport trolley total dimension L: 740 mm; total dimension W: 460 mm; total dimension H: 480 mm;	10,00
1503	2	roll container total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1850 mm;	10,00
1504	1	workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 2250 mm; description: incl. content;	10,00
1505	1	workshop crane brand: Hydrobull; type: YITI500N; year: 2012; serial number: 25667; hoist capacity: 500 kg; own weight: 600 kg;	10,00
1506	1	workshop crane brand: Pfaff; type: 040008516; year: 2013; serial number: 90173932; hoist capacity: 1000 kg; own weight: 156 kg; description: lifting height 2,2 m;	10,00
1507	1	mobile electric lift hoist capacity: 500 kg; electric connection: 230 V; total dimension L: 1750 mm; total dimension W: 1200 mm; total dimension H: 2000 mm; description: lifting height 1500 mm; plateau 1070x1200 mm; incl. (2x) steel frame;	10,00
1508	1	hand stacker brand: Jungheinrich ; type: SDJ1025; year: 2012; serial number: 34644515; lifting capacity: 1000 kg; fork length: 1100 mm; lifting height: 2500 mm;	100,00
1509	1	hand stacker brand: Seco; type: 1616; year: 2017; serial number: 1708114017; lifting capacity: 1600 kg; fork length: 1150 mm; own weight: 256 kg;	100,00
1510	1	hand stacker brand: Hanselifter ; type: SDJ-1030-01; year: 2017; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 3000 mm; own weight: 316 kg;	100,00
1511	1	hydraulic hand pallet truck brand: TVH; type: HPT; year: 2010; lifting capacity: 2500 kg; fork length: 1100 mm;	10,00
1512	1	hydraulic hand pallet truck brand: Papro; lifting capacity: 2500 kg; fork length: 1150 mm;	10,00
1513	1	hydraulic hand pallet truck brand: BT; type: LHM230; lifting capacity: 2300 kg; fork length: 1150 mm;	10,00
1514	1	hydraulic hand pallet truck brand: Jungheinrich ; type: ACY20; year: 2012; lifting capacity: 2000 kg; fork length: 1150 mm;	10,00
1515	1	hydraulic hand pallet truck brand: Jungheinrich ; type: ACY20; year: 2012; lifting capacity: 2000 kg; fork length: 1150 mm;	10,00
1516	1	hand stacker brand: Papro; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 3000 mm;	10,00
1517	1	vertical transfer robot brand: Screen Semiconductor; type: CTR; description: lifting height approx 1300 mm; with control unit; in mobile aluminum frame size 1200x800x1980mm; (cleanroom) ;	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
1518	7	pallet various aluminum: yes; plastic: yes;	10,00
1519	1	lot of computer monitors and various description: in 5 pallets;	10,00
1520	1	lot of wafer storage and various description: a.o. storage bins; fasteners; couplings and empty crates; incl. rack;	10,00
1521	1	mobile foil cutter total dimension L: 1950 mm; total dimension W: 820 mm; total dimension H: 1750 mm;	10,00
1522	4	trolley various	10,00
1523	1	lot of cleanroom shoes description: various sizes; incl. rack;	10,00
1524	3	stacking transport crate dimension L: 1160 mm; dimension W: 800 mm; dimension H: 800 mm; description: incl. content;	10,00
1525	4	hand trolley various	10,00
1526	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 730 mm; total dimension W: 700 mm; total dimension H: 950 mm;	10,00
1527	1	storage rack description: with content;	10,00
1528	1	mobile scaffold brand: Altrex; type: 185; dimension L: 1950 mm; dimension W: 750 mm; dimension H: 1900 mm; folding scaffold: yes;	10,00
1529	1	table tennis table brand: Heemskerk; type: Rol 1400 Indoor; description: incl. belongings;	10,00
1530	1	HPL sheet total dimension L: 2550 mm; total dimension W: 1860 mm; total dimension H: 6 mm;	10,00
1531	1	workbench total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: with vise; incl. rack and content;	10,00
1532	1	wooden garden bench material: pine; total dimension L: 2400 mm; total dimension W: 750 mm; total dimension H: 1060 mm;	10,00
1533	3	locker cabinet various	10,00
1534	1	lot of various cleaning supplies description: a.o. high pressure cleaner; vacuum cleaner; trimmer; stair; water hose etc. etc. ;	10,00
1535	1	lot of office furniture description: consisting of: (10x) various desks; (8x) chairs; (2x) various cabinets; (9x) computer monitor; "HP" printer etc. ;	10,00
1536	1	goods elevator brand: BD Lift & Container AB; type: HLP1-750/3450; year: 2014; serial number: 54955; lifting capacity: 750 kg; electric connection: 400 V; own weight: 800 kg; total dimension L: 2340 mm; total dimension W: 2030 mm; description: platform dim. approx. 1900x1300 mm; lifting height 3450 mm; with control unit and security fence Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
1537	2	screw air compressor brand: Atlas Copco; type: GA11P / GA15VSD; year: 2010; serial number: API313774; buffer tank content: 1000 l; hours on display: 3386; air dryer: yes; electric connection: 400 V; description: incl. vertical pressure vessel and air dryer;	1.000,00
1538	1	canteen inventory description: consisting of: (2x) canteen tables; dim. approx. 2000x1000 mm; incl. (12x) chairs; "Whirlpool" refrigerator; "Liebherr" freezer and microwave (Note! first floor);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
1539	1	van brand: Ford; type: Transit Custom; year: 2014; VIN number: WF0ZXXTTGZDD17469; license plate: VG-527-X; crew cabin: yes; inspection expiration date: 16/11/2019 01:00:00; box trailer: yes; diesel: yes; engine power: 92 kW; manual: yes; mileage (at intake): 56367 km; load capacity: 885 kg; number of seats: 6; number of doors: 4; airconditioning: yes; navigation: yes; parking sensors: yes; own weight: 2015 kg; description: aantal cilinders: 4; cilinderinhoud: 2198 cm ³ ; catalogusprijs: 49100; breedte: 203; euro classificatie: Euro 5; type: FCC; variant: CYFF1ABX; uitvoering: C6VJCZCBSAUC;	1.000,00
1540	1	van brand: Iveco; type: 35J12; year: 2006; VIN number: ZCFC3582005589150; license plate: 1-VKN-85; inspection expiration date: 20/11/2019 01:00:00; box trailer: yes; diesel: yes; engine power: 85 kW; manual: yes; mileage (at intake): 233166 km; load capacity: 710 kg; number of seats: 3; number of doors: 3; own weight: 2790 kg; description: aantal cilinders: 4; cilinderinhoud: 2287 cm ³ ; breedte: 222;	100,00
2001	1	aluminum VC tooling plate connection total dimension L: 1070 mm; total dimension W: 1080 mm; total dimension H: 1940 mm; description: in wooden box; transport dim. approx. 1810x1540x2600 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2002	1	electric cabinet brand: Lau-Techniek; type: ATTP 0281; capacity: 50 kVA; total dimension L: 470 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2003	1	aluminum test door total dimension L: 1560 mm; total dimension W: 1040 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2004	1	aluminum test door with turbomolecular pump brand: Edwards; type: STPIXA2205CP1; year: 2012; serial number: 117036613; total dimension L: 1070 mm; total dimension W: 1080 mm; total dimension H: 1940 mm; description: incl. control unit; suction hose and various; transport dim. approx. 1810x1230x750 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2005	1	vacuum pump brand: Edwards; type: XDS35i; year: 2012; serial number: 129423524; electric connection: 230 V; own weight: 48 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2006	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149553354; electric connection: 230 V; own weight: 48 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2007	1	aluminum support frame total dimension L: 1300 mm; total dimension W: 1230 mm; total dimension H: 550 mm; description: high base; (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2008	3	stacking transport crate brand: Martini Alfredo; dimension L: 1200 mm; dimension W: 800 mm; dimension H: 860 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2009	1	power cabinet total dimension L: 1100 mm; total dimension W: 740 mm; total dimension H: 1920 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2010	1	wafer handling machine part brand: Levitech; type: Levitor 4200; year: 2008; serial number: 838040/20; total dimension L: 1200 mm; total dimension W: 930 mm; total dimension H: 2040 mm; description: 115/230V; with "Gencobot" wafer handling robot; type 7S/3L; for 200/300 mm semiconductor (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
2011	1	rack module cabinet brand: Mapper; total dimension L: 1130 mm; total dimension W: 1460 mm; total dimension H: 1970 mm; description: (2x) 19" instrument rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2012	1	vacuum pump brand: Oerlikon; type: Ecody M 15; year: 2009; serial number: 31000109705; nominal capacity: 15 m ³ /hr; electric connection: 230 V; own weight: 47 kg; description: mobile; with "Leybold" digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2013	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; year: 2010; serial number: V8SACSFEBF; nominal capacity: 37 m ³ /hr; electric connection: 230 V; description: max pressure 1013 Mbar (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2014	1	vertical transport robot control box brand: Sokudo; type: VTR; year: 2012; serial number: T02C0104A; description: 0.75 KVA; 400 VAC (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2015	1	mobile stair number of steps: 8; step ladder: yes; single: yes; access platform: yes; total dimension L: 1380 mm; total dimension W: 700 mm; total dimension H: 2700 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2016	1	refridgerator brand: Liebherr; type: Comfort; volume refrigerator: 185 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 610 mm; total dimension H: 1440 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2017	1	wafer handling unit description: Ø 320 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2018	1	automation robot motion controller brand: Genmark; type: Small; year: 2018; serial number: SMC8839; description: 600VA; 115/230 Volt; incl. various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2019	3	stacking transport crate various dimension L: 810 mm; dimension W: 610 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2020	1	water hose reel brand: Gardena; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2021	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 720 mm; total dimension W: 800 mm; total dimension H: 950 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2022	1	pedestal frame description: in 2 boxes; with "Zimm" screw jack system (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2023	1	vacuum pump brand: Pfeiffer; type: HiPace 80; year: 2016; serial number: 16705234; own weight: 2 kg; description: cap. 67L/sec.; incl. "Pfeiffer" control unit; type DCU110; with various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2024	1	aluminum base plate total dimension L: 1640 mm; total dimension W: 1120 mm; total dimension H: 100 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2025	1	aluminum base plate total dimension L: 1640 mm; total dimension W: 1070 mm; total dimension H: 100 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2026	4	wheels description: in 2 crates (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2027	1	multi sensor transducer brand: MKS; type: 999; description: incl. control box (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2028	1	lot of various PCB equipment description: a.o. DTC coupling; power and data coupling and pre vacuum coupling; in 3 crates (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2029	3	raised floor rail set total dimension L: 2760 mm; total dimension W: 40 mm; total dimension H: 90 mm; description: in 3 wooden boxes (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2030	1	laboratory stand total dimension L: 790 mm; total dimension W: 790 mm; total dimension H: 640 mm; description: with camera bracket (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2031	1	loadlock total dimension L: 630 mm; total dimension W: 670 mm; total dimension H: 560 mm; description: in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2032	1	loadlock total dimension L: 630 mm; total dimension W: 670 mm; total dimension H: 560 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2033	1	main power distribution cabinet brand: Schneider; type: NSX 160F; total dimension L: 490 mm; total dimension W: 410 mm; total dimension H: 620 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2034	1	main power distribution cabinet brand: Schneider; type: NSX 160F; total dimension L: 490 mm; total dimension W: 410 mm; total dimension H: 620 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2035	1	lot of suction hoses brand: Hi Metal Flex; description: various sizes (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2036	1	flow meter brand: Kobold; description: on mobile aluminum frame; dim. approx. 830x580x1400 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2037	1	lot of stacking crates description: approx. 13 pcs. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2038	1	residual gas analyzer brand: MKS; type: E-Vision 2; description: 24VDC; 3A; in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2039	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: incl. content (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2040	1	power cable and various electric connection: 400 V; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10,00
2041	1	lot of waterproof cases brand: Pelicase; plastic: yes; description: total approx. 20 pcs. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2042	1	lot of aluminum description: size up to 1550x970 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2043	1	lot of various PCB equipment description: a.o. flanges; ball valve; aluminum couplings; vacuum measurement; fasteners; test door control unit etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2044	1	lot of various PCB equipment description: a.o. springs; splitter; control hardware; flanges etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2045	1	lot of various PCB equipment description: a.o. multitool; tube bender; power supplies; tool organizers; pcm plates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2046	1	lot of various PCB equipment description: a.o. fasteners; manometers; couplings; foils; flanges; crates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2047	1	lot of various PCB equipment description: a.o. flexible hoses; electric cables; power supply; foils; stirrers; crates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2048	1	lot of various PCB equipment description: a.o. (5x) "Pentair" vertical storage tank; air hoses; electric cables; foils etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2049	1	mobile wafer handling robot brand: Hitech ; type: WHS; year: 2009; serial number: S003; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 1290 mm; total dimension H: 1330 mm; description: incl. (2x) "Pfeiffer" vacuum pump; type TMH 400M; transport dim. approx. 1670x1520x1790 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2050	1	oven brand: Zanussi; built-in: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2051	1	aluminum wafer handling robot total dimension L: 1170 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: transport dim. approx. 1730x1270x2270 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2052	1	portable load bank brand: Cressal; type: AC30; serial number: L2091/3; description: mobile; 400V; max. cap. 30 kW; three phase; incl. various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2053	1	rack module cabinet brand: Mapper; total dimension L: 1130 mm; total dimension W: 1460 mm; total dimension H: 1970 mm; description: (2x) 19" instrument rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2054	1	locker cabinet and various total dimension L: 415 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: 5-doors (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2055	3	stacking transport crate dimension L: 1150 mm; dimension W: 800 mm; dimension H: 810 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2056	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2057	1	refrigerator brand: Liebherr; type: Vinothek; volume refrigerator: 134 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 890 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2058	1	aluminum stand total dimension L: 1270 mm; total dimension W: 1080 mm; total dimension H: 510 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2059	1	lot of various (vacuum) equipment description: a.o. "Pfeiffer" vacuum control unit; "Vacuubrand" vacuum pump; type ME 2 NT; valve; sensor; wafer storage bins etc.; on 1 pallet (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2060	2	automated UPW degasser description: with stirrer; incl. WCS lifting tool and various testing equipment (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2061	1	5-part vacuum pump cabinet brand: Edwards; type: XDS 35i; year: 2012; electric connection: 230 V; own weight: 48 kg; total dimension L: 1160 mm; total dimension W: 610 mm; total dimension H: 1100 mm; description: incl. (3x) cooler (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	1.000,00
2062	1	laboratory stand total dimension L: 790 mm; total dimension W: 790 mm; total dimension H: 640 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2063	1	low particle gate valve brand: VAT; type: 15136-PA24-0001/0009; description: inside Ø 130 mm; DN 63-200 (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2064	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2065	1	wine refrigerator brand: Liebherr; type: Vinothek; volume refrigerator: 134 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 890 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2066	1	venting flange brand: Entegris; description: max. inlet pressure 35 PSIG; in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2067	1	aluminum power cabinet total dimension L: 1080 mm; total dimension W: 510 mm; total dimension H: 1290 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2068	1	wafer clamping station description: in wooden case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2069	1	lot of various high pressure air hoses brand: Swagelok; description: on and in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2070	1	lot of various PCB equipment description: a.o. "Seifert" cooling units; DTC couplings; lifting equipment; switches; control units; pre vacuum coupling; electric cables; tubes etc.; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2071	1	lot of various PCB equipment description: a.o. "Hanna" bench meter; hoses; power supply; packages; wafer storage; semiconductor etc.; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
2072	1	lot of various PCB equipment description: a.o. electric actuator; electric cables; power supply; control boxes; demineralisation patterns; small parts organizers; couplings; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2073	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2074	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2075	1	aluminum frame total dimension L: 1370 mm; total dimension W: 860 mm; total dimension H: 570 mm; description: for Matrix bottom side (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2076	1	aluminum frame total dimension L: 1150 mm; total dimension W: 780 mm; total dimension H: 920 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2077	1	stainless steel lifting tool hoist capacity: 700 kg; total dimension L: 1200 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2078	1	vertical transport robot control box brand: Sokudo; type: VTR; description: 0.75 KVa; 400 VAC (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2079	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2080	1	waterproof case brand: Pelicase; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2081	1	vacuum pump brand: Pfeiffer; type: TMH 400; year: 2009; own weight: 21 kg; description: 39.600 1/min. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2082	1	lot of nylon tubing and various description: on 4 pallets (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2083	1	hydraulic hand pallet truck brand: Jungheinrich ; lifting capacity: 1700 kg; fork length: 1600 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2084	4	furniture trolley description: cap. 300 kg (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2085	1	forklift truck brand: Still; type: R 50-15; year: 1999; serial number: 515044017076; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 3480 mm; overhead guard height: 2200 mm; fork length: 1000 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4317; battery charger: yes; own weight: 4800 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100,00
2086	1	7-sections pallet rack dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4000 mm; number of uprights: 9; number of cross beams: 18; number of shelves: 9; description: incl. 2-sections pallet rack; section dim. approx. 2700x1040x3000 mm; 6-sections storage rack; section dim. approx. 1450x600x3000 mm (Note! excl. content!) (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft)(Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
2501	1	mobile aluminum frame total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 1980 mm; description: for CTR module; incl. various aluminum frame (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2502	1	lot of storage rack shelves section dim. L: 1200 mm; section dim. W: 670 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2503	1	automation system controller brand: Genmark; description: incomplete (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10,00
2504	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in case; incl. various PCB equipment (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2505	1	cleanroom fan filter unit brand: AAF International; type: FFU AC; power: 0.28 kW; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 300 mm; total dimension H: 1160 mm; description: cap. 1060 m3/h.; incl. controller (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2506	1	lift hook brand: Bauer; type: 977634; year: 2009; serial number: 287118; hoist capacity: 2500 kg; dimension L: 740 mm; own weight: 24 kg; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2507	4	machine jack brand: JHT; type: MH10; description: cap. 10T; height adjustable to 100 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2508	1	lot of cleanroom foil description: in 2 boxes (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2509	1	foldable crate dimension L: 800 mm; dimension W: 1200 mm; dimension H: 800 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2510	1	dismounted gantry crane description: for mega Nognix; incl. power cabinet; transport box dim. approx. 2540x1220x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2511	1	bottom exchange tool lift brand: Demcon; type: SD/LOVC lift; year: 2013; description: manual; with wafer handling unit; in wooden box; dim. approx. 1310x700x1220 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2512	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2513	2	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2514	1	lot of PCB aluminum machine parts description: on plastic pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2515	1	aluminum stair brand: Altrex; type: Castor CEO 5; number of steps: 5; aluminum: yes; multi-purpose ladder: no; single: yes; access platform: yes; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2516	1	flightcase total dimension L: 1060 mm; total dimension W: 1250 mm; total dimension H: 650 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2517	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2518	1	flightcase total dimension L: 1060 mm; total dimension W: 1250 mm; total dimension H: 650 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2519	2	PCB machine part total dimension L: 900 mm; total dimension W: 550 mm; total dimension H: 250 mm; description: incl. flightcase; dim. approx. 1300x1060x600 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2520	1	scanning drive motor brand: Ferrotec; type: Ferrofluidic; description: Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2521	1	scanning drive motor brand: Ferrotec; type: Ferrofluidic; description: Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2522	1	test setup description: consisting of: setup acrylic box with aluminum stand; "Sios" stabilized He-Ne laser; type SL-03; wavelength 632.8 nm; "Piezo" motion control unit; "Elma" signal processing module; "National Instruments" shielded connector block; mobile patch rack; monitor and keyboard (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2523	1	long stroke repair setup total dimension L: 790 mm; total dimension W: 700 mm; description: in wooden box; transport dim. approx. 1280x1000x770 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2524	1	system shielding verification tooling description: with isolated variac and various belongings in case; wooden box dim. approx. 1140x1140x620 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
© 2525	1	sealed hole table top brand: Newport; type: RP Reliance; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 200 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
© 2526	1	sealed hole table top brand: Newport; type: RP Reliance; total dimension L: 1800 mm; total dimension W: 1200 mm; total dimension H: 200 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2527	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2528	1	surface table brand: Mytri; granite: yes; table size L: 1200 mm; table size W: 1200 mm; total dimension L: 1250 mm; total dimension W: 1250 mm; total dimension H: 1050 mm; description: thickness 100 mm; with steel stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2529	1	surface table brand: Mytri; granite: yes; table size L: 1200 mm; table size W: 1200 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 650 mm; description: thickness 100 mm; with steel stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2530	4	cable duct top chamber total dimension L: 900 mm; description: in box pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2531	1	system shielding verification tooling description: with isolated variac and various belongings in case; wooden box dim. approx. 1140x1140x620 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2532	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2533	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2534	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2535	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2536	1	I/O port brand: Asyst; type: IsoPort; year: 2005; serial number: 09-4705-402972; total dimension L: 470 mm; total dimension W: 500 mm; total dimension H: 1400 mm; description: 300 mm wafer handling; mobile; 7A peak; 24VDC; in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
© 2537	1	optical breadboard brand: Newport RC; type: 18235; total dimension L: 1825 mm; total dimension W: 1220 mm; total dimension H: 60 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2538	1	aluminum clamp base plate total dimension L: 1800 mm; total dimension W: 800 mm; description: on plastic pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2539	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2540	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2541	1	aluminum gasket total dimension L: 2000 mm; total dimension W: 1000 mm; description: in pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2542	1	aluminum base plate total dimension L: 1060 mm; total dimension W: 1200 mm; total dimension H: 200 mm; description: in wooden box; dim. approx. 1240x1350x2200 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2543	1	lot of aluminum shielding parts total dimension L: 2000 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2544	1	aluminum cabinet total dimension L: 750 mm; total dimension W: 1280 mm; total dimension H: 1330 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2545	1	aluminum cabinet total dimension L: 750 mm; total dimension W: 730 mm; total dimension H: 1330 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2546	1	mobile patch cabinet brand: Dataracks; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 2100 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2547	1	wafer handling unit description: with scanning drive motor; incl. aluminum base frame (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2548	1	aluminum vacuum chamber total dimension L: 1400 mm; total dimension W: 1250 mm; total dimension H: 2050 mm; description: with (20x) flanges and (4x) high vacuum assy (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2549	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14281433; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm; with "Pfeiffer" single gauge controller; in mobile rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2550	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14380723; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2551	3	stacking crate dimension L: 650 mm; dimension W: 1000 mm; dimension H: 680 mm; description: incl. (2x) various crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2552	1	aluminum tower base dimension L: 2000 mm; dimension W: 750 mm; dimension H: 2000 mm; description: for cooler/heater (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2553	1	diaphragm pump brand: Pfeiffer; type: MVP 015-4; year: 2006; serial number: 28129394; power: 0.08 kW; nominal capacity: 0.7 m³/hr; electric connection: 230 V; description: cap. 15 L./min.; incl. various belongings in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2554	1	single gauge controller brand: Pfeiffer; type: TPG 261; description: with "Pfeiffer" full range vacuum gauge; type PKR 251 (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2555	1	diaphragm vacuum pump brand: Pfeiffer; type: MVP 055-3; year: 2001; serial number: 2724040909; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: with crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2556	1	vacuum turbo pump test setup brand: Varian; type: TV-301 Navigator; year: 2011; serial number: 515754; power: 0.15 kW; description: 67L/sec.; cap. 90000 1/min.; in aluminum frame; dim. approx. 1200x450x720 mm; incl. various belongings in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2557	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2558	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2559	1	clamp tower robot control unit brand: Screen; type: CTR; year: 2018; serial number: D02C01178A; description: full load 0,8 kVA; 4A; 200 Vac; mobile (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
© 2560	4	optical table isolator brand: Thorlabs; type: PTP503; description: Ø 350 mm; height 700 mm; load cap. 4 legs 1100 kg; max. 80 PSI (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
© 2561	4	optical table legs brand: Newport; type: LabLegs SL Series; description: Ø 250 mm; height 720 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
© 2562	4	optical table legs brand: Newport; type: LabLegs SL Series; description: Ø 250 mm; height 400 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
		optical tables with legs	
2563	1	wafer handling unit total dimension L: 330 mm; total dimension W: 330 mm; total dimension H: 300 mm; description: with scanning drive motor (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2564	1	patch cabinet description: with content; consisting of: "Pfeiffer" vacuum pump control unit; type TCM 1601; "Granville-Phillips" micro-ion controller; type 358; "VAT" high vacuum angle valve and various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2565	1	aluminum mirror block brand: Kugler; type: SO/Cube; total dimension L: 390 mm; total dimension W: 390 mm; total dimension H: 320 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2566	1	wafer stage WPS module trolleys total dimension L: 980 mm; total dimension W: 980 mm; total dimension H: 600 mm; description: with aluminum base; in wooden box; dim. approx. 1500x1250x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2567	1	wafer stage WPS module trolleys total dimension L: 980 mm; total dimension W: 980 mm; total dimension H: 600 mm; description: with aluminum base; in wooden box; dim. approx. 1500x1250x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2568	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2569	1	vertical storage tank brand: GFM; aluminium: yes; description: Ø 670 mm; height 1510 mm; with base plate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2570	1	vertical transfer robot description: lifting height approx 1600mm; with "Nippon Muki" filter; in mobile aluminum frame size 740x460x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2571	1	vertical transfer robot description: lifting height approx 1600mm; in mobile aluminum frame size 740x460x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2572	4	aluminum transport box brand: Enders; aluminium: yes; with content: yes; dimension L: 570 mm; dimension W: 370 mm; dimension H: 260 mm; description: with roller particle cleaner packaging (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2573	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; year: 2010; serial number: AC658504; nominal capacity: 37 m³/hr; electric connection: 230 V; description: max pressure 1013 Mbar (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
2574	1	stock description: a.o. "Pfeiffer" recycled water cooling unit; type TZK 400; interconnect tooling; monitor wafer containers etc.; out of 2-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2575	1	stock description: a.o. regulator valve; accelerometers; wheelbars; electric cables; couplings; tool box; rubber mats etc.; out of 6-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2576	1	lot of various stacking crates description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2577	1	stock description: a.o. WLS stub; foils; fatigue measurement setup; electric cables etc.; out of 1-section rack and 1 shelf (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2578	2	wafer stability storage table description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2579	4	shs amplifier brand: Demcon; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2580	1	WPS control platform description: 19" (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2581	4	shielded connector block brand: National Instruments; type: BNC-2110; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2582	1	stock description: a.o. (3x) "Kugler" mirror block; magnets; power supply; "Swagelok" tubes; length up to approx. 7 m; out of 3-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2583	3	mount various description: in (2x) stacking crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2584	1	multitool brand: Bosch; type: GOP 55-36; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2585	1	nibbler brand: Draco; type: 4320; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2586	3	electrical tool various description: a.o. "Rockwell" rotary hammer; "Metabo" grinder and "Bosch" jig saw; in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2587	1	lot of hand tools description: a.o. clamps; spanners; electrical reel etc.; in 5 cases (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2588	9	stacking crate various description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2589	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2590	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: 2 stages; 1.5 CFM; power 1/4 HP (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2591	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: 2 stages; 1.5 CFM; power 1/4 HP (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2592	1	pneumatic tie-rod cylinder brand: SMC; type: CP96KB100-25; description: max. press 1 MPa; with tube (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2593	1	vacuum turbo pump control unit brand: Varian; type: V 301; electric connection: 230 V; description: with digital display; 330 vA; in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2594	1	temperature regulator brand: Horst; type: HT 30; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2595	1	temperature regulator brand: Horst; type: HT 30; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2596	1	office table office chair: yes; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 760 mm; description: incl. (2x) computer monitor and labelprinter; excl. tools! (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2597	1	lot of fasteners and various description: a.o. screws; bolts; nitrile gloves etc.; incl. 2-doors cabinet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2598	11	fiber ultra stable laser module brand: OZ Optics; type: OZ-2000-635-4; description: in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2599	1	lot of lift slings description: in 2 crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2600	1	lot of various stacking crates description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2601	1	power supply brand: Delta Elektronika; type: ES 0030-0.45; description: 300V; 0.45A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2602	1	power supply brand: TTZ; type: PL155; description: 15V; 5A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2603	1	permeability meter brand: Stefan Mayer; type: Ferromaster; description: in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2604	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2605	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2606	2	measuring gauge brand: Noga; analog: yes; description: with stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2607	1	workbench total dimension L: 2250 mm; total dimension W: 1000 mm; total dimension H: 1030 mm; description: with "Garant" vise; excl. tools! (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00



Kavel	Aantal	Omschrijving	Openingsbod €
2608	1	stock description: a.o. interferometer modules; optical breadboard table with belongings; transformer; sensors; breakout boxes; tubes; couplings; electrical cables; fasteners; aluminum parts etc.; out of 8-sections rack (excl. rack!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2609	1	stock description: a.o. power supplies; sensors; mirror roughness measurement setup; laser setup test box; shielded connector blocks; "Koolance" computer liquid cooling system; fume absorbers; electrical cables; aluminum parts; tool boxes; hoses; foils; wheels etc.; out of 8-section rack (excl. rack!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2610	1	lot of various compressed air equipment description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2611	1	electrical SUSS module description: in case with various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2612	1	electrical SUSS module description: in case with various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2613	2	flow factor verification tool various brand: Kobold; description: with "Henschen" digital display (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2614	1	vacuum turbo pump brand: Varian; type: TV-301 Navigator; serial number: 9698919; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min.; with "Varian" control unit; type V 301 (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2615	1	lot of various compressed air equipment description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2616	1	lot of cleanroom shoes description: various sizes; incl. rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2617	1	lot of tube fittings and adapters brand: Swagelok; description: in 2 crates; incl. trolley (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2618	1	composite tank brand: Pentair; type: WellMate; year: 2013; description: volume 111,7 L; max. pressure 8.6 bar (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2619	1	vacuum turbo pump with controller brand: Pfeiffer; type: HiPace 10; year: 2010; serial number: 14914102; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2620	1	vacuum turbo pump with controller brand: Pfeiffer; type: HiPace 10; year: 2010; serial number: 14914089; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2621	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2006; serial number: 13836382; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2622	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2008; serial number: 14234545; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00



Kavel	Aantal	Omschrijving	Openingsbod €
2623	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2001; serial number: 13123147; description: 10L/sec. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10,00
2624	1	forklift truck brand: Stil; type: R 50-15; serial number: 515044014678; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 4400 mm; overhead guard height: 1990 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 11185; battery charger: yes; own weight: 2300 kg; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100,00
2625	1	5-sections pallet rack dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 3400 mm; number of uprights: 9; number of cross beams: 30; number of shelves: 15; description: incl. 1-section pallet rack; section dim. approx. 3300x1100x4200 mm; 3-section pallet rack; section dim. approx. 3600x1100x4200 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100,00
2626	1	34-sections storage rack dismantable: yes; section dim. L: 1200 mm; section dim. W: 680 mm; section dim. H: 1975 mm; number of uprights: 40; number of cross beams: 320; number of shelves: 160; description: (Note! excl. content!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10,00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Algemene voorwaarden Online veiling TroostwijkAuctions.com

ARTIKEL 1. DEFINITIES

Aanvaarding: de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

Afname: de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

Algemene Veilingvoorwaarden voor Kopers: deze Algemene Voorwaarden.

Bod: elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

Combinatie kavel: een samenvoeging van kavels die onder één kavelnummer worden geveild.

Eigendomsoverdracht: de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

Gebruiker: een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

Gebruikersovereenkomst: de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

Kavel: een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

Kijkdag: een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

Koopovereenkomst: de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

Koopsom: het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

Koper: de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

Opdrachtgever: de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

Openbare Veiling: een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

Opgeld: veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

Auto bod: Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

Registratie: aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

Statisch bod: Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

Specifieke Veilingvoorwaarden voor Kopers: de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

Toewijzing: de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bieder is toegewezen.

Troostwijk: Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

Veiling: de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

Verkoper: de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

Website(s): de website www.TroostwijkAuctions.com, die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

Zaken: roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

ARTIKEL 2. TOEPASSELIJKHEID

2.1 De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

2.2 De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.

2.3 Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



ARTIKEL 3. DE VEILING

3.1 Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

3.2 Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

ARTIKEL 4. ORGANISATIE VAN DE VEILING

4.1 De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

4.2 Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfangen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

4.3 Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

4.4 Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

4.5 Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

ARTIKEL 5. BIEDINGEN; KOOPOVERKOMST

5.1 De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

5.2 Indien meerdere gebruikers verklaren gezamenlijk een bod uit te brengen of te hebben uitgebracht, zijn zij hoofdelijk aansprakelijk voor de daaruit voortvloeiende verplichtingen.

5.3 Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfangen.

5.4 Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

5.5 Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

5.6 De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan.



Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toewijsbare bod heeft uitgebracht.

5.7 De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

5.8 Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

5.9 In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

5.10 Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

5.11 Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

5.12 Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN

6.1 Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

6.2 Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortvloeiende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

6.3 Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

6.4 De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

6.5 Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

6.6 Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

6.7 Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER

7.1 De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

7.2 Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontleen. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uittalingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

7.3 De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER

8.1 De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

8.2 Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtelijke kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

8.3 Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

ARTIKEL 9. VEILIGHEID

9.1 Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

9.2 Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

ARTIKEL 10. AFNAME

10.1 Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

10.2 De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

10.3 Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.2. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



10.4 Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

10.5 De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en – in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

10.6 Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

10.7 Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arbowetgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

10.8 Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

10.9 De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

10.10 Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

10.11 Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE

11.1 Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzake te (doen) geven.

ARTIKEL 12. ONTBINDING

12.1 Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.

12.2 Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de



koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

12.3 Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.4 Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

12.5 In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen.

ARTIKEL 13. AANSPRAKELIJKHEID

13.1 De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

13.2 Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

13.3 Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

13.4 Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

13.5 Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

13.6 Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



13.7 Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiende uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

13.8 De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

13.9 Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

ARTIKEL 14. EXECUTIE

14.1 Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

ARTIKEL 15. AANPASSINGEN; WERKING

15.1 Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

15.2 Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

15.3 Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

15.4 Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



ARTIKEL 16. TOEPASSELIJK RECHT

16.1 Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

16.2 De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

16.3 De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

The European Online Auctioneer and Valuer

1300 Veilingen

Troostwijk organiseert
jaarlijks **1300** veilingen
In heel Europa

Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders
- uit 95 verschillende landen
- meer dan 500.000 registraties

15 landen

Troostwijk heeft
eigen kantoren
in 15 Europese landen

85 jaar

Troostwijk organiseert
veilingen sinds 1930 en
heeft meer dan 85 jaar ervaring