



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Bankruptcy Auction of Mapper Lithography B.V. -2 **(NL)**

**High end electronics a.o. wafers, mobile
work tables, mobile tracks, pallet trucks**
Rotterdamseweg 394 - 2629 HH Delft
(Mapper Lithography B.V. Rotterdamseweg 394)

Closing date: Tuesday **26 MARCH** starting 10:00



Bidding only on the internet!

12-03-19 15.58

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 26 March 2019 Bankruptcy Auction of Mapper Lithography B.V. -2

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Tuesday 19 March 2019 starting 10:00 CET
Viewing	Monday 18 March from 09:00 until 12:00 CET Mapper Lithography B.V. Rotterdamseweg 392 Rotterdamseweg 392 2629HH Delft, The Netherlands Monday 18 March from 09:00 until 12:00 CET Mapper Lithography B.V. Rotterdamseweg 394 Rotterdamseweg 394 2629 HH Delft, The Netherlands Monday 18 March from 09:00 until 12:00 CET Mapper Lithography B.V. Rotterdamseweg 406 Rotterdamseweg 406 2629 HH Delft, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Tuesday 26 March from 09:00 until 16:00 CET Mapper Lithography B.V. Rotterdamseweg 394 Rotterdamseweg 394 2629 HH Delft, The Netherlands Wednesday 27 March from 09:00 until 16:00 CET Mapper Lithography B.V. Rotterdamseweg 392 Rotterdamseweg 392 2629HH Delft, The Netherlands Wednesday 27 March from 09:00 until 16:00 CET Mapper Lithography B.V. Rotterdamseweg 406 Rotterdamseweg 406 2629 HH Delft, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Attending an auction closure for consumers	The article of the law "purchase on distance" is not applicable on the services of Troostwijk. This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

www.TroostwijkAuctions.com



Payment Details

If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount **within 48 hours after the purchase agreement has been sent**. The transfer should be made to one of the following accounts. Please indicate the **auction number** and your **Account ID** with your payment.

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Attention please: indicate the Sale nr. and your buyer number with your payment!

After your purchase you will receive a **proforma** per email.

Original invoices can be **downloaded** from [MyTroostwijk](#) after having received your payment.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay



open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered “subject to allocation”. This is noted in the bidding information for each affected lot. Where lots are offered “subject to allocation” the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

A number of lots have the following note: (This lot is subject to allocation due to the “Dual Use Regulations”). This means that the goods cannot be sold to buyers from countries outside of the EU. If you are the highest bidder and you placed your bid with an account listed on a country outside of the EU and/or you placed a bid from a country outside of the EU the lot will not be allocated. Troostwijk and / or its client decides on allocation of the lots. Even if you are the highest bidder within the EU, we can decide to not allocate lots without giving a reason.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1001	1	electron beam verification setup type: Telecentrix; description: c.o: stainless steel vacuum tank on steel frame and Lablegs; dimensions approx ø 1000x1900mm; 3 built-on Pfeiffer vacuum units model TM700; MKS microvision-ip unit 14 connector inlets with sensors and connectors; power supply box; datarack with various control units and valve table on aluminum frame (cleanroom) ;	1,000.00
1002	1	light optics viewport camera test and verification setup type: LOVC; description: c.o: stainless steel vacuum tank on Lablegs; dimensions approx ø 800x2100mm; Pfeiffer built-on vacuum unit model HiPace 400; data rack with content ; (cleanroom) ;	1,000.00
1003	1	high voltage measurement setup type: Debutantus; description: c.o: stainless steel vacuum tank on Lablegs; dimensions approx ø 600x1800mm; Pfeiffer built-on vacuum unit model TMU 1600M P; mobile groundbox and data rack with content; (cleanroom) ;	1,000.00
1004	1	pressure sensing and venting verification setup type: Startrix; description: stainless steel build up with Alcatel turbopump model ATH 400M; MKS e-Vision module on an an aluminum mobile frame and data cabinet with content; (cleanroom) ;	100.00
1005	1	wire force measurement setup total dimension L: 1280 mm; total dimension W: 960 mm; total dimension H: 2050 mm; description: built on aluminum frame; 2 Sauter digital gauges model FL; 2 Elgo digital displays; Serenity scale with digital display etc.:(cleanroom) ;	100.00
1006	2	lift tools brand: Demcon; own weight: 50 kg; total dimension H: 1000 mm; description: 2012+2013; max lifting height 600mm; (cleanroom) ;	100.00
1007	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; locked, no keys(cleanroom) ;	100.00
© 1008	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10.00
1009	1	chrome steel rack description: with various content (most cases are empty); 1 aluminum frame and 1 mobile computerdesk with monitor (cleanroom) ;	10.00
1010	1	chrome steel rack description: with various content; (cleanroom) ;	10.00
1011	1	assembly setup total dimension L: 950 mm; total dimension W: 935 mm; total dimension H: 2600 mm; description: in aluminum frame; (cleanroom) ;	10.00
1012	1	chrome steel rack description: with various content; (cleanroom) ;	10.00
1013	3	stainless steel trolley brand: Blanco; dimension L: 800 cm; dimension W: 500 cm; dimension H: 950 cm; description: (cleanroom) ;	10.00
1014	1	laboratory workbench total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: with drawers and content; (cleanroom) ;	10.00
1015	1	ground bond tester brand: Slaughter; type: 2630; electric connection: 230 V; description: (cleanroom) ;	10.00
1016	1	vacuum gauge controller brand: Agilent; type: XGS 600; electric connection: 230 V; description: (cleanroom) ;	10.00
1017	1	synthesizer/function generator brand: Philips; type: PM5193; electric connection: 230 V; description: (cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
1018	1	thermocouple data logger brand: Omegabench ; type: USB TC08; description: (cleanroom) ;	10.00
1019	2	autocollimator brand: Newport; type: LDS-Vector; description: (cleanroom) ;	100.00
1020	3	weighing scales brand: Kern; description: various models ;	10.00
1021	3	weighing scales brand: My Weigh; type: Ultra 75; description: (cleanroom) ;	10.00
1022	3	weighing scales brand: Ohaus; type: CI 5000; weight range max: 5000 g; readability: 1 g; digital control: no; description: (cleanroom) ;	10.00
1023	1	power supply brand: Delta Elektronika; type: Es 075-2; electric connection: 230 V; description: (cleanroom) ;	10.00
1024	1	stirrer brand: Dragonlab; type: MS-H-Pro+; electric connection: 230 V; description: (cleanroom) ;	10.00
1025	1	magnet hot stirrer brand: VWR; type: 7x7 alu; electric connection: 230 V; description: (cleanroom) ;	10.00
1026	1	helium leak tester brand: Oerlikon/ Leybold; type: Phoenix L300i + cart. ; electric connection: 230 V; description: with Scrollvac oilfree scroll vacuum pump; (cleanroom) ;	1,000.00
1027	1	gas reductor brand: Linde ; type: HiQ; description: (cleanroom) ;	10.00
1028	1	trolley description: plastic with drawer and content; (cleanroom) ;	10.00
1029	1	chrome steel rack description: with various content; (cleanroom) ;	10.00
1030	1	laboratory workbench total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: with stand; (cleanroom) ;	10.00
1031	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 9 drawers; with content; (cleanroom) ;	100.00
1032	2	labelprinters brand: Dymo/Brother; type: 450duo/P-touch 2730; description: (cleanroom) ;	10.00
1033	1	weighing scale brand: Kern; type: FCB 3 ko.1; weight range max: 3000 g; readability: 1 g; digital display: yes; electric connection: 230 V; description: (cleanroom) ;	10.00
1034	1	weighing scale brand: Ohaus; type: RC31P3; weight range min.: 20 g; weight range max: 3000 g; readability: 1 g; digital display: yes; electric connection: 230 V; description: (cleanroom) ;	10.00
1035	1	laboratory press brand: Berg&scmid; type: HK 800; description: press force 8,0 kN; (cleanroom) ;	10.00
1036	1	laboratory workbench brand: Treston; total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: with stand; drawers with content and lamp (cleanroom) ;	10.00
1037	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100.00
1038	3	laboratory tables description: (cleanroom) (various on and under the tables are not included);	10.00
1039	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
1040	1	tool drawer cabinet total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 11 drawers; with content; (cleanroom) ;	100.00
1041	1	lot of beam generator parts and belongings description: in and with 2 chrome steel racks; in plastic boxes and from the tabletop; (cleanroom) ;	100.00
1042	2	laboratory workbenches brand: Treston; total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: with stand; drawers with content and lamp (cleanroom) ;	10.00
1043	2	mobile tables brand: Item; description: on aluminum frames; dimensions each approx 1200x1200x780mm; (cleanroom) ;	10.00
1044	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1045	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1046	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1047	1	beam generator description: (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1048	1	beam generator machine part description: (cleanroom) ;	100.00
© 1049	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator)(cleanroom) ;	10.00
© 1050	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator)(cleanroom) ;	10.00
© 1051	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10.00
© 1052	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10.00
© 1053	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm with built-on positioning tool; (cleanroom) ;	10.00
© 1054	1	hydraulic scissor table hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm (cleanroom) ;	10.00
1055	1	aluminum frame total dimension L: 1250 mm; total dimension W: 800 mm; total dimension H: 1400 mm; description: with shelf and lamp; (cleanroom) ;	10.00
1056	1	baking out setup type: Infernix; description: c.o: aluminum frame with insulated hood; Pfeiffer vacuum unit model TM 700; beam generator; frame dimensions approx 2000x1550x3100mm; data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00



Lot	Number	Description	Starting Bid €
1057	1	lot of aluminum fixtures description: with table; and various parts in plastic boxes and chrome steel rack (cleanroom) ;	10.00
1058	1	surface table brand: Mytri; granite: yes; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 965 mm; description: thickness 155mm; with various attached fixtures (cleanroom) ;	100.00
1059	1	measuring setup brand: Heidenhain; type: Mt 60M; granite: yes; blade size L: 420 mm; blade size W: 420 mm; description: table thickness 80mm; with Heidenhain digital controller model nostalgisch design 280; (cleanroom) ;	100.00
1060	1	weighing scale brand: Kern; type: Pcb; weight range max: 200 g; digital display: yes; electric connection: 230 V; description: d= 0.01g (cleanroom) ;	10.00
1061	1	spotfix plate unit description: in heavy duty transport-case ;	10.00
1062	3	laboratory tables description: size each 1200x800mm; with lamp and monitor; (cleanroom) ;	10.00
1063	1	workshop hoist brand: Euro shop; type: SA 1000; year: 2015; hoist capacity: 1000 kg; max. lifting height: 2150 m; description: (cleanroom) ;	10.00
1064	1	workshop hoist brand: Rodac; type: RQCF05C; year: 2013; hoist capacity: 500 kg; max. lifting height: 2100 m; description: with foldable legs; (cleanroom) ;	10.00
1065	1	hydraulic hand pallet truck brand: Bad; type: TM 15 inox; lifting capacity: 1500 kg; fork length: 1500 mm; description: stainless steel ; (cleanroom) ;	100.00
1066	1	hydraulic hand pallet truck lifting capacity: 2500 kg; fork length: 1000 mm; description: (cleanroom) ;	10.00
1067	1	measuring table granite: yes; blade size L: 1500 mm; blade size W: 1000 mm; total dimension H: 720 mm; description: table thickness 200mm; on aluminum frame with rubber compensators; (cleanroom) (tools on the table not included);	100.00
1068	1	assembly / verification setup type: Short stroke alignment ; description: with data rack (surface table not included); (cleanroom) ;	100.00
1069	1	3D measuring tool brand: Faro; year: 2013; description: battery and charger not included; with table fixture; table not included; (cleanroom) ;	100.00
1070	1	aluminum verification module total dimension L: 540 mm; total dimension W: 520 mm; total dimension H: 140 mm; description: with 6 Mitutoyo gauges; (cleanroom) ;	100.00
1071	3	laboratory tables description: with 3 monitors ; (cleanroom) ;	10.00
1072	6	short stroke chucks description: 4 in box and 2 aluminum frames;	1,000.00
1073	1	lot of equipment description: and various from 1 shelf (cleanroom) ;	100.00
1074	3	wafer stage WPS module trolleys description: with 1 aluminum base; all with cover; (cleanroom) ;	100.00
1075	1	pallet rack dismantable: yes; section dim. L: 3600 mm; section dim. W: 1100 mm; number of uprights: 2; number of cross beams: 6; total dimension H: 3000 mm; description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00



Lot	Number	Description	Starting Bid €
1076	1	wps hw teststand description: with aluminum module fixture; aluminum base size 1070x1070mm; and data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
1077	1	wps hw teststand description: with aluminum module fixture; aluminum base size 1070x1070mm; wafer module transport trolley and data rack with content (cleanroom) (This lot is subject to allocation due to the "Dual Use Regulations") ;	1,000.00
1078	1	lot of various parts description: in plastic boxes and with chrome steel rack (cleanroom) ;	10.00
1079	1	flammable liquid storage cabinet brand: Justrite; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 560 mm; description: with content (cleanroom) ;	10.00
1080	1	chrome steel rack description: with various content (cleanroom) ;	10.00
1081	1	weighing scale brand: Serenite; type: L50; total dimension L: 600 mm; total dimension W: 500 mm; description: cap. 50kg; (cleanroom) ;	10.00
1082	1	interferometer head test setup type: Bmts; description: with various mounts and dummy's; on granite surface table size 1200x400x150/210mm in aluminum box; loc;	100.00
1083	1	angular orientation align setup type: Ibas; description: with 3 Allied Visions ccd cameras; aluminum angle fixtures; 2 beam laser units; mounted on granite surface tables; sizes 1000x1000mm and 600x630mm; in aluminum frame with cover; and data rack with content (cleanroom) ;	100.00
1084	1	laser alignment setup type: Optix; description: with laser unit Allied Vision; and Superlum; Newport digital optical power/energy meter model 842-pe; aluminum alignment tool mounted on granite surface table size 1390x1200x140mm on steel frame with aluminum hood and various electronic equipment (cleanroom) ;	100.00
1085	1	measuring table granite: yes; blade size L: 1500 mm; blade size W: 1000 mm; total dimension H: 720 mm; description: table thickness 200mm; on aluminum frame (cleanroom) (tools on the table not included);	100.00
1086	1	long stroke repair setup total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 310 mm; description: (cleanroom) (table not included);	100.00
1087	1	interferometer laser module description: (cleanroom) ;	100.00
1088	1	aluminum rack brand: Festo; description: (cleanroom) ;	10.00
1089	1	measuring tool brand: Wyler; type: Blue level; year: 2016; serial number: T1312; description: with remote (cleanroom) ;	10.00
1090	1	chrome steel rack description: with various content and 2 door cabinet (cleanroom) ;	10.00
1091	1	stacker brand: Hanselifter; year: 2010; lifting capacity: 1000 kg; lifting height: 3000 mm; own weight: 316 kg; description: (cleanroom) ;	10.00
1092	4	aluminum transport wheels description: (cleanroom) ;	10.00
1093	4	aluminum transport wheels description: (cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
1094	1	clamp tower control unit description: and various(cleanroom) ;	10.00
1095	1	clamp tower frame brand: Levitech; type: 1300041222; total dimension L: 2000 mm; total dimension W: 2400 mm; total dimension H: 3330 mm; description: with wafer handler; (cleanroom) ;	1,000.00
1096	1	lifting frame total dimension L: 1900 mm; total dimension W: 1000 mm; total dimension H: 2200 mm; description: (cleanroom) ;	10.00
1097	1	lot of hoses description: a.o. vacuum and connectors (cleanroom) ;	10.00
1098	1	aluminum frame total dimension L: 1145 mm; total dimension W: 780 mm; total dimension H: 1720 mm; description: (cleanroom) ;	10.00
1099	1	vertical transfer robot description: lifting height approx 1600mm; in mobile aluminum frame size 1200x800x1980mm; (cleanroom) ;	100.00
1100	1	lot of various parts description: in and with chrome steel racks (cleanroom) ;	10.00
1101	1	vertical transfer robot brand: Screen; type: VTR; year: 2017; description: lifting height approx 1000mm; on granite surface table size 1100x1250x100mm (cleanroom) ;	100.00
1102	1	wafer handler setup total dimension L: 1120 mm; total dimension W: 850 mm; total dimension H: 1800 mm; description: on granite surface table verification setup; table size 1350x1100x100mm; with vertical robot; wafer tables; wafer loader; Edwards turbo molecular pump; Pfeiffer vacuum unit; (cleanroom) ;	1,000.00
1103	1	whs lifting tool description: (cleanroom) ;	10.00
1104	2	tool trolleys description: size each 510x480x760mm; (cleanroom) ;	10.00
1105	1	transport trolley total dimension L: 740 mm; total dimension W: 460 mm; total dimension H: 480 mm; description: (cleanroom);	10.00
1106	1	whs service frame total dimension L: 1110 mm; total dimension W: 820 mm; total dimension H: 800 mm; description: (cleanroom) ;	10.00
1107	1	ss lifting frame total dimension L: 1100 mm; total dimension W: 800 mm; description: (cleanroom) ;	10.00
1108	4	stairs description: (cleanroom) ;	10.00
1109	1	lot of various parts description: in and with chrome steel rack (cleanroom) ;	10.00
1110	2	teaching pendants brand: Idec; type: HG1H-SB12BH-MK1461-S3; description: (cleanroom) ;	10.00
1111	1	ground bond tester brand: Slaughter; type: 2630; description: (cleanroom) ;	10.00
1112	1	aluminum test rack description: (cleanroom);	10.00
1113	1	oscilloscope brand: Rigol; type: DS1054; description: (cleanroom) ;	10.00
1114	1	labelprinter brand: Brother; type: P-touch E550W; description: in case; (cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
1115	4	aluminum base plates total dimension L: 170 mm; total dimension W: 170 mm; total dimension H: 115 mm; description: (cleanroom) ;	10.00
1116	4	aluminum base plates total dimension L: 170 mm; total dimension W: 170 mm; total dimension H: 115 mm; description: (cleanroom) ;	10.00
1117	2	tables description: and 1 trolley (cleanroom) ;	10.00
1118	1	gantry crane brand: Abus; span: 2550 m; hoist capacity: 1600 kg; self-traveling: yes; total dimension L: 6600 mm; total dimension W: 4570 mm; total dimension H: 3500 mm; description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
1119	1	gantry crane brand: Bollegraaf; span: 2550 m; hoist capacity: 1000 kg; double girder: no; self-traveling: yes; total dimension L: 10000 mm; total dimension W: 5800 mm; total dimension H: 3500 mm; description: with Verlinde electric hoist; (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
1120	1	gantry crane brand: Swart; span: 2550 m; hoist capacity: 250 kg; double girder: no; self-traveling: yes; electric connection: 230 V; total dimension L: 9100 mm; total dimension W: 5750 mm; total dimension H: 3500 mm; description: with Electrolift electric hoist; (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
1121	1	ladder brand: Altrex; number of steps: 8; aluminum: yes; multi-purpose ladder: no; access platform: yes; description: (cleanroom) ;	10.00
1122	1	ladder brand: Altrex; number of steps: 7; aluminum: yes; multi-purpose ladder: no; access platform: yes; description: (cleanroom) ;	10.00
© 1123	1	tool trolley brand: Facom; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: (cleanroom) ;	100.00
© 1124	1	tool trolley brand: Facom; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: (cleanroom) ;	100.00
© 1125	1	tool trolley brand: Garant; type: 91 6330_6; number of drawers: 6; with content: yes; total dimension L: 1100 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (cleanroom) ;	100.00
© 1126	1	tool trolley brand: Garant; type: 91 6310_8; number of drawers: 8; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100.00
© 1127	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100.00
© 1128	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100.00
© 1129	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
© 1130	1	tool trolley brand: Garant; type: 91 6310_6; number of drawers: 6; with content: yes; total dimension L: 720 mm; total dimension W: 470 mm; total dimension H: 950 mm; description: (cleanroom) ; tool trolleys	100.00
1131	1	lot of hand tools description: (cleanroom) ;	10.00
1132	1	ceramic gauge blocks measuring range from: 1 mm; measuring range till: 40 mm; description: (cleanroom) ;	10.00
1133	2	heat guns brand: Steinel; type: HG 2310 LCD; electric connection: 230 V; description: (cleanroom) ;	10.00
1134	1	shims brand: Skf; type: TMAS50/kit; description: (cleanroom) ;	10.00
1135	1	lot of various pliers description: (cleanroom) ;	10.00
1136	3	measuring gauge brand: Mahr; type: Marcator 1086; digital: yes; description: with magnetic stand (cleanroom) ;	10.00
1137	6	measuring gauges brand: Mitutoyo ; type: 543-790B; digital: yes; description: (cleanroom) ;	10.00
1138	4	calipers brand: Mitutoyo ; type: 500-181-30; digital: yes; measuring range till: 150; description: (cleanroom) ;	10.00
1139	1	caliper brand: Garant; digital: yes; description: and 1 measuring tool; (cleanroom) ;	10.00
1140	3	engineers levels brand: Stiefelmayer; description: (cleanroom) ;	10.00
1141	2	torque wrenches brand: Hoxet; taper: 1/4 "; torque range from: 4 Nm; torque range till: 20 Nm; description: (cleanroom) ;	10.00
1142	7	torque wrenches description: in various sorts and sizes (cleanroom) ;	10.00
1143	1	multimeter brand: Keithley; type: 2700; description: (cleanroom) ;	10.00
1144	1	cordless tool brand: AEG; type: BS 12G; voltage: 12 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: (cleanroom) ;	10.00
1145	1	torque wrench brand: Garant ; type: 65 5910/100; torque range from: 10 Nm; torque range till: 100 Nm; description: (cleanroom) ;	10.00
1146	1	angle driver description: (cleanroom) ;	10.00
1147	1	torque wrenches description: in various sorts and sizes; digital and analog; (cleanroom) ;	10.00
1148	5	torque wrenches brand: Stahlwille; description: (cleanroom) ;	10.00
1149	1	precision multimeter brand: Fluke ; type: 8845A; description: (cleanroom) ;	10.00
1150	1	laser power meter console brand: Thorlabs ; type: PM100A; description: (cleanroom) ;	10.00
1151	3	oscilloscopes brand: Tektronix; type: TDS1001B/2041B; description: (cleanroom) ;	10.00



Lot	Number	Description	Starting Bid €
	1152	1 lot of clamps brand: Bessey; description: (cleanroom) ;	10.00
	1153	1 optical power meter brand: Thorlabs ; type: pm20; description: and 1 Rhopoint milli-ohmmeter; (cleanroom) ;	10.00
©	1154	2 digital multimeters brand: Multimatrix/Benning; description: (cleanroom) ;	10.00
©	1155	2 digital multimeters brand: Metrix; type: MX22; description: (cleanroom) ;	10.00
©	1156	3 multimeters description: (cleanroom) ;	10.00
©	1157	2 multimeters brand: Fluke ; type: 114/112; description: (cleanroom) ;	10.00
©	1158	2 multimeters brand: Fluke ; type: 114; description: (cleanroom) ;	10.00
©	1159	2 multimeters brand: Fluke ; type: 114/115; description: (cleanroom) ;	10.00
©	1160	1 multimeter brand: Fluke ; type: 179; description: (cleanroom) ; multimeters	10.00
©	1161	8 small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10.00
	1162	1 vice brand: Garant; jaw width: 120 mm; description: (cleanroom) ;	10.00
	1163	1 vice jaw width: 100 mm; description: (cleanroom) ;	10.00
©	1164	18 small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10.00
	1165	1 manual press pump brand: Rems; type: Push; description: (cleanroom) ;	10.00
	1166	1 Esd vacuum cleaner electric connection: 230 V; description: in case; (cleanroom) ;	10.00
©	1167	5 small parts organizer brand: Raaco; plastic: yes; with content: yes; description: (cleanroom) ;	10.00
	1168	1 lot of machine parts description: with chrome steel rack; (cleanroom) ;	10.00
	1169	1 stainless steel mobile pump unit type: Liquix; description: with UV water sterilising unit; (cleanroom) ;	100.00
	1170	1 lot of machine parts description: (cleanroom) ;	10.00
	1171	1 collimator description: (cleanroom) ;	100.00
	1172	1 collimator description: (cleanroom) ;	10.00
	1173	9 laboratory tables description: (cleanroom) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00
	1174	1 stainless steel machine part total dimension L: 2100 mm; description: (cleanroom) ;	10.00
	1175	1 tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
1176	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100.00
1177	1	measurement tools description: (cleanroom) ;	10.00
1178	1	measurement tools description: (cleanroom) ;	10.00
1179	1	measurement tool description: (cleanroom) ;	10.00
1180	1	machine parts description: (cleanroom) ;	10.00
1181	1	water pump brand: Husqvarna; type: 3500/4; description: in box; (cleanroom) ;	10.00
1182	1	lot of locker cabinets description: chrome steel rack; chrome steel baskets; coat rack and various; (cleanroom entrance);	10.00
1183	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007707; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100.00
1184	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007559; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100.00
1185	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188009669; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100.00
1186	1	turbo molecular pump brand: Edwards; type: STP-IXA2205C; serial number: 127001405; year: 2012; electric connection: 230 V; own weight: 45 kg; total dimension H: 420 mm; description: ø 300; 27000 rpm; (cleanroom entrance);	100.00
1187	1	turbo molecular pump brand: Edwards; type: STP-IXA2205C; serial number: 167001480; year: 2016; electric connection: 230 V; own weight: 45 kg; total dimension H: 420 mm; description: ø 300; 27000 rpm; (cleanroom entrance);	100.00
1188	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188007836; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100.00
1189	1	turbo molecular pump brand: Edwards; type: STP-iS2207; serial number: 188008092; year: 2018; electric connection: 230 V; own weight: 45 kg; total dimension H: 360 mm; description: ø 300; 36500 rpm; (cleanroom entrance);	100.00
1190	1	robot unit brand: Genmark; description: ø 320mm; height 330/440mm; in heavy duty transport case; (cleanroom entrance);	100.00
1191	1	air supply filter unit brand: VTR; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 1140 mm; description: with built on switch box; (cleanroom entrance);	100.00
1192	1	laboratory work bench total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: with stand and drawers;	10.00



Lot	Number	Description	Starting Bid €
1193	1	water pump description: with stainless steel bassin size 860x360x440mm; (piping and valve not included) (cleanroom entrance);	10.00
1194	1	vacuum pump brand: Vacuubrand; type: MD4NT; electric connection: 230 V; description: (cleanroom-cleaningstreet);	10.00
1195	1	laboratory oven brand: MMM; type: Vacucell 22; serial number: B070213; chamber dimension L: 250 mm; chamber dimension W: 355 mm; chamber dimension H: 300 mm; maximum temperature: 200 °c; digital display: yes; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 430 mm; total dimension H: 700 mm;	100.00
1196	1	ultrasonic cleaning street brand: Kemet; total dimension L: 4100 mm; total dimension W: 460 mm; total dimension H: 1000 mm; description: with flushing unit; heating unit; and ultrasonic units; with belongings and wall mounted switch box (cleaning room) ;	100.00
1197	1	double sided locker total dimension L: 540 mm; total dimension W: 600 mm; total dimension H: 1950 mm; description: (cleaning room) ;	10.00
1198	1	weighing scale brand: Kern; type: EOB; weight range max: 150 g; digital display: yes; electric connection: 230 V; total dimension L: 315 mm; total dimension W: 300 mm; description: d=0.05kg; (cleaning room) ;	10.00
1199	1	hotplate brand: VWR; electric connection: 230 V; description: 250x250; aluminum; (cleaning room) ;	10.00
1200	1	ultra sonic bath brand: Bandelin sonorex; type: RK100; description: (cleaning room) ;	10.00
1201	1	lot of laboratory furniture description: (cleaning room) ;	10.00
1202	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 111346104; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; with BWT water treatment unit; (clean room hallway) ;	100.00
1203	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169441727; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1204	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169440668; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1205	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441257; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1206	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441255; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1207	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 111346103; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	100.00
1208	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2008; electric connection: 230 V; description: (clean room hallway) ;	100.00



Lot	Number	Description	Starting Bid €
1209	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 0127263501140909; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; with BWT water treatment unit; (clean room hallway) ;	100.00
1210	1	vacuum pump brand: Edwards; type: XDS35i; year: 2011; serial number: 119507044; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1211	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441260; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1212	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159441183; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1213	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 1400; serial number: 109309027; electric connection: 230 V; description: R134A, 0,5kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	10.00
1214	1	chemical storage cabinet brand: Asecos; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 1880 mm; description: without content (clean room hallway) ;	10.00
1215	1	recirculating chiller brand: Thermo Scientific ; type: Thermoflex 2500; serial number: 1111842501171113; electric connection: 230 V; description: R134A, 0,8kg; high 24,0 bar; low 13,8 bar; (clean room hallway) ;	100.00
1216	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100.00
1217	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100.00
1218	1	vacuum pump brand: Adixen; type: ACP15; electric connection: 230 V; description: (clean room hallway) ;	100.00
1219	1	vacuum pump brand: Pfeiffer ; type: MVP 070-3C; year: 2014; electric connection: 230 V; description: (cleanroom-cleaningstreet);	10.00
1220	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2008; electric connection: 230 V; description: (clean room hallway) ;	100.00
1221	1	reverse osmosis water purifier brand: Elga; type: dv 25; serial number: Mr00014716; year: 2017; electric connection: 230 V; description: (clean room hallway) ;	100.00
1222	1	vacuum pump brand: Adixen; type: ACP40; electric connection: 230 V; description: (clean room hallway) ;	100.00
1223	1	vacuum pump brand: Edwards; type: XDS35i; year: 2015; serial number: 159453314; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1224	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149556687; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1225	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149557099; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00



Lot	Number	Description	Starting Bid €
1226	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139488448; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1227	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139486171; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1228	1	micro ion controller brand: Granville-Phillips; type: 358; description: (clean room hallway) ;	10.00
1229	1	vacuum pump brand: Edwards; type: XDS35i; year: 2013; serial number: 139469911; electric connection: 230 V; own weight: 48 kg; description: (clean room hallway) ;	100.00
1230	1	display cabinet total dimension L: 1020 mm; total dimension W: 440 mm; total dimension H: 1980 mm; description: with various machine parts; (clean room hallway) ;	10.00
1231	1	vacuum pump brand: Oerlikon Leybold; type: Eco Dry M15; year: 2006; electric connection: 230 V; description: with micro ion controller (clean room hallway) ;	100.00
1232	1	main power cabinet total dimension L: 600 mm; total dimension W: 340 mm; total dimension H: 1950 mm; description: (clean room hallway) ;	10.00
1301	1	fume cupboard brand: Potteau; type: EN-14175; chamber dimension L: 1500 mm; chamber dimension W: 700 mm; chamber dimension H: 1400 mm; electric connection: 230 V; total dimension L: 1550 mm; total dimension W: 900 mm; total dimension H: 2610 mm; description: motor not included (Note! Need to be dismantled and guidance has to be capped off) (cleanroom small);	10.00
1302	8	spanners metric: yes; description: 36 and 65 mm (cleanroom small);	10.00
1303	3	torque wrench various brand: Garant; torque range from: 0 Nm; torque range till: 25 Nm; description: (cleanroom small);	10.00
1304	2	torque wrench various description: a.o. "Garant" (cleanroom small);	10.00
1305	1	torque wrench brand: Garant; type: 65 6050_120; torque range from: 20 Nm; torque range till: 120 Nm; description: (cleanroom small);	10.00
1306	1	socket ratchet wrench set brand: Hoxley; type: 64 0220; piece: 16; with case: yes; description: (cleanroom small);	10.00
1307	2	socket ratchet wrench set brand: Garant; type: 63 0013; piece: 16; with case: yes; description: (cleanroom small);	10.00
1308	3	block level brand: Stiefelmayer; description: (cleanroom small);	10.00
1309	5	caliper analog: yes; digital: yes; measuring range from: 0 mm; measuring range till: 150; description: (cleanroom small);	10.00
1310	1	digital measuring indicator brand: Mitutoyo; type: ID-C125XB; digital: yes; measuring range from: 0 mm; measuring range till: 25 mm; description: (cleanroom small);	10.00
1311	2	digital measuring indicator brand: Hoxley; type: 43 4004; digital: yes; measuring range from: 0 mm; measuring range till: 12 mm; with case: yes; description: (cleanroom small);	10.00
1312	3	digital measuring indicator brand: Jewels; analog: yes; digital: no; measuring range from: 0 mm; measuring range till: 100 mm; with case: yes; description: (cleanroom small);	10.00



Lot	Number	Description	Starting Bid €
1313	1	gas detector brand: Buveco; type: ST650EX; description: (cleanroom small);	10.00
1314	1	cordless screwdriver brand: Makita; type: 6339D; voltage: 14,4 V; number of batteries: 4; battery charger: yes; screw machine: yes; drilling machine: yes; description: (cleanroom small);	10.00
1315	1	electric hand grinder brand: Fein; type: GSZ8-280PE; power: 750 W; electric connection: 230 V; description: in box (cleanroom small);	10.00
1316	4	measuring indicator various brand: Horex / Mitutoyo; analog: yes; description: magnetic (cleanroom small);	10.00
1317	1	cordless screwdriver brand: Milwaukee; type: M18 CPD; voltage: 18 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; impact drill: yes; description: (cleanroom small);	10.00
1318	1	manual cardboard stapler brand: Prebena; description: incl. "Union" staples (cleanroom small);	10.00
1319	1	cleanroom vacuum cleaner brand: Numatic; type: CRQ370-2; power: 1200 W; electric connection: 230 V; description: (cleanroom small);	10.00
1320	1	miter saw machine brand: Metabo; type: KS 216 M; saw blade ? : 216 mm; mitre: yes; engine power: 1.35 kW; electric connection: 230 V; description: incl. mobile aluminum frame and "Numatic" vacuum cleaner; type HVR 181-11 (cleanroom small);	10.00
1321	1	vacuum turbo pump brand: Pfeiffer; type: HiPace 80; year: 2011; serial number: PM P03 944; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min. (cleanroom small);	100.00
1322	1	vacuum turbo pump brand: Varian; type: TV-301 Navigator; serial number: 9698919; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min. (cleanroom small);	100.00
1323	1	DC power supply brand: Tenma; type: 72-10480; electric connection: 230 V; description: 0-30V; 3A (cleanroom small);	10.00
1324	1	soldering station brand: Weller; type: PU 81; electric connection: 230 V; description: (cleanroom small);	10.00
© 1325	3	small parts organizer brand: Raaco; type: Carry-Lite; plastic: yes; with content: yes; description: incl. stainless steel hardware (cleanroom small);	10.00
© 1326	5	small parts organizer brand: Raaco; plastic: yes; with content: yes; description: incl. stainless steel hardware (cleanroom small);	10.00
© 1327	6	small parts organizer brand: Raaco; type: Assorter; plastic: yes; with content: yes; description: (cleanroom small);	10.00
© 1328	8	small parts organizer brand: Raaco; type: Boxxser; plastic: yes; with content: yes; description: (cleanroom small);	10.00
© 1329	6	small parts organizer brand: Raaco; type: Boxxser; plastic: yes; with content: yes; description: (cleanroom small);	10.00
		small parts organizers	
1330	1	tool drawer cabinet total dimension L: 730 mm; total dimension W: 950 mm; total dimension H: 850 mm; description: incl. various (cleanroom small);	100.00



Lot	Number	Description	Starting Bid €
1331	1	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10.00
1332	2	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10.00
1333	2	mini lift brand: B2Products; year: 2012; description: cap. 300 kg (cleanroom small);	10.00
1334	3	lift hook brand: Bauer; type: LH-II 1,5; year: 2013; serial number: 447124; hoist capacity: 1500 kg; own weight: 21 kg; description: (cleanroom small);	100.00
1335	1	strapping reel plastic strap: yes; description: (cleanroom small);	10.00
1336	1	lot of slings and straps description: in 2 crates (cleanroom small);	10.00
1337	1	lot of various hand tools description: in 1 crate (cleanroom small);	10.00
1338	1	lot of various hand tools description: a.o. sockets; ratchets; spanners; hex keys etc.; in 2 crates (cleanroom small);	10.00
1339	6	C-clamp various brand: Bessey; type: SC150/SC100; description: (cleanroom small);	10.00
1340	6	plumb bob setter brand: Tajima; type: PZB-300; description: (cleanroom small);	10.00
1341	1	lot of various lifting tools description: (cleanroom small);	10.00
1342	2	glass suction plate description: (cleanroom small);	10.00
1343	6	glass suction plate description: (cleanroom small);	10.00
1344	7	clamp various description: (cleanroom small);	10.00
1345	2	cordless screwdriver brand: Gamma; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes; description: incl. hand tool case (cleanroom small);	10.00
1346	2	level brand: Stabila; length: 1000 mm; description: (cleanroom small);	10.00
1347	1	tool trolley brand: Garant; type: 91 6330_6; number of drawers: 6; with content: yes; total dimension L: 1100 mm; total dimension W: 460 mm; total dimension H: 960 mm; description: (cleanroom small);	100.00
1348	1	tool trolley brand: Garant; number of drawers: 6; with content: yes; total dimension L: 560 mm; total dimension W: 500 mm; total dimension H: 1050 mm; description: (cleanroom small);	10.00
1349	1	construction heater brand: Dryfast; type: DF 800AX; air displacement: 940 m³/hr; electric connection: 230 V; description: (cleanroom small);	100.00
1350	1	air compressor brand: Einhell; type: BT-AC 200/24 OF; mobile: yes; capacity: 8 bar; air flow: 176 l/min; power: 1.1 kW; buffer tank content: 200 l; electric connection: 230 V; description: (cleanroom small);	10.00
1351	1	lot of PCB equipment and various description: a.o. laboratory gloves and clothes; glasses; power supply; empty crates etc.; out of 3-sections rack (Note! Excl. rack!) (cleanroom small);	10.00



Lot	Number	Description	Starting Bid €
1352	3	storage rack dismantable: yes; section dim. L: 1500 mm; section dim. W: 600 mm; section dim. H: 1900 mm; number of uprights: 12; number of shelves: 12; description: excl. content! (cleanroom small) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00
1353	4	office table various description: excl. content! (cleanroom small) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00
1354	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14258572; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100.00
1355	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (defect!) (Note! first floor);	10.00
1356	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14261633; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100.00
1357	2	stainless steel flange description: Ø 150 mm; hose length 600 mm (Note! first floor);	10.00
1358	1	lot of various PCB equipment description: a.o. discharge detectors; level sensor flanges; thermocouple input modules; electric supplies; out of 1-section rack (Note! first floor);	10.00
1359	1	lot of various PCB equipment description: a.o. aluminum frames; power cable; server racks; "FUG" power supply; installation wire etc.; out of 1-section rack (Note! first floor);	10.00
1360	1	projection lens transport frame total dimension L: 650 mm; total dimension W: 600 mm; total dimension H: 260 mm; description: incl. box (Note! first floor);	10.00
1361	1	WCB integration tool frame total dimension L: 670 mm; total dimension W: 600 mm; total dimension H: 1050 mm; description: max. cap. 35 kg (Note first floor);	10.00
1362	1	surface table brand: Carl Mahr; type: 107 AG; granite: yes; table size L: 640 mm; table size W: 630 mm; description: incl. stand (Note! first floor);	10.00
1363	1	dismounted tool drawer cabinet total dimension L: 730 mm; total dimension W: 950 mm; total dimension H: 850 mm; description: incl. various (Note! first floor);	10.00
1364	6	power supply brand: Delta Elektronika; type: 150 SX 75-75; description: 30-150V; 1A (Note! first floor);	10.00
1365	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100.00
1366	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100.00
1367	2	arbitrary waveform generator brand: Agilent; type: N8241A; description: 625 MS/s-15 Bit (Note! first floor);	100.00
1368	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100.00
1369	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100.00
1370	2	oscilloscope brand: Tektronix; type: TDS 2014B; description: 4-channel; 100 MHz; digital storage (Note! first floor);	100.00



Lot	Number	Description	Starting Bid €
1371	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10.00
1372	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10.00
1373	1	PL flange description: Ø 200 mm; in case (Note! first floor);	10.00
1374	1	beam generator transport box total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: with plastic pallet (Note! first floor);	10.00
1375	1	machine vise brand: Vertex; jaw width: 100 mm; precision: yes; tilting: yes; description: (Note! first floor);	10.00
1376	1	PLC controller description: with "Siemens" logic module; type 12/24rc (Note! first floor);	10.00
1377	1	pulse generator brand: Colby; type: PG 5000A; electric connection: 110 V; description: 10 to 5000 MHz (Note! first floor);	10.00
1378	1	electron gun power supply brand: Kimball; type: EGPS-3001B; description: incl. various (Note! first floor);	10.00
1379	3	shielded connection block brand: National Instruments; type: BNC-2110; description: 10-pins (Note! first floor);	10.00
1380	2	power supply brand: Delta Elektronika; type: ES 0030-0.45; description: 300V; 0.45A (Note! first floor);	100.00
1381	1	suction hose brand: Hi Metal Flex; description: on plastic pallet; inside Ø 35 mm (Note! first floor);	10.00
1382	2	optical breadboard brand: VMC; total dimension L: 900 mm; total dimension W: 600 mm; description: incl. frame (Note! first floor);	10.00
1383	2	motor controller brand: PI; type: E-755; description: incl. various belongings; in crate (Note! first floor);	10.00
1384	1	aluminum base plate total dimension L: 590 mm; total dimension W: 610 mm; total dimension H: 80 mm; description: (Note! first floor);	10.00
1385	3	rackmount keyboard brand: HP; type: 1U RKMT ; description: in 3 boxes (Note! first floor);	10.00
1386	1	server brand: NN; description: no hard disk (Note! first floor);	10.00
1387	2	DC power supply various brand: FUG; description: (Note! first floor);	10.00
1388	2	DC power supply brand: FUG; type: HCP 14-6500 ; description: 6500V; 2 mA (Note! first floor);	10.00
1389	1	power supply brand: Delta Elektronika; type: SM 3004-D; description: 4A-300V (Note! first floor);	10.00
1390	1	high voltage power supply brand: Hivolt; type: HME-30P5-24-10; description: (Note! first floor);	10.00
1391	7	shielded connector block brand: National Instruments; type: SCB-68; description: (Note! first floor);	10.00
1392	1	all metal gas valve control unit brand: Pfeiffer; type: RVG050C; description: (Note! first floor);	10.00
1393	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100.00
1394	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100.00



Lot	Number	Description	Starting Bid €
1395	2	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	100.00
1396	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (Note! first floor);	10.00
1397	1	vacuum turbo pump control unit brand: Pfeiffer; type: DCU 100; description: with digital display (Note! first floor);	10.00
1398	1	vacuum turbo pump control unit brand: Pfeiffer; type: DCU 100; description: with digital display (Note! first floor);	10.00
1399	1	vacuum gauge controller brand: Granville-Phillips; type: 316; description: with digital display (Note! first floor);	10.00
1400	1	transformer brand: Quality transformer and Electronics; type: 9489; description: 12 kVA; in box (Note! first floor);	10.00
1401	1	lot of various PCB equipment description: a.o. "Swagelok" couplings; "Pfeiffer" vacuum safety valves; electric cables; flangebase plate; fasteners; switch etc; out of 1-section rack (Note! first floor);	10.00
1402	1	illumination cable module description: in case (Note! first floor);	10.00
1403	1	illumination cable module description: in case (Note! first floor);	10.00
1404	2	water demineralisation pattern brand: Ministil; type: P-12; description: cap. 300L/h. (Note! first floor);	10.00
1405	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14379963; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100.00
1406	1	beam generator total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: Ø 420 mm (Note! first floor)(This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1407	1	high voltage PNC power supply brand: Heinzinger; type: PNC 6000-300 ump; electric connection: 230 V; description: (Note! first floor);	100.00
1408	2	high voltage PNC power supply brand: Heinzinger; type: PNC 6000-300 ump; electric connection: 230 V; description: 6000V; 300 mA (Note! first floor);	100.00
1409	2	high voltage PNC power supply various brand: Heinzinger; electric connection: 230 V; description: (Note! first floor);	100.00
1410	2	high voltage PNC power supply various brand: Heinzinger; type: PNC 10000-6 ump; electric connection: 230 V; description: 10.000V; 6 mA (Note! first floor);	100.00
1411	1	resin trolley case brand: HPRC; type: 2780 W; plastic: yes; dimension L: 600 mm; dimension W: 400 mm; dimension H: 800 mm; description: (Note! first floor);	10.00
1412	1	vacuum pump brand: Edwards; type: XDS35i; year: 2016; serial number: 169465175; electric connection: 230 V; own weight: 48 kg; description: (Note! first floor);	100.00
1413	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; nominal capacity: 37 m³/hr; description: (Note! first floor);	100.00
1414	1	vacuum pump brand: Pfeiffer; type: XtraDry 150-2; power: 0.55 kW; nominal capacity: 7.5 m³/hr; electric connection: 230 V; own weight: 29 kg; description: (Note! first floor);	100.00



Lot	Number	Description	Starting Bid €
1415	1	vacuum pump brand: Pfeiffer; type: XtraDry 150-2; power: 0.55 kW; nominal capacity: 7.5 m³/hr; electric connection: 230 V; own weight: 29 kg; description: (motor defect!) Note! first floor);	10.00
1416	1	vacuum pump brand: Pfeiffer; type: Hena 25; year: 2014; serial number: 21922848; nominal capacity: 25 m³/hr; electric connection: 230 V; own weight: 42 kg; description: (Note! first floor);	100.00
1417	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: power 1/4 HP (Note! first floor);	10.00
1418	1	vacuum pump brand: Oerlikon; type: Ecodyr M; nominal capacity: 15 m³/hr; description: defect! incl. various cables (Note! first floor);	10.00
1419	1	vacuum pump brand: Oerlikon; type: Ecodyr M; nominal capacity: 15 m³/hr; electric connection: 400 V; own weight: 47 kg; description: (Note! first floor);	100.00
1420	2	high voltage PNC power supply various brand: Heinzinger; type: PNC 6000-300 neg / PNC 30000-20 pos; electric connection: 230 V; description: in aluminum frame; on plastic pallet (Note! first floor);	100.00
© 1421	1	beam generator total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: Ø 420 mm (Note! first floor)(This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1422	1	illumination cable module description: in case (Note! first floor);	10.00
© 1423	1	beam generator part description: (Note! first floor);	100.00
© 1424	1	beam generator part description: (Note! first floor);	100.00
© 1425	1	beam generator part description: (Note! first floor);	100.00
© 1426	1	beam generator base plate total dimension L: 750 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: (Note! first floor);	10.00
1427	1	lot of laboratory equipment description: a.o. foils; empty crates and plastic pallets; out of 1-section rack (Note! first floor);	10.00
1428	4	bakeout heater brand: Tectra; electric connection: 230 V; description: (Note! first floor);	10.00
1429	1	lot of various PCB equipment description: a.o. (2x) source control; flange modules; foils etc.; out of 1-section rack (Note! first floor);	10.00
1430	1	lot of various PCB equipment description: a.o. storage cans; aluminum base plates; clamps; foils; gauges; beam generator loader top; flanges etc.; out of 1-section rack (Note! first floor);	10.00
1431	1	lot of stacking crates and various description: out of 1 section (Note! first floor);	10.00
1432	1	lot of various PCB equipment description: a.o. source controls; single axis stepper system; load resistors; bins; pipettes; tool boxes; flanges etc. etc.; out of 1-section rack (Note! first floor);	10.00
1433	1	lot of various PCB equipment description: a.o. pump control units; aluminum couplings; power supplies; splitters; bins; hoses; flanges etc. etc.; out of 1-section rack (Note! first floor);	100.00



Lot	Number	Description	Starting Bid €
1434	1	lot of various PCB equipment description: a.o. motor control units; aluminum plates; couplings; pressure tester; flanges etc. etc.; out of 1-section rack (Note! first floor);	10.00
1435	1	lot of various PCB equipment description: a.o. stainless steel fasteners; hand tools; "Swagelok" couplings; flanges; storage cans; etc. etc.; out of 1-section rack (Note! first floor);	100.00
1436	1	lot of various PCB equipment description: a.o. power supplies; RF generator; switches; flange; etc.; out of 1-section rack (Note! first floor);	100.00
1437	1	lot of various PCB equipment description: a.o. vacuum gauges; small larts organizers; installation wires; flanges; hoses; etc.; out of 1-section rack (Note! first floor);	100.00
1438	3	mobile patch cabinet description: with content; consisting of (36x) various power supplies; switch and various (Note! first floor);	100.00
1439	1	mobile patch cabinet description: with content; consisting of (2x) "FUG" power supplies; (2x) "Matsusada" power supplies; "Heinzinger" power supply; monitor and keyboard (Note! first floor);	100.00
1440	1	mobile patch cabinet description: with content (Note! first floor);	10.00
1441	10	high vacuum angle valve brand: VAT; type: 26328; description: (Note! first floor);	10.00
1442	1	vacuum pump brand: Pfeiffer; type: TMU 1600M P; year: 2008; serial number: 14177606; own weight: 61 kg; description: 1380 L./sec. DN250 (Note! first floor);	100.00
1443	1	vacuum pump brand: Pfeiffer; type: TMU 1601 P; own weight: 51 kg; description: 1380 L./sec. DN250 (Note! first floor);	100.00
1444	1	vacuum gate valve brand: NGI; type: 51101; description: inside Ø 100 mm (Note! first floor);	100.00
1445	1	vacuum gauge controller brand: Agilent; type: XGS-600; electric connection: 230 V; description: incl. various belongings (Note! first floor);	100.00
1446	3	multimeter brand: Keithley; type: 2700; description: (Note! first floor);	100.00
1447	3	low voltage power supply various brand: Heinzinger; type: LNG 350-0.6/03; electric connection: 230 V; description: (Note! first floor);	100.00
1448	1	acrylic desiccator cabinet brand: Nalgene; type: 5317-0120; total dimension L: 310 mm; total dimension W: 310 mm; total dimension H: 310 mm; description: (Note! first floor);	10.00
1449	6	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	10.00
1450	2	DC high voltage power supply brand: FUG; type: HCL 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	10.00
1451	14	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	100.00
1452	14	power supply brand: FUG; type: HCP 14-6500; electric connection: 230 V; description: 6,5 kV-2mA (Note! first floor);	100.00



Lot	Number	Description	Starting Bid €
1453	5	19" rack unit various electric connection: 230 V; description: a.o. high vacuum solid state switch (Note! first floor);	10.00
1454	3	tower UPS brand: Powerware; type: 9125; description: 3000VA (Note! first floor);	10.00
1455	1	optical breadboard brand: ThorLabs; total dimension L: 600 mm; total dimension W: 450 mm; description: (Note! first floor);	10.00
1456	1	automated spectrograph brand: Andor; type: SR-303I-B; year: 2008; serial number: SR0480; bandwidth: 600 nm; electric connection: 230 V; manual present: yes; description: wavelength accuracy 0.04 nm; with Newton EM; power supply and various belongings in box (Note! first floor);	100.00
© 1457	1	hydraulic scissor table lift hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator) (Note! first floor); beam generator and parts	10.00
© 1458	1	hydraulic scissor table lift hoist capacity: 250 kg; dimension L: 820 mm; dimension H: 500 mm; description: lifting height 800mm; (used for beam generator) (Note! first floor); hydraulic scissor tables	10.00
1459	1	lot of wooden boxes and various description: (Note! first floor);	10.00
1460	1	18-sections pallet rack section dim. L: 2700 mm; section dim. W: 1000 mm; section dim. H: 3000 mm; number of uprights: 38; number of cross beams: 81; description: incl. 9-sections pallet rack; section dim. 1850x600x2500 mm and 8-sections storage rack; section dim. 1170x1140x2500 mm (Note! excl. content! / first floor!) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
1461	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14260377; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (Note! first floor);	100.00
1462	6	high vacuum angle valve brand: VAT; description: with tubing (Note! first floor);	10.00
1463	2	power supply brand: Thurlby Thandar; type: PL310QMD; description: 30V; 1A (Note! first floor);	10.00
1464	4	optical table legs brand: Newport; type: LabLegs SL Series; description: (Note! first floor);	100.00
1470	1	step ladder brand: Alpe; number of steps: 27; aluminum: yes; extension ladder: yes; single ladder: no; single: no; description: incl. stair;	10.00
1471	1	lot of electric wires and various description: incl. 2-section rack; sliding door cabinet and wheelie bins;	10.00
1472	1	aluminum ramp set total dimension L: 2000 mm; total dimension W: 550 mm; description: incl. aluminum pallet;	10.00
1473	1	lot of office furniture and various description: consisting of: (1x) desk; (1x) table; (1x) sliding door cabinet with content; printer and monitor;	10.00
1474	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1100 mm; description: 7 drawers; with content; (cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
1475	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: 11 drawers; with content; (cleanroom) ;	100.00
1476	1	weighing scale brand: Soehnle; type: 2790; year: 2013; serial number: 13195970; weight range min.: 0 g; weight range max: 2000000 g; readability: 1000 g; digital control: yes; electric connection: 230 V; description: plateau dim. approx. 920x1200 mm;	10.00
1477	2	furniture trolley description: cap. 300 kg;	10.00
1478	1	pallet rack section dim. L: 2700 mm; section dim. W: 1000 mm; section dim. H: 3000 mm; number of uprights: 2; number of cross beams: 4; number of shelves: 2; description: incl. content;	10.00
1479	8	desk chair imitation leather: yes;	10.00
1480	1	lot of mobile laboratory chairs description: total approx. 31 pcs;	100.00
1481	1	frequency setup total dimension L: 740 mm; total dimension W: 970 mm; total dimension H: 1650 mm; description: with mobile aluminum frame;	10.00
1482	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10.00
1483	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10.00
1484	1	TV stand total dimension L: 1800 mm; total dimension W: 400 mm; total dimension H: 480 mm; description: gloss anthracite;	10.00
1485	4	storage rack description: various dimensions; incl. content; a.o. power cable; wipes; foils; pressure meter etc. ;	10.00
1486	1	lot of office furniture description: consisting of: (14x) various desks and (10x) chair (excl. content!);	10.00
1487	1	defibrillator brand: Defibtech; type: Lifeline; year: 2010; serial number: 0197; automatic: yes;	100.00
1488	1	toilet seat brand: AquaVive; description: MDF;	10.00
1489	2	computer monitor various brand: HP; type: EliteDisplay E190i;	10.00
1490	1	door trolley control box brand: DTCB;	10.00
1491	1	magnet hot stirrer brand: VWR; type: 7x7; power: 1 kW; electric connection: 230 V;	10.00
1492	1	magnet hot stirrer brand: VWR; type: 4x4; power: 0.3 kW; electric connection: 230 V;	10.00
1493	1	high voltage PNC power supply various brand: Heinzinger; type: PNC 10000-6 ump; electric connection: 230 V; description: 10.000V; 6 mA; incl. solid state switch (Note! first floor);	100.00
1494	1	digital camera brand: SVS Vistek; type: 16000 MUGE;	10.00
1495	1	altimeter stand analog: no;	10.00
1496	1	engrave unit brand: Schäfer; type: D-70734; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
1497	1	lot of packaging materials	10.00
1498	1	electron source temperature measurement setup type: Thermostatix; description: with 4 Keller pyrometers model PA 50 AF 3 on mobile frame and with data rack with content (This lot is subject to allocation due to the "Dual Use Regulations") ;	100.00
1499	1	double shut off valve verification tool description: with data rack;	10.00
1500	1	data rack description: with content ;	10.00
1501	1	wafer clamping station part total dimension L: 515 mm; total dimension W: 600 mm; total dimension H: 240 mm;	10.00
1502	1	transport trolley total dimension L: 740 mm; total dimension W: 460 mm; total dimension H: 480 mm;	10.00
1503	2	roll container total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1850 mm;	10.00
1504	1	workbench brand: Garant; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 2250 mm; description: incl. content;	10.00
1505	1	workshop crane brand: Hydrobull; type: YITI500N; year: 2012; serial number: 25667; hoist capacity: 500 kg; own weight: 600 kg;	10.00
1506	1	workshop crane brand: Pfaff; type: 040008516; year: 2013; serial number: 90173932; hoist capacity: 1000 kg; own weight: 156 kg; description: lifting height 2,2 m;	10.00
1507	1	mobile electric lift hoist capacity: 500 kg; electric connection: 230 V; total dimension L: 1750 mm; total dimension W: 1200 mm; total dimension H: 2000 mm; description: lifting height 1500 mm; plateau 1070x1200 mm; incl. (2x) steel frame;	10.00
1508	1	hand stacker brand: Jungheinrich ; type: SDJ1025; year: 2012; serial number: 34644515; lifting capacity: 1000 kg; fork length: 1100 mm; lifting height: 2500 mm;	100.00
1509	1	hand stacker brand: Seco; type: 1616; year: 2017; serial number: 1708114017; lifting capacity: 1600 kg; fork length: 1150 mm; own weight: 256 kg;	100.00
1510	1	hand stacker brand: Hanselifter ; type: SDJ-1030-01; year: 2017; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 3000 mm; own weight: 316 kg;	100.00
1511	1	hydraulic hand pallet truck brand: TVH; type: HPT; year: 2010; lifting capacity: 2500 kg; fork length: 1100 mm;	10.00
1512	1	hydraulic hand pallet truck brand: Papro; lifting capacity: 2500 kg; fork length: 1150 mm;	10.00
1513	1	hydraulic hand pallet truck brand: BT; type: LHM230; lifting capacity: 2300 kg; fork length: 1150 mm;	10.00
1514	1	hydraulic hand pallet truck brand: Jungheinrich ; type: ACY20; year: 2012; lifting capacity: 2000 kg; fork length: 1150 mm;	10.00
1515	1	hydraulic hand pallet truck brand: Jungheinrich ; type: ACY20; year: 2012; lifting capacity: 2000 kg; fork length: 1150 mm;	10.00
1516	1	hand stacker brand: Papro; lifting capacity: 1000 kg; fork length: 1150 mm; lifting height: 3000 mm;	10.00
1517	1	vertical transfer robot brand: Screen Semiconductor; type: CTR; description: lifting height approx 1300 mm; with control unit; in mobile aluminum frame size 1200x800x1980mm; (cleanroom) ;	100.00



Lot	Number	Description	Starting Bid €
1518	7	pallet various aluminum: yes; plastic: yes;	10.00
1519	1	lot of computer monitors and various description: in 5 pallets;	10.00
1520	1	lot of wafer storage and various description: a.o. storage bins; fasteners; couplings and empty crates; incl. rack;	10.00
1521	1	mobile foil cutter total dimension L: 1950 mm; total dimension W: 820 mm; total dimension H: 1750 mm;	10.00
1522	4	trolley various	10.00
1523	1	lot of cleanroom shoes description: various sizes; incl. rack;	10.00
1524	3	stacking transport crate dimension L: 1160 mm; dimension W: 800 mm; dimension H: 800 mm; description: incl. content;	10.00
1525	4	hand trolley various	10.00
1526	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 730 mm; total dimension W: 700 mm; total dimension H: 950 mm;	10.00
1527	1	storage rack description: with content;	10.00
1528	1	mobile scaffold brand: Altrex; type: 185; dimension L: 1950 mm; dimension W: 750 mm; dimension H: 1900 mm; folding scaffold: yes;	10.00
1529	1	table tennis table brand: Heemskerk; type: Rol 1400 Indoor; description: incl. belongings;	10.00
1530	1	HPL sheet total dimension L: 2550 mm; total dimension W: 1860 mm; total dimension H: 6 mm;	10.00
1531	1	workbench total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: with vise; incl. rack and content;	10.00
1532	1	wooden garden bench material: pine; total dimension L: 2400 mm; total dimension W: 750 mm; total dimension H: 1060 mm;	10.00
1533	3	locker cabinet various	10.00
1534	1	lot of various cleaning supplies description: a.o. high pressure cleaner; vacuum cleaner; trimmer; stair; water hose etc. etc. ;	10.00
1535	1	lot of office furniture description: consisting of: (10x) various desks; (8x) chairs; (2x) various cabinets; (9x) computer monitor; "HP" printer etc. ;	10.00
1536	1	goods elevator brand: BD Lift & Container AB; type: HLP1-750/3450; year: 2014; serial number: 54955; lifting capacity: 750 kg; electric connection: 400 V; own weight: 800 kg; total dimension L: 2340 mm; total dimension W: 2030 mm; description: platform dim. approx. 1900x1300 mm; lifting height 3450 mm; with control unit and security fence Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
1537	2	screw air compressor brand: Atlas Copco; type: GA11P / GA15VSD; year: 2010; serial number: API313774; buffer tank content: 1000 l; hours on display: 3386; air dryer: yes; electric connection: 400 V; description: incl. vertical pressure vessel and air dryer;	1,000.00
1538	1	canteen inventory description: consisting of: (2x) canteen tables; dim. approx. 2000x1000 mm; incl. (12x) chairs; "Whirlpool" refrigerator; "Liebherr" freezer and microwave (Note! first floor);	10.00



Lot	Number	Description	Starting Bid €
1539	1	van brand: Ford; type: Transit Custom; year: 2014; VIN number: WF0ZXXTTGZDD17469; license plate: VG-527-X; crew cabin: yes; inspection expiration date: 16/11/2019 01:00:00; box trailer: yes; diesel: yes; engine power: 92 kW; manual: yes; mileage (at intake): 56367 km; load capacity: 885 kg; number of seats: 6; number of doors: 4; airconditioning: yes; navigation: yes; parking sensors: yes; own weight: 2015 kg; description: aantal cilinders: 4; cilinderinhoud: 2198 cm ³ ; catalogusprijs: 49100; breedte: 203; euro classificatie: Euro 5; type: FCC; variant: CYFF1ABX; uitvoering: C6VJCZCBSAUC;	1,000.00
1540	1	van brand: Iveco; type: 35J12; year: 2006; VIN number: ZCFC3582005589150; license plate: 1-VKN-85; inspection expiration date: 20/11/2019 01:00:00; box trailer: yes; diesel: yes; engine power: 85 kW; manual: yes; mileage (at intake): 233166 km; load capacity: 710 kg; number of seats: 3; number of doors: 3; own weight: 2790 kg; description: aantal cilinders: 4; cilinderinhoud: 2287 cm ³ ; breedte: 222;	100.00
2001	1	aluminum VC tooling plate connection total dimension L: 1070 mm; total dimension W: 1080 mm; total dimension H: 1940 mm; description: in wooden box; transport dim. approx. 1810x1540x2600 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2002	1	electric cabinet brand: Lau-Techniek; type: ATTP 0281; capacity: 50 kVA; total dimension L: 470 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2003	1	aluminum test door total dimension L: 1560 mm; total dimension W: 1040 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2004	1	aluminum test door with turbomolecular pump brand: Edwards; type: STPIXA2205CP1; year: 2012; serial number: 117036613; total dimension L: 1070 mm; total dimension W: 1080 mm; total dimension H: 1940 mm; description: incl. control unit; suction hose and various; transport dim. approx. 1810x1230x750 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2005	1	vacuum pump brand: Edwards; type: XDS35i; year: 2012; serial number: 129423524; electric connection: 230 V; own weight: 48 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2006	1	vacuum pump brand: Edwards; type: XDS35i; year: 2014; serial number: 149553354; electric connection: 230 V; own weight: 48 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2007	1	aluminum support frame total dimension L: 1300 mm; total dimension W: 1230 mm; total dimension H: 550 mm; description: high base; (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2008	3	stacking transport crate brand: Martini Alfredo; dimension L: 1200 mm; dimension W: 800 mm; dimension H: 860 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2009	1	power cabinet total dimension L: 1100 mm; total dimension W: 740 mm; total dimension H: 1920 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2010	1	wafer handling machine part brand: Levitech; type: Levitor 4200; year: 2008; serial number: 838040/20; total dimension L: 1200 mm; total dimension W: 930 mm; total dimension H: 2040 mm; description: 115/230V; with "Gencobot" wafer handling robot; type 7S/3L; for 200/300 mm semiconductor (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00



Lot	Number	Description	Starting Bid €
2011	1	rack module cabinet brand: Mapper; total dimension L: 1130 mm; total dimension W: 1460 mm; total dimension H: 1970 mm; description: (2x) 19" instrument rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2012	1	vacuum pump brand: Oerlikon; type: Ecody M 15; year: 2009; serial number: 31000109705; nominal capacity: 15 m ³ /hr; electric connection: 230 V; own weight: 47 kg; description: mobile; with "Leybold" digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2013	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; year: 2010; serial number: V8SACSFEBF; nominal capacity: 37 m ³ /hr; electric connection: 230 V; description: max pressure 1013 Mbar (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2014	1	vertical transport robot control box brand: Sokudo; type: VTR; year: 2012; serial number: T02C0104A; description: 0.75 KVA; 400 VAC (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2015	1	mobile stair number of steps: 8; step ladder: yes; single: yes; access platform: yes; total dimension L: 1380 mm; total dimension W: 700 mm; total dimension H: 2700 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2016	1	refridgerator brand: Liebherr; type: Comfort; volume refrigerator: 185 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 610 mm; total dimension H: 1440 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2017	1	wafer handling unit description: Ø 320 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2018	1	automation robot motion controller brand: Genmark; type: Small; year: 2018; serial number: SMC8839; description: 600VA; 115/230 Volt; incl. various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2019	3	stacking transport crate various dimension L: 810 mm; dimension W: 610 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2020	1	water hose reel brand: Gardena; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2021	1	flightcase mobile: yes; hinged lid: yes; total dimension L: 720 mm; total dimension W: 800 mm; total dimension H: 950 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2022	1	pedestal frame description: in 2 boxes; with "Zimm" screw jack system (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2023	1	vacuum pump brand: Pfeiffer; type: HiPace 80; year: 2016; serial number: 16705234; own weight: 2 kg; description: cap. 67L/sec.; incl. "Pfeiffer" control unit; type DCU110; with various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2024	1	aluminum base plate total dimension L: 1640 mm; total dimension W: 1120 mm; total dimension H: 100 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2025	1	aluminum base plate total dimension L: 1640 mm; total dimension W: 1070 mm; total dimension H: 100 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2026	4	wheels description: in 2 crates (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2027	1	multi sensor transducer brand: MKS; type: 999; description: incl. control box (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2028	1	lot of various PCB equipment description: a.o. DTC coupling; power and data coupling and pre vacuum coupling; in 3 crates (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2029	3	raised floor rail set total dimension L: 2760 mm; total dimension W: 40 mm; total dimension H: 90 mm; description: in 3 wooden boxes (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2030	1	laboratory stand total dimension L: 790 mm; total dimension W: 790 mm; total dimension H: 640 mm; description: with camera bracket (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2031	1	loadlock total dimension L: 630 mm; total dimension W: 670 mm; total dimension H: 560 mm; description: in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2032	1	loadlock total dimension L: 630 mm; total dimension W: 670 mm; total dimension H: 560 mm; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2033	1	main power distribution cabinet brand: Schneider; type: NSX 160F; total dimension L: 490 mm; total dimension W: 410 mm; total dimension H: 620 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2034	1	main power distribution cabinet brand: Schneider; type: NSX 160F; total dimension L: 490 mm; total dimension W: 410 mm; total dimension H: 620 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2035	1	lot of suction hoses brand: Hi Metal Flex; description: various sizes (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2036	1	flow meter brand: Kobold; description: on mobile aluminum frame; dim. approx. 830x580x1400 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2037	1	lot of stacking crates description: approx. 13 pcs. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2038	1	residual gas analyzer brand: MKS; type: E-Vision 2; description: 24VDC; 3A; in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2039	1	tool drawer cabinet brand: Garant; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1250 mm; description: incl. content (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2040	1	power cable and various electric connection: 400 V; description: andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft;	10.00
2041	1	lot of waterproof cases brand: Pelicase; plastic: yes; description: total approx. 20 pcs. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2042	1	lot of aluminum description: size up to 1550x970 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2043	1	lot of various PCB equipment description: a.o. flanges; ball valve; aluminum couplings; vacuum measurement; fasteners; test door control unit etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2044	1	lot of various PCB equipment description: a.o. springs; splitter; control hardware; flanges etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2045	1	lot of various PCB equipment description: a.o. multitool; tube bender; power supplies; tool organizers; pcm plates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2046	1	lot of various PCB equipment description: a.o. fasteners; manometers; couplings; foils; flanges; crates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2047	1	lot of various PCB equipment description: a.o. flexible hoses; electric cables; power supply; foils; stirrers; crates etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2048	1	lot of various PCB equipment description: a.o. (5x) "Pentair" vertical storage tank; air hoses; electric cables; foils etc.; out of 1 section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2049	1	mobile wafer handling robot brand: Hitech ; type: WHS; year: 2009; serial number: S003; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 1290 mm; total dimension H: 1330 mm; description: incl. (2x) "Pfeiffer" vacuum pump; type TMH 400M; transport dim. approx. 1670x1520x1790 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2050	1	oven brand: Zanussi; built-in: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2051	1	aluminum wafer handling robot total dimension L: 1170 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: transport dim. approx. 1730x1270x2270 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2052	1	portable load bank brand: Cressal; type: AC30; serial number: L2091/3; description: mobile; 400V; max. cap. 30 kW; three phase; incl. various belongings (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2053	1	rack module cabinet brand: Mapper; total dimension L: 1130 mm; total dimension W: 1460 mm; total dimension H: 1970 mm; description: (2x) 19" instrument rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2054	1	locker cabinet and various total dimension L: 415 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: 5-doors (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2055	3	stacking transport crate dimension L: 1150 mm; dimension W: 800 mm; dimension H: 810 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2056	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2057	1	refrigerator brand: Liebherr; type: Vinothek; volume refrigerator: 134 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 890 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2058	1	aluminum stand total dimension L: 1270 mm; total dimension W: 1080 mm; total dimension H: 510 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2059	1	lot of various (vacuum) equipment description: a.o. "Pfeiffer" vacuum control unit; "Vacuubrand" vacuum pump; type ME 2 NT; valve; sensor; wafer storage bins etc.; on 1 pallet (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2060	2	automated UPW degasser description: with stirrer; incl. WCS lifting tool and various testing equipment (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2061	1	5-part vacuum pump cabinet brand: Edwards; type: XDS 35i; year: 2012; electric connection: 230 V; own weight: 48 kg; total dimension L: 1160 mm; total dimension W: 610 mm; total dimension H: 1100 mm; description: incl. (3x) cooler (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	1,000.00
2062	1	laboratory stand total dimension L: 790 mm; total dimension W: 790 mm; total dimension H: 640 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2063	1	low particle gate valve brand: VAT; type: 15136-PA24-0001/0009; description: inside Ø 130 mm; DN 63-200 (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2064	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2065	1	wine refrigerator brand: Liebherr; type: Vinothek; volume refrigerator: 134 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 890 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2066	1	venting flange brand: Entegris; description: max. inlet pressure 35 PSIG; in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2067	1	aluminum power cabinet total dimension L: 1080 mm; total dimension W: 510 mm; total dimension H: 1290 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2068	1	wafer clamping station description: in wooden case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2069	1	lot of various high pressure air hoses brand: Swagelok; description: on and in case (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2070	1	lot of various PCB equipment description: a.o. "Seifert" cooling units; DTC couplings; lifting equipment; switches; control units; pre vacuum coupling; electric cables; tubes etc.; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2071	1	lot of various PCB equipment description: a.o. "Hanna" bench meter; hoses; power supply; packages; wafer storage; semiconductor etc.; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00



Lot	Number	Description	Starting Bid €
2072	1	lot of various PCB equipment description: a.o. electric actuator; electric cables; power supply; control boxes; demineralisation patterns; small parts organizers; couplings; out of 2-section rack (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2073	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2074	1	vacuum turbo pump control unit brand: Pfeiffer; type: TCM 1601; description: with digital display (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2075	1	aluminum frame total dimension L: 1370 mm; total dimension W: 860 mm; total dimension H: 570 mm; description: for Matrix bottom side (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2076	1	aluminum frame total dimension L: 1150 mm; total dimension W: 780 mm; total dimension H: 920 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2077	1	stainless steel lifting tool hoist capacity: 700 kg; total dimension L: 1200 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2078	1	vertical transport robot control box brand: Sokudo; type: VTR; description: 0.75 KVa; 400 VAC (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2079	1	thermal conditioning station electric connection: 230 V; description: plateau afm. ca. 300x300 mm (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2080	1	waterproof case brand: Pelicase; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2081	1	vacuum pump brand: Pfeiffer; type: TMH 400; year: 2009; own weight: 21 kg; description: 39.600 1/min. (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2082	1	lot of nylon tubing and various description: on 4 pallets (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2083	1	hydraulic hand pallet truck brand: Jungheinrich ; lifting capacity: 1700 kg; fork length: 1600 mm; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2084	4	furniture trolley description: cap. 300 kg (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2085	1	forklift truck brand: Still; type: R 50-15; year: 1999; serial number: 515044017076; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 3480 mm; overhead guard height: 2200 mm; fork length: 1000 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4317; battery charger: yes; own weight: 4800 kg; description: (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	100.00
2086	1	7-sections pallet rack dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 4000 mm; number of uprights: 9; number of cross beams: 18; number of shelves: 9; description: incl. 2-sections pallet rack; section dim. approx. 2700x1040x3000 mm; 6-sections storage rack; section dim. approx. 1450x600x3000 mm (Note! excl. content!) (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft)(Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00



Lot	Number	Description	Starting Bid €
2501	1	mobile aluminum frame total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 1980 mm; description: for CTR module; incl. various aluminum frame (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2502	1	lot of storage rack shelves section dim. L: 1200 mm; section dim. W: 670 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2503	1	automation system controller brand: Genmark; description: incomplete (andere locatie/other location: Rotterdamseweg 392, 2629 HH Delft);	10.00
2504	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in case; incl. various PCB equipment (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2505	1	cleanroom fan filter unit brand: AAF International; type: FFU AC; power: 0.28 kW; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 300 mm; total dimension H: 1160 mm; description: cap. 1060 m3/h.; incl. controller (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2506	1	lift hook brand: Bauer; type: 977634; year: 2009; serial number: 287118; hoist capacity: 2500 kg; dimension L: 740 mm; own weight: 24 kg; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2507	4	machine jack brand: JHT; type: MH10; description: cap. 10T; height adjustable to 100 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2508	1	lot of cleanroom foil description: in 2 boxes (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2509	1	foldable crate dimension L: 800 mm; dimension W: 1200 mm; dimension H: 800 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2510	1	dismounted gantry crane description: for mega Nognix; incl. power cabinet; transport box dim. approx. 2540x1220x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2511	1	bottom exchange tool lift brand: Demcon; type: SD/LOVC lift; year: 2013; description: manual; with wafer handling unit; in wooden box; dim. approx. 1310x700x1220 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2512	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2513	2	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2514	1	lot of PCB aluminum machine parts description: on plastic pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2515	1	aluminum stair brand: Altrex; type: Castor CEO 5; number of steps: 5; aluminum: yes; multi-purpose ladder: no; single: yes; access platform: yes; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2516	1	flightcase total dimension L: 1060 mm; total dimension W: 1250 mm; total dimension H: 650 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2517	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2518	1	flightcase total dimension L: 1060 mm; total dimension W: 1250 mm; total dimension H: 650 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2519	2	PCB machine part total dimension L: 900 mm; total dimension W: 550 mm; total dimension H: 250 mm; description: incl. flightcase; dim. approx. 1300x1060x600 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2520	1	scanning drive motor brand: Ferrotec; type: Ferrofluidic; description: Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2521	1	scanning drive motor brand: Ferrotec; type: Ferrofluidic; description: Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2522	1	test setup description: consisting of: setup acrylic box with aluminum stand; "Sios" stabilized He-Ne laser; type SL-03; wavelength 632.8 nm; "Piezo" motion control unit; "Elma" signal processing module; "National Instruments" shielded connector block; mobile patch rack; monitor and keyboard (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2523	1	long stroke repair setup total dimension L: 790 mm; total dimension W: 700 mm; description: in wooden box; transport dim. approx. 1280x1000x770 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2524	1	system shielding verification tooling description: with isolated variac and various belongings in case; wooden box dim. approx. 1140x1140x620 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
© 2525	1	sealed hole table top brand: Newport; type: RP Reliance; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 200 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
© 2526	1	sealed hole table top brand: Newport; type: RP Reliance; total dimension L: 1800 mm; total dimension W: 1200 mm; total dimension H: 200 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2527	1	L-beam integration tool total dimension L: 800 mm; total dimension W: 1000 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2528	1	surface table brand: Mytri; granite: yes; table size L: 1200 mm; table size W: 1200 mm; total dimension L: 1250 mm; total dimension W: 1250 mm; total dimension H: 1050 mm; description: thickness 100 mm; with steel stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2529	1	surface table brand: Mytri; granite: yes; table size L: 1200 mm; table size W: 1200 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 650 mm; description: thickness 100 mm; with steel stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2530	4	cable duct top chamber total dimension L: 900 mm; description: in box pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2531	1	system shielding verification tooling description: with isolated variac and various belongings in case; wooden box dim. approx. 1140x1140x620 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2532	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2533	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2534	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2535	1	aluminum integration tooling description: in wooden box; transport dim. approx. 1250x1100x500 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2536	1	I/O port brand: Asyst; type: IsoPort; year: 2005; serial number: 09-4705-402972; total dimension L: 470 mm; total dimension W: 500 mm; total dimension H: 1400 mm; description: 300 mm wafer handling; mobile; 7A peak; 24VDC; in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
© 2537	1	optical breadboard brand: Newport RC; type: 18235; total dimension L: 1825 mm; total dimension W: 1220 mm; total dimension H: 60 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2538	1	aluminum clamp base plate total dimension L: 1800 mm; total dimension W: 800 mm; description: on plastic pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2539	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2540	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2541	1	aluminum gasket total dimension L: 2000 mm; total dimension W: 1000 mm; description: in pallet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2542	1	aluminum base plate total dimension L: 1060 mm; total dimension W: 1200 mm; total dimension H: 200 mm; description: in wooden box; dim. approx. 1240x1350x2200 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2543	1	lot of aluminum shielding parts total dimension L: 2000 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2544	1	aluminum cabinet total dimension L: 750 mm; total dimension W: 1280 mm; total dimension H: 1330 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2545	1	aluminum cabinet total dimension L: 750 mm; total dimension W: 730 mm; total dimension H: 1330 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2546	1	mobile patch cabinet brand: Dataracks; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 2100 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2547	1	wafer handling unit description: with scanning drive motor; incl. aluminum base frame (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2548	1	aluminum vacuum chamber total dimension L: 1400 mm; total dimension W: 1250 mm; total dimension H: 2050 mm; description: with (20x) flanges and (4x) high vacuum assy (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2549	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14281433; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm; with "Pfeiffer" single gauge controller; in mobile rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2550	1	vacuum pump brand: Pfeiffer; type: TMU 1000M P; year: 2008; serial number: 14380723; own weight: 45 kg; description: 910 L./sec. DN200; Ø 250 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2551	3	stacking crate dimension L: 650 mm; dimension W: 1000 mm; dimension H: 680 mm; description: incl. (2x) various crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2552	1	aluminum tower base dimension L: 2000 mm; dimension W: 750 mm; dimension H: 2000 mm; description: for cooler/heater (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2553	1	diaphragm pump brand: Pfeiffer; type: MVP 015-4; year: 2006; serial number: 28129394; power: 0.08 kW; nominal capacity: 0.7 m³/hr; electric connection: 230 V; description: cap. 15 L./min.; incl. various belongings in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2554	1	single gauge controller brand: Pfeiffer; type: TPG 261; description: with "Pfeiffer" full range vacuum gauge; type PKR 251 (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2555	1	diaphragm vacuum pump brand: Pfeiffer; type: MVP 055-3; year: 2001; serial number: 2724040909; power: 0.2 kW; nominal capacity: 3.3 m³/hr; electric connection: 230 V; description: with crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2556	1	vacuum turbo pump test setup brand: Varian; type: TV-301 Navigator; year: 2011; serial number: 515754; power: 0.15 kW; description: 67L/sec.; cap. 90000 1/min.; in aluminum frame; dim. approx. 1200x450x720 mm; incl. various belongings in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2557	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2558	1	chuck plate total dimension L: 440 mm; total dimension W: 450 mm; description: in wooden box (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2559	1	clamp tower robot control unit brand: Screen; type: CTR; year: 2018; serial number: D02C01178A; description: full load 0,8 kVA; 4A; 200 Vac; mobile (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00



Lot	Number	Description	Starting Bid €
© 2560	4	optical table isolator brand: Thorlabs; type: PTP503; description: Ø 350 mm; height 700 mm; load cap. 4 legs 1100 kg; max. 80 PSI (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
© 2561	4	optical table legs brand: Newport; type: LabLegs SL Series; description: Ø 250 mm; height 720 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
© 2562	4	optical table legs brand: Newport; type: LabLegs SL Series; description: Ø 250 mm; height 400 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
		optical tables with legs	
2563	1	wafer handling unit total dimension L: 330 mm; total dimension W: 330 mm; total dimension H: 300 mm; description: with scanning drive motor (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2564	1	patch cabinet description: with content; consisting of: "Pfeiffer" vacuum pump control unit; type TCM 1601; "Granville-Phillips" micro-ion controller; type 358; "VAT" high vacuum angle valve and various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2565	1	aluminum mirror block brand: Kugler; type: SO/Cube; total dimension L: 390 mm; total dimension W: 390 mm; total dimension H: 320 mm; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2566	1	wafer stage WPS module trolleys total dimension L: 980 mm; total dimension W: 980 mm; total dimension H: 600 mm; description: with aluminum base; in wooden box; dim. approx. 1500x1250x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2567	1	wafer stage WPS module trolleys total dimension L: 980 mm; total dimension W: 980 mm; total dimension H: 600 mm; description: with aluminum base; in wooden box; dim. approx. 1500x1250x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2568	1	PCB transport tool total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 240 mm; description: in aluminum frame; dim. approx. 1400x1400x850 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2569	1	vertical storage tank brand: GFM; aluminium: yes; description: Ø 670 mm; height 1510 mm; with base plate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2570	1	vertical transfer robot description: lifting height approx 1600mm; with "Nippon Muki" filter; in mobile aluminum frame size 740x460x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2571	1	vertical transfer robot description: lifting height approx 1600mm; in mobile aluminum frame size 740x460x1480 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2572	4	aluminum transport box brand: Enders; aluminium: yes; with content: yes; dimension L: 570 mm; dimension W: 370 mm; dimension H: 260 mm; description: with roller particle cleaner packaging (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2573	1	vacuum pump brand: Alcatel; type: Adixen ACP 40; year: 2010; serial number: AC658504; nominal capacity: 37 m³/hr; electric connection: 230 V; description: max pressure 1013 Mbar (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00



Lot	Number	Description	Starting Bid €
2574	1	stock description: a.o. "Pfeiffer" recycled water cooling unit; type TZK 400; interconnect tooling; monitor wafer containers etc.; out of 2-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2575	1	stock description: a.o. regulator valve; accelerometers; wheelbars; electric cables; couplings; tool box; rubber mats etc.; out of 6-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2576	1	lot of various stacking crates description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2577	1	stock description: a.o. WLS stub; foils; fatigue measurement setup; electric cables etc.; out of 1-section rack and 1 shelf (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2578	2	wafer stability storage table description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2579	4	shs amplifier brand: Demcon; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2580	1	WPS control platform description: 19" (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2581	4	shielded connector block brand: National Instruments; type: BNC-2110; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2582	1	stock description: a.o. (3x) "Kugler" mirror block; magnets; power supply; "Swagelok" tubes; length up to approx. 7 m; out of 3-sections rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2583	3	mount various description: in (2x) stacking crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2584	1	multitool brand: Bosch; type: GOP 55-36; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2585	1	nibbler brand: Draco; type: 4320; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2586	3	electrical tool various description: a.o. "Rockwell" rotary hammer; "Metabo" grinder and "Bosch" jig saw; in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2587	1	lot of hand tools description: a.o. clamps; spanners; electrical reel etc.; in 5 cases (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2588	9	stacking crate various description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2589	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2590	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: 2 stages; 1.5 CFM; power 1/4 HP (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2591	1	vacuum pump brand: Rohs; type: VE 215 SVGB; electric connection: 230 V; description: 2 stages; 1.5 CFM; power 1/4 HP (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00



Lot	Number	Description	Starting Bid €
2592	1	pneumatic tie-rod cylinder brand: SMC; type: CP96KB100-25; description: max. press 1 MPa; with tube (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2593	1	vacuum turbo pump control unit brand: Varian; type: V 301; electric connection: 230 V; description: with digital display; 330 vA; in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2594	1	temperature regulator brand: Horst; type: HT 30; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2595	1	temperature regulator brand: Horst; type: HT 30; electric connection: 230 V; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2596	1	office table office chair: yes; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 760 mm; description: incl. (2x) computer monitor and labelprinter; excl. tools! (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2597	1	lot of fasteners and various description: a.o. screws; bolts; nitrile gloves etc.; incl. 2-doors cabinet (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2598	11	fiber ultra stable laser module brand: OZ Optics; type: OZ-2000-635-4; description: in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2599	1	lot of lift slings description: in 2 crates (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2600	1	lot of various stacking crates description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2601	1	power supply brand: Delta Elektronika; type: ES 0030-0.45; description: 300V; 0.45A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2602	1	power supply brand: TTZ; type: PL155; description: 15V; 5A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2603	1	permeability meter brand: Stefan Mayer; type: Ferromaster; description: in crate (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2604	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2605	1	residual gas analyzer brand: MKS; type: E-Vision +; description: 24VDC; 2A (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2606	2	measuring gauge brand: Noga; analog: yes; description: with stand (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2607	1	workbench total dimension L: 2250 mm; total dimension W: 1000 mm; total dimension H: 1030 mm; description: with "Garant" vise; excl. tools! (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00



Lot	Number	Description	Starting Bid €
2608	1	stock description: a.o. interferometer modules; optical breadboard table with belongings; transformer; sensors; breakout boxes; tubes; couplings; electrical cables; fasteners; aluminum parts etc.; out of 8-sections rack (excl. rack!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2609	1	stock description: a.o. power supplies; sensors; mirror roughness measurement setup; laser setup test box; shielded connector blocks; "Koolance" computer liquid cooling system; fume absorbers; electrical cables; aluminum parts; tool boxes; hoses; foils; wheels etc.; out of 8-section rack (excl. rack!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2610	1	lot of various compressed air equipment description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2611	1	electrical SUSS module description: in case with various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2612	1	electrical SUSS module description: in case with various belongings (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2613	2	flow factor verification tool various brand: Kobold; description: with "Henschen" digital display (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2614	1	vacuum turbo pump brand: Varian; type: TV-301 Navigator; serial number: 9698919; description: Ø 150 mm; 67L/sec.; cap. 90000 1/min.; with "Varian" control unit; type V 301 (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2615	1	lot of various compressed air equipment description: in case (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2616	1	lot of cleanroom shoes description: various sizes; incl. rack (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2617	1	lot of tube fittings and adapters brand: Swagelok; description: in 2 crates; incl. trolley (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2618	1	composite tank brand: Pentair; type: WellMate; year: 2013; description: volume 111,7 L; max. pressure 8.6 bar (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2619	1	vacuum turbo pump with controller brand: Pfeiffer; type: HiPace 10; year: 2010; serial number: 14914102; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2620	1	vacuum turbo pump with controller brand: Pfeiffer; type: HiPace 10; year: 2010; serial number: 14914089; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2621	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2006; serial number: 13836382; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2622	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2008; serial number: 14234545; description: 10L/sec.; 90.000 1/min. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00



Lot	Number	Description	Starting Bid €
2623	1	vacuum turbo pump with controller brand: Pfeiffer; type: TPD 011; year: 2001; serial number: 13123147; description: 10L/sec. (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	10.00
2624	1	forklift truck brand: Stil; type: R 50-15; serial number: 515044014678; electric: yes; number of wheels: 3; lifting capacity: 1500 kg; lifting height: 4400 mm; overhead guard height: 1990 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 11185; battery charger: yes; own weight: 2300 kg; description: (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft);	100.00
2625	1	5-sections pallet rack dismantable: yes; section dim. L: 2700 mm; section dim. W: 1100 mm; section dim. H: 3400 mm; number of uprights: 9; number of cross beams: 30; number of shelves: 15; description: incl. 1-section pallet rack; section dim. approx. 3300x1100x4200 mm; 3-section pallet rack; section dim. approx. 3600x1100x4200 mm (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	100.00
2626	1	34-sections storage rack dismantable: yes; section dim. L: 1200 mm; section dim. W: 680 mm; section dim. H: 1975 mm; number of uprights: 40; number of cross beams: 320; number of shelves: 160; description: (Note! excl. content!) (andere locatie/other location: Rotterdamseweg 406, 2629 HH Delft) (Note! collection on Thursday 4th of April between 09.00-12.00h);	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 If multiple users declare to place a bid or to have made a bid jointly, they shall be jointly and severally liable for the obligations arising therefrom.

5.3 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.4 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.5 Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.6 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.7 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.8 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.9 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.10 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.



5.11 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate the agreement without giving any reason within 14 days from the date the purchases have come into his possession. To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.12 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of € 25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection



costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolute condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolute condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience