



Bedrijfsbeëindiging Thomassen Machining Rheden
B.V. (NL)

Miling machines, carousel lathes, radial

Havelandseweg 6b - 6991 GS Rheden
(Thomassen Machinefabriek B.V.)

Closing date: Thursday **16 MAY** starting 14:00



Bidding only on the internet!



Thursday 16 May 2019 Bedrijfsbeëindiging Thomassen Machining Rheden B.V.

Specific Online Auction Terms and conditions of a public auction sale

| | |
|--|---|
| Closing date | Thursday 16 May 2019 starting 14:00 CET |
| Viewing | By appointment Monday 13 May from 10:00 until 16:00 CET Thomassen Machinefabriek B.V. Havelandseweg 8b 6991 GS Rheden, The Netherlands |
| Company organising this Online Auction | TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com |
| Markup | 17.00% |
| VAT | 21.00% |
| Margin goods | In case of margin goods the VAT will be 0% |
| Collection | Friday 24 May from 09:00 until 16:00 CET Monday 27 May from 09:00 until 16:00 CET Thomassen Machinefabriek B.V. Havelandseweg 8b 6991 GS Rheden, The Netherlands |
| Viewing Instructions | Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. |
| Attending an auction closure for consumers | This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com . Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. |
| Payment Details | If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount within 48 hours after the purchase agreement has been sent. The transfer should be made to one of the following accounts. Please indicate the auction number and your Account ID with your payment. |

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

| Bank | IBAN nr. | Account nr. | BIC code |
|------|-----------|-------------|----------|
| ING | NL79 INGB | 0697311422 | INGBNL2A |

Attention please: indicate the Sale nr. and your buyer number with your payment!



After your purchase you will receive a **proforma** per email.

Original invoices can be **downloaded** from [MyTroostwijk](#) after having received your payment.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number Description | Starting Bid € |
|-----|---|----------------|
| 1 | <p>1 CNC Milling Machine Skoda, HCW3000-200, year built 2015, serial number Ob 25 291, type: HCW3000-200; year: 2015; serial number: Ob 25 291; travel x-axis: 16500 mm; travel y-axis: 6000 mm; travel z-axis: 3400 mm; taper ISO: ISO50; speed from N=: 1 rpm; speed till N=: 3000 rpm; T-slot fixture table size L: 3500 mm; T-slot fixture table size W: 3500 mm; workpiece weight max.: 52400 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Siemens, Sinumerik + afstandsbediening HT2; electric connection: 400 V; manual present: yes; machine weight: 80000 kg; dimension L: 25500 mm; dimension W: 16400 mm; dimension H: 10900 mm; description: equipped with automatic tool changing station 100-fold, max tool: Ø360x500 mm / 50 kg;. vertically and horizontally movable steering cab; rotatable T-slot clamping table , type : TDV70; 3x cutter - / drilling head , types: IFVW CE 103, CE 112 and IFVW UFK600; 5-position milling heads storage magazine, type : ISQ5.26V / L; span discharge conveyor; security fencing and enclosures; X-axis is to be extended up to 23500 mm; incl. soil bed extension part dimensions . approx. 7000x1950x500 mm; 2x T-slot opspanvloerplaat, dimensions . approx. 3x and 6x part 5000x2000 4000x2000 mm; refrigeration compressor "Rittal" SK3336.719; coolant filtration "Polo Filter" SB-AD4; "Hexagon" 3D probe head type : RWP38.41; "HP" Z420 workplace personal computer in computer case and various parts of machine basement, wooden box and from one section rack of container; (note: machine is approx. 3 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION A and A1);</p> | 1,300,000.00 |
| 2 | <p>1 CNC boring mill Juaristi, TS-5, year built 2012, serial number 18.TS5.9, brand: Juaristi; type: TS-5; year: 2012; serial number: 18.TS5.9; travel x-axis: 4000 mm; travel y-axis: 3000 mm; travel z-axis: 3000 mm; spindle ? : 150; taper ISO: ISO 50 DIN68971; speed from N=: 5 rpm; speed till N=: 2500 rpm; T-slot fixture table size L: 2500 mm; T-slot fixture table size W: 3000 mm; workpiece weight max.: 25000 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Siemens, Sinumerik; engine power: 51 kW; electric connection: 400 V; manual present: yes; description: W-axis: 1000 mm; rotation of the table: 360,000 positions; equipped with automatic tool changing station 120-fold; 2x rotatable T-slot clamping table , type : MG-30; 4 various cutter - / chucks, incl. Universal head, big head angle, small angle head, support bearing and lid; 3-position milling heads storage magazine; span discharge conveyor; security fencing and enclosures; Incl. Cooling compressor "Euro Cold" ACO LP 45Tt CP2B U SL; coolant filtration "filber" Juma; Vacuum "Losma" Newton N6; (note: in machine partly sunken floor) (CAUTION universal machine accessories for sale in COMBINATION B);</p> | 400,000.00 |
| 3 | <p>1 Carousel lathe Schiess, 50DZ12 500, year built 1993, serial number 041510102, brand: Schiess; type: 50DZ12 500; year: 1993; serial number: 041510102; max. turning height: 4000 mm; turning ? : 5500 mm; number of tool changer stations: 18; coolant pump: yes; control, brand, type: Siemens, Sinumerik; electric connection: 400 V; manual present: yes; dimension L: 15000 mm; dimension W: 8400 mm; dimension H: 10500 mm; description: X-axis: approx. 9000 mm; Z-axis: approx. 5000 mm; chisel extension length: 2000 mm; daai table Ø 5000 mm; equipped with vertically and horizontally movable steering cab; "Mayfran" span discharge conveyor system; security fencing and enclosures; Incl. Coolant filtration "Allweiler AG" PF 60 CVS; Vacuum "Reven" (note! Machine is approx. 4.5 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION C);</p> | 300,000.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 4 | <p>1 Carousel lathe Schliess Froriep, 32 DZ-NC, year built 1975, serial number 11320029, brand: Schliess Froriep; type: 32 DZ-NC; year: 1975; serial number: 11320029; max. turning height: 2500 mm; turning ? : 4000 mm; speed from N=: 1 rpm; speed till N=: 80 rpm; coolant pump: yes; control, brand, type: Stork, Mufac; electric connection: 400 V; manual present: yes; dimension L: 12000 mm; dimension W: 7300 mm; dimension H: 7000 mm; description: X-axis: 6500 mm; Z-axis: 2500 mm; chisel extension length: 1600 mm; daai table Ø 3600 mm, max. capacity 40000 kg; equipped with vertically and horizontally movable control platform; "Mayfran" span discharge conveyor system; security fencing and enclosures; Incl. Coolant filtration "Clefil"; Vacuum "Reven" (note! Machine is approx. 1.2 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION D);</p> | 150,000.00 |
| 5 | <p>1 CNC Machining Center Wotan, CNC Rapid 4R/25, year built 1992, serial number 5392, type: CNC Rapid 4R/25; year: 1992; serial number: 5392; travel x-axis: 3500 mm; travel y-axis: 2280 mm; travel z-axis: 2500 mm; taper ISO: ISO 50; speed from N=: 2 rpm; speed till N=: 2000 rpm; -axis: 5; T-slot fixture table size L: 2000 mm; T-slot fixture table size W: 2500 mm; workpiece weight max.: 25000 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Siemens, Sinumerik 850M; engine power: 59 kW; electric connection: 400 V; manual present: yes; total dimension L: 15000 mm; total dimension W: 10000 mm; total dimension H: 7000 mm; machine weight: 78400 kg; description: W-axis: 500 mm; U-axis: 700 mm; equipped with automatic tool changing station 105-fold; 2x T-slot clamping table ; 5 various cutter - / drill heads; 4-position milling heads storage magazine; span discharge conveyor; security fencing and enclosures; Incl. Cooling compressor "Schimpke-Rooster" DK1; coolant filtration "Allweiler AG" PF 150 CS and "Keaser" air compressor , type : Airtower 11 year of manufacturer : 2005; . including various components from one section rack out of container; (note: machine is approx. 2 meters in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION E);</p> | 150,000.00 |
| 6 | <p>1 CNC Machining Center Dörries Scharmann, Ecocut 1 Z / TDV3, year built 1993, serial number 213264 / 283110, type: Ecocut 1 Z / TDV3; year: 1993; serial number: 213264 / 283110; travel x-axis: 3500 mm; travel y-axis: 1600 mm; travel z-axis: 1400 mm; taper ISO: SK50 DIN 69817-A; speed from N=: 12 rpm; speed till N=: 3000 rpm; -axis: 3; T-slot fixture table size L: 1800 mm; T-slot fixture table size W: 1250 mm; workpiece weight max.: 10000 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: Siemens, Sinumerik 880; engine power: 40 kW; electric connection: 400 V; manual present: yes; total dimension L: 12500 mm; total dimension W: 9000 mm; total dimension H: 5000 mm; machine weight: 60000 kg; description: W-axis: 600 mm; B-axis: 360 °; equipped with 115-fold tool magazine; "Bmf" span discharge conveyor system; security fencing and enclosures; Incl. Cooling compressor "Schimpke-Rooster" DK48V; coolant filtration "BMF" and 2x air extractor; . including various components from one section rack out of container; (note: machine is approx. 1.5 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION F);</p> | 50,000.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 7 | 1 boring mill (boring & milling machine) Scharmann, WTF 160 NCC, year built 1976, serial number 138 019, brand: Scharmann; type: WTF 160 NCC; year: 1976; serial number: 138 019; travel x-axis: 12000 mm; travel y-axis: 4000 mm; travel z-axis: 1000 mm; spindle ? : 150; taper ISO: ISO 50; speed from N=: 5 rpm; speed till N=: 700 rpm; T-slot fixture table size L: 3000 mm; T-slot fixture table size W: 3500 mm; coolant pump: yes; CNC control, brand, type: Siemens, CNC306; engine power: 59 kW; electric connection: 400 V; manual present: yes; machine weight: 51000 kg; description: overall dimensions . approx. 18000x15000x8000 mm; equipped with three various cutter head in timber storage box; span discharge conveyor; security fencing and enclosures; incl. T-slot clamping table , dimensions . approx. 7000x4460 mm; cooling compressor "Schimpke-Haan" DK-80 V; hydraulic unit "Rexroth"; "Demag" electric cable hoist to pivot arm, capacity 500 kg; . including various components from one section rack out of container; (note: machine is approx. 1.2 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION G); | 150,000.00 |
| 8 | 1 Carousel lathe Schiess Froriep, 22 DE 200 NC/TC, year built 1977, serial number 11710307, brand: Schiess Froriep; type: 22 DE 200 NC/TC; year: 1977; serial number: 11710307; max. turning height: 1890 mm; turning ? : 2200 mm; number of speeds: 3; speed from N=: 96 rpm; speed till N=: 2400 rpm; number of tool changer stations: 12; control, brand, type: Siemens, Sinumerik; engine power: 55 kW; manual present: yes; dimension L: 5500 mm; dimension W: 8500 mm; dimension H: 8500 mm; description: X-axis: approx. 1800 mm; Z-axis: approx. 1250 mm; ram extension length: 1500 mm; daai table Ø 2000 mm, max. capacity 12500 kg; vv "Mayfran" span discharge conveyor; security fencing and enclosures; (note: machine is approx. 2.5 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION H); | 70,000.00 |
| 9 | 1 vertical carrousel lathe Froriep, KE 20 Superamic, year built 1970, serial number 95130, brand: Froriep; type: KE 20 Superamic; year: 1970; serial number: 95130; max. turning height: 1900 mm; turning ? : 2500 mm; number of speeds: 18; speed from N=: 3 rpm; speed till N=: 160 rpm; control, brand, type: Siemens, Sinumerik; engine power: 55 kW; manual present: yes; dimension L: 6000 mm; dimension W: 4000 mm; dimension H: 7000 mm; description: X-axis: approx. 2200 mm; Z-axis: approx. 2500 mm; daai table Ø 2200 mm, max. capacity 15000 kg; equipped with security fence and control cabinets; (note: machine is approx. 1 m in floor recessed) (CAUTION universal machine accessories for sale in COMBINATION I); | 70,000.00 |
| 10 | 1 radial drilling machine Raboma, 24RH-2500, year built 1966, serial number 31979, brand: Raboma; type: 24RH-2500; year: 1966; serial number: 31979; drilling capacity: 115 mm; number of speeds: 16; speed from N=: 11 rpm; speed till N=: 1400 rpm; drilling depth: 600 mm; discharge: 2500 mm; taper MC: 5; T-slot fixture table size L: 6000 mm; T-slot fixture table size W: 1750 mm; coolant pump: yes; engine power: 8 kW; electric connection: 400 V; manual present: yes; machine weight: 18580 kg; dimension L: 8250 mm; dimension W: 4000 mm; dimension H: 4600 mm; description: lateral displacement approx. 5950 mm; equipped with T-gleufopspanplaat, dimensions . approx. 4000x6000 mm; incl. "Lista" workshop cabinet with div. accessories ; (CAUTION universal machine accessories for sale in COMBINATION J); | 5,000.00 |



| Lot | Number Description | Starting Bid € |
|------|--|----------------|
| 11 | 1 3D measuring machine ZETT MESS, AMW 30/16, year built 93, serial number 6020, brand: ZETT MESS; type: AMW 30/16; year: 93; serial number: 6020; range X-axis: 5200 mm; range Y-axis: 3000 mm; range Z-axis: 1600 mm; measurement resolution: 1 µm; digital control: yes; control, brand, type: ZETT MESS, 3800I; manual present: yes; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 4000 mm; total dimension H: 4800 mm; description: equipped with rotating T-gleufopspantafel, dimensions . approx. 1520x1220x270 mm; steel 2-door workshop cupboard with div. accessories and steel rack with setting tool; (CAUTION universal machine accessories for sale in COMBINATION K); | 7,500.00 |
| © 12 | 1 vertical presetting & measuring machine Zoller, V720 Pemium, year built 1997, serial number V720B/105, brand: Zoller; type: V720 Pemium; year: 1997; serial number: V720B/105; range X-axis: 600 mm; range Z-axis: 1100 mm; taper ISO: 50; digital control: yes; control, brand, type: Multivision II saturn; electric connection: 230 V; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 2250 mm; description: equipped with control computer and dot-matrix printer; (Excl. Computer cabinet) ; | 1,500.00 |
| © 13 | 1 Horizontal presetting & measuring machine Zoller, H4032-00102, year built 1986, serial number 2595, brand: Zoller; type: H4032-00102; year: 1986; serial number: 2595; range X-axis: 750 mm; taper ISO: 50; digital control: yes; control, brand, type: Multivision II saturn; electric connection: 230 V; manual present: no; total dimension L: 1870 mm; total dimension W: 950 mm; total dimension H: 1760 mm; description: range Y-axis: 600 mm; equipped with roteertafel, Ø 740 mm; control computer and label printer; (Excl. Computer cabinet) ; | 1,000.00 |
| 14 | 1 chisel pictures dispensing machine / -voorraadmagazijn (with content) Sielaff, CB 1500 CT / WA 2020, serial number 90260368 / 90260367, type: CB 1500 CT / WA 2020; serial number: 90260368 / 90260367; non-food: yes; total dimension L: 900 mm; total dimension W: 1700 mm; total dimension H: 1840 mm; description: capacity 63X packaging units 17; equipped with touch screen computer operating and control; incl. approx. 275 boxes various cutter plates, incl. . "Sandvik" ; | 2,500.00 |
| 15 | 1 steel hoisting cable storage / gantry crane EB, brand: EB; dimension L: 7300 cm; dimension W: 300 cm; dimension H: 7000 cm; description: equipped with pneumatic cable winch , capacity 600 kg of steel cable 10 and lifting hooks; (Excl. Uprights (in land submerged) and hoisting ropes) (note: pick up after 3 ^e uitleverdag); | 500.00 |
| 16 | 1 coolant filter installation Turbo-separator, VD14.1608N, year built 1994, serial number 1608/1799, brand: Turbo-separator; type: VD14.1608N; year: 1994; serial number: 1608/1799; description: equipped with centrifuge; agitators; pumps; drip tray; switching and control apparatuur; | 500.00 |
| 17 | 1 mobile coolant filter installation FD-Freddy, 65 Balt/Mains, year built 1994, serial number 18217 en 750214/3206, brand: FD-Freddy; type: 65 Balt/Mains; year: 1994; serial number: 18217 en 750214/3206; description: equipped with centrifuge; hoses and accessories; | 100.00 |
| 18 | 1 forklift Linde, H3ST, year built 2006, serial number H2X393S06647, brand: Linde; type: H3ST; year: 2006; serial number: H2X393S06647; LPG: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 3700 mm; overhead guard height: 2500 mm; fork length: 1200 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 10078; own weight: 4880 kg; description: equipped with two auxiliary hydraulic functions; half glazed safety cell and work lights ; (Excl. Gas tank and shortcut) ; | 1,000.00 |



| Lot | Number Description | Starting Bid € |
|------|---|----------------|
| 19 | 1 forklift Yale, GLP20AE, year built 1991, serial number C00777, brand: Yale; type: GLP20AE; year: 1991; serial number: C00777; LPG: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5400 mm; overhead guard height: 2400 mm; fork length: 1200 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 2730; own weight: 4185 kg; description: equipped with safety cage and gas tank; (Note: bad link) ; | 100.00 |
| 20 | 1 steel heavy-duty transport trolley KTS, ASL, year built 2010, serial number 12727, brand: KTS; type: ASL; year: 2010; serial number: 12727; load capacity: 10000 kg; dimension L: 320 cm; dimension W: 160 cm; dimension H: 61 cm; own weight: 760 kg; description: equipped with solid rubber tires and drawbar; ex! accessories trolley; | 100.00 |
| 21 | 1 electric pallet truck Jungheinrich , ELE20, brand: Jungheinrich ; type: ELE20; lifting capacity: 2000 kg; fork length: 800 mm; battery charger: yes; description: (note! do not charge anymore) ; | 10.00 |
| 22 | 1 double girder overhead travelling hall crane Mennens, NF26M4 en ND24M5, year built 2016, serial number 16 230518085, brand: Mennens; type: NF26M4 en ND24M5; year: 2016; serial number: 16 230518085; span: 16500 m; hoist capacity: 70000 kg; max. hoist height: 9000 m; double girder: yes; wireless remote control: yes; with crane log book: yes; own weight: 18250 kg; description: equipped with 2 "SWF" hoists, capacity 60,000 and 10,000 kg; incl. switching and control cabinet ; excl. runway; | 10,000.00 |
| 23 | 1 double girder overhead travelling hall crane Europont Verlinde, VT406114E17EF, year built 2012, serial number 12P254912360, brand: Europont Verlinde; type: VT406114E17EF; year: 2012; serial number: 12P254912360; span: 16500 m; hoist capacity: 30000 kg; max. hoist height: 8000 m; double girder: yes; wireless remote control: yes; with crane log book: yes; own weight: 11000 kg; description: incl. switching and control cabinet ; excl. runway; | 5,000.00 |
| 24 | 1 double girder overhead travelling hall crane Abus, serial number 18/400545, brand: Abus; serial number: 18/400545; span: 10000 m; hoist capacity: 20000 kg; max. hoist height: 5500 m; double girder: yes; wireless remote control: yes; with crane log book: no; description: incl. switching and control cabinet ; excl. runway; | 3,000.00 |
| © 25 | 1 radial short cutter machine Stromab, RS-650, brand: Stromab; type: RS-650; saw blade ? : 400 mm; discharge: 650 mm; length supply roller conveyor: 1000 mm; length output roller conveyor: 3050 mm; max. vertical cut: 150 mm; mitre: yes; table size L: 1680 mm; table size W: 1070 mm; electric connection: 380 V; | 100.00 |
| © 26 | 1 mobile dust extraction system Coral, Handy2, brand: Coral; type: Handy2; number of filters: 1; electric connection: 380 V; description: equipped with collection bag; | 10.00 |
| | trimming saw with extractor | |
| 27 | 1 washing cabin total dimension L: 5400 mm; total dimension W: 5900 mm; total dimension H: 4000 mm; description: equipped with sandwich panels; lighting ; doors (passage ca.3400mm); various accessories ; pay attention. must be disassembled; | 10.00 |
| 28 | 1 board staircase number of steps: 4; aluminium: yes; double: no; access platform: yes; total dimension L: 2950 mm; total dimension W: 730 mm; total dimension H: 2110 mm; description: platform dimensions . approx. 1080x630x1010mm; equipped with railing; | 10.00 |
| 29 | 1 board staircase Altrex, brand: Altrex; number of steps: 4; aluminium: yes; double: no; access platform: yes; total dimension L: 2560 mm; total dimension W: 730 mm; total dimension H: 2080 mm; description: platform dimensions . approx. 650x620x980mm; equipped with railing; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| © 30 | 1 | equipment trolley (on rails) dimension L: 303 cm; dimension W: 210 cm; dimension H: 63 cm; description: between wheel flange distance: 1340mm; vv draw bar ; . Excl rails; | 10.00 |
| © 31 | 1 | equipment trolley (on rails) dimension L: 303 cm; dimension W: 182 cm; dimension H: 63 cm; description: flange wheel spacing: 1340 mm; excl. rails; | 10.00 |
| | | equipment trolleys (on rails) | |
| 32 | 1 | double brick grinding machine Greif, brand: Greif; double sided: yes; electric connection: 380 V; dimension L: 540 mm; dimension W: 1110 mm; dimension H: 1150 mm; description: equipped with work tables; including dimensions . approx. 170x170mm; disc Ø 380mm; incl. additional double brick Greif grinding machine ; equipped with disc Ø 160mm; | 10.00 |
| 33 | 1 | horizontal waste water storage tank Berg-O-Tool, BRL-K796/02, year built 2011, serial number I1FCDW1489, brand: Berg-O-Tool; type: BRL-K796/02; year: 2011; serial number: I1FCDW1489; steel: yes; capacity: 4000 l; capacity: 4 m ³ ; manhole: yes; own weight: 658 kg; total dimension L: 3500 mm; total dimension H: 1900 mm; description: tank Ø 1270mm; equipped with vent; incl. any rest. content; | 100.00 |
| 34 | 1 | electric paint sprayer Graco, Ultra 1500, brand: Graco; type: Ultra 1500; electric connection: 230 V; description: 2760 watts; vv various accessories ; incl. warehouse trolley; | 10.00 |
| 35 | 1 | steam cleaner Karcher, Professional HDS-E 8/16-4 M, year built 2012, serial number 269267, brand: Karcher; type: Professional HDS-E 8/16-4 M; year: 2012; serial number: 269267; max. pressure: 250 bar; temperature range max.: 185 °c; mobile: yes; electric connection: 380 V; total dimension L: 1340 mm; total dimension W: 760 mm; total dimension H: 1060 mm; description: vv various accessories ; | 10.00 |
| 36 | 1 | hose reel air reel: yes; diameter approx.: 25 mm; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| 37 | 1 | filter extraction system type: Eco Cleaner; serial number: 39197303; year: 1996; capacity: 2200 m ³ /hr; engine power: 1.5 kW; electric connection: 400 V; dimension L: 770 mm; dimension W: 660 mm; dimension H: 2600 mm; description: read hours: 653hr; | 100.00 |
| 38 | 1 | oil drip tray (with stock) description: drip tray dimensions . approx. 3000x1300x600mm; stock, among other things corrosion protection agent; cleaning and degreasing agent; incl. various on the drip tray; | 100.00 |
| 39 | 3 | workshop cupboard dimension L: 100 cm; dimension W: 40 cm; dimension H: 196 cm; | 10.00 |
| 40 | 1 | workshop cabinet with drawers (with content) dimension L: 100 cm; dimension W: 60 cm; dimension H: 200 cm; description: including various tooling ; wire brushes; chisels; and various ; | 10.00 |
| 41 | 2 | workshop cupboard dimension L: 100 cm; dimension W: 40 cm; dimension H: 196 cm; | 10.00 |
| 42 | 1 | storage cage gas bus dimension L: 72 cm; dimension W: 84 cm; dimension H: 148 cm; | 10.00 |
| 43 | 1 | column drill Syderic, SN 14 , year built 1996, serial number 13836, brand: Syderic; type: SN 14 ; year: 1996; serial number: 13836; number of speeds: 8; spindle speed from N= 360 rpm; spindle speed till N= 5750 rpm; drilling depth: 110 mm; discharge: 170 mm; table size L: 27 mm; table size W: 25 mm; engine power: 0.55 kW; electric connection: 400 V; dimension L: 450 mm; dimension W: 320 mm; dimension H: 775 mm; description: vv material clip; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|--------------------|--------|---|----------------|
| © 44 | 1 | tool-tray cabinet (with content) Hagro, brand: Hagro; dimension L: 72 cm; dimension W: 72 cm; dimension H: 104 cm; description: equipped with eight trays; including drilling; measuring tooling ; caps and rattles; file ; | 10.00 |
| © 45 | 1 | tool-tray cabinet (with content) dimension L: 76 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 7 trays; with amongst others drilling and tapset; hammers; spanners; pliers; hex-keys; | 10.00 |
| © 46 | 1 | workbench with vice dimension L: 150 cm; dimension W: 76 cm; dimension H: 86 cm; description: equipped with wooden worktop; storage cupboard under workbench ; with content ; clamping width vise : 150mm; | 10.00 |
| workplace A | | | |
| 47 | 1 | workshop order computer HP , Prodesk, brand: HP ; type: Prodesk; USB port(s): yes; number of USB ports: 2; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; incl. content; | 100.00 |
| 48 | 1 | hose reel Nederman, brand: Nederman; air reel: yes; diameter approx.: 25 mm; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 49 | 1 | workbench with vice dimension L: 150 cm; dimension W: 76 cm; dimension H: 86 cm; description: equipped with steel sheet; storage cupboard under workbench ; with content ; clamping width vise : 150mm; | 10.00 |
| © 50 | 1 | workshop cupboard dimension L: 72 cm; dimension W: 74 cm; dimension H: 100 cm; description: vv 5 drawers; | 10.00 |
| © 51 | 1 | workshop drawer (with content) dimension L: 75 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with eight trays; various tooling; | 10.00 |
| © 52 | 1 | workshop drawer (with content) dimension L: 75 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 7 trays; with content ; including tapset; various tooling; | 10.00 |
| © 53 | 1 | workshop drawer (with content) dimension L: 72 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with eight trays; with content ; ao various measurement tooling ; water pump pliers; drill bits; etc; | 10.00 |
| © 54 | 1 | workshop drawer (with content) dimension L: 72 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with eight trays; with content ; including tapset; abrasive sheets; socket sets; etc; | 10.00 |
| © 55 | 1 | workbench with vice dimension L: 150 cm; dimension W: 76 cm; dimension H: 86 cm; description: equipped with wooden worktop; storage cupboard under workbench ; with content ; clamping width vise : 150mm; | 10.00 |
| workplace B | | | |
| © 56 | 1 | workshop drawer (with content) Garant, brand: Garant; dimension L: 72 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 7 trays; with content ; incl. file cabinet; | 10.00 |
| © 58 | 1 | racking (with content) dismantable: yes; number of shelves: 3; total dimension L: 1920 mm; total dimension W: 610 mm; total dimension H: 2020 mm; description: vv various tensioning tooling ; ring and spanners; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|--|----------------|
| © 59 | 1 | workbench with vise (with content) dimension L: 215 cm; dimension W: 72 cm; dimension H: 92 cm; total dimension L: 2150 mm; total dimension W: 720 mm; total dimension H: 1630 mm; description: equipped with wooden worktop; tool board; clamping width vise approx: 115mm; storage drawer under the workbench ; with, among others various tooling ; various filter elements; | 10.00 |
| © 60 | 1 | workshop drawer (with content) Garant, brand: Garant; dimension L: 72 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 7 trays; with content ; among other things fastening material (high / low nuts); wire rods; imbus- bolts; | 10.00 |
| © 61 | 12 | machine clamping attachment description: tensioning tool dimensions . approx. 230x230x310mm; | 100.00 |
| combination A: universal machine accessories (stands at lot 1) | | | |
| © 63 | 1 | t-slot clamping table Stolle, brand: Stolle; table size L: 3775 mm; table size W: 1000 mm; T-slot size L: 3775 mm; T-slot size W: 55 mm; plate thickness: 295 mm; description: equipped with two lifting eyes; | 500.00 |
| © 64 | 1 | t-slot clamping table Stolle, brand: Stolle; table size L: 5000 mm; table size W: 2000 mm; T-slot size L: 4800 mm; T-slot size W: 55 mm; plate thickness: 295 mm; description: equipped with two lifting eyes; | 1,000.00 |
| © 65 | 1 | t-slot clamping table Stolle, brand: Stolle; table size L: 5000 mm; table size W: 2000 mm; T-slot size L: 4800 mm; T-slot size W: 55 mm; plate thickness: 295 mm; | 1,000.00 |
| © 66 | 1 | t-slot clamping table Stolle, brand: Stolle; table size L: 4000 mm; table size W: 2000 mm; T-slot size L: 3800 mm; T-slot size W: 55 mm; plate thickness: 295 mm; description: equipped with six adjustable feet; | 3,000.00 |
| combination A1: 4 "Stolle" T-slot clamping plates | | | |
| © 67 | 2 | section pallet hook-system Redirack, brand: Redirack; dismantable: yes; number of cross beams: 14; total dimension L: 6800 mm; total dimension W: 720 mm; total dimension H: 3000 mm; description: ex. content on / in or on the rack; | 10.00 |
| 68 | 1 | hose reel Raasm, serial number 85001, brand: Raasm; serial number: 85001; air reel: yes; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 69 | 5 | section pallet hook-system Redirack, brand: Redirack; dismantable: yes; section dim. L: 3300 mm; section dim. W: 710 mm; section dim. H: 4200 mm; number of uprights: 4; number of cross beams: 28; total dimension L: 10200 mm; total dimension W: 710 mm; total dimension H: 4200 mm; description: ex. content on / in or on the rack; | 50.00 |
| 70 | 1 | hose reel Prevost, DLO, serial number 0099, brand: Prevost; type: DLO; serial number: 0099; air reel: yes; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 71 | 1 | Workshop sliding door closet (with content) Lista , brand: Lista ; dimension L: 143 cm; dimension W: 78 cm; dimension H: 103 cm; description: Double sliding door cupboard with content ; ao fastening materials; and various; | 10.00 |
| © 72 | 1 | Workshop cabinet (with content) Lasaulec, brand: Lasaulec; dimension L: 100 cm; dimension W: 45 cm; dimension H: 110 cm; description: including fasteners; drilling and tap oil; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| © 73 | 1 | Workshop cabinet (with content) Lasaulec, brand: Lasaulec; dimension L: 100 cm; dimension W: 45 cm; dimension H: 110 cm; description: including tooling dowel pins; various fastener material ; workshop cabinets with content | 10.00 |
| © 75 | 1 | workshop order computer Pulse, serial number 31080746, brand: Pulse; serial number: 31080746; USB port(s): yes; number of USB ports: 2; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; Incl. File drawer; ex. clappers; | 10.00 |
| © 76 | 1 | hose reel Retracta, brand: Retracta; air reel: yes; wall mount: yes; description: equipped with blow gun; pay attention. must be disassembled; | 10.00 |
| © 77 | 1 | workbench with drawer cabinet (with content) dimension L: 250 cm; dimension W: 78 cm; dimension H: 91 cm; description: equipped with wooden worktop; storage drawer under the workbench ; with, among others various machine tooling ; torque wrench; fasteners; chair; | 10.00 |
| © 78 | 1 | workshop drawer (with content) dimension L: 72 cm; dimension W: 56 cm; dimension H: 90 cm; description: equipped with five trays; with amongst others hoisting belt; glue sprayer; | 10.00 |
| © 79 | 1 | workshop drawer (with content) dimension L: 72 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 9 drawers; with amongst others tensioning tooling ; fasteners; etc; | 10.00 |
| © 80 | 1 | parts cleaner container: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 900 mm; total dimension H: 1500 mm; description: equipped with foot-operated; incl. drip tray ; | 10.00 |
| © 81 | 1 | steel workbench dimension L: 150 cm; dimension W: 770 cm; dimension H: 870 cm; description: equipped with hoeten worksheet; "Heuer" vise , and two drawers with content ; (note: excl. clamping tools) ; | 10.00 |
| © 82 | 1 | lot of various clamping tools description: from rack , shelving unit, and of workbench ; incl. rack ; rack dimensions . approx. 2150x520x2040mm; various tooling ; (excl. workbench) ; | 50.00 |
| © 83 | 8 | clamping tools description: Ø 180mm; height approx. 770mm; | 50.00 |
| © 84 | 1 | machine tools description: incl. shelf rack; | 50.00 |
| © 85 | 1 | industrial chip / oil cleaner Herbert Matzek, SG 150/SP-F, brand: Herbert Matzek; type: SG 150/SP-F; power: 7500 W; bagless: yes; electric connection: 380 V; description: mobile; draaiuren: 592; equipped with spanenlosklep; hoses and fittings 2; combination C: universal machine accessory (stands at lot 3) | 100.00 |
| © 87 | 1 | section pallet hook-system Redirack, brand: Redirack; dismantable: yes; number of uprights: 2; number of cross beams: 8; total dimension L: 3450 mm; total dimension W: 720 mm; total dimension H: 3000 mm; description: (excl. content) ; | 10.00 |
| 88 | 1 | lot of various lifting equipment to storage rack description: including slings; hooks; clamps; shackles; dimensions . rack approx. 200x210 cm; | 100.00 |
| 89 | 1 | lot of various lifting equipment to storage rack description: including slings; hooks; clamps; shackles; dimensions . rack approx. 200x210 cm; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|---|----------------|
| © 90 | 1 | workplace workplace (with content) description: bu shop order computer "HP" with display, keyboard, and mouse; computer cabinet dimensions . approx. 710x630x1660mm; workplace office; steel 2- door wardrobe and workshop content such tensioning tooling ; (Note: excl. Of office documentation); | 10.00 |
| © 91 | 1 | lot of various machine and clamping tools description: incl. 2x steel 2-door workshop cupboard and 2x div. rack ; (Excl. Parts cleaner and drip tray) ; | 100.00 |
| © 92 | 1 | parts cleaner container: yes; electric connection: 230 V; total dimension L: 1580 mm; total dimension W: 1170 mm; total dimension H: 1500 mm; description: equipped with foot- operated; incl. drip tray ; | 10.00 |
| © 93 | 6 | clamping tools description: Ø 175 mm; height approx. 690 mm; | 50.00 |
| combination D: universal machine accessories (stands at lot 4) | | | |
| 94 | 4 | mobile splash screen dimension W: 390 cm; dimension H: 180 cm; | 10.00 |
| 95 | 1 | lot of wood machine transport blocks description: on 2 pallets; | 10.00 |
| 97 | 1 | mobile chip extractor number of collector bins: 1; dimension L: 1030 mm; dimension W: 800 mm; dimension H: 1300 mm; description: connection; compressed air; | 10.00 |
| 98 | 1 | various consumables description: including degreasing; lubricant; machine oil; laundry detergent; gear oil; various funnels; ex. drip tray; | 50.00 |
| 99 | 4 | various steel oil drip tray description: including dimensions . approx. 1270x830x350mm; excl. User resources; | 50.00 |
| 100 | 1 | oil drip tray description: dimensions . approx. 3050x1430x350mm; Incl. User agents; including 2x IBC barrels; incl. any residual content; | 50.00 |
| 101 | 1 | various consumables description: including lubricant; machine oil; various funnels; Excl. drip trays; | 50.00 |
| 102 | 3 | oil stainless steel drip tray total dimension L: 3000 mm; total dimension W: 2000 mm; total dimension H: 180 mm; description: 1x width: 1500 mm; (excluding consumables) ; | 100.00 |
| 103 | 1 | Workshop sliding door closet (with content) dimension L: 143 cm; dimension W: 50 cm; dimension H: 133 cm; description: double door cabinet with content; | 10.00 |
| 104 | 4 | consuming pump (manually operated) | 10.00 |
| 105 | 4 | consuming pump (manually operated) | 10.00 |
| 106 | 1 | pallet shelve (with content) dismantable: yes; total dimension L: 1070 mm; total dimension W: 480 mm; total dimension H: 1450 mm; description: equipped with approx. 9x filter cloth rolls; | 10.00 |
| 107 | 1 | workbench with vice dimension L: 150 cm; dimension W: 780 cm; dimension H: 870 cm; description: vv vise : nip width dimensions . approx. 135mm; incl. various on and under the workbench ; including hacksaw; handheld "ENERPAC" hydraulic press; incl. drip tray; | 10.00 |
| 110 | 2 | T-slot clamping angle description: dimensions . approx. 1500x500x2140mm; | 100.00 |
| 111 | 1 | steel corner work table / mounting corner description: dimensions . approx. 1800x1240x1510mm; | 100.00 |
| 112 | 2 | T-slot clamping angle description: dimensions . approx. 1000x500x1530mm; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|--|--------|--|----------------|
| | 113 | 2 T-slot clamping angle description: tensioning corner table: dimensions . approx. 2200x820x4500mm; | 1,000.00 |
| | 114 | 4 steel clamping angle description: various dimensions; | 100.00 |
| © | 115 | 1 t-slot clamping table table size L: 6000 mm; table size W: 4000 mm; T-slot size L: 6000 mm; T-slot size W: 60 mm; plate thickness: 16 mm; description: ex. various on t-slot clamping table; | 5,000.00 |
| © | 116 | 1 racking (with content) number of uprights: 4; number of shelves: 15; total dimension L: 3200 mm; total dimension W: 480 mm; total dimension H: 1850 mm; description: vv various tool holders; drilling; clamping tools ; etc; | 10.00 |
| © | 117 | 1 workshop roldeurkast (with content) dimension L: 104 cm; dimension W: 62 cm; dimension H: 219 cm; description: with tool holders; | 10.00 |
| © | 118 | 1 Workshop cabinet (with content) Hagro, brand: Hagro; dimension L: 74 cm; dimension W: 72 cm; dimension H: 102 cm; description: with tool holders; ring key; etc; | 10.00 |
| © | 119 | 1 Workshop cabinet (with content) dimension L: 74 cm; dimension W: 72 cm; dimension H: 102 cm; description: including measuring equipment ; and various; | 10.00 |
| combination J: universal machine accessory (stands at lot 10) | | | |
| | 120 | 2 T-slot clamping angle description: dimensions . approx. 1500x500x2130mm; | 100.00 |
| © | 121 | 6 machine clamping attachment description: incl. 1 various; | 50.00 |
| © | 122 | 1 clamping tools | 50.00 |
| © | 123 | 1 industrial chip / oil cleaner Herbert Matzek, SG 150/SP-F, year built 1995, brand: Herbert Matzek; type: SG 150/SP-F; year: 1995; bagless: yes; electric connection: 400 V; description: draaiuren: 520; equipped with spanenlosklep; hose and second tube; incl. clamping receptacle; | 100.00 |
| © | 124 | 1 machine tools description: incl. shelf rack ; dimensions . approx. 1070x480x1450mm; various tensioning tooling ; | 50.00 |
| © | 125 | 1 Workshop cabinet (with content) dimension L: 74 cm; dimension W: 72 cm; dimension H: 109 cm; description: including tensioning tooling ; pneumatic angle grinder; | 10.00 |
| © | 126 | 1 machine tools description: incl. shelf rack ; dimensions . approx. 3140x480x1460mm; various jacks and tensioning tooling ; | 50.00 |
| © | 127 | 1 workshop drawer (with content) dimension L: 74 cm; dimension W: 72 cm; dimension H: 109 cm; description: including dowels; wire rods; nuts ; incl. racking ; with content ; | 50.00 |
| © | 128 | 1 workbench Bott, brand: Bott; dimension L: 150 cm; dimension W: 70 cm; dimension H: 95 cm; description: equipped with 8 load, and the first case part; incl. content; | 10.00 |
| © | 129 | 1 tool holder workbench dimension L: 200 cm; dimension W: 75 cm; dimension H: 85 cm; | 10.00 |
| © | 130 | 1 workbench Bott, brand: Bott; dimension L: 150 cm; dimension W: 70 cm; dimension H: 95 cm; description: vv vise ; 6 drawers; tool board and shelf; incl. content ; (Excl. Machine documentation) ; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|---|----------------|
| © 131 | 1 | workshop order computer Asus, brand: Asus; USB port(s): yes; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; incl. office ; | 10.00 |
| combination G: universal machine accessories (stands at lot 7) | | | |
| © 132 | 3 | section pallet hook-system Redirack, brand: Redirack; dismantable: yes; section dim. L: 3300 mm; section dim. W: 700 mm; section dim. H: 4300 mm; number of uprights: 4; number of cross beams: 34; | 50.00 |
| RediRack pallet racks | | | |
| 133 | 1 | hose reel Raasm, 85001, brand: Raasm; type: 85001; air reel: yes; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 134 | 1 | workshop order computer HP , prodesk, brand: HP ; type: prodesk; USB port(s): yes; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; incl. office; | 10.00 |
| © 135 | 1 | 7-loading tool box (with content) dimension L: 143 cm; dimension W: 73 cm; dimension H: 100 cm; description: content including div. tooling; | 50.00 |
| © 136 | 1 | lot of various adjusting and clamping tools description: incl. steel 2-door workshop cupboard and 3x div. rack ; (Excl. Parts cleaner and drip tray) ; | 100.00 |
| combination F: universal machine accessories (stands at lot 6) | | | |
| © 137 | 1 | parts cleaner container: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 550 mm; total dimension H: 1600 mm; description: equipped with foot-operated; incl. drip tray and freestanding tool board with tooling; | 10.00 |
| © 138 | 1 | lot of various adjusting and clamping tools description: including "Huni". workbench ; steel 2-door workshop cupboard and 2x div. rack; | 100.00 |
| © 139 | 1 | Stainless steel hose reel Ompi, brand: Ompi; air reel: yes; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 140 | 1 | industrial chip / oil cleaner Herbert Matzek, ASA 200/200, brand: Herbert Matzek; type: ASA 200/200; power: 7500 W; bagless: yes; electric connection: 400 V; description: equipped with mobile swarf collection tray; 3 hoses ; | 100.00 |
| © 141 | 1 | hose reel air reel: yes; wall mount: yes; description: equipped with quick coupling; pay attention. must be disassembled; | 10.00 |
| © 142 | 1 | workplace work office (with content) description: workplace office; dimensions . approx. 1500x800x910mm; with content of drawers; including various tooling ; Incl. Chuck table; dimensions . approx. 2000x800x890mm; incl. various; | 10.00 |
| © 143 | 1 | workshop order computer HP , Prodesk, brand: HP ; type: Prodesk; USB port(s): yes; number of USB ports: 2; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; incl. content; | 10.00 |
| © 144 | 1 | workplace work office (with content) Lista , brand: Lista ; description: work desk with vise ; dimensions . approx. 2000x820x900mm; with content of drawers; including various tooling ; Incl. Seat; ex. Documentation on desk; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|--|--------|---|----------------|
| combination E: universal machine accessories (stands at lot 5) | | | |
| © 145 | 1 | various workplace furniture (with content) description: 2x sliding drawer; dimensions . approx. 1440x780x1010mm; with content ; including various clamping tools ; flat blocks; Incl. Workshop shelf / drawer; dimensions . approx. 2000x1050x650mm; with content ; including measuring equipment ; various tooling ; all ex. documentation; | 10.00 |
| © 146 | 1 | workshop drawer (with content) dimension L: 207 cm; dimension W: 86 cm; dimension H: 107 cm; description: including drill sets; multiphase drilling; in drilling; incl. various along dresser ; | 100.00 |
| © 147 | 1 | workbench (with content) dimension L: 214 cm; dimension W: 75 cm; dimension H: 93 cm; total dimension L: 2140 mm; total dimension W: 750 mm; total dimension H: 1630 mm; description: vv various tooling ; incl. shelf rack ; dimensions . approx. 2100x490x1450mm; | 10.00 |
| combination K: universal machine accessories (stands at lot 11) | | | |
| 148 | 1 | hose reel Atlas Copco, brand: Atlas Copco; air reel: yes; wall mount: yes; description: equipped with quick coupling; Incl. Hose; pay attention. must be disassembled; | 10.00 |
| © 149 | 1 | lot of various adjusting and clamping tools description: including "guarantees" seven-drawer dresser.; workbench ; dimensions . approx. 2150x950x930mm; tool wall; | 100.00 |
| © 150 | 1 | lot of various adjusting and clamping tools description: including "guarantees" seven-drawer dresser.; workbench ; dimensions . approx. 2150x950x930mm; | 100.00 |
| © 151 | 1 | parts cleaner container: yes; total dimension L: 800 mm; total dimension W: 550 mm; total dimension H: 1600 mm; description: equipped with foot-operated; incl. drip tray; | 10.00 |
| © 152 | 1 | workplace work office (with content) Garant, brand: Garant; dimension L: 150 cm; dimension W: 70 cm; dimension H: 88 cm; description: workplace desk; incl. chair; ex. documentation; | 10.00 |
| © 153 | 1 | workshop order computer HP , Elite, brand: HP ; type: Elite; USB port(s): yes; number of USB ports: 2; electric connection: 230 V; description: equipped with keyboard; mouse; console "Guarantor"; dimensions . approx. 760x550x1650mm; incl. content; | 10.00 |
| © 154 | 1 | workshop drawer (with content) dimension L: 75 cm; dimension W: 72 cm; dimension H: 100 cm; description: equipped with 7 trays; with content ; including voelerband; various measuring equipment ; incl. workbench with vise ; dimensions . approx. 1500x700x860mm; | 10.00 |
| combination B: universal machine accessories (stands at lot 2) | | | |
| 155 | 1 | hydraulic assembly / work platform Bd, Professional, brand: Bd; type: Professional; capacity: 8 t; electric connection: 400 V; total dimension L: 2200 mm; total dimension W: 1200 mm; description: maximum height: 1500mm; equipped with remote control; pay attention. must be disassembled; | 100.00 |
| 156 | 1 | various workplace furniture (with content) description: ao workbench with drawers; dimensions . approx. 1500x800x900mm; workshop shelf / drawers cabinet (with content) ; dimensions . approx. 1000x600x1980mm; including personal protective equipment; various tooling ; | 50.00 |
| 157 | 1 | racking (with content) dismantable: yes; number of uprights: 2; number of shelves: 4; total dimension L: 1900 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: including various fasteners; incl. workbench; | 10.00 |
| 159 | 1 | Palletization dismantable: yes; number of uprights: 2; number of cross beams: 8; total dimension L: 3450 mm; total dimension W: 690 mm; total dimension H: 2500 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|--|----------------|
| © 160 | 1 | various workplace furniture (with content) description: 7-drawer cabinet drawers (with content) ; including tensioning accessories ; incl. racking ; and various drawers with content ; | 100.00 |
| 161 | 1 | welding fume extraction system Plymoth, MK-800, brand: Plymoth; type: MK-800; mobile: yes; boom length: 3000 mm; dimension L: 510 mm; dimension W: 800 mm; dimension H: 2800 mm; | 50.00 |
| 162 | 2 | oil drip tray (various sizes) description: including dimensions . approx. 1200x800x350mm; | 10.00 |
| © 163 | 1 | various workplace furniture (with content) description: including 2x workbench ; 1x revolving dresser "Lista"; with content ; including various tensioning tooling ; various tooling ; vise ; ex. documentation; | 10.00 |
| © 164 | 1 | workbench (with content) dimension L: 214 cm; dimension W: 75 cm; dimension H: 93 cm; total dimension L: 2140 mm; total dimension W: 750 mm; total dimension H: 1630 mm; description: vv various tooling ; Incl. Seat; ex. documentation; | 10.00 |
| © 165 | 1 | workshop drawer (with content) Garant, brand: Garant; dimension L: 74 cm; dimension W: 73 cm; dimension H: 100 cm; description: including various tooling ; flat pieces; hoisting tools ; ex.documentatie; | 10.00 |
| © 166 | 1 | workshop order computer USB port(s): yes; number of USB ports: 2; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; incl. content ; | 10.00 |
| combination H: universal machine accessories (stands at lot 8) | | | |
| © 167 | 1 | lot of various adjusting and clamping tools description: incl. racking ; dimensions . approx. 2300x700x2100mm; with content ; jacks; staples; claws; etc; | 100.00 |
| © 168 | 1 | lot of various adjusting and clamping tools description: equipped with 2x transport trolley; with content; | 50.00 |
| © 169 | 1 | parts cleaner container: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 550 mm; total dimension H: 1600 mm; description: equipped with foot-operated; incl. + drip tray workbench with vise; | 10.00 |
| © 170 | 1 | lot of various adjusting and clamping tools description: incl. 2x racking ; 1x dimensions . approx. 5000x500x2200mm; 1x dimensions . approx. 3100x500x1410mm; 1x work table (with chairs); dimensions . approx. 2000x680mm; 3x pallet boxes (with content) ; such staples; wire rods; various tensioning tooling; | 100.00 |
| © 171 | 1 | workshop drawer (with content) dimension L: 1160 cm; dimension W: 70 cm; dimension H: 96 cm; description: Incl. Transport trolley; including tooling ; various tensioning tooling ; ex! documentation; | 10.00 |
| combination I: universal machine accessories (stands at lot 9) | | | |
| 172 | 1 | fixed print support description: Recording: MC 5; dimensions . approx. Ø 148x350 mm; incl. accessories ; in three wooden boxes; | 100.00 |
| 173 | 1 | printout support serving boring mill (boring & milling machine) description: Recording: MC 5; dimensions . approx. Ø 165x4200 mm; suitable for support 650x700, and 700-750; incl. accessories ; in two wooden histen; | 100.00 |
| 174 | 1 | ballscrew X-axis serving Wotan (lot 5) description: length approx. 3550 mm; in wooden box; | 100.00 |
| 175 | 1 | ballscrew Y-axis serving Dorries (lot 6) description: length approx. 2750 mm; in wooden box; | 100.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 176 | 1 rotary pneumatic T-slot clamping table table size L: 1520 mm; table size W: 1220 mm; T-slot size L: 1520 mm; T-slot size W: 40 mm; plate thickness: 260 mm; | 250.00 |
| 177 | 1 rotary pneumatic T-slot clamping table table size L: 1520 mm; table size W: 1220 mm; T-slot size L: 1520 mm; T-slot size W: 40 mm; plate thickness: 260 mm; | 250.00 |
| 178 | 1 T-slot angular clamping table Caser, brand: Caser; description: dimensions . approx. 1000x750x680 mm; 90 ° tilt of; | 250.00 |
| 179 | 1 T-slot clamping table table size L: 4270 mm; table size W: 3045 mm; T-slot size L: 4270 mm; T-slot size W: 60 mm; plate thickness: 260 mm; description: on rotating foot; | 250.00 |
| 180 | 1 workshop cupboard dimension L: 200 cm; dimension W: 51 cm; dimension H: 130 cm; description: incl. content; | 10.00 |
| 181 | 1 forklift truck tipping container total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1230 mm; | 10.00 |
| 182 | 1 forklift truck tipping container total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1230 mm; | 10.00 |
| 183 | 1 forklift truck tipping container Kruizinga, KB19-1200, year built 2012, brand: Kruizinga; type: KB19-1200; year: 2012; own weight: 190 kg; total dimension L: 1800 mm; total dimension W: 1080 mm; total dimension H: 1110 mm; | 10.00 |
| 184 | 1 forklift truck tipping container Multi-Tipper, brand: Multi-Tipper; total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1230 mm; | 10.00 |
| 185 | 1 forklift truck tipping container Skipco, brand: Skipco; own weight: 255 kg; total dimension L: 1800 mm; total dimension W: 1080 mm; total dimension H: 1110 mm; | 10.00 |
| 186 | 1 forklift truck tipping container MarcoTipper, MT-600, brand: MarcoTipper; type: MT-600; total dimension L: 1300 mm; total dimension W: 1060 mm; total dimension H: 820 mm; | 10.00 |
| 187 | 1 forklift truck tipping container MarcoTipper, MT-600, brand: MarcoTipper; type: MT-600; total dimension L: 1300 mm; total dimension W: 1060 mm; total dimension H: 820 mm; | 10.00 |
| 188 | 1 forklift truck tipping container MarcoTipper, MT-600, brand: MarcoTipper; type: MT-600; total dimension L: 1300 mm; total dimension W: 1060 mm; total dimension H: 820 mm; | 10.00 |
| 189 | 1 forklift truck tipping container MarcoTipper, MT-600, brand: MarcoTipper; type: MT-600; total dimension L: 1300 mm; total dimension W: 1060 mm; total dimension H: 820 mm; | 10.00 |
| 190 | 1 forklift truck tipping container total dimension L: 1300 mm; total dimension W: 750 mm; total dimension H: 800 mm; | 10.00 |
| 191 | 1 forklift truck tipping container Multi-Tipper, brand: Multi-Tipper; total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1230 mm; | 10.00 |
| 192 | 1 forklift truck tipping container Multi-Tipper, brand: Multi-Tipper; total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1230 mm; | 10.00 |
| 193 | 1 forklift truck tipping container Multi-Tipper, brand: Multi-Tipper; total dimension L: 1800 mm; total dimension W: 1550 mm; total dimension H: 1230 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 194 | 1 | forklift truck tipping container Multi-Tipper, brand: Multi-Tipper; total dimension L: 1800 mm; total dimension W: 1550 mm; total dimension H: 1230 mm; | 10.00 |
| 195 | 1 | forklift truck verlenglepelset total dimension L: 1380 mm; total dimension W: 160 mm; total dimension H: 60 mm; description: inside dimensions . approx. 130x40 mm; | 100.00 |
| 196 | 1 | forklift truck long-lepelset total dimension L: 2200 mm; total dimension W: 140 mm; description: ear distance: 510 mm; | 100.00 |
| © 200 | 1 | length measuring machine Trimos, TELM, serial number 620, brand: Trimos; type: TELM; serial number: 620; measuring range from: 0 mm; measuring range till: 2000 mm; total dimension L: 2500 mm; total dimension W: 200 mm; total dimension H: 340 mm; description: vv various accessories ; incl. converter (to be disassembled); | 100.00 |
| 201 | 1 | length measuring machine Trimos, brand: Trimos; measuring range from: 0 mm; measuring range till: 1060 mm; electric connection: 230 V; total dimension L: 1530 mm; total dimension W: 150 mm; total dimension H: 300 mm; description: vv various accessories ; | 50.00 |
| © 202 | 1 | plane table Novalith, serial number 33630, brand: Novalith; serial number: 33630; granite: yes; table size L: 3000 mm; table size W: 600 mm; own weight: 1620 kg; total dimension L: 3000 mm; total dimension W: 600 mm; total dimension H: 970 mm; description: incl. cupboard with content ; ex. measuring equipment on the flat table; (note special. hoisting tools needed to collect, location measurement space); pick from 3rd uitleverdag; | 100.00 |
| | | length measuring bench with flat table | |
| 203 | 1 | plane table Novalith, serial number 30024, brand: Novalith; serial number: 30024; granite: yes; table size L: 2000 mm; table size W: 1000 mm; own weight: 2250 kg; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 940 mm; description: equipped with T-slot in the table plane; Incl. Measuring instrument attached to the T-slot; incl. cupboard with content ; ex. accessories in the flat table; (note special. hoisting tools needed to collect, location measurement space); pick from 3rd uitleverdag; | 100.00 |
| 204 | 1 | universal measuring machine with microscope Sip, MU-214B, serial number 6205, brand: Sip; type: MU-214B; serial number: 6205; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 650 mm; description: vv various accessories ; t-slot clamping table ; dimensions . approx. 485x140mm; | 10.00 |
| 205 | 1 | 3D measuring probe Renishaw, MP7, serial number R52224, brand: Renishaw; type: MP7; serial number: R52224; description: equipped with ISO50 DIN 69871 toolholder; | 100.00 |
| 206 | 1 | altimeter Trimos, Vertical, serial number 4482, brand: Trimos; type: Vertical; serial number: 4482; digital: yes; measuring range from: 0 mm; measuring range till: 530 mm; description: overall dimensions . approx. 210x200x850mm; (Loc. Measurement space); | 100.00 |
| 207 | 1 | various measuring equipment (incomplete) description: approx. 8 cases; (Loc. Measurement space); | 10.00 |
| 208 | 1 | measuring instrument "Rank Taylor Hobson" description: equipped with suitcase; various accessories ; (Loc. Measurement space); | 10.00 |
| 209 | 1 | bore measuring instrument Carl Mahr, Intramess, brand: Carl Mahr; type: Intramess; description: incl. various measuring instrument sets; (loc. measurement space); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| | 210 | 1 measuring system diagnosis set Heidenhain, PWM7 / FST2 / ROD450, brand: Heidenhain; type: PWM7 / FST2 / ROD450; manual present: yes; description: with plastic bag ; | 10.00 |
| | 211 | 1 various measuring equipment description: approx. 2-piece; equipped with suitcase; (Loc. Measurement space); | 10.00 |
| | 212 | 1 various measuring equipment parts description: incl. various ; (Loc. Measurement space); | 10.00 |
| | 213 | 1 various measuring equipment Karl Frank, brand: Karl Frank; description: approx. 2-piece; equipped with suitcase; (Loc. Measurement space); | 10.00 |
| © | 214 | 1 workshop drawer (with content) dimension L: 70 cm; dimension W: 56 cm; dimension H: 85 cm; description: vv various tools; (Loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| © | 215 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv various tools; ia items magnet standard; dial gauges; (Loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| © | 216 | 1 other measuring equipment description: content 5-drawers (ex drawer.); including setting rings; adjusting pins; (Loc. Measurement space) ; | 10.00 |
| © | 217 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: content 4-drawers (incl.ladekast); vv various tools; (Loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| © | 218 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: including uni-meters; setting rings; large and small v blocks; caliper height; (loc. measurement space); (pick up after 3rd delivery day); | 10.00 |
| © | 219 | 11 outside micrometer size (various) description: from 1 drawer; (loc. measurement space); | 10.00 |
| © | 220 | 11 outside micrometer size (various) measuring range from: 0 mm; measuring range till: 200 mm; description: from 1 drawer; (loc. measurement space); | 10.00 |
| © | 221 | 1 outside - and inside flank micrometers (various) measuring range from: 0 mm; description: from 1 drawer; (loc. measurement space); | 10.00 |
| © | 222 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: content of 6-drawers; Incl. Case; among other things three-point micrometer; dial gauges; (Loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| © | 223 | 1 4-drawer thread gauges description: content 4 drawers (ex drawer.); (Loc. Measurement space) ; | 10.00 |
| © | 224 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: content of 6-drawers; Incl. Case; ao spear sizes of components (loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| © | 225 | 1 workshop drawer (with content) dimension L: 69 cm; dimension W: 71 cm; dimension H: 100 cm; description: incl. angle meters; threaded emergency meter; pivot pins; v blocks; (loc. measurement space); (pick up after 3rd delivery day); | 10.00 |
| | | 7 chest of drawers with various measuring tools | |
| | 226 | 1 digital tachometer Lutron, DT-2235B, brand: Lutron; type: DT-2235B; description: in plastic case; incl. multimeter; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| | 227 | 2 "SIP" indexing table. description: (loc.me measuring space); | 10.00 |
| | 228 | 3 altimeter Carl Mahr, brand: Carl Mahr; measuring range till: 550 mm; description: (loc.me measuring space); | 10.00 |
| | 229 | 1 angle gauge Busch, brand: Busch; description: (loc.me measuring space); | 10.00 |
| | 230 | 2 other measuring equipment total dimension H: 200 mm; description: (loc.me measuring space); | 10.00 |
| | 231 | 4 altimeter (various) analog: yes; digital: yes; description: (loc.me measuring space); | 10.00 |
| | 232 | 1 ruler / bridge total dimension L: 2000 mm; total dimension W: 15 mm; total dimension H: 80 mm; description: (loc.me measuring space); | 10.00 |
| © | 233 | 2 micrometer Holtest, 368, brand: Holtest; type: 368; analog: yes; with case: yes; description: (loc.me measuring space); | 10.00 |
| © | 234 | 5 measuring equipment (various) description: incl. suitcases; (loc.me measuring space); | 10.00 |
| © | 235 | 5 measuring equipment (various) description: incl. suitcases; (loc.me measuring space); | 10.00 |
| © | 236 | 1 uni-meter (approx. 9x) S.P.V., brand: S.P.V.; description: incl.case; (loc.me measuring space); | 10.00 |
| © | 237 | 1 Slider size Pav elektronik, brand: Pav elektronik; digital: yes; description: equipped with suitcase; (Loc.meetruimte); | 10.00 |
| © | 238 | 1 outer micrometer (approx. 6x) measuring range from: 0 mm; measuring range till: 200 mm; with case: yes; description: (loc.me measuring space); | 10.00 |
| © | 239 | 1 mobile transport trolley total dimension L: 1130 mm; total dimension W: 70 mm; total dimension H: 950 mm; description: equipped with swivel-brake wheels; ex. various on and trolley; (Loc.meetruimte); (Pick-up after 3rd uitleverdag); | 10.00 |
| | | cart with various measuring tools | |
| | 240 | 1 Power supply Philips, PE 1540 DC, brand: Philips; type: PE 1540 DC; | 10.00 |
| © | 241 | 7 Caliper (various) analog: yes; digital: no; measuring range till: 1000; description: (loc.me measuring space); | 10.00 |
| © | 242 | 6 Caliper (various) analog: yes; digital: no; measuring range till: 1000; description: (loc.me measuring space); | 10.00 |
| © | 243 | 5 Caliper (various) analog: yes; digital: no; measuring range till: 500; description: (loc.me measuring space); | 10.00 |
| © | 244 | 11 Caliper (various) analog: yes; digital: no; measuring range till: 600; description: (loc.me measuring space); | 10.00 |
| © | 245 | 12 Caliper (various) analog: yes; digital: no; measuring range till: 1050; description: (loc.me measuring space); | 10.00 |
| © | 246 | 8 outside micrometer size (various) analog: yes; description: (loc. measurement space); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| © 247 | 11 | outer micrometer + calipers analog: yes; measuring range from: 70 mm; measuring range till: 1000 mm; description: (loc. measurement space); | 10.00 |
| © 248 | 10 | outer size micrometer analog: yes; measuring range from: 0 mm; measuring range till: 400 mm; description: (loc. measurement space); | 10.00 |
| © 249 | 1 | measuring tools (various) description: incl. dial indicators; measurement standard; (loc. measurement space); | 10.00 |
| © 250 | 1 | measuring tools description: (loc. measurement space); | 10.00 |
| | | various measuring tools | |
| © 251 | 4 | Caliper (various) analog: yes; digital: no; measuring range till: 500; description: (loc.me measuring space); | 10.00 |
| © 252 | 4 | Slider size analog: yes; digital: no; measuring range from: 0 mm; measuring range till: 300; description: (loc.me measuring space); | 10.00 |
| © 253 | 4 | Slider size analog: yes; digital: no; measuring range from: 0 mm; measuring range till: 300; description: (loc.me measuring space); | 10.00 |
| © 254 | 1 | measuring equipment (various) description: incl. angle meter; caliper (digital / analogue); (loc. measurement space); | 10.00 |
| © 255 | 9 | Slider size analog: yes; digital: no; measuring range from: 0 mm; measuring range till: 150; description: (loc.me measuring space); | 10.00 |
| © 256 | 1 | outer size micrometer Inch, Oditronic, brand: Inch; type: Oditronic; analog: no; digital: yes; measuring range from: 0 mm; with case: yes; description: (loc. measurement space); | 10.00 |
| © 257 | 1 | outer size micrometer Inch, Oditronic, brand: Inch; type: Oditronic; analog: no; digital: yes; measuring range from: 0 mm; with case: yes; description: (loc. measurement space); | 10.00 |
| © 258 | 1 | outer size micrometer Inch, Oditronic, brand: Inch; type: Oditronic; analog: no; digital: yes; measuring range from: 0 mm; with case: yes; description: (loc. measurement space); | 10.00 |
| © 259 | 1 | measuring equipment "Bowers" (various) Bowers, brand: Bowers; description: equipped with suitcase; (Loc. Measurement space); | 10.00 |
| © 260 | 1 | micrometer (various) analog: yes; with case: yes; description: equipped with suitcase; (Loc.meetruimte); | 10.00 |
| © 261 | 7 | outside micrometer size (various) analog: yes; measuring range from: 0 mm; measuring range till: 225 mm; description: (loc. measurement space); | 10.00 |
| © 262 | 6 | outside micrometer size (various) analog: yes; measuring range from: 0 mm; measuring range till: 150 mm; description: (loc. measurement space); | 10.00 |
| © 263 | 4 | outside micrometer size (various) analog: yes; measuring range from: 0 mm; measuring range till: 100 mm; description: (loc. measurement space); | 10.00 |
| © 264 | 4 | outside micrometer size (various) analog: yes; measuring range from: 0 mm; measuring range till: 100 mm; description: (loc. measurement space); | 10.00 |
| © 265 | 4 | outside micrometer size (various) analog: yes; measuring range from: 0 mm; measuring range till: 100 mm; description: (loc. measurement space); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|--|----------------|
| © 266 | 9 | outside micrometer size (various) analog: yes; description: (loc. measurement space); | 10.00 |
| © 267 | 7 | outside micrometer size (various) analog: yes; description: (loc. measurement space); | 10.00 |
| © 268 | 4 | outside micrometer size (various) analog: yes; description: (loc. measurement space); | 10.00 |
| © 269 | 3 | outside micrometer size (various) analog: yes; with case: yes; description: (loc. measurement space); | 10.00 |
| © 270 | 6 | Caliper (various) analog: yes; digital: no; measuring range till: 500; description: (loc.me measuring space); | 10.00 |
| © 271 | 1 | mobile transport trolley total dimension L: 1130 mm; total dimension W: 70 mm; total dimension H: 950 mm; description: equipped with swivel-brake wheels; ex. various on and trolley; (Loc.meetruimte); (Pick-up after 3rd uitleverdag); | 10.00 |
| © 272 | 1 | mobile transport trolley total dimension L: 1130 mm; total dimension W: 70 mm; total dimension H: 950 mm; description: equipped with swivel-brake wheels; ex. various on and trolley; (Loc.meetruimte); (Pick-up after 3rd uitleverdag); | 10.00 |
| © 273 | 1 | mobile transport trolley total dimension L: 1130 mm; total dimension W: 70 mm; total dimension H: 950 mm; description: equipped with swivel-brake wheels; ex. various on and trolley; (Loc.meetruimte); (Pick-up after 3rd uitleverdag); | 10.00 |
| © 274 | 3 | outer size micrometer Inch, Oditronic, brand: Inch; type: Oditronic; analog: no; digital: yes; measuring range from: 0 mm; with case: yes; description: (loc. measurement space); | 10.00 |
| © 275 | 1 | meter wall thickness Krautkrämer, DM2E, brand: Krautkrämer; type: DM2E; description: Incl. Thickened meters; equipped with suitcase; (Loc. Measurement space); | 10.00 |
| © 276 | 1 | fiber optic light source Euromex, EK-Q, brand: Euromex; type: EK-Q; electric connection: 230 V; description: vv accessories ; aluminum case; (Loc. Measurement space); | 10.00 |
| 3 carts with various measuring instruments | | | |
| 277 | 2 | corner office corner desk: yes; height adjustable: yes; pedestal: yes; description: angle setup ; dimensions . approx. 800x600x780mm - 2000x1000x780; ex. desk accessories; (Loc measuring space.); (Pick-up after 3rd uitleverdag); | 10.00 |
| 278 | 1 | lot of div. measuring equipment in 12-chest of drawers description: incl. in micrometers; various micrometers; sensors; etc.; dimensions . commode approx. 72x70x100 cm; Incl. Steel 2-door workshop cupboard; (Loc. Measurement space) ; | 100.00 |
| 279 | 1 | 12-charging tool box (with content) dimension L: 72 cm; dimension W: 70 cm; dimension H: 100 cm; description: incl. various gauge; (Loc. Measurement space) ; | 10.00 |
| 280 | 1 | lot of various micrometers Mahr, brand: Mahr; with case: yes; description: incl. incomplete sets and empty suitcases; ao Inramess, capacity 7-100 mm; Incl. Steel case; (Loc. Measurement space); | 10.00 |
| 281 | 1 | lot of various schroefdraadkalibers description: ao "Mahr"; various sizes and types; Incl. Steel two-storey warehouse truck; (Loc. Measurement space); | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 282 | 48 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system and keyless chuck; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 283 | 54 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 284 | 63 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 285 | 58 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system and keyless chuck; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 286 | 57 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system and keyless chuck; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 287 | 59 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with Vari Lock system and keyless chuck; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 288 | 46 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; incl. steel tools trolley, dimensions . approx. 970x900x1050 mm; | 750.00 |
| 289 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 290 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: incl. div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 291 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 292 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 293 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 294 | 25 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 295 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |



| Lot | Number | Description | Starting Bid € |
|--|--------|--|----------------|
| 296 | 19 | various milling tools in tool box taper ISO: ISO 50 / DIN 2080; description: incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 297 | 12 | various milling tools in tool box taper ISO: ISO 50 / DIN 2080; description: incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 298 | 35 | various cutter - / drilling tools in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with Vari Lock; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 299 | 35 | various cutter - / drilling tools in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with Vari Lock; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 300 | 30 | various cutter - / drilling tools in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with Vari Lock; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 500.00 |
| 301 | 14 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: incl. steel tools trolley, dimensions . approx. 560x800x800 mm; | 200.00 |
| 302 | 34 | various cutter - / drilling tool quick coupling -gereedschaphouder Schmid-Kosta KG, Schmid-Variant, brand: Schmid-Kosta KG; type: Schmid-Variant; description: equipped with one quick coupling recording head, ISO50 / DIN2080; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 200.00 |
| 303 | 27 | various cutter - / drilling tool quick coupling -gereedschaphouder Schmid-Kosta KG, Schmid-Variant, brand: Schmid-Kosta KG; type: Schmid-Variant; description: equipped with one quick coupling recording head, ISO50 / DIN2080; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 200.00 |
| 304 | 30 | various cutter - / drilling tool quick coupling -gereedschaphouder Schmid-Kosta KG, Schmid-Variant, brand: Schmid-Kosta KG; type: Schmid-Variant; description: equipped with one quick coupling recording head, ISO50 / DIN2080; incl. two-storey steel trolley, dimensions . approx. 700x1000x930 mm; | 200.00 |
| 305 | 1 | drill tools description: various recordings; incl. 2-floor trolley; | 100.00 |
| 306 | 1 | drill tools description: various recordings; incl. 2-floor trolley; | 100.00 |
| © 307 | 1 | Milling tool description: in pallet box; | 100.00 |
| © 308 | 1 | lot of various cutter - / drill / tap tool in the tool holder taper ISO: div. opnames; description: in pallet box; | 100.00 |
| © 309 | 1 | lot of div. cutting tool description: on pallet; | 100.00 |
| © 310 | 1 | lot of div. cutting tool description: on pallet; | 100.00 |
| © 311 | 1 | lot of div. cutting tool description: on pallet; | 100.00 |
| © 312 | 1 | lot of div. cutting tool description: on pallet; | 100.00 |
| © 313 | 1 | lot of various journals description: in wooden box; | 100.00 |
| various machine and cutting tools A | | | |
| 314 | 1 | various workplace furniture (with content) description: equipped with 1x filing drawers (4 drawers); dimensions . approx. 430x600x1370mm; 1x workshop cupboard (with content); dimensions . approx. 1000x450x1960mm; equipped with stock; (Loc storage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| © 315 | 1 | workshop order computer HP , Elite, brand: HP ; type: Elite; USB port(s): yes; electric connection: 230 V; description: equipped with keyboard; mouse; computer case; dimensions . approx. 710x630x1660mm; ex! documentation; ex! control computer "Visual Data" at the bottom of the cabinet; (Loc storage); presets with workshop computer | 10.00 |
| 316 | 1 | workbench with drawer cabinet (with content) dimension L: 250 cm; dimension W: 80 cm; dimension H: 94 cm; total dimension L: 2500 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: equipped with wooden worktop; lighting ; chest of drawers with content ; including drilling; Jig-ring; tap holder; hand tool; (Loc storage); | 100.00 |
| 317 | 1 | workbench with drawer cabinet (with content) dimension L: 250 cm; dimension W: 80 cm; dimension H: 94 cm; total dimension L: 2500 mm; total dimension W: 800 mm; total dimension H: 1850 mm; description: equipped with wooden worktop; lighting ; chest of drawers with content ; including drill extension sleeve; tap extension; drilling; cutter heads; buses; ex! plastic containers on the workbench ; (Loc storage) ; | 100.00 |
| 318 | 1 | column swivel arm crane Demag, PK1N-F, year built 1973, serial number 2302405, brand: Demag; type: PK1N- F; year: 1973; serial number: 2302405; hoist capacity: 250 kg; max. hoist height: 2.5 m; arm length: 3000 mm; electric connection: 400 V; description: Column dimensions . approx. 280x280x3500mm; (Loc storage); | 100.00 |
| 319 | 1 | plastic storage bins (with content) description: including end mill; drilling; (loc warehouse); | 10.00 |
| 320 | 1 | plastic storage bins (with content) description: incl. toolbox "Gedore" (with content) ; (Loc storage); | 10.00 |
| 321 | 1 | plane table granite: yes; table size L: 1000 mm; table size W: 600 mm; description: equipped with T-slot; incl. cupboard with content ; ex. accessories in the flat table; (note special. hoisting tools needed to collect, location measurement space); pick from 3rd uitleverdag; | 10.00 |
| 322 | 32 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system and keyless chuck; (Excl. Storage rack); | 750.00 |
| 323 | 32 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system and keyless chuck; (Excl. Storage rack); | 750.00 |
| 324 | 81 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; from one side rack ; (Excl. Storage rack); | 1,500.00 |
| 325 | 1 | steel 2- -sided gereedschappenopslagrek description: dimensions . approx. 195x85x175 cm; equipped with plastic "Tul Kelch" ISO50 containers; (Excl. Tools) (note: pick up after 3rd uitleverdag) ; | 10.00 |
| 326 | 1 | various threaded shank description: longest length approx. 2940 mm; | 10.00 |
| 327 | 74 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; from one side rack ; (Excl. Storage rack); | 1,500.00 |
| 328 | 50 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 69871; description: among other things equipped with Vari Lock system; from one side rack ; (Excl. Storage rack); | 1,500.00 |
| 329 | 1 | steel 2- -sided gereedschappenopslagrek description: dimensions . approx. 195x85x175 cm; equipped with plastic "Tul Kelch" ISO50 containers; (Excl. Tools) (note: pick up after 3rd uitleverdag) ; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 330 | 114 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with Vari Lock system; from one side rack ; (Excl. Storage rack); | 1,500.00 |
| 331 | 118 | various cutter - / drill / tap tool in the tool holder taper ISO: o.a. ISO 50 / DIN 2080; description: among other things equipped with Vari Lock system and keyless chuck; from one side rack ; (Excl. Storage rack); | 1,500.00 |
| 332 | 1 | steel 2- -sided gereedschappenopslagrek description: dimensions . approx. 195x85x175 cm; equipped with plastic "Tul Kelch" ISO50 containers; (Excl. Tools) (note: pick up after 3rd uitleverdag) ; | 10.00 |
| 333 | 9 | various cutter - / drill / tap tool in the tool holder taper ISO: ISO 50 / DIN 2080; description: among other things equipped with air-cooled head; | 250.00 |
| 334 | 46 | various cutter - / drilling tool quick coupling -gereedschaphouder Schmid-Kosta KG, Schmid-Variant, brand: Schmid-Kosta KG; type: Schmid-Variant; description: equipped with one quick coupling recording head, ISO50 / DIN2080; incl. two-storey steel worktable dimensions . approx. 2000x750x860 mm; | 250.00 |
| 335 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with twist drills; of 5 t / m 23.75mm; (Loc storage); | 500.00 |
| 336 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with twist drills; of 24 t / m 37.75mm; (Loc storage); | 500.00 |
| 337 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with twist drills; of 38 t / m 49.5mm; (Loc storage); | 500.00 |
| 338 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with twist drills; of 50 t / m 76mm; (Loc storage); | 500.00 |
| 339 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv cylinder bore; drilling oil passage; Three lips drilling; (Loc storage); | 500.00 |
| 340 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with elongated hole drilling; various carbide drills; (Loc storage); | 500.00 |
| 341 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with reamers; voelerband; (Loc storage); | 500.00 |
| 342 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv various chisels; (Loc storage); | 500.00 |
| 343 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv various machine reamers; (Loc storage); | 500.00 |
| 344 | 1 | Milling tool description: various cutter heads (ca.14x); | 100.00 |
| 345 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv various drill bit / cutter accessories ; (Loc storage); | 500.00 |
| 346 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: vv various stock; various drill bit / cutter accessories ; (Loc storage); | 500.00 |
| 347 | 1 | workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with drilling insert; cutter bits; milling; (Loc storage); | 500.00 |



| Lot | Number Description | Starting Bid € |
|---|---|----------------|
| 348 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with countersink reamers; milling center; flat blades; (Loc storage); | 500.00 |
| 349 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with keyway milling; milling; (Loc storage); | 500.00 |
| 350 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with corner milling cutters; milling; drilling plane; (Loc storage); | 500.00 |
| 351 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with tapping machine; (Loc storage); | 500.00 |
| 352 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with tapping machine; (Loc storage); | 500.00 |
| 353 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with tapping machine; (Loc storage); | 500.00 |
| 354 | 1 workshop drawer (with content) dimension L: 71 cm; dimension W: 71 cm; dimension H: 100 cm; description: equipped with tapping machine; various journals; (Loc storage); | 500.00 |
| © 355 | 1 lot of cutter heads Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: C6; description: from 1 section (6 drawers); (loc warehouse); ex! closet; | 1,000.00 |
| © 356 | 1 lot of cutter heads Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: C6; description: from 1 section (6 drawers + shelf); (loc warehouse); ex! closet; | 1,000.00 |
| © 357 | 1 lot of cutter heads Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: C6; description: from 1 section (6 drawers + shelf); (loc warehouse); ex! closet; | 1,000.00 |
| © 358 | 1 lot of machine tools description: from the first section (9-shelf drawers +); including basic container; fine drill tooling ; cutter heads; (Loc storage); ex! closet; | 1,000.00 |
| © 359 | 1 workshop rack / drawers dimension L: 250 cm; dimension W: 70 cm; dimension H: 201 cm; description: (Loc storage) (pick-up after 3rd uitleverdag); pay attention! exclusive content; | 10.00 |
| various cutting tools and tool holders with rack A | | |
| 360 | 1 workplace jealousy cabinet (with content) dimension L: 100 cm; dimension W: 49 cm; dimension H: 212 cm; description: with content ; including cutter accessories ; various machine accessories ; taps; (Loc storage); | 100.00 |
| 361 | 1 workplace jealousy cabinet (with content) dimension L: 100 cm; dimension W: 49 cm; dimension H: 212 cm; description: with content ; including cutter accessories ; various machine accessories ; tool holder; (Loc storage); | 100.00 |
| © 362 | 1 lot of machine tools description: from the first section (14-shelf drawers +); including tool holder; cutter accessories ; (Loc storage); ex! closet; | 1,000.00 |
| © 363 | 1 lot of machine tools description: from the first section (13 trays); including basic holders; various drilling; (Loc storage); ex! closet; | 1,000.00 |
| © 364 | 1 lot of machine tools description: from the first section (6-trays); including various tool holders ; (Loc storage); ex! closet; | 1,000.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| © 365 | 1 | lot of machine tools description: from the first section (6-trays); including various tool holders ; (Loc storage); ex! closet; | 1,000.00 |
| © 366 | 1 | workshop rack / drawers dimension L: 301 cm; dimension W: 70 cm; dimension H: 201 cm; description: (Loc storage) (pick-up after 3rd uitleverdag); pay attention! exclusive content; various cutting tools and tool holders with rack B | 10.00 |
| 367 | 1 | Personal computer HP , elite, brand: HP ; type: elite; processor model: intel Core i3; hard disk drive (HDD): yes; media card reader: yes; LAN port: yes; brand monitor: HP en ViewSonic; keyboard and mouse: yes; electric connection: 230 V; description: incl. desk; | 10.00 |
| 368 | 1 | mezzanine floor with stair Multi Ratio, year built 2009, brand: Multi Ratio; year: 2009; total dimension L: 6200 mm; total dimension W: 2100 mm; floor height: 2500 mm; lights: yes; wooden floor: yes; with stairs: yes; description: Surface: 14 m ² ; Max. Load 500 kg / m ² ; equipped with safety fence with a wicket door; . excl content ; (Note: pick up after 3rd uitleverdag) ; | 100.00 |
| 369 | 1 | content stock warehouse description: bu 9 sections racking , section dimensions . approx. 1200x600x2250 mm; grab large amount of plastic bins and div. content / stock; (excl. mezzanine and fencing) ; | 100.00 |
| 370 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 371 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 372 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 373 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 374 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 375 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 376 | 1 | rivet drills (incl drawer cabinet) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| 377 | 1 | tap wire / cutting tooling description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| © 378 | 1 | bars (incl. chest of drawers) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| © 379 | 1 | bars (incl. chest of drawers) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| © 380 | 1 | bars (incl. chest of drawers) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| © 381 | 1 | bars (incl. chest of drawers) description: equipped with drawer unit; dimensions . approx. 720x720x1000mm; (Loc storage); | 100.00 |
| © 382 | 1 | various chisel tools (including drawer) description: equipped with drawer unit; dimensions . approx. 710x710x1000mm; (Loc storage); | 100.00 |
| | | 4 cabinets baren and 1 cabinet (baren)chisels | |
| © 383 | 45 | various milling tools in tool box taper ISO: ISO 50 / DIN 2080; description: incl. steel two-storey workshop table dimensions . approx. xxxx mm; | 100.00 |
| © 384 | 29 | div. turning and boring mill tool body description: incl. work table dimensions . approx. 2000x750x860 mm; | 100.00 |
| © 385 | 1 | lot of various machine tools description: incl. work table dimensions . approx. 2000x750x860 mm; | 100.00 |
| © 386 | 35 | various milling tools in tool box taper ISO: ISO 50 / DIN 2080; description: incl. steel two-storey workshop table dimensions . approx. 2000x750x860 mm; | 100.00 |
| © 387 | 1 | lot of various machine tools description: incl. work table dimensions . approx. 2000x610x900 mm; | 100.00 |
| © 388 | 20 | various milling head Sandvik, Coromant Capto, brand: Sandvik; type: Coromant Capto; taper ISO: o.a. C6; description: . including various single bits; div. accessories and second-floor trolley, dimensions . approx. 700x1000x930 mm; | 100.00 |
| | | various machine and cutting tools B | |
| 389 | 1 | lot of various machine parts and accessories description: from 7-sections rack ; incl. 11-section removable storage rack, section dimensions . approx. 1000x500x2000 mm; (Note: pick up after 3rd uitleverdag, on instructions Troostwijk) ; | 100.00 |
| 390 | 1 | workbench (various with content) description: 1x workbench (with cabinet with content); dimensions . approx. 2150x950x920mm; 1x workbench with vise ; dimensions . approx. 2150x950x920mm; incl. all the various on the workbench ; ao pulley-tractor; confirmation of stock; road paint; extension; ex. Top crane remote control + radio (see last two pictures); (Loc storage); | 10.00 |
| 391 | 1 | drawer cabinet (various with content) description: including dimensions . approx. 720x710x1100mm; with content ; including various resistors; various glass fuses; O-rings; various lampvitting; (Loc., Warehouse); | 10.00 |
| 392 | 1 | lot of various machine tools description: on pallet; | 10.00 |
| 393 | 1 | lot of various machine tools description: on pallet; | 10.00 |
| 394 | 1 | various machine parts description: on pallet; | 10.00 |
| 395 | 4 | workshop shelf cupboard dimension L: 100 cm; dimension W: 45 cm; dimension H: 200 cm; description: (local warehouse); | 10.00 |
| 396 | 1 | cable on reel description: (local warehouse); | 10.00 |
| 397 | 150 | various cutter - / drill / tap tool in the tool holder taper ISO: o.a. ISO 50 / DIN 2080; description: incl. 2 steel -sided gereedschappenopslagrek; dimensions . approx. 195x85x175 cm; equipped with plastic "Tul Kelch" ISO50 holders; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|--|--------|--|----------------|
| 398 | 3 | file chest of drawers dimension L: 71 cm; dimension W: 49 cm; dimension H: 136 cm; description: (local warehouse); | 10.00 |
| 399 | 1 | parts cleaner container: yes; total dimension L: 1150 mm; total dimension W: 1100 mm; total dimension H: 1300 mm; description: equipped with drip tray; (Loc., Warehouse); | 10.00 |
| 400 | 1 | double brick grinding machine Creusen, brand: Creusen; double sided: yes; electric connection: 400 V; dimension L: 450 mm; dimension W: 600 mm; dimension H: 1270 mm; description: equipped with disk Ø 300mm; (Loc., Warehouse); | 10.00 |
| 401 | 1 | drawer cabinet (various with content) description: including dimensions . approx. 760x720x1000mm; incl. various in drawers; (Loc., Warehouse); | 10.00 |
| 402 | 1 | tooling diamond grinder Schutte, brand: Schutte; speed from N=: 1100 rpm; speed till N=: 6000 rpm; electric connection: 400 V; description: incl. table with various grinding wheels; (Loc., Warehouse); | 10.00 |
| 403 | 1 | workshop furniture (various) description: ao shelf / tray cabinet (with content); dimensions . approx. 1000x450x1990mm; including various hand tools; various usage means; tapsets; pneumatic tooling ; Incl. 1x revolving dresser; (Loc., Warehouse); | 10.00 |
| © 404 | 1 | lot of various machine transport / fixings description: incl. helical coils; bolts ; nuts ; shims; etc.; incl. 2-section storage rack; | 10.00 |
| © 405 | 1 | lot of various machine transport / fixings description: incl. helical coils; bolts ; nuts ; shims; etc.; incl. 4-section storage rack; | 10.00 |
| © 406 | 1 | lot of various machine transport / fixings description: incl. helical coils; bolts ; nuts ; shims; etc.; incl. 4-section storage rack; | 10.00 |
| various machine transport- and fixing material with racks | | | |
| 407 | 5 | construction lamp Philips, IP65, brand: Philips; type: IP65; gas-discharge lamp: yes; electric connection: 400 V; description: Excl. Lamp; incl. 1 div. construction lamp; | 10.00 |
| 408 | 1 | bar and tube material description: dimensions . Staff approx. Ø60-95x2300-3000 mm; longest length tube approx. 6000 mm; | 10.00 |
| 409 | 3 | various steel oil drip tray description: dimensions . approx. 120x120x30 cm, 80x80x45 cm and 120x80x40 cm; vv galvanized steel gratings; | 10.00 |
| 410 | 2 | steel oil drip tray total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 340 mm; description: vv galvanized steel grating; | 10.00 |
| 411 | 1 | lot of various machine tools description: on 6 pallets and shelf; | 10.00 |
| 412 | 1 | Palletization dismantable: yes; section dim. L: 3370 mm; section dim. W: 700 mm; section dim. H: 2500 mm; number of uprights: 3; number of cross beams: 16; total dimension L: 6600 mm; total dimension W: 700 mm; total dimension H: 2500 mm; description: pay attention! exclusive content at or below the rack ; (Loc warehouse.); (Pick-up after 3rd uitleverdag); | 10.00 |
| 413 | 1 | 20ft storage containers type: CP20; year: 1993; volume: 20 ft (6m); storage container: yes; total dimension L: 6000 mm; total dimension W: 2400 mm; total dimension H: 2600 mm; description: (excl. content) (note: pick up by appointment) ; | 100.00 |
| 414 | 5 | step (various) aluminium: yes; step ladder: yes; access platform: yes; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 415 | 2 step (various) aluminium: yes; step ladder: no; access platform: yes; | 10.00 |
| 416 | 2 step (various) aluminium: yes; step ladder: yes; access platform: yes; total dimension H: 1900 mm; | 10.00 |
| 417 | 1 board staircase Altrex, year built 2008, brand: Altrex; year: 2008; number of steps: 4; aluminium: yes; step ladder: yes; access platform: yes; total dimension L: 1240 mm; total dimension W: 1080 mm; total dimension H: 2200 mm; description: load max. 150 kg; | 10.00 |
| 418 | 1 board staircase Altrex, year built 2008, brand: Altrex; year: 2008; number of steps: 4; aluminium: yes; step ladder: yes; access platform: yes; total dimension L: 1340 mm; total dimension W: 1080 mm; total dimension H: 2200 mm; description: load max. 150 kg; | 10.00 |
| 419 | 1 Mobile platform stairs number of steps: 4; aluminium: yes; step ladder: no; access platform: yes; total dimension L: 1650 mm; total dimension W: 1160 mm; total dimension H: 1860 mm; | 10.00 |
| 420 | 1 stairs number of steps: 3; aluminium: yes; step ladder: yes; access platform: yes; total dimension L: 860 mm; total dimension W: 820 mm; total dimension H: 850 mm; | 10.00 |
| 421 | 7 ramp step (various) aluminium: yes; step ladder: yes; access platform: yes; | 10.00 |
| 422 | 3 staircase (various) Altrex, brand: Altrex; aluminium: yes; step ladder: yes; double: yes; access platform: yes; | 10.00 |
| 423 | 3 ladder (various) aluminium: yes; step ladder: no; single: yes; double: no; access platform: no; description: equipped with 2x hook ladder; including steps 1x 8; | 10.00 |
| 424 | 14 mobile paper roll holder Kimberly-Clark, brand: Kimberly-Clark; | 10.00 |
| 425 | 4 workplace office chair | 10.00 |
| 426 | 1 various socket sets Gedore, brand: Gedore; | 10.00 |
| 427 | 1 Socket Gut systeme, brand: Gut systeme; description: in wooden box; | 10.00 |
| 428 | 1 Socket Gut systeme, brand: Gut systeme; description: in wooden box; | 10.00 |
| 429 | 1 Socket Gut systeme, brand: Gut systeme; description: in wooden box; | 10.00 |
| 430 | 1 lot of various stroke letters | 10.00 |
| 431 | 1 lot of various stroke letters | 10.00 |
| 432 | 1 pin grinding machine with flexible shaft Suhner, DKM4, brand: Suhner; type: DKM4; electric connection: 380 V; description: equipped with inverter; | 10.00 |
| 433 | 1 propane gas shrink gun Ripack, 2200, brand: Ripack; type: 2200; description: equipped with gas tube; | 10.00 |
| 434 | 1 propane gas shrink gun Ripack, 2200, brand: Ripack; type: 2200; description: equipped with gas hose and plastic case ; | 10.00 |
| 435 | 2 air filter for face mask North, Compact Air, brand: North; type: Compact Air; description: in plastic case ; | 10.00 |
| 436 | 1 div. tooling description: ao depth micrometerset; drilling machine and hand lever shear; | 10.00 |
| 437 | 1 lot of caps and div. | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 438 | 7 | various pneumatic tooling description: incl. stroke , oersleutel; angle and straight drilling; sander; | 10.00 |
| 439 | 6 | pneumatic hand grinding machine | 10.00 |
| 440 | 12 | various pneumatic tooling description: incl. stroke , oersleutel; drills; chisels; finger sander; | 10.00 |
| 441 | 3 | industry steps Altrex, brand: Altrex; aluminium: yes; | 10.00 |
| 442 | 2 | industry steps Altrex, brand: Altrex; number of steps: 3; aluminium: yes; | 10.00 |
| 443 | 1 | workplace computer case dimension L: 71 cm; dimension W: 63 cm; dimension H: 166 cm; | 10.00 |
| 444 | 7 | material clamp (various) description: including dimensions . approx. 880x300mm; | 10.00 |
| 445 | 3 | pneumatic tooling (various) description: ao pneumatic angle grinder; | 10.00 |
| 446 | 6 | Pneumatic drilling machine | 10.00 |
| 447 | 6 | pneumatic tooling (various) description: ao pneumatic belt sander ; pneumatic angle grinder; | 10.00 |
| 448 | 9 | pneumatic tooling (various) description: including air gun; | 10.00 |
| 449 | 1 | hydro pack (with accessories) electric connection: 230 V; with remote control (wired): yes; description: equipped with storage trolley; dimensions . approx. 1200x620x900mm; various accessories ; ao hydraulic baler ; hydraulic actuator nut; hydraulic jack; | 10.00 |
| 450 | 1 | hand tools (various) description: including torque wrench; ring key; among others size 80/75/60/54/46 /; incl. table; | 10.00 |
| 451 | 1 | hand tools (various) description: bahco; sledgehammer; ring key; wrench; imbus key; incl. table; | 10.00 |
| 452 | 3 | material support leg description: dimensions . approx. 450x290x650mm; | 10.00 |
| 453 | 3 | material support leg description: dimensions . approx. 400x400x800mm; | 10.00 |
| 454 | 3 | material support leg description: dimensions . approx. 450x290x650mm; | 10.00 |
| 455 | 5 | support trestles (various) description: including dimensions . approx. 600x800x930mm ; | 10.00 |
| 456 | 2 | plane table steel: yes; table size L: 1400 mm; table size W: 800 mm; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 750 mm; | 10.00 |
| 457 | 1 | workshop furniture (various) description: ao workbench with vise ; dimensions . approx. 1000x700x900; 1x mobile workbench / warehouse trolley (with various accessories); | 10.00 |
| 458 | 1 | oil drip tray total dimension L: 2500 mm; total dimension W: 800 mm; total dimension H: 290 mm; description: incl. various snake; | 10.00 |
| 459 | 2 | Warehouse car description: incl. lot of various fasteners; | 10.00 |
| 460 | 6 | support trestles (various) description: including dimensions . approx. 600x800x930mm; (Pick-up after 3rd uitleverdag); | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|---|----------------|
| 461 | 1 magnet drilling machine BDS, MAB 485 SB, year built 2016, brand: BDS; type: MAB 485 SB; year: 2016; drilling capacity: 40 mm; drilling depth: 170 mm; speed from N=: 50 rpm; speed till N=: 450 rpm; power: 1.15 kW; electric connection: 230 V; description: cooled fluid; equipped with a plastic case, and accessories ; | 10.00 |
| 462 | 1 pneumatic scraper Biax, DL40, brand: Biax; type: DL40; max. pressure: 6 bar; description: equipped with filter; | 10.00 |
| 463 | 1 pneumatic nail tacker Hitachi, NR90AD, year built 2008, brand: Hitachi; type: NR90AD; year: 2008; capacity: 90 mm; max. pressure: 8 bar; description: incl. 3 boxes of nail strips; | 10.00 |
| 464 | 1 pneumatic nail tacker Holzher, brand: Holzher; capacity: 130 mm; max. pressure: 8 bar; description: incl. 4 boxes of nail strips; | 10.00 |
| 465 | 4 grease gun | 10.00 |
| 466 | 5 various pneumatic tooling description: incl. . angle grinder ; drills; blow guns; finger sander; | 10.00 |
| 467 | 4 various pneumatic tooling description: incl. pin and angle grinder ; finger sander; | 10.00 |
| 468 | 5 various pneumatic tooling description: incl. . angle grinder ; drills; impact wrench ; finger sander; | 10.00 |
| 469 | 5 various pneumatic tooling description: incl. pin and angle grinder ; drilling machine; | 10.00 |
| 470 | 1 lot of extension reels and -Cables description: in pallet box; | 10.00 |
| 471 | 1 various consumables | 10.00 |
| 472 | 1 Stainless steel barrel on cart | 10.00 |
| 473 | 1 bandoleerset description: incl. barrel hand truck; | 10.00 |
| 474 | 1 laboratory oven Memmert, 200, brand: Memmert; type: 200; chamber dimension L: 400 mm; chamber dimension W: 300 mm; chamber dimension H: 240 mm; digital display: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 400 mm; total dimension H: 600 mm; | 10.00 |
| 475 | 1 gauge for carousel lathes description: length approx. 1350 mm; on trolley; | 10.00 |
| 476 | 1 2-storey warehouse trolley dimension L: 100 cm; dimension W: 70 cm; dimension H: 93 cm; description: vv handlebar; | 10.00 |
| 477 | 1 2-storey warehouse trolley dimension L: 100 cm; dimension W: 70 cm; dimension H: 93 cm; description: vv handlebar; | 10.00 |
| 478 | 1 garage tooling (various) description: ao fan (230 volt); Dremel accessories ; incl. warehouse trolley; | 10.00 |
| 479 | 1 workshop revolving door / drawer (with content) dimension L: 75 cm; dimension W: 72 cm; dimension H: 102 cm; | 10.00 |
| 480 | 1 ruler / bridge beam total dimension L: 3000 mm; total dimension W: 20 mm; total dimension H: 120 mm; description: incl. various accessories ; eg ruler / bridge girder with suitcase; | 10.00 |
| 481 | 8 snag (various) description: various lengths ; | 10.00 |
| 482 | 2 submersible pump (various) electric connection: 230 V; description: equipped with hose; float; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 483 | 1 hoisting tools (various) description: including lifting / eye draaiwartels; slings; single lifting point; Incl. Hijgereedschap pegboard; dimensions . approx. 2010x700x2100mm; | 100.00 |
| 484 | 5 hoisting equator (various) description: including lifting capacity 2520 kg; | 10.00 |
| 485 | 1 lot of foil description: such cover ; of pallet 1; | 10.00 |
| 486 | 1 lot of various lifting equipment description: in wooden box; | 10.00 |
| 487 | 2 construction lamp (various) tripod: yes; description: including dimensions . approx. 1550x300mm ; | 10.00 |
| 488 | 2 lifting magnet (various) description: including lifting capacity: 0.4T; incl. various; | 10.00 |
| 489 | 1 steel manwork bin Mitari, year built 2002, brand: Mitari; year: 2002; load capacity: 300 kg; total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 2300 mm; description: equipped with 4-jump lifting chain; | 10.00 |
| 490 | 1 induction lower heater Wescap, IKAD, brand: Wescap; type: IKAD; electric connection: 230 V; description: max. temp. 110 ° C; equipped with various thicknesses bridges; | 10.00 |
| 491 | 1 hydropack Laco, brand: Laco; operating pressure: 800 bar; electric connection: 380 V; with remote control (wired): yes; | 10.00 |
| 492 | 1 welding fume extraction arm description: in box; | 10.00 |
| 493 | 1 lot of straps and div. description: in pallet box; | 10.00 |
| 494 | 1 various shackles, eyebolts and div. description: in wooden box; | 10.00 |
| 495 | 1 lot of various lifting equipment description: in wooden box; | 10.00 |
| 496 | 1 hoisting tools (various) description: including lifting / eye draaiwartels; slings; D-closure; Incl. Hijgereedschap pegboard; dimensions . approx. 2010x700x2100mm; | 50.00 |
| 497 | 1 hoisting tools (various) description: including double lifting hook with safety clip; swivel hoist; wire rope hoist; double lifting chain ; Just lifting chain ; Incl. Hijgereedschap pegboard; dimensions . approx. 2010x700x2100mm; | 50.00 |
| 498 | 1 lot of various lifting equipment description: in wooden box; | 50.00 |
| 499 | 1 lot of various lifting equipment description: in wooden box; | 50.00 |
| 500 | 1 lifting beam dimension W: 2700 mm; | 10.00 |
| 501 | 1 steel flat ruler / bridge total dimension L: 2000 mm; total dimension W: 80 mm; total dimension H: 200 mm; description: in wooden box; | 10.00 |
| 502 | 1 various consumables description: on pallet; | 10.00 |
| 503 | 1 welding fume extraction system Telöken & Kemper, 97300/2, year built 1996, brand: Telöken & Kemper; type: 97300/2; year: 1996; mobile: yes; boom length: 3000 mm; electric connection: 380 V; description: capacity 3000 m ³ / h; equipped with two articulated arms; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|---|----------------|
| 504 | 1 industrial chip / oil dredger sump tray bagless: yes; description: pay attention! mobile receiving tray; with accessories; | 10.00 |
| 505 | 1 mobile industrial chip / oil dredger Kiekens, CU 501, year built 2007, serial number 3016811, brand: Kiekens; type: CU 501; year: 2007; serial number: 3016811; power: 3000 W; bagless: yes; electric connection: 230 V; description: vv various accessories ; additional mobile receptacle; dimensions . approx. 1660x1000x1500mm; | 50.00 |
| 506 | 1 mobile industrial chip / oil dredger Kiekens, KD 10000, year built 2007, serial number G06900000, brand: Kiekens; type: KD 10000; year: 2007; serial number: G06900000; power: 7500 W; bagless: yes; electric connection: 400 V; description: dimensions . approx. 1400x770x1250mm; | 50.00 |
| 507 | 1 industrial chip / oil dredger sump tray bagless: yes; description: pay attention! mobile receiving tray; with accessories; | 10.00 |
| 508 | 1 ladder (foldable) Altrex, brand: Altrex; number of steps: 11; aluminium: yes; access platform: no; total dimension H: 3450 mm; | 10.00 |
| 509 | 1 ladder (foldable) Altrex, brand: Altrex; number of steps: 11; aluminium: yes; access platform: no; total dimension H: 3450 mm; | 10.00 |
| 510 | 1 ladder (foldable with railing) Altrex, brand: Altrex; number of steps: 8; aluminium: yes; access platform: no; total dimension H: 3000 mm; | 10.00 |
| 511 | 1 lot of various lifting equipment to storage rack description: including slings; -eyes; clamps; etc.; dimensions . rack approx. 200x210 cm; | 100.00 |
| 512 | 9 machine clamping attachment description: incl. pallet various; | 10.00 |
| 513 | 1 lot of various hoisting steel cables description: various capacity and lengths; from storage portal (excl.); | 100.00 |
| 514 | 2 V-block clamping description: dimensions . approx. 540x270x390 mm; | 100.00 |
| 515 | 1 lot of various machine tools description: in 2 pallet boxes; | 10.00 |
| 516 | 1 lot of various mounting hardware description: on 3 pallets; | 10.00 |
| 517 | 1 Steel work boards dimension L: 230 cm; dimension W: 130 cm; dimension H: 110 cm; description: equipped with angle railing; | 10.00 |
| 518 | 1 lot of various brooms and create | 10.00 |
| 519 | 1 lot of various brooms and create | 10.00 |
| 520 | 1 lot of various brooms and create | 10.00 |
| 530 | 1 canteen - inventory description: bu 33 plastic canteen chairs "Plastium" Foglia; 4x table dimensions . approx. 120x70 cm; 4x table dimensions . approx. 70x70 cm; 1x round table; flip-over; wall clock; planter and 4x print List; | 10.00 |
| 531 | 1 refrigerator Whirlpool, BME 1410 A+B, brand: Whirlpool; type: BME 1410 A+B; volume refrigerator: 276 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1400 mm; description: excl. content; | 10.00 |
| 532 | 1 coffee machine Fortune, GTI-40, brand: Fortune; type: GTI-40; description: equipped with fixed water supply and filter; Incl. 2x "Philips kettle; paper cups and creamer sticks; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-------|--|----------------|
| 533 | 1 aed device defibtech, LifeLine, brand: defibtech; type: LifeLine; description: Incl. Stretcher; 2 first aid bags and div.; | 10.00 |
| 534 | 6 5-door locker cabinet dimension L: 148 cm; dimension W: 50 cm; dimension H: 180 cm; description: (note! locked, no keys) ; | 10.00 |
| 535 | 5 div. locker description: incl. waiting bench; (note! locked, no keys) ; | 10.00 |
| © 536 | 1 content office description: bu vertically adjustable desk angle with Pet drop, dimensions . approx. 325 / 100x180 / 60 cm; mobile office; 2x seat; mobile pedestal; 2x steel 2-door tambour door cabinet (m-high and high model); 2x wardrobe and various office Supplies; (Customer must provide space broom clean) ; | 10.00 |
| © 537 | 6 computer monitor HDMI: yes; electric connection: 230 V; description: "Iiyama" and "Viewsonic"; incl. 5x display bracket; 3x keyboard and mouse; "Dymo" labelwriter; | 10.00 |
| © 538 | 3 height-adjustable corner desk corner desk: yes; dimension L: 200 cm; dimension W: 180 cm; height adjustable: yes; pedestal: yes; description: incl. 2x steel 2-door blind door cupboard (m-high model) and whiteboard; (excluding IT equipment) ; | 10.00 |
| © 539 | 2 height-adjustable corner desk corner desk: yes; dimension L: 200 cm; dimension W: 180 cm; height adjustable: yes; pedestal: yes; description: incl. 2x steel 2-door tambour door cabinet (high model) with content and whiteboard; (Excl. IT equipment) ; | 10.00 |
| © 540 | 1 content office description: bu adjustable height corner desk, dimensions . approx. 200 / 100x180 / 60 cm; mobile office; chair; mobile pedestal; steel 2-door tambour door cabinet (high model); (Customer must provide space broom clean) ; | 10.00 |
| © 541 | 2 LED computer monitor ViewSonic, VS13816, year built 2011, brand: ViewSonic; type: VS13816; year: 2011; HDMI: yes; electric connection: 230 V; description: incl. keyboard and mouse; "Dymo" labelwriter and "Rexel" paper shredder; | 10.00 |
| © 542 | 1 content office description: bu corner desk; mobile office chair; conference table; 3x chair; 3x steel 2-door blind door cabinet (low and m-high model); coat rack; whiteboard and print in frame; excl. IT equipment; (customer must deliver room broom clean) ; | 10.00 |
| © 543 | 1 content meeting room description: bu coupled conference table, dimensions . approx. 240x240 cm; 7x seat; 2x various cabinet; desk; coat rack; Wall clock 4x and 2x print List (excl. Fridge) ; | 10.00 |
| © 544 | 1 refrigerator Zanussi, TT160C, brand: Zanussi; type: TT160C; volume refrigerator: 155 l; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 550 mm; total dimension H: 860 mm; | 10.00 |
| © 545 | 1 Laser printer HP, Color Laserjet CP5225, year built 2016, brand: HP; type: Color Laserjet CP5225; year: 2016; color printer: yes; paper size: A3; number of trays: 2; ethernet printer: yes; | 10.00 |
| © 546 | 1 various office Supplies | 10.00 |
| © 547 | 2 computer monitor ViewSonic, VS13816, year built 2011, brand: ViewSonic; type: VS13816; year: 2011; HDMI: yes; electric connection: 230 V; description: incl. keyboard and mouse; | 10.00 |
| © 548 | 1 content office description: bu 2x desk; 2x mobile office chair; 2x mobile drawers; 2x steel 2-door blind door cupboard (m-high and high model); coat rack; and 2x print; excl. IT equipment; (customer must deliver room broom clean) ; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-------|--|----------------|
| © 549 | 1 lot of PPE and first aid stock description: incl. steel 2-door workshop cupboard with helmets; vests; flashlights and first-aid kits; | 10.00 |
| © 550 | 3 portable phone Kenwood , Protalk, brand: Kenwood ; type: Protalk; description: incl. wall cupboard; | 10.00 |
| © 551 | 1 lot of various archive shelving and cabinets description: incl. 17 steel two-door cabinet; 16-scties archive theorem; various personal computers and various ; (Customer must provide space broom clean); office inventory | 10.00 |
| 552 | 1 brandwerende archiefkast Hadak, MOD910, merk: Hadak; type: MOD910; data kluis: ja; brandwerende minuten: 120; met sleutel: ja; totale afmeting L: 800 mm; totale afmeting B: 600 mm; totale afmeting H: 1500 mm; omschrijving: v.v. 9 legborden; | 10.00 |
| 553 | 1 partij pallets en palletranden omschrijving: incl. div. stophout; alles meenemen; | 10.00 |



General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10:10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

About Us Troostwijk

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience