



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Metaalbewerkings machines en gereedschappen (NL) **Metalworking machines and tools**

Ambachtweg 18 - 5731 AG **Mierlo**
(Locatie metaal Mierlo)

Closing date: Thursday **06 JUNE** starting 14:00



Bidding only on the internet!

03-06-19 13.29

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 06 June 2019 Metaalbewerkings machines en gereedschappen

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Thursday 6 June 2019 starting 14:00 CET
Viewing	Tuesday 4 June from 10:00 until 16:00 CET Locatie metaal Mierlo Ambachtweg 18 5731 AG Mierlo, The Netherlands Tuesday 4 June from 10:00 until 16:00 CET Lokatie 2 (29228) Rijt 17 5575 CD Luyksgestel, The Netherlands Tuesday 4 June from 10:00 until 16:00 CET Locatie 3 (29228) Rijksweg 33a 6584 AA Molenhoek, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 Fax: +31 20 6666501 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Monday 17 June from 09:00 until 16:00 CET Locatie metaal Mierlo Ambachtweg 18 5731 AG Mierlo, The Netherlands Monday 17 June from 09:00 until 16:00 CET Lokatie 2 (29228) Rijt 17 5575 CD Luyksgestel, The Netherlands Monday 17 June from 09:00 until 16:00 CET Locatie 3 (29228) Rijksweg 33a 6584 AA Molenhoek, The Netherlands Tuesday 18 June from 09:00 until 16:00 CET Locatie metaal Mierlo Ambachtweg 18 5731 AG Mierlo, The Netherlands Tuesday 18 June from 09:00 until 16:00 CET Lokatie 2 (29228) Rijt 17 5575 CD Luyksgestel, The Netherlands Tuesday 18 June from 09:00 until 16:00 CET Locatie 3 (29228) Rijksweg 33a 6584 AA Molenhoek, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.

www.TroostwijkAuctions.com



Attending an auction closure for consumers

The article of the law "purchase on distance" is not applicable on the services of Troostwijk.

This is a public auction. This means that if you are bidding as a consumer you have the opportunity to attend the closure of the online auction at our offices: **Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.**

You need to be registered on our website if you want to attend the auction closure: www.troostwijkauctions.com. Before attending the auction closing, you must inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.

Payment Details

If you pay per bank transfer, your immediate payment is required, to ensure the funds are in our bankaccount **within 48 hours after the purchase agreement has been sent**. The transfer should be made to one of the following accounts. Please indicate the **auction number** and your **Account ID** with your payment.

Easy and Safe paying?

Please select the option **Pay** on our website, in your [MyTroostwijk account](#) at [My purchases](#) to pay directly and safe with Ideal/Ogone.

Bank	IBAN nr.	Account nr.	BIC code
ING	NL79 INGB	0697311422	INGBNL2A

Attention please: indicate the Sale nr. and your buyer number with your payment!

After your purchase you will receive a **proforma** per email.

Original invoices can be **downloaded** from [MyTroostwijk](#) after having received your payment.

Deliver instructions

The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of

In addition to these Specific Online Auction Terms and Conditions the General



sale	online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	press brake Rogi, WFM2000, year built 2018, brand: Rogi; type: WFM2000; year: 2018; folding length: 2000 mm; max. sheet thickness: 1 mm; machine weight: 530 kg; description: equipped with removable top segments; Max. Clamping adjustment rod 46 mm; max 135 ° bending angle.; (Unused product);	1,000.00
2	1	milling machine brand: Enshu; type: Gosmeta ; number of speeds: 16; speed from N=: 29 rpm; speed till N=: 1500 rpm; electric connection: 400 V; description: free table dimensions . ca.1600x320 mm; ISO50 spindle recording; incl. X / Y table feed;	100.00
3	1	lathe brand: Cazeneuve; type: HB500X1000; number of speeds: 18; speed from N=: 25 rpm; speed till N=: 2000 rpm; engine power: 9 kW; electric connection: 40 V; machine weight: 520 kg; description: axle passage: 45 mm; center height 200 mm; Center length: 1000 mm; Turning diameter: Above the bed: Ø 448 mm; In the recess of the inner bed guides: Ø 500 mm; Above the transverse carriage: Ø 220 mm; Width of the recess for the fixed head: 220 mm; Bed width: 400 mm; loose head: MK 5; Displacement of the transverse support: 280 mm; Displacement of the chisel support: 140 mm; Displacement of the pinole: 150 mm; 73 Automatic by power supplies; 0.009 - 5.6 mm / rev; 73 Automatic transverse power supplies; 1/10 of the Steigung: 0.009 - 5.6 mm / rev; 73 Metric threads: 0.0937 - 56 mm; 73 Whitworth threads: 3/8 - 224 g / 1 "; Motor power: 9 kW / 12 PS; Dim.ca.2405x1175x1295mm;	100.00
4	1	lathe brand: Hembrug; type: DR1; speed from N=: 45 rpm; speed till N=: 4000 rpm; coolant pump: no; electric connection: 400 V; manual present: yes; machine weight: 1200 kg; dimension L: 1600 mm; dimension W: 600 mm; dimension H: 1200 mm; description: equipped with Röhms clamping chuck ; Turn Length: 600 mm; Turning diameter 280 mm over bed; 140 mm over support; Forward spindle: 26 mm; Spindle Power: 1.75 Horse Power;	100.00
5	1	hydraulic universal cylindrical grinder Ribon, RUR500, type: RUR500; distance between centers: 500 mm; digital display: yes; engine power: 3 kW; machine weight: 3500 kg; description: equipped with inner grinding apparatus; ca.12x grindstones; balancing device; radius dresser; grinding diameter up to 270mm diameter.; (Note loading costs € 100, -); (Additional loading costs 100.00)	100.00
6	1	lathe Rogi, WL560X3000, brand: Rogi; type: WL560X3000; turning length: 560 mm; speed from N=: 25 rpm; speed till N=: 1600 rpm; coolant pump: yes; engine power: 7.5 kW; engine power: 8 kW; electric connection: 400 V; manual present: yes; machine weight: 3350 kg; description: (Unused product); equipped with center length: 3000mm; center height: 280mm; passage main spindle: 80mm; bed width: 350mm; Incl. "SINO" 3-axis digital readout; quick coupling tool holder: type "Multifix"; electric brake; 3- clamping chuck 315mm; 4- clamping chuck 400mm; chuck 450mm; fixed and trailing pair of glasses; work lights; (Note loading costs € 150, -); (Additional loading costs 150.00)	5,000.00
7	1	milling machine Rogi, UM1460-II Hoge precisie , type: UM1460-II Hoge precisie ; T-slot fixture table size L: 1500 mm; T-slot fixture table size W: 360 mm; engine power: 4 kW; manual present: yes; machine weight: 2600 kg; description: (Unused product); equipped with vertical milling ISO40; horizontal milling ISO50; 2x 4Q spindle motor; Incl. Collet chuck; 3-axis digital readout; (Note loading costs € 100, -); (Additional loading costs 100.00)	5,000.00
8	1	press brake Schröder, Mak II, year built 1998, serial number 190415, type: Mak II; year: 1998; serial number: 190415; working length: 2000 mm; max. sheet thickness: 3 mm; foot control: yes; CNC control, brand, type: B&R; description: (note! loading costs € 100); (Additional loading costs 100.00)	5,000.00



Lot	Number	Description	Starting Bid €
9	1	punching machine Wiedemann, Centrum 1000/q, serial number 766/338, brand: Wiedemann; type: Centrum 1000/q; serial number: 766/338; capacity: 17 t; max. plate size L: 1000 mm; max. plate size W: 1000 mm; digital display: yes; description: equipped with 20-fold tool-turret; Fanuc CNC control, tyoe system 6m; with hydraulic unit; (Note loading costs € 150, -); (Additional loading costs 150.00)	2,500.00
10	1	guillotine shear Darley, S 2500x4, year built 1991, serial number 111872, brand: Darley; type: S 2500x4; year: 1991; serial number: 111872; cutting length: 2500 mm; max. sheet thickness: 4 mm; electric backgauge: yes; engine power: 8 kW; description: equipped with foot-operated; (Note loading costs € 150, -); (Additional loading costs 150.00)	1,000.00
11	15	welding flange description: concerning new products; outside diameter 285mm; hole size: 170,5mm; thickness: 22.5mm; 8 pieces Holes: 22mm;	10.00
12	1	band saw machine Rogi, CY-350RN Inverter, type: CY-350RN Inverter; engine power: 2 kW; electric connection: 400 V; manual present: yes; machine weight: 595 kg; description: In this respect, new product; cutting capacity round: Ø 260mm; variable speed: 20-80m / min; saw blade dimensions . approx. 2925x27x0.9mm;	1,500.00
13	1	lot of weld bends (ca.70x)	10.00
14	1	band saw machine brand: Belflex; type: BF120SCV; engine power: 1.25 kW; electric connection: 230 V; manual present: yes; machine weight: 595 kg; description: In this respect, new product; cutting capacity round: Ø 122mm; variable speed: 30-80m / min; clamp opening: 125mm; saw blade dimensions . approx. 1440x0,9x20mm;	10.00
15	1	Work cabinet (with content) description: including tensioning tooling ; collets;	10.00
16	1	vario drill milling machine Rogi, WMD20LV, year built 2014, type: WMD20LV; year: 2014; drilling capacity: 20 mm; speed from N=: 20 rpm; speed till N=: 2250 rpm; stepless speedcontrol: yes; engine power: 1 kW; electric connection: 230 V; manual present: yes; description: (Located in the chest); equipped with cross table: dimensions . approx. 700x180mm; Spindle Recording: MK2; milling: max 16mm;. roll milling: 63mm;	400.00
17	1	vario drill milling machine Rogi, WMD30LV, year built 2016, type: WMD30LV; year: 2016; stepless speedcontrol: yes; engine power: 1 kW; electric connection: 230 V; manual present: yes; dimension L: 1100 mm; dimension W: 730 mm; dimension H: 1160 mm; description: (Located in the chest); equipped with cross table: dimensions . approx. 700x180mm; Recording spindle: ISO30;	500.00
18	1	drill tap set brand: Euroboor; type: DTS312; description: this is a new product; 14-part;	10.00
19	1	drill milling machine Rogi, WMD45, year built 2016, type: WMD45; year: 2016; number of speeds: 12; speed from N=: 75 rpm; speed till N=: 3200 rpm; coolant pump: yes; electric connection: 400 V; manual present: yes; dimension L: 900 mm; dimension W: 850 mm; dimension H: 1400 mm; description: (Located in the chest); equipped with spindle recording: ISO30; halogen work lamp; motor milling head adjustable in height; digital depth stop; 3-phase plug CE;	500.00
20	1	industrial grindstone machine brand: Rogi; type: WG150; year: 2016; engine power: 0.5 kW; electric connection: 230 V; manual present: yes; description: (is in box);	10.00
21	1	industrial grindstone machine brand: Rogi; type: WG175; year: 2014; engine power: 0.5 kW; electric connection: 230 V; manual present: yes; description: (is in box);	10.00



Lot	Number	Description	Starting Bid €
22	1	industrial grindstone machine brand: Rogi; type: WG200; year: 2014; engine power: 0.5 kW; electric connection: 230 V; manual present: yes; dimension L: 560 mm; dimension W: 310 mm; dimension H: 290 mm; description: (is in box);	10.00
23	1	industrial grindstone machine brand: Rogi; type: WG250; engine power: 0.9 kW; electric connection: 400 V; manual present: yes; description: this is a new product;	10.00
24	1	lever platform scissors Rogi, HS-500, brand: Rogi; type: HS-500; knife length: 500 mm; max. cutting thickness: 2 mm; description: This relates to a new product;	50.00
25	1	lever platform scissors Rogi, HS-800, brand: Rogi; type: HS-800; knife length: 800 mm; max. cutting thickness: 2 mm; description: (is in box);	50.00
26	1	lever platform scissors Rogi, HS-1000 , brand: Rogi; type: HS-1000 ; knife length: 1000 mm; max. cutting thickness: 2 mm; description: (is in box);	50.00
27	1	universal lathe Rogi, WM250AV-FX750, brand: Rogi; type: WM250AV-FX750; speed from N=: 50 rpm; speed till N=: 2500 rpm; engine power: 1 kW; electric connection: 230 V; description: (Located in the chest); rotary bed diameter above 250mm max.; center to center spacing 750mm max.; equipped with 3- clamping chuck Ø 125mm; automatic longitudinal and cross-feed; gear; a back wall; underlay;	500.00
28	1	universal notcher brand: Rogi; year: 2013; max. cutting thickness: 1.6 mm; description: (is in box); max. length at 90 ° 152x152mm;	10.00
29	1	table drill brand: Eco+plus; type: E+P 20 Laser; drilling capacity: 20 mm; electric connection: 230 V; manual present: yes; description: In this respect, new product; equipped with laser position; keyless drilling head;	10.00
30	1	press brake brand: Rogi; type: WFM1020; folding length: 1020 mm; max. sheet thickness: 2 mm; manual present: yes; machine weight: 300 kg; description: This relates to a new product; equipped with removable top segments; crimpers adjustment up to 46mm.; bending angle max.135 °;	100.00
31	33	gear wheel (various) description: dimensions . approx. 45 to 200mm around;	10.00
32	1	plate roller brand: Rogi; type: HR30P; top roll ? approx.: 30 mm; roll length: 300 mm; description: (Contained in box); roller Capacity: Steel: 1 mm; aluminum: 2mm;	10.00
33	1	rack and pinion press brand: Rogi; type: DDP1; capacity: 1 t; stroke: 120 mm; manually operated: yes; machine weight: 14 kg; description: this is a new product; unloading; 100 mm;	10.00
34	1	rack and pinion press brand: Rogi; type: DDP2; capacity: 2 t; stroke: 190 mm; manually operated: yes; machine weight: 31 kg; description: this is a new product; unloading; 140 mm;	10.00
35	1	Milling tool brand: Rogi; type: WOA75; description: this is a new product; 2-axis milling clamp; jaw width: 75mm; weight: 7.5 kg;	10.00
36	1	Milling tool brand: Rogi; type: WEA75; description: this is a new product; 3-axis milling clamp; jaw width: 75mm; weight 7.5 kg;	10.00
37	1	lever platform scissors brand: Rogi; type: HS-6; knife length: 150 mm; max. cutting thickness: 4 mm; description: This relates to a new product; round steel: 11mm; flat steel: 70x6mm;	10.00



Lot	Number	Description	Starting Bid €
38	1	lever platform scissors brand: Rogi; type: HS-8; year: 2016; knife length: 200 mm; max. cutting thickness: 5 mm; own weight: 17 kg; total dimension L: 500 mm; total dimension W: 160 mm; total dimension H: 450 mm; description: (product is in box); round steel: 11mm; flat steel 70x6mm;	10.00
39	1	lever platform scissors brand: Rogi; type: HS-10; knife length: 250 mm; max. cutting thickness: 6 mm; own weight: 28 kg; description: (is in box); round steel: 13mm; flat steel: 70x6mm;	10.00
40	1	lever platform scissors brand: Rogi; type: HS-12; knife length: 300 mm; max. cutting thickness: 6 mm; own weight: 32 kg; description: (is in box); round steel: 13mm; flat steel: 70x6mm;	10.00
41	1	universal lathe Rogi, WM250AV-F, year built 2017, type: WM250AV-F; year: 2017; speed from N=: 50 rpm; speed till N=: 2500 rpm; engine power: 1 kW; electric connection: 230 V; manual present: yes; dimension L: 1250 mm; dimension W: 570 mm; dimension H: 570 mm; description: (Product box); rotary bed diameter above 250mm max.; center to center spacing 550mm max.; equipped with 3- clamping chuck Ø 125mm; automatic longitudinal and cross-feed; gear; a back wall; underlay;	500.00
42	1	vario drill milling machine Rogi, WMD25LV, year built 2016, type: WMD25LV; year: 2016; drilling capacity: 25 mm; speed from N=: 20 rpm; speed till N=: 2250 rpm; stepless speedcontrol: yes; engine power: 1 kW; electric connection: 230 V; manual present: yes; dimension L: 710 mm; dimension W: 730 mm; dimension H: 910 mm; description: (Product is in box); equipped with cross table: dimensions . approx. 700x180mm; Spindle Recording: MK3; milling: max 16mm;. roll milling: 63mm;	500.00
43	1	cross table brand: Rogi; type: LCT180; description: In this respect, new product; table dimensions . approx. 185x100mm; X movement: 85mm; Y displacement: 55mm;	10.00
44	1	cross table brand: Rogi; type: LCT225; description: In this respect, new product; table dimensions . approx. 225x175; X displacement: 120mm; Y displacement: 110mm;	10.00
45	1	cross table brand: Rogi; type: LCT330; description: In this respect, new product; table dimensions . approx. 330x220mm; X displacement: 210mm; Y displacement: 125mm;	10.00
46	1	Drilling tools Rogi, LCT425, brand: Rogi; type: LCT425; description: (Contained in box); table dimensions . approx. 430x240mm; X displacement: 225mm; Y displacement: 160mm; Weight: 43kg;	100.00
47	1	Drilling tools Rogi, LCT600, brand: Rogi; type: LCT600; description: (Contained in box); table dimensions . approx. 600x240mm; X displacement: 370mm; Y displacement: 130mm; Weight: 52kg;	100.00
48	1	band saw machine Rogi, CY275A, brand: Rogi; type: CY275A; speed from N=: 36 rpm; speed till N=: 72 rpm; engine power: 2 kW; electric connection: 400 V; manual present: yes; machine weight: 200 kg; dimension L: 1380 mm; dimension W: 580 mm; dimension H: 890 mm; description: hand-operated hydraulic sagging sawing machine; (Boxed product); equipped with cutting capacity round: Ø 225mm; saw blade dimensions . approx. 2480x27x0.9mm;	500.00
49	8	vibrating foot brand: Rogi; type: MF80; description: this is a new product; Ø 80 mm;	10.00
50	8	vibrating foot brand: Rogi; type: MF120; description: this is a new product; Ø 120 mm;	10.00
51	8	vibrating foot brand: Rogi; type: MF160; description: this is a new product; Ø 160 mm;	10.00



Lot	Number	Description	Starting Bid €
52	1	roller conveyor brand: Rogi; type: RS 1000; roll conveyor size L: 1000 mm; description: (Contained in box); equipped with height adjustment: 650-950mm; cap.500kg;	10.00
53	1	roller conveyor brand: Rogi; type: RS 2000; roll conveyor size L: 2000 mm; description: (Contained in box); equipped with height adjustment: 650-950mm; cap.700kg;	10.00
54	1	lot of poeli / pulleys (ca.35x) description: including 6x 5-fold pulley Ø 320 mm;	10.00
55	1	clamping tools description: dim. approx. Ø 630mm; weight ca.75kg;	10.00
56	1	lot of basket mower blades (ca.155 pcs) description: incl. 100 pieces include knives; 55 pieces upper-knives;	10.00
57	1	couplings (4 sets) description: equipped with hole diameter 38mm; height per section: 140mm;	10.00
58	1	lathe Sieg, SC3, type: SC3; turning length: 400 mm; speed from N=: 100 rpm; speed till N=: 2500 rpm; engine power: 1 kW; electric connection: 230 V; manual present: yes; machine weight: 60 kg; description: This relates to a new product; above bed turn Ø 180 mm; passage main spindle: 20 mm; spindle recording: MK3; loose head MK2; cross displacement: 65 mm; metric thread cutting: 0.4-2.0mm;	500.00
59	1	vario rotary cutter COMBINATION Weiss , WMP250VX750, brand: Weiss ; type: WMP250VX750; turning length: 750 mm; speed from N=: 50 rpm; speed till N=: 2000 rpm; electric connection: 230 V; manual present: yes; description: (Product box); equipped with upper bed of rotation Ø 250mm; spindle bore: 26 mm; MK2 milling head; spindle drilling milling head with variable speed;	1,000.00
60	1	band saw machine brand: Rogi; type: WS135GV; electric connection: 230 V; manual present: yes; description: In this respect, new product; equipped with hydraulic sagging saw; cutting capacity Ø 150mm; Incl. Saw blade; Cabinet Stand; cooling System;	100.00
61	5	plain bearing bushing set brand: Pom; type: EBOXA 16060; description: dimensions . approx. 160x60mm;	10.00
62	1	boron milling machine brand: Sieg; type: SX1P; stepless speedcontrol: no; electric connection: 230 V; manual present: yes; description: In this respect, new product; equipped with HiTorque motor;	100.00
63	1	settee (mini) brand: Rogi; type: HB300; folding length: 300 mm; max. sheet thickness: 2 mm; manual present: yes; description: this is a new product;	10.00
64	1	block basin brand: Röhm; description: This relates to a new product; equipped with three-piece;	10.00
65	1	band saw machine Rogi, WS250A, type: WS250A; electric connection: 400 V; manual present: yes; description: In this respect, new product; equipped with hydraulic sagging saw; cutting capacity Ø 250mm; Incl. Saw blade; Cabinet Stand; cooling system; 1000mm roller conveyor;	1,000.00
66	1	workshop chest of drawers total dimension L: 1000 mm; total dimension W: 670 mm; total dimension H: 380 mm;	10.00
67	1	plate roller Rogi, PR1000, type: PR1000; capacity length: 1000 mm; max. sheet thickness: 3 mm; top roll ? approx.: 95 mm; engine power: 2 kW; electric connection: 400 V; manual present: yes; description: This relates to a new product; equipped with hardened rollers HRC48-52;	1,500.00



Lot	Number	Description	Starting Bid €
68	1	boron milling machine Sieg, X3L, serial number 60061, type: X3L; serial number: 60061; number of speeds: 2; speed from N=: 100 rpm; speed till N=: 2000 rpm; T-slot fixture table size L: 700 mm; T-slot fixture table size W: 160 mm; engine power: 1 kW; electric connection: 230 V; dimension L: 870 mm; dimension W: 600 mm; dimension H: 890 mm; description: drilling capacity: 16-25-50mm; equipped with manual; guard; various accessories ; variable speed control;	500.00
69	1	drill tools brand: Rogi; description: this is a new product; 19-part;	10.00
70	1	Milling tool description: beak width: 130mm; beak opening max.115mm; overall dimensions . approx. 400x270x140mm; (Unused product);	10.00
71	1	distribution head with counter center brand: Tos; description: long cutter mandrels; ISO 50 with support bearings;	10.00
72	1	work lamp brand: Dazor; type: Usa; electric connection: 230 V; description: foot dimensions . approx. 250x180mm; equipped with 2x15watt; pay attention! paint damage ;	10.00
73	1	oil grease gun description: vv accessories;	10.00
74	1	radial drilling machine Rogi, MRD3207P, year built 2016, type: MRD3207P; year: 2016; drilling capacity: 32 mm; number of speeds: 8; speed from N=: 100 rpm; speed till N=: 1600 rpm; coolant pump: yes; engine power: 1 kW; electric connection: 400 V; manual present: yes; machine weight: 500 kg; description: This relates to a new product; equipped with onderzet cabinet; tap cap.20mm (cast iron); 16mm (steel); column Ø 150mm; unloading 300-700mm; MK3 spindle recording; spindle stroke: 130mm; spindle feed: 0.08 / 0.14 / 0.23mm / rev; distance spindle-base: 275-680mm; cube dimensions . approx. 250x250x250mm;	1,500.00
75	1	drilling grinding machine Rogi, DG13A, type: DG13A; speed till N=: 5300 rpm; electric connection: 230 V; manual present: yes; machine weight: 10 kg; description: This relates to a new product;	100.00
76	1	grinding brush machine brand: Rogi; type: WG200S; year: 2014; speed till N=: 2950 rpm; engine power: 0.9 kW; electric connection: 230 V; manual present: yes; machine weight: 27 kg; dimension L: 580 mm; dimension W: 310 mm; dimension H: 290 mm; description: (Contained in box); equipped with grinding wheel dimensions . approx. 200x32x32mm; 200x20x32mm;	10.00
77	1	polishing machine brand: Rogi; speed till N=: 2950 rpm; engine power: 0.9 kW; electric connection: 230 V; manual present: yes; machine weight: 19 kg; description: (Contained in box); equipped with grinding wheel dimensions . approx. 200x20x16mm;	10.00
78	1	polishing machine brand: Rogi; speed till N=: 2950 rpm; engine power: 0.9 kW; electric connection: 230 V; manual present: yes; machine weight: 19 kg; description: (Contained in box); equipped with grinding wheel dimensions . approx. 200x20x16mm;	10.00
79	1	turning tool description: This relates to a new product; equipped with 8x8mm incl. swap plates mounted in wooden box;	10.00
80	1	turning tool description: This relates to a new product; equipped with 10x10mm incl. swap plates mounted in wooden box;	10.00
81	1	turning tool description: This relates to a new product; equipped with 12x12mm; incl. change plates mounted in wooden box;	10.00
82	1	turning tool description: This relates to a new product; equipped with 16x16mm; incl. change plates mounted in wooden box;	10.00



Lot	Number	Description	Starting Bid €
83	1	turning tool description: This relates to a new product; equipped with 20x20mm; incl. change plates mounted in wooden box;	10.00
84	1	turning tool description: This relates to a new product; equipped with co-rotating center; MK2;	10.00
85	1	turning tool description: This relates to a new product; equipped with co-rotating center; MK3;	10.00
86	1	turning tool description: This relates to a new product; equipped with co-rotating center; MK4;	10.00
87	1	turning tool description: This relates to a new product; equipped with co-rotating center; MK5;	10.00
88	1	turning tool description: This relates to a new product; equipped with co-rotating center; MK6;	10.00
89	1	lot of grinding wheels	10.00
90	1	lathe Rogi, WL560X2000, type: WL560X2000; turning ? : 560 mm; speed from N=: 25 rpm; speed till N=: 1600 rpm; coolant pump: yes; engine power: 8 kW; electric connection: 400 V; manual present: yes; machine weight: 2750 kg; description: This relates to a new product; equipped with center distance: 2000mm; center height: 280mm; passage main spindle: 80mm; bed width: 350mm; Incl. "SINO" 3-axis digital readout; quick coupling tool holder: type "Multifix"; electric brake; 3- clamping chuck 315mm; 4- clamping chuck 400mm; chuck 450mm; fixed and trailing pair of glasses; work lights; (Note loading costs € 150, -); (Additional loading costs 150.00)	5,000.00
91	1	grinding machine brand: Greiff; type: D2; engine power: 0.55 kW; electric connection: 400 V;	10.00
92	1	oil stove brand: Kongslide; type: AT-302;	10.00
93	1	fan description: power: 7.5 kW;	10.00
94	1	lot of PPE description: including gas masks; dust masks; eye protection;	10.00
95	1	vario lathe Sieg, SC6-550, type: SC6-550; turning length: 550 mm; speed from N=: 125 rpm; speed till N=: 2000 rpm; engine power: 1 kW; electric connection: 230 V; manual present: yes; machine weight: 180 kg; description: equipped with fixed MK3 head; loose MK2 head; clamping chuck Ø 220mm; max.spil Ø 20mm; displacement cross slide: 110mm; sliding distance: 75mm; hardened bed; (Not used product);	500.00
96	1	milling machine Sieg, SX2L, type: SX2L; number of speeds: 2; speed from N=: 100 rpm; speed till N=: 2500 rpm; T-slot fixture table size L: 460 mm; T-slot fixture table size W: 120 mm; engine power: 1 kW; manual present: yes; machine weight: 50 kg; description: This relates to a new product; equipped with HiTorque motor; cap.max drill. 16mm; Max. cutter capacity: 20mm; finger cutter capacity: 35mm; traverse: 130mm; longitudinal travel: 300mm; max.afstand spindle-table: 300mm; Recording: MK3;	250.00
97	1	hand hydraulic pallet truck brand: Rema; lifting capacity: 2000 kg; fork length: 1150 mm; description: pay attention! underlying bars are crooked;	10.00
98	1	lot of pneumatic couplings description: including compression fittings; plug-in couplings ; ball valves;	10.00
99	1	lathe brand: Lorch; type: B-7; year: 1953; turning length: 500 mm; turning ? : 240 mm; speed till N=: 1500 rpm; machine weight: 200 kg; description: equipped with loose MK3 head; loose stroke cup: 80mm; clamping chuck Ø 125mm;	100.00



Lot	Number	Description	Starting Bid €
100	1	measuring bench brand: Stiefelmayer; type: Mr 1030; year: 1995; serial number: M1470583; measuring range from: 1500 mm; measuring range till: 600 mm; description: height 700 mm; exvl. control; (loc luyks gear);	100.00
101	1	workbench with vice dimension L: 125 cm; dimension W: 75 cm; dimension H: 95 cm; description: equipped with six drawers; vise clamp width: 100mm;	10.00
102	2	corner sealer with shrink tunnel Wraps UK Limited, EKL-455MT, year built 2011, brand: Wraps UK Limited; type: EKL-455MT; year: 2011; electric connection: 400 V; own weight: 450 kg; description: (Molenhoek loc);	1,000.00
103	1	coordinate drilling machine Sip, Hydroptic-6A, type: Hydroptic-6A; drilling capacity: 60 mm; number of speeds: 18; speed from N=: 40 rpm; speed till N=: 2000 rpm; drilling depth: 300 mm; machine weight: 12500 kg; description: equipped with work table: dimensions . approx. 1100x842mm; displacement X / Y / Z: 1000x700x800mm; Workpiece weight max.1000kg; MK4 spindle recording; drilling spindle diameter 135mm; Column dimensions . approx. 1100mm; spindle worktable dimensions . approx. 900mm; (Note loading costs € 500, -); (Additional loading costs 500.00)	1,000.00
104	1	line sealer with shrink tunnel Maripak, brand: Maripak; own weight: 1000 kg; total dimension L: 3200 mm; total dimension W: 1500 mm; total dimension H: 1900 mm; description: (Molenhoek loc);	500.00
105	1	automatic corner sealer with shrink tunnel Kalfass, Universa 400, year built 2006, brand: Kalfass; type: Universa 400; year: 2006; electric connection: 400 V; own weight: 1000 kg; description: hoeksealer dimensions . approx. 2000x1600x1400mm; shrink tunnel dimensions . approx. 1700x1300x1200mm; (Loc Molenhoek);	1,500.00
106	1	lap machine Hahn&Kolb, brand: Hahn&Kolb; description: incl. accessories; (note! loading costs € 150) (loc luyksgestel); (Additional loading costs 150.00)	1,000.00
107	1	surface grinder brand: ABA; type: FFU1000/60; year: 1984; working range: 1000 mm; table size L: 1000 mm; table size W: 600 mm; distance table / spindle: 900 mm; speed till N=: 2500 rpm; magnetic fixture plate size: 1000 mm; control, brand, type: Sony; engine power: 32 kW; machine weight: 5000 kg; dimension L: 5100 mm; dimension W: 3300 mm; dimension H: 2600 mm; description: vv various accessories ; hydraulic longitudinal displacement: 3-35m / min; (Loc luyksgestel); (Note loading costs € 500, -); (Additional loading costs 500.00)	1,000.00
108	1	filter extraction system brand: Infastaub;	10.00
109	1	extractor fan for grinding machine brand: kiekens; type: D-1221; description: (loc luyks gear);	10.00
110	2	exhaust fan capacity: 3000 m³/hr; electric connection: 400 V;	10.00
111	1	tool trolleys brand: Stahlgruppe; type: Greyline; number of drawers: 7; with content: yes; total dimension L: 790 mm; total dimension W: 460 mm; total dimension H: 970 mm; description: equipped with castors; key;	100.00
112	1	automatic corner sealer Kalfass, Universa 400, year built 2005, brand: Kalfass; type: Universa 400; year: 2005; electric connection: 400 V; own weight: 1000 kg; description: pay attention! lacks rear door; (Molenhoek loc);	800.00



Lot	Number	Description	Starting Bid €
113	1	belt sander brand: Weiss/Tixit; type: WBG75; year: 2011; sand belt size L: 2000 mm; sand belt size W: 75 mm; electric connection: 400 V; manual present: yes; dimension L: 1150 mm; dimension W: 650 mm; dimension H: 670 mm; description: belt speed: 33 m / sec; (is in box);	10.00
114	7	turning tool description: This relates to a new product; equipped with co-rotating center; MK4;	10.00
115	1	valve sharpener brand: Malte Manson;	10.00
116	1	CNC Milling Machine brand: Hembrug; type: Mikroturn cnc; year: 1995; speed from N=: 50 rpm; speed till N=: 3000 rpm; engine power: 8.5 kW; electric connection: 380 V; manual present: yes; machine weight: 6000 kg; dimension L: 2675 mm; dimension W: 1300 mm; dimension H: 2200 mm; description: free rotation diameter above 310mm plast work; x 170mm above-carriage; turning length up to 250mm; control absent; equipped with hydraulic unit; Schimpme cooling unit;	1,000.00
117	1	brake drum lathe brand: Drum Dokter; type: B-500;	10.00
118	1	Welding machine brand: SAF; type: Safarc H 400; electric connection: 400 V; description: max 400amp;	10.00
119	1	milling machine Tos, FNK25, year built 1981, brand: Tos; type: FNK25; year: 1981; travel x-axis: 800 mm; travel y-axis: 370 mm; travel z-axis: 450 mm; speed from N=: 56 rpm; speed till N=: 4500 rpm; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 250 mm; engine power: 3 kW; electric connection: 400 V; manual present: yes; machine weight: 2000 kg; description: spindle mounting: SK40 with Heidenhain Positip measuring system (4 axis); discharge: 200-750mm; distance spindle table: 10-460 mm;	500.00
120	1	exhaust fan brand: kiekens; type: LPE-5;	10.00
121	1	milling machine Abene, VHF-3, year built 1981, brand: Abene; type: VHF-3; year: 1981; travel x-axis: 750 mm; travel y-axis: 275 mm; travel z-axis: 500 mm; speed from N=: 44 rpm; speed till N=: 2200 rpm; T-slot fixture table size L: 1000 mm; T-slot fixture table size W: 200 mm; engine power: 3 kW; electric connection: 400 V; manual present: yes; machine weight: 1750 kg; description: equipped with capacity ISO40; rapid traverse: 3m / min; incl. free terminal and guard;	500.00
122	1	lathe (vario) Rogi, WM180V, type: WM180V; speed till N=: 2500 rpm; engine power: 1 kW; electric connection: 230 V; description: (Located in the chest); equipped with rotary bed diameter above 180mm max.; center distance 300mm max.; incl. 3- clamping chuck : Ø 100mm; a back wall; underlay; incl. diverse tools and gears;	250.00
123	1	lathe Leinen, LZ4S, type: LZ4S; turning length: 500 mm; number of speeds: 24; speed from N=: 13 rpm; speed till N=: 3135 rpm; machine weight: 520 kg; description: equipped with spindle nose: M45 Din800; tool dimensions . approx. 16x16mm; spindle bore: 25 mm; upper bed of rotation Ø 260mm; incl. accessories ;	500.00
124	1	Milling tool brand: Rogi; description: draaibeijselset; dimensions . approx. 25x25mm; 7 pieces; (Contained in box);	10.00
125	1	sawing machine brand: Butterfly; type: 14; serial number: 646; electric connection: 400 V; dimension L: 520 mm; dimension W: 470 mm; dimension H: 1030 mm;	10.00
126	1	hand hydraulic pallet truck brand: BT ; lifting capacity: 700 kg; fork length: 1150 mm;	10.00



Lot	Number	Description	Starting Bid €
127	1	tooling grinding machine brand: Kuhlmann; type: K500; speed till N=: 6000 rpm; machine weight: 500 kg; dimension L: 1550 mm; dimension W: 1200 mm; dimension H: 1400 mm; description: 1x very fine pooled; 1 x sine table Jung water cooled clamping surface; Grinding horizontal Diameter: 250 mm, vertical: 450 mm; distance points: 650 mm; longitudinal displacement: 500 mm; rotatable grinding head horizontal / vertical angle: 360 °; rate - up to 6000 rev / min;. surface area approx. 900 x 120 mm; incl. accessories;	100.00
128	1	Frezenset description: milling set; Ø 3-16 mm;	10.00
129	1	Frezenset description: milling set; Ø 3-16 mm;	10.00
130	1	Frezenset description: milling set; Ø 3-20mm; 20 parts;	10.00
131	1	case sealer brand: Siat; type: S8/4-S; year: 2011; max. size: 500 mm; max. size B: 500 mm; electric connection: 400 V; description: equipped with manual adjustments for Box dimensions; 2 pieces of tape units, type K 11R (50 mm tape); adjustable working height : from 600 to 850 mm (without the castor wheels will be placed all below 100 mm); including box dimensions: 150x105x90 mm; (Loc molenhoek);	100.00
132	1	drilling machine brand: Topcraft; number of speeds: 9; speed from N=: 280 rpm; speed till N=: 2350 rpm; engine power: 0.5 kW; electric connection: 230 V; dimension L: 200 mm; dimension W: 430 mm; dimension H: 600 mm; description: vv drilling head : 1,5-16mm;	10.00
133	1	engine stand brand: Winntec; own weight: 400 kg;	10.00
134	1	double stone grinding machine brand: HBM; type: SD250L; grinding wheel ? : 260 mm; grinding wheel thickness: 30 mm; electric connection: 230 V;	10.00
135	5	diamond saw blade brand: Eco+plus; description: Ø 115 mm; (unused product);	10.00
136	1	milling machine description: equipped with two pieces of pinion-clocks and 1 piece klokkenronselfreesmachine; 1 st machine size: 750x350x350mm; 2nd machine size: 800x400x400mm; 3rd machine (klokkenronsel milling machine) dimension: 300x460x250mm; incl. connecting cables and required distribution disks;	100.00
137	1	tool trolleys brand: Stahlgruppe; number of drawers: 7; with content: yes; total dimension L: 790 mm; total dimension W: 460 mm; total dimension H: 970 mm; description: equipped with castors; key;	100.00
138	1	workbench with vise (with content) dimension L: 200 cm; dimension W: 80 cm; dimension H: 83 cm; description: equipped with 12 trays; including locking pliers; poeli-tractors; grease gun; hammers; brushes; wire brush; incl. various;	10.00
139	5	diamond saw blade brand: Belflex; description: Ø 115 mm; (unused product);	10.00
140	5	diamond saw blade brand: Eco+plus; description: Ø 115 mm; (unused product);	10.00
141	1	turning tool brand: Assorts; description: machine clamp ; clamping width: 60mm; (Not used product);	10.00
142	1	drill tools brand: Soba; description: 3-way drill clamp; 60 mm; (unused product);	10.00
143	1	machine tools brand: Soba; description: machine clamp ; 50mm; (Unused product);	10.00



Lot	Number	Description	Starting Bid €
144	1	machine tools brand: Soba; description: machine clamp ; 125mm; (Unused product);	10.00
145	1	machine tools brand: Soba; description: machine clamp ; 70mm; (Unused product);	10.00
146	1	machine tools brand: Soba; description: machine clamp ; 75mm; (Unused product);	10.00
147	1	machine tools brand: Soba; description: machine clamp ; 100mm; (Unused product);	10.00
148	1	machine tools brand: Soba; description: machine clamp ; 125mm; (Unused product);	10.00
149	1	machine tools brand: Soba; description: machine clamp ; 150mm; (Unused product);	10.00
150	1	machine tools brand: Soba; description: distribution plate set for 200mm distribution table; (unused product);	10.00
151	1	machine tools brand: Soba; description: distribution plate set for 100-150mm distribution table; (unused product);	10.00
152	1	machine tools brand: Soba; description: 3-way precision drill clamp; 90 mm; (unused product);	10.00
153	1	measuring equipment brand: Mitutoyo; description: equipped with suitcase; including outside micrometer;	10.00
154	1	drill tools brand: Soba; description: drill cone ejector; MK3; (unused product);	10.00
155	1	drill tools brand: Soba; description: drill cone ejector; MK4; (unused product);	10.00
156	1	drill tools brand: Soba; description: drill cone ejector; MK5; (unused product) ;	10.00
157	1	machine tools brand: Soba; description: distribution table: 6 " / 150mm; (unused product);	10.00
158	1	machine tools brand: Soba; description: Magic Vise: 4 " / 100mm; (unused product);	10.00
159	1	machine tools brand: Soba; description: Magic Vise: 3 " / 75mm; (unused product);	10.00
160	1	machine tools brand: Assorts; description: round clamp for distribution table: 100mm; (unused product);	10.00
161	1	Measuring clock brand: Gomet; description: equipped with box;	10.00
162	1	workshop drawer (with content) total dimension L: 760 mm; total dimension W: 520 mm; total dimension H: 1310 mm; description: equipped with 11 trays; with content ; for example machine tools; clamping tools;	100.00
163	1	machine tools brand: Assorts; description: round clamp for distribution table: 75mm; (unused product);	10.00
164	1	collet chuck Ortlieb, KSF 40Z, brand: Ortlieb; type: KSF 40Z; description: Suitable for pressure collets type F 48 / OZ 612; approx. 16x collets; (Unused product);	100.00
165	1	Fast pantang holder Ortlieb, SSF 60/6, brand: Ortlieb; type: SSF 60/6; description: Suitable for pressure collets according to DIN6343; type : 185 E / OZ 797; span: 4-60mm; Flange Ø 170mm; approx. 23x; (Unused product);	100.00
166	1	machine tools brand: Assorts; description: tiltable distribution table: 100mm; (unused product);	10.00



Lot	Number	Description	Starting Bid €
167	1	machine tools brand: Assorts; description: distribution table: 75mm; (unused product);	10.00
168	1	table drill brand: Eco+Plus; type: E-P 16/12 Basic; description: (is in box);	10.00
169	1	table drill brand: Eco+Plus; type: E-P 20/12 Basic; description: (unused product; is in box);	10.00
170	1	grinding and grinding machine/ belt sander brand: Eco+Plus; type: E+P 200/100; description: (unused product; in box);	10.00
171	1	air compressor brand: Belflex; type: F3000/6; capacity: 8 bar; power: 0.5 kW; buffer tank content: 6 l; electric connection: 230 V; own weight: 8 kg; total dimension L: 350 mm; total dimension W: 270 mm; total dimension H: 510 mm; description: (unused product);	10.00
172	1	machine tools brand: Rogi; description: drill clamp; jaw width: 75mm; (unused product);	10.00
173	1	machine tools brand: Rogi; description: drill clamp; jaw width: 125mm; (unused product);	10.00
174	1	machine tools brand: Rogi; description: drill clamp; jaw width: 150mm; (unused product);	10.00
175	1	machine tools brand: Rogi; description: drill clamp; jaw width: 100mm; (unused product);	10.00
176	1	machine tools brand: Rogi; description: drill clamp; jaw width: 200mm; (unused product);	10.00
177	1	machine tools brand: Rogi; description: drill clamp; jaw width: 100mm; (unused product);	10.00
178	1	machine tools brand: Rogi; description: drill clamp; jaw width: 140mm; (unused product);	10.00
179	1	machine tools brand: Rogi; description: drill clamp; jaw width: 200mm; (unused product);	10.00
180	1	machine tools brand: Rogi; type: WV-60; description: welding clamp; jaw width: 60mm; (unused product);	10.00
181	1	machine tools brand: Rogi; type: WV-100; description: welding clamp; jaw width: 100mm; (unused product);	10.00
182	1	machine tools brand: Rogi; type: MVB-100; description: welding clamp; jaw width: 100mm; (unused product);	10.00
183	1	machine tools brand: Rogi; type: MVB-125; description: milling clamp; jaw width: 125mm; (unused product);	10.00
184	1	machine tools brand: Rogi; type: MVB-150; description: milling clamp; jaw width: 150mm; (unused product);	10.00
185	1	lubricants brand: Pro1one; type: XPL 101; description: lubricating and crawling oil;	10.00
186	1	Machine Tool Assorts, brand: Assorts; description: distribution table; 110 mm; (unused product);	10.00
187	1	machine tools brand: Assorts; description: 3-way clamp; (unused product);	10.00
188	1	turning tool brand: Multi point 7; description: co-rotating center: MK2; (unused product);	10.00
189	1	turning tool brand: Multi point 7; description: co-rotating center: MK3; (unused product);	10.00



Lot	Number	Description	Starting Bid €
190	1	machine tools brand: Assorts; description: Quick change tool; equipped with four shuttles; center height of 90 t / m 115mm; 58x58x27mm (unused product);	10.00
191	1	turning tool brand: Widia; description: turning tool set (6-piece); 8x8mm; (unused product);	10.00
192	1	turning tool brand: Widia; description: turning tool set (11-piece); 8x8mm; (unused product);	10.00
193	1	turning tool brand: Widia; description: turning tool set (6-piece); 10x10mm; (unused product);	10.00
194	1	turning tool brand: Widia; description: turning tool set (11-piece); 10x10mm; (unused product);	10.00
195	1	turning tool brand: Widia; description: turning tool set (6-piece); 12x12mm; (unused product);	10.00
196	1	turning tool brand: Widia; description: turning tool set (11-piece); 12x12mm; (unused product);	10.00
197	1	turning tool brand: Widia; description: turning tool set (11-piece); 16x16mm; (unused product);	10.00
198	1	turning tool brand: Widia; description: free container; MK2; incl. 8x springloaded chuck ; (Unused product);	10.00
199	1	turning tool brand: Widia; description: free container; MK3; incl. 8x springloaded chuck ; (Unused product);	10.00
200	1	turning tool brand: Widia; description: free container; ISO40; incl. 6x springloaded chuck ; (Unused product);	10.00
201	1	turning tool brand: Widia; description: free container; ISO40; incl. 12x springloaded chuck ; (Unused product);	10.00
202	1	clamping tools description: SPW8 clamping tools ; M8; 52-piece; (Unused product);	10.00
203	1	clamping tools description: SPW10 clamping tools ; M10; 52-piece; (Unused product);	10.00
204	1	clamping tools description: SPW12 clamping tools ; M12; 52-piece; (Unused product);	10.00
205	1	clamping tools description: SPW14 clamping tools ; M14; 52-piece; (Unused product);	10.00
206	1	drill tools description: quick chuck; 0-8mm; B16; (unused product);	10.00
207	1	drill tools description: quick chuck; 0-10mm; B16; (unused product);	10.00
208	1	drill tools description: quick chuck; 0-13mm; B16; (unused product);	10.00
209	1	drill tools description: quick chuck; 0-16 mm; B16; (unused product);	10.00
210	1	drill tools description: tooth drill bit; 0-13mm; B16; (unused product);	10.00
211	1	drill tools description: drilling head holder; MK2-B16; (Unused product);	10.00
212	1	drill tools description: drilling head holder; MK3-B16; (Unused product);	10.00
213	1	drill tools description: drilling head holder; MK4-B16; (Unused product);	10.00



Lot	Number	Description	Starting Bid €
214	1	drill tools description: drilling head holder; MK5-B16; (Unused product);	10.00
215	1	drill tools description: reduce sleeve; MK2-MK1; (unused product);	10.00
216	1	drill tools description: reduce sleeve; MK3-MK2; (unused product);	10.00
217	1	drill tools description: reduce sleeve; MK4-MK3; (unused product);	10.00
218	1	drill tools description: reduce sleeve; MK5-MK4; (unused product);	10.00
219	1	Drill set brand: Rogi; type: HSS; piece: 25; description: equipped with suitcase; (Unused product);	10.00
220	3	dresser dimension L: 71 cm; dimension W: 39 cm; dimension H: 53 cm; description: equipped with three drawers per cabinet-;	10.00
221	1	workshop cabinet (with content) dimension L: 100 cm; dimension W: 45 cm; dimension H: 200 cm; description: bu mounting material;	10.00
222	1	Milling tool brand: Optimum; type: MTB2; description: incl. ca7x springloaded chuck : 6-25mm; (Unused product);	10.00
223	1	drill tools brand: Eroglu; description: SK40 / ISO40; (DIN 2080); B16; (unused product);	10.00
224	1	machine tools description: equipped with adapter sleeve (Mk) with draw-in rod; (Unused product);	10.00
225	1	turning tool brand: Assorts; description: turning device serving MK2 lathe ; (Unused product);	10.00
226	1	turning tool brand: Assorts; description: turning device serving MK3 lathe ; (Unused product);	10.00
227	1	welding table dimension L: 114 cm; dimension W: 82 cm; dimension H: 83 cm; description: equipped with electrically driven equipment terminal; lasstandaard; welding accessories;	10.00
228	1	Cutting scissors brand: Peddinghaus; knife length: 175 mm;	10.00
229	1	milling machine component brand: Fair Banks Morse; type: Oza; serial number: A172651; electric connection: 400 V;	10.00
230	1	grinding machine/ belt sander brand: Proxxom; type: TG250/E; rotary sander : yes; electric connection: 230 V; description: sharpening stone Ø 250mm; adjustable work table;	10.00
231	1	belt sander brand: Felisatti; sand belt size L: 660 mm; sand belt size W: 130 mm; electric connection: 400 V; dimension L: 800 mm; dimension W: 400 mm; dimension H: 930 mm;	10.00
232	1	column drill Weiss, WDM50, year built 2010, brand: Weiss; type: WDM50; year: 2010; drilling capacity: 50 mm; spindle speed from N=: 100 rpm; spindle speed till N=: 3000 rpm; discharge: 350 mm; gear wheel driven: yes; table size L: 800 mm; table size W: 240 mm; engine power: 2 kW; electric connection: 400 V; manual present: yes; machine weight: 850 kg; description: equipped with Spindle stroke: 210mm; Spindle Recording MK4; foot dimensions . approx. 940x570 mm ;, column, ø 160 mm; Maximum distance spindle / table 795 mm, maximum distance spindle / base 1280 mm; (Unused product);	1,000.00
233	1	altimeter brand: Trimos; type: TVM 1000; digital: yes; measuring range till: 1000 mm; description: (loc luyks gear);	10.00



Lot	Number	Description	Starting Bid €
234	1	altimeter brand: Mauser; measuring range till: 600 mm; description: excl. power adapter; (loc luyks gear);	10.00
235	1	chain hoist (various) description: including trolley; chain hoist ; electric chain hoist (with remote control); of pallet 1;	10.00
236	1	precision hydraulic machinery brand: Philips; type: PH1000; total dimension L: 1520 mm; total dimension W: 800 mm; total dimension H: 1700 mm; description: equipped with adjustable feet; digital reading "Philips 2500series";	10.00
237	1	lot of diverse description: including tooling ; use agent; Incl. Yellow bin; ex. other accessories ;	10.00
238	1	column drill brand: Rogi; type: RD32; number of speeds: 12; spindle speed from N=: 150 rpm; spindle speed till N=: 2450 rpm; gear wheel driven: yes; engine power: 1.1 kW; electric connection: 230 V; machine weight: 136 kg; description: MK4 spindle recording; table dimensions . approx. 470x420mm; (Unused product, located in box);	100.00
239	13	whetstone (various) description: including dimensions . approx. Ø 400mm; Ø 375mm; Ø 385mm; inner diameter: eg Ø 125mm; of pallet 1;	10.00
240	1	column drill brand: Rogi; type: RD32; spindle speed from N=: 150 rpm; spindle speed till N=: 2450 rpm; drilling depth: 115 mm; discharge: 260 mm; table size L: 40 mm; table size W: 350 mm; engine power: 1.1 kW; electric connection: 400 V; dimension L: 760 mm; dimension W: 470 mm; dimension H: 1720 mm; description: equipped with safety cover; lighting ; t-adjustable slit clamping table ; digital depth readout;	100.00
241	1	column drill Rogi, WDM28, type: WDM28; drilling capacity: 28 mm; spindle speed from N=: 100 rpm; spindle speed till N=: 3000 rpm; discharge: 250 mm; gear wheel driven: yes; table size L: 800 mm; table size W: 240 mm; engine power: 1 kW; electric connection: 400 V; manual present: yes; machine weight: 230 kg; description: Maximum drilling capacity in steel 28 mm, Maximum tapping capacity M16; Spindle stroke 130 mm; Spindle holder MK3; Dimensions of the work table: 380x380 mm; Diameter T-slots 14 mm; foot dim.ca.360x535 mm; column ø 98mm; Maximum distance spindle table 125-825 mm; Maximum distance spindle base 1220 mm; (unused product);	500.00
242	1	air compressor brand: Belflex; type: F3000/6; serial number: 221106952; capacity: 8 bar; power: 0.5 kW; buffer tank content: 6 l; electric connection: 230 V; own weight: 8 kg; total dimension L: 350 mm; total dimension W: 270 mm; total dimension H: 510 mm; description: equipped with carrying handle;	10.00
243	1	5-part pneumatic accessories brand: Belflex; type: Abratools; description: including spray; spray gun; flexible spiral tube; equipped with box;	10.00
244	1	vertical milling machine brand: Rambaudi; type: V2; number of speeds: 16; speed from N=: 65 rpm; speed till N=: 4750 rpm; electric connection: 400 V; machine weight: 1450 kg; dimension L: 1500 mm; dimension W: 1560 mm; dimension H: 2040 mm; description: recording Deckel R8; Automatic power supply: 0.035-0.07-0.14; 125 mm spindle stroke; Diameter of the spindle: 85 mm; Spindle holder ISO30; Milling capacity: 50 mm; Drilling capacity of steel: 20 mm; Cast iron drilling capacity: 25 mm; Maximum spindle table distance: 70-485 mm; Horizontal displacement of milling head: 400 mm; 150-550 mm, work table: 1065x300 mm; T-slots 14 mm; Displacement X / Y / Z: 750/280/415 mm;	100.00
245	4	lot of jack stands	10.00



Lot	Number	Description	Starting Bid €
246	1	tooling drawer chest metal: yes; dimension L: 520 mm; dimension W: 215 mm; dimension H: 300 mm; description: equipped with 3-drawers; key; loose folding top;	10.00
247	1	measuring equipment description: equipped with box;	10.00
248	1	planer brand: Hembrug; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1500 mm; own weight: 400 kg; description: stroke : 200mm; 3 speeds; tensioning table dimensions . approx. 180x200mm;	100.00
249	1	Measuring clock analog: yes; measuring range till: 25 mm; with case: yes; description: clock dimensions . approx. Ø 85mm;	10.00
250	10	reach truck platform total dimension L: 1260 mm; total dimension W: 1260 mm; total dimension H: 320 mm; description: load capacity: 275 kg; (loc luyks gear);	10.00
251	1	outer size micrometer brand: Mitutoyo; analog: yes; measuring range from: 0 mm; measuring range till: 270 mm; with case: yes; description: equipped with manual; various accessories;	10.00
252	37	lot of beams total dimension L: 2650 mm; description: (loc luyks gear);	10.00
253	1	outer size micrometer brand: Mitutoyo; type: Escher; analog: yes; measuring range till: 175 mm; with case: yes; description: vv various accessories;	10.00
254	1	outer size micrometer brand: Mitutoyo; type: Escher; analog: yes; measuring range till: 200 mm; with case: yes; description: vv various accessories;	10.00
255	1	outer size micrometer brand: Mitutoyo; type: Escher; analog: yes; measuring range from: 200 mm; measuring range till: 225 mm; with case: yes; description: vv various accessories;	10.00
256	1	outer size micrometer brand: Mitutoyo; type: Escher; analog: yes; measuring range from: 225 mm; measuring range till: 250 mm; with case: yes; description: vv various accessories;	10.00
257	1	outer size micrometer brand: Mitutoyo; analog: yes; measuring range from: 300 mm; measuring range till: 400 mm; with case: yes; description: vv various accessories;	10.00
258	1	outer size micrometer brand: Mitutoyo; analog: yes; measuring range from: 300 mm; measuring range till: 400 mm; with case: yes; description: vv various accessories;	10.00
259	1	crafting table total dimension L: 2400 mm; total dimension W: 700 mm; total dimension H: 800 mm;	10.00
260	1	crafting table total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: ex. various under the table;	10.00
261	1	mobile workshop crane brand: Nato; hoist capacity: 1000 kg; max. lifting heighth: 2 m; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1710 mm; description: equipped with extensible mast; extended load max. 300kg;	10.00
262	1	pneumatic barrel release system (mobile) brand: Graco; type: Bulldog; serial number: 207-279; max. pressure: 6 bar; total dimension L: 1100 mm; total dimension W: 1500 mm; total dimension H: 2500 mm; description: equipped with a mobile frame "Wiltec"; various consumables; spray gun; spray arm (adjustable);	10.00



Lot	Number Description	Starting Bid €
263	1 Shelter set section dim. L: 1200 mm; section dim. W: 600 mm; section dim. H: 320 mm; number of shelves: 4; total dimension L: 1220 mm; total dimension W: 650 mm; total dimension H: 1230 mm; description: ex. accessories on the rack;	10.00
273	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 7; number of cross beams: 24; description: dimensions . approx. 3300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
274	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 7; number of cross beams: 24; description: dimensions . approx. 3300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
275	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 7; number of cross beams: 24; description: dimensions . approx. 3300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
276	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 7; number of cross beams: 24; description: dimensions . approx. 3300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
277	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 7; number of cross beams: 24; description: dimensions . approx. 3300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
278	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 5; number of cross beams: 24; description: dimensions . approx. 4300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
279	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 5; number of cross beams: 24; description: dimensions . approx. 4300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
280	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 5; number of cross beams: 24; description: dimensions . approx. 4300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
281	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 5; number of cross beams: 24; description: dimensions . approx. 4300x1060mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
282	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 6; number of cross beams: 20; description: dimensions . approx. 3300x850mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
283	1 Palletization brand: Hovuma; dismantable: yes; number of uprights: 5; number of cross beams: 16; description: dimensions . approx. 3300x850mm; I-beam girders: length : 2700mm; (Loc molenhoek);	10.00
289	1 sawing machine brand: Rogi; type: WS125G; cutting range: 125 mm; engine power: 0.4 kW; electric connection: 230 V; manual present: yes; description: equipped with variable cutting speed; (Unused product, is boxed);	10.00
294	1 car lift bridge type: Zippo 131q; 2-column: yes; capacity: 2500 kg;	10.00



Lot	Number	Description	Starting Bid €
302	1	Profile projector brand: Toko; type: MP-30A; description: equipped with tome;	10.00
303	1	universal lathe Sieg, SC8-PRO, type: SC8-PRO; speed from N=: 100 rpm; speed till N=: 2000 rpm; coolant pump: yes; engine power: 2 kW; electric connection: 230 V; manual present: yes; description: center distance: 750 mm; Chuck Diameter: 130 mm; Orifice major axis: 25 mm; Recording tailstock: MK-2; 2 -axis digital readout; Longitudinal and transverse feeding; equipped with Worklamp; Base cabinet; (Unused product);	1,000.00
304	1	universal lathe Sieg, SC10, type: SC10; speed from N=: 100 rpm; speed till N=: 2000 rpm; engine power: 2 kW; electric connection: 230 V; manual present: yes; description: Center distance: 700 mm; Chuck plate diameter: 160 mm; Main axis passage: 38 mm; Single head recording: MK3; (unused product; is in box);	1,000.00
311	1	motor- driven shear description: reinforced steel capacity 20mm;	10.00
315	1	CNC press brake Trumpf, Trumabend V85S, year built 1996, serial number 883648, brand: Trumpf; type: Trumabend V85S; year: 1996; serial number: 883648; capacity: 85 t; working length: 2550 mm; electric backgauge: yes; CNC control, brand, type: Cnc besturing; electric connection: 400 V; machine weight: 9450 kg; description: hub max 215mm; working pressure 340 bar; 14 kVA; (note! loading costs € 500); (Additional loading costs 500.00)	15,000.00
316	1	CNC press brake Trumpf, Trumabend V85S, year built 1998, serial number 883735, brand: Trumpf; type: Trumabend V85S; year: 1998; serial number: 883735; capacity: 85 t; working length: 2550 mm; electric backgauge: yes; CNC control, brand, type: Cnc besturing; electric connection: 400 V; machine weight: 8600 kg; description: hub max 215mm; working pressure 340 bar; 14 kVA; (note! loading costs € 500); (Additional loading costs 500.00)	15,000.00
317	3	various printing machines description: incl. cutting table Lever Paper Scissors; 2x letter punching;	100.00
318	1	Demolition drum brand: Rotofinish Rösler; type: 350 t; year: 1975; description: equipped with control;	100.00
319	1	Demolition drum brand: Cetema; type: Spiratron; year: 1975; description: equipped with control;	100.00
320	1	press brake Gasparini, Pbs 35/2000, year built 1995, serial number 0495-2890, type: Pbs 35/2000; year: 1995; serial number: 0495-2890; capacity: 35 t; working length: 2085 mm; foot control: yes; electric backgauge: yes; CNC control, brand, type: Delem, da 24e; engine power: 3 kW; machine weight: 2500 kg; dimension L: 2810 mm; dimension W: 2150 mm; dimension H: 1200 mm; description: (note! loading costs € 200); (Additional loading costs 200.00)	2,500.00
321	1	cnc corner punching machine FIM, Versafix 304, year built 1992, serial number 30470483, brand: FIM; type: Versafix 304; year: 1992; serial number: 30470483; max. sheet thickness: 4 mm; foot control: yes; description: 4 axle to controlled ; fim CNC controller; type sp704; (Note loading costs € 100, -); (Additional loading costs 100.00)	1,000.00
322	1	eccentric press Sangiaco, T30 ce, year built 1997, serial number 8676, type: T30 ce; year: 1997; serial number: 8676; capacity: 30 t; table size L: 580 mm; table size W: 360 mm; engine power: 2 kW; electric connection: 400 V; machine weight: 1880 kg; description: vv various accessories ; (Note loading costs € 150, -); (Additional loading costs 150.00)	5,000.00
323	1	press brake Cosmeta, Km 12 t 1500, serial number 612225, type: Km 12 t 1500; serial number: 612225; capacity: 12 t; working length: 1500 mm; max. sheet thickness: 4 mm; foot control: yes; engine power: 3 kW; description: stroke 50mm; (Note loading costs € 100, -); (Additional loading costs 100.00)	2,500.00



Lot	Number	Description	Starting Bid €
324	1	spot welder brand: Cea; type: Nklp 46; serial number: Eb324001; nominal capacity: 45 kVA; discharge: 490 mm; foot control: yes; electric connection: 400 V; machine weight: 192 kg;	100.00
325	1	spot welder brand: Zinser; type: P20f; serial number: 22009/9; nominal capacity: 6 kVA; max. welding capacity: 30 kVA; discharge: 490 mm; foot control: yes; electric connection: 400 V; machine weight: 192 kg; description: sek 1.5-3.5 / 4.8 volts;	100.00
326	1	circular trim saw brand: Imet; type: Sirio sh-e; year: 2006; serial number: 061557001; saw blade ? : 350; coolant pump: yes; electric connection: 400 V; description: equipped with machine terminal;	1,000.00
327	1	clamping chuck 4-jaw: yes; diameter: 850 mm;	100.00
328	1	specially rings	10.00
329	1	hydraulic unit brand: MSE; type: 20-22-40; description: 380-420 volts;	100.00
330	1	table drill brand: Flott; type: Tb 10-1; number of speeds: 4; speed from N=: 410 rpm; speed till N=: 1700 rpm; drilling depth: 600 mm; discharge: 195 mm; electric connection: 230 V; description: on column;	10.00
331	1	air compressor brand: Atlas Copco; type: GA5 ff; year: 2000; serial number: All 126060; capacity: 7.5 bar; air flow: 822 l/min; power: 5.5 kW; buffer tank content: 250 l; own weight: 237 kg;	100.00
332	1	spot welder brand: Ces; type: A3139; serial number: 98c69551; nominal capacity: 8 kVA; max. welding capacity: 22 kVA; electric connection: 400 V; description: equipped with balancer suspension system;	100.00
333	1	grinding and edge grinder-deburring machine description: equipped with Kiekens extraction unit;	10.00
334	1	fastening material description: on pallet;	10.00
335	1	fastening material description: on pallet;	10.00
336	1	other stocks of plastic and rubber	10.00
337	1	other warehouse stock	10.00
338	1	other warehouse stock	10.00
339	1	other warehouse stock	10.00
340	1	other warehouse stock	10.00
341	1	other warehouse stock	10.00
342	1	other warehouse stock	10.00
343	1	other warehouse stock	10.00
344	1	further machine accessories	10.00
345	1	other warehouse stock	10.00
346	1	other warehouse stock	10.00
347	1	other warehouse stock	10.00
348	1	other warehouse stock	10.00
349	2	Welding machine description: equipped with table and various welding accessories;	10.00
350	1	Throw brand: Amerland; dimension L: 42 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00
351	1	Throw brand: Amerland; dimension L: 42 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00



Lot	Number	Description	Starting Bid €
352	1	cupboard display case brand: Amerland; dimension L: 60 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00
353	1	cupboard display case brand: Amerland; dimension L: 60 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00
354	1	Throw brand: Amerland; dimension L: 56 cm; dimension W: 85 cm; dimension H: 195 cm;	10.00
355	1	Throw brand: Amerland; dimension L: 40 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00
356	1	cupboard open brand: Amerland; dimension L: 52 cm; dimension W: 90 cm; dimension H: 195 cm;	10.00
357	1	Throw brand: Amerland; dimension L: 40 cm; dimension W: 100 cm; dimension H: 195 cm;	10.00
358	1	hanging file cupboard	10.00
359	3	loading blocks	10.00
360	2	2-door cabinets description: equipped with stainless steel top plate;	10.00
361	1	crafting table description: with floor car and step;	10.00
362	1	sheet steel description: various on pallet;	10.00
363	1	sheet steel description: various on buck;	10.00
364	1	sheet steel description: various alu on pallet;	10.00
365	1	wheeled roller conveyor bend roll conveyor size W: 850 mm;	10.00
366	1	wheeled roller conveyor roll conveyor size L: 3000 mm; roll conveyor size W: 800 mm;	10.00
367	1	table drill brand: Al; drilling depth: 60 mm; discharge: 195 mm; electric connection: 380 V; description: on the table;	10.00
368	1	circular trim saw brand: Wadkin; serial number: 655573; saw blade ? : 250 mm; mitre: yes;	100.00
369	1	air compressor brand: Maco; buffer tank content: 500 l; electric connection: 380 V;	10.00
370	1	other punching and punching machine brand: Dunkes; type: Dnx 2; year: 1984; serial number: P84-5947; capacity: 2 t; electric driven: yes; foot control: yes; engine power: 0.55; electric connection: 380 V;	100.00
371	1	band and disk grinding machine/ belt sander brand: Wadkin; serial number: Bgy 65621; working width: 180 mm; electric connection: 380 V;	10.00
372	1	bench grinder brand: B & D; electric connection: 380 V;	10.00
373	1	table drill brand: Wörner; type: B4; number of speeds: 8; speed from N=: 650 rpm; speed till N=: 12000 rpm; drilling depth: 50 mm; electric connection: 380 V;	10.00
374	1	lot of various welding wire description: in box pallet;	10.00
375	1	lot of welding wire brand: Esab; type: Ok autrod 5356; description: thickness 1 mm; in pallet;	100.00
376	1	lot of welding wire brand: Rowac; type: Aimg5; description: thickness 1 mm; in pallet;	100.00



Lot	Number	Description	Starting Bid €
377	1	Demolition drum brand: Cetema; type: EF 100; year: 1987; serial number: 305130/8; description: equipped with metering pump; steering;	100.00
378	1	tank installation brand: Petrotec; type: Euro 1000; year: 1998; serial number: 5371; description: equipped with counter fluid dispensing nozzle, and;	10.00
379	1	sweeper brand: Dibo; description: excl charger;	10.00
380	1	band saw machine brand: MEP; type: Shark 280 sx lux; year: 1998; serial number: 060802/15e; max. workpiece height: 280 mm; working width: 400 mm; saw blade size L: 2950 mm; saw blade size W: 27 mm; saw blade thickness: 0.9 mm; digital display: yes; electric connection: 380 V; description: equipped with equipment terminal; and output roller conveyors; extra blades;	500.00
381	1	Diesel engine brand: Hatz; type: E 571 lhk; description: 3.5 hp;	10.00
382	1	shaking table description: equipped with remote controller,;	10.00
383	1	hydraulic drilling unit description: equipped with FMB hydraulic unit; steering;	100.00
384	1	heater brand: Andrews; type: 80 cts; power: 15 kW; electric connection: 380 V;	10.00
385	1	heater brand: Andrews; type: 80 cts; power: 15 kW; electric connection: 380 V;	10.00
386	1	table drill brand: Amtc; type: Luxmill rf30; year: 1997; serial number: 2538130; number of speeds: 12; speed from N=: 125 rpm; speed till N=: 2140 rpm; drilling depth: 130 mm; discharge: 20 mm; table size L: 580 mm; table size W: 210 mm; electric connection: 380 V;	100.00
387	1	granulate dosing unit brand: Piovan; type: C30i; year: 2000; electric connection: 230 V;	10.00
388	1	plastic shredder brand: Dreher; type: S.20/2jnf; engine power: 4 kW; electric connection: 380 V; description: 1440 rpm;	100.00
389	1	plastic shredder brand: Colortronic; type: M102l; year: 1991; engine power: 1.5 kW; electric connection: 380 V;	100.00
390	1	oil water separator brand: Beko; type: Öwamat 4;	10.00
391	1	plastic shredder brand: Rapid; type: GK 75; year: 1987; electric connection: 380 V;	100.00
392	1	plastic shredder brand: Rapid; type: GK 75; year: 1987; electric connection: 380 V;	100.00
393	1	mobile oil drip tray	10.00
394	1	building and fastening materials description: in box pallet; incl. . bolts ; chain etc;	10.00
395	4	boxes of compression springs description: on pallet;	10.00
396	1	box pallet various	10.00
397	1	filter extraction system brand: Kiekens; type: Dustmaster 4e;	10.00
398	1	drive motor brand: Wttur Electric; type: Dsv3-18.2-t0l-mgsr-003; power: 55 kW; electric connection: 460 V; description: 1500/3500 min1; (loc luyks gear);	100.00



Lot	Number	Description	Starting Bid €
399	1	drive motor brand: Wttur Electric; type: Dsv3-18.2-t0l-mgsr-003; power: 55 kW; electric connection: 460 V; description: 1500/3500 min1; (loc luyks gear);	100.00
400	1	drive motor brand: Wttur Electric; type: Dsv3-18.2-t0l-mgsr-003; power: 55 kW; electric connection: 460 V; description: 1500/3500 min1; (loc luyks gear);	100.00
401	1	drive motor brand: Wttur Electric; type: Dsv3-18.2-t0l-mgsr-003; power: 55 kW; electric connection: 460 V; description: 1500/3500 min1; (loc luyks gear);	100.00
402	1	filter extraction system brand: Mecair; type: Sibilia;	10.00
403	2	oil cooling filters	10.00
404	2	cabinet with various special machine accessories	10.00
405	2	cabinets with various special machine accessories	10.00
406	1	lap machine brand: Stähli; type: Myläp; electric connection: 380 V; description: incl. accessories; (loc luyks gear);	100.00
407	1	recirculator chiller brand: Neslab; type: Cft-300; electric connection: 380 V;	10.00
408	1	recirculator chiller brand: Neslab; type: Cft-300; electric connection: 380 V;	10.00
409	1	Mobile conveyor brand: F.Ili.Virginio; belt dim. W: 450 mm; electric connection: 380 V; description: output height 1200 mm;	100.00
410	1	Mobile conveyor brand: MB conveyors; year: 2001; belt dim. W: 500 mm; electric connection: 380 V; description: output height 1740mm; height adjustable;	100.00
411	1	box pallet with various special machine accessories	10.00
412	1	container lifting unit brand: Kinshofer; type: 920-12; hoist capacity: 2500 kg; own weight: 149 kg; description: max lift of the hook 500mm; equipped with hydraulic connections;	100.00
413	2	wheeled roller conveyor roll conveyor size L: 6600 mm; roll conveyor size W: 1200 mm;	10.00
414	1	curing oven brand: Heraeus; type: Ltuh 100/130; year: 178; temperature range max.: 300 °c; electric connection: 380 V; description: 1.5 m3; 26.8 kW; 29 kVA;	100.00
415	1	take-out robot brand: Battenfeld; year: 2000; x-y-z movement: 2300 mm; movement Y: 800 mm; movement Z: 1200 mm; electric connection: 400 V; machine weight: 360 kg; description: equipped with control cabinet;	100.00
416	1	lot of various pallet shelve description: on 2 pallets;	10.00
417	1	electric drive motor brand: Hembrug; description: equipped with flow cabinet;	100.00
418	1	box pallet various machine tensioning tooling	10.00
419	1	box pallet various machine tensioning tooling	10.00
420	1	grinding and edge grinder-deburring machine electric connection: 380 V;	10.00
421	1	manipulator brand: Walker; type: Pg-315; year: 1991; machine weight: 70 kg;	10.00
422	13	Transport the book dimension L: 150 cm; dimension W: 100 cm; description: equipped with mobile car; (Location luyksgestel);	10.00



Lot	Number	Description	Starting Bid €
423	1	cleaning unit on container frame Was unit, year built 2011, serial number 5957, brand: Was unit; year: 2011; serial number: 5957; own weight: 4580 kg; description: Kubota 3 cyl engine; hose reel and spray lance ; container frame with mounting hook; (Note loading costs € 250, -); (Additional loading costs 250.00)	100.00
424	1	forklift Yale, Gp090mcjsav083, serial number G852073, brand: Yale; type: Gp090mcjsav083; serial number: G852073; LPG: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 2765 mm; overhead guard height: 2220 mm; fork length: 1500 mm; duplo mast: yes; hours on display: 7574; own weight: 5880 kg; description: excl. lpg tank; (note! loading costs € 250); (Additional loading costs 250.00)	1,000.00
425	1	forklift Hyster , H3.50 xl, year built 1987, serial number F5a4906h, brand: Hyster ; type: H3.50 xl; year: 1987; serial number: F5a4906h; diesel: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 4300 mm; overhead guard height: 2750 mm; fork length: 1220 mm; duplo mast: yes; hours on display: 9226; description: (note! loading costs € 250); (Additional loading costs 250.00)	1,000.00
426	1	Welding machine brand: Tico; type: Mig 210 c 4r; year: 2012; mig type: yes; ampere range: 210 A; description: 50a / 210a-14v / 24,5v; 230/400 volts; equipped with welding torch; cap; wire;	100.00
427	1	sitting lawn mower brand: Stiga; type: Villa 105 / v301; year: 2010; serial number: 101210037a; working width: 900 mm; fuel type: benzine; engine power: 7.5 kW; own weight: 168 kg; description: equipped with dekmaaier for; type combi; dual axle trailer; undocumented; with ramps;	100.00
428	1	reaper fuel type: benzine; description: gasoline;	10.00
429	1	battery brand: Jungheinrich; type: 80v6pzs 930; year: 2014; own weight: 2178 kg;	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience