



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Vleesverwerkings- en bakkerijmachines (BE)

**Meat processing industry, bakery machines,
contractor materials**

Canadastraat 48 - 3680 **Maaseik**
(Loten | Lots)

Closing date: Tuesday **25 JUNE** starting 09:01

Bidding only on the internet!

24-05-19 11.27

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 25 June 2019 Vleesverwerkings- en bakkerijmachines

Specific terms and conditions of the online sale

Closing date	Tuesday 25 June 2019 starting 09:01 CET
Viewing	Monday 24 June from 09:00 until 12:00 CET Loten Lots Canadastraat 48 3680 Maaseik, Belgium Monday 24 June from 09:00 until 12:00 CET Loten 59-61 Leopoldlaan 19 3900 Overpelt, Belgium
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be
Markup	Various percentages
VAT	21.00%
Collection	Tuesday 2 July from 09:00 until 16:00 CET Loten Lots Canadastraat 48 3680 Maaseik, Belgium Tuesday 2 July from 09:00 until 12:00 CET Loten 59-61 Leopoldlaan 19 3900 Overpelt, Belgium
Viewing instructions	We hereby underline that it concerns an online auction with possibility of prior viewing. Therefore, bidding without prior viewing will be at your own risk . See also our general conditions.
Collection instructions	<ol style="list-style-type: none">1. The buyer, or his representative, is requested to submit his purchase agreement the day of loading2. The buyer is responsible for:<ul style="list-style-type: none">◦ Dismantling◦ Loading◦ Transport of the goods
Payment details	<p>Troostwijk NV will not accept any responsibility concerning above mentioned items, unless otherwise stated on the website.</p> <p>Collection/Loading of the purchased goods will only take place on the mentioned date and location. In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date</p> <p>Purchases need to be paid within 48 hours after closure of sale by bank transfer to one of the below mentioned account numbers. Please mention buyernumber and name of the sale when transferring.</p>

Bank	Account	IBAN nr.	BIC Code
Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB

www.TroostwijkAuctions.com



General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Following lots	After registration and login, lots can be 'followed' via 'My Troostwijk'. This option has been constrained to a maximum of 100 lots per user per sale.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 10 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Lots without bid	All lots without any bid will stay open until half an hour after the last closing time bid.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	Industrial meat grinder brand: Kolbe; type: AWM 160; year: 2008; serial number: 1760002; electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 1360 mm; total dimension H: 2050 mm; description: including Kolbe lift type FD200; height approx. 289 cm; and stainless steel standard carriage 200 liters with drain valve;	1,500.00
2	1	Industrial cutting machine brand: Weber; type: CCS 302; year: 2006; electric connection: 400 V;	1,000.00
3	1	maturing cabinet brand: Everlasting; electric connection: 230 V; total dimension L: 820 mm; total dimension W: 750 mm; total dimension H: 2100 mm;	900.00
4	1	vacuum filler brand: Rex; type: RVF 327; stainless steel: yes; electric connection: 400 V; total dimension L: 910 mm; total dimension W: 900 mm; total dimension H: 1750 mm;	800.00
5	1	meat grinder brand: Mado; type: MEW 620; electric connection: 400 V; total dimension L: 810 mm; total dimension W: 1100 mm; total dimension H: 1410 mm;	400.00
6	1	filling bush brand: Frey; type: 30/6 kompakta; electric connection: 400 V;	100.00
7	1	bread line brand: Deighton; electric connection: 380 V; total dimension L: 1620 mm; total dimension W: 760 mm; total dimension H: 1890 mm; description: mobile, working width approx. 200 mm;	500.00
8	1	metal detector brand: Safeline; type: 50H; electric connection: 230 V; description: mobile;	100.00
9	1	tray sealer brand: Booson; type: 40/65; electric connection: 400 V; total dimension L: 1370 mm; total dimension W: 830 mm; total dimension H: 1570 mm;	200.00
10	1	spiral knot brand: Kemper; type: SPL; electric connection: 400 V;	200.00
11	1	distributor-upper brand: Globe;	300.00
12	1	Pizza oven Salva, Modular, brand: Salva; type: Modular; electric: yes; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 1020 mm; total dimension H: 1720 mm; description: stainless steel, mobile, room size 123 x 67 x H 14 cm;	800.00
13	1	Cutlet chopper MHS, brand: MHS; stainless steel: yes; electric connection: 380 V; total dimension L: 4370 mm; total dimension W: 930 mm; total dimension H: 1600 mm; description: provided with electric motor- driven conveyor belt; steering defect;	400.00
14	1	light truck / refrigerated Ford , Transit, brand: Ford ; type: Transit; VIN number: WF0FXXTTFF7P43436; diesel: yes; engine power: 103 kW; manual: yes; mileage (at intake): 440084 km; description: date of first registration: 05/03/2008; 2402 CC, Euronorm: euro4; Tare 2800 kg, MTM: 3500 kg; provided with Carrier cooling; Dholandia tailgate, side door; 2 rear doors; cooling tray dimension (inside dimensions) 204 x 350 x H 193 cm; car documents ok, key ok;	900.00
16	1	belt saw brand: Kolbe; type: K440; year: 2006; electric connection: 400 V; total dimension L: 1030 mm; total dimension W: 960 mm; total dimension H: 1850 mm;	300.00
17	1	vacuum filler brand: Frey; type: Konti A50; stainless steel: yes; electric connection: 400 V; total dimension L: 910 mm; total dimension W: 900 mm; total dimension H: 1750 mm; description: mobile;	400.00



Lot	Number	Description	Starting Bid €
18	1	batter line brand: Deighton; electric connection: 380 V; total dimension L: 1620 mm; total dimension W: 760 mm; total dimension H: 1890 mm; description: mobile, working width approx. 200 mm;	300.00
19	1	spiral knot brand: Tubantia; electric connection: 400 V; description: 120 kg of dough;	150.00
20	1	hipkneader brand: Dierks; type: 4A V/2G; description: equipped with mobile Fairing ø approx. 110 cm (restore);	150.00
21	1	pastry oven Moretti forni, RC18B, type: RC18B; electric: yes; total dimension L: 920 mm; total dimension W: 1600 mm; total dimension H: 1850 mm; description: on mobile chassis;	200.00
22	1	Bake-off oven brand: Leventi; type: Bakermat MK3/MM DI CP; stainless steel: yes; electric: yes; number of levels: 5; digital control: yes; electric connection: 380 V; description: equipped with hood; on mobile chassis; overall dimensions . approx. 100 x 70 x 230 cm H;	400.00
23	1	forklift brand: Still ; type: R 60-40; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4220 mm; overhead guard height: 2680 mm; fork length: 2290 mm; duplo mast: yes; hours on display: 5420; battery charger: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: mobile;	1,000.00
24	1	sink stainless steel: yes; total dimension L: 500 mm; total dimension W: 500 mm; description: with Grohe tap ;	20.00
25	1	Water cooler brand: Makombi; type: BKM 75; total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 1000 mm;	40.00
26	1	Bread cutter brand: VLB; electric connection: 380 V; description: mobile;	50.00
27	1	fermentation boiler VMI , AF90, brand: VMI ; type: AF90; electric connection: 380 V; description: mobile;	300.00
28	1	Brake cabinet brand: Bouton; type: 68S; year: 2009; electric connection: 230 V; total dimension L: 1190 mm; total dimension W: 770 mm; total dimension H: 2460 mm; description: mobile;	400.00
29	1	whipped cream blower brand: Bakon; type: Top Cream; stainless steel: yes; electric connection: 230 V; description: mobile;	100.00
30	1	sprayer brand: Bakon; type: Spray mix BB; year: 2001; electric connection: 230 V; description: mobile;	50.00
31	1	langmaker brand: Sinmag; type: SM-230B; electric connection: 380 V; total dimension L: 770 mm; total dimension W: 610 mm; total dimension H: 1460 mm; description: mobile;	100.00
32	1	bread crumb electric connection: 380 V; total dimension H: 1470 mm;	50.00
33	1	orange press brand: Citrocase; type: Citrocase 6000XB; year: 2016; electric connection: 230 V; description: on undercarriage;	50.00
34	1	cutter electric connection: 380 V;	20.00
35	1	oven Atag, EX00855U, brand: Atag; type: EX00855U; electric: yes; number of levels: 6; electric connection: 380 V; total dimension L: 770 mm; total dimension W: 700 mm; total dimension H: 700 mm;	50.00



Lot	Number	Description	Starting Bid €
36	2	opbol plates description: for ERIKA semi-automatic, 1 x used, 1 x unused;	10.00
37	2	opbol plates description: for ERIKA semi-automatic, 1 x used, 1 x unused;	10.00
38	2	stainless steel wall layers total dimension L: 1700 mm; total dimension W: 300 mm; description: unused;	80.00
39	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: 1 wheel restore;	100.00
40	1	Bathtub total dimension L: 1800 mm; total dimension W: 800 mm;	40.00
41	1	chopping block total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 930 mm; description: on stainless steel frame;	80.00
42	1	chopping block total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 860 mm; description: on stainless steel frame;	40.00
43	1	chopping block total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 840 mm; description: on stainless steel frame;	40.00
44	1	chopping block brand: Joko; total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 840 mm; description: on stainless steel frame;	100.00
45	1	Cutter brand: Ilm; electric connection: 380 V;	200.00
46	1	sandwich machine electric connection: 230 V;	40.00
47	1	rolling rack total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 920 mm; description: provided with 8 levels for 60 x 40 cm plates;	20.00
48	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: mobile; to recover;	50.00
49	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: mobile; to recover;	50.00
50	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: mobile;	90.00
51	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: mobile;	100.00
52	1	filling bush brand: Fatosá; electric connection: 380 V;	90.00
53	1	filling bush brand: Talsa; type: H31 ; electric connection: 380 V; description: mobile; to recover;	50.00
54	1	filling bush brand: PSV; type: SP25; electric connection: 380 V; description: mobile;	100.00
55	1	filling bush brand: Fuerpla; type: EV-30; electric connection: 380 V;	100.00
56	1	filling bush brand: Berkel; description: 3x220v / 380v;	100.00
57	1	filling bush brand: Talsa; type: H15A; description: 3x220v / 380v;	90.00
58	1	filling bush brand: Mainca; type: EB25; electric connection: 380 V;	90.00



Lot	Number	Description	Starting Bid €
59	1	point cabinet brand: Kalmeijer; type: Klima-aut; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 710 mm; total dimension H: 2610 mm; description: mobile, must be partially dismantled. ;	1,250.00
60	1	trade-off scale brand: Kalmeijer; electric connection: 380 V; total dimension L: 1600 mm; total dimension W: 610 mm; total dimension H: 1770 mm; description: mobile;	1,250.00
61	1	editor brand: Kalmeijer; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 105 mm; total dimension H: 1590 mm; description: mobile;	1,250.00
62	1	meat grinder electric connection: 380 V; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 1250 mm;	200.00
63	1	meat grinder brand: Mado; type: MEW617; year: 2009; total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 1350 mm; description: mobile; 3x220v / 380v;	300.00
64	1	meat grinder brand: Mado; type: MEW515; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 520 mm; total dimension H: 1400 mm; description: mobile; without attachment and worm;	100.00
65	1	filling bush brand: Frey; type: Kompakta 2; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: to recover;	50.00
66	1	filling bush brand: Frey; type: Kompakta 2; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: to recover;	50.00
67	1	conveyor brand: Maja; belt dim. L: 1220 mm; belt dim. W: 265 mm; description: mobile chassis, 380 V;	50.00
68	1	mobile mixing bowl total dimension L: 1580 mm; total dimension W: 710 mm; total dimension H: 860 mm; description: stainless steel; content 150 liters;	100.00
69	1	cooking kettle brand: Spako; content: 200 l; gas-heated: yes; description: ø 117 cm;	200.00
70	1	meat grinder brand: Alexanderwerk; electric connection: 380 V; total dimension L: 1030 mm; total dimension W: 500 mm; total dimension H: 1040 mm;	200.00
71	1	meat grinder brand: Omega; total dimension L: 770 mm; total dimension W: 530 mm; total dimension H: 1220 mm; description: 3x220V / 380V;	200.00
72	1	meat grinder brand: Omega; type: MWZ100; electric connection: 380 V; total dimension L: 950 mm; total dimension W: 670 mm; total dimension H: 1290 mm; description: mobile, attachment head to restore;	300.00
73	1	stove stainless steel: yes; gas: yes; number of zones: 4; total dimension L: 820 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: equipped with oven;	50.00
74	1	meat grinder brand: Mado; type: MEW515; electric connection: 380 V; total dimension L: 870 mm; total dimension W: 500 mm; total dimension H: 1300 mm; description: on the table; to recover;	300.00
75	1	stove brand: Mareno; stainless steel: yes; gas: yes; number of zones: 4; total dimension L: 750 mm; total dimension W: 800 mm; total dimension H: 800 mm;	50.00



Lot	Number	Description	Starting Bid €
76	1	sink stainless steel: yes; description: includes tap;	80.00
77	1	imperial rolls stamping machine magru, brand: magru; electric connection: 380 V;	50.00
78	1	water dosing device brand: Baktec-matic; type: B4 ceres; stainless steel: yes; electric connection: 230 V;	90.00
79	1	Bread cutter brand: Jac Face; cut width: 11 mm; electric connection: 230 V; description: mobile; 2 speeds;	50.00
80	1	store display total dimension L: 730 mm; total dimension W: 660 mm; total dimension H: 1900 mm; description: Mobile;	10.00
81	1	chopping block brand: Joko; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 870 mm;	90.00
82	1	filling bush brand: Baader; type: 702; electric connection: 400 V; total dimension L: 400 mm; total dimension W: 550 mm; total dimension H: 1260 mm; description: including hamburger baler;	100.00
83	1	vacuum machine brand: Webo matic; type: I 18 D; seal bar length: 450 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 620 mm; total dimension W: 660 mm; total dimension H: 100 mm;	100.00
84	1	vacuum machine brand: Henkovac; type: H 2000; seal bar length: 480 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 680 mm; total dimension H: 1060 mm;	100.00
85	1	vacuum machine brand: Röschermatic; type: VM—19/S; seal bar length: 480 mm; number of sealbars: 1; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 720 mm; total dimension W: 540 mm; total dimension H: 900 mm;	100.00
86	2	ham molds description: inside dimension approx. 60 x 14 x 18 cm;	10.00
87	1	COMBINATION washer / dryer brand: Eumenia; type: EU 457/Sparmeister 802; electric connection: 230 V;	75.00
88	1	freezer Iarp, ABX500N, brand: Iarp; type: ABX500N; stainless steel: no; capacity: 465 l; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 770 mm; total dimension H: 1810 mm; description: equipped with 6 fixed freezing grates;	100.00
89	1	catering fridge brand: Foster; type: EPROG600H; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 840 mm; total dimension W: 700 mm; total dimension H: 2060 mm;	100.00
90	1	catering fridge brand: Foster; type: PROG600H-E; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 840 mm; total dimension W: 700 mm; total dimension H: 2080 mm;	80.00
91	1	automatic bread distributor brand: Backo-Matic; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 840 mm; total dimension H: 1840 mm; description: 9 sections; to recover;	250.00
92	1	automatic bread distributor brand: Necta; type: Smart; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 830 mm; total dimension H: 1800 mm; description: 8 sections; without key;	250.00



Lot	Number	Description	Starting Bid €
93	1	pizza workbench brand: Profinox; stainless steel: yes; digital display: yes; number of doors: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 700 mm; description: equipped with add-on cooling cabinet and natural stone worktop (side piece loose);	150.00
94	1	beater mixer brand: Sinmag; electric connection: 230 V; description: (push button to restore);	90.00
95	1	stove brand: Atag; stainless steel: yes; gas: yes; number of zones: 2; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 900 mm; description: knobs are missing;	40.00
96	1	spiral knot brand: Tekno; type: 100 A; electric connection: 380 V; description: content 100 kg flour;	300.00
97	1	Bread cutter brand: Heristal; cut width: 11 mm; description: 3x220V / 380V;	40.00
98	1	Bread cutter brand: Heristal; cut width: 11 mm; electric connection: 380 V;	40.00
99	1	Bread cutter cut width: 9 mm; description: 3x220V / 380V;	40.00
100	1	Bread cutter brand: VLB; type: 40/9; cut width: 9 mm; description: 3x220V / 380V;	40.00
101	1	trade-off scale Gefra de ridder, brand: Gefra de ridder; electric connection: 400 V; total dimension L: 1280 mm; total dimension W: 580 mm; total dimension H: 1640 mm; description: (cable missing);	200.00
102	1	folding machine brand: Tischno; type: DV 10 RA; electric connection: 380 V;	50.00
103	1	saladière brand: Tefcold; type: SA920; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 900 mm; total dimension H: 890 mm; description: lid loose;	50.00
104	1	langmaker Op't root, R0-85, brand: Op't root; type: R0-85; electric connection: 380 V; total dimension L: 2400 mm; total dimension W: 750 mm; total dimension H: 1440 mm; description: mobile;	200.00
105	1	Vintage almond breaker	50.00
106	1	Vintage biscuit cutter	40.00
107	1	vintage warming container	5.00
108	1	Bread cutter brand: VLB; cut width: 9 mm; electric connection: 380 V; description: mobile;	80.00
109	1	Cup of ice machine brand: Boku;	20.00
110	1	Wrapping machine brand: S.A.M; type: S.A.M HP 26/21; stainless steel: yes; packaging dim. L: 260 mm; packaging dim. W: 210 mm; electric connection: 230 V;	50.00
111	1	cutter type: 350 TC; electric connection: 230 V;	50.00
112	1	trade-off scale brand: Subal; type: Minor 1000A/PAM 130; electric connection: 380 V; total dimension L: 1530 mm; total dimension W: 700 mm; total dimension H: 1370 mm;	200.00
113	1	meat grinder brand: Melior Ganda ; total dimension L: 870 mm; total dimension W: 560 mm; total dimension H: 1140 mm; description: 3x220V / 380V;	100.00
114	1	meat grinder brand: Mainca; electric connection: 230 V;	100.00



Lot	Number	Description	Starting Bid €
115	1	vacuum machine brand: Buffalo; seal bar length: 290 mm; number of sealbars: 1; number of chambers: 1; mobile: no; electric connection: 230 V; total dimension L: 420 mm; total dimension W: 350 mm;	50.00
116	1	vacuum machine brand: Henkelman ; type: Boxer 42; electric connection: 230 V; description: to recover;	10.00
117	1	quick cooler brand: Hios; number of doors: 1; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 750 mm; total dimension H: 900 mm;	100.00
118	1	Combisteamer brand: Metos; stainless steel: yes; electric: yes; number of levels: 6; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 840 mm; total dimension H: 760 mm; description: for 1/1 gn plates;	200.00
119	1	vacuum machine brand: Webo matic; seal bar length: 350 mm; number of sealbars: 1; number of chambers: 1; electric connection: 230 V; total dimension L: 530 mm; total dimension W: 420 mm; total dimension H: 370 mm; description: to recover;	20.00
120	1	manual meat stew brand: Melior-Ganda; type: 35NH;	50.00
121	1	Combisteamer brand: Rational; stainless steel: yes; electric: yes; number of levels: 6; total dimension L: 770 mm; total dimension W: 850 mm; total dimension H: 780 mm; description: for 1/1 gn plates;	150.00
122	1	belt saw brand: Mado; electric connection: 380 V;	50.00
123	1	spiral knot Vema, brand: Vema; electric connection: 380 V; description: ∅ Tub 63 cm;	100.00
124	1	crafting table total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 860 mm; description: equipped with stainless steel base and plastic work surface;	40.00
125	1	vacuum machine brand: Henkelman; type: H100; seal bar length: 320 mm; number of sealbars: 1; number of chambers: 1; electric connection: 230 V; description: to recover;	40.00
126	1	vacuum machine brand: Turbovac; type: SB-415; seal bar length: 400 mm; number of sealbars: 1; number of chambers: 1; electric connection: 230 V;	80.00
127	1	vacuum machine brand: Henkovac; type: 1500; seal bar length: 400 mm; number of sealbars: 1; number of chambers: 1; electric connection: 230 V;	80.00
128	1	meat grinder brand: Melior; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 530 mm; total dimension H: 1240 mm;	200.00
129	1	Meat scale Omega, brand: Omega; weight range min.: 5000 g; weight range max: 200000 g;	100.00
130	1	chicken spit brand: Henny penny; type: SCR-6; electric heated: yes; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 820 mm; total dimension H: 840 mm;	50.00
131	1	chicken spit brand: Euro Grill; type: TG 101; electric heated: yes; electric connection: 380 V; total dimension L: 550 mm; total dimension W: 890 mm; total dimension H: 740 mm;	50.00
132	1	rack conveyor dishwasher brand: Winterhalter; type: GS660; stainless steel: yes; frontloader: yes; electric connection: 380 V; total dimension L: 860 mm; total dimension W: 1400 mm; total dimension H: 1800 mm;	200.00



Lot	Number	Description	Starting Bid €
133	1	rack conveyor dishwasher brand: Hobart; stainless steel: yes; frontloader: yes; electric connection: 380 V; total dimension L: 960 mm; total dimension W: 1380 mm; total dimension H: 2000 mm;	200.00
134	1	vacuum machine brand: Multivac; type: A 300; seal bar length: 455 mm; number of sealbars: 1; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 650 mm; total dimension W: 550 mm; total dimension H: 1000 mm; description: 1 wheel restore;	60.00
135	1	manual meat stew brand: Tender star; description: not complete;	50.00
136	1	air compressor brand: Ingersoll-Rand; mobile: yes; buffer tank content: 50 l; electric connection: 230 V;	40.00
137	1	automatic bread distributor electric connection: 230 V; total dimension L: 910 mm; total dimension W: 1030 mm; total dimension H: 1850 mm; description: 9 sections, key not present;	100.00
138	1	rack conveyor dishwasher brand: Winterhalter; type: GS640; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 870 mm; total dimension W: 750 mm; total dimension H: 1600 mm;	100.00
139	1	rack conveyor dishwasher brand: Sammic; type: SU-750; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 920 mm; total dimension W: 920 mm; total dimension H: 1759 mm;	300.00
140	1	rack conveyor dishwasher brand: Winterhalter; type: GS62/2; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1630 mm;	100.00
141	1	rack conveyor dishwasher brand: Winterhalter; type: GS62/2; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1570 mm; description: 3x220V, 1 plastic leveling foot is missing;	90.00
142	1	rack conveyor dishwasher brand: Winterhalter; type: GS62/2; stainless steel: yes; frontloader: yes; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 720 mm; total dimension H: 1570 mm;	90.00
143	1	crafting table stainless steel: yes; total dimension L: 620 mm; total dimension W: 520 mm; total dimension H: 820 mm;	20.00
144	4	Teflonated baguette plates total dimension L: 900 mm; total dimension W: 700 mm; description: unused.;	80.00
145	4	Teflonated baguette plates total dimension L: 900 mm; total dimension W: 700 mm; description: unused.;	80.00
146	4	Teflonated baguette plates total dimension L: 900 mm; total dimension W: 700 mm; description: unused.;	80.00
147	4	Teflonated baguette plates total dimension L: 900 mm; total dimension W: 700 mm; description: unused.;	80.00
148	4	Teflonated baguette plates total dimension L: 900 mm; total dimension W: 700 mm; description: unused.;	80.00
149	1	vacuum machine brand: Turbovac; seal bar length: 540 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V;	80.00
150	1	Cutting table total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 720 mm; description: equipped with plastic top and stainless steel frame;	40.00



Lot	Number	Description	Starting Bid €
151	1	Steamer brand: Hobart; type: CSD-0612E; stainless steel: yes; electric: yes; number of levels: 6; electric connection: 400 V; total dimension L: 840 mm; total dimension W: 900 mm; total dimension H: 1430 mm; description: for 1/1 GN plates; electrical cable and 1 adjustable foot are missing;	200.00
152	1	Steamer brand: Rational; type: SCC61; stainless steel: yes; electric: yes; power: 10 W; number of levels: 6; electric connection: 380 V; total dimension L: 850 mm; total dimension W: 850 mm; total dimension H: 1500 mm; description: for 1/1 GN plates; to recover;	100.00
153	1	mixer electric connection: 400 V; total dimension L: 930 mm; total dimension W: 830 mm; total dimension H: 1000 mm; description: Fairing aluminum content 100 liters;	90.00
154	1	crafting table stainless steel: yes; total dimension L: 50 mm; total dimension W: 50 mm; total dimension H: 840 mm;	20.00
155	1	Automatic meat tenderizer brand: Butcher power; working width: 300 mm; electric connection: 400 V; total dimension L: 2100 mm; total dimension W: 540 mm; total dimension H: 1640 mm; description: stainless steel; mobile;	300.00
156	1	Double vacuum machine brand: Henkelman; type: Polar 2-85; year: 2012; seal bar length: 840 mm; number of sealbars: 2; chamber dimension L: 830 mm; chamber dimension W: 830 mm; number of chambers: 2; mobile: yes; electric connection: 400 V; total dimension L: 1900 mm; total dimension W: 1290 mm; total dimension H: 1140 mm;	1,000.00
157	1	mixer brand: Fatosá; type: A-110; total dimension L: 500 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: 3x220V / 380V;	100.00
158	1	oven stainless steel: yes; total dimension L: 900 mm; total dimension W: 960 mm; total dimension H: 990 mm; description: without chassis;	50.00
159	1	Steamer brand: Rational; type: CCM101; stainless steel: yes; electric: yes; power: 18.6 kW; number of levels: 10; electric connection: 380 V; total dimension L: 820 mm; total dimension W: 890 mm; total dimension H: 1800 mm; description: for 1/1 GN plates ;	200.00
160	1	vacuum machine brand: Kramer grebe; electric connection: 400 V; total dimension L: 620 mm; total dimension W: 470 mm; total dimension H: 980 mm; description: to recover;	20.00
161	1	refrigerator brand: Mondial; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 860 mm; total dimension W: 670 mm; total dimension H: 1920 mm;	80.00
162	12	4-part bread molds total dimension L: 580 mm; total dimension W: 180 mm; total dimension H: 70 mm; description: dimension 1 part 120 x 175 x 70 mm;	20.00
163	11	4-part bread molds total dimension L: 580 mm; total dimension W: 180 mm; total dimension H: 70 mm; description: dimension 1 part 120 x 175 x 70 mm;	20.00
164	11	4-part bread molds total dimension L: 580 mm; total dimension W: 180 mm; total dimension H: 70 mm; description: dimension 1 part 120 x 175 x 70 mm;	20.00
165	11	4-part bread molds total dimension L: 580 mm; total dimension W: 180 mm; total dimension H: 70 mm; description: dimension 1 part 120 x 175 x 70 mm;	20.00
166	12	4-part bread molds total dimension L: 580 mm; total dimension W: 180 mm; total dimension H: 70 mm; description: dimension 1 part 120 x 175 x 70 mm;	20.00



Lot	Number	Description	Starting Bid €
167	1	Stainless steel trolley total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 940 mm; description: 8 levels for 60 x 40 cm plates;	20.00
168	1	lot of opdienplateaus total dimension L: 580 mm; total dimension W: 410 mm; description: damaged;	5.00
169	1	vacuum machine brand: Webo matic; type: Super max; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 750 mm; total dimension W: 780 mm; total dimension H: 1000 mm; description: to recover;	80.00
170	1	vacuum machine type: 520-ST; year: 2007; seal bar length: 500 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 610 mm; total dimension W: 610 mm; total dimension H: 1000 mm;	100.00
171	1	vacuum machine brand: Henkovac ; type: 2000; seal bar length: 500 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 680 mm; total dimension H: 1070 mm;	80.00
172	1	vacuum machine brand: Röschermatic ; seal bar length: 450 mm; number of sealbars: 1; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 540 mm; total dimension H: 115 mm;	50.00
173	1	vacuum machine brand: Turbovac; seal bar length: 500 mm; number of sealbars: 2; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 650 mm; total dimension W: 620 mm; total dimension H: 1070 mm; description: to recover;	40.00
174	1	vacuum machine brand: Röschermatic ; seal bar length: 440 mm; number of sealbars: 1; number of chambers: 1; mobile: yes; electric connection: 380 V; total dimension L: 650 mm; total dimension W: 540 mm; total dimension H: 930 mm;	50.00
175	1	vacuum machine brand: Henkovac ; type: E-253; number of sealbars: 2; total dimension L: 660 mm; total dimension W: 760 mm; total dimension H: 1000 mm; description: to recover;	80.00
176	1	Steamer brand: Leventi; stainless steel: yes; electric: yes; number of levels: 4; electric connection: 380 V; total dimension L: 850 mm; total dimension W: 970 mm; total dimension H: 1350 mm; description: for 40 x 55 cm plates;	100.00
177	1	poly clip device brand: Poly-clip system; type: PDC; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1950 mm; description: pneumatic;	80.00
178	1	Heat sink brand: Fri-Jado; type: MD 100-5; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 1000 mm; total dimension H: 1970 mm;	20.00
179	1	vacuum machine brand: Henkovac ; type: 2000; mobile: yes; total dimension L: 590 mm; total dimension W: 680 mm; total dimension H: 1080 mm; description: to recover;	20.00
180	1	vacuum machine brand: Henkelman ; type: 300; seal bar length: 500 mm; number of sealbars: 2; mobile: yes; total dimension L: 680 mm; total dimension W: 690 mm; total dimension H: 1020 mm;	80.00
181	1	vacuum machine brand: Henkelman ; type: 300; seal bar length: 550 mm; number of sealbars: 2; mobile: yes; total dimension L: 660 mm; total dimension W: 750 mm; total dimension H: 1020 mm;	80.00
182	1	vacuum machine brand: Turbovac ; type: 550-S KK; mobile: yes; total dimension L: 640 mm; total dimension W: 620 mm; total dimension H: 1050 mm; description: 1 seal bar + cable to be repaired;	50.00



Lot	Number	Description	Starting Bid €
183	1	vacuum machine brand: Henkovac ; type: 2000; total dimension L: 610 mm; total dimension W: 680 mm; total dimension H: 1060 mm; description: to recover;	20.00
184	1	vacuum machine brand: Henkovac ; type: SB 500; mobile: yes; total dimension L: 610 mm; total dimension W: 660 mm; total dimension H: 1100 mm; description: 3x220V; to recover;	20.00
185	2	Pans for casino bread	10.00
186	30	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	30.00
187	30	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	30.00
188	30	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	30.00
189	1	table stainless steel: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: mobile;	10.00
190	1	Heat sink brand: Fri-Jado; type: MD 120; freestanding: yes; mobile: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 1200 mm; total dimension H: 1460 mm;	20.00
191	1	Heat sink brand: Fri-Jado; type: MD 60; freestanding: yes; mobile: yes; electric connection: 220 V; total dimension L: 1000 mm; total dimension W: 620 mm; total dimension H: 1920 mm;	20.00
192	1	Heat sink brand: Fri-Jado; type: MD 60; freestanding: yes; mobile: yes; electric connection: 220 V; total dimension L: 1000 mm; total dimension W: 620 mm; total dimension H: 1920 mm;	20.00
193	1	Heat sink brand: Fri-Jado; type: MD 100; freestanding: yes; mobile: yes; electric connection: 220 V; total dimension L: 1020 mm; total dimension W: 1000 mm; total dimension H: 1920 mm;	20.00
194	1	Heat sink brand: Fri-Jado; type: MD 100; freestanding: yes; mobile: yes; electric connection: 380 V; total dimension L: 1020 mm; total dimension W: 1000 mm; total dimension H: 1920 mm;	20.00
195	1	Heat sink brand: Fri-Jado; type: MD 100; freestanding: yes; mobile: yes; electric connection: 230 V; total dimension L: 1020 mm; total dimension W: 1000 mm; total dimension H: 1920 mm;	20.00
196	1	manual meat stew brand: Tender star; description: not complete;	20.00
197	1	manual meat stew	10.00
198	1	Steamer brand: Smeg; type: Alfa241VE; stainless steel: yes; electric: yes; number of levels: 6; electric connection: 380 V; total dimension L: 840 mm; total dimension W: 870 mm; total dimension H: 800 mm; description: for 40 x 55 cm plates, door + side plate to be repaired;	80.00
199	1	grinding machine electric connection: 230 V; description: push button to restore;	20.00
200	1	dishwasher electric connection: 380 V; total dimension L: 620 mm; total dimension W: 600 mm; total dimension H: 820 mm; description: restore it;	10.00
201	1	quick cooler brand: Hios; number of doors: 1; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 700 mm; total dimension H: 800 mm; description: to recover;	100.00
202	1	Steamer brand: Rational; stainless steel: yes; electric: yes; number of levels: 6; total dimension L: 840 mm; total dimension W: 840 mm; total dimension H: 980 mm;	100.00



Lot	Number	Description	Starting Bid €
203	1	stove brand: Atag; stainless steel: yes; gas: yes; number of zones: 6; total dimension L: 700 mm; total dimension W: 1050 mm; total dimension H: 900 mm; description: 1 pan support missing;	80.00
204	1	cooking kettle brand: Fagor; gas-heated: yes; total dimension L: 1030 mm; total dimension W: 850 mm; total dimension H: 110 mm;	100.00
205	1	stove brand: Fagor; stainless steel: yes; gas: yes; number of zones: 6; total dimension L: 800 mm; total dimension W: 1050 mm; total dimension H: 1000 mm;	100.00
206	15	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	10.00
207	15	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	10.00
208	15	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	10.00
209	15	3-part bread molds description: size 1 pan 15 x 25 x H 6 cm, total dimension 58 x 25 x H 6 cm;	10.00
210	1	Stainless steel semitrailer description: 20 levels; for 60 x 40 cm plates;	30.00
211	1	Stainless steel trolley description: 8 levels; for 60 x 40 cm plates;	20.00
212	1	Stainless steel semitrailer description: 10 levels; for 60 x 30 cm plates;	30.00
213	1	dishwasher brand: Diamond; type: DC502; stainless steel: yes; frontloader: yes; total dimension L: 630 mm; total dimension W: 580 mm; total dimension H: 1200 mm;	90.00
214	1	oven brand: Delrue; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 880 mm; total dimension W: 680 mm; total dimension H: 1350 mm;	50.00
215	1	oven brand: Leventi; type: Mastermind; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 920 mm; total dimension W: 930 mm; total dimension H: 1050 mm; description: equipped with extractor hood;	200.00
216	1	Steamer brand: Unox; type: XC503; stainless steel: yes; electric: yes; number of levels: 6; electric connection: 400 V; total dimension L: 1080 mm; total dimension W: 940 mm; total dimension H: 1000 mm; description: equipped with extractor hood ;	200.00
217	1	oven brand: Fri-jado; type: BS5-P; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 910 mm; total dimension H: 820 mm;	150.00
218	1	Steamer brand: Spako; stainless steel: yes; electric: yes; number of levels: 8; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 940 mm; total dimension H: 750 mm;	80.00
219	1	Heat sink brand: Fri-Jado; type: HD3-ss; freestanding: yes; digital display: yes; electric connection: 400 V; total dimension L: 1070 mm; total dimension W: 1090 mm; total dimension H: 1200 mm;	40.00
220	1	cutter brand: Berkel; type: 800; electric connection: 230 V;	50.00



Lot	Number	Description	Starting Bid €
221	1	chicken spit brand: CB; type: G-36P-S6; year: 2017; serial number: 00081; electric heated: no; gas-heated: yes; electric connection: 230 V; total dimension L: 580 mm; total dimension W: 1270 mm; total dimension H: 1880 mm; description: unused; mobile;	50.00
222	1	Cutter brand: Matton; electric connection: 400 V; total dimension L: 780 mm; total dimension W: 900 mm; total dimension H: 1060 mm;	50.00
223	1	desiccant machine brand: Maja; type: Evm4004; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 780 mm; total dimension H: 1000 mm;	100.00
224	1	desiccant machine brand: Maja; type: ESB4434V; electric connection: 400 V; total dimension L: 1740 mm; total dimension W: 780 mm; total dimension H: 1260 mm;	100.00
225	1	desiccant machine brand: Maja; type: Evm 3002-1; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 760 mm; total dimension H: 1040 mm;	100.00
226	1	desiccant machine brand: Cretel; type: 362 rk; electric connection: 400 V; description: equipped with foot control and stainless steel mobile base;	100.00
227	1	desiccant machine brand: Maja; total dimension L: 700 mm; total dimension W: 770 mm; total dimension H: 980 mm; description: 3x220V / 380V;	100.00
228	10	Baking plates total dimension L: 630 mm; total dimension W: 350 mm;	10.00
229	10	Baking plates total dimension L: 950 mm; total dimension W: 500 mm;	10.00
230	1	roll cart description: 10 levels; for 60 x 40 cm plates;	20.00
231	1	tumbler capacity: 200 l; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1760 mm; total dimension H: 1600 mm;	300.00
232	3	descaling system brand: Brita;	20.00
233	1	mixer brand: Loiselet; total dimension L: 840 mm; total dimension W: 740 mm; total dimension H: 920 mm; description: 3x220V / 380V, mobile;	40.00
234	1	mixer brand: Melior Ganda ; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 740 mm; total dimension H: 1050 mm; description: mobile;	90.00
235	1	mixer brand: Loiselet; electric connection: 380 V; description: mobile;	40.00
236	1	mixer electric connection: 400 V; description: mobile;	90.00
237	1	mixer brand: Melior Ganda; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 740 mm; total dimension H: 1050 mm; description: mobile;	90.00
238	1	mixer brand: Melior Ganda; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 740 mm; total dimension H: 1050 mm; description: mobile;	90.00
239	1	scale brand: Digi; type: DS-410; platform size L: 520 mm; platform size W: 410 mm; digital display: yes; electric connection: 230 V;	30.00
240	1	roll cart description: 8 levels; for 60 x 40 cm plates;	20.00



Lot	Number	Description	Starting Bid €
241	1	belt saw brand: Mainca; type: CCH-2000; electric connection: 400 V;	200.00
242	1	mixer brand: Tec Maq; electric connection: 400 V; total dimension L: 520 mm; total dimension W: 1100 mm; total dimension H: 1350 mm; description: mobile;	200.00
243	1	mixer brand: Fuerpla; type: A-85; electric connection: 400 V; total dimension L: 520 mm; total dimension W: 1100 mm; total dimension H: 1350 mm; description: mobile;	200.00
244	1	mixer electric connection: 400 V; total dimension L: 520 mm; total dimension W: 1100 mm; total dimension H: 1350 mm; description: mobile;	200.00
245	1	vacuum filler brand: Handtmann; type: VF80; stainless steel: yes; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 980 mm; total dimension H: 1820 mm; description: equipped with bucket lift;	500.00
246	1	belt saw brand: Eureka; type: SB1650;	40.00
247	1	mixer brand: Ramon; type: 35; description: 3x220V, mobile;	50.00
248	1	mixer brand: Melior; type: MG100; electric connection: 380 V; description: mobile;	100.00
249	1	mixer brand: Talsa; type: Mix-P; electric connection: 380 V; description: mobile;	100.00
250	1	garbage bag holder	10.00
251	25	Plastic stack-nestable crates dimension L: 600 mm; dimension W: 500 mm; dimension H: 140 mm; description: some damaged;	10.00
252	28	Plastic stack-nestable crates dimension L: 600 mm; dimension W: 500 mm; dimension H: 140 mm; description: some damaged;	10.00
253	28	Plastic stack-nestable crates dimension L: 600 mm; dimension W: 500 mm; dimension H: 140 mm; description: some damaged;	10.00
254	1	Regal car description: 10 levels; for 60 x 40 cm plates;	20.00
255	1	Regal car description: 10 levels; for 60 x 40 cm plates;	20.00
256	1	Stainless steel semitrailer description: 9 levels; for 87 x 30 cm plates;	20.00
257	1	Stainless steel semitrailer description: 18 levels; for 60 x 40 cm plates;	20.00
258	1	Stainless steel semitrailer description: 14 levels; for 60 x 40 cm plates, 1 bar is missing;	20.00
259	1	Stainless steel semitrailer description: 10 levels; for 60 x 40 cm plates, 1 bar is missing;	20.00
260	1	Stainless steel semitrailer description: 20 levels; for 60 x 40 cm plates,;	20.00
261	1	Stainless steel semitrailer description: 14 levels; for 60 x 40 cm plates,;	20.00
262	1	air compressor brand: Ingersoll-Rand; mobile: yes; buffer tank content: 270 l; electric connection: 400 V;	100.00
263	2	descaling system brand: Brita; description: with holder;	20.00



Lot	Number	Description	Starting Bid €
264	2	descaling system brand: Brita;	20.00
265	2	descaling system brand: Brita;	20.00
266	2	descaling system brand: Brita;	20.00
267	3	evaporators	30.00
268	1	vacuum pump brand: Busch; type: R5;	50.00
269	1	cutter brand: Berkel; type: 35VK0100C2121; electric connection: 230 V;	200.00
270	1	cutter brand: Bizerba; type: SE12; electric connection: 230 V;	70.00
271	1	cutter brand: Bizerba; type: SE 355; electric connection: 230 V;	50.00
272	1	lot of plateaus total dimension L: 600 mm; total dimension W: 400 mm; description: damaged ;	5.00
273	1	lot of food packaging total dimension L: 320 mm; total dimension W: 235 mm; total dimension H: 45 mm; description: approx. 600 pcs. ;	20.00
274	1	cutter brand: Graef ; type: Euro 3370 export; electric connection: 230 V;	70.00
275	1	cutter brand: Graef ; type: Euro 3310 DS; electric connection: 230 V;	70.00
276	1	cutter brand: Matton; type: Fast 330; electric connection: 230 V;	70.00
277	1	cutter type: 330; electric connection: 230 V;	50.00
278	1	cutter type: 350 I ; electric connection: 230 V;	50.00
279	1	hipkneader electric connection: 380 V; description: 80 Cockpit 80 cm;	90.00
280	1	hipkneader electric connection: 380 V; description: ∅ Tub 92 cm;	90.00
281	1	hipkneader electric connection: 380 V; description: 80 Cockpit 80 cm;	100.00
282	1	oven brand: Eurofours; electric: yes; number of levels: 4; electric connection: 380 V; total dimension L: 1250 mm; total dimension W: 780 mm; total dimension H: 1650 mm; description: plates of approx. 40 x 75 cm;	100.00
283	1	quick kneader brand: Collette; electric connection: 400 V; description: ∅ Cockpit 50 cm; (clock is missing);	200.00
284	1	hipkneader Diosna, brand: Diosna; description: ∅ cockpit 79 cm; to recover;	40.00
285	1	merry-go-round electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1260 mm;	100.00
286	1	conical mixer Ooms, brand: Ooms; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 1580 mm;	200.00
287	1	hipkneader Diosna, brand: Diosna; electric connection: 380 V; description: Cockpit ∅ approx. 79 cm;	100.00



Lot	Number	Description	Starting Bid €
288	1	hipkneader electric connection: 380 V; description: ∅ Tub 95 cm, to be repaired;	50.00
289	1	distributor mop Eberhardt, brand: Eberhardt; electric connection: 380 V;	200.00
290	1	Bake-off oven WR, year built 2011, brand: WR; year: 2011; stainless steel: yes; electric: yes; number of levels: 5; digital control: no; electric connection: 380 V; total dimension L: 850 mm; total dimension W: 920 mm; total dimension H: 2100 mm; description: equipped with hood; to recover;	400.00
291	1	belt saw brand: Mainca; type: BM-2000; electric connection: 400 V;	200.00
292	1	belt saw brand: Mainca; type: BM-2000; electric connection: 400 V; description: 3x220V / 400V;	200.00
293	1	belt saw brand: Mainca; type: BM-2000; electric connection: 400 V;	200.00
294	1	belt saw brand: Eureka; electric connection: 400 V;	80.00
295	1	belt saw brand: Medoc; type: Beta200; electric connection: 400 V;	80.00
296	1	belt saw brand: Ifooma; type: BS500; electric connection: 400 V;	100.00
297	1	belt saw brand: Bizerba; electric connection: 400 V; description: to recover;	40.00
298	1	driven stainless steel elevator belt Waterlander Samach, brand: Waterlander Samach; belt dim. W: 300 mm; power: 0.25 kW; description: Height 230/1080 mm;	400.00
299	1	truffle sprayer total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 1320 mm; description: repair the spray head;	50.00
300	1	hamburger appliance brand: Oem; type: PH 85 s;	60.00
301	1	hipkneader brand: Diosna; type: D 200; description: 3x220V, ∅ Cockpit 95 cm;	100.00
302	1	packaging machine Meurer, CMW/AL 60/40, year built 2000, brand: Meurer; type: CMW/AL 60/40; year: 2000; mobile: no; electric connection: 400 V; total dimension L: 2850 mm; total dimension W: 1340 mm; total dimension H: 1830 mm;	400.00
303	1	belt saw brand: Mainca; electric connection: 400 V; description: 3x220V / 380V;	80.00
304	1	belt saw brand: Mainca; type: BM-2000; electric connection: 400 V;	150.00
305	1	breadmaker Rösen&Robbert, brand: Rösen&Robbert; electric connection: 380 V; total dimension L: 1830 mm; total dimension W: 800 mm; total dimension H: 1550 mm;	80.00
306	1	trade-off scale Gostol, BDVS112-B, year built 2004, brand: Gostol; type: BDVS112-B; year: 2004; electric connection: 380 V; total dimension L: 1420 mm; total dimension W: 1100 mm; total dimension H: 1670 mm;	200.00
307	1	belt saw brand: Reich; type: 4440; electric connection: 400 V;	20.00
308	1	mobile dough tub description: ∅ approx. 105 cm;	150.00



Lot	Number	Description	Starting Bid €
309	1	rack conveyor dishwasher Electrolux, Wash-safe, brand: Electrolux; type: Ehtai; year: 2012; stainless steel: yes; frontloader: yes; power: 9.9 kW; electric connection: 380 V; total dimension L: 850 mm; total dimension W: 740 mm; total dimension H: 1520 mm; description: incl. 2 dispensers and descaler;	400.00
310	1	chicken spit Savory, Panorama, brand: Savory; type: Panorama; stainless steel: no; electric: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 60 mm; total dimension H: 950 mm; description: to recover;	20.00
311	1	deegafweger / topping mower Eberhard, brand: Eberhard; electric connection: 380 V; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 1820 mm;	100.00
312	1	lot of butcher supplies description: approx. 25 pcs.;	10.00
313	1	meat grinder brand: Omega; type: TA 32; electric connection: 380 V; total dimension L: 650 mm; total dimension W: 350 mm; total dimension H: 540 mm; description: including some knives.;	50.00
314	1	manual filler brand: dick; total dimension H: 1000 mm;	50.00
315	5	biscuit shapes total dimension L: 600 mm; total dimension W: 490 mm;	10.00
316	6	Baking trays total dimension L: 610 mm; total dimension W: 400 mm;	10.00
317	19	Baking trays total dimension L: 660 mm; total dimension W: 455 mm;	25.00
318	15	flan pans description: dia 28 cm; as well as flower spreader;	15.00
319	15	flan pans description: dia 28 cm; as well as flower spreader;	15.00
320	15	flan pans description: dia 28 cm; as well as flower spreader;	15.00
321	15	flan pans description: dia 28 cm; as well as flower spreader;	15.00
322	15	flan pans description: dia 28 cm;	10.00
323	15	flan pans description: dia 28 cm;	10.00
324	15	flan pans description: dia 28 cm;	10.00
325	15	flan pans description: dia 28 cm;	10.00
326	15	flan pans description: dia 28 cm;	10.00
327	5	refrigerator layers total dimension L: 529 mm; total dimension W: 470 mm;	15.00
328	29	flan pans description: dia 28 cm;	10.00
329	1	rib saw brand: Efa; type: sk 28 wb; electric connection: 230 V; description: without saw ;	100.00
330	1	cutter and vegetable cutter brand: Robot Coupe; type: R4 v.v.; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 300 mm; description: to recover ;	10.00
331	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness: 4 mm;	10.00



Lot	Number	Description	Starting Bid €
332	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness: 4 mm;	10.00
333	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness: 4 mm;	10.00
334	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness: 4 mm;	10.00
335	5	Plastic cutting boards total dimension L: 800 mm; total dimension W: 600 mm; description: thickness: 4 mm;	10.00
336	12	crown cap pullers	10.00
337	12	crown cap pullers	10.00
338	1	cutter and vegetable cutter brand: Robot Coupe; type: R 502 v.v.; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 250 mm; total dimension H: 400 mm; description: to recover ;	10.00
339	1	vegetable cutter brand: Robot Coupe; type: cl 50 ultra; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 300 mm; total dimension H: 600 mm; description: to recover ;	75.00
340	1	vegetable cutter brand: Robot Coupe; type: cl 50 ; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 300 mm; total dimension H: 600 mm; description: to recover ;	50.00
341	1	vegetable cutter brand: Robot Coupe; type: cl 50 ; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 300 mm; total dimension H: 600 mm; description: to recover ;	50.00
342	5	perforated baking sheets for baguettes total dimension L: 800 mm; total dimension W: 600 mm; description: unused;	30.00
343	5	perforated baking sheets for baguettes total dimension L: 800 mm; total dimension W: 600 mm; description: unused;	30.00
344	5	perforated baking sheets for baguettes total dimension L: 800 mm; total dimension W: 600 mm; description: unused;	30.00
345	1	bar mixer brand: robot coupe ; type: mp 450 ultra; electric connection: 230 V; total dimension L: 750 mm; description: to recover;	25.00
346	1	lot of parts for steamers	10.00
347	13	trays total dimension L: 600 mm; total dimension W: 400 mm; description: some with corners off. ;	5.00
348	1	stainless regaalwagen total dimension L: 640 mm; total dimension W: 460 mm; total dimension H: 860 mm; description: 8 levels, without trays ;	40.00
349	6	Plastic cutting boards description: various dimensions, thickness of 2 to 3 cm.;	10.00
350	1	lot of pressure gauges description: approx. 9 pieces;	15.00
351	1	lot of pressure gauges description: approx. 13 pieces;	15.00
352	1	bar mixer brand: dynamic ; type: ft 86; electric connection: 230 V; total dimension L: 63 mm;	75.00
353	1	various coffee containers description: as well as 2 jugs;	5.00
354	1	lot of various cutting boards description: for example 35 x 50 cm, approx. 8 pieces.;	10.00
355	1	lot of cutlery description: including approx. 30, forks, knives 32 and 25 spoons ;	15.00



Lot	Number	Description	Starting Bid €
356	1	lot of cutlery description: including approx. 34 forks, knives 27 ;	15.00
357	1	lot of cutlery description: including approx. 40 forks, knives 50, 16 and 20 fish knives visvorken ;	20.00
358	1	mold for chocolate total dimension H: 160 mm; description: clown shape ;	10.00
359	1	mold for chocolate total dimension H: 120 mm; description: penguin shape ;	10.00
360	1	mold for chocolate total dimension H: 130 mm; description: kittens form;	10.00
361	1	mold for chocolate total dimension H: 100 mm; description: puppy shape ;	10.00
362	2	mold for chocolate description: clown and bear form 220 and 100 mm height ;	15.00
363	1	mold for chocolate total dimension H: 100 mm; description: c;	10.00
364	1	mold for chocolate total dimension H: 160 mm;	10.00
365	1	mold for chocolate total dimension H: 150 mm; description: clown shape;	10.00
366	1	mold for chocolate total dimension H: 100 mm;	10.00
367	1	mold for chocolate total dimension H: 150 mm;	10.00
368	1	mold for chocolate total dimension H: 110 mm;	10.00
369	1	manual meat stew möller, brand: möller;	75.00
370	1	waste bin dimension H: 720 mm; description: flame deaf;	10.00
371	10	lids 1/6 plastic: yes;	10.00
372	6	bakeware total dimension L: 405 mm; total dimension W: 195 mm; total dimension H: 55 mm;	10.00
373	1	lot of milk jars with dish description: 24 pieces per lot including basket;	10.00
374	1	lot of milk jars with dish description: 24 pieces per lot including basket;	10.00
375	1	lot of milk jars with dish description: 24 pieces per lot including basket;	10.00
376	15	wheels for transport cart description: solid type, diam wheel approx. 8 cm;	15.00
377	8	wheels for transport cart description: rotation, wheel diameter approx. 10 cm;	15.00
378	8	wheels for transport cart description: rotation, wheel diameter approx. 10 cm;	15.00
379	1	showcase refrigerator rohs, sc-70fb, brand: rohs; type: sc-70fb; volume freezer: 70 l; total dimension L: 380 mm; total dimension W: 430 mm; total dimension H: 880 mm; description: exclusive trolley ;	50.00
380	8	7-fold baking molds description: until. dimensions . 24 x 72 cm dimensions . 1 form 19,5 x 8,5 x 4,5 cm;	40.00
381	5	various vulbushoorns description: diam. 44-14 mm (2x); 44-16 mm; 44-20 mm (2x);	20.00



Lot	Number	Description	Starting Bid €
382	3	various vulbushoorns description: diam. approx. 40-10 mm (2x); and 40-20 mm;	15.00
383	2	stuffing bushes description: diam. approx. 62-10 mm;	10.00
384	3	various vulbushoorns description: diam. approx. 73-15 mm; 73-30 mm; and 73 to 34 mm;	20.00
385	3	various vulbushoorns description: diam. approx. 42-29 mm (2x); and 42-10 mm;	20.00
386	4	various vulbushoorns description: diam. approx. 57-10 mm (3x); and 57 to 13 mm;	20.00
387	3	various vulbushoorns description: diam. approx. 62-20 mm (2x); and 62 to 24 mm;	20.00
388	4	stuffing bushes description: diam. approx. 63-10 mm;	20.00
389	4	various vulbushoorns description: diam. approx. From 107 to 25 mm; and 107-19 mm (3x);	20.00
390	4	various vulbushoorns description: diam. approx. 65-10 mm; 65-19 mm (2x) and 65-40 mm;	20.00
391	3	various vulbushoorns description: diam. approx. 65-10 mm; 65-19 mm and 65-29mm;	15.00
392	5	various vulbushoorns description: diam. approx. 47-10 mm and 47-19 mm (4x);	20.00
393	3	various vulbushoorns description: diam. approx. 47-10 mm (2x) and 47-26 mm;	15.00
394	3	various vulbushoorns description: diam. approx. 57-10 mm; 57-20 mm; 57-31 mm;	15.00
395	2	various vulbushoorns description: diam. approx. 50-15 mm; 50-29 mm;	10.00
396	4	various vulbushoorns description: diam. approx. 48-10 mm (2x) and 48-19 mm (2x);	20.00
397	1	Dany snack grill Dany snack grill; 230 V	20.00
398	1	scale	10.00
399	1	seal packaging machine electric connection: 230 V; description: (to recover);	20.00
400	5	g / N Bakk stainless steel: yes; GN 1/6 176x162 mm: yes; height 100 mm: yes; height 150 mm: no; description: unused ;	15.00
401	9	g / N Bakk stainless steel: yes; GN 1/6 176x162 mm: yes; height 100 mm: yes; height 150 mm: no; description: unused ;	20.00
402	10	g / N Bakk stainless steel: yes; GN 1/4 265x162 mm : yes; GN 1/6 176x162 mm: no; height 65 mm: yes; height 150 mm: no; description: unused ;	30.00
403	8	g / N Bakk stainless steel: yes; GN 1/4 265x162 mm : yes; GN 1/6 176x162 mm: no; height 65 mm: no; height 150 mm: no; description: unused, 2 x 100 mm and 6 x 65 mm deep,;	25.00
404	1	climate closet brand: Hein; type: Klimatic; electric connection: 380 V; description: already disassembled;	200.00
405	4	g / N lid with spoon recess stainless steel: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; height 65 mm: no; height 150 mm: no; description: unused, model 1/4 ;	10.00



Lot	Number	Description	Starting Bid €
406	5	g / N lid stainless steel: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; height 65 mm: no; height 150 mm: no; description: unused, model 1/4, 4 x with spoon recess, 1 without.;	10.00
407	3	g / N container stainless steel: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; GN 1/9 176x108 mm: yes; height 65 mm: yes; height 150 mm: no; description: unused, including 2 lids ;	10.00
408	6	g / N container stainless steel: yes; GN 1/1 530x325 mm: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; GN 1/9 176x108 mm: no; height 65 mm: no; height 150 mm: yes; description: unused;	35.00
409	5	g / N container stainless steel: yes; GN 1/1 530x325 mm: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; GN 1/9 176x108 mm: no; height 65 mm: no; height 100 mm: yes; height 150 mm: no; description: unused;	30.00
410	2	g / N container stainless steel: yes; GN 1/1 530x325 mm: no; GN 2/3 325x354 mm: yes; GN 1/4 265x162 mm : no; GN 1/6 176x162 mm: no; GN 1/9 176x108 mm: no; height 65 mm: no; height 100 mm: yes; height 150 mm: no; description: unused, 1 x 150 high;	15.00
411	7	plasticized grid total dimension L: 650 mm; total dimension W: 530 mm; description: 2 pieces not plasticized ;	10.00
412	10	timetables description: 3 pieces of 46 x 55 cm and 7 pieces of 63 x 42 cm.;	10.00
413	5	bake gastronorm GN 2/1 650x530 mm: yes; height 200 mm: yes; description: perforated, unused ;	35.00
414	5	bake gastronorm GN 2/1 650x530 mm: yes; height 40 mm: yes; height 200 mm: no; description: perforated, unused ;	35.00
415	5	bake gastronorm GN 2/1 650x530 mm: yes; height 40 mm: yes; height 200 mm: no; description: perforated, unused ;	35.00
416	5	bake gastronorm GN 2/1 650x530 mm: yes; height 40 mm: yes; height 200 mm: no; description: perforated, unused ;	35.00
417	4	grille for extractor hood stainless steel: yes; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 20 mm; description: unused ;	40.00
418	14	drain plugs drainage sink; unused	20.00
419	1	stainless steel table on wheels total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 600 mm;	30.00
420	1	cold storage room total dimension L: 870 mm; total dimension W: 610 mm; total dimension H: 1780 mm; description: including 5 shelves, adjustable to 11 levels, removable ;	25.00
421	4	metal rack with sliders total dimension L: 370 mm; total dimension W: 370 mm; total dimension H: 440 mm; description: stackable, 6 shelves per rack;	20.00
422	1	cash desk Casio, SE-S3000, brand: Casio; type: SE-S3000; cash register drawer: yes; electric connection: 230 V;	40.00
423	1	knife sharpener	10.00
424	1	knife sharpener brand: bizerba; description: for VS8 type ;	10.00



Lot	Number	Description	Starting Bid €
425	1	knife sharpener brand: bizerba;	10.00
426	1	knife sharpener brand: bizerba; description: for VS8 type;	15.00
427	1	knife sharpener brand: bizerba;	15.00
428	1	knife sharpener brand: bizerba; description: for v 8 type ;	15.00
429	1	knife sharpener brand: bizerba;	15.00
430	1	knife sharpener brand: bizerba; description: for type se 8 ;	15.00
431	1	knife sharpener brand: bizerba; description: for type vs 8;	15.00
432	1	scale brand: Digi; type: sm 70; weight range max: 15 kg; platform size L: 400 mm; platform size W: 280 mm; digital display: yes; electric connection: 230 V; description: to recover ;	10.00
433	1	scale brand: Digi; type: sm 70; weight range max: 15 kg; platform size L: 400 mm; platform size W: 280 mm; digital display: yes; electric connection: 230 V; description: with printer ;	10.00
434	1	lot of various kitchen supplies description: including spoons and spatulas. (excluding crate);	5.00
435	1	lot of various kitchen supplies description: including spoons and spatulas. (excluding crate);	5.00
436	1	lot of various kitchen supplies description: including spoons and spatulas. (excluding crate);	5.00
437	1	meat skewers parts description: different sizes . ;	15.00
438	5	ceramic tiles for grill total dimension L: 135 mm; total dimension W: 96 mm;	10.00
439	1	hood brand: Cuppone; stainless steel: yes; electric connection: 230 V; description: unused; for cuppone pizza oven, size 101 x 119 x H 36 cm;	100.00
440	1	hood stainless steel: yes; electric connection: 230 V; description: size 92 x 92 x H 25 cm;	50.00
441	5	ceramic tiles for grill total dimension L: 135 mm; total dimension W: 96 mm;	10.00
442	5	ceramic tiles for grill total dimension L: 135 mm; total dimension W: 96 mm;	10.00
443	1	knife for Berkel cutting machine description: for berkel type 834, diam approx. 27 cm ;	10.00
444	1	knife for Berkel cutting machine description: for berkel type 834, diam approx. 27 cm ;	10.00
445	1	trolley on wheels total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 1000 mm; description: 10 shelves ;	10.00
446	1	seal packaging machine electric connection: 230 V; description: (;	20.00
447	1	scale brand: dibal; platform size L: 400 mm; platform size W: 400 mm; digital display: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
448	1	scale brand: bizerba; type: kh II 800; platform size L: 400 mm; platform size W: 400 mm; digital display: yes; electric connection: 230 V;	10.00
449	1	seal packaging machine brand: conpax; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 500 mm; total dimension H: 400 mm;	10.00
450	1	soup kettle adjustable thermostate: yes; electric connection: 230 V; description: to recover;	20.00
451	12	leveling feet description: 3.5 x 3.5 x 7.5 cm ;	15.00
452	12	leveling feet description: 3.5 x 3.5 x 7.5 cm ;	15.00
453	12	leveling feet description: 3.5 x 3.5 x 7.5 cm ;	15.00
454	8	leveling feet description: 9.5 x 9.5 x 16 cm ;	20.00
455	8	leveling feet description: 9.5 x 9.5 x 16 cm ;	20.00
456	8	leveling feet description: 9.5 x 9.5 x 16 cm ;	20.00
457	8	leveling feet description: 9.5 x 9.5 x 16 cm ;	20.00
458	8	leveling feet description: 9.5 x 9.5 x 16 cm ;	20.00
459	8	leveling feet description: height 15 cm ;	15.00
460	8	leveling feet description: height 15 cm ;	15.00
461	8	leveling feet description: height 15 cm ;	15.00
462	8	leveling feet description: height 15 cm ;	15.00
463	8	leveling feet description: height 15 cm ;	15.00
464	1	scale brand: cbc; type: tsx; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V;	25.00
465	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: without 12 v adapter 500mA;	20.00
466	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: to recover ;	10.00
467	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: calibrate again ;	15.00
468	1	scale brand: ohaus; type: T31xw; weight range min.: 1 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: calibrate again ;	15.00



Lot	Number	Description	Starting Bid €
469	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: to recover ;	15.00
470	1	scale brand: UWE; type: afw; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V;	15.00
471	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: to recover ;	15.00
472	1	scale brand: UWE; type: afs; weight range min.: 1 g; weight range max: 150000 g; readability: 1 g; platform size L: 520 mm; platform size W: 420 mm; digital display: yes; electric connection: 230 V; description: excluding 12 v / 500 ma adapter ;	15.00
473	9	meat hooks description: 4 x stainless steel of 150 cm and 5 x plastic of 103 cm ;	25.00
474	5	Baking plates total dimension L: 650 mm; total dimension W: 540 mm; total dimension H: 30 mm;	25.00
475	1	scale brand: Digi; type: sm880; platform size L: 370 mm; platform size W: 29 mm; digital display: yes; description: to recover ;	5.00
476	3	packaging film on a roll description: 2 rolls of 100 cm and 1 part of 80 cm high. approx. 300 m per roll.;	25.00
477	1	cutter brand: Omega; type: bf 350 e; diameter cutting blade: 350 mm; blade sharpener: yes; electric connection: 230 V;	100.00
478	1	tail can opener stainless steel: yes;	25.00
479	1	tail can opener stainless steel: yes;	25.00
480	1	tail can opener stainless steel: yes;	25.00
481	1	tail can opener stainless steel: yes;	25.00
482	1	tail can opener stainless steel: yes;	25.00
483	1	tail can opener stainless steel: yes;	25.00
484	1	tail can opener stainless steel: yes;	25.00
485	1	tail can opener stainless steel: yes;	25.00
486	1	tail can opener stainless steel: yes;	25.00
487	6	Baking plates stainless steel: no; total dimension L: 760 mm; total dimension W: 505 mm; description: aluminum version ;	50.00
488	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00



Lot	Number	Description	Starting Bid €
489	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
490	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
491	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
492	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
493	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
494	7	Baking plates stainless steel: yes; total dimension L: 800 mm; total dimension W: 500 mm; description: unused;	20.00
495	1	parts jelly sprayer	5.00
496	1	Meat cutter Berkel, 800, brand: Berkel; type: 800; electric connection: 230 V; description: (to recover);	80.00
497	1	cutter Graef, 3310, brand: Graef; type: 3310; electric connection: 230 V;	50.00
498	1	Trolley total dimension L: 895 mm; total dimension W: 600 mm; total dimension H: 960 mm; description: (excluding frigo);	20.00
499	1	shooting table Bongard, cs 2t , brand: Bongard; type: cs 2t ; description: length 2310 mm width 565 mm, unused ;	50.00
500	1	stainless steel mixing bowl on wheels total dimension L: 1500 mm; total dimension W: 700 mm; description: depth approx. 350 mm, total height of 850 mm, content approx. 150 liters, and two swivel castors 2 fixed, unused ;	150.00
501	1	stainless steel standard container on wheels total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 700 mm; description: with drain tap;	75.00
502	1	plastic waste bin brand: carlisle; total dimension L: 440 mm; total dimension W: 330 mm; total dimension H: 550 mm; description: with hanging possibility on serving trolley ;	10.00
503	1	mix mixer brand: ramon; type: 35; capacity: 35 kg; electric connection: 230 V; description: to restore without tub;	25.00
504	1	freezer AEG, arctis öko, brand: AEG; type: arctis öko; total dimension L: 1600 mm; total dimension W: 620 mm; total dimension H: 840 mm;	25.00
505	1	orange press brand: groba; description: for parts . ;	5.00
506	1	stainless regaalwagen total dimension L: 670 mm; total dimension W: 450 mm; total dimension H: 174 mm; description: equipped with 9 plastic bins (44 x 61 cm), 4 with lids, ;	10.00
507	1	Heating plate brand: scholl; type: 26070; stainless steel: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 110 mm; description: equipped with 9 plastic bins (44 x 61 cm), 4 with lids, ;	10.00



Lot	Number	Description	Starting Bid €
508	1	rack conveyor dishwasher brand: Winterhalter; type: gs320; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 820 mm;	100.00
509	1	stainless steel platform car total dimension L: 1070 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: provided for 8 plates of 60 x 100 cm, on wheels ;	50.00
510	1	table on wheels total dimension L: 1080 mm; total dimension W: 740 mm; total dimension H: 780 mm; description: with stainless steel top ;	25.00
511	2	cloth for roll-out table with handlebar tape description: dimensions 51 x 117 cm, unused ;	50.00
512	1	trolley on wheels brand: Rea; total dimension L: 660 mm; total dimension W: 410 mm; total dimension H: 1680 mm; description: 10 layers for 60 x 30 cm plates ;	50.00
513	1	trolley on wheels brand: Rea; total dimension L: 660 mm; total dimension W: 505 mm; total dimension H: 1760 mm; description: 8 layers for 60 x 40 cm plates, including 5 plastic trays ;	50.00
514	1	aluminum rack trolley on wheels total dimension L: 610 mm; total dimension W: 460 mm; total dimension H: 1750 mm; description: 10 layers for 60 x 40 cm plates ;	35.00
515	1	aluminum rack trolley on wheels total dimension L: 610 mm; total dimension W: 460 mm; total dimension H: 1750 mm; description: 10 layers for 60 x 40 cm plates ;	35.00
516	1	stainless steel trolley on wheels total dimension L: 670 mm; total dimension W: 615 mm; total dimension H: 1845 mm; description: suitable for Gastronorm containers type 2/1 ;	35.00
517	1	stainless steel trolley on wheels total dimension L: 700 mm; total dimension W: 480 mm; total dimension H: 1780 mm; description: suitable for 20 plates of 60 x 40 ;	35.00
518	1	stainless steel trolley on wheels total dimension L: 610 mm; total dimension W: 480 mm; total dimension H: 1800 mm; description: suitable for 14 plates of 60 x 40 ;	35.00
519	1	stainless steel trolley on wheels total dimension L: 610 mm; total dimension W: 480 mm; total dimension H: 1800 mm; description: suitable for 14 plates of 60 x 40 ;	35.00
520	1	stainless steel trolley on wheels total dimension L: 610 mm; total dimension W: 480 mm; total dimension H: 1800 mm; description: suitable for 14 plates of 60 x 40 ;	35.00
521	1	stainless steel trolley on wheels total dimension L: 610 mm; total dimension W: 480 mm; total dimension H: 1800 mm; description: suitable for 14 plates of 60 x 40 ;	35.00
522	1	Welding machine brand: Esab; type: prowelder Its 250; mig type: yes; tig type: yes; inverter type: no; portable: no; digital display: yes; electric connection: 380 V; manual present: yes; description: including steering and second electrode holders for tubes to be welded, model A21 RPB 17-49 and 33-90;	450.00
523	1	open store fridge brand: fri-jado; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 1320 mm; total dimension W: 1050 mm; total dimension H: 1020 mm; description: crack in glass rim ;	50.00
524	1	open store fridge brand: fri-jado; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 1320 mm; total dimension W: 1050 mm; total dimension H: 1020 mm; description: broken glass ;	50.00



Lot	Number	Description	Starting Bid €
525	1	automatic bread distributer verbeeck, v90k, brand: Verbeek; type: v90k; electric connection: 230 V; total dimension L: 1250 mm; total dimension W: 800 mm; total dimension H: 192 mm; description: without lock ;	250.00
526	1	cutting roll total dimension L: 700 mm; description: as well as 1 puncture roll;	10.00
527	1	Bread cutter Fb, brand: Fb; cut width: 11 mm; electric connection: 380 V;	75.00
528	1	frame for ice cream truck total dimension L: 1800 mm; total dimension W: 960 mm; total dimension H: 850 mm; description: size of plateau 132 x 67 cm;	10.00
529	1	rack conveyor dishwasher claseq, duo3, brand: claseq; type: duo3; stainless steel: yes; frontloader: no; electric connection: 380 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 83 mm;	150.00
530	1	Dishwasher brand: miele; type: g698sc; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: to recover ;	5.00
531	1	Dishwasher brand: miele; type: G7856; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: to recover ;	5.00
532	1	wine rack total dimension L: 1200 mm; total dimension W: 360 mm; total dimension H: 1820 mm; description: 14 layers of wine rack, 168 bottles, removable;	25.00
533	1	cutter type: 350 I; electric connection: 230 V;	70.00
534	1	cutter brand: Graef; type: Euro 3310 DS ; electric connection: 230 V;	100.00
535	1	cutter brand: Bizerba ; electric connection: 230 V;	100.00
536	1	cutter brand: Berkel; electric connection: 230 V;	150.00
537	1	cutter brand: Bizerba; type: VS 8 D; electric connection: 230 V;	200.00
538	1	ertalon worksheet total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 20 mm; description: unused ;	50.00
539	1	lot of various wheels for trolleys	10.00
540	1	lot of various wheels for trolleys	10.00
541	1	lot of various wheels for trolleys	10.00
542	1	lot of various wheels for trolleys	10.00
543	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00
544	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00
545	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00
546	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00



Lot	Number	Description	Starting Bid €
547	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00
548	1	trolley on wheels total dimension L: 710 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: suitable for 2 x 8 trays of max. 54 x 43.5 cm.;	25.00
549	1	stainless steel scoop for French fries total dimension L: 1200 mm; total dimension W: 310 mm; total dimension H: 200 mm;	25.00
550	1	air compressor brand: mecha concorde ; type: xrba4123; mobile: yes; capacity: 10 bar; air flow: 240 l/min; power: 1.5 kW; buffer tank content: 100 l; electric connection: 380 V; total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 840 mm; description: switch to 230 v possible ;	50.00
551	1	air compresso brand: Topcraft; type: tck 240/50; capacity: 10 bar; power: 1.5 kW; buffer tank content: 50 l;	25.00
552	4	plastic office chair	10.00
553	4	mbx bicycle	15.00
554	5	bicycles description: 2 men's bicycles and 3 women's bicycles ;	25.00
555	5	bicycles description: 1 men's bicycle and 4 women's bicycles ;	25.00
556	5	bicycles description: 2 men's bicycles and 3 women's bicycles ;	25.00
557	5	bicycles description: 2 men's bicycles and 3 women's bicycles ;	25.00
558	1	Bottle cooler antoine, brand: antoine; digital display: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 540 mm; total dimension H: 910 mm; description: equipped with 2 doors, incl. cooling group;	100.00
559	1	antique hood description: diam 74 cm, 84 cm high ;	50.00
560	1	packaging machine pivib, fastpak mk, brand: pivib; type: fastpak mk; mobile: no; electric connection: 230 V; description: to recover ;	10.00
561	1	bread rack total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 2000 mm;	5.00
562	1	stainless regaalwagen total dimension L: 730 mm; total dimension W: 550 mm; total dimension H: 770 mm; description: well plates for 14 GN / baking type 1/1;	25.00
563	1	aluminum rack total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1780 mm; description: unused, 4 adjustable shelves (11 options) ;	25.00
564	1	standpipe for washbasin stainless steel: yes; total dimension H: 310 mm; description: unused;	10.00
565	1	standpipe for washbasin stainless steel: yes; total dimension H: 320 mm; description: unused;	10.00
566	2	standpipe for washbasin stainless steel: yes; total dimension H: 320 mm; description: unused;	20.00
567	2	standpipe for washbasin stainless steel: yes; total dimension H: 320 mm; description: unused;	15.00
568	2	standpipe for washbasin stainless steel: yes; total dimension H: 320 mm; description: unused;	20.00
569	2	standpipe for washbasin total dimension H: 230 mm;	5.00



Lot	Number	Description	Starting Bid €
570	6	band saw for meat sawing machine brand: munkfors ; type: supra ; description: size 20/1520, unused ;	30.00
571	9	band saw for meat sawing machine brand: munkfors ; type: supra ; description: size 16 x 0.60 x 3200, unused ;	40.00
572	4	band saw for meat sawing machine brand: B&g; type: supra ; description: size 2210 x 20, unused ;	20.00
573	6	band saw for meat sawing machine brand: munkfors; type: supra ; description: size 16/3607 unused ;	30.00
574	6	band saw for meat sawing machine brand: munkfors; type: supra; description: unused, size 15/1730;	30.00
575	9	band saw for meat sawing machine brand: munkfors; type: supra; description: unused, size 12x0.50x2578;	40.00
576	1	speed controller Atc, btrn-1-10, brand: Atc; type: btrn-1-10; description: unused ;	100.00
577	1	preflush encore, kn50-y002, brand: encore; type: kn50-y002; description: unused;	25.00
578	1	preflush brand: encore; type: kn50-y002; description: unused;	25.00
579	1	preflush brand: encore; type: kn50-y002; description: unused;	25.00
580	1	preflush brand: encore; type: kn50-y002; description: unused;	25.00
581	1	detergent pump Seko, gw3810, type: mp 28 ; serial number: 3102450; description: unused;	20.00
582	2	detergent doser brand: Winterhalter; type: mp28; serial number: 3102450; description: unused;	25.00
583	1	preflush snake encore, brand: encore; total dimension L: 960 mm; description: unused, ;	15.00
584	1	preflush snake encore, brand: encore; total dimension L: 960 mm; description: unused, ;	15.00
585	1	preflush snake encore, kn50-y002, brand: encore; type: kn50-y002; total dimension L: 960 mm; description: unused, ;	25.00
586	1	preflush snake encore, kn50-y002, brand: encore; type: kn50-y002; total dimension L: 1670 mm; description: unused, ;	25.00
587	1	preflush snake encore, kn50-y002, brand: encore; type: kn50-y002; total dimension L: 1670 mm; description: unused, ;	25.00
588	2	dimers	20.00
589	2	dimers	20.00
590	1	motor control description: unused, cpc-line 61202, article code 3040.3040p;	25.00
591	1	inverter brand: Taian electric ; type: t-verter N2-202-m+; description: unused.;	75.00
592	1	speed controller brand: 3gp system ; type: RCK 1800; description: max 1800 watts, 230 volts ;	25.00
593	1	transformer description: 230 to 24 v ;	10.00
594	1	syringe pump portaspray, brand: portaspray; total dimension L: 1670 mm;	10.00



Lot	Number	Description	Starting Bid €
595	1	transformer brand: tombeur ; type: t5d27a; serial number: 50200; description: 220 to 320 volts, 50/60 Hz, 400 va;	10.00
596	1	transformer brand: tombeur ; type: t5d27a; serial number: 50200; description: 220 to 320 volts, 50/60 Hz, 400 va;	10.00
597	1	transformer brand: tombeur ; type: t5d27a; serial number: 50200; description: 220 to 320 volts, 50/60 Hz, 400 va;	10.00
598	1	transformer brand: legrand; type: 42465; description: 250va / 740va, pri 230 / 400v sec 230 v ;	10.00
599	1	transformer brand: Elcom elettrotecnica; type: VA800/2400;	10.00
600	1	transformer brand: Busto G.; type: 076/tms800/030; description: pri 0/200/230/240 / --- 440v. from 800/2400;	10.00
601	1	transformer brand: Gms; type: t11.240;	10.00
602	1	transformer brand: Gms; type: t11.240;	10.00
603	1	pvc trays description: Two models total approx. 800 pieces ;	10.00
604	1	catering coffee machine brand: WMF; type: etamat ecf ; total dimension L: 580 mm; total dimension W: 500 mm; total dimension H: 820 mm;	50.00
605	1	transformer brand: Elcom elettrotecnica; type: VA200 monofase;	10.00
606	1	transformer brand: Busto G.; type: 076/tms250/037; description: pri 0 / 220-440v. va250;	10.00
607	1	transformer brand: Schneider; type: l-stel 400;	10.00
608	1	transformer brand: Ulmer; type: Tueo,25;	10.00
609	1	transformer brand: Eti; type: ok8296;	5.00
610	1	transformer	5.00
611	1	transformer brand: Werco;	5.00
612	1	transformer brand: ESTU; type: 130a;	10.00
613	1	transformer brand: Block; type: bv 020689 r;	10.00
614	1	transformer brand: phoenix contact; description: 230 va / c in 24 v dc out ;	10.00
615	1	transformer brand: Grothe; type: TR 1982 k; description: 230 v in 8.12.20 v out ;	10.00
616	1	electric motor description: 230 V;	20.00
617	1	transformer description: Price: 400V Sec: 230V, 1000VA;	10.00
618	1	transformer type: LCP-TBSM; year: 2006; description: PRI: 0/208 / 220V; SEC: 0 / 110V; 2.2 kVA;	10.00



Lot	Number	Description	Starting Bid €
619	1	transformer type: LCP-TBSM; year: 2006; description: PRI: 0/208 / 220V; SEC: 0 / 110V; 2.2 kVA;	10.00
620	1	transformer	10.00
621	1	remote control for camera brand: panasonic; type: AG-A730-E; description: unused ;	25.00
622	1	program control for a dishwasher brand: Winterhalter; type: gs502 en gs515; serial number: 3105141; description: unused, type WPS max version 003.1 ;	20.00
623	1	drain valve brand: Winterhalter; type: 4.040.116; electric connection: 230 V; description: unused, ;	20.00
624	2	fan description: 230 v, approx. 19 cm width and 6 cm in diam ;	10.00
625	1	fan description: 230 v, approx. 24 cm width and 5 cm diam of, unused ;	10.00
626	1	electric freezer control	5.00
627	1	refrigerator compressor brand: danfoss; type: fr8.5g; description: unused ;	10.00
628	1	inverter brand: mastervolt; type: mass24/1500;	10.00
629	5	foot switch brand: herga; type: 6210-08;	10.00
630	1	preflush encore, brand: encore;	25.00
631	1	nail gun brand: senco; type: gt65da; with case: yes; description: operation on batteries and gas cartridges, including charger and x battery. ;	25.00
632	1	seal packaging machine stainless steel: yes; electric connection: 230 V;	25.00
633	1	seal packaging machine stainless steel: yes; electric connection: 230 V;	25.00
634	1	electric hand saw brand: adamant; type: 2747; saw blade ? : 225 mm; max. depth of cut: 632 mm; with case: no; electric connection: 230 V; description: adjustable speed 2900-4700;	50.00
635	1	auger brand: Lumag; type: eb520g; fuel engine driven: yes; fuel type: benzine; description: 1 including boron, of dia 80 mm, length 100 cm. ;	70.00
636	13	various dissecting unit hallde, brand: hallde;	25.00
637	1	fall protection brand: ikar; type: ra15;	25.00
638	1	winch 24 V	50.00
639	1	core drill brand: carat; type: A-1411;	50.00
640	2	diamond drill brand: carat; description: diam 51 mm x 400 mm x m30, unused.;	50.00
641	1	Battery drilling machine brand: buffalo tools; with case: yes; description: unused, 18 volt, with charger and 2 x battery ;	25.00
642	1	just for trailer description: size 2 x 1 m ;	5.00
643	1	just for trailer description: size 2 x 1 m ;	5.00



Lot	Number	Description	Starting Bid €
644	1	table slicer brand: Berkel; type: 834s; electric connection: 230 V;	100.00
645	1	generator brand: powerplus; type: pow 4810sc; gasoline: yes; number of cylinders: 1; air cooled: yes; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 380 mm;	50.00
646	1	generator brand: valkenpower; type: em200in; capacity: 1.8 kVA; gasoline: yes; number of cylinders: 1; total dimension L: 500 mm; total dimension W: 280 mm; total dimension H: 460 mm;	50.00
647	1	cutter knife hobart, 77373, brand: hobart; type: 77373;	10.00
648	4	cutter knives	10.00
649	2	cutter knives hobart, 77372, brand: hobart; type: 77372;	10.00
650	2	cutter knives hobart, 00-071310, brand: hobart; type: 00-071310;	10.00
651	2	cutter knives	10.00
652	3	cutter knives type: f60;	5.00
653	1	stone and tile cart	10.00
654	1	chutes brand: vlutters ; type: n120; serial number: 431012750; description: including window holder and bulk screen (431001470 and 431001635), 3 conical tubes of 120 cm in length, diameter approx. 53.5 cm ;	10.00
655	1	tile Saw brand: carat; type: microcoup 230 deluxe; description: unused ;	150.00
656	1	tile Saw brand: carat; type: microcoup 230 deluxe; description: unused ;	150.00
657	1	guard stainless steel: yes; description: and one scoop; length 94 and 123 cm;	25.00
658	8	sorting bins total dimension L: 500 mm; total dimension W: 260 mm; total dimension H: 200 mm;	5.00
659	2	spoons stainless steel: yes; description: length 60, and 82 cm;	15.00
660	1	stephancutter	30.00
661	50	wooden folding meter brand: topcraft ; description: 10 parts, length 2 m. Mint ;	35.00
662	50	wooden folding meter brand: topcraft ; description: 10 parts, length 2 m. Mint ;	35.00
663	50	wooden folding meter brand: topcraft ; description: 10 parts, length 2 m. Mint ;	35.00
664	50	wooden folding meter brand: topcraft ; description: 10 parts, length 2 m. Mint ;	35.00
665	4	ratchet straps brand: Torso; description: length 5.5 mx 3.5. cm width;	10.00
666	4	ratchet straps brand: Torso; description: length 5.5 mx 3.5. cm width;	10.00
667	4	ratchet straps brand: Torso; description: length 5.5 mx 3.5. cm width;	10.00
668	4	timetables total dimension L: 435 mm; total dimension W: 435 mm;	10.00
669	4	timetables total dimension L: 435 mm; total dimension W: 435 mm;	10.00



Lot	Number	Description	Starting Bid €
670	3	timetables total dimension L: 435 mm; total dimension W: 435 mm;	10.00
671	4	sets of nozzles description: 10 pieces per set.;	10.00
672	4	sets of nozzles description: 10 pieces per set.;	10.00
673	4	sets of nozzles description: 10 pieces per set.;	10.00
674	4	sets of nozzles description: 10 pieces per set.;	10.00
675	4	sets of nozzles description: 10 pieces per set.;	10.00
676	1	11-piece kitchen utensils set	10.00
677	1	11-piece kitchen utensils set	10.00
678	1	11-piece kitchen utensils set	10.00
679	1	11-piece kitchen utensils set	10.00
680	1	lot of stainless steel lids description: exclusive basket ;	5.00
681	1	lot of stainless steel lids description: exclusive basket, unused diam 32 cm, approx. 20 pieces;	5.00
682	1	lot of various printing forms	10.00
683	5	head for meat grinder description: 1 x without worm ;	25.00
684	4	worm for meat grinder	25.00
685	4	worm for meat grinder	25.00
686	9	accessories for mincer description: size 52 ;	25.00
687	11	accessories for mincer description: size 32 ;	25.00
688	1	lot of various knives for meat grinder description: size 32 ;	25.00
689	9	accessories for mincer description: size E;	25.00
690	4	accessories for mincer description: 1 x size 16fw, 3 x size 9;	25.00
691	1	lot of various knives for meat grinder description: size 32 ;	25.00
692	11	accessories for mincer description: size E, 1 x cutting plate size 12;	25.00
693	1	lot of various knives for meat grinder description: size 22;	25.00
694	1	head for meat grinder	25.00
695	1	various accessories for mincer	25.00
696	1	various accessories for mincer	25.00
697	1	various accessories for mincer	25.00
698	6	accessories for mincer description: size 52;	25.00
699	6	accessories for mincer description: size 52;	25.00
700	23	accessories for mincer description: size B;	25.00



Lot	Number	Description	Starting Bid €
701	11	accessories for mincer description: size 52;	25.00
702	6	accessories for mincer description: size 52;	25.00
703	6	accessories for mincer description: size 52;	25.00
704	6	accessories for mincer description: size 52;	25.00
705	1	Terrace theater type: patio heater; gas-heated: yes; total dimension H: 2300 mm; description: unused ;	25.00
706	1	Terrace theater type: patio heater; gas-heated: yes; total dimension H: 2300 mm; description: unused ;	25.00
707	1	Terrace theater type: patio heater; gas-heated: yes; total dimension H: 2300 mm; description: unused ;	25.00
708	2	pistolet plates for machine	10.00
709	2	pistolet plates for machine	10.00
710	1	antique coffee maker brand: egro; description: operation on gas ;	100.00
711	1	switchboard total dimension L: 230 mm; total dimension W: 400 mm; total dimension H: 600 mm;	10.00
712	1	labeller brand: BBK; type: rapid s ;	10.00
713	1	frequency converter brand: danfoss; type: vlt 2800; total dimension L: 230 mm; total dimension W: 400 mm; total dimension H: 600 mm; description: including motor with reduction ;	25.00
714	1	spray guns brand: danfoss; type: vlt 2800;	10.00
715	1	vegetable slicer brand: halde; type: rg-100; electric connection: 230 V; description: to recover ;	10.00
716	1	circuits on rail description: approx. 11 pieces, PKZM 1-4 and telemecanique GV1-m10,06,04,08;	10.00
717	1	circuits on rail brand: siemens ; type: sirius r3; description: approx. 14 pieces, ;	15.00
718	1	lot of various circuits	15.00
719	1	lot of various circuits	15.00
720	1	lot of various circuits	15.00
721	1	lot of various circuits	15.00
722	1	lot of various circuits	5.00
723	1	lot of various circuits	5.00
724	1	lot of various circuits	15.00
725	1	lot of various circuits on rail	5.00
726	4	switches	10.00
727	7	baguettes total dimension L: 800 mm; total dimension W: 600 mm; description: unused.;	20.00
728	6	Stainless steel grates total dimension L: 800 mm; total dimension W: 600 mm;	25.00
729	5	Stainless steel grates total dimension L: 800 mm; total dimension W: 600 mm;	20.00
730	5	timetables description: 3 x stainless steel and 2 x Chrome, 2/1 GN;	20.00
731	8	perforated baking trays total dimension L: 800 mm; total dimension W: 600 mm; description: as well as 2 plates;	10.00



Lot	Number	Description	Starting Bid €
732	1	lot of various baking forms	10.00
733	7	stainless steel baking trays christen , total dimension L: 300 mm; total dimension W: 400 mm; total dimension H: 50 mm;	15.00
734	1	heater AEG , fw 500, brand: AEG ; type: fw 500;	15.00
735	1	electrical heating Zanker, brand: Zanker;	5.00
736	2	fruit bowls description: ø 41 cm;	5.00
737	1	lot of various porcelain description: being 5 ø × 22 cm, 4 x dimensions 35 x 21 x 5 cm, and dimensions 25 x 25 cm;	5.00
738	13	stainless steel scales description: length 25 to 40 cm;	5.00
739	9	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: with cart;	40.00
740	8	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: with cart;	20.00
741	1	chassis stainless steel: yes; total dimension L: 980 mm; total dimension W: 750 mm; total dimension H: 1070 mm; description: equipped with 2 x 8 levels 40 x 60 cm;	20.00
742	1	chassis stainless steel: yes; total dimension L: 1100 mm; total dimension W: 610 mm; total dimension H: 1080 mm; description: equipped with 2 x 10 levels 40 x 60 cm;	20.00
743	1	mobile chassis total dimension L: 730 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: stainless steel;	20.00
744	1	ingredients bake total dimension L: 740 mm; total dimension W: 400 mm; total dimension H: 700 mm;	20.00
745	1	Stainless steel transport cart brand: Vemo; total dimension L: 940 mm; total dimension W: 660 mm; total dimension H: 740 mm;	30.00
746	10	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 160 mm;	5.00
747	12	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 160 mm;	5.00
748	13	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 140 mm;	5.00
749	8	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 140 mm; description: as well as 7 pieces x height 50 mm;	5.00
750	10	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 230 mm;	5.00
751	12	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 120 mm;	5.00
752	15	Plastic stacking crates dimension L: 750 mm; dimension W: 370 mm; dimension H: 170 mm;	10.00
753	14	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 130 mm;	10.00



Lot	Number	Description	Starting Bid €
754	14	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 115 mm; description: and 4 stacking crates dimensions . approx. 600 x 400 x H 150 mm;	10.00
755	7	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 160 mm;	5.00
756	19	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 110 mm;	5.00
757	11	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 130 mm;	5.00
758	12	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 130 mm;	5.00
759	15	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 130 mm;	5.00
760	8	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: altitudes 110 mm and 130 mm;	5.00
761	12	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 70 mm;	5.00
762	6	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm;	5.00
763	6	Plastic stacking crates dimension L: 530 mm; dimension W: 455 mm; description: various heights;	5.00
764	12	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: various heights;	5.00
765	12	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: with cart;	50.00
766	9	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: various heights;	5.00
767	16	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 140 mm;	10.00
768	8	various plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: various heights;	5.00
769	14	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm;	10.00
770	8	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: heights 140 and 200 mm;	10.00
771	17	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 70 mm;	10.00
772	4	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; description: various heights;	5.00
773	7	Plastic stacking crates dimension L: 600 mm; dimension W: 400 mm; dimension H: 110 mm;	5.00
774	20	plastic lids dimension L: 600 mm; dimension W: 400 mm; description: suitable for some 400 x 600 mm crates;	5.00
775	20	plastic lids dimension L: 600 mm; dimension W: 400 mm; description: suitable for some 400 x 600 mm crates;	5.00
776	1	stainless steel standard box total dimension L: 660 mm; total dimension W: 680 mm; total dimension H: 700 mm;	40.00
777	1	stainless steel standard box total dimension L: 660 mm; total dimension W: 680 mm; total dimension H: 700 mm;	40.00



Lot	Number	Description	Starting Bid €
778	1	stainless steel standard box total dimension L: 660 mm; total dimension W: 680 mm; total dimension H: 700 mm;	40.00
779	1	lot of office height adjustable: yes; office chair: no; description: consisting of four agents, among others dimensions 1600 x 1100 mm, and 1600 x 1200 mm, 5 chairs, pedestals and 4;	10.00
780	3	Drawer blocks brand: Quipo; total dimension L: 590 mm; total dimension W: 350 mm; total dimension H: 550 mm; description: with key;	10.00
781	1	Throw total dimension L: 420 mm; total dimension W: 845 mm; total dimension H: 950 mm;	10.00
782	6	chocolate molds	10.00
783	6	chocolate molds	10.00
784	6	chocolate molds	10.00
785	6	chocolate molds	10.00
786	12	chocolate molds	20.00
787	6	chocolate molds	10.00
788	6	chocolate molds	10.00
789	6	chocolate molds	10.00
790	10	chocolate molds	15.00
791	10	chocolate molds	15.00
792	10	chocolate molds	15.00
793	9	chocolate molds	15.00
794	6	chocolate molds	10.00
795	5	chocolate molds	10.00
796	5	chocolate molds	10.00
797	6	chocolate molds	10.00
798	6	chocolate molds	10.00
799	6	chocolate molds	10.00
800	6	chocolate molds	10.00
801	6	chocolate molds	10.00
802	12	chocolate molds	20.00
803	5	chocolate molds	10.00
804	4	double sinks total dimension L: 855 mm; total dimension W: 500 mm; description: plastic;	20.00
805	4	double sinks total dimension L: 855 mm; total dimension W: 500 mm; description: plastic;	20.00
806	1	screw compressor brand: Ingersoll Rand ; type: ML30; electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1110 mm; description: engine defective;	50.00
807	6	sandwich appliances description: to recover;	10.00
808	1	electric motor brand: EMI; type: EMI 160M-4;	20.00
809	25	Stack-nestable bread crates Broban, brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: including cart;	85.00
810	25	Stack-nestable bread crates brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: including cart;	85.00





Lot	Number	Description	Starting Bid €
829	25	Stack-nestable bread crates brand: Broban; dimension L: 700 mm; dimension W: 496 mm; dimension H: 190 mm; description: including cart;	85.00
830	3	various plates electric: yes; number of zones: 1;	10.00
831	4	various plates electric: yes; number of zones: 1;	15.00
832	3	various plates electric: yes; number of zones: 1;	10.00
833	4	various plates electric: yes; number of zones: 1;	15.00
834	1	bowl for beater mixer description: ø approx. 44 cm;	10.00
835	1	bowl for beater mixer description: ø approx. 44 cm;	10.00
836	1	freezer Liebherr, brand: Liebherr; type: GT3021 index 20/001; total dimension L: 1000 mm; total dimension W: 660 mm; total dimension H: 990 mm;	40.00
837	1	mobile dough tub description: for sancassiano mixer, ø approx. 99 cm;	200.00
838	1	mobile dough tub description: for sancassiano mixer, ø approx. 99 cm;	200.00
839	1	mobile dough tub description: for sancassiano mixer, ø approx. 99 cm;	200.00
840	1	Ice cream machine Ott, Freeze swiss, type: Freeze swiss; description: content 5 liters; 3x220V / 380V;	150.00
841	1	Soft machine brand: Luna; electric connection: 380 V; description: mobile;	500.00
842	2	agencies total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 750 mm;	10.00
843	1	Antique tandem description: vintage;	100.00
844	1	scooter brand: Peugeot; type: Speedfight3; year: 2010; VIN number: VGAF1AAAA0J031394; gasoline: yes; description: 49 cm 3; certificate of conformity ok; km reading unknown / not legible; key ok;	100.00
845	1	Palletization brand: Redirack; dismantable: yes; description: consisting of : 12 uprights 435 cm, 300 cm uprights 2 and two uprights 198 cm, width 100 cm, and approx. 102 girders length 270 cm;	350.00
846	1	Palletization dismantable: yes; number of uprights: 11; number of cross beams: 34; description: uprights dimension: 450 x 104 cm; length girders 270 cm;	250.00
1101	1	Stainless steel smoke truck total dimension L: 700 mm; total dimension W: 1170 mm; total dimension H: 1850 mm; description: 4 levels;	20.00
1102	1	sink stainless steel: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: equipped with pad and drawer;	80.00
1103	1	Stainless steel trolley description: 5 levels; size 116 x 64 x H 160 cm;	20.00
1104	1	Stainless steel trolley description: 5 levels; size 116 x 64 x H 160 cm;	20.00



Lot	Number	Description	Starting Bid €
1105	1	extraction hood stainless steel: yes; total dimension L: 2500 mm; total dimension W: 970 mm; total dimension H: 560 mm; description: with engine;	200.00
1106	1	crafting table stainless steel: no; total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 895 mm; description: provided with plastic worktop; stainless steel base and base;	50.00
1107	1	cooling cell dimension L: 3000 mm; dimension W: 3000 mm; cooling compressor: no; evaporator unit: no; description: disassembled.;	100.00
1108	1	alu roof fan description: (zvg);	15.00
1109	1	washbasin stainless steel: yes; total dimension L: 1300 mm; total dimension W: 430 mm; total dimension H: 400 mm;	40.00
1110	1	crafting table total dimension L: 2000 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: equipped with plastic cutting boards;	50.00
1111	1	washbasin stainless steel: no; total dimension L: 1800 mm; total dimension W: 430 mm; total dimension H: 460 mm;	40.00
1112	1	crafting table stainless steel: yes; total dimension L: 1750 mm; total dimension W: 900 mm; total dimension H: 830 mm;	50.00
1113	1	crafting table stainless steel: no; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 840 mm; description: equipped with plastic top and stainless steel frame;	50.00
1114	1	Cutting table total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: with plastic top and aluminum base;	40.00
1115	1	Electric swing elephant description: 230 V;	50.00
1116	1	Cutting table total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: equipped with plastic top and stainless steel frame;	40.00
1117	1	Electric swing horse total dimension L: 1800 mm; total dimension W: 710 mm; total dimension H: 1210 mm; description: 230 V;	50.00
1118	1	Electric swing boat total dimension L: 1580 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: 230 V;	50.00
1119	1	Electric rocket swing total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 1150 mm; description: 230 V, (to be repaired);	50.00
1120	1	oven cart description: 15 levels 60 x 100 cm;	35.00
1121	1	oven cart description: 15 levels 60 x 100 cm;	35.00
1122	1	oven cart description: 15 levels 60 x 100 cm;	35.00
1123	1	oven cart description: 15 levels 60 x 100 cm;	35.00
1124	1	oven cart description: 15 levels 60 x 100 cm;	35.00



Lot	Number	Description	Starting Bid €
1125	1	oven cart description: 15 levels 60 x 100 cm;	35.00
1126	1	oven cart description: stainless steel; 15 levels 60 x 100 cm;	35.00
1127	1	oven cart description: stainless steel; 15 levels 60 x 100 cm;	35.00
1128	1	oven cart description: stainless steel; 15 levels 60 x 100 cm;	35.00
1129	1	oven cart description: stainless steel; 15 levels 60 x 100 cm;	35.00
1130	1	extraction hood stainless steel: yes; total dimension L: 2500 mm; total dimension W: 850 mm; total dimension H: 600 mm; description: with engine;	100.00
1131	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1010 mm; description: provided with upside;	50.00
1132	9	various plastic pallets description: size approx. 100 x 120 cm;	20.00
1133	1	oven cart description: 15 levels 60 x 100 cm;	20.00
1134	1	oven cart description: 15 levels 60 x 100 cm;	20.00
1135	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1136	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1137	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1138	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1139	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1140	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1141	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1142	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1143	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1144	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1145	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1146	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1147	1	oven cart description: 15 levels 60 x 100 cm, including baking trays;	20.00
1148	1	oven cart description: 15 levels 60 x 100 cm, including baking trays.;	20.00
1149	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00



Lot	Number	Description	Starting Bid €
1150	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1151	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1152	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1153	1	oven cart description: 15 levels 60 x 100 cm, incl. Baking trays;	20.00
1154	1	meat cart total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1800 mm;	30.00
1155	1	chassis stainless steel: yes; total dimension L: 1050 mm; total dimension W: 720 mm; total dimension H: 870 mm; description: provided with 8 levels 40 x 80 cm;	20.00
1156	1	Stainless steel semitrailer description: 12 levels 53 x 45 cm.;	30.00
1157	1	Stainless steel semitrailer description: 15 levels 33 x 55 cm.;	30.00
1158	1	Stainless steel semitrailer description: 2 x 11 levels 60 x 80 cm and 26 x 60 cm;	40.00
1159	1	Stainless steel semitrailer description: 25 levels 53 x 65 cm;	40.00
1160	1	Stainless steel semitrailer description: 25 levels 53 x 65 cm;	40.00
1161	1	Stainless steel semitrailer description: 17 levels 53 x 65 cm;	40.00
1162	1	Stainless steel dishwasher basket rack description: 8 levels 50 x 50 cm;	40.00
1163	1	Stainless steel semitrailer description: 20 levels 53 x 65 cm.;	40.00
1164	1	Electric chain conveyor total dimension L: 3100 mm; total dimension W: 1280 mm;	20.00
1165	1	stainless steel cage lift total dimension L: 1750 mm; total dimension W: 1300 mm; total dimension H: 3700 mm;	500.00
1166	1	crafting table total dimension L: 1800 mm; total dimension W: 800 mm; total dimension H: 870 mm; description: with plastic work surface stainless steel base & bottom plate;	40.00
1167	1	Cutting table total dimension L: 1190 mm; total dimension W: 600 mm; total dimension H: 1710 mm; description: equipped with plastic upper sheet, stainless steel chassis and rack, length elongation approx. 178/230 cm;	40.00
1168	1	crafting table stainless steel: yes; total dimension L: 1300 mm; total dimension W: 500 mm; total dimension H: 880 mm;	50.00
1169	1	sausage filling table stainless steel: yes; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 850 mm;	50.00
1170	1	crafting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: with plastic work surface stainless steel base & bottom plate;	20.00
1171	1	crafting table stainless steel: yes; total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 880 mm; description: equipped with shelf;	40.00



Lot	Number	Description	Starting Bid €
1172	1	crafting table total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: fitted with a plastic worktop; stainless steel base; shelf and upside;	50.00
1173	1	crafting table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 860 mm; description: fitted with a plastic worktop; stainless steel base; shelf and upside;	50.00
1174	1	crafting table total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 880 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	25.00
1175	1	crafting table total dimension L: 1400 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	25.00
1176	1	crafting table total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	25.00
1177	1	crafting table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 890 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	25.00
1178	1	crafting table total dimension L: 1400 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1179	1	crafting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 890 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1180	1	crafting table total dimension L: 1750 mm; total dimension W: 750 mm; total dimension H: 1000 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	70.00
1181	1	crafting table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	50.00
1182	1	Mobile work table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	80.00
1183	1	crafting table total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1184	1	crafting table total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1185	1	crafting table total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 880 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1186	1	crafting table total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	40.00
1187	1	crafting table total dimension L: 200 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	100.00
1188	1	Mobile work table total dimension L: 1500 mm; total dimension W: 650 mm; total dimension H: 850 mm; description: fitted with a plastic worktop; stainless steel base; plate.;	70.00



Lot	Number Description	Starting Bid €
1189	1 Cutting table total dimension L: 1190 mm; total dimension W: 600 mm; total dimension H: 2070 mm; description: equipped with plastic upper sheet, stainless steel chassis and rack, length elongation approx. 178/230 cm;	40.00
1190	1 Stainless steel trolley description: 5 levels; size 114 x 52 x H 146 cm;	20.00
1191	1 natural stone letter box total dimension L: 360 mm; total dimension W: 360 mm; total dimension H: 980 mm;	40.00
1192	1 natural stone letter box total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 1000 mm;	40.00
1193	1 pneumatic Military telescopic boom description: extendable to 12 meters;	200.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at

www.TroostwijkAuctions.com



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
 - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
 - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
 - the fact that the information on the website is false, incomplete or not up-to-date;
 - errors in the website's software and/or in the underlying system;
 - the illegal use of systems, including use of the Troostwijk website by a third party;
 - acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
 - exclude one or more users from the sale;
 - add items to lots, to split up lots and to remove lots from the sale;
 - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
 - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
 - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
 - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
 - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
 - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
 - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
 - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience