

ONLINE AUCTION

Industrial kitchen, meat machinery and equipment (BE)

Industrial kitchen and meat machinery

Vaart Rechteroever (Kruising met Vaartlaan) 41 - 9800 Deinze (lots | loten 1-402)

Closing date: Friday 12 JULY starting 14:00

Viewing: By appointment Woestijnstraat 27 - 2880 Bornem (Belgium)

Bidding only on the internet!

02-07-19 15.38



Friday 12 July 2019 Industrial kitchen, meat machinery and equipment

Closing date	Friday 12 July 2019 starting 14:00 CET						
Viewing	By appointment						
	Lots / loten 403-407						
	Woestijnstraat 27						
	2880 Bornem, Belg	ium					
Company organising this Online	TROOSTWIJK BEI	_GIE					
Auction	Desguinlei 22 Bus 3	3					
	2018 ANTWERPEN	I, Belgium					
	Phone: +32-(0)3-28	7.62.62					
	Fax: +32-(0)3-287.6	62.63					
	E-mail: info@troostv	vijk.be					
Markup	Various percentage	S					
VAT	21.00%						
Collection	Wednesday 24 Ju	ly from 09:00 until 1	6:00 CET				
	lots loten 1-402	-					
	Vaart Rechteroever	(Kruising met Vaartlaa	an) 41				
	9800 Deinze, Belgiu	um					
	By appointment						
	Lots / loten 403-40)7					
	Woestijnstraat 27						
	2880 Bornem, Belg	ium					
Viewing instructions	 Bidding without conditions. 	t prior viewing will be a	at your own risk. See also	our general			
	conditions.						
Pick-Up instructions	• The buver.or hi	is representative, is re	quested to submit his				
	-	chase agreement the	•				
		-	smantling; the loading	and the			
	transport of th		U/ U				
	-	-	administrative cost of n	ninimum 25,00			
		-	second loading date;				
			ponsability concerning ab	ove mentioned			
		therwise stated on the					
Paiement instructions	Within 48 hou	rs after receiving the	proforma purchase agree	ement			
	 By bank trans 						
	 Description: b 	ouyer number - numbe	er of sale				
	Bank	Account	IBAN nr.	BIC Code			
	BNPParibas/Fo	rtis 220-0725551-27	BE48 2200 7255 5127	GEBABEBB			
	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB			
	ING	320-0037404-32	BE90 3200 0374 0432				
Concrel conditons	On the cole the con	oral tarma and conditi	one of the online colo are	appliaghla			
General conditons			ons of the online sale are oveable assets, furthermo				
	terms and condition		,	· ·			
Following lots	After registration an	d login, lots can be 'fol	llowed' via 'My Troostwijk	' This ontion has			
	0	a maximum of 100 lo	,				
Combination							
Combination			dually first. After the last lo				
	or blus is raised 5%	. This is the starting bi	id of the combination. If the	ie compination is			



Prolongation

Lots without bid Quantity, capacity, dimensions and weight of goods

sold it overrules the individual bids, if not the individual bids are applicable.

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.

All lots without any bid will stay open until half an hour after the last closing time bid. Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

1	1	vario cooking center Frima, VCC 112L, brand: Frima; type: VCC 112L; electric heated: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 900 mm; total dimension H: 430 mm; description: TFT color screen with touch screen, 2x 25 liter tub, tiltable, suitable for: baking, roasting, steaming, deep frying;	2,000.00
2	1	bakery floor oven Wiesheu, EBO 128 - 320, brand: Wiesheu; type: EBO 128 - 320; number of levels: 4; electric connection: 400 V; total dimension L: 1530 mm; total dimension W: 1600 mm; total dimension H: 2150 mm; description: digital display, mobile, extractor hood with motor, water filter;	1,500.00
3	1	food truck trailer total dimension L: 2500 mm; total dimension W: 1400 mm; total dimension H: 2200 mm; description: unused, detachable shaft, adjustable legs, stainless steel bali and cabinets , tap , awning, neon lighting , various small equipment, without papers under 750 KG;	2,000.00
4	1	electric combi steamer Rational, SCC 201E, brand: Rational; type: SCC 201E; stainless steel: yes; gas: no; electric: yes; number of levels: 20; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 880 mm; total dimension W: 830 mm; total dimension H: 1820 mm; description: including drive-in car;	2,000.00
5	1	bread slicer self service Jac Face, Varia Self, brand: Jac Face; type: Varia Self; capacity: 120 pcs/hr; electric connection: 230 V; total dimension L: 985 mm; total dimension W: 826 mm; total dimension H: 1037 mm; description: bread slicer with circular knife, intended for self-service, 3 cutting thicknesses, extra secure, ergonomic and hygienic ;	1,250.00
6	1	orange juicer Zumex, Speed Pro Selfservice, brand: Zumex; type: Speed Pro Selfservice; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 660 mm; total dimension H: 1760 mm; description: stainless steel mobile base cupboard with door, including waste bin, digital readout;	950.00
7	1	electric combi steamer Rational, SCC WE 61E, brand: Rational; type: SCC WE 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 1760 mm; description: including stainless steel frame with shelves;	2,000.00
8	1	spiral knot Bongard, EVO 80 , brand: Bongard; type: EVO 80 ; volume: 80 l; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 1150 mm; total dimension H: 1530 mm; description: very compact, 2 speeds, easy to clean, very little used;	2,000.00
9	1	electric cooking line brand: Kuppersbusch; electric heated: yes; electric connection: 400 V; total dimension L: 3000 mm; total dimension W: 750 mm; total dimension H: 900 mm; description: including wok with wok pan 230 volt, mirror baking tray 400 volts, 400 volts double fryer, including baskets and lids, stainless steel, under cabinet with sliding doors;	500.00
10	1	electric duo combisteamer Rational, SCC CM+, brand: Rational; type: SCC CM+; stainless steel: yes; gas: no; electric: yes; number of levels: 16; touch screen control: no; digital control: no; electric connection: 400 V; total dimension L: 880 mm; total dimension W: 830 mm; total dimension H: 2110 mm; description: 2 steamers, 6 place, 10 place, including hood;	2,500.00
11	1	divideruse dough divider Bongard, Divimach AGP, brand: Bongard; type: Divimach AGP; capacity: 1250 pcs/hr; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 740 mm; total dimension H: 1170 mm; description: non stick printing plate, semi automatic diviseuse, very little used;	2,000.00

12	2 1	counter vending machine ADM, brand: ADM; freestanding: yes; pass thru cabinet: yes; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 1230 mm; total dimension W: 400 mm; total dimension H: 2070 mm; description: with euro coin insert, 3 counters, 24 valves, including keys;	750.00
13	3 1	spiral knot Bongard, EVO 110, brand: Bongard; type: EVO 110; volume: 110 I; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 1270 mm; total dimension H: 1560 mm; description: very compact, 2 speeds, easy to clean, very little used;	2,000.00
14	¥ 1	gas fired combi steamer Rational, SCC WE 61G, brand: Rational; type: SCC WE 61G; stainless steel: yes; gas: yes; electric: no; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	2,000.00
15	5 1	small bread distributor Bongard, Divider Rounder DR, brand: Bongard; type: Divider Rounder DR; capacity: 52 pcs/hr; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 620 mm; total dimension H: 1450 mm; description: including divider / spherical plates, equal pieces in shape and weight, easy to clean, very little used;	2,000.00
16	6 1	electric combi steamer Bonnet, brand: Bonnet; stainless steel: yes; gas: no; electric: yes; number of levels: 20; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 1900 mm; description: including drive-in car;	2,000.00
17	7 1	gas fired combi steamer Rational, SCC WE 61G, brand: Rational; type: SCC WE 61G; stainless steel: yes; gas: yes; electric: no; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	2,000.00
18	3 1	electric combi steamer Rational, SCC CME, brand: Rational; type: SCC CME; stainless steel: yes; gas: no; electric: yes; number of levels: 20; touch screen control: no; digital control: no; electric connection: 400 V; total dimension L: 880 mm; total dimension W: 830 mm; total dimension H: 1820 mm; description: including drive-in car;	1,750.00
19	9 1	electric combi steamer Rational, SCC 101E, brand: Rational; type: SCC 101E; stainless steel: yes; gas: no; electric: yes; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 780 mm; total dimension H: 1080 mm;	1,750.00
20) 1	gas fired combi steamer Rational, SCC 101G, brand: Rational; type: SCC 101G; stainless steel: yes; gas: yes; electric: no; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 230 V; total dimension L: 860 mm; total dimension W: 780 mm; total dimension H: 1080 mm;	1,750.00
21	1 1	gas fired combi steamer Rational, SCC 101G, brand: Rational; type: SCC 101G; stainless steel: yes; gas: yes; electric: no; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 230 V; total dimension L: 860 mm; total dimension W: 780 mm; total dimension H: 1080 mm;	1,750.00
22	2 1	gas fired combi steamer Rational, SCC 61 G, brand: Rational; type: SCC 61 G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; electric connection: 230 V; total dimension L: 920 mm; total dimension W: 850 mm; total dimension H: 1540 mm; description: including chassis;	1,500.00

23	1	gas fired combi steamer Rational, SCC 61 G, brand: Rational; type: SCC 61 G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; electric connection: 230 V; total dimension L: 920 mm; total dimension W: 850 mm; total dimension H: 1740 mm; description: including chassis;	1,500.00
24	1	gas fired combi steamer Rational, SCC 61G, brand: Rational; type: SCC 61G; stainless steel: yes; gas: yes; electric: no; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,500.00
25	1	electric combi steamer Rational, SCC 61E, brand: Rational; type: SCC 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,500.00
26	1	electric combi steamer Rational, SCC 61E, brand: Rational; type: SCC 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,500.00
27	1	electric combi steamer Rational, SCC CM 61E, brand: Rational; type: SCC CM 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,250.00
28	1	gas fired combi steamer Rational, SCC CM 61G, brand: Rational; type: SCC CM 61G; stainless steel: yes; gas: yes; electric: no; number of levels: 5; touch screen control: no; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,250.00
29	1	electric combi steamer Rational, CombiMasterPlus WE Bake-off, Brand: Rational; type : Appliance Plus WE Bake- off; Description: 5th place, baker standard 5 levels rise simultaneously, baking or frying, 400 volt, dimensions . approx. bxdxh 88x77x78 cm	1,250.00
30	1	electric combi steamer Rational, CPC 61E, brand: Rational; type: CPC 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,500.00
31	1	electric combi steamer Rational, CPC 61E, brand: Rational; type: CPC 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 780 mm; total dimension H: 770 mm;	1,500.00
32	1	electric combi steamer Rational, CCD 101, brand: Rational; type: CCD 101; stainless steel: yes; electric: yes; number of levels: 10; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 770 mm; total dimension H: 1800 mm; description: including chassis;	500.00
33	1	Stainless steel work table total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	150.00
34	1	Stainless steel work table total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	150.00
35	1	Stainless steel work table total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	175.00
36	1	Stainless steel work table total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	175.00

3	7	1	Stainless steel work table total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	175.00
3	8	1	Stainless steel work table total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	200.00
3	9	1	Stainless steel work table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	200.00
4	0	1	Stainless steel work table total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	225.00
4	1	1	Stainless steel work table total dimension L: 1700 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	225.00
42	2	1	Stainless steel work table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	250.00
4	3	1	Stainless steel work table total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	250.00
4	4	1	Stainless steel work table total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, lower shelf, heavy quality, new in the package;	250.00
4	5	1	Stainless steel cupboard with sliding doors Inomak, EG 711, brand: Inomak; type: EG 711; total dimension L: 110 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, shelf, new in the package;	300.00
4	6	1	Stainless steel cupboard with sliding doors Inomak, EG 714, brand: Inomak; type: EG 714; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, shelf, new in the package;	350.00
4	7	1	Stainless steel cupboard with sliding doors Inomak, EG 716, brand: Inomak; type: EG 716; total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, shelf, new in the package;	400.00
4	8	1	Stainless steel cupboard with sliding doors Inomak, EG 719, brand: Inomak; type: EG 719; total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable legs, shelf, new in the package;	450.00
4	9	1	Stainless steel wall cupboard Inomak, ET 311, brand: Inomak; type: ET 311; stainless steel: yes; total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: sliding doors and adjustable shelf;	250.00
5	0	1	Stainless steel wall cupboard Inomak, ET 314, brand: Inomak; type: ET 314; stainless steel: yes; total dimension L: 1400 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: sliding doors and adjustable shelf;	300.00
5	1	1	Stainless steel wall cupboard Inomak, ET 316, brand: Inomak; type: ET 316; stainless steel: yes; total dimension L: 1600 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: sliding doors and adjustable shelf;	300.00

52		Stainless steel wall cupboard Inomak, ET 319, brand: Inomak; type: ET 319; stainless steel: yes; total dimension L: 1900 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: sliding doors and adjustable shelf;	350.00
53	1	Stainless steel sink brand: Inomak; stainless steel: yes; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, 2 sinks, two sliding doors;	500.00
54	1	Stainless holding cabinet with sliding doors Inomak, GES 711, brand: Inomak; type: GES 711; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; digital display: yes; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, adjustable legs ;	550.00
55	1	Stainless holding cabinet with sliding doors brand: Inomak; type: GES 714; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; digital display: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, adjustable legs ;	550.00
56	1	Stainless holding cabinet with sliding doors brand: Inomak; type: GES 716; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; digital display: yes; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, adjustable legs ;	650.00
57	1	Stainless holding cabinet with sliding doors brand: Inomak; type: GES 719; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; digital display: yes; electric connection: 230 V; total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, adjustable legs ;	700.00
58	1	Stainless steel refrigerated workbench Inomak, PNN 99, brand: Inomak; type: PNN 99; stainless steel: yes; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	800.00
59	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 29; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	900.00
60		Stainless steel refrigerated workbench brand: Inomak; type: PNN 22; stainless steel: yes; digital display: yes; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,000.00
61	1	Stainless steel refrigerated workbench Inomak, PNN 999, brand: Inomak; type: PNN 999; stainless steel: yes; digital display: yes; number of doors: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	900.00

62	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 299; stainless steel: yes; digital display: yes; number of doors: 2 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,000.00
63	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 229; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
64	1	Stainless steel refrigerated workbench Inomak, PNN 222, brand: Inomak; type: PNN 222; stainless steel: yes; digital display: yes; number of drawers: 6 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
65	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 9999; stainless steel: yes; digital display: yes; number of doors: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
66	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 2999; stainless steel: yes; digital display: yes; number of doors: 3 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
67	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 2299; stainless steel: yes; digital display: yes; number of doors: 2 pcs; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
68	1	Stainless steel refrigerated workbench brand: Inomak; type: PNN 2229; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 6 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,500.00
69	1	Stainless steel refrigerated workbench Inomak, PNN 2222, brand: Inomak; type: PNN 2222; stainless steel: yes; digital display: yes; number of drawers: 8 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,500.00
70	1	Stainless steel catering refrigerator Inomak, CA 172, brand: Inomak; type: CA 172; stainless steel: yes; capacity: 670 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00

Starting Bid €

71	1	Stainless steel hospitality freezer brand: Inomak; type: CB 172; stainless steel: yes; capacity: 670 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
72	1	Stainless steel catering refrigerator Inomak, CE 2144, brand: Inomak; type: CE 2144; stainless steel: yes; capacity: 1450 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
73	1	Stainless steel hospitality freezer Inomak, CE 2144, brand: Inomak; type: CE 2144; stainless steel: yes; capacity: 1450 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
74	1	Split unit air-conditioning TCL, brand: TCL; cooling power: 12000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: unused in box, energy A ++ cooling, heating A +, 3.5 kw, inside and outside unit;	350.00
75	1	Split unit air-conditioning TCL, brand: TCL; cooling power: 12000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; description: unused in box, energy A ++ cooling, heating A +, 3.5 kw, inside and outside unit;	350.00
76	1	Etagère Inomak, RD 311, Brand: Inomak; type : RD 311; Description: approx. Br. 110 x D 30 x 70 cm H	150.00
77	1	Etagère Inomak, RD 316, Brand: Inomak; type : RD 316; Description: approx. Br. 160 x D 30 x 70 cm H	200.00
78	1	Etagère Inomak, RD 318, Brand: Inomak; type : RD 318; Description: approx. Br. 180 x D 30 x 70 cm H	225.00
79	1	Etagère Inomak, RD 319, Brand: Inomak; type : RD 319; Description: approx. Br. 190 x D 30 x 70 cm H	250.00
80	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color black;	500.00
81	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color black;	500.00
82	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color black;	500.00
83	1	Transport cart including stacking chairs	500.00

metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color red;



84	4	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color red;	500.00
85			Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color red;	500.00
86	3 ·	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color blue;	500.00
87	7	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color blue;	500.00
88	3	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: 4 swivel wheels, 2 braked, 30 stacking chairs, color blue;	500.00
89) .	1	Windshield shower Diamond, brand: Diamond; stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting;	175.00
90) .	1	Windshield shower Diamond, brand: Diamond; stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting;	175.00
91	1 ·	1	Windshield shower Diamond, brand: Diamond; stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting;	175.00
92	2 (5	heater brand: Grandhall; type: Heat Glare 1500W; electric: yes; electric connection: 230 V; description: 1500 W, 5 meter cord, 6 m3 heating range, including mounting brackets, new in box;	250.00
93	3 !	5	heater brand: Grandhall; type: Heat Glare 1500W; electric: yes; electric connection: 230 V; description: 1500 W, 5 meter cord, 6 m3 heating range, including mounting brackets, new in box;	250.00
94	4 5	5	heater brand: Grandhall; type: Heat Glare 1500W; electric: yes; electric connection: 230 V; description: 1500 W, 5 meter cord, 6 m3 heating range, including mounting brackets, new in box;	250.00
95	5 .	1	gaz Sunset BBQ, Gomera HLS, brand: Sunset BBQ; type: Gomera HLS; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused in box, base cabinet with doors, temperature meter, lid, bottle opener;	100.00
96	3	1	gaz Sunset BBQ, Gomera HLS, brand: Sunset BBQ; type: Gomera HLS; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused in box, base cabinet with doors, temperature meter, lid, bottle opener;	100.00

97		gaz Sunset BBQ, Gomera HLS, brand: Sunset BBQ; type: Gomera HLS; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused in box, base cabinet with doors, temperature meter, lid, bottle opener;	100.00
98	1	Charcoal barbecue Sunset BBQ, Tortuga HLS, brand: Sunset BBQ; type: Tortuga HLS; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: unused in box, bbq with lid, temperature meter;	100.00
99	1	Charcoal barbecue Sunset BBQ, Tortuga HLS, brand: Sunset BBQ; type: Tortuga HLS; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: unused in box, bbq with lid, temperature meter;	100.00
100	1	Charcoal barbecue brand: Sunset BBQ; type: Tortuga HLS; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: unused in box, bbq with lid, temperature meter;	100.00
101	1	bar cooling with glass door capacity: 138 l; number of doors: 1 pcs; adjustable thermostate: yes; temperature range min.: 2 °c; temperature range max.: 8 °c; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 520 mm; total dimension H: 900 mm; description: unused, LED lighting , two adjustable shelves;	250.00
102	1	bar cooling with glass doors capacity: 208 l; number of doors: 2 pcs; adjustable thermostate: yes; temperature range min.: 2 °c; temperature range max.: 8 °c; digital display: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 520 mm; total dimension H: 900 mm; description: unused, LED lighting , 4 adjustable shelves;	400.00
103	1	bar cooling with glass doors capacity: 208 I; number of doors: 2 pcs; adjustable thermostate: yes; temperature range min.: 2 °c; temperature range max.: 8 °c; digital display: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 520 mm; total dimension H: 900 mm; description: unused, LED lighting , 4 adjustable shelves;	400.00
104	50	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color black, 12 mm thick steel, hammered, unused;	500.00
105	100	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color black, 12 mm thick steel, hammered, unused;	1,000.00
106	150	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color black, 12 mm thick steel, hammered, unused;	1,500.00
107	100	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color red, 12 mm thick steel, hammered, unused;	1,000.00
108	150	stacking chair Description: stack chair, unused, color red, steel thickness 1.2 mm dimensions . approx. bxdxh 44x60x93 cm	1,500.00
109	50	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color blue, 12 mm thick steel, hammered, unused;	500.00
110	100	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color blue, 12 mm thick steel, hammered, unused;	1,000.00
111	150	stacking chair metal: yes; fabric upholstered: yes; description: stack chair, color blue, 12 mm thick steel, hammered, unused;	1,500.00

112	1	Subcooler Gamko, Brand: Gamko; Description: bottles nest, two doors, 230 Volt; dimensions . approx. bxdxh 168x56x86 cm	350.00
113	1	standing table Description: including Waste hole with stainless steel frame, vollkern blades. approx. bxdxh 90x90x110 cm	250.00
114	1	Subcooler Gamko, Brand: Gamko; Description: 2 doors, bottles litter, 230 volt, dimensions . approx. bxdxh 170x60x85 cm	350.00
115	1	Bark cooler Gamko, Brand: Gamko; Description: 2 doors, bottles nest, 230 Volt; dimensions . approx. bxdxh 170x60x90 cm	350.00
116		Electric stove Mareno, Brand: Mareno; Description: 2 hot plates, neutral unit with drawer, open base, 400 Volt; dimensions . approx. bxdxh 120x75x92 cm	100.00
117	1	cutter Deko, 834S, Brand: Deko; type : 834S; Description: equipped with scales, 230 Volts, dimensions . approx. bxdxh 60x65x46 cm	500.00
118	1	display cooling Isa, Brand: Isa; Description: built-in lighting , digital control and readout, 230 Volt, 63x46x120 cm	100.00
119	1	cooking unit Kuppersbusch, Brand: Kuppersbusch; Description: 4 zones, stainless steel, 400 volts, dimensions . approx. bxdxh 80x60x30 cm	250.00
120	1	wall refrigeration Diamond zoin, Brand: Diamond Zoin; Description: adjustable shelves, 230 Volts, dimensions . approx. bxdxh 100x55x190 cm	250.00
121	1	barkoeling Gamko, Brand: Gamko; Description: door 1, 230 Volts, dimensions . approx. bxdxh 60x57x84 cm	100.00
122	1	Bar cooling Gamko, 1 door, 230 volts; WxDxH 60x57x84 cm	100.00
123	1	wall refrigeration Metos, Brand: Metos; Description: digital control and readout, equipped with shutters, built-in lighting , 230-volt, dimensions . approx. bxdxh 125x86 x206 cm.	200.00
124	1	cutter S.A.M., Brand: SAM; Description: ; 230 Volt, dimensions . approx. bxdxh 58x67x40 cm	350.00
125	1	cross bread cutter Daub-verhoeven, Brand: Daub-verhoeven; Description: 400 Volt, dimensions . approx. wxDxH 58x73x120	250.00
126	1	chrushed ice bucket Description: stainless steel, dimensions . approx. bxdxh 71x59x19 cm	50.00
127	1	baking tray Ata, Brand: Ata; Description: half-ribbed, half flat plate, 400 volts, dimensions . approx. wxDxH 90x70x34	250.00
128	1	Rinse sheet Description: with 4 sinks, dimensions . approx. bxdxh 188x131x21 cm	100.00
129	1	Bark cooler Description: height-adjustable grid, digital control and read-out, 230 Volt, dimensions . approx. bxdxh 60x57x83 cm	100.00
130	1	cups warmer Caterchef, Brand: CaterChef; description: 230 Volt, dimensions . approx. bxdxh 40x35x52 cm	50.00

131	1	Tray of transport car Description: dimensions . approx. bxdxh 46x65x90 cm	75.00
132	1	by sliding dishwasher Winterhalter, Brand: Winterhalter; Description: including feeder table, including soap and naglanspomp, basket size 50x50 cm; 400 volts, dimensions . approx. bxdxh 200x87x151 cm	850.00
133	1	induction cooker Ubert, brand: Ubert; description: 400 volts, 35 cm round, 10 cm high	100.00
134		contact panini grill Sofraca, Brand: Sofraca; description: 230 Volt, dimensions . approx. bxdxh 37x50x23 cm	100.00
135		working table cutting table stainless steel: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 950 mm; description: 3 trespa drawers, plastic top, raised edge, stainless steel frame;	200.00
136	1	display cooling Finnmark, Brand: Finnmark; Description: 2 verstelare shelves, including lighting , 230 Volts, dimensions . approx. bxdxh 100x62x135 cm	100.00
137	1	Mobile chassis Description: stainless steel, with pull out under leaf, unused, dimensions . approx. bxdxh 105x75x111 cm	400.00
138	1	Mobile chassis Description: stainless steel, with pull out under leaf, dimensions . approx. bxdxh 105x75x111 cm	400.00
139	1	working table cutting table stainless steel: yes; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: 3 stainless steel drawers, plastic top, raised edge;	250.00
140	1	orange juicer Saro, brand: Saro; electric connection: 230 V; total dimension L: 250 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: new in Box;	100.00
141	1	evaporator Description: R507, dimensions . approx. bxdxh 105x65x30 cm	25.00
142	1	neon advertising description: 230 Volt, dimensions . approx. wxh 46x33 cm	75.00
143	1	neon advertising description: 230 Volt, dimensions . approx. wxh 48x54 cm	50.00
144	1	neon advertising description: 230 Volt, dimensions . approx. wxh 70x53 cm	75.00
145	1	neon advertising description: 230 Volt, dimensions . approx. wxh 70x45 cm	75.00
146	1	neon advertising description: 230 Volt, dimensions . approx. wxh 75x55 cm	75.00
147	1	coca cola glass door refrigerator brand: Frigorex; electric connection: 230 V; total dimension L: 490 mm; total dimension W: 710 mm; total dimension H: 1090 mm; description: height adjustable gratings;	350.00
148	1	chopping block cutting table stainless steel: yes; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 960 mm;	150.00
149	1	catering fridge brand: Catertech; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 750 mm; own weight: 1980 kg; description: height adjustable gratings;	350.00
150	1	Stainless steel mobile work table total dimension L: 1900 mm; total dimension W: 750 mm; total dimension H: 970 mm; description: 3 drawers, 2 doors;	250.00

151	1	refrigerator brand: Jumbo; stainless steel: yes; digital display: no; total dimension L: 770 mm; total dimension W: 725 mm; total dimension H: 1800 mm; description: height adjustable grille;	150.00
152	1	Bread cutter brand: Maho; cut thickness range: 10 mm; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 660 mm; total dimension H: 1160 mm;	200.00
153	1	refrigerator brand: Jumbo; type: Abx 500 pve; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 720 mm; total dimension H: 1970 mm;	150.00
154	1	hob brand: Ubert; type: 450; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension W: 500 mm; total dimension H: 920 mm; description: on base cabinet;	150.00
155	1	cutter brand: Omas; blade sharpener: yes; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 670 mm; total dimension H: 480 mm;	400.00
156	1	cutter brand: Kolossal; blade sharpener: no; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 610 mm; total dimension H: 450 mm;	400.00
157	1	combi steamer brand: Kuppersbusch; stainless steel: yes; electric: yes; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 975 mm; total dimension W: 860 mm; total dimension H: 700 mm;	500.00
158	1	hot air oven brand: Alphatech; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 810 mm; total dimension W: 620 mm; own weight: 590 kg; description: 5 regals,;	200.00
159	1	refrigerated display case brand: Gamko; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 645 mm; total dimension W: 620 mm; total dimension H: 790 mm;	150.00
160	1	bBQ brand: Sunset;	100.00
161	1	cutter brand: Mettler toledo; blade sharpener: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 620 mm; total dimension H: 430 mm; description: including scale function;	500.00
162	1	cutter brand: SAM; blade sharpener: no; electric connection: 230 V; total dimension L: 610 mm; total dimension W: 600 mm; total dimension H: 430 mm; description: including scale function;	350.00
163	1	barkoeling brand: Gamko; type: Euro line; number of doors: 2 pcs; electric connection: 230 V; total dimension L: 1710 mm; total dimension W: 600 mm; total dimension H: 840 mm; description: bottle nest;	150.00
164	16	stacking chair with armrest metal: yes; fabric upholstered: yes; description: stack chair, 12 mm thick steel, hammered;	200.00
165	100	stacking chair metal: yes; fabric upholstered: yes; description: stack chair;	500.00
166	32	stacking chair with armrest metal: yes; fabric upholstered: yes; description: stack chair, 12 mm thick steel, hammered;	350.00
167	1	cutter brand: Berkel; type: 834; blade sharpener: no; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 720 mm; total dimension H: 450 mm;	500.00

168	1 cutter brand: Deko; type: 834 S; blade sharpener: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 720 mm; total dimension H: 450 mm; description: with scale function;	500.00
169	 orange juicer Saro, brand: Saro; electric connection: 230 V; total dimension L: 250 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: new in Box; 	100.00
170	5 beer table standing table total dimension L: 2200 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: new in packaging, brewery quality, 27 mm thick top, 30 mm tubular frame, adjustable legs, folding;	450.00
171	5 beer table standing table total dimension L: 2200 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: new in packaging, brewery quality, 27 mm thick top, 30 mm tubular frame, adjustable legs, folding;	450.00
172	5 beer table standing table total dimension L: 2200 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: new in packaging, brewery quality, 27 mm thick top, 30 mm tubular frame, adjustable legs, folding;	450.00
173	 cone fries with Belgian flag plastic: yes; total dimension L: 560 mm; total dimension W: 560 mm; total dimension H: 1750 mm; description: unused in box, mobile undercarriage; 	250.00
174	 cone fries with Dutch flag plastic: yes; total dimension L: 560 mm; total dimension W: 560 mm; total dimension H: 1750 mm; description: unused in box, mobile undercarriage; 	250.00
175	4 Trendy bar stool leather upholstered: yes; description: unused in box, chromed legs;	100.00
176	4 Trendy bar stool leather upholstered: yes; description: unused in box, chromed legs;	100.00
177	6 Trendy bar stool leather upholstered: yes; description: unused in box, chromed legs;	150.00
178	6 Trendy bar stool leather upholstered: yes; description: unused in box, chromed legs;	150.00
179	10 flame retardant waste bin used for paper and carton: no; total dimension L: 30 mm; total dimension W: 30 mm; total dimension H: 40 mm; description: new in Box;	50.00
180	10 flame retardant waste bin used for paper and carton: no; total dimension L: 30 mm; total dimension W: 30 mm; total dimension H: 40 mm; description: new in Box;	50.00
181	10 flame retardant waste bin used for paper and carton: no; total dimension L: 30 mm; total dimension W: 30 mm; total dimension H: 40 mm; description: new in Box;	50.00
182	1 barkoeling brand: Gamko; number of doors: 3 pcs; adjustable thermostate: yes; digital display: no; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 550 mm; total dimension H: 840 mm; description: adjustable shelves, bottle nest;	500.00
183	1 trespa wall cabinet total dimension L: 2490 mm; total dimension W: 360 mm; total dimension H: 620 mm; description: sliding doors, stainless steel frame, provided with one shelf;	150.00
184	1 buffet cooling brand: Ifö Kampri; stainless steel: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2435 mm; total dimension W: 815 mm; total dimension H: 1540 mm; description: glass structure;	200.00

Starting	g B	id €

185	1	Contact grill brand: Bistronik; electric: yes; electric connection: 230 V; total dimension L: 439 mm; total dimension W: 400 mm; total dimension H: 310 mm; description: glade plate;	500.00
186	1	Contact grill brand: Bistronik; electric: yes; electric connection: 230 V; total dimension L: 449 mm; total dimension W: 330 mm; total dimension H: 280 mm;	350.00
187	1	meat mixer brand: Dadaux; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 1130 mm; description: tilting cockpit;	750.00
188	1	catering fridge brand: Jumbo; stainless steel: yes; digital display: yes; total dimension L: 760 mm; total dimension W: 720 mm; total dimension H: 1970 mm; description: height adjustable gratings;	200.00
189	1	catering fridge brand: Jumbo; stainless steel: yes; digital display: yes; total dimension L: 760 mm; total dimension W: 720 mm; total dimension H: 1970 mm; description: height adjustable gratings;	200.00
190	1	buffet brand: Ifo kampri; stainless steel: yes; total dimension L: 2435 mm; total dimension W: 815 mm; total dimension H: 1545 mm; description: mobile;	200.00
191	1	microwave brand: Sharp; stainless steel: no; digital control: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 520 mm; total dimension H: 360 mm;	50.00
192	1	racking brand: Hupfer; total dimension L: 1780 mm; total dimension W: 410 mm; total dimension H: 1800 mm;	75.00
193	1	meat mixer Dadaux, brand: Dadaux; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 1130 mm; description: tilting cockpit;	750.00
194	1	kitchen supplies description: consisting of knives, forks, spoons, rack , bins, trays, etc.;	50.00
195	1	nacho warmer electric connection: 230 V; total dimension L: 315 mm; total dimension W: 400 mm; total dimension H: 600 mm; description: excl lamp;	75.00
196	1	Warming vapor brand: Bartscher; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 480 mm; total dimension H: 600 mm;	100.00
197	1	Contact grill brand: Buffalo; electric: yes; total dimension L: 410 mm; total dimension W: 450 mm; total dimension H: 240 mm; description: ribbed plates;	100.00
198	1	oven brand: Culion; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 740 mm; total dimension W: 620 mm; total dimension H: 560 mm; description: 5 regals;	200.00
199	1	wine liquor blast chiller brand: Chilla; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 370 mm; description: for 3 bottles;	250.00
200	1	wine liquor blast chiller brand: Chilla; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 370 mm; description: for 3 bottles;	250.00
201	1	orange juicer Saro, brand: Saro; electric connection: 230 V; total dimension L: 250 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: new in Box;	100.00
202	1	Milk cooler brand: Silverking; total dimension L: 640 mm; total dimension W: 440 mm; total dimension H: 780 mm; description: 230 volts;	100.00

1 Warming vapor

		electric connection: 230 V; total dimension L: 720 mm; total dimension W: 750 mm; total dimension H: 470 mm;	
204	1	basket transport cart brand: Rendisk; stainless steel: yes; total dimension L: 560 mm; total dimension W: 800 mm; total dimension H: 900 mm;	50.00
205	1	Tray of transport car brand: Mobile containing; total dimension L: 700 mm; total dimension W: 980 mm; total dimension H: 1020 mm; description: including trays;	100.00
206	1	cool workbench brand: Inomak; type: PNN 29; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 880 mm; description: height adjustable grid, ;	750.00
207	1	work table / cutting table stainless steel: yes; total dimension L: 1050 mm; total dimension W: 700 mm; total dimension H: 940 mm; description: 2 drawers;	200.00
208	1	Shrink tunnel brand: Avc; type: Mcs-30/35; belt conveyor: yes; electric connection: 230 V; total dimension L: 1090 mm; total dimension W: 690 mm; total dimension H: 1320 mm;	250.00
209	1	combi steamer Unox, XVC205E, brand: Unox; type: XVC205E; stainless steel: yes; electric: yes; number of levels: 5; touch screen control: yes; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 800 mm; total dimension H: 890 mm; description: equipped with condenser xc118;	650.00
210	1	refrigerated display case digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1020 mm; total dimension W: 410 mm; total dimension H: 450 mm;	500.00
212	1	shovel ice cream brand: Isa; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1190 mm; total dimension W: 750 mm; total dimension H: 1170 mm; description: 6 bins;	150.00
213	1	hot air oven brand: Bartscher; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 790 mm; total dimension H: 600 mm; description: unused;	750.00
214	1	trolley stainless steel: yes; description: including trays;	100.00
215	1	Gas cooker with oven brand: Etna; gas: yes; electric: yes; number of zones: 4; electric connection: 230 V;	100.00
216	1	Gas cooker with oven brand: Etna; gas: yes; electric: yes; number of zones: 4; electric connection: 230 V;	100.00
217	1	clearing car brand: Metos; total dimension L: 1115 mm; total dimension W: 870 mm; total dimension H: 1280 mm; description: including trays;	100.00
218	1	ice dispenser brand: Hoshizaki; type: DCM-60FE; built-in cooling compressor: yes; digital display: yes; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 440 mm; total dimension H: 700 mm;	750.00
219	1	barkoeling brand: Gastro cool; number of doors: 3 pcs; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 1350 mm; total dimension W: 520 mm; total dimension H: 900 mm; description: built-in lighting , height adjustable shelves;	500.00



Starting Bid €

250.00

220	1 Dishwashing street brand: Winterhalter; type: GS 515; stainless steel: yes; rack model: yes; basket dimension L 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 2440 mm; total dimension W: 730 mm; total dimension H: 1610 mm; description: including supply table with pre-rinse shower,;	
221	1 salamander brand: Giorik; electric: yes; total dimension L: 400 mm; total dimension W: 559 mm; total dimension H: 520 mm; description: digital control;	500.00
222	 neutral unit brand: Hupfer; stainless steel: yes; total dimension L: 820 mm; total dimension W: 520 mm; total dimension H: 950 mm; 	75.00
223	1 Warming vapor brand: Fri jado; pass thru cabinet: no; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 540 mm; total dimension H: 910 mm;	500.00
224	1 regenerate oven brand: Socamel; type: Thermatronic; stainless steel: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 600 mm; total dimension H: 650 mm;	200.00
225	 regenerate oven Socamel, Thermatronic, brand: Socamel; type: Thermatronic; stainless steel: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 600 mm; total dimension H: 1550 mm; description: including chassis; 	200.00
226	 Baking tray brand: Baron; electric: yes; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: on a base with doors; 	750.00
227	 deck oven brand: Jado; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 1190 mm; total dimension W: 800 mm; total dimension H: 770 mm; 	750.00
228	1 cool workbench brand: Gram; stainless steel: yes; digital display: yes; number of doors: 2 pcs; number of drawers: 2 pcs; total dimension L: 1730 mm; total dimension W: 700 mm; total dimension H: 880 mm; description: remote;	500.00
229	1 hot air oven brand: Fines; type: Mini; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 934 mm; total dimension W: 580 mm; total dimension H: 450 mm; description: including grid, 2 conductors;	200.00
230	1 half moon sink stainless steel: yes; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 900 mm; description: for dishwasher, basket size 500x500 mm;	100.00
231	1 suction brand: Soler en palau; type: CVB 240; engine power: 245 kW; electric connection: 230 V; dimension L: 1000 mm; dimension W: 600 mm; dimension H: 550 mm;	100.00
232	1 sink model wall model stainless steel: yes; total dimension L: 1940 mm; total dimension W: 720 mm; total dimension H: 300 mm; description: including wall mount, pre-rinse shower;	50.00
233	1 sink model wall model stainless steel: yes; total dimension L: 2400 mm; total dimension W: 900 mm; total dimension H: 300 mm; description: including wall mount, crane;	50.00
234	1 Stainless steel work table total dimension L: 2100 mm; total dimension W: 670 mm; total dimension H: 900 mm;	150.00
235	1 sink model wall model stainless steel: yes; total dimension L: 2000 mm; total dimension W: 800 mm; total dimension H: 300 mm; description: including wall mount, crane;	50.00

236	1	working table cutting table stainless steel: yes; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: 2 stainless steel sliding doors , plastic leaf, raised edge;	250.00
237	1	working table cutting table stainless steel: yes; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 950 mm; description: plastic top, stainless steel frame, bottom shelf;	250.00
238	1	sink stainless steel: yes; total dimension L: 4260 mm; total dimension W: 720 mm; total dimension H: 250 mm; description: unused;	100.00
239	1	electric roasting tray brand: Stierlen; stainless steel: yes; electric: yes; tilting: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: including crane;	250.00
240	1	jumbo parasol 4x4 meters dimension L: 400 cm; dimension W: 400 cm; description: taupe color, white frame, including protective cover, push up locking system;	175.00
241	1	sales counter sales counter total dimension L: 1300 mm; total dimension W: 1030 mm; total dimension H: 1300 mm; description: glass construction, laminated wood, working height 880 mm;	100.00
242	10	baguette cutter baquette cutter total dimension L: 360 mm; total dimension W: 330 mm; total dimension H: 230 mm; description: new in Box;	150.00
243	10	baguette cutter baquette cutter total dimension L: 360 mm; total dimension W: 330 mm; total dimension H: 230 mm; description: new in Box;	150.00
244	10	baguette cutter baquette cutter total dimension L: 360 mm; total dimension W: 330 mm; total dimension H: 230 mm; description: new in Box;	150.00
245	1	grill / baking tray brand: Franke; electric: yes; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 600 mm; total dimension H: 210 mm;	75.00
246	2	clearing car stainless steel: yes; description: 510x450x1850 mm, 600x660x700 mm;	50.00
247	1	orange juicer Zumex, Speed Selfservice, brand: Zumex; type: Speed Selfservice; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 660 mm; total dimension H: 1760 mm; description: stainless steel mobile base cupboard with door, including waste bin;	950.00
248	1	orange juicer Zumex, Speed Selfservice, brand: Zumex; type: Speed Selfservice; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 660 mm; total dimension H: 1760 mm; description: stainless steel mobile base cupboard with door, including waste bin;	950.00
249	1	packaging machine Conpax, Rapidpack, brand: Conpax; type: Rapidpack; stainless steel: yes; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: with foot control;	300.00
250	1	crafting table total dimension L: 2280 mm; total dimension W: 800 mm; total dimension H: 890 mm; description: equipped with stainless steel worktop and can opener;	100.00
251	1	neutral unit Josto, brand: Josto; stainless steel: yes; total dimension L: 1170 mm; total dimension W: 710 mm; total dimension H: 850 mm; description: Including can opener;	250.00

252	1	bakery oven Leventi, Bakermat, brand: Leventi; type: Bakermat; number of levels: 8; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 900 mm; total dimension H: 2080 mm; description: digital control and reading, built-in extraction motor;	600.00
253	1	meat wolf Berkel, brand: Berkel; electric connection: 400 V; total dimension L: 1080 mm; total dimension W: 460 mm; total dimension H: 1190 mm; description: including various knives;	500.00
254	1	Dishwashing street Winterhalter, GS502, brand: Winterhalter; type: GS502; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 2740 mm; total dimension W: 1890 mm; total dimension H: 1470 mm; description: including loading and unloading table provided for pool and shower tap ;	1,000.00
255	1	meat wolf mixer-grinder Koneteollisuus, LM-32A, brand: Koneteollisuus; type: LM-32A; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 820 mm; total dimension H: 1540 mm; description: including accessories, 1150 KG per hour, mobile;	1,000.00
256	1	microwave Steba, brand: Steba; total dimension L: 550 mm; total dimension W: 420 mm; total dimension H: 330 mm;	50.00
257	1	cup warmer WMF, brand: WMF; stainless steel: yes; total dimension L: 420 mm; total dimension W: 420 mm; total dimension H: 700 mm;	50.00
258	1	Stainless steel work table total dimension L: 220 mm; total dimension W: 700 mm; total dimension H: 90 mm; description: fitted with trespa drawers and doors;	250.00
259	1	crafting table total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 900 mm;	50.00
260	1	restaurant table extendable wood: yes; total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 780 mm; description: without extension 2000 mm width ;	50.00
261	1	electric cooking line Palux, Topline, brand: Palux; type: Topline; electric heated: yes; electric connection: 400 V; total dimension L: 3800 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: bain marie, double fryer including baskets and lids, roasting pan, baking tray, neutral unit with 1/1 gn guides;	750.00
262	1	wall refrigeration Fogal, Alaska, brand: Fogal; type: Alaska; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 1510 mm; total dimension W: 830 mm; total dimension H: 2030 mm; description: adjustable grilles, night screen ;	250.00
263	1	sink stainless steel: yes; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 820 mm; description: double sink, grohe tap with sensor, delphis basic tap pull-coil head, provided with drain pump, water heater AEG;	200.00
264	1	Stainless steel cupboard total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 820 mm; description: raised edge, 1 sliding door;	200.00
265	1	Stainless steel work table total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: underhood;	100.00
266	1	cutter Berkel, 834, brand: Berkel; type: 834; blade sharpener: no; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 720 mm; total dimension H: 450 mm;	500.00

267	1	Saladette stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1370 mm; total dimension W: 700 mm; total dimension H: 960 mm; description: working height 880 mm, 3 doors, including containers and grids;	200.00
268	2	High chair plastic: yes; total dimension L: 410 mm; total dimension W: 500 mm; total dimension H: 730 mm; description: stackable, demountable;	10.00
269	1	standing table including bar stools wood: yes; total dimension L: 1100 mm; total dimension W: 750 mm; total dimension H: 1050 mm; description: 5 stools, artificial leather seat, seat height 810 mm;	50.00
270	1	standing table including bar stools wood: yes; total dimension L: 1100 mm; total dimension W: 750 mm; total dimension H: 1050 mm; description: 5 stools, artificial leather seat, seat height 810 mm;	50.00
271	2	restaurant table including chairs wood: yes; metal: yes; total dimension L: 690 mm; total dimension W: 690 mm; total dimension H: 740 mm; description: cast iron frame, wooden top, a total of 4 upholstered chairs ;	50.00
272	2	restaurant table including chairs wood: yes; metal: yes; total dimension L: 690 mm; total dimension W: 690 mm; total dimension H: 740 mm; description: cast iron frame, wooden top, a total of 4 upholstered chairs ;	50.00
273	2	restaurant table including chairs wood: yes; metal: yes; total dimension L: 690 mm; total dimension W: 690 mm; total dimension H: 740 mm; description: cast iron frame, wooden top, a total of 4 upholstered chairs ;	50.00
274	3	restaurant table including chairs wood: yes; metal: yes; total dimension L: 690 mm; total dimension W: 690 mm; total dimension H: 740 mm; description: cast iron frame, wooden top, a total of 7 upholstered chairs ;	50.00
275	1	restaurant table wood: yes; metal: yes; total dimension L: 1100 mm; total dimension W: 690 mm; total dimension H: 740 mm; description: cast iron frame, wooden top;	10.00
277	3	clearing car wood: yes; stainless steel: yes; description: mobile;	10.00
278	1	sink stainless steel: yes; total dimension L: 560 mm; total dimension W: 550 mm; total dimension H: 180 mm; description: including tap;	20.00
279	2	waste containers total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 700 mm;	20.00
280	1	keep warm bridge Rocam, brand: Rocam; stainless steel: yes; electric connection: 230 V; total dimension L: 1040 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: including 3 warming lamps ;	50.00
281	1	counter furniture dimension L: 2440 cm; dimension W: 900 cm; dimension H: 870 cm;	200.00
282	1	counter furniture dimension L: 1640 cm; dimension W: 875 cm; dimension H: 1020 cm;	150.00
283	3	artificial plant	50.00
284	1		10.00
285	1	pavement sign plastic: no; total dimension L: 890 mm; total dimension W: 610 mm; total dimension H: 1310 mm; description: mobile;	10.00

286	1	Split unit air-conditioning cooling power: 11500 BTU/hr; electric connection: 230 V; description: inside and outside unit;	50.00
287	1	freezer with glass doors Koxka, Alaska, brand: Koxka; type: Alaska; total dimension L: 2500 mm; total dimension W: 900 mm; total dimension H: 2040 mm; description: 3 glass doors, adjustable shelves, including door heating, including remote motor and switch box;	350.00
288	1	pastry vine Tecfrigo, brand: Tecfrigo; mobile: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 610 mm; total dimension H: 1280 mm; description: built-in lighting , crack in the glass;	100.00
289	1	Water softener Kinetico, 2060, brand: Kinetico; type: 2060; description: medium volume 29.9 liters, regeneration volume 132 liters, regeneration time 45 minutes, salt capacity 114 kg, salt consumption 1.2 / 2 kg per regeneration ;	200.00
290	1	coca cola display cooling Isa, brand: Isa; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 680 mm; total dimension H: 1400 mm; description: built-in lighting;	200.00
291	1	freezer Liebherr, Comfort, brand: Liebherr; type: Comfort; total dimension L: 750 mm; total dimension W: 680 mm; total dimension H: 1700 mm;	100.00
292	1	bar cooling with glass doors Gamko, brand: Gamko; folding door(s): 4; number of doors: 4 pcs; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 510 mm; total dimension H: 840 mm; description: remote;	500.00
293	1	issue counter total dimension L: 330 mm; total dimension W: 880 mm; total dimension H: 1750 mm; description: including cash register;	250.00
294	1	warming cabinet with bain marie Inomak, MF 714, brand: Inomak; type: MF 714; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1280 mm; description: including glass structure, 4x 1/1 gn containers with lids, warhoudlamp, sliding doors;	350.00
295	1	shovel ice cream Framec, brand: Framec; stainless steel: no; electric connection: 230 V; total dimension L: 1760 mm; total dimension W: 920 mm; total dimension H: 1290 mm; description: 13 bin display case, including freezer compartment, 11 bins, mobile;	350.00
296	1	Gas cooker Diamond, brand: Diamond; stainless steel: yes; gas: yes; number of zones: 6; total dimension L: 1100 mm; total dimension W: 740 mm; total dimension H: 930 mm; description: on open chassis;	350.00
297	1	Cooking line electric connection: 400 V; total dimension L: 1930 mm; total dimension W: 800 mm; total dimension H: 860 mm; description: electric hob, deep fryer, including basket and lid;	350.00
298	1	rack conveyor dishwasher Catertech, brand: Catertech; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 1310 mm;	500.00
299	1	Stainless steel work table Josto, brand: Josto; stainless steel: yes; total dimension L: 1170 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: height adjustable, maximum height 1000 mm, with waste hole, 1 drawer, 1 door;	250.00

Starting	⊨Bid €
oraring	

300	1	Stainless steel shelf stainless steel: yes; total dimension L: 2000 mm; total dimension W: 300 mm; total dimension H: 410 mm;	50.00
301	1	wandschap total dimension L: 1200 mm; total dimension W: 290 mm; total dimension H: 25 mm;	20.00
302	1	crafting table total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: underhood;	75.00
303	1	record trolley including plates total dimension L: 810 mm; total dimension W: 670 mm; total dimension H: 1840 mm; description: plates 800x600 and 400 600, 20 lines;	200.00
304	1	record trolley including plates total dimension L: 810 mm; total dimension W: 670 mm; total dimension H: 1840 mm; description: plates 800x600 and 400/600, 20 shelves;	200.00
305	1	record trolley including plates total dimension L: 810 mm; total dimension W: 670 mm; total dimension H: 1840 mm; description: plates 800x600 and 400/600, various miss conductors;	200.00
306	1	bakery floor oven Wiesheu, brand: Wiesheu; number of levels: 4; electric connection: 400 V; total dimension L: 1530 mm; total dimension W: 1600 mm; total dimension H: 2150 mm; description: digital display, mobile, extractor hood with motor, water filter;	1,500.00
307	1	meat wolf meat grinder electric connection: 490 V; total dimension L: 580 mm; total dimension W: 900 mm; total dimension H: 1060 mm; description: including accessories;	250.00
308	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 770 mm; description: with sliding doors , raised edge, wall- mountable;	200.00
309	1	Stainless steel work table Josto, brand: Josto; stainless steel: yes; total dimension L: 1170 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: height adjustable, maximum height 1000 mm, with waste hole, 1 drawer, 1 door;	250.00
310	1	combi steamer unox Unox, XVC205E, brand: Unox; type: XVC205E; stainless steel: yes; electric: yes; number of levels: 5; digital control: yes; electric connection: 400 V; total dimension L: 589 mm; total dimension W: 800 mm; total dimension H: 880 mm; description: equipped with xc118;	650.00
311	1	Stainless steel brake cabinet Panimatic, brand: Panimatic;	500.00
312	1	Stainless steel brake cabinet Panimatic, brand: Panimatic;	500.00
313	1	catering fridge Liebherr, Profiline, brand: Liebherr; type: Profiline; capacity: 421 l; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 1810 mm; description: including grilles, adjustable;	75.00
314	1	catering fridge Liebherr, Profiline, brand: Liebherr; type: Profiline; capacity: 421 I; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 1810 mm; description: including grilles, adjustable;	75.00
315	1	party tent heavy quality total dimension L: 14000 mm; total dimension W: 6000 mm; total dimension H: 3600 mm; description: very stable, including extra frame parts, extra tent sails;	750.00

316	1	wine climate cabinet Liebherr, Vinidor, brand: Liebherr; type: Vinidor; stainless steel: yes; freestanding: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 860 mm; description: 2 temperature zones, extendable racks;	250.00
317	1	stainless steel etagere with heat lamp stainless steel: yes; standing type: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 300 mm; total dimension H: 700 mm;	50.00
318	1	sink number of sinks: 2 pcs; total dimension L: 2800 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: equipped with 4 drawers, 6 doors;	200.00
319		electric stove Olis, brand: Olis; stainless steel: yes; electric: yes; number of zones: 4; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 700 mm; total dimension H: 840 mm; description: Siemens hob;	200.00
320		Deep fryer gas-heated: yes; total dimension L: 400 mm; total dimension W: 770 mm; total dimension H: 1180 mm; description: including baskets ;	350.00
321	1	Deep fryer gas-heated: yes; total dimension L: 400 mm; total dimension W: 770 mm; total dimension H: 1180 mm; description: including baskets ;	350.00
322	1	Stainless steel workplace total dimension L: 2500 mm; total dimension W: 700 mm; total dimension H: 700 mm; description: Two sliding doors;	150.00
323	1	Double fryer MBM, brand: MBM; electric heated: yes; gas-heated: no; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 400 mm; description: including baskets and lids;	250.00
324	4	table wok gas-heated: yes; description: 2x 250x330x100 mm, 2x 400x450x200 cm;	50.00
325	1	chilled liquor dispenser total dimension L: 220 mm; total dimension W: 450 mm; total dimension H: 650 mm; description: 230 volts;	150.00
326	1	aluminum rack total dimension L: 1980 mm; total dimension W: 410 mm; total dimension H: 1800 mm;	100.00
327	1	aluminum rack total dimension L: 1050 mm; total dimension W: 50 mm; total dimension H: 1800 mm;	75.00
328	1	Double fryer electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 30 mm; description: including baskets, lids;	250.00
329	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 900 mm;	100.00
330	1	Stainless steel double door refrigerator Afinox, brand: Afinox; electric connection: 230 V; total dimension L: 1380 mm; total dimension W: 700 mm; total dimension H: 1930 mm; description: including grilles, adjustable;	250.00
331	1	combi steamer unox Unox, brand: Unox; stainless steel: yes; electric: yes; number of levels: 5; touch screen control: yes; digital control: no; electric connection: 400 V; total dimension L: 540 mm; total dimension W: 810 mm; total dimension H: 970 mm; description: equipped with extractor hood including exhaust motor;	750.00

332	1	working table cutting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: Provide support;	150.00
333	1	chicken grill Doregrill, brand: Doregrill; electric heated: yes; electric connection: 400 V; total dimension L: 840 mm; total dimension W: 720 mm; total dimension H: 800 mm; description: digital control, including baskets;	400.00
334	1	working table cutting table total dimension L: 1750 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: with 2 drawers;	200.00
335	1	complete range hood Henry Elferink, brand: Henry Elferink; stainless steel: yes; lights: yes; total dimension L: 2500 mm; total dimension W: 900 mm; total dimension H: 460 mm; electric connection: 230 V; description: including built-in motor, step switch, 5 filters, unused, transport damage;	750.00
336	1	Heineken tap new Heinken, brand: Heinken; electric connection: 230 V; total dimension L: 280 mm; total dimension W: 460 mm; total dimension H: 600 mm; description: new in Box;	300.00
337	1	Heineken tap new Heinken, brand: Heinken; electric connection: 230 V; total dimension L: 280 mm; total dimension W: 460 mm; total dimension H: 600 mm; description: new in Box;	300.00
338	1	Heineken tap new Heinken, brand: Heinken; electric connection: 230 V; total dimension L: 280 mm; total dimension W: 460 mm; total dimension H: 600 mm; description: new in Box;	300.00
339	1	bellytray Bellytray, brand: Bellytray; description: including harness, 3 tray plates;	75.00
340	1		75.00
341	1	Bread cutter cut thickness range: 12 mm; electric connection: 400 V; total dimension L: 520 mm; total dimension W: 630 mm; total dimension H: 1250 mm;	200.00
342	1	Bread cutter Jac Face, brand: Jac Face; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 770 mm; total dimension H: 1120 mm;	200.00
343	1	Bread cutter Kalmeijer, brand: Kalmeijer; cut thickness range: 12 mm; electric connection: 400 V; total dimension L: 520 mm; total dimension W: 675 mm; total dimension H: 1140 mm;	200.00
344	1	Bread cutter Jac Face, brand: Jac Face; cut thickness range: 11 mm; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 675 mm; total dimension H: 1160 mm;	200.00
345	1	rack conveyor dishwasher Rhima, WD 6, brand: Rhima; type: WD 6; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 710 mm; total dimension H: 1400 mm;	600.00
346	1	wine cooler Kuppersbusch, UWK 8200, brand: Kuppersbusch; type: UWK 8200; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 575 mm; total dimension H: 840 mm;	250.00
347	1	cheese cutter Unika, brand: Unika;	50.00
348	1	cheese cutter total dimension L: 360 mm; total dimension W: 360 mm; total dimension H: 450 mm;	20.00
349	1	cutting blade total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 210 mm; description: including knife and board;	50.00

Starting Bid €

350	1	packaging machine stainless steel: yes; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 620 mm; total dimension H: 100 mm;	50.00
351	1	packaging machine stainless steel: yes; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 620 mm; total dimension H: 100 mm;	50.00
352	1	rotisserie chicken grill Doregrill, Neogrill, brand: Doregrill; type: Neogrill; electric heated: yes; electric connection: 400 V; total dimension L: 845 mm; total dimension W: 650 mm; total dimension H: 1610 mm; description: including 4 baskets;	500.00
353	1	Stainless steel catering refrigerator Catertech, brand: Catertech; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 840 mm; total dimension H: 2050 mm; description: adjustable gratings, conductors;	250.00
354	1	glass door refrigerator capacity: 275 I; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 1730 mm; description: unused, adjustable shelves;	350.00
355	1	electric table wok Metos, brand: Metos; electric heated: yes; electric connection: 400 V; total dimension L: 380 mm; total dimension W: 440 mm; total dimension H: 200 mm; description: including wok pan;	250.00
356	1	electric table wok Metos, brand: Metos; electric heated: yes; electric connection: 400 V; total dimension L: 380 mm; total dimension W: 440 mm; total dimension H: 200 mm; description: including wok pan;	250.00
357	1	trolley total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1100 mm;	150.00
358	1	mobile rack total dimension L: 900 mm; total dimension W: 590 mm; total dimension H: 1640 mm;	100.00
359	1	Boarding car total dimension L: 650 mm; total dimension W: 650 mm; total dimension H: 1900 mm;	150.00
360	1	rack conveyor dishwasher Hobart, brand: Hobart; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 840 mm;	400.00
361	1	rack conveyor dishwasher Hobart, brand: Hobart; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1410 mm;	500.00
362	1	waste containers rubbish bag holder stainless steel: yes; mobile: yes; with lid: yes; total dimension L: 470 mm; total dimension W: 490 mm; total dimension H: 800 mm;	25.00
363	1	waste containers rubbish bag holder stainless steel: yes; mobile: yes; with lid: yes; total dimension L: 470 mm; total dimension W: 490 mm; total dimension H: 800 mm;	25.00
364	1	waste containers rubbish bag holder stainless steel: yes; mobile: yes; with lid: yes; total dimension L: 470 mm; total dimension W: 490 mm; total dimension H: 800 mm;	25.00
365	1	Downhill oven Wiesheu, brand: Wiesheu; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1110 mm; total dimension H: 2160 mm; description: on stainless steel base with guides, mobile, 10 shelves, including hood with motor;	750.00



Starting Bid €

366	1	Downhill oven Wiesheu, brand: Wiesheu; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1110 mm; total dimension H: 2160 mm; description: on stainless steel base with guides, mobile, 10 shelves, including hood with motor;	750.00
367	1	grill / baking tray stainless steel: yes; gas: yes; total dimension L: 400 mm; total dimension W: 880 mm; total dimension H: 900 mm;	150.00
368	3	crushed ice bucket stainless steel: yes; total dimension L: 710 mm; total dimension W: 590 mm; total dimension H: 200 mm;	100.00
369	1	crushed ice bucket stainless steel: yes; total dimension L: 1000 mm; total dimension W: 450 mm; total dimension H: 200 mm;	50.00
370	1	catering fridge stainless steel: yes; capacity: 600 l; digital display: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 740 mm; total dimension H: 1900 mm; description: LED lighting , forced cooling, self-closing door, adjustable shelves, new in packaging;	650.00
371	1	catering freezer stainless steel: yes; capacity: 600 l; digital display: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 740 mm; total dimension H: 1900 mm; description: LED lighting , static, self-closing door, new in packaging;	700.00
372	1	Stainless steel work table total dimension L: 1190 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: stainless steel sliding doors , plastic cutting blade;	200.00
373	1	working table cutting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 920 mm; description: stainless steel frame, plastic cutting blade;	150.00
374	1	working table cutting table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 1090 mm; description: stainless steel frame, plastic cutting blade;	150.00
375	1	Stainless steel work table total dimension L: 1950 mm; total dimension W: 700 mm; total dimension H: 950 mm;	200.00
376	1	Stainless steel work table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 970 mm; description: 3 stainless steel drawers, raised edge, cutting blade;	250.00
377	1	combi steamer Convotherm, brand: Convotherm; number of levels: 7; electric connection: 400 V; total dimension L: 810 mm; total dimension W: 900 mm; total dimension H: 840 mm;	350.00
378	1	catering fridge Gram, K210RG3N, brand: Gram; type: K210RG3N; stainless steel: yes; capacity: 76 l; temperature range min.: 2 °c; temperature range max.: 12 °c; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 640 mm; total dimension H: 840 mm; description: adjustable shelves;	200.00
379	1	microwave Panasonic, Pro, brand: Panasonic; type: Pro; stainless steel: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 560 mm; total dimension H: 470 mm;	200.00
380	1	catering fridge Metos, brand: Metos; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 630 mm; total dimension H: 800 mm; description: adjustable shelves;	150.00
381	1	Stainless steel work table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 930 mm; description: 3 drawers, raised edge;	250.00

382	1	rack conveyor dishwasher Rhima, DR 60, brand: Rhima; type: DR 60; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1500 mm;	750.00
383	1	rack conveyor dishwasher Hobart, brand: Hobart; stainless steel: yes; rack model: yes; digital: yes; electric connection: 400 V; total dimension L: 620 mm; total dimension W: 740 mm; total dimension H: 1600 mm;	750.00
384	1	rack conveyor dishwasher Metos, Master, brand: Metos; type: Master; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 730 mm; total dimension H: 1480 mm;	750.00
385	1	catering coffee machine Lavazza, Blue, brand: Lavazza; type: Blue; stainless steel: yes; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: including pistons;	250.00
386	1	catering fridge stainless steel: yes; capacity: 600 l; digital display: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 740 mm; total dimension H: 1900 mm; description: LED lighting , forced cooling, self-closing door, adjustable shelves, new in packaging;	650.00
387	1	catering freezer stainless steel: yes; capacity: 600 l; digital display: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 740 mm; total dimension H: 1900 mm; description: LED lighting , static, self-closing door, new in packaging;	700.00
388	1	hot air oven Baquette, brand: Baquette; electric connection: 230 V; total dimension L: 940 mm; total dimension W: 590 mm; total dimension H: 430 mm; description: 2 regals;	100.00
389	1	electric combi steamer Elite, brand: Elite; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 450 mm;	150.00
390	1	rack conveyor dishwasher Winterhalter, GS 502, brand: Winterhalter; type: GS 502; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 640 mm; total dimension H: 1500 mm;	950.00
391	1	trolley stainless steel: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1100 mm;	150.00
392	1	Boarding car stainless steel: yes; total dimension L: 650 mm; total dimension W: 650 mm; total dimension H: 1250 mm;	100.00
393	1	bread vitrine wood: yes; total dimension L: 3020 mm; total dimension W: 840 mm; total dimension H: 1950 mm; description: consisting of 3 parts of;	150.00
394	1	bread vitrine wood: yes; total dimension L: 3020 mm; total dimension W: 840 mm; total dimension H: 1950 mm; description: consisting of 3 parts of;	150.00
395	1	bread vitrine wood: yes; total dimension L: 3020 mm; total dimension W: 840 mm; total dimension H: 1950 mm; description: consisting of 3 parts of;	150.00
396	1	Stainless steel wall shelf total dimension L: 1600 mm; total dimension W: 400 mm; total dimension H: 50 mm;	50.00

397	1	electric combi steamer Best for, brand: Best for; stainless steel: yes; electric: yes; number of levels: 10; electric connection: 400 V; total dimension L: 1030 mm; total dimension W: 840 mm; total dimension H: 1970 mm; description: mobile;	250.00
398	1	work table chopping block total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: stainless steel frame, plastic top;	150.00
399	30	plastic garden chair total dimension L: 585 mm; total dimension W: 540 mm; total dimension H: 830 mm; description: aluminum legs, stackable, seat height 455 mm, armrest height 650 mm, 5x gray, green, purple, red, white, black ;	450.00
400	30	plastic garden chair total dimension L: 585 mm; total dimension W: 540 mm; total dimension H: 830 mm; description: aluminum legs, stackable, seat height 455 mm, armrest height 650 mm, 5x gray, green, purple, red, white, black ;	450.00
401	30	plastic garden chair total dimension L: 585 mm; total dimension W: 540 mm; total dimension H: 830 mm; description: aluminum legs, stackable, seat height 455 mm, armrest height 650 mm, 5x gray, green, purple, red, white, black ;	450.00
402	8	restaurant chair wood: yes; fabric upholstered: yes;	25.00
403	1	vacuum packaging machine Suhner, Webo Matic I C-25, serial number 209HJ800, Brand: Suhner; type : Webo Matic I C-25; Serial: 209HJ800; Description: Capacity: 160 m ³ / h, 3 x 400 V, 4 kW, provided with sealing beams 3, chamber size 660 x 740 mm, machine dimensions 915 x 980 x 1100 mm H	380.00
404	1	Stainless steel box closer Description: upper and lower sides in a single movement, adjustable width of up to approx. 400 mm, height-adjustable to 300 mm, on a mobile chassis, 3 x 400 V, machine dimensions 1600 x 750 x 1630 mm H	100.00
405	1	Dadaux satay / brochhette machine description: 220v; Fill up 3 trays for a block of meat; unused;	500.00
406	1	Mixer on pallet Description:	50.00

Starting Bid €

40.00

1 Epson cashier description: tm-t88vn;

407



General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme) A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.

2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.

2.3. If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.

3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:

acts performed by user that would have been suggested by the information contained on the website;

• the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;

• lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;

- the fact that the information on the website is false, incomplete or not up-to-date;
- errors in the website's software and/or in the underlying system;
- the illegal use of systems, including use of the Troostwijk website by a third party;
- acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
- exclude one or more users from the sale;
- add items to lots, to split up lots and to remove lots from the sale;

• correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;

take other measures it deems necessary

4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.

4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.

4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is the set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS





8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks. The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to \in 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;

• Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;

- Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
- Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
- Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects
 and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is
 unable to place a bid due to a computer failure.
- Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
- Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
- Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience