



DECHOW AUKTIONEN | Professionelle Event- und Medientechnik (DE)

Industriestr. 19a - 67269 **Grünstadt**
(Rent Event Tec GmbH)

Closing date: Thursday **27 JUNE** starting 09:30

Viewing:

Wednesday 19 June from 10:00 until 14:00
Industriestr. 19a - 67269 Grünstadt (Germany)

Bidding only on the internet!

03-06-19 12.50



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 27 June 2019 DECHOW AUKTIONEN | Professionelle Event- und Medientechnik
Special Conditions

Closing date	Thursday 27 June 2019 starting 09:30 CET
Viewing	Wednesday 19 June from 10:00 until 14:00 CET Rent Event Tec GmbH Industriestr. 19a 67269 Grünstadt, Germany Auktionshaus Wilhelm Dechow GmbH Kapstadtring 7 22297 Hamburg, Germany Phone: +49 40 431300770 E-mail: support@dechow.de
Company organising this Online Auction	
Markup	18.00%
VAT	19.00%
Collection	Monday 8 July from 09:30 until 16:00 CET Wednesday 10 July from 09:30 until 16:00 CET Tuesday 9 July from 09:30 until 16:00 CET Rent Event Tec GmbH Industriestr. 19a 67269 Grünstadt, Germany
Collection details	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Auktionen GmbH & Co. KG cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. Please show your purchase agreement upon collection.
Information VAT	Buyers from Germany have to pay the VAT. All foreign buyers from countries belonging to the European Community must inform us of their VAT number. If a buyer does not furnish this proof, the auctioneer has to charge the legal German VAT. This VAT amount cannot be refunded. Foreign buyers from countries not belonging to the European Community have to pay the legal German VAT as deposit to the auctioneer. After receipt of the original customs documents, which must be stamped officially to prove that the export has taken place, the auctioneer will refund the paid German VAT.
Payment	The invoice amount is due immediately after receipt of the invoice by bank transfer. The purchase price is to be paid exclusively to the trust account specified in the invoice.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Combinations	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 10%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Follow lots	After registration and login, lots can be 'followed' via 'My Troostwijk'. This option has been constrained to a maximum of 100 lots per user per auction.
Subject to allocation and minimum prices	At certain auctions some lots will be sold under reserve or minimum/reserve prices have been set! The seller of the machines will be informed about the highest bids after the end of the auction sale. He will then decide if the lots will be sold for the prices realized. Each client will be informed latest 10 work days after the end of the online auction whether his bid is accepted or not. During these days all bids are binding. If a lot is sold under reserve or if you should not have met the minimum/reserve price yet, this is mentioned below the starting bid.

www.TroostwijkAuctions.com



Terms and Conditions of Sale	For the auction the General Terms and Conditions of Online Auction are applicable concerning the (possible) purchase of movable assets, in addition to these Special Conditions.
Contact	e-mail: support@dechow.de , Tel.: +49-40-4313007-70
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number Description	Starting Bid €
1	1 LED trailer Iveco, abgel. mileage (km): unknown, engine hours: 21.930,00, structure: LED-Trailer LT18g Iveco - 17,64qm closed trailer 6,25mm SMD ;LED-Screen integrated in Sprinter-train vehicle Screen size: 5600mm x 3150 mm Protection class: IP65 / IP54Pixel distance: 6,25mm LED configuration: SMD Resolution: 896(b)x504(h) Total weight: 5030kglower edge: 2,90meterCurrent requirement: 1 x 32A CEE Built into the trailer: 32 modules LEDitgo sB6io 800x900mm with 6.25mm pixel pitch, 1 x 3 monitor bridge, 1 x MAC Mini, 1 x MCTRL 660 controller, 1 x VSP 628 scaler, 1 x extension ladder, 1 x fork/ring spanner, 1 x Logitech K400 keyboard, 1 x construction manual KM-stand of the vehicle: 21.930,00 Vehicle type: Ivceo TÜV: 07/2019, location: 67269 Grünstadt	51,200.00
2	1 LED trailer (trailer) Trailer: LED-Trailer LT18g - 17,64qm closed trailer 6,25mm SMD; Built in the trailer: 32 modules LEDitgo sB6io 800x900mm with 6,25mm pixel pitch, 1 x 3 monitor bridge, 1 x MAC Mini, 1 x Controller MCTRL 660, 1 x Scaler VSP 628, 1 x Extending ladder, 1 x Fork/Wrench, 1 x Keyboard Logitech K400, 1 x Building book, location: 67269 Grünstadt	35,200.00
3	1 Full-HD LCD Projector Sanyo PLC-HF15000L Full-HD LCD Projector 15000 ANSI-Lumen ;High Performance LCD Projector Full HD/2K 15.000 ANSI-Lumen, Contrast:3.000:1, Resolution 2.048 x 1.080 (2K) in 17:9 Format horizontal and vertical lens shift, QuaDrive Engine, Hot Swap Lamp System, Edge Blending, Colour Matching function, Constant Brightness Output Control, Digital Keystone Correction; incl. Flying Frame and HD-SDI Inputincl. flightcaseCurrent lamp hours: 02, location: 67269 Grünstadt	500.00
4	1 Full-HD LCD Projector Sanyo PLC-HF15000L Full-HD LCD Projector 15000 ANSI-Lumen ;High Performance LCD Projector Full HD/2K 15.000 ANSI-Lumen, Contrast:3.000:1, Resolution 2.048 x 1.080 (2K) in 17:9 Format horizontal and vertical lens shift, QuaDrive Engine, Hot Swap Lamp System, Edge Blending, Colour Matching function, Constant Brightness Output Control, Digital Keystone Correction; incl. Flying Frame and HD-SDI Inputincl. flightcasecurrent lamp hours: 680, location: 67269 Grünstadt	500.00
5	1 DLP projector Panasonic PT-DW10000E DLP projector - 1920 x 1080 - 10,000 ANSI lumens ;3-chip DLP projector; brightness: 10000 ANSI lumens; resolution: PT-DW10000: 1920x1080 (16:9); connectors: S-Video, Video RGB/RGBHV, RS-232/422 In/Out, optional: DVI, SDI, HDSDI; Dimensions: 580x280x600 mm; Weight: 35 kgincl. flightcase, location: 67269 Grünstadt	720.00
6	1 DLP projector Panasonic PT-DW10000E DLP projector - 1920 x 1080 - 10,000 ANSI lumens ;3-chip DLP projector; brightness: 10000 ANSI lumens; resolution: PT-DW10000: 1920x1080 (16:9); connectors: S-Video, Video RGB/RGBHV, RS-232/422 In/Out, optional: DVI, SDI, HDSDI; Dimensions: 580x280x600 mm; Weight: 35 kgincl. flightcase, location: 67269 Grünstadt	720.00
7	3 deflection pulleys 3 x pulley type cable drag chain 3500mm with 77 links ;incl. flightcase, location: 67269 Grünstadt	20.00
8	1 power distributor Power distributor "made in China" ;incl. flightcase, location: 67269 Grünstadt	10.00
9	1 camera cable JVC VC-P114U CCU/CCZ camera cable 26-pin 100m ;incl. trolley with cable drum, location: 67269 Grünstadt	10.00
10	1 camera cable JVC VC-P114U CCU/CCZ camera cable 26-pin 100m ;incl. trolley with cable drum, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
11	1	LCD projector Eiki AT-XT5/Sanyo XF47 LCD-Projector - 1024 x 768 - 15000 ANSI-Lumen ;Light output: 15.000 ANSI-Lumen; Resolution: 1024 x 768 (XGA) - XGA with DRIT; Dimensions: 581 x 816 x 252 mm (WxDxH); Weight: 36,5 kg; incl. flightcase (stackable hood case), location: 67269 Grünstadt	500.00
12	1	LCD projector Eiki AT-XT5/Sanyo XF47 LCD-Projector - 1024 x 768 - 15000 ANSI-Lumen ;Light output: 15.000 ANSI-Lumen; Resolution: 1024 x 768 (XGA) - XGA with DRIT; Dimensions: 581 x 816 x 252 mm (WxDxH); Weight: 36,5 kg; incl. flightcase (stackable hood case), location: 67269 Grünstadt	500.00
13	1	LCD projector Eiki AT-XT5/Sanyo XF47 LCD-Projector - 1024 x 768 - 15000 ANSI-Lumen ;Light output: 15.000 ANSI-Lumen; Resolution: 1024 x 768 (XGA) - XGA with DRIT; Dimensions: 581 x 816 x 252 mm (WxDxH); Weight: 36,5 kg; incl. flightcase (stackable hood case), location: 67269 Grünstadt	500.00
14	1	LCD projector Eiki AT-XT5/Sanyo XF47 LCD-Projector - 1024 x 768 - 15000 ANSI-Lumen ;Light output: 15.000 ANSI-Lumen; Resolution: 1024 x 768 (XGA) - XGA with DRIT; Dimensions: 581 x 816 x 252 mm (WxDxH); Weight: 36,5 kg; incl. flightcase (stackable hood case), location: 67269 Grünstadt	500.00
15	1	LCD projector Eiki AT-XT5/Sanyo XF47 LCD-Projector - 1024 x 768 - 15000 ANSI-Lumen ;Light output: 15.000 ANSI-Lumen; Resolution: 1024 x 768 (XGA) - XGA with DRIT; Dimensions: 581 x 816 x 252 mm (WxDxH); Weight: 36,5 kg; incl. flightcase (stackable hood case), location: 67269 Grünstadt	500.00
16	1	LED panels Palette with flying missiles for LEDitgo sB6 LED panels ;consisting of: 2 x double, 2 x single, 2 x triple, 2 x quadrobaskets, location: 67269 Grünstadt	480.00
17	1	LED panels Palette with flying missiles for LEDitgo sB6 LED panels ;consisting of: 2 x double, 2 x single, 2 x triple, 2 x quadrobaskets, location: 67269 Grünstadt	480.00
18	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00
19	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00
20	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00



Lot	Number	Description	Starting Bid €
21	3	LED modules LEDitgo, 03 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	350.00
22	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
23	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
24	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
25	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
26	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
27	1	LED Wall Brackets Singel Palette with 17 x LEDitgo sB6 - 6mm - LED Wall Bracket Singel ;consisting of: 17 x Singelbrakets, location: 67269 Grünstadt	480.00
28	1	aerial fireworks Palette with flying missiles for LEDitgo sB6 LED panels ;consisting of: 1 x double, 2 x single, 2 x triple, 2 x quadrobrakets, location: 67269 Grünstadt	480.00



Lot	Number	Description	Starting Bid €
29	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
30	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
31	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
32	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
33	20	LED modules LEDitgo, 20 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	1,360.00
34	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00
35	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00



Lot	Number	Description	Starting Bid €
36	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00
37	10	LED modules LEDitgo, 10 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	640.00
38	1	aerial fireworks Pallet with flying missiles for LEDitgo sB6 LED panels ;consisting of: 4 x double, 6 x single, location: 67269 Grünstadt	480.00
39	1	aerial fireworks Pallet with flying missiles for LEDitgo sB6 LED panels ;consisting of: 4 x double, 6 x single, location: 67269 Grünstadt	480.00
40	1	aerial fireworks Pallet with flying missiles for LEDitgo sB6 LED panels ;consisting of: 4 x double, 6 x single, location: 67269 Grünstadt	480.00
41	1	7 Bracket LEDitgo, LEDitgo sB6 7er Bracket ;for LEDitgo sB6 Indoor LED-Screen, location: 67269 Grünstadt	150.00
42	1	9 Bracket LEDitgo, LEDitgo sB6 9er Bracket ;for LEDitgo sB6 Indoor LED-Screen, location: 67269 Grünstadt	250.00
43	6	LED modules LEDitgo, 6 x LEDitgo sB6 - 6mm - Module - 576 x 576mm LED modules for building LED screens ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, location: 67269 Grünstadt	480.00
44	6	LED modules LEDitgo, LEDitgo sB6 - 6mm - LED modules 576x576mm (3 working, 2 x defects, 1 x empty frame) ;Module size: 576 x 576 mmWeight per frame: 8,5kgWeight per m²: 25,5kgProtection class: IP 45Pixel distance: 6,0mm real (BLACKFACE)LED configuration: SMD 3 in 1 RGBResolution per Frame: 96 x 96 PixelResolution per m²: 27777 PixelRefreshrate: 960 HzPower consumption: 1.57A at 342Watts per module at 100% white; 0.815A at 178W at 50% whiteBrightness: 1,800 nits; incl. flightcase, damages: partially defective, location: 67269 Grünstadt	300.00
45	1	diesel tank Diesel tank for Mercedes Actross Dimensions 64 x 55 x 90 cm ;as good as new tank for Mercedes Actross with mounting / consoles. Mercedes part number A 931 470 03 01 /001 07 T240. Good condition, no dents. Was installed as an additional tank, location: 67269 Grünstadt	10.00
46	1	electronic lift system Screen Stalk Design-Lift for 82"-103" displays ;electronic lift system for LCD displays, LED screens etc., location: 67269 Grünstadt	200.00



Lot	Number	Description	Starting Bid €
47	1	loading bar Loading beam Allsafe load securing new ;BC=1200 dAN, PL=1350 daN, ATDI loading beam 1350kg. Length rod without locking bolt 2300mm. New and original packaging... Article number Manufacturer 2014483, location: 67269 Grünstadt	30.00
48	1	loading bar Loading beam Allsafe load securing new ;BC=1200 dAN, PL=1350 daN, ATDI loading beam 1350kg. Length rod without locking bolt 2300mm. New and original packaging... Article number Manufacturer 2014483, location: 67269 Grünstadt	30.00
49	1	loading bar Loading beam Allsafe load securing new ;BC=1200 dAN, PL=1350 daN, ATDI loading beam 1350kg. Length rod without locking bolt 2300mm. New and original packaging... Article number Manufacturer 2014483, location: 67269 Grünstadt	30.00
50	1	loading bar Loading beam Allsafe load securing new ;BC=1200 dAN, PL=1350 daN, ATDI loading beam 1350kg. Length rod without locking bolt 2300mm. New and original packaging... Article number Manufacturer 2014483, location: 67269 Grünstadt	30.00
51	10	cantilever racks Steel cantilever rack. 10 pcs. ;height approx. 2,61, length of the outriggers 50cm, distance approx. 29cm, as well as 4 x steel profiles approx. 300cm, location: 67269 Grünstadt	20.00
52	1	flight mount Aluminium flight mount for Eyevis Strayless Display 4600 ;1 x 310cm; ; 3 x 210cm, width 13cm; depth 6cm, location: 67269 Grünstadt	20.00
53	1	Sound enclosures for projectors Sound enclosures for projectors, type Eiki XT5 or similar ;, location: 67269 Grünstadt	10.00
54	2	Mirror deflection system for projectors 02 x Mirror deflection system for projectors ;, location: 67269 Grünstadt	10.00
55	1	IT and Electronics Sammelposten DVD player, printer, satellite receiver various ;, location: 67269 Grünstadt	10.00
56	1	Coolux Jog shuttle Coolux Jog shuttle ;, location: 67269 Grünstadt	10.00
57	1	AV Harddisk Recorder Rosendahl Bonsai Drive, AV Harddisk Recorder, stereo analog SDI and LAN ;AV Harddisk Recorder; stereo analog; Adat 8-Channel; 24Bit/48KHz resolution; 2:1 Video Compress. 1TB hard Disk, location: 67269 Grünstadt	10.00
58	1	seamless switcher Barco DCS 200 Seamless-Switcher - DVI input defective ;, damages: DVI input defective, location: 67269 Grünstadt	10.00
59	1	RGBHV distributor Kramer VM-1055 RGBHV distributor 1 to 5 ;, location: 67269 Grünstadt	10.00
60	1	RGBHV distributor Kramer VM-1055 RGBHV distributor 1 to 5 ;, location: 67269 Grünstadt	10.00
61	1	video scaler LEditgo, Leditgo sB-VSpro VSP198 Video Scaler ;, location: 67269 Grünstadt	150.00
62	1	video scaler LEditgo, Leditgo sB-VSpro VSP198 Video Scaler ;, location: 67269 Grünstadt	150.00
63	1	video scaler LEditgo, Leditgo sB-VSpro VSP198 Video Scaler ;, location: 67269 Grünstadt	150.00
64	1	video scaler LEditgo, Leditgo sB-VSpro VSP198 Video Scaler ;, location: 67269 Grünstadt	150.00
65	1	DV recorder JVC SR-DVM700E DV Recorder ; "Digital Video Multi Recorder. Six ways to copy to/from DVD, hard drive and DV drive; More than 470 hours recording capacity with 250GB hard drive; DVD-R and DVD-RAM support; Lossless copying in native DV modeRS-232 Interface, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
66	1	AV distributor Kramer VM-20AR AV distributor 1:20 programmable ;, location: 67269 Grünstadt	10.00
67	1	RGBHV distributor Kramer VM-1055 RGBHV distributor 1 to 5 ;, location: 67269 Grünstadt	10.00
68	1	RGBHV distributor Kramer VM-1055 RGBHV distributor 1 to 5 ;, location: 67269 Grünstadt	10.00
69	1	VGA distributor Kramer VP-12XL 1:12 VGA distributor ;12x VGA distributor; Bandwidth: 300MHz, location: 67269 Grünstadt	10.00
70	1	VGA distributor Kramer VP-12XL 1:12 VGA distributor ;12x VGA distributor; Bandwidth: 300MHz, location: 67269 Grünstadt	10.00
71	1	VGA distributor Kramer VP-6XL VGA distributor 1:6 ;6-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00
72	1	HD Seamless Switcher Folsom Screen Pro II HD Seamless Switcher ;incl. Flightcase, location: 67269 Grünstadt	250.00
73	1	HD Seamless Switcher Folsom Screen Pro II HD Seamless Switcher ;incl. Flightcase, location: 67269 Grünstadt	250.00
74	1	HD Seamless-Switcher control panel Folsom Screen Pro II/Encore SC HD Seamless-Switcher control panel ;incl. flightcase, location: 67269 Grünstadt	150.00
75	1	HD Seamless-Switcher control panel Folsom Screen Pro II/Encore SC HD Seamless-Switcher control panel ;incl. flightcase, location: 67269 Grünstadt	150.00
76	1	Flightcase/Tripplcase Flightcase/Tripplcase for 3 x Eyevis 46" ;dimensions 115x84x66, location: 67269 Grünstadt	10.00
77	1	Flightcase/Tripplcase Flightcase/Tripplcase for 3 x Eyevis 46" ;dimensions 115x84x66, location: 67269 Grünstadt	10.00
78	1	Flightcase/Tripplcase Flightcase/Tripplcase for 3 x Eyevis 46" ;dimensions 115x84x66, location: 67269 Grünstadt	10.00
79	1	Hood case for loudspeakers Hood case for speakers ;, location: 67269 Grünstadt	10.00
80	1	Hood case for loudspeakers Hoodcase for speakerphone brown ;, location: 67269 Grünstadt	30.00
81	1	canvases Collection of various canvas sheets on palette ;, location: 67269 Grünstadt	30.00
82	8	19" TFT 8 x Belinea 1930 S1 19" TFT ;, location: 67269 Grünstadt	10.00
83	1	power distributor Power distributor 63A CEE with 50 meter system cable ;For power subdistribution of e.g. LED walls. Scope of supply: power distributor 63A, 5 x adapter cable Ckon blue to 5 x neutrik blue, 3 x adapter Soca (Tourmate) to 6 x kcon. 3 x 50 meter power cable on Soca (Tourmate) plug., location: 67269 Grünstadt	150.00
87	1	seamless switcher Extron SGS 408 Seamless-Switcher ;incl. Extron RCP 1000 control panel for SGS 408 Seamless-Switcher included in case SGS 406 and flightcase, location: 67269 Grünstadt	30.00



Lot	Number	Description	Starting Bid €
88	1	seamless switcher Kramer VP727XL Seamless-Switcher ;Dual-Scaler Seamless-Switch; full multi-norm video to graphics scaler and seamless switch with 8 universal inputs each consisting of 5x BNC connectors, each of which can receive either a composite video, S-Video (Y/C), component video (RGB/YUV), RGBS or RGBHV signal. 2 x HDMI input. 1 x HDMI output; incl. Kramer VP727T Seamless-Switcher control console and flightcase, location: 67269 Grünstadt	150.00
89	1	Matrox MX02 Matrox MX02 LE Professional HDMI, SDI, analog I/O Mac Capture ;Matrox MAX is a unique technology that enables H.264 encoding for resolutions from iPod to HD faster than real-time. The dedicated hardware processor accelerates the creation of H.264 files for Blu-ray, Internet and mobile devices. Thanks to special hardware acceleration, jobs are completed with impressive speed., location: 67269 Grünstadt	10.00
90	1	DVI splitter DVI splitter 2 x 4 +AC12 ;, location: 67269 Grünstadt	10.00
91	1	Peavey IDL 1000 Delay Peavey IDL 1000 Delay ;, location: 67269 Grünstadt	5.00
92	1	CD player Onkyo DX-7355 CD Player / CD Player ;, location: 67269 Grünstadt	10.00
93	1	CD player Onkyo DX-7355 CD Player / CD Player ;, location: 67269 Grünstadt	5.00
94	1	CDJ-164DJ Stageline CDJ-164DJ Stageline ;, location: 67269 Grünstadt	5.00
95	1	CD player Sansui CD Player 190 ;, location: 67269 Grünstadt	5.00
96	1	equalizer Yamaha Q 2031A Equalizer - marked with defective ;professional audio quality; 31-band stereo EQ with 1/3 octave bands; frequency response 20Hz-20kHz; balanced inputs and outputs (XLR and jack) +4dB; switchable EQ gain (+/-6dB or +/-12dB); variable HighPass Filter (20Hz - 200Hz); peak display, damages: marked as defective, location: 67269 Grünstadt	10.00
97	1	equalizer BSS FCS 960 Equalizer ;Stereo Equalizer, 2x 30 Band EQ, 3 He sym In/Outs 45mm faders adjustable Hi-pass filter, location: 67269 Grünstadt	20.00
98	1	equalizer BSS FCS 960 Equalizer ;Stereo Equalizer, 2x 30 Band EQ, 3 He sym In/Outs 45mm faders adjustable Hi-pass filter, location: 67269 Grünstadt	20.00
99	1	power mixer Behringer PMX 518M Power Mixer ;, location: 67269 Grünstadt	20.00
100	1	4 Channel Digital Dimmer Pack Showtec 4 Channel Digital Dimmer Pack ;, location: 67269 Grünstadt	10.00
101	1	flightcase Flightcase for 2 x 55 inch display ;, location: 67269 Grünstadt	10.00
102	1	flightcase Flightcase for 2 x 55 inch display ;, location: 67269 Grünstadt	10.00
103	1	Media player with accessories 4 x WD-Live Mediaplayer with accessories ;, location: 67269 Grünstadt	5.00
104	10	HD Webcam 10 x Logitech HD webcam broadcast with WIFI and USB ;, location: 67269 Grünstadt	5.00
105	1	EDP Collection of network routers and cables, fiber optic cables, action pro camera ;, location: 67269 Grünstadt	10.00
106	1	lighting engineering Collection of light technology, traverses, coloured foils ;, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
107	1	camera tripods Various camera tripods ;, location: 67269 Grünstadt	5.00
108	1	Camera Preview 3 x Sony PVM 9L1 Camera Preview ;, location: 67269 Grünstadt	10.00
109	1	Camera Preview 4 x Sony BVM-9044D Camera Preview 9" SDI ;, location: 67269 Grünstadt	10.00
110	1	Camera Preview 4 x Sony PVM 9044 QM HR camera preview -without SDI- ;professional video monitor with 9 inch high-resolution picture tube, 4:3 and 16:9 switchable, for 12Volt and 220Volt, NP1 battery compartments and 4 pole XLR connection, portable, 2x video inputs FBAS, 1x component signal, RGB signal, Blue only and Underscan function, location: 67269 Grünstadt	10.00
111	1	Camcorder - Video camera Sony HDR FX 1 E HDV 1080i Camcorder - Video Camera ;HDV Format; Switch between HDV and DV; 3x CCD 1,070,000 Pixel; Optical Image Stabilizer; Carl Zeiss® Vario-Sonnar® T; 14-Bit DXP; 12x Optical Zoom; 1440 x 1080 HDV Resolution; 1.5-inch 16:9 Hybrid LCD Display# 16:9-Color Finder# Ring for manual zoom and focus# Manual gain / aperture / shutter speed / white balance / audio signal strength, location: 67269 Grünstadt	10.00
112	1	surveillance camera 2 x D-Link surveillance camera ;, location: 67269 Grünstadt	5.00
113	1	digital camera Olympus, Olympus E400 DZ-Kit Digital Camera ;incl. 14-42 + 40-150mm lens, location: 67269 Grünstadt	10.00
114	1	Waterproof color outdoor camera 3 xConrad 420/TL surveillance cameras, 1 x Conrad color/pan, tilting camera surveillance cameras ;waterproof color outdoor camera, location: 67269 Grünstadt	10.00
115	1	triplehead Matrox Tripplehead 2go ;, location: 67269 Grünstadt	10.00
116	1	video scaler tvOne C2-2255A - Scaler ;Video Scaler, up and cross conversion, Genlock, PIP, Key, Mix, Audio Switching, In: DVI-D PC/HD, Analog PC/HD via 15 HD, YUV/YPbPr via 3-BNC, 2 x CV/SV, 1 x HD/SD-SDI. Out: DVI-I PC/HD, Analog PC/HD/YUV via HD 15. Edge Blending Control: LCD/Buttons, IR, RS-232, IP, HDCP Compatible, location: 67269 Grünstadt	75.00
117	1	video scaler tvOne C2-2255A - Scaler ;Video Scaler, up and cross conversion, Genlock, PIP, Key, Mix, Audio Switching, In: DVI-D PC/HD, Analog PC/HD via 15 HD, YUV/YPbPr via 3-BNC, 2 x CV/SV, 1 x HD/SD-SDI. Out: DVI-I PC/HD, Analog PC/HD/YUV via HD 15. Edge Blending Control: LCD/Buttons, IR, RS-232, IP, HDCP Compatible, location: 67269 Grünstadt	75.00
118	1	video scaler tvOne C2-2255A - Scaler ;Video Scaler, up and cross conversion, Genlock, PIP, Key, Mix, Audio Switching, In: DVI-D PC/HD, Analog PC/HD via 15 HD, YUV/YPbPr via 3-BNC, 2 x CV/SV, 1 x HD/SD-SDI. Out: DVI-I PC/HD, Analog PC/HD/YUV via HD 15. Edge Blending Control: LCD/Buttons, IR, RS-232, IP, HDCP Compatible, location: 67269 Grünstadt	75.00
119	1	camera cable 4 x JVC VC-P112U CCU/CCZ camera cable 26-pin 10m ;10meter camera cable, location: 67269 Grünstadt	10.00
120	1	Camera spare parts JVC HD 251 Camera to slaughter ;, location: 67269 Grünstadt	5.00
121	1	studio adapter 2 x JVC KA-HD250U Studio adapter ;Studio adapter for JVC GY HD 251, location: 67269 Grünstadt	10.00
122	1	CCU for JVC HD251 JVC RM-HP250DE HD-SDI CCU ;CCU for JVC HD251, location: 67269 Grünstadt	50.00



Lot	Number	Description	Starting Bid €
123	1	CCU for JVC HD251 JVC RM-HP250DE HD-SDI CCU ;CCU for JVC HD251, location: 67269 Grünstadt	50.00
124	1	LCD projector with lens Proxima LCD projector with lens ;, location: 67269 Grünstadt	10.00
125	1	LCD projector Eiki LC-X70 LCD projector - 1024 x 768 - 5,000 ANSI lumens ;data/video projector, 5000 ANSI lumens, XGA 1024x768 (VGA-SXGA with DRIT), contrast ratio 1200:1, 9.2 kg, digital zoom, digital keystone correction horizontal (vertical) +/- 40° (10°), vertical lens shift, 35 dB, 300 Watt NSH lamp, DVI input incl. flightcase for EIKI XC 70, location: 67269 Grünstadt	50.00
126	1	LCD projector Eiki LC-X70 LCD projector - 1024 x 768 - 5,000 ANSI lumens ;data/video projector, 5000 ANSI lumens, XGA 1024x768 (VGA-SXGA with DRIT), contrast ratio 1200:1, 9.2 kg, digital zoom, digital keystone correction horizontal (vertical) +/- 40° (10°), vertical lens shift, 35 dB, 300 Watt NSH lamp, DVI input incl. flightcase for EIKI XC 70, location: 67269 Grünstadt	50.00
127	1	Table foot for Samsung 65 to 95 inch Table foot for Samsung 65 to 95 inch ;, location: 67269 Grünstadt	10.00
128	1	PC Empty housing location: 67269 Grünstadt	10.00
130	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
131	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
132	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
133	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
134	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
135	2	Mac Mini Apple, damages: broken, location: 67269 Grünstadt	10.00
136	1	Mac Mini Apple, location: 67269 Grünstadt	10.00
137	1	Mac Mini Apple, location: 67269 Grünstadt	10.00
138	1	Mac Mini Apple, location: 67269 Grünstadt	10.00
139	1	Mac Mini Apple, location: 67269 Grünstadt	10.00
140	1	monitors as preview for table conferences, 3 x AOC LM565 15 inch TFT analog display + 10 x tilt adjuster ;as preview for table conferences, location: 67269 Grünstadt	10.00
141	1	15" Full HD LED display Beetronics 15HD - 15" Full-HD-LED-Display - square shape ;15" Full-HD-LED-Display with built-in cable tuner, location: 67269 Grünstadt	50.00
143	1	15" Full HD LED display Beetronics 15HD - 15" Full-HD-LED-Display - square shape ;15" Full-HD-LED-Display with built-in cable tuner, location: 67269 Grünstadt	50.00
144	1	Blu-Ray Disc Player Philips, Philips Blu-Ray Disc Player BDP3100/12 ;, location: 67269 Grünstadt	10.00
145	1	Blu-Ray Disc Player Philips, Philips Blu-Ray Disc Player BDP3100/12 ;, location: 67269 Grünstadt	10.00
146	1	DVD player Philips, Philips DVP5960/DVP3980 DVD Player HDMI out ;DVD Player, location: 67269 Grünstadt	5.00



Lot	Number	Description	Starting Bid €
147	1	DVD player Philips, Philips DVP5960/DVP3980 DVD Player HDMI out ;DVD Player, location: 67269 Grünstadt	5.00
148	1	Blu-Ray Disc Player Toshiba Blu-Ray Player BDY2300KE ;, location: 67269 Grünstadt	10.00
149	1	Blu-Ray Disc Player Toshiba Blu-Ray Player BDY2300KE ;, location: 67269 Grünstadt	10.00
150	1	Blu-Ray Disc Player Toshiba Blu-Ray Player BDY2300KE ;, location: 67269 Grünstadt	10.00
151	1	Blu-Ray Disc Player Toshiba Blu-Ray Player BDY2300KE ;, location: 67269 Grünstadt	10.00
152	1	Blu-Ray Disc Player Toshiba Blu-Ray Player BDY2300KE ;, location: 67269 Grünstadt	10.00
153	1	DVD player Philips DVP5960 DVD Player ;, location: 67269 Grünstadt	5.00
154	1	CAT extender Extron TP R BNC A / T 15HD A CAT-Extender for RGBHV and audio ;Compatible with VGA-UXGA, Mac, Sun® and SGI, component video, S-Video and FBAS video signals; Receives signals over 300 meters via CAT 5, 5e or 6 UTP cable; incl. receiver and transmitter, location: 67269 Grünstadt	10.00
155	1	CAT extender Extron TP R BNC A / T 15HD A CAT-Extender for RGBHV and audio ;Compatible with VGA-UXGA, Mac, Sun® and SGI, component video, S-Video and FBAS video signals; Receives signals over 300 meters via CAT 5, 5e or 6 UTP cable; incl. receiver and transmitter, location: 67269 Grünstadt	10.00
156	1	CAT extender Extron TP R BNC A / T 15HD A CAT-Extender for RGBHV and audio ;Compatible with VGA-UXGA, Mac, Sun® and SGI, component video, S-Video and FBAS video signals; Receives signals over 300 meters via CAT 5, 5e or 6 UTP cable; incl. receiver and transmitter, location: 67269 Grünstadt	10.00
157	1	RGBHV hum remover Extron ADA2/GLI 350xi 1 to 2 RGBHV hum eliminator ;Eliminates hum bars and common mode noise; RGBHV distribution amplifier with two outputs; Active differential amplifier to eliminate noise; 350 MHz (-3 dB) RGB video bandwidth, full load Horizontal frequency range 15 - 135 kHz; Compatible with RGBHV, RGBS, RsGsBs and RGsB video, location: 67269 Grünstadt	10.00
158	8	Sleeves for iPad 2 location: 67269 Grünstadt	10.00
159	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out Converter - Converter ;, location: 67269 Grünstadt	10.00
160	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out Converter - Converter ;, location: 67269 Grünstadt	10.00
161	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out converter - converter ;RGBHV distributor 1 to 2, location: 67269 Grünstadt	10.00
162	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out Converter - Converter ;, location: 67269 Grünstadt	10.00
163	1	RGBHV distributor 1 to 2 Inline 3252 HR 1 to 3 RGBHV distributor and interface ;RGBHV distributor 1 to 2, location: 67269 Grünstadt	10.00
164	1	RGBHV Interface Inline 2100 Interface ;RGBHV Interface, location: 67269 Grünstadt	10.00
165	1	RGBHV Interface Inline 2100 Interface ;RGBHV Interface, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
166	1	RGBHV Interface Inline 2100 Interface ;RGBHV Interface, location: 67269 Grünstadt	10.00
167	1	RGBHV Interface Inline 2100 Interface ;RGBHV Interface, location: 67269 Grünstadt	10.00
168	1	4:1 VGA switch LY VGA & Audio selector 4:1 incl. FB art.no. 32647 & 32639 ;compact 4:1 VGA switch incl. remote infrared receiver and remote control., location: 67269 Grünstadt	10.00
169	1	amplifiers AdderLinkGold AD-ALGTX-RX KVM Amplifier Longview ;Technical Data; Integrated KVM switch allows the connection of a local computer to the receiver unit; High video quality up to an image resolution of 1600 x 1280; Compatible with all common operating systems, etc.: DOS, OS/2, Unix, MS-Windows, location: 67269 Grünstadt	10.00
170	1	converter Low EXT-DVI-2-VGA DVI Converter 1360x768 ;DVI to VGA Conversion Box; Resolution EDID 1366 x 768 (programmed); Converts DVI-D to VGA analog signals; Supports resolutions up to 1920 x 1200 at 60 Hz; Supports DDWIG standard for DVI compatible monitors, location: 67269 Grünstadt	10.00
171	1	hum eliminator Eneo EGLC-2 FBAS Ground-Loop Corrector ;, location: 67269 Grünstadt	10.00
172	1	6-way AV distributor Jebsee 6x AV distributor 1 to 6 ;6x audio/video distributor, location: 67269 Grünstadt	5.00
173	7	video cards 7 x ATI Fire GL V5600 graphics cards ;, location: 67269 Grünstadt	5.00
174	1	6-way AV distributor Jebsee 6x AV distributor 1 to 6 ;, location: 67269 Grünstadt	5.00
175	7	DVI to VGA Converter 7 x Eyevis CV-DA1 DVI to VGA Converter ;, location: 67269 Grünstadt	10.00
176	4	interface 4 x Altinex Da1910SX Interface ;, location: 67269 Grünstadt	10.00
177	1	CAT extender Altinex DA1920SX CAT Extender ;, location: 67269 Grünstadt	10.00
178	1	DVI & Audio HDTV Switch Lindy DVI & Audio HDTV Switch Remote 4 Port ;, location: 67269 Grünstadt	10.00
179	1	VGA/RGB/YUV to DVI-I - Scaler Box LY VGA/RGB/YUV to DVI-I - Scaler Box Item No. 32563 ;, location: 67269 Grünstadt	10.00
180	1	DVI Cat Extender LY DVI Cat-Extender Cat5e/6 up to 70m Art.No:32576 ;, location: 67269 Grünstadt	10.00
181	1	VGA Extender LY VGA Extender 80m Article No. 32386 ;, location: 67269 Grünstadt	10.00
182	1	4 x 1 DVI Switcher 4 x 1 DVI Switcher ;, location: 67269 Grünstadt	10.00
183	1	4-Port USB DVI Dual Link ATEN 4-Port USB DVI Dual Link KVMP Switch - HDCP compliant ;, location: 67269 Grünstadt	10.00
184	1	4-Port USB DVI Dual Link ATEN 4-Port USB DVI Dual Link KVMP Switch - HDCP compliant ;, location: 67269 Grünstadt	10.00
185	1	4-Port USB DVI Dual Link ATEN 4-Port USB DVI Dual Link KVMP Switch - HDCP compliant ;, location: 67269 Grünstadt	10.00
186	1	Switcher 8 x 4 Extron MAV Matrix Switcher 8 x 4 ;Audio/Video Matrix 8 x 4, Video BNC, Audio Cinch stereo, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
187	1	HD Video Converter HD Video Converter CVBS/HDMI to HDMIO 720P/1080P ;Inputs: Coaxial Cinch (FBAS, CVBS), Audio stereo cinch, HDMI; Output: HDMI, audio mini-jack 3.5; coaxial; 3 shift buttons, location: 67269 Grünstadt	10.00
188	1	HD Video Converter HD Video Converter CVBS/HDMI to HDMIO 720P/1080P ;Inputs: Coaxial Cinch (FBAS, CVBS), Audio stereo cinch, HDMI; Output: HDMI, audio mini-jack 3.5; coaxial; 3 shift buttons, location: 67269 Grünstadt	10.00
189	5	VGA to DVI Converter Kramer, 5 x Kramer FC-31XL - VGA to DVI Converter ;VGA to DVI Format Converter. Converts signal up to a resolution of WUXGA., location: 67269 Grünstadt	10.00
190	1	1x6 HDSDI / SDI distributor AJA 3 GDA 1x6 HDSDI / SDI distributor ;Reclokcing Distribution Amplifier. Max 120m. 3G, HD-SDI, or SDI input, location: 67269 Grünstadt	10.00
191	1	1 to 2 VGA/Audio Switcher Kramer, Kramer VP-211N 1 to 2 VGA/Audio Switcher with external switch ;2-fold VGA switch, audio automa. Priority switch, 2 x 1, 400MHz, loop, ID-bit, location: 67269 Grünstadt	10.00
192	1	1 to 2 VGA switch Kramer, Kramer VP-211DS 1 to 2 VGA switches ;2-way VGA switch, Audio automa. Priority switch, 2 x 1, 400MHz, loop, ID-bit, location: 67269 Grünstadt	10.00
193	1	VGA Switcher 2/1 Kramer, Kramer VP 242 VGA Switcher 2/1 + 4x2 distributor/switch ;2x1 / 1x4 VGA/UXGA switch and distributor, level-, EQ-knob, ID-bit, location: 67269 Grünstadt	10.00
194	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out Converter - Converter ;, location: 67269 Grünstadt	10.00
195	1	HDMI in - DVI out Converter - Converter RET EYE HDMI in - DVI out Converter - Converter ;, location: 67269 Grünstadt	10.00
196	1	VGA distributor 1:3 Kramer, Kramer VP 3 VGA distributor 1/3 ;VGA distributor 1 to 3 - 350Mhz, location: 67269 Grünstadt	10.00
197	2	RGBHV Interface Kramer, 2 x Kramer VP 102XL RGBHV Interface ;, location: 67269 Grünstadt	10.00
198	1	1 to 2 YUV distributor Kramer, Kramer VM-2C 1 to 2 YUV distributors ;, location: 67269 Grünstadt	10.00
199	1	VGA distributor 1:2 Kramer, Kramer VP-200 VGA distributor 1:2 ;VGA distributor 1 to 2 - 350Mhz, location: 67269 Grünstadt	10.00
200	1	VGA distributor 1:2 Kramer, Kramer VP-200 VGA distributor 1:2 ;VGA distributor 1 to 2 - 350Mhz, location: 67269 Grünstadt	10.00
201	1	VGA distributor 1:2 Kramer, Kramer VP-200 VGA distributor 1:2 ;VGA distributor 1 to 2 - 350Mhz, location: 67269 Grünstadt	10.00
202	1	VGA distributor 1:2 Kramer, Kramer VP-200 VGA distributor 1:2 ;VGA distributor 1 to 2 - 350Mhz, location: 67269 Grünstadt	10.00
203	4	Debummering Components Kramer, 4 x Kramer VM-37 YUV Debugger Components Hum choke active ;, location: 67269 Grünstadt	10.00
204	1	VGA distributor 1:5 Kramer, Kramer VP-5XL VGA distributor 1:5 ;5-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
205	1	VGA distributor 1:5 Kramer, Kramer VP-5XL VGA distributor 1:5 ;5-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00
206	1	VGA distributor 1:5 Kramer, Kramer VP-5XL VGA distributor 1:5 ;5-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00
207	1	VGA distributor 1:5 Kramer, Kramer VP-5XL VGA distributor 1:5 ;5-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00
208	1	VGA distributor 1:5 Kramer, Kramer VP-5XL VGA distributor 1:5 ;5-fold VGA distributor; bandwidth: 300MHz, location: 67269 Grünstadt	10.00
209	4	antenna booster Sennheiser, 4 x Sennheiser AB2-D antenna booster 786-822 MHz pair ;786-822 MHz, location: 67269 Grünstadt	10.00
210	4	recessed ceiling speaker JBL Control, 4 x JBL Control 24 C ceiling speaker - white incl. flightcase ;JBL ceiling speaker 4'' TT, 0,75''HT, coaxial, sheet steel bass reflex cabinet, 130° dispersion, 16 Ohm, 80 Watt, 86 db, SPL (1W/1m), SonicGuard, location: 67269 Grünstadt	10.00
211	1	Loudspeakers and sound accessories Collection of speakers and sound accessories, 2 x JBL Control, 2 x studio monitor Onesystems, various PC speakers, 1 x transmission line Sabine ;, location: 67269 Grünstadt	10.00
212	1	LCD and plasma speakers Collection of LCD and plasma loudspeakers - 2 pallets ;, location: 67269 Grünstadt	10.00
213	1	final stage Jeil Mobile 35 100 Volt power amplifier ;35 Watt, 100Volt, location: 67269 Grünstadt	10.00
214	1	LED strip light LED strip light ;, location: 67269 Grünstadt	5.00
215	1	Spare Parts Eyevis Seamless Displays location: 67269 Grünstadt	5.00
216	12	light stands location: 67269 Grünstadt	150.00
217	18	LCD displays Samsung Syncmaster, 18 x SamsungSyncmaster 940 / 913 LCD Displays + Table Feet ;, location: 67269 Grünstadt	50.00
218	33	LCD displays Chimei, 33 x Chimei LCD-Displays CMV 223 A/D ;, location: 67269 Grünstadt	100.00
219	1	laptop bags location: 67269 Grünstadt	5.00
220	1	final stage 2 x small + Hummel SA 480 2 x 450 Watt power amplifier ;, location: 67269 Grünstadt	10.00
221	1	Amplifier/Power Amplifier QSC 1400 amplifier/amplifier 2 x 300Watt/4 Ohm ;300 Watt/4, location: 67269 Grünstadt	80.00
222	1	Amplifier/Power Amplifier Crest Audio DX850 output stage ;2 x 325W sinusoidal, location: 67269 Grünstadt	40.00
223	1	Amplifier/Power Amplifier Mackie M2600 amplifier/amplifier 2000W ;2 Ohm capable!!!! 2x 1300 W; 4 Ohm = 2x 850 W; 8 Ohm = 2x 500 W; 4 Ohm bridged = 2600 W; 8 Ohm bridged = 1700 W, location: 67269 Grünstadt	40.00
224	1	Amplifier/Power Amplifier Crest Audio 6001 Power Amplifier ;, location: 67269 Grünstadt	40.00



Lot	Number	Description	Starting Bid €
225	5	Design stand for LCD displays up to 65" 5 x design stands for LCD displays up to 65" consisting of a heavy base plate and 2 x stainless steel rods. Packed in wooden boxes and the poles in a flightcase;; location: 67269 Grünstadt	150.00
226	5	Design stand for LCD displays up to 65" 5 x design stands on castors for LCD displays up to 65" consisting of heavy base plate and 2 x stainless steel rods. Packed in wooden boxes and the poles in a flightcase;; location: 67269 Grünstadt	150.00
227	1	Wall Controller Lighthouse, Lighthouse LVP M2 LIP-SX LED Wall Controller ;; location: 67269 Grünstadt	500.00
228	1	LVP Controller DX Lighthouse, Lighthouse LVP Controller DX ;; location: 67269 Grünstadt	500.00
229	1	LED wall (approx. 28 sqm) Lighthouse R10er, ;37 LED modules Lighthouse R10 with 10mm pixel pitch. Produced in 2007. Technical data: Pixel distance real: 10.58mm; Resolution per panel: 96 x 72; Pixel; Configuration: RGB 1,1,1; Dimensions (W x H): 1.02 x 0.76m; Brightness: 5000 nits; Contrast ratio: 2000:1; Weight per panel: 56kg; These LED modules are suitable for outdoor use; 28 of the offered modules have blue LED's shining permanently. (Fig. 4) These modules require service. Partially disassembled modules: 10 modules; modules with many pixel errors: 21 modules; modules with few to no pixel errors: 6 modules, flightcases and various flightbrackets are included., location: 67269 Grünstadt	500.00
230	2	loudspeakers 2 x K&F CA 106 speakers white with U-bracket, L-bracket, tripod flange incl. flightcase ;; location: 67269 Grünstadt	160.00
231	2	loudspeakers 2 x K&F CA 106 speakers white with U-bracket, L-bracket, tripod flange incl. flightcase ;; location: 67269 Grünstadt	160.00
232	2	loudspeakers 2 x K&F CA 106 speakers white with U-bracket, L-bracket, tripod flange incl. flightcase ;; location: 67269 Grünstadt	160.00
233	2	loudspeakers 2 x K&F CA 106 speakers white with U-bracket, L-bracket, tripod flange incl. flightcase ;; location: 67269 Grünstadt	160.00
234	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 10 ;passive 2-way multifunctional loudspeaker, 10" 1" with rotatable horn, 90° x 70°, 300 Watt (600 Watt progr.) 8 Ohm, 95 - 19.000 Hz, 125 dB SPL max., tripod flange, monitor angle, M8 flying points, Neutrik-Speakon connections, dimensions: 321 x 508 x 320 mm, weight 12,2 Kg; dimensions: 321 x 508 x 320 mm, location: 67269 Grünstadt	160.00
235	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 10 ;passive 2-way multifunctional loudspeaker, 10" 1" with rotatable horn, 90° x 70°, 300 Watt (600 Watt progr.) 8 Ohm, 95 - 19.000 Hz, 125 dB SPL max., tripod flange, monitor angle, M8 flying points, Neutrik-Speakon connections, dimensions: 321 x 508 x 320 mm, weight 12,2 Kg; dimensions: 321 x 508 x 320 mm, location: 67269 Grünstadt	160.00
236	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 10 ;passive 2-way multifunctional loudspeaker, 10" 1" with rotatable horn, 90° x 70°, 300 Watt (600 Watt progr.) 8 Ohm, 95 - 19.000 Hz, 125 dB SPL max., tripod flange, monitor angle, M8 flying points, Neutrik-Speakon connections, dimensions: 321 x 508 x 320 mm, weight 12,2 Kg; dimensions: 321 x 508 x 320 mm, location: 67269 Grünstadt	160.00



Lot	Number	Description	Starting Bid €
237	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 10 ;passive 2-way multifunctional loudspeaker, 10" 1" with rotatable horn, 90° x 70°, 300 Watt (600 Watt progr.) 8 Ohm, 95 - 19.000 Hz, 125 dB SPL max., tripod flange, monitor angle, M8 flying points, Neutrik-Speakon connections, dimensions: 321 x 508 x 320 mm, weight 12,2 Kg; dimensions: 321 x 508 x 320 mm, location: 67269 Grünstadt	160.00
238	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 12 ;passive 2-way multifunctional loudspeaker, 12" 1" with rotatable horn, 90° x 40°, 400 Watt (800 Watt progr.) 8 Ohm, 80 - 19.000 Hz, 127 dB SPL max., tripod flange, monitor angle, M10 flying points, Neutrik-Speakon connections, dimensions: 379 x 631 x 378 mm, weight 17,8 Kg, dimensions: 379 x 631 x 378 mm, location: 67269 Grünstadt	200.00
239	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 12 ;passive 2-way multifunctional loudspeaker, 12" 1" with rotatable horn, 90° x 40°, 400 Watt (800 Watt progr.) 8 Ohm, 80 - 19.000 Hz, 127 dB SPL max., tripod flange, monitor angle, M10 flying points, Neutrik-Speakon connections, dimensions: 379 x 631 x 378 mm, weight 17,8 Kg, dimensions: 379 x 631 x 378 mm, location: 67269 Grünstadt	200.00
240	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 12 ;passive 2-way multifunctional loudspeaker, 12" 1" with rotatable horn, 90° x 40°, 400 Watt (800 Watt progr.) 8 Ohm, 80 - 19.000 Hz, 127 dB SPL max., tripod flange, monitor angle, M10 flying points, Neutrik-Speakon connections, dimensions: 379 x 631 x 378 mm, weight 17,8 Kg, dimensions: 379 x 631 x 378 mm, location: 67269 Grünstadt	200.00
241	2	Loudspeaker Incl. flightcase 2 x DB TECHNOLOGIES ARENA 12 ;passive 2-way multifunctional loudspeaker, 12" 1" with rotatable horn, 90° x 40°, 400 Watt (800 Watt progr.) 8 Ohm, 80 - 19.000 Hz, 127 dB SPL max., tripod flange, monitor angle, M10 flying points, Neutrik-Speakon connections, dimensions: 379 x 631 x 378 mm, weight 17,8 Kg, dimensions: 379 x 631 x 378 mm, location: 67269 Grünstadt	200.00
242	2	LED walls (15.6 sqm) ;260 modules Digiled T8S single modules with 400x300mm, incl. cable set and scanboxes for building 1 x 31,23 qm or 2 x 15,6qm LED-Screens.incl. 4 x steel frame Digiled for 13x5 modules Digiled LED T8S 400x300. For wall mounting or mounting the LED wall in an LED trailer or on a wall. Screens were built into two LED trailers and have a small number of hours and are therefore optically and technically still very good., location: 67269 Grünstadt	1,600.00
243	1	LED wall LEDitgo, with many accessories ;r6io, 48 modules, 6 x double rockets and 1 x single basket for LEDitgo r6/12 wall, cables and accessories, location: 67269 Grünstadt	1,200.00
244	1	LED wall (15.48 sqm) LEDitgo, ;consisting of: 35 modules LEDitgo R6io (module size: 768 mm x 576 mmWeight per module: 24.2 kgWeight per m2: 55 kgProtection class: IP65 / IP54Pixel distance: 12 mm real / 6mm virtualLED configuration: 2R, 1G, 1BResolution: 13888 pixels per m²Brightness: 5500 nitsHigh-resolution and high-quality LED material for indoor and outdoor applications. Product with German finishing; test reports and EMC from German test laboratory.); complete cable set, 35 modules LEDitgo r6/12 without pixel error. Small spare parts package, airbrakes for Screen 7x5meter. flightcases, location: 67269 Grünstadt	1,200.00
245	1	Design stand for large format displays Design stand for large format displays or LED screens, special construction. ;Following parts available: 3 x heavy steel plate, 2 x stainless steel tube, 2 x wooden cover for foot, 1 x flightcase, location: 67269 Grünstadt	100.00
246	1	Flightcase Hoodcase Flightcase Hoodcase ;, location: 67269 Grünstadt	100.00



Lot	Number	Description	Starting Bid €
247	1	Flightcase Hoodcase Flightcase Hoodcase ;, location: 67269 Grünstadt	10.00
248	1	Interpreter booth Interpreter's booth Dolmetschertechnik - Double booth without partition wall ;, location: 67269 Grünstadt	150.00
249	1	Angle adjuster for LCD monitors on 2 pallets ;, location: 67269 Grünstadt	10.00
250	1	deflecting mirrors Deflecting mirror Aluvioal 2 pieces Dimensions: 1: 75x75 and 2: 1,0x1,0m ;, location: 67269 Grünstadt	10.00
251	1	foosball Table football table football is functional but must certainly be overhauled in some places ;, location: 67269 Grünstadt	10.00
252	1	82" LCD display Eyevis, Eyevis EYE-LCD-8200-HD 82" LCD-Display incl. Screenlifter Lite ;82" (208,3cm) LCD with LED-Backlight; Resolution/ Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 600cd/m2- Inputs: HDMI, Displayport, VGA; Dimensions / Weight: 1926 x 1137 x 150mm/ 110kg; VESA 800 x 400/800 / including screenlifter and flightcase (divisible hood, inside with steel frame (vibration damped), 8 x folding handles 6 pcs, 100mm HD castors (four with brakes), accessory compartment), location: 67269 Grünstadt	640.00
253	1	82" LCD display Eyevis, Eyevis EYE-LCD-8200-HD 82" LCD-Display incl. Screenlifter Lite ;82" (208,3cm) LCD with LED-Backlight; Resolution/ Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 600cd/m2- Inputs: HDMI, Displayport, VGA; Dimensions / Weight: 1926 x 1137 x 150mm/ 110kg; VESA 800 x 400/800 / including screenlifter and flightcase (divisible hood, inside with steel frame (vibration damped), 8 x folding handles 6 pcs, 100mm HD castors (four with brakes), accessory compartment), location: 67269 Grünstadt	640.00
254	1	65" LCD display NEC MultiSync, NEC MultiSync LCD6520L 65" LCD-Display - anthracite incl. Flightcase ;65" (165,1cm) LCD with LED-Backlight; Resolution/ Ratio: 1920x1080 Pixel/ 16:9; Brightness: 450cd/m2Inputs: HDMI, DVI, VGA, RGBHV; Dimensions / Weight: 1569,4 x 921,0 x 221,6mm/ 83kg with flightcase (hood separable to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed Color: ABS black Version: 9,0mm birch multiplex with ABS coating 35mm aluminum edge protection, gr. butterflies, 12 folding handles 4x 100mm swivel castors), location: 67269 Grünstadt	350.00
255	1	65" LCD display NEC MultiSync, NEC MultiSync LCD6520L 65" LCD-Display - anthracite incl. Flightcase ;65" (165,1cm) LCD with LED-Backlight; Resolution/ Ratio: 1920x1080 Pixel/ 16:9; Brightness: 450cd/m2Inputs: HDMI, DVI, VGA, RGBHV; Dimensions / Weight: 1569,4 x 921,0 x 221,6mm/ 83kg with flightcase (hood separable to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed Color: ABS black Version: 9,0mm birch multiplex with ABS coating 35mm aluminum edge protection, gr. butterflies, 12 folding handles 4x 100mm swivel castors), location: 67269 Grünstadt	350.00
256	1	Touch-Overlay 65" Touch overlay 65" for NEC MultiSync V651/6520L Multi-Touch 4 points ID-OV65-20 ;65" Touch overlay for NEC V651/6520L - 4 touch points; Format: Landscape/ Portrait; Width: 1545 mm (visible image: 1435 mm); Height: 925 mm (visible image: 810 mm); Depth: 135 mm incl. display (with wall bracket: 164 mm), location: 67269 Grünstadt	50.00



Lot	Number	Description	Starting Bid €
257	1	Touch-Overlay 65" Touch overlay 65" for NEC MultiSync V651/6520L Multi-Touch 4 points ID-OV65-20 ;65" Touch overlay for NEC V651/6520L - 4 touch points; Format: Landscape/ Portrait; Width: 1545 mm (visible image: 1435 mm); Height: 925 mm (visible image: 810 mm); Depth: 135 mm incl. display (with wall bracket: 164 mm), location: 67269 Grünstadt	50.00
258	1	Touch attachment NEC 4010 U-Touch UT40 Touch Attachment NEC 4010 incl. Flightcase ;, location: 67269 Grünstadt	10.00
259	1	103" Plasma display Panasonic, Panasonic TH-103PF12EK 103" Plasma display with flightcase ;103" (261,6cm) Plasma display; resolution/ ratio: 1920 x 1080 pixel/ 16:9; brightness: 1400cd/m2Inputs: DVI, VGA; dimensions/ weight: 2127,2 x 1210 x 45,86mm/ 201kg; total weight incl. case: 650Kg, location: 67269 Grünstadt	1,520.00
260	1	103" Plasma display Panasonic, Panasonic TH-103PF12EK 103" Plasma display incl. screenlifter ;103" (261,6cm) Plasma display; resolution/ ratio: 1920 x 1080 pixel/ 16:9; brightness: 1400cd/m2, inputs: DVI, VGA, Dimensions/ Weight: 2127,2 x 1210 x 45,86mm/ 201kg, Total weight incl. Case: 650Kg with Screenlifter, location: 67269 Grünstadt	2,000.00
261	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
262	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
263	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
264	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
265	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
266	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
267	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00



Lot	Number	Description	Starting Bid €
268	2	55" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-5500-M-USN-LD 55" Seamless Display with Flightcase ;55" (139,7cm) LCD with LED-Backlight; Resolution/Ratio: 1920 x 1080 Pixel/ 16:9; Brightness: 700cd/m2; Inputs: DVI, VGA; dimensions/ weight: 1216,6 x 687,4 x 160mm/ 32kg; distance display - display: 5,7mm; incl. double flightcase, location: 67269 Grünstadt	90.00
269	6	Frame profile 55" for Seamless Displays Eyevis, 6 x Eyevis frame profile 55" for Seamless Displays EYE-LCD-5500-M-USN-LD ;, location: 67269 Grünstadt	60.00
270	1	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
271	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
272	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
273	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
274	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
275	2	55" Seamless LCD Display NEC MultiSync, 2 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. double case, location: 67269 Grünstadt	100.00
276	2	55" Seamless LCD Display NEC MultiSync, 2 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. double case, location: 67269 Grünstadt	100.00



Lot	Number	Description	Starting Bid €
277	2	55" Seamless LCD Display NEC MultiSync, 2 x NEC MultiSync X551UN 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. double case, location: 67269 Grünstadt	100.00
278	1	55" Seamless LCD Display NEC MultiSync, 1 x NEC MultiSync X551UN 55" Seamless LCD display in box ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions / Weight: 1215.3 x 686.1 x 128.1mm / 36.5kg; VESA 400 x 400,, location: 67269 Grünstadt	50.00
279	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X554UN 55" Seamless LCD display in tripplecase ;55" (139.7cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / Weight: 1215.3 x 686.1 x 99.6mm / 29.2kg; - VESA 400 x 400, location: 67269 Grünstadt	150.00
280	1	55" Seamless LCD Display NEC MultiSync, 1 x NEC MultiSync X554UN 55" Seamless LCD display in tripplecase ;55" (139.7cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / Weight: 1215.3 x 686.1 x 99.6mm / 29.2kg; - VESA 400 x 400, location: 67269 Grünstadt	50.00
281	1	55" Seamless LCD Display NEC MultiSync, 1 x NEC MultiSync X554UN 55" Seamless LCD display in box ;55" (139.7cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / Weight: 1215.3 x 686.1 x 99.6mm / 29.2kg; - VESA 400 x 400, location: 67269 Grünstadt	50.00
282	1	55" Seamless LCD Display NEC MultiSync, 1 x NEC MultiSync X554UN 55" Seamless LCD display in box ;55" (139.7cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / Weight: 1215.3 x 686.1 x 99.6mm / 29.2kg; - VESA 400 x 400, location: 67269 Grünstadt	50.00
283	1	55" Seamless LCD Display NEC MultiSync, 1 x NEC MultiSync X554UN 55" Seamless LCD display in box ;55" (139.7cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / Weight: 1215.3 x 686.1 x 99.6mm / 29.2kg; - VESA 400 x 400, location: 67269 Grünstadt	50.00
284	3	55" Seamless LCD Display NEC MultiSync, 3 x NEC MultiSync X554UN-2 55" Seamless LCD display in triple case ;55" (139.7cm) LCD with LED backlight; resolution/ ratio: 1920 x 1080 pixels/ 16:9; brightness: 500cd/m2 (max. 700); inputs: HDMI, DVI, Displayport, VGA, RGBHV; Dimensions/ Weight: 1215.3 x 686.1 x 128.1mm/ 36.5kg; VESA 400 x 400, incl. Tripplecase, location: 67269 Grünstadt	150.00
285	1	46" Seamless LCD Display NEC MultiSync, NEC MultiSync X463UN 46" Seamless LCD display in carton ;46" (116.8cm) LCD with LED backlight; - Resolution/ ratio: 1920 x 1080 pixels/ 16:9; - Brightness: 700cd/m2; - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / weight: 1024.0 x 578.6 x 118.1mm / 24.4kg; - Distance between display and display: 5.7mm; - VESA 300 x 300 in box, location: 67269 Grünstadt	40.00
286	1	46" Seamless LCD Display NEC MultiSync, NEC MultiSync X463UN 46" Seamless LCD display in tripplecase ;46" (116.8cm) LCD with LED backlight; - Resolution/ Ratio: 1920 x 1080 Pixel/ 16:9; - Brightness: 700cd/m2; - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions / weight: 1024.0 x 578.6 x 118.1mm / 24.4kg; - Distance display - display: 5.7mm; - VESA 300 x 300 in triple case, location: 67269 Grünstadt	60.00



Lot	Number	Description	Starting Bid €
287	2	46" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-4600-M-SN 46" Seamless Display in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1366 x 768 Pixel/ 16:9;- Brightness: 500cd/m2 (max. 700);- Inputs: DVI, VGA;- Dimensions / Weight: 1026,6 x 579,8 x 128,1mm/ 29kg;- Incl. daisyboard- Power consumption: approx. 330 W, location: 67269 Grünstadt	80.00
288	2	46" Seamless Display Eyevis, 2 x Eyevis EYE-LCD-4600-M-SN 46" Seamless Display in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1366 x 768 Pixel/ 16:9;- Brightness: 500cd/m2 (max. 700);- Inputs: DVI, VGA;- Dimensions / Weight: 1026,6 x 579,8 x 128,1mm/ 29kg;- Incl. daisyboard- Power consumption: approx. 330 W, location: 67269 Grünstadt	80.00
289	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
290	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
291	1	46" Seamless Display Full-HD Eyevis, 1 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	40.00
292	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
293	2	46" Seamless Display Full-HD Eyevis, 2 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	80.00
294	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
295	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00



Lot	Number	Description	Starting Bid €
296	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
297	3	46" Seamless Display Full-HD Eyevis, 3 x Eyevis EYE-LCD-4600-M-USN-LD 46" Seamless Display Full-HD LED-Backlight in Tripplecase ;46" (116,8cm) LCD with LED-Backlight;- Resolution/Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: 700cd/m2;- Inputs: DVI, VGA;- Dimensions / weight: 1025,7 x 579,8 x 106,5 mm (234,5mm incl. frame)/ 30kg;- Distance display - display: 5,7mm; - Incl. daisyboard;- Power consumption: approx. 190 W", location: 67269 Grünstadt	120.00
298	16	Frame profiles 46" for Seamless Displays 16 x Eyevis Frame Profile 46" for Seamless Displays EYE-LCD-4600-M-USN-LD LED Backlight ;, location: 67269 Grünstadt	160.00
300	2	LCD4620 46" Display NEC MultiSync, 2 x NEC MultiSync LCD4620 46" Display - anthracite - 1366 x 768 in double flightcase ;46" LCD-Display; Format: 16:9; Resolution: 1366 x 768; Contrast: 1.200:1; dimensions: 1055.4 x 608.6 x 140.0 (WxHxD); usable screen area: 1018.353 x 572.54 mm (WxH); weight: 36.1 kg; inputs: RGBHV, Component, Composit, HDMI, DVI, VGA; incl. FB, KGK, location: 67269 Grünstadt	80.00
301	1	RET design terminal RET design terminal for NEC MultiSync P461 dual touch display in flightcase ;, location: 67269 Grünstadt	100.00
302	1	70" LCD display Eyevis EYE-LCD-7000-LHD 70" LCD-Display in flightcase ;70" (177,8cm) LCD with Edge-LED-Backlight;- Resolution/ Ratio: 1920 x 1080 Pixel/ 16:9;- Brightness: ;700cd/m2; - Inputs: HDMI, DVI, VGA;- Dimensions/ Weight: 1620 x 947 x 91,4mm/ 68kg;- VESA 800 x 600", location: 67269 Grünstadt	150.00
303	1	information terminal Infoterminal: 1 x Infoterminal "ECHO" with 22" touch display ;design terminal with 22" touch display with a resolution of 1680 x 1050; aspect ratio 16:10; dimensions terminal: 1920 x 780 x 194mm, dimensions base plate: 880 x 780mm, visible image: 1018.4 x 572.5mm; optional with integrated keyboard and trackball, location: 67269 Grünstadt	100.00
304	4	info terminals 2 x info terminals: 1 x info terminal "Friendlyway" with 19" - display; 1 x info terminal with transparent display ;, location: 67269 Grünstadt	100.00
306	4	55" LCD displays 4 x Eyevis EYE-LCD-5500-LHD 55" LCD-Display in flightcase ;55" (139,7cm) LCD with LED-Backlight;- Resolution/ Ratio: 1920x1080 Pixel/ 16:9;- Brightness: 450cd/m2- Inputs: HDMI, DVI, Displayport, VGA;- Dimensions / weight: 1265.8 x 736.6 x 46.2mm / 29kg;- VESA 400 x 400", location: 67269 Grünstadt	800.00
307	1	52" dual touch display NEC MultiSync, NEC MultiSync P521/LCD5220 52" dual touch display in flightcase ;52" (132.1cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixel/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions / Weight: 1212 x 718 x 158mm / 44.3kg; - VESA 400 x 400 / 2 touch points, location: 67269 Grünstadt	150.00
308	1	52" dual touch display NEC MultiSync, NEC MultiSync P521/LCD5220 52" dual touch display in flightcase ;52" (132.1cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixel/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions / Weight: 1212 x 718 x 158mm / 44.3kg; - VESA 400 x 400 / 2 touch points, location: 67269 Grünstadt	150.00



Lot	Number	Description	Starting Bid €
309	1	52" dual touch display NEC MultiSync, NEC MultiSync P521/LCD5220 52" dual touch display in flightcase ;52" (132.1cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixel/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions / Weight: 1212 x 718 x 158mm / 44.3kg; - VESA 400 x 400 / 2 touch points, location: 67269 Grünstadt	150.00
310	1	52" dual touch display NEC MultiSync, NEC MultiSync P521/LCD5220 52" dual touch display in flightcase ;52" (132.1cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixel/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions / Weight: 1212 x 718 x 158mm / 44.3kg; - VESA 400 x 400 / 2 touch points, location: 67269 Grünstadt	150.00
311	1	52" LCD display NEC MultiSync, NEC MultiSync P521 52" LCD-Display - white in flightcase ;52" (132,1cm) LCD with LED-Backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9- Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions / weight: 1200 x 696 x 147.5mm / 37.8kg; - VESA 400 x 400", location: 67269 Grünstadt	100.00
312	3	46" LCD display 3 x Eyevis EYE-LCD-4600-LHD 46" LCD display with flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 450cd/m2; - Inputs: HDMI, DVI, Displayport, VGA; - Dimensions/ Weight: 1081.5 x 639.7 x 46.1mm/ 23kg- VESA 400 x 400, location: 67269 Grünstadt	120.00
313	2	46" LCD display 2 x NEC MULTEOS M46 46" LCD display with flightcase ;46" (116.8cm) LCD with LED backlight; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 450cd/m2; - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 1112.8 x 704.4 x 40 mm / 39.3 kg; - VESA 200 x 200 / integrated loudspeaker, location: 67269 Grünstadt	80.00
314	2	46" LCD display 2 x NEC MULTEOS M46 46" LCD display with flightcase ;46" (116.8cm) LCD with LED backlight; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 450cd/m2; - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 1112.8 x 704.4 x 40 mm / 39.3 kg; - VESA 200 x 200 / integrated loudspeaker, location: 67269 Grünstadt	80.00
315	1	46" LCD display with LED backlight NEC MultiSync, 1 x NEC MultiSync X462HB 46" Display High Brightness - anthracite in flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 1200cd/m2 (max. 1500); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 1055.4 x 608.6 x 140mm/ 31kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
316	1	46" LCD display with LED backlight NEC MultiSync, 1 x NEC MultiSync X462HB 46" Display High Brightness - anthracite in flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 1200cd/m2 (max. 1500); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 1055.4 x 608.6 x 140mm/ 31kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
317	1	46" LCD display with LED backlight NEC MultiSync, 1 x NEC MultiSync X462HB 46" Display High Brightness - anthracite in flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 1200cd/m2 (max. 1500); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 1055.4 x 608.6 x 140mm/ 31kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00



Lot	Number	Description	Starting Bid €
318	2	46" LCD display with LED backlight NEC MultiSync, 2 x NEC MultiSync X462HB 46" Display High Brightness - anthracite in flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 1200cd/m2 (max. 1500); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 1055.4 x 608.6 x 140mm/ 31kg; - VESA 300 x 300, location: 67269 Grünstadt	80.00
319	2	46" LCD display with LED backlight NEC MultiSync, 2 x NEC MultiSync X462HB 46" Display High Brightness - anthracite in flightcase ;46" (116,8cm) LCD with LED backlight; - Resolution/ Ratio: 1920x1080 Pixel/ 16:9; - Brightness: 1200cd/m2 (max. 1500); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 1055.4 x 608.6 x 140mm/ 31kg; - VESA 300 x 300, location: 67269 Grünstadt	80.00
320	1	46" Dual touch display NEC MultiSync, NEC MultiSync P462 46" DST touch display ;46" LCD display with DST touch function; 16:9 format; 1920x1080 resolution; 3,000:1 contrast; 1022 x 574mm (WxH) usable screen area; 36.1 kg weight; RGBHV, composite, component, HDMI, S-Video, DVI, VGA inputs; incl. FB,KGK, USB cable., location: 67269 Grünstadt	40.00
321	1	46" Dual touch display NEC MultiSync, NEC MultiSync P462 46" DST touch display ;46" LCD display with DST touch function; 16:9 format; 1920x1080 resolution; 3,000:1 contrast; 1022 x 574mm (WxH) usable screen area; 36.1 kg weight; RGBHV, composite, component, HDMI, S-Video, DVI, VGA inputs; incl. FB,KGK, USB cable., location: 67269 Grünstadt	40.00
322	1	46" Dual touch display NEC MultiSync, NEC MultiSync P462 46" DST touch display ;46" LCD display with DST touch function; 16:9 format; 1920x1080 resolution; 3,000:1 contrast; 1022 x 574mm (WxH) usable screen area; 36.1 kg weight; RGBHV, composite, component, HDMI, S-Video, DVI, VGA inputs; incl. FB,KGK, USB cable., location: 67269 Grünstadt	40.00
323	1	46" Dual touch display NEC MultiSync, NEC MultiSync P462 46" DST touch display ;46" LCD display with DST touch function; 16:9 format; 1920x1080 resolution; 3,000:1 contrast; 1022 x 574mm (WxH) usable screen area; 36.1 kg weight; RGBHV, composite, component, HDMI, S-Video, DVI, VGA inputs; incl. FB,KGK, USB cable., location: 67269 Grünstadt	40.00
324	1	46" Dual touch display NEC MultiSync, NEC MultiSync P461 46" dual touch display - white ;46" (116.8cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV;- Dimensions / Weight: 1072 x 634 x 152,0mm/ 36,1kg; - VESA 300 x 300", location: 67269 Grünstadt	40.00
325	1	Touch-Overlay 46" Touch-Overlay 46" for NEC P461/P462/X462HB Dual-Touch ;Dual-Touch, USB connection, incl. glass pane, colour black, format: Landscape, location: 67269 Grünstadt	20.00
326	1	46" display with dual touchoverlay NEC MultiSync, 1 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
327	1	46" display with dual touchoverlay NEC MultiSync, 1 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
328	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00



Lot	Number	Description	Starting Bid €
329	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
330	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
331	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
332	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
333	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
334	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
335	2	46" display with dual touchoverlay NEC MultiSync, 2 x NEC MultiSync P461 46" display with dual touch overlay with temples with flightcase ;46" (116.8cm) dual touch display; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / Weight: 1072 x 634 x 152.0mm / 36.1kg; - VESA 300 x 300, location: 67269 Grünstadt	40.00
336	1	42" Plasma display Hitachi CMP4214/PMA400/PMA500 - 42" plasma display with flightcase ;42" plasma display; format: 16:9; resolution 1024x1024; colors: 16.7 Mio; contrast ratio: >1000:1; incl. video board, location: 67269 Grünstadt	40.00
337	1	46" 3D Display JVC GD-463D10 LCD 46" 3D Display with Flightcase + 5 x JVC 3D-Pole 0201 glasses ;Image size: 46" (116,8 cm), effective: 101, 8 x 57,3 cm (WxH); 16:9 Full HD 1920 x 1080; Contrast: Native: 2.000:1 / Dynamic: 10.000:1; 3D Compatible Terminals and Signals, 3 HDMI inputs supporting 1080/ 24p, 50p. 60p, 50i, 60i, 1 Component input supporting 1080/50i, 60i; Audio outputs: 10W + 10W - two speakers; On-Screen menu; 1.071 x 680 x 39 mm (WxHxD) w/o Stand, location: 67269 Grünstadt	40.00
338	1	40" LCD display NEC MultiSync, NEC Multisync P402 40" LCD-Display - anthracite with Tripplecase ;40" (101,6cm) LCD with LED-Backlight;- Resolution/ Ratio: 1920x1080 Pixel/ 16:9;- Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 919.7 x 532.2 x 103mm/ 20.8kg; - VESA 300 x 300, location: 67269 Grünstadt	120.00



Lot	Number	Description	Starting Bid €
339	1	40" LCD display NEC MultiSync, NEC Multisync P402 40" LCD-Display - anthracite with Tripplecase ;40" (101,6cm) LCD with LED-Backlight;- Resolution/ Ratio: 1920x1080 Pixel/ 16:9;- Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 919.7 x 532.2 x 103mm/ 20.8kg; - VESA 300 x 300, location: 67269 Grünstadt	120.00
340	1	40" LCD display NEC MultiSync, NEC Multisync P402 40" LCD-Display - anthracite with Tripplecase ;40" (101,6cm) LCD with LED-Backlight;- Resolution/ Ratio: 1920x1080 Pixel/ 16:9;- Brightness: 500cd/m2 (max. 700); - Inputs: HDMI, DVI, Displayport, VGA, RGBHV; - Dimensions/ Weight: 919.7 x 532.2 x 103mm/ 20.8kg; - VESA 300 x 300, location: 67269 Grünstadt	120.00
341	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
342	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
343	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
344	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
345	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
346	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
347	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
348	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
349	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
350	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
351	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" dual touch display ;40" (101.6cm) LCD with touch overlay; - resolution/ ratio: 1920x1080 pixels/ 16:9; - brightness: 500cd/m2 (max. 700); - inputs: HDMI, DVI, VGA; - Dimensions/ Weight: 940 x 558 x 168mm/ 29.4kg; - VESA 300 x 300/ 2 touch points, location: 67269 Grünstadt	10.00
353	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" Dual Touch Display - white ;Painted in RAL 9010 high gloss white - 40" LCD display with Dual Touch function; Format 16:9; Resolution: 1920x1080; Contrast: 3.000:1; Dimensions: 940 x 558 x 152mm (WxHxD); Usable area: 889 x 498mm (WxH); Weight: 29.4kg; RGBHV, Composit, Component, HDMI, S-Video, DVI, VGA; incl. FB, KGK, USB cable. Functions: rotate, move, zoom, location: 67269 Grünstadt	10.00
354	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" Dual Touch Display - white ;Painted in RAL 9010 high gloss white - 40" LCD display with Dual Touch function; Format 16:9; Resolution: 1920x1080; Contrast: 3.000:1; Dimensions: 940 x 558 x 152mm (WxHxD); Usable area: 889 x 498mm (WxH); Weight: 29.4kg; RGBHV, Composit, Component, HDMI, S-Video, DVI, VGA; incl. FB, KGK, USB cable. Functions: rotate, move, zoom, location: 67269 Grünstadt	10.00
355	1	40" dual touch display NEC MultiSync, NEC MultiSync P401 40" Dual Touch Display - white ;Painted in RAL 9010 high gloss white - 40" LCD display with Dual Touch function; Format 16:9; Resolution: 1920x1080; Contrast: 3.000:1; Dimensions: 940 x 558 x 152mm (WxHxD); Usable area: 889 x 498mm (WxH); Weight: 29.4kg; RGBHV, Composit, Component, HDMI, S-Video, DVI, VGA; incl. FB, KGK, USB cable. Functions: rotate, move, zoom, location: 67269 Grünstadt	10.00
356	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
357	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
358	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00



Lot	Number	Description	Starting Bid €
359	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
360	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
361	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
362	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
363	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - VGA input only ;19" (48,3cm) LCD touch display - 1 touch point; - resolution/ ratio: 1440 x 900 pixels/ 16:9; - brightness: 230cd/m2; - inputs: VGA; - dimensions/ weight: 444 x 297 x 47mm/ 4,8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	20.00
364	1	LCD-TFT 17.0' Hantarex IML W-170 ResTouch Touch-TFT ;LCD-TFT 17.0"; 16:9; 1280 x 1024, 1360 x 768 TCO 03 Pivot function; Viewing angle H/V: 160°/160° - Brightness: 300 cd/qm - Resolution max.: 1280 x 1024 - Contrast ratio: 700:1 - Screen diagonal: 17 ", location: 67269 Grünstadt	10.00
365	1	LCD-TFT 17.0' Hantarex IML W-170 ResTouch Touch-TFT ;LCD-TFT 17.0"; 16:9; 1280 x 1024, 1360 x 768 TCO 03 Pivot function; Viewing angle H/V: 160°/160° - Brightness: 300 cd/qm - Resolution max.: 1280 x 1024 - Contrast ratio: 700:1 - Screen diagonal: 17 ", location: 67269 Grünstadt	10.00
366	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions / Weight: 513.2 x 337.8 x 60.2mm / 8.4kg; - VESA 100 x 100 / Windows 7 / Responds even with thin gloves / 20 touch points, location: 67269 Grünstadt	100.00
367	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions / Weight: 513.2 x 337.8 x 60.2mm / 8.4kg; - VESA 100 x 100 / Windows 7 / Responds even with thin gloves / 20 touch points, location: 67269 Grünstadt	100.00
368	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions / Weight: 513.2 x 337.8 x 60.2mm / 8.4kg; - VESA 100 x 100 / Windows 7 / Responds even with thin gloves / 20 touch points, location: 67269 Grünstadt	100.00



Lot	Number	Description	Starting Bid €
369	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions / Weight: 513.2 x 337.8 x 60.2mm / 8.4kg; - VESA 100 x 100 / Windows 7 / Responds even with thin gloves / 20 touch points, location: 67269 Grünstadt	100.00
370	1	32" LCD display NEC MultiSync, NEC MultiSync V321 32" LCD display - silver with flightcase ;32" (81.3cm) LCD with LED backlight; - resolution/ ratio: 1366 x 768 pixel/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 789 x 476.3 x 133mm / 14.3kg; - VESA 200 x 200, location: 67269 Grünstadt	30.00
371	1	32" LCD display NEC MultiSync, NEC MultiSync V321 32" LCD display - anthracite with flightcase ;32" (81.3cm) LCD with LED backlight; - resolution/ ratio: 1366 x 768 pixel/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 789 x 476.3 x 133mm / 14.3kg; - VESA 200 x 200, location: 67269 Grünstadt	10.00
372	1	32" LCD display NEC MultiSync, NEC MultiSync V321 32" LCD display - anthracite with flightcase ;32" (81.3cm) LCD with LED backlight; - resolution/ ratio: 1366 x 768 pixel/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 789 x 476.3 x 133mm / 14.3kg; - VESA 200 x 200, location: 67269 Grünstadt	10.00
373	1	32" LCD display incl. touchoverlay NEC MultiSync, NEC MultiSync V321 32" DST touch display ;32" LCD display with integrated DST touch; format 16:9; resolution 1360 x 768, contrast 3000:1; dimensions: 789 x 476.3 x 133mm (WxHxD); weight: 29.5kg, screen area: 885.2 x 497.6mm; option slot for PC slot., location: 67269 Grünstadt	10.00
374	1	32" LCD display incl. touchoverlay NEC MultiSync, NEC MultiSync V321 32" DST touch display ;32" LCD display with integrated DST touch; format 16:9; resolution 1360 x 768, contrast 3000:1; dimensions: 789 x 476.3 x 133mm (WxHxD); weight: 29.5kg, screen area: 885.2 x 497.6mm; option slot for PC slot., location: 67269 Grünstadt	10.00
375	1	32" LCD display incl. touchoverlay NEC MultiSync, NEC MultiSync V321 32" DST touch display ;32" LCD display with integrated DST touch; format 16:9; resolution 1360 x 768, contrast 3000:1; dimensions: 789 x 476.3 x 133mm (WxHxD); weight: 29.5kg, screen area: 885.2 x 497.6mm; option slot for PC slot., location: 67269 Grünstadt	10.00
376	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples - white ;32" (81.3cm) LCD with touch overlay; resolution/ ratio: 1366 x 768 pixel/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
377	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
378	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
379	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
380	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
381	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
382	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
383	1	32" LCD display incl. dual touchoverlay NEC MultiSync, NEC MultiSync V321 32" display incl. dual touch overlay with temples ;32" (81.3cm) LCD with touch overlay; - resolution/ ratio: 1366 x 768 pixels/ 16:9; - brightness: 450cd/m2- Inputs: HDMI, DVI, VGA, RGBHV; - Dimensions / weight: 795 x 500 x 150mm / 16kg; - VESA 200 x 200 / 2 touch points, location: 67269 Grünstadt	10.00
384	1	Camera Train Sony, Sony Camera Train Triax DXC 50/55 WSP with Flightcase ;Format 16:9/4:3, Sony DXC-D50WXP, Canon YJ19x9B4 KRS SX12 2/3" 19x zoom lens, Sony DXF 51 studio viewfinder 5" (b/w), VF connection cable (20pin-26pin), Canon FPM-77 focus servo module, rear camera control, Sony CA-TX7 digital triax camera adapter, Sony CCU-TX7P digital triax camera control unit, Sony PCP-D51 triax extended control panel, tripod, spider, 100m cable, location: 67269 Grünstadt	1,200.00
385	1	Camera Train Sony, Sony Camera Train Triax DXC 50/55 WSP with Flightcase ;Format 16:9/4:3, Sony DXC-D50WXP, Canon YJ19x9B4 KRS SX12 2/3" 19x zoom lens, Sony DXF 51 studio viewfinder 5" (b/w), VF connection cable (20pin-26pin), Canon FPM-77 focus servo module, rear camera control, Sony CA-TX7 digital triax camera adapter, Sony CCU-TX7P digital triax camera control unit, Sony PCP-D51 triax extended control panel, tripod, spider, 100m cable, location: 67269 Grünstadt	1,200.00
386	1	Camera Train Sony, Sony Camera Train Triax DXC 50/55 WSP with Flightcase ;Format 16:9/4:3, Sony DXC-D50WXP, Canon YJ19x9B4 KRS SX12 2/3" 19x zoom lens, Sony DXF 51 studio viewfinder 5" (b/w), VF connection cable (20pin-26pin), Canon FPM-77 focus servo module, rear camera control, Sony CA-TX7 digital triax camera adapter, Sony CCU-TX7P digital triax camera control unit, Sony PCP-D51 triax extended control panel, tripod, spider, 100m cable, location: 67269 Grünstadt	1,200.00
387	1	Camera Train Sony, Sony Camera Train Triax DXC 50/55 WSP with Flightcase ;Format 16:9/4:3, Sony DXC-D50WXP, Canon YJ19x9B4 KRS SX12 2/3" 19x zoom lens, Sony DXF 51 studio viewfinder 5" (b/w), VF connection cable (20pin-26pin), Canon FPM-77 focus servo module, rear camera control, Sony CA-TX7 digital triax camera adapter, Sony CCU-TX7P digital triax camera control unit, Sony PCP-D51 triax extended control panel, tripod, spider, 100m cable, location: 67269 Grünstadt	1,200.00



Lot	Number	Description	Starting Bid €
388	1	LCD display NEC MultiSync, NEC MultiSync X431BT 43" Bar-Type LCD Display - anthracite ;43" (109.3 cm) LCD Display; Format: Special format 16:4; Resolution: 1920 x 480; Width: 1096 mm (visible image: 1059.8mm); Height: 300 mm (visible image: 265mm); Depth: 190 mm; Weight: 19.6kg, location: 67269 Grünstadt	150.00
389	1	LCD display NEC MultiSync, NEC MultiSync X431BT 43" Bar-Type LCD Display - anthracite ;43" (109.3 cm) LCD Display; Format: Special format 16:4; Resolution: 1920 x 480; Width: 1096 mm (visible image: 1059.8mm); Height: 300 mm (visible image: 265mm); Depth: 190 mm; Weight: 19.6kg, location: 67269 Grünstadt	150.00
390	1	flightcase Flightcase Apple case for 13 iPad's incl. power distribution ;, location: 67269 Grünstadt	10.00
391	1	flightcase Flightcase Apple case for 13 iPad's incl. power distribution ;, location: 67269 Grünstadt	10.00
392	1	flightcase Flightcase Apple case for 13 iPad's incl. power distribution ;, location: 67269 Grünstadt	10.00
393	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - DVI and VGA ;19" (48,3cm) LCD touch display - 1 touch point; - Resolution/ Ratio: 1440 x 900 Pixel/ 16:10; - Brightness: 250cd/m2; - Inputs: DVI, VGA; - Dimensions/ weight: 444 x 297 x 47mm/ 4.8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	10.00
394	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - DVI and VGA ;19" (48,3cm) LCD touch display - 1 touch point; - Resolution/ Ratio: 1440 x 900 Pixel/ 16:10; - Brightness: 250cd/m2; - Inputs: DVI, VGA; - Dimensions/ weight: 444 x 297 x 47mm/ 4.8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	10.00
395	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - DVI and VGA ;19" (48,3cm) LCD touch display - 1 touch point; - Resolution/ Ratio: 1440 x 900 Pixel/ 16:10; - Brightness: 250cd/m2; - Inputs: DVI, VGA; - Dimensions/ weight: 444 x 297 x 47mm/ 4.8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	10.00
396	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
397	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
398	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
399	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
400	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
401	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
402	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
403	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
404	1	22" built-in single touch display Elotouch 2239L 22" built-in single touch display Open Frame ;22" (55,9cm) LCD touch display - 1 touch point; - resolution/ ratio: 1680 x 1050 pixel/ 16:9; - brightness: 270cd/m2; - inputs: VGA; - dimensions/ weight: 530 x 352 x 78mm/ 8,5kg; - VESA 100 x 100/ 1 touch point, location: 67269 Grünstadt	10.00
405	1	loudspeakers 4 x K&F CA 106 speakers black with U-bracket, L-bracket, tripod flange with flightcase ;2-way system with 6.5" speakers + 1" high frequency driver; power handling: 120 Watt; impedance: 8 OhmDimensions:195 x 365 x 206,5 mm (W x H x D); Weight: 7kg; Colour: black; Accessories: L-frame, U-frame, speaker flange, location: 67269 Grünstadt	400.00
406	1	loudspeakers 4 x K&F CA 106 speakers black with U-bracket, L-bracket, tripod flange with flightcase ;2-way system with 6.5" speakers + 1" high frequency driver; power handling: 120 Watt; impedance: 8 OhmDimensions:195 x 365 x 206,5 mm (W x H x D); Weight: 7kg; Colour: black; Accessories: L-frame, U-frame, speaker flange, location: 67269 Grünstadt	400.00
407	1	loudspeakers 4 x K&F CA 106 speakers black with U-bracket, L-bracket, tripod flange with flightcase ;2-way system with 6.5" speakers + 1" high frequency driver; power handling: 120 Watt; impedance: 8 OhmDimensions:195 x 365 x 206,5 mm (W x H x D); Weight: 7kg; Colour: black; Accessories: L-frame, U-frame, speaker flange, location: 67269 Grünstadt	400.00
408	1	loudspeakers 4 x K&F CA 106 speakers black with U-bracket, L-bracket, tripod flange with flightcase ;2-way system with 6.5" speakers + 1" high frequency driver; power handling: 120 Watt; impedance: 8 OhmDimensions:195 x 365 x 206,5 mm (W x H x D); Weight: 7kg; Colour: black; Accessories: L-frame, U-frame, speaker flange, location: 67269 Grünstadt	400.00
409	1	loudspeakers 4 x K&F CA 106 speakers black with U-bracket, L-bracket, tripod flange with flightcase ;2-way system with 6.5" speakers + 1" high frequency driver; power handling: 120 Watt; impedance: 8 OhmDimensions:195 x 365 x 206,5 mm (W x H x D); Weight: 7kg; Colour: black; Accessories: L-frame, U-frame, speaker flange, location: 67269 Grünstadt	400.00
410	1	LCD TV Grundig LCD TV 19-2010 with DVBT-C ;, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
411	1	Flightcase (rollable) Rollable Flightcase for sound mixer ;Flightcase new unused for mixer Dimensions: 105 x 97,5 with 4 wheels, mixer can remain in case, lid removable, bottom air slot and slide rails. Inner dimensions (desk footprint), measured from foam to foam, location: 67269 Grünstadt	10.00
412	1	flightcase Flightcase 50''/52'' - NEC M46 - 5220 - P521 ;, location: 67269 Grünstadt	10.00
413	1	flightcase Flightcase 50''/52'' - NEC M46 - 5220 - P521 ;, location: 67269 Grünstadt	10.00
414	1	flightcase Flightcase 40'' Singlecase for P401, 4020 ;, location: 67269 Grünstadt	10.00
415	1	flightcase Flightcase 40'' Singlecase for P401, 4020 ;, location: 67269 Grünstadt	10.00
416	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
417	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
418	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
419	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
420	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
421	1	flightcase Flightcase 40'' Tripplecase for P402 ;, location: 67269 Grünstadt	10.00
422	1	flightcase Flightcase Barco I-Lite 6mm chest for 1 module CT ;, location: 67269 Grünstadt	10.00
423	1	flightcase Flightcase Barco I-Lite 6mm chest for 1 module CT ;, location: 67269 Grünstadt	10.00
424	1	flightcase Flightcase Winkelrack 19'' 20 HE High ;, location: 67269 Grünstadt	10.00
425	1	flightcase Flightcase 46'' Fivefold case for NEC X461 ;, location: 67269 Grünstadt	10.00
426	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Grieffe, stacking trays for rolls, location: 67269 Grünstadt	10.00
427	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Grieffe, stacking trays for rolls, location: 67269 Grünstadt	10.00
428	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Grieffe, stacking trays for rolls, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
429	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
430	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
431	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
432	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
433	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
434	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
435	1	flightcase Flightcase/ Double case for 2 x Eyevis 55" - CT ;Hood to take off, case lower part centrally to open; inside with holding fixture of the devices (completely running through); By opening the lower part in the middle you can operate the devices in the case; Design: 10,00mm birch plywood with ABS-coating; 35mm aluminium edge protection; large ball corners; 4 butterfly locks; 8 Griefe, stacking trays for rolls, location: 67269 Grünstadt	10.00
436	1	flightcase Flightcase Lighthouse R10i/0 for 3x suspension brackets double ;, location: 67269 Grünstadt	10.00
437	1	flightcase Flightcase Lighthouse R10i/0 for 3x suspension brackets double ;, location: 67269 Grünstadt	10.00
438	1	flightcase Flightcase Lighthouse R10i/0 for 3x suspension brackets double ;, location: 67269 Grünstadt	10.00
439	15	flightcase 15 x Flightcase LEDitgo R6i/o - 6/12mm - for 2x3 ;, location: 67269 Grünstadt	10.00
440	1	flightcase Flightcase 4x V:LED VSF6 ;, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
441	13	flightcase 13 x Flightcase 40'' Tripplecase for P401-4020 ;, location: 67269 Grünstadt	10.00
442	4	flightcase 4 x Flightcase 46" Tripplecase for Seamless - 46" NEC - X463UN ;, location: 67269 Grünstadt	10.00
443	4	flightcase 4 x Flightcase LEDitgo sB2HB/sB3HB - for 10 x sB2HB/sB3HB with special rails for safe transport ;, location: 67269 Grünstadt	10.00
444	1	flightcase Flightcases (small) ;, location: 67269 Grünstadt	10.00
445	1	flightcase Flightcases (small) ;, location: 67269 Grünstadt	10.00
446	1	packing crate Packing box dimensions: 115x75x90 ;, location: 67269 Grünstadt	10.00
447	1	flightcase Flightcases (small) ;, location: 67269 Grünstadt	10.00
448	1	flightcase Flightcase 19'' Rack Dimensions: 80x55x85 ;, location: 67269 Grünstadt	10.00
449	1	flightcase Flightcase for Sanyo/Eiki XF47/XT5 with Pegasus flying frame ;, location: 67269 Grünstadt	10.00
450	1	Flightcase (rollable) Flightcase rollable with hinged lid for 40'' Display ;, location: 67269 Grünstadt	10.00
451	1	display case Display case for 2x 40'' ;, location: 67269 Grünstadt	10.00
453	1	flightcase Flightcase 37''/40'' Double case ;Case for LCD 4010, location: 67269 Grünstadt	10.00
454	1	flightcase Flightcase for 2x 46'' seamless ;, location: 67269 Grünstadt	10.00
455	1	flightcase Flightcase 42'' - LCD 40'' - Double case ;Case for 42'', Inner dimensions: 1090 x 700 x 491 mm, Plate material OVC black/wood 9mm, Steel ball corners, 30mm edge protection. Lid height outside approx. 250,00mm. Padded compartment for accessories, partition wall pulled through to the top, adjustable ball corners on lid, location: 67269 Grünstadt	10.00
456	1	flightcase Flightcase/Tripplecase for 3 x Eyevis 46" ;, location: 67269 Grünstadt	10.00
457	1	flightcase Flightcase/Tripplecase for 3 x Eyevis 46" ;, location: 67269 Grünstadt	10.00
458	1	flightcase Flightcase without wheels dimensions: 105x45x85 ;, location: 67269 Grünstadt	10.00
459	1	flightcase Flightcase for 5 x PixLed F-15 modules black ;, location: 67269 Grünstadt	10.00
460	1	flightcase Flightcase LEDitgo sB8 for 8 modules 800 x 900mm ;, location: 67269 Grünstadt	10.00
461	1	flightcase Flightcase G-LEC ;, location: 67269 Grünstadt	10.00
462	1	flightcase Flightcase/Packcase Dimensions: 140x60x91 ;, location: 67269 Grünstadt	10.00
463	1	flightcase Flightcase for Eyevis EYE-LCD-7000-LHD 70" LCD display ;, location: 67269 Grünstadt	10.00
464	1	flightcase Flightcase for Eyevis EYE-LCD-7000-LHD 70" LCD display ;, location: 67269 Grünstadt	10.00
465	1	flightcase Flightcase for Eyevis EYE-LCD-7000-LHD 70" LCD display ;, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
466	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
467	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
468	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
469	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
470	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
471	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
472	1	flightcase Flightcase 65'' for NEC 6520 / V 651 - CT ;Dividable hood to remove large accessory compartment inside with steel frame to hold the device (the device can be operated in the case) by loosening the two rods on the back of the device the device can be easily removed color: ABS black version : 9.0mm birch multiplex with ABS coating 35mm aluminum edge protection, large bumper Butterflies, 12 folding handles 4x 100mm castors, location: 67269 Grünstadt	10.00
473	1	Divers/Wood/Case Accessories (Handles, Butterflies) location: 67269 Grünstadt	10.00
476	1	Scrap steel, half clamps uncertified location: 67269 Grünstadt	10.00
477	1	Various location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
478	1	transport case Transport case blue for 8 x LED modules 480x480mm ;, location: 67269 Grünstadt	10.00
479	1	transport case Transport case blue for 8 x LED modules 480x480mm ;, location: 67269 Grünstadt	10.00
480	1	transport case Transport case blue for 8 x LED modules 480x480mm ;, location: 67269 Grünstadt	10.00
481	1	transport case Transport case blue for 8 x LED modules 480x480mm ;, location: 67269 Grünstadt	10.00
482	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
483	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
484	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
485	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
486	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
487	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
488	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00



Lot	Number	Description	Starting Bid €
489	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
490	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
491	10	LED modules 10 x LEDitgo sB2 - 2,5mm - module - 480x480mm in flightcase ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel distance: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	1,280.00
492	1	LED module 1 x LEDitgo sB2 - 2,5mm - module - 480x480mm in box ;module size: 480 x 480 x 75mm (construction depth IM 13mm); weight per frame: 9,7kg; weight per sqm: 42,1kg; protection class: IP40; pixel spacing: 2,5mm real; LED configuration: SMD 3 in 1 RGB; resolution per frame: 192 x 192; pixel resolution per sqm: 160.000 pixels; brightness: 1500 nits, location: 67269 Grünstadt	160.00
493	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in flightcase with floor stand. 2.5mm LED column ; "Housing size: 594mm x 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	960.00
494	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in flightcase with floor stand. 2.5mm LED column ; "Housing size: 594mm x 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	960.00
495	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in flightcase with floor stand. 2.5mm LED column ; "Housing size: 594mm x 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	960.00
496	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in flightcase with floor stand. 2.5mm LED column ; "Housing size: 594mm x 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	960.00



Lot	Number	Description	Starting Bid €
497	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in flightcase with floor stand. 2.5mm LED column ; "Housing size: 594mm × 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	960.00
498	1	shop display LEDitgo, LEDitgo Shopdisplay sD2.5 in cardboard box with floor stand. 2.5mm LED column ; "Housing size: 594mm × 2017mm x 38mm; Display size: 576x1944mm; Viewing angle: 160° / 160°; Weight per module: 36kg; Protection class: IP40 - indoor only; Pixel spacing: 2.57mm real; LED configuration: SMD 3 in 1 RGB; Resolution per panel: 224 x 756 pixels; LED's: SMD2020Controlling: Novastar; Brightness: 1,000nits; Inputs: Ethernet, HDMI, USB, WiFi; Receivingcard: XC100, location: 67269 Grünstadt	640.00
499	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
500	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
501	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
502	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
503	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
504	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
505	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
506	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00



Lot	Number	Description	Starting Bid €
507	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
508	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
509	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
510	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
511	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
512	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
513	16	LED modules 16 x PIXLED F-15 - LED module - 1,00 x 0,5m Novastar incl. Tour-Dolly ;Module size: 1000 x 500 mm; Weight per module: 15kg; Weight per m2: 30kg; Protection class: IP65 / IP54; Pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; Resolution per panel: 64 x 32 pixels; Brightness: 5000 nits, location: 67269 Grünstadt	2,240.00
514	8	LED modules 08 x PIXLED F-15 - LED module - 1.00 x 0.5m Novastar incl. tour dolly ;module size: 1000 x 500 mm; weight per module: 15kg; weight per m2: 30kg; protection class: IP65 / IP54; pixel spacing: 15 mm real; LED configuration: 3 in 1 SMD - LED's; resolution per panel: 64 x 32 pixels; brightness: 5000 nits, location: 67269 Grünstadt	1,120.00
515	1	aerial fireworks Pallet with Pixled F-15 flying missiles 4 x double and 2 x single;, location: 67269 Grünstadt	500.00
516	1	aerial fireworks Pallet with Pixled F-15 flying missiles 5 x double and 2 x single;, location: 67269 Grünstadt	500.00
517	1	aerial fireworks Pallet with Pixled F-15 flying missiles 3 x double and 2 x single;, location: 67269 Grünstadt	500.00
518	1	aerial fireworks Pallet with Pixled F-15 flying missiles 3 x double and 3 x single;, location: 67269 Grünstadt	500.00
519	1	freezer freezer ;functional, 3 years in use, location: 67269 Grünstadt	50.00
520	1	fivefold case Flightcase 46'' Fivefold case for NEC X461 ;, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
521	1	aerial work platform ;Aerial work platform - scissor lift - scissor lift 12 meter lifting height. The MEWP runs on diesel but is fully functional and in good condition according to its age. UpRight X 33 RT, 2007, 71201, Scissor working platform, location: 68309 Mannheim	2,000.00
522	1	subwoofer K&F SW 115D Subwoofer passive ;1 x 15"" High-Performance Subwoofer; Stacking foot grooves for stacking identical cabinets, SW 215E and Line 212; Max. Sound pressure 125 dB (SPL peak / 1 m / free field, equivalent to 131 dB half space); incl. transport cover SW 115D with 80mm castors, location: 67269 Grünstadt	300.00
523	1	subwoofer K&F SW 115D Subwoofer passive ;1 x 15"" High-Performance Subwoofer; Stacking foot grooves for stacking identical cabinets, SW 215E and Line 212; Max. Sound pressure 125 dB (SPL peak / 1 m / free field, equivalent to 131 dB half space); incl. transport cover SW 115D with 80mm castors, location: 67269 Grünstadt	300.00
524	1	sound shower MediaWerk Sounddusche - "Soundbeamer" ;Hanging Sounddusche for selective sound reinforcement - directional loudspeaker incl. Amping 40 Watt. Technical data of the loudspeaker unit: 2-way active loudspeaker; Impedance 8 Ohm; SPL max. 92dB; Beam angle 40° club-shaped; Height 40.5 cm; Body diameter 19 cm; Total diameter 50 cm; Installation depth for ceiling installation 8.6 cm; Minimum installation height from lower edge 2, location: 67269 Grünstadt	10.00
525	1	sound shower MediaWerk Sounddusche - "Soundbeamer" ;Hanging Sounddusche for selective sound reinforcement - directional loudspeaker incl. Amping 40 Watt. Technical data of the loudspeaker unit: 2-way active loudspeaker; Impedance 8 Ohm; SPL max. 92dB; Beam angle 40° club-shaped; Height 40.5 cm; Body diameter 19 cm; Total diameter 50 cm; Installation depth for ceiling installation 8.6 cm; Minimum installation height from lower edge 2, location: 67269 Grünstadt	10.00
526	1	pair of speakers JBL, JBL Control 1 Pro Loudspeaker - black ;2-way small loudspeaker 150W/4Ohm, plastic housing, MU metal shielding, terminal connections, black, location: 67269 Grünstadt	10.00
527	1	pair of speakers JBL, JBL Control 1 Pro Loudspeaker pair - white ;2-way small loudspeaker 150W/4Ohm, plastic housing, MU metal shielding, terminal connections, black, location: 67269 Grünstadt	10.00
528	1	pair of speakers JBL, JBL Control 1 Pro Loudspeaker pair - white ;2-way small loudspeaker 150W/4Ohm, plastic housing, MU metal shielding, terminal connections, black, location: 67269 Grünstadt	10.00
529	1	pair of speakers Bose, Bose 251 speaker pair - white ;, location: 67269 Grünstadt	10.00
530	1	pair of speakers Bose, Bose 251 loudspeaker pair - white ;each 200 Watt; connection: clamp connection, location: 67269 Grünstadt	10.00
531	1	pair of speakers Bose, Bose 251 loudspeaker pair - black ;each 200 Watt; connection: clamp connection, location: 67269 Grünstadt	10.00
532	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - DVI and VGA ;19" (48,3cm) LCD touch display - 1 touch point; - Resolution/ Ratio: 1440 x 900 Pixel/ 16:10; - Brightness: 250cd/m2; - Inputs: DVI, VGA; - Dimensions/ weight: 444 x 297 x 47mm/ 4.8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	10.00
533	1	19" built-in single touch display Elotouch 1938L 19" built-in single touch display Open Frame - DVI and VGA ;19" (48,3cm) LCD touch display - 1 touch point; - Resolution/ Ratio: 1440 x 900 Pixel/ 16:10; - Brightness: 250cd/m2; - Inputs: DVI, VGA; - Dimensions/ weight: 444 x 297 x 47mm/ 4.8kg; - VESA 75 x 75/ 1 touch point, location: 67269 Grünstadt	10.00



Lot	Number	Description	Starting Bid €
534	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions/ Weight: 513.2 x 337.8 x 60.2mm/ 8.4kg- VESA 100 x 100/ Windows 7/ Responds even with thin gloves/ 20 touch points, location: 67269 Grünstadt	100.00
535	1	22" Multi-Touch display 3M Display M2256PW 22" Multi-Touchdisplay 10 points ;22" (55,9cm) LCD Multitouchdisplay; - Resolution/ Ratio: 1680 x 1050 Pixel/ 16:9; - Brightness: 300cd/m2 (With touch sensor: 270); - Inputs: DVI, VGA, USB; - Dimensions/ Weight: 513.2 x 337.8 x 60.2mm/ 8.4kg- VESA 100 x 100/ Windows 7/ Responds even with thin gloves/ 20 touch points, location: 67269 Grünstadt	100.00
536	1	Mac Mini Apple, 2.4 GHZ ;, location: 67269 Grünstadt	10.00
537	1	GLEC Phantom over 100qm GLEC Phantom 30 complete: 6 x 12er Case(full), 2 x 8er Case (full), 2 x 6er Case each 4 modules, 1 x 4er Case with spare IM's, 4 x Packcase with wiring, mechanics and other accessories, 1 x 19" Rack with 9 x power supply, 1 x 19" Case with 3 x controller ;100 panels fully functional. Approx. 20 with minor damage, 16 for cannibalization., location: 67269 Grünstadt	7,200.00
538	1	HD Hard Disk Recorder AJA Ki Pro Hard Drive - HD Hard Drive Recorder + 2 x AJA Ki Pro Hard Drive 500GB for HD Hard Drive Recorder ;Portable Digital File Recorder ProRes 422, Base Unit incl. 250GB SATA module, Direct recording to HD in ProRes and ProRes HQ, Hard disk via Firewire directly mount to Mac and in FinalCut cut, Exoskeleton for full integration of camera and Ki Pro, Cameras via SDI, HDMI and component connectable, Records to HD and ExpressCard 34, Up-, Down- and Crossconversion. Hard disk optional, location: 67269 Grünstadt	20.00
539	1	HD Hard Disk Recorder AJA Ki Pro Hard Drive - HD Hard Drive Recorder + 1 x AJA Ki Pro Hard Drive 500GB for HD Hard Drive Recorder ;Portable Digital File Recorder ProRes 422, Base Unit incl. 250GB SATA module, Direct recording to HD in ProRes and ProRes HQ, Hard disk via Firewire directly mount to Mac and in FinalCut cut, Exoskeleton for full integration of camera and Ki Pro, Cameras via SDI, HDMI and component connectable, Records to HD and ExpressCard 34, Up-, Down- and Crossconversion. Hard disk optional, location: 67269 Grünstadt	20.00
540	1	HD Hard Disk Recorder AJA Ki Pro Hard Drive - HD Hard Drive Recorder + 1 x AJA Ki Pro Hard Drive 500GB for HD Hard Drive Recorder ;Portable Digital File Recorder ProRes 422, Base Unit incl. 250GB SATA module, Direct recording to HD in ProRes and ProRes HQ, Hard disk via Firewire directly mount to Mac and in FinalCut cut, Exoskeleton for full integration of camera and Ki Pro, Cameras via SDI, HDMI and component connectable, Records to HD and ExpressCard 34, Up-, Down- and Crossconversion. Hard disk optional, location: 67269 Grünstadt	20.00
541	1	HD Hard Disk Recorder AJA Ki Pro Hard Drive - HD Hard Drive Recorder + 2 x AJA Ki Pro Hard Drive 250GB for HD Hard Drive Recorder ;Portable Digital File Recorder ProRes 422, Base Unit incl. 250GB SATA module, Direct recording to HD in ProRes and ProRes HQ, Hard disk via Firewire directly mount to Mac and in FinalCut cut, Exoskeleton for full integration of camera and Ki Pro, Cameras via SDI, HDMI and component connectable, Records to HD and ExpressCard 34, Up-, Down- and Crossconversion. Hard disk optional, location: 67269 Grünstadt	20.00



Lot	Number	Description	Starting Bid €
542	1	HD Hard Disk Recorder AJA Ki Pro Hard Drive - HD Hard Drive Recorder + 2 x AJA Ki Pro Hard Drive 250GB for HD Hard Drive Recorder ;Portable Digital File Recorder ProRes 422, Base Unit incl. 250GB SATA module, Direct recording to HD in ProRes and ProRes HQ, Hard disk via Firewire directly mount to Mac and in FinalCut cut, Exoskeleton for full integration of camera and Ki Pro, Cameras via SDI, HDMI and component connectable, Records to HD and ExpressCard 34, Up-, Down- and Crossconversion. Hard disk optional, location: 67269 Grünstadt	20.00
543	1	power distributor Power distributor Vello V07.1 Harting on 6 x Cekon 3Pol ;, location: 67269 Grünstadt	20.00
544	1	power distributor Power distributor Vello V07.1 Harting on 6 x Cekon 3Pol ;, location: 67269 Grünstadt	20.00
545	1	Hood case for PC Tower Hood case for PC Tower ;, location: 67269 Grünstadt	10.00
546	1	Hood case for PC Tower Hood case for PC Tower ;, location: 67269 Grünstadt	10.00
547	1	Hood case for PC Tower Hood case for PC Tower ;, location: 67269 Grünstadt	10.00
548	1	Hood case for PC Tower Hood case for PC Tower ;, location: 67269 Grünstadt	10.00
549	1	Hood case for PC Tower Hood case for PC Tower ;, location: 67269 Grünstadt	10.00
550	1	Case for Tower PC Case with hinged lid for PC Tower high ;, location: 67269 Grünstadt	10.00
551	1	LCD display Finlux 26FL850 26" LCD-Display ;, location: 67269 Grünstadt	10.00
552	1	LCD TV Grundig LCD TV 19-2010 with DVBT-C ;, location: 67269 Grünstadt	10.00
553	1	IT equipment PC Tower, pallet with: 5 x HP Workstation PW481, 3 x Fujitsu Siemens FSC Amilo Desktop Pi3630, 1 x RET Multimedia PC, 1 x L&S Electronics 30322;,, location: 67269 Grünstadt	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

GENERAL TERMS AND CONDITIONS

for Online Auctions

of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. Definitions

General User

Conditions: The General Terms and Conditions of Business governing the use of the
Troostwijk Veilingen B.V. website

General Terms and

Conditions of

Online Auctions: These General Terms and Conditions for an online auction governing the procedure for the online auction and defining the position, rights and duties of the contracting parties / participants.

User: Anyone who registers on the Troostwijk Veilingen B.V. website

User agreement: Agreement between Troostwijk Veilingen B.V. and the user

Bidder: Anyone who bids in an online auction

Bid: A binding amount bid by the user in an auction for a lot

Purchase price: Made up of the highest bid at the end of the auction, the commission and any VAT due.

Purchase contract: Agreement between the buyer and seller, which comes into being upon acceptance of a bid by Troostwijk

Buyer: Bidder whose bid is accepted for the lot

Lot: (An) item(s) auctioned (also items auctioned collectively under one number)

(Online) auction: The auctioning of movable property organised by Troostwijk on the Troostwijk Veilingen B.V. website

Registration: Registration of the user on the Troostwijk Veilingen B.V. website by completing the registration form on the website

Special Terms and

Conditions of an

Online Auction: Special additional conditions only applying for the respective online auction

Troostwijk: Troostwijk Auktionen GmbH & Co. KG

Seller: The party on behalf of which a lot is auctioned

Website: The www.TroostwijkAuctions.com website, which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which serves as the platform for auctions held by Troostwijk

Bid acceptance: Confirmation by Troostwijk that the highest bidder's bid for a lot or a combination of lots is accepted upon payment of the purchase price

Article 2. General Terms and Conditions of Business

2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The user shall use the website in accordance with the *General User Conditions* of Troostwijk Veilingen B.V.

2.2 The General Terms and Conditions of Online Auctions contain the general regulations for the auction. The auction takes place exclusively on the basis of these conditions. Participation in the auctions constitutes acceptance of these conditions. Special Terms and Conditions of an Online Auction may also apply to an auction. These contain additions or variations to the General Terms and Conditions of Online Auctions. In case of

www.TroostwijkAuctions.com



doubt, the Special Terms and Conditions of the Online Auction take precedence. These General Terms and Conditions solely apply to Online Auctions and not to sales outside of the Online Auction. You can find the General Terms and Conditions for Post Auction Sales, Private Treaty Sales and Tender Sales on page 5.

2.3 Troostwijk can make changes to these General Terms and Conditions. Changes take effect upon receipt of respective notification by the user and bidder.

Article 3. Registration

3.1 Bidders who are registered users with Troostwijk Veilingen B.V. and who have accepted its *General User Conditions* can take part in auctions.

3.2 A bid can be made by anyone who has accepted the *General Terms and Conditions of Online Auctions* and the *Special Terms and Conditions of an Online Auction* for an auction.

Article 4. Auction

4.1 Auctions are held on behalf of and for the account of the *seller*. *Troostwijk* is not a contracting party to any purchase contract which comes into being upon acceptance of the bid; it only brokers the purchase contract.

4.2 Dates, such as the start and the end of an auction, are contained in the Special Terms and Conditions of an Online Auction.

4.3 *Troostwijk* is responsible for organising, preparing and holding the auction.

4.4 *Troostwijk* may choose:

- not to accept a *bid* generally or – for important cause – from certain *bidders*;
- to exclude *bidders* from an auction;
- to correct errors made by *Troostwijk* in bids and/or *accepted bids* with appropriate notification to the *bidder*;
- to take any other measures required;

4.5 *Troostwijk's* decision as regards what happens during the auction is binding.

4.6 Forced sales are marked as such in the Special Terms and Conditions of the Online Auction.

Article 5. Cancellation, technical faults

5.1 *Troostwijk* reserves the right to cancel, prematurely end or extend an auction **for important cause**. In the event of a technical fault to the *website* which results in it being not fully accessible and/or not accessible to all *users*, *Troostwijk* can extend the auction by up to 24 hours. *Troostwijk* can reject bids without stating the reasons.

5.2 By registering, the *user* declares that he is aware of the special circumstances of an internet auction. In particular he is aware that the current state of technology can result in faults and downtime, which can make access to the internet auction and the *website* difficult or impossible.

5.3 *Troostwijk* is only responsible for properly conducting the auction on the www.TroostwijkAuctions.com website, not for any technical faults. *Troostwijk's* liability is limited and is based on the General Provisions, as set out in Article 15.

Article 6. Viewing days; entering buildings & property

6.1 Any viewing dates are specified in the *Special Terms and Conditions of the Online Auction*.

6.2 Viewers enter buildings and property at their own risk. Viewers must follow the instructions issued by *Troostwijk* or its appointees. The seller accepts no liability whatsoever for damages resulting from entering the buildings and property. In addition, the liability limitations of the General Provisions for *Troostwijk* and the seller, as set out in Article 15, apply.

Article 7. Lots



7.1 Individual *lots* or *combinations* are auctioned.

7.2 *Combinations*, i.e. the auctioning of several *lots* together, are displayed in the system. *Combination lots* are auctioned in two stages:

a) Firstly the individual *lots* are auctioned. The *bid is accepted* under the condition precedent that the *lot* is not knocked down as part of a *combination lot*. Once the *bids* for the individual *lots* have been *accepted*, bids can be made on the combination. If no bids are made on the combination, the sale of the individual *lots* goes ahead.

b) If bids are made on the combination, the following applies: The *bid is accepted* for the combination if the highest bid is higher than the total bids resp. the start prices for the individual *lots*. The *bids* for the individual *lots* are then declined because the condition has not been fulfilled.

7.3 *Troostwijk* can combine various items to form *lots*, divide lots and remove lots from the auction.

7.4 *Troostwijk* can demand that a *bidder* provides standard banking security in advance for certain lots.

Article 8. Bids

8.1 A *bidder* can bid in auctions as soon as he has registered on the *Troostwijk* website and has activated his account by clicking the link in the email that he received after registration. *Bidders* can bid on one or more lots. Bids can only be made without conditions and reservations attached. Bids are binding, revocation is not possible. The bidder shall receive email confirmation of every bid made and every higher bid by a third party. This notification is not acceptance of the bid.

8.2 Bids can be made as firm bids or maximum bids.

a) In the case of a firm bid (static), the user offers a fixed amount for each lot which is displayed in the system.

b) In the case of a maximum bid (proxy), the user states the maximum price he is prepared to pay for a lot. The maximum bid is not shown in the system. If a third party outbids the user, the current bid is increased in increments until a third party outbids the maximum bid. A maximum bid can only be retracted by the user in the interim if he makes a firm bid which is the highest bid at that moment.

8.3 Bids do not yet include sales tax and the commission. The amount of the commission can be found in the *Special Terms and Conditions of the Online Auction*.

8.4 *Troostwijk* and/or the seller can reject bids without stating the reasons. *Troostwijk* can bid on behalf of third parties.

Article 9. Acceptance of bid & purchase contract

9.1 A purchase contract for one or more lots only comes into being when the bid has been accepted. The *buyer* is informed by email of the resulting purchase contract (acceptance of bid). A *bid is accepted* within two working days of the close of the auction at the latest.

9.2 Consumers have no right of revocation as per § 312 d BGB [*German Civil Code*], as the purchase contract comes into being in the context of an auction as per § 156 BGB [*German Civil Code*] (§ 312 d Para. 5 No. 5 BGB [*German Civil Code*]).

9.3 *Troostwijk* is entitled not to *accept a bid* or to accept a bid under conditions precedent.

9.4 As a general rule, the *user* with the highest bid is *awarded the bid*. The *bid is accepted* if no further bids are made 10 minutes before the end of the auction. Otherwise the closing time for this lot is postponed for further 5 minutes. If another bid is made, the auction ends when the highest bid is made, if this is not outbid within five minutes.

Article 10. Passage of risk / passage of title

10.1 When a bid is accepted, the risk of accidental perishing or loss of the auctioned goods and the risk of loss or damage through fire, theft or burglary passes to the successful bidder.

10.2 Ownership only passes to the buyer on full payment.

Article 11. Obligations of the buyer

11.1 When a bid is accepted, the buyer is obliged to pay the purchase price plus statutory sales tax and the commission and to collect the *lot*.



11.2 Payment must be made to the account specified by *Troostwijk* in the stipulated currency within 48 hours (2 working days) of acceptance of the bid.

11.3 Statutory default interest shall be charged if payment is delayed. The rights of the seller are based on the statutory provisions. As it is a fixed date transaction, no notice is required for default, § 286 II BGB [German Civil Code].

11.4 If the buyer fails to fulfil an obligation, in particular:

(i) does not pay the purchase price on time or in full

(ii) does not collect the *lots* on time, and/or

(iii) does not provide the information required for delivery, this shall automatically constitute default without further notice of default being required. *Troostwijk* can then cancel the purchase contract on behalf of the seller. In such cases, *Troostwijk* can assign *lots* to another *bidder*, without *Troostwijk* and/or the seller being liable for damages.

11.5 In the event of a cancellation, the buyer is liable to pay compensation for any resulting damages.

Article 12. Collection

12.1 The buyer may only and must collect the goods at the times specified in the *Special Terms and Conditions of the Online Auction*. *Troostwijk* can, for technical reasons, specify that a certain *lot* can only be collected once other *lots* have been delivered.

12.2 The *buyer*, whose *lot(s)* is/are preventing the collection of other *lots*, must ensure that said *lots* are collected immediately following an email and/or a letter from *Troostwijk* to the address specified by the buyer. If this does not happen, *Troostwijk* can arrange for the *lot(s)* to be collected and possibly stored by a third party at the expense and risk of the buyer.

12.3 The *buyer* is obliged to carefully dismantle and collect his *lots*. He shall be liable for any damages caused to the property of others in this respect. Further, he is obliged to protect *Troostwijk* and the seller from all claims by third parties arising from the dismantling and/or collection.

12.4 The *buyer* is obliged to follow the instructions of *Troostwijk* and/or *Troostwijk's* appointees when dismantling and collecting his *lots*.

12.5 The *buyer* must ensure that he or the person dismantling or transporting the *lots* on his behalf has the required permits. *Troostwijk* and/or the seller cannot be held liable if the required permits are missing and/or official regulations are not observed when the *lot(s)* are being dismantled and/or transported by or for the buyer.

12.6 In situations where it is necessary to pull down (parts) of a building to remove the allocated *lots*, prior consultation and written consent must be sought from *Troostwijk* and the conditions imposed by *Troostwijk* at the time of bid acceptance must be observed.

12.7 *Troostwijk* reserves the right to make the collection of *lots* conditional upon payment of a deposit for any damages. *Troostwijk* shall notify the buyer of the *lots* concerned and the amount of the deposit. The deposit shall be reimbursed to the buyer following damage-free collection.

12.8 *Troostwijk* reserves the right that the dismantling of the buyer's goods has to be done compulsorily by a specific company. In such case, *Troostwijk* will announce this in the auction catalogue. The buyer has to bear the cost of such services. In some cases, the cost will be specified in the auction catalogue.

Article 13. Liability / Troostwijk warranty

Troostwijk only accepts liability for preparing and holding the auction in accordance with the legal regulations.

The following also applies:

13.1 Claims by the *seller* as well as by the *bidder* or the *buyer* on the grounds of breach of duty are excluded, in particular as regards advice in valuation matters or defects in the items.

13.2 The descriptions of the items by *Troostwijk*, e.g. in the sales catalogue or in a list, are based on information from the seller. *Troostwijk* is only liable for conveying the information appropriately, not for the objective accuracy of this information.

13.3 Information provided by *Troostwijk* serves only to help differentiate between products and in no way constitutes a warranty as per § 444 BGB [German Civil Code] or a quality agreement as per § 434 Para. 1 Clause 1 BGB [German Civil Code] for the items on sale.

13.4 The items are used. *Troostwijk* does not sell on its own behalf and thus accepts no warranty for material defects or defects of title and is not liable for the quantity, quality, dimensions, years of construction or completeness.



13.5 The above limitations do not apply if *Troostwijk* acts with deliberate or gross negligence, breaches a fundamental contractual obligation or Liability on account of culpable injury to life, limb or health.

Article 14. Liability / seller warranty

The seller is liable towards the buyer for defects in the items in accordance with the following provisions:

14.1 The *buyer* has had the opportunity to view the items in advance. The items are sold as seen and to the exclusion of any warranty for material defects and defects of title. The items were sold in particular without any guarantee for visible or hidden defects or warranty in respect of completeness, quantity, effect, usability, saleability, the existence or absence of rights or claims by third parties and/or the transfer option to third parties.

14.2 The *seller* accepts no liability for a certain quality or a normal use of the items.

14.3 The *seller* accepts no liability for advertising messages by the manufacturer.

14.4 The above limitations do not apply if the seller acts with deliberate or gross negligence, breaches a fundamental contractual obligation, Liability on account of culpable injury to life, limb or health or mandatory liability according to the German Product Liability Act.

14.5 The legal regulations on warranty rights for consumers as per BGB [*German Civil Code*] apply. The limitation period is shortened to one year.

Article 15. Limitation of liability of Troostwijk / seller

15.1 The limitation of liability applies to Troostwijk and the seller, as well as their legal representatives, managerial employees and any vicarious agents.

15.2 Liability is only accepted in the case of intent or gross negligence.

15.3 Liability for consequential damages, in particular lost profit, is only accepted in the case of intent or gross negligence.

15.4 Liability is limited to the amount of damages typically foreseeable when the contract is concluded, provided there is no intent or gross negligence.

15.5 The above limitations do not apply if a legally fundamental obligation is breached, if an express warranty is accepted or for damages arising from physical injury, harm to health and binding legal regulations.

Article 16. Severability clause / written form

16.1 Should any of the provisions of this agreement be or become wholly or partly ineffective, null and void or unenforceable, this shall not affect the validity of the other provisions of the contract as a whole. The ineffective, null and void or unenforceable provision shall be replaced by the effective and enforceable provision which corresponds most closely to the parties' economic objectives originally intended by the ineffective, null and void or unenforceable provision.

16.2 Amendments to and variations of these *General Terms and Conditions of Online Auctions* are only valid on the basis of written agreement between the parties.

Article 17. Applicable law / place of jurisdiction

17.1 This contract and the resulting obligations are subject to German law. The UN Convention on Contracts for the International Sale of Goods shall not apply.

17.2 All disputes arising in respect of the legal relations with Troostwijk fall under the exclusive jurisdiction of the Cologne local or district court. The General Provisions apply to disputes with the seller.

17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



GENERAL TERMS AND CONDITIONS

for Post Auction Sales, Private Treaty Sales and Tender Sales

of the company Troostwijk Auktionen GmbH & Co. KG (Germany)

Article 1. General

1.1 Troostwijk sells the used items in the name of and for the account of the seller and receives commission for this from the buyer.

Article 2. Conclusion of the contract

2.1 The purchase price and the commission shall be paid within a period of 48 hours (sale at a fixed point in time), unless otherwise agreed. This time period commences at the latest when the invoice is received, including in electronic format. Payment is to be made exclusively to the named account.

2.2 If payment is not made on time - the time of receipt is decisive - Troostwijk is entitled and empowered to withdraw from the contract in order to ensure the on-time removal of the object sold from the respective location. An additional notice period is not required for the withdrawal but may be given. Troostwijk is entitled on withdrawal to assert claims for damages for non-fulfilment for the seller or themselves.

2.3 Title only transfers to the buyer when payment has been received in full.

2.4 Generally items are to be collected by the buyer from the location specified.

2.5 The risk of accidental deterioration or destruction of the item shall transfer to the buyer on conclusion of the contract.

Article 3. Warranty

3.1 Troostwijk does not carry out sales in their own name and therefore undertakes no guarantee for material defects and defects of title, and is not liable for quantities, quality, dimensions, year of construction and completeness.

3.2 The descriptions of objects by Troostwijk e.g. in the sales catalogue or listing are based on information from the seller. Troostwijk is therefore only liable for accurately providing this information as provided by the seller, not for the objective correctness of this information.

3.3 Information from Troostwijk is merely provided for distinctiveness and in no way forms a guarantee as per § 444 BGB (German Civil Code) or agreed characteristics as per § 434 para. 1 sentence 1 BGB for the object of purchase.

3.4 The sale of items by Troostwijk on behalf of the seller is carried out excluding any warranty for material defects and defects of title.

3.5 Sales are made in particular without the assumption of any liability with regard to obvious or hidden defects or warranty in connection with completeness, quantity, properties, usability, saleability, presence or absence of third party rights and/or the possibility of transfer to third parties.

3.6 The seller excludes liability for particular characteristics or general application of the objects.

3.7 The seller excludes all liability regarding advertising claims of the manufacturer.

3.8 The above restrictions in sections 7 & 8 do not apply if Troostwijk or the seller acts intentionally or with gross negligence, infringes a fundamental contractual obligation or if bodily injury occurs.

3.9 For consumers the statutory provisions in the BGB regarding rights in the event of defects apply. The limitation period is restricted to 1 year.

Article 4. Miscellaneous

4.1 Should individual provisions of the contract including these General Terms and Conditions be or become invalid, in whole or in part, or should the contract contain a gap or omission this shall not affect the validity of the remaining provisions or parts thereof.

4.2 This contract and the entire legal relationship between the parties is subject to the law of the Federal Republic of Germany excluding the UN



Convention on the International Sale of Goods.

4.3 Cologne shall have jurisdiction for all disputes arising in connection with the sale.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience