



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Lagerräumung diverser Spritzgussanlagen, Equipment und Inventar (CH)

Gewerbestrasse 4 - 4543 **Deitingen**
(1-130 + 170-195)

Closing date: Wednesday **03 JULY** starting 17:00



Bidding only on the internet!

19-06-19 10.01

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 03 July 2019 Lagerräumung diverser Spritzgussanlagen, Equipment und Inventar
Special Condition

Closing date	Wednesday 3 July 2019 starting 17:00 CET
Viewing	Thursday 27 June from 09:00 until 12:00 CET Lot 1-130 + 170-195 Gewerbstrasse 4 4543 Deitingen, Switzerland Thursday 27 June from 13:00 until 14:00 CET Lot 140-167 Attisholzstrasse 10 4533 Riedholz, Switzerland
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Company organising this Online Auction	TROOSTWIJK AG Kernenriedstrasse 1 CH-3421 LYSSACH, Switzerland Phone: +41 34 411 31 80 Fax: +41 34 411 31 89 E-mail: info@troostwijk.ch
Markup	18.00%
VAT	7.70%
Collection	from Monday 15 July until Friday 19 July By appointment from Monday 05 August until Friday 09 August By appointment Lot 1-130 + 170-195 Gewerbstrasse 4 4543 Deitingen, Switzerland from Monday 15 July until Friday 19 July By appointment from Monday 05 August until Friday 09 August By appointment Lot 140-167 Attisholzstrasse 10 4533 Riedholz, Switzerland
Collection details	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk AG cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. If the collection of the goods happens later, the customer is responsible for the costs (hire, extra costs) Here you can apply for an allowance of short-term work in Switzerland: https://www.sem.admin.ch/sem/en/home/themen/fza_schweiz-eu-efta/meldevfahren.html
Customs clearance	Troostwijk won't be able to deliver any proof of origin of the goods. On demand, a custom invoice will be issued during the picking-up, but without any declaration of the origin of the goods. Troostwijk does neither issue an EUR1 nor a transit document. As needed, Troostwijk does pass the contact details of a custom agent in Switzerland.
Information VAT	7.7% over the highest bid including Premium.

www.TroostwijkAuctions.com



Foreign buyers, i.e. buyers not being based in Switzerland, have to pay the legal Swiss VAT as deposit to the auctioneer. After reception of the original, valid exportation documents, which are properly stamped to prove that the export is carried out, the auctioneer will refund the Swiss VAT paid as deposit.

Payments have to be effected to Troostwijk AG, Zürich

Troostwijk account for CHF: UBS, CH-8098 Zürich, Account number 230-642.916.01W, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH30 0023 0230 6429 1601 W

Troostwijk account for Euros: UBS, CH-8098 Zürich, Account number 230-642.916.60Y, Clearing number 230, Swift Code: UBSWCHZH80A, IBAN: CH47 0023 0230 6429 1660Y

Payment

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Terms and Conditions of Sale

On the auction the general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.

Contact

E-Mai: info@troostwijk.ch Tel.: +41 34 411 31 80



Lot	Number Description	Starting Bid €
1	1 injection moulding machine Demag, D175-30, year built 1988, serial number 817 0068, brand: Demag; type: D175-30; year: 1988; serial number: 817 0068; screw ? : 45 mm; injection volume: 260 Gramm cm ³ ; injection pressure: 2100 bar; injection stroke: 190 mm; mould opening stroke: 550 mm; ejector stroke: 160 mm; ejector force: 45 kN; mould size L: 550 mm; mould size W: 550 mm; mould size H: 550 mm; digital control: yes; hours on display: 14000; manual present: yes; machine weight: 10500 kg; total dimension L: 6860 mm; total dimension W: 1680 mm; total dimension H: 2150 mm; description: Öffnusweg 550mm, minimale Werkzeug Einbauhöhe 310mm Maximale Einbauhöhe 610mm, Zentrierringgröße 160mm, Stunden bei Aufnahme 14100 (noch in Betrieb), ohne Handling/Roboter, Pheriphergeräte und Werkzeuge, nur die Spritzgusmaschine. Schnittstelle Euromap 12. Die Spritzgusmaschine wird vom Verkäufer abgebaut und verladen. die Verladenkosten von 1860.— Euro werden zusätzlich zum Kaufpreis aufgerechnet. Der Lastwagen braucht ein öffnebares Dach. exklusiv Hydrauliköl, Abholung nach Absprache mit Troostwijk AG;	2,000.00
2	1 injection moulding machine Arburg, 270 M 350-90, year built 1990, serial number 149135, brand: Arburg; type: 270 M 350-90; year: 1990; serial number: 149135; screw ? : 25 mm; injection volume: 39 cm ³ ; injection pressure: 1860 bar; injection stroke: 100 mm; clamping force: 91 kN; mould opening stroke: 325 mm; ejector stroke: 125 mm; ejector force: 31 kN; mould size W: 270 mm; mould size H: 270 mm; digital control: yes; hours on display: 53491; manual present: yes; machine weight: 1800 kg; total dimension L: 3306 mm; total dimension W: 570 mm; total dimension H: 1406 mm; description: ohne Handling/Roboter, Pheriphergeräte und Werkzeuge, nur die Spritzgusmaschine. keine Euromap 12 Schnittstelle . Die Spritzgusmaschine wird vom Verkäufer abgebaut und verladen. die Verladenkosten von 250. — Euro werden zusätzlich zum Kaufpreis aufgerechnet. Der Lastwagen braucht ein öffnebares Dach. exklusiv Hydrauliköl,;	1,000.00
3	1 CNC-grinding machine Strausak, 57W, type: 57W; table size L: 1030 mm; table size W: 215 mm; control, brand, type: Heidehain; dimension L: 1750 mm; dimension W: 1500 mm; dimension H: 1700 mm;	200.00
4	1 Refrigeration plant Ernst H.Fuhrer, brand: Ernst H.Fuhrer; description: Abholung nach Absprache mit Troostwijk AG, 2 Standorte;	10.00
5	1 Dry air dryer Piovan, DS 413, serial number CDE 35, brand: Piovan; type: DS 413; serial number: CDE 35; digital control: yes; machine weight: 325 kg; description: Silo Fassungsvermögen 200 Liter, inklusive Absaugkasten, Abmessung ca. 1500x750x2055mm;	200.00
6	1 dry air dryer Piovan, DS 406, serial number OD4 403 I 842, brand: Piovan; type: DS 406; serial number: OD4 403 I 842; digital control: yes; hours on display: 5285; machine weight: 225 kg; description: Silo Fassungsvermögen 100 Liter, inklusive automatische Materialförderung zur Produktionsmaschine, Abmessung ca. 1500x1000x2400mm;	150.00
7	1 dry air dryer Piovan, DS 406, brand: Piovan; type: DS 406; digital control: yes; hours on display: 23345; machine weight: 240 kg; description: Silo Fassungsvermögen 2x 50 Liter, inklusive Absaugkasten, Abmessung ca. 1700x1100x1600mm;	150.00
8	1 dry air dryer Piovan, DS403, year built 1997, brand: Piovan; type: DS403; year: 1997; digital control: yes; hours on display: 23345; electric connection: 230 V; machine weight: 240 kg; description: Silo Fassungsvermögen 2x 30 Liter, inklusive Absaugkasten, Abmessung ca. 1700x1100x1400mm;	150.00
9	1 dry air dryer Somos, TF 20, year built 1998, brand: Somos; type: TF 20; year: 1998; digital control: yes; electric connection: 400 V; description: Silo Fassungsvermögen 30 Liter, inklusive automatische Förderung zur Produktionsmaschine, Abmessung ca. 1500x6000x2400mm;	300.00



Lot	Number	Description	Starting Bid €
10	1	dry air dryer Somos, TF 10, year built 1997, brand: Somos; type: TF 10; year: 1997; digital control: yes; electric connection: 400 V; description: Silo Fassungsvermögen 50 Liter, inklusive automatische Förderung zur Produktionsmaschine, Abmessung ca. 1500x6000x2400mm;	300.00
11	1	dry air dryer Somos, TF 10, year built 1997, brand: Somos; type: TF 10; year: 1997; digital control: yes; electric connection: 400 V; description: Silo Fassungsvermögen 30 Liter, inklusive automatische Förderung zur Produktionsmaschine, Abmessung ca. 1500x6000x2400mm;	300.00
12	1	dry air dryer Somos, TF 40, year built 1990, brand: Somos; type: TF 40; year: 1990; digital control: yes; description: Silo Fassungsvermögen 40 Liter, inklusive Absaugkasten, Abmessung ca. 1200x800x1650mm;	300.00
13	1	dry air unit Colortronic, CT 160, year built 2000, brand: Colortronic; type: CT 160; year: 2000; digital control: yes; description: inklusive 2 Molekularsiebe, Abmessung ca. 1000x900x1300mm;	150.00
14	1	dry air generator Arku, brand: Arku; digital control: yes; electric connection: 230 V;	10.00
15	1	warm-air dryer description: inklusive Förderung auf Verarbeitungsmaschine, Abmessung ca. 1200x1350x1800mm;	20.00
16	1	warm-air dryer description: Aluminium ;	10.00
17	1	warm-air dryer description: Aluminium ;	10.00
18	1	warm-air dryer Arburg, 089735, brand: Arburg; type: 089735; description: Abmessung ca. 600x700x2100mm;	50.00
19	1	warm-air dryer Bafag, ATU 15, year built 99, brand: Bafag; type: ATU 15; year: 99;	40.00
20	1	warm-air dryer Bafag, ATU 15, year built 99, brand: Bafag; type: ATU 15; year: 99;	40.00
21	1	warm-air dryer Rudolf Zweifel, ATU 15, brand: Rudolf Zweifel; type: ATU 15;	40.00
22	1	warm-air dryer Rudolf Zweifel, ATU 35, brand: Rudolf Zweifel; type: ATU 35;	40.00
23	1	warm-air dryer Rudolf Zweifel, ATU 35, brand: Rudolf Zweifel; type: ATU 35;	40.00
24	1	dry air dryer Helios, JETBOXX, brand: Helios; type: JETBOXX; digital control: yes; description: Silo Fassungsvermögen ca. 20 Liter, wird direkt auf Produktionsmaschine montiert. ;	150.00
25	1	dry air dryer Helios, JETBOXX, brand: Helios; type: JETBOXX; digital control: yes; description: Silo Fassungsvermögen ca. 20 Liter, wird direkt auf Produktionsmaschine montiert. inklusive Förderung ;	150.00
26	1	dry air dryer Helios, JETBOXX, brand: Helios; type: JETBOXX; digital control: yes; description: Silo Fassungsvermögen ca. 20 Liter, wird direkt auf Produktionsmaschine montiert. inklusive Förderung ;	150.00
27	1	conveyor description: Abmessung ca. Gurtbreite 190mm, Förderlänge 1780mm;	40.00
28	2	garbage truck Ochsner, brand: Ochsner; description: inklusive 1 kleiner;	10.00



Lot	Number	Description	Starting Bid €
29	1	conveyor MTF, year built 1991, brand: MTF; year: 1991; description: Abmessung ca. Schafftbreite 200mm, Förderlänge 2230mm;	40.00
30	1	conveyor description: Abmessung ca. Bandbreite 500mm, Förderlänge 2080mm;	100.00
31	3	Lot conveyors MTF, brand: MTF; description: Abmessung ca. Bandbreite 350mm, Förderlänge 1900mm 1x mit Steuerung;	100.00
32	2	Lot conveyor description: 2 Stück Länge ca 1000mm;	40.00
33	3	Lot conveyor description: 3 Stück von 1750mm bis 2230mm;	20.00
34	1	filter station Terogamma, Economy-C, brand: Terogamma; type: Economy-C; description: Abmessung ca. 830x820x1750mm, ohne Palette ;	40.00
35	1	Plastic welding apparatus Fiab, 3005 L, brand: Fiab; type: 3005 L; description: Abmessung ca. 700x1200x1800mm ohne Palette ;	40.00
36	1	Plastic embossing machine Madag, P 170, brand: Madag; type: P 170; description: Spanntiefe ca. 570mm , Abmessung ca. 900x800x1650mm, ohne Palette ;	100.00
37	1	Plastic embossing machine Madag, brand: Madag; description: Spanntiefe ca. 420mm , Abmessung ca. 700x550x1100mm, ohne Palette ;	100.00
38	1	Column drilling machines 3 compartment Webo, B6, brand: Webo; type: B6; description: Spindelweg 80mm, Abmessung ca. 1120x900x1600mm, ohne Palette;	150.00
39	1	plastic mixer	10.00
40	1	Removal robot pneumatic Geiger, EA20, serial number 429393080310, brand: Geiger; type: EA20; serial number: 429393080310; description: inklusive C–Achse, Verfahrenswege der Achsen Ca. Z=1700mm X=450mm Y=800mm, Steuerungstyp PLC, Schnittstelle Euromap 12, ohne Palette ;	100.00
41	1	Removal robot pneumatic Geiger, EA Mini 2001/700 SL 3.0, brand: Geiger; type: EA Mini 2001/700 SL 3.0; description: inklusive C–Achse, Verfahrenswege der Achsen Ca. X=360mm Y=650mm, Steuerungstyp Handsteuerung, Schnittstelle Euromap 12, ohne Palette ;	100.00
42	1	Removal robot pneumatic Geiger, EA Mini-500V, serial number 429393080310, brand: Geiger; type: EA Mini-500V; serial number: 429393080310; description: inklusive C–Achse, Verfahrenswege der Achsen Ca. X=90mm Y=450mm, Steuerungstyp PLC-Euroline, Schnittstelle Euromap 12;	100.00
43	1	Removal robot pneumatic Geiger, EA Mini 2000/500, brand: Geiger; type: EA Mini 2000/500; description: inklusive C–Achse, Verfahrenswege der Achsen Ca. X=110mm Y=520mm, Steuerungstyp Handsteuerung, Schnittstelle Euromap 12;	100.00
44	1	binding machine	10.00
45	1	water pump Robert Brunner, CP3-80, brand: Robert Brunner; type: CP3-80; capacity: 6900 l/hr;	40.00
46	1	water pump Robert Brunner, CP3-80R, brand: Robert Brunner; type: CP3-80R; capacity: 3000 l/hr;	40.00
47	1	water pumps Grundfos, CR5-18, brand: Grundfos; type: CR5-18; capacity: 5700 l/hr; description: neuwertig;	100.00



Lot	Number	Description	Starting Bid €
48	1	water pumps Grundfos, CR5-18, brand: Grundfos; type: CR5-18; capacity: 5700 l/hr; description: neuwertig;	100.00
49	1	water pumps Grundfos, CR5-18, brand: Grundfos; type: CR5-18; capacity: 5700 l/hr; description: neuwertig;	100.00
50	1	water treatment plant	20.00
51	1	Swiss army water pump Vogt, 4-12413, year built 1970, brand: Vogt; type: 4-12413; year: 1970;	50.00
52	1	Lot water taps description: 2 Stück;	10.00
53	1	temperature control unit Greenbox, TB-4,5/P 2SC-SP, year built 2006, brand: Greenbox; type: TB-4,5/P 2SC-SP; year: 2006; digital control: yes; manual present: yes; description: Höchsttemperatur 80 Grad Celsius, neuwertig ;	200.00
54	1	temperature control unit HB-THERM, HB-250 B/3-1, brand: HB-THERM; type: HB-250 B/3-1; description: Höchsttemperatur 250 Grad Celsius, Ölbetrieb;	50.00
55	1	temperature control unit Regloplas, RT21, brand: Regloplas; type: RT21;	10.00
56	1	temperature control unit Regloplas, RT21, brand: Regloplas; type: RT21;	10.00
57	1	temperature control unit Regloplas, RT21, brand: Regloplas; type: RT21;	10.00
58	1	Small parts washing plant description: Abmessung ca. 1560x620x1050mm inklusive Pumpe ;	10.00
59	1	material separator Motan, MX-D40-ST-1-00-NN-4000, year built 1992, brand: Motan; type: MX-D40-ST-1-00-NN-4000; year: 1992;	30.00
60	1	material separator Motan, NE-D20-ST2-PO-ND-0010, year built 1992, brand: Motan; type: NE-D20-ST2-PO-ND-0010; year: 1992;	30.00
61	1	material separator Motan, NX-D20-ST-1-00-NN-4001, year built 1991, brand: Motan; type: NX-D20-ST-1-00-NN-4001; year: 1991;	30.00
62	1	material separator Motan, MLX-02-1-B000-0, brand: Motan; type: MLX-02-1-B000-0;	30.00
63	1	material separator Motan, MLX-02-1-B000-0, brand: Motan; type: MLX-02-1-B000-0;	30.00
64	1	Lot material separators description: 2 Stück;	10.00
65	1	material separator Labotek, PGT 61, brand: Labotek; type: PGT 61; description: ohne Palette ;	10.00
66	1	pneumatic assembly press	100.00
67	1	chain hoist Demag, PK2-F, year built 1969, brand: Demag; type: PK2-F; year: 1969; description: inklusive Gis Laufkatze, ohne Palette ;	50.00
68	1	checkweigher MettlerToledo, ID5, brand: MettlerToledo; type: ID5;	20.00
69	1	checkweigher Busch,	10.00
70	1	storage trolley description: Abmessung ca. 1000x550x1900mm, fahrbar;	10.00



Lot	Number	Description	Starting Bid €
71	1	Lot drawer sticks description: 2 Stück, Abmessung ca. 900x550x800mm;	10.00
72	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
73	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
74	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
75	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
76	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
77	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
78	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
79	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
80	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
81	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
82	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
83	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
84	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
85	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
86	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
87	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
88	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00



Lot	Number	Description	Starting Bid €
89	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
90	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
91	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
92	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
93	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
94	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
95	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
96	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
97	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
98	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
99	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
100	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
101	1	lot hair dryer description: 12 Stück verschiedene Ausführungen (2 Boxen a 6 Stück) Modelle können abweichen, neuwertig;	10.00
102	1	ultrasonic cleaner Jeken, PS-10A, brand: Jeken; type: PS-10A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 2 Liter;	50.00
103	1	ultrasonic cleaner Jeken, PS-10A, brand: Jeken; type: PS-10A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 2 Liter;	50.00
104	1	ultrasonic cleaner Jeken, PS-10A, brand: Jeken; type: PS-10A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 2 Liter;	50.00
105	1	ultrasonic cleaner Jeken, PS-10A, brand: Jeken; type: PS-10A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 2 Liter;	50.00
106	1	ultrasonic cleaner Jeken, PS-10A, brand: Jeken; type: PS-10A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 2 Liter;	50.00



Lot	Number	Description	Starting Bid €
107	1	ultrasonic cleaner Jeken, PS-D30A, brand: Jeken; type: PS-D30A; digital control: yes; electric connection: 230 V; manual present: yes; description: neuwertig, Fassungsvermögen 4,5 Liter;	80.00
108	1	Coca-Cola Automat siemens, brand: siemens; description: Achtung R12 Kühlmittel kein Export aus der Schweiz. Inklusive Kohlensäureflaschen;	10.00
109	1	worktable description: Abmessung ca. 1200x600x750mm;	10.00
110	1	Telematic Control	10.00
111	1	Lot milling holders ISO 45 description: +/- 75;	10.00
112	1	Lot milling holders ISO 45 description: +/- 60;	10.00
113	1	Lot milling holders ISO 50 description: +/- 60;	10.00
114	1	Lot milling holders S 63 description: +/- 25;	10.00
115	1	Lot milling holders S 47 description: +/- 80;	10.00
116	1	VA container description: Abmessung ca. Durchmesser 620mm Tiefe 590mm mit Ausguss ;	10.00
117	1	VA container description: fahrbar, Abmessung ca. 620x620x520;	10.00
118	1	free cooling unit description: VA und Kupfer, Rest unbekannt Abmessung ca. 2700x1300x1200mm;	10.00
119	1	air humidifier	10.00
120	1	Hot runner control apparatus PSG, RSL92/2, brand: PSG; type: RSL92/2; electric connection: 230 V; description: 1 Zone regelbar;	10.00
121	1	Hot runner control device Hasco, Z126/2/10/n, brand: Hasco; type: Z126/2/10/n; electric connection: 230 V; description: 2 Zone regelbar;	10.00
122	1	Hot runner control device PSG, RSL 100/4, brand: PSG; type: RSL 100/4; electric connection: 230 V; description: 4 Zone regelbar;	10.00
123	1	Hot runner control device D-M-E, MFX7G, brand: D-M-E; type: MFX7G; electric connection: 230 V; description: 7 Zone regelbar;	10.00
124	1	PlayStation 2-Station description: inklusive Fernseher und Euro 2008 Game;	10.00
130	1	Van an, type approval 1MC578, cubic capacity 2295 cm3, power 105 kW, placing on the market 17.06.1997, last MFK 14.11.2016, empty weight 1790 Description: The car is designed for camping, but you can mount the rear seat if necessary. Technical (brake, engine, gearbox etc.) I.O. Vehicle has rust spots. Exhaust emission test is still valid. Car is drivable. Winter tyres 60% tread. Equipment: CD changer, inverter for 230 V operation max 150 Watt, folding roof for camping operation, 4 places, camping equipment.	400.00
140	1	material separator Motan, HLX-06-1-A000-0, year built 1996, brand: Motan; type: HLX-06-1-A000-0; year: 1996;	10.00
141	1	Lot material separators Koch, brand: Koch; description: inklusive Palette ;	10.00



Lot	Number	Description	Starting Bid €
142	1	water pump Grundfos, CR2-20, brand: Grundfos; type: CR2-20; capacity: 2500 l/hr; description: inklusive Expansionsgefäß, Elektromischventil ohne Palette ;	10.00
143	1	Lot Various spare parts description: Diverse Ersatzteile, ohne Palette ;	10.00
144	1	Lot Various spare parts description: Diverse Ersatzteile, ohne Palette ;	10.00
145	1	Lot sorting boxes description: inklusive Palette ;	30.00
146	1	Lot sorting boxes description: inklusive Palette ;	30.00
147	1	lot chrome steel tubes description: inklusive Schläuche, ohne Paletten;	10.00
148	1	lot various spare parts description: Maldtemperiergeräte und Wasserbatterien, ohne Palette ;	10.00
149	1	water hoses description: ohne Palette ;	10.00
150	1	Welding Machine Kempfi, Master Tlag, brand: Kempfi; type: Master Tlag; tig type: yes; AC/DC: yes; ampere range: 280 A; duty cycle: 100 %; digital display: yes; description: Fahrbar ;	50.00
151	1	lot various spare parts description: ohne Palette ;	10.00
152	1	Material conveyors station Moretto, brand: Moretto; description: ohne Palette ;	50.00
153	1	Lot water taps description: 4 Stück;	10.00
154	1	material separator Moretto, brand: Moretto; description: inklusive Materialweiche;	20.00
155	1	Item Sorting box trolley description: 2 Stück;	10.00
156	1	material conveyor Colortronic, CSE 2, brand: Colortronic; type: CSE 2; electric connection: 230 V;	10.00
157	1	lot spare parts description: Diverse Heizbänder, Durchmesser ca. von 102mm bis 154mm, inklusive Förderband ;	10.00
158	1	sanding vacuum cleaner Münster , brand: Münster ;	10.00
159	1	lot various spare parts description: ohne Palette ;	10.00
161	1	lot office furniture description: ohne Palette ;	10.00
162	1	Aluminium description: ohne Palette ;	10.00
163	1	corpus description: Abmessung ca. 620x700x400mm;	10.00
164	1	workbench description: Abmessung ca. 1550x700x860mm;	10.00
165	1	electric Pallet Truck Linde , R 12, year built 1992, brand: Linde ; type: R 12; year: 1992; lifting capacity: 1250 kg; fork length: 1200 mm; battery charger: yes; hours on display: 11067; own weight: 1880 kg; description: Funktionstüchtig mit 2 Autobatterien;	20.00
166	1	lot temperature control units description: ohne Palette ;	10.00



Lot	Number	Description	Starting Bid €
167	1	Spare part injection moulding machine Engel, brand: Engel; description: Durchmesser 35mm, Spritzagregat 330;	20.00
170	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
171	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
172	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
173	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
174	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
175	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
176	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
177	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
178	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
179	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
180	1	Kaltex Univerlahahn Kaltex, TYP 400, brand: Kaltex; type: TYP 400; description: grösse Anschlussgewinde G1 1/4 Zoll, für Flüssigkeiten mit erhöhter Viskosität, www.kaltex.ch ;	80.00
181	1	Drum grater set Tromco, Classic, type: Classic; description: Bestehend aus Tromco Trommelraffel Classic und Trommelset 3-teilig, neuwertig;	80.00
182	1	Drum grater set Tromco, Classic, type: Classic; description: Bestehend aus Tromco Trommelraffel Classic und Trommelset 3-teilig, neuwertig;	80.00
183	1	Raffle attachment set Classic Tromco, Raffelvorsatz-Set, type: Raffelvorsatz-Set; description: passend zu diversen Küchenmaschinen. Kann bei Abholung ausgewählt werden, siehe Foto. Set bestehend aus Tromco Raffelvorsatz-Set Classic und Trommelset 3-teilig;	80.00
184	1	Classic Raffle attachment set Tromco, Raffelvorsatz-Set, type: Raffelvorsatz-Set; description: passend zu diversen Küchenmaschinen. Kann bei Abholung ausgewählt werden, siehe Foto. Set bestehend aus Tromco Raffelvorsatz-Set Classic und Trommelset 3-teilig;	80.00
185	1	Raffle attachment set aluminium Tromco, Raffelvorsatz-Set Alu, type: Raffelvorsatz-Set Alu; description: passend zu diversen Küchenmaschinen. Kann bei Abholung ausgewählt werden, siehe Foto. Set bestehend aus Tromco Raffelvorsatz-Set Alu und Trommelset 3-teilig;	150.00



Lot	Number	Description	Starting Bid €
186	1	Raffle attachment set aluminium Tromco, Raffelvorsatz-Set Alu, type: Raffelvorsatz-Set Alu; description: passend zu diversen Küchenmaschinen. Kann bei Abholung ausgewählt werden, siehe Foto. Set bestehend aus Tromco Raffelvorsatz-Set Alu und Trommelset 3-teilig;	150.00
187	1	Electric disc grater Zyliss, Z1, type: Z1; description: neuwertig, inklusive Schüssel ;	125.00
188	1	Electric disc grater Zyliss, Z1, type: Z1; description: neuwertig, inklusive Schüssel ;	125.00
189	1	clinker Tromco, Raffelschüssel 2L, type: Raffelschüssel 2L; description: 1 Stück, neuwertig, diverse Farben kann bei Abholung ausgewählt werden.;	10.00
190	1	Electric disc grater Zyliss,	10.00
191	1	clinker Tromco, Raffelschüssel, type: Raffelschüssel; description: 4 Stück, in diverse Farben kann bei der Abholung ausgewählt werden. ;	10.00
192	1	clinker Tromco, Raffelschüssel, type: Raffelschüssel; description: 4 Stück, in diverse Farben kann bei der Abholung ausgewählt werden. ;	10.00
193	1	clinker Tromco, Raffelschüssel, type: Raffelschüssel; description: 4 Stück, in diverse Farben kann bei der Abholung ausgewählt werden. ;	10.00
194	1	clinker Tromco, Raffelschüssel, type: Raffelschüssel; description: 4 Stück, in diverse Farben kann bei der Abholung ausgewählt werden. ;	10.00
195	1	clinker Tromco, Raffelschüssel, type: Raffelschüssel; description: 4 Stück, in diverse Farben kann bei der Abholung ausgewählt werden. ;	10.00



General conditions Online Auction TroostwijkAuctions.com

Article 1. Definitions

General Terms and Conditions of Use:	The general terms and conditions which regulate the use of the Website of Troostwijk Veilingen B.V.
General Online Auction Terms and Conditions:	The present General Terms and Conditions, which define the stipulations of an auction
User:	A person who registers on the Website of Troostwijk Veilingen B.V.
User contract:	The contract between Troostwijk Veilingen B.V. and the user
Bidder:	A person who submits a bid at an online auction
Bid:	Each binding amount offered for an item in the auction by the user
Purchase price:	Composed of the highest bid at the end of the auction, the surcharge and possibly incurring VAT.
Purchase contract:	Contract between the buyer and the seller which results from the adjudication by Troostwijk
Buyer:	Bidder who receives the knock-down for the item
Lot:	Item(s), which is/are auctioned (combination = several items offered under one lot number)
(Online) Auction:	The auction of movable goods organised by Troostwijk on the website of Troostwijk Veilingen B.V.
Registration:	Registration of the user on the website of Troostwijk Veilingen B.V., whereby the registration form on the website must be completely filled out
Specific Online Auction Terms and Conditions:	Special requirements for a specific auction
Troostwijk:	Troostwijk plc, Zurich
Seller:	The person or persons who commission the auction of a lot
Website:	The website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which is the platform for auctions carried out by Troostwijk
Knock-down:	Confirmation by Troostwijk that the highest bidder wins the bid for an lot or combination by payment of the purchase price.

Article 2. General Terms and Conditions

- 2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The website is used by the user according to the General Terms and Conditions of Troostwijk Veilingen B.V.
- 2.2 The General Online Auction Terms and Conditions contain the general regulations for the auction. The auction takes place solely on the basis of these terms and conditions, which are accepted by participation at the auction. At an auction, Specific Online Auction Terms and Conditions may also apply. These contain amendments or deviations to the General Online Auction Terms and Conditions. The Specific Online Auction Terms and Conditions shall have precedence.
- 2.3 Troostwijk can amend these General Online Auction Terms and Conditions. Amendments shall enter into force upon receipt of a corresponding notification by users and bidders.

Article 3. Registration

- 3.1 Only bidders who have registered as users with Troostwijk Veilingen B.V. and who have accepted the General Terms and Conditions of Use can participate at auctions.
- 3.2 Only persons who have accepted the General Online Auction Terms and Conditions and the Specific Online Auction Terms and Conditions for an auction may submit a bid.

Article 4. Auction



- 4.1. An auction can take place on behalf of the Seller and on his own account. Troostwijk is not a contractual party of a purchase contract which results from a knock-down, but merely the agent of such a purchase contract.
- 4.2. Deadlines, such as the start and end of an auction, are contained in the Specific Online Auction Terms and Conditions.
- 4.3. The organisation, preparation and execution of the Auction are Troostwijk's business.
- 4.4. Troostwijk is authorized:
 - to refuse the knock-down in general or—for important reasons—to specific Bidders;
 - to exclude Bidders from an auction;
 - to rectify mistakes made by Troostwijk for bids and/or knock-downs by a corresponding notification of the Bidder;
 - to undertake other necessary measures;
- 4.5. The ruling of Troostwijk regarding what has taken place at an auction is binding.

Article 5. Cancellation, Technical Disturbances

- 5.1 Troostwijk reserves the right to cancel, prematurely terminate or extend an Auction on good cause shown. In cases of a technical disturbance of the Website, or should it not be entirely accessible to some or all Users, Troostwijk has the right to prolong the Auction by up to 24 hours.

Troostwijk and/or the seller can reject bids without stating the reasons. Troostwijk and the Seller are entitled to place bids.
- 5.2 The User declares with his registration that he is aware of the particular circumstances of an Internet auction. He furthermore declares that he is particularly aware of the fact that, according to the present status of technology, technical disturbances and breakdowns can occur which can make access to the Internet auction and the Website either difficult or even impossible.
- 5.3 Troostwijk is only liable for the orderly execution of the auction on the Website of www.Troostwijkauctions.com, but not for technical disturbances. The liability of Troostwijk is limited to and complies with the General Terms and Conditions for Online Auctions as outlined in Article 15.

Article 6. Viewing; Entry to Buildings and Premises

- 6.1 Dates for viewing appointments are listed in the Specific Online Auction Terms and Conditions.
- 6.2 Entry to buildings and premises is at a person's own risk. Instructions by Troostwijk or any persons appointed by them must be followed. Neither the Seller nor Troostwijk shall accept any liability for damages which have occurred as a result of entry to buildings and premises. In any other case, the limits to liability contained in Article 15 of the General Online Auction Terms and Conditions for Troostwijk and the Seller shall apply.

Article 7. Lots

- 7.1 Individual Lots or Combinations shall be auctioned.
- 7.2 Combinations, the simultaneous auction of several Lots, shall be indicated in the system.
In the case of Combinations, the auction shall be carried out in two steps:
 - a) First, the individual Lots shall be submitted to auction. The Knock-down shall take place subject to the prior condition that the Lot is not being adjudicated as part of a Combination. Bidding for the Combinations shall begin after the Knock-down for the individual Lots. If no bids are made for the Combination, the Lots shall be auctioned individually.
 - b) Insofar as bids are made for Combinations, the following shall apply:
The Knock-down shall be awarded for the Combination when the highest bid which can be made for a knock-down of the Combination is higher than the sum of the bids for the individual Lots. The Knock-down for the individual Lots is then considered as not effected due to lack of condition precedent.
- 7.3 Troostwijk has the right to assemble different objects into Lots, divide Lots and/or remove them from the auction.
- 7.4 Troostwijk has the right to request a normal banking security from the Bidder in advance to back certain Lots.

Article 8. Bids

- 8.1 A Bidder can submit Bids for auctions for which he is registered. Bidders can submit bids for one or several lots. Bids can only be made if they are free of reserve and conditions. Bids are binding and cannot be retracted. The Bidder shall receive a confirmation by e-mail for every bid submitted and overbid by a third party. This notification does not constitute the knock-down.
- 8.2 Bids can be submitted as static bids or auto bids.
 - (a) static bid: The user bids a fixed amount for each Lot indicated in the system.
 - (b) auto bid: the user indicates the highest price he is willing to pay for a Lot. The auto bid is not displayed in the system. Should a third party overbid the user, the current offer shall be increased by increments until a third party overbids the proxy bid. During this time, an automatic bid



can only be ceased by the user if he submits a static bid which constitutes the highest bid at that moment.

8.3 VAT and surcharge are not included in the bids. The amount of the surcharge results from the Special Online Auction Terms and Conditions.

8.4 Troostwijk and/or the seller have the right to refuse bids without giving a reason. Troostwijk has the right to submit bids on behalf of third parties.

Article 9. Award & Contract of sale

9.1 A purchase contract for one or several Lots is concluded only after the Knock-down. The Buyer shall be notified by e-mail about the resulting purchase contract (knock-down). The Knock-down shall take place at the latest two working days after the end of the auction.

9.2 Troostwijk has the right to make no Knock-down or to grant one subject to condition precedent.

9.3 As a rule, the User who has made the highest bid shall receive the Knock-down. The Knock-down takes place if no other bid is made 10 minutes prior to the end of the auction. Should a further bid be submitted, the auction shall end upon the submission of the highest bid which is not overbid within 5 minutes.

Article 10. Transfer of risk/Transfer of title

10.1 The risk of accidental loss of the objects purchased at auction as well as risk of loss or damage by fire, theft or burglary shall transfer to the buyer after the knock-down.

10.2 Title shall be transferred to the buyer only after payment in full has been effected.

Article 11. Buyer's Obligations

11.1 The buyer is obligated to pay the purchase price in addition to the mandatory sales tax and the surcharge as well as to collect the lot(s) when the knock-down has occurred.

11.2 Payment must be effected to an account indicated by Troostwijk in the specified currency within three working days after the knock-down.

11.3 The statutory default interest shall be charged in the case of delayed payment. The seller's rights shall comply with the legal requirements.

11.4 Should the buyer not fulfil an obligation, particularly if:

(i) the purchase price is not paid in due time or not paid completely

(ii) the Lots are not collected in due time, and/or

(iii) the information required for delivery is not procured,

then it shall automatically be considered as default, without any further notice of default being required. Troostwijk shall then have the right to cancel the purchase contract on behalf of the seller. In this case, Troostwijk is free to reassign the Lots to another Bidder, and Troostwijk and/or the seller shall not be liable for damages.

11.5 In the event of a cancellation, the buyer shall be liable for payment of damages which ensue therefrom.

Article 12. Collection

12.1 The Buyer is only authorized and bound to the dates and times listed in the Specific Online Auction Terms and Conditions for the collection of items. For technical reasons, Troostwijk can determine that a particular Lot can be collected only after the delivery of other Lots.

12.2 The Buyer whose Lot(s) hinder/s the collection of other lots is obligated to see to the collection of those lots without delay after being notified by Troostwijk by email and/or a message of the address supplied by the Buyer. Should this not occur, then Troostwijk shall have the right to undertake the collection and possible storage of the items by third parties on the buyer's risk and expense.

12.3 The Buyer is obligated to carefully disassemble, reassemble and collect his Lots. He shall be liable for damages which ensue to the property of third parties in connection with the assembly and collection. Furthermore, he is obligated to protect Troostwijk and the Seller from any claims by third parties which result from the dismantling, reassembly and/or collection of his Lots.

12.4 The Buyer is obligated to follow the instructions of Troostwijk and/or any persons mandated by Troostwijk for the dismantling, reassembly and collection of his Lots.

12.5 The Buyer is obligated to ensure that he or the person(s) who take care of dismantling, assembly or transport shall be in possession of the necessary authorizations. Neither Troostwijk or the Seller can be held liable for the lack of necessary authorizations and/or that the official requirements are not upheld during dismantling, reassembly and collection.

12.6 In cases when it is necessary to dismantle buildings (in pieces) in order to remove the allotted Lots, prior consultation as well as written agreement by Troostwijk are required, and the conditions set down by Troostwijk for awarding of the knock-down must be respected.

12.7 Troostwijk reserves the right to request a deposit prior to collection of Lots in order to cover possible damages. The Buyer shall be notified of the Lots concerned and the amount of the deposit. The deposit shall be refunded to the Buyer after safe collection without any damage.



Article 13: Liability/Warranty of Troostwijk

Troostwijk shall only be liable for the preparation and carrying out of the auction according to the legal stipulations. In addition, the following shall apply:

- 13.1 Claims by the Seller, the Bidder or the Buyer for neglect of duty shall be excluded, particularly for any advice regarding appraisals or flaws of the Items.
- 13.2 The descriptions of the Items by Troostwijk, e.g. in the sales catalogue or in any listing, are based on the information supplied by the Seller. Troostwijk shall only be liable for the correct transmission of this information, but not for its objective accuracy.
- 13.3 Details indicated by Troostwijk are only for the purpose of distinguishability and do not constitute any kind of guarantee.
- 13.4 The Items are used. Troostwijk shall not assume any guarantee for material flaws and defects of title and shall not be liable for the amount, quality, measurements, year of construction or completeness.
- 13.5 The above restrictions shall not apply if Troostwijk acts intentionally or with gross negligence, is in breach of a fundamental contract requirement or if bodily harm occurs.

Article 14: Liability/Warranty of Seller

The Seller is liable to the Buyer for defects of the items in compliance with the following stipulations:

- 14.1 The Buyer has had the opportunity to view the items in advance. The sale shall take place as viewed and excluding all warranties for defects and title. The sale has taken place, particularly without guarantee for visible or latent defects or guarantee regarding completeness, number, effect, utility, usability, saleability, the presence or absence of rights or claims of third parties and/or the transferability to third parties.
- 14.2 The Seller excludes liability for a particular characteristic or for common use of the items.
- 14.3 The Seller excludes all liability for publicity statements of the manufacturer.
- 14.4 The above restrictions shall not apply if the Seller has intentionally misrepresented any defects to the Buyer, breached a fundamental contractual obligation or if any bodily harm occurs.

Article 15. Limitation of Liability Troostwijk/Seller

- 15.1 The limitation of liability is valid for Troostwijk and the Seller as well as for their legal representatives, managerial employees and auxiliary helpers.
- 15.2 Liability shall only exist in the case of malicious intent or gross negligence.
- 15.3 Liability shall exist for collateral damage, particularly for lost profit, only in cases of intent or gross negligence.
- 15.4 The liability shall be restricted to the amount of typically foreseeable damages at conclusion of the contract, insofar as there is no case of intent or gross negligence.
- 15.5 The above-mentioned restrictions do not apply in cases of breach of a contractual obligation, acceptance of an explicitly stated guarantee as well as damages resulting from bodily harm, harm to health and obligatory legal regulations.

Article 16. Severability Clause/Written Form

- 16.1 Should any of the provisions of these General Online Auction Terms and Conditions become completely or partly invalid, void or not enforceable, it shall have no effect on the other provisions of the General Online Auction Terms and Conditions. The invalid, void or not enforceable provision shall be replaced by a valid and enforceable provision which comes closest to fulfilling the parties' economic goals which were originally intended by the invalid, void or not enforceable provision.
- 16.2 Modifications and amendments of these General Online Auction Terms and Conditions shall only be effective upon written agreement by the parties.

Article 17. Applicable Law/Court of Jurisdiction

- 17.1 The General Online Auction Terms and Conditions and the obligations ensuing therefrom are subject to Swiss law. The UN Convention on Contracts for the International Sale of Goods (CISG) shall explicitly not apply.
- 17.2 The exclusive court of jurisdiction for all disputes arising in connection with the auction shall be the court of Zurich (Canton of Zurich). The General Terms and Conditions shall apply for disputes with the seller.
- 17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website,



The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience