

ONLINE AUCTION

DAY 4: LAB - Pharmaceutical and cosmetic processing (FR)

1 RUE DU CHENE DE LA CROIX - 45520 **GIDY** (GIDY)

Closing date: Thursday 04 JULY starting 14:00







Bidding only on the internet!

18-06-19 17.33

www.TroostwijkAuctions.com



Thursday 04 July 2019 DAY 4: LAB - Pharmaceutical and cosmetic processing

Specific terms and conditions of the online sale

•	
Allocation of the lots	The "Commissaire Priseur" nominates the highest and last bidder and registers him the winning bidder of the lot. Information in "My Troostwijk" and an email confirm the winning bid. The "Commissaire Priseur" tells that a lot is not won if it is taken back by the vendor, because of a lack of bids to reach the reserve price.
Closing date	Thursday 4 July 2019 starting 14:00 CET
Viewing	By appointment
loung	GIDY
	1 RUE DU CHENE DE LA CROIX
	45520 GIDY, France
	By appointment
	Septodont Saint-Maur-des-Fossés
	58 Rue du Pont de Créteil
	94100 Saint-Maur-des-Fossés, France
	By appointment
	Servier Orléans
	326 Rue Marcelin Berthelot
	45400 Fleury-les-Aubrais, France
	By appointment
	Toulouse pharma
	4 chemin de Calquet
	31100 Toulouse, France By appointment
	Fleury Verdun
	69 rue de Verdun
	45400 Fleury Les Aubrais, France
	By appointment
	Paris 20 24659
	4 rue de la Chine
	75020 PARIS, France
Markup	18.00%
VAT	20.00%
Collection	from Monday 08 July until Friday 26 July
	By appointment
	GIDY
	1 RUE DU CHENE DE LA CROIX
	45520 GIDY, France
	from Monday 15 July until Friday 19 July
	By appointment
	Fleury-Les-Aubrais
	48 Rue Danton
	45400 Fleury-Les-Aubrais, France
	from Monday 15 July until Friday 19 July
	By appointment Septodont Saint-Maur-des-Fossés
	58 Rue du Pont de Créteil
	94100 Saint-Maur-des-Fossés, France
	from Monday 22 July until Friday 26 July
	By appointment
	Toulouse pharma

www.TroostwijkAuctions.com



	4 chemin de Calquet 31100 Toulouse, France
	from Monday 08 July until Friday 26 July
	By appointment
	Fleury Verdun
	69 rue de Verdun
	45400 Fleury Les Aubrais, France
	from Monday 08 July until Friday 12 July
	By appointment
	Paris 20 24659
	4 rue de la Chine
	75020 PARIS, France
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.
Payment Details	Your immediate bank payment is required within 48 hours after receipt of the purchase
	agreement (proforma invoice). Please state your buyer number and the auction name.
	For buyers located outside the European Community, the EXA document proving the exportation of lots outside the European Community must be received within six weeks following the auction closing date. Without this document the sale will be considered as a French sale.
Collection Instructions	The lots that are not located in Paris will be loaded by the company MIPCO. The associated mandatory cost is indicated in each concerned lot. For the goods located in Paris, the buyer remains responsible for dismantling, preparing and loading the goods. The buyer remains responsible for transport of the goods in every case. Troostwijk Auctions cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the date and time decided BY TROOSTWIJK according to their removal planning and only after the buyer receives his delivery copy.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid.
Lots without bid	From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. If not indicated otherwise, please consider the origin documents of the equipments to be unavailable. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

www.TroostwijkAuctions.com

1

1 thermoforming Farcon, FC320, year built 2008, thermoforming; Dimensions (W x D x H): 5900 x 1200 x 2000 mm; For thermoforming ampoules, vials, syringes; Maximum forming depth: 42 mm; Speed: 45 cycles / min; Maximum forming area: Width of film 254 mm; No film 220 mm; Maximum cutting area: Width of film 248 mm; No film 210 mm; Maximum production: 63000 ampoules (0.5 ml) / h; 24000 syringes (1 ml) / h; Dimensions (W x D x H): 5900 x 1200 x 2000 mm; ref [3683]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)

2 1 Cartoning machine

Farcon, FDC50, year built 2001, cartoning machine; Dimensions (W x D x H): 6800 x 1400 x 2000 mm; ref [3685]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)

3 1 Cartoning machine

Farcon, FDC50, year built 2001, cartoning machine; Dimensions (W x D x H): 6800 x 1400 x 2000 mm; ref [3686]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)

4 1 Cartoning machine

Farcon, FDC50, year built 2001, cartoning machine; Dimensions (W x D x H): 5600 x 1100 x 1900 mm; ref [3689]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)

5 1 Embarqueteuse

Cermex, BB25, year built 2008, Embarqueteuse; Dimensions (W x D x H): $3300 \times 2100 \times 2050$ mm; ref [3682]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)

6 1 Sorbonne

Erlab, Captair Chem, Sorbonne; ref [3677]; lot located in Toulouse; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

8 1 cartoning machine

Marchesini, MA 155 S, year built 2000, cartoning machine; EC standards compliant; With notice folder; Dimensions (I x w x h) 5000 x 1550 x 2000 mm; Max speed 140 cases/minute; Format range ; A 25 – 100 / B 15 – 85 / C 65 – 150 mm; Documentation available, in French and Italian; ref [3602]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost in indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 2,400.00)

9 1 packer

Cermex, SB 2740, year built 2002, packer ; ref [3697]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)

10 1 Homogenizer

GEA NIRO SOAVI Spa, DA61A, year built 1989, serial number 1943, Homogenizer; Nominal flow 3000dm3/h; Frequency inverter ALTIVAR 5; 2 tubular exchanger in ice water comprising; Gear motor for each exchanger; o SEWUSOCOME; o Gear motor SA72VU3/MS; o Motor DFT 100 LS4; o Speed 1400rpm; Exchanger diameter approximately 550mm; Total dimensions (LxWxH) 2040x1200x1650mm; Dimensions of electrical cabinet (LxWxH) 900x520x2300mm; Dimensions of homogenizer (LxWxH) 1880x2700x1770mm; Power 400V 3phases, 50Hz, 152A, 74KW; ref [1640]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)

11 1 Inspection machine for ampoules

EISAI, AIM-277-SD-12, year built 1981, Inspection machine for ampoules ; Formats 1 & 2ml; Capacity 12000 ampoules/min; The machine turns each of the bulbs at high speed and stops it suddenly putting the liquid into inertia. The light transmitted through the liquid causes shadows on the high resolution sensors allowing the detection of small particles.; Two inspection station in parallel equipped with; Infeed tray by line; Accepted ampoules tray by line; Rejected ampoules tray by line ; A control panel; Machine's dimensions (I x d x h) 2750 x 1800 x 1240 mm; Panel's dimensions (I x d x h) 650 x 510 x 1350 mm; Power 3x 380V, 50 Hz, 2,5 kVA; Format parts + some spare parts; ref [3496]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

12 1 Automatic washing machine for small bottles

Steriline, SWAB5, year built 2008, serial number V051LV, Automatic washing machine for small bottles; Dimensions of the machine; Lgr 4600 x W x 1250 x Hr 1920 mm; Height of the worktop 850 mm; Weight 1450 kg; Utilities; Compressed air pressure: 6 bar, 40 Nm3 / h. ; Electricity 3x400 VAC. 50 Hz. 2 kW .; PPI Water (For Injectable Preparation) 3 bar, 280 I / h; Materials ; Metal parts in contact with process fluids and in the wash area of AISI316 or 316L flasks; Non-metallic parts Polyethylene, Silicone or Delrin .; Technical documentation (3 files + 1 CD); Operator Manual (French + English) .; Machine Manual (English) .; Manual Control System (English) .; Maintenance System Manual (English) .; Technical documents (English) .; Electrical diagram .; Specification documents (FS, SDS, HDS, instrument list, etc.); Manufacturer's quality assurance file (subject certificates). FAT file .; Information folder; ref [622]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)

13 1 Filling machine + Capping machine

Filling machine + Capping machine; Filler; Manufacturer Strunck; Model FKR G 12; Year 1980; Serial number 0179011201; Dimensions horstout (WxDxH) approximately 2700 x 1500 x 2100 mm + 2600 x 1450 x 2300 mm; Documentation available; Cadence 240 / min with cylindrical glass bottle 150 ml; Capping machine; Manufacturer Zalkin; Model CA5 / 360 NG; Year 2004; Serial number 24021; Dimensions horstout (WxDxH) approximately 2680 x 1900 x 2600 mm; Documentation available; Automatic dispenser CA (rate up to 10000 caps / hour); Old format glass bottle 200 ml / diameter 57mm x height 133.3 mm; ref [1039]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)

14 1 packer

OLI, OLI210 / OLIMAT 2P, year built 2001, packer; Dimensions horstout (W x D x H) approximately 4700 x 1600 x 2000 mm; 2 modules; OLI 210 routing, stacking + introduction products; OLIMAT 2P cardboard shaping, closing and evacuation cartons filled; Direction of introduction Left; Height of introduction 900mm; Evacuation height 1100mm; Maximum rate 160 cases / minute; TSX Telemecanical Controller; MAGELIS control panel; Product formats (A x B x C) manufacturer data -; 20.5 x 65 x 110 mm; 30 x 65 x 110 mm; 23 x 50 x 129 mm; 17 x 41 x 115 mm; 37 x 42.5 x 118 mm; 17 x 41 x 115 mm; 59 x 42.5 x 118 mm; 48 x 42.3 x 117 mm; 20 x 74 x 145 mm; Cash Formats (GxHxJxK); 108.5 x 228 x 220 x 337 mm; 156 x 228 x 312 x 337 mm; 121 x 266 x 242 x 262 mm; 91 x 238 x 182 x 217 mm; 98.5 x 244 x 197 x 437 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 250 x 337 mm; 126 x 242 x 250 x 337 mm; 126 x 242 x 250 x 337 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 250 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 250 x 337 mm; 126 x 242 x 250 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 250 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 250 x 337 mm; 126 x 242 x 250 x 337 mm; 126 x 240 x 230 V / N / PE, 50Hz, 16A; Operating pressure 6 bar; ref [1784]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)

15	1	Sachet line Bosch - Sig, year built 2003, Sachet line; Sachets 1 or 2 g; Bag size: 80 x 50 mm; Box of 14 or 28 sachets; Cadence: 1000 sachets / min 75 boxes / min; bagging; Manufacturer: SIG; Model: RGS-8; Granules feed: TechniLab LHL + T54; cartoning machine; Manufacturer: SIG; Model: KG3; Box coding: IMAJE Lightjet Vector; Gluing tab holster: NORDSON Problem 4; Formats; Complex; Width 800 mm; Weight 111.30 g / m ² ; D.ext: 570 mm; Steel chuck: Ø 70 mm; LG: 2700 ml; Format 1; 55 x 52 x 84 mm; 300 g; Format 2; 110 x 52 x 84 mm; 300 g; Format 3 (manual grouping 84 sachets); 110 x 113 x 88; Instructions; S: 160 x 125 D.ext 420 mm Qt 15 971; S: 160 x 210 D.ext 490 mm Qt 13 202; D Glued: 160 x 210; T Glued: 160 x 210 Format F; ref [740]; the seller will charge the equipment on tautliner. Other type of loading or packing on additional service; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
16	1	packer OLI, 210, year built 2010, packer; Semi-automatic; Dimensions horstout (W x D x H) approximately 1650 x 1000 x 2100 mm; Working height 850 mm; Speed 60 cpm; Siemens Simatic S7300 controller; Power supply 3ph 400 / 230V / N - 50 Hz; ref [2226]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
17	1	cartoner Promatic, AS100, year built 1992, serial number 60041, cartoner; Dimensions horstout (W x D x H) approximately 2250 x 1500 x 1500 mm; Range of formats holsters; A from 20 to 100 mm; B from 12 to 60 mm; H from 60 to 150 mm; 121 x 266 x 242 x 262 mm; 91 x 238 x 182 x 217 mm; 98.5 x 244 x 197 x 437 mm; 91 x 238 x 182 x 217 mm; 153.5 x 244 x 307 x 437 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; 91 x 238 x 182 x 217 mm; 126 x 242 x 252 x 435 mm; 106 x 298 x 212 x 382 mm; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
18	1	blister pack line Uhlmann, UPS4, year built 2000, blister pack line; Bottle casepacking; 2 bottle feeders; Technical file included; Weight 7 tons; Dimensions 6m x 1.5m x 2m; ref [3508]; lot located in Gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)
19	1	Cartoning machine Uhlmann, C130, year built 2000, Cartoning machine; Bottle casepacking; Glued carton flaps; 100 cases / min; Weight :1500kg; Instruction leaflet folding; Dimensions : 2.5 m x 1.8 m x 2 m; ref [3509]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
20	1	IabellerPALS , FL 30 SDCR, year built 2000, serial number 71P595, labeller; Format range ;Conveyorspacing Min 10mm;Conveyor spacing Max 100mm;Tread width 33mm ; Linear speed 10 20meter/min; Marking head Open Date Eurocode 150 ;Printing surface 28x40mm;Cadence750 cycles par minutes ; Overall dimensions (LxWxH) 1250x650x1550mm; Weight 165kg; ref [3817] ;Iot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated ineach bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)Iot located in tautliner 50.00
21	1	Manual shrink tunnel LEISTER, Lufterhitzer typ 5000, Manual shrink tunnel; T°C max 700°C; Overall dimensions (LxWxH) 1000x1100x1300mm; ref [3818] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
24	1	Strapping machine SCHNEIDER, SP400 RT, year built 2007, serial number 60802483, Strapping machine; Cadence 27- 30 straps/minute; 850mm wide x 600mm high arch; Worktable dimensions (LxW) 1100x620mm; Overall dimensions (LxWxH) 1400x620x1550mm; ref [3822] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

26	1 Conveyor Conveyor; Conveyor belt width 250mm; Overall dimensions (LxWxH) 9230x915x900mm; ref [3827]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
27	1 Walkway Tubesca, Walkway; Overall dimensions (LxWxH): 2700x650x1270mm; ref [3828]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
28	1 Conveyor ELCOM, serial number 80715, Conveyor; Conveyor belt width 250mm; Overall dimensions (LxWxH) 1900x1400x920mm; ref [3829]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
29	1 Strapping machine SCHNEIDER, SM301, year built 2001, Strapping machine; Cadence 24 straps a minute; 15" wide x 8" high arch; Overall dimensions (LxWxH) 570x350x490mm; Bands a wide variety of products. Adjusts tension. Paper or Poly banding Single, Semi-Automatic or Automatic banding. Ideal for small packages. 10 seconds "Quick-Start; ref [3831]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
30	1 Strapping machine SCHNEIDER, SM301, year built 2001, Strapping machine; Cadence 24 straps a minute; 15" wide x 8" high arch; Overall dimensions (LxWxH) 570x350x490mm; Bands a wide variety of products. Adjusts tension. Paper or Poly banding Single, Semi-Automatic or Automatic banding. Ideal for small packages. 10 seconds "Quick-Start; ref [3832]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
31	 Conveyor Conveyor; Belt width 85mm; Belt length 2050mm; Overall dimensions (LxWxH) 2100x600x920mm; ref [3834]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
32	1 Tank 100L Tank 100L; Overall dimensions (LxWxH): 720x500x740mm; ref [3836]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
33	1 Roller conveyor Roller conveyor; Roller width 610mm; Length ; Min 600mm; Max 1950mm; Height; Min 700mm; Max 1300mm; Max. distance between rollers 140mm; Gap between wheels 90mm; ref [3838] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
34	1 Roller conveyor Roller conveyor; Roller width 610mm; Length ; Min 600mm; Max 1950mm; Height; Min 700mm; Max 1300mm; Max. distance between rollers 140mm; Gap between wheels 90mm; ref [3839] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
35	1 Pump Rotor with motoreductor Pump Rotor with motoreductor; Pump Rotor; Manufacturer PCM; Model MV2 6L10; Number 207629; Year 2007; Reference R17793; Flow rate 1.25 m3/h; Max pressure 10b; Reducer; Manufacturer LEROY SOMER; Model VARMECA; Type CB 3131 B5 BS; Serial number 400139926/001; Speed range 93.4 to 654min1; Reduction coefficient 3.44; Engine; Manufacturer LEROY SOMER; Model VARMECA; Type LS80L T; Serial Number GA00529XJ; Protection level IP55; Speed 1425min1; Weight 10kg; Overall dimensions (LxWxH) 920x190x310mm; ref [3840] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

36	Tape dispenser SCHNEIDER, SM500, year built 2007, serial number 50140416, Tape dispenser; Box closed above and below simultaneously; Dimensions des cartons (LxWxH) [limitless]x500mmx500mm; Minimal inn space between treads 90mm; Adhesive width 50mm ; Overall dimensions (LxWxH) 1250x720x1350mm; ref [3845] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	
37	Tape dispenser SCHNEIDER, SM500, year built 2006, serial number 80106, Tape dispenser; Box closed above and below simultaneously; Dimensions des cartons (LxWxH) [limitless]x500mmx500mm; Minimal inner space between treads 90mm; Adhesive width 50mm; Overall dimensions (LxWxH) 1250x720x1350mm; ref [3846]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	
38	Conveyor Flexlink, XHBP 90R500, year built 2013, Conveyor; Conveyor belt width 105mm; Overall dimensions (LxWxH) 2500x1200x900mm; ref [3848]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	;
39	Tape dispenser SCHNEIDER, SM500, year built 2007, serial number 70411, Tape dispenser; Box closed above and below simultaneously; Dimensions des cartons (LxWxH) [limitless]x500mmx500mm; Minimal inner space between treads 90mm; Adhesive width 50mm; Overall dimensions (LxWxH) 1250x720x1350mm; ref [3849]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	
40	Roller conveyor SOCO SYSTEM, Roller conveyor; Largeur de passage 570mm; Longueur ; Min 630mm; Max 2000mm; Hauteur ; Min 650mm; Max 1100mm; Distance maximale entre deux rangées de galets 140mm; Ecart entre les galets 90mm ; ref [3850] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	
41	Conveyor Conveyor; Conveyor belt width 400mm; Overall dimensions (LxWxH) 1300x480x480mm; ref [3852] lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	,
42	Conveyor Conveyor; Conveyor belt width 200mm; Overall dimensions (LxWxH) 6200x800x820mm; ref [3855] lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	•
44	Filling machine VATRON-MAU, RVL872, year built 1998, serial number 106, Filling machine; Overall dimensions (LxWxH): 3050x1300x1600mm; ref [3859] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	e
45	Conveyor Conveyor; Conveyor belt width 200mm; Overall dimensions (LxWxH) 6200x800x820mm; ref [3861] lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	•
46	Conveyor Conveyor; Conveyor belt width 220mm; Overall dimensions (LxWxH) 4600x900x900mm; ref [3862] lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	-,

47	1	Filler PKB, ROBO, year built 1990, serial number 676, Filler; Overall dimensions (LxWxH): 2000x950x1900mm; ref [3863] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
48		Labeler PAGO, 102243, serial number 2001, Labeler; Labeling unit: PAGOmat 6AM; Overall dimensions (LxWxH): 2900x1300x1950mm; ref [3864] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
49	1	Conveyor Conveyor; Belt length 4100mm ; Belt width 90mm; Overall dimensions (LxWxH) 4300x580x150mm; ref [3865] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
50	1	Conveyor Conveyor; Belt width 100mm; Overall dimensions (LxWxH) 3000x280x850mm; ref [3867]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
52	1	Labeller COLTREGE, 940017434, year built 1994, Labeller; Format range; Conveyor spacing 0-125mm; Tread width 40mm; Marking head Collamat 3100; Overall dimensions (LxWxH) 1430x900x1400mm; ref [3880]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
53	1	Conveyor FABER, Flextoo F2-120 0, year built 2014, serial number 96965, Conveyor; Belt width 300mm; Overall dimensions (LxWxH) 1500x1200x1000mm; ref [3881]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
54	1	Conveyor FABER, FlexMove FC-10 5, year built 2014, serial number 96963, Conveyor; Belt width 100mm; Overall dimensions (LxWxH) 1050x800x900mm; ref [3882]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
55	1	Strapping machine GETRA, GETRAMATIC 2, year built 2007, serial number 71105330, Strapping machine; Cadence 27- 30 straps/minute; 850mm wide x 600mm high arch; Worktable dimensions (LxW) 1100x620mm; Overall dimensions (LxWxH) 1400x620x1550mm; ref [3884] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
56	1	Labeler PALS, BASS150HSH / FP003 / 1, year built 2007, serial number 174SP1474, Labeler; Convoy dimensions (LxW) 1500x200mm; Overall dimensions (LxWxH) 1600x1200x1500mm; ref [3886] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
57	1	Printer ZEBRA, ZT230, serial number ZT23042 – T1E000FZ, Printer; Print volume (/day) 1000 à 3000; Print width 104mm; Resolution (DPI) 203; Resolution (DOT) 8; Print type Thermal Transfer Direct Thermal; Communication interface RS232, USB; Diameter mandrel labels 25mm; Print speed 152mm/s; Overall dimensions (DxWxH) 432x242x277mm; Weight 9,1kg; ref [3887] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

59	Buffer tank 43L Buffer tank 43L; Overall dimensions (LxWxH): 750x650x820mm; ref [3890]; lot located in fleury le aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory c for dismantling and loading unpacked on tautliner 50.00)	
62	Roller conveyor rack Roller conveyor rack; Conveying width min 250mm; Conveying width max 400mm; Overall dimens (LxWxH) 2100x1000x1500mm; ref [3921]; lot located in fleury les aubrais; mandatory loading by t company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
63	Heat shrink packaging machine ITALDIBIPACK, Dibipack 4255 EV, serial number 2485, Heat shrink packaging machine; pulse we system lower blade; Maximum coil dimensions (diameter x L) 250 x 600mm; Cadence 46u/min; Welding field 420 x 550mm; Worktop height with trolley; Maximum product height 200mm; Overall dimensions (LxWxH) 2100x740x1200mm; Weight 87kg; Convoy length 400mm; ref [3922]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in ea bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	-
64	Pump WILDEN, Wilden Pump m2, Pump; Suction Lift Capability: dry lift 5,8m, primed lift 7,62m; Pump dimensions (LxWxH): 380x270x270mm; Overall dimensions (LxWxH): 500x350x900mm; ref [392- lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
65	 agitator STARO, Y110GS LABO, serial number 320600, agitator; Stem diameter 15mm; Control unit dimensions (LxWxH) 150x140x210mm; Overall dimensions (LxWxH) 3050x1300x1600mm; ref [3; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated i each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00) 	-
66	 Roller conveyor Best Flex, Roller conveyor; Roller width 575mm; Overall dimensions [minmax] (LxWxH) [1200- 3500]x730x[750-1000]mm; ref [3932]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00) 	
67	Roller conveyor Best Flex, Roller conveyor; Roller width 575mm; Overall dimensions [minmax] (LxWxH) [1200- 3500]x730x[750-1000]mm; ref [3933]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
68	Storage cabinet Storage cabinet; 1) Overall dimensions (LxDxH) 1200x500x1800mm; 2) Overall dimensions (LxDxH) 1200x550x2000mm; ref [3934]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	÷
69	Stainless steel work table Stainless steel work table; Overall dimensions (LxWxH): 1400x700x1060mm; ref [3935]; lot locate fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	əd in
70	 Printer TOSHIBA, B-SX4, serial number B-SX4T-GS20-QM-R, Printer; Print width Maximum 104 mm; Print Length Maximum 1498mm; Resolution (DPI) 203; Resolution (DOT) 8; Print type Thermal Transfer Direct Thermal; Print speed up to 254 mm/sec (10 ips); Overall dimensions (DxWxH) 460x291x308mm; Weight 18kg; ref [3936]; lot located in fleury les aubrais; mandatory loading by company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00) 	er

71	1	Overwrapper PRB, FAR XE, year built 2006, serial number 955005, Overwrapper; Overall dimensions (LxWxH): 2400x1200x1900mm; ref [3937]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
72	1	Conveyor Conveyor; Overall dimensions (LxWxH): 4600x900x900mm; ref [3938] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
73	1	Conveyor Conveyor; Conveyor belt lenght 3050mm; Conveyor belt width 90mm; Overall dimensions (LxWxH) 3080x340x820mm; ref [3939] ; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
74	1	Conveyor Conveyor; Belt width 100mm; Overall dimensions (LxWxH) 3000x280x850mm; ref [3940]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
75	1	Pump MOUVEX, HUCC 100 L2, serial number 135790, Pump; Input/output diameter 70mm; Rotation speed 2800rpm; Overall dimensions (LxWxH) 1100x450x1000mm; ref [3941]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
76	1	Capper Kugler, K708-1, year built 1999, serial number A-18039, Capper; Power supply: 3-ph 400 V / 16 A / 50 Hz; ref [3506] ; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
77	1	Case packer IMA, CP18, year built 2004, serial number 5122, Case packer; Weight 1350 kg; EC standards compliant; Maximal speed 10 cases/min; Cases format range ; "A" from 220 mm to 620 mm; "B" from 120 mm to 400 mm; "H" from 120 mm to 350 mm; Power supply 400 V, 50 Hz; Power 2,7 kW; Documentation available; ref [3632] ; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
78	1	ATEX weighing scale monitor Sartorius, ATEX weighing scale monitor; Dimensions (I x w x h) : 1250 x 1000 x 1100 mm (control stand); ref [3638] ; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
79	1	Weighing scale Sartorius, CAISL3, year built 2002, Weighing scale; Weighing range: 2-50 kg; ref [3911]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
80	1	Weighing scale Sartorius, CISL3, year built 2013, Weighing scale; Weighing range: 2-50 kg; With movable weighing support for barrel; ref [3912]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
81	1	Weighing scale Sartorius, CAISL3, year built 2002, Weighing scale; Weighing range: 2-50 kg; ref [3913] ; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in each bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
90	1	

91	Strapping machine Schneider, Strapping; ref [3822]; lot located in fleury aubrais; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
100	labeller Avery Dennison, ALX 710, year built 1996, labeller; CE compliant; Dimensions horstout (W x D x H) 620 x 400 x 650 mm; Documentation available, in French; Automatic printing of self-adhesive labels; Direct thermal printing process or thermal transfer; ref [3601]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)
102	Thermoformer barretteuse FAMAR, Thermoforming machine; incl material unwinder, thermoforming press, plug and end positioners, tray sealer; ADMV vibrating bowl and giraffe with vibrating bowl; ref [3603]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 3,000.00)
103	Conveyor Flexlink, Conveyor; Dimensions (W x D x H): 2600 x 500 x 2200 mm; For bottles 20 mL; ref [3604]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,200.00)
104	capper Hispamec, C2N, year built 1995, Capping; Equipped with two tip dispensing bowls and one lifting hopper; ref [3605]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 3,000.00)
107	Filling machine Hispamec, Monobloc C-4, year built 1995, Filling machine; Equipped with a laminar flow and a conveyor; Cadence 120 vials / min; CE compliant; Documentation available, in French; ref [3609]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5,000.00)
108	Stainless steel bowl 600L 3C France, year built 1995, Stainless steel tank 600L; 597L capacity; Operating pressure 2 bar; Conical bottom, agitator, simple envelope, on peson; Includes a Mettler Toledo balance and standard mass; Documentation available, in French; ref [3610a]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
110	Unloading station Depoting station; Stainless steel structure; Double diaphragm pump; Manufacturer Wilden; Model M1 LF; Year 1995; Flow rate 0.2 to 2.5 m3 / h; Sartorius filter sanitary housing made of stainless steel for 250 mm filter cartridge, retention threshold 0.2 μ m (max pressure 10 bar, max temperature 180 ° C); Documentation available, in French; ref [3610c]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
111	skid 4 stainless steel 630L storage tanks 3C France, year built 1995, skid 4 stainless steel 630L storage tanks; Dimensions (I x d x h) 2500 x 2000 x 2100 mm; For gaz fluid; On skid, single skin, with manholes, pressure sensors and valves; Working pressure 2 bar; Test pressure 3 bar; Calculation temperature 20°C; Weight (empty, per tank) 195kg; Documentation available, in French; ref [3611]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost in indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 4,000.00)
112	1T lift SEPM, 1T lift; Dimensions (W x D x H): 1300 x 1200 x 1400 mm; ref [3615a]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)

113	1	Depackeur Saint-Gobain Desjonqueres, Debalpack 110, year built 1995, Depackeur; ref [3615b]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
114	1	blower Hispamec, year built 1995, blower; For vials 20 mL; Dimensions (W x D x H): 1400 x 1300 x 2200 mm; ref [3616a]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)
117	1	Pneumatic loading system Mouzon, Pneumatic loading system; Dimensions (W x D x H): 1700 x 1400 x 1500 mm; Included several meters of driving; ref [3732]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5,000.00)
118	1	Pneumatic loading system Mouzon, Pneumatic loading system; Dimensions (W x D x H): 1400 x 1900 x 2500 mm; Included several meters of driving; ref [3733]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5,000.00)
119	1	Pneumatic loading system Mouzon, Pneumatic loading system; Dimensions (W x D x H): 1400 x 1900 x 2500 mm; Included several meters of driving; ref [3734]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5,000.00)
120	1	Pneumatic trolley IMS, Pneumatic trolley; Dimensions (W x D x H): 1400 x 600 x 1200 mm; Conform ATEX zone; ref [3736]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
121	1	Data matrix reading station Themis, year built 2012, Data matrix reading station; ref [3737]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)
122	1	Lifting hopper year built 1999, Lifting hopper; Dimensions (W x D x H): 1600 x 800 x 2000 mm; ref [3738]; lot located in fleury les aubrais; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
130	1	Laminar flow Euroflux, Laminar flow; total length: 2100 mm; total width: 1440 mm; total height: 540 mm; Description: Max Pressure 100kPa; Macofar n ° 2; ref [2612]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
131	1	Laminar flow Euroflux, Laminar flow; total length: 2100 mm; total width: 1440 mm; total height: 540 mm; Description: Max Pressure 100kPa; Macofar n ° 1; ref [3700]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
132		Laminar Flow Euroflux, Laminar flow; total length: 3000 mm; total width: 2800 mm; total height: 540 mm; Description: Max Pressure 100kPa; ; ref [2610]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
133	1	Laminar Flow Laminar flow; total length: 3100 mm; total width: 1400 mm; description: 4 areas 50-100PA; without content; ; ref [2611]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)

134	1	Conveyor under laminar flow Conveyor under laminar flow; ref [3701]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,000.00)
135		Laminar Flow Laminar Flow; total length: 4000 mm; total width: 1100 mm; total height: 1900 mm; description: 3 zones; ; ref [3702]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
137	1	Laminar Flow Laminar Flow; total length: 1600 mm; total width: 800 mm; total height: 2000 mm; description: without content; variable pressure; ; ref [3704]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
138	1	Laminar Flow Laminar Flow; total length: 1480 mm; total width: 900 mm; total height: 1970 mm; without content; ; ref [3705]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
139	1	Laminar Flow Comas, Laminar Flow; total length: 2080 mm; total width: 570 mm; total height: 2150 mm; Description: Max Pressure 100kPa; without content; ; ref [3708]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
140	1	Laminar Flow Euroflux, Laminar flow; total length: 2800 mm; total width: 2100 mm; total height: 540 mm; Description: Max Pressure 100kPa; ; ref [2614]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
141	1	Laminar Flow Euroflux, Laminar flow; total length: 2800 mm; total width: 2100 mm; total height: 540 mm; Description: Max Pressure 100kPa; ; ref [2613]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
142	1	Washing machine Huber, WPS/DK40, year built 1981, serial number W2019-80, Washing machine; Total width 3000 mm; Total height 2300 mm; Washing drum 8 arms, diameter 1020 mm; Capacity 32 crystallizers; 4 trolleys included; Documentation available, in French; programming cards missing ; ref [2605]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost in indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
143	1	Silicon injection machine Newamatic, year built 1981, serial number K-500-23, Silicon injection machine; Creation of a silicon film by stable silicon emulsion vaporization; Fogging, dripping and drying; Capacity 6 crystallizers per cycle; Thermostatic bath for silicon emulsion; With automatic loading conveyor and exit conveyor; AllenBradley DTAM Micro command; Documentation available, in French; Pressure monitoring screen absent ; ref [2606]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost in indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,500.00)
144	1	sterilization tunnel Bosch, TLQ T36, year built 1981, serial number T01-12 6181002701, sterilization tunnel; total length: 4000 mm; total width: 1500 mm; total height: 2400 mm; description: 330 degrees; Unidirectional flow in hot zone; 24 hour commitment rate; 5j / 7; without motor circuit-breaker and display; ref [2609]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 2,000.00)

145		sterilization tunnel Libra, Blue Galaxy 870 FL, year built 1998, serial number L97199, sterilization tunnel; Operating temperature at 330 ° C; total length: 3000 mm; total width: 2000 mm; total height: 2500 mm; missing 1 automaton card; ref [2608]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 2,000.00)
146	6 1	Manufacturing vessel EIVS Sovirel, year built 1997, Manufacturing vessel; on skid, includes temperature sensor, pressure sensor, with motor but without motor dimmer, without electrical cabinet; dimensions approx. 1x1x3m; ; ref [2600]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,600.00)
147	' 1	Manufacturing vessel EIVS Sovirel, year built 1997, serial number 01298A, Manufacturing vessel; on skid, includes temperature sensor, pressure sensor, with motor but without motor dimmer, without electrical cabinet; dimensions approx. 1x1x3m; ; ref [2601]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,600.00)
148	3 3	Lot of 3 storage tanks EIVS Sovirel, Lot of 3 storage tanks; with stainless steel structure; pumps and electrical cabinet; available documentation; ref [2602]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 1,200.00)
150) 1	air-conditioner Airwell, 1900, air conditioning; refrigerant: R407C; size: 50 x 100 x 200cm; ; ref [3721]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)
151	1	air-conditioner Airwell, 1900, air conditioning; refrigerant: R407C; size: 50 x 100 x 200cm; ; ref [3722]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)
152	2 1	flat pass flat pass; opening dimensions: 65 x 65cm; ; ref [3723]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 250.00)
153	3 1	flat pass flat pass; opening dimensions: 55 x 55 x 55cm; ; ref [3724]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 250.00)
154	• 1	flat pass flat pass; opening dimensions: 55 x 55 x 55cm; ; ref [3725]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 250.00)
156	6 1	manuvit trolley trolley manuvit; Maximum load: 300 kg; Dimensions (W x D x H): 700 x 500 x 1900 mm; ref [3742]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
157	' 1	distilled pure water tank 2000L distilled pure water tank; stainless steel: yes; double wall: yes; description: with centrifugal pump; outside diameter approx 2m; height approx on foot 2,3m; with bridge; ; ref [3727]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 6,000.00)
158	3 1	storage tank storage tank; description: diameter 1m; height 1,45m; ; ref [3728]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

162	1	Vertical pump Salmson, Hydroplus, year built 2006, Vertical pump; Frequency converter; ref [3782]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
163	1	Vertical pump Hilge, Euro-Hygia-I-Adapta, Vertical pump; Design flow: 14 m3/h; Manometric height: 40 m; ref [3783]; lot located in st maur des fosses; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
200	1	Screwdriver - Sorter - Capper ZALKIN, CA3/360NG, year built 2005, serial number 24157, Screwdriver - Seamer - Capper; Introductory screw; Rotary machine with 3 heads; Nitrogen injection system on the screw and dispensing star; Left / right direction; Cadence min / max 4000 to 6000 Bph; Capsule dispenser in the upper part; MODICON TSX Nano PLC; Electric height adjustment SNC type CRMI 40 / F / 70 (0.25kW); USOCOME SEW motor type DV100 M4 BM GHR (2.2kW); ROSSI reducer type RV100, 1/25; Inductive detector for the presence of vial in the feed screw; Photocell for detecting missing vials and stuffing .; Conveyor ; Chain 82.6x4mm; Worktop height 1000mm; Length 2000mm; Overall dimensions (LxWxH) 2700x2000x2600mm; Power 400V three-phase, 50Hz; Complete documentation, some spare parts, a complete set of tooling formats and screw heads.; ref [2950]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
201	1	cartoning machine Zanasi, K 400, year built 1988, serial number 456785, cartoning machine; Dimensions horstout (WxDxH) approximately 6000 x 2150 x 1675 mm; Mass about 2500 kg; Documentation available; For trays; Introduction of folded record; Old format cases 31 x 31 x 60 mm (bottles diameter 16.25 mm height 34.5 mm); Format range; Min 25 x 12 x 60 mm; Max 80 x 50 x 200 mm; Mechanical rate of the machine 380 cases / minute; ref [637]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
202	1	Horizontal cartoner CAM , PRX.18, serial number 12574 PRX.18, Horizontal cartoner; Dimensions horstout (W x D x H) approximately 2150 x 1500 x 1640 mm; Manual documentation of instructions + electrical diagrams + manual spare parts (in Italian); Power supply 380 V / 50 Hz; Total power 1.94 kW; Air consumption 17 NL / min; For blisters, tubes, flasks; Previous use put in a case of tubes; Range of formats holsters; A from 15 to 90 mm; B from 12 to 50 mm; C from 50 to 200 mm; Speed between 20 and 120 counts / minute; Distribution flat records; ref [1023]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
203	1	Horizontal cartoner CAM , PRX 8, year built 1986, serial number c 12081.PRX.8, Horizontal cartoner; Dimensions horstout (W x D x H) approximately 2150 x 1500 x 1640 mm; Documentation available in French (instruction manual + electrical diagrams + manual spare parts); Power supply 380 V / 50 Hz; For the following products blisters, tubes, flasks; Previous use put in a case of tubes; Total power 1.94 kW; Air consumption 17 NI / min; Range of formats holsters; A from 15 to 90 mm; B from 12 (or 15) to 50 mm; C from 50 to 200 mm; Speed of 20 to 120 strokes / minute; Distributor of flat records; ref [1030]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
204	1	cartoning machine CAM, HF77, serial number 13079.HF77.13, cartoning machine; Dimensions horstout (WxDxH) approximately 5600 x 1600 x 2000 mm; Documentation available; Range of formats; At 20mm to 70mm; B 12mm to 70mm; C 50mm to 200mm; A + B max 140 mm; Mechanical speed up to 300 strokes / min; Distribution records; Previous use set in syrup bottle case; ref [1041]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

205		Horizontal cartoner CAM, HF77, year built 1981, serial number 2SHF77.c520.27, Horizontal cartoner; For flasks; Documentation available; Cadence 80 cpm (up to 140); Range of cases; Mini 20 x 12 x 55 mm; Max. 70 x 70 x 200 mm; Laetus Multiline Display Control; Dimensions horstout (wxdxh) approx. 5000 x 1600 x 1800 mm; Distribution records; ref [2105]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
206	1	cartoning machine CAM, HF 2.9, year built 1990, serial number C.13079, cartoning machine; Overall dimensions (LxWxH): 4000 x 1700 x 1800 mm; ref [2922]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)
207	1	Automatic wrapping machine Multipack, F 97 RC, year built 2003, serial number 2003018, Automatic wrapping machine; Dimensions (WxDxH) 3000 x 1200 x 1780. 700 kg .; Note the equipment does not have a shrink tunnel .; Carpet width Entry 230 mm. 300 mm output .; Working height 855 mm .; Max Dia Coils Approx 400 mm. Hub diameter 70 mm .; Power supply 400 VAC 50 Hz + T + N. Installed power 4 kW; Compressed air 6 Bar. 70 NI / min; Control system; SIEMENS TP170B Touch Operator Terminal, 5.7 ", color, Siemens Simatic S7-300 PLC, CPU 315 2DP, Documentation, Instruction Manual, Operator Manual, Electrical and Pneumatic Drawings (FRA and GBR), Range of possible formats (mm); Boxes (axbxc) 12 mini x 15 mini x 300; Package (A x B x C) 30/350 x 12/200 x 50/300; Film Width 30-300. Dia Coil: 320 Max; Max. Up to 30 burds / minute;; ref [526]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)
208	1	wrapping BFB, MS 500, year built 1999, serial number 4146, wrapping; Dimensions horstout (WxDxH) approximately 2200 x 1400 x 2250 mm; Documentation available; Max speed 30 packs / minute; Siemens Simatic S5100U controller; Required air pressure 6 bar; Mass of the machine 815 kg; Old format; Product 32 x 24 x 132 mm; Burden 160 x 48 x 132 mm; Range of formats; Product; Mini 15 x 12 x 50 mm; Maxi 330 x 100 x 300 mm; Burden; Mini 60 x 30 x 50 mm; Maxi 330 x 200 x 300 mm; ref [646]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)
209	1	Bundler BFB, 3786 A, year built 1997, serial number 2449, Bundler; Dimensions horstout (W x D x H) approximately 2750 x 1500 x 1900 mm; CE compliant; Documentation available; For cases; Beach formats holsters; At 12 - 85 mm; B 10 - 85 mm; C 65 - 250 mm; Beach formats burdens; D 70 - 300 mm; E 25 - 150 mm; F 65 - 250 mm; ref [2107]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)
210	1	Iabeller Neri, SL 400V, year built 1999, serial number MSAA 06401, labeller; Dimensions horstout (WxDxH) approximately 1000 x 800 x 1800 mm; Available documentation (Italian and French); Power supply 3ph 400V / 50 Hz; For cases; Range of formats holsters; Min length 20 / max 120 mm; Width min 65 / max 220 mm; Height min 13 mm / max 100 mm; Max width of labels 50 mm; Max speed per hour, 20,000 / length holsters; Siemens OP7 operator terminal; Zebra 170PAX Series Printing System; ref [1969]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
211	1	Bottle labeling machine COLTREGE SYSTEMES, C300, year built 1999, serial number 990048289, Bottle labeling machine; Cadence 40cps / min; Product formats; 5 to 220ml; Height 23 to 90mm; Weight 5 to 660g; COLLAMAT 8600 labeling system; Dispersion speed 1 to 50m / min; Label width max 95mm or 160mm; Max diameter of 250mm or 250mm label roll; SIEMENS S7300 controller; SIMATIC TP27 display; Overall dimension (LxWxH) 1900x1200x1900mm; Power 230V, 50Hz, 20A; ref [3418]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)

212	wrapping BFB, MS 500, year built 1988, serial number 1708, wrapping; Cadence up to 30 burds / minute; Dimensions horstout (W x D x H) approximately 2850 x 1200 x 1850 mm; Case dimensions; Min / ength 15mm / 300mm; Width min / max 50mm / 300mm; Height min / max 12mm / 100mm; Dimensions burden; Min / max length 60mm / 300mm; Width min / max 60mm / 300mm; Height mi nax 30mm / 200mm; Technical file / Electrical diagrams; ref [448]; lot located in gidy; mandatory oading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling so oading unpacked on tautliner 150.00)	in /
213	wrapping BFB, MS 500 S, year built 1996, serial number 3335, wrapping; ESA VT420L Music Stand; Sieme Simatic S5 controller; Cadence up to 30 burds / minute; Case dimensions; Min / max length 15mm 300mm; Width min / max 50mm / 280mm; Height min / max 12mm / 85mm; Dimensions burden; M nax length 60mm / 300mm; Width min / max 60mm / 280mm; Height min / max 30mm / 170mm; Dimensions (WxDxH) approximately 2400 x 1400 x 2000 mm; Electrical diagrams; EC declaration conformity; Use and maintenance manual; ref [456]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)	n / /lin /
214	Marking module SEF Touraine, Data matrix, year built 2009, Marking module; Cadence mini / max 50 to 220 cases ; Linear speed 60 m / min .; 1 PLC PLC model SIEMENS STEP 7 V5.4; 1 HMI display model GP PRO EX2.2; Fault signaling cylinder and cycle in progress; Two levels of access possible; Dimens xWxH in mm 1215x1195x1920; Weight 600 Kg; CE declaration, assembly plans, circuit diagram, PLC program, functional analysis, CD documentation .; The whole is composed; A lower conveyor driven by an asynchronous motor equipped with an encoder for managing the tracking of the boxes upper conveyor driven by an asynchronous motor equipped with an encoder for managing the mar A blowing ejection system for the disposal of boxes declared bad; A blowing ejection system allow he sampling of good boxes; A contrast reader for controlling the marking; The location for a SYST <i>v</i> ision system; DOMINO printer; DOMINO setting screen; ref [1202]; lot located in gidy; mandatory oading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling a oading unpacked on tautliner 100.00)	sions s; An king; ving FECH
215	Marking module SEF Touraine, Data matrix, year built 2009, serial number 10539, Marking module; Cadence mini / 50 to 220 cases / min .; Linear speed 60 m / min .; 1 PLC PLC model SIEMENS STEP 7 V5.4; 1 I display model GP PRO EX2.2; Fault signaling cylinder and cycle in progress; Two levels of acces bossible; Dimensions LxWxH in mm 1215x1195x1920; Weight 600 Kg; CE declaration, assembly blans, circuit diagram, PLC program, functional analysis, CD documentation .; The whole is compo A lower conveyor driven by an asynchronous motor equipped with an encoder for managing the racking of the boxes; An upper conveyor driven by an asynchronous motor equipped with an encoder for managing the marking; A blowing ejection system for the disposal of boxes declared bad; A bloe ejection system allowing the sampling of good boxes; A contrast reader for controlling the marking The location for a SYSTECH vision system; DOMINO printer; DOMINO setting screen; ref [1206]; occated in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid Mandatory cost for dismantling and loading unpacked on tautliner 100.00)	HMI ss osed; oder owing l;
216	abeller SFE, HP75, year built 1990, serial number 493, labeller; Dimensions horstout (WxDxH) approxima 100 x 1100 x 2000 mm; Documentation instructions for use in French, electrical diagrams; Hot Stamper Printmaster 1000 (from Open Date); Printing area 25 x 50 mm; Print rate up to 1000 minu Ribbon dimensions 57 mm x 305 meters long; ref [1201]; lot located in gidy; mandatory loading by company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)	utes;
217	Giraffe Sortotec, ST-VBB 15 744-05, year built 1996, serial number 96/110-051 V, Giraffe; Overall dimens WxDxH): approximately 1800 x 700 x 1900 mm; ref [1870]; lot located in gidy; mandatory loading he company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)	by

218	1	Giraffe Giraffe; 2000 x 1000 x 2300 mm; ref [1965]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
219	1	Giraffe Giraffe; Overall dimensions (WxDxH): approximately 1650 x 750 x 2000 mm; ref [1966]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
220	1	Vignetteuse AVERY DENNISON, ALX 720, year built 2001, serial number OB26850, Vignetteuse; 3 conveyor belts including 2 vertical conveyors and 1 horizontal conveyor; Belt width vertical conveyors 45mm; Conveyor belt width horizontal 95mm; Motor conveyors LENZE type 13.121.55.3.20, 0.2kW, 3000min1; Dimensions horstout (Lxlxh) approx. 1400x950x1350mm; Power 600W, 230V, 4A; ref [3192]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
221	1	Labeling Zetes, Zebra PAX 4, year built 2011, serial number Z3iB 11152A, Labeling; Dimensions horstout (wxdxh) about 1400 x 1100 x 1650 mm; Documentation not available; Siemens TD 200 display; Power supply 230 V / 16 A / 50 Hz; Power 1 kW; Weight 370 kg; ref [963]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
222	1	labeller Avery Dennison, système étiquetage ALS 204, year built 2010, serial number 4539991, labeller; without control panel; ref [2305]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
223	1	Dépackeuse VM SYSTEM, DESP. VID, year built 1998, serial number 1019, Dépackeuse; 42 suction cups; Carpet dimensions (LxW) 400x2180 mm; Tray dimensions (LxW) 620x550 mm; Overall Dimensions (LxWxH) 3330x1170x2300mm; Power 5kW, 380V three-phase, 10.5A; Air consumption 25 NI / min; Pressure 6 bar; Meter energized 5442.6 hours; Counter production 1348.73 hours; 2 drives ALTIVAR 18 0.75kW / 1HP; TSX Micro MODICOM controller; ref [2720]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
224	1	cartoner IKWA, CARTOPAC 80, year built 1975, serial number 31/33009, cartoner; Cadence 80 cases / min; Range format; Min (WxHxL) 20x15x55mm; Max (WxHxL) 80x60x200mm; Range of instructions 75x105mm up to 210x300mm; Distributor of instructions GUK FA21 / 4 CARTONAC 68; Dimensions horstout (LxWxH) 3050x1300x1600mm; ref [2721]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
225	1	Bowl Ideatec, year built 2010, Bowl; ref [1868]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
226	1	Bowl ADV, RVD80, year built 2009, serial number 8327, Bowl; ref [2201]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
227	1	Iabeller SFE, Visat, year built 2004, labeller; Conforms to CE standards; Laetus Argus controller; Siemens Simatic Touch control panel; Dimensions horstout (wxdxh) approx. 1800 x 1500 x 1900 mm; ref [3550]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)

228	1	blower Sicma, B01-6/301, year built 2004, serial number 200320, blower; rate max 3500 B / h; Power supply 380 PE / 50 Hz / 1.5 A; Power 0.4 kW; Dimensions (wxdxh) approx. 2600 x 1600 x 2000 mm; Mass about 800 kg; ref [3691]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
229	1	Engine Motor; Dimensions: approx. 800 x 350 x 400 mm; ref [2967]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
230	1	cabinet Cabinet Dimensions: approx. 1000 x 450 x 2100 mm; ref [3800]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
231	1	Biodecontamination system steris, VHP-1000-ARD, Biodecontamination system; Biodecontamination system; Mobile biodecontamination unit: Type: ARD230, Serial number: 022090901, Injection rate: 2 to 12 g / min, Air flow range: 14 to 34 m3 / h, Temperature range: 38 ° C, Screen of control order type "touch panel", Roll printer, Location for bottle of decontamination solution, 4 wheels with brake, Power: 230V, Single phase, 9A, 50Hz, Overall dimensions (WxDxH): 650x900x1020 mm; Disinfection gas circulation unit: Type: ARDRC230, Serial number: SP9960003, 4 wheels with brake, Power: 230V, Single phase, 1A, 50Hz, Overall dimensions (WxDxH): 600x800x1100 mm; Drying / drying tank: Type: Dryer, 2 wheels, Capacity ≈ 2000 gr, Overall dimensions (Ixwxh): 400x400x1140 mm; Hoses and equipment equipped with CAMLOCK type connection; The lot will be loaded free of charge by the seller on a truck (packaging and container loading on estimate); ref [2809]; the seller will charge the equipment on tautliner. Other type of loading or packaging on additional service; ref [2809]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
232	1	Mobile hood Mobile hood; Overall dimensions (WxDxH): approximately 2150 x 1000 x 2400 mm; Documentation: not available; Mobile: on wheels; Dial measures fouling filter 0/500 Pa; Potentiometer for adjusting the blowing speed; ref [797]; the seller will charge the equipment on tautliner. Other type of loading or packaging on additional service; ref [797]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
233	1	Laminar flow hood ADS Laminaire, MSC 12, serial number 30310161, Laminar flow hood; 2 air velocity probes; Dimension of the location of the absolute filter (LxW): 600x600mm; Dimensions of the workstation (WxDxH): 1190x580x590mm; Dimensions of the hood (wxdxh): 1360x780x1330mm; Power: 230V, 50Hz; ref [3154]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
234	1	Stainless steel tank 100 liters Stainless steel tank 100 liters; Mobile, on wheels; Opening lid; Handling handles; Drain valve at the bottom of the tank; Dimensions horstout (wxdxh) approx. 700 x 700 x 1000 mm; ref [3043]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
235	1	Stainless steel tank 100 liters Stainless steel tank 100 liters; Mobile, on wheels; Opening lid; Handling handles; Drain valve at the bottom of the tank; Dimensions horstout (wxdxh) approx. 700 x 700 x 1000 mm; ref [3045]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
236	1	Vortex shaker FISHER, ZX3, year built 2015, serial number 356119, Vortex shaker; Speed 0 to 3000 rpm; Operating mode Contact or continuous; Support diameter 4.2mm; Dimensions (WxDxH) 150x165x130mm; Power 15W, 230V, 50Hz; ref [3402]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)

237	I Labeling Harland, Sirius, serial number 67076, Labeling; ref [3690]; lot located in gidy; mandatory loading by th company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	е
238	2 Fans ebmpapst, A4E350-AP06-02, Fans; Speed: 1400rpm; ref [2875]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)	ł
239	I Coil lift FARMO RES, LIFTER 320, year built 2006, serial number Lifter-326y, Coil lift; Hydraulic lifting system by crank; Lifting stroke 1400mm; Load max 50Kg; Coil support sleeve; Diameter 50mm; Length 440mm; Dimensions (LxWxH) 1000x900x1900mm; ref [3037]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)	
240	Alternative horizontal cartoner KALIX, KPS, serial number 8628, Alternative horizontal cartoner; Conveyor width 90mm; Manufacture Min/Max format; A 20/100mm; B 20/70mm; C 50/200mm; Max speed 80 cp/min; Overall dimensions (WxDxH) 2600x1300x1450mm; Power 380V, 50Hz, 12A, 2kVA; ref [3417]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost fo dismantling and loading unpacked on tautliner 200.00)	
241	Vibrating bowl ADMV, V2M 450H, Vibrating bowl; Overall dimensions (WxDxH): 820x820x1300mm; ref [3420]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)	
242	I Titrator Mettler-Toledo, DL25, serial number K64561, Titrator; For parts (control panel is missing); Dimension (I x d x h): approx. 250 x 350 x 260 mm; ref [3591]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)	S
243	Water-bath 100deg Memmert, WB22, Water-bath 100deg; Dimensions (I x d x h): approx. 600 x 500 x 500 mm; ref [3592 lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	ː];
244	Checkweigher ANRITSU, KW534AE, year built 1996, serial number K086643, Checkweigher; Capacity 10 to 1200g Max speed 120 pieces/min; Belt width 240mm and 170mm; 2 boxes for products that have to be retreated; Overall dimensions (I x w x h); Checkweigher 700 x 800 x 1400mm; Conveyor 520 x 800 x 960mm; ref [3593]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	-
245	Gear motor Sew-Eurodrive, R17 DRS71S4BE05HR, serial number 01.1299468902.0001.09, Gear motor; Overa dimensions (I x d x h): approximately 440 x 140 x 200 mm; Documentation: not available; EC standard compliant; Type: coaxial output; Motor speed: 1380 rpm; Shaft speed: 60 rpm; Power: 0,37 kW; Torque: 59 Nm; ref [1643]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)	
252	Rotary press Kilian, RL12, serial number 43212-714, Rotary press; With a pallet of spare parts; ref [2686]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)	

253	1	Tube filler Norden, NM600, serial number 51718, Tube filler ; Overall dimensions (I x d x h) approximately 2000 x 1300 x 1800 mm; Speed 55 tubes/ mn; Format; 15 ml , tube diameter 19 mm length 85 mm; 20 ml , tube diameter 25 length 80 mm; 30 ml , tube diameter 25 length 100 mm; 50 ml tube diameter 30 length 110 mm; 40 ml tube diameter 35 length 90 mm; 75 ml tube diameter35 length 125 mm; 45 ml tube diameter 35 length 135 mm; 100 ml tube diameter 35 length 150 ml; ref [1031]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
254	1	Vial feeder ADMV, year built 2001, serial number 08359-01, Vial feeder; Documentation available; Studied for vial format 15 ml / speed approximately 115 pcs/min; Power supply 400 V 3ph + N / 50 Hz / 5 A / Power 2300 W; Pneumatic supply 6 bars; PLC TSX 3721; EC standards compliant; ref [2098]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
255	1	Syber System SYBERMAT, 14X17, year built 2009, serial number 3460, Syringe storage system; Simatec panel SIEMENS; Entrance conveyor of syringe; 2 syringe repartition unit; Air pressure 6 bar; Power 2x240V + PE, 25A; Overall dimensions (W x D x H) around 1400x1200x2100mm; ref [2252]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 2,000.00)
256	1	Tray Oven Lytzen , H1F, year built 1988, serial number A881022, Tray Oven; Temperature range 50 250 °C; ControlSystem refurbishment (2003 Schenider TSX Micro PLC. HMI Proface; External dimensions (I x d x h) approx.2500 x 1650 x 2300 mm; Internal chamber dimensions (I x d x h) 1100x 1500 x 1650 mm; Load 2 shelves of 2x13 trays (approx. 700 x 1000 mm. Trolleys + Trays not supplied); Air flow connexion Dia 100 mm; Electrical power supply 3ph 415 VAC +N+G, 50 Hz. 36 kW; Compressedair supply 6 bar. 1/4"; Cooling water connexion 3 bar. 1/2"; Technical documentation available; Total supplied 2 shelves; ref [2723]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
257	1	Tray Oven Lytzen , HI, year built 1985, serial number A851857, Tray Oven; Temperature range Amb 190 °C; External dimensions (I x d x h) approx.1955 x 1400 x 2000 mm; Internal chamber dimensions (I x d x h) 930x 1225 x 1495 mm; Load 1 shelf of 2x12 trays (approx. 500 x 700 mm. Trays not supplied); Air flow Approx. 350 m3/h; Air flow connexion Dia 100 mm; Electrical power supply 3ph 380VAC +N+G, 50 Hz. 35 kW; Cooling water connexion 3 bar. 1/2"; Technical documentation available; Total supplied 3 trolleys + 2 shelves; ref [2724]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
258	1	Hallmark washing machine HAMO, T-21, year built 2001, serial number 980000001900, Hallmark washing machine; Power 3x 400V, 3L.N.PE, 50Hz, 36.00Amps, 22.50Kw; Overall dimensions (Lx W x H) approx. 1200 x 910 x 1960 mm; With electric cabinet (dimensions 950 x 350 x 1340) ; EC standards compliant; Documentation pdf file; ref [2178]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
259	1	Posimat unscrambler Posimaster, Master10, year built 1996, serial number OC9068, Posimat unscrambler; Speed 10 000 B/H; Overalldimensions 2350 x 2150(diameter) x 2500 (height); Weight 3 000Kg; Format Variable; With electric cabinet; Documentation available (Notice, engine description, Electric drawing); ref [1889]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

260	1	Weighing station Bruno Courtois, CPMP, year built 2000, Weighing station; Internal dimensions (w x d x h) approx. 4000 x 2600 x 2200 mm; Overall dimensions (w x d x h) approx. 4110 3430 3000mm; 8 blowing filters; 4 x 2 blowing fans CHAYSOL, model DA 9/9 CM 4P; 1 recovery fan CHAYSOL model DA 9/7 CM373 w 4P; 2 Aircooled unit, model MCC 015BR, 92W, 0,41A, refrigerant R22; Electrical cabinet builtin, dimensions (WxDxH in mm) 590x300x800; Power 400V 3phases + neutral, 10kW; ref [2672]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
261	1	Sleeving machine Sleever International, Powerskinner MSA 5620 LS5, year built 1997, serial number 12/97-0117, Sleeving machine; Overall dimensions (I x d x h) approximately 3700 x 1200 x 2050; Power supply 380 V 3ph + G / 50 Hz; Free passage height 250 mm; Adjustment height mini 200 mm, maxi 550 mm; Min width 30 mm, max width 240 mm; Weight approximately 400 kg; ref [1904]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
262	1	Pure steam generator FINN AQUA, 1500 S1, year built 1995, serial number SE001056/3, Pure steam generator; Column have been changed in 2005; Technical documentation available; Max pure steam flow 1.24 T/h; Max working pressure 8.6 bar; Max working temperature 178°C; Demineralized water supply flow 1.313 m3/h; Max flow of industrial steam supply 1.481 T/h; Steam supply pressure 3 – 8 bar; Primary column volume 63.4 L; Secondary column volume 125 L; Overall dimensions (WxDxH) 1400x1000x3600mm; ref [2097]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)
263		Washing machine Comas, pour flacons, year built 1984, serial number 11984, Washing machine; ref [2230]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
264	1	Bottle blower Sicma, B01-6/301, year built 2004, serial number 200320, Bottle blower; Overall dimensions (I x d x h) approximately 2200 x 1750 x 1950 mm; Documentation available; Bottle format range; Body diameter between 25 and 100 mm; Top diameter between 9 and 35 mm; Height between 60 and 210 mm; Speed up to 3000 bottles/hour; Used formats; Diameter 42 / 23 mm – Height: 122 mm – Speed 3000 bottles/hour; Diameter 50 / 26 mm – Height: 149 mm – Speed 3000 bottles/hour; PLC Siemens Simatic S7200; Power supply 380V 3ph without neutral; Power 0,4 kW; Weight 800 kg; ref [970]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
265	1	Turbine Turbine; Overall dimensions (I x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; ref [2269]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
266	1	Turbine Turbine; Overall dimensions (I x w x h): approximately 1420 x 1250 x 1400 mm; Internal dimensions: diameter: 1200 mm; ref [2270]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
267	1	Powder filler Rovema, year built 1983, serial number 8491-50/61, Powder filler; ref [1890]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
268	1	3100 liters tank insulated for hot water storage Charot , 3015, year built 2010, 3100 liters tank insulated for hot water storage; Material carbon steel; Insulation thickness 40mm / Isoxal protection; 2 input connections and 2 output connections ND 150, with EPDM manual butterfly valves; Draining and safety valve on 1" ½ port; Overall dimensions diameter 1330 mm x height 3300 mm; ref [2642]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)

269	10	Lot of 10 stainless steel mobile trolleys Lot of 10 stainless steel mobile trolleys; External Dimensions (lxpxh) 950x1170x1700mm; Number of trays 9; Trays' dimensions (lxp) 635x1050mm; ref [219]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)
270	1	Shrink tunnel Sfere, Super-compact TL, Shrink tunnel; Speeds and temperatures adjustable with potentiometers; ref [2935]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
271	1	Shrink tunnel Sfere, Super-compact TL, Shrink tunnel; Speeds and temperatures adjustable with potentiometers; ref [2936]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
272	1	GIRAFE GIRAFE; Dimensions : approx. 2,40 x 1,20 x 2,50 m; ref [557]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
273	1	Laboratory mixer Diosna, Laboratory mixer; Overall dimensions (I x d x h) approximately 1350 x 750 x 1100 mm; Documentation not available; Vessel total volume 20 liters; Standing on three legs; Agitation turbine is missing; ref [782]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
274	1	Giraffe ADMV, Giraffe; Overall dimensions (I x d x h): approximately 2150 x 620 x 2050 mm; ref [980]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
275	1	Labeler Etiquetage 2000, VD 100.6, Labeler; ref [1803]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
276	1	Table filler for powder and granules La main d'œuvre Mecanique, ETA 78, serial number S1735, Table filler for powder and granules; Control panel, with push buttons, switches and emergency stop; Lifting column actuator LINAK – DESK LIFT 2 of 2017; Adjustable and mobile worktop height (4 wheels including two with brake); Dimensions of mobile worktop (LxWxH) 1640x700x765mm; Dimensions filling machine (WxDxH) 530x600x920mm; Missing Dosing system, hopper and agitator ; ref [1886]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
277	1	Labeler SFE , 756/4, year built 1991, Labeler ; Overall dimensions (I x d x h): approximately 1500 x 1000 x 1900 mm; ref [1955]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
278	1	Depyrogenation oven France Etuve, XL_SP1260, year built 2009, serial number D 359, Depyrogenation oven; Max temperature 280 °C; Power 400V tri + T +N, 50Hz, 49 kW; External dimensions 2100 x 1600 x 3000 mm; ref [2049]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)
279	1	Distiller Steris, 300 H5, year built 1982, Distiller; Capacity: 535 l/h; ref [2058]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
280	1	Labeler Avery, Labeler; ref [2106]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)

281	1	Girafe Girafe; Dimensions: approx. 2000 x 600 x 2100 mm; ref [2214]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
282	1	Granulator Frogerais, NGV4, Granulator; Overall dimensions approximately 900 x 800 x 1650 mm; Documentation available; Some parts are missing; ref [2911]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
283	1	Labelling system SFE, HPV1 75/2, year built 1999, serial number 2597, Labelling system; Cadence: 15000 pieces/h; Overall dimensions (LxWxH): 1500x1200x1900mm; ref [2996]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
284	1	Liquid filling machine KING, KT341, year built 1998, serial number 2515/03, Liquid filling machine; Steel chassis on wheels; A positive displacement pump driven by a DC motor; A counter to measure the filling; A timer circuit; Max speed 80 cp/min; Overall dimensions (WxDxH) 400x520x1460mm; Power 220V, 50Hz; ref [3414]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
285	1	Liquid filling machine KING, KT341, year built 1998, serial number 2515/04, Liquid filling machine; Steel chassis on wheels; A positive displacement pump driven by a DC motor; A counter to measure the filling; A timer circuit; Max speed 80 cp/min; Overall dimensions (WxDxH) 400x520x1460mm; Power 220V, 50Hz; ref [3415]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
286	1	Liquid filling machine KING, Technofill KT340, serial number 1131, Liquid filling machine; Filling capacity up to 4 liters; Impeller pump; Steel chassis on wheels; A positive displacement pump driven by a DC motor; A counter to measure the filling; A timer circuit; TECTRA Optolive BX430-250 light curtains; Overall dimensions (WxDxH) 665x730x1800mm; Power 220V, 50Hz; ref [3416]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
287	1	Case-sealer 3M, 77R - 18500, year built 1988, serial number 1705, Case-sealer; Overall dimensions (I x d x h) approximately 2550 x 1070 x 1580 mm; Documentation N/A; Power supply 380V / 50Hz / 1,4A / 240W; Two motors COEL 0,12 KW; ref [1205]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
288	1	labeler Avery, year built 2004, serial number JB 328501130, labeler; ref [1785]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
289	1	Taping machine 3M, 77R, year built 1990, serial number 77R-1975, Taping machine; Overall-dimensions L x W x H: approx. 1900 x 1050 x 1535 mm; ref [1801]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
290	1	Taping machine Siat, XL 35, serial number 7665, Taping machine; ref [2265]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

291	1	Taping machine Soco System, T-01, year built 1979, serial number 041-23, Taping machine; Overall dimensions (I x d x h): approximately 1520 x 800 x 1800 mm; ref [188]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
292	1	Lot of stainless steel crystallizers Lot of stainless steel crystallizers; 660 large version boxes: L 400 x W 200 x H 120 mm; 18 small version boxes, with a lower height; ref [422]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
293	1	Turning table Pamasol, 2024, year built 1983, serial number 5464 - 9761, Turning table; Overall dimensions (I x h): approximately 950 x 1000 mm; ref [1974]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
294	1	Liquid ring pump GARDNER DENVER, S_200 2BL2 281-0KH03-7A, year built 2009, serial number BN 10051 787 002 / 0609, Liquid ring pump; With integrated closed circuit system for operating water; Filling capacity of separator 94 liters; Min. intake pressure 30mbar abs.; Dimensions (LxWxH) 1100x800x750mm; Holding tank dimensions (LxWxH) 1200x830x80mm; Manual drain valve of the holding tank; Power 400V 3phases, 50Hz, 5.5kW, 16A; ref [2716]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
295	1	Taping machineSOCO SYSTEM, T-10, year built 1983, serial number 030-19, Taping machine; Side belt conveyorengines;LEROY SOMER type MVA 0;s/n 2R5429 and 2R3133;Reduction; Rollerconveyor 1000x480mm; Overall dimensions (WxDxH) 1670x800x1300mm; For parts; ref [2790]; lotlocated in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid(Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
296	1	Scotcheuse Siat, SM2 P, year built 1995, serial number 25473, Scotcheuse ; ref [2933]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
297	1	Scotcheuse Siat, SM2, year built 1990, serial number 13781, Scotcheuse ; ref [2934]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
298	1	Adjustable case sealer 3M, 2862, Adjustable case sealer; Dimensions (LxWxH): 1150x800x1400mm; ref [3000]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
299	1	Checkweigher Garvens, VL2, Checkweigher; Weighing capacity: 600 g; ref [3547]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
300	1	Mobile crane Mobile crane; Motor LAVERGNE type AJV21500B; Overall dimensions (WxDxH) 1400x1400x2300mm; Internal width 1240mm; ref [2953]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)
301	1	Mobile crane TRANSTECNO, VAM15, Mobile crane; Overall dimensions (WxDxH): 1500x1200x2300mm; ref [2954]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)

302	1	Mobile crane Mobile crane; ref [2955]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
303	1	Mobile Pump Leroy Somer, 7000766, Mobile Pump; Speed: 1420-1710 RPM; ref [2128]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
304	1	Bobbin stacker MANUVIT, LEV300, serial number A4803, Bobbin stacker; Lifting stroke 1150mm; Roller sleeve Length 460mm and Ø 80mm; 2 wheels with brake and 2 without brake; Lifting pedal; Maxi load 120Kg; Overall dimensions (WxDxH) 600x900x1660mm; ref [2792]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
305	1	Multicellular vertical pump GRUNDFOS, CRN2-150, year built 2004, Multicellular vertical pump; Pump speed 2900min1; Nominal flow 2.5m3/h; Stage 15; Diameter of input and output connection 59mm; Power 3Phases 220- 240/380-415V, 8.85/5.10A, CosPhi 0.86/0.79; Body of pump in stainless steel 316; ref [2820]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
306	1	Chassis for gloves testing Chassis for gloves testing; 4 posts; Dimensions (LxWxH): 1000x950x900mm; ref [3001]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
307	1	Exchanger SinapTec, Exchanger; ref [2237]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
308	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number OF0905005-1, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2702]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
309	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number OF0906005-10, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2704]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
310	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2011, serial number 1103070/2, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2705]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
311	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2706]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

312		All stainless steel lifter-manually operated DIMITRO, Elev 80, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2707]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
313	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number OF0906005-9, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2708]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
314	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number OF0906005-3, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2709]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
315	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number 901041, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2710]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
316	1	All stainless steel lifter-manually operated DIMITRO, Elev 80, year built 2009, serial number OF0906005-5, All stainless steel lifter-manually operated; Capacity 80Kg; All in stainless steel 304L; Manual lifting winch; Fall arrest system; Lifting stroke 1500mm; Carrying handle and directional wheels with brake; Dimensions of tray support (LxW) 640x370mm; Overall dimensions (LxWxH) 1950x1100x600mm; ref [2711]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
317	1	Pump Bran + Luebbe, N-P32, Pump; ref [2963]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
318	1	Motorized Archimedes' screw Ceram, Motorized Archimedes' screw; Overall dimensions (I x d x h) approx. 250 x 250 x 670 mm; Documentation not available; Power supply 3ph 230/400 VAC; Power 1,1 kW; Speed 1415 rpm; Motor LEROY SOMER; Connections diameter 62 and 110 mm; Archimedes' screw absent; ref [1782]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
319	1	Shrink tunnel SFERE-EMBALLAGE SA, TUNNEL 40.275, year built 1991, Shrink tunnel; Overall dimensions (I x d x h): approximately 1220 x 720 x 1500 mm; ref [245]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
320	1	Centrifuge pump for thermal circuit (hot/cold) Salmson, BM-LRC204B-20/9, year built 2001, serial number 5135703, Centrifuge pump for thermal circuit (hot/cold); P.S.C. type motor; speed between 2890 and 2910 rpm, depending on the voltage (cf. identification; plate); power 9,2 kW; Note supplied with gasket, cast iron impeller, but without pump body; ref [601]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

321	1	Stainless steel drum Stainless steel drum; Capacity 200 liters; Overall dimensions (I x d x h) approximately 600 x 600 x 1100 mm; Interior polished ; Working pressure Atm; Fitted lid with handles ; Lockable by clipping; Carrying handles on the sides; Comes with a mobile trolley; ref [767]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
322	1	Mobile stainless steel vessel CMA, Mobile stainless steel vessel; Volume 100L; Diameter 450mm; Total height 900mm; 4 feet and 4 wheels; DN32 bottom tapping; 1 cover with handle; ref [2733]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
323	1	Mobile stainless steel vessel Mobile stainless steel vessel; Volume 100L; Diameter 450mm; Total height 900mm; 4 feet and 4 wheels; DN32 bottom tapping; 1 cover with handle; ref [2735]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
324	1	Motor LEROY SOMER, LS100 L1, serial number 423610, Motor; Frame size: 60mm; ref [2791]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
325	1	Motor LEROY SOMER, LS132M.T, serial number L277930PD021, Motor; ref [2817]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
326	1	Volute casing pump STERLING Fluid, ZLND 100315, Volute casing pump; ATEX : \in x II 2G c T1-T5; ref [2818]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
327	7	Lot of 7 valve actuators Lot of 7 valve actuators; ref [2885]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
328	1	Valve actuators Valve actuators; ref [2893]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
329	1	Motor Motor; ref [1773]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
330	1	Diaphragm vacuum pump BEHR LABOR, MVP400, serial number 310176, Diaphragm vacuum pump; Tube : 5mm; ref [2777]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
331	1	Motor ABB Motors, M2AA 090 S-4, Motor; ref [227]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
332	1	Drum Drum; 3 bar ;with drain valve; ref [1779]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
333	1	Motor FIMM, 4RE 71B, Motor; 0,37 kW; ref [2764]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

334	1	Moteur Eurotherm, VIA 80, Moteur ; ref [2765]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
335	1	Motor LEROY SOMER, LS200LT-T, year built 2008, serial number 311530VE002, Motor; Frame size: 200mm; Puissance: 30kW; ref [2816]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
336	1	Stainless steel drum MILINOX, Stainless steel drum; Volume 10L; Diameter 245mm; Height 255mm; 2 handles and 1 cover; ref [2657]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
337	1	Stainless steel drum DECALINOX, serial number 632997, Stainless steel drum; Volume 80L; Diameter 400mm; Overall height 650mm; 2 handles; 1 manual drain valve; Cover with cap 80x95mm; ref [2658]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
338	1	Stainless steel drum Stainless steel drum; Volume 40L; Diameter 320mm; Total height 525mm; 2 handles; ref [2660]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
339	1	Stainless steel drum Stainless steel drum; Volume 60L; Diameter 380mm; Total height 530mm; 2 handles; ref [2663]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
340	1	Stainless steel drum DECALINOX, Stainless steel drum; Volume 80L; Diameter 400mm; Overall height 650mm; 2 handles; 1 manual drain valve; Cover with cap 80x95mm; ref [2664]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
341	1	150 liters stainless steel drum 150 liters stainless steel drum; ref [3137]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
342	1	100 liters stainless steel drum 100 liters stainless steel drum; The lid is missing; ref [3139]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
343	1	Vessel ALLOY PRODUCTS CORP., year built 2003, Vessel; Tank volume 30 liters; Material 316L stainless steel; Top head of the vessel; 1 oval manhole with an opening area of 0,03m2; 3 Micro- Clamp Ferrules DN14 ISO; 1 handle; 1 bottom connection with microclamp DN14 ISO; Vessel certified at 8,6 bar to 38°C in 2003; ref [2379]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
344		Stainless steel vessel Stainless steel vessel; Volume 60L; Diameter 320mm; Total height 860mm; 1 handle; 3 mini clamp connections; 1 manual tank bottom valve; Opening 100x85mm; ref [2788]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
345	2	Two valves Two valves; ref [2887]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

346	1	Monocell Monobloc pump GRUNDFOS, TP 50-160/2 A-F-A-BAQE, Monocell Monobloc pump; Nominal flow 19,7m3/h; H 12,4m; Rotation speed 2900min1; Actual diameter of the mobile wheel 110mm; Max working pressure 16 bar; Flange connection DN50 PN16; Power 1,1kW ; ref [3408]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
347	13	Humidity data loggers Tinytag, Ultra TGU-0304, Humidity data loggers; Relative humidity 0 to 95%; Connection 3pin plug for measurement; Powered by a 3,6V lithium battery, type LST14250; ref [932]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
348		Gear motor CLER, Rotodyne P5A, Gear motor; Max torque 200m/Kgs; N. low 15.4 t/m; Power 5.5 CV; Speed 1400rpm; Motor; LEROY SOMER; LSII2M.T; 4 kW; Flange connection Ø140mm; Inner shaft diameter 35/40mm; Overall height 830mm; ref [2760]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
349	2	Set of 2 transformers Legrand, Set of 2 transformers; ref [2886]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
350	1	Flexible Flexible ; ref [2968]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
351	1	Motor VEM motors, K21R 71 G2, year built 1999, Motor; 60 Hz : 3440 RPM; ref [2975]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
352	1	Gear motor CLER, Rotodyne P5A, Gear motor; Max torque 200m/Kgs; N. low 15.4 t/m; Power 5.5 CV; Speed 1400rpm; Motor; LEROY SOMER; LSII2M.T; 4 kW; Flange connection Ø140mm; Inner shaft diameter 35/40mm; Overall height 830mm; ref [2761]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
353	1	Motor ELIN, LKM-409 S02 G3B, serial number 4040147, Motor; Frame size: 50mm; ref [2794]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
354	1	Valve Valve; ref [2795]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
355	1	Motor Siemens, Motor; 60 Hz : 1115 RPM; ref [2797]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
356	2	heating belts ELTHERM, ELMC-GL01, heating belts; s/n 07/01/1784; o Year 2006; o Resistance heating elements 725 Ω ; o Sensor value 107.7 Ω ; o Dimensions; § Length 480mm; § Width 300mm; § Thickness 45mm; s/n 07/01/1784; o Year 2006; o Resistance heating elements 725 Ω ; o Sensor value 107.7 Ω ; o Dimensions; § Length 480mm; § Width 300mm; § Thickness 45mm; ref [2882]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

357	1	Lot of parts Lot of parts; Pressure regulator with filter; Compressed air filter housing; Regulator; Manual ball valve; ref [2896]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
358	1	Miscellaneous electrical equipment Miscellaneous electrical equipment; ref [2984]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
359	1	Parts for intercom Zenitel Norway, Stentofon, Parts for intercom; ref [2985]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
360	1	Mirage table WALDMANN, Mirage table; 2 fluorescent lamps; Type LPE218; Article number 112091; Quantity 5; Brightness distribution; o Emin 967Lx; o Emedium 1491Lx; o Emax 1943Lx; Overall Dimensions (Length x Width x Thickness) 368x280x100 mm; Power 230V, 50Hz, 2x18W; Type LPE215; Article number 608537; Quantity 2; Brightness distribution; o Emin 920Lx; o Emedium 1425Lx; o Emax 1900Lx; Overall Dimensions (Length x Width x Thickness) 368x280x110 mm; Power 230V, 50Hz, 2x15W; ref [3108]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)
361	1	100 liters stainless steel drum 100 liters stainless steel drum; ref [3207]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
362	1	Motor Motor; ref [3346]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
363	1	Motor Fimet, R1E MAT63A4, Motor; ref [3354]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
364	1	Heat exchangers Heat exchangers; Heat exchanger with electrical resistance; Manufacturer WASLER+CO; Model DLE; Year 2006; Serial number 212044; Working pressure 10 bar; Exchange flow 0.015m3/h; Max temperature 150°C; Power 20KW; Dimensions (LxWxH) 850x400x250mm; Plate heat exchanger; Manufacturer SWEP; Model B35Hx40/1p-sc-s 4x1; Year 2006; Serial number 2060971520246; Max working temperature 155°C; Max working pressure 31 bar; Volume of primary circuit 3.401 liters; Volume of secondary circuit 3.58 liters; Dimensions (LxWxH) 480x330x250mm; ref [3407]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
365	1	Pneumatic actuator Meca-Inox, 2GTK075S K4, year built 2006, serial number 72652, Pneumatic actuator; ref [2981]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
366	1	Rupture discRupture disc; ZOOK rupture disc; Manufacturer ZOOK; Model RAUS; Year 2013 and2014; Batch number; oN°1411205109 of 2014, quantity 3; oN°1310158257 of 2013;Material 316L/316L/EPDM; Pressure 2.6 barg at 130°C; Diameter 40mm; Rupture discBS&B Manufacturer BS & B; Model GCR-SE; Diameter DN40; Min/Max pressure3.42/4.20 bar; Material INOX 316L/EPDM; ref [3411]; lot located in gidy; mandatory loading by thecompany MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loadingunpacked on tautliner 0.00)

367	2	Manual actuator for diaphragm valve NovAseptic, NA 25/150, Manual actuator for diaphragm valve; ref [3469]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
368	1	Pump Leroy Somer, LS80L T, Pump; Overall dimensions (I x d x h): approx. 250 x 450 x 350 mm; ref [2679]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
369		dryer Nalgene, dryer; diameter 300 x 250mm; ref [3765]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
370		dryer Nalgene, dryer; diameter 300x2500mm; ref [3766]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
371	1	magnetic agitator Fisher, MR3001K, magnetic agitator; 1250rpm; 300°C; ref [3753]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
372	1	magnetic agitator Fisher, MR300K, magnetic agitator; 1250rpm; 300°C; ref [3754]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
373	1	heating magnetic agitator Fischer, FB15001, magnetic agitator; 370°C ref [3751]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
374	1	heating magnetic agitator magnetic agitator; 370°C; ref [3752]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
375	1	stove MMM, Ecocell, stove; 250°C; 55L; s/S interior; ref [3750]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
376	1	ice machine Selecline, HZB-12, ice machine; 297 x 367 x 378 mm; R134a; ref [3760]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
377	1	Syringe filler Bausch Strobel, SFM, Syringe filler; Speed: 5000 / hour; without lamineau; ref [2050-2]; the seller will load the equipments on a tautliner. Other type of loading or packaging upon additional fee; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
378	1	Spare parts for tank Spare parts for tank; Spare parts for tank; ref [2889]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
379	1	Leaflet folder GUK, FA 21/4 cartonac 91, year built 2005, serial number 5375C, Leaflet folder; Feeding width: 210mm; Formats:; Minimum (Lxl) : 90x60mm; Maximum (Lxl) : 320x210mm; Cadence: 400/min; Dimensions (LxWxH): approx. 800x700x390mm; ref[3194]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)

380	1 ALM homogenizer ALM homogenizer; Dimensions : 900 x 480 x 720 mm; ref[471]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
381	1 Glass reactor Glass reactor; 250ml glass reactor:; Manufacturer: SCHOTT DURAN; 4 grinded necks; grinded caps; 2 circular seals; clamp for cover/flask; Overall dimensions: Height 260mm and diameter 100mm; 100ml glass reactor:; Manufacturer: DURAN; 4 grinded necks; grinded caps; 1 circular seal; clamp for cover/flask; Overall dimensions: Height 210mm and diameter 100mm; ref[3221]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
382	1 Glassware Glassware; 1 glass reactor with 3 threated necks; - BELLCO; - Graduated; - 3000 liters; - 2 openings on the side of 45mm threaded with cap; - 1 central opening of 85mm, threaded with stopper pierced to integrate probe or agitator; - Total height: 300mm; 3 brown bottles of 2 liters; 1 beaker, Ø 115mm and height 220mm; ref[3261]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 25.00)
383	1 Electrophoresis mini-cell INVITROGEN, Xcell SUNLOCK, serial number 1151241-3954, Electrophoresis mini-cell; Capacity Up to two NOVEX minigels; Upper buffer chamber: 200ml for NOVEX mini-gels; Lower buffer chamber: 600ml for NOVEX mini-gels; Material: Polycarbonate; Dimensions (LxWxH): 125x144x160mm; ref[3277]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
384	1 Trolley GRUSE, FB1400, year built 2004, Trolley; Capacity: 300 kg; Dimensions (I x w x h) : 1000 x 1000 x 2050 mm; ref [3647]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)
385	1 Trolley GRUSE, FB1400, year built 2002, Trolley; Capacity: 300 kg; Dimensions (I x w x h) : 1000 x 1000 x 2050 mm; ref [3648]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)
386	1 Ball mill 100L Rousselle, Discontimill, year built 2008, Ball mill 100L; Dimensions (I x w x h) : 1300 x 600 x 1600 mm; ref [3649]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
387	 Melting kettle Transvis, year built 2002, Melting kettle; Use volume 2 x 30 L; Working pressure 2 bar; Test pressure 4.2 bar; Dimensions (I x w x h) 1400 x 900 x 1500 mm; ref [3655]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
388	1 Melting kettle Materia, year built 2006, Melting kettle; Use volume 2 x 30 L; Working pressure 1,2 bar; Test pressure 2,5 bar; Dimensions (I x w x h) 1400 x 900 x 1500 mm; ref [3657]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
389	1 Cartoner Marchesini, MA315, year built 1991, Cartoner; Weight 1800 kg; Dimensions (I x w x h) 4000 x 1350 x 2350 mm; Max speed 180 cases/minute; Format range ; Cases; A 25 – 70 / B 15 – 70 / C 71 – 200 mm; Documentation available; ref [3582]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)

390	1	Thermoforming machine Koch, KBS-PL, year built 1998, Thermoforming machine; Dimensions (I x p x h) 5800 x 1450 x 1900 mm; Electrical cabinets dimensions (I x p x h) 2200 x 400 x 1300 mm; Monitoring screen missing; ref [3640]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 500.00)
391	1	Valves Valves; 1 distributing chassis with 9 Goavec valves (Ø 75 mm) and a Boccard purging valve (Ø 50 mm); 1 distributing chassis with 9 Definox valves (Ø 75 mm); Dimensions (I x w x h) 800 x 850 x 1100 mm; 2 3ways valves Definox; 1 Boccard actuator and 2 Goavec actuators; 1 Sanders valve (Ø 50 mm); 1 Goavec valve (Ø 50 mm) mounted on pipe section; ref [3650]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
392	1	pallet elevator Alsace manutention, MR2, year built 2008, pallet elevator; Capacity 1200 kg; Dimensions (I x w x h) 1150 x 1550 x 250 mm; ref [3661]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
393	1	Dosing system SPC, UAD 2 Micro 6P7A, Dosing system; Dosing system for small volumes (up to 10 μ L) with high accuracy (0.3 to 1%); 6 injection heads; Dimensions (I x w x h) 1750 x 550 x 1650 mm; With 2 motherboards, an inverter, 9 drivers and 14 pumps; Documentation available, in french; ref [3675]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
394	1	Case Packer Cariba, AF770, year built 2015, Case Packer; Conveyor width: 100 mm; Height vertical conveyor: 140 mm; Power supply: 400V - 50 Hz; Power: 1.5 kW; Air pressure required: 6 bar; Speed: 90-100 cases/min; Documentation: available; Dimensions (I x w x h): 1900 x 1100 x 1450 mm; ref [3681]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
395	1	Alimentation table Leroy-Sommer, Alimentation table; Dimensions (I x w x h): 1100 x 1450 x 1200 mm; ref [3579]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
396	1	Roller conveyor Roller conveyor; Dimensions (I x w x h): 2000 x 800 x 800 mm; Conveyor width: 400 mm; ref [3581]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
397	1	loading hopper ADMV, Sirius, loading hopper; Dimensions (L x p x h) : 70 mm x 150 mm x 200 mm; ref [3663]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
398	1	loading hopper ADMV, Sidel, loading hopper; Dimensions (L x p x h) : 70 mm x 150 mm x 200 mm; ref [3664]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
399	1	Cartoner Marchesini, BA50, year built 1998, serial number 197000186, Cartoner; Documentation available; EC declaration of conformity; Weight 1100 kg; Max speed 70 cases/minute; Format range ; Cases; a 40 – 145 / b 20 – 80 / c 70 – 190 mm; ref [3666]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 250.00)

400	Heat tunnel SCM Technologies, year built 2007, serial number 7001, Heat tunnel; 6 hot air module LEISTER type 3300; 3300W; Minimum air flow 450 l/min; Max temperature 650°C; 1 hot air module LEISTER type ELECTRON ST 3400; Conveyor width 170mm; Max height 240mm; On wheels with brake; Overall dimensions (LxWxH) 1450x1100x2000mm; Power 230V, 50Hz, 25kW ; ref [3421]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)	
401	Mirage table WALDMANN, Mirage table; 2 fluorescent lamps; Type LPE218; Article number 112091; Quantity 5; Brightness distribution; o Emin 967Lx; o Emedium 1491Lx; o Emax 1943Lx; Overall Dimensions (Length x Width x Thickness) 368x280x100 mm; Power 230V, 50Hz, 2x18W Type LPE215; Article number 608537; Quantity 2; Brightness distribution; o Emin 920Lx; o Emedium 1425Lx; o Emax 1900Lx; Overall Dimensions (Length x Width x Thickness 368x280x110 mm; Power 230V, 50Hz, 2x15W; ref [3108b]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)	;) g
402	Mirage table WALDMANN, Mirage table; 2 fluorescent lamps; Type LPE218; Article number 112091; Quantity 5; Brightness distribution; o Emin 967Lx; o Emedium 1491Lx; o Emax 1943Lx; Overall Dimensions (Length x Width x Thickness) 368x280x100 mm; Power 230V, 50Hz, 2x18W Type LPE215; Article number 608537; Quantity 2; Brightness distribution; o Emin 920Lx; o Emedium 1425Lx; o Emax 1900Lx; Overall Dimensions (Length x Width x Thickness 368x280x110 mm; Power 230V, 50Hz, 2x15W; ref [3108c]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)	;)]
403	Mirage table WALDMANN, Mirage table; 2 fluorescent lamps; Type LPE218; Article number 112091; Quantity 5; Brightness distribution; o Emin 967Lx; o Emedium 1491Lx; o Emax 1943Lx; Overall Dimensions (Length x Width x Thickness) 368x280x100 mm; Power 230V, 50Hz, 2x18W Type LPE215; Article number 608537; Quantity 2; Brightness distribution; o Emin 920Lx; o Emedium 1425Lx; o Emax 1900Lx; Overall Dimensions (Length x Width x Thickness 368x280x110 mm; Power 230V, 50Hz, 2x15W; ref [3108e]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)	;) g
404	Mirage table WALDMANN, Mirage table; 2 fluorescent lamps; Type LPE218; Article number 112091; Quantity 5; Brightness distribution; o Emin 967Lx; o Emedium 1491Lx; o Emax 1943Lx; Overall Dimensions (Length x Width x Thickness) 368x280x100 mm; Power 230V, 50Hz, 2x18W Type LPE215; Article number 608537; Quantity 2; Brightness distribution; o Emin 920Lx; o Emedium 1425Lx; o Emax 1900Lx; Overall Dimensions (Length x Width x Thickness 368x280x110 mm; Power 230V, 50Hz, 2x15W; ref [3108f]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 5.00)	;) I

408 1 Blister machine

MARCHESINI, MB421, year built 1999, serial number 498000118, Blister; 380 V / 50 Hz voltage; Installed power 8KW; Power consumption 5kW; Air consumption 160NI / min .; Sound level 78 db; Useful surface of thermoforming; PVC 140-156 mm; PP 140-152 mm; ALU / ALU 140-150 mm; Number of blisters / cycle ¹/₄; Number of thermoforming cycles max 60; Forming depth 12 mm; Maximum number of cutting cycles 240 / min .; Ø outer coil PVC 400mm or 600mm; Ø outer coil ALU 280mm; Ø mandrel coil 7076mm; Dimension 4375x1035x1900mm; Weight 2250 Kg; Electronic control board type PROSYSTEMM; Temperature controller GEFRAN type 12009PRR000-0-1; TECHNA Operator Control Panel; Camera control equipment; Supplier PHARMA CONTROLL ELECTRONIC GmbH; Control screen type MONITOR n ° 90-0183; Control panel type VC 300 no. 60-0255; Camera absence control camera type Camera M50 No. 80-0477; Cold Group ; EROS Supplier DASSI; Model REFR GDV 40WT; Year 1999; n / a 9900076; Cooling capacity 2,2 kW; Type of cooling gas R134A; Absorbed power 1.51 kW; Refrigerated fluid Water + Glycol 15%; Fluid temperature 5 ° C to 20 ° C; Flow 6.3L / min. at 40L / min .; Max pressure 3.8 bar; Dimension 650x530x865mm; Weight 100 Kg; Full documentation .; Two pallets of spare parts .; ref [183]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

409 1 Blister machine

Marchesini, MB 420, year built 1992, serial number CC90.05, Blister machine; Overall dimensions (I x d x h) approximately 3000 x 1100 x 1900 mm; Documentation user and maintenance manual / spare parts / electrical diagrams; Weight 1050 kg; Film width from 70 to 150 mm; Blister length from 60 to 130 mm; Blister width from 30 to 85 mm; Air cells depth max 12 mm; Speed 220 cycles/minute ref [1936]; lot located in gidy; mandatory loading by the company MIPCO, the cost is indicated in every bid (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

410 1 Syringe labeling machine

Bausch & Ströbel, SME 6005, year built 1990, serial number 57761, Syringe labeling machine; Allows the insertion of labels and piston rods on single-dose syringes (self-adhesive labels only); Cadence 6000 syringes / h .; Min / max formats; Volume syringes 0.5 to 10ml; Diameter syringes 7 to 17mm; Label dispenser; LAETUS control camera; Power 220 / 380V, 50Hz, 5kW; Syringe unstacker; Manufacturer Bausch & Ströbel; SAM 6005 model; Serial number 57987; Year 1991; Cadence 12000 units / h .; Min / max formats; Container diameter 6.85 to 18mm; Container height 46.7 to 105mm; Overall Dimensions (LxWxH) 1100x1100x2400mm; Power 220 / 380V, 50Hz, 3.4kW; Distribution bowls; Manufacturer Bausch & Ströbel; VWF 651 model; Year 1990; 2 bowls of distribution of stems for single dose syringes 0.5ml; Power 220, 50Hz, 1.2kW; ref [2920]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)

411 1 thermoforming

Partena-CAM, M82 S, year built 1990, serial number S06-278, thermoforming; Overall dimensions: approximately 5400X1300X1800 mm; ref [2921]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)

412 1 Semi-automatic horizontal packager

Cermex, E722/40, year built 1991, serial number 42994, Semi-automatic horizontal packer; Semiautomatic machine with manual presentation of the box at the station; of packing; Technical file + electrical diagrams; Machine dimensions horstout (WxDxH) approximately 2400 x 1600 x 1800 mm; A box of formats; Carpet width approx. 200 mm; Possible formats on this machine; A 5 ampoules 2 ml cardboard: 405 x 180 x 166; B 5 ampoules 10 ml - carton: 505 x 250 x 236; C 10 ampoules 10 ml cardboard 505 x 225 x 236; D 10 vials 5 ml - cardboard 375 x 270 x 312; E 10 vials 10 ml - cardboard 375 x 300 x 312; F 1 bottle 230 ml - cardboard 350 x 280 x 141; ref [488]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

413	1	packer Cermex, SL 1100, year built 1989, serial number 41210, packer; Dimensions horstout (WxDxH) approximately 3850 x 2100 x 2150 mm (+ 1 pallet); Technical documentation in French; Ensures the forming of a caissecarton, the grouping of products, their introduction into the box, the closure of the flaps by gluing hot-melt .; Cadence 67 cases / minute or 1 case / minute (manufacturer's data); Telemecanique PLC TSX 47.10; Pneumatic components Festo; SEW Usocome Motors; Nordson gluing system; Incoming conveyor width 200 mm; Cardboard box dimensions; Length 250 to 550 mm; Width 150 to 380 mm; Height 125 to 325 mm; Flaps 75 to 190 mm; Product dimensions; Length 80 to 170 mm; Thickness 20 to 60 mm; Width according to the length of the boxes; ref [501]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
414	1	packer Cermex , BP 150, year built 1994, serial number 147, packer; Dimensions horstout (W x D x H) approximately 3300 x 1400 x 2200 mm; Documentation technical manual, installation guide of the PLC, electrical diagrams; For cases; Semiautomatic (manual positioning of the boxes); Omron Sysmac C28 automaton; ref [1203]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
415	1	Semi-automatic packager Cermex, E472, Semi-automatic packager; Dimensions horstout (W x D x H) approximately 1850 x 1300 x 1700 mm; Supplied with 2 conveyors; Documentation available, in French; Cadence about 200 boxes / minute; Lauer operator terminal; Telemecanique TSX 17 controller; ref [1802]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
416	1	Cassette and plasticomb loading machine Sybermat, year built 2003, serial number 3001, Cassette and plasticomb loading machine; ref [2055]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 300.00)
417	1	Filler-capper SERAC, GAIA R4E2V2 520, year built 2001, serial number 1234, Filler-capper; Without a schedule; For flasks; Potentiometer for adjusting the speed; Telemecanique TSX micro PLC; Number of star cells 16 alveoli; Primitive star diameter 520mm; Dosing station; 4 dosing cylinders, Ø5 / 6mm; Capacity cylinders dosing 4 - 16 cc; Race driving dosage 30mm; Dosing circuit valves Ball and springs; AISI 316L and VITON seals; Clogging head clamps wheel T1828; Laminar flow integrated in the filler; Camera for checking the screwing of plugs; PROFACE touch screen; Conveyor belt inlet / outlet flasks; Distance conveyor entry 316mm; Distance conveyor outlet 200mm; 82.5mm bandwidth; Overall Dimensions (LxWxH) 3300x1400x2420mm; Voltage 380 V 3ph + N + T; Power consumption 6 kW; Air consumption 30 Nm3 / h; ref [2101]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
418	1	packer Cermex, S781, year built 1985, serial number 3204, packer; Scotch type; Box size range; Length 200 to 450 mm; Width 150 to 350 mm; Depth 150 to 350 mm; Range of formats holsters; Length 75 to 150 mm; Thickness 10 to 80 mm; Width 20 to 450 mm; Max speed according to products to be treated, about 30 cases / minute; 380 V power supply; Pneumatic supply 6 bars; ref [2108]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
419	1	packer Cermex, SL 26.00, year built 1993, serial number 44920, packer; Adjustment range ; Banks; o Length 200 to 450 mm; o Width 160 to 320 mm; o Height 160 to 325 mm; o Length + maximum width 750 mm; Cases; o Length 100 to 125 mm; o Thickness 15 to 40 mm; o Width according to the length of the boxes; ref [2223]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)

420	1 Encaissseuse Cermex, SL 26.00, year built 1997, serial number 47165, Encaissseuse; Present documentation (electrical and pneumatic diagrams); Conforms to CE standards; Formats used previously; For cases 52 x 17 x 117 mm; For cases 52 x 27 x 117 mm; ref [2225]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
421	1 packer OLI, OLI 210 – OLIMAT 2P, year built 2000, serial number 12029, packer; Max rate of 20 cases / minute; Dimensions horstout (W x D x H) approximately 4700 x 1600 x 2000 mm; Documentation available; Acceptable cash formats 100 to 500 x 60 to 340 x 100 to 400 mm; Electrical cabinet; Telemecanique PLC TSX premium; Power supply 3 x 400 V + N + PE; ref [2350]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
422	 Labeling machine Pago, System 165, year built 1994, serial number 416537, Labeling; With Allen printing system; Pagomat Unwinder; Dimensions horstout (W x D x H) approximately 2900 x 1000 x 1500 mm; ref [565]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
423	8 735 liter stainless steel containers 735-liter stainless steel containers; Dimensions horstout (WxDxH) approximately 1000 x 1000 x 1100 mm; Mobile on wheels; Stainless steel lid with handles; Orifice cover with silicone stopper Dia 225mm; Drain port with 230 x 230mm silicone manual valve; ref [2640]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
424	1 Labeling machine SFE, HP tourelle, serial number 824, Labeling; Dimensions horstout (W x D x H) approximately 3100 x 1350 x 2300 mm; Documentation available in French; Videojet Dataflex Plus printer; Videojet 8.4 clarity display; Siemens Simatic S7200 controller; Was installed on a line syrup bottles, sizes 60 ml, 125 ml, 150 ml, 200 ml, 210 ml, 250 ml; ref [1040]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
425	1 bagger Sig, RMS, year built 1982, serial number 512245450, bagging; Number of sealing track 4; Diameter of the conical part of the dosing screws 13.5 mm; Granulate manufactured in wet granulation; Weight contained in the bag 4 g; Density of the product 0.9 g / ml; Theoretical dimension of the bags 62.5 x 77 mm; Double-sided bag 125 x 77 mm; Quality; Kraft paper 50 g / m ² ± 5%; Alu 9/1000 th ± 8%; Extrusion coated polyethylene 25 g / m ² ± 3 g / m ² ; ref [2354]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 200.00)
426 1	0 Container CMA, Container; ref [2229]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
427 1	0 Container CMA, Container; ref [2229]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
428 1	0 Container CMA, Container; ref [2229]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
429	5 Pack of 5 containers 200L BSI, Pack of 5 200L containers; ref [1849]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)

430	5	Pack of 5 containers 200L BSI, Pack of 5 200L containers; ref [1849]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
431	1	Labeling machine MULTIVAC, MR3212, year built 1988, serial number 6208, Labeling; Speed 50 cps / min; Label format 45x113, 34x100, 28x110, 15x96, 70x105, 105x70, 45x92, 55x92, 40x60, 18x70, 20x54, 28x119, 30x113, 20x60, 30x60, 30x170mm; Formats min / max bottles and pot Ø 20 / 71mm; Carpet width 100mm; Overall dimension (LxWxH) 2000x1180x1150mm; Power 220V, 50Hz; ref [3481]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
432		counting King, SC4, counting; Overall dimensions (Ixdxh): approx. 3000 x 1000 x 2000 mm; ref [3526]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
433		washer Strunck, RNR A01, year built 1970, washer; Overall dimensions (Ixdxh): approx. 2200 x 2000 x 1500 mm; ref [3539]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
434	1	Ceiling blowing Ceiling blowing; Overall dimensions (Ixdxh): approx. 1500 x 1100 x 1000 mm; ref [3536]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
435	1	Vigneteuse Pilot France, Vigneteuse; Omron Sysmac S6 PLC; Laetus Argus 6012 controller; Dimensions horstout (wxdxh) approx. 1400 x 1000 x 1700 mm; ref [3543]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
436	1	Roller conveyor Tecadis, Conveyor; ref [3551]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
437	1	Roller conveyor Tecadis, Conveyor; ref [3527]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
438	1	syringe for syringes Eisei, year built 2004, mireuse for syringes; with 5 pallets of sizes and spare parts; For syringes 1 ml and 2.25 ml, containing transparent solution; Maximum control treatment capacity: 18000 syringes / h; Particulate control: detection of particles in solution by static division technique (SD system); Cosmetic control: folded needle detection, broken collar, stain / leak, position, body or collar cracks, CCD camera fill level and image processing system; Weight: 4500 kg (Main block); 1000 kg (control box); Power supply: 3 phases, 200-480 V, 60 Hz; Power: 11.5 kW; Air supply: 20 I / min; 490-690 kPa; Documentation present; 5 pallets of workpiece and spare parts; ref [3637]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 150.00)
439	1	Roller conveyor Conveyor ; ref [3588]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
440	1	Roller conveyor Conveyor; Conveyor length: approx. 1100 mm / Width 400 mm / Height 850 mm; ref [3589]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)
441	1	Pump Kuenle, K11R 132 S 4/2, Pump; ref [3597]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 50.00)

443	4	Set of 4 stainless containers CMA, Lot of 4 stainless steel containers; Volume 750 L; Dimensions (W x D x H) 1000 x 1000 x 1100 mm (1 container); ref [3511]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
444	6	Set of 6 stainless steel containers 200L CMA, Set of 6 stainless steel containers 200L; Dimensions (W x D x H): 800 x 750 x 700 mm (1 container); ref [3512]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 100.00)
445	1	Projector profile Mitutoyo, Projector profile; Dimensions (W x D x H): 1050 x 800 x 1550 mm; Includes three sets of lenses (x10; x20; x50) and polarized lenses; ref [3673]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
446	1	Tray and pump Tray and pump; Dimensions (W x D x H): $600 \times 400 \times 600$ mm; ref [3901]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
447	1	Heating aeration France AIR, C200, Heated ventilation; Dimensions (W x D x H): 500 x 300 x 450 mm; ref [3907]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 10.00)
450	1	flexible Flexible; ref [2978]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
451	1	Ceiling blowing Ceiling blowing; ref [3563]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 20.00)
452	1	Cartoning machine FAMAR, A3, year built 1989, cartoning machine; Mass 2900 kg; Dimensions (W x D x H) 4900 x 1500 x 2500 mm; Cadence max 400 cycles / hour; Format beaches; At 25 - 100 / H 65 - 200 mm; A + B = 140 mm max; Documentation available, in French; ref [3575]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 400.00)
453	1	Vortex shaker Fisher, FB15024, Vortex shaker; Dimensions (WxDxH) 160 x 170 x 160 mm; Manual or continuous mode; Orbit 6 mm; Frequency 10 to 35 Hz; Power cable provided; ref [3757]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
454	1	UV lamp Fisher , VL-6.C, UV lamp; Tube 6W 254 nm; Power 12 W; With developer (dimensions approximately 300 x 300 x 300 mm); ref [3761]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
455	1	Diaphragm vacuum pump KNF, N86KN.18, serial number 2.04141754, Diaphragm vacuum pump; Dimensions (W x D x H) 100 x 200 x 150 mm; Power supply 230 V 50 Hz; Pumping capacity 6.0 I / min; Absolute vacuum 100 mbar; Overpressure 2.4 bar; Power 60 W; Weight 1.9 kg; Connection for internal Ø 4 mm pipes; ref [3762]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)
456	1	Diaphragm vacuum pump KNF, N86KN.18, serial number 2.04141760, Diaphragm vacuum pump; Dimensions (W x D x H) 100 x 200 x 150 mm; Power supply 230 V 50 Hz; Pumping capacity 6.0 I / min; Absolute vacuum 100 mbar; Overpressure 2.4 bar; Power 60 W; Weight 1.9 kg; Connection for internal Ø 4 mm pipes; ref [3763]; lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)

457	1 Lift support Elevator support; Dimensions (W x D x H): 200 x 350 x 100 mm; Maximum height: 350 mm; ref lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
458	1 Lift support Elevator support; Dimensions (W x D x H): 200 x 350 x 100 mm; Maximum height: 350 mm; ref lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
459	1 Lift support Elevator support; Dimensions (W x D x H): 200 x 350 x 100 mm; Maximum height: 350 mm; ref lot located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 0.00)	
460	 Particle counter Pamas, SVSS-C, year built 2008, Particle counter; ref [3812]; lot located in gidy; obligatory loads the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loa unpacked on tautliner 20.00) 	• •
461	1 Mobile retention tank Mobile retention bin; Dimensions (W x D x H): 550 x 750 (900 with handle) x 1000 mm; ref [3900 located in gidy; obligatory loading by the company MIPCO, the cost is indicated in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 10.00))]; lot
462	 Pallet lift Alsace manutention, MR2 1200 kg, year built 2008, Pallet lift; Dimensions (W x D x H): 1150 x 1 250 mm; ref [3908]; lot located in gidy; obligatory loading by the company MIPCO, the cost is in in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 10.00) 	
463	1 Labeling machine ALS, ALS230, year built 2005, Labeling; Equipped with a detection system PCE 260 Mini Smar Camera; ref [3910]; lot located in gidy; obligatory loading by the company MIPCO, the cost is ind in the auction (Mandatory cost for dismantling and loading unpacked on tautliner 15.00)	
500	 Refrigerated centrifuge JOUAN, GR412, serial number 29108064, Refrigerated Centrifuge: Vmax: 9990rpm; tank diam 450mm; P: 1100W; max load: 10kg to 4500rpm; Lot located in Paris (Tenon Hospital) 	eter:
501	1 Fridge ARTHUR MARTIN, AR 3319C, serial number 70100523, Refrigerator: R134a refrigerant; Flight refrig: 334dm3; Flight. net refrig: 328 dm3; Lot located in Paris (Tenon Hospital)	. gross
502	 Freezer LIEBHER, Premium 3 6129 4, Freezer: R600A refrigerant; Useful flight: 233L; Flight. gross: 262 100W; Lot located in Paris (Tenon Hospital) 	2L;
503	1 Freezer ARTHUR MARTIN, Silence AR8258 B, serial number 21000195, Freezer: R600A refrigerant; U flight refrig. : 216L; Useful flight freeze. : 92L; 200W; Lot located in Paris (Tenon Hospital)	seful
504	1 Freezer ARTHUR MARTIN, 807.27-1, Freezer: Vol. useful total: 233L; R12 refrigerant; 120W; Lot locate Paris (Tenon Hospital)	ed in
505	1 Freezer SIEMENS, Comfort plus, Freezer; Lot located in Paris (Tenon Hospital)	
506	1 Fridge LIEBHER, Profi line 2 3065 3, Refrigerator: Gross Volume: 352L; R134a refrigerant; 180w; Lot located in Paris (Tenon Hospital)	
507	1 Freezing unit LEICA, Freezing unit: 0.81kW; 14bars; Lot located in Paris (Tenon Hospital)	
508	 Refrigerated centrifuge BECKMAN, Allegra X-12R, serial number ALX06L13, Refrigerated centrifuge: 4x 750; service 02/2018; Lot located in Paris (Tenon Hospital) 	

509	1	Benchtop pipetting automat FLUIDX, XPP-721, serial number M6-3012, Bench-top pipetting automat; Lot located in Paris (Tenon Hospital)
510	1	Thermosealer ABGENE, ALPS 300, Heat sealer: 600W; 5,5bars ;; Lot located in Paris (Tenon Hospital)
511	1	Automatic pipette with stand BIOHIT PROLINE, Automatic pipette with stand: 100µl, 0.2 to 10µl, 5 to 100µl, 0.2 to 10µl; with Proline booth; Lot located in Paris (Tenon Hospital)
512	1	Automatic pipette with stand Automatic pipette with stand: 8 channels 100µl-1200µl, 1 channel 100µl-1200µl; With Raini stand; Lot located in Paris (Tenon Hospital)
513	1	Heating block GRANT, QBT2, Heating block; Lot located in Paris (Tenon Hospital)
514	1	Heating block TECHNE, ORI-BLOCK DB1, Heating block; Lot located in Paris (Tenon Hospital)
515	1	Heating block TECHNE, DB-2D DRI-BLOCK, Heating block: 400W; ; Lot located in Paris (Tenon Hospital)
516	1	Stirring plate LUCKHAM, R100/TW, Stirring plate: 30-210rotation / min; Lot located in Paris (Tenon Hospital)
517	1	pH meter VWR, pH 1000L, pH meter; Lot located in Paris (Tenon Hospital)
518	1	Rotator tube STUART, SB1, serial number 3570, Rotator tube; Lot located in Paris (Tenon Hospital)
519	1	Pulsaphor electrophoresis unit LKB, Bromma 2015, Pulsaphor electrophoresis unit; Lot located in Paris (Tenon Hospital)
520	2	2 Lot of pipettes Labsystems, Finnpipette, Pipette set: incl 1x 5-40µL; 1x 40-200µL; Lot located in Paris (Tenon Hospital)
521	3	3 Lot of pipettes Labsystems, Finnpipette, Pipette set: incl 1x 5-40µL; 2x 40-200µL; Lot located in Paris (Tenon Hospital)
522	1	Plate sealer Abgene, AB-0384/240, serial number 951/4081, Plate sealer
523	1	basket LABCAIRE, QPCR hood with UV
524	1	Multichannel pipette Transferpette, Multichannel pipette 12 of 0,5-10 ael
525	1	working bench Paillase molecular biology with sink 1.50m
526	1	working bench Paillase molecular biology 1m35
527	1	working bench Paillase molecular biology 1m50



General conditions Online Auction TroostwijkAuctions.com

1. Definitions

Website:	the website <u>www.TroostwijkAuctions.com</u> , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the the User:	the General Terms and Conditions for access to and use of Website;
General Online Auction Terms and Conditions:	n these General Terms and Conditions;
	n the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as reported on the Website for the Auction in question;
Allocation:	the declaration by the "Commissaire Priseur" of Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the participation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
 - actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.

Article 4. Organization of the Auction

4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.

- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
 - not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;

- to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;

- to take other measures that are, in its judgment, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgment of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that is higher than the previous bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by email on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. The "Commissaire Priseur" of Troostwijk then has the right not to allocate.
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced sale, this will be reported in the Specific Terms and Conditions of the Online Auction.
- 5.8 In the event that the auction occurs in the presence of a Commissaire Priseur, civil-law notary or court bailiff, he will lead the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

- 6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.
- 6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached there to Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.
- 6.3 If, in respect of the lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.
- 6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

- 7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in Euros or in another currency to be indicated by Troostwijk.
- 7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, in-creased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.
- 7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

Article 9. Delivery

- 9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.
- 9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.
- 9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).
- 9.4 The Purchaser whose Lot(s) hinder the picking up of other Lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.
- 9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).
- 9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.
- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Restrictions concerning the sale of certain lots.

- 10.1 Machines and production components are generally sold in conformity with technical specifications as well as with French legal safety norms or regulations. This conformity is attested to either by a seal of conformity (for a machine put into service after 15 January 1981 (French) Decrees 80-543 and 544) or a CE seal (machines put into service after 15 January 1993 (French) decrees 93-40) if they have not undergone significant modifications to the safety mechanisms.
- 10.2 When the item for sale does not conform to technical specifications, or to French legal safety norms or regulations, it is reminded to buyers that this item must be imperatively refurbished in regards to the above norms and/or regulations during its installation and/or use after its auction. Buyers commit to refurbish the item in conformity with their enforceable norms and/or regulations. Items are sold as spare parts.
- 10.3 Machines which are non-compliant and not dangerous are sold as unfit for production. They may be sold in the condition as seen: 1 – to an individual or legal entity where the material is not destined for use on French territory. It shall be the buyer's responsibility to conform to the legislation of the country where the material is to be used.
 - 2 to an individual or legal entity having the status of retailer, salvage dealer, re-manufacturer, scrap merchant, scrap metal dealer or

collector who commits beforehand to be responsible for and to ensure conformity to required standards, for possible assignment to a client-

3 – to any buyer as a source of spare parts and who testifies, by accepting the general and particular conditions, not to use or assign the material for production.

- 10.4 Machines which are considered dangerous ((French) Decrees dated 5 March and 24 June 1993) and non-compliant may only be sold under categories 1 and 2 of the preceding article.
- 10.5 Buyers formally commit to respect the above criteria by accepting the general and particular conditions of sale.
- 10.6 The measures contained in articles 10.1 to 10.4 are not applicable in the case of auctions by order of the court held after the vendor has been declared legally bankrupt.

Article 11. Termination

operator.

- 11.1 If the Purchaser does not fulfill any obligation in the Purchase Agreement, including (but not limited to):
 - (i) not paying the Purchase Price or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time and/or

(iii) not providing the information required before delivery, the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller. In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.

11.2 In case of termination as intended in 11.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 12. Liability

- 12.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 12.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 12.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Article 13. Adjustments; Effect

- 13.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 13.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 13.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if is fixed in writing by an authorized representative of Troostwijk.
- 13.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 14. Applicable law

- 14.1 Dutch law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 14.2 The Dutch text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages; the Dutch text will therefore be given preference in case of lack of clarity or



contradictions.

14.3 The District Court Amsterdam is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience