



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930


**ONLINE AUCTION**

**Machines for the complete food processing and packaging industrie (NL)**

**Vacuum machines, flow packers, cutting and chopping machines**

Weelweg 10E - 4414 AW Waarde  
(Veilinglocatie Goud Trading)

Closing date: Thursday **08 AUGUST** starting 14:00



**Viewing:**

Monday 05 August from 09:00 until 12:00  
Weelweg 10E - 4414 AW Waarde (The Netherlands)

*Bidding only on the internet!*

25-07-19 10.45

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 08 August 2019 Machines for the complete food processing and packaging industrie**

**Specific Online Auction Terms and conditions of a public auction sale**

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |             |          |           |          |              |           |             |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------|----------|-----------|----------|--------------|-----------|-------------|
| Closing date                               | Thursday 8 August 2019 starting 14:00 CET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |             |          |           |          |              |           |             |
| Viewing                                    | <b>Monday 5 August from 09:00 until 12:00 CET</b><br><b>Veilinglocatie Goud Trading</b><br>Weelweg 10E<br>4414 AW Waarde, The Netherlands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |             |          |           |          |              |           |             |
| Company organising this Online Auction     | TROOSTWIJK VEILINGEN B.V.<br>Overschiestraat 59<br>1062 XD Amsterdam, The Netherlands<br>Phone: +31 20 6666500<br>Fax: +31 20 6666501<br>E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |           |             |          |           |          |              |           |             |
| Markup                                     | 17.00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |             |          |           |          |              |           |             |
| VAT                                        | 21.00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |           |             |          |           |          |              |           |             |
| Margin goods                               | In case of margin goods the VAT will be 0%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |             |          |           |          |              |           |             |
| Collection                                 | <b>Friday 16 August from 09:00 until 16:00 CET</b><br><b>Veilinglocatie Goud Trading</b><br>Weelweg 10E<br>4414 AW Waarde, The Netherlands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |             |          |           |          |              |           |             |
| Viewing Instructions                       | Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.<br><br>The article of the law "purchase on distance" is not applicable on the services of Troostwijk.<br><br>Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b><br><br>To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. |           |             |          |           |          |              |           |             |
| Attending an auction closure for consumers |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |             |          |           |          |              |           |             |
| Payment Details                            | Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.<br><br>Please state the auction name and your buyer number and auction number :<br>Troostwijk Auctions BV<br><br><table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Bank      | Account nr. | IBAN nr. | BIC code. | KBC Bank | 0633 0173 10 | NL06 KRED | KREDNL2XXXX |
| Bank                                       | Account nr.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | IBAN nr.  | BIC code.   |          |           |          |              |           |             |
| KBC Bank                                   | 0633 0173 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | NL06 KRED | KREDNL2XXXX |          |           |          |              |           |             |
| Deliver instructions                       | The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |           |             |          |           |          |              |           |             |

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot                             | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Starting Bid € |
|---------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| ©                               | 1      | <b>1 vacuum machine</b><br>Supervac, GK 802B, merk: Supervac; type: GK 802B; lengte sealbalk: 1300 mm; aantal sealbalken: 1; kamer afmeting L: 1400 mm; kamer afmeting B: 1050 mm; kamer afmeting H: 200 mm; aantal kamers: 1; aansluiting: 400 V; totale afmeting L: 3550 mm; totale afmeting B: 1400 mm; totale afmeting H: 1750 mm; omschrijving: rvs; bestaande uit; transportband afm. 3550x730 mm; folie snij apparaat; vacuümeer kamer met seal balk; bedieningspaneel aan arm met touchscreen; 5,7 kW; | 1,000.00       |
| ©                               | 2      | <b>1 vacuum pump and vacuum booster blower</b><br>Rietschle, CLFH 631 V en VWP 1000, merk: Rietschle; type: CLFH 631 V en VWP 1000; aansluiting: 400 V; omschrijving: afm. pomp 1600x1000x1800 mm; afm. blower 900x800x800 mm;                                                                                                                                                                                                                                                                                 | 100.00         |
| ©                               | 3      | <b>1 foil shrink tunnel</b><br>Supervac, AT 15 E, merk: Supervac; type: AT 15 E; max. formaat L: 1000 mm; werkbreedte: 850 mm; transportband: ja; transportband afm. L: 1000 mm; transportband afm. B: 850 mm; aansluiting: 400 V; totale afmeting L: 1400 mm; totale afmeting B: 1450 mm; totale afmeting H: 1500 mm; omschrijving: transportband v.v. liftsysteem; bedieningspaneel met tiptoetsen; 45,6 kW;                                                                                                 | 100.00         |
| <b>Vacuum packaging machine</b> |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                |
|                                 | 4      | <b>1 bowl Cutter</b><br>Cato Talleres, merk: Cato Talleres; aansluiting: 400 V; totale afmeting L: 2650 mm; totale afmeting B: 1800 mm; totale afmeting H: 1450 mm; omschrijving: rvs; bowl diam. 1250 mm; v.v. bakken / kuip lift; schakelkast;                                                                                                                                                                                                                                                               | 1,000.00       |
|                                 | 5      | <b>1 tray sealer</b><br>Deca Plastic Group, S 1000, brand: Deca Plastic Group; type: S 1000; chamber dimension L: 210 mm; chamber dimension W: 160 mm; chamber dimension H: 85 mm; number of chambers: 2; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1300 mm; total dimension H: 1800 mm; description: stainless steel; film width 430 mm; incl lot of trays and sealing film;                                                                                                  | 100.00         |
|                                 | 6      | <b>1 pickle injector</b><br>Lutetia, serial number 9979, merk: Lutetia; serienummer: 9979; werkbreedte: 770 mm; aantal naalden: 300; aansluiting: 400 V; totale afmeting L: 2500 mm; totale afmeting B: 1100 mm; totale afmeting H: 2350 mm; omschrijving: rvs; v.v. rvs geschakelde ketting transportband lengte 1800x770 mm en 650x770 mm; doorvoerhoogte ca 80 mm; schakelkast;                                                                                                                             | 100.00         |
|                                 | 7      | <b>1 standard lift with tilt function</b><br>brand: Itec; type: 27000; electric connection: 400 V; description: tipping height approx. 1700 tipping height approx. 1650 mm;                                                                                                                                                                                                                                                                                                                                    | 100.00         |
|                                 | 8      | <b>1 metal detector</b><br>Safeline Mettler Toledo, V4-RAD, merk: Safeline Mettler Toledo; type: V4-RAD; werkbreedte: 340 mm; transportband: ja; transportband afm. L: 1500 mm; transportband afm. B: 340 mm; transportband afm. H: 80 mm; aansluiting: 230 V; totale afmeting L: 1500 mm; totale afmeting B: 900 mm; totale afmeting H: 1050 mm; omschrijving: rvs;                                                                                                                                           | 100.00         |
|                                 | 9      | <b>1 gut machine</b><br>electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 650 mm; total dimension H: 1650 mm; description: stainless steel; max. transmission approx. 20 mm; housing slightly dented;                                                                                                                                                                                                                                                                                 | 100.00         |
|                                 | 10     | <b>1 metal detector</b><br>Loma Systems, IQ2, merk: Loma Systems; type: IQ2; werkbreedte: 400 mm; transportband: ja; transportband afm. L: 1950 mm; transportband afm. B: 350 mm; transportband afm. H: 110 mm; aansluiting: 400 V; totale afmeting L: 1950 mm; totale afmeting B: 1100 mm; totale afmeting H: 1450 mm; omschrijving: rvs; noodstop ontbreekt; v.v. pneumatische uitschiet unit; kunststof geschakelde transportband; rvs schakelkast; rvs foutmelding product opvangkast;                     | 100.00         |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 11  | 1      | <b>metal detector</b><br>Loma Systems, IQ2, merk: Loma Systems; type: IQ2; werkbreedte: 400 mm; transportband: ja; transportband afm. L: 1900 mm; transportband afm. B: 300 mm; transportband afm. H: 130 mm; aansluiting: 400 V; totale afmeting L: 1900 mm; totale afmeting B: 1150 mm; totale afmeting H: 1550 mm; omschrijving: rvs; v.v. pneumatische uitschiet unit; kunststof geschakelde transportband; rvs schakelkast; rvs foutmelding product opvangkast;                                                    | 100.00         |
| 12  | 1      | <b>elevating conveyor</b><br>belt dim. L: 5800 mm; belt dim. W: 790 mm; total dimension L: 6000 mm; total dimension W: 1900 mm; total dimension H: 2500 mm; description: stainless steel frame; Switched plastic conveyor belt equipped with clearing vanes; stainless steel tank dimensions . 1850x2100 mm; stainless steel control box; speed controllable; 400 Volt;                                                                                                                                                 | 100.00         |
| 13  | 1      | <b>metal detector</b><br>Loma Systems, IQ3, merk: Loma Systems; type: IQ3; werkbreedte: 440 mm; transportband: ja; transportband afm. L: 2000 mm; transportband afm. B: 400 mm; transportband afm. H: 180 mm; aansluiting: 400 V; totale afmeting L: 2000 mm; totale afmeting B: 1200 mm; totale afmeting H: 1350 mm; omschrijving: rvs; v.v. pneumatische uitschiet unit; kunststof geschakelde transportband; rvs schakelkast; rvs foutmelding product opvangkast;                                                    | 100.00         |
| 14  | 1      | <b>metal detector</b><br>brand: Mettler Toledo Safeline; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 800 mm; total dimension H: 1250 mm; description: diameter diam. 55 mm;                                                                                                                                                                                                                                                                                                               | 10.00          |
| 15  | 1      | <b>flow packaging machine</b><br>brand: General System Pack; type: Confezionatrice GSP 65 S; electric connection: 400 V; description: consisting of ; supply line for trays max width 220 mm.; Max. Height 100 mm; max; foil roll holder and former max width 500 mm.; cutting unit; output conveyor belt width of 280 mm;                                                                                                                                                                                              | 100.00         |
| 16  | 1      | <b>checkweigher</b><br>Bizerba, CWE, merk: Bizerba; type: CWE; capaciteit: 3000 g; aansluiting: 230 V; omschrijving: v.v. 4 transportbanden breedte lengte 4 banden 2040 mm; max doorlaat hoogte 200 mm; precisie 0,5 g; weegplateau afm. 520x350 mm; tiptoets controlepaneel; rvs schakelkast; ticketprinter Bizerba P8000;                                                                                                                                                                                            | 100.00         |
| 17  | 1      | <b>metaaldetector</b><br>Loma Systems, Superscan Micro ISC, merk: Loma Systems; type: Superscan Micro ISC; werkbreedte: 640 mm; transportband: nee; transportband afm. L: 1900 mm; transportband afm. B: 380 mm; transportband afm. H: 300 mm; aansluiting: 400 V; totale afmeting L: 2000 mm; totale afmeting B: 1200 mm; totale afmeting H: 1350 mm; omschrijving: rvs; v.v. pneumatische uitschiet unit; transportband ontbreekt; schakelkast ontbreekt; rvs foutmelding product opvangkast; metaaldetector werkend; | 100.00         |
| 18  | 1      | <b>sloping shooting range</b><br>total dimension L: 1600 mm; total dimension W: 750 mm; total dimension H: 650 mm; description: mounted on stainless steel frame; excl;                                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 19  | 1      | <b>hygiene lock</b><br>brand: Vandevect; total dimension L: 3100 mm; total dimension W: 500 mm; total dimension H: 2200 mm; description: stainless steel wall equipped with two shoes brushes; 3 fold hands washing water / soap / disinfection;                                                                                                                                                                                                                                                                        | 100.00         |
| 20  | 1      | <b>opvoer transportband met borstels</b><br>band afm. L: 2050 mm; band afm. B: 1200 mm; totale afmeting L: 3500 mm; totale afmeting B: 1700 mm; totale afmeting H: 2350 mm; omschrijving: rvs; verrijdbaar frame; invoerstation met borstel; borstelbreedte 1150 mm; invoerband afm. 800x1180 mm; opvoertransportband v.v. meeneem bubbels; borstelunit breedte 1150 mm met uitvoer; 400 Volt;                                                                                                                          | 100.00         |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                     | Starting Bid € |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 21  | 1      | <b>transportband</b><br>Case Packing System, merk: Case Packing System; band afm. L: 1900 mm; band afm. B: 550 mm; totale afmeting L: 1900 mm; totale afmeting B: 900 mm; totale afmeting H: 750 mm; omschrijving: rvs; in de hoogte verstelbaar;                                                                                                                               | 10.00          |
| 22  | 1      | <b>drop-in cooling counter</b><br>brand: Frilixa; type: Duisburg 150; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 760 mm;                                                                                                                                                                | 10.00          |
| 23  | 1      | <b>transportband</b><br>band afm. L: 2200 mm; band afm. B: 380 mm; totale afmeting L: 2300 mm; totale afmeting B: 700 mm; totale afmeting H: 1150 mm; omschrijving: rvs; v.v. rvs geleiding; frame aan 1 zijde in de hoogte verstelbaar;                                                                                                                                        | 10.00          |
| 24  | 1      | <b>transportband</b><br>band afm. L: 3080 mm; band afm. B: 630 mm; totale afmeting L: 3080 mm; totale afmeting B: 870 mm; totale afmeting H: 830 mm; omschrijving: rvs; in de hoogte verstelbaar; ingebouwde motor;                                                                                                                                                             | 10.00          |
| 25  | 1      | <b>catering freezer</b><br>brand: Gram; total dimension L: 800 mm; total dimension W: 750 mm; total dimension H: 2000 mm; description: equipped with 3 legroosters;                                                                                                                                                                                                             | 10.00          |
| 26  | 1      | <b>transportband</b><br>band afm. L: 3080 mm; band afm. B: 630 mm; totale afmeting L: 3080 mm; totale afmeting B: 870 mm; totale afmeting H: 830 mm; omschrijving: rvs; in de hoogte verstelbaar; ingebouwde motor;                                                                                                                                                             | 10.00          |
| 27  | 1      | <b>rvs kuip met vlotter</b><br>totale afmeting L: 1240 mm; totale afmeting B: 770 mm; totale afmeting H: 1400 mm; omschrijving: gemonteerd op rvs frame; afm. kuip 1060x770x600 mm; overloop boven; afvoer onder;                                                                                                                                                               | 10.00          |
| 28  | 1      | <b>slat conveyor belt</b><br>brand: Systemate Numafa; year: 2006; belt dim. L: 3400 mm; belt dim. W: 300 mm; total dimension L: 3400 mm; total dimension W: 1100 mm; total dimension H: 900 mm; description: mounted at stainless steel mobile frame; equipped with 2x nylon sheet; driven by electric motor 400 volts;                                                         | 100.00         |
| 29  | 1      | <b>cold storage room</b><br>total dimension L: 2000 mm; total dimension W: 500 mm; description: 2 levels; 2 sections;                                                                                                                                                                                                                                                           | 10.00          |
| 30  | 1      | <b>rvs kuip met zwaar roerwerk</b><br>aansluiting: 400 V; totale afmeting L: 1220 mm; totale afmeting B: 1050 mm; totale afmeting H: 1700 mm; omschrijving: afm. kuip 1220x1050x840 mm; afvoer onder met dop;                                                                                                                                                                   | 100.00         |
| 31  | 1      | <b>krattenwasmachine</b><br>Mafo, merk: Mafo; kratafmeting L: 600 mm; kratafmeting B: 400 mm; kratafmeting H: 270 mm; automatische doorvoer: ja; aansluiting: 400 V; totale afmeting L: 3500 mm; totale afmeting B: 1000 mm; totale afmeting H: 1850 mm; omschrijving: rvs; handmatig krattenkantelsysteem bij doorvoer; v.v. verwarmingsspiraal; rvs filter; werking onbekend; | 100.00         |
| 32  | 1      | <b>rookgenerator</b><br>Gernal, merk: Gernal; totale afmeting L: 1200 mm; totale afmeting B: 850 mm; totale afmeting H: 1850 mm; omschrijving: rvs; invoerkuip met roerwerk; carrousel; rookgasuitvoeraansluiting; blower met motor;                                                                                                                                            | 10.00          |
| 33  | 1      | <b>labeller</b><br>brand: Labelmate; type: LD-100-RS; electric connection: 400 V; description: mounted on stainless steel frame; incl. transport belt dimensions . 1300x290 mm; etiketrolhouder;                                                                                                                                                                                | 10.00          |
| 34  | 1      | <b>pekkel injecteur</b><br>Stork Protection, PI 31, merk: Stork Protection; type: PI 31; werkbreedte: 300 mm; aantal naalden: 60; aansluiting: 400 V; totale afmeting L: 1500 mm; totale afmeting B: 750 mm; totale afmeting H: 1850 mm; omschrijving: rvs; doorvoerhoogte ca 100 mm;                                                                                           | 100.00         |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                           | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 35  | 1      | <b>vacuümmachine</b><br>Krämer+Grebe, 167, merk: Krämer+Grebe; type: 167; lengte sealbalk: 800 mm; kamer afmeting L: 860 mm; kamer afmeting B: 600 mm; kamer afmeting H: 100 mm; aantal kamers: 2; verrijdbaar: ja; aansluiting: 400 V; totale afmeting L: 1950 mm; totale afmeting B: 1300 mm; totale afmeting H: 1150 mm; omschrijving: 1 sealbalk per kamer; v.v. heftruck lepel sleuven;                          | 100.00         |
| 36  | 1      | <b>vacuümmachine</b><br>Delmo, merk: Delmo; lengte sealbalk: 480 mm; aantal sealbalken: 2; kamer afmeting L: 500 mm; kamer afmeting B: 600 mm; kamer afmeting H: 110 mm; aantal kamers: 1; verrijdbaar: ja; aansluiting: 400 V; totale afmeting L: 600 mm; totale afmeting B: 750 mm; totale afmeting H: 1050 mm; omschrijving: rvs;                                                                                  | 10.00          |
| 37  | 1      | <b>case sealer</b><br>brand: Siat; type: SM2; max. size: 500 mm; max. size B: 500 mm; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1500 mm;                                                                                                                                                                                                                  | 10.00          |
| 38  | 1      | <b>case sealer</b><br>brand: Siat; type: SM2; max. size: 500 mm; max. size B: 500 mm; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1500 mm;                                                                                                                                                                                                                  | 10.00          |
| 39  | 1      | <b>double 6-way ribbon conveyor</b><br>belt dim. L: 420 mm; belt dim. W: 450 mm; description: excl. drive motor;                                                                                                                                                                                                                                                                                                      | 10.00          |
| 40  | 1      | <b>vacuümmachine</b><br>Henkovac, E-203, merk: Henkovac; type: E-203; lengte sealbalk: 530 mm; aantal sealbalken: 2; kamer afmeting L: 500 mm; kamer afmeting B: 500 mm; kamer afmeting H: 150 mm; aantal kamers: 1; verrijdbaar: ja; aansluiting: 400 V; totale afmeting L: 730 mm; totale afmeting B: 750 mm; totale afmeting H: 1150 mm; omschrijving: rvs;                                                        | 100.00         |
| 41  | 1      | <b>vacuümmachine</b><br>Audionvac, VM 251G, merk: Audionvac; type: VM 251G; lengte sealbalk: 600 mm; aantal sealbalken: 4; kamer afmeting L: 600 mm; kamer afmeting B: 400 mm; kamer afmeting H: 150 mm; aantal kamers: 2; aansluiting: 400 V; totale afmeting L: 1330 mm; totale afmeting B: 640 mm; totale afmeting H: 1000 mm; omschrijving: rvs; 2 seal balken per kamer; geconditioneerd gasaansluiting;         | 100.00         |
| 42  | 1      | <b>vloerweegschal</b><br>Rhewa, 82 basic, merk: Rhewa; type: 82 basic; weegbereik min.: 10 kg; weegbereik max: 1500 kg; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 1500 mm; totale afmeting B: 1250 mm; omschrijving: incl. traanplaat optijplaat afm. 1500x1000 mm;                                                                                                                              | 100.00         |
| 43  | 1      | <b>tray sealing device</b><br>brand: Servo Wrap; type: Rapidpak; year: 2000; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 600 mm; description: max. film width 250 mm;                                                                                                                                                                                                                    | 10.00          |
| 44  | 1      | <b>foil shrink tunnel with seal unit</b><br>brand: Meurer; type: CMK/M; year: 1999; working width: 450 mm; reel holder: yes; belt conveyor: yes; belt conveyor dim. L: 800 mm; belt conveyor dim. W: 400 mm; belt conveyor dim. H: 250 mm; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 1050 mm; total dimension H: 1200 mm; description: mobile; seal unit seal beam length 2x 400 mm; | 100.00         |
| 45  | 1      | <b>vleeswolf</b><br>Berkel, HP22, merk: Berkel; type: HP22; capaciteit : 80 mm; aansluiting: 400 V; totale afmeting L: 700 mm; totale afmeting B: 430 mm; totale afmeting H: 400 mm; omschrijving: rvs; tafelmanier;                                                                                                                                                                                                  | 10.00          |
| 46  | 1      | <b>vacuum filler</b><br>Frey, K50, serial number K50/411292gu, brand: Frey; type: K50;                                                                                                                                                                                                                                                                                                                                | 100.00         |
| 47  | 1      | <b>metal detector</b><br>brand: Safeline; description: equipped with relay hopper diam. 180 mm; detection device; control unit;                                                                                                                                                                                                                                                                                       | 100.00         |
| 48  | 1      | <b>room air conditioner</b><br>brand: Uniflair; type: SDAC0351A; year: 2011; total dimension L: 850 mm; total dimension W: 450 mm; total dimension H: 1750 mm;                                                                                                                                                                                                                                                        | 100.00         |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Starting Bid € |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 49  | 1      | <b>ontzwoerdmachine</b><br>Maja, AEM 438, merk: Maja; type: AEM 438; werkbreedte: 430 mm; totale afmeting L: 770 mm; totale afmeting B: 700 mm; totale afmeting H: 1000 mm; omschrijving: rvs;                                                                                                                                                                                                                                                                    | 10.00          |
| 50  | 1      | <b>mini tractor</b><br>brand: Rasentrac; type: B110; total dimension L: 1600 mm; total dimension W: 1000 mm; total dimension H: 900 mm;                                                                                                                                                                                                                                                                                                                           | 10.00          |
| 51  | 1      | <b>plateau scale</b><br>brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; digital display: no; electric connection: 230 V;                                                                                                                                                                                                                                   | 10.00          |
| 52  | 1      | <b>nostalgic scales</b><br>brand: Molen; year: 1966; weight range min.: 50 g; weight range max: 50000 g; readability: 50 g; platform size L: 440 mm; platform size W: 470 mm; total dimension L: 500 mm; total dimension W: 640 mm; total dimension H: 1150 mm; description: clock reading;                                                                                                                                                                       | 10.00          |
| 53  | 1      | <b>Meat cutter</b><br>diameter cutting blade: 360 mm; blade sharpener: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 850 mm; total dimension H: 550 mm;                                                                                                                                                                                                                                                                         | 10.00          |
| 54  | 1      | <b>pressure washer</b><br>brand: Michelin; type: MPX 210 TLA; max. pressure: 207 bar; capacity: 570 l/hr; diesel fired: yes; mobile: yes; description: mobile; equipped with tubing and syringe; nozzles;                                                                                                                                                                                                                                                         | 10.00          |
| 55  | 1      | <b>plateau scale</b><br>brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; electric connection: 230 V;                                                                                                                                                                                                                                                        | 10.00          |
| 56  | 1      | <b>mengmixer</b><br>Cato, AP150, merk: Cato; type: AP150; aansluiting: 400 V; totale afmeting L: 1050 mm; totale afmeting B: 600 mm; totale afmeting H: 1350 mm; omschrijving: rvs; handbediende kantelbare kuip;                                                                                                                                                                                                                                                 | 100.00         |
| 57  | 1      | <b>variosteamer</b><br>brand: Electrolux; type: S33; stainless steel: yes; electric: yes; power: 15 kW; electric connection: 400 V;                                                                                                                                                                                                                                                                                                                               | 100.00         |
| 58  | 1      | <b>kookketel</b><br>totale afmeting L: 1830 mm; totale afmeting B: 1450 mm; totale afmeting H: 1200 mm; omschrijving: rvs; v.v. 2 tapkranen; incl. rvs binnenketel met verlek en handbediende sluis bodem,afm. 1430x940x780 mm;                                                                                                                                                                                                                                   | 100.00         |
| 59  | 1      | <b>luchtcompressor</b><br>Airpress, Montecarlo, merk: Airpress; type: Montecarlo; mobiel: ja; capaciteit: 10 bar; buffertank inhoud: 23 l; aansluiting: 230 V; totale afmeting L: 850 mm; totale afmeting B: 350 mm; totale afmeting H: 700 mm; omschrijving: incl. luchtslang;                                                                                                                                                                                   | 10.00          |
| 60  | 1      | <b>kistenkantelaar</b><br>Ben Langen-Mol, DKH-6, merk: Ben Langen-Mol; type: DKH-6; aansluiting: 400 V; totale afmeting L: 1300 mm; totale afmeting B: 1800 mm; totale afmeting H: 1600 mm; omschrijving: rvs; hydraulische unit;                                                                                                                                                                                                                                 | 100.00         |
| 61  | 1      | <b>metaaldetector</b><br>Lock Inspection Systems, Metaltechniek 30+, merk: Lock Inspection Systems; type: Metaltechniek 30+; werkbreedte: 350 mm; transportband afm. L: 1600 mm; transportband afm. B: 250 mm; transportband afm. H: 200 mm; aansluiting: 400 V; totale afmeting L: 1600 mm; totale afmeting B: 1000 mm; totale afmeting H: 1200 mm; omschrijving: rvs; pneumatische fout product uitschiet; rvs fout product opvzngbak; transportband ontbreekt; | 100.00         |
| 62  | 1      | <b>vleeswolf</b><br>Alitecno, merk: Alitecno; capaciteit : 130 mm; aansluiting: 400 V; totale afmeting L: 1250 mm; totale afmeting B: 900 mm; totale afmeting H: 1400 mm; omschrijving: rvs;                                                                                                                                                                                                                                                                      | 100.00         |
| 63  | 1      | <b>evaporator</b><br>brand: Eco by Luvata; type: STE31BL7ED; total dimension L: 820 mm; total dimension W: 900 mm; total dimension H: 240 mm;                                                                                                                                                                                                                                                                                                                     | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                                | Starting Bid € |
|-----|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 64  | 1      | <b>metal detector</b><br>Safeline Mettler Toledo, 50 H, merk: Safeline Mettler Toledo; type: 50 H; werkbreedte: 250 mm; transportband: ja; transportband afm. L: 600 mm; transportband afm. B: 200 mm; transportband afm. H: 140 mm; aansluiting: 400 V;                                                                                                                                                                   | 100.00         |
| 65  | 1      | <b>plateau scale</b><br>brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; digital display: no; electric connection: 230 V;                                                                                                                                                                                            | 10.00          |
| 66  | 1      | <b>metal detector</b><br>Safeline Mettler Toledo, 50 H, merk: Safeline Mettler Toledo; type: 50 H; werkbreedte: 250 mm; transportband: ja; transportband afm. L: 600 mm; transportband afm. B: 200 mm; transportband afm. H: 140 mm; aansluiting: 400 V;                                                                                                                                                                   | 100.00         |
| 67  | 1      | <b>traysealmachine</b><br>Ilpra, Foodpack 400 V / G, merk: Ilpra; type: Foodpack 400 V / G; lengte sealbalk: 450 mm; aantal sealbalken: 1; kamer afmeting L: 160 mm; kamer afmeting B: 120 mm; kamer afmeting H: 70 mm; aantal kamers: 2; aansluiting: 400 V; totale afmeting L: 900 mm; totale afmeting B: 1050 mm; totale afmeting H: 1450 mm; omschrijving: rvs; 2 mallen voor 2 trays; geconditioneerd gasaansluiting; | 100.00         |
| 68  | 1      | <b>rookgenerator</b><br>Gernal, merk: Gernal; totale afmeting L: 1400 mm; totale afmeting B: 850 mm; totale afmeting H: 1850 mm; omschrijving: rvs; invoerkuip met roerwerk; carrousel; rookgasuitvoeraansluiting; blower met motor;                                                                                                                                                                                       | 10.00          |
| 69  | 1      | <b>dot machine</b><br>brand: De Gzngmaker; electric connection: 400 V; total dimension L: 1450 mm; total dimension W: 600 mm; total dimension H: 1650 mm; description: stainless steel;                                                                                                                                                                                                                                    | 100.00         |
| 70  | 1      | <b>lintzaagmachine</b><br>Bizerba, FK30, merk: Bizerba; type: FK30; rvs: ja; uitlading (discharge): 270 mm; tafel afmeting L: 720 mm; tafel afmeting B: 600 mm; aansluiting: 400 V; omschrijving: rvs; max doorlaat 300 mm;                                                                                                                                                                                                | 10.00          |
| 71  | 1      | <b>roller conveyor fourth round</b><br>description: width 400 mm; outer lane length 1100 mm; inner lane length 400 mm; without stand;                                                                                                                                                                                                                                                                                      | 10.00          |
| 72  | 1      | <b>dot machine</b><br>electric connection: 400 V; total dimension L: 1450 mm; total dimension W: 600 mm; total dimension H: 1650 mm; description: stainless steel;                                                                                                                                                                                                                                                         | 100.00         |
| 73  | 1      | <b>roller conveyor</b><br>dimension L: 2000 mm; dimension W: 500 mm; total dimension L: 2000 mm; total dimension W: 550 mm; description: without chassis;                                                                                                                                                                                                                                                                  | 10.00          |
| 74  | 1      | <b>water boiler</b><br>Stiebel Eltron, SH 150 S, merk: Stiebel Eltron; type: SH 150 S; aansluiting: 400 V; totale afmeting L: 550 mm; totale afmeting B: 500 mm; totale afmeting H: 1600 mm;                                                                                                                                                                                                                               | 10.00          |
| 75  | 1      | <b>pedal go-kart 2-person</b><br>brand: Buffalo; description: incl. trailer;                                                                                                                                                                                                                                                                                                                                               | 10.00          |
| 76  | 1      | <b>bordes</b><br>Youngman, Odd Job, merk: Youngman; type: Odd Job; aantal treden: 2; aluminium: ja; bordestrap: ja; omschrijving: dubbelzijdig; platform afm. 700x300 mm; platform hoogte 500 mm;                                                                                                                                                                                                                          | 10.00          |
| 77  | 1      | <b>lift conveyor</b><br>belt dim. L: 7200 mm; belt dim. W: 500 mm; description: stainless steel frame; height 700 - 1400 mm; driven by electric motor 400 Volt;                                                                                                                                                                                                                                                            | 100.00         |
| 78  | 1      | <b>luchtcompressor</b><br>Neumin, MC-AF-300, merk: Neumin; type: MC-AF-300; mobiel: ja; capaciteit: 10 bar; buffertank inhoud: 300 l; aansluiting: 400 V; omschrijving: horizontale luchttank;                                                                                                                                                                                                                             | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                           | Starting Bid € |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 79  | 1      | <b>plastic switched conveyor belt</b><br>belt dim. L: 1700 mm; belt dim. W: 750 mm; description: equipped with clearing vanes;<br>colour White;                                                                                                                                                                                                                                                                       | 10.00          |
| 80  | 1      | <b>conveyor ascending</b><br>brand: Viscon; year: 2005; belt dim. L: 12600 mm; belt dim. W: 500 mm; total dimension L:<br>12700 mm; total dimension W: 730 mm; description: height 200 - 900 mm; stainless steel<br>base;                                                                                                                                                                                             | 100.00         |
| 81  | 1      | <b>regaalwagen</b><br>rvs: ja; omschrijving: 20 niveaus; plaatafmeting 600x400 mm; 1 wiel defect;                                                                                                                                                                                                                                                                                                                     | 10.00          |
| 82  | 1      | <b>freezer compartment door</b><br>total dimension L: 1670 mm; total dimension H: 2240 mm; description: thickness 90 mm;<br>incl. door frame; in wooden transport frame;                                                                                                                                                                                                                                              | 100.00         |
| 83  | 1      | <b>conveyor ascending</b><br>belt dim. L: 7800 mm; belt dim. W: 700 mm; total dimension L: 7800 mm; total dimension<br>W: 880 mm; description: height 2500 - 4000 mm; steel base;                                                                                                                                                                                                                                     | 100.00         |
| 84  | 1      | <b>conveyor ascending</b><br>belt dim. L: 7800 mm; belt dim. W: 700 mm; total dimension L: 7800 mm; total dimension<br>W: 880 mm; description: height 3000 - 3500 mm; steel base;                                                                                                                                                                                                                                     | 100.00         |
| 85  | 1      | <b>conveyor ascending</b><br>year: 2010; belt dim. L: 13250 mm; belt dim. W: 600 mm; description: height 700 - 1600<br>mm; stainless steel base;                                                                                                                                                                                                                                                                      | 100.00         |
| 86  | 1      | <b>vacuümvulmachine</b><br>Cato, merk: Cato; rvs: ja; aansluiting: 400 V; totale afmeting L: 1300 mm; totale afmeting B:<br>800 mm; totale afmeting H: 1900 mm; omschrijving: rvs; tiptoets bediening; v.v. liftsysteem;<br>kniebediening;                                                                                                                                                                            | 100.00         |
| 87  | 1      | <b>crate washing machine</b><br>brand: Sudselekt; type: STB2430x400; year: 2012; crate dimension W: 240 mm; crate<br>dimension H: 400 mm; automatic feed-through: yes; electric connection: 400 V; total<br>dimension L: 2500 mm; total dimension W: 500 mm; total dimension H: 1100 mm;<br>description: stainless steel; mobile;                                                                                     | 10.00          |
| 88  | 1      | <b>crate washing machine</b><br>brand: Sudselekt; type: STB2430x400; year: 2012; crate dimension W: 240 mm; crate<br>dimension H: 400 mm; automatic feed-through: yes; electric connection: 400 V; total<br>dimension L: 2500 mm; total dimension W: 500 mm; total dimension H: 1100 mm;<br>description: stainless steel; mobile;                                                                                     | 10.00          |
| 89  | 1      | <b>vacuum packaging line / machine</b><br>brand: Dixie Union; type: Modular Dixie VAC 2700; electric connection: 400 V; total<br>dimension L: 5900 mm; total dimension W: 1000 mm; total dimension H: 1750 mm;<br>description: incl. various packaging modules / templates; foil and foil roll holder opspannen<br>max. film width approx. 500 mm; right-hand-side input; Output left equipped with cutting<br>units; | 1,000.00       |
| 90  | 1      | <b>dosing station</b><br>description: stainless steel; equipped with hopper with, wormschoefn equipped with<br>controller Aditec MRA 800; mobile;                                                                                                                                                                                                                                                                     | 100.00         |
| 91  | 1      | <b>vacuum packaging line / machine</b><br>brand: Dixie Union; electric connection: 400 V; total dimension L: 5950 mm; total dimension<br>W: 1000 mm; total dimension H: 1800 mm; description: foil and foil roll holder tightening<br>device; various plexi glass shades;                                                                                                                                             | 100.00         |
| 92  | 1      | <b>vacuümvulmachine</b><br>Risco, RS 4000/220, merk: Risco; type: RS 4000/220; rvs: ja; aansluiting: 400 V; totale<br>afmeting L: 1200 mm; totale afmeting B: 800 mm; totale afmeting H: 2100 mm;<br>omschrijving: rvs; bedieningspaneel ontbreekt; kniebediening; machine defect;                                                                                                                                    | 100.00         |
| 93  | 1      | <b>mixing machine</b><br>electric connection: 400 V; description: stainless steel mixing container at the 3-leg frame;<br>cockpit diam. 900 mm; bowl depth 800 mm; agitator; control cabinet;                                                                                                                                                                                                                         | 100.00         |



| Lot   | Number | Description                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 94    | 1      | <b>ontzwoerdmachine</b><br>Maja, EMA 500 H, merk: Maja; type: EMA 500 H; werkbreedte: 430 mm; aansluiting: 400 V; totale afmeting L: 750 mm; totale afmeting B: 770 mm; totale afmeting H: 1000 mm; omschrijving: rvs;                                                                                                   | 10.00          |
| 95    | 1      | <b>olie lekbak</b><br>Denios, PSP 2.4, merk: Denios; type: PSP 2.4; totale afmeting L: 1200 mm; totale afmeting B: 1200 mm; totale afmeting H: 270 mm; omschrijving: kunststof; cap. 225 liter;                                                                                                                          | 10.00          |
| 96    | 1      | <b>vertical storage tank</b><br>stainless steel: yes; total dimension W: 2100 mm; total dimension H: 3850 mm; description: diam. 2100 mm; height 2,750 mm; equipped with agitator; upper side panel; drain bottom; stainless steel chassis;                                                                              | 100.00         |
| 97    | 1      | <b>box closing device</b><br>brand: Racupack; type: HP15; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 1050 mm; total dimension H: 1300 mm; description: stainless steel; max. working width 180 mm; max. feed-through height 700 mm;                                                       | 100.00         |
| 98    | 1      | <b>lot of diverse</b><br>description: incl. 7x plastic nylon conductors length 2500 mm; 2x steel wire guards length 1800 mm;                                                                                                                                                                                             | 10.00          |
| 99    | 1      | <b>vertical storage tank</b><br>stainless steel: yes; manhole: yes; total dimension H: 4000 mm; description: diam. 2100 mm; height 2800 mm; equipped with manhole; drain bottom;                                                                                                                                         | 100.00         |
| © 100 | 1      | <b>olie lekbak</b><br>Asecos, W.11511, merk: Asecos; type: W.11511; totale afmeting L: 720 mm; totale afmeting B: 520 mm; totale afmeting H: 240 mm; omschrijving: kunststof; cap. 60 liter;                                                                                                                             | 10.00          |
| 101   | 1      | <b>vertical storage tank</b><br>brand: Montair Andersen; type: aanmaaktank rvs; stainless steel: yes; manhole: no; total dimension H: 4000 mm; description: diam. approx. 1500 mm; height 1200 mm; valve top; drain bottom;                                                                                              | 100.00         |
| © 102 | 1      | <b>olie lekbak</b><br>Denios, LF, merk: Denios; type: LF; totale afmeting L: 720 mm; totale afmeting B: 520 mm; totale afmeting H: 330 mm; omschrijving: kunststof; cap. 60 liter;                                                                                                                                       | 10.00          |
| © 103 | 1      | <b>olie lekbak</b><br>Denios, LF, merk: Denios; type: LF; totale afmeting L: 720 mm; totale afmeting B: 520 mm; totale afmeting H: 330 mm; omschrijving: kunststof; cap. 60 liter;                                                                                                                                       | 10.00          |
| 104   | 1      | <b>box tipper</b><br>total dimension L: 1800 mm; total dimension W: 1700 mm; total dimension H: 1100 mm; description: xxx;                                                                                                                                                                                               | 100.00         |
| 105   | 1      | <b>warm water waterslanghaspel</b><br>Raasm, 423, merk: Raasm; type: 423; omschrijving: hoge druk 100 bar; met,sput; lengte 15 meter; rvs wandhaspel;                                                                                                                                                                    | 10.00          |
| 106   | 1      | <b>minitractor</b><br>Iseki, TX1000F, merk: Iseki; type: TX1000F; versnellingsbaktype: handgeschakeld; bandenmaat voor: 4.00-9; bandenmaat achter: 7-14; totale afmeting L: 1950 mm; totale afmeting B: 950 mm; totale afmeting H: 1200 mm; omschrijving: 2 cilinder dieselmotor; hef; aftakas; verstelbare spoorbreete; | 100.00         |
| 107   | 7      | <b>various agencies</b><br>total dimension L: 2000 mm; total dimension W: 1600 mm; description: in which L-shape dimensions . 2000x1600 mm; rectangular desk table dimensions . 1800x900 mm;                                                                                                                             | 10.00          |
| 108   | 1      | <b>bordes</b><br>totale afmeting L: 1220 mm; totale afmeting B: 840 mm; totale afmeting H: 590 mm; omschrijving: profielstalen onderstel; kunststof roostervloer;                                                                                                                                                        | 10.00          |
| 109   | 1      | <b>partij trekkers en schuurborstels</b><br>omschrijving: incl. wandhaken;                                                                                                                                                                                                                                               | 10.00          |



| Lot   | Number | Description                                                                                                                                                                                                                                                       | Starting Bid € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 110   | 1      | <b>zeepstation</b><br>omschrijving: v.v. slang en spuit;                                                                                                                                                                                                          | 10.00          |
| 111   | 8      | <b>rubber sweeping mats</b><br>totale afmeting L: 1500 mm; totale afmeting B: 1000 mm;                                                                                                                                                                            | 10.00          |
| 112   | 1      | <b>bordes</b><br>totale afmeting L: 245 mm; totale afmeting B: 1220 mm; totale afmeting H: 590 mm;<br>omschrijving: profielstalen onderstel; kunststof roostervloer; zonder goederen op bordes;                                                                   | 10.00          |
| 113   | 1      | <b>spoeltafel</b><br>rvs: ja; aantal spoelbakken: 1 pcs; totale afmeting L: 1200 mm; totale afmeting B: 700 mm;<br>totale afmeting H: 900 mm; omschrijving: spoeldouche; 2 greeps mengkraan; spoeltafel<br>licht gedeukt; opstaande achterwand; rvs onderlegbord; | 10.00          |
| 114   | 1      | <b>papierrolhouder</b><br>omschrijving: max. lengte 1100 mm;                                                                                                                                                                                                      | 10.00          |
| 115   | 1      | <b>persoonlijke beveiliging</b><br>omschrijving: w.o. 2x gehoorbeschermers; gezichtsbescherming; chemische<br>handschoenen; oogdouche;                                                                                                                            | 10.00          |
| 116   | 1      | <b>magazijnstelling 2 secties</b><br>demontabel: ja; sectie afm. L: 1000 mm; sectie afm. B: 400 mm; sectie afm. H: 2000 mm;<br>aantal staanders: 3; aantal liggers: 10; omschrijving: 5 niveaus;                                                                  | 10.00          |
| 117   | 1      | <b>schoepen motor</b><br>omschrijving: diam. schoepen 550 mm;                                                                                                                                                                                                     | 10.00          |
| 118   | 1      | <b>partij dispensers en divers</b><br>omschrijving: w.o. zeep- en papier dispensers; nevelspuit inh. 5 liter;                                                                                                                                                     | 10.00          |
| 119   | 1      | <b>Cleaning car</b>                                                                                                                                                                                                                                               | 10.00          |
| 120   | 1      | <b>Cleaning car</b>                                                                                                                                                                                                                                               | 10.00          |
| 121   | 1      | <b>Cleaning car</b>                                                                                                                                                                                                                                               | 10.00          |
| 122   | 1      | <b>lot of plastic buckets</b>                                                                                                                                                                                                                                     | 10.00          |
| 123   | 3      | <b>kunststof afvalemers</b><br>omschrijving: en divers;                                                                                                                                                                                                           | 10.00          |
| 124   | 4      | <b>plastic safety signs</b>                                                                                                                                                                                                                                       | 10.00          |
| 125   | 19     | <b>various storage bins</b>                                                                                                                                                                                                                                       | 10.00          |
| 126   | 1      | <b>wastafel</b><br>rvs: ja; totale afmeting L: 1200 mm; totale afmeting B: 400 mm; omschrijving: v.v. 2<br>warerkranen met sensor; rvs achterwand;                                                                                                                | 10.00          |
| 127   | 1      | <b>strokengordijn</b><br>totale afmeting B: 2400 mm; totale afmeting H: 2900 mm; omschrijving: v.v. bevestiging; 11<br>stroken;                                                                                                                                   | 10.00          |
| 128   | 1      | <b>snelloopdeur</b><br>Indeko, Minirapid AL, merk: Indeko; type: Minirapid AL; omschrijving: reeds gedemonteerd;                                                                                                                                                  | 10.00          |
| © 129 | 1      | <b>olie lekbak</b><br>Denios, PSP 2.4, merk: Denios; type: PSP 2.4; totale afmeting L: 1200 mm; totale<br>afmeting B: 800 mm; totale afmeting H: 360 mm; omschrijving: gegalvaniseerd staal;                                                                      | 10.00          |
|       |        | <b>Oil drip trays</b>                                                                                                                                                                                                                                             |                |
| 130   | 4      | <b>diverse schakelkasten</b><br>omschrijving: w.o. met inhoud Siemens Simatic S7 300;                                                                                                                                                                             | 10.00          |
| 131   | 3      | <b>various switch boxes</b>                                                                                                                                                                                                                                       | 10.00          |
| 132   | 1      | <b>snijmachine</b><br>Berkel, 834, merk: Berkel; type: 834; messlijper: ja; aansluiting: 230 V; omschrijving:<br>incompleet;                                                                                                                                      | 10.00          |
| 133   | 1      | <b>snijmachine</b><br>Bizerba, SE 8, merk: Bizerba; type: SE 8; messlijper: ja; aansluiting: 230 V; omschrijving:<br>incompleet;                                                                                                                                  | 10.00          |



| Lot                     | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 134                     | 1      | <b>trolley</b><br>totale afmeting L: 800 mm; totale afmeting B: 490 mm; omschrijving: op 6 wielen;                                                                                                                                                                                                                                                                                                                       | 10.00          |
| 135                     | 1      | <b>haakse slijper</b><br>VDT, merk: VDT; aansluiting: 230 V; omschrijving: diam. 230 mm;                                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 136                     | 3      | <b>diverse schoepen motor</b><br>omschrijving: diam. schoepen 550 / 350 / 350 mm;                                                                                                                                                                                                                                                                                                                                        | 10.00          |
| 137                     | 3      | <b>motoren</b><br>omschrijving: w.o. 1x vacuumpomp;                                                                                                                                                                                                                                                                                                                                                                      | 10.00          |
| 138                     | 1      | <b>various softeners</b><br>Star Matic, merk: Star Matic;                                                                                                                                                                                                                                                                                                                                                                | 10.00          |
| © 139                   | 4      | <b>industrie lampen</b><br>omschrijving: 230 Volt;                                                                                                                                                                                                                                                                                                                                                                       | 10.00          |
| © 140                   | 5      | <b>industrie lampen</b><br>omschrijving: 230 Volt;                                                                                                                                                                                                                                                                                                                                                                       | 10.00          |
| © 141                   | 6      | <b>industrie lampen</b><br>omschrijving: 230 Volt;                                                                                                                                                                                                                                                                                                                                                                       | 10.00          |
| <b>Industrial lamps</b> |        |                                                                                                                                                                                                                                                                                                                                                                                                                          |                |
| 142                     | 1      | <b>controller voor weegschaal</b><br>Berkel, III, merk: Berkel; type: III; omschrijving: zonder weegschaal;                                                                                                                                                                                                                                                                                                              | 10.00          |
| 143                     | 3      | <b>switchboard</b><br>totale afmeting L: 360 mm; totale afmeting B: 150 mm; totale afmeting H: 660 mm;                                                                                                                                                                                                                                                                                                                   | 10.00          |
| 144                     | 1      | <b>vacuum pump</b><br>Interpump, WS151, merk: Interpump; type: WS151;                                                                                                                                                                                                                                                                                                                                                    | 10.00          |
| 145                     | 1      | <b>cutter</b><br>Omas, merk: Omas; diameter snijblad: 350 mm; messlijper: ja; max. snijdikte: 14 mm; aansluiting: 230 V;                                                                                                                                                                                                                                                                                                 | 10.00          |
| 146                     | 1      | <b>draadstalen opberghok</b><br>Marbett, merk: Marbett; totale afmeting L: 3100 mm; totale afmeting B: 1450 mm; totale afmeting H: 2200 mm; omschrijving: 2-deurs; plaatstalen dak; demontabel;                                                                                                                                                                                                                          | 10.00          |
| 147                     | 1      | <b>rollenbaan</b><br>rollenbaan afm. L: 1400 mm; rollenbaan afm. B: 300 mm; totale afmeting H: 800 mm; omschrijving: in de hoogte verstelbaar; rvs onderstel;                                                                                                                                                                                                                                                            | 10.00          |
| 148                     | 1      | <b>rollenbaan</b><br>rollenbaan afm. L: 1400 mm; rollenbaan afm. B: 300 mm; totale afmeting H: 800 mm; omschrijving: in de hoogte verstelbaar; rvs onderstel;                                                                                                                                                                                                                                                            | 10.00          |
| 149                     | 1      | <b>rollenbaan</b><br>rollenbaan afm. L: 3000 mm; rollenbaan afm. B: 200 mm; totale afmeting H: 900 mm; omschrijving: 1 zijde in de hoogte verstelbaar; aluminium en staal; enkele rollen ontbreken;                                                                                                                                                                                                                      | 10.00          |
| 150                     | 1      | <b>rollenbaan</b><br>rollenbaan afm. L: 3000 mm; rollenbaan afm. B: 200 mm; totale afmeting H: 1050 mm; omschrijving: in de hoogte verstelbaar; aluminium en staal; 1 rol ontbreekt;                                                                                                                                                                                                                                     | 10.00          |
| 151                     | 1      | <b>metaaldetector</b><br>Safeline, 50 H Signature 2, merk: Safeline; type: 50 H Signature 2; werkbreedte: 300 mm; transportband: ja; transportband afm. L: 1300 mm; transportband afm. B: 250 mm; transportband afm. H: 80 mm; aansluiting: 230 V; totale afmeting L: 1300 mm; totale afmeting B: 850 mm; totale afmeting H: 1100 mm; omschrijving: v.v. pneumatische foutproduct uitschiet; rvs foutproduct opvangkast; | 100.00         |
| 152                     | 1      | <b>schudgoot</b><br>aansluiting: 230 V; totale afmeting L: 1500 mm; totale afmeting B: 500 mm; totale afmeting H: 460 mm; omschrijving: rvs goot;                                                                                                                                                                                                                                                                        | 10.00          |
| 153                     | 1      | <b>etiketteermachine</b><br>Arca, P147, merk: Arca; type: P147; omschrijving: gemonteerd op rvs frame; incompleet;                                                                                                                                                                                                                                                                                                       | 10.00          |



| Lot | Number | Description                                                                                                                                                                                                                                                                                                                                                                                                              | Starting Bid € |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 154 | 1      | <b>ontzwoerdmachine</b><br>werkbreedte: 530 mm; aansluiting: 400 V; totale afmeting L: 770 mm; totale afmeting B: 700 mm; totale afmeting H: 1000 mm; omschrijving: rvs; v.v. in- en uitvoer transportband afm. 1100x500 mm en 900x500 mm; verrijdbaar;                                                                                                                                                                  | 100.00         |
| 155 | 1      | <b>vol automatische dozensluitmachine</b><br>Endoline, 607, merk: Endoline; type: 607; max. formaat B: 450 mm; aansluiting: 230 V; totale afmeting L: 1200 mm; totale afmeting B: 700 mm; totale afmeting H: 1500 mm; omschrijving: max. hoogte 500 mm;                                                                                                                                                                  | 10.00          |
| 156 | 1      | <b>metaaldetector</b><br>Safeline, merk: Safeline; werkbreedte: 300 mm; transportband: ja; transportband afm. L: 290 mm; transportband afm. B: 300 mm; transportband afm. H: 130 mm; aansluiting: 400 V; totale afmeting L: 2900 mm; totale afmeting B: 800 mm; totale afmeting H: 2000 mm; omschrijving: gemonteerd op rvs frame; geschakelde kunststof transportband;                                                  | 100.00         |
| 157 | 1      | <b>transportbanden (Voedingsindustrie)</b><br>band afm. L: 1500 mm; band afm. B: 120 mm; totale afmeting L: 1700 mm; totale afmeting B: 1200 mm; totale afmeting H: 2050 mm; omschrijving: v.v. diverse toebehoren w.o. sensoren; pneumatische klem / stop; label opbouw Leenaars Control Technic 41-80; gemonteerd op aluminium modulair frame; rvs schakelkast;                                                        | 10.00          |
| 158 | 1      | <b>koelcelpanelen</b><br>omschrijving: totale hoogte 11500; totale lengte 25000 mm; v.v. 3 raamkozijnen met glas en 2 nissen voor deur; zonder deuren; inclusief profielstalen frame;                                                                                                                                                                                                                                    | 100.00         |
| 159 | 1      | <b>rvs werktafel</b><br>totale afmeting L: 2500 mm; totale afmeting B: 1100 mm; totale afmeting H: 900 mm; omschrijving: in de hoogte verstelbaar; v.v. 2 rvs onderlegborden;                                                                                                                                                                                                                                            | 10.00          |
| 160 | 1      | <b>rvs werktafel</b><br>totale afmeting L: 2500 mm; totale afmeting B: 1100 mm; totale afmeting H: 900 mm; omschrijving: in de hoogte verstelbaar; v.v. 2 rvs onderlegborden;                                                                                                                                                                                                                                            | 10.00          |
| 161 | 1      | <b>rvs hand hydraulische palletwagen</b><br>MIC , merk: MIC ; lepellengte: 1150 mm; omschrijving: cap. onbekend; pomp defect;                                                                                                                                                                                                                                                                                            | 10.00          |
| 162 | 1      | <b>rvs hand hydraulische palletwagen</b><br>TVH, merk: TVH; hefvermogen: 2500 kg; lepellengte: 1140 mm; omschrijving: pomp defect;                                                                                                                                                                                                                                                                                       | 10.00          |
| 163 | 1      | <b>weegschal</b><br>Lutrana, Numeral 100, merk: Lutrana; type: Numeral 100; weegbereik min.: 2500 g; weegbereik max: 150000 g; afleesnauwkeurigheid: 50 g; plateau afm. L: 600 mm; plateau afm. B: 600 mm; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 600 mm; totale afmeting H: 1850 mm; omschrijving: rvs profielstalen onderstel;                                                              | 10.00          |
| 164 | 1      | <b>transportbanden (Voedingsindustrie)</b><br>New motion, Module band S-bocht, merk: New motion; type: Module band S-bocht; band afm. L: 3800 mm; band afm. B: 170 mm; totale afmeting L: 3400 mm; totale afmeting B: 1100 mm; totale afmeting H: 1200 mm; omschrijving: rvs; kunststof geschakelde transportban; in S-vorm; v.v. sensor; 2x noodstop; schakelkast; gemonteerd op rvs profielstalen onderstel; 400 Volt; | 100.00         |
| 165 | 1      | <b>transportband</b><br>band afm. L: 1800 mm; band afm. B: 800 mm; totale afmeting L: 1900 mm; totale afmeting B: 1100 mm; totale afmeting H: 1150 mm; omschrijving: profielstalen onderstel; in de hoogte verstelbaar; 230 Volt;                                                                                                                                                                                        | 10.00          |
| 166 | 1      | <b>rvs kuip met zwaar roerwerk</b><br>aansluiting: 400 V; totale afmeting L: 1220 mm; totale afmeting B: 1050 mm; totale afmeting H: 1700 mm; omschrijving: afm. kuip 1220x1050x840 mm; afvoer onder met dop;                                                                                                                                                                                                            | 100.00         |
| 167 | 1      | <b>rollenbanen (Voedingsindustrie)</b><br>afmeting L: 2000 mm; afmeting B: 450 mm; totale afmeting L: 2000 mm; totale afmeting B: 550 mm; totale afmeting H: 850 mm; omschrijving: enkele rollen ontbreken; in de hoogte verstelbaar;                                                                                                                                                                                    | 10.00          |



| Lot | Number Description                                                                                                                                                                                                                                                                                                                                                                                                                                     | Starting Bid € |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 168 | <b>1 opvoer transportband met weeg unit</b><br>Tramper Techniek, TR-TEC, merk: Tramper Techniek; type: TR-TEC; totale afmeting L: 3300 mm; totale afmeting B: 1250 mm; totale afmeting H: 2400 mm; omschrijving: gemonteerd op rvs onderstel; verrijdbaar; rvs invoerkuip afm. 1100x1000x800 mm; opvoer transportband v.v. meeneem lamellen afm. 2800x600 mm; weegunit Weightec WTC 348 D; rvs zakkenvultrechter met in de hoogte verstelbaar plateau; | 100.00         |
| 169 | <b>1 onderstel nostalgische snijmachine</b><br>Berkel, merk: Berkel; totale afmeting H: 750 mm; omschrijving: staal; plateau afm. 405x480 mm;                                                                                                                                                                                                                                                                                                          | 10.00          |
| 170 | <b>1 rvs kuip met zwaar roerwerk</b><br>aansluiting: 400 V; totale afmeting L: 1220 mm; totale afmeting B: 1050 mm; totale afmeting H: 1700 mm; omschrijving: afm. kuip 1220x1050x840 mm; afvoer onder in de kuip zonder dopr;                                                                                                                                                                                                                         | 100.00         |
| 171 | <b>1 pneumatische hampers</b><br>totale afmeting L: 400 mm; totale afmeting B: 700 mm; totale afmeting H: 1900 mm; omschrijving: rvs profielstaal frame; 2x hoogte verplaatsing ca. 120 mm; tafel afm. 400x300 mm; voetbediening;                                                                                                                                                                                                                      | 10.00          |
| 172 | <b>1 rvs werktafel</b><br>totale afmeting L: 750 mm; totale afmeting B: 800 mm; totale afmeting H: 1050 mm; omschrijving: verrijdbaar;                                                                                                                                                                                                                                                                                                                 | 10.00          |
| 173 | <b>1 vermalsmachine</b><br>Belam, IT-3, merk: Belam; type: IT-3; aansluiting: 400 V; totale afmeting L: 1300 mm; totale afmeting B: 750 mm; totale afmeting H: 1550 mm; omschrijving: gemonteerd op rvs profielstalen tafel; verrijdbaar; incompleet; 400 Volt;                                                                                                                                                                                        | 100.00         |
| 174 | <b>1 air compressor</b><br>Francois, N 360 300, merk: Francois; type: N 360 300; capaciteit: 10 bar; buffertank inhoud: 300 l; aansluiting: 400 V; totale afmeting L: 1600 mm; totale afmeting B: 550 mm; totale afmeting H: 1050 mm;                                                                                                                                                                                                                  | 10.00          |
| 175 | <b>1 waterontharder</b><br>Pentair PWG, merk: Pentair PWG; omschrijving: inh. 60 litertp;                                                                                                                                                                                                                                                                                                                                                              | 10.00          |



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience