



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Filling bottling and packaging lines for beverage (IT) **Filling machines and bottling lines**

Via D. Minzoni 122 - 42043 **Gattatico (RE)**
(Sede di Gattatico)

Closing date: Tuesday **10 SEPTEMBER** starting 15:00



Bidding only on the internet!

05-09-19 17.11

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 10 September 2019 Filling bottling and packaging lines for beverage

Specific terms and conditions of the on-line auction - CS-201-18-EN

Closing date	Tuesday 10 September 2019 starting 15:00 CET
Viewing	By appointment Sede di Gattatico Via D. Minzoni 122 42043 Gattatico (RE), Italy By appointment sede di Crodo (VB) Via Molinetto, 11 28862 Crodo (VB), Italy By appointment Sede Marmirolo Via Giuseppe di Vittorio 46045 Marmirolo (MN), Italy By appointment Sede Porto Mantovano (MN) Via Madrid, 7 46047 Porto Mantovano (MN), Italy
Company organising this Online Auction	TROOSTWIJK Srl Via Domenico Trentacoste, 9 20134 MILANO, Italy Phone: +39 02 45487421 Fax: +39 02 2664693 E-mail: info@troostwijk.it
Markup	18.00%
VAT	22.00%
Collection	By appointment Sede di Gattatico Via D. Minzoni 122 42043 Gattatico (RE), Italy By appointment sede di Crodo (VB) Via Molinetto, 11 28862 Crodo (VB), Italy By appointment Sede Porto Mantovano (MN) Via Madrid, 7 46047 Porto Mantovano (MN), Italy By appointment Sede Marmirolo Via Giuseppe di Vittorio 46045 Marmirolo (MN), Italy
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewingday. Placing a bid without viewing the equipment is at one's own risk.
Payment details	Full payment must be done within 3 days after awarding. Bank: KBC Bank NV Italia 20121 Milan IBAN : IT78W0337301600048425000001 SWIFT CODE: KREDITMMXXX Account holder: Troostwijk Srl Ref.: "Auction: , buyer n."

www.TroostwijkAuctions.com



Delivery date/time

All lots will be disconnected, dismantled, taken out of the factory and loaded on truck by purchaser at its own cost, in compliance with existing safety regulation.

Purchased lots must be collected strictly by appointment, within scheduled delivery days in co-ordination with Seller Plant manager. In case the lots are not collected by the aforementioned strict time limit, the right of the Seller and of Troostwijk Srl to declare termination of the contract because of purchaser default is however reserved. In this case Troostwijk Srl and the Seller shall keep as a penalty any amount which the buyer has already paid and they will be entitled to sell the items to other buyer or destroy them, even without any notice.

Goods could be collected only on working days, during standard working hours, in co-ordination with Seller plant manager. Collection of purchased items shall start only after written Authorization is issued by Troostwijk Srl, upon cashing of Purchase Price.

Don't send any truck or people to the site without appointment is fixed.

ATTENTION - Collection days & time may be amended after auction closure. Buyers will receive communication in case of changes in delivery scheduling.

In case of requests for extra viewing days or extra collection days over the ones listed in our Special Conditions, Troostwijk will set possible extra days only after checking availability of access to the site and only after your payment of € 450,00 (+ VAT) for each extra day, for covering all costs.

Subject to allocation

Some lot or combination could be market as 'Subject to allocation'. In this case, the highest bid for this lot will be presented to our client immediately after closing the auction. In two days the user will be informed if the bid for the lot is accepted.

Additional information

Vehicles: additional cost related to purchasing of vehicles due to change of property at Public Vehicle register, plate cancellation etc. remains to buyer side. These extra costs to be directly paid by buyer to the Car-Agency appointed by Troostwijk, before collection of good.

Currency: auction sale is conducted in EURO currency and just payment on this currency are accepted.

Combinations: All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation: If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

Customs Clearance: Buyers are responsible, at their own expense, to appoint a customs agent and to comply on their own with all export transactions for the purchased goods. Neither Troostwijk nor the Seller guarantee the issue of "Mandate to accomplish customs operations for importation", "Certificates of Origin", "EUR 1", "BILL OF LADING", "AIRWAY BILL", or similar.

Legal references: Troostwijk Srl VAT Nr. IT 01914310154 - Chamber of Commerce nr. MI 146-161497 - Licence ref. 16.03.2011 Questore di Milano

All assets are being sold strictly "as is, where is". No warranty is given, expressed or implied as to the condition or its fitness for use. Although the information and pictures contained in lots description was obtained from sources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. No responsibility whatsoever is assumed with respect to quantity, quality, dimensions, year of production and completeness of the goods. The descriptions are made under full reservation of potential errors which will be without any influence on a concluded sale. Placing a bid without viewing the equipment is at



one's own risk

General terms and conditions

On the auction sale, the general terms and conditions of the on on on-line auction sale (code CG-201-07-EN) are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions as mentioned in the catalogue of the sale.

Privacy

Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no. 196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any collaborators and / or companies of which Troostwijk Srl uses, for fulfillment of the obligations established by law.



Lot	Number	Description	Starting Bid €
©	1	1 rotary blowing machine SIDEL, SB016, year built 1992, serial number 3836, brand: SIDEL; type: SB016; year: 1992; serial number: 3836; hot chamber: yes; cold chamber: no; injection pressure: 6 bar; clamping force: 24 kN; digital control: yes; electric connection: 380 V; manual present: yes; machine weight: 16000 kg; total dimension L: 3700 mm; total dimension W: 2800 mm; total dimension H: 3200 mm; description: rotary blow molding machine with 16-head blow-up carousel for PET bottle processing; production capacity n. 16,000 bottles / hour; with spare parts;	9,000.00
©	2	1 preform elevator SIDEL , XMRP, year built 1992, serial number 459, brand: SIDEL ; type: XMRP; year: 1992; serial number: 459; electric connection: 380 V; total dimension L: 3200 mm; total dimension W: 1600 mm; total dimension H: 3900 mm; description: preform elevator ;	4,000.00
©	3	1 preform heating SIDEL , brand: SIDEL ; electric connection: 380 V; manual present: yes; machine weight: 3500 kg; total dimension L: 5000 mm; total dimension W: 1200 mm; total dimension H: 2000 mm; description: preform heating ;	1,500.00
©	4	1 preform unscrambler SIDEL , XMRP, year built 1992, serial number 468, brand: SIDEL ; type: XMRP; year: 1992; serial number: 468; electric connection: 380 V; total dimension L: 2800 mm; total dimension W: 700 mm; total dimension H: 2800 mm; description: preform unscrambler;	1,500.00
	5	1 linear blowing machine TETRAPAK , DBX6, year built 1997, serial number 40106-1032/1197, brand: TETRAPAK ; type: DBX6; year: 1997; serial number: 40106-1032/1197; hot chamber: yes; injection pressure: 40 bar; digital control: yes; manual present: yes; machine weight: 8700 kg; total dimension L: 3300 mm; total dimension W: 2300 mm; total dimension H: 2300 mm; description: linear blower for 0.5 - 1 ltr bottles and caps diam. 28 - 38 mm. with digital control panel; preform feeder; electrical cabinet ; with spare parts and molds (please visit on site) ;	5,000.00
	6	1 capping machine rinsing machine F&P Machinery , Unica HF 24/8/24/6, year built 2018, serial number PF180014001, type: Unica HF 24/8/24/6; year: 2018; serial number: PF180014001; own weight: 10000 kg; total dimension L: 3700 mm; total dimension W: 2500 mm; total dimension H: 2800 mm; description: rinsing machine, double filling machine for juices and cubing diced fruit, and capping machine; touch screen control panel; electrical cabinet; motor power kw 11; accessories (iron trolley not included in the lot);	35,000.00
	7	1 cooling tunnel F&P Machinery, LFPL - 1 , year built 2010, serial number ST/ L1 - 1001, type: LFPL - 1 ; year: 2010; serial number: ST/ L1 - 1001; dimension L: 4200 mm; dimension W: 3400 mm; dimension H: 450 mm; total dimension L: 6000 mm; total dimension W: 4000 mm; total dimension H: 2200 mm; description: cooling tunnel; engine power 88.38 kW; touch screen control panel; electrical cabinet; with manual; with spare parts and accessories; anti-fall parapet;	15,000.00
	8	1 capping filler ALFILL, Asmofill ELEC 48/12, year built 2003, serial number 00829, brand: ALFILL; type: Asmofill ELEC 48/12; year: 2003; serial number: 00829; capacity: 3400 l/hr; capacity: 2700 pcs/hr; electric connection: 380 V; total dimension L: 3400 mm; total dimension W: 2500 mm; total dimension H: 2700 mm; description: capping filler with touch screen control panel; n. 48 filling valves; n. 12 capping heads; with accessories and spare parts; with manual ;	12,000.00
	11	1 orientator and cork lift Acma, Ozaf , year built 2008, serial number 0085135701, brand: Acma; type: Ozaf ; year: 2008; serial number: 0085135701; electric connection: 380 V; total dimension L: 1900 mm; total dimension W: 1600 mm; total dimension H: 2100 mm; description: orientating and lifting caps; motor power kw 5; control panel to fix; electrical cabinet ;	1,800.00



Lot	Number Description	Starting Bid €
13	1 bottle unscrambler - never used Fava, unscrambling system, year built 2010, serial number 1106, brand: Fava; type: unscrambling system; year: 2010; serial number: 1106; power: 8 kW; manual present: yes; total dimension W: 3200 mm; total dimension H: 2000 mm; description: never used bottle unscrambler; touch screen control panel; electrical cabinet; n. 2 working formats from MI 340 and MI 800; number of pieces in output 23000 from MI 340 and 17500 from MI 800; with manual ;	2,500.00
14	1 packer Aries , 907, year built 1999, serial number 01B, brand: Aries ; type: 907; year: 1999; serial number: 01B; electric connection: 400 V; own weight: 4500 kg; total dimension L: 7400 mm; total dimension W: 1600 mm; total dimension H: 2600 mm; description: packer; motor power 10 kw; with manual; electrical cabinet; touch screen control panel; with Nordson brand gluer;	1,500.00
15	1 single-dose forming filling and sealing sachet -never used Easypack, Easysnap=3p-350, year built 2001, serial number 170, type: Easysnap=3p-350; year: 2001; serial number: 170; capacity: 7200 pcs/hr; electric connection: 400 V; own weight: 1500 kg; total dimension L: 2100 mm; total dimension W: 1750 mm; total dimension H: 2000 mm; description: never used form filler for single-dose sachets; n. 3 filler heads; motor power Kw 12; electrical cabinet; touch screen control panel;	12,000.00
16	1 single-dose sachet filling sealing machine Easypack, Easysnap=3p-350, year built 2009, serial number 137, type: Easysnap=3p-350; year: 2009; serial number: 137; capacity: 7200 pcs/hr; electric connection: 400 V; own weight: 1500 kg; total dimension L: 2100 mm; total dimension W: 1750 mm; total dimension H: 2000 mm; description: form filler for single-dose sachets; n. 3 filler heads; motor power Kw 12; electrical cabinet; touch screen control panel; with videojet marker; with accessories ;	8,000.00
17	1 handle applicator Comag, HM100/1, year built 1999, serial number 608, brand: Comag; type: HM100/1; year: 1999; serial number: 608; electric connection: 380 V; total dimension L: 3300 mm; total dimension W: 1500 mm; total dimension H: 2400 mm; description: handle for plastic packaging; rated current A 6.3; digital control panel; electrical cabinet ; with manual;	2,000.00
18	1 corking Arol , Saturno RF8T 420, year built 1996, serial number 3736, brand: Arol ; type: Saturno RF8T 420; year: 1996; serial number: 3736; number of heads: 8; push caps: yes; electric connection: 380 V; total dimension L: 1300 mm; total dimension W: 1200 mm; total dimension H: 2100 mm; description: shaved and mushroom cork capper with accessories and protections (iron trolley not included) ;	1,000.00
19	1 filling and capping rinser BC, MAGIC 28/28/7, year built 2000, serial number 2444, brand: BC; type: MAGIC 28/28/7; year: 2000; serial number: 2444; capacity: 1500 l/hr; capacity: 15000 pcs/hr; electric connection: 380 V; own weight: 10000 kg; total dimension L: 3800 mm; total dimension W: 3100 mm; total dimension H: 3000 mm; description: filling and capping rinser; digital control panel; motor power kw 14; with manual;	6,000.00
20	1 packer -never used F&P Machinery, IPT400CC, year built 2018, brand: F&P Machinery; type: IPT400CC; year: 2018; electric connection: 480 V; total dimension L: 3000 mm; total dimension W: 2250 mm; total dimension H: 2700 mm; description: never used packer; engine power 3.5 kw; electrical power A 10; with manual; volt 480 (American voltage); electrical cabinet; touch screen control panel; entry and exit conveyor belt;	6,500.00
22	1 fillers for drums Gerosa, SF 2T, year built 1999, serial number 19006-01, brand: Gerosa; type: SF 2T; year: 1999; serial number: 19006-01; electric connection: 400 V; own weight: 1200 kg; total dimension L: 2700 mm; total dimension W: 1700 mm; total dimension H: 2500 mm; description: automatic drum washing machine filler; digital control panel; electrical cabinet; with disassembled conveyor belt ;	300.00



Lot	Number	Description	Starting Bid €
23	1	bundler Ocme , TH N 60/2, year built 1997, serial number 1/31/97, brand: Ocme ; type: TH N 60/2; year: 1997; serial number: 1/31/97; electric connection: 380 V; own weight: 130000 kg; total dimension L: 10500 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: shrinkwrapper with heat-shrink oven; electrical cabinet; digital control panel; KVA 32; with entrance belt; with manual ;	4,000.00
24	1	packer PCA, brand: PCA; electric connection: 400 V; own weight: 4000 kg; total dimension L: 3600 mm; total dimension W: 2500 mm; total dimension H: 2100 mm; description: case packer; electrical cabinet; control panel; predisposition gluing Nordson brand;	7,500.00
25	1	seamer filler SIG COMACO, AG712, year built 2004, serial number 8419, type: AG712; year: 2004; serial number: 8419; capacity: 50000 pcs/hr; electric connection: 400 V; total dimension L: 3300 mm; total dimension W: 3400 mm; total dimension H: 2800 mm; description: 117 head filler and stapler for 330 and 250 ml cans; touch screen control panel; electrical cabinet ; disassembled parts and broken sash glass; we recommend a site visit ;	15,000.00
26	1	capping sealing machine Serac, brand: Serac; electric connection: 380 V; total dimension L: 7400 mm; total dimension W: 2400 mm; total dimension H: 2800 mm; description: filler with n. 24 filling valves; sealing machine with n. 24 welding heads; capping machine with n. 12 capping heads; with electrical panel; n. 48 filling valves; n. 12 capping heads; with accessories; with manual ;	5,000.00
27	1	guiding - never used Kosme , EXTRA.504.8T, year built 2004, serial number 4003, brand: Kosme ; type: EXTRA.504.8T; year: 2004; serial number: 4003; power: 1 kW; electric connection: 400 V; machine weight: 1100 kg; total dimension L: 2000 mm; total dimension W: 1400 mm; total dimension H: 2000 mm; description: never used 8-head orientator; control panel; electrical cabinet ; with accessories ; disassembled panels; with manual ;	1,000.00
28	1	guiding - never used Kosme , EXTRA.504.12T, year built 2004, serial number 4002, brand: Kosme ; type: EXTRA.504.12T; year: 2004; serial number: 4002; power: 1 kW; electric connection: 400 V; machine weight: 1100 kg; total dimension L: 2000 mm; total dimension W: 1400 mm; total dimension H: 2000 mm; description: never used 12-head orientation machine; control panel; electrical cabinet ; with manual ;	1,000.00
29	1	capping filling washing machine Weighpack, 28-28-8 P113, serial number WL149, type: 28-28-8 P113; serial number: WL149; capacity: 15000 l/hr; capacity: 10000 pcs/hr; own weight: 7000 kg; total dimension L: 3400 mm; total dimension W: 2500 mm; total dimension H: 2700 mm; description: n.28 rinsing tool; filler n. 28 valves; Arol capper n.8 heads; production of 125 ml plastic bottles; touch screen control panel; electrical cabinet; ultraclean; with manual ;	2,800.00
34	1	caps tipper DG, 2007-023, year built 2007, serial number 06009100, brand: DG; type: 2007-023; year: 2007; serial number: 06009100; electric connection: 380 V; total dimension L: 2000 mm; total dimension W: 1400 mm; total dimension H: 3060 mm; description: caps tipper from 0,5 Lt; electrical cabinet;	400.00
35	1	caps tipper DG, 2007-023, year built 2007, serial number 06009100, brand: DG; type: 2007-023; year: 2007; serial number: 06009100; electric connection: 380 V; total dimension L: 2000 mm; total dimension W: 1400 mm; total dimension H: 3060 mm; description: caps tipper from 0,5 Lt; electrical cabinet;	400.00
36	1	elevator for caps with UV sterilization Arol, ELEVATORE MEC, year built 2001, serial number 6743, brand: Arol; type: ELEVATORE MEC; year: 2001; serial number: 6743; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1500 mm; description: elevator for caps; UV sterilization; electrical cabinet; touch screen control panel ;	500.00



Lot	Number	Description	Starting Bid €
37	1	elevator for caps with UV sterilization Arol, ELEVATORE MEC, year built 2001, serial number 6743, brand: Arol; type: ELEVATORE MEC; year: 2001; serial number: 6743; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1500 mm; description: elevator for caps; UV sterilization; electrical cabinet; touch screen control panel ;	500.00
38	1	lift pneumatic caps Arol , brand: Arol ; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: elevator tire caps; control panel to fix; electrical cabinet ;	100.00
39	1	preform elevator AROL , Elevatore Meccanico , year built 2003, serial number 7856, brand: AROL ; type: Elevatore Meccanico ; year: 2003; serial number: 7856; electric connection: 380 V; manual present: no; total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 3700 mm; description: preform elevator; electrical cabinet; control panel ;	500.00
40	1	preform elevator -never used Acma , brand: Acma ; total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 3700 mm; description: never used preform elevator ;	500.00
41	1	packer weigher Logica & Controls, Logiweight, year built 2001, serial number 706, brand: Logica & Controls; type: Logiweight; year: 2001; serial number: 706; working width: 500 mm; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 2100 mm; description: packer weigher; electrical cabinet; touch screen control panel ;	100.00
42	1	corking Bertolaso , Delta 406R, year built 2000, serial number PST0902001, brand: Bertolaso ; type: Delta 406R; year: 2000; serial number: PST0902001; cap diameter: 24 mm; number of heads: 8; push caps: yes; own weight: 3000 kg; electric connection: 380 V; total dimension L: 1900 mm; total dimension W: 1400 mm; total dimension H: 2950 mm; description: shaved and mushroom cork capper;	500.00
43	1	pressure capping machine -never used Arol , brand: Arol ; push caps: yes; description: never used mono-cork corker; complete star; jaws; intermittor ;	2,700.00
44	1	turret capping machine - never used Arol , Eagle VA , year built 2013, serial number A2994, brand: Arol ; type: Eagle VA ; year: 2013; serial number: A2994; cap diameter: 28 mm; capacity: 3000 pcs/hr; number of heads: 1; screw caps: yes; own weight: 800 kg; total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 1950 mm; description: never used single-head trowel capper (iron base not included in the lot);	3,500.00
45	1	capping control system Stratec , brand: Stratec ; description: lot consisting of 2 capping control systems; with digital control panel ;	500.00
46	1	X-ray level control - never used FT System , MOD001, year built 2018, type: MOD001; year: 2018; electric connection: 230 V; own weight: 180 kg; total dimension L: 1600 mm; total dimension W: 1600 mm; total dimension H: 2300 mm; description: never used X-ray level control machine; touch screen control panel; closed electric panel in wooden case;	6,800.00
47	1	X-ray level control Dylog, DYXIM 23, year built 2004, serial number 042301304, brand: Dylog; type: DYXIM 23; year: 2004; serial number: 042301304; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1800 mm; total dimension H: 2100 mm; description: X-ray level control machine; touch screen control panel; electrical cabinet ;	900.00
51	1	bottle accumulation table Manumat, total dimension L: 3500 mm; total dimension W: 3200 mm; total dimension H: 1700 mm; description: accumulation table for bottles with motors ;	2,000.00



Lot	Number Description	Starting Bid €
53	1 CIP cleaning systems nekimol, Hypo 200, year built 2013, type: Hypo 200; year: 2013; electric connection: 400 V; own weight: 1300 kg; total dimension L: 4700 mm; total dimension W: 2000 mm; total dimension H: 2150 mm; description: wash cip with touch screen control panel; electrical cabinet; n. 2 tanks of Lt 2000 each; mounted on skid;	28,000.00
54	1 skid hydraulic separator - never used Termogamma, QE508, year built 2008, brand: Termogamma; type: QE508; year: 2008; total dimension L: 3600 mm; total dimension W: 2400 mm; total dimension H: 2100 mm; description: never used skid hydraulic separator; electrical cabinet; control panel; motor power kw 20; 400 volts;	2,600.00
55	1 acid dosing skid SBC, year built 2008, brand: SBC; year: 2008; electric connection: 380 V; total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: acid dosing skid for sanitizing machines;	100.00
56	1 cleaning systems F&P Machinery, EVA 100, year built 2009, serial number CH0010801-09-072, brand: F&P Machinery; type: EVA 100; year: 2009; serial number: CH0010801-09-072; electric connection: 220 V; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 400 mm; description: chlorine generator for washing food plants with accessories ;	2,000.00
57	1 water softeners Grunbeck, Geno-Osmo- MSR Typ 1000, year built 2001, serial number 111016/B, brand: Grunbeck; type: Geno-Osmo- MSR Typ 1000; year: 2001; serial number: 111016/B; capacity: 24000 l/24 hr; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 1800 mm; total dimension H: 2100 mm; own weight: 200 kg; description: water softener; max operating pressure bar 5; motor power kw 3; touch screen control panel ;	100.00
58	1 belt conveyor for descent Polyketting, PG, year built 2005, serial number 050920, type: PG; year: 2005; serial number: 050920; belt dim. L: 240 mm; belt dim. W: 80 mm; power: 1 kW; total dimension L: 2100 mm; total dimension W: 1200 mm; total dimension H: 2400 mm; description: belt conveyor for descent bottles;	500.00
59	1 ascent belt conveyor Polyketting, PG, year built 2005, serial number 050920, type: PG; year: 2005; serial number: 050920; belt dim. L: 240 mm; belt dim. W: 80 mm; power: 1 kW; total dimension L: 2100 mm; total dimension W: 900 mm; total dimension H: 3300 mm; description: ascent belt conveyor for bottles;	500.00
61	1 rinser Promec, loginspec, year built 1995, serial number 215, brand: Promec; type: loginspec; year: 1995; serial number: 215; capacity: 1500 l/hr; electric connection: 380 V; total dimension L: 2800 mm; total dimension W: 2300 mm; total dimension H: 2300 mm; description: rinsing machine with 70 pincers; electrical cabinet; control panel; motor power kw 3;	200.00
62	1 packer Cetra , brand: Cetra ; electric connection: 400 V; total dimension L: 2500 mm; total dimension W: 2300 mm; total dimension H: 2300 mm; description: case packer; electrical cabinet; control panel; with Nordson brand gluer; only for spare parts ;	200.00
63	1 sleeving machine only for spare parts Clever , GS501, year built 2003, brand: Clever ; type: GS501; year: 2003; electric connection: 400 V; own weight: 3000 kg; total dimension L: 2300 mm; total dimension W: 1800 mm; total dimension H: 2200 mm; description: sleeving machine only for spare parts ;	100.00



Lot	Number	Description	Starting Bid €
64	1	bundling machine only for spare parts Prasmati , PM13, brand: Prasmati ; type: PM13; electric connection: 380 V; own weight: 45000 kg; total dimension L: 10500 mm; total dimension W: 2000 mm; total dimension H: 2600 mm; description: bundler; electrical cabinet; control panel only for spare parts;	100.00
65	1	cooker for jams Hyltebruks, ESK, year built 1968, brand: Hyltebruks; type: ESK; year: 1968; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 1300 mm; total dimension H: 1500 mm; description: jam cooker with 500 liter tank;	200.00
66	1	cooker for jams Hyltebruks, ESK, year built 1968, brand: Hyltebruks; type: ESK; year: 1968; electric connection: 380 V; total dimension L: 1700 mm; total dimension W: 1300 mm; total dimension H: 1500 mm; description: jam cooker with 500 liter tank;	200.00
67	1	cooker for jams electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 1100 mm; total dimension H: 1700 mm; description: jam cooker ;	150.00
68	1	incomplete level control FT System , brand: FT System ; electric connection: 230 V; description: X-ray level control machine; touch screen control panel; electrical cabinet ; incomplete ;	750.00
75	1	labeling machine Geset , AlphaV40, serial number 0618, brand: Geset ; type: AlphaV40; serial number: 0618; digital display: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1900 mm; description: pallet labeling machine on wheels ;	200.00
76	1	labeling machine Bluhm Systeme, brand: Bluhm Systeme; digital display: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1900 mm; description: wheel labeling machine; digital control panel ;	200.00
77	1	labeling machine Bluhm Systeme, XX40Z 300 DPI, serial number 22190428, brand: Bluhm Systeme; type: XX40Z 300 DPI; serial number: 22190428; digital display: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1900 mm; description: wheel labeling machine; digital control panel ;	200.00
78	1	labeling machine Eidos , S-120, year built 1998, serial number 254, brand: Eidos ; type: S-120; year: 1998; serial number: 254; digital display: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1900 mm; description: wheel labeling machine; digital control panel ;	200.00
79	1	labeling machine Pfankuch, ASB310-KR, year built 2002, serial number 3086, brand: Pfankuch; type: ASB310-KR; year: 2002; serial number: 3086; digital display: yes; electric connection: 230 V; own weight: 100 kg; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 2300 mm; description: labeller for rosettes on wheels;	200.00
86	1	glue Nordson, Pro Blue 4, serial number SA03K05342, brand: Nordson; type: Pro Blue 4; serial number: SA03K05342; digital control: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: gluing machine; digital control panel;	50.00
87	1	screw pump Nova Rotors , MN020-1, year built 2010, serial number 766301, brand: Nova Rotors ; type: MN020-1; year: 2010; serial number: 766301; stainless steel: yes; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 350 mm; total dimension H: 450 mm; description: screw pump; RPM 256;	600.00



Lot	Number	Description	Starting Bid €
88	1	blasting booths for small tools Zion Air, SB42A, year built 2013, serial number XH2013060002, brand: Zion Air; type: SB42A; year: 2013; serial number: XH2013060002; grit: yes; chamber dimension L: 410 mm; chamber dimension W: 310 mm; chamber dimension H: 200 mm; electric connection: 230 V; manual present: yes; machine weight: 148 kg; dimension L: 1300 mm; dimension W: 900 mm; dimension H: 1700 mm; description: sander with pedal control;	100.00
89	1	blasting booths for small tools Sandblaster , XH-SBC30, brand: Sandblaster ; type: XH-SBC30; grit: yes; chamber dimension L: 410 mm; chamber dimension W: 310 mm; chamber dimension H: 200 mm; electric connection: 230 V; manual present: yes; dimension L: 500 mm; dimension W: 350 mm; dimension H: 400 mm; description: mini sander with pedal control ;	100.00
90	1	automated warehouse for small parts total dimension L: 1350 mm; total dimension W: 930 mm; total dimension H: 1250 mm; description: automated warehouse for small parts; 220 volts;	100.00
103	1	hot air generators Apen Group, Aermax, brand: Apen Group; type: Aermax; description: lot consisting of 4 hot air generators; methane gas supply;	200.00
104	1	transformer Elin , ONAN, year built 1994, serial number 320028, brand: Elin ; type: ONAN; year: 1994; serial number: 320028; total dimension L: 1700 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: oil transformer; kva 630; clening oil waste will be borne by buyer;	900.00
105	1	screw air compressors Granzow , V37ACE08-4035V250, year built 2012, serial number V37-000162-0909, type: V37ACE08-4035V250; year: 2012; serial number: V37-000162-0909; capacity: 10 bar; power: 37 kW; hours on display: 1992; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: screw air compressor; 1800 rpm; touch screen control panel; electrical cabinet ; with manual ;	400.00
107	2	air reserve tank Atlas Copco, LDA 1505, year built 1980, serial number 295065, brand: Atlas Copco; type: LDA 1505; year: 1980; serial number: 295065; capacity: 15 bar; tank capacity: 500 l; vertical: yes; diameter: 700 mm; total dimension H: 1900 mm; description: reserve tanks for iron compressed air ;	100.00
110	1	strapping strapex, 351-200-003, serial number 1637, brand: strapex; type: 351-200-003; serial number: 1637; electric connection: 220 V; total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 800 mm; description: strapping motor power watt 45 ;	150.00
112	1	manual sweeper Kloz , 870E, year built 2000, serial number 2516, brand: Kloz ; type: 870E; year: 2000; serial number: 2516; working width: 800 mm; own weight: 230 kg; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 900 mm; description: electric manual sweeper with battery charger ;	100.00
115	1	electrode welding machine Kemppi, EKA 160, brand: Kemppi; type: EKA 160; mig type: no; tig type: no; inverter type: no; portable: yes; wire feeder: no; digital display: no; electric connection: 380 V; dimension L: 820 mm; dimension W: 400 mm; dimension H: 800 mm; description: electrode welding machine; with ground cable; with torch;	100.00
117	1	taping Soco System, T-400, brand: Soco System; type: T-400; max. size: 400 mm; electric connection: 380 V; total dimension L: 1800 mm; total dimension W: 1000 mm; total dimension H: 2000 mm; description: carton sealer on wheels;	100.00
118	1	tool trolley total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: tool trolley on wheels with contents; with manual cutter for copper pipes ;	100.00



Lot	Number	Description	Starting Bid €
120	1	side forklift Atlet, 100BDTFE435XSN/X1F, serial number XTF6952S4972 516_6, brand: Atlet; type: 100BDTFE435XSN/X1F; serial number: XTF6952S4972 516_6; electric: yes; number of wheels: 4; lifting capacity: 1000 kg; lifting height: 4350 mm; overhead guard height: 2000 mm; fork length: 1100 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 3769; battery charger: yes; own weight: 2000 kg; total dimension L: 1050 mm; total dimension W: 2300 mm; total dimension H: 2000 mm; description: side forklift with extendable forks ;	800.00
121	1	forklift Yale, 50Q, serial number G51P100, brand: Yale; type: 50Q; serial number: G51P100; diesel: yes; electric: no; number of wheels: 6; lifting capacity: 5000 kg; lifting height: 3300 mm; overhead guard height: 2700 mm; fork length: 1500 mm; tripple mast: yes; side-shift: yes; air tyres: yes; full rubber tyres: no; battery charger: no; total dimension L: 4700 mm; total dimension W: 1600 mm; total dimension H: 3000 mm; description: forklift ;	800.00
122	1	forklift Clark , TM16N, year built 1991, serial number TM145-5243-GEF7000, brand: Clark ; type: TM16N; year: 1991; serial number: TM145-5243-GEF7000; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 3300 mm; overhead guard height: 2100 mm; fork length: 1100 mm; tripple mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 5402; battery charger: yes; own weight: 3000 kg; total dimension L: 3000 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: forklift; with white wheels for food areas;	800.00
123	1	electric pallet truck Boss, WN 20, brand: Boss; type: WN 20; electric: yes; number of wheels: 3; lifting capacity: 2000 kg; fork length: 1150 mm; battery charger: yes; own weight: 1500 kg; total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 1350 mm; description: electric pallet truck ;	100.00
125	1	manual transpallet eurolifter, C/BN, year built 2000, serial number 4589617, brand: eurolifter; type: C/BN; year: 2000; serial number: 4589617; electric: no; number of wheels: 2; lifting capacity: 2500 kg; battery charger: no; own weight: 40 kg; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 1200 mm; description: manual transpallet;	50.00
126	1	manual transpallet Kaiser Kraft, brand: Kaiser Kraft; electric: no; number of wheels: 2; lifting capacity: 75 kg; fork length: 500 mm; battery charger: no; own weight: 40 kg; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: manual pallet truck; with manual lift ;	50.00
127	1	chain hoists description: lot consisting of hoists of different capacity and length with steel cable ;	50.00
128	1	gauges description: lot consisting of various calibers of different shape and size ;	50.00
129	1	tools for small parts description: lot consisting of various small type tools (iron shelves not included in the lot) and spare parts for packaging machines;	50.00
130	1	manual hydraulic press Mammuth, TA1202, brand: Mammuth; type: TA1202; capacity: 12 t; dimension L: 600 mm; dimension W: 120 mm; dimension H: 550 mm; description: manual hydraulic press for tubes ;	50.00
131	1	tool boxes description: lot consisting of various empty tool boxes and rubber roll;	125.00
132	1	spare parts and tools description: various tool and spare parts (toolbox not included);	100.00



Lot	Number Description	Starting Bid €
133	1 kerosene and electric heaters Eurom, PH 2700/EK9002/EK5001, brand: Eurom; type: PH 2700/EK9002/EK5001; electric connection: 400 V; description: lot consisting of n. 2 kerosene heaters and n. 2 electric heaters of varying power and dimensions ;	100.00
134	1 machine for printing medals CIM Product, M10, serial number M701261, brand: CIM Product; type: M10; serial number: M701261; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: military type printing machine; mechanical operation ;	50.00
135	1 belt conveyor partition 4 + 1 Cosmopack, Hand Robot, year built 2002, serial number 640, type: Hand Robot; year: 2002; serial number: 640; belt dim. L: 500 mm; total dimension L: 4000 mm; total dimension W: 1400 mm; total dimension H: 2300 mm; description: belt conveyor type 4 + 1; touch screen control panel; electrical cabinet ;	1,000.00
© 136	1 belt conveyor with UVA lamp total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 1800 mm; description: belt conveyor with UVA lamp ;	100.00
© 137	1 belt conveyor divider Acmi, total dimension L: 2800 mm; total dimension W: 1100 mm; total dimension H: 1500 mm; description: belt conveyor partition; with motor;	1,000.00
© 138	1 air belt conveyor description: lot consisting of air conveyors with square section ;	1,000.00
© 139	1 air belt conveyor description: lot consisting of a square section air conveyor belt ;	100.00
© 140	1 air belt conveyor description: lot consisting of air conveyors with square section ;	1,000.00
© 141	1 air belts conveyor description: lot consisting of air conveyors with square section ;	500.00
© 142	1 air belt conveyor with fans description: lot consisting of air conveyors with square section; with air fans for plastic bottle displacement ;	750.00
© 143	1 belts conveyor and air conveyor belts description: lot consisting of belt conveyors of various lengths and shapes ;	750.00
© 144	1 belt conveyors and air conveyor belts description: lot consisting of belt conveyors of various lengths and shapes ;	500.00
© 145	1 air fans for belt conveyors (food industry) description: lot consisting of air fans for closed conveyors with a square section for moving plastic bottles ;	500.00
© 146	1 air fans for belt conveyors (food industry) description: lot consisting of air fans for closed conveyors with a square section for moving plastic bottles ;	300.00
© 148	1 belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	250.00
© 149	1 belt conveyor total dimension L: 5900 mm; total dimension W: 500 mm; total dimension H: 800 mm; description: closed belt conveyor;	100.00
© 150	1 belt conveyor total dimension L: 1800 mm; total dimension W: 1000 mm; total dimension H: 1300 mm; description: partition conveyor belt and belt conveyor of different shapes and lengths;	100.00
© 151	1 belt conveyor total dimension L: 4800 mm; total dimension W: 1250 mm; total dimension H: 1500 mm; description: bottle alignment belt conveyor; with engines; steel strips ;	100.00
© 152	1 belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	500.00



Lot	Number	Description	Starting Bid €
© 153	1	belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	300.00
© 154	1	belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	250.00
© 155	1	belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	300.00
© 156	1	belt conveyor description: lot consisting of belt conveyor of various lengths and shapes ;	300.00
© 157	1	belt conveyor and various material description: lot consisting of belt conveyor of various lengths and shapes ;	300.00
© 158	1	spare parts for roller belt conveyor description: lot consisting of spare parts for roller belt conveyor of different sizes, shape and length (shelves not included in the lot);	1,500.00
© 159	1	accessories for belt conveyors (food industry) description: lot consisting of various accessories for conveyor belts of different sizes and shapes (shelves not included in the lot);	100.00
© 160	1	accessories for belt conveyors (food industry) description: lot consisting of various accessories for conveyor belts of different types, sizes and shapes ;	100.00
© 161	1	accessories for belt conveyors (food industry) description: lot consisting of n. 3 pallets of various accessories for conveyor belts of different sizes and shapes ;	100.00
		conveyors conveyors	
162	1	capping accessories Krones, brand: Krones; description: lot consisting of n. 19 capping heads ;	1,200.00
163	1	capping accessories Krones, brand: Krones; description: lot consisting of n. 42 capping heads (iron basket not included in the lot);	4,200.00
164	1	labeling accessories digital display: yes; description: lot consisting of various accessories for labeller ;	50.00
169	2	packaging accessories Nimax, 007019, serial number 02055, brand: Nimax; type: 007019; serial number: 02055; total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 200 mm; description: tipper for cans packaging line ;	500.00
170	1	accessories for packaging machines description: lot consisting of various accessories for packaging machines ;	50.00
171	1	bundling machine accessories Baumer , brand: Baumer ; description: lot consisting of accessories for bundling machine ;	100.00
172	1	sleeve machine accessories Clever , brand: Clever ; description: lot consisting of sleeve-machine accessories ;	100.00
173	1	filler accessories Krones, brand: Krones; description: lot consisting of various material for filler ;	100.00
174	1	filler accessories description: lot consisting of various material for filler ;	100.00
175	1	accessories for rinsing filler and palletizer description: lot consisting of various accessories for filler rinser and palletizer;	100.00
176	1	accessories for palletizers description: lot consisting of various plastic accessories for palletizers (shelves not included in the lot);	50.00
178	1	filter accessories description: lot consisting of filters for laminar flows ;	100.00



Lot	Number	Description	Starting Bid €
© 180	1	electrical cabin SIDEL , year built 1992, brand: SIDEL ; year: 1992; total dimension L: 3400 mm; total dimension W: 1000 mm; total dimension H: 2500 mm; description: general electric panel for blow molding machine; oven; forklift; unscrambler ; SIDEL combination SIDEL combination	100.00
182	2	emergency electronic / UPS units Convertitori Statici, SL17003, serial number 631860, brand: Convertitori Statici; type: SL17003; serial number: 631860; capacity: 8 kVA; electric connection: 400 V; generator capacity: 25 A; total dimension L: 870 mm; total dimension W: 400 mm; total dimension H: 750 mm; description: UPS group on wheels; with digital control panel ;	50.00
183	1	cable distribution channels description: lot consisting of electrical cable distribution channels; with various accessories (shelves not included in the lot);	50.00
184	1	plastic cable distribution channels description: lot consisting of electrical cable distribution channels; with various accessories; different shape and size (shelves not included in the lot);	50.00
185	1	sheet metal cable distribution channels description: lot consisting of electrical cable distribution channels; with various accessories; different shape and size (shelves not included in the lot);	50.00
186	1	electrical cables and data cables description: lot consisting of electric cables and data cables of different diameters and lengths (iron carts not included);	100.00
188	1	electrical parts description: lot consisting of various electrical parts; we recommend a site visit (iron structure not included in the lot) ;	50.00
189	1	other servers and accessories description: lot consisting of various servers and accessories ;	50.00
191	1	electrical parts Klimair , KW150, serial number K100800038, brand: Klimair ; type: KW150; serial number: K100800038; total dimension L: 250 mm; total dimension W: 350 mm; total dimension H: 900 mm; description: lot consisting of n. 3 air conditioners for electrical panels ;	50.00
194	1	electrical parts description: lot composed of various electric squares of various shape, size and power ;	50.00
195	1	tubes and hoses description: lot consisting of rubber tubes of different diameters and lengths ;	50.00
196	1	electrical parts description: lot consisting of various sheet metal ducts for distributing electric cables of various shapes and sizes (iron structure not included in the lot) ;	50.00
197	1	analysis tools Inficon , tek-mate, brand: Inficon ; type: tek-mate; dimension L: 500 mm; dimension W: 200 mm; dimension H: 100 mm; description: laboratory instrument for gas detection;	50.00
200	1	classic cars> 15 Volkswagen , 15AB11, year built 1990, type: 15AB11; year: 1990; VIN number: 1532315875; license plate: PR571204; convertible: yes; gasoline: yes; engine power: 32 kW; manual: yes; mileage (at intake): 63048 km; number of seats: 4; number of doors: 2; own weight: 980 kg; total dimension L: 4100 mm; total dimension W: 1550 mm; total dimension H: 1500 mm; description: volkswagen type convertible beetle; displacement 1285; with car radio ;	1,000.00
201	1	bicycle Frisbee, men's bike: yes; electric: yes; charger: yes; description: bicycle ;	50.00
202	1	bicycle Mercedes benz, men's bike: yes; electric: yes; charger: yes; description: bicycle ;	50.00



Lot	Number	Description	Starting Bid €
212	1	insulated tank with agitator (food industry) Wedholms, DF 713, year built 1972, serial number 051481, type: DF 713; year: 1972; serial number: 051481; vertical: yes; content: 900 l; total dimension W: 1300 mm; total dimension H: 1500 mm; description: insulated tank with agitator ;	100.00
213	1	heater tank vertical: yes; content: 200 l; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: tank to heat water; with wheels ;	100.00
215	1	tank vertical: yes; content: 400 l; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 1400 mm; description: square water tank ;	50.00
216	1	insulated tank with agitator (food industry) vertical: yes; dimension L: 1000 mm; dimension W: 1400 mm; content: 600 l; total dimension L: 1000 mm; total dimension W: 1300 mm; total dimension H: 2500 mm; description: insulated tank with agitator;	50.00
217	1	insulated tank (food industry) Progeco, brand: Progeco; vertical: yes; content: 1600 l; total dimension W: 1550 mm; total dimension H: 1900 mm; description: insulated tank ;	100.00
218	1	insulated tank (food industry) Progeco, brand: Progeco; vertical: yes; content: 1600 l; total dimension W: 1550 mm; total dimension H: 1900 mm; description: insulated tank ;	100.00
219	4	tanks (food industry) total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: plastic tanks on pallets with metal reinforcement;	100.00
220	3	plastic inflatable water tanks Amfuel Magnolia, year built 1990, brand: Amfuel Magnolia; year: 1990; horizontal: yes; own weight: 60 kg; description: plastic inflatable water tanks; capacity of 11.3 m3 each; with wooden box ;	100.00
227	1	table for yard total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 700 mm; description: modular work table for yard;	50.00
228	6	lockers for locker room total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: lot consisting of double-leaf lockers for dressing; with n. 3 wheeled drawers ;	1,250.00
230	2	iron shelf total dimension L: 2450 mm; total dimension W: 590 mm; total dimension H: 1700 mm; description: iron shelf of different sizes (without content);	50.00
250	1	chairs description: lot consisting of various office chairs of different shape and finish;	100.00
251	3	planters total dimension L: 2100 mm; total dimension W: 2100 mm; total dimension H: 650 mm; description: lot consisting of n. 3 planters with dismantled benches Aq;	100.00
254	1	coils of raw material for disposable packages description: lot consisting of coils of raw material for disposable packages (shelves not included in the lot);	500.00
255	1	stainless steel and aluminum description: lot consisting of various stainless steel / aluminum material ;	50.00
256	1	stainless steel description: lot consisting of various stainless steel material ;	50.00
257	1	aluminum description: lot consisting of various aluminum material ;	50.00



Lot	Number Description	Starting Bid €
259	1 workshop use container AAR Mobility System , year built 2005, year: 2005; number of doors: 1; number of windows: 1; own weight: 2250 kg; total dimension L: 4200 mm; total dimension W: 2350 mm; total dimension H: 2150 mm; description: transport workshop containers; with American-type voltage electrical system; with lights and drawers; with hot and cold system (lot sold without content) ;	100.00
260	1 workshop use container AAR Mobility Systems, number of doors: 1; number of windows: 1; own weight: 2250 kg; total dimension L: 4200 mm; total dimension W: 2350 mm; total dimension H: 2150 mm; description: transport workshop containers; with 220/380 volt electrical system; with lights and drawers (lot sold without content);	100.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

CG-201-07-EN

((VAT Nr. IT 01914310154))

(Chamber of Commerce nr. MI 146-161497)

(Licence ref. 16.03.2011 Questore di Milano)

Article 1 Definitions

Website:	the website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister com-pany/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the User:	the General Terms and Conditions for access to and use of the Website;
General Online Auction Terms and Conditions:	these General Terms and Conditions;
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as re-ported on the Website for the Auction in question;
Allocation:	the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the partici-pation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

www.TroostwijkAuctions.com



Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
- actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.
- 3.3 Lots shall be displayed for those interested to see for one or more days before the auction and therefore the auction catalogue, brochures, advertisements, descriptions on the website and the like shall have a merely indicative value to identify the lot(s). Troostwijk therefore accepts no liability for damage resulting from any inadvertent, wrong or incomplete descriptions of the goods sold at auction.

Article 4. Organization of the Auction

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;
 - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
 - to take other measures that are, in its judgement, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgement of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be allocated to a different User who has placed the highest sustainable Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk then has the right not to allocate or not to allocate under suspensive condition(s).
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced



sale, this will be reported in the Specific Terms and Conditions of the Online Auction.

5.8 In the event that the receiver is the Seller, section 7.19 of the Civil Code obtains.

5.9 In the event that the auction occurs in the presence of a civil-law notary or court bailiff, he will supervise the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.

6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached thereto. Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.

6.3 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.

6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.

7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.

7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

Article 9. Delivery

9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.

9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.

9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).

9.4 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.

9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).

9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.



- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Termination

- 10.1 If the Purchaser does not fulfil any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Price or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time and/or
 - (iii) not providing the information required before delivery,
- the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller.
- In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 10.2 In case of termination as intended in 12.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 11. Liability

- 11.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 11.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 11.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Artikel 12. Adjustments; Effect

- 12.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 12.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 12.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk.
- 12.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 13. Applicable law

- 13.1 Italian law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 13.2 The Italian text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages, the Italian text will therefore be given preference in case of lack of clarity or



contradictions.

13.3 The District Court Milan is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience