



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Executoriale veiling Machinefabriek Heerlen B.V. (NL)**  
**CNC lathes, milling machines and column  
drilling machines**

De Koumen 1 - 6433 KG Hoensbroek  
(Veilinglocatie)

Closing date: Wednesday **04 SEPTEMBER** starting 10:00



**Viewing:**

Friday 30 August from 10:00 until 14:00  
De Koumen 1 - 6433 KG Hoensbroek (The Netherlands)

*Bidding only on the internet!*

30-08-19 20.37

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Wednesday 04 September 2019 Executoriale veiling Machinefabriek Heerlen B.V.**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Wednesday 4 September 2019 starting 10:00 CET								
Viewing	<b>Friday 30 August from 10:00 until 14:00 CET</b> De Koumen 1 6433 KG Hoensbroek, The Netherlands								
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>								
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	<b>By collection schedule</b> De Koumen 1 6433 KG Hoensbroek, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.								
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.  Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV  <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).								

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

#### Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	<b>horizontal machining centre</b> TOS Varnsdorf, WHN 130 MC, year built 2009, serial number 1406, brand: TOS Varnsdorf; type: WHN 130 MC; year: 2009; serial number: 1406; travel x-axis: 3500 mm; travel y-axis: 2500 mm; travel z-axis: 1600 mm; taper ISO: MAS-BT-50; speed from N=: 10 rpm; speed till N=: 3000 rpm; T-slot fixture table size L: 1800 mm; T-slot fixture table size W: 1800 mm; workpiece weight max.: 8000 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: HEIDENHAIN; engine power: 37 kW; electric connection: 400 V; manual present: yes; machine weight: 39000 kg; description: equipped with 60-fold tool changing magazine, pallet changer, equipped with T-slot clamping surfaces, dimensions : 1800x 1600mm; Schimpke cooling unit, type : DK28-V; 1 KNOLL filter unit, type: KTS 25 -60-T; chip discharge conveyor; 1 main power box; FIESSLER ELEKTRONIK safety edge; including removable steel casing equipped with shutters, walk platforms the grid floor. Pay attention!! the coolant must be disposed of by the purchaser; The lead wires it is necessary to isolate; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur. ;	10,000.00
2	1	<b>surface grinder</b> Blohm, PLANOMAT 608, year built 2003, serial number 15 159, brand: Blohm; type: PLANOMAT 608; year: 2003; serial number: 15 159; CNC: yes; working range: 900 mm; table size L: 1200 mm; table size W: 600 mm; grinding wheel : 200 mm; distance table / spindle: 560 mm; speed from N=: 300 rpm; speed till N=: 3400 rpm; magnetic fixture plate size: 800 mm; control, brand, type: BLOHM; engine power: 7.5 kW; electric connection: 400 V; manual present: yes; dimension L: 3430 mm; dimension W: 3100 mm; dimension H: 2650 mm; description: max: grinding stone diameter: 400mm, equipped with natslijp device, filter bed plant, coastal fabric grid floor. Pay attention!! refrigerant should be taken away by the buyer, and lead wires are to be capped; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
3	1	<b>CNC machining centre</b> Unisign, Univers 4000, year built 2011, serial number 5221, brand: Unisign; type: Univers 4000; year: 2011; serial number: 5221; travel x-axis: 1600 mm; travel y-axis: 600 mm; travel z-axis: 500 mm; taper ISO: SK 40; speed till N=: 12000 rpm; -axis: 4; workpiece weight max.: 600 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: HEIDENHAIN iTNC530; hours on display: 19674; engine power: 36 kW; electric connection: 400 V; manual present: yes; total dimension L: 3700 mm; total dimension W: 2350 mm; total dimension H: 3250 mm; machine weight: 6500 kg; description: equipped with Mayfran chip discharge conveyor, coolant filter installation, wooden walking deck. Pay attention!! coolant must be disposed of by the purchaser, and power lines to be capped; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
4	1	<b>CNC machining centre</b> Mandelli, M10, year built 1998, brand: Mandelli; type: M10; year: 1998; travel x-axis: 2200 mm; travel y-axis: 1500 mm; travel z-axis: 1400 mm; taper ISO: ISO 50; speed from N=: 15 rpm; speed till N=: 4000 rpm; -axis: 4; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 1000 mm; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: SIEMENS SINUMERIK 840 DN.C; engine power: 27 kW; electric connection: 400 V; manual present: yes; description: equipped with 262-fold tooling changing magazine, the second oil mist filters, cooling SIM-unit, model 4302 / T, cap 2250 watt, 5 pallet changing stations; COSEMA chip discharge conveyor; COREMAJunior Chil-er, safety fencing . Pay attention!! coolant must be disposed of by the purchaser. capping wires. exclusive of ABUS column arm and tool holders ; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
5	1	<b>probe</b> RENISHAW., MP10, brand: RENISHAW.; type: MP10; description: recording: ISO-50;	100.00



Lot	Number	Description	Starting Bid €
6	1	<b>Milling tool</b> taper ISO: ISO-50; description: 4 pallets of tool holders incl. : Tap holders, slip-free containers, one boring head, spindles, drill chucks. + Included the tools in lot 61.;	100.00
7	1	<b>cNC carousel lathe</b> DANOMAT, VTC-2 F-150/180, year built 2006, serial number 200096, brand: DANOMAT; type: VTC-2 F-150/180; year: 2006; serial number: 200096; max. turning height: 1500 mm; turning ? : 1800 mm; speed from N=: 1 rpm; speed till N=: 580 rpm; number of tool changer stations: 18; coolant pump: yes; control, brand, type: GE Fanuc Series 18i- TB; engine power: 54 kW; electric connection: 400 V; manual present: yes; machine weight: 50200 kg; description: machine power: 80kW; equipped with swarf discharge; RITTAL cooling unit; 2 Vickers hydraulic pump aggregates , coolant filter plant, the first main flow hood. steel catwalk. Pay attention!! coolant should remove the copper itself. capping power. not including the tools, cabinets and workbench ; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
8	1	<b>CNC machining centre</b> SHIBAURA, BMC-10B, year built 1981, serial number 3420/1, brand: SHIBAURA; type: BMC-10B; year: 1981; serial number: 3420/1; travel x-axis: 1500 mm; travel y-axis: 1000 mm; travel z-axis: 1000 mm; taper ISO: ISO-50; chip conveyor: yes; CNC control, brand, type: TOSNUC 500; hours on display: 90882; electric connection: 380 V; description: equipped with double pallet changer, dimensions : 1000 x 1000mm, DAIKIN refrigeration unit, model: AKS 302; The second oil pump aggregates , 60-fold tooling changing magazine. Pay attention!! coolant must be disposed of by the purchaser. capping wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
9	1	<b>Milling tool</b> description: 4 pallets with ISO 50 tool holders incl. : More cutters, collets tool holders , drill chucks.;	100.00
10	1	<b>milling tools</b> description: incl. : ISOX40 tool holders , drill chucks, cutter tooling .;	10.00
11	1	<b>CNC horizontal machining centre</b> SHIBAURA, BTD-11R16, year built 1990, serial number 142770, brand: SHIBAURA; type: BTD-11R16; year: 1990; serial number: 142770; travel x-axis: 2000 mm; travel y-axis: 1500 mm; travel z-axis: 1450 mm; taper ISO: ISO-50; speed from N=: 2 rpm; speed till N=: 2500 rpm; T-slot fixture table size L: 1600 mm; T-slot fixture table size W: 1400 mm; workpiece weight max.: 6300 kg; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: TOSNUC-73; engine power: 22 kW; electric connection: 400 V; manual present: yes; machine weight: 28000 kg; description: W = 500mm, equipped with 60-fold tooling changing magazine; refrigeration unit; PC cabinet. Pay attention!! coolant should be disposed of by the purchaser. and isolating lead wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
12	1	<b>boring mill (boring &amp; milling machine)</b> Tos, W100, year built 1974, serial number 175-09, brand: Tos; type: W100; year: 1974; serial number: 175-09; travel x-axis: 1600 mm; travel y-axis: 1120 mm; travel z-axis: 1800 mm; spindle ? : 100; taper ISO: MC-6; speed from N=: 7.1 rpm; speed till N=: 1120 rpm; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 1250 mm; workpiece weight max.: 3000 kg; coolant pump: yes; engine power: 15 kW; electric connection: 380 V; machine weight: 17500 kg; description: Pay attention! the buyer must dispose of the coolant and isolate the electricity after dismantling; Pay attention! extradition starts from Thursday, September 19, 2019, until Friday, September 27, 4:00 pm at the latest. Only on working days from 9 a.m. to 4 p.m.;	1,000.00





Lot	Number Description	Starting Bid €
13	<b>1 hydraulic universal cylindrical grinder</b> TOS, BUA 31/2000, serial number 0214409, brand: TOS; type: BUA 31/2000; serial number: 0214409; distance between centers: 2000 mm; centre height: 310 mm; grinding wheel : 440 mm; grinding wheel thickness: 70 mm; engine power: 2.2 kW; electric connection: 380 V; machine weight: 6100 kg; dimension L: 6180 mm; dimension W: 2070 mm; dimension H: 1470 mm; description: ( outside put operation); Note coolant must be disposed of by the purchaser; to isolate lead wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
14	<b>1 hydraulic universal cylindrical grinder</b> CINCINNATI, R-53, year built 1074, serial number 27107, brand: CINCINNATI; type: R-53; year: 1074; serial number: 27107; distance between centers: 445 mm; centre height: 130 mm; grinding length: 440 mm; grinding height: 250 mm; grinding wheel : 250 mm; grinding wheel thickness: 30 mm; engine power: 1.1 kW; electric connection: 380 V; machine weight: 1670 kg; dimension L: 1870 mm; dimension W: 1900 mm; dimension H: 1370 mm; description: PAY ATTENTION!! coolant must be removed by the buyer; isolate power wires; Pay attention! extradition starts from Thursday, September 19, 2019, until Friday, September 27, 4:00 pm at the latest. Only on working days from 9 a.m. to 4 p.m.;	100.00
15	<b>1 CNC machining centre</b> Okuma, MC-5VA, year built 1987, serial number 0716, brand: Okuma; type: MC-5VA; year: 1987; serial number: 0716; travel x-axis: 1050 mm; travel y-axis: 510 mm; travel z-axis: 570 mm; taper ISO: BT-50; speed till N=: 6000 rpm; T-slot fixture table size L: 1300 mm; T-slot fixture table size W: 510 mm; workpiece weight max.: 1000 kg; coolant pump: yes; CNC control, brand, type: OSP5000M-G; engine power: 7.5 kW; electric connection: 380 V; manual present: yes; total dimension L: 3100 mm; total dimension W: 3575 mm; total dimension H: 2953 mm; machine weight: 6500 kg; description: equipped with 20-fold tooling magazine. ( outside put operation); Pay attention!! coolant has to be removed by the buyer, and to isolate lead wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
16	<b>1 3D measuring machine</b> Wenzel Präzision, serial number LS 89015, brand: Wenzel Präzision; serial number: LS 89015; digital control: yes; control, brand, type: Nummerex; total dimension L: 3000 mm; total dimension W: 3000 mm; total dimension H: 2700 mm; description: ca 2700x1500x540mm table size; vv: Micron X digital readout; 3 co-ordinates; handheld; PC; printer; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
17	<b>1 universal lathe</b> Cazeneuve, HB725, brand: Cazeneuve; type: HB725; turning length: 3000 mm; turning ? : 660 mm; spindle boring ? : 80 mm; coolant pump: yes; control, brand, type: Sony Magnescale LF20; electric connection: 380 V; manual present: yes; dimension L: 4500 mm; dimension W: 1400 mm; dimension H: 2100 mm; description: Second coordinates; vv: 3- clamping chuck ; the associated tooling and accessories can be found in lot 18; Pay attention! the buyer has to dispose of the refrigerant, to disconnect the electrical and isolate; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
18	<b>1 machine tools</b> description: lot of machine tools and on the workbench and in the drawers; including workbench and drawers;	100.00



Lot	Number	Description	Starting Bid €
19	1	<b>universal lathe</b> Cazeneuve, HB725, brand: Cazeneuve; type: HB725; turning length: 1500 mm; turning ? : 660 mm; spindle boring ? : 80 mm; coolant pump: yes; control, brand, type: Sony Magnescale LF20; electric connection: 380 V; manual present: yes; dimension L: 3200 mm; dimension W: 1300 mm; dimension H: 2250 mm; description: Second coordinates; vv: 4- clamping chuck ; the associated tooling and accessories can be found in lot 20; Pay attention! the buyer has to dispose of the refrigerant, to disconnect the electrical and isolate; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
20	1	<b>machine tools</b> description: lot of machine tools and on the workbench and in the drawers; including workbench and drawers;	100.00
21	1	<b>machine tools</b> description: lot of machine tools and on the workbench and in the drawers; including workbench and drawers;	100.00
22	1	<b>universal lathe</b> Cazeneuve, HB575, brand: Cazeneuve; type: HB575; turning length: 1500 mm; turning ? : 540 mm; spindle boring ? : 50 mm; coolant pump: yes; control, brand, type: Sony Magnescale LG20-2; electric connection: 380 V; dimension L: 2900 mm; dimension W: 1500 mm; dimension H: 2250 mm; description: Second coordinates; copying apparatus with a pump unit; Vv: 3- clamping chuck ; the associated tooling and accessories can be found in lot 23; Pay attention! the buyer has to dispose of the refrigerant, to disconnect the electrical and isolate; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
23	1	<b>machine tools</b> description: lot of machine tools and on the workbench and in the drawers; including workbench and drawer cupboard;	10.00
24	1	<b>universal lathe</b> Cazeneuve, HB500, brand: Cazeneuve; type: HB500; turning length: 1000 mm; turning ? : 450 mm; spindle boring ? : 40 mm; coolant pump: yes; control, brand, type: Sony Magnescale LH12; electric connection: 380 V; manual present: yes; dimension L: 2400 mm; dimension W: 1200 mm; dimension H: 2200 mm; description: Second coordinates; Vv: 3- clamping chuck ; the associated tooling and accessories can be found in lot 25; Pay attention! the buyer has to dispose of the refrigerant, to disconnect electricity and to isolate; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
25	1	<b>machine tools</b> description: lot of machine tools and on the workbench and in the drawers; including workbench and drawer cupboard;	10.00
26	1	<b>CNC horizontal machining centre</b> TOSHIBA, BMC-63E, brand: TOSHIBA; type: BMC-63E; travel x-axis: 1000 mm; travel y-axis: 800 mm; travel z-axis: 850 mm; taper ISO: ISO-50; speed from N=: 15 rpm; speed till N=: 5000 rpm; T-slot fixture table size L: 630 mm; T-slot fixture table size W: 630 mm; workpiece weight max.: 1200 kg; coolant pump: yes; CNC control, brand, type: TOSNUC 800; engine power: 15 kW; electric connection: 400 V; manual present: yes; total dimension L: 5400 mm; total dimension W: 3600 mm; total dimension H: 2900 mm; machine weight: 17500 kg; description: equipped with 90-fold tool changing magazine; pallet changer; ( outside put operation); Pay attention!! coolant must be disposed of by the purchaser; current wires isolate off; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00



Lot	Number	Description	Starting Bid €
27	1	<b>radial drilling machine</b> MAS, VR4A, year built 1973, serial number 2423, brand: MAS; type: VR4A; year: 1973; serial number: 2423; drilling capacity: 50 mm; number of speeds: 16; speed from N=: 28 rpm; speed till N=: 2500 rpm; drilling depth: 310 mm; discharge: 1250 mm; gear wheel driven: yes; T-slot fixture table size L: 1475 mm; T-slot fixture table size W: 900 mm; coolant pump: yes; engine power: 4 kW; electric connection: 380 V; manual present: yes; machine weight: 2800 kg; dimension L: 2290 mm; dimension W: 910 mm; dimension H: 2860 mm; description: vertical displacement arm: 750mm; equipped with T-slot fixture, dimensions: 550 x 550 x H420 mm. Pay attention!! coolant must be disposed of by the purchaser; isolating lead wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
28	1	<b>radial drilling machine</b> MAS, VR5A, year built 1968, serial number 61, brand: MAS; type: VR5A; year: 1968; serial number: 61; drilling capacity: 50 mm; number of speeds: 16; speed from N=: 28 rpm; speed till N=: 2500 rpm; drilling depth: 310 mm; discharge: 1600 mm; taper MC: 4; gear wheel driven: yes; T-slot fixture table size L: 1800 mm; T-slot fixture table size W: 885 mm; coolant pump: yes; engine power: 8 kW; electric connection: 380 V; manual present: yes; machine weight: 4000 kg; dimension L: 2960 mm; dimension W: 1120 mm; dimension H: 3330 mm; description: equipped with T-slot fixture, dimensions: 1020 x 76 x h505 mm; Pay attention!! coolant must be disposed of by the purchaser; isolating lead wires; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
29	1	<b>vertical carousel lathe</b> Jungenthal, JU 14, year built 1974, serial number 18/709, brand: Jungenthal; type: JU 14; year: 1974; serial number: 18/709; max. turning height: 1237 mm; turning ? : 1460 mm; number of tool changer stations: 12; coolant pump: yes; control, brand, type: SIEMENS SINUMERIK; engine power: 55 kW; electric connection: 380 V; machine weight: 10000 kg; dimension L: 4900 mm; dimension W: 5000 mm; dimension H: 3900 mm; description: turntable diameter: 1400 mm; equipped with Mayfran chip discharge conveyor; main power box; Pay attention! the buyer has to dispose of the refrigerant, and to isolate the electricity; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
30	1	<b>machine tools</b> description: lot of machine tools (for lot 29) and on the rack ; including rack;	100.00
31	1	<b>CNC lathe</b> Okuma, LS30-N, serial number 0385, brand: Okuma; type: LS30-N; serial number: 0385; turning ? : 580 mm; turning length: 1250 mm; spindle boring ? : 80 mm; speed from N=: 25 rpm; speed till N=: 2500 rpm; number of tool changer stations: 2; coolant pump: yes; chip conveyor: no; CNC control, brand, type: OSP500L; hours on display: 10535; engine power: 15 kW; electric connection: 380 V; manual present: yes; machine weight: 4800 kg; dimension L: 3855 mm; dimension W: 2362 mm; dimension H: 1560 mm; description: equipped with 6 position turret tool holder, foot control, plastic slatted floors. Pay attention!! coolant has to remove the copper and to isolate the electricity; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
32	1	<b>machine tools</b> description: lot of machine tools and on the workbench and drawers; including the workbench and drawers;	100.00





Lot	Number	Description	Starting Bid €
33	1	<b>CNC lathe</b> Okuma, LS30-N, serial number 0047, brand: Okuma; type: LS30-N; serial number: 0047; turning ? : 580 mm; turning length: 1250 mm; spindle boring ? : 80 mm; speed from N=: 25 rpm; speed till N=: 2500 rpm; number of tool changer stations: 2; coolant pump: yes; chip conveyor: no; CNC control, brand, type: OSP5000L; engine power: 15 kW; electric connection: 380 V; manual present: yes; machine weight: 4800 kg; dimension L: 3855 mm; dimension W: 2362 mm; dimension H: 1560 mm; description: equipped with 6 position turret tool holder, foot control, plastic slatted floors. Pay attention!! the buyer has to dispose of the refrigerant, and to isolate the electricity; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00
34	1	<b>machine tools</b> description: lot of machine tools and the work tables; including workbenches;	10.00
35	1	<b>cnc lathe</b> Okuma, LU-25, serial number 0440, brand: Okuma; type: LU-25; serial number: 0440; turning ? : 420 mm; turning length: 1250 mm; spindle boring ? : 90 mm; speed from N=: 65 rpm; speed till N=: 3500 rpm; number of tool changer stations: 2; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: OSP-U1000L; electric connection: 380 V; manual present: yes; machine weight: 1100 kg; dimension L: 5850 mm; dimension W: 2700 mm; dimension H: 2385 mm; description: Pay attention! the buyer must dispose of the coolant and isolate the electricity; Pay attention! extradition starts from Thursday, September 19, 2019, until Friday, September 27, 4:00 pm at the latest. Only on working days from 9 a.m. to 4 p.m.;	1,000.00
36	1	<b>machine tools</b> description: lot of machine tools and the workbench ; including the workbench;	100.00
37	1	<b>CNC lathe</b> PBR, T-450 SNC, year built 2004, serial number 198422, brand: PBR; type: T-450 SNC; year: 2004; serial number: 198422; turning ? : 900 mm; turning length: 6000 mm; spindle boring ? : 130 mm; speed from N=: 8 rpm; speed till N=: 1500 rpm; number of tool changer stations: 4; coolant pump: yes; chip conveyor: yes; CNC control, brand, type: GE FANUC Series 21i-TB; engine power: 50 kW; electric connection: 400 V; manual present: yes; machine weight: 9600 kg; dimension L: 11000 mm; dimension W: 2350 mm; dimension H: 2300 mm; description: equipped with hydraulic tool changer; 3 aid glasses; oil mist filter; wooden platform; Pay attention! the buyer has to dispose of the refrigerant, and to isolate the electricity; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	1,000.00
38	1	<b>machine tools</b> Skandia, brand: Skandia; description: lot of various machine tools in Tulkelch machinegereedschappenhouderrek and on the worktable and steel Kad; including gereedschapshouderrek, table and closet;	100.00
39	8	<b>machine tools</b> Skandia, brand: Skandia; description: lot of various machine tools; including arbors and various hand tools;	10.00
40	3	<b>workbench with content</b> description: 3x various workbench with content ; 4 includes various chairs; pay attention! machine tools ( lot 39); machine books or documents not included;	100.00
51	1	<b>test set-up for ship's bow propellers</b> electric connection: 400 V; total dimension L: 7200 mm; total dimension W: 5000 mm; total dimension H: 6500 mm; description: equipped with frame; post arm with drive; hydraulic system with a pump; tank cap. approx. 1800 liter; wall tank; pipes; accessories; pantry with content ; pay attention! degree of filling hydraulic tanks unknown; Pay attention! the buyer has to dissipate the contained liquids, and to isolate the electricity; Pay attention! start extradition of Thursday, September 19th, 2019 until Friday, September 27 16.00. Only on weekdays from 09.00-1600uur.;	100.00



Lot	Number	Description	Starting Bid €
55	1	<b>tooling grinding machine</b> Cincinnati, serial number CT7007-12, brand: Cincinnati; serial number: CT7007-12; electric connection: 400 V; manual present: yes; dimension L: 1350 mm; dimension W: 1350 mm; dimension H: 1700 mm; description: equipped with opspanstafel with machine clamp ; including cabinet with accessories ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u;	100.00
56	1	<b>honing machine</b> Sunnen, MBB-1600 EMS, serial number 41837, brand: Sunnen; type: MBB-1600 EMS; serial number: 41837; horizontal: yes; foot control: yes; electric connection: 380 V; manual present: yes; dimension L: 1250 mm; dimension W: 1000 mm; dimension H: 1650 mm; description: Includes tool cabinet with accessories ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u;	100.00
57	1	<b>double chisel welding machine</b> Imperia, MO-7, brand: Imperia; type: MO-7; electric connection: 380 V; description: equipped with two diamond disks; basement; coolant pump; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
58	1	<b>drill grinder</b> Meteor, ME-14, brand: Meteor; type: ME-14; electric connection: 380 V; dimension L: 500 mm; dimension W: 500 mm; dimension H: 1200 mm; description: equipped with container; basement; including accessories ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
59	1	<b>column drill</b> BMP, brand: BMP; discharge: 340 mm; electric connection: 380 V; dimension L: 500 mm; dimension W: 1300 mm; dimension H: 1950 mm; description: Vv clamping table D 440mm; including machine clamp ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
60	1	<b>double grinding motor with column</b> electric connection: 220 V; dimension L: 550 mm; dimension W: 300 mm; dimension H: 1150 mm; description: Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m.;	10.00
61	1	<b>lathe</b> Ernault Sumua, AC280, year built 1964, brand: Ernault Sumua; type: AC280; year: 1964; turning length: 600 mm; turning ? : 280 mm; spindle boring ? : 30 mm; coolant pump: yes; electric connection: 380 V; dimension L: 1700 mm; dimension W: 600 mm; dimension H: 1250 mm; description: Includes tool cabinet with content ; Pay attention! the buyer has to dispose of the refrigerant, and to isolate the electricity; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	100.00
62	1	<b>column drill</b> Cordia, SP30 VG, serial number 650019, brand: Cordia; type: SP30 VG; serial number: 650019; discharge: 350 mm; table size L: 550 mm; table size W: 700 mm; coolant pump: yes; electric connection: 380 V; manual present: yes; dimension L: 1000 mm; dimension W: 1400 mm; dimension H: 2000 mm; description: Kolomboor- and milling machine ; equipped with cross table; coolant pump; material clamp; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
63	1	<b>band saw</b> Pehaka, USF-10 R, serial number 26 497 68.01.202, brand: Pehaka; type: USF-10 R; serial number: 26 497 68.01.202; discharge: 375 mm; table size L: 680 mm; table size W: 750 mm; saw blade size L: 4800 mm; saw blade size W: 10 mm; saw blade thickness: 1 mm; electric connection: 380 V; manual present: no; description: Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m.;	10.00



Lot	Number	Description	Starting Bid €
64	1	<b>washing machine</b> Kermad, 4, brand: Kermad; type: 4; total dimension L: 4600 mm; total dimension W: 2000 mm; total dimension H: 4600 mm; description: equipped with pneumatically operated lifting door; electrical heating ; oil separator; Incl. Suction tube without the wall outlet; Pay attention! the possibly present liquids must be disposed of by the purchaser, and the electricity is to be isolated; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
65	1	<b>press machine</b> Eitel, EP100, year built 1962, serial number 10 547, brand: Eitel; type: EP100; year: 1962; serial number: 10 547; capacity: 100 t; manually operated: yes; electric driven: yes; electric connection: 380 V; dimension L: 1600 mm; dimension W: 1800 mm; dimension H: 2600 mm; description: equipped with support table dimensions . lxx approx. 1600x450; Pay attention! the buyer must isolate the electricity; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
66	1	<b>honon machine</b> Gusto, E175/4, year built 1966, serial number E175/4, brand: Gusto; type: E175/4; year: 1966; serial number: E175/4; vertical: yes; stroke: 1150 mm; coolant reservoir: yes; electric connection: 380 V; manual present: yes; dimension L: 1000 mm; dimension W: 1600 mm; dimension H: 4500 mm; description: Load: 800 mm; Pay attention!! the buyer must dispose of the coolant and isolate the electricity; Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m.;	10.00
67	1	<b>positioner</b> Tehag, SG3, serial number 6578, brand: Tehag; type: SG3; serial number: 6578; horizontal: yes; foot control: yes; electric connection: 380 V; dimension L: 6000 mm; dimension W: 900 mm; dimension H: 1400 mm; description: Including various machine accessories ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
68	1	<b>positioner</b> tilting: yes; horizontal: yes; vertical: yes; electric connection: 400 V; dimension L: 1200 mm; dimension W: 2200 mm; dimension H: 1400 mm; description: Table dimensions . ca 1200 x 1200 x 70 m; including various workshop furniture with content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	100.00
69	1	<b>band saw machine</b> Kasto, SSB 260 VA, year built 1994, serial number 05111, brand: Kasto; type: SSB 260 VA; year: 1994; serial number: 05111; max. workpiece height: 270 mm; working width: 270 mm; saw blade size W: 40 mm; 2-column: yes; electric connection: 380 V; machine weight: 2140 kg; dimension L: 2100 mm; dimension W: 2000 mm; dimension H: 2000 mm; description: Including roller conveyor dimensions LxWxH approx 245x70x106cm; forklift truck dump bucket ; Pay attention! The buyer is responsible for pumping and draining of liquids; The buyer is responsible for disconnecting and isolating the electrics; damage to property or the environment resulting from disassembly or transport will be charged to the buyer; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	100.00
70	1	<b>radial short cutter machine</b> Harwi, 625-H, year built 1999, serial number 3004 BA, brand: Harwi; type: 625-H; year: 1999; serial number: 3004 BA; saw blade ? : 400 mm; discharge: 1000 mm; table size L: 940 mm; table size W: 800 mm; electric connection: 380 V; machine weight: 211 kg; dimension L: 1750 mm; dimension W: 1530 mm; dimension H: 1700 mm; description: Including 2x roll stand; dust extraction with barrel; Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m.;	100.00
71	1	<b>forklift</b> Linde, E40P, year built 1998, serial number 337JO7001840, brand: Linde; type: E40P; year: 1998; serial number: 337JO7001840; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3250 mm; overhead guard height: 2300 mm; fork length: 1390 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7012; battery charger: yes; own weight: 4545 kg;	1,000.00



Lot	Number	Description	Starting Bid €
72	1	<b>forklift</b> Linde, E20P-02, year built 2005, serial number H2X335S02493, brand: Linde; type: E20P-02; year: 2005; serial number: H2X335S02493; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5650 mm; overhead guard height: 2500 mm; fork length: 1000 mm; duplo mast: no; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 24054; own weight: 2670 kg;	1,000.00
73	1	<b>boom lift</b> Grove , Toucan 1010, year built 2001, serial number 11768, brand: Grove ; type: Toucan 1010; year: 2001; serial number: 11768; electric: yes; vertical lift: yes; working height: 1010 cm; horizontal outreach: 300 cm; platform size L: 90 cm; platform size W: 71 cm; platform capacity: 200 kg; battery charger: no; hours on display: 159; own weight: 3300 kg; total dimension L: 2900 mm; total dimension W: 950 mm; total dimension H: 2010 mm; description: Without charger! ;	1,000.00
74	1	<b>forklift</b> Linde, E20P-02, year built 2005, serial number H2X335S05374, brand: Linde; type: E20P-02; year: 2005; serial number: H2X335S05374; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3100 mm; overhead guard height: 2100 mm; fork length: 1050 mm; duplo mast: yes; tripple mast: no; free-lift: no; side-shift: yes; full rubber tyres: yes; hours on display: 19990; battery charger: yes; own weight: 2490 kg;	1,000.00
75	1	<b>passenger car</b> Skoda, Octavia, year built 2015, brand: Skoda; type: Octavia; year: 2015; VIN number: TMBJG9NE0G0150936; license plate: HS-251-F; stationwagen: yes; inspection expiration date: 22/12/2019 01:00:00; diesel: yes; engine power: 81 kW; manual: yes; mileage (at intake): 105113 km; number of seats: 5; number of doors: 4; airconditioning: yes; navigation: yes; trailer hitch: yes; parking sensors: yes; own weight: 1227 kg; description: number of cylinders: 4; displacement: 1598 cm <sup>3</sup> ; colour White; list price: 29490; Euro classification: Euro 6; efficiency label: B; type : 5E; variant: ACCXXBX0; execution: NFM5FM5A4051STVLN627;	1,000.00
76	1	<b>passenger car</b> Ford, Focus, year built 2000, brand: Ford; type: Focus; year: 2000; VIN number: WF0NXGCDNYY43474; license plate: 99-GH-GV; stationwagen: yes; inspection expiration date: 21/12/2019 00:00:00; gasoline: yes; engine power: 74 kW; automatic: yes; mileage (at intake): 305277 km; number of seats: 5; number of doors: 4; airconditioning: yes; own weight: 1134 kg; description: number of cylinders: 4; cylinder capacity: 1596 cm <sup>3</sup> ; Colour: Grey; Euro classification: Euro 3; variant: FYDB1; version: 5GEBML; pay attention! usage damage around; 1 key.;	100.00
77	1	<b>circular trim saw</b> Bewo, CPO 315 LT, serial number 3309936, brand: Bewo; type: CPO 315 LT; serial number: 3309936; saw blade ? : 300; number of speeds: 2; coolant pump: yes; electric connection: 380 V; description: Including supply and drainage roll paths L about 400cm; vv length stop; 2x buck; without isolation switch; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
78	1	<b>sweeper , self-propelled</b> Kärcher, KM 85/50 W, year built 2011, serial number 010148, brand: Kärcher; type: KM 85/50 W; year: 2011; serial number: 010148; working width: 1000 mm; electric: yes; hours on display: 198 hr; battery charger: yes; electric connection: 24 V; total dimension L: 1000 mm; total dimension W: 1400 mm; total dimension H: 1170 mm; description: equipped with internal charger 230V.;	100.00
79	1	<b>metal stocks of bar material</b> description: lot of residual solid stock rod material, including thick-walled steel, stainless steel and aluminum; pay attention! racks - racking not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00



Lot	Number	Description	Starting Bid €
80	2	<b>raw materials serving Instapak packaging machine</b> Sealed Air, brand: Sealed Air; description: consisting of drum and drum foam molding polymeric isocyanate; bags; etc; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	10.00
(C) 81	1	<b>semi-finished products</b> description: lot of various semi-finished metal products (1.5 rack ); pay attention! rack not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
(C) 82	1	<b>semi-finished products</b> description: lot of various semi-finished metal products (in 2x rack ); pay attention! rack not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
(C) 83	1	<b>semi-finished products</b> description: lot of various semi-finished metal products (in 2x rack ); pay attention! rack not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
(C) 84	2	<b>drive shaft / marine propeller housings</b> dimension L: 1250 mm; dimension W: 1150 mm; description: H ca 2270 mm; Pay attention! Collection will be on Monday, September 16, 2019 from 9:00 AM to 4:00 PM.;	100.00
85	1	<b>Other inventory residual stock</b> description: lot of various residual stock including pallets; packing material; single pallets; handhef hydraulic pallet truck ; etc; pay attention! This lot is located on the mezzanine floor , the buyer must provide the space broom clean; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
(C) 86	1	<b>other metal stocks &amp; semi-finished products</b> description: lot of various residual stock and semi-finished products which are in the racks - racking below the mezzanine floor ; pay attention ! racks - racking , cabinets , desk, chair and mezzanine floor not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
(C) 87	1	<b>semi-finished products</b> description: lot of various semi-finished metal products (3x in rack ); pay attention! rack not included; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
		<b>semi-finished products a</b>	
88	10	<b>cantilever racks</b> max. section load: 200 kg; description: 10x various cantilever racks serving rod material of 5 pieces total capacity per rack 12,000 kg.grotendeels rack length approx 500 cm, height ranging from 220-270 cm; pay attention! content not included; pay attention! the purchaser of the lot , the wire ends needs which are located in the floor after finish grinding disassembly. Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	100.00
89	11	<b>Palletization</b> dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: 2800 mm; number of uprights: 45; number of cross beams: 266; max. section load: 2200 kg; description: a total of 34 sections; including 2x fall protection at two racks - racking ; additional girders in the attic floor and girders in the corner of the hall ; pay attention! the purchaser of the lot is to grind off the wire ends in the floor after removal .; pay attention! racks - racking without the content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	100.00





Lot	Number	Description	Starting Bid €
90	1	<b>mezzanine floor with basement storage racks</b> Electrolux constructor, HI 170, year built 1992, brand: Electrolux constructor; type: HI 170; year: 1992; total dimension L: 8900 mm; total dimension W: 8700 mm; total dimension H: 3550 mm; floor height: 2450 mm; lights: yes; wooden floor: yes; with stairs: yes; description: entire mezzanine floor with basement storage racks, two steel cabinets , steel desk with chair; passage height about 240 cm; pay attention! The buyer of this lot should it fully to professionally disassemble and electricity according to Dutch caps on health and safety standards; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	100.00
91	1	<b>platform truck with headboard</b> dimension L: 97 cm; dimension W: 69 cm; dimension H: 27 cm;	10.00
92	1	<b>floor car</b> dimension L: 100 cm; dimension W: 60 cm; dimension H: 95 cm;	10.00
93	1	<b>tipping container mobile</b> Fimm, C4/750, brand: Fimm; type: C4/750; load capacity: 1500 kg; total dimension L: 1750 mm; total dimension W: 880 mm; total dimension H: 1430 mm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
94	1	<b>buck steel</b> total dimension L: 900 mm; total dimension W: 660 mm; total dimension H: 840 mm;	10.00
95	1	<b>template punching machine</b> Diagraph, GG-S-747c, brand: Diagraph; type: GG-S-747c; description: Font size 1 "; including cabinet with content dimensions lxxh approx 85x40x102cm.;	10.00
96	1	<b>hose reel</b> Zeca, 805/10, brand: Zeca; type: 805/10; air reel: yes; diameter approx.: 10 mm; hose length: 16 m; wall mount: yes; description: Vv: air pistol; wall mounted; disconnection with the first coupling.;	10.00
97	1	<b>lot of office inventory</b> description: incl. 2x office;. 1x office table; 3x office chair; 2x seat; 1x sliding closet layer model; 1x Dell thin client; HP 20 "monitor; Olympia electric typewriter; regards the content of the porta cabin. ;	10.00
98	1	<b>lot of fires and fixing</b> description: incl. : battens,. L 5000mm shelves ca head diameter approx 190x30mm; 6x beam L ca ca 155x60mm 6000mm head diameter; including lot of fasteners incl. : Kelfort universal galvanized flathead screws;. nail; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	10.00
99	1	<b>working bench</b> dimension L: 313 cm; dimension W: 87 cm; dimension H: 88 cm; total dimension L: 100 mm; description: Vv: inlay; Record vise no. 6; including various hand tools; eyebolts; 2x bracket; etc.;	10.00
100	1	<b>forklift truck accessories attachment</b> Vermeulen, 3-tons, serial number U7.8908, brand: Vermeulen; type: 3-tons; serial number: U7.8908; total dimension L: 1120 mm; total dimension W: 450 mm; description: max capacity 3000 kg;	10.00
101	1	<b>foam-in-bag packaging system</b> Sealed Air, Instapacker tabletop, serial number ITT-06618, brand: Sealed Air; type: Instapacker tabletop; serial number: ITT-06618; electric connection: 230 V; total dimension L: 1300 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; description: Includes drip tray; table; barrels pump; arrived drums packaging foam; including about 4 bags of flakes on the attic floor; for lot of raw materials see lot 80; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	100.00
102	1	<b>welding fume extraction system</b> Nederman, Jumbo smoke eater, brand: Nederman; type: Jumbo smoke eater; fixed: yes; boom length: 3400 mm; electric connection: 380 V; description: Including air discharge pipe; no wall outlet; pay attention! depends on approx. 3m. height; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	10.00



Lot	Number	Description	Starting Bid €
103	1	<b>Other grinding machine</b> Creusen, K9000HD, brand: Creusen; type: K9000HD; grinding wheel : 200 mm; grinding wheel thickness: 24 mm; electric connection: 230 V; dimension L: 550 mm; dimension W: 550 mm; dimension H: 1200 mm; description: equipped with additional grindstone ;	10.00
104	1	<b>welding fume extraction system</b> Lincoln Electric, LFA 4.1, serial number A0870230084, brand: Lincoln Electric; type: LFA 4.1; serial number: A0870230084; fixed: yes; filterunit: yes; boom length: 7200 mm; electric connection: 380 V; description: equipped with filter Statiflex 200-M include the discharge tube.; no wall outlet; pay attention! depends on approx. 3m. height; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	100.00
105	1	<b>welding table</b> total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 850 mm; description: incl. vise and stool;	10.00
106	1	<b>machine accessories</b> description: incl. . various turning tools; Alho recordings SK50; grinding wheel; everything on one pallet.;	10.00
107	1	<b>hand hydraulic pallet truck</b> Ravas, RPW 2100, serial number 51644993001, brand: Ravas; type: RPW 2100; serial number: 51644993001; lifting capacity: 2000 kg; fork length: 1130 mm; total dimension L: 550 mm; total dimension W: 1600 mm; total dimension H: 1250 mm; description: equipped with weighing device.;	10.00
108	1	<b>Hydraulic hand pallet truck</b> Quicklift, brand: Quicklift; lifting capacity: 2000 kg; fork length: 1130 mm; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 1250 mm;	10.00
109	1	<b>Hydraulic hand pallet truck</b> PTH50-20-39, year built 2004, serial number 3-548275, type: PTH50-20-39; year: 2004; serial number: 3-548275; lifting capacity: 2300 kg; fork length: 1130 mm; own weight: 66 kg; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 1250 mm;	10.00
110	1	<b>lawn mower</b> Honda, HR21-5, brand: Honda; type: HR21-5; fuel engine driven: yes; fuel type: Benzine; electric driven: no; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 1000 mm;	10.00
111	1	<b>pneumatic nail gun</b> Bea, 800DC, brand: Bea; type: 800DC; max. pressure: 8 bar;	10.00
© 112	9	<b>tool holders SK 50</b> description: vv quick coupling tapping heads, drilling, boring head 1; included one transportation cart.;	10.00
© 113	5	<b>tool holders SK 50</b> description: incl. : keyless chucks, collet chucks, first rotating center; including one trolley.;	10.00
© 114	5	<b>tool holders SK 50</b> Sandvik, brand: Sandvik; description: incl. : push-spindles; including one trolley.;	10.00
© 115	5	<b>tool holders SK 50</b> Sandvik, brand: Sandvik; description: incl. : plug spindles, collet cutter holder; including one trolley.;	10.00
© 116	10	<b>tool holders SK 50</b> description: incl. : quick coupling tap holders, collet chucks, drill holders; including one trolley.;	10.00
© 117	5	<b>tool holders</b> description: incl. : ISO 50, CT45-32; chucks and collet chucks; including one trolley.;	10.00
© 118	4	<b>tool holders BT-50</b> description: incl. : plug cutter holder, collet chucks; including one trolley.;	10.00



Lot	Number	Description	Starting Bid €
© 119	3	<b>quick coupling tap holders</b> description: recording: TT45-MT4; included 1 transport cart.;	10.00
© 120	5	<b>cutter tooling SK50</b> description: included 1 transport cart.;	10.00
© 121	4	<b>tooling recordings SK50</b> description: incl. : push-face milling; including one trolley.;	10.00
© 122	4	<b>tool holders SK50</b> description: with end mill holders; included 1 transport cart.;	10.00
© 123	5	<b>cutter tooling SK50</b> description: included 1 transport cart.;	10.00
© 124	10	<b>tooling recordings SK50</b> description: incl. : plug spindles, hedgehog milling; including one trolley.;	10.00
© 125	5	<b>mortise cutter holders SK50</b> description: and various ; including one trolley.;	10.00
© 126	15	<b>mortise cutter holders SK50</b> description: included 1 transport cart.;	10.00
© 127	10	<b>tool holders SK50</b> description: incl. : plug spindles, chucks, collet chucks, quick coupling tap holders; including one trolley.;	10.00
© 128	10	<b>tool holders SK50</b> description: incl. : quick coupling tap holders, collet chucks and one turning tool; including one trolley.;	10.00
© 129	10	<b>tool holders SK50</b> description: incl. : collet chucks, quick coupling tap holders, 1 fixed center; including one trolley.;	10.00
© 130	10	<b>tool holders SK50</b> description: incl. : cutter tooling , collet chucks, quick coupling tap holders; including one trolley.;	10.00
© 131	5	<b>tool holders SK50</b> description: incl. : quick coupling tap holder, cutter holder; including one trolley.;	10.00
© 132	8	<b>tool holders SK50</b> description: included 1 transport cart.;	10.00
© 133	7	<b>tool holders SK50</b> description: incl. : plug cutter holder, collet chucks, boring tools, quick coupling tap holder; including one trolley.;	10.00
© 134	10	<b>tool holders SK50</b> description: incl. : quick coupling tap holders, drill holders; including one trolley.;	10.00
© 135	6	<b>tool holders SK50</b> description: incl. : cutter tooling and three rotating centers; including one trolley.;	10.00
© 136	10	<b>tool holders SK50</b> description: incl. : cutter tooling , collet chucks, quick coupling tap holder; including one trolley.;	10.00
© 137	10	<b>tool holders SK50</b> description: incl. : quick coupling tap holders, drill chucks, collet chucks; including one trolley.;	10.00
© 138	2	<b>collet holders HN50-T45</b> NIKKEN, brand: NIKKEN; description: + various adapters tapping and drilling; including one trolley.;	10.00
© 139	14	<b>tool holders SK50</b> description: incl. : quick coupling tap holders, collet chucks, drill holders; including one trolley.;	10.00
<b>tool holders with cars</b>			



Lot	Number	Description	Starting Bid €
140	1	<b>depth gauge</b> Mitutoyo, VDS20, brand: Mitutoyo; type: VDS20; analog: yes; measuring range from: 0 mm; measuring range till: 200 mm;	10.00
141	16	<b>welding wire on a roll</b> description: 4x Novofil 70; 3x Lincoln Electric Outer held 690-H; 2x Ampco electrode 46; 1x Esab OK autrod 13:29; various rollers utilized therein;	10.00
142	7	<b>coil nails</b> description: stock of nails for pneumatic nail tacker ;	10.00
143	6	<b>sleeves welding rods</b> description: incl. : Ceweld;. Flies.;	10.00
144	1	<b>compressed air hoses</b> description: various pressure hoses with couplings ; gun;	10.00
145	1	<b>roof leather burner</b> Kayser, brand: Kayser; description: equipped with coupling; pay attention! without cylinder;	10.00
146	1	<b>air compressor parts</b> Alup , 6211 4722 50, brand: Alup ; type: 6211 4722 50; description: incl. . various filters; 4x 5 ltr Screw Guard Rotair oil.;	10.00
147	1	<b>boiler clamp</b> description: lxw approx. 430x300;	10.00
148	3	<b>lifting clamps</b> description: vv bolts ;	10.00
149	2	<b>cable reels</b> Black master, brand: Black master; electric connection: 230 V; length: 25 m; on reel: yes;	10.00
150	1	<b>chain hoist</b> Rema, K-75, brand: Rema; type: K-75; hoist capacity: 3000 kg;	10.00
151	1	<b>chain hoist</b> hoist capacity: 1000 kg;	10.00
152	1	<b>lever chain hoist</b> hoist capacity: 5000 kg;	10.00
153	21	<b>metal storage bins</b> Schafer, brand: Schafer;	10.00
154	3	<b>Milling tool</b> Walter, F244, brand: Walter; type: F244; description: various milling; D 400mm; D 360mm;	10.00
155	1	<b>cutter and drill tooling</b> description: various drilling and milling;	10.00
156	1	<b>lot of tool holders SK50</b> description: equipped with some milling ;	10.00
157	1	<b>lot of tool holders SK50</b>	10.00
158	1	<b>lot of tool holders SK50</b>	10.00
159	1	<b>lot of turning tools</b>	10.00
160	5	<b>welding screens</b> description: dimensions . approx. 2000x600x2000mm (LxWxH);	10.00
© 161	1	<b>semi-finished product</b> dimension L: 300 mm; dimension W: 300 mm;	10.00
162	1	<b>turning tool</b> description: toolholder approx. 1000m;	10.00
163	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 300 mm; description: equipped with shim;	10.00
© 164	1	<b>semi-finished product</b> description: D. approx. 600mm ;	10.00



Lot	Number	Description	Starting Bid €
	166	1 <b>chest of drawers with content</b> total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1000 mm;	10.00
©	167	1 <b>semi-finished product</b> description: Pay attention! only content rack;	10.00
	168	1 <b>Warehouse racking</b> total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 1750 mm; description: Pay attention! without content ; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	10.00
	169	1 <b>turning tool</b> description: various toolholders ;	10.00
	170	1 <b>stock loctite and devmor developer</b> description: 13x vial loctite; 12x spray can devmor;	10.00
	171	4 <b>plunger jugs</b> Justrite, brand: Justrite;	10.00
	172	1 <b>crossroads lifting chain</b> description: equipped with hooks; eyes; length approx. 1900mm;	10.00
	173	2 <b>two crossroads and lifting chain</b> hoist capacity: 1960 kg; description: equipped with lifting hooks; length approx. ; 1200mm; 1400mm; 500mm;	10.00
	174	1 <b>crossroads lifting chain</b> hoist capacity: 8400 kg; description: equipped with eyes; hooks; length approx. 1800mm;	10.00
	175	1 <b>fork lifting chain</b> description: equipped with eyes; hooks; length approx. 1600mm;	10.00
	176	1 <b>fork lifting chain</b> description: equipped with eyes; hooks; length approx. 1200mm;	10.00
	177	1 <b>crossroads lifting chain</b> hoist capacity: 5300 kg; description: equipped with eyes; hooks; length approx. 1700mm;	10.00
	178	1 <b>fork lifting chain</b> hoist capacity: 5600 kg; description: equipped with eyes; hooks; length approx. 1700mm;	10.00
	179	10 <b>turning tool</b> Sandvik, brand: Sandvik; description: toolholders;	10.00
	180	7 <b>drill tools</b> description: lot of drilling and milling heads;	10.00
	181	5 <b>turning tool</b> Sandvik Coromant, BT25-LCE-2080, brand: Sandvik Coromant; type: BT25-LCE-2080; description: chisel holders.;	10.00
	182	6 <b>turning tool</b> description: quick coupling chisel holders;	10.00
	183	4 <b>turning tool</b> description: toolholders;	10.00
	184	11 <b>clamping tools</b> description: clamping jacks from 50 mm to 150 mm high;	10.00
	185	2 <b>turning tool</b> description: quick coupling chisel holders;	10.00
	186	1 <b>clamping chuck</b> Schunk, SFA 250, brand: Schunk; type: SFA 250; description: various chucks 30mm thick;	10.00
	187	4 <b>clamping tools</b> description: opspanvijzels approx. 650mm to 860mm height;	10.00
	188	6 <b>clamping tools</b> description: opspanvijzels approx. 45mm to 75mm height;	10.00





Lot	Number	Description	Starting Bid €
189	4	<b>clamping tools</b> description: opspanvijzels approx. 70mm to 120mm height;	10.00
190	2	<b>clamping tools</b> description: opspanvijzels approx. 220mm to 300mm height;	10.00
191	12	<b>clamping tools</b> description: opspanvijzels approx. 120mm to 190mm height;	10.00
192	6	<b>clamping tools</b> description: opspanvijzels approx. 300mm to 530mm height;	10.00
193	4	<b>clamping tools</b> description: opspanvijzels approx. 90mm to 130mm height;	10.00
194	6	<b>clamping tools</b> description: opspanvijzels approx. 180mm to 300mm height;	10.00
195	8	<b>clamping tools</b> description: opspanvijzels approx. 200mm to 300mm height;	10.00
196	4	<b>clamping tools</b> description: opspanvijzels approx. 200mm to 300mm height;	10.00
197	4	<b>clamping tools</b> description: clamping jacks; foot height 90 mm and 120 mm;	10.00
198	10	<b>clamping tools</b> description: opspanvijzels height of approx. 90mm to 250mm;	10.00
199	8	<b>clamping tools</b> description: opspanvijzels; foot height approx. 30mm;	10.00
200	12	<b>clamping tools</b> description: opspanvijzels; height of approx. 70mm to 300mm;	10.00
201	10	<b>clamping tools</b> description: opspanvijzels; height of approx. 90mm to 130mm;	10.00
202	2	<b>clamping tools</b> description: opspanvijzels; height of approx. 300mm to 500mm;	10.00
203	7	<b>clamping tools</b> description: opspanvijzels; height of approx. 130mm to 200mm;	10.00
204	8	<b>clamping tools</b> description: opspanvijzels; height of approx. 120mm to 180mm;	10.00
205	8	<b>clamping tools</b> description: opspanvijzels; height of approx. 70mm to 120mm;	10.00
206	4	<b>clamping tools</b> description: opspanvijzels; height of approx. 280mm to 480mm;	10.00
207	4	<b>clamping tools</b> description: opspanvijzels; height of approx. 300mm to 500mm;	10.00
208	4	<b>clamping tools</b> description: opspanvijzels; height of approx. 180mm to 300mm;	10.00
209	4	<b>clamping tools</b> description: opspanvijzels; height of approx. 50mm to 70mm;	10.00
210	6	<b>clamping tools</b> description: opspanvijzels; height of approx. 300mm to 500mm;	10.00
211	8	<b>clamping tools</b> description: opspanvijzels; height of approx. 40mm to 50mm;	10.00
212	7	<b>clamping tools</b> description: opspanvijzels; height of approx. 40mm to 50mm;	10.00
213	7	<b>clamping tools</b> description: opspanvijzels; height of approx. 50mm to 70mm;	10.00
214	4	<b>clamping tools</b> description: opspanvijzels; height of approx. 70mm to 100mm;	10.00



Lot	Number	Description	Starting Bid €
215	6	<b>clamping tools</b> description: opspanvijzels; height of approx. 300mm to 500mm;	10.00
216	8	<b>clamping tools</b> description: opspanvijzels; height of approx. 125mm to 160mm;	10.00
217	6	<b>clamping tools</b> description: opspanvijzels; height of approx. 180mm to 280mm;	10.00
218	8	<b>clamping tools</b> description: opspanvijzels; height of approx. 70mm to 120mm;	10.00
219	2	<b>clamping tools</b> description: opspanvijzels; height of approx. 700mm;	10.00
220	2	<b>v-blocks</b> description: (LxWxH) approx. 300x90x200mm;	10.00
221	2	<b>v-blocks</b> description: (LxWxH) approx. 130x55x130mm;	10.00
222	2	<b>blocks</b> description: (LxWxH) approx. 150x100x150mm;	10.00
223	2	<b>v-blocks</b> description: (LxWxH) approx. 180x55x110mm;	10.00
224	2	<b>v-blocks</b> description: (LxWxH) approx. 150x50x130mm;	10.00
225	2	<b>v-blocks</b> description: (LxWxH) approx. 255x90x190mm;	10.00
226	4	<b>v-blocks</b> description: (LxWxH) approx. 150x95x70mm;	10.00
227	2	<b>v-blocks</b> description: (LxWxH) approx. 200x140x200mm;	10.00
228	2	<b>v-blocks</b> description: (LxWxH) approx. 150x75x150mm;	10.00
229	2	<b>v-blocks</b> description: (LxWxH) approx. 150x100x110mm;	10.00
230	2	<b>v-blocks</b> description: (LxWxH) approx. 255x90x180mm;	10.00
231	4	<b>clamping tools</b> description: (LxWxH) approx. 130x50x55mm;	10.00
232	4	<b>clamping tools</b> description: (LxWxH) approx. 220x75x110mm;	10.00
233	8	<b>clamping tools</b> description: (LxWxH) approx. 130x45x55mm;	10.00
234	2	<b>clamping tools</b> description: (LxWxH) approx. 230x75x110mm;	10.00
235	4	<b>rotating eye bolts</b> description: Tee; dimensions . 35x35x28mm LxWxH;	10.00
236	4	<b>clamping tools</b> description: (LxWxH) approx. 180x45x45mm;	10.00
237	4	<b>clamping tools</b> Amfo, 6365-16-001, brand: Amfo; type: 6365-16-001; description: (LxWxH) approx. 100x80x50mm;	10.00
238	2	<b>clamping tools</b> description: (LxWxH) approx. 220x75x110mm;	10.00
239	2	<b>clamping tools</b> description: (LxWxH) approx. 250x75x70mm;	10.00
240	6	<b>clamping tools</b> description: (LxWxH) approx. 100x100x40mm;	10.00



Lot	Number	Description	Starting Bid €
241	12	<b>clamping tools</b> description: different sizes;	10.00
242	2	<b>clamping tools</b> description: (LxWxH) approx. 110x160x180mm;	10.00
243	4	<b>clamping tools</b> description: (LxWxH) approx. 220x70x70mm;	10.00
244	1	<b>lot of tensioning jaws</b> description: 20 mm; 35 mm; 60 mm; 95 mm;	10.00
245	3	<b>turning tool</b> description: quick coupling chisel holders;	10.00
246	8	<b>turning tool</b> description: quick coupling chisel holders;	10.00
247	4	<b>turning tool</b> description: quick coupling chisel holders;	10.00
248	4	<b>turning tool</b> description: quick coupling chisel holders;	10.00
249	3	<b>clamping tools</b> description: module dimensions . approx. 160x160x95mm;	10.00
250	9	<b>turning tool</b> description: various quick coupling chisel holders;	10.00
251	1	<b>computer case steel</b> description: equipped with keys;	10.00
252	1	<b>fire-resistant cupboard hazardous substances</b> total dimension L: 1200 mm; total dimension W: 610 mm; total dimension H: 1970 mm; description: pay attention! with content;	10.00
253	1	<b>lot of lamellae pins</b> description: various dimensions; gr. 120.;	10.00
254	4	<b>milling and inserts</b> Sandvik, brand: Sandvik; description: incl. : type R390; 870; 880.;	10.00
255	1	<b>at current cutter</b> Garant, brand: Garant; description: D 20 mm.;	10.00
256	23	<b>tapping</b> description: various diameters.;	10.00
257	11	<b>sanding belts</b> Flexofit, brand: Flexofit; description: P40; L 180 cm.;	10.00
258	1	<b>saw band</b> Wikus Futura, brand: Wikus Futura; description: 4115x41x1.30 mm;	10.00
259	2	<b>sawbands</b> Wikus Futura, Marathon M42, brand: Wikus Futura; type: Marathon M42; description: 41x1.30 mm.;	10.00
260	2	<b>sawbands</b> Wikus Futura, Marathon M42, brand: Wikus Futura; type: Marathon M42; description: 41x1.30 mm.;	10.00
261	2	<b>sawbands</b> Wikus Futura, Marathon M42, brand: Wikus Futura; type: Marathon M42; description: 41x1.30 mm.;	10.00
262	6	<b>Milling tool</b> Sandvik, brand: Sandvik; description: incl. : CoroMill R490;. R390; R210.;	10.00
263	1	<b>lot of spiral bands</b> Flexovit, Alox, brand: Flexovit; type: Alox; description: various sizes.;	10.00
264	1	<b>lot of abrasives</b> Diverse, type: Diverse; description: incl. : cutting wheels;. sanding discs; steel brushes.;	10.00



Lot	Number	Description	Starting Bid €
265	1	<b>lot of tap</b> description: various diameters.;	10.00
266	1	<b>lot of tap</b> DC, Diverse, brand: DC; type: Diverse;	10.00
267	1	<b>lot of tap</b> DC, Diverse, brand: DC; type: Diverse;	10.00
268	4	<b>drill indexable insert</b> Komet, V13 en V30, brand: Komet; type: V13 en V30;	10.00
269	4	<b>drill bits with interchangeable tip</b> Sandvik Coromant, CoroDrill 870, brand: Sandvik Coromant; type: CoroDrill 870;	10.00
270	1	<b>lot of various drilling and milling</b> description: incl. .: Walter and Gühring;	10.00
271	2	<b>construction clamps</b> Bessey, STB40M, brand: Bessey; type: STB40M; description: 400x175mm;	10.00
272	1	<b>lot of tap</b> DC & Walter & Garant, Diverse, brand: DC & Walter & Garant; type: Diverse;	10.00
273	1	<b>Milling tool</b> Walter, Diverse, brand: Walter; type: Diverse;	10.00
274	4	<b>Milling</b> Sandvik Coromant, Coromill 331, brand: Sandvik Coromant; type: Coromill 331;	10.00
275	8	<b>drill tools</b> Allied Machine Engineering, Spade drill, brand: Allied Machine Engineering; type: Spade drill; description: For Holmatro.;	10.00
276	1	<b>grinding / polishing stone</b> Hoffmann, brand: Hoffmann;	10.00
277	13	<b>torx screwdrivers</b> Garant, brand: Garant;	10.00
278	1	<b>magnet serving tripod</b> Noga, brand: Noga;	10.00
279	1	<b>nail puller</b> Bahco, 38, brand: Bahco; type: 38;	10.00
280	7	<b>Milling tool</b> Sandvik Coromant, Divers, brand: Sandvik Coromant; type: Divers; description: incl. .: R390;	10.00
281	1	<b>lot of hoisting eyes</b> description: incl. .: M24 WLL: 8T, . M20 WLL: 6T; M16 WLL: 4T; M10 WLL: 1T.;	10.00
282	3	<b>Milling tool</b> Sandvik Coromant, brand: Sandvik Coromant; description: incl. .: 419R; R210.;	10.00
283	1	<b>whetstone</b> description: 400x22-80x127-58.;	10.00
284	2	<b>grindstones</b> Flexovit, brand: Flexovit; description: 250x30x76mm;	10.00
285	1	<b>whetstone</b> Tyrolit, Strato-Ultra, brand: Tyrolit; type: Strato-Ultra; description: 400x80x127 210x15.;	10.00
286	1	<b>whetstone</b> Tyrolit, Strato-Ultra, brand: Tyrolit; type: Strato-Ultra; description: 400x80x127 210x15.;	10.00
287	1	<b>whetstone</b> Norton, SG, brand: Norton; type: SG; description: 400x50x127.;	10.00
288	2	<b>grindstones</b> Tyrolit, Strato Ultra, brand: Tyrolit; type: Strato Ultra; description: 500x80x203.2mm.;	10.00
289	7	<b>dial indicators</b> Mahr, Diverse, brand: Mahr; type: Diverse; analog: yes; description: Includes gauge accessories .;	10.00



Lot	Number	Description	Starting Bid €
290	6	<b>drill tools</b> Gühring, K15, brand: Gühring; type: K15; description: Drill deep hole; D 18.2 x 1500 mm; KW16.;	10.00
291	17	<b>drill tools</b> Gühring, K15, brand: Gühring; type: K15; description: Diepgat drilling; various diameters and lengths.;	10.00
292	3	<b>drill tools</b> Allied Machine Engineering, brand: Allied Machine Engineering; description: Drilling deep hole.;	10.00
293	1	<b>lot of corner pieces serving packs</b>	10.00
294	2	<b>altimeters</b> analog: yes; measuring range from: 1 mm; measuring range till: 50 mm;	10.00
295	1	<b>roughness meter</b> Mitutoyo, SJ-210, brand: Mitutoyo; type: SJ-210; electric connection: 9 V;	10.00
296	1	<b>altimeter</b> analog: yes;	10.00
297	2	<b>radius meters</b> measuring range till: 50 mm;	10.00
298	12	<b>Micrometers</b> Mitutoyo, brand: Mitutoyo; analog: yes; description: Including inner diameter micrometer.;	10.00
299	6	<b>measuring equipment</b> description: incl. 2x sensor;. roughness testers;	10.00
300	1	<b>roughness meter</b> Gar, B1, brand: Gar; type: B1;	10.00
301	1	<b>outer size micrometer</b> Mitutoyo, 103-146-10, brand: Mitutoyo; type: 103-146-10; analog: yes; measuring range from: 225 mm; measuring range till: 250 mm;	10.00
302	1	<b>roughness meter</b> Time, TR100, brand: Time; type: TR100;	10.00
303	1	<b>inclination meter instrument</b> Clinotronic Plus, brand: Clinotronic Plus;	10.00
304	1	<b>caliper</b>	10.00
305	1	<b>pneumatic hand pencil sharpener</b> Atlas Copco, AB, brand: Atlas Copco; type: AB;	10.00
306	1	<b>oil injector</b> SKF, 226400/400MPa, brand: SKF; type: 226400/400MPa;	10.00
307	1	<b>oil injector</b> SKF, 226400/400MPa, brand: SKF; type: 226400/400MPa;	10.00
308	14	<b>Milling tool</b> Sandvik Coromant, brand: Sandvik Coromant; description: incl. : Sandvik Coromant;. etc.;	10.00
309	6	<b>drill tools</b> Gühring & Garant, K15, brand: Gühring & Garant; type: K15; description: Deep hole and twist drills.;	10.00
310	1	<b>drill tools</b> Walter, brand: Walter; description: lot of various drills.;	10.00
311	5	<b>drill tools</b> Gühring, K15, brand: Gühring; type: K15; description: Drill deep hole; D 18.05 x 750 mm; KW16.;	10.00
312	3	<b>drill tools</b> Gühring, K15, brand: Gühring; type: K15; description: Drill deep hole; D 18.0x1730mm; KW14 / 16.;	10.00





Lot	Number	Description	Starting Bid €
313	4	<b>drill tools</b> Gühring, K15, brand: Gühring; type: K15; description: Drill deep hole; D 18.04x1150mm; KW25.;	10.00
314	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Vv: battery and charger.;	10.00
315	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Vv: battery and charger.;	10.00
316	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Vv: battery and charger.;	10.00
317	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Pay attention! without battery and charger.;	10.00
318	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Vv: battery and charger.;	10.00
319	1	<b>construction site radio</b> Bosch, GML Soundbox, brand: Bosch; type: GML Soundbox; description: Vv: battery and charger.;	10.00
320	1	<b>round sling</b> Eagle Hoist, RS080-5, brand: Eagle Hoist; type: RS080-5; hoist capacity: 8000 kg; dimension L: 5000 mm;	10.00
321	1	<b>round sling</b> Eagle Hoist, RS080-5, brand: Eagle Hoist; type: RS080-5; hoist capacity: 8000 kg; dimension L: 5000 mm;	10.00
322	1	<b>round sling</b> Eagle Hoist, RS, brand: Eagle Hoist; type: RS; hoist capacity: 8000 kg; dimension L: 7000 mm;	10.00
323	1	<b>round sling</b> Rema, S5, brand: Rema; type: S5; hoist capacity: 2000 kg; dimension L: 4000 mm;	10.00
324	2	<b>wrap around</b> Mc Bull, RS, brand: Mc Bull; type: RS; hoist capacity: 6000 kg; dimension L: 3000 mm;	10.00
325	2	<b>wrap around</b> Mc Bull, RS, brand: Mc Bull; type: RS; hoist capacity: 6000 kg; dimension L: 3000 mm;	10.00
326	2	<b>wrap around</b> Mc Bull, RS, brand: Mc Bull; type: RS; hoist capacity: 6000 kg; dimension L: 3000 mm;	10.00
327	1	<b>round sling</b> Eagle Hoist, RS080-5, brand: Eagle Hoist; type: RS080-5; hoist capacity: 8000 kg; dimension L: 5000 mm;	10.00
328	1	<b>round sling</b> Eagle Hoist, RS080-5, brand: Eagle Hoist; type: RS080-5; hoist capacity: 8000 kg; dimension L: 5000 mm;	10.00
329	15	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. :. slings.;	10.00
330	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. :. slings.;	10.00
331	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. :. slings.;	10.00
332	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. :. slings.;	10.00
333	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. :. slings.;	10.00



Lot	Number	Description	Starting Bid €
334	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. .: slings.;	10.00
335	8	<b>various lifting slings</b> Diverse, type: Diverse; description: incl. .: slings.;	10.00
336	1	<b>ratchet hoist</b> Eagle-hoist, LHS, brand: Eagle-hoist; type: LHS; hoist capacity: 1500 kg;	10.00
337	1	<b>ratchet hoist</b> Kito, brand: Kito; hoist capacity: 1600 kg;	10.00
338	1	<b>ratchet hoist</b> Eagle-hoist, brand: Eagle-hoist; hoist capacity: 1500 kg;	10.00
339	1	<b>ratchet hoist</b> Kito, brand: Kito; description: hooks vv;	10.00
340	1	<b>fork lifting chain</b> description: equipped with eyes and hooks; length approx. 1100mm;	10.00
341	1	<b>propane chore gas burner</b> Kayser, brand: Kayser;	10.00
342	1	<b>Exhauster</b> description: 380V connection; 750W.;	10.00
343	1	<b>hydraulic pipe bend</b> Ridgid, brand: Ridgid;	10.00
344	1	<b>measuring block</b>	10.00
345	1	<b>clamping tools</b> description: attachment machine;	10.00
346	1	<b>clamping tools</b>	10.00
347	1	<b>drill tools</b>	10.00
348	1	<b>machine accessories</b>	10.00
349	1	<b>machine accessories</b>	10.00
350	1	<b>Pot pot</b> Weber, brand: Weber; capacity: 5 t;	10.00
351	1	<b>gas cutting set</b>	10.00
352	2	<b>tanks</b> Vaks, 2560modul, brand: Vaks; type: 2560modul; load capacity: 2500 kg;	10.00
353	1	<b>ratchet and socket set</b> Gedore, brand: Gedore; description: Ratchet set sizes between 36 and 70.;	10.00
354	1	<b>hydraulic test setup</b> Voss, brand: Voss; description: Including accessories .;	10.00
355	8	<b>manometers</b> description: various gauges;	10.00
356	3	<b>tensioning straps</b> dimension W: 50 mm;	10.00
357	4	<b>lifting clamps</b>	10.00
358	1	<b>lot of various lifting eyes</b> description: including 2x V-block; 1x vise clamping width approx 10cm.;	10.00
359	1	<b>Lift magnet</b> Aegle-hoist, PM.300, brand: Aegle-hoist; type: PM.300; capacity: 300 kg;	10.00
360	2	<b>Lift magnet</b> Aegle-hoist, PM.300, brand: Aegle-hoist; type: PM.300; capacity: 300 kg;	10.00
361	1	<b>digital pull and weight meter</b> Dynafor, brand: Dynafor;	10.00
362	1	<b>crane operator</b> Spido, brand: Spido; weight range max: 5000 g; minimum weight: 50 g;	10.00
363	1	<b>other measuring tools</b>	10.00



Lot	Number	Description	Starting Bid €
364	1	<b>boiler clamp</b> description: approx. 430x300mm;	10.00
365	3	<b>pneumatic tools</b> Grassair, brand: Grassair; description: incl. : grinders,. drilling machine .;	10.00
366	3	<b>pneumatic tools</b> Grassair, brand: Grassair; description: incl. .: grinding machine : insert scaler; angled drill.;	10.00
367	1	<b>pneumatic grinding machine</b> Atlas copca, Lss84, brand: Atlas copca; type: Lss84; description: incl. extra sharpening stone.;	10.00
368	3	<b>pneumatic tools</b> description: incl. : angle. impact wrench ; drilling machine ; etc.;	10.00
369	1	<b>pneumatic demolition breaker</b>	10.00
370	3	<b>pneumatic tools</b> description: incl. .: grinding machine ; drilling machine ; etc.;	10.00
371	4	<b>pneumatic tooling</b> description: incl. : grinders,. drilling machine ; compressed air gun.;	10.00
372	3	<b>pneumatic tools</b> description: incl. : angle. drilling machine ; drilling machine ; grinding machine .;	10.00
373	2	<b>Pneumatic impact wrench</b> Toku, MI-1600, brand: Toku; type: MI-1600; square drive: 1/2 ";	10.00
374	1	<b>Pneumatic impact wrench</b> Red rooster, RR-20PN, brand: Red rooster; type: RR-20PN; square drive: 1 ";	10.00
375	3	<b>pneumatic tools</b> description: incl. .: grinding machine ; Angle impact wrench ; etc;	10.00
376	1	<b>pneumatic hand grinding machine</b> Atlas Copco, LSR 43 S 150, brand: Atlas Copco; type: LSR 43 S 150;	10.00
377	3	<b>pneumatic tooling</b> Rodac & Atlas Copco, brand: Rodac & Atlas Copco; description: incl. .: grinding machine ; pencil sharpener; drilling machine .;	10.00
378	2	<b>pneumatic beakers</b>	10.00
379	2	<b>pneumatic tools</b> Atlas copco, brand: Atlas copco; description: incl. .: grinding machine ; drilling / milling machine .;	10.00
380	3	<b>pneumatic tools</b> Atlas copco, brand: Atlas copco; description: incl. : grinders,. wire brush.;	10.00
381	3	<b>pneumatic tools</b> Alblas copca, brand: Alblas copca; description: incl. : grinders,. drilling / milling machine .;	10.00
382	3	<b>pneumatic tools</b> Atlas copco, brand: Atlas copco; description: incl. .: grinding and sanding.;	10.00
383	3	<b>pneumatic tools</b> Rodac & Toku, brand: Rodac & Toku; description: incl. .: grinding / sanding.;	10.00
384	3	<b>pneumatic tools</b> description: incl. : file;. grinders.;	10.00
385	2	<b>pneumatic tools</b> description: incl. .: grinding machine/ belt sander ; grinding machine .;	10.00
386	3	<b>pneumatic tools</b> description: incl. : grinders,. file.;	10.00
387	2	<b>drilling machines</b> Metabo, BS 14.4 Li, brand: Metabo; type: BS 14.4 Li; voltage: 14,4 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00



Lot	Number	Description	Starting Bid €
388	1	<b>electric hand-held grinding machine</b> Metabo, Wc 20-230 SP, brand: Metabo; type: Wc 20-230 SP; disc diameter: 230 mm; power: 2000 W; electric connection: 230 V;	10.00
389	1	<b>drilling / jack hammer</b> Fein, DDsk672, brand: Fein; type: DDsk672; electric connection: 230 V;	10.00
390	2	<b>electric hand-held grinding machine</b> Metabo, WX 2000 & onbekend, brand: Metabo; type: WX 2000 & onbekend; electric connection: 230 V; description: Disc diameter .: 115mm & 230mm.;	10.00
391	1	<b>extension reel</b>	10.00
392	3	<b>Electric tooling</b> Metabo, Divers, brand: Metabo; type: Divers; electric connection: 230 V; description: incl. : sander;. Angle grinding machine ; drilling machine .;	10.00
393	1	<b>electric hand drill</b> Metabo, SBE 850 impuls, brand: Metabo; type: SBE 850 impuls; impact drill: yes; hammer drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
394	1	<b>electric wire brush</b> Bosch, 0 601 207 033, brand: Bosch; type: 0 601 207 033; power: 1150 W; electric connection: 230 V;	10.00
395	1	<b>Socket</b> Gedore, brand: Gedore; piece: 8; impact type: yes; drive : 1 & 1,5 "; description: sizes between 50 and 100;	10.00
396	1	<b>Adjustable wrench</b> Bahco, 87, brand: Bahco; type: 87; description: Including chain pipe wrench no .: 33.;	10.00
397	1	<b>pneumatically edge grinder-deburring machine</b> Schmid en wezel, 7133, brand: Schmid en wezel; type: 7133; with case: yes;	10.00
398	1	<b>Lift magnet</b> Eller, Maxx 250, brand: Eller; type: Maxx 250; capacity: 250 kg;	10.00
399	4	<b>magnetic measuring stands</b> Mitutoyo, brand: Mitutoyo; description: Including 3 dial indicators.;	10.00
400	1	<b>magnetic clamping table</b> description: approx. 500x250x90mm (LxWxH);	10.00
401	1	<b>various keys</b> Gedore vanadium, brand: Gedore vanadium; description: incl. : ratchet,. Allen; etc.;	10.00
402	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
403	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
404	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
405	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
406	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
407	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
408	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
409	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
410	2	<b>construction clamp</b> Carver, brand: Carver;	10.00
411	1	<b>various screwdrivers</b>	10.00
412	2	<b>boiler clamp</b>	10.00



Lot	Number	Description	Starting Bid €
413	3	<b>boiler clamp</b>	10.00
414	3	<b>boiler clamp</b>	10.00
415	3	<b>construction pliers</b>	10.00
416	2	<b>Torque wrench</b> taper: 1/2 "; torque range from: 20 Nm; torque range till: 100 Nm; description: Sandvik; Stahlwille;	10.00
417	2	<b>Torque wrench</b> Forum, brand: Forum; taper: 1/2 "; torque range from: 20 Nm; torque range till: 100 Nm;	10.00
418	1	<b>Torque wrench</b> Stahlwille, Manoskop 720Nf/80, brand: Stahlwille; type: Manoskop 720Nf/80; torque range from: 160 Nm; torque range till: 800 Nm;	10.00
419	4	<b>ratchet key</b>	10.00
420	2	<b>Torque wrench</b> description: Gedore 20 to 100; Norbar 40 to 200;	10.00
421	2	<b>Torque wrench</b> Gedore, brand: Gedore; description: 1 from 40 to 200 Nm; No.2 from 140 to 760 Nm;	10.00
422	1	<b>Torque wrench</b> Gedore, BZ, brand: Gedore; type: BZ; torque range from: 20 Nm; torque range till: 120 Nm;	10.00
423	3	<b>wringers</b>	10.00
424	1	<b>autogenous welding cutting tool</b>	10.00
425	1	<b>precision screwdriver set</b>	10.00
426	2	<b>insulated pliers</b> description: crimping tool K5 6 to 50mm <sup>2</sup> ; cable cutter 1000v;	10.00
427	2	<b>end size sets</b> description: 1x 10-15-25-50-75; 0.5-100; accuracy class 0.;	10.00
428	2	<b>tasters</b> Girod & Mitutoyo, brand: Girod & Mitutoyo;	10.00
429	1	<b>3-point micrometer</b> measuring range from: 120 mm; measuring range till: 140 mm;	10.00
430	1	<b>3-point micrometer</b> measuring range from: 120 mm; measuring range till: 140 mm;	10.00
431	1	<b>final mat set</b> measuring range from: 100 mm; measuring range till: 800 mm; description: Accuracy class 0.;	10.00
432	26	<b>Dip</b> description: various caps ranging from 17-95mm.;	10.00
433	3	<b>sliding callipers</b> Mitutoyo & Absolute Digimatic, brand: Mitutoyo & Absolute Digimatic; description: 2x analogue; 1x digital.;	10.00
434	1	<b>Torque wrench</b> Gedore Rahsol, DZ, brand: Gedore Rahsol; type: DZ; torque range from: 140 Nm; torque range till: 620 Nm; description: Including 4 caps 24-30-36-41.;	10.00
435	1	<b>outer size micrometer</b> Mitutoyo, 103-147-10, brand: Mitutoyo; type: 103-147-10; analog: yes; measuring range from: 250 mm; measuring range till: 275 mm; with case: no;	10.00
436	1	<b>outer size micrometer</b> Mitutoyo, 103-147-10, brand: Mitutoyo; type: 103-147-10; analog: yes; measuring range from: 250 mm; measuring range till: 275 mm; with case: no;	10.00
437	6	<b>outer size micrometers</b> Mahr, brand: Mahr; analog: yes; with case: no; description: 150-175mm to 275-300mm; including crate.;	10.00





Lot	Number	Description	Starting Bid €
438	1	<b>Wire cutting</b> Ridgid, Nr. 11-R, brand: Ridgid; type: Nr. 11-R; cutting capacity min.: 3/8 "; cutting capacity max.: 1 1/4 "; imperial: no; piece: 5;	10.00
439	1	<b>Socket</b> Toyo, brand: Toyo; with case: yes;	10.00
440	1	<b>inner size micrometer</b> Carl Mahr, Intramess, brand: Carl Mahr; type: Intramess; analog: yes; measuring range from: 160 mm; measuring range till: 250 mm; with case: yes;	10.00
441	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 200 mm; with case: yes;	10.00
442	1	<b>Slider size</b> Mitutoyo, brand: Mitutoyo; digital: yes;	10.00
443	1	<b>inner size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: yes;	10.00
444	1	<b>plate thickness gauge</b> System Kröplin, PF033K, brand: System Kröplin; type: PF033K; measuring range from: 0 mm; measuring range till: 40 mm;	10.00
445	9	<b>sliding callipers</b> Mitutoyo & Carl Mahr, brand: Mitutoyo & Carl Mahr; analog: yes; digital: no; description: Including angle measuring instrument.;	10.00
446	9	<b>sliding callipers</b> Mitutoyo & Carl Mahr, brand: Mitutoyo & Carl Mahr; analog: yes; digital: no;	10.00
447	9	<b>sliding callipers</b> Mitutoyo & Carl Mahr, brand: Mitutoyo & Carl Mahr; analog: yes; digital: no;	10.00
448	7	<b>sliding callipers</b> analog: yes; digital: no; description: incl. .: Mitutoyo & Horex.;	10.00
449	7	<b>sliding callipers</b> Mitutoyo & Carl Mahr, brand: Mitutoyo & Carl Mahr; analog: yes; digital: no;	10.00
450	1	<b>magnet tripod</b> FMTA, brand: FMTA; description: In and including box.;	10.00
451	1	<b>Window pass</b> Wyler, brand: Wyler; length: 200 mm;	10.00
452	1	<b>micrometer calibrators</b> Mitutoyo, brand: Mitutoyo; measuring range from: 150 mm; measuring range till: 275 mm;	10.00
453	1	<b>parts for 3-D probes</b> Hexagon, brand: Hexagon; description: In and including box.;	10.00
454	1	<b>dial indicator accessory</b> Mahr Intramess, brand: Mahr Intramess;	10.00
455	1	<b>micrometer calibrators</b> Mitutoyo, brand: Mitutoyo; measuring range from: 25 mm; measuring range till: 125 mm;	10.00
456	1	<b>parts set serving measuring equipment</b> Mahr, brand: Mahr; description: In and including box.;	10.00
457	1	<b>center-to-center distance</b> Carl Mahr, Nr. 24, brand: Carl Mahr; type: Nr. 24; analog: yes; measuring range till: 320;	10.00
458	1	<b>center-to-center distance</b> Carl Mahr, Nr. 24, brand: Carl Mahr; type: Nr. 24; analog: yes; measuring range till: 320;	10.00
459	1	<b>base plate , and terminal set serving measuring equipment</b> Carl Mahr, brand: Carl Mahr; description: In and including box.;	10.00
460	1	<b>depth gauge micrometer</b> Tesa, brand: Tesa; analog: yes; measuring range from: 0 mm; measuring range till: 25 mm; description: Including 2x Girod probes.;	10.00



Lot	Number	Description	Starting Bid €
461	1	<b>caliper and center distance meter</b> Mitutoyo & Helios, brand: Mitutoyo & Helios; digital: yes;	10.00
462	1	<b>center-to-center distance</b> Mahr, Nr. 24, brand: Mahr; type: Nr. 24; analog: yes; measuring range till: 120;	10.00
463	6	<b>outer size micrometers</b> Mahr, brand: Mahr; analog: yes; with case: no; description: 0-25mm to 125-150mm; including crate.;	10.00
464	1	<b>final mat set</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 1 mm; measuring range till: 100 mm; description: Accuracy class 1.;	10.00
465	1	<b>hair ruler</b> Mauser, brand: Mauser; total dimension L: 600 mm; description: In coffin.;	10.00
466	6	<b>outer size micrometers</b> Mahr, brand: Mahr; analog: yes; with case: no; description: 0-25mm to 125-150mm; including crate.;	10.00
467	1	<b>hair ruler</b> total dimension L: 300 mm; description: In coffin.;	10.00
468	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 250 mm; measuring range till: 300 mm; with case: no; description: Including box.;	10.00
469	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 200 mm; measuring range till: 250 mm; with case: no; description: Including box.;	10.00
470	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 150 mm; measuring range till: 200 mm; with case: no; description: Including box.;	10.00
471	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 25 mm; measuring range till: 50 mm; with case: no; description: Including box.;	10.00
472	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 100 mm; measuring range till: 150 mm; with case: no; description: Including box.;	10.00
473	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: no; description: Including box.;	10.00
474	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 25 mm; with case: no; description: Including box.;	10.00
475	6	<b>universal dial indicators</b> Mahr, Multimar, brand: Mahr; type: Multimar; analog: yes; description: Internal and external.;	10.00
476	1	<b>lot of stroke letters and numbers.</b>	10.00
477	1	<b>micrometer calibrators</b> Mitutoyo, brand: Mitutoyo; measuring range from: 25 mm; measuring range till: 125 mm; description: Including outside micrometer 0-25mm.;	10.00
478	3	<b>radius molds</b> description: Including thread sensor; refractometer.;	10.00
479	1	<b>inner size micrometer set</b> Mitutoyo, brand: Mitutoyo; analog: yes; description: In coffin.;	10.00
480	1	<b>roughness meter</b> Mahr, MarSurf PS10, brand: Mahr; type: MarSurf PS10;	10.00
481	1	<b>inner probe</b> Mitutoyo, Nr. 2046S, brand: Mitutoyo; type: Nr. 2046S; analog: yes; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
482	1	<b>inner probe</b> Mitutoyo, Nr. 2109-10, brand: Mitutoyo; type: Nr. 2109-10; analog: yes; with case: yes; description: 7,5-10.;	10.00
483	1	<b>inner probe</b> Mahr, brand: Mahr; analog: yes; measuring range from: 18 mm; measuring range till: 35 mm; with case: no; description: In coffin;	10.00
484	1	<b>pen gauge set</b> description: In coffin.;	10.00
485	1	<b>Window pass</b> Mahr, brand: Mahr; length: 150 mm; description: In coffin.;	10.00
486	1	<b>precision spirit level</b> Carl Mahr, brand: Carl Mahr;	10.00
487	1	<b>inner probe</b> Mahr, Intramess , brand: Mahr; type: Intramess ; analog: yes; measuring range from: 35 mm; measuring range till: 60 mm; with case: no; description: In coffin;	10.00
488	1	<b>inner probe</b> Mitutoyo, Nr. 2109-10, brand: Mitutoyo; type: Nr. 2109-10; analog: yes; with case: yes;	10.00
489	1	<b>inner size micrometer set</b> Mitutoyo, brand: Mitutoyo; analog: yes; description: In coffin.;	10.00
490	1	<b>inner probe</b> Mahr , Intramess, brand: Mahr ; type: Intramess; measuring range from: 18 mm; measuring range till: 53 mm; description: In coffin.;	10.00
491	1	<b>outer size micrometer</b> Mitutoyo, 103-147-10, brand: Mitutoyo; type: 103-147-10; analog: yes; measuring range from: 200 mm; measuring range till: 225 mm; with case: yes;	10.00
492	1	<b>inner probe</b> Mitutoyo, Nr. 3730, brand: Mitutoyo; type: Nr. 3730; analog: yes; with case: yes; description: Great 20.;	10.00
493	1	<b>inner probe</b> Mahr , Intramess , brand: Mahr ; type: Intramess ; measuring range from: 50 mm; measuring range till: 100 mm; description: In coffin.;	10.00
494	1	<b>inner probe</b> Mahr , Intramess , brand: Mahr ; type: Intramess ; measuring range from: 50 mm; measuring range till: 100 mm; description: In coffin.;	10.00
495	1	<b>inner probe</b> Mitutoyo, 511-126-05, brand: Mitutoyo; type: 511-126-05; analog: yes; measuring range from: 18 mm; measuring range till: 35 mm; with case: yes;	10.00
496	1	<b>inner probe</b> Mitutoyo, 511-132-05, brand: Mitutoyo; type: 511-132-05; analog: yes; measuring range from: 50 mm; measuring range till: 150 mm; with case: yes;	10.00
497	1	<b>inner probe</b> Mahr , Intramess , brand: Mahr ; type: Intramess ; measuring range from: 100 mm; measuring range till: 250 mm; description: In coffin.;	10.00
498	1	<b>inner probe</b> Mahr, Intramess , brand: Mahr; type: Intramess ; analog: yes; measuring range from: 35 mm; measuring range till: 60 mm; with case: no; description: In coffin;	10.00
499	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 200 mm; measuring range till: 300 mm; with case: no; description: In coffin.;	10.00
500	8	<b>dial indicators</b> analog: yes; description: incl. .: 2x probe.;	10.00
501	6	<b>inner size micrometers</b> Carl Mahr & Messwelk, brand: Carl Mahr & Messwelk; analog: yes;	10.00



Lot	Number	Description	Starting Bid €
502	4	<b>center distance measures</b> Carl Mahr & Mitutoyo, Divers, brand: Carl Mahr & Mitutoyo; type: Divers; analog: yes;	10.00
503	1	<b>inner flank micrometer set</b> Mahr, brand: Mahr; analog: yes; measuring range from: 75 mm; measuring range till: 250 mm; description: In coffin.;	10.00
504	1	<b>inner probe</b> Mahr, brand: Mahr; measuring range from: 160 mm; measuring range till: 250 mm; description: In coffin.;	10.00
505	1	<b>inner probe</b> Mahr, brand: Mahr; measuring range from: 100 mm; measuring range till: 160 mm; description: In coffin.;	10.00
506	1	<b>inner probe</b> Mahr, brand: Mahr; measuring range from: 100 mm; measuring range till: 160 mm; description: In coffin.;	10.00
507	1	<b>inner probe</b> Mahr, brand: Mahr; measuring range from: 160 mm; measuring range till: 235 mm; description: In coffin.;	10.00
508	1	<b>inner probe</b> Mahr, Intramess, brand: Mahr; type: Intramess; measuring range from: 35 mm; measuring range till: 60 mm; description: In coffin.;	10.00
509	1	<b>inner probe</b> Mahr, Intramess, brand: Mahr; type: Intramess; measuring range from: 35 mm; measuring range till: 60 mm; description: In coffin.;	10.00
510	1	<b>external micrometer with dial gauge</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 25 mm; with case: no; description: Including box.;	10.00
511	1	<b>inner probe</b> Mitutoyo, 511-127p, brand: Mitutoyo; type: 511-127p; analog: yes; measuring range from: 35 mm; measuring range till: 60 mm; with case: yes;	10.00
512	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 100 mm; measuring range till: 150 mm; with case: no; description: Including box.;	10.00
513	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 100 mm; measuring range till: 150 mm; with case: no; description: Including box.;	10.00
514	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: no; description: Including box.;	10.00
515	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: no; description: Including box.;	10.00
516	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 25 mm; with case: no; description: Including box.;	10.00
517	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 100 mm; measuring range till: 150 mm; with case: no; description: Including box.;	10.00
518	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: no; description: Including box.;	10.00
519	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 200 mm; measuring range till: 250 mm; with case: no; description: Including box.;	10.00



Lot	Number	Description	Starting Bid €
520	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 150 mm; measuring range till: 200 mm; with case: no; description: Including box.;	10.00
521	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 25 mm; measuring range till: 50 mm; with case: no; description: Including box.;	10.00
522	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 25 mm; measuring range till: 50 mm; with case: no; description: Including box.;	10.00
523	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 25 mm; measuring range till: 50 mm; with case: no; description: Including box.;	10.00
524	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 150 mm; measuring range till: 200 mm; with case: no; description: Including box.;	10.00
525	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 250 mm; measuring range till: 300 mm; with case: no; description: Including box.;	10.00
526	1	<b>flat table top</b> Wenzel Prazision, brand: Wenzel Prazision;	10.00
527	2	<b>window levels</b> description: 1x L 200 mm; 1x L 150 mm.;	10.00
528	1	<b>tool holder</b> Shibaura, brand: Shibaura; description: In and including box.;	10.00
529	1	<b>magnet tripod</b> FMTA, brand: FMTA; description: In and including box.;	10.00
530	3	<b>pressure gauges</b> description: Including various accessories ; And included chest.;	10.00
531	1	<b>power multiplier</b> Hydratight, IP30TKRSU, brand: Hydratight; type: IP30TKRSU;	10.00
532	1	<b>crimper</b>	10.00
534	1	<b>level</b> Jena, brand: Jena; description: Including box.;	10.00
535	3	<b>various instruments</b> description: incl. : multimeter. resistance meter; pH meter.;	10.00
538	1	<b>clamp ammeter</b>	10.00
539	1	<b>clamp voltmeter</b> ABB, M5110, brand: ABB; type: M5110;	10.00
540	1	<b>oscilloscope</b> Philips, PM 3232, brand: Philips; type: PM 3232; description: Pay attention! without connection material.;	10.00
541	1	<b>multimeter</b> KMK, SM 400, brand: KMK; type: SM 400; manual present: yes;	10.00
542	1	<b>Slider size</b> Mitutoyo, brand: Mitutoyo; analog: yes; measuring range from: 0 mm; measuring range till: 350;	10.00
543	1	<b>Slider size</b> Mitutoyo, brand: Mitutoyo; analog: yes; measuring range from: 0 mm; measuring range till: 350;	10.00
544	1	<b>inside dial gauge</b> Mitutoyo, 511-209, brand: Mitutoyo; type: 511-209; analog: yes; measuring range from: 6 mm; measuring range till: 10 mm; with case: yes;	10.00



Lot	Number	Description	Starting Bid €
545	1	<b>kotterkop</b> Wohlhaupter, UPA3/56012, serial number 005 020, brand: Wohlhaupter; type: UPA3/56012; serial number: 005 020; description: Included accessories in box.;	10.00
546	1	<b>lot of various measuring equipment</b> description: incl. : dial indicators, . micrometers; etc.;	10.00
547	6	<b>sliding callipers</b> analog: yes; description: Including metal filters; probes; dial gauge.;	10.00
548	1	<b>ultrasonic thickness gauge</b> Krautkramer Branson, DM4E, brand: Krautkramer Branson; type: DM4E;	10.00
549	1	<b>durometer accessories</b> description: In suitcase; incomplete.;	10.00
550	1	<b>micrometer with extensions</b> description: In coffin.;	10.00
551	1	<b>lot of various measuring equipment</b> description: incl. : micrometers; . sliding callipers ; etc.;	10.00
552	5	<b>outer size micrometers</b>	10.00
553	1	<b>3D probe</b> Nikken, Universal Micro Touch BT50-UMT200W, brand: Nikken; type: Universal Micro Touch BT50-UMT200W; description: Without dry cell.;	10.00
554	1	<b>outer size micrometer</b> Mahr, brand: Mahr; analog: yes; measuring range from: 150 mm; measuring range till: 200 mm; with case: yes;	10.00
555	1	<b>base plate , and terminal set serving measuring equipment</b> description: In and including box.;	10.00
556	1	<b>meter</b> Mahr, brand: Mahr;	10.00
557	1	<b>threaded measuring device</b> Carl Mahr, Inwi, brand: Carl Mahr; type: Inwi; description: M15; M16; M20.;	10.00
558	1	<b>marameter</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: yes;	10.00
559	1	<b>v block</b>	10.00
560	1	<b>threaded measuring device</b> Kordt , Aggra, brand: Kordt ; type: Aggra; description: M76x4.;	10.00
561	1	<b>meter</b> total dimension L: 505 mm;	10.00
562	1	<b>base plate , and terminal set serving measuring equipment</b> Carl Mahr, brand: Carl Mahr; description: In and including box; Incomplete.;	10.00
563	2	<b>dial indicators</b> Mahr, brand: Mahr; analog: yes;	10.00
564	1	<b>meter</b> Mahr, brand: Mahr; total dimension L: 295 mm; total dimension W: 157 mm; total dimension H: 155 mm;	10.00
565	1	<b>block level</b> Watts, BSS type 2, brand: Watts; type: BSS type 2; description: 12".;	10.00
566	1	<b>machine level</b> Watts, BSS type 2, brand: Watts; type: BSS type 2; description: 12".;	10.00
567	1	<b>holder for inside measuring instrument</b> Filetta, brand: Filetta; measuring range from: 18 mm; measuring range till: 400 mm; description: In coffin;	10.00
568	1	<b>plate thickness gauge</b> System Kröplin, PF033K, brand: System Kröplin; type: PF033K; measuring range from: 0 mm; measuring range till: 40 mm;	10.00





Lot	Number	Description	Starting Bid €
569	1	<b>hair ruler</b> CSE, brand: CSE; total dimension L: 600 mm; description: In coffin;	10.00
570	2	<b>measuring bars</b> Carl Mahr, brand: Carl Mahr; total dimension L: 600 mm;	10.00
571	1	<b>tool holder</b> Shibaura, brand: Shibaura; description: In and including box.;	10.00
572	7	<b>tool holder with drill heads SK50</b>	10.00
573	7	<b>tool holder with drill heads SK50</b>	10.00
574	2	<b>SK50 tool holder with double chisel holder</b> Kelch, brand: Kelch;	10.00
575	2	<b>SK50 tool holder with double chisel holder</b> Gewefa, serial number 07 041 007, brand: Gewefa; serial number: 07 041 007; description: D 300 mm;	10.00
576	4	<b>SK50 tool holder with chisel holder</b> 2W-685A, type: 2W-685A;	10.00
577	4	<b>SK50 tool holder with oil holders</b> Big, brand: Big;	10.00
578	1	<b>SK50 tool holder with 3D probe</b> Kennametal, brand: Kennametal;	100.00
579	1	<b>SK50 tool holder with milling head</b> Komet, KRD80, brand: Komet; type: KRD80;	10.00
580	1	<b>SK50 tool holder with face milling head</b> Widax, 260 94 943, brand: Widax; type: 260 94 943;	10.00
581	1	<b>SK50 tool holder with double chisel holder</b>	10.00
582	1	<b>SK50 tool holder with double chisel holder</b>	10.00
583	1	<b>SK50 tool holder with double chisel holder</b>	10.00
584	1	<b>SK50 tool holder with face milling head</b> Coromant, brand: Coromant;	10.00
585	1	<b>SK50 tool holder with face milling head</b>	10.00
586	1	<b>SK50 tool holder with face milling head</b>	10.00
587	1	<b>SK50 tool holder with face milling head</b>	10.00
588	1	<b>SK50 tool holder with double chisel holder</b> Komet , G05 000 10, brand: Komet ; type: G05 000 10;	10.00
589	1	<b>SK50 tool holder with double chisel holder</b> Kelch, brand: Kelch;	10.00
590	3	<b>clamping tools</b>	10.00
591	1	<b>tool holder</b> Emuge, DIN228-B-MK5, brand: Emuge; type: DIN228-B-MK5;	10.00
592	1	<b>drill tools</b> description: Including lathes and milling tools;	10.00
593	1	<b>extension</b> electric connection: 400 V; male-female: yes; length: 10 m;	10.00
594	4	<b>boiler clamps</b>	10.00
595	1	<b>lot of welding electrodes &amp; hardsoldeerstaven</b>	10.00
596	2	<b>guide wheel sets</b>	10.00
597	9	<b>clamps</b> description: Sizes: 50; 60; 130; 150.;	10.00
598	11	<b>battery boxes</b> description: dimensions per piece LxWxH approx 120x100x75cm; 1 bake torn sidewall; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	10.00



Lot	Number	Description	Starting Bid €
599	1	<b>working bench</b> total dimension L: 1520 mm; total dimension W: 750 mm; total dimension H: 850 mm; description: Vv vise ; receptacle; including content incl. . various hand tools.;	10.00
600	1	<b>Welding machine</b> Lincoln Electric, CV 405-I, serial number F1030645691, brand: Lincoln Electric; type: CV 405-I; serial number: F1030645691; mig type: yes; ampere range: 300 A; duty cycle: 100 %; wire feeder: yes; electric connection: 400 V; description: Vv: Magnum refrigeration unit.;	100.00
601	3	<b>various hose packages with torch</b>	10.00
602	1	<b>Welding machine</b> Smitweld, TGW220, brand: Smitweld; type: TGW220; mig type: no; tig type: no; description: Vv: cooling.;	10.00
603	1	<b>Welding machine</b> Lincoln Electric, Invertec V270-T pulse, brand: Lincoln Electric; type: Invertec V270-T pulse; tig type: yes; inverter type: yes; ampere range: 200 A; duty cycle: 100 %; electric connection: 380 V;	10.00
604	1	<b>water pump with a mobile barrel</b> description: DIY circulation pump .;	10.00
605	1	<b>Bottle truck</b>	10.00
606	1	<b>autogenous cutting installation</b> description: Existing hose package; reduce; torch; bottle wagon.;	10.00
607	1	<b>autogenous cutting installation</b> description: Existing hose package; reduce; torch; bottle wagon.;	10.00
608	1	<b>floor car</b> dimension L: 80 cm; dimension W: 58 cm; dimension H: 93 cm; total dimension L: 1000 mm; total dimension W: 580 mm; total dimension H: 1000 mm;	10.00
609	1	<b>rotating center points and drilling head</b> Röhm & Eagle Star , brand: Röhm & Eagle Star ; description: incl. .: resp. type : 110HVL & No .: 5.;	10.00
613	1	<b>industrial vacuum cleaner</b> Nilfisk, year built 2005, brand: Nilfisk; year: 2005; electric connection: 230 V; description: Without mouthpiece and rod.;	10.00
614	1	<b>pneumatic engraving machine</b> Telesis, TMC420 & TMP1700 Pinstamp, brand: Telesis; type: TMC420 & TMP1700 Pinstamp; electric connection: 230 V; description: Vv: foot control; without pinstamper; And includes shelf truck.;	10.00
615	1	<b>SK50 tool holder with double chisel holder</b> Urma, 22 00 33, brand: Urma; type: 22 00 33; description: On and including a trolley.;	10.00
616	1	<b>Paper roll holder</b> Tork, brand: Tork;	10.00
617	8	<b>various castings</b>	10.00
618	3	<b>various shafts</b>	10.00
619	1	<b>lot of claws and bolts</b> description: Including steel containers.;	10.00
620	4	<b>drilling head chuck MK3</b>	10.00
621	1	<b>tool holder</b>	10.00
622	1	<b>Torque wrench</b> Gedore, C-SE, brand: Gedore; type: C-SE; torque range from: 50 Nm; torque range till: 400 Nm; description: Including various ring ring-keys and wrenches; ruler;	10.00
623	1	<b>machine clamp</b> Takeda, brand: Takeda; manually operated: yes; jaw width: 160 mm; overall length: 600 mm;	10.00



Lot	Number	Description	Starting Bid €
624	1	<b>machine clamp</b> Takeda, brand: Takeda; manually operated: yes; jaw width: 160 mm; overall length: 600 mm;	10.00
625	1	<b>machine clamp</b> manually operated: yes; jaw width: 150 mm; overall length: 450 mm; tilting: yes;	10.00
626	1	<b>machine clamp</b> manually operated: yes; jaw width: 180 mm; overall length: 280 mm; tilting: yes;	10.00
627	1	<b>machine clamp</b> manually operated: yes; jaw width: 135 mm; overall length: 500 mm; tilting: yes;	10.00
628	1	<b>machine clamp</b> manually operated: yes; jaw width: 140 mm; overall length: 500 mm; tilting: yes;	10.00
629	1	<b>machine clamp</b> manually operated: yes; jaw width: 175 mm; overall length: 600 mm; tilting: yes;	10.00
630	1	<b>Lift magnet</b> Bux, BM55G, serial number HM50728, brand: Bux; type: BM55G; serial number: HM50728; capacity: 2500 kg; total dimension L: 230 mm; total dimension W: 380 mm; total dimension H: 360 mm;	10.00
631	2	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; with case: yes; description: no.1 from 25 to 50mm; No. 2 from 50 to 75 mm;	10.00
632	3	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; with case: yes; description: no.1 from 0 to 25 mm; No.2 from 100 to 125mm; No.3 from 125 to 150 mm;	10.00
633	5	<b>magnetic measuring stands</b> Mitutoyo, brand: Mitutoyo; description: incl. 2x dial indicator.;	10.00
634	1	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 75 mm; measuring range till: 100 mm; with case: yes;	10.00
635	1	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 25 mm; with case: yes;	10.00
636	1	<b>altimeter</b> Mitutoyo, brand: Mitutoyo; analog: yes;	10.00
637	1	<b>various scaffolding</b>	10.00
638	1	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 800 mm; measuring range till: 900 mm;	10.00
639	1	<b>tapping set</b> Dormer, brand: Dormer; description: various sizes;	10.00
640	1	<b>countersinks</b> Garant, brand: Garant;	10.00
641	1	<b>lot of various tapping milling and drilling</b>	10.00
642	1	<b>various interchangeable plates</b> Sandvik, brand: Sandvik;	10.00
643	8	<b>turning tool</b> description: turning tools;	10.00
644	6	<b>turning tool</b> description: turning tools;	10.00
645	6	<b>turning tool</b> description: turning tools;	10.00
646	1	<b>turning tool</b> Kennametal, A40T-NNTOR4, brand: Kennametal; type: A40T-NNTOR4;	10.00



Lot	Number	Description	Starting Bid €
647	6	<b>turning tool</b> description: turning tools;	10.00
648	10	<b>turning tool</b> description: turning tools;	10.00
649	5	<b>turning tool</b> description: turning tools;	10.00
650	9	<b>turning tool</b> description: turning tools;	10.00
651	5	<b>turning tool</b>	10.00
652	6	<b>turning tool</b> description: turning tools;	10.00
653	22	<b>turning tool</b> description: lot of turning tools;	10.00
654	5	<b>turning tool</b> description: turning tools;	10.00
655	1	<b>clamping tools</b>	10.00
656	8	<b>chucks</b> Bilz, brand: Bilz;	10.00
657	9	<b>various drilling and milling</b>	10.00
658	7	<b>metal foil brass</b> Metall-folie, brand: Metall-folie;	10.00
659	5	<b>magnetic tripods</b> Mitutoyo, brand: Mitutoyo; description: incl. 3x dial indicator;	10.00
660	4	<b>magnetic measuring stands</b> Mitutoyo, brand: Mitutoyo; description: incl. 1x dial indicator.;	10.00
661	1	<b>lot of chisels</b>	10.00
662	1	<b>lot of chisels</b>	10.00
663	4	<b>magnetic measuring arms</b> Mitutoyo, brand: Mitutoyo; description: incl. 4x dial indicator.;	10.00
664	1	<b>hand hydraulic auger</b>	10.00
665	1	<b>hydraulic hand pump</b> SKF, brand: SKF;	10.00
666	1	<b>Measuring clock</b> analog: yes; description: Includes tripod .;	10.00
667	1	<b>altimeter</b> analog: yes;	10.00
668	1	<b>settlement device</b>	10.00
669	1	<b>lot of Switchboards</b> description: incl. steel container;	10.00
670	1	<b>compressed air hose</b> description: equipped with compressed-air gun.;	10.00
671	1	<b>lot of bits and mills</b>	10.00
672	5	<b>Measuring clock</b> Mitutoyo, brand: Mitutoyo; description: incl. tripod;	10.00
673	1	<b>machine clamp</b> Hilma, NC160, brand: Hilma; type: NC160; hydraulic: yes; manually operated: yes; jaw width: 160 mm; overall length: 550 mm;	100.00
674	1	<b>machine clamp</b> Hilma, NC160, brand: Hilma; type: NC160; hydraulic: yes; manually operated: yes; jaw width: 160 mm; overall length: 550 mm; description: vv key;	100.00
675	1	<b>machine clamp</b> manually operated: yes; jaw width: 160 mm; overall length: 550 mm; description: vv key;	10.00



Lot	Number	Description	Starting Bid €
676	1	<b>machine clamp</b> manually operated: yes; jaw width: 125 mm; overall length: 430 mm; description: vv key;	10.00
677	1	<b>outer size micrometer</b> Carl mahr, brand: Carl mahr; analog: yes; measuring range from: 1100 mm; measuring range till: 1200 mm;	10.00
678	1	<b>clamping tools</b> description: size foot from 35 to 110mm;	10.00
679	1	<b>outer size micrometer</b> Carl mahr, brand: Carl mahr; analog: yes; measuring range from: 1000 mm; measuring range till: 1100 mm;	10.00
680	3	<b>Slider size</b> Mitutoyo, brand: Mitutoyo; analog: yes; description: incl. measuring probe.;	10.00
681	1	<b>altimeter</b> Carl mahr, brand: Carl mahr; analog: yes;	10.00
682	1	<b>Pole puller</b>	10.00
683	1	<b>Socket</b> Gedore, brand: Gedore; piece: 12; drive : 1 "; with case: yes;	10.00
684	1	<b>outer size micrometer</b> Carl Mahr, brand: Carl Mahr; analog: yes; measuring range from: 900 mm; measuring range till: 1000 mm;	10.00
685	1	<b>drill tools</b> Metabo, 890, brand: Metabo; type: 890; description: Drill standard;	10.00
686	1	<b>lot of drilling and tapping</b>	10.00
687	3	<b>turning tool</b> Wohlhaupter, brand: Wohlhaupter;	10.00
688	5	<b>turning tool</b> description: turning tools;	10.00
689	1	<b>drill tools</b> Rohm, brand: Rohm; description: MK4;	10.00
690	8	<b>turning tool</b>	10.00
691	9	<b>turning tool</b>	10.00
692	1	<b>turning tool</b> description: lot of chisels;	10.00
693	12	<b>turning tool</b> description: lot of chisels;	10.00
694	2	<b>turning tool</b> Sandvik, R300, brand: Sandvik; type: R300; description: turning tools;	10.00
695	1	<b>altimeter</b> analog: yes; description: incl. measuring equipment ; including depth micrometer.;	10.00
696	4	<b>measuring equipment</b> description: incl. : caliper;. gauge; micrometer; ruler;	10.00
697	8	<b>copper percussion tool</b>	10.00
698	6	<b>snag</b>	10.00
699	1	<b>hydraulic hand pump with 4 jacks</b> description: incl. grease pump;	10.00
700	3	<b>measuring stands</b> Mitutoyo, brand: Mitutoyo; description: equipped with 1x probe;	10.00
701	1	<b>tripod</b> Eclipse, No. 102, brand: Eclipse; type: No. 102;	10.00
702	1	<b>Ship screw</b> description: approx. 600x600mm;	10.00
703	1	<b>lot of various turning and milling tools</b>	10.00



Lot	Number	Description	Starting Bid €
704	5	<b>ruler metal</b> measuring range from: 0 mm; measuring range till: 1250 mm;	10.00
705	1	<b>Socket</b> Forum, brand: Forum; with case: yes; description: Incomplete.;	10.00
706	1	<b>Engraver</b> description: Including 1x compressed air gun; 2x micrometer; 1x electric foot pedal.;	10.00
707	2	<b>machine transporters</b> Schenk Trebel, AZ, brand: Schenk Trebel; type: AZ; lifting capacity: 750 kg; description: incl. clock; semi-finished product ;	10.00
708	1	<b>lot of clamping tools</b>	10.00
709	1	<b>test pump</b> Ridgid, 1450, brand: Ridgid; type: 1450;	10.00
710	1	<b>hoist clamp</b>	10.00
711	1	<b>tool trolleys</b> Gedore, brand: Gedore; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
712	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
713	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
714	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
715	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
716	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
717	1	<b>tool trolleys</b> Gedore, Adjutant, brand: Gedore; type: Adjutant; with content: yes; total dimension L: 650 mm; total dimension W: 400 mm; total dimension H: 950 mm;	10.00
718	1	<b>welding fume extraction system</b> Euromate, MFE3, brand: Euromate; type: MFE3; mobile: yes; boom length: 3000 mm; electric connection: 400 V; dimension L: 550 mm; dimension W: 1100 mm; dimension H: 1000 mm;	10.00
719	1	<b>hydraulic wrench</b> description: equipped with two heads; incl. cart;	10.00
720	3	<b>conduits washing applications setup</b> description: 3 times hand pump;	10.00
721	1	<b>hydropump</b>	10.00
722	1	<b>Welding machine</b> Lincoln Electric, Invertec V160-T, brand: Lincoln Electric; type: Invertec V160-T; mig type: no; tig type: yes; portable: yes; electric connection: 230 V; machine weight: 10 kg; dimension L: 200 mm; dimension W: 430 mm; dimension H: 1100 mm;	10.00
723	1	<b>Welding machine</b> Lincoln Electric, Invertec V270-S, brand: Lincoln Electric; type: Invertec V270-S; mig type: no; tig type: yes; portable: yes; electric connection: 400 V; machine weight: 10 kg; dimension L: 200 mm; dimension W: 430 mm; dimension H: 1100 mm;	10.00
724	1	<b>workplace sketch</b> dimension L: 75 cm; dimension W: 50 cm; dimension H: 80 cm; description: including residual content;	10.00





Lot	Number	Description	Starting Bid €
725	1	<b>werkplaatskar with vise</b> dimension L: 90 cm; dimension W: 51 cm; dimension H: 96 cm; description: equipped with stahl-titan vise and with drawer;	10.00
726	1	<b>industrial oil piston</b> electric connection: 230 V; description: zelfbouw oil-piston equipped with stork motor; type JETN 25-55; 0.55 kw;	10.00
728	1	<b>steel band closing device</b> Contimeta, Titan hkm, brand: Contimeta; type: Titan hkm; metal strap: yes; description: with reel wagon.;	10.00
729	1	<b>steel band closing device</b> Contimeta, year built 2009, brand: Contimeta; year: 2009; metal strap: yes; description: with reel wagon.;	10.00
730	1	<b>plastic strap closing device</b> Contimeta, brand: Contimeta; plastic strap: yes; metal strap: no; description: with reel wagon.;	10.00
731	13	<b>boiler clamps</b> Bessey, Divers, brand: Bessey; type: Divers; description: various construction pliers; largely bessey;	10.00
732	30	<b>machine tools</b> description: lot of machine tools;	10.00
733	1	<b>machine tools</b> description: lot of machine tools; including 2 cases;	10.00
734	1	<b>magnet drilling machine</b> Fein, DDSK 672, serial number Y68471, brand: Fein; type: DDSK 672; serial number: Y68471; drilling capacity: 32 mm; electric connection: 230 V; description: equipped with finomag magnetic pole; MBS model 3250D;	10.00
735	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 75 cm; dimension W: 75 cm; dimension H: 100 cm; description: including the content and one key;	100.00
736	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 75 cm; dimension W: 75 cm; dimension H: 100 cm; description: including the content ; no key;	100.00
737	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00
738	1	<b>pressure washer</b> Portotecnica, Sync DS 2650T, year built 2006, brand: Portotecnica; type: Sync DS 2650T; year: 2006; max. pressure: 185 bar; temperature range max.: 140 °c; capacity: 840 l/hr; diesel fired: yes; mobile: yes; electric connection: 400 V;	10.00
739	21	<b>lifting eyes set</b> Cartec, Divers, brand: Cartec; type: Divers; description: 21-piece lifting eye set;	10.00
740	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00
741	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00
742	1	<b>workshop tool chest</b> Bott, 8-laden, brand: Bott; type: 8-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00



Lot	Number	Description	Starting Bid €
743	1	<b>pallet shelf 3-sections</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 880 mm; section dim. H: 2600 mm; number of uprights: 4; number of cross beams: 30; max. section load: 6600 kg; description: pay attention! without content ; the buyer is to grind off the wire ends into the ground after disassembly; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
© 744	1	<b>lot of semi-finished</b> description: lot of various semi-finished, everything in the rack ; pay attention! without the rack;	100.00
745	1	<b>separation screen</b> dimension L: 210 cm; dimension W: 50 cm; dimension H: 186 cm; description: steel separation screen;	10.00
746	1	<b>oil drip tray</b> Bauer, year built 2012, brand: Bauer; year: 2012; own weight: 99 kg; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 240 mm; description: equipped with steel base and mobile oil-return suction unit (230v).;	10.00
747	1	<b>tool cabinet</b> Widia, brand: Widia; dimension L: 85 cm; dimension W: 40 cm; dimension H: 100 cm; description: including content;	10.00
748	1	<b>working bench</b> dimension L: 152 cm; dimension W: 75 cm; dimension H: 85 cm; description: steel workbench equipped with wooden worktop with 6 drawer and one door; including content;	10.00
749	1	<b>workbench with vice</b> dimension L: 150 cm; dimension W: 77 cm; dimension H: 86 cm; description: steel workbench equipped with wooden worktop and heuer vise ; including content;	10.00
750	1	<b>workbench with vice</b> dimension L: 152 cm; dimension W: 75 cm; dimension H: 85 cm; description: steel workbench equipped with wooden worktop and vise ; including content;	10.00
751	2	<b>working bench</b> dimension L: 150 cm; dimension W: 80 cm; dimension H: 88 cm; description: steel workbench equipped with wooden worktop and inlay; including one mobile office;	10.00
752	2	<b>working bench</b> dimension L: 150 cm; dimension W: 80 cm; dimension H: 90 cm; description: 2x various steel workbench equipped with wooden worktop and inlay; large dimension workbench approximately 290 x 90 x 100 cm; including residual contents;	10.00
753	1	<b>various workshop inventory</b> description: consisting of one two-door cabinet with content and 4-sections welded rack ; total dimension rack ca. 437 x 73 x 154 cm; including residual contents;	10.00
754	1	<b>workshop cupboard</b> dimension L: 100 cm; dimension W: 51 cm; dimension H: 100 cm; description: equipped with wooden base; cabinet is with content;	10.00
755	1	<b>oil drip tray</b> total dimension L: 860 mm; total dimension W: 860 mm; total dimension H: 420 mm;	10.00
756	1	<b>workshop cupboard</b> Mewaf, 2-deurs schuif, brand: Mewaf; type: 2-deurs schuif; dimension L: 120 cm; dimension W: 45 cm; dimension H: 180 cm; description: equipped with shelves and key; including content;	10.00
757	1	<b>workshop cupboard</b> 2-deurs, type: 2-deurs; dimension L: 100 cm; dimension W: 71 cm; dimension H: 183 cm; description: equipped with shelves and key; including content;	10.00
758	1	<b>mavomclean 5140</b> Mavom, 5140, brand: Mavom; type: 5140; description: 7x mavomclean 5140 bags; including pallet;	10.00



Lot	Number	Description	Starting Bid €
759	1	<b>residual stock warehouse</b> description: remaining stock content warehouse 1st floor including installation material; electrics material; electric motors and parts; pay attention! without the racks - racking;	100.00
760	6	<b>storage racks</b> dismantable: yes; section dim. L: 1000 mm; section dim. W: 400 mm; section dim. H: 1700 mm; number of shelves: 150; description: pay attention! only the racks - racking , without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
761	1	<b>attachments slide</b> description: working width 170 cm;	10.00
762	2	<b>workshop workbench</b> dimension L: 240 cm; dimension W: 90 cm; dimension H: 89 cm; description: made of scaffolding;	10.00
763	1	<b>steel lifting beam with lifting eye</b> dimension L: 1000 mm; dimension W: 100 mm; dimension H: 100 mm;	10.00
764	1	<b>backstand belt grinder</b> AJS steelgrinder, 75. X 2.000, year built 1980, serial number 2372, brand: AJS steelgrinder; type: 75. X 2.000; year: 1980; serial number: 2372; engine power: 3 kW; electric connection: 380 V; manual present: yes;	10.00
765	1	<b>working bench</b> dimension L: 250 cm; dimension W: 80 cm; dimension H: 88 cm; description: equipped with inlay; vise and lighting;	10.00
766	1	<b>workshop tool chest</b> Bott, 7-laden, brand: Bott; type: 7-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00
767	1	<b>workshop tool chest</b> Bott, 7-laden, brand: Bott; type: 7-laden; dimension L: 60 cm; dimension W: 60 cm; dimension H: 96 cm; description: including the content ; no key;	10.00
768	1	<b>workbench with vice</b> dimension L: 150 cm; dimension W: 76 cm; dimension H: 88 cm; description: workbench with door; 4 to load and vise ; including content;	10.00
769	2	<b>air hose reel</b> Elmag, Roll air junior 9, year built 2016, brand: Elmag; type: Roll air junior 9; year: 2016; max. pressure: 10 bar; description: hose length 9 m;	10.00
770	1	<b>tool chest</b> Garant, 7-laden, brand: Garant; type: 7-laden; dimension L: 72 cm; dimension W: 72 cm; dimension H: 101 cm; description: equipped with one key; including content;	10.00
771	1	<b>workbench with vice</b> dimension L: 152 cm; dimension W: 75 cm; dimension H: 85 cm; description: workbench with door; 6 loading and vise ; including content;	10.00
772	1	<b>machine tools</b> description: various machine tools;	10.00
773	1	<b>plane table</b> Ai, brand: Ai; steel: yes; table size L: 400 mm; table size W: 400 mm;	10.00
774	1	<b>working bench</b> dimension L: 250 cm; dimension W: 80 cm; dimension H: 89 cm;	10.00
775	1	<b>tool chest</b> Kind, 10-laden, brand: Kind; type: 10-laden; dimension L: 72 cm; dimension W: 70 cm; dimension H: 102 cm; description: including content;	10.00
776	1	<b>cleaning unit</b> IBS, K, year built 2003, serial number 25644, brand: IBS; type: K; year: 2003; serial number: 25644; dimension L: 80 cm; dimension W: 55 cm; dimension H: 140 cm;	10.00



Lot	Number	Description	Starting Bid €
777	2	<b>semi-finished steel frame with wheels</b> dimension L: 1100 mm; dimension W: 890 mm; description: Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m.;	10.00
778	1	<b>hand hydraulic pallet truck</b> Quicklift, year built 2007, brand: Quicklift; year: 2007; lifting capacity: 2000 kg; fork length: 1150 mm;	10.00
779	1	<b>Palletization</b> dismantable: yes; section dim. L: 1800 mm; section dim. W: 900 mm; section dim. H: 1400 mm; number of uprights: 3; number of cross beams: 8; number of shelves: 4; description: pay attention! without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
780	1	<b>various hose work with drip tray</b> Dunlop, Hiflex powertrak, brand: Dunlop; type: Hiflex powertrak; description: length bake about 600 cm; width of about 55 cm;	10.00
781	1	<b>oil drip tray</b> total dimension L: 1350 mm; total dimension W: 850 mm; total dimension H: 340 mm; description: including barrel standard;	10.00
782	1	<b>oil drip tray</b> total dimension L: 1350 mm; total dimension W: 850 mm; total dimension H: 340 mm; description: including barrel standard;	10.00
783	1	<b>Oil drip tray setup</b> total dimension L: 2680 mm; total dimension W: 1380 mm; total dimension H: 490 mm; description: including two-step staircase setup;	10.00
784	1	<b>drip tray with barrel stand</b> Bauer, brand: Bauer; total dimension L: 1470 mm; total dimension W: 1300 mm; total dimension H: 1390 mm;	10.00
785	1	<b>drip tray with barrel stand</b> Bauer, brand: Bauer; total dimension L: 2700 mm; total dimension W: 1300 mm; total dimension H: 1390 mm; description: pay attention! without shell barrel;	10.00
786	1	<b>barrel degreaser</b> Kluthe, Haku 5088, brand: Kluthe; type: Haku 5088; description: content 200 ltr;	10.00
787	2	<b>barrel of omala oil</b> Shell, Omala oil 150/460, brand: Shell; type: Omala oil 150/460; description: approx 200 liters per barrel;	10.00
788	1	<b>barrel of rehus oil</b> Rhenus, RHenus SLO 68, brand: Rhenus; type: RHenus SLO 68;	10.00
789	1	<b>barrel degreaser HF plus</b> Eurol, Ontvetter HF plus, brand: Eurol; type: Ontvetter HF plus; description: barrel content ca 200 ltr;	10.00
790	2	<b>barrel of cleaning product</b> Helcotec / ac autocare, Systeemclean, brand: Helcotec / ac autocare; type: Systeemclean; description: content 1 summarizes about 200 liters and 1x half filled barrel;	10.00
791	1	<b>barrel of lubricating oil for hydraulic equipment</b> Q8, Haydn 32 & 46, brand: Q8; type: Haydn 32 & 46; description: 208 liters per barrel;	10.00
792	1	<b>clamping chuck</b> Bergmans , Steel 814, serial number 26BF, brand: Bergmans ; type: Steel 814; serial number: 26BF; 3-jaw: yes; diameter: 300 mm; description: including 1x glasses and steel buck;	10.00
793	1	<b>barrel of omala oil</b> Shell, Omala 460, brand: Shell; type: Omala 460; description: content approx 200 ltr;	10.00
794	1	<b>bobbin wagon with mesh basket</b> dimension L: 115 cm; dimension W: 115 cm; dimension H: 102 cm;	10.00



Lot	Number	Description	Starting Bid €
795	1	<b>workplace sketch</b> dimension L: 104 cm; dimension W: 80 cm; dimension H: 73 cm;	10.00
796	1	<b>plateauwagen</b> dimension L: 105 cm; dimension W: 72 cm; dimension H: 28 cm; description: equipped with headboard;	10.00
797	1	<b>barrel hand truck &amp; barrel trolley</b> description: pay attention! This lot is located on the mezzanine floor;	10.00
798	2	<b>oil drip tray</b> Denios, Basic C wanne, year built 2003, brand: Denios; type: Basic C wanne; year: 2003; total dimension L: 1210 mm; total dimension W: 1230 mm; total dimension H: 200 mm; description: pay attention! This lot is located on the mezzanine floor;	10.00
799	2	<b>oil drip tray</b> Denios, Basic C wanne, year built 2003, brand: Denios; type: Basic C wanne; year: 2003; total dimension L: 1210 mm; total dimension W: 1230 mm; total dimension H: 200 mm; description: pay attention! This lot is located on the mezzanine floor;	10.00
800	1	<b>further machine accessories</b> description: various machine accessories;	10.00
801	2	<b>corner clamping table</b> description: size approx 74 x 55 x 55 cm;	10.00
802	1	<b>t-slot clamping table</b> table size L: 750 mm; table size W: 630 mm; plate thickness: 250 mm;	10.00
803	1	<b>corner clamping table</b> description: size approx 76 x 63 x 87 cm; leaf thickness approx. 25 cm;	10.00
804	2	<b>t-slot clamping table</b> table size L: 1000 mm; table size W: 300 mm; plate thickness: 60 mm;	10.00
805	2	<b>t-slot clamping table</b> table size L: 1000 mm; table size W: 300 mm; plate thickness: 60 mm;	10.00
806	1	<b>corner clamping table</b> description: size approx 99 x 100 x 50 cm; leaf thickness approx. 5 cm;	10.00
807	1	<b>corner clamping table</b> description: size ca112 x 123 x 51 cm; leaf thickness approx. 5 cm;	10.00
808	1	<b>corner clamping table</b> description: size around 75 x 80 x 45 cm; leaf thickness approx. 5 cm;	10.00
809	1	<b>corner clamping table</b> description: size approx 155 x 99.5 x 70 cm; leaf thickness approx. 8 cm;	100.00
810	12	<b>further machine accessories</b> description: various machine accessories;	10.00
811	1	<b>t-slot clamping table</b> table size L: 1130 mm; table size W: 930 mm; plate thickness: 60 mm;	10.00
812	2	<b>corner clamping table</b> description: size approx 90 x 62 x 19.5 cm; leaf thickness approx. 5 cm;	10.00
813	1	<b>t-slot clamping table</b> table size L: 1000 mm; table size W: 1000 mm; plate thickness: 120 mm;	10.00
814	1	<b>t-slot clamping table</b> table size L: 1000 mm; table size W: 8050 mm; plate thickness: 110 mm;	10.00
815	1	<b>t-slot clamping table</b> table size L: 1230 mm; table size W: 9950 mm; plate thickness: 70 mm;	10.00
816	1	<b>t-slot clamping table</b> table size L: 1000 mm; table size W: 1200 mm; plate thickness: 120 mm;	10.00
817	1	<b>clamping table top</b> description: size approx 190 x 100 cm; leaf thickness approx. 6 cm;	10.00
818	12	<b>further machine accessories</b> description: various machine accessories;	10.00



Lot	Number	Description	Starting Bid €
819	1	<b>various machine accessories</b> description: including distribution table;	10.00
820	1	<b>clamping chuck</b> Bergmans, 4115, serial number SER53BL, brand: Bergmans; type: 4115; serial number: SER53BL; 3-jaw: yes; diameter: 380 mm;	10.00
821	1	<b>clamping chuck</b> serial number 49AU, serial number: 49AU; 3-jaw: yes; diameter: 210 mm;	10.00
822	1	<b>clamping chuck</b> 3-jaw: yes; diameter: 200 mm;	10.00
823	1	<b>clamping chuck</b> serial number 33BA, serial number: 33BA; 3-jaw: yes; diameter: 380 mm;	10.00
824	1	<b>clamping chuck</b> 4-jaw: yes; diameter: 380 mm;	10.00
825	1	<b>clamping chuck</b> 4-jaw: yes; diameter: 355 mm;	10.00
826	1	<b>further machine accessories</b> description: Ø approx. 300 mm;	10.00
827	1	<b>clamping chuck</b> serial number 9AI, serial number: 9AI; 3-jaw: yes; diameter: 250 mm;	10.00
828	1	<b>clamping chuck</b> 3-jaw: no; 4-jaw: yes; diameter: 500 mm;	10.00
829	1	<b>clamping chuck</b> 3-jaw: no; 4-jaw: yes; diameter: 500 mm;	10.00
830	1	<b>clamping chuck</b> Bergmans, serial number 88BG, brand: Bergmans; serial number: 88BG; 3-jaw: yes; diameter: 380 mm;	10.00
831	1	<b>t-slot clamping table</b> table size L: 400 mm; table size W: 390 mm; plate thickness: 40 mm; description: equipped with tilt function;	10.00
832	1	<b>t-slot clamping table</b> table size L: 400 mm; table size W: 300 mm; plate thickness: 50 mm; description: including 1 extra corner clamping table; size approx 310 x 250 mm; sheet thickness approx. 25 mm;	10.00
833	1	<b>clamping chuck</b> Emco, brand: Emco; 3-jaw: yes; diameter: 400 mm;	10.00
834	1	<b>clamping chuck</b> SMW autoblock, 500 hyd1-s, brand: SMW autoblock; type: 500 hyd1-s; 3-jaw: yes; diameter: 500 mm;	10.00
835	1	<b>clamping sheet</b> description: Ø approx. 915 mm; leaf thickness approx. 40 mm;	10.00
836	1	<b>glasses</b> description: Ø ca 230 mm inside size;	10.00
837	1	<b>glasses</b> description: Ø ca 230 mm inside size;	10.00
838	1	<b>distributor plate</b> AGEHA-ZEATZ, PHGI600, serial number 2259, brand: AGEHA-ZEATZ; type: PHGI600; serial number: 2259; description: Ø approx 600 mm;	10.00
839	1	<b>distributor plate</b> 400, serial number S54, type: 400; serial number: S54; description: Ø approx. 400 mm;	10.00
840	1	<b>distributor plate</b> 300, type: 300; description: Ø approx. 300 mm;	10.00
841	1	<b>tensioning machine accessories</b> description: Ø approx 600 mm; thickness approx. 185 mm;	10.00





Lot	Number	Description	Starting Bid €
842	1	<b>various machine tools</b>	10.00
843	1	<b>clamping plate</b> serial number DA 1W 5196, serial number: DA 1W 5196; description: Ø approx. 800 mm; leaf thickness approx. 40 mm;	10.00
844	1	<b>clamping chuck</b> Bergmans, serial number 59AY, brand: Bergmans; serial number: 59AY; 3-jaw: yes; diameter: 300 mm;	10.00
845	14	<b>further machine accessories</b> description: various machine accessories ; including buck;	10.00
846	2	<b>various glasses</b> description: 2x various spectacles; including buck;	10.00
847	2	<b>various glasses</b> description: 2x various spectacles; including goat; pay attention! 4- without the clamping chuck;	10.00
848	1	<b>clamping chuck</b> 4-jaw: yes; diameter: 600 mm; description: pay attention! without goat and glasses;	10.00
858	1	<b>further machine accessories platen</b> description: size approx 1600 x 1400 x 50 mm;	10.00
859	1	<b>various other machine tool,</b> description: overall content of the rack ; pay attention! without the rack;	10.00
860	1	<b>Palletization</b> dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: 1400 mm; number of uprights: 2; number of cross beams: 4; max. section load: 6600 kg; description: pay attention! without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
861	1	<b>tipping container mobile</b> dimension L: 170 cm; dimension W: 97 cm; dimension H: 144 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
862	2	<b>work lights on tripod</b> description: 230V;	10.00
863	1	<b>pressure washer</b> Kärcher, K2, serial number 048064, brand: Kärcher; type: K2; serial number: 048064; temperature range max.: 40 °c; electric connection: 230 V; own weight: 6 kg;	10.00
864	2	<b>roller guide support</b>	10.00
865	1	<b>roller guide support</b> description: equipped with lifting jack function;	10.00
866	2	<b>roller guide support</b>	10.00
867	2	<b>roller guide support</b>	10.00
868	2	<b>roller guide support</b>	10.00
869	2	<b>roller guide support</b>	10.00
870	2	<b>roller guide support</b>	10.00
871	2	<b>roller guide support</b>	10.00
872	1	<b>Other pneumatic tooling</b> description: 1x self-made pneumatic iso tool device;	10.00
873	1	<b>industrial vacuum cleaner</b> Nilfisk alto, Attix 9, brand: Nilfisk alto; type: Attix 9; wet/dry vacuum cleaner: yes; electric connection: 230 V;	10.00
874	1	<b>absorption grit cart</b> dimension L: 82 cm; dimension W: 83 cm; dimension H: 58 cm;	10.00
875	1	<b>absorption grit cart</b> dimension L: 100 cm; dimension W: 66 cm; dimension H: 48 cm;	10.00



Lot	Number	Description	Starting Bid €
876	1	<b>workbench with toolbox</b> Kind, 6-laden, brand: Kind; type: 6-laden; dimension L: 152 cm; dimension W: 77 cm; dimension H: 85 cm; description: equipped with six-charging and rear wall; 1 PWB Swiss toolbox;	10.00
877	1	<b>working bench</b> dimension L: 200 cm; dimension W: 75 cm; dimension H: 96 cm; description: steel workbench equipped with wooden worktop; The first door and the first drawer; including any residual contents;	10.00
879	1	<b>tipping container</b> dimension L: 150 cm; dimension W: 92 cm; dimension H: 90 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
880	1	<b>tipping container</b> dimension L: 150 cm; dimension W: 92 cm; dimension H: 90 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
881	1	<b>tipping container</b> Altermij, Multi-tipper, brand: Altermij; type: Multi-tipper; dimension L: 130 cm; dimension W: 105 cm; dimension H: 93 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
882	1	<b>tipping container</b> dimension L: 150 cm; dimension W: 92 cm; dimension H: 90 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
883	1	<b>tipping container mobile</b> Bauer, year built 2008, brand: Bauer; year: 2008; load capacity: 1000 kg; dimension L: 125 cm; dimension W: 78 cm; dimension H: 78 cm; own weight: 137 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
884	1	<b>tipping container mobile</b> Bauer, year built 2011, brand: Bauer; year: 2011; load capacity: 1000 kg; dimension L: 125 cm; dimension W: 78 cm; dimension H: 78 cm; own weight: 137 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
885	1	<b>tipping container mobile</b> Bauer, year built 2007, brand: Bauer; year: 2007; load capacity: 1000 kg; dimension L: 125 cm; dimension W: 128 cm; dimension H: 87 cm; own weight: 191 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
886	1	<b>tipping container mobile</b> Bauer, year built 2006, brand: Bauer; year: 2006; load capacity: 1000 kg; dimension L: 125 cm; dimension W: 128 cm; dimension H: 87 cm; own weight: 191 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
887	1	<b>tipping container mobile</b> Bauer, SKS 550, year built 2013, brand: Bauer; type: SKS 550; year: 2013; load capacity: 1000 kg; dimension L: 95 cm; dimension W: 114 cm; dimension H: 117 cm; own weight: 122 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
888	1	<b>tipping container mobile</b> Bauer, SKS 700, year built 2015, brand: Bauer; type: SKS 700; year: 2015; load capacity: 1000 kg; dimension L: 110 cm; dimension W: 114 cm; dimension H: 126 cm; own weight: 134 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
889	1	<b>tipping container mobile</b> Bauer, SKS 700, year built 2015, brand: Bauer; type: SKS 700; year: 2015; load capacity: 1000 kg; dimension L: 110 cm; dimension W: 114 cm; dimension H: 126 cm; own weight: 134 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
890	1	<b>tipping container mobile</b> dimension L: 125 cm; dimension W: 105 cm; dimension H: 103 cm; description: equipped with fork-lift truck spoon inrijsleuven;	10.00



Lot	Number	Description	Starting Bid €
891	1	<b>tipping container mobile</b> Altermij, Multi-tipper MT600, brand: Altermij; type: Multi-tipper MT600; load capacity: 1050 kg; dimension L: 130 cm; dimension W: 105 cm; dimension H: 108 cm; own weight: 170 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
892	1	<b>tipping container mobile</b> Altermij, Multi-tipper MT600, brand: Altermij; type: Multi-tipper MT600; load capacity: 1050 kg; dimension L: 130 cm; dimension W: 105 cm; dimension H: 108 cm; own weight: 170 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
893	1	<b>tipping container mobile</b> Altermij, Multi-tipper MT600, brand: Altermij; type: Multi-tipper MT600; load capacity: 1050 kg; dimension L: 130 cm; dimension W: 105 cm; dimension H: 108 cm; own weight: 170 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
894	1	<b>tipping container mobile</b> Altermij, Multi-tipper MT600, brand: Altermij; type: Multi-tipper MT600; load capacity: 1050 kg; dimension L: 130 cm; dimension W: 105 cm; dimension H: 108 cm; own weight: 170 kg; description: equipped with fork-lift truck spoon inrijsleuven;	10.00
895	1	<b>extendable ladder</b> Altrex, TGB 3, brand: Altrex; type: TGB 3; number of steps: 3; aluminium: yes;	10.00
896	1	<b>extendable ladder</b> Günzburger, brand: Günzburger; number of steps: 3; aluminium: yes;	10.00
897	1	<b>board staircase</b> number of steps: 6; access platform: yes;	10.00
898	2	<b>stairs</b> number of steps: 2; aluminium: yes;	10.00
899	1	<b>extendable ladder</b> Zarges, brand: Zarges; number of steps: 5; aluminium: yes;	10.00
900	1	<b>extendable ladder</b> Altrex, ANDES Aeo 5, brand: Altrex; type: ANDES Aeo 5; number of steps: 5; aluminium: yes;	10.00
901	1	<b>extendable ladder</b> Günzburger, brand: Günzburger; number of steps: 4; aluminium: yes;	10.00
902	1	<b>extendable ladder</b> Günzburger, brand: Günzburger; number of steps: 3; aluminium: yes;	10.00
903	1	<b>board staircase</b> number of steps: 4; aluminium: yes; access platform: yes;	10.00
904	1	<b>extendable ladder</b> Günzburger, brand: Günzburger; number of steps: 4; aluminium: yes;	10.00
905	1	<b>ladder section</b> Altrex, EER 1040, brand: Altrex; type: EER 1040; number of steps: 14; aluminium: yes;	10.00
© 906	1	<b>semi-finished product</b> dimension L: 720 mm; description: D external approx. 300 mm; in coffin.;	100.00
© 907	1	<b>semi-finished product</b> dimension L: 680 mm; description: D external 400mm; in coffin.;	100.00
© 908	5	<b>semi-finished products</b> description: various dimensions; and including pallet crate.;	100.00
© 909	1	<b>semi-finished product</b> description: D external ca 650mm; D internal ca 500mm.;	100.00
© 910	1	<b>semi-finished product</b> dimension L: 700 mm; description: D externally ca 490; D internal ca 355mm; in coffin.;	100.00
911	1	<b>working bench</b> total dimension L: 3000 mm; total dimension W: 800 mm; total dimension H: 880 mm; description: equipped with steel frame; worktop & inlay; including steel presentation board dimensions WxH approx 95x177cm.;	10.00



Lot	Number	Description	Starting Bid €
912	1	<b>dresser</b> Bott, brand: Bott; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1020 mm; description: equipped with 7 trays; including content .;	10.00
913	1	<b>dresser</b> Bott, brand: Bott; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1020 mm; description: equipped with 7 trays; including content .;	10.00
914	1	<b>flat table with base cabinet</b> description: equipped with steel worktop and lighting ; thick sheet approximately 5cm; including content and wooden floor; Pay attention! the buyer has to disassemble the electricity and to isolate.;	10.00
915	1	<b>flat table with base cabinet</b> description: equipped with steel worktop and lighting ; thick sheet approximately 5cm; including content ; Pay attention! the buyer has to disassemble the electricity and to isolate.;	10.00
916	1	<b>tripod</b> Rexroth, brand: Rexroth; total dimension L: 1010 mm; total dimension W: 270 mm; total dimension H: 680 mm;	10.00
917	1	<b>plane table</b> description: equipped with steel sheet; thick sheet approximately 5cm.;	10.00
918	1	<b>plane table</b> description: equipped with steel sheet; sheet thickness ca 2cm.;	10.00
919	1	<b>plane table</b> description: equipped with steel sheet; sheet thickness ca 12cm.;	100.00
920	1	<b>Scroll book</b> total dimension L: 390 mm; total dimension W: 420 mm; total dimension H: 340 mm;	10.00
921	1	<b>perthometer</b> Mahr, M1, brand: Mahr; type: M1; electric connection: 12 V; description: Without adapter.;	10.00
922	1	<b>desks and table</b> Staalmeubel, brand: Staalmeubel; dimension L: 150 cm; dimension W: 75 cm; dimension H: 78 cm; description: Included drawings tripod .;	10.00
923	1	<b>dresser</b> number of drawers: 5; dimension L: 127 cm; dimension W: 88 cm; dimension H: 43 cm; total dimension L: 1270 mm; total dimension W: 880 mm; total dimension H: 980 mm; description: Including undercarriage and 2 open compartment cupboards.;	10.00
924	1	<b>Steel 2-door cabinet</b> total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: Including content ; keyless.;	10.00
925	1	<b>Steel 2-door cabinet</b> total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: Including content ; keyless.;	10.00
926	1	<b>Steel 2-door cabinet</b> total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: Including content ; keyless.;	10.00
927	1	<b>Steel 2-door cabinet</b> total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: Including content ; keyless.;	10.00
928	1	<b>Steel 2-door cabinet</b> total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 2000 mm; description: Including content ; keyless.;	10.00
929	4	<b>semi-finished products</b> dimension L: 840 mm; description: D external ca 1223mm; D internal approx. 1190 mm.;	100.00



Lot	Number	Description	Starting Bid €
930	1	<b>plateauwagen</b> Hoffmann, DSL, year built 2000, serial number 0459916/00, brand: Hoffmann; type: DSL; year: 2000; serial number: 0459916/00; load capacity: 3000 kg; dimension L: 198 cm; dimension W: 100 cm; dimension H: 54 cm; total dimension L: 3570 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: Vv: repressed; massive tires .;	10.00
931	1	<b>plateauwagen</b> Hoffmann, DSL, year built 2000, serial number 04559916/00, brand: Hoffmann; type: DSL; year: 2000; serial number: 04559916/00; load capacity: 3000 kg; dimension L: 198 cm; dimension W: 100 cm; dimension H: 54 cm; total dimension L: 3570 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: Vv: repressed; massive tires .;	10.00
932	1	<b>plateauwagen</b> Hoffmann, DSL, year built 2000, serial number 0459916/00, brand: Hoffmann; type: DSL; year: 2000; serial number: 0459916/00; load capacity: 3000 kg; dimension L: 198 cm; dimension W: 100 cm; dimension H: 54 cm; total dimension L: 3570 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: Vv: repressed; massive tires .;	10.00
933	1	<b>plateauwagen</b> KTS, DSL, year built 2006, serial number 9578, brand: KTS; type: DSL; year: 2006; serial number: 9578; load capacity: 3000 kg; dimension L: 198 cm; dimension W: 100 cm; dimension H: 54 cm; own weight: 285 kg; total dimension L: 3570 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: Vv: repressed; massive tires .;	10.00
934	1	<b>plateauwagen</b> dimension L: 150 cm; dimension W: 70 cm; dimension H: 51 cm; own weight: 285 kg; total dimension L: 2760 mm; total dimension W: 1000 mm; total dimension H: 840 mm; description: Vv: repressed; massive tires .;	10.00
935	1	<b>lot of welding electrodes</b> description: various brands and types; Location: in addition to dryer positioner.;	10.00
936	1	<b>lot of workplace furniture</b> description: incl. : office;. 2x office table; 2x section racking ; 2x steel filing cabinet with content ; 3x office chair; 4x seat; 2x stool.;	10.00
937	1	<b>plane table</b> total dimension L: 805 mm; total dimension W: 805 mm; total dimension H: 810 mm; description: equipped with steel sheet; thick sheet approximately 2.5 cm.;	10.00
938	1	<b>circulation control device</b> Mahr, brand: Mahr;	10.00
939	1	<b>plane table</b> Carl Mahr, brand: Carl Mahr; granite: yes; table size L: 1210 mm; table size W: 810 mm; total dimension L: 810 mm; total dimension W: 810 mm; total dimension H: 790 mm; description: D leaf about 15 cm.;	10.00
940	1	<b>marking machine with micro percussion</b> ProPen, P3000, year built 2000, serial number P3000-00-05-01618, brand: ProPen; type: P3000; year: 2000; serial number: P3000-00-05-01618; electric connection: 230 V; total dimension L: 280 mm; total dimension W: 500 mm; total dimension H: 960 mm; description: Including accessories .;	100.00
941	1	<b>corner clamping table</b> description: dimensions WxDxH approx 180x90x204cm.;	100.00
942	1	<b>double yoke</b> description: dimensions lxwxh approx 180x155x72cm; equipped with four lifting eyes.;	100.00
943	1	<b>clamping frame</b> description: dimensions WxDxH approx 143x190x80cm;	10.00
944	6	<b>adjustable legs</b> description: Including 4x adjustment block.;	10.00



Lot	Number	Description	Starting Bid €
945	1	<b>oil drip tray</b> total dimension L: 860 mm; total dimension W: 860 mm; total dimension H: 430 mm;	10.00
946	3	<b>grindstones and machine accessories</b> Norton, Divers, brand: Norton; type: Divers; description: incl. : 508x50x203,2mm;. 3-clamping chuck ; various machine parts.;	10.00
947	1	<b>racking</b> total dimension L: 2850 mm; total dimension W: 600 mm; total dimension H: 1180 mm; description: welding; Without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
948	1	<b>honeycomb sets</b> Sunnen, Diverse, brand: Sunnen; type: Diverse; description: Including various machine accessories ; regards content cabinet 949.;	10.00
949	1	<b>sliding door cabinet</b> total dimension L: 1960 mm; total dimension W: 610 mm; total dimension H: 1980 mm; description: Without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	10.00
© 950	9	<b>various castings</b>	10.00
© 951	1	<b>lot of intermediate products and supplies.</b> description: Subject: Cunial; brass & presumably bronze; Approximately 20 pallet places.;	100.00
952	1	<b>lot of various opspandelen</b> description: And the rack .;	10.00
953	1	<b>Palletization</b> dismantable: yes; number of uprights: 2; number of cross beams: 4; max. section load: 2200 kg; total dimension L: 2880 mm; total dimension W: 900 mm; total dimension H: 1310 mm; description: Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m. ;	10.00
954	1	<b>lot of clamping tools and various hand tools</b> description: And on the bench; without the workbench and vise .;	10.00
955	1	<b>crafting table</b> total dimension L: 2020 mm; total dimension W: 750 mm; total dimension H: 860 mm; description: equipped with steel frame; worktop and inlay & Format vise ; without tools; Includes steel frame dimensions LxWxH approx 114x115x44cm; flame retardant and paper towel; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	10.00
956	1	<b>clamping tools and machine parts</b> description: Subject content rack .;	10.00
957	1	<b>Palletization</b> dismantable: yes; number of uprights: 2; number of cross beams: 4; max. section load: 2200 kg; total dimension L: 2900 mm; total dimension W: 900 mm; total dimension H: 1410 mm; description: Without content ; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	10.00
958	1	<b>dresser and desk and various clamping tools</b> number of drawers: 6; dimension L: 102 cm; dimension W: 72 cm; dimension H: 100 cm; description: Including content incl. : Studs;. clamping brackets; Allen screws; etc; dimensions worktable WxDxH approx 150x60x84cm.;	10.00
959	2	<b>welding screens</b> description: dimensions . each 190x207cm WxH approx.;	10.00
960	1	<b>machine tools</b> description: probe SK-50; tooling for lot 3;	100.00
961	1	<b>workbench with content</b> Garant, brand: Garant; dimension L: 200 cm; dimension W: 70 cm; dimension H: 93 cm; description: equipped with uprising; 9 drawers; including small workbench load 3; pay attention! machine books or documents not included;	100.00





Lot	Number	Description	Starting Bid €
962	1	<b>machine tools</b> description: lot of various machine tools including gereedschapshouderrek and commode;	100.00
963	1	<b>workbench with content</b> dimension L: 200 cm; dimension W: 70 cm; dimension H: 84 cm; description: workbench with content equipped with 8 load and second doors; pay attention! documentation and books or machine not included;	100.00
964	1	<b>workbench with content</b> Vink lisse, brand: Vink lisse; dimension L: 200 cm; dimension W: 70 cm; dimension H: 84 cm; description: workbench with content equipped with three drawers and second doors; air hose reel and office; pay attention! documentation and books or machine not included;	10.00
965	1	<b>machine tools</b> description: various machine tools and accessories ; everything in the rack ; pay attention! rack not included;	10.00
966	2	<b>Palletization</b> dismantable: yes; section dim. L: 130 mm; section dim. W: 90 mm; section dim. H: 130 mm; number of uprights: 4; number of cross beams: 10; number of shelves: 2; description: pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
© 967	5	<b>semi-finished propeller / screw</b> description: 4 sheets;	10.00
968	1	<b>Allen bolts and lock washers</b> description: lot of various residual stock including M24x160 and washers M24;	10.00
© 969	6	<b>various semi-finished propeller shafts</b> description: on and in 5 pallets;	100.00
970	1	<b>machine tools</b> description: various machine tools; including workbench ; size ca 244 x 61 x 78 cm;	10.00
© 971	1	<b>various semi-finished</b> description: various semi-finished product on pallets 8;	10.00
© 972	1	<b>content rack with various molds / semifinished</b> description: pay attention! rack not included;	100.00
973	2	<b>Palletization</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 88 mm; section dim. H: 260 mm; number of uprights: 4; number of cross beams: 20; description: pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
974	1	<b>machine tools</b> description: lot of various machine tools and accessories ; including tooling racks, cabinets , etc; (Suitable for machine with lot 12);	100.00
© 975	1	<b>content rack with various molds / semifinished</b> description: pay attention! rack not included;	10.00
976	1	<b>Palletization</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 90 mm; section dim. H: 140 mm; number of uprights: 3; number of cross beams: 12; description: pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
977	36	<b>machine tools</b> Sandvik, Divers, brand: Sandvik; type: Divers; description: including tulkelch tooling rack;	100.00
978	1	<b>workbench and drawers</b> dimension L: 200 cm; dimension W: 70 cm; dimension H: 84 cm; description: including content;	100.00
979	7	<b>waste bins</b> description: Ø approximately 46 cm; height approx 73 cm;	10.00



Lot	Number	Description	Starting Bid €
980	1	<b>oil drip tray with dosatron pump</b> Dosatron, D3RE10, brand: Dosatron; type: D3RE10; total dimension L: 840 mm; total dimension W: 820 mm; total dimension H: 580 mm;	10.00
© 981	1	<b>content rack with various molds / semifinished</b> description: pay attention! rack not included;	100.00
982	2	<b>Palletization</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 88 mm; section dim. H: 130 mm; number of uprights: 4; number of cross beams: 10; description: pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
983	1	<b>machine tools</b> description: lot of various machine tools including steel rack and tool drawers;	100.00
984	1	<b>machine tools</b> description: lot of various machine tools / molds, all in six pallets;	100.00
985	1	<b>workbench &amp; machine tools</b> Kind, brand: Kind; dimension L: 150 cm; dimension W: 75 cm; dimension H: 85 cm; description: including two tool drawers with content;	10.00
986	1	<b>machine tools</b> description: lot of various machinegereedschap;	10.00
© 987	1	<b>content rack with various molds / semifinished</b> description: including pallets; pay attention! rack not included;	100.00
988	3	<b>Palletization</b> description: 3 various pallet racking ; various dimensions; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
989	1	<b>various fasteners</b> description: including nuts ; set screws; fuses; bolts ; etc; including assortment rack with baking tray; size ca 105 x 51 x 170 cm;	10.00
990	1	<b>hardness tester / meter</b> Louis Reijners, brand: Louis Reijners; analog: yes; total dimension L: 200 mm; total dimension W: 500 mm; total dimension H: 1520 mm; description: including various accessories;	10.00
991	1	<b>workbench with vice</b> dimension L: 250 cm; dimension W: 80 cm; dimension H: 88 cm; description: including content and tools plaque and various .;	10.00
992	1	<b>dust control machine</b> DCE, DT6, serial number 5899, brand: DCE; type: DT6; serial number: 5899; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 570 mm; total dimension H: 1050 mm;	10.00
993	2	<b>warehouse trolley with various content</b> description: various dimensions;	10.00
994	3	<b>various steel cabinet with content</b> dimension L: 105 cm; dimension W: 34 cm; dimension H: 194 cm; description: sliding door cupboard size approx. 150 x 50 x 195 cm; including the residual content; pay attention! no keys;	10.00
995	1	<b>turning tool</b> description: 2x glasses cutting tool steel tripod;	10.00
996	1	<b>workbench with vice</b> Holex, brand: Holex; dimension L: 200 cm; dimension W: 70 cm; dimension H: 85 cm; description: including content;	100.00
997	1	<b>tool chest of drawers</b> Vink lisse, 7-laden, brand: Vink lisse; type: 7-laden; dimension L: 113 cm; dimension W: 75 cm; dimension H: 101 cm; description: including content;	100.00



Lot	Number	Description	Starting Bid €
998	1	<b>working bench</b> Garant, brand: Garant; dimension L: 200 cm; dimension W: 70 cm; dimension H: 85 cm; total dimension H: 1800 mm; description: equipped with three drawers, the first door, rear wall and wooden worktop; including the content and stool and chair;	10.00
999	2	<b>stackable goat</b> Fetra, 22811, year built 2016, brand: Fetra; type: 22811; year: 2016; dimension L: 120 cm; dimension W: 81 cm; dimension H: 90 cm; own weight: 35 kg; description: max load capacity 2000 kg; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1000	2	<b>stackable goat</b> Fetra, 22811, year built 2016, brand: Fetra; type: 22811; year: 2016; dimension L: 120 cm; dimension W: 81 cm; dimension H: 90 cm; own weight: 35 kg; description: max load capacity 2000 kg; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1001	2	<b>stackable goat</b> Fetra, 22811, year built 2016, brand: Fetra; type: 22811; year: 2016; dimension L: 120 cm; dimension W: 81 cm; dimension H: 90 cm; own weight: 35 kg; description: max load capacity 2000 kg; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1002	2	<b>stackable goat</b> Fetra, 22811, year built 2016, brand: Fetra; type: 22811; year: 2016; dimension L: 120 cm; dimension W: 81 cm; dimension H: 90 cm; own weight: 35 kg; description: max load capacity 2000 kg; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1003	2	<b>stackable goat</b> Fetra, 22811, year built 2016, brand: Fetra; type: 22811; year: 2016; dimension L: 120 cm; dimension W: 81 cm; dimension H: 90 cm; own weight: 35 kg; description: max load capacity 2000 kg; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1004	1	<b>chip transport unit</b> Mayfran, LS30-N, year built 2001, serial number G05M5255.01, brand: Mayfran; type: LS30-N; year: 2001; serial number: G05M5255.01;	10.00
1005	3	<b>steel tables</b> dimension L: 102 cm; dimension W: 134 cm; dimension H: 65 cm; description: equipped with wooden top; pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1006	1	<b>oil drip tray with dosatron pump</b> Dosatron, D3RE10, brand: Dosatron; type: D3RE10; total dimension L: 840 mm; total dimension W: 820 mm; total dimension H: 580 mm;	10.00
1007	1	<b>oil drip tray with dosatron pump</b> Dosatron, D3RE10, brand: Dosatron; type: D3RE10; total dimension L: 840 mm; total dimension W: 820 mm; total dimension H: 580 mm;	10.00
1008	1	<b>other lifting and lifting equipment</b> description: various hoisting and heftechniekmiddelen; including asecos cabinet; size ca 120 x 60 x 197 cm;	100.00
1009	1	<b>rinse / cleaning unit</b> dimension L: 130 cm; dimension W: 78 cm; dimension H: 92 cm;	10.00
1010	1	<b>table drill</b> TNW, Tnw 16, brand: TNW; type: Tnw 16; discharge: 150 mm; table size L: 230 mm; table size W: 230 mm; engine power: 0.85 kW; electric connection: 230 V;	10.00
1011	1	<b>workbench lever scissors</b> dimension L: 150 cm; dimension W: 77 cm; dimension H: 87 cm; description: including residual contents of the workbench and air hose reel;	10.00



Lot	Number	Description	Starting Bid €
1012	1	<b>welding electrode box</b> AJS, brand: AJS; electric connection: 230 V; dimension L: 310 mm; dimension W: 510 mm; dimension H: 440 mm; description: pay attention! content not included;	10.00
1013	1	<b>various welding electrodes</b> description: pay attention! cupboard not included;	10.00
1014	1	<b>various residual stock</b> description: entire content of the rack except lot in 1012 & 1013; rack not included;	10.00
1015	1	<b>Warehouse racking</b> dismantable: yes; section dim. L: 1000 mm; section dim. W: 520 mm; section dim. H: 2000 mm; number of uprights: 5; number of shelves: 30; description: equipped with built-in closet with shelves 7, beware! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1016	1	<b>workplace chair</b>	10.00
1017	1	<b>Other hand tools</b> description: lot of various other tools and lifting technology resources;	10.00
1018	1	<b>various workshop cabinets</b> description: various workshop cupboards with remaining content;	10.00
1019	1	<b>various workshop inventory</b>	10.00
1020	1	<b>fasteners various</b> description: on 2 pallets;	10.00
1021	1	<b>workbench with vice</b> dimension L: 250 cm; dimension W: 80 cm; dimension H: 88 cm; description: including hanbediende baler and residual content of the workbench;	100.00
1022	2	<b>semi-finished steel profile post</b> dimension L: 3200 mm; dimension W: 2600 mm;	10.00
1023	1	<b>other metal stocks recycling</b> description: 7 pallet positions; including gitter boxes and steel container;	10.00
1024	1	<b>2-Stone grinding machine</b> Wif, Td322, brand: Wif; type: Td322; electric connection: 380 V;	10.00
1025	1	<b>circular trim saw</b> Mes, Mec 250, year built 1989, brand: Mes; type: Mec 250; year: 1989; coolant pump: yes; electric connection: 380 V;	10.00
1026	1	<b>Warehouse racking</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 90 mm; section dim. H: 125 mm; number of uprights: 2; number of cross beams: 4; number of shelves: 2; description: including residual content; Pay attention! Delivery will take place on Thursday, September 19, 2019, from 9 a.m. to 4 p.m.;	10.00
1027	1	<b>machine tools</b> description: lot of various machine tools;	10.00
1028	1	<b>semi-finished product Torque stay</b>	100.00
1029	1	<b>semi-finished product Torque stay</b>	100.00
1030	1	<b>semi-finished product Torque stay</b>	100.00
1031	1	<b>lot of semifinished</b> description: ao engine test tube; dummy hub couplings ; dummy fixed propeller; etc; every 16 pallets;	100.00
1032	1	<b>workshop table steel</b> dimension L: 201 cm; dimension W: 99 cm; dimension H: 90 cm; description: leaf thickness approx. 3.5 cm;	10.00
1033	1	<b>Warehouse racking</b> dismantable: yes; section dim. L: 270 mm; section dim. W: 89 mm; section dim. H: 154 mm; number of uprights: 2; number of cross beams: 4; number of shelves: 2;	10.00
1034	1	<b>workbench with vice</b> dimension L: 250 cm; dimension W: 80 cm; dimension H: 88 cm;	10.00



Lot	Number	Description	Starting Bid €
1035	1	<b>torque test tooling push and pull rods</b> description: including transport box;	10.00
1036	1	<b>other lifting and lifting equipment</b> Enerpac, Divers, brand: Enerpac; type: Divers; description: various enerpac hydraulic lift tool; including transport case;	10.00
1037	1	<b>t-slot clamping table</b> table size L: 2840 mm; table size W: 1320 mm; plate thickness: 200 mm;	100.00
1038	1	<b>lifting beam</b> dimension L: 2530 mm; dimension W: 200 mm; dimension H: 260 mm;	10.00
1039	1	<b>oil drip tray</b> total dimension L: 2650 mm; total dimension W: 1300 mm; total dimension H: 500 mm;	10.00
1040	1	<b>safety cabinet</b> Asecos, VBF.197.120-G, year built 2003, brand: Asecos; type: VBF.197.120-G; year: 2003; dimension L: 120 cm; dimension W: 60 cm; dimension H: 197 cm; description: including residual content;	10.00
1041	1	<b>safety cabinet</b> Asecos, VBF.197.120-G, year built 2003, brand: Asecos; type: VBF.197.120-G; year: 2003; dimension L: 120 cm; dimension W: 60 cm; dimension H: 197 cm; description: including residual content;	10.00
1042	1	<b>various hydraulic hoses</b> description: on 2 pallets;	10.00
1043	1	<b>Other metal inventories various</b> description: on and in 11 pallets and including work table, chair and foil dispenser;	10.00
1044	1	<b>pump unit filtration</b> Parker, Filtration, brand: Parker; type: Filtration; electric connection: 380 V;	10.00
1045	1	<b>residual stock plastic</b> description: including pallet crates;	10.00
1046	1	<b>hydraulic aggregate</b> Sperry vickers, 27570-2-01/A208087, serial number RA 27570-1093, brand: Sperry vickers; type: 27570-2-01/A208087; serial number: RA 27570-1093; electric connection: 380 V; with remote control (wired): yes; total dimension L: 1400 mm; total dimension W: 800 mm; total dimension H: 1250 mm;	10.00
1047	1	<b>fasteners various</b> description: 3 pallets; including steel separation screen;	10.00
1048	1	<b>Pump unit</b> Kelfort, VR 14/9A, brand: Kelfort; type: VR 14/9A; capacity: 230 l/hr; electric connection: 230 V;	10.00
1049	1	<b>Other metal inventories various</b> description: all in three rack compartments; pay attention! rack not included;	10.00
1050	2	<b>Palletization</b> dismantable: yes; section dim. L: 2700 mm; section dim. W: 900 mm; section dim. H: 2800 mm; number of uprights: 6; number of cross beams: 34; description: pay attention! content not included; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u.;	10.00
1501	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik and Kennametal;	10.00
1502	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik; Kennametal; Wohlhaupter and Komet;	10.00
1503	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik; Kennametal and Tungaloy;	10.00
1504	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik; Kennametal;	10.00
1505	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik; Kennametal;	10.00



Lot	Number	Description	Starting Bid €
1506	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik; and Iscar;	10.00
1507	1	<b>turning tool</b> Isicar, brand: Iscar; description: from 1 drawer;	10.00
1508	1	<b>turning tool</b> description: from 1 drawer; ao: Sandvik;	10.00
1509	1	<b>turning tool</b> description: from 2 drawers; in various embodiments, ;	10.00
1510	1	<b>turning tool</b> Sandvik, brand: Sandvik; description: from 2 drawers including: Sandvik;	10.00
1511	1	<b>turning tool</b> description: from 1 drawer including: Sandvik;	10.00
1512	1	<b>turning tool</b> description: from 1 drawer;	10.00
1513	1	<b>turning tool</b> description: from 1 drawer; Roco and Mimatec among others;	10.00
1514	1	<b>machine tools</b> description: extension sleeves MC 3-1 to 5-5 from 2 drawers;	10.00
1515	1	<b>machine tools</b> description: push-on holders 10 to 40 from 4 drawers;	10.00
1516	1	<b>drill tools</b> Amac, brand: Amac; description: from 1 drawer;	10.00
1517	1	<b>machine tools</b> description: reamers H7 in various embodiments, from three drawers;	100.00
1518	1	<b>machine tools</b> description: face milling from 1 drawer;	10.00
1519	1	<b>machine tools</b> description: face milling from 1 drawer;	10.00
1520	1	<b>machine tools</b> description: from 1 drawer ;	10.00
1521	1	<b>drill tools</b> Amac, brand: Amac; description: from 1 drawer;	10.00
1522	1	<b>machine tools</b> description: from 1 drawer ;	10.00
1523	1	<b>Milling tool</b> description: from 1 drawer ;	10.00
1524	1	<b>Milling tool</b> description: from 1 drawer ;	10.00
1525	1	<b>Milling tool</b> description: from 1 drawer ;	10.00
1526	1	<b>Milling tool</b> description: from 1 drawer ;	10.00
1527	1	<b>Milling tool</b> description: and various from one tray ;	10.00
1528	1	<b>Milling tool</b> description: and various from one tray ;	10.00
1529	1	<b>Milling tool</b> description: from 1 drawer ;	10.00
1530	1	<b>machine tools</b> description: from 1 drawer ;	10.00
1531	1	<b>machine tools</b> description: from 1 drawer ;	10.00





Lot	Number	Description	Starting Bid €
1532	1	<b>machine tools</b> description: from 1 drawer ;	10.00
1533	1	<b>turning tool</b> Sandvik, brand: Sandvik; description: from 1 drawer;	10.00
1534	1	<b>turning tool</b> description: from 1 drawer; Komet and Sandvik;	10.00
1535	1	<b>turning tool</b> description: from 1 drawer; Kennametal and Walter;	10.00
1536	1	<b>turning tool</b> description: from 1 drawer; ao Walter;	10.00
1537	1	<b>turning tool</b> Sandvik, brand: Sandvik; description: from 1 drawer;	10.00
1538	1	<b>turning tool</b> description: from 1 drawer; Sandvik among others;	10.00
1539	1	<b>turning tool</b> description: from 1 drawer;	10.00
1540	1	<b>turning tool</b> description: from 1 drawer;	10.00
1541	1	<b>machine tools</b> description: from 1 drawer ;	10.00
1542	1	<b>turning tool</b> description: from 2 drawers;	10.00
1543	1	<b>turning tool</b> description: from 3 drawers;	10.00
1544	1	<b>turning tool</b> description: from 5 drawers;	10.00
1545	1	<b>drill tools</b> description: from 2 drawers;	10.00
1546	1	<b>Milling tool</b> description: from 1 drawer ;	100.00
1547	1	<b>drill tools</b> description: from 1 drawers;	10.00
1548	1	<b>Milling tool</b> description: from 1 drawer;	10.00
1549	1	<b>Milling tool</b> description: from 4 drawers;	10.00
1550	1	<b>Milling tool</b> description: from 5 drawers;	10.00
1551	1	<b>turning tool</b> description: from 2 drawers;	10.00
1552	1	<b>inner size micrometers</b> analog: yes; description: in various sizes from 2 drawers;	10.00
1553	1	<b>various measuring tools</b> description: from 1 drawer;	10.00
1554	1	<b>measuring equipment accessories</b> description: from 1 drawer;	10.00
1555	1	<b>outer size micrometers</b> analog: yes; description: from 8 drawers;	10.00
1556	1	<b>turning tool</b> description: from 1 drawer;	10.00
1557	1	<b>outer size micrometers</b> analog: yes; description: from 3 drawers;	10.00



Lot	Number	Description	Starting Bid €
1558	1	<b>lot of ring-and penkalibers</b> description: from 6 drawers;	10.00
1559	1	<b>sliding callipers</b> analog: yes; description: in various embodiments; from 2 drawers;	10.00
1560	1	<b>lot of ring-and penkalibers</b> description: from 8 drawers;	10.00
1561	1	<b>lot of radius molds</b> description: from 2 drawers;	10.00
1562	1	<b>lot of various measuring tools</b> description: from 3 drawers;	10.00
1563	1	<b>lot of ring-and penkalibers</b> description: from 5 drawers;	10.00
1564	1	<b>drill tools</b> description: lot of reamers and drill three tabs 6 drawers;	100.00
1565	1	<b>drilling tools</b> description: reamers and four-lip drills from 4 drawers;	100.00
1566	1	<b>drilling tools</b> description: hand reamers and conic reamers from 1 drawer;	10.00
1567	1	<b>drilling tools</b> description: machine taps from 4 drawers;	100.00
1568	1	<b>drilling tools</b> description: machine taps from 6 drawers;	100.00
1569	1	<b>machine tools</b> description: screw thread repair tooling from tray 1;	10.00
1570	1	<b>drilling tools</b> description: machine tap gas thread from 3 drawers;	10.00
1571	1	<b>drilling tools</b> description: hand tapping; cutting plates and accessories from 2 drawers;	10.00
1572	1	<b>drilling tools</b> description: machine taps including: BSP and NPT; from 1 drawer;	10.00
1573	1	<b>drilling tools</b> description: hand and machine taps including: UNF and UNC from 3 drawers;	10.00
1574	1	<b>drilling tools</b> description: machine taps Withworth from 2 drawers;	10.00
1575	1	<b>drilling tools</b> description: twist drills from 1 drawer;	10.00
1576	1	<b>drilling tools</b> description: tap extensions from 1 drawer;	10.00
1577	1	<b>drilling tools</b> description: long spiral drills and various from 2 drawers;	10.00
1578	1	<b>drilling tools</b> description: center and countersink bits from 1 drawer;	10.00
1579	1	<b>Milling tool</b> description: flat countersink from 2 drawers;	10.00
1580	1	<b>Milling tool</b> description: guide pins from 1 drawer;	10.00
1581	1	<b>drilling tools</b> description: flat twist drills from 3 drawers;	10.00
1582	1	<b>drilling tools</b> description: flat-spiral drills a long time, and various from one tray;	10.00
1583	1	<b>drilling tools</b> description: twist drills with morse cone from 6 drawers;	100.00



Lot	Number	Description	Starting Bid €
1584	1	<b>drilling tools</b> description: conical spiral drills long from 5 drawers;	100.00
1585	1	<b>drilling tools</b> description: spiral drills with morse cone; 30.5-60 mm; from 10 drawers;	100.00
1586	1	<b>drilling tools</b> description: surface-boring drills from 4 drawers;	100.00
1587	1	<b>drilling tools</b> description: stair drills and pin countersink drills from 1 drawer;	10.00
1588	1	<b>drilling tools</b> description: wisabo drill knives and holders from 3 drawers;	10.00
1589	1	<b>drilling tools</b> description: point spiral drills from 2 drawers;	10.00
1590	1	<b>drilling tools</b> description: extension and stair drills from 1 drawer;	10.00
1591	1	<b>Milling tool</b> description: of spindles and various from one tray;	10.00
1592	1	<b>Milling tool</b> description: wire and hollow cutters from 1 drawer;	10.00
1593	1	<b>Milling tool</b> description: from 1 drawer;	10.00
1594	1	<b>machine tools</b> description: lot of various 3 drawers;	10.00
1595	1	<b>machine tools</b> description: lot of various of 5 drawers;	10.00
1596	1	<b>drilling tools</b> description: galvanize center drill bits from 1 drawer;	10.00
1597	1	<b>drilling tools</b> description: twist and drill bits from 1 drawer;	10.00
1598	1	<b>drilling tools</b> description: tapping in various embodiments from 2 drawers;	10.00
1599	1	<b>drilling tools</b> description: metric fine tap from 1 drawer;	10.00
1600	1	<b>drilling tools</b> description: various taps from the first tray,;	10.00
1601	1	<b>machine tools</b> description: grinding wheels, and various from 2 drawers;	10.00
1602	1	<b>drilling tools</b> description: various twist drills from 4 drawers;	10.00
1603	1	<b>drilling tools</b> description: reamers and drills from 1 drawer;	10.00
1604	1	<b>turning tool</b> description: chisels from 1 drawer;	10.00
1605	1	<b>machine tools</b> description: from 2 drawers;	10.00
1606	1	<b>drilling tools</b> description: twist drills and various out of cabinet;	10.00
1607	1	<b>machine tools</b> description: Kennametal and Komet from 1 drawer;	10.00
1608	1	<b>drilling tools</b> Amec, brand: Amec; description: drill points from 2 drawers;	10.00
1609	1	<b>Milling tool</b> Walter, brand: Walter; description: from 1 drawer;	10.00



Lot	Number	Description	Starting Bid €
1610	1	<b>machine tools</b> Urma, brand: Urma; description: and various of 2 drawers;	10.00
1611	1	<b>machine tools</b> description: from 1 drawer;	10.00
1612	1	<b>machine tools</b> description: from 1 drawer;	10.00
1613	1	<b>machine tools</b> description: from 1 drawer;	10.00
1614	1	<b>machine tools</b> description: from 2 drawers;	10.00
1615	1	<b>machine tools</b> description: from 1 drawer;	10.00
1616	1	<b>machine tools</b> description: from 4 drawers;	10.00
1617	1	<b>machine tools</b> description: transition sleeves from 2 drawers;	10.00
1618	1	<b>turning tool</b> description: cutter chisels from 3 drawers;	10.00
1619	1	<b>turning tool</b> description: from 3 drawers;	10.00
1620	1	<b>machine tools</b> description: from 1 drawer;	10.00
1621	1	<b>machine tools</b> Urma, brand: Urma; description: from 1 drawer;	10.00
1622	1	<b>Milling tool</b> description: from 1 drawer;	10.00
1623	1	<b>turning tool</b> description: from 1 drawer;	10.00
1624	1	<b>machine tools</b> description: from 1 drawer;	10.00
1625	1	<b>drilling tools</b> description: twist drills from 2 drawers;	10.00
1626	1	<b>machine tools</b> description: from 1 drawer;	10.00
1629	1	<b>machine tools</b> description: from 2 drawers;	10.00
1630	1	<b>turning tool</b> description: from 4 drawers ;	10.00
1631	1	<b>turning tool</b> description: from 5 drawers ;	10.00
1632	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1020 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1633	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1020 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1634	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1020 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00





Lot	Number	Description	Starting Bid €
1648	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1649	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1650	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1015 mm; total dimension H: 1050 mm; description: with 12 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1651	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1015 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1652	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1015 mm; total dimension H: 1050 mm; description: with 10 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1653	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1015 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1654	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 760 mm; total dimension H: 1150 mm; description: 8 with drawers; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1655	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 760 mm; total dimension H: 1150 mm; description: 8 with drawers; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1656	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 760 mm; total dimension H: 1150 mm; description: 8 with drawers; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1657	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 760 mm; total dimension H: 1150 mm; description: 8 with drawers; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1658	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: 8 with drawers; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1659	1	<b>tool drawer cabinet</b> total dimension L: 730 mm; total dimension W: 720 mm; total dimension H: 1000 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1660	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1015 mm; total dimension H: 1555 mm; description: with 16 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00





Lot	Number	Description	Starting Bid €
1661	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1020 mm; total dimension H: 1050 mm; description: with 10 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1662	1	<b>tool drawer cabinet</b> total dimension L: 800 mm; total dimension W: 1020 mm; total dimension H: 1050 mm; description: with 11 trays; content not included; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
© 1663	1	<b>Milling tool</b> description: 10 various milling heads ;	10.00
© 1664	1	<b>machine tools</b> description: lot of machine images with different tools and in various sizes; approx. 70 pieces; containers not included ;	100.00
© 1665	1	<b>machine tools</b> description: recording sk 50; holders not included ;	10.00
© 1666	1	<b>machine tools</b> description: 9 milling in various dimensions; containers not included ;	10.00
© 1667	1	<b>machine tools</b> description: 10 recordings; holders not included ;	10.00
© 1668	1	<b>machine tools</b> description: 5 recordings; holders not included ;	10.00
© 1669	1	<b>machine tools</b> description: 9 machine tools; plastic holders not included ;	10.00
© 1670	1	<b>machine tools</b> description: machine tools and recordings; approx. 40 pieces plastic containers not included ;	10.00
© 1671	1	<b>machine tools</b> description: machine tools and recordings; approx. 32 pieces plastic containers not included ;	10.00
© 1672	1	<b>machine tools</b> description: machine tools and recordings; 50 pieces of plastic holders not included ;	10.00
© 1673	1	<b>machine tools</b> description: machine tools and recordings; 15 pieces of plastic holders not included ;	10.00
© 1674	1	<b>machine tools</b> description: machine tools and recordings; 36 pieces of plastic holders not included ;	10.00
© 1675	1	<b>machine tools</b> Urma, brand: Urma; description: machine tools; 5 pieces; plastic holders not included ;	10.00
© 1676	1	<b>machine tools</b> description: machine tools and recordings; 18 pieces; plastic holders not included ;	10.00
© 1677	1	<b>machine tools</b> Urma, brand: Urma; description: machine tools; 5 pieces; plastic holders not included ;	10.00
© 1678	1	<b>machine tools</b> description: machine tools and recordings; 12 pieces; plastic holders not included ;	10.00
© 1679	1	<b>machine tools</b> description: machine tools and recordings; 12 pieces; plastic holders not included ;	10.00
© 1680	1	<b>machine tools</b> description: lot of machine withdrawals; approx. 46 pieces; plastic containers not included ;	10.00
© 1681	1	<b>machine tools</b> description: machine tools; 9 pieces; plastic holders not included ;	10.00
© 1682	1	<b>machine tools</b> description: machine tools; 4 pieces; plastic holders not included ;	10.00



Lot	Number	Description	Starting Bid €
© 1683	1	<b>machine tools</b> description: lot of machine withdrawals; approx. 28 pieces; plastic containers not included ;	10.00
© 1684	1	<b>machine tools</b> description: machine tools; 16 pieces; plastic holders not included ;	10.00
© 1685	1	<b>machine tools</b> description: machine tools; 30 pieces; plastic holders not included ;	10.00
© 1686	1	<b>machine tools</b> description: machine tools; 5 pieces;	10.00
© 1687	1	<b>machine tools</b> description: machine tools; 2 pieces;	10.00
© 1688	1	<b>machine tools</b> description: machine tools; 2 pieces;	10.00
© 1689	1	<b>machine tools</b> description: lot of tapping heads and accessories with wooden cabinet ;	100.00
© 1690	1	<b>drilling tools</b> description: 6 insert drill chucks; plastic holders not included ;	10.00
© 1691	1	<b>drilling tools</b> description: 15 insert drill holders; plastic holders not included ;	10.00
© 1692	1	<b>machine tools</b> description: 22 pieces; plastic holders not included ;	10.00
© 1693	1	<b>drilling tools</b> description: 27 insert drill holders; plastic holders not included ;	10.00
© 1694	1	<b>drilling tools</b> description: 23 insert drill holders; plastic holders not included ;	10.00
© 1695	1	<b>machine tools</b> description: lot of machine tools and various ; plastic containers not included ;	10.00
© 1696	1	<b>drilling tools</b> description: 23 insert drill holders; plastic holders not included ;	10.00
© 1697	1	<b>machine tools</b> description: lot of machine tools including: Urma and various ; with two chests of drawers;	10.00
© 1698	1	<b>Milling tool</b> description: Four various insert milling heads with table;	10.00
© 1699	1	<b>machine tools</b> description: lot of machine withdrawals; 32 pieces; plastic containers not included ;	10.00
© 1700	1	<b>machine tools</b> description: lot of machine withdrawals; 32 pieces; plastic containers not included ;	10.00
© 1701	1	<b>machine tools</b> description: lot of machine withdrawals; 32 pieces; plastic containers not included ;	10.00
© 1702	1	<b>machine tools</b> description: 4 machine tools;	10.00
1703	1	<b>machine tool rack</b> Kelch, Tul system, brand: Kelch; type: Tul system; total dimension L: 3900 mm; total dimension W: 700 mm; total dimension H: 1750 mm; description: plastic containers with double-sided; tools not included (collection day for this lot is / collection of this fate on 19-09-2019 9 a.m. to 16:00 hr.) ;	10.00
1704	1	<b>machine tool rack</b> Kelch, Tul system, brand: Kelch; type: Tul system; total dimension L: 3900 mm; total dimension W: 700 mm; total dimension H: 1750 mm; description: plastic containers with double-sided; tools not included (collection day for this lot is / collection of this fate on 19-09-2019 9 a.m. to 16:00 hr.) ;	10.00



Lot	Number	Description	Starting Bid €
1705	1	<b>machine tool rack</b> Kelch, Tul system, brand: Kelch; type: Tul system; total dimension L: 1950 mm; total dimension W: 500 mm; total dimension H: 1750 mm; description: one-sided with plastics containers; tools not included (collection day for this lot is / collection of this fate on 19-09-2019 9 a.m. to 16:00 hr.) ;	10.00
1706	1	<b>machine tool rack</b> Kelch, Tul system, brand: Kelch; type: Tul system; total dimension L: 1950 mm; total dimension W: 500 mm; total dimension H: 1750 mm; description: one-sided with plastics containers; tools not included (collection day for this lot is / collection of this fate on 19-09-2019 9 a.m. to 16:00 hr.) ;	10.00
1707	4	<b>sliding callipers</b> analog: yes; description: measuring range up to 350 mm; and 1 depth gauge up to 500 mm;	10.00
1708	5	<b>sliding callipers</b> analog: yes; description: measuring range up to 350 mm;	10.00
1709	4	<b>sliding callipers</b> analog: yes; description: measuring range up to 350 mm; and 1 depth gauge 300mm;	10.00
1710	3	<b>sliding callipers</b> analog: yes; digital: yes; description: measuring range up to 300 mm; and 2 depth meters up to 300 mm;	10.00
1711	4	<b>sliding callipers</b> analog: yes; description: measuring range up to 550 mm; and 1 depth gauge 200 mm;	10.00
1712	5	<b>sliding callipers</b> analog: yes; description: measuring range up to 350 mm; and 2 depth meters 200 mm;	10.00
1713	1	<b>outer size micrometer set</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 225 mm; description: 8-piece;	10.00
1714	1	<b>outer size micrometer</b> Mitutoyo , 340-524, brand: Mitutoyo ; type: 340-524; digital: yes; measuring range from: 800 mm; measuring range till: 900 mm; with case: yes;	10.00
1715	1	<b>caliber set</b> description: morse cone 1-6; 6-part;	10.00
1716	1	<b>outer micrometer set</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 225 mm; measuring range till: 300 mm; with case: yes; description: 3-part;	10.00
1717	1	<b>lot of measuring equipment</b>	10.00
1718	1	<b>outer micrometer set</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 300 mm; with case: no; description: 12-part;	10.00
1719	1	<b>outer micrometer set</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 250 mm; with case: no; description: 10-part;	10.00
1720	1	<b>outer micrometer set</b> Suhl, brand: Suhl; analog: yes; measuring range from: 100 mm; measuring range till: 200 mm; with case: yes; description: 4-part;	10.00
1721	3	<b>outer size micrometers</b> analog: yes; with case: yes; description: 2x 275-300 mm; 1x 250-275mm;	10.00
1722	1	<b>outer micrometer set</b> analog: yes; measuring range from: 300 mm; measuring range till: 600 mm; with case: yes; description: 8-part with steel storage rack;	10.00
1723	1	<b>outer micrometer set</b> analog: yes; measuring range from: 500 mm; measuring range till: 800 mm; with case: yes; description: 6-part with steel storage rack;	100.00



Lot	Number	Description	Starting Bid €
1724	1	<b>dial gauge set</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 11 mm; measuring range till: 18 mm;	10.00
1725	2	<b>depth measures</b> Mitutoyo , brand: Mitutoyo ; analog: yes;	10.00
1726	3	<b>depth measures</b> Mahr, brand: Mahr; analog: yes;	10.00
1727	2	<b>inner size micrometers</b> Mahr , brand: Mahr ; analog: yes; measuring range from: 25 mm; measuring range till: 75 mm; with case: yes;	10.00
1728	2	<b>inner size micrometers</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 50 mm; measuring range till: 100 mm; with case: yes;	10.00
1729	3	<b>outer size micrometers</b> analog: yes;	10.00
1730	1	<b>caliber set</b>	10.00
1731	1	<b>outer size micrometer</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 250 mm; measuring range till: 275 mm; with case: yes;	10.00
1732	4	<b>outer size micrometers</b> Mahr , brand: Mahr ; measuring range from: 50 mm; measuring range till: 175 mm;	10.00
1733	1	<b>lot of measuring equipment</b>	10.00
1734	1	<b>sliding callipers</b> analog: yes; description: in various embodiments, ;	10.00
1735	5	<b>sliding callipers</b> analog: yes; description: measuring range up to 300 mm;	10.00
1736	3	<b>Torque wrenches</b>	10.00
1737	2	<b>measuring tools</b>	10.00
1738	3	<b>end size sets</b> with case: yes;	10.00
1739	1	<b>meter</b> Slotmaster, brand: Slotmaster;	10.00
1740	3	<b>sliding callipers</b> Mitutoyo/Mahr, brand: Mitutoyo/Mahr; analog: yes; measuring range till: 1000;	10.00
1741	3	<b>sliding callipers</b> Mahr, brand: Mahr; analog: yes; measuring range till: 1000;	10.00
1742	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 1050;	10.00
1743	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 1000;	10.00
1744	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 1000;	10.00
1745	1	<b>Slider size</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 790;	10.00
1746	1	<b>Slider size</b> Mahr, brand: Mahr; analog: yes; measuring range from: 0 mm; measuring range till: 800;	10.00
1747	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: yes; measuring range from: 0 mm; measuring range till: 550;	10.00



Lot	Number	Description	Starting Bid €
1748	1	<b>Slider size</b> Mahr , brand: Mahr ; analog: yes; measuring range from: 0 mm; measuring range till: 540;	10.00
1749	1	<b>Slider size</b> Mahr , brand: Mahr ; analog: yes; measuring range from: 0 mm; measuring range till: 2540;	10.00
1750	1	<b>Slider size</b> Mahr , brand: Mahr ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 1100;	10.00
1751	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 1000;	10.00
1752	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 1000;	10.00
1753	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 750;	10.00
1754	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 1000;	10.00
1755	1	<b>Slider size</b> Mitutoyo , brand: Mitutoyo ; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 750;	10.00
1756	1	<b>Slider size</b> Sylvac, Ultra Light, brand: Sylvac; type: Ultra Light; analog: no; digital: yes; measuring range from: 0 mm; measuring range till: 600;	10.00
1757	1	<b>Slider size</b> Mahr , brand: Mahr ; analog: yes; measuring range from: 0 mm; measuring range till: 1550;	10.00
1758	1	<b>Slider size</b> Mahr , brand: Mahr ; analog: yes; measuring range from: 0 mm; measuring range till: 1540;	10.00
1759	1	<b>Slider size</b> Horex, brand: Horex; analog: yes; measuring range from: 0 mm; measuring range till: 500;	10.00
1760	1	<b>turning tool</b> description: 2 centers;	10.00
1761	1	<b>drill tools</b> description: 3 self-tightening drill bits with mc mounting;	10.00
1762	1	<b>drill tools</b> description: 3 self-tightening drill bits with mc mounting;	10.00
1763	1	<b>drill tools</b> description: 3 self-tightening drill bits with mc mounting;	10.00
1764	1	<b>altimeter</b> Trimos, brand: Trimos; digital: yes; measuring range till: 600 mm;	10.00
1765	1	<b>altimeter</b> Mitutoyo , brand: Mitutoyo ; analog: yes; digital: no; measuring range till: 600 mm;	10.00
1766	4	<b>stroke number / letter sets</b>	10.00
1767	1	<b>presetting &amp; measuring machine</b> Kelch, Kalimat A 56-3C, year built 1999, serial number 5075, brand: Kelch; type: Kalimat A 56-3C; year: 1999; serial number: 5075; digital control: no; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1700 mm; total dimension H: 1950 mm; description: (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	100.00



Lot	Number	Description	Starting Bid €
1768	1	<b>presetting &amp; measuring machine</b> Zoller, Eg 200, brand: Zoller; type: Eg 200; digital control: yes; control, brand, type: Sony magnescape LA10; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 1700 mm; total dimension H: 1620 mm; description: (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	100.00
1769	1	<b>presetting &amp; measuring machine</b> Zoller, brand: Zoller; digital control: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 1130 mm; total dimension H: 1500 mm; description: (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1770	1	<b>length measuring instrument</b> Trimos, Horizon 1500, serial number 1205/A, brand: Trimos; type: Horizon 1500; serial number: 1205/A; measuring range till: 1500 mm; electric connection: 230 V; description: steel office; afm.ca. 2000x800mm; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	100.00
1771	1	<b>lot of measuring tools</b> description: include: flat granite table afm.ca. 400x400x70mm and second tables; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1772	1	<b>working bench</b> total dimension L: 700 mm; total dimension W: 1500 mm; total dimension H: 850 mm; description: with content ; assembly equipment and tooling of decorative plates; (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1773	1	<b>working bench</b> total dimension L: 700 mm; total dimension W: 2000 mm; total dimension H: 850 mm; description: (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1775	1	<b>music desk cupboard</b> total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1240 mm; description: (collection day for this lot is / collection of this fate on 19-09-2019 9:00 a.m. to 16:00 hr.) ;	10.00
1801	1	<b>machine tools</b> description: various cutting tools and accessories ;	10.00
1802	1	<b>camera</b> Kodak , brand: Kodak ; description: with Hama battery charger;	10.00
1803	9	<b>Phones</b>	10.00
1804	1	<b>blue tooth adapter</b> Volkswagen, Touch adapter, brand: Volkswagen; type: Touch adapter;	10.00
1805	5	<b>telephones</b> Alcatel-Lucent, 4039, brand: Alcatel-Lucent; type: 4039;	10.00
1806	1	<b>truck parts</b> VDO, DLK, brand: VDO; type: DLK; description: digital download key;	10.00
1807	1	<b>camera</b> Yakumo, brand: Yakumo;	10.00
1808	8	<b>telephones</b> Deutsche telekom, T-Octophon, brand: Deutsche telekom; type: T-Octophon;	10.00
1809	1	<b>beamer</b> Canon, Lv-wx300, brand: Canon; type: Lv-wx300;	10.00
1810	1	<b>multifunctional</b> HP, Mfp m277dw, brand: HP; type: Mfp m277dw; color printer: yes; number of trays: 1; wifi: yes; touchscreen: yes;	10.00
1811	1	<b>workplace pc cabinet</b> total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1600 mm;	10.00





Lot	Number	Description	Starting Bid €
1812	1	<b>machine tools</b> description: lot of various tooling and with drawers;	10.00
1813	1	<b>lot of components</b> Mahr, brand: Mahr; description: serving measuring equipment and with drawers;	10.00
1814	1	<b>measuring unit</b> Mahr, brand: Mahr;	10.00
1815	1	<b>machine tools</b> description: lot of mc parts;	10.00
1816	1	<b>outer size micrometer</b> Mitutoyo , 105-410, brand: Mitutoyo ; type: 105-410; analog: yes; measuring range from: 1200 mm; measuring range till: 1300 mm; with case: yes;	10.00
1817	1	<b>working bench</b> total dimension L: 800 mm; total dimension W: 2000 mm; total dimension H: 800 mm; description: including built drawers and content;	10.00
1818	1	<b>altimeter</b> Mahr , brand: Mahr ; analog: yes; measuring range till: 300 mm;	10.00
1819	1	<b>lot of lubricants</b> description: and various;	10.00
1820	1	<b>hand tool</b> description: and various;	10.00
1821	1	<b>measuring equipment</b> Mitutoyo , brand: Mitutoyo ;	10.00
1822	1	<b>lot of measuring equipment</b> description: and various steel table;	10.00
1823	4	<b>Phones</b> GSM: yes; charger: yes; description: incl. 2x, Sony Ericsson. Samsung (without charger); Nokia.;	10.00
1824	1	<b>Laptop</b> Apple, MacBook air A1466, brand: Apple; type: MacBook air A1466; charger: yes;	10.00
1825	1	<b>Laptop</b> Apple, MacBookPro, brand: Apple; type: MacBookPro; processor model: I7; screen size: 15 "; charger: yes;	100.00
1826	1	<b>lot of workplace furniture</b> description: include: 6 cabinets ; and second tables; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur.;	10.00
1827	1	<b>telephones &amp; accessories</b> description: incl. : Iphone A1387;. 2x Samsung; Nokia; Sony Ericsson; various charging cables; adapters; 12V adapters; holders.;	10.00
1828	1	<b>navigation</b> Becker, BE Z103, brand: Becker; type: BE Z103; description: Including car charger and holder.;	10.00
1829	1	<b>navigation</b> Becker, BE Z116, brand: Becker; type: BE Z116; description: Including car charger and holder.;	10.00
1830	1	<b>navigation</b> Becker, BE 7927, brand: Becker; type: BE 7927; description: Including car charger and holder.;	10.00
1831	1	<b>navigation</b> Becker, Traffic Assist Highspeed, brand: Becker; type: Traffic Assist Highspeed; description: Including holder; without charger.;	10.00
1832	1	<b>lot of workplace furniture</b> description: incl. 1x office,. 1x worktable; 2x filing cabinet; 2x office; 2x seat; 1x chest of drawers; 1x stool.;	10.00



Lot	Number	Description	Starting Bid €
1833	1	<b>lot of workplace furniture</b> description: incl. 1x office, 3x seat; 1x filing cabinet with first aid products; 1x cupboard with first aid products; 2x stretcher with wall brackets; megaphone; regards content space.;	10.00
1834	1	<b>lot of workplace furniture</b> description: incl. 2x office; 3x office table; 2x printer table; 1x monitor; 1x office; 2x seat; 1x pedestal; 1x whiteboard; 1x planning board; regards content space.;	10.00
2000	1	<b>multifunctional</b> Ricoh, SP 3600sf, serial number T615H101879, brand: Ricoh; type: SP 3600sf; serial number: T615H101879; paper size: A4; number of trays: 1; ethernet printer: yes; description: Including 1x Rapid electric stapler; 1x printer table; flame retardant; 4x pair of work shoes; regards content area without the server cabinet and without the telephone.;	10.00
© 2001	1	<b>lot of various milling tools ( approx. 30x)</b> description: in 6 wooden boxes;	10.00
© 2002	1	<b>lot of various milling tools ( approx. 25x)</b>	10.00
© 2003	1	<b>lot of various milling tools ( approx. 55x)</b>	10.00
© 2004	4	<b>several grindstones</b>	10.00
© 2005	1	<b>various grinding wheels ( approx. 35x)</b>	10.00
© 2006	1	<b>Milling tool</b>	10.00
© 2007	1	<b>lot of various milling tools ( approx. 10x)</b>	10.00
© 2008	1	<b>lot of various milling tools ( approx. 100x)</b>	10.00
© 2009	1	<b>lot of various milling tools ( approx. 30x)</b>	10.00
© 2010	1	<b>lot of various milling tools</b>	10.00
© 2011	1	<b>lot of various milling tools ( approx. 20x)</b>	10.00
© 2012	1	<b>Milling tool</b> Widax-Heinlein, M68 diam. 315 R16, brand: Widax-Heinlein; type: M68 diam. 315 R16;	10.00
© 2013	1	<b>lot of various milling tools ( approx. 25x)</b>	10.00
© 2014	1	<b>Milling tool</b> Sandvik, brand: Sandvik;	10.00
© 2015	1	<b>lot of various milling tools ( approx. 45x)</b>	10.00
© 2016	8	<b>Milling tool</b>	10.00
© 2017	3	<b>various milling tools</b>	10.00
© 2018	4	<b>various milling tools</b>	10.00
© 2019	1	<b>lot of various milling tools ( approx. 25x)</b>	10.00
© 2020	1	<b>lot of various milling tools ( approx. 60x)</b>	10.00
© 2021	3	<b>various milling tools</b>	10.00
© 2022	1	<b>lot of various milling tools</b>	10.00
© 2023	1	<b>lot of various milling tools</b>	10.00
© 2024	32	<b>lot of various milling tools</b>	10.00
© 2025	12	<b>lot of various milling tools</b>	10.00
© 2026	10	<b>lot of various milling tools</b>	10.00
© 2027	9	<b>various milling tools</b>	10.00
© 2028	10	<b>lot of various milling tools</b>	10.00
© 2029	1	<b>lot of various milling tools ( approx. 34x)</b>	10.00
© 2030	1	<b>lot of various milling tools</b>	10.00
© 2031	1	<b>lot of various milling tools</b>	10.00
© 2032	1	<b>lot of various milling tools</b>	10.00
© 2033	13	<b>lot of various milling tools</b>	10.00
© 2034	1	<b>lot of various milling tools with trolley</b>	10.00
© 2035	18	<b>various milling</b>	10.00
© 2036	19	<b>various milling</b>	10.00



Lot	Number	Description	Starting Bid €
© 2037	26	<b>various milling</b>	10.00
© 2038	19	<b>various milling</b>	10.00
© 2039	19	<b>various milling</b>	10.00
© 2040	17	<b>various milling</b>	10.00
© 2041	19	<b>various milling</b>	10.00
© 2042	15	<b>various milling</b>	10.00
© 2043	17	<b>various milling</b>	10.00
© 2044	1	<b>lot of several mills</b>	10.00
© 2045	1	<b>lot of several mills</b>	10.00
© 2046	15	<b>various milling</b>	10.00
© 2047	18	<b>various milling</b>	10.00
© 2048	1	<b>lot of several mills</b>	10.00
© 2049	8	<b>cutter tooling</b>	10.00
		<b>milling tools</b>	
2050	1	<b>lot of desks, tables and chairs</b> description: including: 7x table, desk 4x, 3x closet, 1x seat; exclusive content ; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur; Location: BG.;	10.00
2051	1	<b>4x armchairs and 1x table</b>	10.00
2052	1	<b>working scale model 1:25 "transverse thruster control"</b> dimension L: 135 cm; dimension W: 135 cm; dimension H: 235 cm;	10.00
2053	1	<b>lot of turning tool</b> description: on 2 pallets;	10.00
2054	1	<b>office furniture, Christmas decorations and tooling</b> description: location: BG;	10.00
2055	1	<b>office furniture</b> description: location: BG;	10.00
© 2056	26	<b>connected 3-door locker cabinets</b> dimension L: 120 cm; dimension W: 50 cm; dimension H: 200 cm; description: without keys;	10.00
© 2057	12	<b>connected 3-door locker cabinets</b> dimension L: 120 cm; dimension W: 50 cm; dimension H: 200 cm; description: without keys;	10.00
© 2058	1	<b>sliding door cabinet</b> dimension L: 200 cm; dimension W: 50 cm; dimension H: 195 cm; description: Without content .;	10.00
		<b>dressing room furniture</b>	
2060	2	<b>bronze plaques</b> dimension L: 120 cm; dimension W: 120 cm; description: Pay attention! method of assembly unknown; hang at a height of about 3 meters; location: stairs. ;	10.00
2061	6	<b>photo in frame</b> description: Location: 1st floor.;	10.00
2062	5	<b>standing tables</b> description: Location: 1st floor.;	10.00
2063	1	<b>trophy cabinet with content</b> description: Wall mounted; Location: 1st floor.;	10.00
2064	1	<b>16x table and 55x chair</b> description: collection / collecting 19/09/2019; location: 1st floor, no elevator;	10.00
2065	1	<b>fridge, microwave and bins</b> description: location: 1st floor;	10.00
2066	1	<b>refrigerator and various glasses</b> description: location: 1st floor;	10.00



Lot	Number	Description	Starting Bid €
2067	1	<b>tables and chairs</b> description: location: 1st floor;	10.00
2068	1	<b>lot of various stock</b> description: exclusive racks - racking and administration; Location: 1st floor;	10.00
2069	1	<b>shelves</b> metal: yes; description: Without content ; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur; Location: 1st floor.;	10.00
2070	22	<b>various filing cabinets</b> description: location: 1st floor;	10.00
2071	1	<b>Paper cutting machine</b> Oce, brand: Oce; description: cutting width: 1500 mm; location: 1st floor;	10.00
2072	2	<b>personal computers</b> Dell, Precision T3610, brand: Dell; type: Precision T3610; processor model: Intel Xeon; solid state drive (SSD): no; description: without HDD; location: 1st floor;	10.00
2073	7	<b>various personal computers</b> description: without HDD; location: 1st floor;	10.00
2074	1	<b>laminating machine</b> GBC, brand: GBC; description: location: 1st floor;	10.00
2075	1	<b>desks and cabinets</b> description: including: 2x corner desk with drawers; 9x (archive) cabinet; 5x (office) chair; table; 2x trash can; exclusive IT material and administration; location: 1st floor;	10.00
2076	1	<b>desks and cabinets</b> description: including: 2x corner desk with drawers; 5x (archive) cabinet; 2x office chair; exclusive IT material and administration; location: 1st floor;	10.00
2077	10	<b>various computer monitors</b> description: with 7x keyboard with mouse; location: 1st floor;	10.00
2078	3	<b>photos in list</b> description: Hang at 3m height; location: stairs.;	10.00
2079	1	<b>multifunctional</b> Ricoh, MP C2003, serial number E206R365039, brand: Ricoh; type: MP C2003; serial number: E206R365039; color printer: yes; number of trays: 4; wifi: no; ethernet printer: yes; touchscreen: yes; description: location: 1st floor;	10.00
2080	1	<b>A0 / 24 "inkjet printer</b> HP, Designjet T520, brand: HP; type: Designjet T520; color printer: yes; paper size: A0; wifi: yes; ethernet printer: yes; touchscreen: yes; description: location: 1st floor;	10.00
2081	1	<b>lot of various stock</b> description: exclusive racks - racking and administration; Location: 1st floor;	10.00
2082	1	<b>shelves</b> metal: yes; description: including wardrobe and desk; racks - racking without content ; Pay attention! pick-up is carried out on Thursday, September 19, 2019 of 09.00-16.00uur; Location: 1st floor.;	10.00
2083	1	<b>content office</b> description: excluding IT equipment and administration; location: 1st floor;	10.00
2084	1	<b>desk with dresser</b> description: location: 1st floor;	10.00
2085	1	<b>various office furniture</b> description: including: 2x table; 1x desk and 9x (desk) chair; location: 1st floor;	10.00
2086	1	<b>various office furniture</b> description: including: 2x table; 1x and 7x desk (office) chair; 7x (archive) cabinet with content ; Location: 1st floor;	10.00
2087	2	<b>topographic wall maps</b> description: 1x Satellite image map of the Netherlands ca 97x136cm; The Times world map ca 158x101cm; Wall mounted.;	10.00



Lot	Number	Description	Starting Bid €
2088	1	<b>mini tft / lcd tv / monitor</b> Sailor Plus, SA-350, brand: Sailor Plus; type: SA-350; screen size (inch): 3.5 "; description: Including accessories and bags; Location: electrical room.;	10.00
2089	1	<b>beamer</b> Toshiba, TLP-T70M, brand: Toshiba; type: TLP-T70M; electric connection: 230 V; description: Included accessories in bag; Location: electrical room.;	10.00
2101	1	<b>round steel</b> description: various lengths and diameters; among which magnetic stainless steel; without cantilever racking system ; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
2102	1	<b>lot of round steel</b> description: various lengths and diameters; without cantilever racks; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	100.00
2103	5	<b>cantilever racks</b> single sided: yes; double-sided: yes; number of uprights: 4; max. section load: 3200 kg; description: Gecontrueerd; 4x 2- -sided dimensions lxbxh ca 342x240x220cm; 1x 1 - sided dimensions LxWxH approx 500x90x220cm; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	10.00
2104	1	<b>lot of pallets and pallet edges</b> description: incl. ca 25 euro pallets. block pallets; pallet edges; Pay attention! rendition is carried out on Thursday, September 19, 2019 of 09.00-16.00u. ;	10.00
2106	1	<b>trailer slow traffic</b> Köttgen, AV205025 V, year built 1982, brand: Köttgen; type: AV205025 V; year: 1982; VIN number: 21-00538; number of axis: 2; cargo body size L: 500 cm; cargo body size W: 250 cm; load capacity: 20000 kg; own weight: 3100 kg; total dimension L: 6200 mm; total dimension W: 5000 mm; total dimension H: 850 mm; description: Vv: solid tires ; including 2x two-sided cantilever racks.;	10.00
2107	1	<b>trailer slow traffic</b> Köttgen, AV205025 V, year built 1982, brand: Köttgen; type: AV205025 V; year: 1982; VIN number: 21-00538; number of axis: 2; cargo body size L: 500 cm; cargo body size W: 250 cm; load capacity: 20000 kg; own weight: 3100 kg; total dimension L: 6200 mm; total dimension W: 5000 mm; total dimension H: 850 mm; description: Vv: Massive tires;	10.00
2108	1	<b>trailer slow traffic</b> Köttgen, year built 1982, brand: Köttgen; year: 1982; number of axis: 2; cargo body size L: 300 cm; cargo body size W: 150 cm; load capacity: 10000 kg; total dimension L: 4250 mm; total dimension W: 1500 mm; total dimension H: 600 mm; description: Vv: Massive tires;	10.00
2109	1	<b>trailer slow traffic</b> Köttgen, year built 1982, brand: Köttgen; year: 1982; VIN number: 2100151; number of axis: 2; cargo body size L: 300 cm; cargo body size W: 150 cm; load capacity: 10000 kg; total dimension L: 4250 mm; total dimension W: 1500 mm; total dimension H: 600 mm; description: Vv: Massive tires;	10.00
© 2110	1	<b>lot of semifinished</b> description: Including pallet shelve ; 4 uprights; 4 girders; cantilever racking system ; Pay attention! Pickup takes place on Monday, September 16th, 2019 from 09.00-16.00uur.;	10.00
		<b>semi-finished products b</b>	
2111	14	<b>waste containers</b> used for general waste: yes; used for organic waste: yes; description: 14x Klike; 1x plastic container approximately 137x100x75cm.;	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**





- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.



### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience