



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE VEILING**

**Ex US Army Medical Equipment (NL)**  
**Ziekenhuis-, chirurgische en**  
**laboratoriumapparatuur**

Meers 33 - 6017 BD Thorn  
(Veilinglocatie Ex US Army Medical Equipment)

Sluitingsdatum: dinsdag **20 AUGUSTUS** vanaf 16:00



**Kijkdag:**

zaterdag 17 augustus van 10:00 tot 17:00  
Meers 33 - 6017 BD Thorn (Nederland)

*Bieden uitsluitend via internet!*

31-07-19 10.22

**www.TroostwijkAuctions.com**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**dinsdag 20 augustus 2019 Ex US Army Medical Equipment**

**Specifieke Online Veilingvoorwaarden van een openbare veiling**

|                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sluitingsdatum                              | Dinsdag 20 augustus 2019 vanaf 16:00 CET                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Kijkdag                                     | <b>zaterdag 17 augustus van 10:00 tot 17:00 CET</b><br><b>Veilinglocatie Ex US Army Medical Equipment</b><br>Meers 33<br>6017 BD Thorn, Nederland                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Bedrijf dat deze Online veiling organiseert | TROOSTWIJK VEILINGEN B.V.<br>Overschiestraat 59<br>1062 XD Amsterdam, Nederland<br>Telefoon: +31 20 6666500<br>E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Opgeld                                      | 17,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| BTW                                         | 21,00%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Marge goederen                              | In geval van marge goederen zal de BTW 0% bedragen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Afhaaldag                                   | <b>dinsdag 27 augustus van 09:00 tot 16:00 CET</b><br><b>woensdag 28 augustus van 09:00 tot 16:00 CET</b><br><b>Veilinglocatie Ex US Army Medical Equipment</b><br>Meers 33<br>6017 BD Thorn, Nederland                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Bezichtigingsinstructies                    | Wij benadrukken dat het een veiling per opbod betreft, waaraan voorafgaand een kijkdag is georganiseerd. Bieden zonder naar deze kijkdag te gaan, is voor eigen risico. Zie artikel 3 en 6 van de Algemene Online Veilingvoorwaarden.                                                                                                                                                                                                                                                                                                                                                                                     |
| Bijwonen veilingssluiting voor consumenten  | De Wet Koop op Afstand is niet van toepassing op de dienstverlening van Troostwijk.<br>Dit betreft een openbare veiling waardoor de kavels in deze veiling <b>niet</b> op basis van het wettelijk herroepingsrecht geretourneerd kunnen worden. Naast online bieden is het mogelijk de sluiting van de veiling bij te wonen en ten overstaan van de veilingmeester in de veilingzaal biedingen uit te brengen. De sluiting van de openbare veiling vindt plaats bij <b>Troostwijk Veilingen - Overschiestraat 59, 1062 XD te Amsterdam</b> .                                                                              |
| Betalingsdetails                            | Voor het bijwonen van de veilingssluiting dient u zich uiterlijk 3 werkdagen voor de sluiting aan te melden op het volgende e-mailadres:<br><a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> o.v.v. veilingnummer en uw koper nummer (account ID). U ontvangt hierna een schriftelijke bevestiging met tijdstip van ons.<br><b>Uw betaling dient 48 uur na het versturen</b> van de koopovereenkomst te zijn ontvangen op één van de onderstaande rekeningnummers.<br>Bij <b>bankbetaling</b> gaarne <b>Account ID</b> en <b>veilingnummer</b> vermelden. |

**Veilig en gemakkelijk betalen?**

Selecteer dan de optie **Betalen** op onze website, in uw [MyTroostwijk menu](#) onder [Mijn aankopen](#) om direct en veilig te betalen via Ideal/Ogone.

| Bank | IBAN nr.  | Rekeningnr.  | BIC code    |
|------|-----------|--------------|-------------|
| KBC  | NL06 KRED | 0633 0173 10 | KREDNL2XXXX |

**Let op: bij betaling uw kopernummer en veilingnummer vermelden!**

Na betaling ontvangt u van ons een **betalingsbevestiging** per e-mail.

**Originale facturen** zijn te downloaden vanuit [MyTroostwijk](#).

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



#### Afhaalinstructies

De koper dient op de afhaaldag de koopovereenkomst of de factuur mee te nemen. Kopers zijn zelf verantwoordelijk voor de demontage, het laden en het transporteren van de gekochte kavels. Troostwijk Veilingen B.V. kan hiervoor geen enkele verantwoording aanvaarden tenzij anders vermeld op de website. Afhalen (ophalen gekochte kavels) vindt alleen plaats op de vermelde afhaaldatum/-tijd en plaats. Indien kavels niet aan uw verwachtingen voldoen, verwijzen wij u naar art. 6 van de Algemene veiling voorwaarden (Garanties, aanspraken en vrijwaringen).

Het is mogelijk om de door u gekochte kavels te laten bezorgen. De volgende transporteurs zijn bekend met Troostwijk Veilingen B.V. en werken graag voor onze klanten. Op de website van de transporteur treft u hierover meer informatie en kunt u een prijsvoorstel aanvragen. Klik hieronder voor meer informatie en een verwijzing naar deze transporteurs:

- [VDSL](#) kan al uw kavels bezorgen en is gespecialiseerd in het demonteren, laden en vervoeren van machines.
- [Auction Logistics](#) kan het merendeel van uw kavels demonteren en/of (thuis)bezorgen.

Als u gebruikt maakt van een bezorgservice, gaat u direct een overeenkomst aan met de betreffende transporteur. De betaling voor dat vervoer dient dan ook via de transporteur te geschieden. Voordat uw kavels afgehaald kunnen worden, dient uw betaling van de kavels op onze rekening te zijn bijgeschreven.

#### Algemene Voorwaarden

In aanvulling op deze Specifieke online veilingvoorwaarden zijn de Algemene Online veilingvoorwaarden van toepassing. In geval van een tegenstrijdigheid tussen de algemene voorwaarden van online veilingen en deze specifieke voorwaarden van online veilingen, dan zijn deze specifieke voorwaarden van online veilingen leidend.

#### Toezicht

Deze veiling vindt plaats onder toezicht van notaris Mr. F.J. Oranje, Pels Rijcken & Droogleevers Fortuijn N.V., advocaten en notarissen, te Den Haag.

#### Combinatie

Alle kavels worden eerst afzonderlijk verkocht. Daarna wordt de combinatie verkocht. Het startbedrag is het totaal van de individuele kavels verhoogd met 5%. Indien de combinatie niet wordt verkocht, dan zijn de individuele biedingen van toepassing.

#### Verlenging

Indien in de laatste 5 minuten voor sluiting een bod wordt uitgebracht dan wordt de sluitingstijd met 5 minuten verlengd totdat er geen nieuwe biedingen meer worden uitgebracht. Troostwijk behoudt zich het recht voor om de verlengingstijd aan te passen.

#### Kavels zonder biedingen

Van alle kavels waarop niet is geboden, kan de sluitingstijd aangepast worden tot een half uur na de laatste sluitingstijd van kavels binnen deze veiling.

#### Onder voorbehoud van gunning

Indien kavels worden geveild onder voorbehoud van gunning (geen directe toewijzing) ziet u dit bij de biedgegevens. De hoogste bidders worden binnen 48 uur na sluiting van de online veiling over de toewijzing geïnformeerd.

#### Inhoud, afmetingen en gewicht van de kavels

De inhoud, afmetingen en gewichten van de kavels zijn indicatief en hieraan kunnen geen rechten worden ontleend. Kopers worden geacht deze data zelf na te gaan. Alhoewel de informatie hieromtrent gegeven werd door betrouwbare bronnen, zullen de verkoper en Troostwijk geen garanties geven ten aanzien van deze informatie.

#### Privacy Statement

Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                                                                                | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1     | 1      | <b>ultra low freezer</b><br>National Ian, Profiline Pegasus, bouwjaar 2009, brand: National Ian; type: Profiline Pegasus; year: 2009; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 750 mm; total dimension H: 2100 mm;                                                         | 10,00         |
| 2     | 1      | <b>lab refrigerator</b><br>Scientific, Kelvinator, brand: Scientific; type: Kelvinator; electric connection: 115 V; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 2150 mm;                                                                                                       | 10,00         |
| 3     | 1      | <b>lab refrigerator double door</b><br>Helmer, lpr245, serienummer 985212, brand: Helmer; type: lpr245; serial number: 985212; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 1500 mm; total dimension H: 2000 mm;                                                               | 10,00         |
| 4     | 1      | <b>lab refrigerator</b><br>Gram, brand: Gram; electric connection: 115 V; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 2000 mm;                                                                                                                                                 | 10,00         |
| 5     | 1      | <b>lab refrigerator double slide door</b><br>Sanyo, Medicoool 1013r, serienummer 69305019, brand: Sanyo; type: Medicoool 1013r; serial number: 69305019; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 1800 mm; total dimension H: 1750 mm; description: volume 1034 ltr;       | 10,00         |
| 6     | 1      | <b>lab refrigerator double door</b><br>Sanyo, Labcool 1410, serienummer 70101342, brand: Sanyo; type: Labcool 1410; serial number: 70101342; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 1800 mm; total dimension H: 1750 mm; description: volume 1370 ltr;                   | 10,00         |
| 7     | 1      | <b>lab freezer</b><br>Bosch, Foster 520, brand: Bosch; type: Foster 520; total dimension L: 700 mm; total dimension W: 760 mm; total dimension H: 1920 mm; description: volume 365 ltr;                                                                                                                     | 10,00         |
| 8     | 1      | <b>lab freezer</b><br>Thermo Cryotechnics, Fryka, brand: Thermo Cryotechnics; type: Fryka; total dimension L: 700 mm; total dimension W: 740 mm; total dimension H: 1460 mm; description: volume 140 ltr;                                                                                                   | 10,00         |
| 9     | 1      | <b>lab refrigerator double door</b><br>Uniequip, Unichromat 1500, bouwjaar 2008, brand: Uniequip; type: Unichromat 1500; year: 2008; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1420 mm; total dimension H: 1960 mm; description: rvs volume 1170 ltr; temp range -2°C/+8°C; | 10,00         |
| 10    | 2      | <b>outside cargo</b><br>Pelikan, Snow trek 60, brand: Pelikan; type: Snow trek 60; total dimension L: 1520 mm; total dimension W: 635 mm; total dimension H: 320 mm;                                                                                                                                        | 10,00         |
| 11    | 2      | <b>outside cargo</b><br>Pelikan, Snow trek 60, brand: Pelikan; type: Snow trek 60; total dimension L: 1520 mm; total dimension W: 635 mm; total dimension H: 320 mm;                                                                                                                                        | 10,00         |
| 12    | 1      | <b>snow board</b><br>Faber, brand: Faber;                                                                                                                                                                                                                                                                   | 10,00         |
| 13    | 2      | <b>stainless steel OP desks</b>                                                                                                                                                                                                                                                                             | 10,00         |
| 14    | 2      | <b>stainless steel OP desks</b>                                                                                                                                                                                                                                                                             | 10,00         |
| 15    | 2      | <b>stainless steel OP desks</b>                                                                                                                                                                                                                                                                             | 10,00         |
| 16    | 1      | <b>examination table</b>                                                                                                                                                                                                                                                                                    | 10,00         |
| 17    | 1      | <b>examination table</b><br>Hausmann, brand: Hausmann;                                                                                                                                                                                                                                                      | 10,00         |
| 18    | 1      | <b>examination table</b><br>UMF, 5150, bouwjaar 1999, serienummer 47283, brand: UMF; type: 5150; year: 1999; serial number: 47283; electric connection: 120 V;                                                                                                                                              | 10,00         |
| 19    | 1      | <b>examination table</b><br>Ritter, 304.016.202, serienummer Lc002371, brand: Ritter; type: 304.016.202; serial number: Lc002371; electric connection: 120 V;                                                                                                                                               | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                        | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 20    | 1      | <b>examination table</b><br>UMF, 5150, bouwjaar 1999, brand: UMF; type: 5150; year: 1999; electric connection: 120 V;                                                                               | 10,00         |
| 21    | 1      | <b>examination table</b><br>Midmark, brand: Midmark; electric connection: 120 V;                                                                                                                    | 10,00         |
| 22    | 1      | <b>examination table</b><br>Midmark, brand: Midmark; electric connection: 120 V;                                                                                                                    | 10,00         |
| 23    | 1      | <b>mobile dolly</b><br>Johnson & Johnson, brand: Johnson & Johnson;                                                                                                                                 | 10,00         |
| 24    | 1      | <b>litter</b>                                                                                                                                                                                       | 10,00         |
| 25    | 4      | <b>field beds</b>                                                                                                                                                                                   | 10,00         |
| 26    | 1      | <b>litter</b>                                                                                                                                                                                       | 10,00         |
| 27    | 1      | <b>folding litter</b>                                                                                                                                                                               | 10,00         |
| 28    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 29    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 30    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 31    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 32    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 33    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 34    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 35    | 2      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 36    | 1      | <b>folding litter</b>                                                                                                                                                                               | 10,00         |
| 37    | 7      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 38    | 6      | <b>folding litters</b><br>Ohasis, brand: Ohasis;                                                                                                                                                    | 10,00         |
| 39    | 5      | <b>folding litters</b>                                                                                                                                                                              | 10,00         |
| 40    | 1      | <b>surgical scrub sink</b>                                                                                                                                                                          | 10,00         |
| 41    | 2      | <b>surgical scrub sink</b>                                                                                                                                                                          | 10,00         |
| 42    | 1      | <b>mobile stainless heating unit</b><br>Chattanooga, Hydrocollator, brand: Chattanooga; type: Hydrocollator;                                                                                        | 10,00         |
| 43    | 1      | <b>mobile dolly</b><br>Natus, brand: Natus;                                                                                                                                                         | 10,00         |
| 44    | 1      | <b>patient television</b><br>Cardio theater, brand: Cardio theater;                                                                                                                                 | 10,00         |
| 45    | 1      | <b>patient television</b><br>Cardio theater, brand: Cardio theater;                                                                                                                                 | 10,00         |
| 46    | 1      | <b>patient television</b><br>Cardio theater, brand: Cardio theater;                                                                                                                                 | 10,00         |
| 47    | 1      | <b>dehydrate compressor</b><br>Air techniques, M5-a, brand: Air techniques; type: M5-a;                                                                                                             | 10,00         |
| 48    | 1      | <b>surgical light</b><br>FedMedical, 6530-01-518-9854, serienummer 704937, brand: FedMedical; type: 6530-01-518-9854; serial number: 704937; electric connection: 24 V; description: in field case; | 10,00         |
| 49    | 1      | <b>mobile stainless unit</b>                                                                                                                                                                        | 10,00         |
| 50    | 1      | <b>surgical scrub sink</b>                                                                                                                                                                          | 10,00         |
| 51    | 1      | <b>hospital cupboard</b>                                                                                                                                                                            | 10,00         |
| 52    | 1      | <b>hospital cupboard</b>                                                                                                                                                                            | 10,00         |
| 53    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                                                                              | 100,00        |
| 54    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                                                                              | 100,00        |



| Kavel | Aantal | Omschrijving                                                                                                                                         | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 55    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                               | 100,00        |
| 56    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                               | 100,00        |
| 57    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                               | 100,00        |
| 58    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                               | 100,00        |
| 59    | 1      | <b>dentist Chair</b><br>JV Genetation, brand: JV Genetation; electric adjustable: yes;                                                               | 100,00        |
| 60    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 61    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 62    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 63    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 64    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 65    | 1      | <b>dentist Chair</b><br>Aidec, brand: Aidec; electric adjustable: yes;                                                                               | 100,00        |
| 66    | 20     | <b>field beds</b><br>description: state unknown;                                                                                                     | 10,00         |
| 67    | 1      | <b>stainless steel examination table</b><br>VSSI, brand: VSSI; electric adjustable: yes; electric connection: 120 V;                                 | 100,00        |
| 68    | 1      | <b>mobile hospital bed</b><br>Hill-rom, P1900, brand: Hill-rom; type: P1900; electric adjustable: yes; electric connection: 220 V;                   | 100,00        |
| 69    | 1      | <b>mobile hospital bed</b><br>Hill-rom, P1900, brand: Hill-rom; type: P1900; electric adjustable: yes; electric connection: 220 V;                   | 100,00        |
| 70    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 71    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 72    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 73    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 74    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 75    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |
| 76    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                              | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 77    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm;                                      | 10,00         |
| 78    | 1      | <b>aluminium body transport case</b><br>metal: yes; with lid: yes; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 450 mm;                                      | 10,00         |
| 79    | 1      | <b>mobile hospital bed</b><br>Hill-rom, Totalcare, brand: Hill-rom; type: Totalcare; electric adjustable: yes; electric connection: 220 V;                                                | 100,00        |
| 80    | 1      | <b>mobile hospital bed</b><br>Hill-rom, Totalcare, brand: Hill-rom; type: Totalcare; electric adjustable: yes; electric connection: 220 V;                                                | 100,00        |
| 81    | 1      | <b>examination table</b><br>Midmark, 404, brand: Midmark; type: 404; electric adjustable: no;                                                                                             | 100,00        |
| 82    | 1      | <b>examination table</b><br>Tower, MD-250, brand: Tower; type: MD-250; electric adjustable: yes; electric connection: 110 V;                                                              | 100,00        |
| 83    | 1      | <b>mobile Enfant bed</b>                                                                                                                                                                  | 10,00         |
| 84    | 1      | <b>exercise bicycle</b><br>True, LC900, brand: True; type: LC900;                                                                                                                         | 10,00         |
| 85    | 1      | <b>exercise balance machine</b><br>Biodex, brand: Biodex; description: 230 volt;                                                                                                          | 10,00         |
| 86    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 828 e, brand: Monark; type: Ergonedic 828 e;                                                                                                 | 10,00         |
| 87    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 818 e, brand: Monark; type: Ergonedic 818 e;                                                                                                 | 10,00         |
| 88    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 828 e, brand: Monark; type: Ergonedic 828 e;                                                                                                 | 10,00         |
| 89    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 828 e, brand: Monark; type: Ergonedic 828 e;                                                                                                 | 10,00         |
| 90    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 828 e, brand: Monark; type: Ergonedic 828 e;                                                                                                 | 10,00         |
| 91    | 1      | <b>exercise bicycle</b><br>Monark, Ergonedic 828 e, brand: Monark; type: Ergonedic 828 e;                                                                                                 | 10,00         |
| 92    | 1      | <b>examination table</b><br>Armedica, Am100, brand: Armedica; type: Am100; electric adjustable: yes; electric connection: 230 V;                                                          | 100,00        |
| 93    | 1      | <b>examination table</b><br>Armedica, Am100, brand: Armedica; type: Am100; electric adjustable: yes; electric connection: 230 V;                                                          | 100,00        |
| 94    | 1      | <b>examination table</b><br>Stolzenberg, brand: Stolzenberg; electric adjustable: yes; electric connection: 230 V;                                                                        | 100,00        |
| 95    | 1      | <b>examination table</b><br>M+ak, brand: M+ak; electric adjustable: yes; electric connection: 230 V;                                                                                      | 10,00         |
| 96    | 1      | <b>examination table</b><br>M+ak, brand: M+ak; electric adjustable: yes; electric connection: 230 V;                                                                                      | 10,00         |
| 97    | 1      | <b>examination table</b><br>electric adjustable: yes; electric connection: 230 V;                                                                                                         | 10,00         |
| 98    | 1      | <b>examination table</b><br>Chattandooga, Triton 331, serienummer 1052, brand: Chattandooga; type: Triton 331; serial number: 1052; electric adjustable: yes; electric connection: 230 V; | 10,00         |
| 99    | 1      | <b>examination table</b><br>Chattandooga, Triton 331, serienummer 1060, brand: Chattandooga; type: Triton 331; serial number: 1060; electric adjustable: yes; electric connection: 230 V; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                   | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 100   | 1      | <b>examination table</b><br>Adapta, Adp-400, serienummer 1538, brand: Adapta; type: Adp-400; serial number: 1538; electric adjustable: yes; electric connection: 230 V;                                                        | 10,00         |
| 101   | 1      | <b>examination table</b><br>Armedica, brand: Armedica; electric adjustable: yes; electric connection: 230 V;                                                                                                                   | 10,00         |
| 102   | 1      | <b>examination table</b><br>The brewer company, Access, brand: The brewer company; type: Access; electric adjustable: yes; electric connection: 230 V;                                                                         | 10,00         |
| 103   | 1      | <b>lab freezer</b><br>Thermo Scientific, Forma, brand: Thermo Scientific; type: Forma; total dimension L: 860 mm; total dimension W: 710 mm; total dimension H: 2000 mm; description: volume 140 ltr;                          | 10,00         |
| 104   | 1      | <b>lab freezer</b><br>Thermo Scientific, Forma, brand: Thermo Scientific; type: Forma; electric connection: 230 V; total dimension L: 860 mm; total dimension W: 710 mm; total dimension H: 2000 mm; description: door broken; | 10,00         |
| 105   | 1      | <b>sterilizing chamber</b><br>ASP, Sterrad 100S, serienummer 10101, brand: ASP; type: Sterrad 100S; serial number: 10101; electric connection: 380 V;                                                                          | 100,00        |
| 106   | 1      | <b>blood bank freezer</b><br>Thermo, Revco, brand: Thermo; type: Revco; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 850 mm; total dimension H: 2000 mm;                                          | 10,00         |
| 107   | 1      | <b>stainless steel warming cabinet</b><br>Steris, Amsco odj04, serienummer 0410106038, brand: Steris; type: Amsco odj04; serial number: 0410106038; electric connection: 230 V;                                                | 100,00        |
| 108   | 1      | <b>twin children buggy</b><br>Foundations, brand: Foundations;                                                                                                                                                                 | 10,00         |
| 109   | 1      | <b>wheel chair</b><br>Ortopedia, brand: Ortopedia;                                                                                                                                                                             | 10,00         |
| 110   | 1      | <b>examination table for childrenen</b><br>electric adjustable: no; electric connection: 230 V; description: with digital scale;                                                                                               | 10,00         |
| 111   | 1      | <b>examination table for childrenen</b><br>electric adjustable: no; electric connection: 230 V; description: with digital scale;                                                                                               | 10,00         |
| 112   | 1      | <b>hospital special cabinet</b><br>Pyxis, C safe, brand: Pyxis; type: C safe; electric adjustable: yes; description: with medstation control;                                                                                  | 10,00         |
| 113   | 1      | <b>ultrasound Equipment</b><br>SonoSite, 180 plus, brand: SonoSite; type: 180 plus; description: with transducer;                                                                                                              | 10,00         |
| 114   | 1      | <b>convection Oven</b><br>Küppersbusch, Cpe 120, brand: Küppersbusch; type: Cpe 120; stainless steel: yes; electric: yes; power: 37.5 kW; electric connection: 400 V; description: legs missing;                               | 100,00        |
| 115   | 1      | <b>mobile hospital bed</b><br>Stryker, 1231, bouwjaar 2003, brand: Stryker; type: 1231; year: 2003; electric adjustable: yes; electric connection: 220 V;                                                                      | 100,00        |
| 116   | 1      | <b>examination table</b><br>Smith&Nephew, brand: Smith&Nephew; electric adjustable: yes; electric connection: 120 V;                                                                                                           | 10,00         |
| 117   | 1      | <b>examination table</b><br>Smith&Nephew, brand: Smith&Nephew; electric adjustable: yes; electric connection: 120 V;                                                                                                           | 10,00         |
| 118   | 1      | <b>examination table</b><br>electric adjustable: yes; electric connection: 120 V;                                                                                                                                              | 10,00         |
| 119   | 1      | <b>mobile hospital bed</b><br>Stryker, 3002, brand: Stryker; type: 3002; electric adjustable: yes; electric connection: 220 V; description: cap. 227 kg;                                                                       | 100,00        |
| 120   | 1      | <b>multi purpose carrier</b><br>MP, brand: MP;                                                                                                                                                                                 | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                                                                                   | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 121   | 1      | <b>multi purpose carrier</b><br>MP, brand: MP;                                                                                                                                                                                                                                                                 | 10,00         |
| 122   | 1      | <b>examination bed double</b><br>Hausmann, brand: Hausmann; description: cap. 750 lbs;                                                                                                                                                                                                                         | 10,00         |
| 123   | 1      | <b>plastic bed</b>                                                                                                                                                                                                                                                                                             | 10,00         |
| 124   | 1      | <b>examination bed double</b><br>Performa, brand: Performa; description: cap. 900 lbs;                                                                                                                                                                                                                         | 10,00         |
| 125   | 1      | <b>coffin</b><br>Batesville, brand: Batesville; total dimension L: 2100 mm; total dimension W: 710 mm;                                                                                                                                                                                                         | 10,00         |
| 126   | 1      | <b>examination bed double</b><br>Midland, 22265v, brand: Midland; type: 22265v; electric adjustable: yes; electric connection: 220 V; description: cap. 900 lbs;                                                                                                                                               | 10,00         |
| 127   | 1      | <b>examination table</b><br>Midmark, brand: Midmark; electric adjustable: yes; electric connection: 230 V;                                                                                                                                                                                                     | 10,00         |
| 128   | 1      | <b>medical health care masks</b><br>N95 1860, type: N95 1860; description: 10 boxes; a 6 small boxes; a20 pieces;                                                                                                                                                                                              | 10,00         |
| 129   | 1      | <b>medical health care masks</b><br>N95 1860, type: N95 1860; description: 10 boxes; a 6 small boxes; a20 pieces;                                                                                                                                                                                              | 10,00         |
| 130   | 1      | <b>medical health care masks</b><br>N95 1860, type: N95 1860; description: 10 boxes; a 6 small boxes; a20 pieces;                                                                                                                                                                                              | 10,00         |
| 131   | 1      | <b>medical health care masks</b><br>N95 1860, type: N95 1860; description: 10 boxes; a 6 small boxes; a20 pieces;                                                                                                                                                                                              | 10,00         |
| 132   | 1      | <b>medical health care masks</b><br>N95 1860, type: N95 1860; description: 10 boxes; a 6 small boxes; a20 pieces;                                                                                                                                                                                              | 10,00         |
| 133   | 65     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 134   | 15     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 135   | 15     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 136   | 15     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 137   | 15     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 138   | 15     | <b>boxes medical health care masks</b><br>N95 1860, type: N95 1860; description: „ 6 small boxes; a20 pieces;                                                                                                                                                                                                  | 10,00         |
| 139   | 1      | <b>exercise balancer</b><br>ShuttleSystems, Shuttle balance, brand: ShuttleSystems; type: Shuttle balance; description: 230 volt;                                                                                                                                                                              | 10,00         |
| 140   | 1      | <b>inspection unit</b><br>GE, bouwjaar 2006, brand: GE; year: 2006; description: in case;                                                                                                                                                                                                                      | 10,00         |
| 141   | 1      | <b>cR scanner</b><br>Orex/Sourceone, Pccr1417-40, brand: Orex/Sourceone; type: Pccr1417-40; electric connection: 230 V; description: in case;                                                                                                                                                                  | 10,00         |
| 142   | 1      | <b>cR scanner</b><br>Orex/Sourceone, Pccr1417-40, brand: Orex/Sourceone; type: Pccr1417-40; electric connection: 230 V; description: in case;                                                                                                                                                                  | 10,00         |
| 143   | 1      | <b>laboratory autoclave</b><br>Tuttnauer, 4472ep-1r, bouwjaar 2004, brand: Tuttnauer; type: 4472ep-1r; year: 2004; stainless steel: yes; chamber dimension L: 680 mm; chamber dimension W: 380 mm; electric connection: 380 V; description: horizontal jacketed; stainless steel; type 316; pressure 2,82 bar; | 1.000,00      |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                                                                                                  | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 144   | 1      | <b>laboratory autoclave</b><br>Tuttnauer, 4472ep-1r, bouwjaar 2004, brand: Tuttnauer; type: 4472ep-1r; year: 2004; stainless steel: yes; chamber dimension L: 680 mm; chamber dimension W: 380 mm; electric connection: 380 V; description: horizontal jacketed; stainless steel; type 316; pressure 2,82 bar; in wooden box; | 1.000,00      |
| 145   | 1      | <b>laboratory autoclave</b><br>Tuttnauer, 4472ep-1r, bouwjaar 2004, brand: Tuttnauer; type: 4472ep-1r; year: 2004; stainless steel: yes; chamber dimension L: 680 mm; chamber dimension W: 380 mm; electric connection: 380 V; description: horizontal jacketed; stainless steel; type 316; pressure 2,82 bar; in wooden box; | 1.000,00      |
| 146   | 1      | <b>x-Ray Equipment</b><br>Planmeca, brand: Planmeca; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                                          | 100,00        |
| 147   | 1      | <b>x-Ray Equipment</b><br>Planmeca, Intra, brand: Planmeca; type: Intra; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 148   | 1      | <b>x-Ray Equipment</b><br>Planmeca, Intra, brand: Planmeca; type: Intra; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 149   | 1      | <b>x-Ray Equipment</b><br>Planmeca, Intra, brand: Planmeca; type: Intra; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 150   | 1      | <b>x-Ray Equipment</b><br>Planmeca, Intra, brand: Planmeca; type: Intra; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 151   | 1      | <b>x-Ray Equipment</b><br>Planmeca, Intra, brand: Planmeca; type: Intra; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 152   | 1      | <b>x-Ray Equipment</b><br>Summit, InnoVet, brand: Summit; type: InnoVet; electric connection: 230 V; description: incomplete; for parts;                                                                                                                                                                                      | 100,00        |
| 153   | 20     | <b>plastic medical buckets</b>                                                                                                                                                                                                                                                                                                | 10,00         |
| 154   | 20     | <b>plastic medical buckets</b>                                                                                                                                                                                                                                                                                                | 10,00         |
| 155   | 20     | <b>plastic medical buckets</b>                                                                                                                                                                                                                                                                                                | 10,00         |
| 156   | 20     | <b>plastic medical buckets</b>                                                                                                                                                                                                                                                                                                | 10,00         |
| 157   | 7      | <b>boxes underpads</b><br>Medline, Usap3136lc1, brand: Medline; type: Usap3136lc1; total dimension L: 780 mm; total dimension W: 910 mm;                                                                                                                                                                                      | 10,00         |
| 158   | 7      | <b>boxes underpads</b><br>Medline, Usap3136lc1, brand: Medline; type: Usap3136lc1; total dimension L: 780 mm; total dimension W: 910 mm;                                                                                                                                                                                      | 10,00         |
| 159   | 7      | <b>boxes underpads</b><br>Medline, Usap3136lc1, brand: Medline; type: Usap3136lc1; total dimension L: 780 mm; total dimension W: 910 mm;                                                                                                                                                                                      | 10,00         |
| 160   | 7      | <b>boxes underpads</b><br>Medline, Usap3136lc1, brand: Medline; type: Usap3136lc1; total dimension L: 780 mm; total dimension W: 910 mm;                                                                                                                                                                                      | 10,00         |
| 161   | 7      | <b>boxes underpads</b><br>Medline, Usap3136lc1, brand: Medline; type: Usap3136lc1; total dimension L: 780 mm; total dimension W: 910 mm;                                                                                                                                                                                      | 10,00         |
| 162   | 20     | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180; description: state unknown;                                                                                                                                                                                                           | 100,00        |
| 163   | 20     | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180;                                                                                                                                                                                                                                       | 100,00        |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                                                                   | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 164   | 1      | <b>x-Ray Equipment</b><br>Thermo Kever X-ray, Pxs11-100-35, bouwjaar 2007, serienummer 10462, brand: Thermo Kever X-ray; type: Pxs11-100-35; year: 2007; serial number: 10462; electric connection: 230 V; description: max voltage 75 kV; 7,5 watts; max current 100mA; spot size 45 microns; | 100,00        |
| 165   | 1      | <b>x-Ray Equipment</b><br>Thermo Kever X-ray, Pxs11-100-35, bouwjaar 2009, serienummer 12205, brand: Thermo Kever X-ray; type: Pxs11-100-35; year: 2009; serial number: 12205; electric connection: 230 V; description: max voltage 75 kV; 7,5 watts; max current 100mA; spot size 45 microns; | 100,00        |
| 166   | 1      | <b>x-Ray Equipment</b><br>Thermo Kever X-ray, Pxs11-100-35, bouwjaar 2009, serienummer 12214, brand: Thermo Kever X-ray; type: Pxs11-100-35; year: 2009; serial number: 12214; electric connection: 230 V; description: max voltage 75 kV; 7,5 watts; max current 100mA; spot size 45 microns; | 100,00        |
| 167   | 1      | <b>ultrasound Equipment</b><br>Siemens, Sequoia, serienummer 68581, brand: Siemens; type: Sequoia; serial number: 68581; electric connection: 120 V;                                                                                                                                           | 100,00        |
| 168   | 1      | <b>blood refrigerator</b><br>Acu temp, Hema Cool, brand: Acu temp; type: Hema Cool; electric connection: 120 V; description: in case;                                                                                                                                                          | 10,00         |
| 169   | 1      | <b>medical tools dishwasher</b><br>Miele, G7881, brand: Miele; type: G7881;                                                                                                                                                                                                                    | 10,00         |
| 170   | 10     | <b>boxes medical Disposable</b><br>MAI, 77736, brand: MAI; type: 77736;                                                                                                                                                                                                                        | 10,00         |
| 171   | 10     | <b>boxes medical Disposable</b><br>MAI, 77736, brand: MAI; type: 77736;                                                                                                                                                                                                                        | 10,00         |
| 172   | 10     | <b>boxes medical Disposable</b><br>MAI, 77736, brand: MAI; type: 77736;                                                                                                                                                                                                                        | 10,00         |
| 173   | 10     | <b>boxes medical Disposable</b><br>MAI, 77736, brand: MAI; type: 77736;                                                                                                                                                                                                                        | 10,00         |
| 174   | 1      | <b>tools Sterilizing Equipment</b><br>Environmental tectonics corp, brand: Environmental tectonics corp;                                                                                                                                                                                       | 10,00         |
| 175   | 10     | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180;                                                                                                                                                                                                        | 100,00        |
| 176   | 1      | <b>body composition analyzer</b><br>Tanita, brand: Tanita;                                                                                                                                                                                                                                     | 10,00         |
| 177   | 1      | <b>stainless steel examination table</b><br>VSSI, brand: VSSI; electric adjustable: yes; electric connection: 120 V;                                                                                                                                                                           | 100,00        |
| 178   | 1      | <b>mobile sink</b>                                                                                                                                                                                                                                                                             | 10,00         |
| 179   | 1      | <b>oxygen concentrator unit</b><br>AirSep, Newlife elite, brand: AirSep; type: Newlife elite; description: in case;                                                                                                                                                                            | 10,00         |
| 180   | 1      | <b>oxygen concentrator unit</b><br>AirSep, Newlife elite, brand: AirSep; type: Newlife elite; description: in case;                                                                                                                                                                            | 10,00         |
| 181   | 1      | <b>hospital examination bed in bag</b><br>Arthlite, Infinity, brand: Arthlite; type: Infinity;                                                                                                                                                                                                 | 10,00         |
| 182   | 1      | <b>hospital examination bed in bag</b><br>Arthlite, Infinity, brand: Arthlite; type: Infinity;                                                                                                                                                                                                 | 10,00         |
| 183   | 1      | <b>field anesthesia unit</b><br>Draeger medical, Narkomed M, brand: Draeger medical; type: Narkomed M; description: in 2 cases;                                                                                                                                                                | 10,00         |
| 184   | 1      | <b>surgical sispenser</b>                                                                                                                                                                                                                                                                      | 10,00         |
| 185   | 1      | <b>surgical sispenser</b>                                                                                                                                                                                                                                                                      | 10,00         |
| 186   | 1      | <b>transport case for equipment</b>                                                                                                                                                                                                                                                            | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                      | Openingsbod € |
|-------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 187   | 1      | <b>pediatric adult ventilator</b><br>Covidien, 980 series, serienummer 35b1401328, brand: Covidien; type: 980 series; serial number: 35b1401328; electric connection: 230 V;                                                                      | 10,00         |
| 188   | 1      | <b>x-Ray Equipment</b><br>Hologic, Suros Atec, serienummer 500701, brand: Hologic; type: Suros Atec; serial number: 500701; electric connection: 240 V; description: with mri foot switch;                                                        | 100,00        |
| 189   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 190   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 191   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 192   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 193   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 194   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 195   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 196   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 197   | 1      | <b>continuous surgical suction unit</b><br>Stryker, Neptune 2 ultra, serienummer 0702-001-000, brand: Stryker; type: Neptune 2 ultra; serial number: 0702-001-000; electric connection: 120 V; weight: 160 kg; description: range 50 to 480mm-hg; | 100,00        |
| 198   | 1      | <b>oscillatory ventilator</b><br>Viasys, SensorMedics 3100b, brand: Viasys; type: SensorMedics 3100b; electric connection: 230 V; weight: 160 kg;                                                                                                 | 10,00         |
| 199   | 1      | <b>radiant infant warmer</b><br>Masimo Set, Panda warmer, brand: Masimo Set; type: Panda warmer; electric connection: 230 V;                                                                                                                      | 10,00         |
| 200   | 1      | <b>mobile stainless heating unit</b><br>Chattanooga, Hydrocollator, brand: Chattanooga; type: Hydrocollator;                                                                                                                                      | 10,00         |
| 201   | 1      | <b>examination test unit</b><br>Modern way, Pigg-o-stat, brand: Modern way; type: Pigg-o-stat;                                                                                                                                                    | 10,00         |
| 202   | 1      | <b>dental equipment</b><br>Asi, bouwjaar 2008, serienummer 594000, brand: Asi; year: 2008; serial number: 594000;                                                                                                                                 | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                     | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------|---------------|
| 203   | 1      | <b>transport case</b>                                                                                                            | 10,00         |
| 204   | 1      | <b>shipping case with rack</b>                                                                                                   | 10,00         |
| 205   | 1      | <b>shipping case with rack</b>                                                                                                   | 10,00         |
| 206   | 1      | <b>shipping case with rack</b>                                                                                                   | 10,00         |
| 207   | 1      | <b>shipping case with rack</b>                                                                                                   | 10,00         |
| 208   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 209   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 210   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 211   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 212   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 213   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 214   | 1      | <b>shipping case</b><br>CJK, brand: CJK; plastic: yes; with lid: yes;                                                            | 10,00         |
| 215   | 1      | <b>patient scale</b><br>Health o meter, brand: Health o meter;                                                                   | 10,00         |
| 216   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |
| 217   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |
| 218   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |
| 219   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |
| 220   | 1      | <b>patient scale</b><br>Health o meter, brand: Health o meter; description: cap. max 150kg;                                      | 10,00         |
| 221   | 1      | <b>patient scale</b><br>Health o meter, brand: Health o meter; description: cap. max 150kg;                                      | 10,00         |
| 222   | 1      | <b>patient scale</b><br>Seca, brand: Seca; description: cap. max 480 lbs;                                                        | 10,00         |
| 223   | 1      | <b>patient scale</b><br>Seca, brand: Seca; description: cap. max 480 lbs;                                                        | 10,00         |
| 224   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap. max 350 lbs;                                                  | 10,00         |
| 225   | 1      | <b>patient scale digital</b><br>Detecto, brand: Detecto; description: cap. max 200 kg; 0,1 kg;                                   | 10,00         |
| 226   | 1      | <b>patient scale digital</b><br>Detecto, brand: Detecto; description: cap. max 249 kg; 0,1 kg;                                   | 10,00         |
| 227   | 1      | <b>patient scale digital</b><br>Health o meter, 500kl, brand: Health o meter; type: 500kl; description: cap. max 220 kg; 0,1 kg; | 10,00         |
| 228   | 1      | <b>patient scale digital</b><br>Befour, 500kl, brand: Befour; type: 500kl; description: cap. max 500 lbs;                        | 10,00         |
| 229   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |
| 230   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 160 kg;                                                    | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                               | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 231   | 1      | <b>patient scale</b><br>Seca, brand: Seca; description: cap max 350 lbs;                                                                                                                                                   | 10,00         |
| 232   | 1      | <b>patient scale</b><br>Detecto, brand: Detecto; description: cap max 300 lbs;                                                                                                                                             | 10,00         |
| 233   | 1      | <b>x-Ray Equipment</b><br>Fujifilm , CR-IR 359, bouwjaar 2011, serienummer 17062074, brand: Fujifilm ; type: CR-IR 359; year: 2011; serial number: 17062074; digital: yes; manual present: yes; description: 100/240 volt; | 10,00         |
| 234   | 1      | <b>dental instument</b><br>Accutron, brand: Accutron;                                                                                                                                                                      | 10,00         |
| 235   | 1      | <b>dental instument</b><br>Accutron, brand: Accutron;                                                                                                                                                                      | 10,00         |
| 236   | 1      | <b>anesthesia unit</b><br>Surgivet, WWV9000, serienummer S221005043, brand: Surgivet; type: WWV9000; serial number: S221005043;                                                                                            | 10,00         |
| 237   | 1      | <b>anesthesia unit</b><br>Matrx, 40074901, serienummer 3852, brand: Matrx; type: 40074901; serial number: 3852;                                                                                                            | 10,00         |
| 238   | 1      | <b>anesthesia unit</b><br>Matrx, 40074901, serienummer 3851, brand: Matrx; type: 40074901; serial number: 3851;                                                                                                            | 10,00         |
| 239   | 1      | <b>anesthesia unit</b><br>Matrx, VMC, serienummer 3510, brand: Matrx; type: VMC; serial number: 3510;                                                                                                                      | 10,00         |
| 240   | 3      | <b>haemostatic forceps</b><br>Tuffier, type: Tuffier;                                                                                                                                                                      | 10,00         |
| 241   | 3      | <b>haemostatic forceps</b><br>Towel clamps, type: Towel clamps;                                                                                                                                                            | 10,00         |
| 242   | 3      | <b>ribbon retractor</b><br>Miltex, 11-132, brand: Miltex; type: 11-132;                                                                                                                                                    | 10,00         |
| 243   | 3      | <b>ribbon retractor</b><br>Princeton, brand: Princeton;                                                                                                                                                                    | 10,00         |
| 244   | 5      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 245   | 3      | <b>haemostatic forceps</b><br>Towel clamps, type: Towel clamps;                                                                                                                                                            | 10,00         |
| 246   | 4      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 247   | 4      | <b>saddle hooks</b><br>V.mueller, NI1011, brand: V.mueller; type: NI1011;                                                                                                                                                  | 10,00         |
| 248   | 5      | <b>saddle hooks</b>                                                                                                                                                                                                        | 10,00         |
| 249   | 5      | <b>saddle hooks</b>                                                                                                                                                                                                        | 10,00         |
| 250   | 4      | <b>scalpel handles</b>                                                                                                                                                                                                     | 10,00         |
| 251   | 4      | <b>scalpel handles</b>                                                                                                                                                                                                     | 10,00         |
| 252   | 3      | <b>scalpel handles</b>                                                                                                                                                                                                     | 10,00         |
| 253   | 3      | <b>scalpel handles</b>                                                                                                                                                                                                     | 10,00         |
| 254   | 1      | <b>tension device</b>                                                                                                                                                                                                      | 10,00         |
| 255   | 6      | <b>saddle hooks</b>                                                                                                                                                                                                        | 10,00         |
| 256   | 3      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 257   | 2      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 258   | 4      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 259   | 4      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 260   | 6      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 261   | 3      | <b>haemostatic forceps</b>                                                                                                                                                                                                 | 10,00         |
| 262   | 2      | <b>retractors</b>                                                                                                                                                                                                          | 10,00         |
| 263   | 5      | <b>retractors</b>                                                                                                                                                                                                          | 10,00         |
| 264   | 2      | <b>retractors</b>                                                                                                                                                                                                          | 10,00         |



| Kavel | Aantal | Omschrijving                                                 | Openingsbod € |
|-------|--------|--------------------------------------------------------------|---------------|
| 265   | 5      | <b>retractors</b>                                            | 10,00         |
| 266   | 3      | <b>retractors</b>                                            | 10,00         |
| 267   | 1      | <b>lot of surgery spoons</b>                                 | 10,00         |
| 268   | 5      | <b>haemostatic forceps</b><br>Tuffier, type: Tuffier;        | 10,00         |
| 269   | 5      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 270   | 5      | <b>haemostatic forceps</b><br>Tuffier, type: Tuffier;        | 10,00         |
| 271   | 7      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 272   | 5      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 273   | 9      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 274   | 4      | <b>gall stone forceps</b><br>Tuffier, type: Tuffier;         | 10,00         |
| 275   | 1      | <b>dental tool</b><br>Hu-friedy, brand: Hu-friedy;           | 10,00         |
| 276   | 2      | <b>haemostatic forceps</b>                                   | 10,00         |
| 277   | 1      | <b>haemostatic forceps</b>                                   | 10,00         |
| 278   | 5      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 279   | 2      | <b>bone curettes</b><br>Tuffier, type: Tuffier;              | 10,00         |
| 280   | 1      | <b>scissors</b><br>Tuffier, type: Tuffier;                   | 10,00         |
| 281   | 5      | <b>retractors</b>                                            | 10,00         |
| 282   | 6      | <b>retractors</b>                                            | 10,00         |
| 283   | 1      | <b>ophtalmoscope</b><br>Welchallyn, brand: Welchallyn;       | 10,00         |
| 284   | 3      | <b>haemostatic forceps</b>                                   | 10,00         |
| 285   | 4      | <b>bone curettes</b>                                         | 10,00         |
| 286   | 1      | <b>retractor</b>                                             | 10,00         |
| 287   | 1      | <b>finger ring saw</b>                                       | 10,00         |
| 288   | 1      | <b>finger ring saw</b>                                       | 10,00         |
| 289   | 1      | <b>finger ring saw</b>                                       | 10,00         |
| 290   | 99     | <b>surgical blades</b><br>Bard- parker, brand: Bard- parker; | 10,00         |
| 291   | 2      | <b>tracheal hook 6-1/2</b><br>Miltex, brand: Miltex;         | 10,00         |
| 292   | 2      | <b>tracheal hook 6-1/2</b><br>Miltex, brand: Miltex;         | 10,00         |
| 293   | 1      | <b>tracheal hook 6-1/2</b><br>Miltex, brand: Miltex;         | 10,00         |
| 294   | 5      | <b>transfixing pin</b><br>Stryker, brand: Stryker;           | 10,00         |
| 295   | 1      | <b>small tear rasp</b><br>Stryker, brand: Stryker;           | 10,00         |
| 296   | 3      | <b>forceps</b><br>Weller, brand: Weller;                     | 10,00         |



| Kavel | Aantal | Omschrijving                                                      | Openingsbod € |
|-------|--------|-------------------------------------------------------------------|---------------|
| 297   | 4      | <b>cautery</b><br>Bovie, brand: Bovie;                            | 10,00         |
| 298   | 4      | <b>cautery</b><br>Bovie, brand: Bovie;                            | 10,00         |
| 299   | 2      | <b>cautery</b><br>Bovie, brand: Bovie;                            | 10,00         |
| 300   | 9      | <b>skin temperature probe</b><br>Measurement, brand: Measurement; | 10,00         |
| 301   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 302   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 303   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 304   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 305   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 306   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 307   | 4      | <b>haemostatic forceps</b>                                        | 10,00         |
| 308   | 2      | <b>gall stone forceps</b>                                         | 10,00         |
| 309   | 6      | <b>surgery tools</b>                                              | 10,00         |
| 310   | 5      | <b>surgery tools</b>                                              | 10,00         |
| 311   | 5      | <b>curettes</b>                                                   | 10,00         |
| 312   | 5      | <b>curettes</b>                                                   | 10,00         |
| 313   | 5      | <b>forceps</b>                                                    | 10,00         |
| 314   | 5      | <b>forceps</b>                                                    | 10,00         |
| 315   | 5      | <b>forceps</b>                                                    | 10,00         |
| 316   | 5      | <b>bone curettes</b>                                              | 10,00         |
| 317   | 5      | <b>bone curettes</b>                                              | 10,00         |
| 318   | 5      | <b>bone curettes</b>                                              | 10,00         |
| 319   | 5      | <b>surgery tools</b>                                              | 10,00         |
| 320   | 2      | <b>endoscopi cannulate drill</b>                                  | 10,00         |
| 321   | 3      | <b>endoscopi cannulate drill</b>                                  | 10,00         |
| 322   | 3      | <b>endoscopi cannulate drill</b>                                  | 10,00         |
| 323   | 3      | <b>endoscopi cannulate drill</b>                                  | 10,00         |
| 324   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 325   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 326   | 4      | <b>haemostatic forceps</b>                                        | 10,00         |
| 327   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 328   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 329   | 4      | <b>haemostatic forceps</b>                                        | 10,00         |
| 330   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 331   | 5      | <b>surgery tools</b>                                              | 10,00         |
| 332   | 6      | <b>surgery tools</b>                                              | 10,00         |
| 333   | 4      | <b>surgery tools</b>                                              | 10,00         |
| 334   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 335   | 2      | <b>bone cutting forceps</b>                                       | 10,00         |
| 336   | 6      | <b>haemostatic forceps</b>                                        | 10,00         |
| 337   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 338   | 4      | <b>haemostatic forceps</b>                                        | 10,00         |
| 339   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 340   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 341   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |
| 342   | 5      | <b>haemostatic forceps</b>                                        | 10,00         |



| Kavel | Aantal | Omschrijving         | Openingsbod € |
|-------|--------|----------------------|---------------|
| 343   | 5      | haemostatic forceps  | 10,00         |
| 344   | 5      | haemostatic forceps  | 10,00         |
| 345   | 5      | haemostatic forceps  | 10,00         |
| 346   | 5      | haemostatic forceps  | 10,00         |
| 347   | 5      | haemostatic forceps  | 10,00         |
| 348   | 5      | haemostatic forceps  | 10,00         |
| 349   | 5      | haemostatic forceps  | 10,00         |
| 350   | 5      | haemostatic forceps  | 10,00         |
| 351   | 3      | nasal specula        | 10,00         |
| 352   | 1      | bone cutting forceps | 10,00         |
| 353   | 5      | hooks                | 10,00         |
| 354   | 5      | hooks                | 10,00         |
| 355   | 5      | curettes             | 10,00         |
| 356   | 5      | curettes             | 10,00         |
| 357   | 5      | forceps              | 10,00         |
| 358   | 5      | forceps              | 10,00         |
| 359   | 5      | forceps              | 10,00         |
| 360   | 5      | forceps              | 10,00         |
| 361   | 5      | hooks                | 10,00         |
| 362   | 5      | hooks                | 10,00         |
| 363   | 5      | hooks                | 10,00         |
| 364   | 5      | hooks                | 10,00         |
| 365   | 5      | hooks                | 10,00         |
| 366   | 5      | hooks                | 10,00         |
| 367   | 5      | hooks                | 10,00         |
| 368   | 5      | hooks                | 10,00         |
| 369   | 5      | hooks                | 10,00         |
| 370   | 5      | forceps              | 10,00         |
| 371   | 5      | forceps              | 10,00         |
| 372   | 5      | forceps              | 10,00         |
| 373   | 5      | forceps              | 10,00         |
| 374   | 5      | forceps              | 10,00         |
| 375   | 5      | forceps              | 10,00         |
| 376   | 5      | haemostatic forceps  | 10,00         |
| 377   | 5      | haemostatic forceps  | 10,00         |
| 378   | 5      | haemostatic forceps  | 10,00         |
| 379   | 5      | haemostatic forceps  | 10,00         |
| 380   | 5      | haemostatic forceps  | 10,00         |
| 381   | 5      | haemostatic forceps  | 10,00         |
| 382   | 5      | haemostatic forceps  | 10,00         |
| 383   | 5      | haemostatic forceps  | 10,00         |
| 384   | 5      | haemostatic forceps  | 10,00         |
| 385   | 5      | haemostatic forceps  | 10,00         |
| 386   | 5      | haemostatic forceps  | 10,00         |
| 387   | 5      | haemostatic forceps  | 10,00         |
| 388   | 5      | haemostatic forceps  | 10,00         |
| 389   | 5      | haemostatic forceps  | 10,00         |
| 390   | 5      | haemostatic forceps  | 10,00         |
| 391   | 6      | haemostatic forceps  | 10,00         |
| 392   | 5      | haemostatic forceps  | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                              | Openingsbod € |
|-------|--------|---------------------------------------------------------------------------------------------------------------------------|---------------|
| 393   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 394   | 6      | haemostatic forceps                                                                                                       | 10,00         |
| 395   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 396   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 397   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 398   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 399   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 400   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 401   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 402   | 3      | haemostatic forceps                                                                                                       | 10,00         |
| 403   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 404   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 405   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 406   | 7      | strabismus scissors                                                                                                       | 10,00         |
| 407   | 5      | first aid scissors                                                                                                        | 10,00         |
| 408   | 5      | first aid scissors                                                                                                        | 10,00         |
| 409   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 410   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 411   | 3      | micro scissors                                                                                                            | 10,00         |
| 412   | 5      | curettes                                                                                                                  | 10,00         |
| 413   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 414   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 415   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 416   | 5      | curettes                                                                                                                  | 10,00         |
| 417   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 418   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 419   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 420   | 6      | bone curettes                                                                                                             | 10,00         |
| 421   | 5      | bone curettes                                                                                                             | 10,00         |
| 422   | 5      | scissors                                                                                                                  | 10,00         |
| 423   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 424   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 425   | 4      | haemostatic forceps                                                                                                       | 10,00         |
| 426   | 5      | haemostatic forceps                                                                                                       | 10,00         |
| 427   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 428   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 429   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 430   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 431   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 432   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 433   | 5      | strabismus scissors                                                                                                       | 10,00         |
| 434   | 3      | strabismus scissors                                                                                                       | 10,00         |
| 435   | 15     | lot of probes                                                                                                             | 10,00         |
| 436   | 13     | lot of probes                                                                                                             | 10,00         |
| 437   | 1      | surgical set                                                                                                              | 10,00         |
| 438   | 1      | surgical set                                                                                                              | 10,00         |
| 439   | 5      | lot of surgery tools                                                                                                      | 10,00         |
| 440   | 1      | stainless steel lcp clav hook set<br>Synthes, brand: Synthes; description: for orthopaedic use; 3,5mm; in sterilize case; | 100,00        |



| Kavel | Aantal | Omschrijving                                                                                                                                                      | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 441   | 1      | <b>stainless steel lcp clav hook set</b><br>Synthes, brand: Synthes; description: for orthopaedic use; 3,5mm; in sterilize case;                                  | 100,00        |
| 442   | 1      | <b>stainless steel cannulated screw set case</b><br>Synthes, brand: Synthes; description: empty;                                                                  | 100,00        |
| 443   | 1      | <b>stainless steel special plate caddy</b>                                                                                                                        | 100,00        |
| 444   | 1      | <b>stainless steel special screw set</b><br>Smith&Nephew, brand: Smith&Nephew;                                                                                    | 100,00        |
| 445   | 1      | <b>stainless steel special case</b>                                                                                                                               | 100,00        |
| 446   | 1      | <b>stainless steel special case</b>                                                                                                                               | 100,00        |
| 447   | 1      | <b>stainless steel special orthopaedic set</b><br>TriGen, 7163-1201, brand: TriGen; type: 7163-1201;                                                              | 100,00        |
| 448   | 1      | <b>stainless steel special orthopaedic set</b><br>Medtronic, Sofamor danek , serienummer 9790950, brand: Medtronic; type: Sofamor danek ; serial number: 9790950; | 100,00        |
| 449   | 1      | <b>stainless steel screw set case</b><br>Synthes, brand: Synthes; description: empty;                                                                             | 100,00        |
| 450   | 1      | <b>titanium steel screw set case</b><br>description: empty;                                                                                                       | 100,00        |
| 451   | 1      | <b>stainless steel screw set case</b><br>Synthes, brand: Synthes; description: empty;                                                                             | 100,00        |
| 452   | 1      | <b>stainless steel cannulated screw instrument tray</b><br>7111-7085, type: 7111-7085; description: empty;                                                        | 100,00        |
| 453   | 1      | <b>surgical tools</b>                                                                                                                                             | 10,00         |
| 454   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt;                                                               | 10,00         |
| 455   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt;                                                               | 10,00         |
| 456   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt; incomplete;                                                   | 10,00         |
| 457   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt;                                                               | 10,00         |
| 458   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt;                                                               | 10,00         |
| 459   | 1      | <b>diagnostic instrument set</b><br>Heine, EN100, brand: Heine; type: EN100; description: 230 volt;                                                               | 10,00         |
| 460   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 461   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 462   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 463   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 464   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 465   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 466   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 467   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |
| 468   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                        | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                            | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 469   | 1      | <b>patient Monitor</b><br>Welch Allen, 53nto, brand: Welch Allen; type: 53nto; electric connection: 230 V;                                                              | 10,00         |
| 470   | 1      | <b>charger</b><br>Thales, brand: Thales;                                                                                                                                | 10,00         |
| 471   | 1      | <b>charger</b><br>Thales, brand: Thales;                                                                                                                                | 10,00         |
| 472   | 1      | <b>charger</b><br>Thales, brand: Thales;                                                                                                                                | 10,00         |
| 473   | 1      | <b>charger</b><br>Thales, brand: Thales;                                                                                                                                | 10,00         |
| 474   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 475   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 476   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 477   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 478   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 479   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 42ntb, brand: Welch Allen; type: Spot Vital Signs 42ntb; electric connection: 230 V; description: with adapter; | 10,00         |
| 480   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot Vital Signs 420, brand: Welch Allen; type: Spot Vital Signs 420; electric connection: 230 V; description: without adapter;  | 10,00         |
| 481   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt;                                                                             | 10,00         |
| 482   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 483   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 484   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 485   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 486   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; without temp unit;                                                          | 10,00         |
| 487   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 488   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 489   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 490   | 1      | <b>diagnostic instrument set</b><br>Welch Allen, brand: Welch Allen; description: 230 volt; with temp unit; type SureTemp;                                              | 10,00         |
| 491   | 4      | <b>peep valves</b>                                                                                                                                                      | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                 | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------|---------------|
| 492   | 1      | <b>medical analyzer</b><br>RTI electronics, Ipct-100, brand: RTI electronics; type: Ipct-100;                                | 10,00         |
| 493   | 1      | <b>lab test meter</b>                                                                                                        | 10,00         |
| 494   | 1      | <b>docking station</b><br>Hp, brand: Hp;                                                                                     | 10,00         |
| 495   | 1      | <b>endoscopic flushing pump</b><br>Olympus, Ofp, brand: Olympus; type: Ofp;                                                  | 10,00         |
| 496   | 1      | <b>volume ventilator unit</b><br>Impact, brand: Impact;                                                                      | 10,00         |
| 497   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 498   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 499   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 500   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 501   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 502   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 503   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 504   | 1      | <b>circulation pump unit</b><br>Huntleigh, Flowtron excel, brand: Huntleigh; type: Flowtron excel;                           | 10,00         |
| 505   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 506   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 507   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 508   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 509   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 510   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 511   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 512   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |
| 513   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                    | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 514   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable;                    | 10,00         |
| 515   | 1      | <b>pump control unit</b><br>Cardinal Health, Alaris pc, brand: Cardinal Health; type: Alaris pc; description: unserviceable;                    | 10,00         |
| 516   | 1      | <b>box with safety pins</b>                                                                                                                     | 10,00         |
| 517   | 1      | <b>infusion device analyzet</b><br>Fluke, Ida 4 plus, brand: Fluke; type: Ida 4 plus;                                                           | 10,00         |
| 518   | 1      | <b>optician equipment</b><br>Bausch & Lomb, brand: Bausch & Lomb;                                                                               | 10,00         |
| 519   | 3      | <b>boxes power cables</b>                                                                                                                       | 10,00         |
| 520   | 3      | <b>boxes power cables</b>                                                                                                                       | 10,00         |
| 521   | 3      | <b>boxes power cables</b>                                                                                                                       | 10,00         |
| 522   | 3      | <b>boxes power cables</b>                                                                                                                       | 10,00         |
| 523   | 6      | <b>military head wedges</b><br>Ambu, brand: Ambu;                                                                                               | 10,00         |
| 524   | 7      | <b>stake guy</b>                                                                                                                                | 10,00         |
| 525   | 6      | <b>extraction devices</b>                                                                                                                       | 10,00         |
| 526   | 1      | <b>reel splint</b>                                                                                                                              | 10,00         |
| 527   | 1      | <b>lab bottles</b>                                                                                                                              | 10,00         |
| 528   | 1      | <b>nonmetallic tubing</b>                                                                                                                       | 10,00         |
| 529   | 3      | <b>reel splints</b>                                                                                                                             | 10,00         |
| 530   | 1      | <b>x-ray film illuminator lamp</b><br>240137S, type: 240137S;                                                                                   | 10,00         |
| 531   | 1      | <b>x-ray film illuminator lamp</b><br>240137S, type: 240137S;                                                                                   | 10,00         |
| 532   | 1      | <b>x-ray film illuminator lamp</b><br>240137S, type: 240137S;                                                                                   | 10,00         |
| 533   | 2      | <b>boxes synthetische splint</b><br>Ortho-glass, OG-4L1, brand: Ortho-glass; type: OG-4L1; total dimension L: 100 mm; total dimension W: 46 mm; | 10,00         |
| 534   | 50     | <b>endotracheal tube holders</b><br>Thomas, brand: Thomas;                                                                                      | 10,00         |
| 535   | 50     | <b>endotracheal tube holders</b><br>Thomas, brand: Thomas;                                                                                      | 10,00         |
| 536   | 1      | <b>modular hanging panel bag</b>                                                                                                                | 10,00         |
| 537   | 3      | <b>plastic bins</b>                                                                                                                             | 10,00         |
| 538   | 25     | <b>medical supply bags</b><br>Federal covers & textiles, brand: Federal covers & textiles;                                                      | 10,00         |
| 539   | 25     | <b>medical supply bags</b><br>Federal covers & textiles, brand: Federal covers & textiles;                                                      | 10,00         |
| 540   | 1      | <b>uva cabinet</b><br>NBC, Hand foot II, brand: NBC; type: Hand foot II;                                                                        | 10,00         |
| 541   | 1      | <b>uva cabinet</b><br>NBC, Hand foot II, brand: NBC; type: Hand foot II;                                                                        | 10,00         |
| 542   | 1      | <b>weighing Scale</b><br>Health o meter, Profesional, brand: Health o meter; type: Profesional; weight range max: 2200 g; readability: 1 g;     | 10,00         |
| 543   | 1      | <b>manual id tag imprinter</b><br>Band-it, brand: Band-it;                                                                                      | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                       | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 544   | 1      | <b>bio feedback system</b><br>Tmsi, Nexus-16-a, bouwjaar 2008, serienummer 0208080033, brand: Tmsi; type: Nexus-16-a; year: 2008; serial number: 0208080033; description: in case; | 10,00         |
| 545   | 1      | <b>microscope double head</b><br>Olympus, brand: Olympus;                                                                                                                          | 10,00         |
| 546   | 1      | <b>medical video monitor</b><br>Reichert, ClearChart 2, brand: Reichert; type: ClearChart 2;                                                                                       | 10,00         |
| 547   | 1      | <b>medical video monitor</b><br>Reichert, ClearChart 2, brand: Reichert; type: ClearChart 2;                                                                                       | 10,00         |
| 548   | 1      | <b>medical video monitor</b><br>Reichert, ClearChart, brand: Reichert; type: ClearChart;                                                                                           | 10,00         |
| 549   | 1      | <b>microscope stand</b>                                                                                                                                                            | 10,00         |
| 550   | 1      | <b>microscope</b><br>Leica, S4A, brand: Leica; type: S4A; description: with case;                                                                                                  | 10,00         |
| 551   | 1      | <b>microscope</b><br>Leica, S4A, brand: Leica; type: S4A; description: with bag;                                                                                                   | 10,00         |
| 552   | 1      | <b>microscope</b><br>Leica, S4A, brand: Leica; type: S4A; description: with bag;                                                                                                   | 10,00         |
| 553   | 1      | <b>microscope</b><br>Columbia instruments, FM 600, brand: Columbia instruments; type: FM 600; description: with case;                                                              | 10,00         |
| 554   | 1      | <b>microscope</b><br>Columbia instruments, FM 600, brand: Columbia instruments; type: FM 600; description: with case;                                                              | 10,00         |
| 555   | 1      | <b>microscope</b><br>Meiji, Bmk 47949, brand: Meiji; type: Bmk 47949; electric connection: 230 V; description: with case;                                                          | 10,00         |
| 556   | 1      | <b>microscope</b><br>Marco, brand: Marco; electric connection: 120 V;                                                                                                              | 10,00         |
| 557   | 1      | <b>microscope</b><br>Cambridge, brand: Cambridge; electric connection: 120 V;                                                                                                      | 10,00         |
| 558   | 1      | <b>microscope</b><br>Accu-scope, brand: Accu-scope; electric connection: 120 V;                                                                                                    | 10,00         |
| 559   | 1      | <b>microscope</b><br>Motic, B1 series, brand: Motic; type: B1 series; electric connection: 230 V;                                                                                  | 10,00         |
| 560   | 1      | <b>microscope</b><br>Nikon, Smz-1, brand: Nikon; type: Smz-1;                                                                                                                      | 10,00         |
| 561   | 1      | <b>microscope</b><br>Nikon, Smz-1, brand: Nikon; type: Smz-1;                                                                                                                      | 10,00         |
| 562   | 1      | <b>microscope</b>                                                                                                                                                                  | 10,00         |
| 563   | 1      | <b>microscope</b><br>Zeiss, Axioskop, brand: Zeiss; type: Axioskop; stereo: yes; electric connection: 230 V;                                                                       | 10,00         |
| 564   | 1      | <b>fiber lite</b><br>Dolan-Jenner, Mi-150, brand: Dolan-Jenner; type: Mi-150;                                                                                                      | 10,00         |
| 565   | 1      | <b>medical Supplies for oxygen</b><br>Marquet, brand: Marquet;                                                                                                                     | 100,00        |
| 566   | 12     | <b>co2 absorber</b><br>Marquet, 6673717, brand: Marquet; type: 6673717;                                                                                                            | 10,00         |
| 567   | 12     | <b>co2 absorber</b><br>Marquet, 6673717, brand: Marquet; type: 6673717;                                                                                                            | 10,00         |
| 568   | 12     | <b>co2 absorber</b><br>Marquet, 6673717, brand: Marquet; type: 6673717;                                                                                                            | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                 | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 569   | 12     | <b>co2 absorber</b><br>Marquet, 6673717, brand: Marquet; type: 6673717;                                                                                                      | 10,00         |
| 570   | 12     | <b>co2 absorber</b><br>Marquet, 6673717, brand: Marquet; type: 6673717;                                                                                                      | 10,00         |
| 571   | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore;                                                                               | 10,00         |
| 572   | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore;                                                                               | 10,00         |
| 573   | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore;                                                                               | 10,00         |
| 574   | 1      | <b>medical analyzer</b><br>Natus, Nicolet Viking Quest, brand: Natus; type: Nicolet Viking Quest;                                                                            | 10,00         |
| 575   | 1      | <b>non invasive blood pressure analyzer</b><br>Fluke, Cufflink, brand: Fluke; type: Cufflink;                                                                                | 10,00         |
| 576   | 1      | <b>ultrasonic therapy unit</b><br>Chattanooga, Intelect legend Combo, brand: Chattanooga; type: Intelect legend Combo;                                                       | 10,00         |
| 577   | 1      | <b>ultrasonic therapy unit</b><br>Chattanooga, Intelect legend Combo, brand: Chattanooga; type: Intelect legend Combo;                                                       | 10,00         |
| 578   | 1      | <b>ultrasonic therapy unit</b><br>Chattanooga, Intelect legend Combo, brand: Chattanooga; type: Intelect legend Combo;                                                       | 10,00         |
| 579   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 580   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 581   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 582   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 583   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 584   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 585   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 586   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 587   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 588   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 589   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 590   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 591   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 592   | 5      | <b>medical cases</b>                                                                                                                                                         | 10,00         |
| 593   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 12, bouwjaar 2009, brand: Medtronic; type: Lifepak 12; year: 2009;<br>automatic: yes; description: with battery; without charger; | 10,00         |
| 594   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 12, bouwjaar 2009, brand: Medtronic; type: Lifepak 12; year: 2009;<br>automatic: yes; description: without battery and charger;   | 10,00         |
| 595   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 12, bouwjaar 2009, brand: Medtronic; type: Lifepak 12; year: 2009;<br>automatic: yes; description: without battery and charger;   | 10,00         |
| 596   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 12, bouwjaar 2008, brand: Medtronic; type: Lifepak 12; year: 2008;<br>automatic: yes; description: without battery and charger;   | 10,00         |
| 597   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 12, bouwjaar 2008, brand: Medtronic; type: Lifepak 12; year: 2008;<br>automatic: yes; description: without battery and charger;   | 10,00         |
| 598   | 1      | <b>portable ventilator</b><br>Uni-vent, 754, brand: Uni-vent; type: 754;                                                                                                     | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                            | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 599   | 1      | <b>defibrillator</b><br>Physio control, Lifepak 15, bouwjaar 2010, brand: Physio control; type: Lifepak 15; year: 2010; automatic: yes; description: without battery and charger;       | 10,00         |
| 600   | 1      | <b>defibrillator</b><br>Zoll, Aedplus, brand: Zoll; type: Aedplus; automatic: yes; description: battery empty; with bag;                                                                | 10,00         |
| 601   | 1      | <b>automatic blood pressure monitor</b><br>Omron, Hem-780, brand: Omron; type: Hem-780;                                                                                                 | 10,00         |
| 602   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 1000, brand: Medtronic; type: Lifepak 1000; automatic: yes; description: battery empty; with bag;                                            | 10,00         |
| 603   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak CR plus, bouwjaar 2010, brand: Medtronic; type: Lifepak CR plus; year: 2010; automatic: yes; description: battery oke; with bag;             | 10,00         |
| 604   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak CR plus, bouwjaar 2006, brand: Medtronic; type: Lifepak CR plus; year: 2006; automatic: yes; description: battery oke; with bag;             | 10,00         |
| 605   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak CR plus, bouwjaar 2006, brand: Medtronic; type: Lifepak CR plus; year: 2006; automatic: yes; description: battery oke; with bag;             | 10,00         |
| 606   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak 1000, bouwjaar 2006, brand: Medtronic; type: Lifepak 1000; year: 2006; automatic: yes; description: battery oke; with bag;                   | 10,00         |
| 607   | 1      | <b>defibrillator</b><br>Medtronic, Trainer 1000, bouwjaar 2006, brand: Medtronic; type: Trainer 1000; year: 2006; automatic: yes; description: battery empty; with bag;                 | 10,00         |
| 608   | 1      | <b>defibrillator</b><br>Medtronic, Lifepak CR plus, bouwjaar 2006, brand: Medtronic; type: Lifepak CR plus; year: 2006; automatic: yes; description: battery empty; with bag;           | 10,00         |
| 609   | 1      | <b>defibrillator</b><br>Physio control, Lifepak CR plus, bouwjaar 2006, brand: Physio control; type: Lifepak CR plus; year: 2006; automatic: yes; description: battery empty; with bag; | 10,00         |
| 610   | 2      | <b>terry cov sling</b>                                                                                                                                                                  | 10,00         |
| 611   | 1      | <b>box with funnel</b><br>Nalgene, brand: Nalgene;                                                                                                                                      | 10,00         |
| 612   | 20     | <b>wrap sleeves</b><br>Huntleigh, Dvt 30, brand: Huntleigh; type: Dvt 30;                                                                                                               | 10,00         |
| 613   | 20     | <b>wrap sleeves</b><br>Huntleigh, Dvt 30, brand: Huntleigh; type: Dvt 30;                                                                                                               | 10,00         |
| 614   | 1      | <b>box pump sets</b><br>Sherwood, Kangaroo, brand: Sherwood; type: Kangaroo;                                                                                                            | 10,00         |
| 615   | 1      | <b>box with nitrile gloves</b><br>NAR, brand: NAR;                                                                                                                                      | 10,00         |
| 616   | 1      | <b>box with dual lumen stomach tubes</b><br>Covidien, brand: Covidien;                                                                                                                  | 10,00         |
| 617   | 2      | <b>operation head covers</b>                                                                                                                                                            | 10,00         |
| 618   | 6      | <b>human punches</b>                                                                                                                                                                    | 10,00         |
| 619   | 11     | <b>intravenous seals</b>                                                                                                                                                                | 10,00         |
| 620   | 1      | <b>box with suction catheter</b>                                                                                                                                                        | 10,00         |
| 621   | 1      | <b>box with protective dust cap</b>                                                                                                                                                     | 10,00         |
| 622   | 1      | <b>box with medical bags</b>                                                                                                                                                            | 10,00         |
| 623   | 1      | <b>box with plastic straw</b>                                                                                                                                                           | 10,00         |
| 624   | 1      | <b>box with surgical gloves</b>                                                                                                                                                         | 10,00         |



| Kavel | Aantal | Omschrijving                                                                          | Openingsbod € |
|-------|--------|---------------------------------------------------------------------------------------|---------------|
| 625   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 626   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 627   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 628   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 629   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 630   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 631   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 632   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 633   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 634   | 1      | <b>box with survival blankets</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01; | 10,00         |
| 635   | 1      | <b>rubber apron</b><br>Condor, brand: Condor;                                         | 10,00         |
| 636   | 14     | <b>plastic trays</b>                                                                  | 10,00         |
| 637   | 14     | <b>plastic trays</b>                                                                  | 10,00         |
| 638   | 14     | <b>plastic trays</b>                                                                  | 10,00         |
| 639   | 3      | <b>rolls coton</b>                                                                    | 10,00         |
| 640   | 1      | <b>box with medical bags</b>                                                          | 10,00         |
| 641   | 1      | <b>box with medical bags</b>                                                          | 10,00         |
| 642   | 1      | <b>leg table set</b><br>Mobile medical, brand: Mobile medical;                        | 10,00         |
| 643   | 1      | <b>leg table set</b><br>Mobile medical, brand: Mobile medical;                        | 10,00         |
| 644   | 1      | <b>box with medical supply bags</b>                                                   | 10,00         |
| 645   | 1      | <b>box with food containers</b><br>Solo, brand: Solo;                                 | 10,00         |
| 646   | 4.000  | <b>waste bags</b><br>description: volume till 10 gallons;                             | 10,00         |
| 647   | 4.000  | <b>waste bags</b><br>description: volume till 10 gallons;                             | 10,00         |
| 648   | 4.000  | <b>waste bags</b><br>description: volume till 10 gallons;                             | 10,00         |
| 649   | 4.000  | <b>waste bags</b><br>description: volume till 10 gallons;                             | 10,00         |
| 650   | 4.000  | <b>waste bags</b><br>description: volume till 10 gallons;                             | 10,00         |
| 651   | 1      | <b>tent cover and bag</b>                                                             | 10,00         |
| 652   | 1      | <b>box with smocks cloth</b>                                                          | 10,00         |
| 653   | 1      | <b>box with surgical covers</b><br>Halyard, brand: Halyard;                           | 10,00         |
| 654   | 18     | <b>eggcrate bed pads</b><br>Joerns, brand: Joerns;                                    | 10,00         |
| 655   | 4      | <b>flags</b>                                                                          | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                             | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 656   | 18     | <b>eggcrate bed pads</b><br>Joerns, brand: Joerns;                                                                                                       | 10,00         |
| 657   | 1      | <b>calibration analyzer</b><br>Timeter, Rt-200, brand: Timeter; type: Rt-200;                                                                            | 10,00         |
| 658   | 1      | <b>percussionator ventilator</b><br>VDE, VDR-4, bouwjaar 2008, brand: VDE; type: VDR-4; year: 2008;                                                      | 10,00         |
| 659   | 1      | <b>portable vacuum unit</b><br>Atrix international, Omega vac supreme, brand: Atrix international; type: Omega vac supreme; electric connection: 230 V;  | 10,00         |
| 660   | 1      | <b>analytical Balancer</b><br>Mettler Toledo, XS104, brand: Mettler Toledo; type: XS104; weight range max: 120 g; description: d=0,1 mg;                 | 10,00         |
| 661   | 1      | <b>surgical drainage tubes</b>                                                                                                                           | 10,00         |
| 662   | 1      | <b>analytical Balancer</b><br>Sartorius, 1801, brand: Sartorius; type: 1801; weight range max: 110 g; electric connection: 230 V; description: d=0,1 mg; | 10,00         |
| 663   | 1      | <b>analytical Balancer</b><br>And, Fg-30kk, brand: And; type: Fg-30kk; weight range max: 31000 g; electric connection: 230 V; description: d=0,005 kg;   | 10,00         |
| 664   | 1      | <b>analytical Balancer</b><br>Tif, Slimline 9010a, brand: Tif; type: Slimline 9010a; weight range max: 55000 g; electric connection: 230 V;              | 10,00         |
| 665   | 3      | <b>window</b>                                                                                                                                            | 10,00         |
| 666   | 1      | <b>ultrasound Equipment</b><br>SonoSite, P02462-05 / 180 plus, bouwjaar 2003, brand: SonoSite; type: P02462-05 / 180 plus; year: 2003;                   | 10,00         |
| 667   | 1      | <b>blood warming unit</b><br>Sims, Level 1, brand: Sims; type: Level 1; electric connection: 230 V;                                                      | 10,00         |
| 668   | 1      | <b>traction unit</b><br>Chattanooga, brand: Chattanooga; description: broken display;                                                                    | 10,00         |
| 669   | 1      | <b>precision sound level meter</b><br>Genrad, 1982, brand: Genrad; type: 1982;                                                                           | 10,00         |
| 670   | 1      | <b>netTek analyzer</b><br>Tektronix, YSS1315, bouwjaar 2013, brand: Tektronix; type: YSS1315; year: 2013; electric connection: 230 V;                    | 100,00        |
| 671   | 1      | <b>cable tester</b><br>Wavetek, brand: Wavetek;                                                                                                          | 10,00         |
| 672   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 673   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 674   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 675   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 676   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 677   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 678   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |
| 679   | 1      | <b>clinical blood collection mixer</b><br>Genesis bps, Dcm 3000, brand: Genesis bps; type: Dcm 3000; electric connection: 230 V;                         | 100,00        |



| Kavel | Aantal | Omschrijving                                                                                                                           | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 680   | 1      | <b>head ophthalmoscope</b><br>Heine, Omega 500, brand: Heine; type: Omega 500;                                                         | 100,00        |
| 681   | 1      | <b>head ophthalmoscope</b><br>Heine, Omega 500, brand: Heine; type: Omega 500;                                                         | 100,00        |
| 682   | 1      | <b>head ophthalmoscope</b><br>Welch Allen, brand: Welch Allen;                                                                         | 100,00        |
| 683   | 1      | <b>fiber optic bronchoscope</b><br>Fujinon, Bro-y3s, brand: Fujinon; type: Bro-y3s;                                                    | 100,00        |
| 684   | 1      | <b>gastrointestinal endoscope</b><br>Olympus, Gif q180, serienummer 2707051, brand: Olympus; type: Gif q180; serial number: 2707051;   | 100,00        |
| 685   | 1      | <b>gastrointestinal endoscope</b><br>Olympus, Cf-h180al, serienummer 2900113, brand: Olympus; type: Cf-h180al; serial number: 2900113; | 100,00        |
| 686   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 687   | 1      | <b>patient Monitor</b><br>Criticare, 506NT3, brand: Criticare; type: 506NT3; description: with mobile stand;                           | 10,00         |
| 688   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 689   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 690   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 691   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 692   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot vital signs, brand: Welch Allen; type: Spot vital signs; description: with mobile stand;   | 10,00         |
| 693   | 1      | <b>patient Monitor</b><br>Welch Allen, brand: Welch Allen; description: with mobile stand;                                             | 10,00         |
| 694   | 1      | <b>infrared light</b>                                                                                                                  | 10,00         |
| 695   | 1      | <b>patient Monitor</b><br>Welch Allen, brand: Welch Allen; description: with mobile stand;                                             | 10,00         |
| 696   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot vital signs, brand: Welch Allen; type: Spot vital signs; description: with mobile stand;   | 10,00         |
| 697   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 698   | 1      | <b>patient Monitor</b><br>Welch Allen, Spot vital signs, brand: Welch Allen; type: Spot vital signs; description: with mobile stand;   | 10,00         |
| 699   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 700   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 701   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 702   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |
| 703   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                         | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                   | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------|---------------|
| 704   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 705   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 706   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 707   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 708   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 709   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 710   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 711   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 712   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 713   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 714   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 715   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 716   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 717   | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand; | 10,00         |
| 718   | 1      | <b>light unit</b>                                                                                              | 10,00         |
| 719   | 1      | <b>rigid scope</b><br>Stryker, brand: Stryker; description: 30°; 5mm;                                          | 10,00         |
| 720   | 1      | <b>rigid scope</b><br>Karl Storz, Hopkins II, brand: Karl Storz; type: Hopkins II; description: 30°;           | 10,00         |
| 721   | 1      | <b>rigid scope</b><br>Karl Storz, Hopkins II, brand: Karl Storz; type: Hopkins II; description: 30°;           | 10,00         |
| 722   | 1      | <b>rigid scope</b><br>Karl Storz, Hopkins II, brand: Karl Storz; type: Hopkins II; description: 30°;           | 10,00         |
| 723   | 1      | <b>rigid scope</b><br>Karl Storz, Hopkins II, brand: Karl Storz; type: Hopkins II; description: 30°;           | 10,00         |
| 724   | 1      | <b>rigid scope</b><br>Stryker, brand: Stryker; description: 30°; 5mm;                                          | 10,00         |
| 725   | 1      | <b>rigid scope</b><br>Stryker, brand: Stryker; description: 12° hm;                                            | 10,00         |
| 726   | 1      | <b>rigid scope</b><br>Stryker, brand: Stryker; description: 30° hm;                                            | 10,00         |
| 727   | 1      | <b>rigid scope</b><br>Usa, M3, brand: Usa; type: M3; description: 70°;                                         | 10,00         |
| 728   | 1      | <b>rigid scope</b><br>Usa, M3, brand: Usa; type: M3; description: 70°;                                         | 10,00         |
| 729   | 1      | <b>rigid scope</b><br>Cooper, Ht4-f00, brand: Cooper; type: Ht4-f00; description: 70°;                         | 10,00         |
| 730   | 1      | <b>rigid scope</b><br>Karl Storz, Hopkins II, brand: Karl Storz; type: Hopkins II; description: 30°;           | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                         | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------|---------------|
| 731   | 1      | <b>rigid scope</b><br>Karl Storz, brand: Karl Storz; description: 70°;                               | 10,00         |
| 732   | 1      | <b>rigid scope</b><br>Stryker, brand: Stryker; description: 12° hm;                                  | 10,00         |
| 733   | 1      | <b>rigid scope</b><br>Karl Storz, brand: Karl Storz; description: 0°;                                | 10,00         |
| 734   | 1      | <b>rigid scope</b><br>Karl Storz, brand: Karl Storz; description: 30°;                               | 10,00         |
| 735   | 1      | <b>rigid scope</b><br>R. Wolf, Panoview, brand: R. Wolf; type: Panoview; description: 25°;           | 10,00         |
| 736   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins, brand: Karl storz; type: Hopkins;                         | 10,00         |
| 737   | 1      | <b>rigid scope</b><br>Medtronic, 1880160, brand: Medtronic; type: 1880160; description: 0°;          | 10,00         |
| 738   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 30°; | 10,00         |
| 739   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins, brand: Karl storz; type: Hopkins; description: 70°;       | 10,00         |
| 740   | 1      | <b>rigid scope</b><br>R. Wolf, Panoview, brand: R. Wolf; type: Panoview; description: 25°;           | 10,00         |
| 741   | 1      | <b>rigid scope</b><br>Medtronic, 1880161, brand: Medtronic; type: 1880161; description: 0°;          | 10,00         |
| 742   | 1      | <b>rigid scope</b><br>R. Wolf, Panoview, brand: R. Wolf; type: Panoview; description: 25°;           | 10,00         |
| 743   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 0°;  | 10,00         |
| 744   | 1      | <b>rigid scope</b><br>R. Wolf, Panoview, brand: R. Wolf; type: Panoview; description: 25°;           | 10,00         |
| 745   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins, brand: Karl storz; type: Hopkins; description: 0°;        | 10,00         |
| 746   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 0°;  | 10,00         |
| 747   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 30°; | 10,00         |
| 748   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 0°;  | 10,00         |
| 749   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 30°; | 10,00         |
| 750   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 30°; | 10,00         |
| 751   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins, brand: Karl storz; type: Hopkins; description: 30°;       | 10,00         |
| 752   | 1      | <b>rigid scope</b><br>Karl storz, Hopkins II, brand: Karl storz; type: Hopkins II; description: 0°;  | 10,00         |
| 753   | 1      | <b>carbide burs</b><br>Henry Schein, Fg 7902, brand: Henry Schein; type: Fg 7902;                    | 10,00         |
| 754   | 1      | <b>carbide burs</b><br>Henry Schein, Fg 7902, brand: Henry Schein; type: Fg 7902;                    | 10,00         |
| 755   | 1      | <b>carbide burs</b><br>Henry Schein, Fg 7902, brand: Henry Schein; type: Fg 7902;                    | 10,00         |
| 756   | 1      | <b>carbide burs</b><br>Henry Schein, Fg 7902, brand: Henry Schein; type: Fg 7902;                    | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                 | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------------------------------------------------|---------------|
| 757   | 1      | <b>carbide burs</b><br>White, Fg-7104, brand: White; type: Fg-7104;                                                          | 10,00         |
| 758   | 1      | <b>carbide burs</b><br>White, Fg-7104, brand: White; type: Fg-7104;                                                          | 10,00         |
| 759   | 1      | <b>diamond burs</b><br>White, Fg-7104, brand: White; type: Fg-7104;                                                          | 10,00         |
| 760   | 10     | <b>robot carbide burs</b><br>Shofu, brand: Shofu;                                                                            | 10,00         |
| 761   | 1      | <b>orthoscope</b><br>Welch Allen, 23820, brand: Welch Allen; type: 23820;                                                    | 10,00         |
| 762   | 1      | <b>measuring extension</b><br>Agilent, brand: Agilent;                                                                       | 10,00         |
| 763   | 1      | <b>blood warmer</b><br>The Belmont, Buddy lite, brand: The Belmont; type: Buddy lite;                                        | 10,00         |
| 764   | 2      | <b>glidescopes</b><br>Reusable, 0574-0030, brand: Reusable; type: 0574-0030;                                                 | 10,00         |
| 765   | 1      | <b>lightweight stethoscope</b><br>Littmann 3m, Lightweight II, brand: Littmann 3m; type: Lightweight II; description: 71 cm; | 10,00         |
| 766   | 1      | <b>lightweight stethoscope</b><br>Littmann 3m, Lightweight II, brand: Littmann 3m; type: Lightweight II; description: 71 cm; | 10,00         |
| 767   | 1      | <b>lightweight stethoscope</b><br>Littmann 3m, Lightweight II, brand: Littmann 3m; type: Lightweight II; description: 71 cm; | 10,00         |
| 768   | 1      | <b>velometer</b><br>Alnor, Jr, brand: Alnor; type: Jr;                                                                       | 10,00         |
| 769   | 1      | <b>fetal heart detector</b><br>Nicolet, 100 R, brand: Nicolet; type: 100 R;                                                  | 10,00         |
| 770   | 1      | <b>graphic recorder</b><br>Hp, brand: Hp;                                                                                    | 10,00         |
| 771   | 1      | <b>graphic recorder</b><br>Hp, brand: Hp;                                                                                    | 10,00         |
| 772   | 1      | <b>graphic recorder</b><br>Hp, brand: Hp;                                                                                    | 10,00         |
| 773   | 1      | <b>thermometer probe covers</b><br>Welch Allen, brand: Welch Allen;                                                          | 10,00         |
| 774   | 1      | <b>spo2 meter</b><br>Nonin, Onyx, brand: Nonin; type: Onyx;                                                                  | 10,00         |
| 775   | 1      | <b>conductivity meter</b><br>CC, 4360, brand: CC; type: 4360;                                                                | 10,00         |
| 776   | 1      | <b>surgical light</b>                                                                                                        | 10,00         |
| 777   | 1      | <b>sim cube</b><br>Pronk, SC5, brand: Pronk; type: SC5;                                                                      | 10,00         |
| 778   | 1      | <b>anomaloscope</b><br>Dorcy, brand: Dorcy;                                                                                  | 10,00         |
| 779   | 1      | <b>glidescope</b><br>Glidescope, Ranger, brand: Glidescope; type: Ranger;                                                    | 10,00         |
| 780   | 1      | <b>fetal heart detector</b><br>Imex, Pocket Dop II, brand: Imex; type: Pocket Dop II;                                        | 10,00         |
| 781   | 1      | <b>fetal heart detector</b><br>Imex, Pocket Dop II, brand: Imex; type: Pocket Dop II;                                        | 10,00         |
| 782   | 1      | <b>ultraviolet light</b><br>Philips, Burton, brand: Philips; type: Burton;                                                   | 10,00         |
| 783   | 1      | <b>ultraviolet light</b><br>Spectronics, brand: Spectronics; description: 115 volt;                                          | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                 | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------|---------------|
| 784   | 1      | <b>pulmonary device</b><br>Cosmed, C03784-01-04, brand: Cosmed; type: C03784-01-04;          | 10,00         |
| 785   | 1      | <b>fiber optic cables</b><br>Storz, brand: Storz;                                            | 10,00         |
| 786   | 1      | <b>box anti-embolism stocking</b><br>Gloria, brand: Gloria;                                  | 10,00         |
| 787   | 1      | <b>box with tubing</b>                                                                       | 10,00         |
| 788   | 1      | <b>box with tubing</b>                                                                       | 10,00         |
| 789   | 1      | <b>balancer</b>                                                                              | 10,00         |
| 790   | 1      | <b>digital thermometer</b><br>Scantemp, 410, brand: Scantemp; type: 410;                     | 10,00         |
| 791   | 1      | <b>thermometer</b><br>Welch Allen / Braun, brand: Welch Allen / Braun;                       | 10,00         |
| 792   | 1      | <b>thermometer</b><br>Welch Allen / Braun, brand: Welch Allen / Braun;                       | 10,00         |
| 793   | 1      | <b>thermometer</b><br>Welch Allen / Braun, brand: Welch Allen / Braun;                       | 10,00         |
| 794   | 1      | <b>thermometer</b><br>Welch Allen / Braun, brand: Welch Allen / Braun;                       | 10,00         |
| 795   | 1      | <b>oxygen analyzer</b><br>Teledyne, Ad-3, brand: Teledyne; type: Ad-3;                       | 10,00         |
| 796   | 1      | <b>oxygen analyzer</b><br>Teledyne, Ad-3, brand: Teledyne; type: Ad-3;                       | 10,00         |
| 797   | 1      | <b>oxygen analyzer</b><br>Teledyne, Ad-3, brand: Teledyne; type: Ad-3;                       | 10,00         |
| 798   | 1      | <b>thermometer</b><br>Welch Allen, Sure temp plus, brand: Welch Allen; type: Sure temp plus; | 10,00         |
| 799   | 1      | <b>thermometer</b><br>Welch Allen, Sure temp plus, brand: Welch Allen; type: Sure temp plus; | 10,00         |
| 800   | 1      | <b>thermometer</b><br>Welch Allen, Sure temp plus, brand: Welch Allen; type: Sure temp plus; | 10,00         |
| 801   | 1      | <b>thermometer</b><br>Welch Allen, Sure temp plus, brand: Welch Allen; type: Sure temp plus; | 10,00         |
| 802   | 1      | <b>thermometer</b><br>Welch Allen, Sure temp, brand: Welch Allen; type: Sure temp;           | 10,00         |
| 803   | 100    | <b>thermometer sheats</b><br>Adc, Adtemp, brand: Adc; type: Adtemp;                          | 10,00         |
| 804   | 8      | <b>digital thermometers</b><br>Adc, Adremp IV, brand: Adc; type: Adremp IV;                  | 10,00         |
| 805   | 8      | <b>digital thermometers</b><br>Adc, Adremp IV, brand: Adc; type: Adremp IV;                  | 10,00         |
| 806   | 8      | <b>digital thermometers</b><br>Adc, Adremp IV, brand: Adc; type: Adremp IV;                  | 10,00         |
| 807   | 1      | <b>dental scaler</b><br>Cavitron densply, Sps, brand: Cavitron densply; type: Sps;           | 10,00         |
| 808   | 1      | <b>battery</b><br>Ultralife, brand: Ultralife;                                               | 10,00         |
| 809   | 1      | <b>battery</b><br>Ultralife, brand: Ultralife;                                               | 10,00         |
| 810   | 1      | <b>battery</b><br>Ultralife, brand: Ultralife;                                               | 10,00         |
| 811   | 1      | <b>motional transducer</b>                                                                   | 10,00         |
| 812   | 1      | <b>motional transducer</b>                                                                   | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                   | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------|---------------|
| 813   | 1      | <b>motional transducer</b>                                                                                     | 10,00         |
| 814   | 1      | <b>network cable tester</b><br>Tripp lite, N044-000-r, brand: Tripp lite; type: N044-000-r;                    | 10,00         |
| 815   | 1      | <b>network cable tester</b><br>Tripp lite, N044-000-r, brand: Tripp lite; type: N044-000-r;                    | 10,00         |
| 816   | 1      | <b>oximeter pulse</b><br>Covidien, brand: Covidien;                                                            | 10,00         |
| 817   | 1      | <b>oximeter pulse</b><br>Nelcor, Oximax n-65, brand: Nelcor; type: Oximax n-65;                                | 10,00         |
| 818   | 1      | <b>infrared thermometer</b><br>Exergen, brand: Exergen;                                                        | 10,00         |
| 819   | 1      | <b>mini infuser pump</b><br>Medical, Rapid IV, brand: Medical; type: Rapid IV;                                 | 10,00         |
| 820   | 1      | <b>vitality scanner</b><br>Sybron Endo, brand: Sybron Endo;                                                    | 10,00         |
| 821   | 7      | <b>bags fixation screws</b><br>Pro-fix, brand: Pro-fix;                                                        | 10,00         |
| 822   | 1      | <b>oxygen monitor</b><br>Msa, Miniox 3000, brand: Msa; type: Miniox 3000;                                      | 10,00         |
| 823   | 1      | <b>oxygen monitor</b><br>Msa, Miniox 3000, brand: Msa; type: Miniox 3000;                                      | 10,00         |
| 824   | 1      | <b>ophthalmoscope set</b><br>Welch Allen, 11820, brand: Welch Allen; type: 11820;                              | 10,00         |
| 825   | 1      | <b>ophthalmoscope set</b><br>Welch Allen, 11820, brand: Welch Allen; type: 11820; description: incomplete;     | 10,00         |
| 826   | 1      | <b>surgical dressing</b>                                                                                       | 10,00         |
| 827   | 1      | <b>abdominal bandage</b><br>DeRoyal, 13530000, brand: DeRoyal; type: 13530000;                                 | 10,00         |
| 828   | 1      | <b>box oral airways</b>                                                                                        | 10,00         |
| 829   | 5      | <b>boxes finger strips</b><br>Procure, 79-72165, brand: Procure; type: 79-72165;                               | 10,00         |
| 830   | 1      | <b>box with special bags</b>                                                                                   | 10,00         |
| 831   | 1      | <b>thermometer laser</b><br>Raytek, Raynger ST, brand: Raytek; type: Raynger ST;                               | 10,00         |
| 832   | 1      | <b>thermometer laser</b><br>Raytek, Raynger ST, brand: Raytek; type: Raynger ST;                               | 10,00         |
| 833   | 1      | <b>amethystic analyzer</b><br>Riken keiki, FI-21 gas indicator, brand: Riken keiki; type: FI-21 gas indicator; | 10,00         |
| 834   | 1      | <b>infusion pump</b><br>Heska, Vet/IV 2.2, brand: Heska; type: Vet/IV 2.2;                                     | 10,00         |
| 835   | 1      | <b>infusion pump</b><br>Niki, V4, brand: Niki; type: V4;                                                       | 10,00         |
| 836   | 1      | <b>flow detector</b><br>Doppler, 811-b, brand: Doppler; type: 811-b;                                           | 10,00         |
| 837   | 1      | <b>entgraver</b><br>Dremel, brand: Dremel;                                                                     | 10,00         |
| 838   | 1      | <b>heating bath</b><br>Grundig, brand: Grundig; electric connection: 230 V;                                    | 10,00         |
| 839   | 1      | <b>optic light source</b><br>Fisher Scientific, brand: Fisher Scientific;                                      | 10,00         |
| 840   | 1      | <b>fetal simulator</b><br>Fluke, PS320, brand: Fluke; type: PS320; electric connection: 230 V;                 | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                       | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------------------------------|---------------|
| 841   | 1      | <b>nitrous oxide meter</b><br>Viasensor, G200, brand: Viasensor; type: G200;                                       | 10,00         |
| 842   | 1      | <b>safety analyzer</b><br>Dale, Lt544d plus, brand: Dale; type: Lt544d plus; electric connection: 230 V;           | 10,00         |
| 843   | 6      | <b>bipolar cords</b><br>DeRoyal, 88-001000, brand: DeRoyal; type: 88-001000;                                       | 10,00         |
| 844   | 1      | <b>environmental sampler unit</b><br>3m, Quest evm, brand: 3m; type: Quest evm;                                    | 10,00         |
| 845   | 1      | <b>smartSeth unit</b><br>Amd, 3550, brand: Amd; type: 3550;                                                        | 10,00         |
| 846   | 1      | <b>safety analyzer</b><br>Dale, Lt544d plus, brand: Dale; type: Lt544d plus; electric connection: 230 V;           | 10,00         |
| 847   | 1      | <b>endoscope set c-max</b><br>Karl Storz, 8401 zx, brand: Karl Storz; type: 8401 zx;                               | 10,00         |
| 848   | 1      | <b>spectrum analyzer</b><br>Rohde&Schwarz, Fsh3, brand: Rohde&Schwarz; type: Fsh3; description: range 100kHz-3GHz; | 10,00         |
| 849   | 1      | <b>ophthalmoscope set</b><br>Welch Allen, 11820, brand: Welch Allen; type: 11820; description: incomplete;         | 10,00         |
| 850   | 1      | <b>tonometer</b><br>Mentor, Tono-pen xl, brand: Mentor; type: Tono-pen xl;                                         | 10,00         |
| 851   | 1      | <b>test set</b>                                                                                                    | 10,00         |
| 852   | 1      | <b>dual channel stimulator kit</b><br>Intelect, Tens, brand: Intelect; type: Tens;                                 | 10,00         |
| 853   | 1      | <b>orascopic set</b><br>Zeon discovery, 921690-1, brand: Zeon discovery; type: 921690-1;                           | 10,00         |
| 854   | 1      | <b>orascopic set</b><br>Zeon discovery, 921690-1, brand: Zeon discovery; type: 921690-1;                           | 10,00         |
| 855   | 1      | <b>orascopic set</b><br>Zeon discovery, 921690-1, brand: Zeon discovery; type: 921690-1;                           | 10,00         |
| 856   | 1      | <b>sim cube</b><br>Pronk, SC5, brand: Pronk; type: SC5;                                                            | 10,00         |
| 857   | 1      | <b>rolls elastic bandage</b>                                                                                       | 10,00         |
| 858   | 1      | <b>intravenous pump</b><br>Ivac, brand: Ivac;                                                                      | 10,00         |
| 859   | 1      | <b>physiologic monitor module</b><br>Philips, M3001A, brand: Philips; type: M3001A;                                | 10,00         |
| 860   | 1      | <b>physiologic monitor module</b><br>Philips, M3001A, brand: Philips; type: M3001A;                                | 10,00         |
| 861   | 1      | <b>physiologic monitor module</b><br>Philips, M3001A, brand: Philips; type: M3001A;                                | 10,00         |
| 862   | 1      | <b>physiologic monitor module</b><br>Philips, M3001A, brand: Philips; type: M3001A;                                | 10,00         |
| 863   | 1      | <b>physiologic monitor module</b><br>Philips, brand: Philips;                                                      | 10,00         |
| 864   | 1      | <b>physiologic monitor module</b><br>Philips, brand: Philips;                                                      | 10,00         |
| 865   | 1      | <b>dental equipment</b><br>Morita, RCM-EX, brand: Morita; type: RCM-EX;                                            | 10,00         |
| 866   | 1      | <b>dental equipment</b><br>Morita, RCM-EX, brand: Morita; type: RCM-EX;                                            | 10,00         |
| 867   | 1      | <b>dental equipment</b><br>Morita, RCM-EX, brand: Morita; type: RCM-EX;                                            | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                   | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------|---------------|
| 868   | 1      | <b>dental equipment</b><br>Morita, RCM-EX, brand: Morita; type: RCM-EX;                                        | 10,00         |
| 869   | 6      | <b>tuli heel cup</b><br>Bird & cronin, brand: Bird & cronin;                                                   | 10,00         |
| 870   | 12     | <b>moist burn pads</b><br>Spenco, 2nd skin, brand: Spenco; type: 2nd skin;                                     | 10,00         |
| 871   | 12     | <b>moist burn pads</b><br>Spenco, 2nd skin, brand: Spenco; type: 2nd skin;                                     | 10,00         |
| 872   | 12     | <b>moist burn pads</b><br>Spenco, 2nd skin, brand: Spenco; type: 2nd skin;                                     | 10,00         |
| 873   | 1      | <b>cold pacs</b><br>Patterson medical, brand: Patterson medical;                                               | 10,00         |
| 874   | 10     | <b>sterile cotton tipped</b><br>Puritan, brand: Puritan;                                                       | 10,00         |
| 875   | 1      | <b>external drainage system</b><br>Codman, brand: Codman;                                                      | 10,00         |
| 876   | 4      | <b>ankle stabilizer</b><br>Bird & cronin, brand: Bird & cronin;                                                | 10,00         |
| 877   | 1      | <b>powder free exam gloves</b><br>Halyard, brand: Halyard;                                                     | 10,00         |
| 878   | 17     | <b>skin temperature probe</b><br>Measurement, brand: Measurement;                                              | 10,00         |
| 879   | 4      | <b>wound closures</b><br>Aspen, brand: Aspen;                                                                  | 10,00         |
| 880   | 3      | <b>wirst brace</b>                                                                                             | 10,00         |
| 881   | 1      | <b>tracheal tub holder</b><br>Portex, brand: Portex;                                                           | 10,00         |
| 882   | 1      | <b>bioimpedance analyzer</b><br>Biodynamics, brand: Biodynamics;                                               | 10,00         |
| 883   | 1      | <b>bioimpedance analyzer</b><br>Biodynamics, brand: Biodynamics;                                               | 10,00         |
| 884   | 2      | <b>thermometer</b><br>Exergen, brand: Exergen;                                                                 | 10,00         |
| 885   | 1      | <b>hand grip dynamometer</b><br>Jamar, brand: Jamar;                                                           | 10,00         |
| 886   | 1      | <b>hand grip dynamometer</b><br>Jamar, brand: Jamar;                                                           | 10,00         |
| 887   | 1      | <b>hand grip dynamometer</b><br>Jamar, brand: Jamar;                                                           | 10,00         |
| 888   | 1      | <b>bioelectrical impedance analyzer</b><br>RJL, Quantum III, brand: RJL; type: Quantum III;                    | 10,00         |
| 889   | 1      | <b>defibrillator and transcutaneous pacer analyzer</b><br>Fluke, Impuls 4000, brand: Fluke; type: Impuls 4000; | 10,00         |
| 890   | 3      | <b>hair and beard clipper</b>                                                                                  | 10,00         |
| 891   | 1      | <b>sphygmomanometer</b><br>Welch allyn, brand: Welch allyn;                                                    | 10,00         |
| 892   | 1      | <b>sphygmomanometer</b><br>Welch allyn, brand: Welch allyn;                                                    | 10,00         |
| 893   | 1      | <b>sphygmomanometer</b><br>Welch allyn, brand: Welch allyn;                                                    | 10,00         |
| 894   | 1      | <b>ultrasonic test set</b><br>Ctrl, UL 101, brand: Ctrl; type: UL 101;                                         | 10,00         |



| Kavel | Aantal | Omschrijving                                                                            | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------|---------------|
| 895   | 1      | <b>low resistance ohmmeter</b><br>Megger, DLRO10HD, brand: Megger; type: DLRO10HD;      | 10,00         |
| 896   | 1      | <b>aspirator</b><br>LCSU, brand: LCSU;                                                  | 10,00         |
| 897   | 1      | <b>aspirator</b><br>LCSU, brand: LCSU;                                                  | 10,00         |
| 898   | 1      | <b>aspirator</b><br>LCSU, brand: LCSU;                                                  | 10,00         |
| 899   | 1      | <b>air flow calibrator</b><br>Radeco, D-8528, brand: Radeco; type: D-8528;              | 10,00         |
| 900   | 1      | <b>electrical safety analyzer</b><br>Fluke, ESA601, brand: Fluke; type: ESA601;         | 10,00         |
| 901   | 15     | <b>safety shave</b><br>description: 15 boxes a 1500 pieces ;                            | 10,00         |
| 902   | 1      | <b>safety shave</b><br>description: 1 boxes a 200 pieces;                               | 10,00         |
| 903   | 1      | <b>safety shave</b><br>description: 1 boxes a 200 pieces;                               | 10,00         |
| 904   | 7      | <b>safety shave</b><br>description: 7 boxes a 700 pieces ;                              | 10,00         |
| 905   | 8      | <b>safety shave</b><br>description: 8 boxes a 800 pieces ;                              | 10,00         |
| 906   | 8      | <b>safety shave</b><br>description: 8 boxes a 800 pieces ;                              | 10,00         |
| 907   | 16     | <b>safety shave</b><br>description: 16 boxes a 1600 pieces ;                            | 10,00         |
| 908   | 16     | <b>safety shave</b><br>description: 16 boxes a 1600 pieces ;                            | 10,00         |
| 909   | 16     | <b>safety shave</b><br>description: 16 boxes a 1600 pieces ;                            | 10,00         |
| 910   | 8      | <b>safety shave</b><br>description: 8 boxes a 800pieces ;                               | 10,00         |
| 911   | 1      | <b>cervical immobilization kit</b><br>Ambu lifecare, brand: Ambu lifecare;              | 10,00         |
| 912   | 1      | <b>cervical immobilization kit</b><br>Ambu lifecare, brand: Ambu lifecare;              | 10,00         |
| 913   | 4      | <b>utility plastic pail</b><br>description: 4 boxes a 48 pieces;                        | 10,00         |
| 914   | 3      | <b>utility plastic pail</b><br>description: 3 boxes a 36 pieces;                        | 10,00         |
| 915   | 3      | <b>utility plastic pail</b><br>description: 3 boxes a 36 pieces;                        | 10,00         |
| 916   | 3      | <b>utility plastic pail</b><br>description: 3 boxes a 36 pieces;                        | 10,00         |
| 917   | 1      | <b>insert cabinet</b>                                                                   | 10,00         |
| 918   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180; | 10,00         |
| 919   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180; | 10,00         |
| 920   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180; | 10,00         |
| 921   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 922   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180;                                                                     | 10,00         |
| 923   | 1      | <b>folding field beds</b><br>J&S, 7105-99-383-2180, brand: J&S; type: 7105-99-383-2180;                                                                     | 10,00         |
| 924   | 5      | <b>transport box</b><br>Hardigg, Tankmate, brand: Hardigg; type: Tankmate; total dimension L: 400 mm; total dimension W: 140 mm; total dimension H: 650 mm; | 10,00         |
| 925   | 5      | <b>transport box</b><br>Hardigg, Tankmate, brand: Hardigg; type: Tankmate; total dimension L: 400 mm; total dimension W: 140 mm; total dimension H: 650 mm; | 10,00         |
| 926   | 1      | <b>dental equipment</b><br>Dentalaire, brand: Dentalaire;                                                                                                   | 10,00         |
| 927   | 1      | <b>molding machine</b><br>Scheu, Biostar, brand: Scheu; type: Biostar;                                                                                      | 10,00         |
| 928   | 3      | <b>bathroom cleaner</b><br>Jaws, brand: Jaws;                                                                                                               | 10,00         |
| 929   | 1      | <b>dental equipment</b><br>Kavo, brand: Kavo;                                                                                                               | 10,00         |
| 930   | 1      | <b>sharpener</b><br>Kerrhawe, Periostar 3000, brand: Kerrhawe; type: Periostar 3000;                                                                        | 10,00         |
| 931   | 1      | <b>circulating pump</b><br>Gaymar, brand: Gaymar;                                                                                                           | 10,00         |
| 932   | 1      | <b>activation light</b><br>Dentsply, Iq2, brand: Dentsply; type: Iq2;                                                                                       | 10,00         |
| 933   | 1      | <b>activation light loader</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                              | 10,00         |
| 934   | 1      | <b>activation light</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                                     | 10,00         |
| 935   | 1      | <b>activation light</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                                     | 10,00         |
| 936   | 1      | <b>activation light</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                                     | 10,00         |
| 937   | 1      | <b>activation light</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                                     | 10,00         |
| 938   | 1      | <b>activation light</b><br>Bleuphase, 16i, brand: Bleuphase; type: 16i;                                                                                     | 10,00         |
| 939   | 1      | <b>top spin</b><br>Renfert, brand: Renfert;                                                                                                                 | 10,00         |
| 940   | 1      | <b>vacuum mixing</b><br>Renfert, brand: Renfert;                                                                                                            | 10,00         |
| 941   | 1      | <b>filler system</b><br>Analytic, 1005, brand: Analytic; type: 1005;                                                                                        | 10,00         |
| 942   | 1      | <b>filler system</b><br>Analytic, 1005, brand: Analytic; type: 1005;                                                                                        | 10,00         |
| 943   | 1      | <b>curing unit</b><br>Dentsply, Enterra, brand: Dentsply; type: Enterra;                                                                                    | 10,00         |
| 944   | 1      | <b>spectrophotometer</b><br>Dentsply, NE274, brand: Dentsply; type: NE274;                                                                                  | 10,00         |
| 945   | 5      | <b>impaction drill</b><br>Stryker, Core, brand: Stryker; type: Core;                                                                                        | 10,00         |
| 946   | 10     | <b>molar crowns</b><br>3m, Espe, brand: 3m; type: Espe;                                                                                                     | 10,00         |



| Kavel | Aantal | Omschrijving                                                                         | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------|---------------|
| 947   | 1      | <b>furnace casting</b><br>Vita, Vacumat 100, brand: Vita; type: Vacumat 100;         | 10,00         |
| 948   | 1      | <b>prophylactic unit</b><br>Dentsply, GEN-119U, brand: Dentsply; type: GEN-119U;     | 10,00         |
| 949   | 1      | <b>molding machine</b><br>Scheu, Biostar, brand: Scheu; type: Biostar;               | 10,00         |
| 950   | 1      | <b>molding machine</b><br>Scheu, Biostar, brand: Scheu; type: Biostar;               | 10,00         |
| 951   | 1      | <b>dental delivery unit</b><br>Caspertico, brand: Caspertico;                        | 10,00         |
| 952   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 953   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 954   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 955   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 956   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 957   | 1      | <b>ultrasonic scaling and air polishing unit</b><br>Dentsply, brand: Dentsply;       | 10,00         |
| 958   | 1      | <b>ultrasonic scaling unit</b><br>Dentsply, brand: Dentsply;                         | 10,00         |
| 959   | 1      | <b>ultrasonic scaling unit</b><br>Dentsply, brand: Dentsply;                         | 10,00         |
| 960   | 1      | <b>ultrasonic scaling unit</b><br>Dentsply, brand: Dentsply;                         | 10,00         |
| 961   | 1      | <b>powered instrument driver</b><br>Stryker, Core, brand: Stryker; type: Core;       | 10,00         |
| 962   | 1      | <b>endoscopy video processor</b><br>Pentax, EPM-3500, brand: Pentax; type: EPM-3500; | 10,00         |
| 963   | 1      | <b>examination light</b><br>Welchallyn, EPM-3500, brand: Welchallyn; type: EPM-3500; | 10,00         |
| 964   | 1      | <b>examination light</b><br>Welchallyn, EPM-3500, brand: Welchallyn; type: EPM-3500; | 10,00         |
| 965   | 1      | <b>surgical lighting system</b><br>Alm, brand: Alm;                                  | 100,00        |
| 966   | 1      | <b>surgical lighting system</b><br>Alm, brand: Alm;                                  | 100,00        |
| 967   | 1      | <b>surgical lighting system</b><br>Alm, brand: Alm;                                  | 100,00        |
| 968   | 1      | <b>electrical chassis</b>                                                            | 10,00         |
| 969   | 283    | <b>floss</b>                                                                         | 10,00         |
| 970   | 5      | <b>respirator mask</b><br>M3, brand: M3;                                             | 10,00         |
| 971   | 5      | <b>respirator mask</b><br>M3, brand: M3;                                             | 10,00         |
| 972   | 5      | <b>respirator mask</b><br>M3, brand: M3;                                             | 10,00         |
| 973   | 5      | <b>respirator mask</b><br>M3, brand: M3;                                             | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                   | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------|---------------|
| 974   | 10     | <b>respirator mask</b><br>M3, brand: M3;                                                                       | 10,00         |
| 975   | 10     | <b>respirator mask</b><br>M3, brand: M3;                                                                       | 10,00         |
| 976   | 10     | <b>respirator mask</b><br>M3, brand: M3;                                                                       | 10,00         |
| 977   | 2      | <b>floss</b><br>Butler, brand: Butler;                                                                         | 10,00         |
| 978   | 1      | <b>medical monitor</b><br>Edwards lifesciences, Vigilance II, brand: Edwards lifesciences; type: Vigilance II; | 100,00        |
| 979   | 1      | <b>medical monitor</b><br>Edwards lifesciences, Vigilance II, brand: Edwards lifesciences; type: Vigilance II; | 100,00        |
| 980   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 981   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 982   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 983   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 984   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 985   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 986   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 987   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 988   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 989   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 990   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 991   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 992   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 993   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 994   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 995   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 996   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 997   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 998   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |
| 999   | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;                                 | 10,00         |



| Kavel | Aantal | Omschrijving                                                                       | Openingsbod € |
|-------|--------|------------------------------------------------------------------------------------|---------------|
| 1000  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1001  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1002  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1003  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1004  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1005  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1006  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1007  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1008  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1009  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1010  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1011  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1012  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1013  | 1      | <b>hypothermie blanket</b><br>Chillbuster, 800, brand: Chillbuster; type: 800;     | 10,00         |
| 1014  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1015  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1016  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1017  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1018  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1019  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1020  | 12     | <b>patient utility kit</b><br>Medline, brand: Medline;                             | 10,00         |
| 1021  | 1      | <b>wast docking station</b>                                                        | 10,00         |
| 1022  | 1      | <b>slit lamp</b><br>Topcon, SL-7E, brand: Topcon; type: SL-7E;                     | 10,00         |
| 1023  | 1      | <b>slit lamp</b><br>HS, BQ 900, brand: HS; type: BQ 900;                           | 10,00         |
| 1024  | 1      | <b>ophthalmic instrument</b><br>Zeiss, 715, brand: Zeiss; type: 715;               | 10,00         |
| 1025  | 1      | <b>ophthalmic instrument</b><br>Zeiss, 710, brand: Zeiss; type: 710;               | 10,00         |
| 1026  | 1      | <b>ophthalmic instrument</b><br>Topcon, TRC-NW200, brand: Topcon; type: TRC-NW200; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                               | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------|---------------|
| 1027  | 1      | <b>ophthalmic instrument</b><br>Topcon, KR-8800, brand: Topcon; type: KR-8800;             | 10,00         |
| 1028  | 1      | <b>refractometer</b><br>Topcon, CV-5000, brand: Topcon; type: CV-5000;                     | 10,00         |
| 1029  | 1      | <b>auto chart projector</b><br>Marco, CP-690E, brand: Marco; type: CP-690E;                | 10,00         |
| 1030  | 1      | <b>manual lensometer</b><br>Zeiss, brand: Zeiss;                                           | 10,00         |
| 1031  | 1      | <b>ophthalmic instrument</b><br>Zeiss, 750i, brand: Zeiss; type: 750i;                     | 10,00         |
| 1032  | 1      | <b>ophthalmic instrument</b><br>Nidek, LM-1200, brand: Nidek; type: LM-1200;               | 10,00         |
| 1033  | 1      | <b>ophthalmic instrument</b><br>Nidek, LM-1200, brand: Nidek; type: LM-1200;               | 10,00         |
| 1034  | 1      | <b>ophthalmic instrument</b><br>Optec, 2300, brand: Optec; type: 2300;                     | 10,00         |
| 1035  | 1      | <b>eye cart projector</b><br>Huvitz, HCP-7000, brand: Huvitz; type: HCP-7000;              | 10,00         |
| 1036  | 1      | <b>eye cart projector</b><br>Huvitz, HCP-7000, brand: Huvitz; type: HCP-7000;              | 10,00         |
| 1037  | 1      | <b>eye cart projector</b><br>Huvitz, HCP-7000, brand: Huvitz; type: HCP-7000;              | 10,00         |
| 1038  | 1      | <b>vintage ophthalmic instrument</b><br>Reichert, 710, brand: Reichert; type: 710;         | 10,00         |
| 1039  | 1      | <b>trimmer</b><br>Whip mix, 3C , brand: Whip mix; type: 3C ;                               | 10,00         |
| 1040  | 1      | <b>ophthalmic instrument</b><br>Lampert, PUK D3, brand: Lampert; type: PUK D3;             | 10,00         |
| 1041  | 1      | <b>casting furnace</b><br>Bego, 26300, brand: Bego; type: 26300;                           | 10,00         |
| 1042  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1043  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1044  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1045  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1046  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1047  | 1      | <b>amalgamator</b><br>Sds kerr, 100, brand: Sds kerr; type: 100;                           | 10,00         |
| 1048  | 1      | <b>filler system</b><br>Obtura, brand: Obtura;                                             | 10,00         |
| 1049  | 1      | <b>visible light cure system</b><br>Densply, TRIAD 2000, brand: Densply; type: TRIAD 2000; | 10,00         |
| 1050  | 1      | <b>activato dental light</b><br>Sds kerr, Optilux 501, brand: Sds kerr; type: Optilux 501; | 10,00         |
| 1051  | 1      | <b>activato dental light</b><br>Sds kerr, Optilux 501, brand: Sds kerr; type: Optilux 501; | 10,00         |
| 1052  | 1      | <b>amalgamator</b><br>Acteon, Softly, brand: Acteon; type: Softly;                         | 10,00         |



| Kavel | Aantal | Omschrijving                                                                          | Openingsbod € |
|-------|--------|---------------------------------------------------------------------------------------|---------------|
| 1053  | 1      | <b>lot of dental instruments</b><br>Softly, type: Softly;                             | 10,00         |
| 1054  | 1      | <b>diode dental laser</b><br>Ilase, brand: Ilase;                                     | 10,00         |
| 1055  | 1      | <b>laboratory analyzer</b><br>I-stat, 300-g, brand: I-stat; type: 300-g;              | 10,00         |
| 1056  | 1      | <b>oxygen concentrator</b><br>Airsep, ONYX, brand: Airsep; type: ONYX;                | 10,00         |
| 1057  | 6      | <b>glove dispenser</b><br>Henry shein, brand: Henry shein;                            | 10,00         |
| 1058  | 36     | <b>lap sponges</b><br>Surgicount, brand: Surgicount;                                  | 10,00         |
| 1059  | 12     | <b>precision fixation system</b><br>Profix, brand: Profix;                            | 10,00         |
| 1060  | 6      | <b>flat cups</b><br>Refresher, brand: Refresher; description: 6 boxes a 10000 pieces; | 10,00         |
| 1061  | 62     | <b>intravenous pole</b><br>description: 6 boxes a 10000 pieces;                       | 10,00         |
| 1062  | 12     | <b>eyewear frame</b><br>Randolph, brand: Randolph;                                    | 10,00         |
| 1063  | 10     | <b>eyewear frame</b><br>Rochester, brand: Rochester;                                  | 10,00         |
| 1064  | 15     | <b>eyewear frame</b><br>Rochester, brand: Rochester;                                  | 10,00         |
| 1065  | 12     | <b>eyewear frame</b><br>Rochester, brand: Rochester;                                  | 10,00         |
| 1066  | 24     | <b>eyewear frame</b><br>Rochester, brand: Rochester;                                  | 10,00         |
| 1067  | 43     | <b>lens</b><br>Sola, brand: Sola;                                                     | 10,00         |
| 1068  | 1      | <b>lot of crutch</b><br>Guardian, brand: Guardian;                                    | 10,00         |
| 1069  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1070  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1071  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1072  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1073  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1074  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1075  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1076  | 1      | <b>crutch</b><br>Guardian, brand: Guardian;                                           | 10,00         |
| 1077  | 1      | <b>basin stand</b>                                                                    | 10,00         |
| 1078  | 1      | <b>basin stand</b>                                                                    | 10,00         |
| 1079  | 1      | <b>basin stand</b>                                                                    | 10,00         |
| 1080  | 1      | <b>basin stand</b>                                                                    | 10,00         |
| 1081  | 1      | <b>basin stand</b>                                                                    | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                  | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------------|---------------|
| 1082  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1083  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1084  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1085  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1086  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1087  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1088  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1089  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1090  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1091  | 1      | <b>basin stand</b>                                                                            | 10,00         |
| 1092  | 1      | <b>patient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505;             | 10,00         |
| 1093  | 1      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1094  | 1      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1095  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1096  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1097  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1098  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1099  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1100  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1101  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1102  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1103  | 2      | <b>personal stress reliever</b><br>Heartmath, Emwave2, brand: Heartmath; type: Emwave2;       | 10,00         |
| 1104  | 1      | <b>dental panoramic x-ray</b><br>Planmeca, Dimax3, brand: Planmeca; type: Dimax3;             | 10,00         |
| 1105  | 1      | <b>dental panoramic x-ray</b><br>Planmeca, Dimax3 caph, brand: Planmeca; type: Dimax3 caph;   | 10,00         |
| 1106  | 2      | <b>lab instrument</b><br>Fluke, MPS450, brand: Fluke; type: MPS450;                           | 10,00         |
| 1107  | 1      | <b>dental panoramic x-ray</b><br>Planmeca, Dimax3 caph, brand: Planmeca; type: Dimax3 caph;   | 10,00         |
| 1108  | 1      | <b>electrosurgical unit</b><br>Conmed, Hyfrecator 2000, brand: Conmed; type: Hyfrecator 2000; | 10,00         |
| 1109  | 1      | <b>patient monitors</b><br>Philips, brand: Philips;                                           | 10,00         |
| 1110  | 1      | <b>dental bath</b><br>Erkodent, brand: Erkodent;                                              | 10,00         |
| 1111  | 1      | <b>coffee maker</b><br>CNtronic, brand: CNtronic;                                             | 10,00         |
| 1112  | 1      | <b>ortho welder</b><br>Yates & brid, brand: Yates & brid;                                     | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                    | Openingsbod € |
|-------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1113  | 1      | <b>infusion device analyzer</b><br>Fluke, IDA-5, brand: Fluke; type: IDA-5;                                                                     | 10,00         |
| 1114  | 1      | <b>amalgamator</b><br>Caulk, Vari-mix III, brand: Caulk; type: Vari-mix III;                                                                    | 10,00         |
| 1115  | 1      | <b>laserpin</b><br>Girrbach, Laser pin, brand: Girrbach; type: Laser pin;                                                                       | 10,00         |
| 1116  | 1      | <b>portable sealer</b><br>Bosch, HS-BII, brand: Bosch; type: HS-BII;                                                                            | 10,00         |
| 1117  | 1      | <b>air purification</b><br>PCI, G10VP, brand: PCI; type: G10VP;                                                                                 | 10,00         |
| 1118  | 1      | <b>spectrophotometer</b><br>Shimadzu, UV-160A, brand: Shimadzu; type: UV-160A;                                                                  | 10,00         |
| 1119  | 1      | <b>amalgamator</b><br>Sds kerr, 4000, brand: Sds kerr; type: 4000;                                                                              | 10,00         |
| 1120  | 1      | <b>amalgamator</b><br>Sds kerr, 4000, brand: Sds kerr; type: 4000;                                                                              | 10,00         |
| 1121  | 1      | <b>amalgamator</b><br>Sds kerr, 4000, brand: Sds kerr; type: 4000;                                                                              | 10,00         |
| 1122  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1123  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1124  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1125  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1126  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1127  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1128  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1129  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1130  | 1      | <b>pathological box</b><br>Thermo safe, brand: Thermo safe; total dimension L: 500 mm; total dimension W: 470 mm;<br>total dimension H: 420 mm; | 10,00         |
| 1131  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box;                                          | 10,00         |
| 1132  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box;                                          | 10,00         |
| 1133  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box;                                          | 10,00         |
| 1134  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box;                                          | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                           | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------------------|---------------|
| 1135  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box; | 10,00         |
| 1136  | 1      | <b>parient warming system</b><br>Bair hugger, 505, brand: Bair hugger; type: 505; description: in box; | 10,00         |
| 1137  | 1      | <b>weighing scale</b><br>Detecto, 6745, brand: Detecto; type: 6745;                                    | 10,00         |
| 1138  | 46     | <b>inflatable face mask</b><br>Kingsystems, brand: Kingsystems;                                        | 10,00         |
| 1139  | 38     | <b>fracure bedpan</b><br>Medline, brand: Medline;                                                      | 10,00         |
| 1140  | 200    | <b>gas sampling</b><br>Portex, brand: Portex; description: in 4 boxes;                                 | 10,00         |
| 1141  | 200    | <b>gas sampling</b><br>Portex, brand: Portex; description: in 4 boxes;                                 | 10,00         |
| 1142  | 60     | <b>moist burn pads</b><br>Spenco, 2nd skin, brand: Spenco; type: 2nd skin;                             | 10,00         |
| 1143  | 36     | <b>survival blanket</b><br>Blizzard, Bps-01, brand: Blizzard; type: Bps-01;                            | 10,00         |
| 1144  | 40     | <b>yankauer</b><br>Argyle, brand: Argyle;                                                              | 10,00         |
| 1145  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1146  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1147  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1148  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1149  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1150  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1151  | 1      | <b>readiness pack</b><br>Zoll, brand: Zoll;                                                            | 10,00         |
| 1152  | 48     | <b>universal oxygen connector</b><br>Hudson, brand: Hudson;                                            | 10,00         |
| 1153  | 3      | <b>chair sleeve</b><br>Total care, brand: Total care;                                                  | 10,00         |
| 1154  | 20     | <b>yankauer</b><br>Argyle, brand: Argyle;                                                              | 10,00         |
| 1155  | 160    | <b>underpad</b><br>Medline, brand: Medline;                                                            | 10,00         |
| 1156  | 48     | <b>non-adherent dressing</b><br>Covidien, brand: Covidien;                                             | 10,00         |
| 1157  | 20     | <b>latex-free bandage</b><br>Hartmann, brand: Hartmann;                                                | 10,00         |
| 1158  | 4      | <b>heartstart pads</b><br>Philips, M3717A, brand: Philips; type: M3717A;                               | 10,00         |
| 1159  | 71     | <b>emergency gloves</b><br>Philips, M3717A, brand: Philips; type: M3717A;                              | 10,00         |
| 1160  | 71     | <b>emergency gloves</b><br>Philips, M3717A, brand: Philips; type: M3717A;                              | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                     | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1161  | 71     | <b>emergency gloves</b><br>Philips, M3717A, brand: Philips; type: M3717A;                                                                        | 10,00         |
| 1162  | 12     | <b>supraglottic airway resuscitation</b><br>Intersurgical, brand: Intersurgical;                                                                 | 10,00         |
| 1163  | 2      | <b>suction unit</b><br>Laerdal, brand: Laerdal;                                                                                                  | 10,00         |
| 1164  | 10     | <b>warming blanket</b><br>Bair hugger, brand: Bair hugger;                                                                                       | 10,00         |
| 1165  | 10     | <b>soft knee brace</b><br>Breg, brand: Breg;                                                                                                     | 10,00         |
| 1166  | 1      | <b>lot of adapter</b><br>Medsystem, brand: Medsystem;                                                                                            | 10,00         |
| 1167  | 30     | <b>orthopedic rocker curved shoe</b>                                                                                                             | 10,00         |
| 1168  | 5      | <b>post op shoe</b><br>Deroyal, brand: Deroyal;                                                                                                  | 10,00         |
| 1169  | 18     | <b>comfort insoles</b><br>Spenco gel, brand: Spenco gel;                                                                                         | 10,00         |
| 1170  | 100    | <b>disposable billicombi</b><br>Medela, brand: Medela;                                                                                           | 10,00         |
| 1171  | 100    | <b>lot of cuffed tracheal tube</b>                                                                                                               | 10,00         |
| 1172  | 1      | <b>examination light</b><br>Provita, brand: Provita;                                                                                             | 10,00         |
| 1173  | 1      | <b>examination light</b><br>Provita, brand: Provita;                                                                                             | 10,00         |
| 1174  | 1      | <b>examination light</b><br>Provita, brand: Provita;                                                                                             | 10,00         |
| 1175  | 1      | <b>examination light</b><br>Provita, brand: Provita;                                                                                             | 10,00         |
| 1176  | 1      | <b>examination light</b><br>Welch Allen, 48742, brand: Welch Allen; type: 48742; electric connection: 230 V;                                     | 10,00         |
| 1177  | 1      | <b>examination light</b><br>Welch Allen, 48742, brand: Welch Allen; type: 48742; electric connection: 230 V;                                     | 10,00         |
| 1178  | 1      | <b>examination light</b><br>Welch Allen, 48742, brand: Welch Allen; type: 48742; electric connection: 230 V;                                     | 10,00         |
| 1179  | 1      | <b>examination light</b><br>Welch Allen, 48742, brand: Welch Allen; type: 48742; electric connection: 230 V;                                     | 10,00         |
| 1180  | 1      | <b>examination light</b><br>Brenner, 48742, brand: Brenner; type: 48742; electric connection: 230 V;                                             | 10,00         |
| 1181  | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore; manual present: yes; description: in storage box; | 10,00         |
| 1182  | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore; manual present: yes; description: in storage box; | 10,00         |
| 1183  | 1      | <b>laboratory refrigerator</b><br>Velp scientifica, FTC 90E, brand: Velp scientifica; type: FTC 90E;                                             | 10,00         |
| 1184  | 1      | <b>anesthetic vaporizer</b><br>Dräger, Vapor 2000, brand: Dräger; type: Vapor 2000; description: in storage box;                                 | 10,00         |
| 1185  | 1      | <b>anesthetic vaporizer</b><br>Dräger, Vapor 2000, brand: Dräger; type: Vapor 2000; description: in storage box;                                 | 10,00         |
| 1186  | 1      | <b>hPLC System</b><br>Agilent, 6890N, brand: Agilent; type: 6890N; description: with mass selective detector; injector;                          | 100,00        |



| Kavel | Aantal | Omschrijving                                                                                                                                                                     | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1187  | 1      | <b>steam sterilizer</b><br>Melag, Vacuklav 31B+, bouwjaar 2009, brand: Melag; type: Vacuklav 31B+; year: 2009;<br>electric connection: 230 V; description: temp max 144°C;       | 100,00        |
| 1188  | 1      | <b>signal generator</b><br>Agilent, SG-1366/u, brand: Agilent; type: SG-1366/u; electric connection: 230 V;<br>description: in box;                                              | 100,00        |
| 1189  | 1      | <b>dna analyzer</b><br>Biomérieux, Vitek 2 compact, serienummer VK2c1676, brand: Biomérieux; type: Vitek 2<br>compact; serial number: VK2c1676; electric connection: 230 V;      | 100,00        |
| 1190  | 1      | <b>steam sterilizer</b><br>Melag, Melatronic 23 en, bouwjaar 2011, brand: Melag; type: Melatronic 23 en; year: 2011;<br>electric connection: 230 V; description: temp max 136°C; | 100,00        |
| 1191  | 1      | <b>stainless steel heating bath</b><br>Splint-form, 2000, brand: Splint-form; type: 2000; electric connection: 230 V;                                                            | 10,00         |
| 1192  | 1      | <b>surgical power box</b><br>Conet, Sst 1000, brand: Conet; type: Sst 1000; electric connection: 230 V;                                                                          | 10,00         |
| 1193  | 1      | <b>air purification unit</b><br>Zibro, A40, brand: Zibro; type: A40; electric connection: 230 V;                                                                                 | 10,00         |
| 1194  | 1      | <b>air purification unit</b><br>Zibro, A40, brand: Zibro; type: A40; electric connection: 230 V;                                                                                 | 10,00         |
| 1195  | 1      | <b>air purification unit</b><br>Zibro, A40, brand: Zibro; type: A40; electric connection: 230 V;                                                                                 | 10,00         |
| 1196  | 1      | <b>lot with headrest pillows</b><br>Mizyhosi, brand: Mizyhosi;                                                                                                                   | 10,00         |
| 1197  | 3      | <b>tent bags</b><br>Camel, brand: Camel;                                                                                                                                         | 10,00         |
| 1198  | 3      | <b>tent bags</b><br>Camel, brand: Camel;                                                                                                                                         | 10,00         |
| 1199  | 3      | <b>tent bags</b><br>Camel, brand: Camel;                                                                                                                                         | 10,00         |
| 1200  | 3      | <b>tent bags</b><br>Camel, brand: Camel;                                                                                                                                         | 10,00         |
| 1201  | 1      | <b>mobile table</b>                                                                                                                                                              | 10,00         |
| 1202  | 1      | <b>field sink set</b><br>Aseptico, Adu-40cf, brand: Aseptico; type: Adu-40cf;                                                                                                    | 10,00         |
| 1203  | 1      | <b>electrosurgical unit</b><br>ConMed, Hyfrecator 2000, brand: ConMed; type: Hyfrecator 2000;                                                                                    | 10,00         |
| 1204  | 1      | <b>colposcope</b><br>Seiler, 935, brand: Seiler; type: 935;                                                                                                                      | 10,00         |
| 1205  | 1      | <b>mobile oxygen dolly</b>                                                                                                                                                       | 10,00         |
| 1206  | 1      | <b>vaporizer system</b><br>Dräger, Narkomed M, brand: Dräger; type: Narkomed M; electric connection: 115 V;<br>description: in 2 storage box;                                    | 10,00         |
| 1207  | 1      | <b>infant dual mode gate</b><br>Journey, brand: Journey;                                                                                                                         | 10,00         |
| 1208  | 1      | <b>storage box</b>                                                                                                                                                               | 10,00         |
| 1209  | 1      | <b>surgical scrub sink</b>                                                                                                                                                       | 10,00         |
| 1210  | 1      | <b>patient Monitor</b><br>Philips, IntelliVue mp50, brand: Philips; type: IntelliVue mp50; digital: yes; electric<br>connection: 230 V;                                          | 10,00         |
| 1211  | 1      | <b>patient Monitor</b><br>Philips, IntelliVue mp50, brand: Philips; type: IntelliVue mp50; digital: yes; electric<br>connection: 230 V;                                          | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                 | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1212  | 1      | <b>patient Monitor</b><br>Welch Allen, ProPaq encore, brand: Welch Allen; type: ProPaq encore;                                               | 10,00         |
| 1213  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1214  | 1      | <b>patient Monitor</b><br>Welch Allen, Spot vital signs LXi, brand: Welch Allen; type: Spot vital signs LXi; description: with mobile stand; | 10,00         |
| 1215  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1216  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1217  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1218  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1219  | 1      | <b>patient Monitor</b><br>Welch Allen, 53NT0, brand: Welch Allen; type: 53NT0; description: with mobile stand;                               | 10,00         |
| 1220  | 1      | <b>patient Monitor</b><br>Welch Allen, Spot vital signs LXi, brand: Welch Allen; type: Spot vital signs LXi; description: with mobile stand; | 10,00         |
| 1221  | 1      | <b>patient Monitor</b><br>Philips, IntelliVue mp50, brand: Philips; type: IntelliVue mp50; digital: yes; electric connection: 230 V;         | 10,00         |
| 1222  | 1      | <b>patient Monitor</b><br>Philips, IntelliVue mp50, brand: Philips; type: IntelliVue mp50; digital: yes; electric connection: 230 V;         | 10,00         |
| 1223  | 1      | <b>patient Monitor</b><br>SurgiVet, brand: SurgiVet; digital: yes; electric connection: 230 V;                                               | 10,00         |
| 1224  | 6      | <b>cont flow outer</b><br>Karl Storz, 26163vc, brand: Karl Storz; type: 26163vc;                                                             | 10,00         |
| 1225  | 6      | <b>cont flow outer</b><br>Karl Storz, 26154bo, brand: Karl Storz; type: 26154bo;                                                             | 10,00         |
| 1226  | 6      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1227  | 6      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1228  | 6      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1229  | 6      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1230  | 6      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1231  | 4      | <b>cont flow outer</b><br>Karl Storz, brand: Karl Storz;                                                                                     | 10,00         |
| 1232  | 5      | <b>hysteroscopes</b><br>Karl Storz, 26159ehw, brand: Karl Storz; type: 26159ehw;                                                             | 10,00         |
| 1233  | 3      | <b>hysteroscopes</b><br>Karl Storz, 26159ehw, brand: Karl Storz; type: 26159ehw;                                                             | 10,00         |
| 1234  | 1      | <b>ophthalmic instrument</b><br>HS, 750i, brand: HS; type: 750i;                                                                             | 10,00         |
| 1235  | 1      | <b>dual rf unit</b><br>Ellman, Surgitron 4.0, brand: Ellman; type: Surgitron 4.0;                                                            | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                                                                                                                                                                                                                                                                                     | Openingsbod € |
|-------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1236  | 1      | <b>air probe</b><br>Quest, Air probe 9, brand: Quest; type: Air probe 9;                                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1237  | 1      | <b>army ambulance</b><br>Mercedes-Benz, Unimog 435, brand: Mercedes-Benz; type: Unimog 435; VIN number: 435115 10 123139; number of axis: 2; manual: yes; diesel: yes; mileage (at intake): 57034 km; box trailer: yes; description: 6-cilinder; running; (H03);                                                                                                                                 | 5.000,00      |
| 1238  | 1      | <b>field hospital unit</b><br>Lhotellier, SH-46A, bouwjaar 1996, serienummer SEFT925014992, brand: Lhotellier; type: SH-46A; year: 1996; serial number: SEFT925014992; number of doors: 4; expandable: yes; military container: yes; total dimension L: 2950 mm; total dimension W: 2400 mm; total dimension H: 2450 mm; description: field hospital container; linkable; with 4 inputs; (H03) ; | 100,00        |
| 1239  | 1      | <b>medical unit</b><br>Lhotellier, SH-45B, bouwjaar 1997, serienummer SEFT925014992, brand: Lhotellier; type: SH-45B; year: 1997; serial number: SEFT925014992; number of doors: 2; expandable: no; military container: yes; total dimension L: 2950 mm; total dimension W: 2400 mm; total dimension H: 2450 mm; description: unit with generator; perkins engine diesel; 4-cylinder; (buiten) ; | 100,00        |
| 1240  | 1      | <b>medical unit</b><br>Lhotellier, SH-45B, bouwjaar 1997, serienummer SEFT925014992, brand: Lhotellier; type: SH-45B; year: 1997; serial number: SEFT925014992; number of doors: 2; expandable: no; military container: yes; total dimension L: 2950 mm; total dimension W: 2400 mm; total dimension H: 2450 mm; description: unit with generator; perkins engine diesel; 4-cylinder; (buiten) ; | 100,00        |
| 1241  | 1      | <b>oxygene medical unit</b><br>Gas-container, bouwjaar 2010, serienummer AL-0X-002, brand: Gas-container; year: 2010; serial number: AL-0X-002; number of doors: 2; expandable: no; military container: yes; total dimension L: 6000 mm; total dimension W: 2430 mm; total dimension H: 2560 mm; description: ; (buiten) ;                                                                       | 100,00        |
| 1242  | 1      | <b>decontamination water heater</b><br>Reeves, bouwjaar 2004, serienummer 1361, brand: Reeves; year: 2004; serial number: 1361; description: beckett diesel engine; temp max 80 celsius; temp min -20 celsius; 9 bar;                                                                                                                                                                            | 100,00        |
| 1243  | 1      | <b>incomplete medical oxygen generator unit</b><br>Pacific consolidated industries, Edocs-120, bouwjaar 2003, serienummer W6854-634-001, brand: Pacific consolidated industries; type: Edocs-120; year: 2003; serial number: W6854-634-001; electric connection: 208 V; description: des flow 120 lpm; purity 93 -3%; pressure 90 psig; running hours 6469; scroll compressor;                   | 100,00        |
| 1244  | 1      | <b>incomplete medical oxygen generator unit</b><br>Pacific consolidated industries, Edocs-120, bouwjaar 2003, serienummer W6854-153-012, brand: Pacific consolidated industries; type: Edocs-120; year: 2003; serial number: W6854-153-012; electric connection: 208 V; description: des flow 120 lpm; purity 93 -3%; pressure 90 psig; running hours 39; scroll compressor;                     | 100,00        |
| 1245  | 1      | <b>pca pump</b><br>Ambit, 220262, bouwjaar 2012, brand: Ambit; type: 220262; year: 2012;                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1246  | 1      | <b>pca pump</b><br>Ambit, 220262, bouwjaar 2012, brand: Ambit; type: 220262; year: 2012;                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1247  | 1      | <b>pca pump</b><br>Ambit, 220262, bouwjaar 2012, brand: Ambit; type: 220262; year: 2012;                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1248  | 1      | <b>pca pump</b><br>Ambit, 220262, bouwjaar 2012, brand: Ambit; type: 220262; year: 2012;                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1249  | 1      | <b>pca pump</b><br>Ambit, 220262, bouwjaar 2012, brand: Ambit; type: 220262; year: 2012;                                                                                                                                                                                                                                                                                                         | 10,00         |
| 1250  | 4      | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: yes;                                                                                                                                                                                                                                                                                                                                      | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                 | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------|---------------|
| 1251  | 4      | <b>arm Chair</b><br>fabric: yes;                                                             | 10,00         |
| 1252  | 24     | <b>canteen Chair</b><br>stackable: yes;                                                      | 10,00         |
| 1253  | 8      | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: no;                                   | 10,00         |
| 1254  | 8      | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: no;                                   | 10,00         |
| 1255  | 25     | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: no;                                   | 10,00         |
| 1256  | 6      | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: no;                                   | 10,00         |
| 1257  | 10     | <b>dining Chair</b><br>Sauder, brand: Sauder; armrest: no;                                   | 10,00         |
| 1258  | 1      | <b>lot of children furniture</b>                                                             | 10,00         |
| 1259  | 6      | <b>dining Chair</b>                                                                          | 10,00         |
| 1260  | 5      | <b>dining Chair</b>                                                                          | 10,00         |
| 1261  | 6      | <b>dining Chair</b>                                                                          | 10,00         |
| 1262  | 6      | <b>dining Chair</b>                                                                          | 10,00         |
| 1263  | 2      | <b>cabinet</b><br>dimension L: 49 cm; dimension W: 49 cm; dimension H: 113 cm;               | 10,00         |
| 1264  | 2      | <b>cabinet</b><br>dimension L: 49 cm; dimension W: 49 cm; dimension H: 113 cm;               | 10,00         |
| 1265  | 2      | <b>cabinet</b><br>dimension L: 49 cm; dimension W: 49 cm; dimension H: 113 cm;               | 10,00         |
| 1266  | 2      | <b>cabinet</b><br>dimension L: 49 cm; dimension W: 49 cm; dimension H: 113 cm;               | 10,00         |
| 1267  | 2      | <b>cabinet</b><br>dimension L: 49 cm; dimension W: 49 cm; dimension H: 113 cm;               | 10,00         |
| 1268  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1269  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1270  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1271  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1272  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1273  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1274  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 80 cm; dimension W: 61 cm; dimension H: 77 cm; | 10,00         |
| 1275  | 2      | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;          | 10,00         |
| 1276  | 2      | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;          | 10,00         |
| 1277  | 2      | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;          | 10,00         |
| 1278  | 2      | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;          | 10,00         |
| 1279  | 2      | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;          | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                  | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------------|---------------|
| 1280  | 15     | <b>bedside table</b><br>dimension L: 61 cm; dimension W: 33 cm; dimension H: 43 cm;           | 10,00         |
| 1281  | 1      | <b>2 side doors cabinet</b><br>dimension L: 106 cm; dimension W: 40 cm; dimension H: 100 cm;  | 10,00         |
| 1282  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1283  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1284  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1285  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1286  | 2      | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1287  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1288  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1289  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1290  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 101 cm; dimension W: 60 cm; dimension H: 91 cm; | 10,00         |
| 1291  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 141 cm; dimension W: 61 cm; dimension H: 43 cm; | 10,00         |
| 1292  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 141 cm; dimension W: 61 cm; dimension H: 43 cm; | 10,00         |
| 1293  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 141 cm; dimension W: 61 cm; dimension H: 43 cm; | 10,00         |
| 1294  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 141 cm; dimension W: 61 cm; dimension H: 43 cm; | 10,00         |
| 1295  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 141 cm; dimension W: 61 cm; dimension H: 43 cm; | 10,00         |
| 1296  | 1      | <b>lot of beds</b><br>single bed: yes;                                                        | 10,00         |
| 1297  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1298  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1299  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1300  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1301  | 3      | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1302  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1303  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1304  | 10     | <b>tV and Audio Furniture</b><br>dimension L: 79 cm; dimension W: 41 cm; dimension H: 188 cm; | 10,00         |
| 1305  | 2      | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                  | Openingsbod € |
|-------|--------|-----------------------------------------------------------------------------------------------|---------------|
| 1306  | 2      | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1307  | 2      | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1308  | 2      | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1309  | 2      | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1310  | 10     | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1311  | 10     | <b>cabinet</b><br>dimension L: 80 cm; dimension W: 49 cm; dimension H: 71 cm;                 | 10,00         |
| 1312  | 1      | <b>tv and Audio Furniture</b><br>dimension L: 84 cm; dimension W: 48 cm; dimension H: 77 cm;  | 10,00         |
| 1313  | 1      | <b>desks</b><br>dimension L: 105 cm; dimension W: 59 cm; dimension H: 77 cm;                  | 10,00         |
| 1314  | 1      | <b>desks</b><br>dimension L: 107 cm; dimension W: 61 cm; dimension H: 77 cm;                  | 10,00         |
| 1315  | 1      | <b>drawer Cabinet</b><br>dimension L: 80 cm; dimension W: 42 cm; dimension H: 73 cm;          | 10,00         |
| 1316  | 1      | <b>tv and Audio Furniture</b><br>dimension L: 61 cm; dimension W: 61 cm; dimension H: 74 cm;  | 10,00         |
| 1317  | 3      | <b>cabinet</b><br>dimension L: 81 cm; dimension W: 50 cm; dimension H: 70 cm;                 | 10,00         |
| 1318  | 2      | <b>drawer Cabinet</b><br>dimension L: 43 cm; dimension W: 65 cm; dimension H: 70 cm;          | 10,00         |
| 1319  | 2      | <b>bedside table</b><br>dimension L: 55 cm; dimension W: 41 cm; dimension H: 59 cm;           | 10,00         |
| 1320  | 2      | <b>bedside table</b><br>dimension L: 55 cm; dimension W: 41 cm; dimension H: 59 cm;           | 10,00         |
| 1321  | 2      | <b>bedside table</b><br>dimension L: 55 cm; dimension W: 41 cm; dimension H: 59 cm;           | 10,00         |
| 1322  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1323  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1324  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1325  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1326  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1327  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1328  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1329  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1330  | 2      | <b>coffee and Side Table</b><br>dimension L: 122 cm; dimension W: 122 cm; dimension H: 45 cm; | 10,00         |
| 1331  | 1      | <b>tv and Audio Furniture</b><br>dimension L: 61 cm; dimension W: 40 cm; dimension H: 190 cm; | 10,00         |



| Kavel | Aantal | Omschrijving                                                                                                                     | Openingsbod € |
|-------|--------|----------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1332  | 2      | <b>bed</b><br>single bed: yes; dimension W: 100 mm; dimension L: 208 mm;                                                         | 10,00         |
| 1333  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1334  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1335  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1336  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1337  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1338  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1339  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1340  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1341  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1342  | 2      | <b>length mirror</b><br>dimension L: 705 mm; dimension W: 1070 mm;                                                               | 10,00         |
| 1343  | 70     | <b>domestic Lighting</b><br>Mtk, brand: Mtk; table lamp: yes; electric connection: 230 V; power: 100 W; description: with. hood; | 10,00         |
| 1344  | 70     | <b>domestic Lighting</b><br>Mtk, brand: Mtk; table lamp: yes; electric connection: 230 V; power: 100 W; description: with. hood; | 10,00         |
| 1345  | 9      | <b>desk Chair</b>                                                                                                                | 10,00         |
| 1346  | 2      | <b>sofa</b><br>lounge suite: yes; fabric: yes;                                                                                   | 10,00         |



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## Algemene voorwaarden Online veiling TroostwijkAuctions.com

### ARTIKEL 1. DEFINITIES

**Aanvaarding:** de verklaring van Troostwijk aan de gebruiker dat de koopovereenkomst tot stand is gekomen, welke verklaring wordt uitgebracht door middel van het verzenden van een factuur.

**Afname:** de feitelijke levering van de kavel aan de koper of aan diens gemachtigde in een door Troostwijk vastgestelde tijdsperiode.

**Algemene Veilingvoorwaarden voor Kopers:** deze Algemene Voorwaarden.

**Bod:** elk door gebruiker op de website uitgebracht onherroepelijke bieding op zaken.

**Combinatie kavel:** een samenvoeging van kavels die onder één kavelnummer worden geveild.

**Eigendomsoverdracht:** de eigendomsoverdracht en daarmee de risico-overgang van de kavel(s) vindt plaats op het moment van toewijzing.

**Gebruiker:** een meerderjarige handelingsbekwame en beschikkingsbevoegde natuurlijke persoon of rechts-persoon die zich op de website heeft geregistreerd met het doel een bod uit te brengen of op de hoogte wenst te worden gehouden van zaken die Troostwijk namens verkoper te koop aanbiedt.

**Gebruikersovereenkomst:** de overeenkomst tussen Troostwijk en gebruiker die wordt gesloten door registratie en gebruiker het recht geeft biedingen op kavels die op de website wordt aangeboden uit te brengen.

**Kavel:** een zaak die, of een aantal zaken dat tezamen (onder één nummer) wordt geveild.

**Kijkdag:** een door Troostwijk vastgesteld tijdsperiode waarop de koper in de gelegenheid wordt gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te bekijken en onderzoeken.

**Koopovereenkomst:** de koopovereenkomst tussen koper en opdrachtgever van Troostwijk c.q. verkoper.

**Koopsom:** het bedrag van het hoogste toegewezen bod verhoogd met het opgeld over het hoogste bod en de verschuldigde BTW.

**Koper:** de gebruiker aan wie de kavel is toegewezen waarvan het bod is aanvaard.

**Opdrachtgever:** de natuurlijke of rechtspersoon die Troostwijk opdracht heeft gegeven tot het bemiddelen bij de verkoop van een of meerdere zaken, voor eigen naam en rekening of in naam van en voor rekening van een derde partij, bijvoorbeeld executant.

**Openbare Veiling:** een veiling onder leiding van een veilingmeester waarbij Koper persoonlijk aanwezig kan zijn.

**Opgeld:** veilingkosten die bij de koper in rekening worden gebracht ter hoogte van een percentage over het bod, vermeerderd met omzetbelasting.

**Auto bod:** Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt ervoor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

**Registratie:** aanmelding van de gebruiker op de website door middel van het juist en volledig invullen van het op de website aanwezige registratieformulier.

**Statisch bod:** Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel.

**Specifieke Veilingvoorwaarden voor Kopers:** de naast, in aanvulling op of in afwijking van de Algemene Gebruikersvoorwaarden en de Algemene Veiling-voorwaarden geldende voorwaarden voor deelname aan een specifieke veiling, zoals vermeld op de website op de pagina van de betreffende veiling.

**Toewijzing:** de verklaring van Troostwijk dat een kavel of een combinatie van kavels tegen betaling van de koopsom aan de hoogste bieder is toegewezen.

**Troostwijk:** Troostwijk Veilingen B.V. en / of haar dochter- of zusteronderneming(en) zoals vermeld op de website.

**Veiling:** de door Troostwijk georganiseerde verkoop in het openbaar via internet van roerende zaken.

**Verkoper:** de natuurlijke of rechtspersoon die via bemiddeling door Troostwijk zaken aan koper(s) wenst te verkopen.

**Website(s):** de website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), die in stand wordt gehouden door Troostwijk veilingen B.V., gevestigd te Amsterdam en alle overige (toekomstige) websites die op naam van Troostwijk geregistreerd staan of worden en worden gebruikt voor de betreffende veiling.

**Zaken:** roerende zaken die, al dan niet gezamenlijk in één kavel, worden geveild.

### ARTIKEL 2. TOEPASSELIJKHEID

**2.1** De Algemene Veilingvoorwaarden zijn van toepassing op de relatie tussen kopers respectievelijk gebruikers enerzijds en Troostwijk anderzijds bij het deelnemen aan veilingen.

**2.2** De toepasselijkheid van andere Algemene voorwaarden dan de onderhavige, de Algemene Gebruikersvoorwaarden en (waar toepasselijk) de Specifieke Veilingvoorwaarden is uitgesloten.

**2.3** Troostwijk verzamelt en verwerkt persoonlijke data van gebruikers, verkopers en kopers in overeenstemming met de Privacy Statement op haar website, en de General Data Protection Regulation en toepasselijke wet- en regelgeving. Buiten Troostwijk is het geen enkele andere partij toegestaan om deze persoonlijke data voor commerciële doeleinden te gebruiken.



### **ARTIKEL 3. DE VEILING**

**3.1** Troostwijk behoudt zich het recht voor een veiling te annuleren, eerder dan op de website vermeld te beëindigen, of te verlengen. Ingeval van een technische storing van de website, waardoor deze niet volledig en / of niet voor alle gebruikers toegankelijk is, heeft Troostwijk het recht de veiling met 24 uur te verlengen.

**3.2** Gebruiker verklaart zich door zijn registratie bekend en akkoord met de bijzondere omstandigheden van een internetveiling en met de technische onvolkomenheden die zich daarbij kunnen voordoen. Troostwijk sluit hierbij iedere aansprakelijkheid uit voor welke schade dan ook direct en / of indirect, op enige wijze ontstaan waaronder maar niet beperkt tot schade voortvloeiende uit het gebruik van de website, tenzij sprake is van opzet of bewuste roekeloosheid van Troostwijk. Meer in het bijzonder aanvaardt Troostwijk in geen geval aansprakelijkheid voor welke schade dan ook, die op enige wijze ontstaat door en / of voortvloeit uit:

- handelingen door gebruiker verricht die zouden zijn ingegeven door op de website geplaatste informatie;
- de onmogelijkheid om de website (volledig) te gebruiken en / of enige andere storing in de website of het achterliggende systeem;
- het niet voldoen van de kavels aan de specificaties zoals vermeld op de website;
- het feit dat de informatie op de website onjuist, onvolledig of niet actueel is;
- fouten in de software van de website en / of het achterliggende systeem;
- het onrechtmatig gebruik van systemen, waaronder de website van Troostwijk door een derde;
- handelingen van de verkoper nadat de gebruiker daarmee een koopovereenkomst heeft gesloten.

### **ARTIKEL 4. ORGANISATIE VAN DE VEILING**

**4.1** De organisatie, voorbereiding, uitvoering en afwikkeling van de veiling berusten bij Troostwijk.

**4.2** Troostwijk heeft de bevoegdheid voor of tijdens de veiling zonder opgave van redenen:

- een bod niet als zodanig te erkennen;
- een of meer gebruikers van de veiling uit te sluiten;
- zaken tot kavels samen te voegen, kavels te splitsen en kavels uit de veiling te nemen;
- vergissingen van Troostwijk bij biedingen en / of toewijzingen te herstellen, zonder dat een gebruiker van deze vergissingen gebruik kan maken en / of daaraan rechten kan ontfangen;
- andere, naar zijn oordeel, noodzakelijke maatregelen te nemen.

**4.3** Troostwijk heeft de bevoegdheid voor en / of tijdens deelname aan bepaalde veilingen en / of biedingen op bepaalde kavels van gebruikers vooruitbetaling of een andere vorm van zekerheidstellingen te verlangen alvorens tot levering of tot verdere levering over te gaan.

**4.4** Opdrachtgever en / of Troostwijk zijn gerechtigd om kavels van een andere aanbieder aan een veiling toe te voegen.

**4.5** Het oordeel van Troostwijk omtrent hetgeen tijdens de veiling heeft plaatsgevonden, is bindend.

### **ARTIKEL 5. BIEDINGEN; KOOPOVERKOMST**

**5.1** De gebruiker kan op de website een bod doen op één of meer kavels. Ieder bod is onvoorwaardelijk, onherroepelijk en zonder enig voorbehoud. Troostwijk en / of verkoper zijn gerechtigd om zonder opgave van redenen biedingen niet te accepteren. Biedingen vinden plaats exclusief opgeld en BTW. Troostwijk en / of verkoper zijn gerechtigd om biedingen uit te brengen.

**5.2** Troostwijk bepaalt of bij het uitbrengen van een bod een zodanige vergissing is gemaakt dat degene die het bod heeft uitgebracht niet aan zijn bod zal worden gehouden. Gebruikers kunnen aan de beslissing geen enkel recht ontfangen.

**5.3** Indien een kavel tevens tezamen met één of meer andere kavels als combinatie in veiling wordt gebracht, wordt dit op de individuele pagina van de kavel op de website aangeduid. In dat geval kan eerst op de afzonderlijke kavels van de combinatie en na de sluiting van alle afzonderlijke kavels, op de gecombineerde kavel worden geboden. Individuele kavels worden slechts toegewezen indien het totaalbedrag van de hoogste toewijsbare biedingen op de individuele kavels hoger is dan de hoogste toewijsbare bod op de combinatie. De combinatie zal uitsluitend worden toegewezen indien het hoogste toewijsbare bod op de combinatie hoger is dan het totaalbedrag van de hoogste toewijsbare biedingen op de afzonderlijke kavels.

**5.4** Biedingen kunnen worden uitgebracht in de vorm van een "statisch bod" of een "auto bod". Bij een statisch bod doet de gebruiker een bod in de vorm van een vast bedrag per kavel. Bij een auto bod geeft de gebruiker aan welke prijs hij maximaal bereid is voor de kavel te betalen. Het veilingstelsel zorgt er dan voor dat na een overbieding door een derde onmiddellijk ten name van gebruiker het minimaal mogelijke hogere bod wordt uitgebracht, zolang het door de gebruiker aangegeven maximum niet is bereikt. Een auto bod kan door de gebruiker uitsluitend tussentijds worden uitgeschakeld door een statisch bod te plaatsen dat op dat moment het hoogste bod is.

**5.5** De koopovereenkomst komt tot stand door toewijzing. Toewijzing vindt doorgaans plaats aan de gebruiker die het hoogste bod heeft gedaan. Door toepassing van het bepaalde in artikel 5.1, door gunningvoorwaarden als opgenomen in de Specifieke Veilingvoorwaarden of om andere redenen ter beoordeling van Troostwijk, kan in plaats daarvan worden toegewezen aan een andere gebruiker die het alsdan hoogst toewijsbare bod heeft uitgebracht.



**5.6** De koper krijgt binnen 48 uur na sluiting van de veiling (zaterdagen, zondagen en feestdagen niet meegerekend) per e-mail namens verkoper(s) bevestigd dat de koopovereenkomst tot stand is gekomen. Indien de gebruiker geen e-mail krijgt binnen de genoemde termijnen, betekent dit dat zijn bod niet is toegewezen. Troostwijk heeft het recht niet toe te wijzen of onder opschortende voorwaarde(n) toe te wijzen.

**5.7** Troostwijk is geen partij bij de koopovereenkomst, doch bemiddelt slechts bij het tot stand brengen van koopovereenkomsten. Indien sprake is van een executieveiling, wordt dit in de Specifieke Veilingvoorwaarden of op de veilingpagina van de website vermeld.

**5.8** In het geval de curator verkoper is, is artikel 7:19 Burgerlijk Wetboek van toepassing.

**5.9** Ingeval de veiling geschiedt "ten overstaan van een notaris of gerechtsdeurwaarder", houdt deze toezicht op de veiling en de aldaar gedane biedingen en toewijzingen.

**5.10** Indien de veiling geen openbare veiling is, heeft de Koper die een natuurlijke persoon is die niet handelt in de uitoefening van een beroep of bedrijf heeft het recht om binnen 14 dagen nadat het gekochte in zijn bezit is gekomen de overeenkomst zonder opgave van redenen te herroepen. Om dit herroepingsrecht uit te oefenen moet Troostwijk via een schriftelijke verklaring door de koper op de hoogte worden gesteld van de beslissing om de overeenkomst te ontbinden.

**5.11** Indien koper gebruik maakt van het herroepingsrecht zal Troostwijk Koper een vergoeding ad €25,- per kavel in rekening brengen terzake administratiekosten. De koper draagt verder alle kosten die verband houden met het terug leveren van de zaken.

## **ARTIKEL 6. GARANTIES, AANSPRAKEN EN VRIJWARINGEN**

**6.1** Troostwijk en / of verkoper verstrekken met betrekking tot de kavels en eventuele aanspraken van derden daarop, geen enkele garantie van welke aard ook. Koper doet afstand van alle rechten die niet op grond van dwingend recht aan koper toekomen.

**6.2** Troostwijk en verkoper streven naar een zo groot mogelijke volledigheid, juistheid en duidelijkheid van de omschrijving en foto's van een kavel op de website, andere veilingbrochures, advertenties en dergelijke, zonder enige aansprakelijkheid voor schade voortkomende uit onjuiste of onvolledige omschrijvingen of andere schade te aanvaarden.

**6.3** Leidingen, kabels en / of andere verbindingen voor energie, besturing of productie, die zich aan / in een kavel bevinden worden, tenzij uitdrukkelijk in de Specifieke Veilingvoorwaarden anders vermeld, slechts verkocht tot de eerste afsluiter, fitting ofwel het aangebrachte merkteken. Ondergrondse of ingemetselde verbindingen behoren nimmer tot de kavel, tenzij uitdrukkelijk anders is vermeld in de Specifieke Veilingvoorwaarden.

**6.4** De kavels worden voetstoots verkocht in de staat waarin ze op de datum van toewijzing verkeren met alle daaraan verbonden lusten en lasten. Troostwijk en / of verkoper geven generlei vrijwaring voor zichtbare of verborgen gebreken of garantie in verband met compleetheid, vereiste documentatie, aantallen, werking, bruikbaarheid, verkoopbaarheid, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht aan derden.

**6.5** Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of de verkrijgende derden geven generlei recht op (schade)vergoeding en / of verrekening. De koper wordt geacht de door hem gekochte kavel vooraf zorgvuldig te hebben onderzocht.

**6.6** Indien ten aanzien van de zaken aanspraken van derden uit hoofde van (intellectuele of andere) eigendomsrechten, waaronder begrepen eigendoms-voorbehouden, en / of rechten van derden ex artikel 3:166-200, 3:201-226, 3:290-295, 6:52-57, 6:271 (na een beroep op ontbinding op de voet van artikel 6:265) en / of 7:39-44 Burgerlijk Wetboek, dan wel andere hiermee al dan niet gelijk te stellen aanspraken van derden geldend worden gemaakt, is koper gehouden de betreffende zaken, voor die derden te houden, onder de verplichting deze op eerste verzoek van Troostwijk aan die derden af te geven, danwel anderszins passende regelingen met eventuele rechthebbende te treffen. Indien de zaken onbeschadigd op eerste verzoek van Troostwijk worden geretourneerd, heeft koper recht op teruggaaf van de koopsom die voor de betreffende zaken is betaald, en geldt de koopovereenkomst aangaande die zaken als ontbonden, zonder dat Troostwijk en / of verkoper tot enige (schade-) vergoeding is of zijn gehouden jegens koper.

**6.7** Koper vrijwaart Troostwijk en / of verkoper tegen iedere aanspraak van een derde die voortvloeit uit de tussen verkoper en koper gesloten koopovereenkomst.



## **ARTIKEL 7. ONDERZOEKSP LICHT GEBRUIKER / KOPER**

**7.1** De koper wordt in de gelegenheid gesteld de te kopen zaken voorafgaand aan het sluiten van de koopovereenkomst te onderzoeken op de kijkdag.

**7.2** Omschrijvingen van de zaken en alle inlichtingen door of namens Troostwijk gedaan, worden naar beste weten gedaan en worden vermoed slechts als aanduiding te zijn bedoeld, zonder dat echter voor de juistheid daarvan door Troostwijk en / of verkoper wordt ingestaan. Als Troostwijk een monster, model of voorbeeld toont of verstrekt, geschiedt dit altijd slechts bij wijze van aanduiding. De hoedanigheden van de te leveren zaken kunnen van het monster, model of voorbeeld afwijken. Kopers kunnen aan bedoelde omschrijvingen, monsters, modellen, voorbeelden en overige inlichtingen geen aanspraken of rechten ontleen. Troostwijk heeft het recht onjuistheden in door of namens haar gedane mondelinge en schriftelijke uittalingen en (al of niet tijdens een veiling) gemaakte fouten te corrigeren, zonder dat daaraan door kopers enig recht kan worden ontleend. Troostwijk is niet aansprakelijk voor eventuele onjuistheden of onvolledigheden in de omschrijving van de zaken. De koper heeft niet het recht een bod te herroepen dan wel de koopovereenkomst te ontbinden indien blijkt dat de zaak niet voldoet aan de omschrijving daarvan. Artikel 7:19 BW is hier van toepassing.

**7.3** De koper - danwel de door hem ingeschakelde transporteur - is verplicht de gekochte zaken bij afname zoals nader omschreven in artikel 10 van deze voorwaarden deugdelijk te onderzoeken. Door het ondertekenen van het ontvangstbewijs van de kavel(s) accepteert de koper dan wel de transporteur expliciet de items in hun hoedanigheid, hoeveelheid en kwaliteit.

## **ARTIKEL 8. BETALINGSVERPLICHTINGEN VAN DE KOPER**

**8.1** De koper heeft de verplichting om binnen 48 uur na bevestiging van de toewijzing door het verzenden van de koopovereenkomst de koopsom te doen bijschrijven op een door Troostwijk aan te geven rekeningnummer. Betaling dient te geschieden in euro's, of in een door Troostwijk aangegeven andere valuta.

**8.2** Bij te late betaling van de koopsom zal aan de koper 15% van de koopsom, zijnde een forfaitair bedrag voor de incassokosten en / of buitengerechtelijke kosten, door Troostwijk in rekening worden gebracht vermeerderd met de wettelijke handelsrente over het nog verschuldigde bedrag, verhoogd met 3% op jaarbasis, met ingang van de dag waarop de betaling uiterlijk had dienen te geschieden tot aan de dag van effectieve betaling.

**8.3** Betalingen strekken eerst in mindering op de kosten, daarna op de verschenen rente en tenslotte op de koopsom.

## **ARTIKEL 9. VEILIGHEID**

**9.1** Degene die op kijkdagen of bij de dag van afname gebouwen en terreinen betreedt, doet dit geheel voor eigen risico. Men is verplicht de instructies van opdrachtgever, Troostwijk en / of door Troostwijk ingeschakelde derden op te volgen zodat de veiligheid van alle aanwezige personen wordt gewaarborgd.

**9.2** Opdrachtgever en Troostwijk aanvaarden geen aansprakelijkheid voor schade die het betreden van bedoelde gebouwen en terreinen met zich meebrengt.

## **ARTIKEL 10. AFNAME**

**10.1** Indien en zodra de koper aan al zijn betalingsverplichtingen heeft voldaan, kan de koper op de daarvoor door Troostwijk vastgestelde uren en plaats de betreffende kavel(s) op vertoon van een deugdelijke legitimatie (doen) ophalen, zijnde de afname. De koper is verplicht tot het ophalen uiterlijk op de datum als in de Specifieke Veilingvoorwaarden is vermeld. Troostwijk kan bepalen dat (een) bepaald(e) kavel(s) pas na afname van andere kavels kan / kunnen worden opgehaald.

**10.2** De koper is zelf verantwoordelijk voor het juist en tijdig afnemen van de gekochte zaken. Troostwijk is verantwoordelijk voor de organisatie en coördinatie van het tijdstip van afname van de door opdrachtgever verkochte zaken.

**10.3** Indien koper de afname weigert of nalatig is met het verstrekken van informatie of instructies noodzakelijk voor de afname respectievelijk de koopsom heeft betaald, echter niet op het door Troostwijk vastgestelde tijdstip en plaats de gekochte zaken heeft afgehaald, is Troostwijk gerechtigd om de gekochte za(ak)(en) voor risico van de koper in opslag te nemen zulks voor een periode van maximaal 1 maand of zoveel eerder als door Troostwijk schriftelijk aan koper wordt gecommuniceerd. Indien koper binnen bovengenoemde termijn de zaken alsnog komt afhalen, dient koper voorafgaand de gemaakte administratieve, opslag- en verzekeringskosten te hebben vergoed met een minimum van € 350,-. Na bovengenoemde termijn van 1 maand respectievelijk na de door Troostwijk gecommuniceerde verkorte termijn, wordt verondersteld dat koper afstand heeft gedaan van het eigendomsrecht van de zaken en in Troostwijk gerechtigd de zaken opnieuw ten gelde te maken. Dit artikel laat onverlet dat Troostwijk te allen tijde nakoming van de koopovereenkomst kan vorderen en overeenkomstig artikel 12.1. gerechtigd is om ingeval koper van rechtswege in verzuim is - door enige verplichting uit de koopovereenkomst niet na te komen - volledige schadevergoeding te vorderen.



**10.4** Het is de verantwoordelijkheid van de koper ervoor te zorgen dat aan alle vereisten, van welke aard dan ook, ten aanzien van de uitvoer van zaken in een EU-land of een ander land is voldaan. Dit betekent onder meer dat de koper de wet- en regelgeving van het betreffende land inzake de afdracht van belastingen en heffingen en vereiste documentatie moet naleven en dat hij indien noodzakelijk de vereiste goedkeuring moet verkrijgen. Wanneer de zaken vervoerd dienen te worden, is het opdrachtgever respectievelijk de koper die op de onderliggende vervoersbewijzen of douane-documenten dienen opgenomen te worden als afzender respectievelijk ontvanger van de zaken en niet Troostwijk.

**10.5** De eigendomsoverdracht en risico-overgang van de kavel(s) heeft plaatsgevonden door toewijzing. De feitelijke levering vindt plaats door de afname. De afname bestaat uit het - op een door Troostwijk vastgesteld(e) tijdstip(pen) - ter beschikking stellen van de gekochte zaken aan de koper. De afname c.q. levering geschiedt onder de opschortende voorwaarde dat de volledige koopsom en het eventueel overigens verschuldigde door de koper is voldaan en – in geval van verkoop van een of meerdere zaken in opdracht van een curator - onder de ontbindende voorwaarde dat de toestemming van de Rechter-commissaris is verkregen voor het sluiten van de koopovereenkomst.

**10.6** Indien het in het kader van de afname nodig is de gekochte zaken te demonteren, dient de koper daarvoor, voor zijn rekening en risico, op een vakkundige wijze zorg te dragen. Koper is tot demontage van zaken die aan niet door koper gekochte zaken zijn verbonden, niet gerechtigd dan na verkrijging van expliciete, schriftelijke toestemming van Troostwijk en / of verkoper. Koper is aansprakelijk voor bij of in het kader van de afname van de gekochte zaken veroorzaakte schade en zal Troostwijk en / of verkoper vrijwaren voor aanspraken van derden ter zake.

**10.7** Voor het gebruiken van een eigen heftruck ten behoeve van het verplaatsen en / of laden van kavel heeft koper expliciete toestemming nodig van Troostwijk en / of verkoper. Koper is op de hoogte van de relevante wet- en regelgeving zoals het Besluit Machines, Arbowetgeving en NEN-EN normen, beschikt over een geldige aansprakelijkheidsverzekering voor de heftruck. Koper is te allen tijde verantwoordelijk en aansprakelijk voor veilig gebruik van de heftruck op de veilinglocatie.

**10.8** Indien blijkt dat een kavel niet kan worden geleverd wegens aanspraken van derden of vanwege het feit dat de afname onaanvaardbare schade zou kunnen veroorzaken aan de gebouwen of terreinen, waarin / aan de kavel zich bevindt dan wel anderszins zeer bezwaarlijk zou blijken te zijn, is Troostwijk gerechtigd de koopovereenkomst te ontbinden. Deze ontbinding geschiedt per e-mail en / of aangetekende brief aan koper op het door de koper opgegeven adres, waarna Troostwijk en / of verkoper niet verder gehouden is / zijn dan tot restitutie van de reeds door de koper aan Troostwijk ter zake van de koop van de kavel(s) betaalde bedragen.

**10.9** De koper, wiens kavel(s) het ophalen van andere kavels belemmert / belemmeren, is verplicht terstond na e-mail en / of aanschrijving door Troostwijk aan het door de koper opgegeven adres zorg te dragen voor het ophalen van diens kavel(s), bij gebreke waarvan Troostwijk gerechtigd is dit ophalen en eventuele opslag door derden te doen geschieden voor rekening en risico van de koper.

**10.10** Troostwijk is niet verantwoordelijk voor het afvoeren / verwijderen van het afval. Koper is hiervoor verantwoordelijk, tenzij voor het afvoeren / verwijderen uitdrukkelijk de opdracht aan Troostwijk wordt verstrekt op kosten van koper.

**10.11** Troostwijk zal koper inlichten en hem over de aanwezigheid van afval op de hoogte brengen zodra hij tijdens de uitvoering van de overeenkomst hiermee geconfronteerd wordt.

## **ARTIKEL 11. PERSOONS- / BEDRIJFSGEGEVENS VERKOPER / DERDE**

**11.1** Verkoper en koper komen overeen dat persoonsgegevens en / of bedrijfsgegevens van verkoper of een derde partij die zich in voorkomend geval op of in een kavel bevinden uitdrukkelijk geen onderdeel uitmaken van de koopovereenkomst. Koper is gehouden om indien en voor zover na een veiling zich in een kavel persoonsgegevens en / of bedrijfsgegevens blijken te bevinden, onverwijld Troostwijk hierover te informeren en in voorkomend geval op eerste verzoek zijn onvoorwaardelijke medewerking te verlenen tot afgifte aan verkoper van deze persoonsgegevens en / of bedrijfsgegevens dan wel tot vernietiging daarvan. Behoudens de vorenbedoelde verplichtingen zal koper geheimhouding betrachten ten aanzien van deze gegevens en zal het koper niet zijn toegestaan deze gegevens op welke wijze dan ook te (doen) gebruiken dan wel aan derden te (doen) verstrekken of deze daarin inzake te (doen) geven.

## **ARTIKEL 12. ONTBINDING**

**12.1** Indien koper enige verplichting uit de koop-overeenkomst niet nakomt, waaronder (doch niet beperkt tot):

- het niet tijdig c.q. niet volledig betalen van de koopsom;
- het niet tijdig ophalen van de kavel(s) en / of;
- het niet verstrekken van de voor afname benodigde informatie of documentatie, verkeert koper van rechtswege in verzuim en heeft verkoper het recht de overeenkomst met de koper te ontbinden middels een schriftelijke verklaring, zonder ter zake enige (schade)vergoeding aan koper verschuldigd te zijn, en / of de gekochte zaken onverwijld aan een of meer derden te verkopen, onverminderd het recht van Troostwijk en / of verkoper op (aanvullende) schadevergoeding. Het voorgaande geldt ook indien na het sluiten van de koopovereenkomst aan Troostwijk of verkoper omstandigheden ter kennis komen die verkoper en / of Troostwijk goede grond geven te vrezen dat de koper niet aan zijn verplichtingen zal voldoen, in geval van faillissement of surseance van betaling van de koper, indien Troostwijk koper gevraagd heeft zekerheid te stellen voor de nakoming en deze zekerheid uitblijft dan wel onvoldoende is, dan wel indien de koper anderszins in verzuim is en niet voldoet aan zijn verplichtingen uit de koopovereenkomst. De koper is gehouden alle door zijn verzuim veroorzaakte schade, zowel aan de zijde van de verkoper als aan de zijde van Troostwijk, aan Troostwijk te vergoeden. In geval van ontbinding als bedoeld in dit artikel 12.1 verkrijgt de koper geen aanspraak op het opgeld, voor zover dit reeds door de koper aan Troostwijk is betaald.

**12.2** Indien zich omstandigheden voordoen met betrekking tot personen en / of materiaal waarvan Troostwijk zich bij de uitvoering van de



koopovereenkomst bedient of zich pleegt te bedienen, welke van dien aard zijn dat de uitvoering van de koopovereenkomst onmogelijk dan wel dermate bezwaarlijk en / of onevenredig kostbaar wordt, dat naleving van de koopovereenkomst in redelijkheid niet meer kan worden gevergd, is verkoper en / of Troostwijk bevoegd de koopovereenkomst te ontbinden, zonder ter zake enige (schade) vergoeding aan koper verschuldigd te zijn.

**12.3** Na overgang van de eigendom van de gekochte zaken op de koper kan de koper geen ontbinding of vernietiging van de koopovereenkomst meer vorderen. Indien een derde belang heeft bij de zorgvuldige verwijdering van de gehele of gedeeltelijke zaak en deze verwijdering naar de mening van Troostwijk het gebouw in gevaar zou brengen of blijvende schade zou berokkenen dan wel om een andere reden hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

**12.4** Indien zich voorafgaand aan levering c.q. afname omstandigheden voordoen waardoor levering c.q. afname van de zaak niet meer mogelijk is als gevolg van overmacht aan de zijde van verkoper of Troostwijk, bijvoorbeeld vanwege brand, diefstal of beschadiging door natuurgeweld, hebben verkoper en Troostwijk namens verkoper het recht de koopovereenkomst te ontbinden, zonder gehouden te zijn enige schadevergoeding te voldoen, door een schriftelijke verklaring aan de koper. Troostwijk en verkoper zijn in dat geval jegens de koper niet tot meer gehouden dan tot terugbetaling van de door Troostwijk ontvangen koopsom en – voor zover ter zake door Troostwijk een factuur is verzonden aan de koper – creditering daarvan door verzending van een creditnota.

**12.5** In geval van ontbinding als bedoeld onder artikel 12.1, is de in gebreke zijnde koper naast het opgeld aan Troostwijk een forfaitair bedrag van 25% van de koopsom, verschuldigd ter dekking van administratieve, opslag-, verzekering- en transport-kosten, etc., onverminderd het recht van Troostwijk en / of verkoper om volledige schadevergoeding te vorderen. Bij een creditering waarbij de koopsom lager dan 150 EURO is, vindt er geen terugbetaling plaats van Troostwijk aan de koper.

## **ARTIKEL 13. AANSPRAKELIJKHEID**

**13.1** De aansprakelijkheid van Troostwijk welke indien en voor zover na toepassing van de overige voorwaarden uit deze Algemene Voorwaarden nog zal resteren, zal steeds zijn beperkt tot het bedrag waarop de aansprakelijkheidsverzekering van Troostwijk in het desbetreffende geval aanspraak geeft. In geval de aansprakelijkheidsverzekering van Troostwijk niet uitkeert is de aansprakelijkheid van Troostwijk beperkt tot € 5000,-.

**13.2** Troostwijk is niet aansprakelijk voor gevolgschade, zoals bijvoorbeeld – doch niet uitputtend – schade in de vorm van winstderving of onverkoopbaarheid van zaken.

**13.3** Voorts is iedere aansprakelijkheid van Troostwijk in verband met enig gebrek aan de kavel(s) of met betrekking tot (beweerdelijke) inbreuk op rechten van (intellectuele eigendom van) derden uitgesloten. De koper verklaart zich ermee bekend dat ter zake van de kavel(s) mogelijkderwijs rechten (van intellectuele eigendom) bij derden berusten.

**13.4** Onverminderd het bepaalde in artikel 6:89 van het Burgerlijk Wetboek, vervalt elk vorderingsrecht van de koper op Troostwijk en / of verkoper na verloop van 2 weken nadat de zaken volgens de overeenkomst aan de koper zijn geleverd of aan de koper ter beschikking zijn gesteld, tenzij de koper binnen deze termijn een procedure bij de bevoegde rechter aanhangig heeft gemaakt.

**13.5** Troostwijk en / of verkoper geven geen vrijwaring aan koper voor zichtbare of verborgen verbreken of garantie in verband met compleetheid, aantallen, werking, bruikbaarheid, verkoopbaarheid, het doel waarvoor de koper de zaken heeft gekocht, het al dan niet bestaan van rechten of aanspraken van derden en / of de mogelijkheid tot overdracht van zaken aan derden. Gebreken, van welke aard dan ook, teleurgestelde verwachtingen van koper en / of verkrijgende derden geven generlei recht op (schade)vergoeding en / of nakoming van koper of overige derden. Is sprake van non-conformiteit als bedoeld in artikel 7:17 lid 2 en / of 3 BW, dan geldt de in dit artikel 13.5 opgenomen uitsluiting van aansprakelijkheid voor zover betrekking hebbend op verkoper niet indien sprake is van een koopovereenkomst gesloten met een consument, tenzij sprake is van overmacht aan de zijde van verkoper en / of indien koper niet tijdig klaagt, een en ander met dien verstande dat artikel 7:19 BW van toepassing is.

**13.6** Troostwijk en / of verkoper zijn niet aansprakelijk voor schade en gevolgschade – letselschade of schade aan een andere zaak dan het gekochte (artikel 6:190 BW) – indien de non-conformiteit een gebrek betreft in de zin van de regeling van de product-aansprakelijkheid in de zin van artikel 6:185 e.v. BW. In geval van een koopovereenkomst gesloten met een consument geldt de in dit artikel 13.6 vermelde uitsluiting van aansprakelijkheid niet ten aanzien van verkoper die de zaken heeft geproduceerd indien (i) verkoper het gebrek kende of behoorde te kennen, (ii) hij de afwezigheid van het gebrek heeft toegezegd of (iii) het betreft zaak-schade ter zake waarvan krachtens afdeling 3 titel 3 van Boek 6 geen recht op vergoeding bestaat op grond van de in die afdeling geregelde franchise, onverminderd zijn verweren krachtens de afdelingen 9 en 10 titel 1 van Boek 6.



**13.7** Niettegenstaande het overige in dit artikel 13 bepaalde, geldt voor de aansprakelijkheid van Troostwijk en Verkoper het volgende:

- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan personen of zaken voortvloeiende uit het sluiten van de koopovereenkomst ontstaan of veroorzaakt;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade aan, door, of in verband met de gekochte zaken veroorzaakt, het verloren gaan van het gekochte daaronder begrepen;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor zichtbare en niet-zichtbare gebreken van de gekochte zaken. De koper zal hiernaar onderzoek moeten doen in het kader van de inspectie als bedoeld in artikel 7 van de onderhavige voorwaarden, terwijl koper voorts gehouden is omgaand na ontdekking van eventuele onvolkomenheden, gebreken, afwijkingen e.d. daarvan schriftelijk mededeling te doen aan Troostwijk. Laat de koper dit na, dan komen de gevolgen daarvan voor rekening van koper;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor het niet voldoen van het gekochte aan Europese richtlijnen, wettelijke bepalingen of andere wet- en regelgeving, waaronder wet- en regelgeving op het terrein van de bevordering van veiligheid van werknemers op de werkplek;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade veroorzaakt door en / of voortvloeiende uit milieubelastende of schadelijke stoffen in of aan het gekochte;
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van computerstoringen, waaronder mede worden begrepen gebreken en / of storingen van hard- en / of software. Troostwijk en / of verkoper zijn derhalve onder andere niet aansprakelijk voor schade indien de koper als gevolg van een computerstoring niet in staat is een bod uit te brengen.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor in het kader van een internetveiling veroorzaakte schade als gevolg van eventueel via de veilingwebsite verspreide virussen of andere onrechtmatige programma's of bestanden.
- Troostwijk en / of verkoper zijn niet aansprakelijk voor schade die het gevolg is van onjuiste, verouderde en / of onvolledige informatie al dan niet vermeld op de website van Troostwijk en / of op websites die kunnen worden bezocht door te klikken op links naar andere websites vermeld op de website van Troostwijk; en Troostwijk kan niet garanderen dat de verkoper daadwerkelijk gerechtigd is om de zaken te vervreemden en dat deze niet zijn bezwaard met beperkte rechten, overige beperkingen of intellectuele eigendomsrechten van derden.
- Troostwijk is niet aansprakelijk voor door koper te lijden en geleden schade, eventuele gevolgschade daaronder begrepen, voor zover van beschikkingsonbevoegdheid van verkoper, beperkte rechten, niet-gerechtigdheid tot vervreemding, overige beperkingen en / of intellectuele eigendomsrechten van derden met betrekking tot de zaken sprake mocht zijn.

**13.8** De in deze voorwaarden opgenomen beperkingen van aansprakelijkheid van Troostwijk c.q. verkoper gelden niet indien schade is te wijten aan opzet of grove schuld van Troostwijk c.q. verkoper of hun leidinggevenden en / of ondergeschikten, dan wel door hen ingeschakelde hulppersonen.

**13.9** Koper doet hierbij afstand van zijn rechten voortvloeiende uit titel 1 van boek 7 van het Burgerlijk Wetboek voor zover wettelijk van deze bepalingen kan worden afgeweken.

## **ARTIKEL 14. EXECUTIE**

**14.1** Indien sprake is van een executoriale verkoop dan wel verkoop bij wege van parate executie geldt het bepaalde in artikel 7:19 BW.

## **ARTIKEL 15. AANPASSINGEN; WERKING**

**15.1** Indien en voor zover enige bepaling van deze Algemene Veilingvoorwaarden nietig is of vernietigd wordt, zullen de overige bepalingen onverminderd van kracht blijven. Troostwijk zal dan een nieuwe bepaling vaststellen ter vervanging van de nietige / vernietigde bepaling, waarbij zoveel mogelijk de strekking van de nietige / vernietigde bepaling in acht zal worden genomen.

**15.2** Troostwijk kan, naast deze Algemene Veilingvoorwaarden, Specifieke Veilingvoorwaarden van toepassing verklaren. Specifieke Veilingvoorwaarden zullen voor de veiling ter kennis worden gebracht. Indien en voor zover de Specifieke Veilingvoorwaarden strijdig zijn met de Algemene Veilingvoorwaarden, prevaleren de Specifieke Veilingvoorwaarden.

**15.3** Van deze Algemene Veilingvoorwaarden kan uitsluitend worden afgeweken voor zover dit schriftelijk door een bevoegde vertegenwoordiger van Troostwijk is vastgelegd.

**15.4** Troostwijk behoudt zich het recht voor deze Algemene Veilingvoorwaarden te wijzigen. Wijzigingen treden 24 uur nadat deze per e-mail aan de gebruiker zijn verstrekt in werking. De in werking getreden voorwaarden vervangen alle voorgaande algemene voorwaarden, tenzij uitdrukkelijk anders wordt aangegeven door Troostwijk.



## **ARTIKEL 16. TOEPASSELIJK RECHT**

**16.1** Op deze Algemene Veilingvoorwaarden en de rechtsbetrekkingen, die ter zake van de veiling ontstaan, is Nederlands recht van toepassing.

**16.2** De Nederlandse tekst van de Algemene Veilingvoorwaarden voor Kopers is de originele tekst. Ingeval deze Algemene Veilingvoorwaarden in meerdere talen gebruikt worden, prevaleert derhalve de Nederlandse tekst ingeval van onduidelijkheden of tegenstrijdigheden.

**16.3** De Rechtbank te Amsterdam is (onverminderd de mogelijkheid van hoger beroep en onverminderd anders luidende wettelijke bepalingen) met uitsluiting van elke andere instantie bevoegd om te beslissen in geschillen uit deze voorwaarden en / of uit de veiling voortvloeiende.

### Wist u dat..?

- wij veilingen organiseren in **25 landen**
- wij **1,6 miljoen** page views hebben op een drukke dag

# *The European Online Auctioneer and Valuer*

### 1300 Veilingen

Troostwijk organiseert  
jaarlijks **1300** veilingen  
In heel Europa

### Statistieken

- jaarlijks hebben wij te maken met **50.000** bidders
- uit 95 verschillende landen
- meer dan 500.000 registraties

### 15 landen

Troostwijk heeft  
eigen kantoren  
in 15 Europese landen

### 85 jaar

Troostwijk organiseert  
veilingen sinds 1930 en  
heeft meer dan 85 jaar ervaring