

**ONLINE AUCTION** 

## Agrarische en grondverzet machines van Loonbedrijf Danenberg (NL)

# **Tractors, excavators, agricultural vehicles**

#### Veenhuizerweg 41 - 1704 DP **Heerhugowaard** (Veiling locatie Loonbedrijf Danenberg)

## Closing date: Monday 23 SEPTEMBER starting 19:00



#### Viewing:

Saturday 21 September from 10:00 until 16:00 Veenhuizerweg 41 - 1704 DP Heerhugowaard (The Netherlands)

Bidding only on the internet!

25-09-19 15.38

# www.TroostwijkAuctions.com



#### Monday 23 September 2019 Agrarische en grondverzet machines van Loonbedrijf Danenberg Specific Online Auction Terms and conditions of a public auction sale

Closing date Viewing	Monday 23 Se Saturday 21 S Veiling locatie Veenhuizerweg 1704 DP Heerl	September E Loonbed g 41	from 10 rijf Dane	00 until 16:00 CET nberg
Company organising this Online Auction	TROOSTWIJK Overschiestraa 1062 XD Amst Phone: +31 20 E-mail: info@tr	CVEILINGE at 59 erdam, The 0 6666500	EN B.V. e Netherla	nds
Markup	17.00%	j		
VAT	21.00%			
Margin goods	In case of marg	gin goods th	ne VAT w	ill be 0%
Collection		<b>ctober fro</b> e Loonbed g 41	m 09:00 rijf Dane	
Viewing Instructions	Please note the	at this conc bid without	erns an a viewing t	scending auction sale, preceded by a viewing he equipment is at one's own risk. Please see
Attending an auction closure for consumers	Troostwijk. Since this is a applicable right possibility to bi	public auction t of withdrawed d during the stion closure	on you wi wal. Apart e auction o e will take	distance" is not applicable on the services of Il not be able to return your items following the from the ability to bid online, you will have the closure together with the Online Auction Advisor. place at: <b>Troostwijk Auctions -</b> <b>sterdam.</b>
Payment Details	working days b bijwonenkoper buyer number accordingly. Payments have	before the c ssluiting@tr (account ID e to be effect	losure by <u>roostwijka</u> ). You will cted withi	sure, you will need to inform us no later than 3 sending an e-mail to the following address: <u>suctions.com</u> stating the auction number and your then receive a written confirmation from us n 48 hours after auction is closed, to Troostwijk 062 XD, Amsterdam.
	Please state th Troostwijk Auc		ame and y	your buyer number and auction number :
	Bank	Account nr.	IBAN nr.	BIC code.
	KBC Bank	0633 0173	NI 06	KREDNL2XXXX
Deliver instructions	The buyer is fur bought lots. Tre	ds to take th Ily responsi postwijk Vei wise. The d	he purcha ible for the ilingen B. <sup>v</sup> lelivery (p	se agreement or the invoice to the delivery day. e dismantling, loading and transportation of the V. cannot accept any responsibility unless ick-up bought lots) will only take place on the ddress.

# www.TroostwijkAuctions.com

	If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).
	It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:
	<ul> <li><u>VDSL</u> can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.</li> <li><u>Auction Logistics</u> can dismantle most of your purchases and deliver directly to your home.</li> </ul>
	In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.
General Terms and Conditons of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

# www.TroostwijkAuctions.com

#### 1 1 flower bulb lifter 10,000.00 Ploeger, AR-4W, year built 2010, serial number 710100001, brand: Ploeger; type: AR-4W; year: 2010; serial number: 710100001; hours on display: 2731; description: equipped with 2 x independently operable root crop beds; working width 2 x 150 cm; shredders; equipped with 300 kW diesel engine; Claas tracks; front tires 270 / 95R54; various options incl. cameras; air conditioning; beacons; suitable for tulips, lilies, even after adjusting for such carrots, pearl onions; including set count mats and screening mats 2 1 flower bulb lifter 10,000.00 MH, ZR2638EH, year built 2006, serial number 900 06 001, brand: MH; type: ZR2638EH; year: 2006; serial number: 900 06 001; working width: 3000 mm; description: vv "John Deere" diesel engine; power 300 Horse Power; (overhauled in 2012, invoice consultation ingot) 2 x 150 cm beds harvesting time; root crop portions are independently up to do; for the harvesting of many crops; the conveyor belt for inflow to dump trucks can pivot automatically and manually; Lofvijzel equipped with two beaters on each side; with lilies grub at the back two beaters 13 finger rollers on each side; crimper (anything that passes through the sieve is crushed directly); the last roller 4 is also crushed to some mechanical loosening the lilies; mortar serving bedvlakken; equipped with of approach sensors for the dumper; Six cameras, three monitors; LED lighting; set independently at all speeds; fully hydraulically; incl. accessories mats, screens, finger rolls, sailing and spare parts available; overhauled at 6000 working hours; cab with forward driving on public roads; 3 1 overload beet wagon 1,000.00 Ropa, R26K, year built 1996, brand: Ropa; type: R26K; year: 1996; load capacity: 24000 kg; description: vv "MAN" diesel engine; power 400 Horse Power ; 25 km / h road gear; 14 km / h acceleration land; dog walk; Michelin Tire size 800 / R32; Rear tire size Michelin 1050; right-hand lower side; equipped with side-outlet; 1 potato harvester 1,000.00 4 Wuhlmaus, 2411, year built 1984, serial number 7003032, brand: Wuhlmaus; type: 2411; year: 1984; serial number: 7003032; description: draaiuren 7738; equipped with 6cylinder Fiat engine; fully hydraulically driven ; 1st mat stitch 40 (digging); 2nd-stitch mat 36, mat 3rd stitch 36 in order, and to rubber; 4th mat stitch 36 rubberized; axial rollers cleaner with fine pitch and PVC 80 mm; discharge conveyor 85 cm; hydraulic adjustable beater in 2nd mat, 2x leaf rollers, including various accessories including: dual air, studded belt and uienbek: 6 1 4-Wheel Drive Tractor 10,000.00 Case IH, CVX 160, year built 2011, serial number ZBBP54291, merk: Case IH; type: CVX 160; jaar: 2011; serienummer: ZBBP54291; afgelezen urenstand: 4870; versnellingsbaktype: 50 km/h vario; bandenmaat voor: 540/65-30; bandenmaat achter: 650/65-42; aantal hydraulische ventielen: 4; frontgewichtenset: ja; cabine: ja; omschrijving: v.v. geveerde voor-as; geveerde cabine; airco; hydraulische topstang; K80 trekhaak; etage trekhaak; aftak-as 500e - 1000 - 1000e v.v. rij afhankelijk; frontgewicht 1000 kg; 7 1 four-wheel drive farm tractor 10,000.00 Fendt, 513 Vario, year built 2016, serial number 414211199, brand: Fendt; type: 513 Vario; year: 2016; serial number: 414211199; engine power: 99 kW; hours on display: 2465; gear box type: Vario; PTO speed: 540 rpm; tyre size front: 420/85R28; tyre size rear: 580/70R38; number of hydraulic valves: 3; load sensing: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 5650 kg; total dimension L: 4430 mm; total dimension W: 2430 mm; total dimension H: 2930 mm; description: PTO 540/540 eco / 1000, Profi plus embodiment, equipped with GPS system AF fabriek.luchtremsysteem, Cab. suspension , suspension voorras.;

	8		<b>four wheel drive agricultural tractor</b> Case IH, CS120, serial number DBD0078682, brand: Case IH; type: CS120; serial number: DBD0078682; hours on display: 9056; tyre size front: 16.9 R28; tyre size rear: 20.8 R38; number of hydraulic valves: 3; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 5500 mm; total dimension W: 2400 mm; total dimension H: 3250 mm; description: equipped with six cylinder dieselmotorn height-adjustable draw bar ; dumper lump; main link ; trailer brake valve; PTO 540 // 540E / 1000 / 1000E / electric lift;	1,000.00
	9	1	<b>four-wheel drive farm tractor</b> Case IH, CVX 150, year built 2002, serial number DBD00181865, brand: Case IH; type: CVX 150; year: 2002; serial number: DBD00181865; engine power: 110 kW; hours on display: 4178; gear box type: Vario Transmissie; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 3; frontloader: no; front PTO: no; cabin: yes; airconditioning: yes; air seat: yes; description: vv "Shepherd" type MBK135LSH mowing arm ; sliding boom; control unit; front axle suspension system ; air conditioning; continental hitch;	1,000.00
	10	1	<b>four-wheel drive farm tractor</b> Case IH, CVX 1190, year built 2004, serial number DBD093022, brand: Case IH; type: CVX 1190; year: 2004; serial number: DBD093022; engine power: 141 kW; hours on display: 12218; gear box type: Vario; tyre size front: 480/70R30; tyre size rear: 710/70R38; number of hydraulic valves: 5; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; description: vv low pressure pipe ; PTO 540/750/1000 / 1000e; tires: Rear 710 / 70R38, 480 / 70R30; air conditioning; continental hitch ; K80 coupling; drawbar ; 2X main link ; cab suspension; 27mc cup; comfort control linkage; front axle suspension;	1,000.00
	11	1	<b>four-wheel drive farm tractor</b> Case IH, 1056XL, serial number D030832D022135, brand: Case IH; type: 1056XL; serial number: D030832D022135; engine power: 78 kW; hours on display: 47; gear box type: Handgeschakeld 16+8; tyre size front: 420/85R24; tyre size rear: 600/65R38; number of hydraulic valves: 3; front linkage: yes; front PTO: yes; cabin: yes; air seat: yes; description: equipped with air brakes; ex agriculture;	1,000.00
C	12	1	<b>four-wheel drive farm tractor</b> New Holland, TM165, year built 2001, serial number 146285B, brand: New Holland; type: TM165; year: 2001; serial number: 146285B; engine power: 123 kW; gear box type: power command + creeper; PTO speed: 540 rpm; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 4720 mm; total dimension W: 2490 mm; total dimension H: 3064 mm; description: equipped with GPS preparation; front axle suspension ; 2x main link ; continental hitch ; drawbar ; pull over point; low pressure pipe ; NTZ filter; sprung tractor cab ; Hydraulic trailer brake; air conditioning;	1,000.00
C	13		<b>four-wheel drive farm tractor</b> New Holland, M100, year built 1997, serial number 051467B, brand: New Holland; type: M100; year: 1997; serial number: 051467B; engine power: 75 kW; hours on display: 7040; gear box type: rangecommand + creeper; PTO speed: 540 rpm; tyre size front: 540/65R28; tyre size rear: 650/65R38; number of hydraulic valves: 4; front weight set: yes; cabin: yes; airconditioning: yes; air seat: yes; total dimension L: 4620 mm; total dimension W: 2130 mm; total dimension H: 2830 mm; description: vv low pressure pipe ; 540 / 540E / 1000 revving PTO ; sunroof ; K80 coupling; main link ; pull over point; continental hitch ; Hydraulic trailer brake; air conditioning; UNICEF edition;	1,000.00
	14	1	<b>four-wheel drive farm tractor</b> New Holland, 8340 SLE, year built 1995, serial number 003558, brand: New Holland; type: 8340 SLE; year: 1995; serial number: 003558; engine power: 92 kW; hours on display: 11569; tyre size front: 650/65R38; tyre size rear: 540/65R28; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; front PTO: yes; cabin: yes; description: with "Shepherd" mowing arm type MBK 135LS, length 725 cm; forward / reverse mounted in control; air brake; electronic Linking device serving mowing bucket function;	1,000.00

	15	1	<b>four-wheel drive farm tractor</b> JCB, Fasttrac HMV 1115, year built 1996, serial number SLPHMV 11550735715, brand: JCB; type: Fasttrac HMV 1115; year: 1996; serial number: SLPHMV 11550735715; engine power: 96 kW; hours on display: 9139; tyre size front: 440/80R30; tyre size rear: 440/80R30; number of hydraulic valves: 4; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 5500 kg; description: 1997 engine replaced for 11.35 ex factory by JCB; current hour position 7539; front hydraulic function; pay attention! electronic malfunction in 4WD; pay attention! spoon set not included;	1,000.00
	16	1	<b>2-Wheel Drive Tractor</b> Fendt, 103 LS, brand: Fendt; type: 103 LS; hours on display: 331; number of hydraulic valves: 2; cabin: yes; description: pay attention! engine defect / note! engine defect;	100.00
	20	1	<b>compact tractor</b> Fendt, 209 V, year built 2005, serial number 214213330, brand: Fendt; type: 209 V; year: 2005; serial number: 214213330; engine power: 70 kW; hours on display: 5445; gear box type: Handgeschakeld; tyre size front: 320/65R16; tyre size rear: 600/50R22,5; track width: 1110 mm; number of hydraulic valves: 3; front linkage: yes; front PTO: yes; air seat: no; description: Note, front PTO faulty switching fork PTO behind broken; equipped with 3DW valves; lighting ; ROPS;	1,000.00
	21	1	<b>narrow gate tractor</b> Fiat, 55-66 DTF, serial number 182426, brand: Fiat; type: 55-66 DTF; serial number: 182426; engine power: 41 kW; hours on display: 1876; gear box type: 12V/4R + kruipgang; tyre size front: 7,50-16; tyre size rear: 13,6R24; number of hydraulic valves: 1; front weight set: yes; description: 4WD; equipped with twin wheels; 1DW valve; pay attention! faulty starter relay; Hours illogical;	1,000.00
	22	1	<b>oldtimer tractor</b> David Brown, 885, brand: David Brown; type: 885; engine power: 35 kW; hours on display: 4062; gear box type: Handgeschakeld 12+4; tyre size front: 6.00-19; tyre size rear: 12.4R32; description: equipped with 3-cyl. diesel engine; PTO; drawbar; linkage; incomplete; pay attention! fixer requires maintenance;	100.00
	30	1	<b>Crawler excavator</b> Liebherr, R944B, year built 2004, serial number 651-13660, brand: Liebherr; type: R944B; year: 2004; serial number: 651-13660; engine power: 180 kW; number of cylinders: 6; fuel type: Diesel; hours on display: 15161;	1,000.00
	31	1	<b>Crawler excavator</b> Hitachi, EX165, year built 2001, serial number 155ML0495, brand: Hitachi; type: EX165; year: 2001; serial number: 155ML0495; brand engine: lveco; number of cylinders: 4; fuel type: Diesel; operation weight: 18000 kg; with bucket: yes; track width: 900 mm; cabin: yes; airconditioning: yes; hours on display: 12782; description: equipped with two-piece boom; hydr. quick coupling ; additional features;	1,000.00
C	32	1	wheel excavator Liebherr, A 314 Litronic, year built 2004, serial number WLHZ0635TZK0119890, brand: Liebherr; type: A 314 Litronic; year: 2004; serial number: WLHZ0635TZK0119890; brand engine: Deutz; engine power: 80 kW; number of cylinders: 4; fuel type: Diesel; with bucket: yes; bucket size W: 1800 mm; tyre size: 600/50R22.5; cabin: yes; hours on display: 14229; own weight: 16000 kg; description: equipped with sliding blade trailing edge; 2-piece boom; additional features; "Ditch" quick coupling ; rupture protection; mowing bucket function; pay attention! crack in windshield;	1,000.00
	33	1	<b>tires excavator wheeled / tracked or crawler</b> Liebherr, L 900, year built 1999, serial number 662-6235, brand: Liebherr; type: L 900; year: 1999; serial number: 662-6235; brand engine: Deutz; engine power: 82 kW; number of cylinders: 4; fuel type: Diesel; cabin: yes; hours on display: 15888; own weight: 1900 kg; description: 2-piece boom; hydr. quick coupling ; additional hydraulic functions; Pay attention!!!! No key;	1,000.00

C 34

**C** 35

37

40

41

45

47

1	<b>midi excavator</b> Yanmar, Vio 75-A, year built 2008, serial number 12691B, brand: Yanmar; type: Vio 75-A; year: 2008; serial number: 12691B; brand engine: Yanmar; engine power: 43.4 kW; number of cylinders: 4; fuel type: Diesel; with bucket: yes; bucket size W: 1560 mm; track width: 450 mm; cabin: yes; hours on display: 5362; own weight: 7720 kg; description: equipped with sliding board; adjustable ground bin ; CW10 quick coupling ; 3rd and 4th function; Swing Boom; lighting;	1,000.00
1	<b>midi excavator</b> New Holland, 50.2, year built 2006, serial number N6GN03323, brand: New Holland; type: 50.2; year: 2006; serial number: N6GN03323; brand engine: Yanmar; number of cylinders: 4; fuel type: Diesel; with bucket: yes; cabin: yes; hours on display: 7500; description: CW 10 connection; Two additional functions; Hydraulic quick coupling;	1,000.00
1	<b>Midi excavator</b> JCB, 803, year built 2000, brand: JCB; type: 803; year: 2000; brand engine: Perkins; engine power: 20.7 kW; number of cylinders: 3; fuel type: Diesel; max. working range: 4753 mm; max. digging range: 2778 mm; cabin: yes; hours on display: 7323; own weight: 3500 kg;	1,000.00
1	wheel loader	1,000.00

1 wheel loader Werklust, WG18, year built 1986, serial number 24849, brand: Werklust; type: WG18; year: 1986; serial number: 24849; brand engine: DAF; number of cylinders: 6; fuel type: Diesel; cabin: yes; hours on display: 6538; description: provided with debris prong with insert; fork; -tight container; pull hoist jib; pay attention! motor recently replaced;

1 wheel loader Ahlmann, AZ10, year built 1990, serial number 1301210d, brand: Ahlmann; type: AZ10; year: 1990; serial number: 1301210d; operation weight: 8500 kg; cabin: yes; hours on display: 1445; own weight: 8500 kg; description: equipped with swing boom;

1 truck DAF, AE75RC, year built 1998, brand: DAF; type: AE75RC; year: 1998; VIN number: XLRAEZ5RCOE472734; license plate: BGHG79; inspection experation date: 26/02/2020 23:00:00; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 200 kW; manual: yes; load capacity: 10400 kg; mileage (at intake): 462000 km; own weight: 9600 kg; description: car transporter ; loading floor length 750 cm; on both sides storage chest, oprijbeunen fixedly mounted; hand-operated; payload 10.4 tonnes; weight 9600 kg; pay attention! tires recently replaced (this is lower than registration number, as the solid-built crane removed);

#### 46 1 truck DAF, AE65NC, year built 1998, brand: DAF; type: AE65NC; year: 1998; license plate: BF-XD-34; inspection experation date: 21/05/2020 02:00:00; number of axis: 2; axle

configuration: 4x2; diesel: yes; engine power: 156 kW; manual: yes; load capacity: 10630 kg; mileage (at intake): 493085 km; emission standard: EUR2; own weight: 7570 kg; description: equipped with six-cyl. diesel engine; Euro 2; equipped with aluminum ramps; analogue tachograph; air horn; underride protection; sunroof; 1 truck 1,000.00 DAF, A 1906 DF, year built 1969, brand: DAF; type: A 1906 DF; year: 1969; VIN number: 77246; license plate: 610-4S; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 122 kW: manual: ves: load capacity: 11500 kg: mileage (at intake): 341734

km; own weight: 4700 kg; total dimension L: 6500 mm; total dimension W: 2470 mm; total dimension H: 2600 mm; description: Engine overhauled ; air brakes; day cab; pto; chassis cab; tachograph (analog); Belgian registration;

#### Starting Bid €

1.000.00

1,000.00

1,000.00

	<b>utility car</b> Nissan, Atleon 120.35, year built 2002, brand: Nissan; type: Atleon 120.35; year: 2002; license plate: 39-BF-BF; inspection experation date: 13/06/2020 02:00:00; box trailer: yes; diesel: yes; engine power: 88 kW; manual: yes; mileage (at intake): 166210 km; load capacity: 690 kg; number of seats: 2; number of doors: 2; trailer hitch: yes; own weight: 2810 kg; description: number of cylinders: 4; width: 222; equipped with light beam; container dimensions . approx. 390x220x210 cm equipped with aluminum ramps;	100.00
	Hemos, 4316 Biesbosch, brand: Hemos; type: 4316 Biesbosch; engine brand + model: Mitsubishi; fuel type: Diesel; hours on display: 5901 hr; description: to slow traffic trailer; hydraulically tiltable; equipped with front prong; working width 175 cm; hydraulically operated; "Ramsey" hydraulic winch; remote control; LED lighting ; tested according to the certificate; certificate supplied and become transmissible;	1,000.00
51 1	<b>combi mowing / collecting boat</b> Conver, Duo C480H Rietvogel, year built 2003, serial number 304, brand: Conver; type: Duo C480H Rietvogel; year: 2003; serial number: 304; engine brand + model: Mitsubishi; fuel type: Diesel; hours on display: 3522 hr; own weight: 2110 kg; description: to slow traffic trailer; hydraulically tiltable; equipped with prong; and cutting equipment; working width 2700 and 1750 mm; hydraulic winch; remote control; LED lighting ; tested according to the certificate, certificate supplied and become transmissible;	1,000.00
52 1	<b>mowing boat</b> Hemos, 4316 IJsbreker, brand: Hemos; type: 4316 IJsbreker; engine brand + model: Mitsubishi; fuel type: Diesel; description: to slow traffic trailer; hydraulically tiltable; vv "Hemos" cutting equipment; working width 2000 mm; hydraulic winch; LED lighting ; tested according to the certificate; certificate supplied and become transmissible;	1,000.00
57 1	<b>forage wagon</b> Schuitemaker, RM 350S, serial number 135.50422, brand: Schuitemaker; type: RM 350S; serial number: 135.50422; working width: 1750 mm; buffer cap.: 35 m <sup>3</sup> ; own weight: 7280 kg; total dimension L: 9000 mm; total dimension W: 2700 mm; total dimension H: 3750 mm; description: equipped with double floor chain; forced controlled ; hydraulic brakes; PTO driven ; hydraulic support leg; hydraulic rear bulkhead; Means liquid supply system; tires : Alliance 60 / 50R2w.5;	1,000.00
58 1	<b>forage wagon</b> Schuitemaker, Rapide 130S, serial number 130.90366, brand: Schuitemaker; type: Rapide 130S; serial number: 130.90366; working width: 1600 mm; buffer cap.: 30 m <sup>3</sup> ; own weight: 6190 kg; total dimension L: 8500 mm; total dimension W: 2450 mm; total dimension H: 3500 mm; description: equipped with knives; forced controlled ; hydraulic brakes; PTO driven ; hydraulic support leg; hydraulic rear bulkhead; tires : Alliance 600 / 50-22.5n As rated rotor recently replaced;	1,000.00
59 1	<b>forage wagon</b> Schuitemaker, Rapide 130S, serial number 130.90367, brand: Schuitemaker; type: Rapide 130S; serial number: 130.90367; working width: 1600 mm; buffer cap.: 30 m <sup>3</sup> ; own weight: 6190 kg; total dimension L: 8500 mm; total dimension W: 2450 mm; total dimension H: 3500 mm; description: equipped with knives; forced controlled ; hydraulic brakes; PTO driven ; hydraulic support leg; hydraulic rear bulkhead; Means liquid supply system; tires : Alliance 700 / 40-22; as stated gearbox recently replaced;	1,000.00
60 1	<b>universal broadcaster</b> Tebbe, HS160, year built 2003, serial number 23073, brand: Tebbe; type: HS160; year: 2003; serial number: 23073; tank capacity: 13 m <sup>3</sup> ; description: Universal broadcast spreader; tandem forced controlled ; tire size 600 / 55R22,5; clapper drum; electric tube; LED lighting ; Bottom chain recently overhauled (Feb 2019.); roller bearings new;	1,000.00
61 1	<b>wide spreader</b> Gilibert, brand: Gilibert; description: broadcast spreader; max. capacity 14t; 2 horizontal rollers 4 and spreading discs; hydraulic metering slide; double bottom chain; tandem; new tires ; border spread sheet; wide PTO;	1,000.00

	62	1	<b>baler -wikkelcombinatie</b> Vicon, RF130, year built 2002, serial number 6836 0281, brand: Vicon; type: RF130; year: 2002; serial number: 6836 0281; description: round bale baler -wikkelcombinatie; cutting rotor; tandem; wide angle;	1,000.00
	65	1	<b>tipper</b> VGM, ZK22, year built 2007, serial number 1714, brand: VGM; type: ZK22; year: 2007; serial number: 1714; buffer cap.: 14 m <sup>3</sup> ; GVWR: 22 t; hydraulic brakes: yes; pivot steer axle: no; own weight: 6000 kg; description: equipped with hydraulic cover flaps; hydraulic drawbar suspension; tandem; 24R2.05 tire; additional K80 continental hitch spare part;	1,000.00
	66	1	<b>tipper</b> VGM, ZK22, year built 2008, serial number 1857, brand: VGM; type: ZK22; year: 2008; serial number: 1857; buffer cap.: 14 m <sup>3</sup> ; GVWR: 22 t; air brakes: yes; hydraulic brakes: no; pivot steer axle: yes; description: equipped with hydraulic cover flaps; LED work lights; reverse signal; K80 clutch and continental hitch ; tool boxes left and right; exchangeable coupling serving continental hitch ; additional headboard;	1,000.00
	67	1	<b>tipper</b> Veenhuis, JVKZ 18000, year built 2005, serial number 05007, brand: Veenhuis; type: JVKZ 18000; year: 2005; serial number: 05007; GVWR: 22 t; description: tandem ash; hydraulically operated valve; tire size 24R20.5;	1,000.00
	68	1	<b>tipper</b> VGM, GD25-16, year built 1999, brand: VGM; type: GD25-16; year: 1999; buffer cap.: 16 m <sup>3</sup> ; GVWR: 25 t; hydraulic brakes: yes; description: dredging tipper;	1,000.00
	69	1	<b>tipper</b> Beco, Super 450, year built 2002, serial number 201137, brand: Beco; type: Super 450; year: 2002; serial number: 201137; buffer cap.: 5 m <sup>3</sup> ; GVWR: 5740 t; hydraulic brakes: yes; own weight: 1240 kg;	1,000.00
	70	1	<b>Tipper</b> Beco, S 1200, year built 1983, serial number 12123, brand: Beco; type: S 1200; year: 1983; serial number: 12123; hydraulic brakes: yes; description: representing bucket 550x220x120 cm; mechanically lifting rear bulkhead; swivel eyelet; tires 18R22,5;	100.00
С	71	1	<b>tipper</b> description: chip cart / closed dumper ; equipped with continuous PTO ; design partitions; tandem; bin dimensions . 425x210x225 cm;	100.00
	72	1	<b>Tipper</b> Kaweco, 80, year built 1982, brand: Kaweco; type: 80; year: 1982; hydraulic brakes: yes; description: dumper tandem axle, hydraulic brakes, tailgate with grain slide;	100.00
	73	1	<b>tipper</b> VGM, GD18-11, year built 1999, brand: VGM; type: GD18-11; year: 1999; GVWR: 18 t; hydraulic brakes: yes; description: SHE chassis dumper ; tandem; tire size 385 / 65R22.5; hydraulic support leg;	10.00
	74	1	silage construction VGM, brand: VGM; total dimension L: 5300 mm; total dimension W: 2200 mm; total dimension H: 1300 mm; description: silageopbouw for "VGM" tipper truck or trailer;	100.00
	75	1	<b>dumper silage intent</b> Veenhuis, brand: Veenhuis; description: silage structure serving "Veenhuis" type JVZK 1800 tipper truck or trailer;	100.00
	76	1	<b>tipper box</b> VGM, year built 1999, brand: VGM; year: 1999; description: max. capacity 12 m3; equipped with hydro; and tailgate;	100.00
	77	1	Manure and Fertiliser Spreader Samson, 9T-HM, brand: Samson; type: 9T-HM; working width: 6000 mm; description: Single Axis solid manure spreader; equipped with vertical milling rollers and two spreading tables; Also suitable for compost; Hydraulic bottom chain (recently replaced), and metering slide; inside side plates equipped with unused plating;	100.00

78	1	<b>Baler</b> Kuhn, FBP2135, serial number VGJD000378, merk: Kuhn; type: FBP2135; serienummer: VGJD000378; eigen gewicht: 5600 kg; omschrijving: Aantal balen geperst ca. 40.000; 1 rol gescheurd ;	1,000.00
80	1	<b>slurry tank</b> Peecon, 13000, brand: Peecon; type: 13000; tank capacity: 13 m <sup>3</sup> ; description: Cesspool; equipped with Michelin XS tires ; forced controlled;	1,000.00
82	1	<b>slurry tank</b> Veenhuis, brand: Veenhuis; tank capacity: 12 m <sup>3</sup> ; description: transport tank 12m3; Climb milling controlled ; hydraulic support leg; hydr valve; water trap; suction hose;	1,000.00
83	1	slurry tank Veenhuis, 7000, brand: Veenhuis; type: 7000; tank capacity: 7 m <sup>3</sup> ; description: equipped with a vacuum pump 540 rev / min; LED lighting;	100.00
84	1	<b>slurry tank</b> Veenhuis, brand: Veenhuis; tank capacity: 5 m <sup>3</sup> ; description: vv "VMR" pump; Hydraulic shut-off valve; PTO ; and suction hose;	100.00
87	1	<b>Mixer Feeder Lorrie</b> Trioliet, Triomix S1 1000, year built 2012, serial number 17600, brand: Trioliet; type: Triomix S1 1000; year: 2012; serial number: 17600; tank capacity: 10 m <sup>3</sup> ; weighing system: yes; own weight: 6065 kg; description: equipped with a weighing device; with remote control; wide angle PTO; "Twin Stream auger; with flow control on losband;	1,000.00
88	1	<b>Mixer Feeder Lorrie</b> Peecon, BIGA VML 170, year built 2007, serial number 3117, brand: Peecon; type: BIGA VML 170; year: 2007; serial number: 3117; tank capacity: 17 m <sup>3</sup> ; weighing system: yes; automatic lubrication: yes; description: pay attention! malfunction present in the weighing device;	1,000.00
89	1	<b>Transport car</b> GVWR: 13 t; loading height: 1 m; max. speed: 50 km/h; hydraulic brakes: yes; description: car transporter ; equipped with LED lighting ; hydraulic support leg; tiltable loading platform; dimensions . loading floor 600x250 cm;	100.00
90	1	<b>trailer</b> Nooteboom, ODBU 30VV, year built 1972, brand: Nooteboom; type: ODBU 30VV; year: 1972; VIN number: AN220172KM; license plate: OS-19-25; inspection experation date: 02/10/2019 22:00:00; number of axis: 2; load capacity: 31000 kg; open trailer: yes; own weight: 12500 kg; total dimension L: 10900 mm; total dimension W: 2490 mm; description: open coconut; pull-out; tit peering; equipped with dolly (total circulation 5 pieces);	1,000.00
91	1	<b>Flat car</b> 7,5 mtr, dimension L: 7500 mm; dimension W: 2250 mm; hydraulic brakes: yes;	100.00
92	1	Flat car 5,40 mtr, dimension L: 5400 mm; dimension W: 2500 mm; dimension H: 1150 mm;	100.00
93	1	<b>low loader</b> total dimension L: 8500 mm; total dimension W: 2500 mm; description: low loader slow traffic; dimensions . loading floor 850x250 cm; hydraulic valves; hydraulic brakes;	100.00
94	1	Flat car 5700, dimension L: 5700 mm; dimension W: 2400 mm; hydraulic brakes: yes;	100.00
95	1	flatcar description: Behind the second axle ; rear axle and front axle suspension; fixer-upper!;	100.00
96	1	<b>Transport car</b> description: -trailer drawbar; bin dimensions . 315x210x50 cm; bladgeveerd; elongated shaft;	100.00
97	1		100.00

98	1	<b>re-paving car</b> Bolle Wagenbouw, B.E.3523, year built 2012, serial number XL9352321NB164071, brand: Bolle Wagenbouw; type: B.E.3523; year: 2012; serial number: XL9352321NB164071; description: for package down of the used stones; schamelwagen, rotating platform embodiment; 2 persons; galvanized ; rubber torsion axles; mechanical brakes;	100.00
99	1	<b>flatcar</b> dimension L: 8200 mm; dimension W: 2500 mm; hydraulic brakes: yes; description: 3- axle agricultural trailer ; loading floor height 1280 mm; equipped with rear super singles; dual air; bladgeveerd; pay attention! poor soil; excl. dredgers container;	100.00
100	1	<b>liquid-tight container</b> VGM, year built 2010, brand: VGM; year: 2010; description: capacity 19m3; hook-lift system ; hardox; oa fore the benefit dredging;	1,000.00
101	1	<b>outlet waste containers</b> total dimension L: 7200 mm; total dimension W: 2300 mm; total dimension H: 1300 mm; description: max. content 21.5 m3; equipped with environment valves; for cable system, back side is provided with a valve; pay attention! piping must be assembled, dimension approx. 720x230x130 cm;	1,000.00
102	1	<b>outlet waste containers</b> total dimension L: 5500 mm; total dimension W: 2300 mm; total dimension H: 1000 mm; description: max. content 12 m3; for cable system; pay attention! headboard is bad; rear side equipped with doors; dimensions approx. 550x23x100 cm;	100.00
103	1	outlet waste containers total dimension L: 7000 mm; total dimension W: 2300 mm; total dimension H: 1200 mm; description: max. content 19 m3; vv cable and hook system; rear doors;	100.00
104	1	outlet waste containers total dimension L: 6000 mm; total dimension W: 2300 mm; total dimension H: 2000 mm; description: max. content 28 m3; for cable and hook system; provided with valve; dimensions approx. 600x230x200 cm;	100.00
105	1	<b>outlet waste containers</b> total dimension L: 6000 mm; total dimension W: 2300 mm; total dimension H: 1000 mm; description: max. content 14 m3; serving cable; provided with rollers on the rear side, and a French valve (valve and doors); size approx. 600x230x100 cm;	100.00
106	1	outlet waste containers total dimension L: 7600 mm; total dimension W: 2350 mm; total dimension H: 2750 mm; description: max. content 49 m3; for cable system; equipped with rollers at the rear; has rear side doors.;	100.00
107	1	outlet waste containers total dimension L: 5500 mm; total dimension W: 2100 mm; total dimension H: 1250 mm; description: equipped with rear doors;	100.00
108	1	<b>loading platform</b> Winters, 6000, year built 2013, brand: Winters; type: 6000; year: 2013; total dimension L: 6000 mm; total dimension W: 2500 mm; description: equipped with 14 stanchions;	100.00
109	1	storage containers volume: 10 ft (3m);	100.00
110	1	<b>slurry container</b> capacity: 40 m <sup>3</sup> ; total dimension L: 7500 mm; total dimension W: 2500 mm; total dimension H: 2650 mm; description: slurry container equipped with coating on the inside; hydraulic wheel set; LED lighting ; 6 "front and back connector; inspection hatch; filling pipe 6 "; stairs on outside and inside,;	1,000.00
111	1	<b>dredging container</b> total dimension L: 6500 mm; total dimension W: 2500 mm; total dimension H: 1950 mm; description: max. content 27 m3; serving carrier; equipped with fill meter; and a hydraulic valve; mechanical rear doors;	100.00

201		
112	1 storage containers volume: 10 ft (3m);	100.00
113	1 storage containers volume: 20 ft (6m); total dimension L: 6000 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: equipped with wooden floor;	100.00
114	1 storage containers volume: 10 ft (3m); total dimension L: 3000 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: equipped with wooden floor;	100.00
115	1 plow Lemken, Vario Europal 5, serial number 226 547, brand: Lemken; type: Vario Europal 5; serial number: 226 547; description: plough ; scissors distance 1000 mm; vv front furrow;	100.00
116	<ol> <li>Plough Vogel &amp; Noot, Euromat Permanit 3 S, year built 1995, serial number 21241, brand: Vogel &amp; Noot; type: Euromat Permanit 3 S; year: 1995; serial number: 21241; description: 3- scissor embodiment, variable cutting width adjustment, disk coulter and depth wheel;</li> </ol>	100.00
117	<ol> <li>Plough Rumptstad, RPV 120-480, year built 2004, serial number 40575-4, brand: Rumptstad; type: RPV 120-480; year: 2004; serial number: 40575-4; description: 4-scissors; hydraulic width adjustment; others fin coulters with rear body disk coulter; depth wheel;</li> </ol>	100.00
120	1 subsoiler Wifo, WV 35, year built 1999, brand: Wifo; type: WV 35; year: 1999; working width: 3500 mm; working depth: 700 mm; own weight: 810 kg; description: 5-leg; equipped with crumbler roller ø 60 mm;	100.00
121	<ol> <li>subsoiler description: 5-leg; hydraulic depth adjustment; trailed model; slow traffic performance;</li> </ol>	100.00
122	1 subsoiler working width: 1950 mm; description: 3-leg;	10.00
123	<ol> <li>cultivator</li> <li>Niemeyer, brand: Niemeyer; working width: 3000 mm; description: 9-leg; equipped with adjustable running wheels;</li> </ol>	10.00
124	<ol> <li>cultivator Becker, type: Becker; working width: 2500 mm; description: vibrating tine cultivator; working width 2.50 m;</li> </ol>	10.00
126	1 rotary harrow working width: 2000 mm; description: equipped with crumble roller; ø 300 mm; and PTO;	100.00
127	1 rotary harrow Celli, GD200, year built 2002, brand: Celli; type: GD200; year: 2002; working width: 2000 mm; description: equipped with Fiona seed drill; type Vertsem VG 2.00 m; hydraulically driven ; 17, sowing coulters; and packer roller;	100.00
© 128	1 rotary harrow kooirol t.b.v. Maschio, 3000, brand: kooirol t.b.v. Maschio; type: 3000; working width: 3000 mm; description: Crumble; mounting plates; working width : 300 cm; diameter 45 cm.;	10.00
131	<ol> <li>spader Imants, DSC210NHdH, year built 1978, serial number 2740, brand: Imants; type: DSC210NHdH; year: 1978; serial number: 2740; working width: 2100 mm; description: equipped with sodium harrow; and PTO;</li> </ol>	100.00
132	<ul> <li>1 Tiller</li> <li>Falc, Drago 3100, serial number 10614, brand: Falc; type: Drago 3100; serial number: 10614; description: equipped with 10 spades; 1000 RPM; hydraulically actuable kluitenrek; pay attention! worn plowshares;</li> </ul>	100.00
133	1 <b>spader</b> Celli, 160L, brand: Celli; type: 160L; working width: 1600 mm;	100.00
134	1 <b>Tiller</b> Selvatici, brand: Selvatici; working width: 2500 mm; working depth: 400 mm;	100.00

Starting I	Bid €	
------------	-------	--

13	5 1	<b>Tiller</b> Gramegna, 2800, brand: Gramegna; type: 2800; working width: 2800 mm; description: crankshaft tilling machine ; incl. PTO;	100.00
14(	) 1	<b>Rotary Cultivator</b> Farmtec, FM310, year built 2009, serial number 13606, brand: Farmtec; type: FM310; year: 2009; serial number: 13606; working width: 3000 mm; description: tine rotary cultivator suitable for use in combination with tilling machine , it can also be in the 3-point of the tractor;	100.00
141	1 1	<b>Rotary Cultivator</b> Celli, DE 255, year built 2003, serial number NO3035, brand: Celli; type: DE 255; year: 2003; serial number: NO3035; working width: 255 mm; description: equipped with PVC pressing roll;	100.00
142	2 1	<b>mill</b> Celli, K255, serial number FO4417, brand: Celli; type: K255; serial number: FO4417; working width: 2550 mm; description: tine rotary cultivator ; vv PTO ; adjustable running wheels; front and rear mounting;	100.00
143	3 1	<b>mill</b> Celli, B155CL, brand: Celli; type: B155CL; working width: 1550 mm; description: tine rotary cultivator ; vv PTO;	100.00
144	4 1	<b>mill</b> year built 2012, year: 2012; working width: 4500 mm; description: rotary hiller ; 6 rows; for the corn; DIY;	100.00
150	) 1	egalisator Mekos, RLD 400L, brand: Mekos; type: RLD 400L; working width: 4000 mm; description: vv laser receiver ; tripod ; hydraulically foldable;	1,000.00
151	1 1	<b>Equalization board</b> AP, 110/3000, year built 2000, serial number 103188, brand: AP; type: 110/3000; year: 2000; serial number: 103188; working width: 3000 mm; own weight: 3500 kg; total dimension L: 500 mm; total dimension W: 3000 mm; total dimension H: 1100 mm; description: ap kilverbak with Leica icon 2 d incl control laser tripod etc;	1,000.00
152	2 1	egalisator working width: 3000 mm; description: equipped with hydraulic height adjustment; tire size 11.5 / 80-15.3; drawbar hitch;	100.00
153	3 1	egalisator 2000, type: 2000; working width: 2000 mm; description: left and right independent height adjustment;	100.00
154	4 1	egalisator working width: 1800 mm; description: hydraulic height adjustment; and manual tilt adjustment;	10.00
158	5 1	<b>receivers with control cabinet</b> Laserplane, RS-2, year built 1998, brand: Laserplane; type: RS-2; year: 1998; description: equipped with cables and "Weterings" control box;	100.00
156	6 1	<b>tripod</b> MQ, 196a130, serial number 20030755, brand: MQ; type: 196a130; serial number: 20030755;	100.00
157	7 1	<b>tripod</b> MQ, 330a060, year built 2016, serial number 20161307, brand: MQ; type: 330a060; year: 2016; serial number: 20161307; working width: 1920 mm; total dimension H: 3920 mm;	10.00
158	3 1	tripod MQ, brand: MQ;	10.00
159	9 1	<b>tripod</b> MQ, 330a060, year built 2017, serial number 20173758, brand: MQ; type: 330a060; year: 2017; serial number: 20173758; working width: 1920 mm; total dimension H: 3920 mm;	10.00

<b>Starting B</b>	id €
-------------------	------

160	1	<b>Front packer</b> Lemken, WDP 70, brand: Lemken; type: WDP 70; working width: 1900 mm; diameter: 700 mm; description: consisting of 19 rings on the second rows; with hooks;	100.00
161	1	<b>furrow press / presser</b> Lemken, brand: Lemken; working width: 1700 mm; description: front packer incl. nose frame;	10.00
162	1	weidesleep Jumbo, J41, year built 2000, serial number 084, brand: Jumbo; type: J41; year: 2000; serial number: 084; working width: 4000 mm; foldable: yes; own weight: 269 kg;	10.00
163	1	subsoiler working width: 2000 mm; working depth: 750 mm; description: heavy voluptuous leg 3 teeth; welded chisels;	100.00
164	1	subsoiler Mekos, brand: Mekos; working width: 4000 mm; description: worn subsoiler serving linkage ;	10.00
© 170	1	seeder combination Lemken, Duoseeder DKA 300/29, year built 1998, serial number 261889, brand: Lemken; type: Duoseeder DKA 300/29; year: 1998; serial number: 261889; working width: 3000 mm; description: with "Maschio" HRB 3000 rotary harrow ; double roller; and crumbling roller;	1,000.00
		rotary harrow / sowing combination	
171	1	<b>seeder</b> Fiona, M015, brand: Fiona; type: M015; working width: 1500 mm; description: talus drill; vv "Shepherd" connection; 14, sowing coulters; sodium harrow;	100.00
172	1	<ul> <li>precision seed drill</li> <li>Kongskilde/Becker, Aeromat T, year built 1999, serial number 921198, brand:</li> <li>Kongskilde/Becker; type: Aeromat T; year: 1999; serial number: 921198; number of rows:</li> <li>6; description: 6-rows, hydraulically extendable, fertilizer coulters, haudraulic filling auger for fertilizer, granulate spreaders (not connected), hydraulic markers;</li> </ul>	1,000.00
173	1	<b>universal planter</b> Botman, brand: Botman; total dimension L: 2800 mm; total dimension W: 2170 mm; description: equipped for 3 rows of onion sets; equipped with aanaardschijven and pressure roller;	100.00
174	1	front tank for liquid fertilizer MBT Exact, F800HY-04, year built 2004, serial number 20040447, brand: MBT Exact; type: F800HY-04; year: 2004; serial number: 20040447; own weight: 220 kg; description: max. content 800 liters; vv "Exact" type F-800 pump unit; serving filling and dosing; hydraulic driven;	100.00
175	1	<b>Fertiliser Spreader</b> Vicon, RS-M 1000, serial number 77151-04-8583, brand: Vicon; type: RS-M 1000; serial number: 77151-04-8583; tank capacity: 1000 l; own weight: 300 kg; description: hydraulic edge spreading device, hydraulic control metering slides;	100.00
176	1	<b>Fertiliser Spreader</b> Kuhn, 1100, brand: Kuhn; type: 1100; tank capacity: 1100 l; description: with double spreading disc;	100.00
177	1	<b>mounted seeder</b> Hatzenbichler, Exaktor, brand: Hatzenbichler; type: Exaktor;	100.00
180	1	<b>triplex mower</b> Kverneland, Extra 690T, year built 2013, brand: Kverneland; type: Extra 690T; year: 2013; working width: 8500 mm; own weight: 2500 kg; total dimension L: 9500 mm; total dimension W: 5000 mm; total dimension H: 2200 mm; description: equipped with Kverneland front mower; type : Extra632T; year of manufacturer 2013; crimper ; hydraulic folding; 3-point supported;	1,000.00

185	1	<b>mulcher</b> Votex, Landmaster 275, year built 2007, serial number 450702H033, brand: Votex; type: Landmaster 275; year: 2007; serial number: 450702H033; working width: 2750 mm; own weight: 1100 kg; description: grasklepels performed with (40x12), 1000RPM, front buck drawn with hydraulic side shift, PTO is not completely;	100.00
186	1	<b>mulcher</b> Votex, RM2306, year built 2002, serial number 450622C001, brand: Votex; type: RM2306; year: 2002; serial number: 450622C001; description: equipped with grass spoons; Cat 2 cock; hydraulic side shift.;	100.00
187	1	flail mower front Votex, RoadMaster 2306, year built 1999, serial number 450623Z021, brand: Votex; type: RoadMaster 2306; year: 1999; serial number: 450623Z021; working width: 2300 mm; own weight: 685 kg; description: vv PTO;	100.00
188	1	<b>mulcher</b> Votex, RM2307, year built 2009, serial number 450830K022, brand: Votex; type: RM2307; year: 2009; serial number: 450830K022; working width: 2300 mm; own weight: 850 kg; description: grass spoons (40 x 12); front-mounted bucket with hydraulic side shift, 1000 RPM, note! machine has fire damage;	100.00
189	1	<b>flail mower behind</b> Votex, Jumbo 190, year built 2001, serial number 450321B066, brand: Votex; type: Jumbo 190; year: 2001; serial number: 450321B066; working width: 1900 mm; own weight: 1030 kg; description: equipped with action plate; and PTO ; belts new;	100.00
190	1	flail mower front Votex, RoadMaster 2306, year built 1996, serial number R399716, brand: Votex; type: RoadMaster 2306; year: 1996; serial number: R399716; working width: 2300 mm; own weight: 685 kg; description: equipped with hydraulic central adjustment; and PTO ; belts new;	100.00
191	1	<b>mulcher</b> Ducker, UMK 18 FV G2, serial number 1800014, brand: Ducker; type: UMK 18 FV G2; serial number: 1800014; working width: 1800 mm; own weight: 540 kg;	100.00
192	1	<b>mulcher</b> Omarv, TFL C220, brand: Omarv; type: TFL C220; working width: 2200 mm; description: equipped with hydraulic side shift; PTO ; front and rear mounting;	100.00
© 197	1	<b>mowing bucket boom for Yanmar Vio75</b> Herder, brand: Herder; description: 2-piece; length approx. 7000 mm; equipped with 3rd function; work lights;	100.00
© 198	1	<b>mowing bucket with extension boom</b> Herder, MXLT 300, year built 2007, serial number 18101, brand: Herder; type: MXLT 300; year: 2007; serial number: 18101; working width: 3000 mm; description: serving mobile excavator wheeled / tracked or crawler ; connection CW30 / 40;	100.00
199	1	<b>mowing bucket</b> Herder, MXLT 300, year built 2004, serial number 16605, brand: Herder; type: MXLT 300; year: 2004; serial number: 16605; working width: 3000 mm; own weight: 325 kg; description: serving mobile excavator wheeled / tracked or crawler;	100.00
200	1	<b>mowing bucket</b> Herder, MXL 300, year built 2002, serial number 15487, brand: Herder; type: MXL 300; year: 2002; serial number: 15487; working width: 3000 mm; description: serving mobile excavator wheeled / tracked or crawler;	100.00
© 201	1	<b>mowing bucket with crane extension-piece</b> Herder, MXL200, year built 2002, serial number 15322, brand: Herder; type: MXL200; year: 2002; serial number: 15322; working width: 2000 mm; description: vv crane extension-piece ; spring approx. 1250 mm;	100.00
202	1	<b>mowing bucket</b> Herder, brand: Herder; working width: 430 mm;	100.00

203	1	<b>mowing bucket with crane extension-piece</b> Bos, brand: Bos; description: working width 250 cm, with set-up racks, boom length 160 cm, CW10 connection;	100.00
204	1	<b>conveyor serving flail mower</b> Herder, 1.50, year built 2002, brand: Herder; type: 1.50; year: 2002; working width: 1500 mm; description: for Herder KMD 150;	10.00
205	1	flail Herder, KMDHT 150, year built 2002, serial number 15322, brand: Herder; type: KMDHT 150; year: 2002; serial number: 15322; working width: 1500 mm; description: equipped with 180 degree twist-off head; hydraulically driven ; conveyor width 25cm; interchangeable with protective rubber. ;	100.00
206	1	<b>reaper</b> Herder, KMU180 , year built 2003, serial number 15892, brand: Herder; type: KMU180 ; year: 2003; serial number: 15892; working width: 1800 mm; own weight: 495 kg; description: Hydraulic flail mower;	100.00
207	1	<b>disc mower</b> Power RM, serial number 56208EFA, brand: Power RM; serial number: 56208EFA; working width: 1200 mm; description: 3-cutter discs; hydraulically driven ; for use on mowing arm;	100.00
208	1	ground screw Hemos, brand: Hemos; description: hydraulically adjustable;	100.00
209	1	<b>Bandhark</b> Herder, brand: Herder; working width: 400 mm; description: serving Shepherd mowing arm ; hydraulically driven ; equipped with idler wheels (adjustable);	10.00
210	1	extension frame for ditch cleaner Herder, aanbouwframe voor Herder slootreiniger, brand: Herder; description: suitable for, among other things NH TM series, complete with counterweights and stabilization cylinder, mounting plate is suitable for Herder Grenadier type 120/135/512/513;	100.00
211	1		10.00
212	1	various Herder accessories description: from X pallet;	10.00
218	1	onion harvester Samon, EN, serial number 680793, brand: Samon; type: EN; serial number: 680793; working width: 1340 mm; total dimension L: 4200 mm; total dimension W: 1950 mm; description: stock harvester; PTO driven ; input disk provided with knives; 2-stage elevator belt; custom Buncher; well shut-off valve on the machine (in order to avoid loose product in headends).;	100.00
219	1	<b>self-propelled topping mower</b> Potveer, year built 1998, serial number KOP 98034, brand: Potveer; year: 1998; serial number: KOP 98034; self-traveling: yes; engine brand + model: Fiat 550; fuel type: Diesel; total dimension H: 3600 mm; description: equipped with suction; capacity bedbreedtes to 150 cm as well as 180 cm; dispenses chopped flower heads tramline and takes them to a landfill; a ruggenset supplied separately with separate hydraulic motor.;	100.00
220	1		100.00
221	1	<b>grass harvester</b> Vicon, CM230F, brand: Vicon; type: CM230F; working width: 2300 mm; own weight: 530 kg; description: Front Drum Mower ; vv PTO ; 3-point suspension;	10.00
222	1	acrobat Mesolcar, year built 2017, brand: Mesolcar; year: 2017; description: 4 leaves;	10.00

Clastin	C
Starting	セ

223	1	Grass Harvester Vicon, brand: Vicon; description: front acrobat;	100.00
224	1	<b>Bandhark</b> Holaras, ECO 200, year built 2006, serial number 0637-0133, brand: Holaras; type: ECO 200; year: 2006; serial number: 0637-0133; description: equipped with three-point connection; and PTO ; beware gearbox failure;	100.00
225	1	<b>rake machine</b> PZ, CZ 450, brand: PZ; type: CZ 450; working width: 4500 mm; description: with hydraulic tilt adjustment;	10.00
227	1	<b>box filler</b> Miedema, AKV 41, year built 1995, brand: Miedema; type: AKV 41; year: 1995; belt conveyor dim. L: 2400 mm; belt conveyor dim. W: 750 mm; description: pay attention! defect in the control of the crate plateau;	100.00
228	1	<b>shaker</b> Stoll, Z660 Hydro, brand: Stoll; type: Z660 Hydro; working width: 6600 mm;	100.00
229	1	(double arm) bale wrapper Kverneland, UN7655, brand: Kverneland; type: UN7655; bale counter: yes; round bale wrapper: yes; square bale wrapper: yes; description: (double arm) bale wrapper for round and square bales,;	100.00
230	1	vibrating plate Wacker Neuson, DPU 2560HTS, year built 2016, brand: Wacker Neuson; type: DPU 2560HTS; year: 2016; base plate size L: 660 mm; base plate size W: 600 mm; centrifugal force: 25 kN; brand engine: Hatz; engine power: 3.1 kW; fuel type: Diesel; own weight: 171 kg;	100.00
231	1	<b>soil roller</b> Bomach, brand: Bomach; brand engine: Deutz; number of cylinders: 3; drum diameter: 1300 mm; working width: 1850 mm; description: vibrating roller ; driven by the motor; electric starting; width roller 183 cm; hydraulically driven .;	1,000.00
232	1	<b>ground bucket</b> total dimension W: 1500 mm; description: equipped with hydraulic tipping cylinder; 3-point connection;	10.00
233	1	<b>vibrating roller</b> Sdueid, brand: Sdueid;	100.00
237	1	<b>sweeper</b> M-Sweep, year built 2014, brand: M-Sweep; year: 2014; working width: 2750 mm; description: hydraulically driven ; equipped with angular adjustment by hydraulic cylinder , electrically operated; adjustable in height; brush ø approx. 700 mm; galvanized ; 3-point connection;	1,000.00
238	1	<b>sweeper</b> Tuchel, EKM 200 HDS 520, year built 2005, serial number 633321, brand: Tuchel; type: EKM 200 HDS 520; year: 2005; serial number: 633321; working width: 2000 mm; description: roller brush sweeper ; hydraulically driven ; equipped with an angle adjustment;	10.00
239	1	<b>snow ploughs</b> Nido Schmidt, SNK330EPZ, year built 2002, brand: Nido Schmidt; type: SNK330EPZ; year: 2002; working width: 3000 mm; own weight: 230 kg; description: equipped with hydraulic central adjustment; 3-point connection;	10.00
240	1	<b>rubber slide hydraulic</b> working width: 2750 mm; description: galvanized ; equipped with three-point connection; and girders; hydraulic oblique adjustment;	10.00
241	1	Sweepers, self-propelled HAKO, Hamster 800 V, brand: HAKO; type: Hamster 800 V; working width: 800 mm; petrol engine: yes; description: vv "Kawasaki" type FA130 petrol engine;	10.00

	Starting	g Bid €
--	----------	---------

242	1	<b>Road and Yard Sweeper</b> Hekamp, brand: Hekamp; working width: 1700 mm; total dimension W: 1700 mm; description: PTO driven ; equipped with support wheels;	100.00
243	1	Sweepers, self-propelled Wayne, ADD 828, brand: Wayne; type: ADD 828; electric: yes; electric connection: 36 V; description: high-loader; pay attention! needs fixer, new battery needs to be mounted;	10.00
244	1	Sweepers, self-propelled Goodwill, brand: Goodwill; electric: yes; electric connection: 12 V; description: pay attention! fixer, a new battery must be fitted.;	10.00
245	1	<b>scrubber / dryer</b> Tennant, 5400, brand: Tennant; type: 5400; working width: 610 mm; rechargable: yes; electric connection: 24 V; description: draaiuren 984 hours; equipped with external charger; solution tank 80 liters; 80 liter holding tank; 2 scrub brushes, max pressure is 60 kg;	100.00
© 246	1	<b>branch shredder</b> Van Daele, TV JB 250, year built 1989, serial number 2508981, brand: Van Daele; type: TV JB 250; year: 1989; serial number: 2508981; description: PTO driven ; trailed model;	1,000.00
		shredder / tipper	
247		diver total dimension L: 2370 mm; total dimension H: 1000 mm;	100.00
248	1	lot of various construction fence feet description: number approx. 42 pieces;	10.00
249	1	lot of frame plates dimension L: 2000 mm; dimension W: 2000 mm; description: ca 19 plates; with and without an iron edge.;	10.00
250	1	<b>tripod (2x)</b> total dimension H: 1000 mm; description: tripod ; height about 1000 mm;	10.00
251	1	<b>tripod (2x)</b> total dimension H: 1000 mm; description: tripod ; height about 1000 mm;	10.00
252	1	tripod total dimension H: 2750 mm; description: tripod ; height approx 2750mm;	10.00
253	1	tripod total dimension H: 3250 mm; description: tripod ; height approx 3250;	10.00
255	1	<b>laser receiver</b> Topcon, C16, brand: Topcon; type: C16; description: consisting of : receiver and charger in case equipped with magnetic base ;	100.00
256	2	laser receiver Kieboom / David White, LS10, brand: Kieboom / David White; type: LS10; description: for baak;	10.00
257	1	<b>laser receiver</b> DS, 500, brand: DS; type: 500;	100.00
258	1		100.00
259	1	<b>purchased car</b> Böhmer, VB1-13, brand: Böhmer; type: VB1-13; VIN number: 38660; dimension L: 3850 mm; dimension W: 2100 mm; dimension H: 2350 mm; number of doors: 1; number of windows: 2; pantry: yes; slow traffic: yes; description: 1- axle ; pay attention! not registered;	100.00

260	1	<b>purchased car</b> Böhmer, VB1-13, brand: Böhmer; type: VB1-13; VIN number: 26496; dimension L: 2600 mm; dimension W: 2150 mm; dimension H: 2300 mm; number of doors: 1; number of windows: 1; pantry: no; slow traffic: yes; description: pay attention! without front window;	10.00
261	1	frontgewicht Pateer, brand: Pateer; own weight: 1500 kg;	100.00
262	1	<b>frontgewicht</b> New Holland, brand: New Holland; description: 10x 40 Kg p / s; equipped with mother block; excl. main link;	10.00
263	1	<b>frontgewicht</b> own weight: 1000 kg;	100.00
264	1	front weight with accord buck description: equipped with 10 weights; 45 kg p / s;	10.00
265	1	front fuel tank dimension L: 750 mm; dimension W: 750 mm; dimension H: 800 mm;	10.00
266	1	<b>linkage</b> Lely, brand: Lely;	10.00
267	1	lot of Moxy parts Moxy, brand: Moxy;	100.00
270	1	<b>kuilhapper</b> Redrock, brand: Redrock; description: equipped with Volvo connection;	100.00
271	1	<b>drain cleaner</b> Homburg, brand: Homburg; total dimension L: 3100 mm; total dimension W: 2200 mm; description: equipped with hydraulic hose reel and double-wiels input; provided with approx. 200 meters; hose and spray head; also separate hose and gun for spray-cleaning in the field,;	100.00
272	1	<b>straw bale clamp</b> Wifo, BKV-V, serial number 6098, brand: Wifo; type: BKV-V; serial number: 6098; description: Euro connection;	100.00
273	1	<b>bale packer</b> Wifo, BKP ud kaal, year built 2000, serial number 2156, brand: Wifo; type: BKP ud kaal; year: 2000; serial number: 2156; own weight: 450 kg; description: bale packer for wrapping bales with Volvo connection;	100.00
274	1	<b>irrigation pump</b> Landini, brand: Landini; description: supported model; vv PTO ; equipped with ball coupling;	10.00
276	1	flail shaft and roller Votex, Klepelas en looprol, brand: Votex; description: intended for Jumbo 150, with new flails and bearing plugs;	100.00
277	1	<b>row fertilizer</b> year built 2014, year: 2014; working width: 4500 mm; description: 6 rows; 2 spouts per row; DIY;	100.00
278	1	crop protectors Klaas Bruin, brand: Klaas Bruin; description: Set crop protectors behalf wheels;	10.00
279	1	<b>axiaalset</b> total dimension L: 1700 mm; total dimension W: 900 mm; description: hydraulic driven ; roller ø 120 mm; roll length 1250 mm; from sugarbeet harvester;	100.00
280	26	<b>track plates</b> dimension L: 6000 mm; dimension W: 1500 mm; description: 26 steel ramps ; ca 10mm thickness. ;	100.00
281	26	<b>track plates</b> dimension L: 6000 mm; dimension W: 1500 mm; description: 26 steel ramps ; ca 10mm thickness. ;	100.00

282	1	excavator bucket Hekamp, 2100, brand: Hekamp; type: 2100; total dimension W: 2100 mm; description: heavy pelican loader ; working width 2100 mm; vv "Ahlman" connection;	100.00
283	1	lot of traffic signs description: excl kistu;	10.00
284	1	lot of rainwater / and suction hoses description: various hoses with builder and perrot couplings ; 5 "6" and 8 ";	10.00
285	1	trailer gesloten, number of axis: 2; box trailer: yes; description: closed trailer;	100.00
286	1	<b>trailer</b> number of axis: 1; box trailer: yes; description: small luggage trolley; pay attention! up to 750 kg no registration;	10.00
287	1	<b>quad</b> Motortek, MT-175h, year built 2003, brand: Motortek; type: MT-175h; year: 2003; license plate: 81-LV-PZ; own weight: 218 kg; description: number of cylinders: 1; pay attention! walk or destroy;	10.00
288	1	<b>Outboard motor</b> Honda, brand: Honda; power: 74 kW; short shaft: yes; number of cylinders: 1; description: walk or destroy;	10.00
289	1	Outboard motor Yamaha, brand: Yamaha; 4-stroke: yes; electric start: yes; description: 4 stroke;	10.00
290	1	outboard motor Mercury, 4.0, brand: Mercury; type: 4.0; power: 3 kW; short shaft: yes;	10.00
291	1	Outboard motor Suzuki, 2 pk, brand: Suzuki; type: 2 pk; short shaft: yes; fuel type: Benzine;	10.00
292	1	<b>Diesel engine</b> Mitsubishi, brand: Mitsubishi; number of cylinders: 4; description: spare engine for Hemos mowing boats; incomplete;	10.00
293	1	extendable shaft 10.0t, type: 10.0t; self-traveling: yes;	10.00
294	1	evaporator Dyna Fog, 2992 Hurricane, brand: Dyna Fog; type: 2992 Hurricane; description: water mister; 230 volts; capacity 4 liters;	10.00
295	1	various dredge pump parts description: dredging pump parts;	100.00
296	8	<b>Pontoons</b> hull material : Polyester; own weight: 60 kg; description: Coupling pontoon polyseter; pay attention! 2 pieces to be repaired;	10.00
297	1	<b>wood splitter</b> Log Splitter, 7 ton, brand: Log Splitter; type: 7 ton; capacity: 7 t; block length max.: 52 mm; electric driven: yes; description: electric wood splitting machine 7 tons;	10.00
298	1	<b>Trimming machine</b> Bewo, brand: Bewo; electric connection: 380 V;	10.00
299	1	<b>belt saw</b> Framar, 10, year built 1979, serial number 647, brand: Framar; type: 10; year: 1979; serial number: 647; electric connection: 380 V;	10.00
300	1	welding fume exhauster Plymovent, brand: Plymovent;	10.00
301	1	single-walled oil tank in drip tray Brekupa, serial number 156486, brand: Brekupa; serial number: 156486; description: equipped with pneumatic pump; max. content 1500 liter;	10.00
302	1	<b>diesel tank</b> steel: yes; capacity: 1500 l; description: in drip tray; equipped with electric pump; and nozzle;	100.00

# -

303	3 1	fuel pump description: Fuel pump;	10.00
305	5 6	<b>swivel arms</b> description: vv under hanging rails; vv air, electric; 230- and 400V; length up to 10 meters.;	100.00
306	6 1	generator gasoline: yes; engine power: 10 kW;	100.00
307	7 1	welding vapor extraction system Plymoth, EMK-1400, brand: Plymoth; type: EMK-1400; description: Welding fume extractor; 230v;	10.00
308	3 1	Emergency power units description: Diesel unit;	10.00
309	) 1	<b>generator</b> Kipor, 2000, brand: Kipor; type: 2000; gasoline: yes; description: pay attention! walk or destroy;	10.00
310	) 1	welding vapor extraction system plymex, Scharnierbaar, brand: plymex; type: Scharnierbaar; electric connection: 400 V; description: Welding fume extractor; extraction range approx. 3 m; diameter hose 16 cm.;	100.00
311	3	welding vapor extraction system Nederman, Scharnierbaar, brand: Nederman; type: Scharnierbaar; electric connection: 230 V; description: welding fume extractors; terminal boxes; extra extraction tubes; excl box.;	100.00
312	2 1	<b>dehumidifiers</b> EI-Björn, A125BT, brand: EI-Björn; type: A125BT; electric connection: 230 V; description: Refrigerant HFC-407C, capacity 1560 Watt;	10.00
313	3 1	pneumatic grease gun Gray Compagny, brand: Gray Compagny; description: With filling gun on mobile base;	10.00
314	• 1	<b>lifting platform mobile</b> platform size L: 450 mm; platform size W: 450 mm; manually operated: yes; capacity: 375 kg;	10.00
315	5 1	Pickup truck air tyres: yes;	10.00
316	6 1	Pickup truck air tyres: yes;	10.00
317	' 1	Pickup truck air tyres: yes;	10.00
318	3 1	Pickup truck solid tyres: yes; description: for gas bottles;	10.00
319	) 1	trolley jack description: tall model;	10.00
320	) 1	<b>forklift truck jack</b> Description: forklift truck jack;	10.00
321	1	<b>chain saw</b> fuel type: benzine; description: 2 persons chain saw;	100.00
322	2 1	<b>press brake</b> Huvema, HU1050, year built 1994, brand: Huvema; type: HU1050; year: 1994; folding length: 1050 mm; max. sheet thickness: 1.2 mm; description: hand operated;	10.00
323	3 1	fan description: 400V;	10.00
324	1	welding vapor extraction system description: Welding fume extractor; 230v;	10.00
325	5 1	double winch description: PTO driven;	10.00

32	6	1	sitting lawn mower Efco, AR 53THX, brand: Efco; type: AR 53THX; fuel type: benzine; container: yes; own weight: 38 kg; description: lawn mower;	10.00
32	.7	1	<b>lot of couplings</b> Bauer Stortz perrot, brand: Bauer Stortz perrot; description: lot of couplings plus box;	10.00
32	8	6	Canteen tables trapezium, description: trapezoid tables;	10.00
32	9	1	canteen chair -, description: 48 canteen chairs;	10.00
33	0	1	Welding machine Interlas, Syncrotig 375 P, brand: Interlas; type: Syncrotig 375 P; tig type: yes; ampere range: 375 A; electric connection: 380 V; description: 2-phase machine;	100.00
33	1	1	construction laser set Sokkia, LP31, brand: Sokkia; type: LP31; description: consisting of laser , receiver and charger in case + pole;	10.00
33	2	1	<b>Welding machine</b> Norweld, 200 amp, brand: Norweld; MMA type: yes; ampere range: 200 A; description: welding machine on base;	10.00
33	5	1	mobile diesel oil tank description: max. content approx 1m3; including lifting chain;	10.00
33	6	1	mobile diesel oil tank description: max. content approx 300 liters; equipped with hand pump;	10.00
33	7	1	mobile diesel oil tank description: max. content approx 300 liters; equipped with hand pump;	10.00
33	8	1	<b>mobile diesel oil tank</b> description: max. content approx 300 liters; equipped with hand pump; including lifting chain;	10.00
33	9	1	mobile diesel oil tank description: max. content ca 500 ltr; equipped with hand pump;	10.00
34	0	1	<b>mobile diesel oil tank</b> description: max. content ca 1000 liter; equipped with hand pump;	10.00
34	1	1	diesel oil tank in polyester housing description: max. content ca 500 ltr; equipped with 230v pump;	10.00
34	2	1	<b>diesel tank</b> Stokvis, 5000, year built 2008, brand: Stokvis; type: 5000; year: 2008; steel: yes; capacity: 5000 l; double walled: yes; description: Diesel tank, 5000 liters, good condition, Piusi pump, Piusis liter counter;	100.00
34	3	1	aboveground fuel tank Stokvis , year built 2009, brand: Stokvis ; year: 2009; steel: yes; capacity: 1200 l; own weight: 261 kg;	100.00
34	5	1	sieve / shredder bin Allu, brand: Allu; description: serving excavator wheeled / tracked or crawler;	1,000.00
34	6	1	sorting cutter description: CW10 Connection;	100.00
34	7	1	<b>sorting cutter</b> Cangini, PG500, year built 2012, brand: Cangini; type: PG500; year: 2012;	100.00
34	8	1	brick grab nn, brand: nn;	10.00
34	9	1	sift drum Verachtert, VRD 1250-2, year built 1998, serial number 106724, brand: Verachtert; type: VRD 1250-2; year: 1998; serial number: 106724; own weight: 1735 kg; description: drum ø 1000 mm; serving excavator wheeled / tracked or crawler or wheel loader;	100.00

350	1	<b>brick grab</b> Beco, HSK600, year built 2004, brand: Beco; type: HSK600; year: 2004; own weight: 230 kg; description: vv "Beco" forklift , type OPHO57;	100.00
351	1	stump grinder Finncut, brand: Finncut; description: connection CW0 for mini excavator;	100.00
352	1	scaly knife Bakker, serial number 50256, brand: Bakker; serial number: 50256; description: including rotator; opening width between the blades 220 cm; max. content 0.725 m3;	100.00
353	1	vibratory hammer HS, brand: HS; description: connection CW30 / 40; plate dimensions . 800x600 mm; pay attention! hydraulic motor fog;	10.00
355	1	<b>debris prong</b> bucket size W: 1000 mm; riddle bucket: yes; with teeth: yes; quick change: yes; description: CW10;	10.00
© 356	1	<b>debris prong</b> bucket size W: 1000 mm; riddle bucket: yes; with teeth: no; quick change: yes; description: CW30 / 40;	10.00
C 357	1	debris prong bucket size W: 1000 mm; riddle bucket: yes; quick change: yes; description: CW10;	10.00
358	1	excavator/ skeleton bucket Cangini, brand: Cangini; bucket size W: 770 mm; digging bucket: yes; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
C 359	1	excavator/ skeleton bucket Verachtert, brand: Verachtert; bucket size W: 525 mm; digging bucket: yes; quick change: yes; description: CW30 / 40;	10.00
360	1	extension spoons excavator wheeled / tracked or crawler total dimension L: 1300 mm;	10.00
363	1	pallet fork cross section Eurosteel, brand: Eurosteel; description: CW30 double; spoon length 1250mm;	10.00
364	1	<b>bananenbak</b> -, bucket size W: 330 mm; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
© 365	1	<b>debris prong</b> Eurosteel, bucket size W: 800 mm; riddle bucket: yes; quick change: yes; description: CW10;	10.00
C 366	1	<b>bananenbak</b> bucket size W: 330 mm; quick change: yes; description: connection CW10;	10.00
© 367	1	<b>tipping bucket</b> Eurosteel, bucket size W: 1200 mm; tilt bucket: yes; quick change: yes; description: connection CW10; pay attention! lacks a shortcut;	10.00
368	1	excavator/ skeleton bucket Verachtert, brand: Verachtert; bucket size W: 1250 mm; digging bucket: yes; ditch bucket: no; quick change: yes; description: connection CW30;	10.00
© 369	1	excavator/ skeleton bucket Eurosteel, bucket size W: 600 mm; digging bucket: yes; quick change: yes; description: connection CW10;	10.00
		Yanmar mid-crane / cutting basket & buckets	
370	1	excavator/ skeleton bucket -, bucket size W: 550 mm; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
371	1	excavator/ skeleton bucket Eurosteel, brand: Eurosteel; bucket size W: 600 mm; digging bucket: no; ditch bucket: no; quick change: yes; description: connection CW10;	10.00

Sta	rtir	Ŋ	Bi	d	€

372	1	excavator/ skeleton bucket -, bucket size W: 870 mm; digging bucket: yes; ditch bucket: no; quick change: yes; description: connection CW30;	10.00
373	1	excavator/ skeleton bucket Eurosteel, brand: Eurosteel; bucket size W: 1700 mm; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
374	1	<b>bananenbak</b> -, bucket size W: 385 mm; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
C 375	1	excavator/ skeleton bucket bucket size W: 485 mm; quick change: yes; description: CW10;	10.00
		New Holland midi-crane / cutting basket & buckets	
© 376	1	<b>bananenbak</b> bucket size W: 390 mm; quick change: yes; description: connection CW30;	10.00
		Liebherr mobile crane / mowing basket & buckets	
377	1	set of pallet forks description: length 1400 mm;	10.00
378	1	set of pallet forks description: length 1200mm; fem3;	10.00
379	1	set of pallet forks description: length 1060mm;	10.00
380	1	set of pallet forks description: length 1250mm;	10.00
383	1	excavator/ skeleton bucket Eurosteel, brand: Eurosteel; bucket size W: 1400 mm; ditch bucket: no; quick change: yes; description: connection CW10;	10.00
384	1	quick coupling CW30 Verachtert, brand: Verachtert; description: CW 30 connection;	10.00
385	1	K80 draw bar serving New Holland TVT / Case CVX New Holland, brand: New Holland; description: K80 draw bar;	10.00
386	1	k80 welding coupling VGM, brand: VGM; description: K80 coupling ;	10.00
387	1	slide boat Conver, C86S, year built 2006, serial number 489, brand: Conver; type: C86S; year: 2006; serial number: 489; shipyard: conver; length over all: 13 m; width: 8 m; draught: 45 m; hull material : staal; engine brand + model: Hatz 3L41C; engine power: 35 kW; own weight: 4800 kg; total dimension L: 13300 mm; total dimension W: 2760 mm; total dimension H: 1900 mm; description: Conver Slide Boat C 86S; slider board 8.5 m wide; 1.6 meters high;	100.00
388	1	slide boat Conver, C86S, year built 2002, serial number 734, brand: Conver; type: C86S; year: 2002; serial number: 734; shipyard: Conver; length over all: 13 m; width: 8 m; draught: 45 m; hull material : Staal; engine brand + model: Hatz 3L41C; engine power: 35 kW; own weight: 4800 kg; total dimension L: 13300 mm; total dimension W: 2760 mm; total dimension H: 1900 mm;	100.00
389	4	pontoon boats description: couple of pontoons;	1,000.00
390	1	<b>push / tugboat</b> number of engines: 1; engine brand + model: DAF; number of cylinders: 6; fuel type: diesel;	1,000.00

391	1	<b>slide boat</b> hull material : staal; engine brand + model: deutz F 3L; engine power: 30 kW; own weight: 1500 kg; total dimension L: 7500 mm; total dimension W: 1800 mm; description: equipped with two winches;	1,000.00
392	1	slide boat hull material : Staal; number of engines: 1; engine brand + model: Opel; number of cylinders: 4; fuel type: diesel; description: slide boat; 100 cm width;	100.00
393	1	<b>rowing boat</b> Schouw, type: Schouw; hull material : Staal; engine brand + model: Yamaha; fuel type: Benzine; power: 3 kW; trailer merk + type: Eigenbouw; description: with outboard motor; incl. trailer;	100.00
395	1	quick coupling CW30 Verachtert, brand: Verachtert;	10.00
396	1	pallet fork cross section Eurosteel, brand: Eurosteel; description: CW10 double; spoon length 1100 mm;	10.00
397	1	head plate description: CW30 / 40;	10.00
398	1	<b>jip</b> —, total dimension L: 1000 mm; description: CW30 / 40; pin ø 60 mm; serving excavator wheeled / tracked or crawler;	10.00
400	1	<b>gps module</b> Leica, MCP80, year built 2018, serial number 2633161, brand: Leica; type: MCP80; year: 2018; serial number: 2633161; description: equipped with type ICH82 dishes docking station; and cable to the juctinbox of docking station;	1,000.00
401	1	<b>Machine receiver</b> Leica, MC1200, year built 2019, serial number 817287, brand: Leica; type: MC1200; year: 2019; serial number: 817287; description: equipped with unused battery with a vertical position;	100.00
402	1	chassis accessories Liebherr, brand: Liebherr; description: incl. castors;	10.00
403	1	forklift truck accessories description: triplicate forklift with side shift;	100.00
404	1	subsoiler Ripper, brand: Ripper; description: CW 10 coupling; 1 leg.;	10.00
405	1	quick coupling description: for Herdergiek pin connection / CW10; lifting hook. ;	10.00
406	1	nido coupler description: serving snow ploughs ; Two tie-rods. ;	10.00
407	1	action window total dimension W: 2500 mm; total dimension H: 580 mm; description: action window vv lighting ; mounting brackets for sliding board mobile crane;	10.00
408	1	action window total dimension W: 2000 mm; total dimension H: 500 mm; description: action window equipped with LED lighting ; mounting brackets for sliding plate mini crane;	10.00
409	1	action window total dimension W: 1250 mm; total dimension H: 1250 mm; description: action window ;	10.00
410	1	action window total dimension W: 1100 mm; total dimension H: 1200 mm; description: action window vv lighting ;	10.00
411	1	<b>jip</b> total dimension L: 1000 mm; description: serving midi shovel; equipped with various hydraulic connections;	10.00

Sta	rtind	a Bi	id €

412	1 frontgewicht New Holland, brand: New Holland; description: 10x kg 45 p / s; equipped with r block;	10.00 nother
413	<ol> <li>paper clip / bale packer description: paper clamp / bale packer ; connection Fem II;</li> </ol>	10.00
414	<ol> <li>quick coupling CW30         Eurosteel, brand: Eurosteel; description: CW 30 connection;     </li> </ol>	10.00
415	1 lot of coupling pins	10.00
416	1 vacuum lifting set Mekos, 2005107, year built 2000, brand: Mekos; type: 2005107; year: 2000; d consisting of : 1x mobile vacuum; 1x sucker 800x800mm; and 1x 400x400 mn cup;	•
417	1 K80 drawbar serving New holland description: K80 draw bar;	10.00
418	<ol> <li>Bottom point for New Holland series T7 and T7000 description: lower point for New Holland;</li> </ol>	10.00
419	1 drawbar serving Fendt description: drawbar serving Fendt;	10.00
420	1 lifting cylinders for Fendt description: for Fendt;	10.00
421	<ol> <li>Iot of under tow hooks and knobs tipper New Holland New Holland, brand: New Holland; description: for Fiat / New holland;</li> </ol>	10.00
422	<ol> <li>mother weight + belly weights New Holland</li> <li>New Holland, brand: New Holland; description: for Fiat / New holland;</li> </ol>	10.00
423	<ol> <li>lot of various hydraulic cylinders description: various cylinders;</li> </ol>	10.00
424	<ol> <li>K80 coupling for Fendt Cramer, brand: Cramer; description: K80 coupling for Fendt;</li> </ol>	10.00
425	<ol> <li>set of wheels</li> <li>Alliance, Row Crop Radial A-350, brand: Alliance; type: Row Crop Radial A-35</li> <li>9.5R46; size (digit): 32 "; description: rear tire size: 8.3R32;</li> </ol>	10.00 0; tyre size:
426	<ol> <li>set of wheels</li> <li>Kleber, Super 3, brand: Kleber; type: Super 3; tyre size: 300/95R46; size (digit description: tire size for: 12.4R32; 8-hole wheels;</li> </ol>	100.00 t): 46 ";
© 427	<ol> <li>set of wheels</li> <li>Alliance, Row Crop Radial A-350, brand: Alliance; type: Row Crop Radial A-35</li> <li>13,6R48; size (digit): 48 "; description: suitable for New Holland M100;</li> </ol>	10.00 i0; tyre size:
	NH M100 / set of wheels	
428	<ol> <li>set of front wheels Trelleborg, Twin 421, brand: Trelleborg; type: Twin 421; tyre size: 600/55-26,5 (digit): 26 ";</li> </ol>	; size
429	<ol> <li>set of front wheels         Taurus, Soilsaver RC 95, brand: Taurus; type: Soilsaver RC 95; tyre size: 270/ (digit): 36 ";     </li> </ol>	100.00 95R36; size
430	<ol> <li>set of front wheels</li> <li>Alliance, Row Crop Radial A-350, brand: Alliance; type: Row Crop Radial A-35</li> <li>11,2R36 (270/95R36); size (digit): 36 ";</li> </ol>	10.00 0; tyre size:
431	2 tractor wheels Pirelli, TM150, brand: Pirelli; type: TM150; tyre size: 12,4R32; size (digit): 32 ";	10.00
432	<ol> <li>set of wheels         Continental, Farmer, brand: Continental; type: Farmer; tyre size: 9,5R42; size (             description: profile height approx 3 cm;     </li> </ol>	10.00

Starting	Bid	€
		_

43	33	1	set of row culture wheels Kleber, Super 50, brand: Kleber; type: Super 50; tyre size: 12.4R46; size (digit): 46 ";	100.00
43	34	1	set of wheels Alliance, Row Crop Radial, brand: Alliance; type: Row Crop Radial; tyre size: 9,5R48; size (digit): 48 ";	10.00
43	35	1	<b>set of cut wheels</b> Alliance, Row Crop Radial, brand: Alliance; type: Row Crop Radial; tyre size: 14,9R46; size (digit): 46 ";	100.00
43	36	1	<b>set of cut wheels</b> Taurus, SoilSaver Radial, brand: Taurus; type: SoilSaver Radial; tyre size: 9.5R48; size (digit): 48 ";	100.00
43	37		set of wheels Michelin, XM28, brand: Michelin; type: XM28; tyre size: 710/75R34; size (digit): 34 "; description: wheels cpl with rims ca40 / 70%;	10.00
43	38	2	wheels Kleber, Super 50, brand: Kleber; type: Super 50; tyre size: 12,4R46; size (digit): 46 "; description: 1x reinforced rim for tractor with shepherd;	100.00
43	39	2	wheels Mitas, A085, brand: Mitas; type: A085; tyre size: 340/85R48; size (digit): 48 "; description: 8 holes;	100.00
44	40	1	set of wheels behalf tires excavator wheeled / tracked or crawler Trelleborg, Twin 423, brand: Trelleborg; type: Twin 423; tyre size: 620-50R22,5;	10.00
44	11	4	wheels for tire excavator Trelleborg, Twin 423, brand: Trelleborg; type: Twin 423; tyre size: 620-50R22,5;	10.00
44	12	2	transport trolley wheels Dunlop, SP221, brand: Dunlop; type: SP221; tyre size: 425/65R22,5; size (digit): 22 ";	10.00
44	43	2	wheels Bridgestone, brand: Bridgestone; tyre size: 44.5x16.5-20; size (digit): 0 "; description: set of aircraft wheels;	10.00
44	14	1	<b>set of front tires</b> Alliance, Powerdrive radial HT, brand: Alliance; type: Powerdrive radial HT; tyre size: 12,4R32; size (digit): 32 ";	10.00
44	15	1	set of lawn tires Kleber, Super 50, brand: Kleber; type: Super 50; tyre size: 13,6R38; size (digit): 38 ";	10.00
44	46	1	<b>set of lawn tires</b> Goodyear, Industrial Sure Grip, brand: Goodyear; type: Industrial Sure Grip; tyre size: 16,9R30; size (digit): 30 "; description: on rim; without rim pan;	10.00
44	17	1	set of tyres Trelleborg, TM800, brand: Trelleborg; type: TM800; tyre size: 710/70R38; size (digit): 38 ";	10.00
44	18	1	Set tyres up select nn, Radial, type: Radial; tyre size: 28,1R26; size (digit): 26 ";	10.00
44	19	2	<b>Tractor tires on rim</b> Pirelli, TM800, brand: Pirelli; type: TM800; tyre size: 650/65R38; size (digit): 38 "; description: 8 holes;	100.00
4	50	2	<b>tyres on rims</b> Trelleborg, Twin 421, brand: Trelleborg; type: Twin 421; tyre size: 600/55R26,5; size (digit): 26 ";	10.00
45	51	8	massive tires excavator wheeled / tracked or crawler description: 10-hole rim;	10.00
4	52	1	set of front tires Goodyear, DT810, brand: Goodyear; type: DT810; tyre size: 420/70R28; size (digit): 28 ";	10.00

Sta	rtir	na	Bi	d	€
ora		·9		~	$\sim$

453	2	<b>tires</b> Trelleborg, Twin 421, brand: Trelleborg; type: Twin 421; tyre size: 600/55R26,5; size (digit): 26 ";	10.00
454	2	tires Pirelli, TM800, brand: Pirelli; type: TM800; tyre size: 710/70R38; description: around 10%;	10.00
455	1	lawn tires on rim Kleber , Super 30, brand: Kleber ; type: Super 30; tyre size: 12,4R24; size (digit): 24 "; description: 8 holes;	10.00
456	2	excavator wheeled / tracked or crawler tires Nokia, TRS-LS2, brand: Nokia; type: TRS-LS2; tyre size: 600/50-22,5; description: 1x with and 1x without rim;	10.00
457	3	<b>tires</b> Alliance, brand: Alliance; tyre size: 600/40-22.5; description: incl. Alliance; tire ;	10.00
458	1	<b>tractor tire with rims</b> Trelleborg, TM800, brand: Trelleborg; type: TM800; tyre size: 650/65R42; size (digit): 42 "; description: incl. 2 rims; 8 holes;	10.00
459	5	wheels	10.00
460	4	wheels	10.00
461	1	Set duals Pirelli, TM300, brand: Pirelli; type: TM300; tyre size: 16,9R38; size (digit): 38 "; description: 5-star Molcon;	10.00
462	1	set of double air Michelin, XM108, brand: Michelin; type: XM108; tyre size: 650/65R42; size (digit): 42 "; description: 7-star Molcon;	10.00
463	1	lot of various hydraulic cylinders description: various cylinders;	10.00
464	1	<b>duals serving wheel loader</b> Vredestein, brand: Vredestein; description: tire size: 16.9R34; equipped with spindle mounting; bu 2 rims; and the first band;	10.00
465	1	<b>band</b> Pirelli, TM800, brand: Pirelli; type: TM800; tyre size: 540/65R28; size (digit): 28 "; description: around 10%;	10.00
466	1	<b>band</b> Pirelli, TM800, brand: Pirelli; type: TM800; tyre size: 540/65R30; size (digit): 30 "; description: 20%;	10.00
467	1	<b>band</b> Trelleborg, TM800, brand: Trelleborg; type: TM800; tyre size: 600/65R28; size (digit): 28 "; description: around 10%;	10.00
468	1	<b>conveyor</b> VTW, brand: VTW; description: length 600 cm; width 40 cm; mechanical height adjustment; 380V;	10.00
469	1	<b>cultural band</b> Continental, Farmer, brand: Continental; type: Farmer; tyre size: 9,5R42; size (digit): 42 "; description: unused;	10.00
470	1	tractor tire Goodyear, DT810, brand: Goodyear; type: DT810; tyre size: 520/70R38; size (digit): 38 ";	10.00
471	1	cultural band Veith, Agrap, brand: Veith; type: Agrap; tyre size: 9-42; size (digit): 42 "; description: unused;	10.00
472	1	band Michelin, XM108, brand: Michelin; type: XM108; tyre size: 480/65R24; size (digit): 24 ";	10.00
473	1	wheel Alliance, A-380 Flotation radial, brand: Alliance; type: A-380 Flotation radial; tyre size: 650/55R26,5; size (digit): 26 "; description: cpl wheel with rim;	10.00

Starting	g Bi	id	€

474	1	wheel Alliance, Flotation 328, brand: Alliance; type: Flotation 328; tyre size: 700/50R26,5; size (digit): 26 ";	10.00
475	1	wheel Alliance, A-380 Flotation Radial, brand: Alliance; type: A-380 Flotation Radial; tyre size: 750/45R26,5; size (digit): 26 "; description: cpl wheel with rim;	10.00
476	1	wheel Trelleborg, Twin 422, brand: Trelleborg; type: Twin 422; tyre size: 650/45R22,5; size (digit): 22 ";	10.00
© 477	1	set of tractor tires Goodyear/ Michelin, brand: Goodyear/ Michelin; tyre size: achter 900/55R32; voor 600/65R28; description: Suitable for New Holland TM 165;	100.00
		NH M165 / set of wheels	
478	1	<b>pneumatic tires</b> Bridgestone, Luchtbanden, brand: Bridgestone; tyre size: 25/65R25; description: Moxy tires serving Moxy; 12 gts.;	10.00
479	1	pneumatic tires tyre size: 25/65R25; description: for Moxy; 12 holes;	10.00
480	1	<b>ladder</b> aluminium, number of steps: 13; aluminium: yes; extension ladder: yes; telescopic ladder: yes; double: yes; description: double sliding ladder;	10.00
481	1	<b>ladder</b> number of steps: 14; aluminium: yes; extension ladder: yes; double: yes; description: sliding ladder; 2 x 14 steps;	10.00
482	1	submersible electric connection: 230 V;	10.00
483	1	wheelbarrow kruiwagen, description: stone wheelbarrow;	10.00
484	1	wheelbarrow kruiwagen, description: wheelbarrow plastic;	10.00
485	1	wheelbarrow kruiwagen, description: wheelbarrow steel;	10.00
486	1	<b>trailer</b> Anssems, Bs1, year built 1997, brand: Anssems; type: Bs1; year: 1997; license plate: WS-18-TV; number of axis: 2; cargo body size L: 2500 cm; cargo body size W: 1250 cm; load capacity: 980 kg; box trailer: no; own weight: 320 kg; description: inhibited; equipped with LED lighting ; treadplate;	100.00
487	1	K80 draw bar serving New Holland T7 Scharmüller, brand: Scharmüller; description: K80 draw bar;	10.00
488	1	continental hitch Fiatagri, brand: Fiatagri; description: continental hitch behalf Fiat;	10.00
489	1	K80 draw bar serving New Holland T7000 Scharmüller, brand: Scharmüller; description: K80 draw bar;	10.00
490	1	trailer coupling 2x description: screwable;	10.00
491	1	k80 welding coupling description: K80 coupling ;	10.00
492	1	lot of various hydraulic cylinders description: various cylinders;	10.00
493	1	lot of PTOs Waltersheid, brand: Waltersheid; description: lot of PTOs in coffin;	100.00
494	1	PTO 2x Waltersheid, brand: Waltersheid; description: lot of PTOs ;	100.00

<b>Starting I</b>	Bid €
-------------------	-------

2	195	1	shepherd / forest reducer Herder, year built 2018, brand: Herder; year: 2018; description: Reducer for Bos arm for Herder tools;	100.00
4	96	1	lot of drawbar couplings	10.00
۷	197		tool trolleys Snap-on, brand: Snap-on;	10.00
2	198	2	removable storage rack -, dismantable: yes; constructed: no; description: mobile storage rack on large plastic wheels;	10.00
2	199	1	<b>plasma cutting machine</b> Metallit, PSM 1000, year built 2017, brand: Metallit; type: PSM 1000; year: 2017; electric connection: 400 V; description: Plasma cutter profi-line;	10.00
Ę	500	1	<b>Power generators</b> Generac, GP-2600, year built 2019, brand: Generac; type: GP-2600; year: 2019; capacity: 2.6 kVA; gasoline: yes; number of cylinders: 1; air cooled: yes; description: generator / genset; equipped with 2x 230 Volt output; 2.6 kVA power; 1-cyl. 4-stroke gasoline engine; cylinder capacity 208 cc; 13 liters of tank volume; consumption of 1.1 liters / hour; unused;	10.00
Ę	501	1	<b>Power generators</b> Generac, GP-2600, year built 2019, brand: Generac; type: GP-2600; year: 2019; capacity: 2.6 kVA; gasoline: yes; number of cylinders: 1; air cooled: yes; description: generator / genset; equipped with 2x 230 Volt output; 2.6 kVA power; 1-cyl. 4-stroke gasoline engine; cylinder capacity 208 cc; 13 liters of tank volume; consumption of 1.1 liters / hour; unused;	10.00
Ę	502	1	Outboard engines year built 2019, year: 2019; fuel type: Elektrisch; description: thrust 32 lbs / 14.5 kg; 336 watts; equipped with 5 gearbox ahead + 3 gearbox backward; to be connected to 12V / 80A battery pack; unused;	10.00
5	503	1	Industrial vacuum cleaners year built 2019, year: 2019; power: 1800 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: unused;	10.00
5	504	1	<b>High pressure cleaners</b> year built 2019, year: 2019; max. pressure: 200 bar; capacity: 600 l/hr; mobile: yes; power: 4.77 kW; description: equipped with 5 modes of operation; 5 spray nozzles; incl. various accessories; unused in box;	10.00
5	505	1	cultivator Agria, brand: Agria; working width: 650 mm; description: equipped with Honda GX-160 gasoline engine;	10.00
Ę	506	1	electric scooter / e-scooter year built 2019, year: 2019; electric: yes; description: equipped with battery; Charger; unused;	10.00
Ę	507	1	electric winch year built 2015, year: 2015; hoist capacity: 1000 kg; description: electric winch; to be connected to 12V battery; equipped with 5 meter steel cable; safety hook; remote control; unused;	10.00
5	508	1	<b>money box</b> year built 2019, year: 2019; description: unused;	10.00
	509	1	set of starter cables year built 2019, year: 2019; description: set of starter cables; unused;	10.00
Ę	510	1	set of starter cables year built 2019, year: 2019; description: set of starter cables; unused;	10.00
į	511	1	set of starter cables year built 2019, year: 2019; description: set of starter cables; unused;	10.00

Starting	Bid	€
----------	-----	---

512	1 digital multimeter year built 2019, year: 2019; digital display: yes; description: digital multimeter; unused;	10.00
513	<ol> <li>Splitting Axe year built 2019, year: 2019; description: splitting ax; unused;</li> </ol>	10.00
514	<ul> <li>1 Other electrical tools         <ul> <li>electric connection: 230 V; electric connection: 230 V; description: 3 pieces tooling ; not tested;</li> </ul> </li> </ul>	10.00
515	<ul> <li>1 Other contractor materials</li> <li>year built 2019, year: 2019; description: jack hammer ; equipped with gasoline engine; 2</li> <li>bits; unused;</li> </ul>	10.00
516	<ol> <li>Workplace furniture year built 2019, year: 2019; total dimension H: 2 mm; description: workbench / work degree; unused;</li> </ol>	10.00
517	<ol> <li>Power generators</li> <li>8500, year built 2019, type: 8500; year: 2019; gasoline: yes; number of cylinders: 1; engine power: 2 kW; air cooled: yes; description: 12, 230, 380 Volts; key start; unused;</li> </ol>	10.00
518	<ol> <li>Workplace furniture Manutan, year built 2019, brand: Manutan; year: 2019; description: equator for workshop crane; max. 900 kg; unused;</li> </ol>	10.00
519	1 electric winch year built 2019, year: 2019; hoist capacity: 1350 kg; description: electric winch; to be connected to 12V battery; equipped with 5 meter steel cable; safety hook; remote control; unused;	10.00
520	1 electric winch year built 2019, year: 2019; hoist capacity: 1350 kg; description: electric winch; to be connected to 12V battery; equipped with 5 meter steel cable; safety hook; remote control; unused;	10.00
521	<ol> <li>Electric hand grinders         electric connection: 230 V; description: multi-tool; unused;</li> </ol>	10.00
522	<ol> <li>Electric hand grinders electric connection: 230 V; description: multi-tool; unused;</li> </ol>	10.00
523	<ol> <li>Electric hand grinders electric connection: 230 V; description: multi-tool; unused;</li> </ol>	10.00
524	1 Tool cases metal: yes; with content: yes; description: equipped with various nozzles, and ratchets; unused;	10.00
525	4 Tension band year built 2019, year: 2019; description: 2x 3t and 2x 5t; unused;	10.00
526	<ol> <li>Air compressors year built 2019, year: 2019; electric connection: 12 V; description: unused;</li> </ol>	10.00
527	1 <b>Air compressors</b> year built 2019, year: 2019; electric connection: 12 V;	10.00
528	<ol> <li>Workplace furniture year built 2019, year: 2019; total dimension H: 3 mm; description: grease gun; 500 ml; unused;</li> </ol>	10.00
529	<ol> <li>Workplace furniture year built 2019, year: 2019; total dimension H: 3 mm; description: grease gun; 500 ml; unused;</li> </ol>	10.00
530	1 demolition / demolition hammer Kango, year built 2019, type: Kango; year: 2019; description: jack hammer / demolition hammer; electric 1850 watts; 230 Volt connection; equipped with the second blades; unused;	10.00

Sta	rting	Bid	€

531	1	Workplace furniture year built 2019, year: 2019; description: Braking vent kit; works on vacuum; capacity 1 liter; air use 180 I / min; air pressure: 90 -120 PSI; unused;	10.00
532	1	<b>Battery chargers</b> Deca, year built 2019, brand: Deca; year: 2019; with booster function: yes; electric connection: 230 V; description: unused;	10.00
533	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 80 Ah; 550 A; unused;	10.00
534	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 80 Ah; 550 A; unused;	10.00
535	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 80 Ah; 550 A; unused;	10.00
536	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 60 Ah; 500 A; unused;	10.00
537	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 60 Ah; 500 A; unused;	10.00
538	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 60 Ah; 500 A; unused;	10.00
539	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 60 Ah; 500 A; unused;	10.00
540	1	Battery chargers year built 2019, year: 2019; voltage: 12 V; description: starter battery; 165 Ah; 650 A; unused;	10.00
541	1	<b>Other car inventory</b> year built 2019, year: 2019; description: Mechanics Trolley; adjustable; equipped with six wheels; unused;	10.00
542	1	<b>cylindrical mower</b> fuel engine driven: yes; fuel type: Benzine; description: cylinder mower ; not tested;	10.00
543	1	Other garage tooling Mannesmann, year built 2019, brand: Mannesmann; year: 2019; description: socket set; 130 piece; unused;	10.00
544	1	<b>Other car inventory</b> year built 2019, year: 2019; description: tire pump with gauge; unused;	10.00
545	1	<b>Other car inventory</b> year built 2019, year: 2019; description: tire pump with gauge; unused;	10.00
546	1	Other car inventory year built 2019, year: 2019; description: tire pump with gauge; unused;	10.00
547	1	scrub machine Numatic, brand: Numatic; description: scrubber; not tested;	10.00
548	1	<b>Cleaning trolleys</b> Tennant, 443C, brand: Tennant; type: 443C; description: scrubber; 230 volts; not tested;	10.00
549	1	leaf blower fuel engine driven: yes; fuel type: Benzine;	10.00
550	1	cutter Husqvarna, K950, brand: Husqvarna; type: K950; number of cylinders: 1; description: without saw blade; pay attention! defect;	100.00

551	1	<b>Lawn Mower</b> MTD, Lawnflite 504, brand: MTD; type: Lawnflite 504; working width: 760 mm; fuel type: benzine; engine power: 8.81 kW; description: equipped with Briggs & Stratton engine; draw bar ; 5 + 1 gearbox ; electric start;	10.00
552	1	<b>battery tooling</b> F-Tools Germany, year built 2019, brand: F-Tools Germany; year: 2019; hammer drill: yes; impact wrench: yes; description: equipped with 2x battery (3000 mAh); Max. Torque 250 Nm; LED lighting ; unused;	10.00
553	1	Other garage tooling year built 2019, year: 2019; description: Grease gun pneumatic; unused;	10.00
554	1	Battery chargers year built 2019, year: 2019; voltage: 12 V;	10.00
555	1	Multitool serial number a, electric connection: 230 V; description: Multitool;	10.00
556	1	Multitool serial number b, electric connection: 230 V; description: Multitool;	10.00
557	1	<b>Multitool</b> serial number c, electric connection: 230 V; description: Multitool;	10.00
558	1	Multitool serial number d, electric connection: 230 V; description: Multitool;	10.00
559	1	Multitool serial number e, electric connection: 230 V; description: Multitool;	10.00
560	1	Security systems year built 2019, year: 2019; year: 2019; security camera system: yes; description: camera; dummy, ongebruikt; description: security camera; dummy; unused;	10.00
561	1	Security systems year built 2019, year: 2019; security camera system: yes; description: camera; dummy, unused;	10.00
562	1	Security systems year built 2019, year: 2019; security camera system: yes; description: camera; dummy, unused;	10.00
563	1	Security systems year built 2019, year: 2019; security camera system: yes; description: camera; dummy; unused;	10.00
564	1	<b>Water pumps</b> Leicester, Professional 66-4t, year built 2019, brand: Leicester; type: Professional 66-4t; year: 2019; power: 4.4 kW; capacity: 66000 l/hr; description: equipped with 4-stroke gasoline engine; yield 66m3 / h; various coupling pieces; unused;	10.00
565	1	<b>Other garage tooling</b> year built 2019, year: 2019; description: injector toolkit for diesel engines; unused;	10.00
566	1	<b>Other garage tooling</b> year built 2019, year: 2019; description: oil sump drain plug set 3/8 "; Allen keys 8, 9, 10, 12, 14 and 17 mm; square keys: 8, 11 and 13 mm; unused;	10.00
567	1	<b>digital electronic safe</b> year built 2019, year: 2019; description: digital electronic safe, equipped with digital keyboard with button; unused;	10.00
568	1	Other garage tooling year built 2019, year: 2019; description: tool set valve spring tensioner, unused;	10.00
569	1	Electric hand saw machines Milwaukee, SSD 1100 X, brand: Milwaukee; type: SSD 1100 X; plunge-cut saw: yes; electric connection: 110 V; description: reciprocating saw ; 1100 watts; stroke length 28 mm;	10.00

Starting	ן Bid €

5	570	1	<b>Electric hand drills</b> Milwaukee, PLH 28 XE, brand: Milwaukee; type: PLH 28 XE; combi drill: yes; power: 1030 W; electric connection: 110 V; description: SDS-plus combihamer;	10.00
5	571	1	<b>Electric hand drills</b> Milwaukee, PH 30 Power X, brand: Milwaukee; type: PH 30 Power X; combi drill: yes; power: 1030 W; electric connection: 110 V; description: SDS-plus combihamer;	10.00
5	72	1	<b>Electric hand drills</b> Milwaukee, PH 30 Power X, brand: Milwaukee; type: PH 30 Power X; combi drill: yes; power: 1030 W; electric connection: 110 V; description: SDS-plus combihamer;	10.00
5	573	1	<b>Electric hand drills</b> Milwaukee, PH 26, brand: Milwaukee; type: PH 26; combi drill: yes; power: 800 W; electric connection: 110 V; description: SDS-plus combihamer;	10.00
5	574	1	Electric hand saw machines Milwaukee, SSPE 1500 X, brand: Milwaukee; type: SSPE 1500 X; plunge-cut saw: yes; electric connection: 110 V; description: reciprocating saw ; 1500 watts; stroke length 32 mm;	10.00
5	575	1	<b>Electric hand drills</b> Milwaukee, PLH 32 XE, brand: Milwaukee; type: PLH 32 XE; combi drill: yes; power: 1030 W; electric connection: 110 V; description: SDS-plus combihamer;	10.00
5	576	1	<b>Other electrical tools</b> Makita, brand: Makita; electric connection: 110 V; total dimension H: 4 mm; description: Hammer Drill + angle grinder;	10.00
5	577	1	Electric hand grinders Bosch, GWS 9-115 P, brand: Bosch; type: GWS 9-115 P; power: 800 W; electric connection: 110 V;	10.00
5	78	1	Electric hand grinders Makita, GA9020, brand: Makita; type: GA9020; power: 2200 W; electric connection: 110 V;	10.00
5	579	1	Electric hand grinders Makita, 9069, brand: Makita; type: 9069; power: 2000 W; electric connection: 110 V;	10.00
5	80	1	Electric hand grinders Makita, 9069, brand: Makita; type: 9069; power: 2000 W; electric connection: 110 V;	10.00
5	81	1	<b>Power generators</b> Munich Tools, 8500 W, year built 2019, brand: Munich Tools; type: 8500 W; year: 2019; gasoline: yes; engine power: 4.4 kW; air cooled: yes; description: 230 + 380 Volt connection;	10.00
5	82	1	<b>Power generators</b> Universal Kraft, UK 6500 W, year built 2019, brand: Universal Kraft; type: UK 6500 W; year: 2019; gasoline: yes; engine power: 4.4 kW; air cooled: yes; description: equipped with 230 + 380 connector;	10.00
5	83	1	<b>Other car inventory</b> year built 2019, year: 2019; description: key cabinet; equipped with label key rings; 2x key; unused;	10.00
5	84	2	Security systems year built 2019, year: 2019; description: unused;	10.00
5	85	1	<b>Garage jacks</b> year built 2019, year: 2019; capacity: 2 t; description: hydraulic; unused in box;	10.00
5	86	1	drill and chisel set SDS year built 2019, year: 2019; description: 12-part; unused;	10.00
5	87	2	soap dispenser (2x) year built 2019, year: 2019; description: equipped with sensor; unused;	10.00
5	88	1	winch manually operated year built 2019, year: 2019; description: capacity 350 kg; unused;	10.00

589	) 1	<b>Other garage tooling</b> year built 2019, year: 2019; description: mechanics trolley; equipped with six wheels; unused;	10.00
590	) 1	Electric hand saw machines year built 2019, year: 2019; electric connection: 230 V; description: power 350 watts; unused;	10.00
591	1	drill and chisel set SDS year built 2019, year: 2019; description: 12-part; unused;	10.00
592	. 1	drill and chisel set SDS year built 2019, year: 2019; description: 12-part; unused;	10.00
593	5 1	drill and chisel set SDS year built 2019, year: 2019; description: 12-part; unused;	10.00
594	· 1	<b>chain saw</b> year built 2019, year: 2019; saw blade size L: 500 mm; fuel type: Benzine; description: 58 cc; quick start; unused in box;	10.00
595	5 1	pneumatic impact wrenches year built 2019, year: 2019; with case: yes; description: unused;	10.00
596	i 1	<b>Doppensets</b> Meister, year built 2019, brand: Meister; year: 2019; description: unused; with case: yes;	10.00
597	2	security systems description: dummy, unused;	10.00
598	2	security systems security camera system: yes; description: dummy, unused;	10.00
599	) 1	<b>trimmer</b> Sandri Garden, year built 2019, brand: Sandri Garden; year: 2019; electric driven: yes; description: equipped with 230-volt terminal; unused;	10.00
600	) 1	Garage jacks year built 2019, year: 2019; capacity: 2 t; description: hydraulic; unused in box;	10.00
601	1	Garage jacks year built 2019, year: 2019; capacity: 2 t; description: hydraulic; unused in box;	10.00
602	! 1	<b>Power generators</b> 8500, year built 2019, type: 8500; year: 2019; gasoline: yes; number of cylinders: 1; engine power: 2 kW; air cooled: yes; description: 12, 230, 380 Volts; key start; unused;	10.00
603	6 1	<b>dynamo kit</b> year built 2019, dynamo kit; for dismantling and mounting the dynamo; unused in plastic case	10.00
604	• 1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; description: unused in box;	10.00
605	5 1	<b>Socket sets</b> Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 28; description: unused in box;	10.00
606	i 1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 28; description: unused in box;	10.00
607	' 1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 28; description: unused in box;	10.00
608	6 1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; drive : 3/8 "; description: unused;	10.00
609	) 1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; drive : 3/8 "; description: unused;	10.00

610	1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; description: unused in box; drive : 3/8 ";	10.00
611	1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; description: unused in box; drive : 3/8 ";	10.00
612	1	Socket sets Meister Germany, year built 2019, brand: Meister Germany; year: 2019; piece: 20; description: unused;	10.00
613	1	<b>Pneumatic impact wrenches</b> year built 2019, electric connection: 1 "; year: 2019; square drive: 1/4 "; with case: yes; description: unused;	10.00
614	1	earth drill year built 2019, year: 2019; fuel engine driven: yes; fuel type: Benzine; description: equipped with three drill (diameter 100, 150 and 200 mm) + extension; unused;	10.00
615	1	<b>Concrete shears</b> year built 2019, year: 2019; piece: 1; own weight: 2 kg; total dimension L: 600 mm; description: CR-V; heavy duty; unused;	10.00
616	1	<b>Concrete shears</b> year built 2019, year: 2019; length: 450 mm; description: CR-V; unused;	10.00
617	1	Chain hoists year built 2019, year: 2019; hoist capacity: 2000 kg; description: hand operated; unused;	10.00
618	1	chain saw year built 2019, year: 2019; fuel type: Benzine; description: unused;	10.00
619	1	<b>Other inventory</b> year built 2019, year: 2019; total dimension H: 4 mm; description: gas heater; unused;	10.00
620	1	Welding machine year built 2019, year: 2019; inverter type: yes; portable: yes; ampere range: 200 A; electric connection: 230 V; dimension H: 4 mm; description: unused;	10.00
621	1	<b>forklift truck seat</b> year built 2019, year: 2019; description: forklift truck seat; unused;	10.00
622	1	Electric hand grinders year built 2019, year: 2019; electric connection: 230 V; description: unused;	10.00
623	1	pressure washer	10.00
624	1	Pneumatic hand grinders year built 2019, year: 2019; description: unused;	10.00
625	1	<b>Other garage tooling</b> year built 2019, year: 2019; description: crowbar / crowbar; equipped with nail puller; unused;	10.00
626	1	<b>Other garage tooling</b> year built 2019, year: 2019; total dimension L: 3000 mm; description: washing brush; telescopic; extendable; unused;	10.00
627	5	<b>Other garage tooling</b> year built 2019, year: 2019; description: drill and plug set; 600 parts; unused;	10.00
628	1	Other car inventory year built 2019, year: 2019; digital display: yes;	10.00
629	1	Extension cable reels and cords year built 2019, year: 2019; electric connection: 230 V; length: 10 m; on reel: yes; description: max 1100 watts; unused;	10.00
630	1	Other garage tooling electric connection: 230 V; description: LED work lamp; 10 watts; unused;	10.00

Startin	a Bi	id €	

631	1	<b>Electric hand grinders</b> Kress Germany, 750 WS 115, year built 2019, brand: Kress Germany; type: 750 WS 115; year: 2019; disc diameter: 115 mm; power: 750 W; electric connection: 230 V; description: angle grinder ; M14 spindle recording; unused;	10.00
632	1	<b>Tool trolleys</b> PT Industrial, year built 2019, brand: PT Industrial; year: 2019; number of drawers: 6; with content: yes; description: vv various tools; material chrome vanadium; heavy duty; unused;	10.00
633	1	<b>Tool trolleys</b> PT Industrial, year built 2019, brand: PT Industrial; year: 2019; number of drawers: 6; with content: yes; description: vv various tools; material chrome vanadium; heavy duty quality; unused;	10.00
634	1	<b>Other garage tooling</b> Makita, year built 2019, brand: Makita; year: 2019; description: Toolkit with various accessories; unused;	10.00
635	1	<b>Power generators</b> Meistergen, HD 30 Silence, year built 2019, brand: Meistergen; type: HD 30 Silence; year: 2019; capacity: 25 kVA; electric connection: 380 V; diesel: yes; number of cylinders: 4; water cooled: yes; manual present: yes; machine weight: 780 kg; description: equipped with digital control panel; 2x 2x 400 Volt and 230 Volt output; 50 Hertz; silenced; unused;	1,000.00
636	1	<b>lot of swing hooks for New holland</b> New Holland, brand: New Holland; description: lot of swing hooks;	10.00
650	1	<b>Tool trolleys</b> Kraftmax, 369-pcs, year built 2019, brand: Kraftmax; type: 369-pcs; year: 2019; number of drawers: 8; with content: yes; description: equipped with seven trays of which 6 are filled; chromium-vanadium tooling ; various tooling ; sturdy handle; 2 keys; Four wheels of which two swivel casters; side door; unused in box;	10.00
651	1	<b>generator</b> Powertech, PT6500WS, year built 2019, generator; equipped with 6.5pk gasoline engine; 6.5 KVA output; 3 x 220V connection; 1 x 380V connection; thick front and back; manual start; incl. accessories ; unused in box	10.00
652	1	jumpstart 3 in 1 year built 2019, jump start 3 in 1; equipped with jump start; compressor with a pressure gauge; Bright work lights; capacity: 9A / h; compressor 300PSI; unused in box	10.00
653	1	<b>trimming</b> Schwartzmann, MS-1500.6, year built 2019, trimming; equipped with 1500W; adjustable saw head; adjustable miter; no load speed 4500min-1; blade diameter 185MM; unused in box	10.00
654	1	<b>seeginning tongs set</b> BST, 4-pcs, year built 2019, seegeringtangenset; equipped with bag; 4 pliers; soft grip; unused in packaging	10.00
655	1	<b>high pressure cleaner gasoline</b> Premium Kraft, PK2500, high pressure cleaner gasoline; equipped with 6.5 Horse Power gasoline engine; 2600PSI capacity; Maximum capacity 3000PSI; Two wheels; 3GPM flow; 5 spray positions; 5 nozzle; incl. accessories ; unused in box	10.00
656	1	grinding machine/ belt sander CMI, year built 2019, grinding machine/ belt sander ; incl. accessories ; 230; 2M cord; unused in box	10.00
657	1	<b>grinding machine/ belt sander</b> CMI, year built 2019, grinding machine/ belt sander ; incl. accessories ; 230; 2M cord; unused in box	10.00
658	1	<b>ax</b> BST, year built 2019, ax; equipped with soft grip; unused	10.00
659	1	screwdriver set ET 9706127, 9706127, year built 2019, Screwdriver Set; equipped with 12 parts; X + 6; 6 x -; unused in box	10.00

660	1	screwdriver set ET 9706127, 9706127, year built 2019, Screwdriver Set; equipped with 12 parts; X + 6; 6 x -; unused in box	10.00
661	1	socket wrench set schwartzmann, 94-pcs, year built 2019, socket wrench set; 94 piece; unused in packaging	10.00
662	1	socket wrench set Schwartzmann, 108-pcs, year built 2019, socket wrench set; 108-piece; unused in packaging	10.00
663	1	<b>spanner set</b> Topex, 8-pcs, year built 2019, spanner set; 8-part; unused in packaging	10.00
664	1	<b>spanner set</b> Topex, 8-pcs, year built 2019, spanner set; 8-part; unused in packaging	10.00
665	1	flexible garden hose Magic Hose, 45m/150ft, year built 2019, flexible hose; 45 meters; including accessories ; spray gun with 7 functions; unused in box	10.00
666	1	flexible garden hose Magic Hose, 52.5m/175ft, year built 2019, flexible hose; 52.5 meters; including accessories ; spray gun with 7 functions; unused in box	10.00
667	1	flexible garden hose Magic Hose, 52.5m/175ft, year built 2019, flexible hose; 52.5 meters; including accessories ; spray gun with 7 functions; unused in box	10.00
668	1	<b>air hose reel</b> Kraftwelle, KW-15 GR-33, year built 2019, air hose reel; connection 1/2 "; length 15 m; connection hose 1m; pressure 20 bar max; incl. accessories ; unused in box	10.00
669	1	<b>compressor</b> Royalkraft Line, RT-25L, year built 2019, compressor ; equipped with 25L tank; Connection 220V; 2.5PK; 130L / min; 8 Bar; incl. accessories ; unused in box	10.00
670	1	<b>3-in-1 start booster</b> year built 2019, 3-in-1 launch booster; equipped with jump start; compressor with a pressure gauge; Bright work lights; capacity: 9A / h; compressor 300PSI; unused in box	10.00
671	1	<b>chain saw</b> Powetech, CTCS52, year built 2019, chain saw ; with 3 Horse Power gasoline engine; 52cc; length blade about 50cm; easy starter; incl. accessories ; unused in box	10.00
672	1	<b>chain saw</b> Powetech, CTCS52, year built 2019, chain saw ; with 3 Horse Power gasoline engine; 52cc; length blade about 50cm; easy starter; incl. accessories ; unused in box	10.00
673	1	screwdriver set ET, 9706127, year built 2019, Screwdriver Set; equipped with 12 parts; X + 6; 6 x -; unused in box	10.00
674	1	screwdriver set ET, 9706127, year built 2019, Screwdriver Set; equipped with 12 parts; X + 6; 6 x -; unused in box	10.00
675	1	<b>Battery bat key</b> Platinum Tools, M36A, year built 2019, Cordless Impact Wrench; 2 x 20V 4.0Ah Li-ion battery; cap 17-19-21-23 mm; incl. accessories ; unused in box	10.00
676	1	<b>Battery bat key</b> Platinum Tools, M36A, year built 2019, Cordless Impact Wrench; 2 x 20V 4.0Ah Li-ion battery; cap 17-19-21-23 mm; incl. accessories ; unused in box	10.00
677	1	<b>dual battery drilling machine</b> Kraftmax, KF-CD015, year built 2019, dual battery drilling machine ; vv drilling machine ; hammer; 18V; fast charger; 2 x 18V battery; bitholder; 6 bits; 6 drilling; unused in box	10.00
678	1	<b>dual battery drilling machine</b> Kraftmax, KF-CD015, year built 2019, dual battery drilling machine ; vv drilling machine ; hammer; 18V; fast charger; 2 x 18V battery; bitholder; 6 bits; 6 drilling; unused in box	10.00



679	1	<b>ax</b> BST, year built 2019, ax; equipped with soft grip; unused	10.00
680	1	ax BST, year built 2019, ax; equipped with soft grip; unused	10.00
681	1	ax BST, year built 2019, ax; equipped with soft grip; unused	10.00
682	1	<b>ax</b> BST, year built 2019, ax; equipped with soft grip; unused	10.00
683	1	<b>grinding machine/ belt sander</b> CMI, year built 2019, grinding machine/ belt sander ; incl. accessories ; 230; 2M cord; unused in box	10.00
684	1	grinding machine/ belt sander CMI, year built 2019, grinding machine/ belt sander ; incl. accessories ; 230; 2M cord; unused in box	10.00
685	1	grinding machine/ belt sander CMI, year built 2019, grinding machine/ belt sander ; incl. accessories ; 230; 2M cord; unused in box	10.00
686	1	socket wrench set Kraftmax, KF-108, year built 2019, socket set set; 108-piece: unused in packaging	10.00
687	1	flexible garden hose Magic Hose, 15m/50ft, year built 2019, flexible hose; 15 meters; including accessories ; spray gun with 7 functions; unused in box	10.00
688	1	flexible garden hose Magic Hose, 15m/50ft, year built 2019, flexible hose; 15 meters; including accessories ; spray gun with 7 functions; unused in box	10.00
689	1	<b>Tool trolleys</b> Kraftmax, 369, year built 2019, brand: Kraftmax; type: 369; year: 2019; number of drawers: 7; with content: yes; description: equipped with seven trays of which 6 are filled; chromium-vanadium tooling ; various tooling ; sturdy handle; 2 keys; Four wheels of which two swivel casters; side door; unused in box;	10.00
690	1	<b>Tool trolleys</b> Kraftmax, 369-pcs, year built 2019, brand: Kraftmax; type: 369-pcs; year: 2019; number of drawers: 7; with content: yes; description: equipped with seven trays of which 6 are filled; chromium-vanadium tooling ; various tooling ; sturdy handle; 2 keys; Four wheels of which two swivel casters; side door; unused in box;	10.00
691	1	<b>Tool trolleys</b> Munich Tools, Germany XXL, year built 2019, brand: Munich Tools; type: Germany XXL; year: 2019; number of drawers: 7; with content: yes; description: equipped with seven trays of which 6 are filled; chromium-vanadium tooling ; Stainless steel sheet; various tooling ; sturdy handle; 2 keys; Four wheels of which two swivel casters; unused in box;	10.00
692	1	<b>Tool trolleys</b> Munich Tools, Germany XXL, year built 2019, brand: Munich Tools; type: Germany XXL; year: 2019; number of drawers: 7; with content: yes; description: equipped with seven trays of which 6 are filled; chromium-vanadium tooling ; Stainless steel sheet; various tooling ; sturdy handle; 2 keys; Four wheels of which two swivel casters; unused in box;	10.00
693	1	<b>battery tooling</b> Kraftmax, KF-CD008, year built 2019, brand: Kraftmax; type: KF-CD008; year: 2019; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: equipped with fast charger; 4 caps: 17mm / 19mm / 21mm / 23mm; unused in box;	10.00
694	1	<b>battery tooling</b> Kraftmax, KF-CD008, year built 2019, brand: Kraftmax; type: KF-CD008; year: 2019; voltage: 24 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: equipped with fast charger; 4 caps: 17mm / 19mm / 21mm / 23mm; unused in box:	10.00

695	Xtreme cooled	cycles e, MS-701, year built 2019, brand: Xtreme; type: MS-701; year: 2019; brand: e; type: MS-701; year: 2019; displacement: 49 cc; description: equipped with air- l; 1-cil; vending machine; deadman cord; 2 keys; easy starter; incl. accessories ; d in box;	10.00
696	Premiu 2019; engine	bressure cleaners um Kraft, PK2500, year built 2019, brand: Premium Kraft; type: PK2500; year: max. pressure: 206 bar; power: 4 kW; description: equipped with 6.5 HP petrol e; 2600PSI capacity; Maximum capacity 3000PSI; Two wheels; 3GPM flow; 5 spray ns; 5 nozzle; incl. accessories ; unused in box;	10.00
697	telesco	ers and stairs pop ladder, 2.6M, year built 2019, brand: telescoop ladder; type: 2.6M; year: 2019; er of steps: 9; aluminium: yes; telescopic ladder: yes; description: unused in box;	10.00
698	Femor	ers and stairs ; 3.8M, year built 2019, brand: Femor; type: 3.8M; year: 2019; number of steps: 13; iium: yes; telescopic ladder: yes; double: yes;	10.00
699	Royalk year: 2 V; mar	ng machine craft Line, IGBT-N300, year built 2019, brand: Royalkraft Line; type: IGBT-N300; 2019; MMA type: yes; portable: yes; ampere range: 300 A; electric connection: 230 nual present: yes; description: capacity 300 Amp; 230; with accessories ; XL model; d in box;	10.00
700	Royalk year: 2 V; mar	ng machine Kraft Line, IGBT-N300, year built 2019, brand: Royalkraft Line; type: IGBT-N300; 2019; MMA type: yes; portable: yes; ampere range: 300 A; electric connection: 230 hual present: yes; description: capacity 300 Amp; 230; with accessories ; XL model; d in box;	10.00
701	Protec capaci with 6.	gency power units th, PR7500W, year built 2019, brand: Protech; type: PR7500W; year: 2019; ity: 75 kVA; engine capacity: 64 kW; manual present: yes; description: equipped 5pk gasoline engine; 7.5KVA; 3 x 220 volt terminal; 1 x 380Volt connection; manual tey starter; unused in box;	10.00
702	Power 2019; equipp	gency power units tech, PT6500WE, year built 2019, brand: Powertech; type: PT6500WE; year: capacity: 65 kVA; engine capacity: 65 kW; manual present: yes; description: bed with 6.5pk gasoline engine; 6.5 KVA; 3 x 220V connection; 1 x 380V ction; electric start; Incl. Battery; manual start; incl. accessories ; unused in box;	10.00
703	Power capaci with 6.	gency power units tech, PT6500W, year built 2019, brand: Powertech; type: PT6500W; year: 2019; ity: 65 kVA; engine capacity: 65 kW; manual present: yes; description: equipped 5pk gasoline engine; 6.5 KVA; 3 x 220V connection; 1 x 380V connection; manual ncl. accessories ; unused in box;	10.00
704	Power 2019; equipp	gency power units tech, PT6500WS, year built 2019, brand: Powertech; type: PT6500WS; year: capacity: 65 kVA; engine capacity: 65 kW; manual present: yes; description: bed with 6.5pk gasoline engine; 6.5 KVA output; 3 x 220V connection; 1 x 380V ction; thick front and back; manual start; incl. accessories ; unused in box;	10.00
705		ases ax, KF-308, brand: Kraftmax; type: KF-308; aluminium: yes; with content: yes; ption: 308-section; various tooling ; silver edition; unused in box;	10.00
706		ases ax, KF-308, brand: Kraftmax; type: KF-308; aluminium: yes; with content: yes; ption: 308-section; various tooling ; silver edition; unused in box;	10.00
707		ases hax, KF-85, brand: Kraftmax; type: KF-85; metal: yes; with content: yes; description: bed with iron box; various tooling ; 85-piece; unused in box;	10.00

708	1 Tool cases Swiss Kraft, 399-pcs, brand: Swiss Kraft; type: 399-pcs; plastic: yes; with content: yes; description: vv various tooling ; chromium-vanadium tooling ; 399-section; unused in box;	10.00
709	1 Battery chargers jumpstart, 3 in 1, year built 2019, brand: jumpstart; type: 3 in 1; year: 2019; with booster function: yes; description: equipped with jump start; compressor with a pressure gauge; Bright work lights; capacity: 9A / h; compressor 300PSI; unused in box;	10.00
710	1 Welding machine MIG-MAG Power, MIG-100, year built 2019, brand: MIG-MAG Power; type: MIG-100; year: 2019; mig type: yes; portable: yes; manual present: yes; description: equipped with 230V connection; 55-90A; 2.4kW; 0.9MM; incl. accessories ; unused in box;	10.00
711	1 Battery chargers Class, 630, year built 2019, brand: Class; type: 630; year: 2019; voltage: 12V en 24V V; with booster function: yes; electric connection: 230 V; description: equipped with 230V connection; 12V and 24V; min 50 Ah; max 800Ah; timer; Two wheels; LED screen; incl. accessories ; unused in box;	10.00
712	1 garden hose Magic Hose, 22.5/75ft, year built 2019, brand: Magic Hose; type: 22.5/75ft; year: 2019; description: 22.5 meters; including accessories ; spray gun with 7 functions; unused in box;	10.00
713	<ol> <li>garden hose Magic Hose, 22.5m/75ft, year built 2019, brand: Magic Hose; type: 22.5m/75ft; year: 2019; description: 22.5 meters; including accessories ; spray gun with 7 functions; unused in box;</li> </ol>	10.00
714	<ol> <li>garden hose</li> <li>Magic Hose, 30m/100ft, year built 2019, brand: Magic Hose; type: 30m/100ft; year: 2019; description: 30 meters; including accessories; spray gun with 7 functions; unused in box;</li> </ol>	10.00
715	<ol> <li>garden hose Magic Hose, 30m/100ft, year built 2019, brand: Magic Hose; type: 30m/100ft; year: 2019; description: 30 meters; including accessories; spray gun with 7 functions; unused in box;</li> </ol>	10.00
716	<ol> <li>garden hose</li> <li>Magic Hose, 45m/150ft, year built 2019, brand: Magic Hose; type: 45m/150ft; year: 2019; description: 45 meters; including accessories; spray gun with 7 functions; unused in box;</li> </ol>	10.00
717	1 Tool cases Kraftmax, KF-RS22, brand: Kraftmax; type: KF-RS22; aluminium: yes; with content: yes; description: set of open-end wrench equipped with 22 pieces; Sizes: 10 11 6 7 8 9 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32MM; unused in box;	10.00
719	1 Tool cases Kraftmax, KF-FS13, brand: Kraftmax; type: KF-FS13; plastic: yes; with content: yes; description: Wrench set; 13-part; size: 8-10-12-13-14-17-19-21-22-24-27-30-32MM; unused in packaging;	10.00
720	1 Tool cases Kraftmax, KF-FS13, brand: Kraftmax; type: KF-FS13; plastic: yes; with content: yes; description: Wrench set; 13-part; size: 8-10-12-13-14-17-19-21-22-24-27-30-32MM; unused in packaging;	10.00
721	<ol> <li>Brushcutters, motor trimmers and edge mowers         Powertech, PT580 8 in 1, year built 2019, brand: Powertech; type: PT580 8 in 1; year: 2019; fuel engine driven: yes; fuel type: benzine; description: 8 in the first string trimmer (strimmers); 58CC; incl. accessories; unused in box;     </li> </ol>	10.00
722	<ol> <li>Brushcutters, motor trimmers and edge mowers         Powertech, PT580 8 in 1, year built 2019, brand: Powertech; type: PT580 8 in 1; year: 2019; fuel engine driven: yes; fuel type: benzine; description: 8 in the first string trimmer (strimmers); 58CC; incl. accessories; unused in box;     </li> </ol>	10.00

723	1 Security systems CCTV, Aprica, year built 2019, brand: CCTV; type: Aprica; year: 2019; security came system: yes; number of cameras: 4; description: security camara set; equipped with day / night cameras; 5G; unused in box;	
724	<ol> <li>Security systems         CCTV, Aprica, year built 2019, brand: CCTV; type: Aprica; year: 2019; security came system: yes; number of cameras: 4; description: security camara set; equipped with day / night cameras; 5G; unused in box;     </li> </ol>	four
725	1 Security systems CCTV, Aprica, year built 2019, brand: CCTV; type: Aprica; year: 2019; security came system: yes; number of cameras: 4; description: security camara set; equipped with day / night cameras; 5G; unused in box;	
726	<ol> <li>Security systems         CCTV, Camera 1009, year built 2019, brand: CCTV; type: Camera 1009; year: 2019         security camera system: yes; number of cameras: 4; description: Security set wifi;         equipped with 4 IP cameras; NVR; WIFI; unused in box;     </li> </ol>	
727	<ol> <li>Security systems         cctv, Camera 1009, year built 2019, brand: cctv; type: Camera 1009; year: 2019; sec camera system: yes; number of cameras: 4; description: Security set wifi; equipped IP cameras; NVR; WIFI; unused in box;     </li> </ol>	-
728	<ol> <li>Tension band Spandband, year built 2019, year: 2019; description: 5 Ton 9 Meter;</li> </ol>	10.00
729	1 <b>Tension band</b> spanband, year built 2019, year: 2019; description: 5 Ton 9 Meter;	10.00
730	1 <b>Tension band</b> spanband, year built 2019, year: 2019; description: 5 Ton 9 Meter;	10.00
731	<ul> <li>1 Tension band spanband, year built 2019, year: 2019; description: 5 Ton 9 Meter;</li> </ul>	10.00
732	<ul> <li>1 Tension band spanband, year built 2019, year: 2019; description: 5 Ton 9 Meter;</li> </ul>	10.00
733	<ul> <li>1 Tool trolleys         Bayern Tools, BT-6D6FMFD, year built 2019, brand: Bayern Tools; type: BT-6D6FM year: 2019; number of drawers: 6; with content: yes; description: equipped with six drawers of which 6 are filled; chromium-vanadium tooling; Stainless steel sheet; vari tooling; sturdy handle; 2 keys; Four wheels of which two swivel casters; extra width; unused in box;     </li> </ul>	ous
734	1 Tool trolleys Kraftmax, 369-pcs, year built 2019, brand: Kraftmax; type: 369-pcs; year: 2019; num of drawers: 7; with content: yes; description: equipped with seven trays of which 6 ar filled; chromium-vanadium tooling; worktop; various tooling; sturdy handle; 2 keys; F wheels of which two swivel casters; side door; unused in box;	e
735	1 High pressure cleaners Powertech, PT2200, year built 2019, brand: Powertech; type: PT2200; year: 2019; n pressure: 165 bar; capacity: 6 l/hr; mobile: yes; electric connection: 229 V; description equipped with 2200Watt motor; auto stop system; 5M hose; built-in soap dispenser; wheels; pulley; including accessories; unused in box;	on:
736	1 Emergency power units ProKraft, KP1800, year built 2019, brand: ProKraft; type: KP1800; year: 2019; electric connection: 230 V; generator type: hand aggregaat; manual present: yes; description equipped with portable model; silent; 650W peak ouput; rated output 550W; power for 1.0; including accessories ; unused in box;	ו:
745	3 connecting piece wavin, aansluitstuk, brand: wavin; description: 1 x 125/400 mm; 1 x 160/315 mm; 1 x 200/400 mm;	10.00

Lot	Number Description	Starting Bid €
746	1 connection clamps aansluitknevels, description: 4 pieces 160-400 mm;	10.00
747	4 connection clamps aansluitknevels, description: 4 pieces of clamp 160-500 mm;	10.00
748	5 hd sleeve hd mof, thickness: 400 mm; description: pvc hd socket 5 pieces;	10.00
749	3 pvc fittings pvs hulpstukken, description: pvc fittings 400/315/250;	10.00
750	3 share pvc pvc delen, description: 3 pieces of PVC parts 400 and 500mm;	10.00
751	1 pvc tee pvc t-stuk, description: pvc t piece 400mm 90 degrees;	10.00
752	1 pvc tee pvc t stuk, description: pvc t piece 400 / 250mm 45 degrees;	10.00
753	1 pvc sleeve pvc mof, thickness: 500 mm; description: pvc mog 500 mm;	10.00
754	2 pvc sleeve pvc mog 400, thickness: 400 mm; description: pvc mog 400 mm;	10.00
755	3 connection clamp aansluiknevel, description: 3 pcs connection clamp 160 / 630mm;	10.00
756	1 gravel description: 46 big bags of gravel;	10.00



### General conditions Online Auction TroostwijkAuctions.com

#### **ARTICLE 1. DEFINITIONS**

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

**User**: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

**Client**: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid**: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration**: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers**: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s)**: the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

#### **ARTICLE 2. APPLICABILITY**

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

#### **ARTICLE 3. THE AUCTION**

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

#### **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

#### **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

#### **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the

day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

#### **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

#### **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.

10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

### ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

### **ARTICLE 12. TERMINATION**

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



#### **ARTICLE 13. LIABILITY**

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to  $\notin$  5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the
  purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
  this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
  Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
  consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer
  malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others,
  not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
  is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
  website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
  restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
  the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### About Us Troostwijk

# Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

## 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

### **Statistics**

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

## **15 Countries**

Troostwijk has own offices in 15 European countries

### 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience