



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Plastic finishing equipment Zollner Elektronik AG **(HU)**

- - - Vác
(Vác)

Closing date: Tuesday **10 SEPTEMBER** starting 17:00



Viewing:

from Tuesday 03 September until Wednesday 04 September

By appointment

- - - Vác (Hungary)

Bidding only on the internet!

14-08-19 20.39

www.TroostwijkAuctions.com



Tuesday 10 September 2019 Plastic finishing equipment Zollner Elektronik AG

Special Conditions

Closing date	Tuesday 10 September 2019 starting 17:00 CET								
Viewing	from Tuesday 03 September until Wednesday 04 September By appointment Vác - - Vác , Hungary								
Markup	18.00%								
VAT	27.00%								
Collection	Thursday 19 September By appointment Vác - - Vác , Hungary								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.								
Collection details	Picking up of the assets can only be done after the payment is received.								
Payment	<p>The buyer needs to take the purchase agreement to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk GmbH cannot accept any responsibility unless indicated otherwise. The collection/pick-up will only take place on the mentioned delivery date/time and address. If the collection of the goods happens later, the customer is responsible for the costs (hire, extra costs).</p> <p>Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.</p> <p>Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV</p> <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0172 80</td><td>NL40 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0172 80	NL40 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0172 80	NL40 KRED	KREDNL2XXXX						
Terms and Conditions of Sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.								
Information VAT	Buyers from Hungary have to pay the VAT. All foreign buyers from countries belonging to the European Community must inform us of their VAT number. If a buyer does not furnish this proof, the auctioneer has to charge the legal Hungarian VAT. This VAT amount cannot be refunded. Foreign buyers from countries not belonging to the European Community have to pay the legal Hungarian VAT as deposit to the auctioneer. After receipt of the original customs documents, which must be stamped officially to prove that the export has taken place, the auctioneer will refund the paid Hungarian VAT.								
Following lots	After registration and login, lots can be 'followed' via 'My Troostwijk'.								



Prolongation	If a bid is made in the last 10 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 2 working days after the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number Description	Starting Bid €
1	1 sb, wb and uv paint line Venjakob, Flat bad painting, year built 2003, serial number A 03 07 001/0500, brand: Venjakob; type: Flat bad painting; year: 2003; serial number: A 03 07 001/0500; inner dimension L: 2660 cm; inner dimension W: 2300 cm; heating system: yes; exhaust system: yes; lights: yes; electric connection: 400 V; manual present: yes; dimension L: 40000 mm; dimension W: 7000 mm; dimension H: 6000 mm; description: cap. 100m ² /hour; max size of painted parts 815x1800x200mm; consisting of; input frame conveyor; Co2 cleaning station; ('13); 2 heads; air consumption max 360m ³ /hour; 2-heads ionisation station; gas heated 2-head flaming; painting cabine; with 5 paint guns; type HGS-Duo/C; pre drying station; natural gas heated oven/dryer; with UV chamber, ('14); max dry temp 90°C; air flow min 2000m ³ /hour; 2 Honewell burners; Al-ko air supply unit; 3x 2-component paint systems; Graco; 4x single paint systems; coagulation unit; with Siemens touchscreen control; type Simatic HMI; power cabinets;	200,000.00
2	1 incinerator system Venjakob, RVA-21.7, year built 2007, serial number 10059, brand: Venjakob; type: RVA-21.7; year: 2007; serial number: 10059; electric connection: 400 V; description: volume 21.700 Nm ³ /hour; 2x 350 kW; pressure 800-1.500 da Pa; 69 kVA;	10,000.00
3	1 mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
4	1 mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
5	1 mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
6	1 mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
7	1 mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
8	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
9	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
10	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
11	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
12	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
13	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
14	5 mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00



Lot	Number	Description	Starting Bid €
15	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
16	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
17	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
18	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
19	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	150.00
20	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
21	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
22	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
23	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
24	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
25	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
26	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	30.00
27	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
28	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
29	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
30	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
31	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
32	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00



Lot	Number	Description	Starting Bid €
33	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
34	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
35	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
36	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
37	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
38	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
39	5	mobile multi layer paint line trolleys dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; with cover;	150.00
40	2	mobile multi layer paint line trolleys dimension L: 980 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; plate dim. 600x600mm;	60.00
41	5	mobile multi layer paint line trolleys dimension L: 1010 cm; dimension W: 880 cm; dimension H: 1770 cm; description: aluminium; frame size 900x835mm;	250.00
42	5	mobile multi layer paint line trolleys dimension L: 1010 cm; dimension W: 880 cm; dimension H: 1770 cm; description: aluminium; frame size 900x835mm;	250.00
43	5	mobile multi layer paint line trolleys dimension L: 1010 cm; dimension W: 880 cm; dimension H: 1770 cm; description: aluminium; frame size 900x835mm;	250.00
44	5	mobile multi layer paint line trolleys dimension L: 1010 cm; dimension W: 880 cm; dimension H: 1770 cm; description: aluminium; frame size 900x835mm;	250.00
45	1	mobile multi layer paint line trolley dimension L: 990 cm; dimension W: 850 cm; dimension H: 1720 cm; description: steel; without cover;	30.00
50	1	input station Rommel, Lag 55 WA 470, year built 2005, brand: Rommel; type: Lag 55 WA 470; year: 2005; electric connection: 240 V; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: height travel; Roomel control system; type RT30;	250.00
51	1	input station Rommel, Lag 55 WA 470S, year built 2004, brand: Rommel; type: Lag 55 WA 470S; year: 2004; electric connection: 240 V; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: height travel; Roomel control system; type RT30;	250.00
52	1	input station Rommel, Lag 55 WA 470, year built 2008, brand: Rommel; type: Lag 55 WA 470; year: 2008; electric connection: 240 V; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: height travel; Roomel control system; type RT30;	250.00



Lot	Number	Description	Starting Bid €
53	1	belt transport conveyor year built 2010, year: 2010; working width: 480 mm; power: 0.25 kW; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 480 mm; total dimension H: 950 mm; description: with electro motor;	100.00
54	1	pneumatic grease pump Graco, C11 60cc mate, year built 2010, serial number M212011 01, brand: Graco; type: C11 60cc mate; year: 2010; serial number: M212011 01; machine weight: 90 kg; description: max temp 40°C;	250.00
55	1	automotive plastic assembly line year built 2010, year: 2010; description: consisting of; 2x hand work station; spring montage/test station; button test station; labeling station; aoi laser marking station; Trumpf; type TruMark 3010; laser class 4; inspection unit; wt turning station; ATX camera inspection station; LDM1; (2003); with power/control cabinet; Siemens control; type Simatic OP7;	1,000.00
56	1	robotic Loader Stäubli, RX130, year built 1996, serial number 596378-01, brand: Stäubli; type: RX130; year: 1996; serial number: 596378-01; number of axis: 5; nominal capacity: 12 kg; electric connection: 400 V; description: with mobile power/control system; robot inside cabinet;	1,000.00
57	1	test station Ns-040101, year built 2004, type: Ns-040101; year: 2004; total dimension L: 13 mm; total dimension W: 900 mm; total dimension H: 1950 mm; description: with Toellner power supply; Siemens control;	500.00
58	1	manual press Zollner, 04088-060, year built 2003, brand: Zollner; type: 04088-060; year: 2003;	100.00
59	1	manual press Zollner, 04088-070, year built 2003, brand: Zollner; type: 04088-070; year: 2003;	100.00
60	1	krimp maschine Molex europe, TM40, year built 2004, serial number 69002-1000, brand: Molex europe; type: TM40; year: 2004; serial number: 69002-1000; electric connection: 240 V; description: 300 watt;	100.00
61	1	power control station description: Includes:computer,dc source ,keyboard and scanner;	10.00
62	1	pufferstation and between stacker Asys, Fps 30b, year built 2008, serial number 034373, brand: Asys; type: Fps 30b; year: 2008; serial number: 034373; power: 0.45 kW; electric connection: 230 V; total dimension L: 1130 mm; total dimension W: 1400 mm; total dimension H: 1860 mm; description: cpu control;	250.00
63	1	mobile alu 4-layer trolley total dimension L: 670 mm; total dimension W: 600 mm; total dimension H: 1670 mm;	10.00
64	1	aluminium assembly table year built 2010, year: 2010; total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 2200 mm; description: with belt conveyor; electro motoe;	100.00
65	1	transport and inspection band station Rommel, BM500-3 THI, year built 2008, brand: Rommel; type: BM500-3 THI; year: 2008; total dimension L: 1500 mm; description: with Roomel control; type RT7;	150.00
66	1	Input station Rommel, Leg 55 WA 470, year built 2006, brand: Rommel; type: Leg 55 WA 470; year: 2006; electric connection: 240 V; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: height travel; Roomel control system; type RT30;	250.00
67	1	output station Rommel, Lag 55 WA 470, year built 2008, serial number 101-1110, brand: Rommel; type: Lag 55 WA 470; year: 2008; serial number: 101-1110; electric connection: 240 V; total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1300 mm; description: height travel; Rommel control system; type RT30;	250.00



Lot	Number	Description	Starting Bid €
68	1	scanner module Rommel, WL 1000 ID X, year built 2007, serial number 920-511, brand: Rommel; type: WL 1000 ID X; year: 2007; serial number: 920-511; feed rate: 15 m/min; electric connection: 230 V; manual present: yes; machine weight: 225 kg; total dimension L: 1000 mm; total dimension W: 846 mm; total dimension H: 1124 mm; description: plate size min.80x50mm; max size 460x460mm;	100.00
69	1	IP-Abstapler Rommel, LBS 04 S, year built 2011, serial number 600-387, brand: Rommel; type: LBS 04 S; year: 2011; serial number: 600-387; feed rate: 15 m/min; electric connection: 230 V; manual present: yes; machine weight: 130 kg; total dimension L: 650 mm; total dimension W: 2100 mm; total dimension H: 1000 mm; description: Transport belt; with control unit; smt compatibility; circuit board thickness 0,6 to 4mm; circuit board dimensions min. 80x50mm ,max 460x460mm;	100.00
70	1	transport station Asys, Trm 01, year built 2015, serial number 059730, brand: Asys; type: Trm 01; year: 2015; serial number: 059730; power: 0.13 kW; electric connection: 230 V; manual present: yes; total dimension L: 530 mm; total dimension W: 950 mm; total dimension H: 1295 mm; description: PCB dim: width 50-460mm lenght 70-460mm;	250.00
71	1	scanner module Rommel, WL700 ID-M, year built 2009, brand: Rommel; type: WL700 ID-M; year: 2009; working width: 460 mm; feed rate: 8 m/min; electric connection: 240 V; manual present: yes; machine weight: 120 kg; total dimension L: 700 mm; total dimension W: 806 mm; total dimension H: 1098 mm; description: Circuit board dim min 80x50mm, max 460x460mm; with Tritec micro scan;	250.00
72	1	LP-Abstapler Rommel, LBS 04 T, year built 2011, serial number 601-110, brand: Rommel; type: LBS 04 T; year: 2011; serial number: 601-110; feed rate: 15 m/min; electric connection: 230 V; manual present: yes; machine weight: 130 kg; total dimension L: 650 mm; total dimension W: 2100 mm; total dimension H: 1000 mm; description: Transport belt; with control unit; smt compatibility; circuit board thickness 0,6 to 4mm; circuit board dimensions min. 80x50mm ,max 460x460mm;includes magnetic sensors;	100.00
73	1	input station Rommel, ME 2-470, year built 2001, serial number 102-272, brand: Rommel; type: ME 2-470; year: 2001; serial number: 102-272; electric connection: 230 V; manual present: yes; total dimension L: 1000 mm; total dimension W: 1450 mm; total dimension H: 1000 mm;	200.00
74	1	iCT tester FPC, MPT tester, year built 2011, serial number 7491, brand: FPC; type: MPT tester; year: 2011; serial number: 7491; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 1450 mm; description: Test station W-LAN -AUDI;	250.00
75	1	mobile light test cabinet Zollner, M3927-100, year built 2007, serial number M3927-100-2, brand: Zollner; type: M3927-100; year: 2007; serial number: M3927-100-2; electric connection: 230 V; description: Chamber dim 700x500x400mm; with UV Led light;	10.00
76	1	circuit board punching machine Dieter Metz, HP-30/40 AE, year built 2003, serial number 030809, brand: Dieter Metz; type: HP-30/40 AE; year: 2003; serial number: 030809; electric connection: 230 V; description: capacity max 74KN; stroke max 25mm; with Simco ion blower type Endstat 2020; board dim max 400x300mm;	400.00
77	1	mobile assambling table year built 2003, year: 2003; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 770 mm; total dimension H: 2960 mm;	10.00



Lot	Number	Description	Starting Bid €
78	1	circuit board press with table TOX Pressotechnik, PGW 008.000, year built 2008, serial number 258809, brand: TOX Pressotechnik; type: PGW 008.000; year: 2008; serial number: 258809; electric connection: 230 V; description: Pressure max 10bar; with Cognex 3G 7 camera ; control on. amobile ESD table;	250.00
79	1	W-LAN adapter and test station Zollner, 10494-m900, brand: Zollner; type: 10494-m900; description: included matrix power supply;Dell computer; Zebra label printer on a mobile ESD table;	250.00
80	1	strenght test machine Zwick, ZW2.5/TN1P, year built 2007, serial number 135775/97, brand: Zwick; type: ZW2.5/TN1P; year: 2007; serial number: 135775/97; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 1300 mm; total dimension H: 1950 mm; description: Press capacity max 20Nm ;2.5 kn;max hight 1160;	1,000.00
81	1	ultrasonic welding machine for plastic Branson, 2000 AEMC, year built 2004, serial number SEPG-04-C-0381, brand: Branson; type: 2000 AEMC; year: 2004; serial number: SEPG-04-C-0381; electric connection: 230 V; machine weight: 195 kg; total dimension L: 1050 mm; total dimension W: 1300 mm; total dimension H: 2300 mm; description: esd a cabinet;	750.00
82	1	aOI Tester Zollner, year built 1998, brand: Zollner; year: 1998; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 650 mm; total dimension H: 1650 mm; description: With ccd camera system;plc control;Bosch aluminium frame;	250.00
83	1	belt conveyor Sb 50-11, year built 2013, type: Sb 50-11; year: 2013; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 230 mm; total dimension H: 120 mm; description: with Syskomp electric motor;	50.00
86	1	label marker Cab Hermes +, 2R/600-2, year built 2013, serial number 0006027, brand: Cab Hermes +; type: 2R/600-2; year: 2013; serial number: 0006027; electric connection: 240 V;	250.00
87	1	label marker Cab Hermes +, 2L/600-2, year built 2013, serial number 0006186, brand: Cab Hermes +; type: 2L/600-2; year: 2013; serial number: 0006186; electric connection: 240 V;	250.00
88	1	manual press Tox pressotechnik, Zfl 004.000, brand: Tox pressotechnik; type: Zfl 004.000; description: max capacity 4.0 Kn; max table dim 370mm;	100.00
89	1	manual press Tox pressotechnik, Kflu 008.0002, year built 2013, brand: Tox pressotechnik; type: Kflu 008.0002; year: 2013; machine weight: 46 kg; description: max capacity 4.0 /8.0 Kn; max table dim 370mm;	100.00
90	1	manual press Tox pressotechnik, Kflu 008.0002, year built 2013, brand: Tox pressotechnik; type: Kflu 008.0002; year: 2013; machine weight: 46 kg; description: max capacity 4.0 /8.0 Kn; max table dim 370mm;	100.00
91	1	manual press Tox pressotechnik, Kflu 008.0002, year built 2013, brand: Tox pressotechnik; type: Kflu 008.0002; year: 2013; machine weight: 46 kg; description: max capacity 8.0 Kn; max table dim 370mm;	100.00
92	1	manual press Tox pressotechnik, Kfs 002.000, year built 2013, brand: Tox pressotechnik; type: Kfs 002.000; year: 2013; machine weight: 46 kg; total dimension L: 200 mm; total dimension W: 600 mm; total dimension H: 500 mm; description: max capacity 2.5 kn; max table dim 230mm;	100.00
93	1	vibrating screw dispensor Mh-trek, 114520461, year built 2004, serial number 8887, brand: Mh-trek; type: 114520461; year: 2004; serial number: 8887; electric connection: 230 V;	100.00



Lot	Number Description	Starting Bid €
94	1 cooling installation Carrier, 30gh045, year built 1998, serial number 12m825218, brand: Carrier; type: 30gh045; year: 1998; serial number: 12m825218; type of refrigerant: R22; power: 112 kW; electric connection: 400 V; total dimension L: 1830 mm; total dimension W: 2400 mm; total dimension H: 2100 mm; description: with 1 cool compressor;	250.00
97	1 crate washer Hobart, Ftx 2-sa-6, year built 1986, serial number 7864, brand: Hobart; type: Ftx 2-sa-6; year: 1986; serial number: 7864; total dimension L: 6000 mm; total dimension W: 900 mm; total dimension H: 2500 mm; description: working width 600mm; 6,4 kW;	1,500.00
98	1 gitter frame dry brush machine Ruwac, 321446, year built 2015, serial number 7864, brand: Ruwac; type: 321446; year: 2015; serial number: 7864; automatic feed-through: yes; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 900 mm; total dimension H: 2500 mm; description: frame dim 910x825mm; with Ruwac ant-ex industrial cleaner; type ds1220m;	1,500.00
99	1 camera vision test station Intego, Topas III, year built 2008, serial number ZOL0801-02, brand: Intego; type: Topas III; year: 2008; serial number: ZOL0801-02; electric connection: 400 V; description: with Smart R sinewave line interactive ups; monitors;	2,000.00
100	1 camera vision test station Intego, Topas II, year built 2008, serial number ZOL0801-01, brand: Intego; type: Topas II; year: 2008; serial number: ZOL0801-01; electric connection: 400 V; description: with Smart R sinewave line interactive ups; monitors;	2,000.00
101	1 laser marking installation Trumpf, Vectormark compact VWS 800 R, year built 2005, serial number 0789528, brand: Trumpf; type: Vectormark compact VWS 800 R; year: 2005; serial number: 0789528; power: 2 kW; electric connection: 230 V; manual present: yes; machine weight: 390 kg; description: max size 200x200mm; laser class ...; water cooled inside; 1 laser head;	2,500.00
102	1 laser marking system Baasel, SMS65, serial number A070, brand: Baasel; type: SMS65; serial number: A070; power: 2 kW; electric connection: 380 V; manual present: yes; machine weight: 390 kg; description: 1064 nm; 65 watt; laser class 1; basis plate dim 330x330mm; Etscheid water cooled; type ikv7; with power unit; type Starmark;	2,500.00
103	1 test station Intego, Tastenprüfung, year built 2006, serial number ZOI0601, brand: Intego; type: Tastenprüfung; year: 2006; serial number: ZOI0601; electric connection: 400 V; description: with Smart R sinewave line interactive ups; monitors;	2,000.00
104	1 tampon press Morlock, Mkm 80/2-0, year built 1997, serial number 260, brand: Morlock; type: Mkm 80/2-0; year: 1997; serial number: 260; electric connection: 230 V;	1,500.00
105	1 hotmelt extruder machine Werner Wirts, TM 4500, year built 2006, serial number 400020084298, brand: Werner Wirts; type: TM 4500; year: 2006; serial number: 400020084298; electric connection: 400 V; manual present: yes; total dimension L: 780 mm; total dimension W: 1550 mm; total dimension H: 2010 mm; description: pressure max 45 bar; with melt tank; mobile table; cool unit;	1,000.00
106	1 water treatment installation Gwk/ kurita, year built 2017, brand: Gwk/ kurita; year: 2017; description: with 2 dosing systems; Milton Roy; 2x Kurita vessels; pressure vessel; centrifugal pump;	500.00
107	1 dry cabinet Vötsch, Ntu 75/125, year built 1998, serial number 570 80935, brand: Vötsch; type: Ntu 75/125; year: 1998; serial number: 570 80935; power: 13.6 kW; electric connection: 400 V; description: 20 KVa; nenntemp 250°C; chamber dim 750x750x1300mm;	250.00
108	1 paint cabin Zollner, brand: Zollner; description: chamber dim. 770x700x900mm;	100.00



Lot	Number	Description	Starting Bid €
109	1	9-fold granulate dry/dosing installation Colortronic, T 694, year built 1992, serial number 50920048, brand: Colortronic; type: T 694; year: 1992; serial number: 50920048; engine power: 76.8 kW; electric connection: 400 V; machine weight: 3800 kg; description: with dosing units; heating; hoses; control cabinet; type s/g 10p; product cap. 2x 50ltr; 5x 100ltr; 1x 200ltr; 1x 20 ltr; with inox pipes and 2 Busch vacuum pumps; type 160-138;	2,500.00
110	1	4-chamber mobile granulate dryer Gerco, Ttm4/52es, year built 2007, serial number 52199, brand: Gerco; type: Ttm4/52es; year: 2007; serial number: 52199; engine power: 0.9 kW; electric connection: 400 V; manual present: yes;	500.00
111	1	granulate dosing unit Colortronic, brand: Colortronic;	100.00
112	1	granulate dosing unit Colortronic, brand: Colortronic;	100.00
113	1	mobile water conditioning bath Tool-temp, TT-100-kb-f, serial number 25-04181-1, brand: Tool-temp; type: TT-100-kb-f; serial number: 25-04181-1; electric connection: 380 V; machine weight: 210 kg; total dimension L: 1900 mm; total dimension W: 530 mm; total dimension H: 850 mm; description: volume 300 ltr; max temp 90°C;	250.00
114	1	rotary table Weiss, TC320T, year built 2008, serial number TC336490, brand: Weiss; type: TC320T; year: 2008; serial number: TC336490; power: 400 kW; electric connection: 400 V; machine weight: 112 kg; total dimension L: 2000 mm; total dimension W: 1700 mm; total dimension H: 2000 mm; description: Rotary table for testing; in working condition;	350.00
115	1	press Tox, STE 510-007-108, year built 2011, serial number 423856.1, brand: Tox; type: STE 510-007-108; year: 2011; serial number: 423856.1; electric connection: 400 V; total dimension L: 1580 mm; total dimension W: 1650 mm; total dimension H: 2750 mm; description: Precision press; with plc+pc; Bosch profil; working condition;	750.00
116	1	vacuum pump Busch, 160-138, serial number 36296, brand: Busch; type: 160-138; serial number: 36296; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 1600 mm; description: Vacuum pump; working condition; includes a filter in box; motor oil type SAE 30;	250.00
117	1	vacuum pump Busch, RC 0160 B 4ZI, serial number PB 05900104, brand: Busch; type: RC 0160 B 4ZI; serial number: PB 05900104; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1600 mm; description: Vacuum pump; working condition; includes a filter in box; oil type Busch VM 100;	250.00
118	1	pipes description: Approx total length 3000m; various stainless steel pipes with different diameter; electric equipment not included;	250.00
119	1	steel scaffolding own weight: 5000 kg; total dimension L: 23000 mm; total dimension W: 3000 mm; total dimension H: 4000 mm; description: includes a metal platform and fences;	350.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

Article 1. Definitions

General Terms and Conditions of Use: The general terms and conditions which regulate the use of the Website of Troostwijk Veilingen B.V.

General Online Auction Terms and Conditions: The present General Terms and Conditions, which define the stipulations of an auction

User:	A person who registers on the Website of Troostwijk Veilingen B.V.
User contract:	The contract between Troostwijk Veilingen B.V. and the user
Bidder:	A person who submits a bid at an online auction
Bid:	Each binding amount offered for an item in the auction by the user
Purchase price:	Composed of the highest bid at the end of the auction, the surcharge and possibly incurring VAT.
Purchase contract:	Contract between the buyer and the seller which results from the adjudication by Troostwijk
Buyer:	Bidder who receives the knock-down for the item
Lot:	Item(s), which is/are auctioned (combination = several items offered under one lot number)
(Online) Auction:	The auction of movable goods organised by Troostwijk on the website of Troostwijk Veilingen B.V.
Registration:	Registration of the user on the website of Troostwijk Veilingen B.V., whereby the registration form on the website must be completely filled out
Specific Online Auction Terms and Conditions:	Special requirements for a specific auction
Troostwijk:	Troostwijk Ges.m.b.H, Vienna
Seller:	The person or persons who commission the auction of a lot
Website:	The website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V. in Amsterdam and which is the platform for auctions carried out by Troostwijk
Knock-down:	Confirmation by Troostwijk that the highest bidder wins the bid for an lot or combination by payment of the purchase price.

Article 2. General Terms and Conditions

- 2.1 Troostwijk auctions take place on the website of Troostwijk Veilingen B.V., which provides the platform for auctions. The website is used by the user according to the General Terms and Conditions of Troostwijk Veilingen B.V.
- 2.2 The General Online Auction Terms and Conditions contain the general regulations for the auction. The auction takes place solely on the basis of these terms and conditions, which are accepted by participation at the auction. At an auction, Specific Online Auction Terms and Conditions may also apply. These contain amendments or deviations to the General Online Auction Terms and Conditions. The Specific Online Auction Terms and Conditions shall have precedence.
- 2.3 Troostwijk can amend these General Online Auction Terms and Conditions. Amendments shall enter into force upon receipt of a corresponding notification by users and bidders.

Article 3. Registration

- 3.1 Only bidders who have registered as users with Troostwijk Veilingen B.V. and who have accepted the General Terms and Conditions of Use can participate at auctions.
- 3.2 Only persons who have accepted the General Online Auction Terms and Conditions and the Specific Online Auction Terms and Conditions for an auction may submit a bid.

Article 4. Auction

- 4.1 An auction can take place on behalf for the Seller and on his own account. Troostwijk is not a contractual party of a purchase contract which results from a knock-down, but merely the agent of such a purchase contract.
- 4.2 Deadlines, such as the start and end of an auction, are contained in the Specific Online Auction Terms and Conditions.
- 4.3 The organisation, preparation and execution of the Auction are Troostwijk's business.
- 4.4 Troostwijk is authorized:
 - to refuse the knock-down in general or—for important reasons—to specific Bidders;

www.TroostwijkAuctions.com



- to exclude Bidders from an auction;
- to rectify mistakes made by Troostwijk for bids and/or knock-downs by a corresponding notification of the Bidder;
- to undertake other necessary measures;

4.5 The decision of Troostwijk regarding what has taken place at an auction is binding.

Article 5. Cancellation, Technical Disturbances

- 5.1 Troostwijk reserves the right to cancel, prematurely terminate or extend an Auction on good cause shown. In cases of a technical disturbance of the Website, or should it not be entirely accessible to some or all Users, Troostwijk has the right to prolong the Auction by up to 24 hours.
- 5.2 The User declares with his registration that he is aware of the particular circumstances of an Internet auction. He furthermore declares that he is particularly aware of the fact that, according to the present status of technology, technical disturbances and breakdowns can occur which can make access to the Internet auction and the Website either difficult or even impossible.
- 5.3 Troostwijk is only liable for the orderly execution of the auction on the Website of www.Troostwijkauctions.com, but not for technical disturbances. The liability of Troostwijk is limited to and complies with the General Terms and Conditions for Online Auctions as outlined in Article 15.

Article 6. Viewing: Entry to Buildings and Premises

- 6.1 Dates for viewing appointments are listed in the Specific Online Auction Terms and Conditions.
- 6.2 Entry to buildings and premises is at a person's own risk. Instructions by Troostwijk or any persons appointed by them must be followed. Neither the Seller nor Troostwijk shall accept any liability for damages which have occurred as a result of entry to buildings and premises. In any other case, the limits to liability contained in Article 15 of the General Online Auction Terms and Conditions for Troostwijk and the Seller shall apply.

Article 7. Lots

- 7.1 Individual Lots or Combinations shall be auctioned.
- 7.2 Combinations, the simultaneous auction of several Lots, shall be indicated in the system. In the case of Combinations, the auction shall be carried out in two steps: a) First, the individual Lots shall be submitted to auction. The Knock-down shall take place subject to the prior condition that the Lot is not being adjudicated as part of a Combination. Bidding for the Combinations shall begin after the Knock-down for the individual Lots. If no bids are made for the Combination, the Lots shall be auctioned individually. b) Insofar as bids are made for Combinations, the following shall apply: The Knock-down shall be awarded for the Combination when the highest bid which can be made for a knock-down of the Combination is higher than the sum of the bids for the individual Lots. The Knock-down for the individual Lots is then considered as not effected due to lack of condition precedent.
- 7.3 Troostwijk has the right to assemble different objects into Lots, divide Lots and/or remove them from the auction.
- 7.4 Troostwijk has the right to request a normal banking security from the Bidder in advance to back certain Lots.

Article 8. Bids

- 8.1 A Bidder can submit Bids for auctions for which he is registered. Bidders can submit bids for one or several lots. Bids can only be made if they are free of reserve and conditions. Bids are binding and cannot be retracted. The Bidder shall receive a confirmation by e-mail for every bid submitted and overbid by a third party. This notification does not constitute the knock-down.
- 8.2 Bids can be submitted as static bids or auto bids. (a) static bid: The user bids a fixed amount for each Lot indicated in the system. (b) auto bid: the user indicates the highest price he is willing to pay for a Lot. The auto bid is not displayed in the system. Should a third party overbid the user, the current offer shall be increased by increments until a third party overbids the proxy bid. During this time, an automatic bid can only be ceased by the user if he submits a static bid which constitutes the highest bid at that moment.
- 8.3 VAT and surcharge are not included in the bids. The amount of the surcharge results from the Special Online Auction Terms and Conditions.
- 8.4 Troostwijk and/or the seller have the right to refuse bids without giving a reason. Troostwijk has the right to submit bids on behalf of third parties.

Article 9. Award & Contract of sale

- 9.1 A purchase contract for one or several Lots is concluded only after the Knock-down. The Buyer shall be notified by e-mail about the resulting purchase contract (knock-down). The Knock-down shall take place at the latest two working days after the end of the auction.



9.2 Troostwijk has the right to make no Knock-down or to grant one subject to condition precedent.

9.3 As a rule, the User who has made the highest bid shall receive the Knock-down. The Knock-down takes place if no other bid is made 10 minutes prior to the end of the auction. Should a further bid be submitted, the auction shall end upon the submission of the highest bid which is not overbid within 5 minutes.

Article 10. Transfer of risk/Transfer of title

10.1 The risk of accidental loss of the objects purchased at auction as well as risk of loss or damage by fire, theft or burglary shall transfer to the buyer after the knock-down.

10.2 Title shall be transferred to the buyer only after payment in full has been effected.

Article 11. Buyer's Obligations

11.1 The buyer is obligated to pay the purchase price in addition to the mandatory sales tax and the surcharge as well as to collect the lot(s) when the knock-down has occurred.

11.2 Payment must be effected to an account indicated by Troostwijk in the specified currency within three working days after the knock-down.

11.3 The statutory default interest shall be charged in the case of delayed payment. The seller's rights shall comply with the legal requirements.

11.4 Should the buyer not fulfil an obligation, particularly if:

(i) the purchase price is not paid in due time or not paid completely (ii) the Lots are not collected in due time, and/or (iii) the information required for delivery is not procured, then it shall automatically be considered as default, without any further notice of default being required. Troostwijk shall then have the right to cancel the purchase contract on behalf of the seller. In this case, Troostwijk is free to reassign the Lots to another Bidder, and Troostwijk and/or the seller shall not be liable for damages.

11.5 In the event of a cancellation, the buyer shall be liable for payment of damages which ensue therefrom.

Article 12. Collection

12.1 The Buyer is only authorized and bound to the dates and times listed in the Specific Online Auction Terms and Conditions for the collection of items. For technical reasons, Troostwijk can determine that a particular Lot can be collected only after the delivery of other Lots.

12.2 The Buyer whose Lot(s) hinder/s the collection of other lots is obligated to see to the collection of those lots without delay after being notified by Troostwijk by email and/or a message of the address supplied by the Buyer. Should this not occur, then Troostwijk shall have the right to undertake the collection and possible storage of the items by third parties on the buyer's risk and expense.

12.3 The Buyer is obligated to carefully disassemble, reassemble and collect his Lots. He shall be liable for damages which ensue to the property of third parties in connection with the as-sembly and collection. Furthermore, he is obligated to protect Troostwijk and the Seller from any claims by third parties which result from the dismantling, reassembly and/or collection of his Lots.

12.4 The Buyer is obligated to follow the instructions of Troostwijk and/or any persons mandated by Troostwijk for the dismantling, reassembly and collection of his Lots.

12.5 The Buyer is obligated to ensure that he or the person(s) who take care of dismantling, assembly or transport shall be in possession of the necessary authorizations. Neither Troostwijk or the Seller can be held liable for the lack of necessary authorizations and/or that the official requirements are not upheld during dismantling, reassembly and collection.

12.6 In cases when it is necessary to dismantle buildings (in pieces) in order to remove the allotted Lots, prior consultation as well as written agreement by Troostwijk are required, and the conditions set down by Troostwijk for awarding of the knock-down must be respected.

12.7 Troostwijk reserves the right to request a deposit prior to collection of Lots in order to cover possible damages. The Buyer shall be notified of the Lots concerned and the amount of the deposit. The deposit shall be refunded to the Buyer after safe collection without any damage.

Article 13: Liability/Warranty of Troostwijk

Troostwijk shall only be liable for the preparation and carrying out of the auction according to the legal stipulations. In addition, the following shall apply:

13.1 Claims by the Seller, the Bidder or the Buyer for neglect of duty shall be excluded, particularly for any advice regarding appraisals or flaws of the Items.

13.2 The descriptions of the Items by Troostwijk, e.g. in the sales catalogue or in any listing, are based on the information supplied by the Seller. Troostwijk shall only be liable for the correct transmission of this information, but not for its objective accuracy.

13.3 Details indicated by Troostwijk are only for the purpose of distinguishability and do not constitute any kind of guarantee.

13.4 The Items are used. Troostwijk shall not assume any guarantee for material flaws and defects of title and shall not be liable for the amount, quality, measurements, year of construction or completeness. The sale is effected without guarantee ("in Pausch und Bogen") as in § 930



ABGB.

13.5 The above restrictions shall not apply if Troostwijk acts intentionally or with gross negligence is in breach of a fundamental contract requirement or if bodily harm occurs.

Article 14: Liability/Warranty of Seller

The Seller is liable to the Buyer for defects of the items in compliance with the following stipulations:

- 14.1 The Buyer has had the opportunity to view the items in advance. The sale shall take place as viewed and excluding all warranties for defects and title. The sale has taken place, particularly without guarantee for visible or latent defects or guarantee regarding completeness, number, effect, utility, usability, saleability, the presence or absence of rights or claims of third parties and/or the transferability to third parties. The sale is effected without guarantee ("in Pausch und Bogen") as in § 930 ABGB.
- 14.2 The Seller excludes liability for a particular characteristic or for common use of the items.
- 14.3 The Seller excludes all liability for publicity statements of the manufacturer.
- 14.4 The above restrictions shall not apply if the Seller has intentionally misrepresented any defects to the Buyer, breached a fundamental contractual obligation or if any bodily harm occurs.

Article 15. Limitation of Liability Troostwijk/Seller

- 15.1 The limitation of liability is valid for Troostwijk and the Seller as well as for their legal representatives, managerial employees and auxiliary helpers.
- 15.2 Liability shall only exist in the case of malicious intent or gross negligence.
- 15.3 Liability shall exist for collateral damage, particularly for lost profit, only in cases of intent or gross negligence.
- 15.4 The liability shall be restricted to the amount of typically foreseeable damages at conclusion of the contract, insofar as there is no case of intent or gross negligence.
- 15.5 The above-mentioned restrictions do not apply in cases of breach of a contractual obligation, acceptance of an explicitly stated guarantee as well as damages resulting from bodily harm, harm to health and obligatory legal regulations.

Article 16. Severability Clause/Written Form

- 16.1 Should any of the provisions of these General Online Auction Terms and Conditions become completely or partly invalid, void or not enforceable, it shall have no effect on the other provisions of the General Online Auction Terms and Conditions. The invalid, void or not enforceable provision shall be replaced by a valid and enforceable provision which comes closest to fulfilling the parties' economic goals which were originally intended by the invalid, void or not enforceable provision.
- 16.2 Modifications and amendments of these General Online Auction Terms and Conditions shall only be effective upon written agreement by the parties.

Article 17. Applicable Law/Court of Jurisdiction

- 17.1 The General Online Auction Terms and Conditions and the obligations ensuing therefrom are subject to Austrian law. The UN Convention on Contracts for the International Sale of Goods (CISG) shall explicitly not apply.
- 17.2 The exclusive court of jurisdiction for all disputes arising in connection with the auction shall be the court of Vienna. The General Terms and Conditions shall apply for disputes with the seller.
- 17.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience