



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Machines for the complete food processing and packaging industry (NL)**

**Machines for the complete food processing**

**and packaging industry**  
Weelweg 10E - 4414 AW Waarde  
(Veilinglocatie Goud Trading)

Closing date: Thursday **19 SEPTEMBER** starting 14:00



**Viewing:**

Tuesday 17 September from 09:00 until 12:00  
Weelweg 10E - 4414 AW Waarde (The Netherlands)

*Bidding only on the internet!*

09-09-19 11.50

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 19 September 2019 Machines for the complete food processing and packaging industry**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Thursday 19 September 2019 starting 14:00 CET								
Viewing	<b>Tuesday 17 September from 09:00 until 12:00 CET</b> <b>Veilinglocatie Goud Trading</b> Weelweg 10E 4414 AW Waarde, The Netherlands								
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>								
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	<b>Friday 27 September from 09:00 until 16:00 CET</b> <b>Veilinglocatie Goud Trading</b> Weelweg 10E 4414 AW Waarde, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Attending an auction closure for consumers									
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.  Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV  <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions								

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



#### article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

#### Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
2	1	<b>pneumatic vegetable cutting machine / grid cutter</b> Kronen, brand: Kronen; total dimension L: 1900 mm; total dimension W: 950 mm; total dimension H: 1700 mm; description: stainless steel; 2 line chain driven ; 2 cutting units; stainless steel control box; 230 Volt;	100.00
3	1	<b>Printing labeller</b> Multivac, MR335, brand: Multivac; type: MR335; max. roll width: 130 mm; digital display: yes; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 950 mm; total dimension H: 2050 mm; description: stainless steel; mobile; equipped with 2x double conveyor max width 290 mm.; product width adjustable; touch screen control panel; etiketeer print unit Multivac MR 4281;	100.00
4	1	<b>bowl Cutter</b> Cato Talleres, brand: Cato Talleres; electric connection: 400 V; total dimension L: 2650 mm; total dimension W: 1800 mm; total dimension H: 1450 mm; description: stainless steel; bowl diam. 1250 mm; equipped with baking / bucket elevator; cabinet;	1,000.00
5	1	<b>tray sealer</b> Deca Plastic Group, S 1000, brand: Deca Plastic Group; type: S 1000; chamber dimension L: 210 mm; chamber dimension W: 160 mm; chamber dimension H: 85 mm; number of chambers: 2; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 1300 mm; total dimension H: 1800 mm; description: stainless steel; film width 430 mm; incl lot of trays and sealing film;	100.00
6	1	<b>Vibrating table</b> Key, brand: Key; electric connection: 400 V; total dimension L: 2350 mm; total dimension W: 850 mm; total dimension H: 1400 mm; description: mounted on stainless steel chassis; import station dimensions . 160x540 mm;	10.00
7	1	<b>portion fill line</b> electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 770 mm; total dimension H: 1670 mm; description: mounted at stainless steel frame; equipped with double portioning unit; pneumatic portioning operation; Switched plastic conveyor belt width of 265 mm; length 1250 mm; conveyor table adjustable in height;	100.00
8	1	<b>Printing labeller</b> AL Tech, AL belt, year built 2013, brand: AL Tech; type: AL belt; year: 2013; max. roll width: 110 mm; electric connection: 230 V; total dimension L: 2600 mm; total dimension W: 950 mm; total dimension H: 2050 mm; description: stainless steel; equipped with two conveyors width 75 mm; length 750 and 950 mm; product width and height adjustable; Sato label printer M-8490Se;	100.00
9	1	<b>kiwi peeler</b> Giulio Raiola officine meccaniche, Peeler & Corer MM 02, year built 2007, brand: Giulio Raiola officine meccaniche; type: Peeler & Corer MM 02; year: 2007; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1500 mm; total dimension H: 2400 mm; description: stainless steel; 2-fold; equipped with knives; peel output conveyor; control panel; cabinet;	100.00
10	1	<b>tray shrink film packaging machine</b> Waldyssa, B-185, year built 2003, brand: Waldyssa; type: B-185; year: 2003; total dimension L: 1350 mm; total dimension W: 1400 mm; total dimension H: 1450 mm; description: Max. Width 400 mm film; Max. Width 300 mm tray; control console; equipped with input string belt; output seal belt;	100.00
11	1	<b>checkweigher and labeling machine</b> Espera, brand: Espera; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 550 mm; total dimension H: 1800 mm; description: stainless steel and aluminum; equipped with labeling unit Espera ESD 213; weighing unit Espera ESG 53; printer Espera ESD 103; control console Espera ESC 903; 4x throughput conveyors;	100.00



Lot	Number	Description	Starting Bid €
12	1	<b>elevating conveyor</b> belt dim. L: 5800 mm; belt dim. W: 790 mm; total dimension L: 6000 mm; total dimension W: 1900 mm; total dimension H: 2500 mm; description: stainless steel frame; Switched plastic conveyor belt equipped with clearing vanes; stainless steel tank dimensions . 1850x2100 mm; stainless steel control box; speed controllable; 400 Volt;	100.00
13	1	<b>switched plastic elevator conveyor</b> belt dim. L: 1700 mm; belt dim. W: 200 mm; description: stainless steel; guided rail; max. height 850 mm; 230 volts;	10.00
14	1	<b>metal detector</b> brand: Mettler Toledo Safeline; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 800 mm; total dimension H: 1250 mm; description: diameter diam. 55 mm;	10.00
15	1	<b>collision protection</b> description: stainless steel; consisting of 6x poles height 1000 mm; 1x pole height 1000 mm length 1400 mm; 1x pole height 1000 mm; length 1800 mm;	10.00
16	1	<b>turn washing installation</b> electric connection: 400 V; total dimension L: 5000 mm; total dimension W: 1050 mm; total dimension H: 1550 mm; description: stainless steel; mobile; washing tank dimensions . equipped with six lettuce rotary blades; elevating conveyor with external motor dimensions . 2300x600 mm; additional conveyor band for;	100.00
17	1	<b>roller conveyors (Food industry)</b> dimension L: 2620 mm; dimension W: 400 mm; total dimension L: 2620 mm; total dimension W: 450 mm; total dimension H: 880 mm; description: stainless steel; mobile; adjustable in height;	10.00
18	1	<b>elevating conveyor</b> Eillert, WT6P2N, year built 2017, brand: Eillert; type: WT6P2N; year: 2017; belt dim. L: 5900 mm; belt dim. W: 400 mm; total dimension L: 5800 mm; total dimension W: 800 mm; total dimension H: 1650 mm; description: stainless steel; equipped with entrainment fins; 400 Volt;	100.00
19	1	<b>platform</b> total dimension L: 4000 mm; total dimension W: 3170 mm; total dimension H: 2200 mm; description: stainless steel; equipped with stage 10 steps with handrail; platform with an opening in the floor; platform will be divided into three parts; 1x stair dimensions . 3900x800x1100 mm; 1x part platform dimensions . 3200x1500x2200 mm; 1x part platform 3200x1670x2200 mm; railings;	100.00
20	1	<b>elevator conveyor belt with brushes</b> belt dim. L: 2050 mm; belt dim. W: 1200 mm; total dimension L: 3500 mm; total dimension W: 1700 mm; total dimension H: 2350 mm; description: stainless steel; mobile frame; input station with brush; brush width 1150 mm; import tire dimensions . 800x1180 mm; lifting conveyor belt equipped with entrainment of bubbles; brushing unit width 1150 mm with exports; 400 Volt;	100.00
21	1	<b>conveyor</b> Leon Torfs, brand: Leon Torfs; belt dim. L: 3450 mm; belt dim. W: 500 mm; total dimension L: 880 mm; total dimension W: 800 mm; total dimension H: 830 mm; description: stainless steel; mounted on slewing ring;	10.00
22	1	<b>platform</b> total dimension L: 3200 mm; total dimension W: 3250 mm; description: stainless steel; in 2 parts transportable; of which the first part with handrail; without frameworks; equipped with opening in the floor;	100.00
23	1	<b>dosing station with vibrating table</b> electric connection: 230 V; total dimension L: 500 mm; total dimension W: 900 mm; total dimension H: 1420 mm; description: stainless steel; mobile; hopper; vibration motor;	10.00
24	1	<b>conveyor</b> belt dim. L: 3080 mm; belt dim. W: 630 mm; total dimension L: 3080 mm; total dimension W: 870 mm; total dimension H: 830 mm; description: stainless steel; adjustable in height; built-in motor;	10.00





Lot	Number	Description	Starting Bid €
25	1	<b>Cutting table</b> total dimension H: 820 mm; description: plastic round top; diam. 1000 mm; stainless steel base;	10.00
26	1	<b>fruit and vegetable washing installation</b> electric connection: 400 V; total dimension L: 3000 mm; total dimension W: 900 mm; total dimension H: 1650 mm; description: stainless steel; consisting of conveyor belt; washing should nozzles; waterverlekovangbak with sieve; pompinstallatiewaskuip dimensions . equipped with six lettuce rotary blades; elevating conveyor with external motor dimensions . 2300x600 mm; additional conveyor band for;	100.00
27	1	<b>dosing station</b> Spiessens en Bedelec, brand: Spiessens en Bedelec; electric connection: 400 V; total dimension L: 2200 mm; total dimension W: 1100 mm; total dimension H: 2250 mm; description: stainless steel; mounted on the frame; equipped with feed hopper with a pneumatic fastener; control box;	100.00
28	1	<b>tray sealer</b> Meca, 900, brand: Meca; type: 900; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1950 mm; description: max. tray dimensions . 375x250x110 mm; max. sheet width approx. 450 mm;	100.00
29	1	<b>cold storage room</b> total dimension L: 2000 mm; total dimension W: 500 mm; description: 2 levels; 2 sections;	10.00
30	1	<b>metal detector</b> Mesutronic, MN 7.0 FL 200, year built 2012, brand: Mesutronic; type: MN 7.0 FL 200; year: 2012; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 350 mm; total dimension H: 350 mm; description: diameter diam. 200 mm;	10.00
31	1	<b>bucket lift with tipper</b> electric connection: 400 V; description: chain driven elevator; equipped with rotator; Max. Bucket size 1000x600x800 mm; Max. transport height 5500 mm;	100.00
32	1	<b>seal foil packaging machine</b> Conpaxx, Fastpack MK2, brand: Conpaxx; type: Fastpack MK2; stainless steel: yes; total dimension L: 820 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: on a trolley; max. foil width approx. 300 mm; incl. film roll 230 mm;	10.00
33	1	<b>seal foil packaging machine</b> Conpaxx, Fastpack MK2, brand: Conpaxx; type: Fastpack MK2; stainless steel: yes; total dimension L: 820 mm; total dimension W: 500 mm; total dimension H: 1150 mm; description: on a trolley; max. foil width approx. 300 mm; incl. film roll 230 mm;	10.00
34	1	<b>lot of various machine parts</b> description: incl. hopper; mixer;	10.00
35	3	<b>plastic tubs</b> total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 350 mm; description: equipped with bearing brackets;	10.00
36	1	<b>switchgear / control cabinet</b> total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 240 mm; description: stainless steel; with content incl. Siemens SITOP PSU100S;	10.00
37	1	<b>conveyors (Food Industry)</b> belt dim. L: 870 mm; belt dim. W: 380 mm; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 400 mm; description: stainless steel frame; external motor; 400 volts;	10.00
38	1	<b>case sealer</b> brand: Siat; type: SM2; max. size: 500 mm; max. size B: 500 mm; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1500 mm;	10.00
39	1	<b>double 6-way ribbon conveyor</b> belt dim. L: 420 mm; belt dim. W: 450 mm; description: excl. drive motor;	10.00
40	1	<b>switchgear / control cabinet</b> total dimension L: 300 mm; total dimension W: 780 mm; total dimension H: 160 mm; description: stainless steel; with content incl. 2x Danfoss VLT 2800;	10.00



Lot	Number	Description	Starting Bid €
41	1	<b>switchgear / control cabinet</b> total dimension L: 300 mm; total dimension W: 780 mm; total dimension H: 160 mm; description: stainless steel; with content incl. 2x Danfoss VLT 2800;	10.00
42	1	<b>switchgear / control cabinet</b> total dimension L: 600 mm; total dimension W: 760 mm; total dimension H: 220 mm; description: stainless steel; with content incl. 2x Danfoss VLT 2800;	10.00
43	1	<b>tray sealing device</b> brand: Servo Wrap; type: Rapidpak; year: 2000; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 600 mm; description: max. film width 250 mm;	10.00
44	1	<b>hand hydraulic pallet truck</b> NH Handling, ACS20EN, year built 2011, brand: NH Handling; type: ACS20EN; year: 2011; lifting capacity: 2000 kg; fork length: 1150 mm; description: stainless steel;	10.00
45	1	<b>hand hydraulic pallet truck</b> NH Handling, ACS20EN, year built 2011, brand: NH Handling; type: ACS20EN; year: 2011; lifting capacity: 2000 kg; fork length: 1150 mm; description: stainless steel; pump defect;	10.00
46	1	<b>hand hydraulic pallet truck</b> fork length: 1140 mm; description: stainless steel;	10.00
47	1	<b>hand hydraulic pallet truck</b> BT , brand: BT ; fork length: 1140 mm; description: hydraulic pump is in poor condition;	10.00
© 48	5	<b>trolleys</b> total dimension L: 820 mm; total dimension W: 560 mm; description: stainless steel; plastic wheels;	10.00
© 49	5	<b>trolleys</b> total dimension L: 820 mm; total dimension W: 560 mm; description: stainless steel; plastic wheels;	10.00
© 50	5	<b>trolleys</b> total dimension L: 820 mm; total dimension W: 560 mm; description: stainless steel; plastic wheels;	10.00
© 51	6	<b>trolleys</b> total dimension L: 820 mm; total dimension W: 560 mm; description: stainless steel; plastic wheels;	10.00
		<b>trolleys</b>	
52	1	<b>air compressor</b> Fini, E.C.partner 200/SKM12-4 TP 400, brand: Fini; type: E.C.partner 200/SKM12-4 TP 400; mobile: yes; capacity: 10 bar; electric connection: 400 V; description: mounted on a horizontal steel pressure tank content 200 liters; extra vertical steel pressure tank content 270 liters;	10.00
53	1	<b>Meat cutter</b> diameter cutting blade: 360 mm; blade sharpener: yes; electric connection: 400 V; total dimension L: 1100 mm; total dimension W: 850 mm; total dimension H: 550 mm;	10.00
54	4	<b>various plexi glass doors</b> description: incl. dimensions .385x1450 mm / dimensions . 680x1340 mm / 2x dimensions . 580x1450 mm;	10.00
55	1	<b>plastic switched conveyor belt</b> belt dim. L: 1230 mm; belt dim. W: 255 mm; total dimension L: 1250 mm; total dimension W: 550 mm; total dimension H: 980 mm; description: stainless steel base; adjustable in height; external motor; 400 volts;	10.00
56	1	<b>elevating conveyor</b> belt dim. L: 5800 mm; belt dim. W: 790 mm; total dimension L: 7250 mm; total dimension W: 500 mm; description: stainless steel base; partly mobile; 1 side height adjustable; height 750 I 1450 mm; 400 volts;	100.00
57	1	<b>variosteamer</b> brand: Electrolux; type: S33; stainless steel: yes; electric: yes; power: 15 kW; electric connection: 400 V;	100.00



Lot	Number	Description	Starting Bid €
58	1	<b>conveyor</b> belt dim. L: 3130 mm; belt dim. W: 500 mm; total dimension L: 3250 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: stainless steel base; lateral nylon guide; 400 volts;	100.00
59	1	<b>elevation plastic switched conveyor</b> belt dim. L: 5450 mm; belt dim. W: 700 mm; total dimension L: 5550 mm; total dimension W: 1350 mm; total dimension H: 1250 mm; description: stainless steel frame; conveyor belt equipped with entrainment fins; stainless steel lateral guide; 3x stainless steel capping panels; stainless steel tray; external motor; 400 Volt;	100.00
60	1	<b>sink</b> stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: raised rear wall; slightly dented back wall; plate; without adjustable feet;	10.00
61	5	<b>roller conveyors</b> roll conveyor size L: 2700 mm; roll conveyor size W: 400 mm; total dimension L: 2700 mm; total dimension W: 470 mm; description: without chassis;	10.00
62	1	<b>conveyor belt with tray denester</b> Ishida en Carsoe, Denester, brand: Ishida en Carsoe; type: Denester; belt dim. L: 2000 mm; belt dim. W: 340 mm; total dimension L: 880 mm; total dimension W: 800 mm; total dimension H: 830 mm; description: stainless steel; mounted on the chassis with attached tray Tray denesters; control cabinet;	10.00
63	1	<b>tiltable fruit and vegetable mixer</b> electric connection: 400 V; total dimension L: 1450 mm; total dimension W: 2100 mm; total dimension H: 1450 mm; description: stainless steel; vv platform with stairs;	100.00
64	1	<b>crates checkweigher</b> Nawi, brand: Nawi; description: stainless steel; mobile; feed-through roller conveyor ; weighing unit; terminal; control box with weighing control unit; 230 Volt;	100.00
65	1	<b>plateau scale</b> brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; digital display: no; electric connection: 230 V;	10.00
67	1	<b>elevating conveyor</b> belt dim. L: 3800 mm; belt dim. W: 400 mm; total dimension L: 3600 mm; total dimension W: 600 mm; total dimension H: 1820 mm; description: stainless steel frame; mobile; conveyor belt equipped with entrainment fins; lifting height 150 - 1700 mm; 400 Volt;	100.00
68	1	<b>sausage filling machine</b> Talleres Cato, ESG50, brand: Talleres Cato; type: ESG50; electric connection: 400 V; description: stainless steel; knee operation; capping is missing;	100.00
69	1	<b>was centrifuge</b> Eillert, brand: Eillert; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 850 mm; total dimension H: 900 mm; description: stainless steel; without baskets; max. diam. 420 mm baskets; max. height of baskets 350 mm;	10.00
70	1	<b>cheese slicer</b> FAM, 9050, type: 9050; electric connection: 400 V; description: stainless steel;	100.00
72	1	<b>dosing machine</b> Leonhardt, TGS1, year built 2009, brand: Leonhardt; type: TGS1; year: 2009; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 900 mm; total dimension H: 1550 mm; description: stainless steel; mobile; equipped with feed hopper; dosage unit; control box;	100.00
74	1	<b>plateau scale</b> Weda, Dexal III, brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; digital display: no; electric connection: 230 V;	10.00





Lot	Number	Description	Starting Bid €
75	1	<b>plateau scale</b> Weda, Dexal III, brand: Weda; type: Dexal III; weight range min.: 100 g; weight range max: 15000 g; readability: 5 g; platform size L: 400 mm; platform size W: 400 mm; digital display: no; electric connection: 230 V;	10.00
76	1	<b>conveyor drive motor</b> description: length 750 mm; diam. 130 mm; 400 Volt;	10.00
77	1	<b>conveyor drive motor</b> description: length 600 mm; diam. 210 mm; 400 Volt;	100.00
78	1	<b>switched plastic elevator conveyor</b> belt dim. L: 3350 mm; belt dim. W: 250 mm; total dimension L: 3500 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: stainless steel; guided stainless steel rail; height 940 - 1140 mm; including spare transport slats; 400 volts;	100.00
79	1	<b>plastic switched conveyor belt</b> belt dim. L: 1700 mm; belt dim. W: 750 mm; description: equipped with clearing vanes; colour White;	10.00
80	1	<b>switched plastic elevator conveyor</b> belt dim. L: 5500 mm; belt dim. W: 1850 mm; total dimension L: 5000 mm; total dimension W: 600 mm; total dimension H: 1500 mm; description: stainless steel; conveyor belt equipped with entrainment fins; plastic nylon guide rail; 400 Volt;	100.00
81	1	<b>switched plastic conveyor belt</b> belt dim. L: 2550 mm; belt dim. W: 130 mm; total dimension L: 2150 mm; total dimension W: 850 mm; total dimension H: 1000 mm; description: stainless steel; frame curved shaped; equipped with plastic nylon guide rail; external motor; 400 Volt;	100.00
82	1	<b>stainless steel work table</b> total dimension L: 2000 mm; total dimension W: 1150 mm; total dimension H: 940 mm; description: special worksheet;	10.00
83	1	<b>processing table with slanting edge</b> total dimension L: 1250 mm; total dimension W: 640 mm; total dimension H: 1060 mm; description: stainless steel;	10.00
84	1	<b>conveyor ascending</b> belt dim. L: 7800 mm; belt dim. W: 700 mm; total dimension L: 7800 mm; total dimension W: 880 mm; description: height 3000 - 3500 mm; steel base;	100.00
85	1	<b>conveyor ascending</b> year: 2010; belt dim. L: 13250 mm; belt dim. W: 600 mm; description: height 700 - 1600 mm; stainless steel base;	100.00
86	1	<b>water sieve / filter installation</b>	100.00
87	1	<b>water filter installation</b> total dimension L: 2450 mm; total dimension W: 2000 mm; total dimension H: 1000 mm; description: stainless steel; equipped with feed chute; rotating roll filter; cockpit equipped with stainless steel pump installation and removal with stopcock;	100.00
88	1	<b>crate washing machine</b> brand: Sudselekt; type: STB2430x400; year: 2012; crate dimension W: 240 mm; crate dimension H: 400 mm; automatic feed-through: yes; electric connection: 400 V; total dimension L: 2500 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: stainless steel; mobile;	10.00
89	1	<b>vacuum packaging line / machine</b> brand: Dixie Union; type: Modular Dixie VAC 2700; electric connection: 400 V; total dimension L: 5900 mm; total dimension W: 1000 mm; total dimension H: 1750 mm; description: incl. various packaging modules / templates; foil and foil roll holder opspannen max. film width approx. 500 mm; right-hand-side input; Output left equipped with cutting units;	1,000.00
90	1	<b>dosing station</b> description: stainless steel; equipped with hopper with, wormschoefn equipped with controller Aditec MRA 800; mobile;	100.00



Lot	Number	Description	Starting Bid €
91	1	<b>vacuum packaging line / machine</b> brand: Dixie Union; electric connection: 400 V; total dimension L: 5950 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: foil and foil roll holder tightening device; various plexi glass shades;	100.00
92	1	<b>anti-stick stainless steel hopper</b> total dimension L: 1750 mm; total dimension W: 320 mm; total dimension H: 1020 mm; description: diam. passage under 250 mm;	10.00
93	1	<b>agitator</b> description: stainless steel; equipped with 16 arms; length arm approx. 250 mm; diam. agitator approx. 670 mm; length agitator 600 mm; electric motor 400 Volt;	10.00
94	1	<b>foam cleaning pressure tank</b> description: stainless steel; mobile; incl. sprayer and pipe;	10.00
95	1	<b>foam cleaning pressure tank</b> description: stainless steel; mobile; incl. sprayer and pipe;	10.00
96	1	<b>transport frame / transport table</b> stainless steel: yes; total dimension L: 1200 mm; total dimension W: 520 mm; total dimension H: 510 mm; description: 2 levels 430 and 510 mm;	10.00
97	1	<b>box closing device</b> brand: Racupack; type: HP15; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 1050 mm; total dimension H: 1300 mm; description: stainless steel; max. working width 180 mm; max. feed-through height 700 mm;	100.00
98	1	<b>lot of diverse</b> description: incl. 7x plastic nylon conductors length 2500 mm; 2x steel wire guards length 1800 mm;	10.00
99	1	<b>Transport trolley</b> total dimension L: 460 mm; total dimension W: 460 mm; total dimension H: 730 mm; description: stainless steel;	10.00
100	1	<b>Transport trolley</b> total dimension L: 460 mm; total dimension W: 460 mm; total dimension H: 730 mm; description: stainless steel;	10.00
101	1	<b>vertical storage tank</b> brand: Montair Andersen; type: aanmaaktank rvs; stainless steel: yes; manhole: no; total dimension H: 4000 mm; description: diam. approx. 1500 mm; height 1200 mm; valve top; drain bottom;	100.00
102	1	<b>breeding line / salt line</b> working width: 500 mm; electric connection: 400 V; total dimension L: 2250 mm; total dimension W: 1100 mm; total dimension H: 2300 mm; description: stainless steel; mobile; various conveyors ; dimensions . 800x500 mm; 400x450 mm; 1200x500 mm; screw; lifting chain; powder distribution station; pressure roller suspension aborted;	100.00
103	1	<b>rotating round table</b> electric connection: 400 V; total dimension H: 900 mm; description: equipped with plastic nylon sheet; diam. 1800 mm;	10.00
104	1	<b>sole and boot cleaning installation</b> description: stainless steel; equipped with a brush and hand shower;	10.00
105	1	<b>was centrifuge</b> electric connection: 400 V; total dimension L: 650 mm; total dimension W: 850 mm; total dimension H: 900 mm; description: stainless steel; without baskets; max. diam. 420 mm baskets; max. height of baskets 350 mm;	10.00
106	1	<b>mobile mixer</b> Talsa, MiX 90 ST, brand: Talsa; type: MiX 90 ST; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1150 mm; description: stainless steel; inh. 90 liters; equipped with kneading hook; cockpit diam. 600 mm;	10.00



Lot	Number	Description	Starting Bid €
107	1	<b>stainless steel work table</b> stainless steel: yes; total dimension L: 900 mm; total dimension W: 500 mm; total dimension H: 970 mm; description: mobile; equipped with can opener Sieger Clou 50; white nylon plastic table top;	10.00
108	1	<b>blancher installation</b> drum size H: 650 mm; electric connection: 400 V; total dimension L: 5000 mm; total dimension W: 2300 mm; total dimension H: 2050 mm; description: stainless steel; equipped with entry hatch; screw; stainless steel cover plates; outfeed station equipped with plastic-switched lifting conveyor belt equipped with entrainment fins; built without heating;	1,000.00
109	1	<b>blancher installation</b> drum size H: 650 mm; electric connection: 400 V; total dimension L: 5000 mm; total dimension W: 2300 mm; total dimension H: 2050 mm; description: stainless steel; equipped with entry hatch; screw; stainless steel cover plates; outfeed station equipped with plastic-switched lifting conveyor belt equipped with entrainment fins; built without heating;	1,000.00
110	1	<b>sole and boot cleaning / hygiene lock</b> total dimension L: 2100 mm; total dimension W: 1380 mm; total dimension H: 2080 mm; description: stainless steel; equipped with soap and alcohol station; built-in paper dispenser; hot water boiler Daalderop; sink; boots brush with drain;	100.00
111	1	<b>cooling cell door</b> total dimension L: 870 mm; total dimension W: 40 mm; total dimension H: 2020 mm; description: equipped with lock without a key;	10.00
112	1	<b>cooling cell sliding door</b> total dimension L: 900 mm; total dimension W: 90 mm; total dimension H: 2100 mm; description: stainless steel; without rail;	10.00
113	1	<b>switchgear / control cabinet</b> total dimension L: 1100 mm; total dimension W: 300 mm; total dimension H: 1880 mm; description: stainless steel; mounted on stainless steel frame; with various content ; incl. Pulsar Ultra 3;	10.00
114	1	<b>elevating conveyor</b> belt dim. L: 3100 mm; belt dim. W: 700 mm; total dimension L: 3200 mm; total dimension W: 1000 mm; total dimension H: 1700 mm; description: stainless steel base; stainless steel non-stick conveyor walls; mobile; adjustable in height; height 250 - 1300 mm; external motor; 400 volts;	100.00
115	1	<b>battery chargers</b> SGTE, CPR 24 M 40, brand: SGTE; type: CPR 24 M 40; voltage: 24 V; electric connection: 230 V;	10.00
116	4	<b>various dissecting unit for vegetable cutter</b> description: diam. 205 mm;	10.00
117	1	<b>sieve drum</b> description: stainless steel; without motor; drum diam. 620 mm; drum length 800 mm;	10.00
118	1	<b>foam cleaning pressure tank</b> description: mobile; plastic housing; incl. sprayer; without guidance; inh. 20 liters;	10.00
119	1	<b>chain conveyor</b> belt dim. L: 4550 mm; belt dim. W: 155 mm; total dimension L: 4750 mm; total dimension W: 850 mm; total dimension H: 1000 mm; description: equipped with entrainment fins; plastic nylon lower guide; stainless steel lateral guide; External chain drive;	100.00
120	1	<b>conveyors (Food Industry)</b> belt dim. L: 2400 mm; belt dim. W: 220 mm; total dimension L: 2650 mm; total dimension W: 550 mm; total dimension H: 700 mm; description: stainless steel; adjustable in height; external motor; 400 volts;	10.00
121	1	<b>Cleaning car</b>	10.00
122	1	<b>lot of plastic buckets</b>	10.00



Lot	Number	Description	Starting Bid €
123	3	<b>plastic waste bins</b> description: and various;	10.00
124	1	<b>rVS work table</b> total dimension L: 2400 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: equipped with volkern under leaf;	10.00
125	19	<b>various storage bins</b>	10.00
126	3	<b>collision protection posts</b> total dimension H: 1000 mm; description: stainless steel;	10.00
© 127	1	<b>storage tanks</b> total dimension L: 1070 mm; total dimension W: 630 mm; total dimension H: 780 mm; description: equipped with stainless steel wheeled chassis;	10.00
© 128	1	<b>storage tanks</b> total dimension L: 1070 mm; total dimension W: 630 mm; total dimension H: 780 mm; description: equipped with stainless steel wheeled chassis;	10.00
129	1	<b>oil drip tray</b> Denios, PSP 2.4, brand: Denios; type: PSP 2.4; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 360 mm; description: galvanized steel;	10.00
© 130	1	<b>storage tanks</b> total dimension L: 1070 mm; total dimension W: 630 mm; total dimension H: 780 mm; description: equipped with stainless steel wheeled chassis;	10.00
© 131	1	<b>storage tanks</b> total dimension L: 1070 mm; total dimension W: 630 mm; total dimension H: 780 mm; description: equipped with stainless steel repair wheeled chassis; 2 tubs;	10.00
		<b>storage tanks</b>	
132	1	<b>cutter</b> Berkel, 834, brand: Berkel; type: 834; blade sharpener: yes; electric connection: 230 V; description: incomplete;	10.00
133	1	<b>bucket elevator</b> electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1100 mm; total dimension H: 6500 mm; description: chain driven elevator; 2x electric motor; max dimension 1500x550 mm.; Max. transport height 5200 mm;	100.00
134	1	<b>crate carrier</b> total dimension L: 4000 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: stainless steel; external motor; max. crate width 520 mm; 400 volts; cover plate electrical cabinet is missing;	100.00
135	1	<b>crate carrier</b> total dimension L: 1750 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: stainless steel; external motor; max. crate width 520 mm; 400 volts; cover plate electrical cabinet is missing;	10.00
136	3	<b>various vane motor</b> description: diam. blades 550/350/350 mm;	10.00
137	1	<b>roller ban</b> roll conveyor size L: 2150 mm; description: consisting of various parts; incl. 2x fourth round; 1x right dimensions . 2150x400 mm; without engine;	10.00
138	1	<b>various softeners</b> Star Matic, brand: Star Matic;	10.00
139	3	<b>Bake plastic</b> total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: lightly damaged;	10.00
140	3	<b>Bake plastic</b> total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: lightly damaged;	10.00



Lot	Number Description	Starting Bid €
141	1 <b>platform</b> total dimension L: 3600 mm; total dimension W: 550 mm; total dimension H: 1550 mm; description: stainless steel; galvanized steel boards; 1x stairs one step; stainless steel handrail;	10.00
142	1 <b>controller for scales</b> Berkel, III, brand: Berkel; type: III; description: without scales;	10.00
143	1 <b>platform</b> total dimension L: 3200 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: stainless steel; plastic grid floor parts; 2x stairs 3 steps of which part is missing on 1 side; stainless steel handrail;	10.00
144	1 <b>stainless steel work table</b> total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: without tabletop; incl. various stainless steel parts;	10.00
145	1 <b>cutter</b> Omas, brand: Omas; diameter cutting blade: 350 mm; blade sharpener: yes; max. cutting thickness: 14 mm; electric connection: 230 V;	10.00
146	1 <b>roller ban</b> description: consisting of various parts; incl. 6x dimensions . 5400x400 mm; 1x dimensions . 4400x400 mm; 1x dimensions . 2700x400 mm; 1x dimensions . 600x400 mm; without engine;	100.00
147	1 <b>conveyors (Food Industry)</b> belt dim. L: 7500 mm; belt dim. W: 400 mm; total dimension L: 7500 mm; total dimension W: 500 mm; total dimension H: 250 mm; description: stainless steel; stainless steel conductors; built-in motor; 400 volts;	100.00
148	1 <b>conveyors (Food Industry)</b> belt dim. L: 7950 mm; belt dim. W: 400 mm; total dimension L: 8000 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: stainless steel; built-in motor; 400 volts;	100.00
149	1 <b>conveyors (Food Industry)</b> belt dim. L: 5900 mm; belt dim. W: 250 mm; total dimension L: 6050 mm; total dimension W: 400 mm; total dimension H: 250 mm; description: stainless steel; partly equipped with stainless steel conductors; built-in motor; 400 Volt;	10.00
150	1 <b>Stainless steel tub</b> total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 500 mm; description: equipped with outlet below and silk;	10.00
151	1 <b>metal detector</b> Safeline, 50 H Signature 2, brand: Safeline; type: 50 H Signature 2; working width: 300 mm; belt conveyor: yes; belt conveyor dim. L: 1300 mm; belt conveyor dim. W: 250 mm; belt conveyor dim. H: 80 mm; electric connection: 230 V; total dimension L: 1300 mm; total dimension W: 850 mm; total dimension H: 1100 mm; description: equipped with collation error pneumatic product; stainless wrong product receiving box;	100.00
152	1 <b>shaking gutter</b> electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 460 mm; description: stainless steel gutter;	10.00
153	1 <b>belt conveyor</b> belt dim. L: 4000 mm; belt dim. W: 400 mm; total dimension L: 4000 mm; total dimension W: 540 mm; total dimension H: 880 mm; description: aluminum; without motor;	10.00
154	1 <b>safety cage</b> total dimension L: 1350 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: stainless steel; 2x open side; 2x steel wire door; open top and bottom;	100.00
155	1 <b>full automatic case sealer</b> Endoline, 607, brand: Endoline; type: 607; max. size B: 450 mm; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 1500 mm; description: max. height 500 mm;	10.00





Lot	Number	Description	Starting Bid €
156	1	<b>elevating conveyor</b> Viscon, year built 2014, brand: Viscon; year: 2014; belt dim. L: 4400 mm; belt dim. W: 700 mm; total dimension L: 4300 mm; total dimension W: 1050 mm; total dimension H: 1700 mm; description: stainless steel base; height 200 - 1600 mm; external motor; 400 volts;	10.00
157	1	<b>conveyors (Food Industry)</b> belt dim. L: 1500 mm; belt dim. W: 120 mm; total dimension L: 1700 mm; total dimension W: 1200 mm; total dimension H: 2050 mm; description: vv various accessories incl. sensors; pneumatic clamp / stopper; label structure Leenaars Control Technic 41-80; mounted on aluminum modular frame; stainless steel cabinet;	10.00
158	1	<b>cold room panels</b> description: total height 11500; total length 25000 mm; equipped with three window frames with glass and two recesses for door; without doors; including profile steel frame;	100.00
159	1	<b>passenger car</b> Volvo, Xc90, year built 2004, brand: Volvo; type: Xc90; year: 2004; license plate: ZV-063-G; SUV/off-road: no; MPV: yes; inspection expiration date: 15/08/2020 02:00:00; gasoline: yes; engine power: 200 kW; automatic: yes; mileage (at intake): 118000 km; number of seats: 7; number of doors: 4; navigation: yes; leather interior: yes; trailer hitch: yes; parking sensors: yes; xenon headlights: yes; own weight: 2091 kg; description: number of cylinders: 6; displacement: 2922 cm³; color blue; length : 480; width: 190; Euro classification: Euro 4; economy label: G; variant: CZ91; execution: CZ91G800; Geartronic Exclusive; Carfax report; youngtimer; skylight; electrical chairs; heated seats; 18 "wheels; 7 seats; folding mirrors; roof rack; cargo net; electric child;	100.00
164	1	<b>conveyors (Food Industry)</b> New motion, Module band S-bocht, brand: New motion; type: Module band S-bocht; belt dim. L: 3800 mm; belt dim. W: 170 mm; total dimension L: 3400 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: stainless steel; Switched plastic conveyor belt; in S-shape; equipped with sensor; 2x emergency; switchgear; mounted on stainless steel base profile; 400 Volt;	100.00
165	1	<b>conveyor</b> belt dim. L: 1800 mm; belt dim. W: 800 mm; total dimension L: 1900 mm; total dimension W: 1100 mm; total dimension H: 1150 mm; description: profile steel frame; adjustable in height; 230 volts;	10.00
167	1	<b>roller conveyors (Food industry)</b> dimension L: 2000 mm; dimension W: 450 mm; total dimension L: 2000 mm; total dimension W: 550 mm; total dimension H: 850 mm; description: some roles are missing; adjustable in height;	10.00
171	1	<b>pneumatic hampers</b> total dimension L: 400 mm; total dimension W: 700 mm; total dimension H: 1900 mm; description: stainless steel sections frame; 2x height displacement approx. 120 mm; table dimensions . 400x300 mm; foot control;	10.00
173	1	<b>tender machine</b> Belam, IT-3, brand: Belam; type: IT-3; electric connection: 400 V; total dimension L: 1300 mm; total dimension W: 750 mm; total dimension H: 1550 mm; description: mounted on stainless steel profile steel table; mobile; incomplete; 400 volts;	100.00
174	1	<b>air compressor</b> Francois, N 360 300, brand: Francois; type: N 360 300; capacity: 10 bar; buffer tank content: 300 l; electric connection: 400 V; total dimension L: 1600 mm; total dimension W: 550 mm; total dimension H: 1050 mm;	10.00
175	1	<b>Water softener</b> Pentair PWG, brand: Pentair PWG; description: inh. 60 liters;	10.00
201	1	<b>lifting pole clamp</b> Kenniss, brand: Kenniss; total dimension L: 5500 mm; description: equipped with 2x hydraulic clamps; nip width 700 mm; beam hydraulically extendible;	100.00



Lot	Number	Description	Starting Bid €
202	1	<b>steel volume haakarm rising container</b> Vossebelt, brand: Vossebelt; total dimension L: 6100 mm; total dimension W: 2400 mm; total dimension H: 2100 mm; description: equipped with hydraulically operated steel cover on the top side; equipped with exhaust valves; equipped with tilting hatch back side; hook height 1390 mm;	100.00
203	1	<b>fork</b> description: equipped with two forks; fork kengte 1080 mm; manually adjustable forks; max. width 2000 mm;	10.00
204	1	<b>wheel loader / slider</b> Wifo Anema, MO, brand: Wifo Anema; type: MO; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 550 mm; description: vv forklift truck forklift pockets;	10.00
205	1	<b>pallet hook</b> Wifo, brand: Wifo; description: spoon length 1070 mm; max. width across the forks 800 mm;	10.00
206	1	<b>pallet hook</b> Wifo, brand: Wifo; description: spoon length 1030 mm; max. width over the forks 1150 mm;	10.00
207	1	<b>flowmeter</b> Siemens, MAG5000, brand: Siemens; type: MAG5000; description: size DN300;	10.00
208	1	<b>flowmeter</b> Siemens, MAG 5100W, brand: Siemens; type: MAG 5100W; description: size DN 350;	10.00
209	1	<b>fuel tank</b> own weight: 450 kg; total dimension L: 1750 mm; total dimension W: 1150 mm; total dimension H: 1100 mm; description: content 960 liters; equipped with electric fuel pump; tubing and syringe; 230 Volt; equipped with four lifting eyes;	10.00
210	1	<b>hydraulic unit</b> description: equipped with electric motor; 400 Volt;	10.00
211	2	<b>tractor tires with tire</b> Vredestein, 12.4-36, brand: Vredestein; type: 12.4-36; description: on 11 "Rim 11-36;	10.00
212	1	<b>low loader</b> number of axis: 2; total dimension L: 6850 mm; total dimension W: 2500 mm; total dimension H: 710 mm; description: platform length 5000 mm; platform width 1880 mm; manually operated loading ramp; equipped with electrical steel cable winch; without registration number ; without registration papers;	100.00
213	1	<b>cultivator</b> Hekamp, Cult.C-500-11 poot, year built 1999, brand: Hekamp; type: Cult.C-500-11 poot; year: 1999; working width: 2850 mm; working depth: 500 mm; total dimension L: 2850 mm; total dimension W: 1700 mm; total dimension H: 1200 mm;	100.00
214	1	<b>agricultural tipping trailer</b> Spykstaal, brand: Spykstaal; number of axis: 2; cargo body size L: 4100 cm; cargo body size W: 1950 cm; total dimension L: 5800 mm; total dimension W: 2180 mm; total dimension H: 2070 mm; description: floor height 1150 mm; wooden floor; wooden partitions; without registration number ; without registration number papers;	100.00
215	1	<b>agricultural trailer</b> Daf, brand: Daf; number of axis: 2; cargo body size L: 5100 cm; cargo body size W: 2420 cm; load capacity: 7500 kg; total dimension L: 6700 mm; total dimension W: 2420 mm; total dimension H: 1670 mm; description: floor height 1200 mm; wooden floor; without registration number ; without registration papers;	100.00
216	1	<b>steel volume container</b> storage container: no; total dimension L: 6500 mm; total dimension W: 2450 mm; total dimension H: 2400 mm; description: equipped with hand-operated valve at the upper side of steel; equipped with exhaust valves; under the pull-up carriage; total length 7500 mm;	100.00



Lot	Number Description	Starting Bid €
217	<b>1 steel hook-up lifting container</b> Vossebelt, brand: Vossebelt; total dimension L: 5250 mm; total dimension W: 2150 mm; total dimension H: 1800 mm; description: equipped with 2x3 lockable slide valves; hook height 1390 mm;	100.00
218	<b>1 hydraulic truck crane</b> Palfinger, PK 13500 A4, brand: Palfinger; type: PK 13500 A4; description: capacity 3400 kg; max. capacity 7.8 meters 1640 kg; 2x stamps;	100.00
219	<b>1 hydraulic truck crane for stone trailer</b> Hiab, R 150 F 1, brand: Hiab; type: R 150 F 1; description: capacity 4290 kg; max. capacity 5 meters 3000 kg; max. approx. 2200 mm track width; equipped with 2x punch foot; driven by Hatz Silent Pack engine;	100.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.



### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience