



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Faillissementsveiling Donge Flushing Yard B.V. (NL)
Bankruptcy Auction Donge Flushing Yard
B.V.

Portugal 3, Havennummer 5910 - 4455 TZ **Nieuwdorp**
(Nieuwdorp, Portugal 3, Havennummer 5910 (Donge Flushing Yard
B.V.))

Closing date: Tuesday **29 OCTOBER** starting 10:00



Viewing:

Thursday 24 October from 11:00 until 15:00
Portugal 3, Havennummer 5910 - 4455 TZ Nieuwdorp (The Netherlands)

Bidding only on the internet!

10-10-19 12.28

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Tuesday 29 October 2019 Faillissementsveiling Donge Flushing Yard B.V.

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Tuesday 29 October 2019 starting 10:00 CET								
Viewing	Thursday 24 October from 11:00 until 15:00 CET Nieuwdorp, Portugal 3, Havennummer 5910 (Donge Flushing Yard B.V.) Portugal 3, Havennummer 5910 4455 TZ Nieuwdorp, The Netherlands								
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com								
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	Thursday 14 November from 09:00 until 16:00 CET Wednesday 13 November from 09:00 until 16:00 CET Tuesday 12 November from 09:00 until 16:00 CET Monday 11 November from 09:00 until 16:00 CET Friday 8 November from 09:00 until 16:00 CET Nieuwdorp, Portugal 3, Havennummer 5910 (Donge Flushing Yard B.V.) Portugal 3, Havennummer 5910 4455 TZ Nieuwdorp, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.								
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam. Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV								
Deliver instructions	<table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table> The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						

www.TroostwijkAuctions.com



bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleeve Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.





Lot	Number Description	Starting Bid €
1	1 crawler crane Demag, CC 600, year built 1977, serial number 09001, brand: Demag; type: CC 600; year: 1977; serial number: 09001; number of boom sections: 8; boom length: 36 m; crawler crane: yes; with crane log book: yes; brand engine: Deutz; engine power: 118 kW; number of cylinders: 10; description: total boom length with jib: 48000 mm; track width: 6400 mm. track plate width: 1220mm (pier); including various parts, lifting and maintenance equipment from 40 ft. container;	1,000.00
2	1 push tug length over all: 15 m; width: 4 m; hull material : Staal; description: (hall 7);	1,000.00
3	1 container with diesel aggregate capacity: 200 kVA; electric connection: 400 V; engine capacity: 160 kW; generator brand: Leroy Somer; generator type: LSA 46.1 M6 C674; generator capacity: 289 A; hours on display: 5508; description: diesel fuel; in and including 40FT container;	1,000.00
4	1 crawler crane Demag, CC 280, year built 1973, serial number 1586, brand: Demag; type: CC 280; year: 1973; serial number: 1586; number of boom sections: 7; boom length: 30 m; crawler crane: no; hours on display: 4640; brand engine: Deutz; number of cylinders: 8; description: undercarriage gauge: 5280mm; caterpillar sheet width: 1000 mm; equipped with new turntable, new cab superstructure (supplied 2010), Wylie safe load indicator crane, truck: 22,4T, 1 jip, length : approx: 6800mm (hall 5 and distributed on the outside area);	1,000.00
5	1 Sea container CIMC-NCSE, NT-S-286G, year built 2002, serial number u 450034, brand: CIMC-NCSE; type: NT-S-286G; year: 2002; serial number: u 450034; length (ft): 40; total dimension L: 13670 mm; total dimension W: 2500 mm; total dimension H: 2900 mm; description: Location: outdoor area next to hall 5;	100.00
6	1 Sea container CIMC-NCSE, NT-S-286G, year built 2002, serial number u 450079, brand: CIMC-NCSE; type: NT-S-286G; year: 2002; serial number: u 450079; total dimension L: 13670 mm; total dimension W: 2500 mm; total dimension H: 2900 mm; description: Location: outdoor area next to hall 5;	100.00
7	1 Sea container CIMC-NCSE, NT-S-286G, year built 2002, serial number u 450065-6, brand: CIMC-NCSE; type: NT-S-286G; year: 2002; serial number: u 450065-6; length (ft): 45; total dimension L: 13670 mm; total dimension W: 2500 mm; total dimension H: 2900 mm; description: Location: outdoor area next to hall 5;	100.00
8	1 conveyor description: diam: 1945mm (outside area next hall 5);	10.00
9	1 screw compressor Atlas Copco , GA 18 FF, year built 2007, serial number AP1452947, brand: Atlas Copco ; type: GA 18 FF; year: 2007; serial number: AP1452947; capacity: 7.3 bar; air flow: 3150 l/min; power: 18.5 kW; buffer tank content: 500 l; air dryer: yes; electric connection: 400 V; own weight: 595 kg; total dimension L: 1900 mm; total dimension W: 680 mm; total dimension H: 1670 mm; description: Location: hall 5;	100.00
10	1 rotatable welding column description: column height 3300 mm; arm length 3000 mm; equipped with rail-guided chassis wheel;	10.00
11	1 Sea container year built 1989, year: 1989; length (ft): 20; description: vv lighting;	100.00
12	1 lot of steel aanlasdelen description: content 40ft container exclusive of racks - racking ;	100.00
13	1 lot of hydraulic accessories description: content 40ft shipping container exclusive racks - racking ; where under hoses ; couplings ; adapters; fasteners ;	1,000.00



Lot	Number	Description	Starting Bid €
14	1	Sea container length (ft): 40; description: including content ; where under two steel cabinets ; security cabinet; table with five chairs; workbench ; rack ; refrigerator; vv lighting ; heating;	100.00
15	1	gas bottles storage room dimension L: 60 cm; dimension W: 550 cm; dimension H: 245 cm; description: suitable for 16 bottles (pier);	10.00
16	4	steel staircase number of steps: 14; total dimension L: 3700 mm; total dimension W: 760 mm; description: including handrails (pier);	10.00
17	1	sliding gate dimension W: 800 cm; total dimension H: 205 mm; description: (pier);	10.00
19	1	engine room description: dimensions . approx. 12x3,5x2,5 meter (pier);	100.00
20	2	steel hatch total dimension L: 2200 mm; total dimension W: 2200 mm; total dimension H: 340 mm; description: (pier);	100.00
21	2	steel hatch total dimension L: 2050 mm; total dimension W: 1550 mm; total dimension H: 460 mm; description: (pier);	100.00
22	1	lifting bucket total dimension L: 2200 mm; total dimension W: 3500 mm; total dimension H: 2450 mm; description: including content (pier);	10.00
23	1	receiving hopper total dimension L: 4000 mm; total dimension W: 3500 mm; total dimension H: 4500 mm; description: equipped with screw conveyor;	100.00
24	1	heated paint storage containers storage container: yes; chemical storage container: yes; insulated: yes; description: 40 ft; equipped with two spaces; 3 doors; including rack and drip tray; without paint stock (pier);	100.00
25	11	IBC liquid storage containers description: volume 1000 liter. (pier);	10.00
26	1	steel cable on reel description: cable diameter approx. 75 mm (pier);	100.00
27	1	oil drip tray total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 500 mm; description: (pier);	10.00
28	1	various lifting cables description: on one pallet; approx. 3 pieces (pier);	10.00
29	1	oil drip tray total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 500 mm; description: (pier);	10.00
30	1	welding table total dimension L: 2980 mm; total dimension W: 1500 mm; total dimension H: 900 mm; description: (pier);	10.00
31	1	lifting bucket total dimension L: 3000 mm; total dimension W: 1200 mm; total dimension H: 600 mm; description: (pier);	10.00
32	1	steel cable on reel description: cable diameter approx. 25 mm (pier);	10.00
33	2	steel mooring posts description: height 65 cm and 55 cm (pier);	10.00
34	1	lot of various sleepers description: length 1000-3600 mm; total approx. 30 pieces (pier);	10.00



Lot	Number	Description	Starting Bid €
35	1	hoist plate total dimension L: 3100 mm; total dimension W: 2100 mm; total dimension H: 290 mm; description: equipped with one lifting eye (pier);	10.00
36	18	bump rubber description: truck tires with holes (pier);	10.00
© 37	1	modeling pontoon boats dimension L: 79 cm; dimension W: 190 cm; dimension H: 78 cm; description: name "Big Pitcher";	100.00
© 38	1	modeling pontoon boats Djebel Aures, type: Djebel Aures; dimension L: 50 cm; dimension W: 125 cm; dimension H: 78 cm; description: name "Annaba";	100.00
© 39	1	modeling pontoon boats dimension L: 74 cm; dimension W: 187 cm; dimension H: 158 cm; description: name "The Nose";	100.00
© 40	1	modeling pontoon boats dimension L: 74 cm; dimension W: 187 cm; dimension H: 158 cm; description: name "Toshka";	100.00
© 41	1	modeling pontoon boats dimension L: 73 cm; dimension W: 168 cm; dimension H: 920 cm; description: name "Antone";	100.00
© 42	1	modeling pontoon boats dimension L: 55 cm; dimension W: 125 cm; dimension H: 54 cm;	100.00
© 43	1	modeling pontoon boats dimension L: 50 cm; dimension W: 85 cm; dimension H: 137 cm;	100.00
© 44	1	modeling pontoon boats dimension L: 80 cm; dimension W: 190 cm; dimension H: 147 cm;	100.00
© 45	1	modeling pontoon boats dimension L: 79 cm; dimension W: 190 cm; dimension H: 151 cm; description: name "Big Pitcher";	100.00
© 46	1	modeling pontoon boats dimension L: 37 cm; dimension W: 82 cm; dimension H: 53 cm; description: name "Peniche";	100.00
© 47	1	model building split boat dimension L: 39 cm; dimension W: 92 cm; dimension H: 37 cm; description: name "Peniche";	100.00
© 48	1	modeling pontoon boats dimension L: 40 cm; dimension W: 99 cm; dimension H: 51 cm;	100.00
© 49	1	modeling pontoon boats dimension L: 34 cm; dimension W: 87 cm; dimension H: 50 cm;	100.00
Model making pontoons			
50	1	Welding machine ROWAC, CH 500, serial number 13366, brand: ROWAC; type: CH 500; serial number: 13366; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox, welding torch. Location: hall 4.;	100.00
51	1	Welding machine ROWAC, CH 500, serial number 07241, brand: ROWAC; type: CH 500; serial number: 07241; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox, welding torch. Location: hall 4.;	100.00



Lot	Number	Description	Starting Bid €
52	1	Welding machine ROWAC, CH 500, serial number 08297, brand: ROWAC; type: CH 500; serial number: 08297; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox, not including welding torch. Location: hall 4;	100.00
53	1	Welding machine ROWAC, CH 500, brand: ROWAC; type: CH 500; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox and welding torch. Location: hall 4;	100.00
54	1	Welding machine ROWAC, CH 500, serial number 06265, brand: ROWAC; type: CH 500; serial number: 06265; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox. not including welding torch. Location: hall 4;	10.00
55	1	Welding machine ROWAC, CH 500, serial number 08300, brand: ROWAC; type: CH 500; serial number: 08300; mig type: yes; wire feeder: yes; digital display: yes; electric connection: 400 V; description: Lasstroombereik: 30A / 15,5V - 500A / 39V; 23 KVA; equipped with wire feed unit, watercoolbox. not including welding torch. 1 wheel is defective. Location: hall 4;	10.00
56	1	Welding machine MILLER, Dimension 812, brand: MILLER; type: Dimension 812; MMA type: yes; electric connection: 400 V; description: lasstroombereik: 50A / 12V - 815A - 34 volts; 63 KVA. Location: hall 4;	10.00
57	1	pallethaak hoist capacity: 2000 kg; total dimension L: 1150 mm; total dimension W: 950 mm; total dimension H: 1550 mm; description: pallet lifting hook equipped with adjustable spoons; spoon length: 1000mm. Location: hall 4;	10.00
58	1	Welding machine Rowac, TRIPLE WELDER 400DC, serial number 703120, brand: Rowac; type: TRIPLE WELDER 400DC; serial number: 703120; MMA type: yes; digital display: yes; electric connection: 400 V; machine weight: 120 kg; description: lasstroombereik: 20A / 20,8V - 400A / 36V. Location: hall 4;	10.00
59	1	Welding machine Rowac, TRIPLE WELDER 400DC, serial number 706240, brand: Rowac; type: TRIPLE WELDER 400DC; serial number: 706240; MMA type: yes; digital display: yes; electric connection: 400 V; machine weight: 120 kg; description: lasstroombereik: 20A / 20,8V - 400A / 36V. Location: hall 4;	10.00
60	1	Welding machine Rowac, TRIPLE WELDER 400DC, serial number 703130, brand: Rowac; type: TRIPLE WELDER 400DC; serial number: 703130; MMA type: yes; digital display: yes; electric connection: 400 V; machine weight: 120 kg; description: lasstroombereik: 20A / 20,8V - 400A / 36V. Location: hall 4;	10.00
© 61	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 62	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 63	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
© 64	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 65	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 66	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 67	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 68	1	safety transformer hoist electric connection: 230 V; total dimension L: 104 mm; total dimension W: 550 mm; total dimension H: 1280 mm; description: equipped with four safety transformers; 42 volts; Location: hall 4;	10.00
© 69	4	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 70	8	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 71	5	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 72	7	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 73	5	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 74	4	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 75	5	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
© 76	5	construction lamp TL lamp: yes; electric connection: 42 V; description: including pallet; Location: hall 4;	10.00
Transformers with lamps			
77	5	autogenous hose description: Location: hall 4;	10.00
78	1	autogenous hose and air hose description: Location: hall 4;	10.00
79	4	autogenous hose description: Location: hall 4;	10.00
80	1	welding fume extraction fan SMOKE FIGHTER, brand: SMOKE FIGHTER; electric connection: 230 V; description: Location: hall 4;	10.00
81	1	welding fume extraction fan SMOKE FIGHTER, brand: SMOKE FIGHTER; electric connection: 230 V; description: Location: hall 4;	10.00
82	1	welding fume extraction fan SMOKE FIGHTER, brand: SMOKE FIGHTER; electric connection: 230 V; description: Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
83	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 32A-6ah. Location: hall 4;	10.00
84	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 32A-6ah. Location: hall 4;	10.00
85	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 32A-6ah. Location: hall 4;	10.00
86	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
87	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
88	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
89	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
90	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
91	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
92	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
93	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
94	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
95	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
96	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
97	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
98	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
99	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
100	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
© 101	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
© 102	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
© 103	1	extension electric connection: 400 V; description: phase power adapter cable; 4 to 5 pole; 63A-6ah. Location: hall 4;	10.00
© 104	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 105	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 106	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 107	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 108	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 109	9	Socket box MENNEKES, brand: MENNEKES; electric connection: 42 V;	10.00
© 110	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 111	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 112	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 63A-6ah. Location: hall 4;	10.00
© 113	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 63A-6ah. Location: hall 4;	10.00
© 114	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 115	1	extension electric connection: 400 V; description: Extension of force; 5 pole; 32A-6ah. Location: hall 4;	10.00
© 116	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 117	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 118	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
© 119	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 120	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 121	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 122	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 123	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 63A-6ah. Location: hall 4;	10.00
© 124	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
© 125	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
© 126	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
© 127	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 16A 6ah. Location: hall 4;	10.00
© 128	1	extension electric connection: 400 V; description: Extension of force; 4 pole; 32A-6ah. Location: hall 4;	10.00
© 129	3	extension electric connection: 400 V; description: phase power extension cables incl. : 4 poles; 16A-6ah; 32A-6ah.Lokatie: hall 4;	10.00
© 130	3	extension electric connection: 400 V; description: phase power extension cables incl. : 4 poles; 16A-6ah; 32A-6ah, 5 pole. Location: hall 4;	10.00
© 131	3	extension electric connection: 400 V; description: phase power extension cables incl. : 4 poles; 16A-6ah; 32A-6ah. Location: hall 4;	10.00
© 132	3	extension electric connection: 400 V; description: power current development and extension cables incl. : 4 poles; 16A-6ah; 32A-6ah; 63A-6ah. Location: hall 4;	10.00
© 133	2	extension electric connection: 400 V; description: phase power extension cables incl. : 4 pole, 32A-6ah. Location: hall 4;	10.00
© 134	2	extension electric connection: 400 V; description: phase power extension cables incl. : 4 pole, 32A-6ah. Location: hall 4;	10.00
135	4	transportation box E-TOP, brand: E-TOP; metal: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 440 mm; total dimension H: 320 mm; description: Location: hall 4;	10.00
136	4	transportation box Forum, brand: Forum; metal: yes; with lid: yes; total dimension L: 985 mm; total dimension W: 360 mm; total dimension H: 300 mm;	10.00



Lot	Number	Description	Starting Bid €
137	4	transportation box Forum / E-Top, brand: Forum / E-Top; metal: yes; with lid: yes; description: various sizes. Location: hall 4;	10.00
138	3	transportation box Forum, brand: Forum; metal: yes; with lid: yes; total dimension L: 985 mm; total dimension W: 360 mm; total dimension H: 300 mm;	10.00
139	3	transportation box E-TOP, brand: E-TOP; metal: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 440 mm; total dimension H: 320 mm; description: Location: hall 4;	10.00
140	3	transportation box E-TOP, brand: E-TOP; metal: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 440 mm; total dimension H: 320 mm; description: Location: hall 4;	10.00
141	3	transportation box E-TOP, brand: E-TOP; metal: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 440 mm; total dimension H: 320 mm; description: Location: hall 4;	10.00
142	3	transportation box E-TOP, brand: E-TOP; metal: yes; with lid: yes; total dimension L: 830 mm; total dimension W: 440 mm; total dimension H: 320 mm; description: Location: hall 4;	10.00
© 143	8	seal Econ, brand: Econ; description: DN 100. Location: hall 4;	10.00
© 144	1	lot of various valves Econ, brand: Econ; description: DN 40 DN 80; approx. 25 pieces; on one pallet. Location: hall 4;	10.00
© 145	7	various valves Econ, brand: Econ; description: DN 40-DN 65 Location: hall 4;	10.00
© 146	12	various valves Econ, brand: Econ; description: DN 65-DN 80 Location: hall 4;	10.00
© 147	1	lot of various couplings Econ, brand: Econ; description: in one box. Location: hall 4;	10.00
© 148	20	various valves description: DN 40 DN 50; on one pallet. Location: hall 4;	10.00
151	3	transportation box Forum / Bott, brand: Forum / Bott; metal: yes; with lid: yes; description: various sizes incl. : L830 x B440 x H350 mm. Location: hall 4;	10.00
152	2	mortar description: hydraulic jacks ; cap: 400 Tons; diam dimension: 365 x H650 mm. Location: hall 4;	10.00
153	1	lifting loop hoist capacity: 3000 kg;	10.00
154	1	plates lifting clamp IP, brand: IP; hoist capacity: 2000 kg; description: mouth width: 0- 35 mm. Location: hall 4 ;	10.00
155	1	plates lifting clamp IP, brand: IP; hoist capacity: 1500 kg; description: mouth width: 0- 20mm. Location: hall 4 ;	10.00
156	1	plates lifting clamp IP, brand: IP; hoist capacity: 2000 kg; description: mouth width: 0- 30mm. Location: hall 4 ;	10.00
157	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 6000 kg; description: mouth width: 0- 50mm. Location: hall 4 ;	10.00
158	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 6000 kg; description: mouth width: 0- 50mm. Location: hall 4 ;	10.00
159	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 6000 kg; description: mouth width: 0- 50mm. Location: hall 4 ;	10.00



Lot	Number	Description	Starting Bid €
160	1	plates lifting clamp CG, IPU 10, brand: CG; type: IPU 10; hoist capacity: 9000 kg; description: mouth width: 50-100mm. Location: hall 4 ;	10.00
161	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 6000 kg; description: mouth width: 0-50mm. Location: hall 4 ;	10.00
162	1	plates lifting clamp IP, brand: IP; hoist capacity: 6000 kg; description: mouth width: 0- 32mm. Location: hall 4 ;	10.00
163	1	plates lifting clamp IP, brand: IP; hoist capacity: 1500 kg; description: mouth width: 0- 20mm. Location: hall 4 ;	10.00
164	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 6000 kg; description: mouth width: 0-50mm. Location: hall 4 ;	10.00
165	1	plates lifting clamp IP, IPU 10, brand: IP; type: IPU 10; hoist capacity: 3000 kg; description: mouth width: 0-40mm. Location: hall 4 ;	10.00
166	1	ratchet hoist Lewis, year built 2006, serial number 60100256, brand: Lewis; year: 2006; serial number: 60100256; hoist capacity: 3000 kg;	10.00
167	1	lifting chain description: lifting chain . Location: hall 4;	10.00
168	1	lifting chain description: lifting chain . Location: hall 4;	10.00
169	1	lifting chain description: lifting chain . Location: hall 4;	10.00
170	1	2 jump lifting chain hoist capacity: 3000 kg; dimension L: 2020 mm; description: 2-jump lifting chain equipped with horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
171	1	2 jump lifting chain hoist capacity: 3000 kg; description: 2-jump lifting chain equipped with IP horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
172	1	2 jump lifting chain hoist capacity: 3000 kg; description: 2-jump lifting chain equipped with IP horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
173	9	various harpswitches	10.00
174	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump lifting chain equipped with horizontal plates lifting clamps. Location: hall 4;	10.00
175	1	2-jump plates lifting chain hoist capacity: 4500 kg; description: 2-jump lifting chain equipped with horizontal plates lifting clamps. Location: hall 4;	10.00
176	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump lifting chain equipped with horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
177	1	2-jump plates lifting chain description: 2-jump plates hoisting chain .Lokatie: hall 4;	10.00
178	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump lifting chain equipped with horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
179	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump lifting chain equipped with horizontal plates lifting clamps. Location: hall 4;	10.00
© 180	3	extension cord electric connection: 42 V; description: extension cords. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
© 181	3	extension cord electric connection: 42 V; description: extension cords. Location: hall 4;	10.00
© 182	3	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
© 183	3	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
© 184	3	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
© 185	3	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
186	1	lifting chain description: lifting chain . Location: hall 4;	10.00
187	1	lifting chain description: lifting chain . Location: hall 4;	10.00
188	1	2-jump plates lifting chain hoist capacity: 5300 kg; description: 2-jump plates hoisting chain .Lokatie: hall 4;	10.00
© 189	5	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
© 190	3	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
© 191	4	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
192	5	Air hose description: Location: hall : 4;	10.00
© 193	1	extension electric connection: 400 V; description: phase power extension cable incl. : 4 poles; 32A-6ah. Location: hall 4;	10.00
© 194	1	extension electric connection: 400 V; description: phase power extension cable incl. : 4 poles; 32A-6ah. Location: hall 4;	10.00
195	3	autogenous hose description: Location: hall 4;	10.00
196	4	autogenous hose description: Location: hall 4;	10.00
197	1	lifting sling hoist capacity: 3000 kg;	10.00
198	1	polyester lifting strap	10.00
199	1	polyester lifting strap	10.00
200	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump plates hoisting chain .Lokatie: hall 4;	10.00
201	1	2-jump plates lifting chain hoist capacity: 8000 kg; description: 2-jump plates hoisting chain .Lokatie: hall 4;	10.00
202	1	2 jump lifting chain hoist capacity: 8000 kg; dimension L: 4000 mm; description: 2-jump lifting chain . Location: hall 4;	10.00
203	1	lifting chain description: lifting chain . length ca: 5 meter equipped with shortening device. Location: hall 4;	10.00
204	1	lifting chain dimension L: 4500 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
205	1	4 jump- lifting chain hoist capacity: 3000 kg; dimension L: 3000 mm; description: 4 Jump lifting chain . Location: hall 4;	10.00
206	1	2 jump lifting chain hoist capacity: 8000 kg; description: 2 jump lifting chain ; length ca: 6000 mm. Location: hall 4;	10.00
207	1	lifting chain hoist capacity: 3000 kg; dimension L: 6400 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
208	1	lifting chain hoist capacity: 3000 kg; dimension L: 5000 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
209	1	lifting chain hoist capacity: 5300 kg; dimension L: 2400 mm; description: lifting chain . Location: hall 4;	10.00
210	1	lifting chain hoist capacity: 3000 kg; dimension L: 4500 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
211	1	lifting chain hoist capacity: 3000 kg; dimension L: 6400 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
212	1	lifting chain hoist capacity: 3000 kg; dimension L: 6400 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
213	1	lifting chain hoist capacity: 3000 kg; dimension L: 6400 mm; description: lifting chain equipped with shortening device. Location: hall 4;	10.00
214	1	waste containers used for scrap metal: yes; total dimension L: 2230 mm; total dimension W: 740 mm; total dimension H: 770 mm; description: equipped with lifting lugs. Location: hall 4;	10.00
215	1	chain and ratchet hoists hoist capacity: 3000 kg; description: various hand chain hoists and lever hoists. Location: hall 4;	10.00
© 216	6	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
217	1	ratchet hoist LEWIS, L-LB-S30, year built 2006, brand: LEWIS; type: L-LB-S30; year: 2006; hoist capacity: 3000 kg; description: Ratchet hoist. Location: hall 4;	10.00
218	1	ratchet hoist CM ALLSTAR, year built 2010, brand: CM ALLSTAR; year: 2010; hoist capacity: 3000 kg; description: Ratchet hoist. Location: hall 4;	10.00
219	1	ratchet hoist Elephant, brand: Elephant; hoist capacity: 3000 kg; description: Ratchet hoist. Location: hall 4;	10.00
220	1	ratchet hoist Elephant, brand: Elephant; hoist capacity: 3000 kg; description: Ratchet hoist. Location: hall 4;	10.00
221	1	beam clamp Estil, EB020, brand: Estil; type: EB020; hoist capacity: 2000 kg; description: beam lifting clamp; cap: 75-230 mm. Location: hall 4;	10.00
222	2	D closure description: cap: 25 tons. Location: hall 4;	10.00
223	2	shackle description: cap: 25 tons. Location: hall 4;	10.00



Lot	Number	Description	Starting Bid €
224	2	shackle description: cap: 25 tons. Location: hall 4;	10.00
225	2	shackle description: cap: 25 tons. Location: hall 4;	10.00
226	2	shackle description: cap: 25 tons and 17 tons. Location: hall 4;	10.00
227	4	shackle description: incl. 25 tons and 17 tons. Location: hall 4;	10.00
228	2	polyester lifting strap hoist capacity: 5000 kg; dimension L: 6000 mm;	10.00
229	1	chain hoist LEWIS, year built 2007, brand: LEWIS; year: 2007; hoist capacity: 3000 kg; description: hand chain hoist. Location: hall 4;	10.00
230	1	chain hoist LEWIS, year built 2005, brand: LEWIS; year: 2005; hoist capacity: 3000 kg; description: hand chain hoist. Location: hall 4;	10.00
231	1	chain hoist EST, 215, year built 2005, brand: EST; type: 215; year: 2005; hoist capacity: 1500 kg; description: hand chain hoist. Location: hall 4;	10.00
232	1	chain hoist LEWIS, year built 2007, brand: LEWIS; year: 2007; hoist capacity: 3000 kg; description: hand chain hoist. Location: hall 4;	10.00
233	1	2 jump lifting chain hoist capacity: 3000 kg; dimension L: 2020 mm; description: 2-jump lifting chain equipped with horizontal plates lifting clamps; mouth width: 0-60mm. Location: hall 4;	10.00
234	1	2 jump lifting chain hoist capacity: 3000 kg; description: 2-jump lifting chain equipped with IP horizontal plates lifting clamps; mouth width: 0-60mm; Cap: 3000 kg. Location: hall 4;	10.00
235	1	construction lamp Philips, IP 65, brand: Philips; type: IP 65; description: on tripod . Location: hall 4;	10.00
236	2	construction lamp tripod	10.00
237	11	polyester lifting strap hoist capacity: 5000 kg; dimension L: 6000 mm; description: Location: hall 4;	10.00
238	2	mortar FAG, year built 1982, serial number 1780, brand: FAG; year: 1982; serial number: 1780; description: hydraulic jack Location: hall 4;	10.00
239	1	ratchet hoist LEWIS, L-LB-S30, year built 2006, brand: LEWIS; type: L-LB-S30; year: 2006; hoist capacity: 3000 kg; description: Ratchet hoist. Location: hall 4;	10.00
240	1	transportation box metal: yes; with lid: yes; total dimension L: 1030 mm; total dimension W: 630 mm; total dimension H: 620 mm; description: Location: hall : 4;	10.00
241	6	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
242	6	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
243	6	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
© 244	7	extension cord electric connection: 42 V; description: extension cords. Location: hall : 4;	10.00
245	1	extension reel GILZE, BlackMaster BM 300, brand: GILZE; type: BlackMaster BM 300; electric connection: 230 V; length: 50 m; description: cable reel. Location: hall : 4;	10.00



Lot	Number	Description	Starting Bid €
246	7	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
247	6	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
248	6	construction lamp TL lamp: yes; electric connection: 42 V; description: Location: hall 4;	10.00
249	1	gas cylinder hand trolley description: gas cylinder hand trolley (hall 7);	10.00
© 250	13	various valves Econ, brand: Econ; description: DN 65-DN 150;	10.00
© 251	48	various valves Econ, brand: Econ; description: DN 15 DN 25;	10.00
© 252	6	seal Econ, brand: Econ; description: DN 80;	10.00
© 253	7	seal Econ, brand: Econ; description: DN 100 and DN 125;	10.00
© 254	1	lot of various couplings description: in 1 box;	10.00
© 255	1	lot of various couplings description: in 1 box;	10.00
256	1	welding fume extraction system Lutec, Dustex F64, year built 2006, serial number 46009, brand: Lutec; type: Dustex F64; year: 2006; serial number: 46009; fixed: yes; filterunit: yes; electric connection: 400 V; description: capacity 7300 m3 / h; power 7.5 kW; with flexible arms 5 and discharge tube length approx. 30 meters;	100.00
257	2	transportation box metal: yes; with lid: yes;	10.00
258	4	extension electric connection: 400 V; male-male: no; female-female: yes; description: 4 pin 63 Ah; to dismantle yourself;	10.00
© 259	1	steel description: among other flame tubes and pipes which include dimensions . 60,3x8 mm and 80x10 mm; lengths of up to approx. 6 meters; content of 2-sided cantilever racking system ; total weight approx. 3250 kg;	100.00
© 260	1	steel description: among other flame pipes and tubes; lengths of up to approx. 6 meters; content of 2-sided cantilever racking system ;	100.00
© 261	1	steel description: among other flame pipes and tubes; lengths of up to approx. 6 meters; content of 2-sided cantilever racking system ; total weight approx. 4500 kg;	100.00
© 262	1	steel description: among other flame pipes and tubes; lengths of up to approx. 6 meters; content of 2-sided cantilever racking system ; total weight approx. 3000 kg;	100.00
263	1	storage containers description: 20 ft; equipped with two doors; lighting ; 230 Volt power supply; including content incl. workbenches and rack ; exclusive of tubes on the container;	100.00
264	1	storage containers description: 20 ft; equipped with two doors 1 and a wicket door; lighting ; 230 Volt power supply; including content incl. work table, three chairs and wall shelves; welded platform with stairs;	100.00
265	1	bending machine adapters description: various pipe thicknesses and radii; including steel box;	10.00
266	4	Welding screen	10.00
267	1	coat rack and cigarette cupboard	10.00



Lot	Number	Description	Starting Bid €
268	1	Stairs Altrex, brand: Altrex; number of steps: 3; aluminium: yes; access platform: yes;	10.00
269	1	Stairs Alga, BT6, brand: Alga; type: BT6; number of steps: 5; aluminium: yes; access platform: yes;	10.00
270	1	construction lamp on tripod halogen: yes; electric connection: 48 V;	10.00
271	1	construction plenum box Keraf, 110420 + extra doorlus, brand: Keraf; type: 110420 + extra doorlus; electric connection: 63 A; own weight: 25 kg;	10.00
272	1	construction plenum box Keraf, brand: Keraf; electric connection: 63 A; own weight: 25 kg;	10.00
273	1	construction plenum box Bos, brand: Bos; electric connection: 63 A; own weight: 25 kg;	10.00
274	1	construction plenum box Kema keur, brand: Kema keur; electric connection: 63 A; own weight: 25 kg;	10.00
275	1	construction plenum box Keraf, 107146, brand: Keraf; type: 107146; electric connection: 16 A; own weight: 25 kg;	10.00
276	2	construction lamp electric connection: 230 V;	10.00
277	2	construction lamp electric connection: 48 V;	10.00
278	2	construction lamp electric connection: 48 V;	10.00
279	2	construction lamp electric connection: 48 V;	10.00
280	1	side table dimension L: 45 cm; dimension W: 180 cm; dimension H: 73 cm; description: equipped with collapsible base;	10.00
281	2	looplamp electric connection: 48 V;	10.00
282	2	looplamp electric connection: 48 V;	10.00
283	2	looplamp electric connection: 48 V;	10.00
284	2	looplamp electric connection: 48 V;	10.00
285	1	Fire extinguisher Hygrapha, brand: Hygrapha;	10.00
286	4	can submerged arc welding flux Kiswel, EF-200K, brand: Kiswel; type: EF-200K;	10.00
287	1	lot of hand tools and various description: include steel box with content ; 5 plastic trays with content ; 1 box of content ; including trolley;	10.00
288	3	construction lamp electric connection: 48 V;	10.00
289	1	transportation box metal: yes; description: including content;	10.00
290	3	cutting torch lance and hose	10.00
291	1	electric hand drill Mannesmann, brand: Mannesmann; impact drill: no; hammer drill: no; combi drill: yes; with case: yes; electric connection: 230 V; description: SDS head; including various accessories;	10.00



Lot	Number	Description	Starting Bid €
292	3	dimmer for magnetic compass Anschutz, brand: Anschutz; description: 24 volts;	10.00
293	2	supply unit description: 24 volts;	10.00
294	1	transportation box metal: yes; with lid: yes; description: including content;	10.00
295	1	transportation box metal: yes; with lid: yes; description: including content;	10.00
296	1	transportation box metal: yes; with lid: yes; description: including content;	10.00
297	1	tap and cutting holders description: 8 pieces;	10.00
298	1	various measuring tools description: among other two spirit levels; 1 altimeter; 2, and various;	10.00
299	2	light smoke signal Comet, brand: Comet; description: emits 2 hours of light and 15 minutes of orange smoke; in 1 box;	10.00
300	1	Stairs number of steps: 2; aluminium: yes;	10.00
301	1	tool box metal: yes; with content: yes;	10.00
302	1	Welding machine Kemppi, Master 5000, brand: Kemppi; type: Master 5000; description: range 10A / 20.4V-500A / 40.0V;	10.00
303	1	tool box metal: yes; with content: yes;	10.00
304	1	various hoisting and lifting tools description: include 1 jacks; 1 vise ; various eyebolts;	10.00
306	1	Battery screw machine Senco, DS202-14V, brand: Senco; type: DS202-14V; number of batteries: 0; with case: yes; description: without battery and charger;	10.00
307	1	electric hand-held grinding machine Milwaukee, brand: Milwaukee; electric connection: 230 V;	10.00
308	1	electric hand-held grinding machine Hitachi, brand: Hitachi; electric connection: 230 V;	10.00
309	4	hammer	10.00
310	1	battery tooling Hitachi, brand: Hitachi; description: 7 flashlights, 2 battery spheres and 1 battery;	10.00
311	1	Cutting burner Koike, Handy Auto Plus, serial number 021101, brand: Koike; type: Handy Auto Plus; serial number: 021101; description: in steel box;	10.00
312	5	cap description: 65 and 75 mm;	10.00
313	1	chain hoist Eller, brand: Eller; hoist capacity: 1500 kg;	10.00
© 314	1	extension cable reels and cord electric connection: 400 V; male-male: no; male-female: yes; description: 4 pin; 63 amps;	10.00
© 315	1	extension cable reels and cord electric connection: 400 V; male-male: no; male-female: yes; description: 5 pin; 63 amps;	10.00
© 316	1	extension cable reels and cord electric connection: 400 V; male-male: no; male-female: yes; description: 5 pin; 63 amps;	10.00
317	3	hose package mig type: yes; description: incomplete;	10.00



Lot	Number	Description	Starting Bid €
318	2	sphere and conical shape	10.00
319	1	tripod tripod Wild, brand: Wild;	10.00
320	3	hand hydraulic pump	10.00
321	4	hand hydraulic pump	10.00
322	1	various air hoses	10.00
323	1	various hitches description: about 7 pieces;	10.00
© 324	1	extension electric connection: 400 V; male-male: no; male-female: yes; description: 4 pin; 32 amps;	10.00
© 325	1	extension electric connection: 400 V; male-male: no; male-female: yes; description: 4 pin; 32 amps;	10.00
327	1	side table dimension L: 45 cm; dimension W: 180 cm; dimension H: 73 cm; description: equipped with collapsible base;	10.00
328	1	fan description: Ø approx. 350 mm; 230 Volt;	10.00
© 330	1	extension electric connection: 230 V; male-male: no; male-female: yes; description: about 5 pieces;	10.00
© 331	1	extension electric connection: 400 V; male-male: no; male-female: yes; description: 5 pin; 63 amps;	10.00
© 332	1	extension electric connection: 400 V; male-male: no; male-female: yes; description: 5 pin; 63 amps;	10.00
333	1	transportation box metal: yes; with lid: yes; description: including content;	10.00
334	1	transportation box metal: yes; with lid: yes; description: including content;	10.00
335	1	transportation box Bott, brand: Bott; metal: yes; with lid: yes; description: including content;	10.00
336	1	concrete mixer Atika, Profi 145 S, brand: Atika; type: Profi 145 S; electric connection: 230 V;	10.00
337	5	cafeteria table description: various dimensions;	10.00
338	24	canteen chair	10.00
339	1	drawing board dimension L: 4900 cm; dimension W: 1000 cm; dimension H: 2040 cm; description: Location: hall : 4;	10.00
340	1	autogenous weld / cut manifold description: 4-fold with gas cylinder gantry crane. Location: hall 4;	10.00
341	1	autogenous weld / cut manifold description: 4-voudig.Lokatie: hall 4;	10.00
342	1	autogenous weld / cut manifold description: 6-voudig.Lokatie: hall 4;	10.00
343	1	other compressed air equipment description: distribution head;	10.00
344	1	autogenous weld / cut manifold description: 4-fold, hoisting trestles with 3 gas cylinder. Location: hall 4;	10.00
© 345	1	office container Sjaak Moens, brand: Sjaak Moens; dimension L: 6980 mm; dimension W: 3000 mm; dimension H: 2800 mm; number of doors: 2; number of windows: 3; own weight: 2900 kg; description: equipped with two steel staircases. including the inventory . Pay attention!! This lot concerns the upper office unit. Location: hall 4;	100.00



Lot	Number	Description	Starting Bid €
© 346	1	office container Sjaak Moens, year built 1999, brand: Sjaak Moens; year: 1999; dimension L: 6980 mm; dimension W: 3000 mm; dimension H: 2800 mm; number of doors: 3; number of windows: 3; own weight: 2900 kg; description: appointed as first aid unit. not including inventory . Pay attention!! This lot concerns the lower first aid unit equipped with two rooms. Location: hall 4;	100.00
		double office units	
347	1	other inventory description: in the front warehouse. incl. 3 meter racking , first constructed steel rack , size: b245 x d63 x H281 cm 1 flame 2 door steel cupboard, 1 desk, 1 refrigerator, 1 microwave etc Not included extinguishers. Location: hall 4;	10.00
348	1	other inventory description: in the rear warehouse. incl. 4 meters racking , 4 constructed steel racks - racking , size: b2015 x d520 x H2020 mm; 14 meter detachable magazine rack, incl. : Partly welded, see picture. 1 two-door cabinet steel. Location: hall 4;	10.00
349	1	emergency shower MATCON, serial number 1145, brand: MATCON; serial number: 1145; total dimension L: 1300 mm; total dimension W: 1300 mm; total dimension H: 3900 mm; description: 1 transportable emergency shower;	10.00
350	1	radial drilling machine Asquith, OD 3, brand: Asquith; type: OD 3; drilling capacity: 75 mm; number of speeds: 18; speed from N=: 15 rpm; speed till N=: 600 rpm; drilling depth: 90 mm; discharge: 1500 mm; T-slot fixture table size L: 1200 mm; T-slot fixture table size W: 900 mm; coolant pump: yes; electric connection: 400 V; description: equipped with catwalk, security thread; Extra t-groove fixture, dimensions : 630 x 500 x H500 mm, table with tools and along the wall. Location: Shed 6;	100.00
351	1	lot of hoisting means description: harp fasteners, lifting eyes, lifting straps and lifting chains. Location: Shed 6;	10.00
352	3	fan description: welding fume extraction fans;	10.00
353	1	racking total dimension L: 1765 mm; total dimension W: 325 mm; total dimension H: 700 mm; description: engineered steel rack . Location: Shed 6;	10.00
© 370	1	various measuring tools description: heart seekers, calipers, steel calipers, universal protractors, 1 Mitutoyo depth sounder, measuring range: 0-150 mm. Location: Shed 6;	10.00
© 371	8	Steel bok total dimension L: 1665 mm; total dimension W: 500 mm; total dimension H: 910 mm; description: steel spray stands. Location: Shed 6;	10.00
375	1	extension electric connection: 400 V; description: power cable; 125A-6ah; 5 pin. Location Loods 6;	10.00
376	2	wasser pump electric connection: 230 V;	10.00
© 383	1	control console RITTAL, brand: RITTAL; total dimension L: 1200 mm; total dimension W: 440 mm; total dimension H: 395 mm; description: control console; Location: Shed 6;	10.00
© 384	1	control console RITTAL, brand: RITTAL; total dimension L: 1200 mm; total dimension W: 440 mm; total dimension H: 395 mm; description: control console; in box. Location: Shed 6;	10.00
© 385	1	control console RITTAL, brand: RITTAL; total dimension L: 1200 mm; total dimension W: 440 mm; total dimension H: 395 mm; description: control console; in box. Location: Shed 6;	10.00



Lot	Number Description	Starting Bid €
386	1 control console RITTAL, brand: RITTAL; total dimension L: 1200 mm; total dimension W: 440 mm; total dimension H: 395 mm; description: control console; in box. Location: Shed 6;	10.00
387	1 installation cabinet RITTAL, AK 1646, serial number 082465, brand: RITTAL; type: AK 1646; serial number: 082465; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 1200 mm; description: installation cabinet. Location: Shed 6;	10.00
388	1 control console base cabinet RITTAL, TP 6702, serial number 000 454, brand: RITTAL; type: TP 6702; serial number: 000 454; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: control console base cabinet. Location: Shed 6;	10.00
389	1 control console base cabinet RITTAL, TP 6702, brand: RITTAL; type: TP 6702; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: control console base cabinet; in box. Location: Shed 6;	10.00
390	1 stainless steel installation cabinet total dimension L: 760 mm; total dimension W: 310 mm; total dimension H: 760 mm; description: Stainless steel installation cabinet. Location: Shed 6;	10.00
393	1 control console RITTAL, AP 2620.009, brand: RITTAL; type: AP 2620.009; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 670 mm; description: control console base cabinet. Location: Shed 6;	10.00
394	1 control console base cabinet RITTAL, AP 2620.009, brand: RITTAL; type: AP 2620.009; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 670 mm; description: control console base cabinet; in box. Location: Shed 6;	10.00
395	1 control console base cabinet RITTAL, AP 2620.009, brand: RITTAL; type: AP 2620.009; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 670 mm; description: control console base cabinet; in box. Location: Shed 6;	10.00
396	1 control console base cabinet RITTAL, AP 2620.009, brand: RITTAL; type: AP 2620.009; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 670 mm; description: control console base cabinet; in box. Location: Shed 6;	10.00
397	1 control console RITTAL, AP 2641.009, brand: RITTAL; type: AP 2641.009; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 225 mm; description: control console. Location: Shed 6;	10.00
398	1 control console RITTAL, AP 2641.009, brand: RITTAL; type: AP 2641.009; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 225 mm; description: control console; in box. Location: Shed 6;	10.00
399	1 control console RITTAL, AP 2641.009, brand: RITTAL; type: AP 2641.009; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 225 mm; description: control console; in box. Location: Shed 6;	10.00
400	1 control console RITTAL, AP 2641.009, brand: RITTAL; type: AP 2641.009; total dimension L: 1200 mm; total dimension W: 850 mm; total dimension H: 225 mm; description: control console; in box. Location: Shed 6;	10.00
401	1 installation cabinet RITTAL, AE 1110.500, serial number G0027994, brand: RITTAL; type: AE 1110.500; serial number: G0027994; total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 1000 mm; description: installation cabinet; Location: Shed 6;	10.00



Lot	Number	Description	Starting Bid €
© 402	1	installation cabinet RITTAL, CM 5123 500, serial number 021454, brand: RITTAL; type: CM 5123 500; serial number: 021454; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 1200 mm; description: installation cabinet; Location: Shed 6;	10.00
© 403	1	control console RITTAL, AP 2672, brand: RITTAL; type: AP 2672; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 960 mm; description: control console; 2-piece. Location: Shed 6;	10.00
© 404	1	control console RITTAL, AP 2672, brand: RITTAL; type: AP 2672; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 960 mm; description: control console; 2-piece; pay attention!! 2 collies. Location: Shed 6;	10.00
© 405	1	control console RITTAL, AP 2672, brand: RITTAL; type: AP 2672; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 960 mm; description: control console; 2-piece; pay attention!! 2 collies. Location: Shed 6;	10.00
© 406	3	cupboard door RITTAL, AP 2672, brand: RITTAL; type: AP 2672; description: 3 steel cupboard doors. Location: Shed 6;	10.00
Installation cabinets			
410	1	storage containers LACONT, SLH 3 x 2, year built 2010, serial number 535255, brand: LACONT; type: SLH 3 x 2; year: 2010; serial number: 535255; volume: 1200 liter; storage container: no; chemical storage container: yes; total dimension L: 3070 mm; total dimension W: 2100 mm; total dimension H: 2320 mm; description: galvanized equipped with drip tray with floor grid; does not include the content . Location: Shed 6;	100.00
411	1	other metal stock description: incl. : galvanized discharge channels, one steel box with content , reducing valves, piping (hall 6);	10.00
412	1	screw compressor GENESIS, VT 15.10. EF.500, serial number SL015146G, brand: GENESIS; type: VT 15.10. EF.500; serial number: SL015146G; capacity: 10 bar; electric connection: 400 V; own weight: 400 kg; total dimension L: 2070 mm; total dimension W: 850 mm; total dimension H: 2012 mm; description: on the storage tank in hoisting cage equipped with spoon holes (hall 6);	10.00
413	1	screw compressor ECO Expert, VT 15.10. EF.500, year built 1999, serial number 70499127, brand: ECO Expert; type: VT 15.10. EF.500; year: 1999; serial number: 70499127; capacity: 10 bar; electric connection: 400 V; own weight: 400 kg; total dimension L: 3200 mm; total dimension W: 1280 mm; total dimension H: 2100 mm; description: on the storage tank with compressed air dryer and the equipment in lifting cage equipped with spoon holes (hall 6);	10.00
414	1	steel description: wooden crate, dimensions: L143 x B143 x H660 mm, filled with elbows incl. : 8 "/ 10" / 16 ", Location: Shed 6;	10.00
415	1	steel description: wooden crate, size: L143 x W143 x H660 mm, filled with 3 weld bends, 16 ", Location: Shed 6;	10.00
416	1	transportation box Forum, brand: Forum; metal: yes; with lid: yes; total dimension L: 985 mm; total dimension W: 360 mm; total dimension H: 300 mm;	10.00
417	1	tarpaulins dimension L: 1000 mm; dimension W: 800 mm; dimension H: 840 mm; description: mesh box filled with tarpaulins;	10.00



Lot	Number	Description	Starting Bid €
418	1	lifting bucket total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 1560 mm; description: steel material lifting bucket;	10.00
419	1	fasteners description: incl. : air-conditioning duct, pipe clamps, flexible hose, grilles, roller conveyor rollers. Location: Shed 6;	10.00
423	1	construction lamp and safety transformer TL lamp: yes; electric connection: 110 V; description: with Swinkels isolation transformer. Location: Shed 6;	10.00
© 424	1	Extension cables electric connection: 400 V; description: power current cables; 63A-6ah; including steel lifting bucket. Location: Shed 6;	10.00
425	1	ship rope description: pallet with ship's rope;	10.00
426	1	ship rope description: pallet with ship's rope;	10.00
427	1	ship rope description: pallet with ship's rope;	10.00
428	1	ship rope description: pallet with ship's rope;	10.00
429	1	ship rope description: pallet with ship's rope;	10.00
430	2	cooler NRF, KS20-ACV-111 L2400, year built 2009, brand: NRF; type: KS20-ACV-111 L2400; year: 2009; own weight: 185 kg; total dimension L: 3100 mm; total dimension W: 1020 mm; total dimension H: 450 mm; description: HS COOLER. Location: Shed 6;	10.00
431	2	hoisting cable description: pallet steel wire hoisting cable;	10.00
432	2	hoisting cable description: pallet steel wire hoisting cable;	10.00
433	1	other computers and accessories description: incl. 1 Hp Compaq PC, not including hard disk; display, keyboard, mouse, and HP LaserJet 3055 all in one printer. Location: Shed 6;	10.00
434	1	brooms and various description: brooms, dusters and wiper. Location: Shed 6;	10.00
435	1	other welding machine description: torch torch;	10.00
436	1	Welding machine MMA type: yes; portable: yes; ampere range: 420 A; electric connection: 400 V;	10.00
437	1	cable meter counter VETTER, brand: VETTER; description: cable meter counter;	10.00
438	2	rolling tank BORKEY, 111 V AS-H-50CRV4, brand: BORKEY; type: 111 V AS-H-50CRV4; load capacity: 50000 kg; dimension L: 32 cm; dimension W: 22 cm; dimension H: 12 cm; total dimension L: 320 mm; total dimension W: 220 mm; total dimension H: 120 mm; description: heavy duty rollers;	10.00
443	1	welding table dimension L: 452 cm; dimension W: 150 cm; dimension H: 90 cm; description: including two vices; 2-Stone grinding machine ; plate shears; bending unit (hall 6);	10.00
444	6	steel lid total dimension L: 600 mm; total dimension W: 600 mm; description: on one pallet (hall 6);	10.00
445	1	steel tank total dimension L: 515 mm; total dimension W: 930 mm; total dimension H: 600 mm; description: (hall 6);	10.00



Lot	Number	Description	Starting Bid €
446	1	lot of rubber description: Cross section 25x25 mm; in two boxes (hall 6);	10.00
447	1	lot of compensators description: various dimensions (hall 6);	10.00
448	1	lifting bucket dimension L: 800 mm; dimension W: 1700 mm; dimension H: 1890 mm; description: including content (hall 6);	10.00
449	1	lot of discom suspension points description: various dimensions (hall 6);	10.00
450	1	various spare parts description: on one pallet (hall 6);	10.00
451	13	hood Winel, RM DN 100, brand: Winel; type: RM DN 100; description: including 1x type RM DN 65; including pallet box (hall 6);	10.00
452	1	various heat exchanger components NRF, brand: NRF; description: on one pallet (hall 6);	10.00
453	1	cable winch SEC, WL-2, brand: SEC; type: WL-2; description: SWL = 15'87 KN; TL = 23'80 KN; including manual crank (hall 6);	100.00
454	1	pneumatic hydro unit SC, D6000B330-HF4, brand: SC; type: D6000B330-HF4; description: capacity approx. 1700 bar; (hall 6);	10.00
455	1	lot of anti-slip mats 3M, brand: 3M; total dimension L: 300 mm; total dimension W: 610 mm;	10.00
456	1	Transmitter pots and various Seatools, type: Seatools; description: in the first pallet; (hall 6);	10.00
457	1	Flexible connection Docomp, brand: Docomp; description: in the first box (hall 6);	10.00
458	1	Flexible connection Docomp, brand: Docomp; description: in the first box (hall 6);	10.00
459	1	heat exchanger parts description: in 1 palletbox (hall 6);	10.00
460	1	lot of Oil filters description: in 1 palletbox (hall 6);	10.00
461	1	cable winch SEC, WL-2, brand: SEC; type: WL-2; description: SWL = 15'87 KN; TL = 23'80 KN; excluding crank (hall 6);	100.00
462	1	cable winch SEC, WL-2, brand: SEC; type: WL-2; description: SWL = 15'87 KN; TL = 23'80 KN; including manual crank (hall 6);	100.00
463	2	cable winch SEC, WL-2, brand: SEC; type: WL-2; description: SWL = 15'87 KN; TL = 23'80 KN; including manual crank (hall 6);	100.00
464	1	lot of heat exchanger plates total dimension L: 505 mm; total dimension W: 1350 mm;	10.00
465	1	anchor chain AKF, brand: AKF; own weight: 1600 kg; description: (hall 6);	10.00
466	4	block of steel total dimension L: 270 mm; total dimension W: 400 mm; total dimension H: 230 mm; description: (hall 6);	10.00
467	1	anchor chain AKF, brand: AKF; own weight: 1700 kg; description: (hall 6);	10.00
468	1	cable wheel description: Ø approx. 1130 mm; axis Ø approx. 120 mm; cable duct 70 mm (hall 6);	10.00



Lot	Number	Description	Starting Bid €
469	1	cable wheel description: Ø approx. 1130 mm; axis Ø approx. 120 mm; cable duct 70 mm (hall 6);	10.00
470	1	heat exchanger Alfa Laval, M10-MFM, brand: Alfa Laval; type: M10-MFM; description: (hall 6);	100.00
471	1	heat exchanger Alfa Laval, M10-MFM, brand: Alfa Laval; type: M10-MFM; description: (hall 6);	100.00
472	1	Anchor glands description: including blocking block; (hall 6);	100.00
473	1	hydraulic unit Parker, Steering HPU, brand: Parker; type: Steering HPU; total dimension L: 1120 mm; total dimension W: 820 mm; total dimension H: 770 mm; description: consisting of frame with tank and hydraulic pump; without an electric motor;	10.00
474	1	hydraulic unit Parker, Steering HPU, brand: Parker; type: Steering HPU; total dimension L: 1120 mm; total dimension W: 820 mm; total dimension H: 770 mm; description: consisting of frame with tank and hydraulic pump; without an electric motor;	10.00
475	1	hydraulic unit Parker, Steering HPU, brand: Parker; type: Steering HPU; total dimension L: 1120 mm; total dimension W: 820 mm; total dimension H: 770 mm; description: consisting of frame with tank and hydraulic pump with electric motor;	10.00
476	1	hydraulic unit Parker, Steering HPU, brand: Parker; type: Steering HPU; total dimension L: 1120 mm; total dimension W: 820 mm; total dimension H: 770 mm; description: consisting of frame with tank and hydraulic pump with electric motor;	10.00
477	1	SWR description: cable thickness approx. 45 mm;	100.00
478	1	lot of excavator/ skeleton bucket teeth 47VIPLH 12S, type: 47VIPLH 12S; description: including steel container (hall 6);	100.00
479	1	heat exchanger parts NRF, brand: NRF; description: (hall 6);	10.00
480	11	steel ship door description: 10x dimensions . approx. 95x185 cm; equipped with four-point hardware (hall 6);	100.00
481	1	Stairs number of steps: 2; aluminium: yes; double: yes; description: (hall 6);	10.00
482	1	cantilever racking system single sided: yes; section dim. W: 2250 mm; section dim. H: 3120 mm; description: (hall 6);	10.00
483	1	steel tank total dimension L: 515 mm; total dimension W: 930 mm; total dimension H: 600 mm; description: (hall 6);	10.00
484	1	lot of various parts description: including wooden box (hall 6);	10.00
485	1	steel tank total dimension L: 1090 mm; total dimension W: 590 mm; total dimension H: 210 mm; description: (hall 6);	10.00
486	1	lot of various parts description: including wooden box (hall 6);	10.00
487	1	lot of turnbuckles description: on one pallet (hall 6);	10.00
488	1	diamond plate shutters description: various dimensions; dimension large shutters approx. 102x121 cm; total approx. 20 pieces; on one pallet (hall 6);	10.00



Lot	Number	Description	Starting Bid €
489	1	steel lids description: various dimensions; on one pallet (hall 6);	10.00
490	1	grease pump Hyunbolub, brand: Hyunbolub; description: (hall 6);	10.00
491	2	manhole description: Ø approx. 66 cm (hall 6);	10.00
492	1	lattice total dimension L: 1000 mm; total dimension W: 1000 mm; description: (hall 6);	10.00
493	1	wasser pump Johnson Pump, FRES80-170, brand: Johnson Pump; type: FRES80-170; description: Motor power 11 kW; (hall 6);	10.00
494	1	electric motor AEG, AM132MY A6, brand: AEG; type: AM132MY A6; power: 4 kW; electric connection: 460 V;	10.00
495	1	wasser pump Grundfoss, CR3-4 A-FGJ-A-E-HQQE, brand: Grundfoss; type: CR3-4 A-FGJ-A-E-HQQE; description: capacity 3000 liters / hour (hall 6);	10.00
496	1	wasser pump Grundfoss, CR3-4 A-FGJ-A-E-HQQE, brand: Grundfoss; type: CR3-4 A-FGJ-A-E-HQQE; description: capacity 3000 liters / hour (hall 6);	10.00
497	1	vacuum plate lifting set Nagron, Aerolift, brand: Nagron; type: Aerolift; hoist capacity: 2000 kg; electric connection: 400 V; description: consisting of vacuum unit and two vacuum lifters with two feet (hall 6);	10.00
498	3	vacuum lift description: without pump; foot diameter approx. 36 cm; including pallet box (hall 6);	10.00
499	1	stackable lifting bucket total dimension L: 1230 mm; total dimension W: 1000 mm; total dimension H: 660 mm; description: including content (hall 6);	10.00
500	1	various spare parts description: including pallet box (hall 6);	10.00
501	1	fire extinguisher JoBird, brand: JoBird; total dimension L: 500 mm; total dimension W: 900 mm; total dimension H: 1500 mm; description: (hall 6);	10.00
502	1	electric motor EMK, T3C, brand: EMK; type: T3C; description: (hall 6);	10.00
503	1	tube light bracket electric connection: 230 V; description: tl beam 120 cm (hall 6);	10.00
504	1	SWR hoist capacity: 16500 kg; description: cable thickness approx. 36 mm; length approx. 45 meter (hall 6);	100.00
505	1	SWR hoist capacity: 16500 kg; description: cable thickness approx. 36 mm; length approx. 45 meter (hall 6);	100.00
506	4	SWR description: cable thickness approx. 26 mm; length approx. 30 meters (hall 6);	100.00
507	1	steel cable eye No. 128, type: No. 128; description: 49-54 mm for steel wire (hall 6);	10.00
508	1	air compressor year built 2006, year: 2006; capacity: 4 bar; buffer tank content: 75 l; description: (hall 6);	10.00
509	1	various spare parts description: 2 pallets (hall 6);	10.00
510	15	Staircase	10.00
511	1	ship rope description: Ø approx. 40 mm; including wooden box;	10.00



Lot	Number	Description	Starting Bid €
513	1	autogenous weld / cut manifold description: 6-fold; including cutting torch (hall 6);	10.00
514	1	other warehouse inventory description: consisting of content 40ft storage containers exclusive racks - racking ; in which bottom wall sockets and plugs 230 and 380 volts; Wire and cables; chess material, and various (hall 6);	100.00
515	1	locker number of doors: 2; dimension L: 50 cm; dimension W: 60 cm; dimension H: 180 cm; description: without keys (warehouse hall 6);	10.00
516	1	other warehouse inventory description: consisting of content warehouse exclusive racks - racking and cabinets ; which include electrical switching equipment; fasteners ; fuses; hood and various (warehouse hall 6);	100.00
517	1	fridge and microwave Zanussi/Moulinex, brand: Zanussi/Moulinex; description: (canteen hall 6);	10.00
518	9	locker dimension L: 50 cm; dimension W: 42 cm; dimension H: 190 cm; description: consisting of two dump lockers for dirty industrial clothing and 7, 8-door locker boxes (without keys) (outside hall 6);	10.00
519	34	locker dimension L: 50 cm; dimension W: 42 cm; dimension H: 190 cm; description: consisting of various 2-, 3- and 4-door locker cabinets; various dimensions; including content , and second dressing room benches (without keys / slots) (outside hall 6);	10.00
520	1	sloop length over all: 5 m; width: 1.9 m; hull material : Staal; description: (hall 8);	10.00
521	1	steel hatch total dimension L: 2550 mm; total dimension W: 1550 mm; description: (hall 8);	10.00
522	1	lifting bucket total dimension L: 2220 mm; total dimension W: 910 mm; total dimension H: 890 mm; description: (hall 8);	10.00
523	1	bin total dimension L: 2010 mm; total dimension W: 900 mm; total dimension H: 600 mm; description: (hall 8);	10.00
524	1	hijsbak with content total dimension L: 990 mm; total dimension W: 2000 mm; total dimension H: 2300 mm; description: (hall 8);	100.00
525	1	lot of steel trestles (approx. 23 pieces) total dimension W: 1700 mm; description: various heights (hall 8);	10.00
526	1	Pickup truck air tyres: yes; description: (hall 8);	10.00
527	5	lbc container description: 1000 liters capacity (hall 8);	10.00
528	1	storage room total dimension L: 1160 mm; total dimension W: 2100 mm; total dimension H: 2270 mm; description: including content (hall 8);	10.00
529	2	machine part description: equipped with hydraulic pump (hall 8);	10.00
530	4	hydraulic unit description: incomplete (hall 8);	10.00
531	1	forging hammer Spliethoff Beeuwkes & Co., brand: Spliethoff Beeuwkes & Co.; description: including lower block (hall 8);	10.00



Lot	Number	Description	Starting Bid €
532	1	constant DC current transformer Hypertherm, H-601, brand: Hypertherm; type: H-601; description: primary 380/415 V; Secondary 200 volts; including various hose packets (hall 8);	10.00
533	1	lot of rail wheels description: wheel Ø approx. 65 mm; including wooden box (hall 8);	10.00
534	1	wasser pump description: connection Ø approx. 110 mm (hall 8);	10.00
535	7	oil drip trays description: various dimensions where, among 5x 200x100x12 cm (hall 8);	10.00
536	1	wasser pump electric connection: 380 V; description: connection Ø approx. 33 mm; including steel stand (hall 8);	10.00
537	2	lbc container description: 1000 liters capacity; including content (hall 8);	10.00
538	1	wasser pump description: equipped with Lister 2- cylinder diesel engines (22.6 Horse Power); connection Ø approx. 110 mm; on steel base with fuel tank (hall 8);	100.00
539	1	racking total dimension L: 600 mm; total dimension W: 2500 mm; total dimension H: 192 mm; description: constructed; including content (hall 8);	10.00
540	1	mobile lifting cart total dimension L: 840 mm; total dimension W: 1240 mm; total dimension H: 1190 mm; description: (hall 8);	10.00
542	1	lot of hoisting eyes description: and in the first pallet on the first pallet (hall 8);	10.00
543	1	open spray booth total dimension L: 1100 mm; total dimension W: 2100 mm; total dimension H: 2320 mm; description: (hall 8);	10.00
544	1	Steel table total dimension L: 800 mm; total dimension W: 1400 mm; total dimension H: 940 mm; description: equipped with drawer with content (hall 8);	10.00
545	1	transportation box metal: yes; with lid: yes; total dimension L: 370 mm; total dimension W: 1030 mm; total dimension H: 400 mm; description: including content (hall 8);	10.00
546	1	other hoisting and lifting techniques description: various lifting and hand tools which include one solenoid; The first plate clamp ; various shackles; paint mixer; lamps and various on the table (hall 8);	10.00
547	1	steel table with vise total dimension L: 1200 mm; total dimension W: 4500 mm; total dimension H: 870 mm; description: (hall 8);	10.00
548	1	air compressor Balma, Modulo ES.11, brand: Balma; type: Modulo ES.11; capacity: 10 bar; power: 11 kW; own weight: 450 kg; description: (hall 8);	100.00
549	1	hijsbak with content total dimension L: 990 mm; total dimension W: 2000 mm; total dimension H: 2300 mm; description: (hall 8);	100.00
550	1	rubber air / ballast tanks description: 3 pallets (hall 8);	10.00
© 551	1	lot of tubes and couplings description: Ø approx. 70 mm; various lengths; including wooden box (hall 8);	10.00

Valves and fittings



Lot	Number	Description	Starting Bid €
552	1	Air conditioning Easy Connect, MSW09-7AREH-AEQ, brand: Easy Connect; type: MSW09-7AREH-AEQ; cooling power: 9000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V;	10.00
553	1	construction lamp Sill, brand: Sill; halogen: yes; electric connection: 230 V;	10.00
554	1	construction lamp Sill, brand: Sill; halogen: yes; electric connection: 230 V;	10.00
555	6	navigation lights Den Haan Rotterdam, 55N-3014061E, brand: Den Haan Rotterdam; type: 55N-3014061E; total dimension H: 200 mm;	10.00
556	3	navigation lights Den Haan Rotterdam, N102 55R, brand: Den Haan Rotterdam; type: N102 55R; total dimension H: 200 mm;	10.00
557	1	multiturn absolute encoder Profibus, PVM58N-032AGR0BN-1416, brand: Profibus; type: PVM58N-032AGR0BN-1416;	10.00
558	1	multiturn absolute encoder Profibus, PVM58N-032AGR0BN-1416, brand: Profibus; type: PVM58N-032AGR0BN-1416;	10.00
559	1	pressit Seatools, ND 16-60, serial number ST 2935, brand: Seatools; type: ND 16-60; serial number: ST 2935; description: 1600 m.bar;	10.00
560	1	lot of various electro-switches	10.00
561	1	construction lamp Sylvania, Sylveo2, brand: Sylvania; type: Sylveo2; halogen: no; power: 400 W; degree of protection (IP): 65; electric connection: 230 V; description: without lamp!;	10.00
562	1	construction lamp Sylvania, Sylveo2, brand: Sylvania; type: Sylveo2; halogen: no; power: 400 W; degree of protection (IP): 65; electric connection: 230 V; description: without lamp!;	10.00
563	1	construction lamp Sylvania, Sylveo2, brand: Sylvania; type: Sylveo2; halogen: no; power: 400 W; degree of protection (IP): 65; electric connection: 230 V; description: without lamp!;	10.00
564	3	boxes of plugs Mennekes, 248 / 22302, brand: Mennekes; type: 248 / 22302; CEE 16 A: yes; male-male: yes; description: total approx. 30 pieces;	10.00
565	6	boxes of sockets Mennekes, 5677A, brand: Mennekes; type: 5677A; CEE 16 A: no; CEE 32 A: yes; male-male: no; female-female: yes; description: total approx. 30 pieces;	10.00
566	2	fans S&P, TCFB/4-250/H, brand: S&P; type: TCFB/4-250/H; description: 230 volts;	10.00
567	15	siren lamps Yodalight, YL50/D50/R/RF, brand: Yodalight; type: YL50/D50/R/RF;	10.00
568	16	siren lamps Yodalight, YL50/D50/A/RF, brand: Yodalight; type: YL50/D50/A/RF;	10.00
569	2	sirens Klaxon, Nexus 105 Sounder, brand: Klaxon; type: Nexus 105 Sounder;	10.00
570	2	siren lamps Yodalight, YL80/D50/R/RF/SU, brand: Yodalight; type: YL80/D50/R/RF/SU;	10.00
571	22	ceiling lights Prebit, D1-3RW chroom 12/24V, brand: Prebit; type: D1-3RW chroom 12/24V; description: dimmable;	10.00
575	1	Label Printer Brother, P-Touch 1830, brand: Brother; type: P-Touch 1830;	10.00



Lot	Number	Description	Starting Bid €
576	1	electric hand-held grinding machine Hitachi, G 13SE2, brand: Hitachi; type: G 13SE2; disc diameter: 125 mm; power: 1200 W; with case: yes; electric connection: 230 V;	10.00
577	1	electric hand saw Milwaukee, JSPE 135 TX, brand: Milwaukee; type: JSPE 135 TX; with case: yes; electric connection: 230 V;	10.00
578	2	various extension cables electric connection: 230 V;	10.00
579	15	boxes of sockets Mennekes, 1425, brand: Mennekes; type: 1425; CEE 16 A: no; CEE 32 A: yes; male-male: no; female-female: yes; description: total approx. 30 pieces;	10.00
580	1	lot of power plugs Mennekes, 3796, brand: Mennekes; type: 3796; CEE 16 A: yes; male-male: yes; description: total approx. 30 pieces;	10.00
581	1	lot of power strips Mennekes, 1192 en MVD001, brand: Mennekes; type: 1192 en MVD001; CEE 16 A: yes; CEE 32 A: no; male-male: no; female-female: yes; description: total approx. 25 pieces;	10.00
582	12	LED ceiling lights Hella marine, brand: Hella marine;	10.00
583	9	lot of LED deck floodlights Hella marine, brand: Hella marine;	10.00
584	1	Personal computer HP , dx3300, brand: HP ; type: dx3300; processor model: pentium duo core; keyboard and mouse: yes; electric connection: 230 V; description: unused;	10.00
585	2	fall protection harnessen	10.00
586	1	hose reel roller guide Saenroll, HD300, brand: Saenroll; type: HD300;	10.00
587	1	extension cable with inverter electric connection: 230 V;	10.00
588	1	industrial vacuum cleaner Kärcher, WD 5.200 M, brand: Kärcher; type: WD 5.200 M; electric connection: 230 V;	10.00
589	1	wheelbarrow Kelfort, brand: Kelfort;	10.00
590	1	lot of various cables	10.00
591	1	Stairs Altrex, D 805, brand: Altrex; type: D 805; number of steps: 5; aluminium: yes; access platform: yes;	10.00
592	1	Pickup truck	10.00
593	4	pliers and various description: incl. drilling large holes; soldering iron and other hand tools;	10.00
594	1	workshop cupboard Druys, brand: Druys; total dimension L: 1100 mm; total dimension W: 650 mm; total dimension H: 890 mm; description: equipped with 70 trays with content ; incl. cable supplies;	10.00
595	1	excavator	10.00
596	1	lot of safety	10.00
601	5	Converters Phoenix Contact, Quint-PS/3AC/24DC/20, brand: Phoenix Contact; type: Quint-PS/3AC/24DC/20;	10.00
602	4	Converters Phoenix Contact, Quint-PS/3AC/24DC/40, brand: Phoenix Contact; type: Quint-PS/3AC/24DC/40;	10.00



Lot	Number	Description	Starting Bid €
603	1	converter Phoenix Contact, Quint-PS-3x400-500AC/24DC/40, brand: Phoenix Contact; type: Quint-PS-3x400-500AC/24DC/40;	10.00
604	7	distribution boxes Erico, Eriflex 563990, brand: Erico; type: Eriflex 563990;	10.00
605	8	stainless steel covers Rittal, KL 1523 en KL 1024.010, brand: Rittal; type: KL 1523 en KL 1024.010; description: 200x200x80 mm and 150x150x80 mm;	10.00
606	2	switch cases Murphy , EL150K1, brand: Murphy ; type: EL150K1;	10.00
607	1	joystick Spohn+Burkhardt, NS3-PB80R, brand: Spohn+Burkhardt; type: NS3-PB80R;	10.00
608	1	navigation lamp Den Haan Rotterdam, 70N-3008187D, brand: Den Haan Rotterdam; type: 70N-3008187D; total dimension H: 450 mm;	10.00
610	1	searchlight Francis, Lite230 EXP S/L, brand: Francis; type: Lite230 EXP S/L; description: power 250 watts; 24 volts;	100.00
611	1	searchlight Francis, Lite230 EXP S/L, brand: Francis; type: Lite230 EXP S/L; description: power 250 watts; 24 volts;	100.00
612	1	searchlight Francis, Lite230 EXP S/L, brand: Francis; type: Lite230 EXP S/L; description: power 250 watts; 24 volts;	100.00
613	1	searchlight Francis, Lite230 EXP S/L, brand: Francis; type: Lite230 EXP S/L; description: power 250 watts; 24 volts;	100.00
614	1	searchlight Francis, Lite230 EXP S/L, brand: Francis; type: Lite230 EXP S/L; description: power 250 watts; 24 volts;	100.00
615	2	table dimension L: 75 cm; dimension W: 151 cm; dimension H: 76 cm;	10.00
616	1	other installation material Rittal, Control panel CP2.2, brand: Rittal; type: Control panel CP2.2; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
617	1	other installation material Rittal, Control panel CP10, brand: Rittal; type: Control panel CP10; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
618	1	other installation material Rittal, Control panel, brand: Rittal; type: Control panel; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
619	1	other installation material Rittal, Control panel CP6, brand: Rittal; type: Control panel CP6; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
620	1	other installation material Rittal, Control panel CP2.1, brand: Rittal; type: Control panel CP2.1; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
621	1	other installation material Rittal, Control panel, brand: Rittal; type: Control panel; total dimension L: 220 mm; total dimension W: 600 mm; total dimension H: 380 mm; description: switchboard;	10.00
622	1	other installation material description: lot of various of two sections, magazine rack where among cable numbers; cables and various;	10.00



Lot	Number	Description	Starting Bid €
623	1	other installation material description: lot of various wire from one section warehouse storage;	10.00
624	1	other installation material description: lot of various of five sections warehouse rack where among switches; fuses; installation materials and various;	10.00
625	1	other installation material description: lot of various 4 sections warehouse rack where under wire; terminals; installation materials and various;	10.00
626	1	other installation material description: lot of various of two sections, magazine rack where among cable numbers; mounting materials and various;	10.00
627	1	other installation material description: lot of various from one warehouse rack where under wire; rubbers, and various;	10.00
628	1	other installation material description: lot of various 3 sections warehouse rack where among unions and various;	10.00
629	1	content storage cabinet description: where under PPE and various;	10.00
630	1	content desk and rack description: which include office supplies; pilferer and various;	10.00
631	1	other installation material description: lot of various from one warehouse rack where under heat shrink; fasteners and various;	10.00
632	1	Throw dimension L: 45 cm; dimension W: 95 cm; dimension H: 195 cm;	10.00
633	1	other installation material description: lot of trays from one storage rack ; various sizes;	10.00
634	1	grinding machine TNW, brand: TNW; grinding wheel : 170 mm; electric connection: 230 V; description: grindstone diameter approx. 170 mm;	10.00
635	1	table drill Fremark, CH-16N, year built 1996, brand: Fremark; type: CH-16N; year: 1996; drilling capacity: 16 mm; number of speeds: 12; speed from N=: 230 rpm; speed till N=: 2730 rpm; electric connection: 230 V; description: including machine clamp;	10.00
636	1	drill tools description: in 4 plastic bins;	10.00
637	1	hole punching and pulling various description: in 3 plastic containers;	10.00
638	1	C-frame baler discharge: 190 mm; description: with Greenline hydraulic foot pump;	10.00
639	1	machine clamp FZA-120, type: FZA-120; manually operated: yes; jaw width: 125 mm;	10.00
640	1	Wireless remote control for crane Scanreco, RC400, year built 2008, serial number 150985, brand: Scanreco; type: RC400; year: 2008; serial number: 150985; description: set consisting of transmitter; Receiver and control box;	100.00
641	1	spare parts description: incl. switches; plugs; swivels and other electro-equipment; without the racks - racking;	10.00
642	1	locker number of doors: 3;	10.00
643	1	locker number of doors: 3;	10.00
644	1	microwave and fax	10.00



Lot	Number	Description	Starting Bid €
645	1	locker number of doors: 4;	10.00
646	1	workshop cupboard	10.00
647	1	locker number of doors: 3;	10.00
648	1	copier Konica Minolta, bizhub 250, brand: Konica Minolta; type: bizhub 250; number of trays: 2;	10.00
649	1	protection box total dimension L: 650 mm; total dimension W: 559 mm; total dimension H: 320 mm;	10.00
650	1	lot of various cable protectors Quick-Fix, brand: Quick-Fix;	10.00
651	6	perforated steel plates total dimension L: 2000 mm; total dimension W: 1000 mm; description: incl. one mesh plate dimensions .2400x1250 and 3 mm steel plates;	10.00
652	1	locker number of doors: 3;	10.00
653	1	locker number of doors: 3;	10.00
654	1	locker number of doors: 3;	10.00
655	1	locker number of doors: 3;	10.00
656	1	lot of various mounting hardware description: on 1 pallet;	10.00
657	1	barrel pump with lubricant	10.00
658	1	lot of absorption grains Towlers, brand: Towlers; description: on 1 pallet;	10.00
659	2	oil drip trays total dimension L: 2200 mm; total dimension W: 1300 mm; total dimension H: 500 mm;	10.00
660	1	hose reel description: dimensions .2400x1200x1500 mm;	10.00
661	2	various rubber hoses	10.00
662	3	gauze boxes total dimension L: 1000 mm; total dimension W: 800 mm; total dimension H: 850 mm; description: 1x equipped with mobile stand;	10.00
663	1	oil drip tray total dimension L: 2400 mm; total dimension W: 870 mm; total dimension H: 230 mm;	10.00
664	1	oil drip tray total dimension L: 2400 mm; total dimension W: 870 mm; total dimension H: 230 mm;	10.00
665	1	oil drip tray total dimension L: 2400 mm; total dimension W: 870 mm; total dimension H: 230 mm;	10.00
666	1	oil drip tray total dimension L: 2400 mm; total dimension W: 870 mm; total dimension H: 230 mm;	10.00
667	1	oil drip tray total dimension L: 1200 mm; total dimension W: 870 mm; total dimension H: 320 mm;	10.00
668	1	oil drip tray total dimension L: 1200 mm; total dimension W: 870 mm; total dimension H: 320 mm;	10.00
669	1	oil drip tray total dimension L: 1200 mm; total dimension W: 870 mm; total dimension H: 320 mm;	10.00
670	1	waste tons steel: yes;	10.00



Lot	Number	Description	Starting Bid €
671	1	Warehouse racking constructed: yes; total dimension L: 900 mm; total dimension W: 350 mm; total dimension H: 1040 mm;	10.00
672	10	rolling containers plastic: yes; description: 3x 250 liters; 7x Eurokraft 120 liters. ;	10.00
673	1	electric motor	10.00
674	2	lifting chains description: length approx. 5 meters;	10.00
675	4	lifting eyes with screw closure	10.00
676	4	lifting eyes with screw closure	10.00
677	8	lifting eyes with screw closure	10.00
678	5	lifting eyes with screw closure	10.00
679	4	lifting hooks	10.00
680	16	lifting eyes with screw thread	10.00
681	1	lot of several hoisting/ lifting materials description: incl. hoisting clamp; crane hook with screw cap and magnetic lifter;	10.00
682	1	roll of welding wire Hilco, SG-2, brand: Hilco; type: SG-2;	10.00
683	1	autogenous hose with pressure reducing valves	10.00
684	2	spare parts description: valves;	10.00
685	1	heat conductor description: Ø275x375 mm;	10.00
686	14	various aerosol lacquer description: 3x spray can developer;	10.00
687	1	air compressor Wilcom, HP2, brand: Wilcom; type: HP2; mobile: yes;	10.00
688	1	construction lamp halogen: yes; electric connection: 230 V;	10.00
689	1	lot of spare	10.00
690	1	lot of inkjet cartridges HP, brand: HP;	10.00
691	1	lot of synthetic S-hooks	10.00
692	1	lot of steel cables	10.00
693	4	various office chairs	10.00
694	1	Pickup truck	10.00
695	1	bin spare parts	10.00
696	1	3-leg tripod for construction lights	10.00
697	1	Trolley	10.00
698	1	Trolley	10.00
699	1	lot of thread ends description: lengths of 360-1500 mm; various diameters;	10.00
700	2	barrels of cardan oil description: volume 215 ltr.;	10.00
701	1	lot of tensioning straps	10.00
702	1	lot of Straw salt description: on 1 pallet;	10.00
703	1	rubber hose Heduflex, S/D, brand: Heduflex; type: S/D; description: PN 10 bar; length approx. 4m;	10.00
704	1	workbench with vice total dimension L: 780 mm; total dimension W: 1230 mm; total dimension H: 940 mm;	10.00



Lot	Number	Description	Starting Bid €
705	1	steel box with content total dimension L: 640 mm; total dimension W: 1040 mm; total dimension H: 940 mm;	10.00
706	1	various hydraulic components description: in wooden box;	10.00
707	2	Personal computer HP , brand: HP ; number of discs: 0; electric connection: 230 V; description: excluding hard drive; including peripherals;	10.00
708	1	steel chest total dimension L: 480 mm; total dimension W: 930 mm; total dimension H: 460 mm; description: including lid;	10.00
709	1	steel box with content total dimension L: 530 mm; total dimension W: 730 mm; total dimension H: 670 mm; description: including lid;	10.00
710	1	steel chest total dimension L: 475 mm; total dimension W: 920 mm; total dimension H: 480 mm; description: including lid;	10.00
711	1	Bandole reel Signode, brand: Signode; plastic strap: yes;	10.00
712	1	Bandole reel plastic strap: yes;	10.00
713	1	Bandole reel plastic strap: yes;	10.00
714	1	Bandole reel Fromm, brand: Fromm; plastic strap: no; metal strap: yes;	10.00
715	1	Steel rack total dimension L: 530 mm; total dimension W: 610 mm; total dimension H: 1250 mm;	10.00
716	1	Stairs Alga, brand: Alga; number of steps: 8; aluminium: yes; access platform: yes;	10.00
717	1	pull gear description: capacity 1.6 tons;	10.00
© 719	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. struts; levelers; transoms; platforms etc .; incl. 1 and 2 stapeljukken pallet (hall 7);	10.00
© 720	56	beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2:57 mtr. (hall 7);	100.00
© 721	30	scaffolding boards dimension W: 200 mm; wood: yes; description: length 1300-5000 mm; incl. stapeljuk (hall 7);	10.00
© 722	21	putlogs Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: 9x length 1:57 m .; 12x length 1.40 m. (hall 7);	10.00
© 723	40	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 4:00 mtr. (hall 7);	100.00
© 724	1	lot of uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 65 pieces; length 1:50 to 4:00 m. (hall 7);	100.00
© 725	46	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 1.80 m. (hall 7);	100.00



Lot	Number	Description	Starting Bid €
© 726	15	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 1.80 m. (hall 7);	10.00
© 727	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 130 pieces; length 2:07 mtr. (hall 7);	100.00
© 728	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 120 pieces; length 2:07 mtr. (hall 7);	100.00
© 729	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. diagonal braces and platforms (hall 7);	10.00
© 730	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 140 pieces; length 2:07 mtr. (hall 7);	100.00
© 731	12	platforms Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; total dimension L: 2500 mm; total dimension W: 600 mm; description: (hall 7);	10.00
© 733	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. leveling feet; wheels and feet; incl. steel container (hall 7);	10.00
© 734	28	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 4:00 mtr. (hall 7);	10.00
© 735	32	scaffolding boards dimension W: 200 mm; wood: yes; description: length 1950-5000 mm; incl. stapeljuk (hall 7);	10.00
© 736	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 60 pieces; length 1:57 mtr. (hall 7);	100.00
© 737	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 40 pieces; length 2:57 mtr. (hall 7);	100.00
© 738	1	lot of reinforced U-beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 35 pieces; length 1:30 mtr. (hall 7);	100.00
© 739	35	beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 1:57 mtr. (hall 7);	10.00
© 740	17	diagonal braces Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2.20 m. (hall 7);	10.00
© 741	1	lot of scaffolding boards dimension W: 200 mm; wood: yes; description: approx. 50 pieces; length 2560-5000 mm; incl. stapeljuk (hall 7);	10.00
© 742	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. uprights; diagonal braces and platforms (hall 7);	10.00
© 743	25	U-beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: length 0.73 m. incl. steel container (hall 7);	10.00
© 744	1	lot of various couplings Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: incl. steel container (hall 7);	10.00



Lot	Number	Description	Starting Bid €
© 745	20	beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 0.73 m. (hall 7);	10.00
© 746	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. steel container (hall 7);	10.00
© 747	1	Warehouse bin dimension L: 1000 mm; dimension W: 800 mm; dimension H: 850 mm; steel: yes; description: (hall 7);	10.00
© 748	36	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 1.80 m. (hall 7);	10.00
© 749	55	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2.00 mtr. (hall 7);	10.00
© 750	14	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 1.70-3.20 meters. (hall 7);	10.00
© 753	63	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2.00 mtr. (hall 7);	100.00
© 754	23	platforms Layher, Allround, brand: Layher; type: Allround; galvanized: yes; board size L: 2570 mm; board size W: 320 mm; with steel rack: yes; description: (hall 7);	10.00
© 755	1	lot of diagonal braces Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 40 pieces; length 2.90 m. and 3:20 mtr. incl. 2 stapeljukken (hall 7);	10.00
© 756	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. diagonal braces; beams; build-up part and so on (hall 7);	10.00
© 758	1	mesh transport trolley Sicon, brand: Sicon; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: (hall 7);	10.00
© 759	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: with steel container dimensions . 1300x880x850 mm (hall 7);	10.00
© 760	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: incl. tilt foot spindles and couplings ; with steel container dimensions . 1300x880x850 mm (hall 7);	10.00
© 761	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: incl. tilt foot spindles and brackets ; with steel container dimensions . 1300x880x850 mm (hall 7);	10.00
© 762	1	lot of tilt feet spindles Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: with steel container dimensions . 1000x800x600 mm (hall 7);	10.00
© 763	1	lot of scaffold base Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: with steel container dimensions . 1300x880x850 mm (hall 7);	10.00
© 764	1	lot of lace boards Layher, Allround, brand: Layher; type: Allround; galvanized: no; with steel rack: no; description: length 0.73 m .; with steel container dimensions . 1000x800x600 mm (hall 7);	10.00



Lot	Number	Description	Starting Bid €
© 765	8	platforms Layher, Allround, brand: Layher; type: Allround; galvanized: yes; board size L: 1400 mm; board size W: 320 mm; with steel rack: yes; description: (hall 7);	10.00
© 767	15	building props Hünnebeck, Europlus 260 DB/DN en 20-250, brand: Hünnebeck; type: Europlus 260 DB/DN en 20-250; galvanized: yes; length from: 1150 mm; length till: 2600 mm; with steel rack: yes;	10.00
© 768	1	Warehouse bin Layher, brand: Layher; dimension L: 1300 mm; dimension W: 880 mm; dimension H: 850 mm; steel: yes; description: incl. parts remaining scaffolding boards;	10.00
© 769	1	lot of various scaffold base Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: no; description: with steel container dimensions . 1300x880x850 mm (hall 7);	10.00
© 770	37	scaffolding boards dimension L: 5000 mm; dimension W: 200 mm; wood: yes; description: approx. 50 pieces; incl. stapeljuk (hall 7);	10.00
© 771	1	Scaffolding Layher, Allround, brand: Layher; type: Allround; galvanized: yes; number of horizontal braces: 8; horizontal brace length: 2570 mm; number of diagonal braces: 2; diagonal brace length: 3070 mm; toeboard set: yes; number of boards with hatchway: 1; number of wheels: 4; total dimension L: 2500 mm; total dimension W: 850 mm; total dimension H: 3700 mm; description: with ladder;	100.00
© 772	23	platforms Layher, Allround, brand: Layher; type: Allround; galvanized: yes; board size W: 320 mm; with steel rack: yes; description: lengths of 2.15 m. and 2:57 m .; incl. 5 stabilizers (hall 7);	10.00
© 773	5	ladders Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; total dimension L: 3000 mm; total dimension W: 430 mm; description: incl. lot of diagonal braces (hall 7);	10.00
© 774	1	lot of lace boards Layher, Allround, brand: Layher; type: Allround; galvanized: no; with steel rack: yes; description: approx. 35 pieces; length 2:57 mtr. (hall 7);	10.00
© 775	9	platforms Layher, Allround, brand: Layher; type: Allround; galvanized: yes; board size L: 2030 mm; board size W: 320 mm; with steel rack: yes; description: (hall 7);	10.00
© 776	1	lot of putlogs Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; total dimension L: 2150 mm; description: (hall 7);	100.00
© 777	1	lot of various scaffolding parts Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: incl. uprights; diagonal braces and beams (hall 7);	10.00
© 778	1	Warehouse bin Layher, brand: Layher; dimension L: 1300 mm; dimension W: 880 mm; dimension H: 850 mm; steel: yes; description: incl. lot of various hoses (hall 7);	10.00
© 779	1	Scaffolding Layher, Allround, brand: Layher; type: Allround; galvanized: yes; number of horizontal braces: 8; horizontal brace length: 2570 mm; number of diagonal braces: 2; diagonal brace length: 3070 mm; toeboard set: yes; number of boards with hatchway: 1; number of wheels: 4; total dimension L: 2500 mm; total dimension W: 850 mm; total dimension H: 3700 mm; description: with ladder;	100.00



Lot	Number	Description	Starting Bid €
© 780	1	Scaffolding Layher, Allround, brand: Layher; type: Allround; galvanized: yes; number of horizontal braces: 8; horizontal brace length: 2570 mm; number of diagonal braces: 2; diagonal brace length: 3070 mm; toeboard set: yes; number of boards with hatchway: 1; number of wheels: 4; total dimension L: 2500 mm; total dimension W: 850 mm; total dimension H: 3700 mm; description: with ladder;	100.00
© 781	10	diagonal braces Layher, Allround, brand: Layher; type: Allround; galvanized: yes; diagonal brace length: 3070 mm; with steel rack: yes; description: (hall 7);	10.00
© 782	6	diagonal braces Layher, Allround, brand: Layher; type: Allround; galvanized: yes; diagonal brace length: 2160 mm; with steel rack: yes; description: (hall 7);	10.00
© 783	27	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 3.00 mtr. (hall 7);	10.00
© 784	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 40 pieces; length 1.40 m. (hall 7);	100.00
© 785	1	lot of diagonal braces Layher, Allround, brand: Layher; type: Allround; galvanized: yes; diagonal brace length: 2800 mm; with steel rack: yes; description: (hall 7);	100.00
© 786	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 120 pieces; length 2:07 mtr. (hall 7);	100.00
© 787	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 120 pieces; length 2:07 mtr. (hall 7);	100.00
© 788	1	lot of beams Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: approx. 45 pieces; length 2:57 mtr. (hall 7);	100.00
© 789	29	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2.00 mtr. (hall 7);	10.00
© 790	66	uprights Layher, Allround, brand: Layher; type: Allround; galvanized: yes; with steel rack: yes; description: length 2.00 mtr. (hall 7);	100.00
Scaffolding material			
791	5	autogenous hose description: various lengths; with couplings (hall 7);	10.00
792	5	autogenous hose description: various lengths; with couplings (hall 7);	10.00
793	5	autogenous hose description: various lengths; with couplings (hall 7);	10.00
794	4	hoisting cable dimension L: 3000 mm; description: (hall 7);	10.00
795	2	hoisting cable dimension L: 3000 mm; description: (hall 7);	10.00
796	2	hoisting cable dimension L: 10000 mm; description: (hall 7);	10.00
797	1	hoisting cable dimension L: 4000 mm; description: (hall 7);	10.00
798	1	2 jump lifting chain hoist capacity: 8000 kg; dimension L: 3500 mm; description: (hall 7);	10.00



Lot	Number	Description	Starting Bid €
799	1	hoisting cable dimension L: 3000 mm; description: (hall 7);	10.00
800	1	4 jump- lifting chain hoist capacity: 4500 kg; dimension L: 3500 mm; description: (hall 7);	10.00
801	2	hoisting cable dimension L: 3000 mm; description: (hall 7);	10.00
802	1	2-jump plate hoisting chain dimension L: 4000 mm; description: (hall 7);	10.00
803	1	2-jump plate hoisting chain dimension L: 4000 mm; description: (hall 7);	10.00
804	1	2 jump lifting chain dimension L: 7000 mm; description: (hall 7);	10.00
805	1	2 jump lifting chain dimension L: 3000 mm; description: (hall 7);	10.00
806	1	2 jump lifting chain dimension L: 1200 mm; description: (hall 7);	10.00
807	1	lifting chain hoist capacity: 21200 kg; dimension L: 7000 mm; description: (hall 7);	10.00
808	1	2-jump plate hoisting chain dimension L: 6000 mm; description: (hall 7);	10.00
809	1	2-jump plate hoisting chain dimension L: 6000 mm; description: (hall 7);	10.00
810	2	lifting chain dimension L: 4000 mm; description: (hall 7);	10.00
811	6	shackle description: (hall 7);	10.00
812	8	shackle description: (hall 7);	10.00
813	1	various hoisting/ lifting materials description: including wooden tray (hall 7);	10.00
814	1	lifting bucket dimension L: 600 mm; dimension W: 1000 mm; dimension H: 1550 mm; description: (hall 7);	10.00
815	1	various hoisting/ lifting materials description: on one pallet (hall 7);	10.00
816	1	2-jump plate hoisting chain hoist capacity: 3000 kg; dimension L: 2500 mm; description: (hall 7);	10.00
817	1	2-jump plate hoisting chain dimension L: 2500 mm; description: (hall 7);	10.00
818	1	2-jump plate hoisting chain hoist capacity: 2250 kg; dimension L: 2550 mm; description: (hall 7);	10.00
819	1	2-jump plate hoisting chain hoist capacity: 1500 kg; dimension L: 3000 mm; description: (hall 7);	10.00
820	1	shackles and various description: (hall 7);	10.00
821	1	chain hoist Allstar, brand: Allstar; hoist capacity: 1500 kg;	10.00
822	4	connection link MB111, type: MB111; description: (hall 7);	10.00
823	6	lifting ring description: (hall 7);	10.00
824	6	lifting ring description: (hall 7);	10.00



Lot	Number	Description	Starting Bid €
825	6	lifting ring description: (hall 7);	10.00
826	1	lifting ring with 2 links	10.00
827	1	lifting ring with 2 links	10.00
828	1	lifting ring with 2 links	10.00
829	2	hoisting cable dimension L: 7000 mm; description: (hall 7);	10.00
830	1	lifting beam hoist capacity: 20000 kg; dimension L: 10000 mm; own weight: 2800 kg; description: (hall 7);	100.00
831	2	hoisting cable hoist capacity: 1500 kg; dimension L: 8000 mm; description: including coupling loop (hall 7);	10.00
832	1	4 jump- lifting chain hoist capacity: 8400 kg; dimension L: 3000 mm; description: including shackle and coupling loop (hall 7);	10.00
833	2	hoisting cable dimension L: 10000 mm; description: including coupling loop (hall 7);	10.00
834	1	4 jump- lifting chain hoist capacity: 6800 kg; dimension L: 3000 mm; description: (hall 7);	10.00
835	1	lifting beam dimension L: 7200 mm; description: (hall 7);	10.00
© 836	3	extension electric connection: 48 V; male-female: yes; description: (hall 7);	10.00
Power cables 42 Volt			
© 837	2	extension electric connection: 400 V; male-female: yes; description: 4-pin; 32 A (hall 7);	10.00
838	1	autogenous and welding hose description: (hall 7);	10.00
839	5	D closure description: including hoisting cable (hall 7);	10.00
© 840	1	extension electric connection: 400 V; male-female: yes; description: 5-pin; 63 A (hall 7);	10.00
Power cables 380 Volt			
841	1	construction plenum box number of outputs 230 V: 6; number of outputs 380 V / 32 A: 3;	10.00
842	2	hoisting cable dimension L: 4000 mm; description: including coupling cable (hall 7);	10.00
843	1	pandule lifting bucket dimension L: 5500 mm; dimension W: 1000 mm; dimension H: 2700 mm; own weight: 3875 kg; description: maximum working load of 350 kg; including 2-jump lifting chain (hall 7);	100.00
844	1	lifting beam dimension L: 4900 mm; description: (hall 7);	10.00
845	1	lifting beam dimension L: 5500 mm; description: (hall 7);	10.00
846	1	lifting yoke dimension W: 1350 mm;	10.00
847	1	lifting yoke dimension W: 1350 mm;	10.00
848	1	hoisting cable dimension L: 8000 mm; description: (hall 7);	10.00



Lot	Number	Description	Starting Bid €
849	1	hoisting cable dimension L: 8000 mm; description: (hall 7);	10.00
850	2	hoisting cable dimension L: 3000 mm; description: including three shackles (hall 7);	10.00
851	1	hoisting cable dimension L: 4000 mm; description: including two shackles (hall 7);	10.00
852	1	4 jump- lifting chain hoist capacity: 6700 kg; dimension L: 3000 mm; description: (hall 7);	10.00
853	2	lifting chain dimension L: 4000 mm; description: (hall 7);	10.00
854	1	hoisting cable dimension L: 4000 mm; description: (hall 7);	10.00
855	2	hoisting cable dimension L: 4000 mm; description: (hall 7);	10.00
856	1	hoisting cable dimension L: 8000 mm; description: (hall 7);	10.00
857	1	hoisting cable dimension L: 8000 mm; description: (hall 7);	10.00
858	1	Scaffolding Layher, brand: Layher; galvanized: yes; number of diagonal braces: 4; toeboard set: yes; number of boards: 2; number of boards with hatchway: 1; total dimension L: 1400 mm; total dimension W: 2570 mm; total dimension H: 3800 mm;	10.00
859	2	lifting chain dimension L: 8000 mm; description: (hall 7);	10.00
860	1	4 jump- lifting chain dimension L: 7000 mm; description: (hall 7);	10.00
861	1	4 jump- lifting chain hoist capacity: 23000 kg; dimension L: 6500 mm; description: (hall 7);	10.00
862	2	lifting chain dimension L: 2000 mm; description: (hall 7);	10.00
863	1	barrels of lifting clamp hoist capacity: 600 kg; description: (hall 7);	10.00
864	1	lifting equipment bin total dimension L: 2080 mm; total dimension W: 1870 mm; total dimension H: 2320 mm; description: including content (hall 7);	10.00
865	1	construction lamp electric connection: 48 V; total dimension H: 2750 mm;	10.00
866	1	fan description: welding fumes extraction fan; 230 Volt (hall 7);	10.00
867	3	mortar description: 2x hydraulic; 1x mechanical (hall 7);	10.00
868	1	fence total dimension L: 660 mm; total dimension W: 700 mm; total dimension H: 1020 mm; description: (hall 7);	10.00
869	1	fence total dimension L: 680 mm; total dimension W: 800 mm; total dimension H: 1020 mm; description: (hall 7);	10.00
870	2	Steel bok total dimension W: 1050 mm; total dimension H: 960 mm; description: (hall 7);	10.00
871	1	reel diameter approx.: 1050 mm; description: galvanized (hall 7);	10.00
872	1	wheelbarrow Matador, brand: Matador;	10.00



Lot	Number	Description	Starting Bid €
873	1	steel description: Solid steel beams; 8x dimensions . 7500x150x150 mm; 1x dimensions . 4500x150x150 mm; total weight approx. 10.000 kg (hall 2);	100.00
874	1	steel description: H-beam; dimensions . 6150x300x600 mm; weight approx. 1400 kg (hall 3);	10.00
875	1	steel description: H-beam; dimensions . 8000x300x600 mm; weight approx. 1800 kg (hall 3);	10.00
876	1	steel description: H-beam; dimensions . 3750x300x700 mm; weight approx. 850 kg (hall 3);	10.00
877	1	steel description: H-beam; dimensions . 5900x290x600 mm; weight approx. 1300 kg (hall 3);	10.00
878	1	steel description: H-beam; dimensions . 6600x295x600 mm; weight approx. 1500 kg (hall 3);	10.00
879	1	steel description: H-beam; dimensions . 5900x290x600 mm; weight approx. 1300 kg (hall 3);	10.00
880	1	steel description: H-beam; dimensions . 8000x300x600 mm; weight approx. 1800 kg (hall 3);	10.00
881	1	steel description: H-beam; dimensions . 6000x300x600 mm; weight approx. 1350 kg (hall 3);	10.00
882	1	steel description: H-beam; dimensions . 6450x300x600 mm; weight approx. 1450 kg (hall 3);	10.00
883	1	steel description: H-beam; dimensions . 6080x300x600 mm; weight approx. 1350 kg (hall 3);	10.00
884	1	steel description: H-beam; dimensions . 7800x300x600 mm; weight approx. 1750 kg (hall 3);	10.00
885	1	steel description: H-beam; dimensions . 8090x300x600 mm; weight approx. 1800 kg (hall 3);	10.00
886	1	steel description: H-beam; dimensions . 8000x300x600 mm; weight approx. 1800 kg (hall 3);	10.00
887	1	steel description: H-beam; dimensions . 6200x300x600 mm; weight approx. 1400 kg (hall 3);	10.00
888	1	steel description: H-beam; dimensions . 5800x300x600 mm; weight approx. 1300 kg (hall 3);	10.00
889	1	steel description: H-beam; dimensions . 10.350x300x700 mm; weight approx. 2400 kg (hall 3);	10.00
890	1	steel description: H-beam; dimensions . 10.800x300x700 mm; weight approx. 2500 kg (hall 3);	10.00
895	1	steel description: various stock incl. L-profile; Your profile; H-profile, and sheath; length to approx. 6000 mm; total weight approx. 5250 kg; incl. cantilever racking system (hall 3);	10.00
896	1	steel description: various stock incl. L-profile and solid flat; length to approx. 6000 mm; total weight approx. 7500 kg; incl. cantilever racking system (hall 3);	10.00
Steel stock			



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience