

## **ONLINE AUCTION**

# Online veiling constructie en industriële machinerie (NL)

## Online auction construction and industrial

Zandhaarweg ac-17595ky Weerselo (Veilinglocatie Metaalbewerkingsmachines en gereedschappen (Weerselo))

### Closing date: Thursday 17 OCTOBER starting 14:00







#### Viewing:

Monday 14 October from 09:00 until 12:00 Zandhaarweg 30 - 7595 KM Weerselo (The Netherlands)

Bidding only on the internet!

14-10-19 10.50



#### Thursday 17 October 2019 Online veiling constructie en industriële machinerie

#### Specific Online Auction Terms and conditions of a public auction sale

Closing date Thursday 17 October 2019 starting 14:00 CET Monday 14 October from 09:00 until 12:00 CET Viewing

Veilinglocatie Metaalbewerkingsmachines en gereedschappen (Weerselo)

Zandhaarweg 30

7595 KM Weerselo, The Netherlands TROOSTWIJK VEILINGEN B.V.

Company organising this Online

Auction

Overschiestraat 59

1062 XD Amsterdam, The Netherlands

Phone: +31 20 6666500

E-mail: info@troostwijkauctions.com

Markup 17.00% 21.00% VAT

Margin goods In case of margin goods the VAT will be 0% Collection Friday 25 October from 09:00 until 16:00 CET

Monday 28 October from 09:00 until 16:00 CET

Veilinglocatie Metaalbewerkingsmachines en gereedschappen (Weerselo)

Zandhaarweg 30

7595 KM Weerselo, The Netherlands

Please note that this concerns an ascending auction sale, preceded by a viewing Viewing Instructions

day. Placing a bid without viewing the equipment is at one's own risk. Please see

articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of

Troostwijk.

Attending an auction closure for

consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor.

This public auction closure will take place at: Troostwijk Auctions -

Overschiestraat 59, 1062 XD Amsterdam.

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us

accordingly.

Payments have to be effected within 48 hours after auction is closed, to Troostwijk **Payment Details** 

Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.

Please state the auction name and your buyer number and auction number:

Troostwijk Auctions BV

IBAN BIC code. Bank Account nr. nr.

0633 0173 NL06 **KBC** Bank KREDNL2XXXX KRED

**Deliver instructions** The buyer needs to take the purchase agreement or the invoice to the delivery day.

The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the

mentioned delivery date/time and address.

www.TroostwijkAuctions.com



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- <u>VDSL</u> can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- <u>Auction Logistics</u> can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditons of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is

sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after

the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

**Privacy Statement** 

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

# www.TroostwijkAuctions.com



Lot	Number Description Starting	g Bid €
1	1 mobile crushing plant / demolition robot Brokk, 250T, year built 1991, serial number 910467, brand: Brokk; type: 250T; year: 1991; serial number: 910467; operation weight: 4000 kg; total dimension L: 4000 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; description: untested;	1,000.00
2	1 drilling unit brand engine: Hatz; fuel type: Diesel; hours on display: 1148; description: consisting of diesel-hydraulic unit to unit; hydraulic power unit; 4 drilling line extension units; 9 bucks with lot of various drills and various accessories; number of drilling see last picture; total weight about 6000 kg; pay attention! the buyer must take into account sufficient transport volume;	1,000.00
3	1 mobile crane Hyster, Karry krane, year built 1968, serial number 052, brand: Hyster; type: Karry krane; year: 1968; serial number: 052; max. lifting capacity: 2500 kg; boom length: 5 m; hours on display: 9251 hr; own weight: 6050 kg; total dimension L: 8000 mm; total dimension W: 2040 mm; total dimension H: 3300 mm;	100.00
4	1 utility trailer Hapert, AL2001, brand: Hapert; type: AL2001; VIN number: XLHAL200000674367; number of axis: 2; total dimension L: 4400 mm; total dimension W: 1660 mm; total dimension H: 1210 mm; description: pay attention! this concerns a signaling utility trailer; former police without papers; batteries not included;	100.00
5	1 <b>trailer</b> Hapert, Al, year built 2010, brand: Hapert; type: Al; year: 2010; VIN number: XLHAL270000717532; license plate: 38-WF-LJ; number of axis: 2; cargo body size L: 406 cm; cargo body size W: 180 cm; load capacity: 2112 kg; own weight: 588 kg; description: width: 186; pay attention! front axle is curved; content not included;	100.00
6	1 <b>forklift</b> Clark, H500-Y30LPG, serial number GY235-388-GEF8000, brand: Clark; type: H500-Y30LPG; serial number: GY235-388-GEF8000; LPG: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 3300 mm; overhead guard height: 2400 mm; fork length: 915 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 2126; own weight: 2690 kg; description: including gas tank;	100.00
7	1 <b>forklift</b> TCM, FG15N17T, year built 1993, serial number 10G10508, brand: TCM; type: FG15N17T; year: 1993; serial number: 10G10508; LPG: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 4500 mm; overhead guard height: 2780 mm; fork length: 1190 mm; duplo mast: yes; side-shift: yes; air tyres: yes; hours on display: 2594; own weight: 2870 kg; description: including gas tank;	100.00
8	1 <b>forklift</b> Komatsu, FG25T-1E1, year built 1997, serial number 211043, brand: Komatsu; type: FG25T-1E1; year: 1997; serial number: 211043; LPG: yes; number of wheels: 4; lifting capacity: 2195 kg; lifting height: 3700 mm; overhead guard height: 2460 mm; fork length: 1190 mm; duplo mast: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 14523; own weight: 4290 kg; description: including gas tank;	100.00
9	1 <b>forklift truck (oven / my truck)</b> Je-Lau, 2004G, serial number 2604, brand: Je-Lau; type: 2004G; serial number: 2604; LPG: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 4500 mm; overhead guard height: 1640 mm; fork length: 920 mm; full rubber tyres: yes; hours on display: 1126; description: pay attention! gas tank not included;	100.00
10	1 utility trailer high pressure cleaner Falch, Trailer tandem, year built 2004, brand: Falch; type: Trailer tandem; year: 2004; VIN number: W09FAL2263MF14064; license plate: WL-LL-30; number of axis: 2; load capacity: 1030 kg; own weight: 1570 kg; description: pressure washer trailer; length: 375; width: 198;	100.00



Lo	t	Number Description Star	ting Bid €
	11	1 sweepers, self-propelled Tennant, 355, serial number 355-2731, brand: Tennant; type: 355; serial number: 355- 2731; working width: 1300 mm; petrol engine: yes; hours on display: 822 hr; own weight: 2360 kg; total dimension L: 2300 mm; total dimension W: 1600 mm; total dimension H: 1500 mm; description: LPG version;	100.00
	12	1 other road construction line pulling machine Hofmann, H26, year built 1987, serial number 02607-8, brand: Hofmann; type: H26; yea 1987; serial number: 02607-8; total dimension L: 4800 mm; total dimension W: 1500 mm total dimension H: 2300 mm; description: maximum allowable weight 3200 kg;	
	13	1 attachments hydraulic attachments total dimension L: 1400 mm; total dimension W: 1300 mm;	100.00
	14	1 sweepers, self-propelled Nilfisk, BR 950S eco solution, serial number N1803855, brand: Nilfisk; type: BR 950S eco solution; serial number: N1803855; working width: 950 mm; electric: yes; battery charger: yes; electric connection: 230 V; own weight: 785 kg; total dimension L: 1700 mm; total dimension W: 1200 mm; total dimension H: 1400 mm;	
	15	1 hydraulic Aggregate Holland special pumps, E110KW.V30B128H, serial number 7010992, brand: Holland special pumps; type: E110KW.V30B128H; serial number: 7010992; power: 82 kW; elect connection: 380 V; total dimension L: 2250 mm; total dimension W: 900 mm; total dimension H: 1400 mm;	100.00
	16	1 hydraulic Aggregate Holland special pumps, Powerunit, serial number HSP-37, brand: Holland special pumps type: Powerunit; serial number: HSP-37; power: 37 kW; electric connection: 380 V; total dimension L: 1850 mm; total dimension W: 700 mm; total dimension H: 1200 mm;	100.00
	17	1 hydraulic Aggregate Kineteco, year built 1985, brand: Kineteco; year: 1985; total dimension L: 2700 mm; total dimension W: 820 mm; total dimension H: 1600 mm; description: equipped with Daf dies engine;	
C	18	1 hydraulic Aggregate Holland special pumps, D120KW/F-11-110, year built 1985, serial number HSPU-92144, brand: Holland special pumps; type: D120KW/F-11-110; year: 1985; serial number: HSPU 92144; power: 120 kW; total dimension L: 2200 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with Volvo diesel engine;	100.00 J-
	19	1 hydraulic Aggregate Holland special pumps, D120KW/F-11-110, year built 1985, serial number HSPU-92145, brand: Holland special pumps; type: D120KW/F-11-110; year: 1985; serial number: HSPU-92145; power: 120 kW; total dimension L: 2200 mm; total dimension W: 900 mm; total dimension H: 1800 mm; description: equipped with Volvo diesel engine; reading running hours 346;	100.00 J-
	20	1 hydraulic aggregate Lissmac, FS-42 HD, year built 1989, serial number 890123, brand: Lissmac; type: FS-42 HD; year: 1989; serial number: 890123; power: 38 kW; total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 1200 mm; own weight: 950 kg; description: originally was floor saw; Saw not included; to use as a hydraulic power unit; equipped with deutz diesel engine; type F 4L1011;	
	21	1 hydraulic press Enerpac, turbo II, brand: Enerpac; type: turbo II; description: fifth Engenering lower press year of manufacturer 2015, 1160 format B x D to 640 x 1830mm H; serial number 2014048;	10.00
	22	1 blasting cabin Guyson, super 6, serial number 67865, brand: Guyson; type: super 6; serial number: 67865; electric connection: 380 V; dimension L: 800 mm; dimension W: 1100 mm; dimension H: 1850 mm; description: safety gloves are missing;	10.00



Lot	Number Description Starting	Bid €
23	1 sweeper hako hamster, 600, brand: hako hamster; type: 600; working width: 600 mm; own weight: 80 kg; total dimension L: 550 mm; total dimension W: 1500 mm; total dimension H: 1040 mm; description: equipped with briggs & stratton gasoline engine ybsxs 1481he;	10.00
24	1 heater Trp, brand: Trp; total dimension L: 830 mm; total dimension W: 500 mm; total dimension H: 980 mm; electric connection: 230 V;	10.00
25	1 cable strips Max.: 45 mm; electrically driven: yes; total dimension L: 600 mm; total size B: 680 mm; overall dimension H of 900 mm; Description: working width 400mm; 230 volts;	10.00
26	1 cultivator Simar, 318C, serial number 3180538, brand: Simar; type: 318C; serial number: 3180538; working width: 550 mm; total dimension L: 1450 mm; total dimension W: 620 mm; total dimension H: 1000 mm; description: equipped with gasoline engine;	10.00
27	1 radial short cutter machine Elu, RAS 8103A1, year built 1999, serial number 0030, brand: Elu; type: RAS 8103A1; year: 1999; serial number: 0030; saw blade ?: 300 mm; engine power: 3 kW; electric connection: 400 V; dimension L: 1200 mm; dimension W: 880 mm; dimension H: 1450 mm;	10.00
28	1 <b>sewing machine</b> pfaff, KI489, serial number 748/56-900/99, brand: pfaff; type: KI489; serial number: 748/56-900/99; 1-needle: yes; description: equipped with Efka variostop;	10.00
29	1 sewing machine Brother, brand: Brother; 2-needles: yes; description: with table; format 1060 x 500 x 1000 mm;	10.00
30	1 Welding machine hobart, R-300-S, serial number 79WSO6370, brand: hobart; type: R-300-S; serial number: 79WSO6370; ampere range: 300 A; duty cycle: 60 %; electric connection: 380 V;	10.00
31	1 ceiling drill stands Deckenmann, rationell D100, brand: Deckenmann; type: rationell D100;	10.00
32	1 <b>filter extraction system</b> elektra beckum, SPA1000, year built 1992, serial number 108380, brand: elektra beckum; type: SPA1000; serial number: 108380; year: 1992; capacity: 1000 m³/hr; mobile collector bin: yes;	10.00
33	1 milling machine DeWalt, DE2000-QS, serial number 200207-23, brand: DeWalt; type: DE2000-QS; serial number: 200207-23;	10.00
34	1 blasting pot	10.00
35	1 garden roller description: diameter 460 mm;	10.00
36	1 digital display scale macpower, maccheck 6v, serial number 10MAC0974, brand: macpower; type: maccheck 6v; serial number: 10MAC0974; description: max 2500 kg; min 100 kg;	10.00
37	1 circular trim saw Elu, TGS 172, year built 1989, serial number 9711, brand: Elu; type: TGS 172; year: 1989; serial number: 9711; saw blade ?: 250 mm; engine power: 1.1 kW; dimension L: 600 mm; dimension W: 630 mm; dimension H: 1400 mm; electric connection: 230 V;	10.00
38	1 filler extractor Beckum Electra, brand: Beckum Electra; engine power: 0.75 kW; number of filters: 1; mobile collector bin: yes; electric connection: 380 V; dimension L: 900 mm; dimension W: 460 mm; dimension H: 1100 mm; description: no plug;	10.00



Lot	Number Description Starting	Bid €
39	1 band saw Walker Tuner, 3220, serial number 0000803, brand: Walker Tuner; type: 3220; serial number: 0000803; discharge: 330 mm; table size L: 410 mm; table size W: 410 mm; electric connection: 400 V; dimension L: 700 mm; dimension W: 600 mm; dimension H: 1750 mm;	10.00
40	1 disc abrasive machine electric connection: 400 V; dimension L: 1700 mm; dimension W: 850 mm; dimension H: 1250 mm; description: 500mm disk diameter; with various abrasive discs;	10.00
41	1 air compressor Boge, RM 2750-213, year built 1995, serial number 366774, brand: Boge; type: RM 2750-213; year: 1995; serial number: 366774; capacity: 10 bar; air flow: 2220 l/min; power: 15 kW; description: incomplete;	10.00
42	1 <b>ceiling drill stands</b> Deckenmann, rationell D100, brand: Deckenmann; type: rationell D100;	10.00
43	1 Wood lathe turning length: 1000 mm; number of speeds: 3; electric connection: 400 V; description: spindle distance to bed 200mm;	10.00
44	1 hacksaw electric connection: 400 V; description: saw 300 mm;	10.00
45	1 lever platform scissors Landre & Glinderman, brand: Landre & Glinderman; knife length: 900 mm; total dimension L: 2200 mm; total dimension W: 900 mm; total dimension H: 1250 mm;	10.00
46	1 blasting pot Holland Mineraal, HM100, year built 1995, serial number 6074, brand: Holland Mineraal; type: HM100; year: 1995; serial number: 6074; grit: yes; dimension L: 1200 mm; dimension W: 650 mm; dimension H: 1050 mm; description: connection value 8 bar;	10.00
47	1 <b>grinding machine</b> VEB, ST, year built 1966, serial number 1752, brand: VEB; type: ST; year: 1966; serial number: 1752; grinding wheel: 400 mm;	10.00
48	1 Planer thickening planer Robland, XSD, brand: Robland; type: XSD; table size L: 1400 mm; table size W: 310 mm; electric connection: 400 V; manual present: yes; dimension L: 1430 mm; dimension W: 650 mm; dimension H: 900 mm; description: extraction ø 95mm;	10.00
49	2 heat exchangers Meko, M500, brand: Meko; type: M500; description: max pressure 2.5 bar; max temperature 75 °;	10.00
50	3 heat exchanger premium, M400-299 664, brand: premium;	10.00
51	2 heat exchangers Meko, M500, brand: Meko; type: M500; description: max pressure 3 bar; max temperature 90 °;	10.00
52	4 <b>corrugated hoses</b> Lappkabel, silvyn rill pa12 sw, brand: Lappkabel; type: silvyn rill pa12 sw; description: 4 rolls of size 12,0 x 15,8mm; length 50 m; AD 15.8;	10.00
53	2 heat exchangers Meko, M400, description: max pressure 3 bar; max temperature 90 °;	10.00
54	1 components Honda, brand: Honda; description: tank, filter and protective cover;	10.00
55	1 heat exchanger premium, brand: premium;	10.00
56	1 <b>flat canvas</b> F4U BT, type: F4U BT; description: light gray, box truck 2015;	10.00
57	1 <b>flat canvas</b> F4U BT, type: F4U BT; description: light gray, box truck 2015;	10.00



Lot	Number Description Starting	Bid €
58	1 flat canvas F4U BT, type: F4U BT; description: light gray, box truck 2015;	10.00
59	2 heat exchangers	10.00
60	1 filing cabinet roll-front cabinet: yes; dimension L: 50 cm; dimension W: 135 cm; dimension H: 196 cm; description: color brown;	10.00
61	1 <b>split machine</b> Hercules / Bieri, BS45, serial number 68322285, brand: Hercules / Bieri; type: BS45; serial number: 68322285; description: hydraulic; borehole ø 45-47mm; splitting force nom 1870kn; expansion stroke 10-34mm; pressure max 100 bar; with tools and cable;	10.00
62	1 hydraulic impact wrench Plarad / Hytørc, EAK13, serial number 1273001, brand: Plarad / Hytørc; type: EAK13; serial number: 1273001; electric connection: 400 V; description: without caps;	10.00
63	1 antenna positioner	10.00
	Scientific Atlanta Inc, 5109A, serial number 182, brand: Scientific Atlanta Inc; type: 5109A; serial number: 182; total dimension L: 650 mm; total dimension W: 600 mm; total dimension H: 500 mm; description: Assy number 30308;	
64	2 <b>split machine</b> Hercules / Bieri, BS45 / BS36, serial number 68322285, brand: Hercules / Bieri; type: BS45 / BS36; serial number: 68322285; description: 1 Hercules hydraulic unit t1332; splitter type bs45; borehole ø 45-47mm; splitting power nom 1870kn; expansion stroke 10-34mm; pressure up to 100 bar; bs36 unknown; with tools and cable;	10.00
65	1 heater Verco, brand: Verco; ventilator: yes; total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 650 mm; electric connection: 220 V; description: Gas heater;	10.00
66	1 Exhauster Kiekens, 65268, brand: Kiekens; type: 65268; engine power: 2.2 kW; electric connection: 400 V; dimension L: 850 mm; dimension W: 500 mm; dimension H: 1040 mm;	10.00
67	1 sliding format circular sawing machine saw blade ?: 350 mm; swivel range max.: 45°; engine power: 4 kW; electric connection: 380 V;	10.00
68	1 air compressor Atlas Copco, LXF super-flow, year built 2003, brand: Atlas Copco; type: LXF super-flow; year: 2003; mobile: yes; capacity: 11 bar; buffer tank content: 80 l; electric connection: 230 V;	10.00
69	1 electric hand drill Hilti, TE 30-M, brand: Hilti; type: TE 30-M; hammer drill: yes; combi drill: no; power: 900 W; with case: yes; electric connection: 230 V;	10.00
70	1 electric hand drill Hilti, TE 30-C, brand: Hilti; type: TE 30-C; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
71	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
72	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
73	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
74	1 electric hand drill Hilti, TE 30-C, brand: Hilti; type: TE 30-C; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00



Lot	Number Description Starting	Bid €
75	1 <b>electric hand drill</b> Hilti, TE 30-C, brand: Hilti; type: TE 30-C; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
76	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
77	1 electric hand drill Hilti, TE 16, brand: Hilti; type: TE 16; hammer drill: yes; combi drill: no; with case: yes; electric connection: 230 V;	10.00
78	1 other hoisting and lifting techniques description: safety rope equipped with lusoog;	10.00
79	1 <b>battery tooling</b> Hilti, TE -A36, brand: Hilti; type: TE -A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: yes;	10.00
80	1 air break / jack hammer	10.00
81	1 air break / jack hammer	10.00
82	1 air break / jack hammer	10.00
83	1 air compressor ABAC, LT 100 HP3, brand: ABAC; type: LT 100 HP3; mobile: yes; buffer tank content: 100 I; electric connection: 230 V;	10.00
84	1 electric hand drill Bosch, GBH 4-32 DFR professional, year built 2011, brand: Bosch; type: GBH 4-32 DFR professional; year: 2011; hammer drill: yes; power: 900 W; with case: yes; electric connection: 230 V;	10.00
85	1 electric hand drill Spit, 372, brand: Spit; type: 372; combi drill: yes; power: 1250 W; with case: yes; electric connection: 230 V;	10.00
86	1 electric hand drill Spit, 353, brand: Spit; type: 353; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
87	1 electric hand drill Spit, 453, brand: Spit; type: 453; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
88	1 electric hand drill Wacker neuson, BLM/230, year built 2009, brand: Wacker neuson; type: BLM/230; year: 2009; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
89	1 electric hand drill Spit, 353, brand: Spit; type: 353; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
90	1 electric hand drill Spit, 453, brand: Spit; type: 453; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
91	1 electric hand drill Spit, 331, brand: Spit; type: 331; combi drill: yes; power: 720 W; with case: yes; electric connection: 230 V;	10.00
92	1 electric hand drill Spit, 452, brand: Spit; type: 452; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
93	1 battery tooling Makita, BTW450, brand: Makita; type: BTW450; voltage: 18 V; number of batteries: 1; with case: yes; impact wrench: yes;	10.00
94	1 electric hand drill Spit, 352, brand: Spit; type: 352; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00



Lot	Number Description Starting	g Bid €
95	1 electric hand drill Spit, 332, brand: Spit; type: 332; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
96	1 workplace furniture dimension L: 241 cm; dimension W: 120 cm; dimension H: 95 cm; description: worktable equipped with inlay, beware! content not included; Pay attention! extradition takes place on 09 Thursday, October 24th, 2019: 00-16: 00h.;	10.00
97	1 workplace furniture dimension L: 304 cm; dimension W: 121 cm; dimension H: 95 cm; description: worktable equipped with inlay, beware! content not included; Pay attention! extradition takes place on 09 Thursday, October 24th, 2019: 00-16: 00h.;	10.00
98	1 workplace furniture dimension L: 241 cm; dimension W: 120 cm; dimension H: 95 cm; description: worktable equipped with inlay, beware! content not included; Pay attention! extradition takes place on 09 Thursday, October 24th, 2019: 00-16: 00h.;	10.00
99	1 workplace furniture dimension L: 242 cm; dimension W: 122 cm; dimension H: 104 cm; description: worktable equipped with inlay, beware! content not included; Pay attention! extradition takes place on 09 Thursday, October 24th, 2019: 00-16: 00h.;	10.00
100	1 mixer / mixer total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 550 mm; description: 400V;	10.00
101	1 electric hand drill Spit, 452, brand: Spit; type: 452; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
102	1 electric hand drill Spit, 353 SRC, brand: Spit; type: 353 SRC; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
103	1 electric hand drill Wacker neuson, BLM/230, year built 2004, brand: Wacker neuson; type: BLM/230; year: 2004; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
104	1 <b>electric hand drill</b> Spit, 353 , brand: Spit; type: 353 ; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
105	1 electric hand drill Spit, 353, brand: Spit; type: 353; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
106	1 electric hand drill Spit, 352, brand: Spit; type: 352; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
107	1 electric hand drill Spit, brand: Spit; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
108	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
109	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: yes; combi drill: no; power: 850 W; with case: yes; electric connection: 230 V;	10.00
110	1 electric hand drill Hilti, TE 30-M, brand: Hilti; type: TE 30-M; hammer drill: no; combi drill: yes; power: 900 W; with case: yes; electric connection: 230 V;	10.00
111	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: no; combi drill: yes; power: 850 W; with case: yes; electric connection: 230 V;	10.00



Lot	Number Description Starting	Bid €
112	1 <b>electric hand drill</b> Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: no; combi drill: yes; power: 850 W; with case: yes; electric connection: 230 V;	10.00
113	1 battery tooling Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
114	1 battery tooling Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
115	1 electric hand drill Hilti, TE 30, brand: Hilti; type: TE 30; hammer drill: no; combi drill: yes; power: 850 W; with case: yes; electric connection: 230 V;	10.00
116	1 battery tooling Makita, brand: Makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
117	1 <b>battery tooling</b> Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
118	1 air break / jack hammer	10.00
119	1 electric hand saw Bosch, year built 2003, brand: Bosch; year: 2003; electric connection: 230 V;	10.00
120	2 electric hand-held grinding machine Makita, brand: Makita; electric connection: 230 V;	10.00
121	2 electric hand-held grinding machine Makita, brand: Makita; electric connection: 230 V;	10.00
122	1 battery tooling Hilti, TE 6-A36, brand: Hilti; type: TE 6-A36; voltage: 36 V; number of batteries: 2; battery charger: yes; with case: yes; hammer drill: yes;	10.00
123	1 electric hand saw Makita, JR3050T, brand: Makita; type: JR3050T; with case: yes; electric connection: 230 V;	10.00
124	1 battery tooling Makita, DDF456, year built 2016, brand: Makita; type: DDF456; year: 2016; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
125	1 electric hand drill Spit, 331, year built 2010, brand: Spit; type: 331; year: 2010; combi drill: yes; power: 720 W; with case: yes; electric connection: 230 V;	10.00
126	1 electric hand drill Spit, brand: Spit; combi drill: yes; power: 720 W; with case: yes; electric connection: 230 V;	10.00
127	1 electric hand drill Spit, 332, brand: Spit; type: 332; combi drill: yes; with case: yes; electric connection: 230 V;	10.00
128	1 electric hand drill Spit, 352, brand: Spit; type: 352; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
129	1 electric hand drill Spit, 352, brand: Spit; type: 352; combi drill: yes; power: 1100 W; with case: yes; electric connection: 230 V;	10.00
130	1 stainless steel screw drive total dimension W: 400 mm; own weight: 90 kg;	100.00
131	1 <b>lot of various air tools</b> with case: yes; total dimension L: 1050 mm; total dimension W: 750 mm; total dimension H: 520 mm; description: including the steel transport box;	100.00
132	1 forklift truck accessories Grammer, Maximo, brand: Grammer; type: Maximo; description: This relates to a new product;	10.00



Lot	Number Description Starting	Bid €
133	1 <b>sufruster</b> total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 300 mm;	10.00
134	1 other hoisting and lifting techniques Kwint, 10m/10.000kg, year built 2010, brand: Kwint; type: 10m/10.000kg; year: 2010; hoist capacity: 10000 kg;	10.00
135	1 vuilwaterpomp	100.00
136	1 mixer / mixer total dimension L: 1050 mm; total dimension W: 400 mm; total dimension H: 1500 mm; description: 400V;	10.00
137	1 air compressor Urgent, Benzinemotor, brand: Urgent; type: Benzinemotor; mobile: yes; hours on display: 1475 hr; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1200 mm;	10.00
138	1 lot of other air description: lot of other air treatment residual stock hose -en tubing; pay attention! gitterboxen not included;	10.00
139	1 lot of other air description: lot of other air treatment residual stock hose -en tubing; pay attention! gitterboxen not included;	10.00
143	1 lot of torque cable sets Scania, 15-points, brand: Scania; type: 15-points; description: lot of various torque cable sets;	10.00
144	2 transportation box Hout, type: Hout; dimension L: 154 cm; dimension W: 108 cm; dimension H: 78 cm;	10.00
145	<ul><li>1 extension cable reels and cord</li><li>65, type: 65; electric connection: 400 V; male-female: yes; on reel: yes;</li></ul>	100.00
146	1 hydraulic Aggregate Focs, brand: Focs; total dimension L: 1020 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: read hours: 834 hrs;	10.00
147	1 slurry pump Mestpomp toebehoren, type: Mestpomp toebehoren;	10.00
148	1 cones and center pins description: lot of leveling feet behalf of concrete; including crates;	10.00
149	1 air compressor Grasso, L 820 M, serial number 73070644W, brand: Grasso; type: L 820 M; serial number: 73070644W; mobile: yes; power: 7.5 kW; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 910 mm;	10.00
150	1 battery pack Exide, Testlaadstation, brand: Exide; type: Testlaadstation; dimension L: 124 cm; dimension W: 90 cm; dimension H: 91 cm; own weight: 1250 kg; description: for storage of electrical energy;	100.00
151	1 <b>lot of Air filters</b> Donaldson, P822768, brand: Donaldson; type: P822768;	10.00
152	4 roof theater unit for John deere Walter mauser, J.deere (Roberine) 400-3D,900-3D,902-3D, brand: Walter mauser; type: J.deere (Roberine) 400-3D,900-3D,902-3D;	10.00
153	1 oil / water separator Atlas Copco, OSW11, brand: Atlas Copco; type: OSW11;	10.00
154	3 car tire Rockstone, Ice-plus S110, brand: Rockstone; type: Ice-plus S110; tyre size: 205/70R15; winter tyre: yes;	10.00
155	1 panel trolley Vink lisse, brand: Vink lisse;	10.00



Lot	Number Description Starting	Bid €
156	1 hydraulic cylinders description: various hydraulic cylinders; ao length 850 mm;	10.00
157	1 various mower parts description: including 10 blade cutter cage; various hydraulic motors;	10.00
158	1 lot of blades description: various sizes and types;	10.00
159	1 other agricultural machinery parts mowing technology description: various components;	10.00
160	6 PTO Walterscheid, brand: Walterscheid; description: various PTOs; ao branch between axis;	10.00
161	4 Angular transmission	10.00
162	5 <b>cutterbar blade</b> working width: 740 mm; description: serving cylinder mower; 10-bladed cutting reel;	10.00
163	5 <b>cutterbar blade</b> working width: 740 mm; description: 10 blade cutting cage knife;	10.00
164	5 <b>cutterbar blade</b> working width: 740 mm; description: 10 blade cutting cage knife;	10.00
165	5 cutterbar blade working width: 740 mm; description: 10 blade cutting cage knife;	10.00
166	7 <b>cutterbar blade</b> working width: 740 mm; description: 10 blade cutting cage knife;	10.00
167	4 dumper cylinder 4-voudig, type: 4-voudig;	10.00
168	1 other blasting equipment Clemco, 2452, year built 1988, serial number 7216, brand: Clemco; type: 2452; year: 1988; serial number: 7216; sand: yes; dimension H: 1400 mm; description: 10 bar; tank capacity 200 l;	10.00
169	1 other agricultural machinery parts description: various components;	10.00
170	1 john deere parts description: everything in the box;	10.00
171	1 john deere parts electricity description: everything in the box;	10.00
172	4 Oil cooler Sesino, APL300, brand: Sesino; type: APL300;	10.00
173	1 other agricultural machinery parts mowing technology description: various widths;	10.00
174	1 other agricultural machinery parts mowing technology description: various components;	10.00
175	1 other agricultural machinery parts mowing technology description: various components;	10.00
176	1 other agricultural machine parts PTO Walterscheid, brand: Walterscheid; description: several PTOs;	10.00
177	5 roof theater unit for John deere Walter mauser, J.deere (Roberine) 400-3D,900-3D,902-3D, brand: Walter mauser; type: J.deere (Roberine) 400-3D,900-3D,902-3D; description: let op! gitterbox niet bij inbegrepen; description: pay attention! gitterbox not included;	10.00
178	1 deck Caroni, JD72EU, year built 2004, serial number 85.188, brand: Caroni; type: JD72EU; year: 2004; serial number: 85.188; description: unused product in crate;	10.00
179	1 floor sander Hiretech, HT8-1, serial number HT8-18367, brand: Hiretech; type: HT8-1; serial number: HT8-18367; electric connection: 230 V;	10.00



Lot	Number Description Starti	ng Bid €
180	1 floor sander Toolmatic, GUL515922, brand: Toolmatic; type: GUL515922; electric connection: 230 V;	10.00
181	23 other wood and board material dimension L: 1820 mm; dimension W: 1470 mm; dimension H: 15 mm; description: waterproof;	10.00
182	1 electric motor year built 1998, year: 1998; electric connection: 380 V;	10.00
183	1 industrial vacuum cleaner bagless: yes; electric connection: 230 V; description: Additional accessories are NOT included;	10.00
184	1 lot of whiteboards droogwis Bazalt HCO, Mini, brand: Bazalt HCO; type: Mini; dimension L: 31 cm; dimension W: 23 cm	10.00
185	5 <b>roll of magnetic foil</b> White, type: White; description: dimensions 0.9 mm x 1000 mm x 10 meters; This relates to a new product;	10.00
186	5 <b>roll of magnetic foil</b> White, type: White; description: dimensions 0.9 mm x 1000 mm x 10 meters; This relates to a new product;	10.00
187	5 <b>roll of magnetic foil</b> White, type: White; description: dimensions 0.9 mm x 1000 mm x 10 meters; This relates to a new product;	10.00
188	1 vertical milling machine Vema, TFM-4, serial number 8937, brand: Vema; type: TFM-4; serial number: 8937; table size L: 1040 mm; table size W: 900 mm; spindle ?: 30 mm; number of speeds: 4; electric connection: 400 V; description: equipped with Holzher feed-through device; including various accessories;	100.00
189	1 <b>lot of side veneer</b> Egger, Divers, brand: Egger; type: Divers; description: everything on 1 pallet;	10.00
190	1 counterclocker Electra Beckum, PK300/3100WNB, year built 1995, serial number 43620371, brand: Electra Beckum; type: PK300/3100WNB; year: 1995; serial number: 43620371; saw blade?: 3250 mm; max. vertical cut: 300 mm; table size L: 1450 mm; table size W: 1400 mm; underlying sawing machine: yes; engine power: 3.1 kW; electric connection: 230 V; description: including various accessories;	100.00
191	2 office padded: yes;	10.00
192	1 <b>counterclocker</b> Scheppach, TS4000, year built 1990, serial number 7803, brand: Scheppach; type: TS4000; year: 1990; serial number: 7803; saw blade ?: 315 mm; max. vertical cut: 90 mm; underlying sawing machine: yes; engine power: 2.2 kW; electric connection: 220 V; total dimension L: 950 mm; total dimension W: 1900 mm; total dimension H: 950 mm;	10.00
193	1 counterclocker Elektro, PSEm 2511 basic line, year built 2014, serial number 1420150178, brand: Elektro type: PSEm 2511 basic line; year: 2014; serial number: 1420150178; saw blade ?: 250 mm; underlying sawing machine: yes; engine power: 1.8 kW; electric connection: 230 V; machine weight: 30 kg; total dimension L: 650 mm; total dimension W: 500 mm; total dimension H: 310 mm;	10.00 ;
194	1 vibrating plate Lumag, RP-160HPC, year built 2010, serial number 11081RP1600966, brand: Lumag; type: RP-160HPC; year: 2010; serial number: 11081RP1600966; base plate size L: 700 mm; base plate size W: 470 mm; centrifugal force: 30 kN; brand engine: loncin; engine power: 6 kW; fuel type: benzine; own weight: 160 kg; total dimension L: 1220 mm; total dimension W: 470 mm; total dimension H: 970 mm;	10.00



Lot	Number Description Starting	J Bid €
195	1 vibration platform Revo, DM3500, brand: Revo; type: DM3500; base plate size L: 660 mm; base plate size W: 630 mm; brand engine: Hatz; fuel type: Diesel; total dimension L: 1300 mm; total dimension W: 630 mm; total dimension H: 930 mm;	10.00
196	1 Warehouse racking Schäfer, brand: Schäfer; dismantable: yes; description: disassembled on pallets 11, various shapes and sizes; watch this lot will be delivered on request.;	10.00
197	1 Trimmer Nemaco, Revo TS 64, year built 2011, serial number 6421469, brand: Nemaco; type: Revo TS 64; year: 2011; serial number: 6421469; shoe size L: 340 mm; shoe size W: 230 mm; brand engine: Honda GX100; fuel type: benzine; own weight: 64 kg; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 1000 mm;	10.00
198	1 Trimmer Nemaco, Revo TS 64, year built 2010, serial number 6421345, brand: Nemaco; type: Revo TS 64; year: 2010; serial number: 6421345; shoe size L: 340 mm; shoe size W: 230 mm; brand engine: Honda GX100; fuel type: benzine; own weight: 64 kg; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 1000 mm;	10.00
199	1 lot of barrels terminals description: diameter around 500 mm; on 1 pallet;	10.00
200	1 <b>fire safety cabinet</b> Labsaver, brand: Labsaver; with key: yes; volume: 150 l; total dimension L: 510 mm; total dimension W: 1010 mm; total dimension H: 2010 mm;	10.00
201	1 fire safety cabinet Labsaver, brand: Labsaver; with key: yes; volume: 150 l; total dimension L: 510 mm; total dimension W: 1010 mm; total dimension H: 2010 mm;	10.00
202	1 rfid box Dresselhaus, brand: Dresselhaus; metal: yes; dimension L: 1520 mm; dimension W: 980 mm; dimension H: 1220 mm; description: color green;	10.00
203	1 <b>rfid box</b> Dresselhaus, brand: Dresselhaus; metal: yes; dimension L: 1520 mm; dimension W: 980 mm; dimension H: 1220 mm; description: color green;	10.00
204	1 rfid box Dresselhaus, brand: Dresselhaus; metal: yes; dimension L: 1520 mm; dimension W: 980 mm; dimension H: 1220 mm; description: color green;	10.00
205	1 rfid box Dresselhaus, brand: Dresselhaus; metal: yes; dimension L: 1520 mm; dimension W: 980 mm; dimension H: 1220 mm; description: color green;	10.00
206	2 jack stands Fuchs-hydraulics, UB-N-S 7, year built 2008, serial number 732.0015 / 732.0014, brand: Fuchs-hydraulics; type: UB-N-S 7; year: 2008; serial number: 732.0015 / 732.0014; capacity: 7000 kg; height: 1350 mm; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 1420 mm; description: color red;	10.00
207	1 vibrating plate Ulbd, UBZ 55, year built 1996, serial number 4839343, brand: Ulbd; type: UBZ 55; year: 1996; serial number: 4839343; base plate size L: 350 mm; base plate size W: 200 mm; fuel type: benzine; own weight: 60 kg; total dimension L: 700 mm; total dimension W: 370 mm; total dimension H: 1020 mm;	10.00
208	1 vuilwaterpomp description: diesel fuel;	10.00
209	1 air compressor Airblok, SA1000, brand: Airblok; type: SA1000; capacity: 10 bar; air flow: 840 l/min; hours on display: 5487 hr; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 670 mm; total dimension H: 1080 mm; description: sound dampening;	100.00



Lot	Number Description Starting	g Bid €
210	1 <b>stacker</b> Jungheinrich, ERC-A 12,5 G 115-360 ZT, year built 1991, serial number 7 2717 38 08, brand: Jungheinrich; type: ERC-A 12,5 G 115-360 ZT; year: 1991; serial number: 7 2717 38 08; lifting capacity: 1250 kg; fork length: 1140 mm; stand-on stacker: yes; battery charger: yes; hours on display: 7093; total dimension L: 2350 mm; total dimension W: 850 mm; total dimension H: 2300 mm;	10.00
211	1 industrial vacuum cleaner Hako, supervac, serial number 711600939924, brand: Hako; type: supervac; serial number: 711600939924; power: 1900 W; electric connection: 230 V; description: without handle and nozzle;	10.00
212	1 plasma cutting machine Cebora, prof 70, brand: Cebora; type: prof 70; electric connection: 380 V;	10.00
213	1 vacuum cleaner Bosch , vbbso7z35m, brand: Bosch ; type: vbbso7z35m;	10.00
214	1 table drill bux, brand: bux; drilling depth: 260 mm; electric connection: 220 V;	10.00
215	1 gas cylinder hand trolley	10.00
216	1 content rack description: per shelf; incl. filters, cylinders.;	10.00
217	1 content rack description: per shelf; incl. battery charger, machine clamp .;	10.00
218	7 construction lamp	10.00
219	11 marking pawn	10.00
220	1 lot of ti lamps	10.00
221	1 <b>printer</b> Samsung, xpress c480fw, year built 2016, brand: Samsung; type: xpress c480fw; year: 2016; color printer: yes; number of trays: 1;	10.00
222	1 <b>coffee machine</b> Siemens, brand: Siemens; bean-to-cup: yes;	10.00
223	1 content rack description: per shelf; incl. oil pump, cylinder, seal film;	10.00
224	8 machine pulley description: diameter 230 mm;	10.00
225	1 content rack description: per shelf; incl. paint spray compression chamber, votex-bison anti-slip mats;	10.00
226	1 content rack description: per shelf; incl. electric motor, adjustable measuring stand.;	10.00
227	1 content rack description: per shelf; incl. telephones, reel, trash.;	10.00
228	1 content rack description: per shelf; incl various detergents, trash.;	10.00
229	1 content rack description: per shelf; incl. 11 planters, kettle, glass jars.;	10.00
230	1 content rack description: per shelf; incl. metal machine wheels, fuel tank.;	10.00
231	1 content rack description: per shelf; incl. differential, tool, manual tower crane .;	10.00
232	1 heater ventilator: yes; electric connection: 230 V;	10.00
233	1 hydraulic pump total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 450 mm; description: including paint sprayer compression chamber.;	10.00



Lot	Number Description	Starting Bid €
234	1 content rack	10.00
225	description: per shelf; incl. heater, spray compression chamber, air filter caps;	10.00
235	1 content rack description: per shelf; incl. heat lamp, air filters;	10.00
236	4 <b>roberine</b> ROBEINE, 248-588, year built 2001, brand: ROBEINE; type: 248-588; year: 2001;	10.00
237	1 hydraulic pump total dimension L: 700 mm; total dimension W: 500 mm; total dimension H: 450 mm description: including miscellaneous.;	10.00 n;
238	3 pump units description: 2x water pump 1x hydraulic pump;	10.00
239	2 heater Remko, brand: Remko; ventilator: yes; electric connection: 230 V;	10.00
240	1 breaker description: including: 2x hydraulic hoses .;	10.00
241	1 <b>pressure washer</b> hydro shoot, brand: hydro shoot; mobile: yes; electric connection: 230 V;	10.00
242	3 roberine ROBEINE, 242-020, year built 2000, brand: ROBEINE; type: 242-020; year: 2000; description: including: tripod;	10.00
243	3 exhaust silencer walker, 165472, brand: walker; type: 165472;	10.00
244	3 fuel tank fusion, v2-11, brand: fusion; type: v2-11;	10.00
245	1 vibrate needle ailco, F350354, brand: ailco; type: F350354;	10.00
246	7 Power current extension cables electric connection: 400 V; male-female: yes;	10.00
247	1 power current extension electric connection: 400 V; male-female: yes;	10.00
248	1 snake description: including: 4 water locks ;	10.00
249	3 fuel tank fusion, v2-11, brand: fusion; type: v2-11;	10.00
250	3 fuel tank fusion, v2-11, brand: fusion; type: v2-11;	10.00
251	1 content rack description: per shelf; incl. reel, battery charger, air bed;	10.00
252	2 power current extension electric connection: 400 V; male-female: yes;	10.00
253	3 power current extension electric connection: 400 V; male-female: yes;	10.00
254	16 pneumatic cylinder	10.00
255	5 <b>fuel tank</b> fusion, v2-11, brand: fusion; type: v2-11;	10.00
256	1 drill rig bosch, brand: bosch; dimension H: 930 mm;	10.00
257	1 chain hoist Nitchi, MH-5, year built 2013, serial number 1312165, brand: Nitchi; type: MH-5; year serial number: 1312165; hoist capacity: 3000 kg; electric connection: 380 V; total dimension L: 750; total dimension W: 900; total dimension H: 1500; description: incorporate container;	



Lot	Number Description Starting	Bid €
258	1 jet unit dimension H: 1400 mm; description: diameter: 650 mm;	10.00
259	1 <b>generator</b> total dimension L: 1000 mm; total dimension W: 500 mm; total dimension H: 550 mm;	10.00
260	1 escalator cleaner baudoin, brand: baudoin; stainless steel: yes; total dimension L: 1900 mm; total dimension W: 1200 mm; total dimension H: 1000 mm; description: equipped with extendable polishing arms.;	10.00
261	1 stacker Yale , MP20T, year built 1999, serial number A854T01513W, brand: Yale ; type: MP20T; year: 1999; serial number: A854T01513W; lifting capacity: 2000 kg; fork length: 2000 mm; own weight: 620 kg;	10.00
262	1 jet unit hiross, aca-008x/wmf, serial number 979002330004, brand: hiross; type: aca-008x/wmf; serial number: 979002330004; control, brand, type: hiross; electric connection: 230 V; dimension L: 2000 mm; dimension W: 900 mm; dimension H: 1850 mm;	10.00
263	2 spoiler description: including: trailer lighting;	10.00
264	1 <b>neon sign</b> total dimension W: 800 mm; total dimension H: 800 mm;	10.00
265	1 device tester nieaf smitt, pat 3140s, brand: nieaf smitt; type: pat 3140s; electric connection: 230 V;	10.00
266	1 cable break tester pantong, TDR-44, brand: pantong; type: TDR-44;	10.00
267	1 multimeter metrahit, spie cd115429, brand: metrahit; type: spie cd115429;	10.00
268	1 device tester fluke, 6500, brand: fluke; type: 6500; electric connection: 230 V; manual present: yes;	10.00
269	1 metrawatt meter abb, M5010, brand: abb; type: M5010;	10.00
270	1 metrawatt meter abb, M5010, brand: abb; type: M5010;	10.00
271	1 <b>glue sprayer</b> kress, 132 KAP, brand: kress; type: 132 KAP; voltage: 13,2 V; number of batteries: 1; battery charger: yes; with case: yes;	10.00
272	1 multimeter metraline, DM 62, brand: metraline; type: DM 62;	10.00
273	1 multimeter goerz, 226224, brand: goerz; type: 226224;	10.00
274	1 leak detector inficon, d-tek, brand: inficon; type: d-tek;	10.00
275	5 multimeter kyoritsu, brand: kyoritsu; description: including: suitcase;	10.00
276	1 thermometer fluke, 54 II, brand: fluke; type: 54 II;	10.00
277	1 <b>lifting chain</b> grade, 80, year built 2015, serial number 04081639, brand: grade; type: 80; year: 2015; serial number: 04081639; hoist capacity: 2100 kg; dimension L: 2300 mm;	10.00
278	1 Flightcase hinged lid: yes; total dimension L: 400 mm; total dimension W: 520 mm; total dimension H: 200 mm;	10.00
279	1 multimeter metra hit, iec 61010-1, brand: metra hit; type: iec 61010-1;	10.00



Lot	Number Description Starting	g Bid €
280	1 density meter elcometer, 456, brand: elcometer; type: 456;	10.00
281	1 megohmmeter fluke, 1520, brand: fluke; type: 1520;	10.00
282	1 multimeter fluke, 8012A, brand: fluke; type: 8012A;	10.00
283	1 multimeter megger, MFT1835, brand: megger; type: MFT1835;	10.00
284	2 sling	10.00
285	2 sling	10.00
286	2 sling	10.00
287	1 <b>chain hoist</b> breamark, year built 2008, brand: breamark; year: 2008; hoist capacity: 1500 kg;	10.00
288	5 <b>lifting sling</b> hoist capacity: 3000 kg;	10.00
289	5 <b>lifting sling</b> hoist capacity: 3000 kg;	10.00
290	5 <b>lifting sling</b> hoist capacity: 3000 kg;	10.00
291	5 <b>lifting sling</b> hoist capacity: 3000 kg;	10.00
292	5 <b>lifting sling</b> hoist capacity: 3000 kg;	10.00
293	4 lifting sling hoist capacity: 1000 kg;	10.00
294	4 lifting sling hoist capacity: 1000 kg;	10.00
295	2 beam clamp super clamp, brand: super clamp; hoist capacity: 6000 kg;	10.00
296	2 beam clamp corso, LT-3B, brand: corso; type: LT-3B; hoist capacity: 3000 kg;	10.00
297	2 beam clamp corso, LT-3B, brand: corso; type: LT-3B; hoist capacity: 3000 kg;	10.00
298	1 <b>lifting beam</b> Rema, serial number 85982, brand: Rema; serial number: 85982; hoist capacity: 2500 kg; dimension L: 820 mm;	10.00
299	1 racking total dimension L: 700 mm; total dimension W: 950 mm; total dimension H: 1630 mm;	10.00
300	2 sling	10.00
301	2 sling	10.00
302	2 sling	10.00
303	1 <b>filing cabinet</b> cabinet cabinet with doors: yes; dimension L: 40 cm; dimension W: 97 cm; dimension H: 136 cm;	10.00
304	1 beam clamp super clamp, brand: super clamp; hoist capacity: 6000 kg; description: including: lifting eyes.;	10.00
305	2 work block total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 750 mm;	10.00
306	2 <b>steel bucket</b> total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 800 mm;	10.00
307	2 beam clamp S.W.L.6.t., S4S, brand: S.W.L.6.t.; type: S4S; hoist capacity: 6000 kg;	10.00



Lot	Number Description Starting	Bid €
308	1 beam clamp S.W.L.6.t., S4S, brand: S.W.L.6.t.; type: S4S; hoist capacity: 6000 kg;	10.00
309	1 Pneumatic tacker senco, eco clipper, brand: senco; type: eco clipper; max. pressure: 7 bar; with case: yes; description: including: eco clips;	10.00
310	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
311	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
312	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
313	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
314	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
315	1 lifting beam Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
316	1 <b>lifting beam</b> Mennens, brand: Mennens; hoist capacity: 1400 kg; dimension L: 470 mm;	10.00
317	1 lifting beam Rema, serial number 85982, brand: Rema; serial number: 85982; hoist capacity: 2500 kg; dimension L: 820 mm;	10.00
318	1 lifting beam Rema, serial number 85982, brand: Rema; serial number: 85982; hoist capacity: 2500 kg; dimension L: 820 mm;	10.00
319	1 wood chipper Delta Neu, CTX 40 BA, brand: Delta Neu; type: CTX 40 BA; electric driven: yes; power: 15 kW; total dimension L: 1200 mm; total dimension W: 1050 mm; total dimension H: 1250 mm; description: 380 volts;	10.00
320	1 <b>lot of fire prevention material</b> description: foam nozzle; 3 water hoses; foam branch pipe;	10.00
321	1 lot of breathing articles description: with 4 air cylinders, 4 face masks and 1 crate;	10.00
322	breathing apparatus     drager, brand: drager; description: with air cylinder and wooden crate carrying system;	10.00
323	breathing apparatus     drager, brand: drager; description: with air cylinder and wooden crate carrying system;	10.00
324	breathing apparatus     drager, brand: drager; description: with air cylinder and wooden crate carrying system;	10.00
325	1 <b>tire set go-kart</b> Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
326	1 <b>tire set go-kart</b> Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
327	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00



Lot	Number Description Starting	Bid €
328	1 <b>tire set go-kart</b> Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
329	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
330	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
331	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
332	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
333	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
334	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
335	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
336	1 tire set go-kart Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
337	1 <b>tire set go-kart</b> Dunlop, Slick DFK2 tubeless, serial number 1035, brand: Dunlop; type: Slick DFK2 tubeless; serial number: 1035; tyre size: 10x4.50-5; description: go-kart set of 4 pieces; new;	10.00
338	1 track plates description: including: various wheel chocks;	10.00
339	1 reciprocating saw makita, jr3650t, brand: makita; type: jr3650t; with case: yes; electric connection: 230 V;	10.00
340	1 <b>grinder / impact wrench</b> makita, brand: makita; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; impact wrench: yes; grinder: yes; description: including: battery lamp;	10.00
341	1 jig saw makita, 4351CTJ, brand: makita; type: 4351CTJ; with case: yes; electric connection: 230 V;	10.00
342	1 jig saw makita, 4351CT, brand: makita; type: 4351CT; with case: yes; electric connection: 230 V;	10.00
343	1 <b>drilling machine</b> makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; with case: yes; drilling machine: yes;	10.00



Lot	Number Description Sta	rting Bid €
344	1 jig saw makita, brand: makita; with case: yes; electric connection: 230 V;	10.00
345	1 nail gun snit, p200, brand: snit; type: p200; with case: yes;	10.00
346	1 nail gun snit, p200, brand: snit; type: p200; with case: yes;	10.00
347	1 nail gun powers, p3500, brand: powers; type: p3500; with case: yes;	10.00
348	1 <b>jig saw</b> makita, pa6-GF20, brand: makita; type: pa6-GF20; with case: yes; electric connection: 2 V;	10.00
349	1 jig saw makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 2 V;	10.00
350	1 jig saw makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 2 V;	10.00
351	1 jig saw makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 2 V;	10.00
352	2 safety harness Tractel, LCA12, year built 2005, brand: Tractel; type: LCA12; year: 2005;	10.00
353	1 vacuum machine techni-meubel, brand: techni-meubel; chamber dimension L: 180 mm; chamber dimensi W: 180 mm; number of chambers: 1; electric connection: 230 V; total dimension L: 370 mm; total dimension W: 730 mm; total dimension H: 270 mm;	10.00 on
354	1 air purification smokeeter, brand: smokeeter; chamber dimension L: 500 mm; chamber dimension W: 4 mm; chamber dimension H: 320 mm;	10.00 400
355	1 paint machine wagner ; type: finecoat 8000; electric connection: 230 V;	10.00
356	6 Fire extinguisher description: including: 2 fire blankets ;	10.00
357	1 lot of various transmitters bosch, brand: bosch;	10.00
358	1 electric motor avag-pumpen, acm 100, brand: avag-pumpen; type: acm 100;	10.00
359	1 lot of cutting wire	10.00
360	5 washing brush description: including accessories ;	10.00
361	1 lot of various electrical parts description: incl; cleaning kits, electric motor, water pump;	10.00
362	1 Tool box curver, brand: curver; plastic: yes; with content: yes;	10.00
363	1 <b>Tool box</b> curver, brand: curver; plastic: yes; with content: yes;	10.00
364	1 <b>Tool box</b> plastic: no; metal: yes; with content: yes;	10.00
365	1 nail gun snit, p200, brand: snit; type: p200; with case: yes;	10.00
366	2 drilling machine makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 2; with case: yes; drilling machine: yes;	10.00



Lot	Number Description Starting	Bid €
367	1 <b>drilling machine</b> makita, DHH241, brand: makita; type: DHH241; voltage: 14,4 V; number of batteries: 1; with case: yes; drilling machine: yes; impact drill: no; hammer drill: yes;	10.00
368	1 drilling machine / impact wrench makita, dhp458, brand: makita; type: dhp458; voltage: 18 V; number of batteries: 1; with case: yes; drilling machine: yes; impact wrench: yes;	10.00
369	1 drilling machine makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
370	1 <b>drilling machine</b> makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
371	1 drilling machine makita, dhp458, brand: makita; type: dhp458; voltage: 18 V; number of batteries: 1; with case: yes; drilling machine: yes;	10.00
372	1 <b>jig saw</b> makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 230 V;	10.00
373	1 <b>drilling machine</b> makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
374	1 <b>drilling machine</b> makita, dhp458, brand: makita; type: dhp458; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
375	1 hot air blow dryer bosch, GHG 650 LCE, brand: bosch; type: GHG 650 LCE; electric connection: 230 V; with case: no;	10.00
376	1 Pneumatic tacker paslode, 3150/38W16, brand: paslode; type: 3150/38W16; max. pressure: 8 bar;	10.00
377	1 glue sprayer mixpac, 0P 200-70, brand: mixpac; type: 0P 200-70; max. pressure: 5 bar; with case: no;	10.00
378	1 <b>drilling machine</b> makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; drilling machine: yes;	10.00
379	1 impact wrench makita, DTD146, brand: makita; type: DTD146; voltage: 18 V; battery charger: yes; with case: yes; drilling machine: no; impact wrench: yes;	10.00
380	1 drilling machine makita, dhp481, brand: makita; type: dhp481; voltage: 18 V; number of batteries: 1; battery charger: no; with case: yes; drilling machine: yes;	10.00
381	1 jig saw makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 230 V;	10.00
382	1 <b>jig saw</b> makita, pa6-GF30, brand: makita; type: pa6-GF30; with case: yes; electric connection: 230 V;	10.00
383	1 impact wrench makita, DTW450, brand: makita; type: DTW450; voltage: 18 V; battery charger: no; with case: yes; drilling machine: no; impact wrench: yes;	10.00
384	1 <b>drilling machine</b> makita, dhp458, brand: makita; type: dhp458; voltage: 18 V; number of batteries: 1; battery charger: no; with case: yes; drilling machine: yes;	10.00



Lot	Number Description	Starting Bid €
385	1 impact wrench makita, brand: makita; voltage: 18 V; number of batteries: 1; battery charger: yes yes; drilling machine: no; impact wrench: yes;	10.00 ; with case:
386	3 Bicycle carrier	10.00
387	1 workmate dimension W: 750 mm; dimension H: 850 mm;	10.00
388	1 hand meter magura, brand: magura; manual present: no;	10.00
389	1 workmate black & decker, brand: black & decker; dimension W: 610 mm; dimension H: 75	10.00 0 mm;
390	1 drilling machine spit, SDI 145, brand: spit; type: SDI 145; voltage: 14,4 V; number of batteries: 2 charger: yes; with case: yes; drilling machine: yes;	10.00 ; battery
391	3 measuring wheel hengstler, brand: hengstler;	10.00
392	1 mounting mirror handy mirror, xl dual angle, brand: handy mirror; type: xl dual angle;	10.00
393	1 lot of bags opti pack;	10.00
394	1 depth digging help ezdig, brand: ezdig; description: serving excavator wheeled / tracked or crawler	10.00
395	1 chocolate milk machine bolero, brand: bolero;	10.00
396	1 coffee table dimension L: 125 cm; dimension W: 70 cm; dimension H: 38 cm;	10.00
397	1 band saw machine gude, GBS 200, brand: gude; type: GBS 200; electric connection: 230 V; dimer mm; dimension W: 300 mm; dimension H: 680 mm;	10.00 sion L: 550
398	9 Led flashlight stahlkaiser, brand: stahlkaiser;	10.00
399	1 sawing machine gude, W700, brand: gude; type: W700; description: size: LxWxH 450x400x300	10.00 mm;
400	9 <b>looplamp</b> kira, brand: kira; electric connection: 24 V;	10.00
401	1 lot of tooling total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 110 description: incl. jack, oil-filled syringes, safety harness, belt sander; including c	•
© 402	1 lot of alcoholic liquor description: Pay attention! without cupboard; Only sell to people from 18 and old Identification may be requested;	10.00 ler.
© 403	1 filing cabinet cabinet with doors: yes; dimension L: 45 cm; dimension W: 90 cm; dimension H description: Pay attention! without content;	10.00 1: 197 cm;
	Combination B	
404	1 lot of diverse description: incl. light fixtures, garden straps, shell sand, glass; Pay attention! wit cabinet;	10.00 hout
405	1 <b>filing cabinet</b> cabinet with doors: yes; description: Pay attention! without content;	10.00
406	1 mixer head cleaner collomix, mixer-clean, brand: collomix; type: mixer-clean;	10.00



408 409 410 411 412 413 414 415 416 417 418 419	<ul> <li>Tool box bosch, brand: bosch; plastic: yes; dimension L: 260 mm; dimension W: 420 mm; dimension H: 300 mm;</li> <li>sling</li> <li>sling</li> <li>mixer head cleaner collomix, mixer-clean, brand: collomix; type: mixer-clean;</li> <li>drill rig dimension H: 530 mm;</li> <li>air compressor ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969; power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 350 mm;</li> <li>grinding machine Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>air compressor de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;</li> <li>urinal</li> </ul>	10.00 10.00 10.00 10.00 10.00 10.00 10.00
409 410 411 412 413 414 415 416 417 418 419 420	<ul> <li>z sling</li> <li>mixer head cleaner         collomix, mixer-clean, brand: collomix; type: mixer-clean;</li> <li>drill rig         dimension H: 530 mm;</li> <li>air compressor         ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969;         power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W:         250 mm; total dimension H: 350 mm;</li> <li>grinding machine         Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>air compressor         de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp         smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel         schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00 10.00 10.00 10.00 10.00
410 411 412 413 414 415 416 417 418 419 420	<ul> <li>mixer head cleaner collomix, mixer-clean, brand: collomix; type: mixer-clean;</li> <li>drill rig dimension H: 530 mm;</li> <li>air compressor     ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969; power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 350 mm;</li> <li>grinding machine     Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>air compressor     de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00 10.00 10.00 10.00 10.00
410 411 412 413 414 415 416 417 418 419 420	<ul> <li>mixer head cleaner collomix, mixer-clean, brand: collomix; type: mixer-clean;</li> <li>drill rig dimension H: 530 mm;</li> <li>air compressor     ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969; power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 350 mm;</li> <li>grinding machine     Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>air compressor     de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00 10.00 10.00 10.00
412 413 414 415 416 417 418 419 420	<ul> <li>dimension H: 530 mm;</li> <li>air compressor     ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969; power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 350 mm;</li> <li>grinding machine     Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>air compressor     de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00 10.00 10.00 10.00
413 414 415 416 417 418 419 420	ARA, R80N, serial number 069969, brand: ARA; type: R80N; serial number: 069969; power: 0.95 kW; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 350 mm;  1 grinding machine Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;  1 air compressor de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;  1 battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;  1 hose reel schill; diameter approx.: 460 mm; wall mount: yes;	10.00 10.00 10.00
414 415 416 417 418 419 420	<ul> <li>Holz mann, MTY 8-70, brand: Holz mann; type: MTY 8-70; electric connection: 230 V;</li> <li>1 air compressor de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>1 battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>1 hose reel schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00
415 416 417 418 419 420	<ul> <li>de backer, Zkmt90s, serial number 069969, brand: de backer; type: Zkmt90s; serial number: 069969; power: 0.72 kW; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 250 mm; total dimension H: 400 mm;</li> <li>battery construction lamp smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;</li> <li>hose reel schill; diameter approx.: 460 mm; wall mount: yes;</li> </ul>	10.00
416 417 418 419 420	smithlight, INI20L-R-BR, brand: smithlight; type: INI20L-R-BR; LED: yes; power: 20 W; tripod: yes; degree of protection (IP): 56; electric connection: 230 V;  1 hose reel schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;	10.00
417 418 419 420	schill, brand: schill; diameter approx.: 460 mm; wall mount: yes;	
418 419 420	2 urinal	
419 420	Sphinx , brand: Sphinx ; wall hung: yes;	10.00
420	1 <b>twin turbo</b> description: for VW T6 transporter 2.0 TDI;	10.00
	1 <b>turbo</b> description: for audi / vw / seat / skoda 1.5 tsi;	10.00
421	1 <b>strapping device</b> total dimension L: 500 mm; total dimension W: 650 mm; total dimension H: 1050 mm;	10.00
	1 hydraulic press gedro, HTK4312V-L, year built 1999, brand: gedro; type: HTK4312V-L; year: 1999; electro-hydraulic: yes; stroke: 120 mm; electric connection: 12 V; machine weight: 90 kg; dimension L: 850 mm; dimension W: 350 mm; dimension H: 750 mm;	10.00
422	1 knapsack holder total dimension L: 570 mm; total dimension W: 530 mm; total dimension H: 1310 mm;	10.00
423	1 lot of various parts	10.00
424	1 lot of various parts	10.00
	1 lot of various parts	10.00
426	1 drilling machine Atlas Copco, BBD12TS, brand: Atlas Copco; type: BBD12TS;	10.00
427	1 drilling machine Atlas Copco, brand: Atlas Copco;	10.00
428	1 drilling machine Atlas Copco, brand: Atlas Copco;	10.00
429	1 drilling machine Atlas Copco, brand: Atlas Copco;	10.00
430	1 chain hoist	10.00
431	1 lot of tools	10.00



Lot	Number Description Starting	g Bid €
432	1 industrial vacuum cleaner Hecht, 8212, year built 2018, serial number 201801765, brand: Hecht; type: 8212; year: 2018; serial number: 201801765; power: 1250 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: in box;	10.00
433	1 air compressor Senco, 125D, year built 2017, serial number AC240070, brand: Senco; type: 125D; year: 2017; serial number: AC240070; mobile: yes; capacity: 8.6 bar; power: 0.3 kW; electric connection: 230 V; description: 3.8 liter tank; in box;	10.00
434	1 <b>ash filter</b> Karcher, 2.863-183, serial number 07.13, brand: Karcher; type: 2.863-183; serial number: 07.13; description: container 16 liters; in box;	10.00
435	1 through opener Somfy, Dexxo Optimo RTS, brand: Somfy; type: Dexxo Optimo RTS;	10.00
436	1 construction lamp ET Light, brand: ET Light; gas-discharge lamp: yes; power: 150 W; electric connection: 230 V; description: in box;	10.00
437	1 construction lamp ET Light, brand: ET Light; gas-discharge lamp: yes; power: 150 W; electric connection: 230 V;	10.00
438	1 Cable reel bosch, handyroll, brand: bosch; type: handyroll; electric connection: 230 V; male-female: yes; length: 1 m;	10.00
439	1 <b>chassis</b> Gude, 55156, brand: Gude; type: 55156; description: for table saw tk2100; in box;	10.00
440	1 battery tooling Makita, DTL061, year built 2016, serial number 214901, brand: Makita; type: DTL061; year: 2016; serial number: 214901; voltage: 18 V; number of batteries: 0; screw machine: yes; description: without battery and battery chargers; with plastic storage case;	10.00
441	1 wet-dry sharpener Einhell, BNTS 150/200, year built 2002, serial number 002566, brand: Einhell; type: BNTS 150/200; year: 2002; serial number: 002566;	10.00
442	2 battery chargers Senco, VB0132, brand: Senco; type: VB0132; electric connection: 230 V; description: output 21.6 v;	10.00
443	1 dividing head description: various couplings;	10.00
444	4 diamond discs description: various sizes;	10.00
445	2 <b>glue guns</b> Profi, brand: Profi; description: with various adhesive patterns in plastic tray;	10.00
446	1 angle grinder Flex, L1001, year built 2018, serial number 105079, brand: Flex; type: L1001; year: 2018; serial number: 105079; disc diameter: 125 mm; power: 1010 W; electric connection: 230 V; description: in box;	10.00
447	1 <b>impact wrench</b> Hitachi, WR 14VE, year built 2015, serial number 550002, brand: Hitachi; type: WR 14VE; year: 2015; serial number: 550002; electric connection: 230 V; description: 370w; 1/2 "connection; in box;	10.00
448	1 pendulum jigsaw Hitachi, CJ160V, year built 2017, serial number CD70160, brand: Hitachi; type: CJ160V; year: 2017; serial number: CD70160; description: capacity 160mm; power 800w; in plastic storage case;	10.00



Lot	Number Description	Starting Bid €
449	1 Tool kit Hitachi, brand: Hitachi; voltage: 14,4 V; number of batteries: 2; battery charger: ye case: yes; screw machine: yes; impact drill: no; hammer drill: yes; description: SI hammer drill DH14DSL; screw drilling machine DS 14DBEL;	
450	1 double work lamp Erro lite, EL1030, brand: Erro lite; type: EL1030; electric connection: 230 V;	10.00
451	1 double work lamp Erro lite, EL1030, brand: Erro lite; type: EL1030; electric connection: 230 V;	10.00
452	1 double work lamp Erro lite, EL1030, brand: Erro lite; type: EL1030; electric connection: 230 V;	10.00
453	1 construction lamp Interelek, IE10102, brand: Interelek; type: IE10102; LED: yes; electric connection description: double LED lamp and sockets; 1200 lumen; without box;	10.00 n: 230 V;
454	1 construction lamp Interelek, IE10102, brand: Interelek; type: IE10102; LED: yes; electric connection description: double LED lamp and sockets; 1200 lumen; in box;	10.00 n: 230 V;
455	1 extension reel Interelek, Robusta 1, brand: Interelek; type: Robusta 1; electric connection: 230 v 50 m; on reel: yes; description: article number IE11551-S;	10.00 V; length:
456	1 wet-dry sharpener Gude, GNS 200/150, year built 2004, serial number 28212, brand: Gude; type: 0 200/150; year: 2004; serial number: 28212; electric connection: 230 V; description number 40350;	
457	1 drilling machine Atlas Copco, brand: Atlas Copco;	10.00
458	23 safety socket and plug blocks Brennenstuhl, brand: Brennenstuhl; description: various types;	10.00
459	1 emergency power generator Gude, GSE 950, brand: Gude; type: GSE 950; electric connection: 230 V; engine 1 kW; description: article number 40626; tank capacity 4 liters; in box;	10.00 e capacity:
460	1 lot of grinding wheels description: various sizes;	10.00
461	1 lot of miscellaneous description: with filter bags / holders; mounting material; in 3 plastic storage bins;	10.00
462	1 trimmer Bosch, AES35, brand: Bosch; type: AES35; electric connection: 230 V; power: 1 description: diameter 350 mm;	10.00 kW;
463	1 <b>telescopic branch saw</b> Bosch, ASG 52, year built 1997, serial number 771002599, brand: Bosch; type: year: 1997; serial number: 771002599; electric connection: 230 V; description: 2 capacity 52mm;	
464	2 TV FM antenna Naval, mark 20CA, brand: Naval; type: mark 20CA;	10.00
465	1 drill tools description: diamond hole drilling; diameter 200mm;	10.00
466	6 <b>filing cabinet</b> dimension L: 71 cm; dimension W: 47 cm; dimension H: 135 cm;	10.00
467	1 fire hose reel description: without accessories;	10.00
468	1 knapsack holder total dimension L: 570 mm; total dimension W: 530 mm; total dimension H: 1310	10.00 mm;
469	1 Welding machine MMA type: yes; description: 220/380 volts;	10.00



Lot	Number Description Starti	ng Bid €
470	1 microwave Frionor, WD700J, brand: Frionor; type: WD700J; microwave power: 700 W;	10.00
471	1 filter cartridge Luise, 516.1010, brand: Luise; type: 516.1010; description: max 600l / h; 40 °; h2o;	10.00
472	4 fishing lines with damper Miller, 1005325, brand: Miller; type: 1005325; description: with scaffolding hook; elastic;	10.00
473	4 fishing lines with damper Miller, 1005325, brand: Miller; type: 1005325; description: with scaffolding hook; elastic;	10.00
474	6 <b>fishing lines with damper</b> Miller, 1005325, brand: Miller; type: 1005325; description: with scaffolding hook; elastic;	10.00
475	1 Welding machine Esab, Mechtig 315 inverter, serial number 049 119-0070315, brand: Esab; type: Mechtig 315 inverter; serial number: 049 119-0070315; tig type: yes; ampere range: 315 A; electric connection: 380 V;	100.00
476	1 extension reel Interelek, Robusta 1, brand: Interelek; type: Robusta 1; electric connection: 230 V; length: 50 m; on reel: yes; description: article number IE11551-S;	10.00
477	1 lot of hand tools description: with socket wrenches; first aid kit; money girl; 4 headphones (in ear);	10.00
478	19 cap ratchets Dooco, brand: Dooco; description: (14x) push 14-21mm; (5x) push 8-14mm;	10.00
479	1 lot of lanyards Miller, brand: Miller; description: with scaffolding hook; elastic;	10.00
480	1 fan heater Aeg, HS 203T, serial number 1125, brand: Aeg; type: HS 203T; serial number: 1125; description: 230 volts; 2000w; in box;	10.00
481	1 heater Sail, Lotus, year built 2005, serial number 301505300244, brand: Sail; type: Lotus; year: 2005; serial number: 301505300244; power: 2.4 kW; electric connection: 230 V; description: ceramic infrared;	10.00
482	2 slings Hebegurt, brand: Hebegurt; dimension L: 6000 mm;	10.00
483	1 hot air gun DSH-A, type: DSH-A; electric connection: 230 V; description: 1080W;	10.00
484	1 lot of fall protection equipment description: various sizes;	10.00
485	2 fountain pumps Avag, TA 1/150, brand: Avag; type: TA 1/150; electric connection: 230 V; description: q max 2100 I / h; h max 2.5m;	10.00
486	1 <b>lot of hand tool</b> description: with 2 vice screws; saw; spirit level; 3 box of clamping sleeves;	10.00
487	1 machine tools description: with tightening tools;	10.00
488	1 lot of fall protection equipment description: various sizes;	10.00
489	1 chain hoist Nitchi, brand: Nitchi;	10.00
490	1 building laser Quante, QL210RL, serial number 6681, brand: Quante; type: QL210RL; serial number: 6681; description: with hand detector and inverter in 1 case;	10.00
491	1 lot of Bearings description: with bearings / bearing housing (various sizes);	10.00
492	10 <b>lifting bolts</b> description: various sizes;	10.00



Lot	Number Description Starting	Bid €
493	1 <b>circular trim saw</b> Topcraft, TGS1200N, year built 2002, serial number 590739, brand: Topcraft; type: TGS1200N; year: 2002; serial number: 590739; saw blade ?: 210 mm; mitre: yes; engine power: 1.2 kW; electric connection: 230 V;	10.00
494	1 line laser Geo fennel, Multi- Liner FL-50, brand: Geo fennel; type: Multi- Liner FL-50; description: with hand detector; inverter in case;	10.00
495	1 rotation laser Geo fennel, FL200A, brand: Geo fennel; type: FL200A; description: with hand detector in 1 suitcase;	10.00
496	7 harp closures and lifting bolt description: various sizes;	10.00
497	4 lifting bolts	10.00
498	1 Cutting tools Martor, brand: Martor; description: 2 various blades in 1 case;	10.00
499	1 handheld device Koltec, Vulcan SE 250, serial number 95230305, brand: Koltec; type: Vulcan SE 250; serial number: 95230305; electric driven: yes; description: 230 volts;	10.00
500	1 various electric tooling description: with threading machine; drilling machine; glue sprayer;	10.00
501	2 vacuum cleaners description: with Gude aqua dart 20 and eco sento; including box with filters;	10.00
502	1 spare parts description: with electric motors; pumps; switch cabinets;	10.00
503	1 lot of hand tool description: with hearing protection; safety helmets; assortment boxes;	10.00
504	1 emergency power aggregate iTools, brand: iTools; electric connection: 230 V; description: 800w; 0.95 kva;	10.00
505	1 components description: with 3 fans; sharpening stones; plug material; pipe clamps;	10.00
506	4 electric motors description: various sizes;	10.00
507	5 <b>pressure vessels</b> description: various sizes;	10.00
508	1 manure fertilizer Prizelawn, MPR, brand: Prizelawn; type: MPR; description: unused; without wheels;	10.00
509	1 Welding machine Lincoln Electric, Invertec 270sx, brand: Lincoln Electric; type: Invertec 270sx; MMA type: yes; ampere range: 270 A; electric connection: 380 V;	10.00
510	1 Welding machine Lincoln Electric, Invertec 270sx, brand: Lincoln Electric; type: Invertec 270sx; MMA type: yes; ampere range: 270 A; electric connection: 380 V;	10.00
511	2 folding chairs	10.00
512	1 stray electrical cabinet electric connection: 32 A; number of outputs 230 V: 6; number of outputs 380 V / 16 A: 1; number of outputs 380 V / 32 A: 1;	10.00
513	1 lot of forest and garden tools description: with grass trimmer; garden lamp; filter; couplings; room fan; foot pump; TL lights; etc;	10.00
514	1 lot of outside and interior lighting description: with fluorescent lamps; running lights; and water pump; pressure sprayer; printer; switch;	10.00
515	3 oil radiators description: various sizes;	10.00



Lot	Number Description Starting	g Bid €
516	1 air compressor Fini, Enius, year built 2012, serial number 1251990015, brand: Fini; type: Enius; year: 2012; serial number: 1251990015; mobile: yes; capacity: 8 bar; power: 1.1 kW; buffer tank content: 6 l; electric connection: 230 V; description: 16,5kg; 116 psi; 2850 rpm; without accessories;	10.00
517	1 circular trim saw Contimac, CS230N, serial number 0908302, brand: Contimac; type: CS230N; serial number: 0908302; saw blade ?: 230; speed till N=: 2200 rpm; engine power: 1.7 kW; electric connection: 230 V; description: with plastic storage case; pay attention! defect;	10.00
518	1 Tool box total dimension L: 435 mm; total dimension W: 210 mm; total dimension H: 120 mm; description: colour black;	10.00
519	7 industrial vacuum cleaner bags description: various sizes;	10.00
520	1 miscellaneous description: with pneumatic tires; controller; bearings;	10.00
521	1 multi-tool battery Dolmar, AY-1820 LG, brand: Dolmar; type: AY-1820 LG; description: 18-volt battery; 160 mm;	10.00
522	1 multi-tool battery Dolmar, AY-1820 LG, brand: Dolmar; type: AY-1820 LG; description: 18-volt battery; 160 mm;	10.00
523	1 multi-tool battery Dolmar, AY-1820 LG, brand: Dolmar; type: AY-1820 LG; description: 18-volt battery; 160 mm;	10.00
524	1 glue sprayer with foot pump Gude, brand: Gude;	10.00
525	1 lot of fall protection equipment description: various sizes;	10.00
526	1 lot of fall protection equipment description: various sizes;	10.00
527	1 hand tool description: with sanding boards;	10.00
528	1 wasser pump Lutz, AD33, brand: Lutz; type: AD33; power: 1.3 kW; electric connection: 230 V;	10.00
529	1 jig saw Bosch, PST50E, brand: Bosch; type: PST50E; description: 230 volts; 350w; with metal storage case;	10.00
530	1 battery tooling Hitachi, DS 18DSDL, year built 2017, serial number J870106, brand: Hitachi; type: DS 18DSDL; year: 2017; serial number: J870106; voltage: 18 V; number of batteries: 0; screw machine: yes; drilling machine: yes; description: without battery and battery chargers;	10.00
531	1 <b>battery tooling</b> Hitachi, brand: Hitachi; description: with 2 flashlights ub18dal 18 volt; 1 lantern ub 18ddl;	10.00
532	1 digital detector Bosch, DMF 10 zoom, brand: Bosch; type: DMF 10 zoom; description: This relates to a new product;	10.00
533	1 digital detector Bosch, DMF 10 zoom, brand: Bosch; type: DMF 10 zoom; description: This relates to a new product;	10.00
534	1 lot of various grinding tool accessories description: including 2 plastic containers;	10.00
535	1 fall protection set Miller, brand: Miller; description: with scaffolding hook; elastic;	10.00



Lot	Number Description Starting	Bid €
536	1 various painters tooling description: including plastic container;	10.00
537	1 2-component glue sprayer Hilti, HDM330, brand: Hilti; type: HDM330; description: with case and various accessories;	10.00
538	1 nail gun Impex, LG 65.3, brand: Impex; type: LG 65.3; description: with case and various accessories;	10.00
539	4 <b>lifting bolts</b> GF, brand: GF;	10.00
540	6 <b>lifting bolts</b> VRS, brand: VRS; hoist capacity: 7000 kg;	10.00
541	6 <b>lifting bolts</b> GF, brand: GF; hoist capacity: 7000 kg;	10.00
542	3 <b>spring balancer</b> Tecna, 9331, brand: Tecna; type: 9331; own weight: 3 kg; description: lifting capacity 2-4 kg;	10.00
543	5 <b>cooling fan</b> HQ, Cy201A, brand: HQ; type: Cy201A;	10.00
544	1 reciprocating saw Makita, DJR186, year built 2018, serial number 448712, brand: Makita; type: DJR186; year: 2018; serial number: 448712; voltage: 18 V; number of batteries: 0; with case: yes; description: pay attention! no charger and no battery;	10.00
545	1 lot of various SDS drills Makita & BF, brand: Makita & BF; description: including plastic container;	10.00
546	4 <b>Drill set</b> Bosch, 7-delig, brand: Bosch; type: 7-delig;	10.00
547	1 various pond accessories electric connection: 230 V; description: including filter; lighting;	10.00
548	3 battery LED lamp Hitachi, UB 18 DDL, brand: Hitachi; type: UB 18 DDL; voltage: 18 V; description: pay attention! no batteries and chargers;	10.00
549	1 electric hand sander Dewalt, DW650, serial number 015769, brand: Dewalt; type: DW650; serial number: 015769; belt sander: yes; electric connection: 230 V;	10.00
550	1 <b>nibble scissors</b> electric connection: 230 V;	10.00
551	1 lot of various work gloves description: new;	10.00
552	1 lot of other machine accessories description: roll with 1 bucket of drive belt;	10.00
553	2 dresser dijkgraaf, brand: dijkgraaf; total dimension L: 610 mm; total dimension W: 470 mm; total dimension H: 1320 mm;	10.00
554	1 steam cleaner year built 2002, year: 2002; max. pressure: 300 bar; temperature range min.: 95 °c; temperature range max.: 150 °c; power: 80 kW; electric connection: 380 V; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1180 mm;	10.00
555	1 bale packer bolzoni, PS10ENA, brand: bolzoni; type: PS10ENA; total dimension L: 1400 mm; total dimension W: 970 mm; total dimension H: 1200 mm; own weight: 600 kg;	10.00
556	1 bale packer CABADE, brand: CABADE; total dimension L: 1200 mm; total dimension W: 1100 mm; total dimension H: 1100 mm;	10.00



Lot	Number Description Starting	g Bid €
557	1 lot of rack stabilizers total dimension L: 700 mm; total dimension W: 120 mm; total dimension H: 50 mm;	10.00
558	1 Dishwasher Bosch, sL1501B, brand: Bosch; type: sL1501B; built-in: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 8100 mm;	10.00
559	1 pressure washer hawk, HC500IM, brand: hawk; type: HC500IM; max. pressure: 200 bar; temperature range min.: 32 °c; temperature range max.: 120 °c; diesel fired: yes; mobile: yes; power: 6.8 kW; electric connection: 380 V; total dimension L: 110 mm; total dimension W: 700 mm; total dimension H: 900 mm;	10.00
560	1 conveyor Euronorm, NMRY 063/50/DMA2 80K4, brand: Euronorm; type: NMRY 063/50/DMA2 80K4; belt dim. L: 2900 mm; belt dim. W: 610 mm; power: 0.55 kW; total dimension L: 3000 mm; total dimension W: 900 mm; total dimension H: 1200 mm;	10.00
561	1 passenger car Audi, 3.0 TDI quattro clean diesel Pro Line 5+2, year built 2010, brand: Audi; type: 3.0 TDI quattro clean diesel Pro Line 5+2; year: 2010; VIN number: WAUZZZ4L8AD025063; license plate: Duits; SUV/off-road: yes; 4-wheel drive: yes; diesel: yes; engine power: 176 kW; displacement: 2967 cc; automatic: yes; mileage (at intake): 176128 km; number of seats: 7; number of doors: 5; electrically adjustable seats: yes; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; leather interior: yes; parking sensors: yes; xenon headlights: yes; LED headlights: yes; description: all papers, documents, service and instruction booklets + speech and navigation CDs available; 2 folding keys; the vehicle is still being driven, the odometer reading can still add up;	1,000.00
562	1 audi wheel set with winter tires Audi, Q7, brand: Audi; type: Q7; tyre size: 265/50R19; bolt platform: E 8,5J x 19 H2; offset: 62; with rims: yes; winter tyre: yes;	100.00
563	1 passenger car Volkswagen, Golf gl 66 kw e2, year built 1997, brand: Volkswagen; type: Golf gl 66 kw e2; year: 1997; VIN number: WVWZZZ1HZVB136215; license plate: RJ-TJ-87; hatchback: yes; inspection experation date: 15/06/2013 02:00:00; gasoline: yes; engine power: 66 kW; manual: yes; mileage (at intake): 207421 km; number of seats: 4; number of doors: 4; power windows: yes; trailer hitch: yes; own weight: 1029 kg; description: number of cylinders: 4; cylinder capacity: 1781 cm³; color blue; Euro classification: Euro 2;	10.00
564	1 sitting lawn mower  John Deere, 3245C, brand: John Deere; type: 3245C; working width: 2200 mm; fuel type: diesel; engine power: 30.5 kW; own weight: 1260 kg; total dimension L: 2200 mm; total dimension W: 3000 mm; total dimension H: 2120 mm; description: read running hours: 3207 hrs.;	100.00
565	1 boom lift MEC, Maniaccess 100 ELX, year built 2001, serial number 9900602, brand: MEC; type: Maniaccess 100 ELX; year: 2001; serial number: 9900602; electric: yes; scissor lift: yes; working height: 790 cm; platform size L: 2800 cm; platform size W: 1160 cm; platform capacity: 454 kg; hours on display: 560; own weight: 2624 kg; description: equipped with highly integrated charger 230;	1,000.00
566	1 sweepers, self-propelled Flex AT, serial number 1000009886, type: Flex AT; serial number: 1000009886; working width: 900 mm; electric: yes; hours on display: 94 hr; total dimension L: 2500 mm; total dimension W: 1300 mm; total dimension H: 1200 mm; description: pay attention! charger not included;	100.00



Lot	Number Description Starti	ng Bid €
567	1 <b>trailer</b> Groenewegen, Dro-14-27, year built 2004, brand: Groenewegen; type: Dro-14-27; year: 2004; VIN number: XL962000040002531; license plate: OH-70-SZ; inspection experation date: 02/03/2016 01:00:00; number of axis: 3; load capacity: 32880 kg; tarpaulin: yes; hydraulic tail-lift: yes; own weight: 8120 kg; description: length: 1386; width: 255;	100.00
568	1 sanitary unit number of doors: 1; number of windows: 2; number of toilets: 3; number of sinks: 2; total dimension L: 6050 mm; total dimension W: 2430 mm; total dimension H: 2600 mm;	100.00
569	38 <b>construction fence</b> dimension L: 3400 mm; dimension H: 2000 mm; galvanized: yes; description: of which 17 with bend frame topside;	100.00
570	33 construction fence dimension L: 3400 mm; dimension H: 2000 mm; galvanized: yes;	100.00
571	36 <b>construction fence</b> dimension L: 3400 mm; dimension H: 2000 mm; galvanized: yes;	100.00
572	36 construction fence dimension L: 3400 mm; dimension H: 2000 mm; galvanized: yes;	100.00
573	1 <b>lot of various interior LED luminaires</b> Philips, Divers, brand: Philips; type: Divers; LED: yes;	100.00
574	Buggy Jaingsu Kingroad, Sahara, year built 2002, brand: Jaingsu Kingroad; type: Sahara; year: 2002; displacement: 250 cc; description: army green color; pay attention! This stroller is not provided with registration number; do not start;	10.00
576	1 Welding machine Wemi, W 406 TS, serial number 20027, brand: Wemi; type: W 406 TS; serial number: 20027; ampere range: 410 A; duty cycle: 50 %; wire feeder: yes; electric connection: 400 V; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 1450 mm; description: water-cooled; without hoses and torch;	10.00
577	1 Buggy Jaingsu Kingroad, Sahara, year built 2002, brand: Jaingsu Kingroad; type: Sahara; year: 2002; displacement: 250 cc; description: army green color; pay attention! This stroller is not provided with registration number;	10.00
578	1 Road and Yard Sweeper Schörling, KBG P17B, year built 1990, serial number 90-31-1011, brand: Schörling; type: KBG P17B; year: 1990; serial number: 90-31-1011; working width: 4150 mm; fuel engine driven: yes; fuel type: Diesel; own weight: 10000 kg; total dimension L: 14000 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: Mercedes OM422 engine; pay attention! This lot can be visited is located at a remote location and is therefore only by appointment; Pickup is also done by appointment aanmelden@troostwijkauctions.com;	1,000.00
579	1 <b>trailer</b> Kuiphuis, K3, year built 1991, brand: Kuiphuis; type: K3; year: 1991; license plate: WF-13-YV; number of axis: 2; cargo body size L: 395 cm; cargo body size W: 130 cm; load capacity: 1020 kg; own weight: 480 kg; total dimension L: 5250 mm; description: equipped with winch; width: 181; pay attention! This lot is located in a remote location and can only be visited by appointment and pick up via aanmelden@troostwijkauctions.com;	I
580	1 Road and Yard Sweeper Schörling, KBG P17B, year built 1985, serial number 85-31-0673, brand: Schörling; type: KBG P17B; year: 1985; serial number: 85-31-0673; working width: 4150 mm; fuel engine driven: yes; fuel type: Diesel; own weight: 10000 kg; total dimension L: 14000 mm; total dimension W: 2500 mm; total dimension H: 2600 mm; description: Mercedes OM422 engine; pay attention! This lot can be visited is located at a remote location and is therefore only by appointment; Pickup is also done by appointment aanmelden@troostwijkauctions.com;	1,000.00



Lot	Number Description Starting	Bid €
581	1 vibrating plate base plate size L: 1060 mm; base plate size W: 720 mm; brand engine: Farymann; fuel type: diesel; description: equipped with battery; sling;	10.00
582	1 Crosstrainer Kettler, Verso 309, brand: Kettler; type: Verso 309; training program: yes; heartrate monitoring: yes; electric connection: 230 V; description: incl. chrono bike "Electronics";	10.00
583	1 vibrating plate Delmag, year built 1994, brand: Delmag; year: 1994; base plate size L: 1000 mm; base plate size W: 680 mm; fuel type: diesel; description: equipped with pendulum; forward and reverse;	10.00
584	1 transportation box total dimension L: 2100 mm; total dimension W: 450 mm; total dimension H: 330 mm; description: equipped with inner liner; Two man lift;	10.00
585	1 lifting jip total dimension L: 2000 mm; total dimension W: 770 mm; total dimension H: 1200 mm; description: lifting-jip length 1000 mm;	10.00
586	1 lifting frame total dimension L: 1200 mm; total dimension W: 840 mm; description: equipped with lifting hook;	10.00
587	1 cultivator F42, type: F42; working width: 750 mm; description: equipped with acceleration; 3 forward and 1 reverse; kruimelrol; Honda engine;	10.00
588	1 ride on mower tires Trelleborg, Soft grip, brand: Trelleborg; type: Soft grip; description: lawn tires; front and rear; complete set; size front 26x12.00-12; size rear 33x12.50-15;	10.00
589	1 vibrating roller Wacker, brand: Wacker; base plate size L: 600 mm; base plate size W: 900 mm; brand engine: Hatz; fuel type: Diesel; description: equipped with four rollers;	10.00
590	1 vibrating plate Dynapac, LG700, year built 1994, brand: Dynapac; type: LG700; year: 1994; base plate size L: 1000 mm; base plate size W: 950 mm; brand engine: Hatz; fuel type: Diesel; own weight: 718 kg; description: equipped with forward and reverse;	10.00
591	1 hydraulic dump bucket total dimension L: 2050 mm; total dimension W: 1410 mm; total dimension H: 940 mm; description: equipped with two valve cylinders; bin dimensions . approx. 1130x1410x940 mm;	100.00
592	1 lifting chain hoist capacity: 20000 kg; description: switch Ø 22 mm; equipped with two lifting eyes closed; shorten link;	10.00
593	4 <b>container lifter</b> Kupper Weisser, ASSK, year built 1994, brand: Kupper Weisser; type: ASSK; year: 1994; lifting capacity: 1200 kg; total dimension H: 1700 mm; description: vv various heights adjustable; operated with spindle;	10.00
594	1 sail curtain description: equipped with conductors; approx. 6 m; pay attention! without rails;	10.00
595	1 tandem roller Vibromax, W/70, brand: Vibromax; type: W/70; roller width: 650 mm; brand engine: Hatz; own weight: 770 kg;	10.00
596	1 nido bumber description: equipped with hitch; 7-pole plug;	10.00
597	1 cutting machine Gedro, HTK 12 VL/50, year built 1996, brand: Gedro; type: HTK 12 VL/50; year: 1996; working width: 500 mm; own weight: 125 kg; description: hydraulic brick cutter; equipped with semi-mobile frame;	10.00



.ot	Number Description	Starting Bid €
598	1 vibrating plate base plate size L: 570 mm; base plate size W: 450 mm; fuel type: Diesel; own weig kg;	10.00 ht: 718
599	1 converter description: equipped with semi-mobile chassis; 2x connector terminal;	10.00
600	1 seat ride on mower John Deere, brand: John Deere; description: aft cockpit John Deere horticulture / rid mower;	10.00 de on
601	1 hydro tank total dimension W: 500 mm;	10.00
602	1 construction lamp gas-discharge lamp: yes; tripod: yes; electric connection: 230 V; total dimension L: mm; total dimension W: 1000 mm; total dimension H: 2300 mm; description: foot dimensions . approx. 1200x1000 mm; extendable tripod;	10.00 1200
603	1 Diesel engine number of cylinders: 4; total dimension L: 1400 mm; total dimension W: 800 mm; to dimension H: 1200 mm; description: air cooled; on frame;	10.00 tal
605	1 floor saw Wacker, BFS 1350AL, year built 2005, brand: Wacker; type: BFS 1350AL; year: 2 own weight: 136 kg; description: equipped with Honda motor; water reservoir;	10.00 005;
607	1 bottom rails description: equipped with rails; conductors; various accessories;	10.00
608	1 construction site lighting description: approx. 9x various tulip lighting;	10.00
609	1 lot of hoses description: various hoses; high pressure hoses; for example up to 10 or 12 bar;  mm; Semperit brand among others; of pallet 1;	10.00 900
610	lot of scaffolding Material with goat     galvanized: yes; description: length approximately 146 cm;	10.00
611	1 tandem roller roller width: 750 mm; brand engine: Hatz; total dimension L: 1400 mm; total dimension H: 1350 mm;	100.00 ion W:
612	4 plastic barrel description: Ø approx 58 cm; height approx 90 cm;	10.00
613	4 construction lamp Aerolux, AER Ecolux 2000, brand: Aerolux; type: AER Ecolux 2000; gas-discharge yes; power: 2000 W; degree of protection (IP): 54; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 600 mm;	10.00 lamp:
614	4 <b>construction lamp</b> Aerolux, AER Ecolux 2000, brand: Aerolux; type: AER Ecolux 2000; gas-discharge yes; power: 2000 W; degree of protection (IP): 54; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 600 mm;	10.00 lamp:
615	4 <b>construction lamp</b> Aerolux, AER Ecolux 2000, brand: Aerolux; type: AER Ecolux 2000; gas-discharge yes; power: 2000 W; degree of protection (IP): 54; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 600 mm;	10.00 lamp:
616	36 <b>fencing</b> galvanized: yes; description: size per fencing approximately 78 x 100 cm;	10.00
617	34 <b>fencing</b> galvanized: yes; description: size per fencing approximately 78 x 100 cm;	10.00
618	16 <b>fencing</b> galvanized: yes; description: size per fencing approximately 120 x 100 cm;	10.00
619	1 lot of scaffolding Material with goat galvanized: yes; description: length approximately 146 cm;	10.00



Lot	Number Description Starting	ng Bid €
© 620	1 skid steer loader hydraulic driven operation weight: 1300 kg; bucket size L: 600 mm; bucket size W: 1030 mm; bucket size H: 480 mm; tyre size: 23x9-10; cabin: yes; total dimension L: 2800 mm; total dimension W: 1400 mm; total dimension H: 1820 mm;	100.00
	Combination A	
621	1 vibrating plate Bomag, brand: Bomag; base plate size L: 900 mm; base plate size W: 480 mm; fuel type: Diesel;	10.00
622	1 workplace means of transport dimension L: 2010 cm; dimension W: 600 cm; dimension H: 260 cm; description: including two tray transport trolleys;	10.00
623	1 vibrating plate Bomag, brand: Bomag; base plate size L: 900 mm; base plate size W: 600 mm; brand engine: Hatz; fuel type: Diesel;	10.00
624	1 vibrating plate Ammann, AVH 630, year built 2007, serial number 141153, brand: Ammann; type: AVH 630; year: 2007; serial number: 141153; operation weight: 520 kg; base plate size L: 900 mm; base plate size W: 600 mm; brand engine: Hatz; engine power: 10.1 kW; fuel type: Diesel;	10.00
625	1 diamond Floor saw Weber , SM 82 R-2, serial number 596641, brand: Weber ; type: SM 82 R-2; serial number: 596641; brand engine: Robin; engine power: 8.2 kW; own weight: 104 kg;	10.00
626	11 <b>timetables</b> description: size approx 110 x 88 cm; including plastic strips;	10.00
627	1 sewer plug 500-1000mm(20"-40"), type: 500-1000mm(20"-40"); description: 1.5 bar;	10.00
628	1 semifinished various description: lot of various kunsrof semifinished;	10.00
629	1 vibrating plate Bomag, BPR50/52D, year built 1997, serial number 101690, brand: Bomag; type: BPR50/52D; year: 1997; serial number: 101690; operation weight: 445 kg; base plate size L: 900 mm; base plate size W: 600 mm; brand engine: Hatz; engine power: 5.8 kW; fuel type: Diesel;	10.00
630	1 vibrating plate Bomag, BPR50/52D, year built 1998, serial number 101690 10 2339, brand: Bomag; type BPR50/52D; year: 1998; serial number: 101690 10 2339; operation weight: 445 kg; base plate size L: 900 mm; base plate size W: 600 mm; brand engine: Hatz; engine power: 5.8 kW; fuel type: Diesel;	10.00
631	1 vibrating plate Bomag, BPR30/38D, year built 1999, serial number 101680 20 5193, brand: Bomag; type BPR30/38D; year: 1999; serial number: 101680 20 5193; operation weight: 223 kg; base plate size L: 700 mm; base plate size W: 500 mm; brand engine: Hatz; engine power: 3.3 kW; fuel type: Diesel;	10.00
632	4 construction lamp Aerolux, AER Ecolux 2000, brand: Aerolux; type: AER Ecolux 2000; gas-discharge lamp: yes; power: 2000 W; degree of protection (IP): 54; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 600 mm;	10.00
633	8 building lighting gas-discharge lamp: yes; electric connection: 400 V; description: vv tripod fixture; by two lamps;	10.00



Lot	Number Description Starting	g Bid €
634	1 utility trailer construction site lighting Sandhurst mfg, serial number T40982233, brand: Sandhurst mfg; VIN number: SA9T40XX2WB094253; serial number: T40982233; mileage (at intake): 4516 km; diesel: no; own weight: 475 kg; description: mobile construction site lighting equipped with two construction Yanmar lamps with air-cooled diesel generator; type YDG5500 SE-E;	100.00
635	1 utility trailer construction site lighting Sandhurst mfg, serial number T40992529, brand: Sandhurst mfg; serial number: T40992529; mileage (at intake): 4283 km; diesel: no; own weight: 490 kg; description: mobile construction site lighting equipped with two construction Yanmar lamps with air-cooled diesel generator; type YDG5500 SE-E;	100.00
636	1 high-pressure compressor Atlas Copco , XAS32, year built 1993, brand: Atlas Copco ; type: XAS32; year: 1993; capacity: 7 bar; hours on display: 2946; own weight: 420 kg;	100.00
637	1 electric curtain Kemko, brand: Kemko; total dimension W: 4340 mm; description: already disassembled;	100.00
638	2 tire with rim Hauler SKS, Wide-wall, brand: Hauler SKS; type: Wide-wall; tyre size: 33x15.5-16.5; description: serving skid steer loader;	10.00
639	2 tire with rim Hauler SKS, Wide-wall, brand: Hauler SKS; type: Wide-wall; tyre size: 33x15.5-16.5; description: serving skid steer loader;	10.00
640	1 lot of various pneumatic cylinders description: vv various dimensions and diameter; 2 from pallet-boxes;	10.00
641	1 compressor trailer Al-ko, brand: Al-ko; VIN number: VH7MNF55190140028; number of axis: 1; cargo body size L: 160 cm; cargo body size W: 100 cm; total dimension L: 3000 mm; total dimension W: 1400 mm; total dimension H: 1300 mm; description: pay attention! trailer is empty;	100.00
642	2 stacking yoke total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 750 mm;	10.00
643	1 <b>follower</b> number of axis: 2; cargo body size L: 300 cm; cargo body size W: 130 cm; total dimension L: 4000 mm; total dimension W: 2700 mm; total dimension H: 1350 mm; description: equipped with impeller; wooden floor (poor condition); spare wheel;	100.00
644	1 hoist equals hoist capacity: 5000 kg; description: dimensions . approx. 2640x550 mm;	10.00
645	1 hoist equals description: dimensions . approx. 3040x150 mm;	10.00
646	1 wasser pump Godwin, HL6, year built 2005, serial number S38775/02, brand: Godwin; type: HL6; year: 2005; serial number: S38775/02; total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: vv various connections; ao Ø 150 mm; 190 mm;	100.00
647	1 conveyor belt dim. L: 2900 mm; belt dim. W: 770 mm; description: 400 volts;	10.00
648	1 lot of flexible hoses description: Ø 160 mm;	10.00
649	1 <b>trailer</b> number of axis: 1; cargo body size L: 197 cm; cargo body size W: 110 cm; description: equipped with iron base; handbrake; impeller;	100.00
650	1 <b>trailer</b> number of axis: 1; cargo body size L: 197 cm; cargo body size W: 110 cm; description: equipped with iron base; handbrake; wheel; pay attention! fog boards;	100.00
651	2 stacking yoke total dimension L: 2240 mm; total dimension W: 1020 mm; total dimension H: 1680 mm; description: for panel storage;	10.00



Lot	Number Description	Starting Bid €
652	2 stacking yoke total dimension L: 2240 mm; total dimension W: 1020 mm; total dimension H: 1680 description: for panel storage;	10.00 mm;
653	4 material support total dimension H: 900 mm; description: foot dimensions . approx. 300x300 mm;	10.00
654	4 material support total dimension H: 900 mm; description: foot dimensions . approx. 300x300 mm; ed with adjusting bolt;	10.00 quipped
655	1 trailer Hapert, R25, brand: Hapert; type: R25; number of axis: 1; cargo body size L: 250 concargo body size W: 130 cm; description: vv cover; wooden floor; wheel; max. total 750 kg;	
656	1 Roller scaffolding description: on a mobile chassis;	10.00
657	1 snow shovel Warn, brand: Warn; working width: 1370 mm; total dimension L: 1300 mm; descripti construction snow shovel; equipped with angular adjustment; breakaway;	10.00 ion:
658	1 car parts description: including expansion tank; from 1 pallet box;	10.00
659	1 steel grate floor description: various sizes and types; of pallet 1;	10.00
660	4 pump foot description: foot dimensions approx. 600x600 mm; support height approx. 1120 mequipped with adjusting bolt;	10.00 nm;
661	1 lot of Timetables description: 2 from pallet-boxes; serving pallet shelve;	10.00
663	1 manbak dimension L: 2500 mm; dimension W: 1300 mm; dimension H: 1300 mm; descripti equipped with cut-out for pallet spoons; without stapeljukken;	10.00 on:
664	2 stacking yoke total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 750 m	10.00 m;
665	1 chain box dimension L: 2860 mm; dimension W: 630 mm; dimension H: 350 mm; description equipped with two compartments;	10.00
© 666	1 lot of hydraulic hoses description: vv various swivels; ao Ø 40 mm; of pallet 1;	10.00
© 667	1 hydraulic hose description: equipped with reel; ao Ø 30 mm; of pallet 1;	10.00
668	1 insulated heat boiler total dimension H: 1440 mm; description: Ø 730 mm; equipped with temperature m stainless steel;	10.00 eters;
© 669	1 hydraulic hose description: vv reel; ao Ø 30 mm;	10.00
© 670	1 hydraulic hose description: equipped with reel; ao Ø 20 mm;	10.00
© 671	1 hydraulic hose description: equipped with reel; ao Ø 30 mm;	10.00
© 672	1 <b>hydraulic hose</b> description: equipped with reel; ao Ø 30 mm;	10.00
© 673	1 hydraulic hose description: equipped with reel; ao Ø 30 mm;	10.00
	Combination C	



Lot	Number Description Startin	g Bid €
674	1 lot of hydraulic hoses	10.00
675	description: ao Ø 50 mm; vv various swivels; from pallet box;  1 lot of hose couplings	10.00
	description: incl. various ; from 1 pallet box;	
676	1 lot of shorts galvanized: yes; description: including dimensions . approx. 150 cm;	10.00
677	1 lot of shorts galvanized: yes; description: including dimensions . approx. 150 cm;	10.00
678	2 stacking yoke total dimension L: 2300 mm; total dimension W: 1300 mm; total dimension H: 2000 mm; description: without scaffolding Material;	10.00
679	1 lot of hose fittings description: various dimensions; from 1 pallet box;	10.00
680	4 flexible drain hose description: equipped with coupling pieces;	10.00
681	5 flexible drain hose description: from 1 pallet; 4 inches;	10.00
682	1 tilt connector quick change: yes; description: various hydraulic connections;	10.00
683	1 <b>connector</b> wimmer, Compact 3, year built 2009, brand: wimmer; type: Compact 3; year: 2009; quick change: yes; own weight: 308 kg; description: CW 30;	10.00
684	1 excavator/ skeleton bucket Wimmer, LPB310, brand: Wimmer; type: LPB310; bucket size L: 2000 mm; bucket size H: 640 mm; tilt bucket: yes;	100.00
685	1 excavator/ skeleton bucket bucket size L: 1500 mm; bucket size H: 1000 mm; tilt bucket: yes;	100.00
686	1 dust bin Nagema, K961/1, year built 1993, brand: Nagema; type: K961/1; year: 1993; own weight: 450 kg; total dimension L: 2600 mm; total dimension W: 2600 mm; total dimension H: 2750 mm; description: 400 volts; equipped with stairs; grit sieve;	100.00
687	1 lot of skulls description: from 1 box;	10.00
688	1 lot of skulls description: from 1 box;	10.00
689	1 hydraulic cable winch A2F.55.W-1.Z.1, year built 1982, type: A2F.55.W-1.Z.1; year: 1982;	10.00
690	1 <b>fuel tank</b> description: equipped with ventilation; hand pump; snake; filling gun; tank size 1400x800x840 mm;	100.00
691	2 plastic storage tank description: content 430 liters;	10.00
692	1 manure robot working width: 1200 mm; description: vv charging station;	10.00
693	1 cylinder car	10.00
694	1 hydraulic hose description: incl. IBC;	10.00
695	1 Concrete pump Putzmeister , brand: Putzmeister ; total dimension L: 3200 mm; total dimension W: 1100 mm; total dimension H: 1070 mm; description: equipped with two augers;	10.00



Lot	Number Description Starting	Bid €
696	1 Concrete pump Putzmeister, KOS1470, year built 1987, serial number 2187051297, brand: Putzmeister; type: KOS1470; year: 1987; serial number: 2187051297; total dimension L: 4800 mm; total dimension W: 1100 mm; total dimension H: 1450 mm; description: maximum pressure 60 bar;	100.00
697	1 manure hoses diameter: 160 mm; description: various dimensions;	10.00
698	1 lot of several hoses description: including Ø 600 mm;	10.00
699	4 trestle dimension W: 100 cm; dimension H: 85 cm; description: metal trestles;	10.00
700	lot of mobile scaffold material     description: incl. cants; platform; incl. stacking yoke;	10.00
701	1 <b>fire hose reel</b> total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: vv schamelwagen; various hose gutter threshold (with leather verbingsstuk) 4x;	10.00
702	1 hydraulic Aggregate electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 1150 mm; total dimension H: 1970 mm; description: vv drip tray; hydro "Volvo" pump; type pumping L3P- V1-070; control cabinet;	100.00
703	1 hydraulic Aggregate electric connection: 400 V; total dimension L: 1400 mm; total dimension W: 1150 mm; total dimension H: 1970 mm; description: vv drip tray; hydro "Volvo" pump; type pumping L3P- V1-070; control cabinet;	100.00
704	1 auger Höker Politechniek, TS-200, year built 2008, serial number BDE-458352, brand: Höker Politechniek; type: TS-200; year: 2008; serial number: BDE-458352; total dimension L: 3700 mm;	10.00
705	1 fuel tank total dimension L: 980 mm; total dimension W: 500 mm; total dimension H: 430 mm;	10.00
706	1 storage tank KTD-plasticon, year built 1991, brand: KTD-plasticon; year: 1991; total dimension L: 1700 mm; total dimension W: 1850 mm; total dimension H: 2000 mm; description: equipped with manhole; steel base;	10.00
707	1 <b>roof fan</b> J.E. Stork air, brand: J.E. Stork air; diameter: 700 mm;	10.00
708	2 concrete crash protection total dimension L: 1600 mm; total dimension W: 400 mm; total dimension H: 400 mm;	10.00
709	1 lot of hoses description: including suction hose with suction filter;	10.00
710	1 lot of hydraulic hoses description: from pallet box;	10.00
711	1 lot of hydraulic hoses description: from pallet box;	10.00
712	1 manifold description: 4-way manifold; equipped with four valves;	10.00
713	1 lot of hydraulic hoses description: from pallet box;	10.00
715	1 tractor cab cabin: yes; description: equipped with headliner; rear wiper; 2 on a side door; pay attention! for window is out;	10.00
716	1 unit casing description: dimensions . approx. 2000x1000x1500 mm;	10.00



Lot	Number Description Startin	g Bid €
717	1 vintage tool boxes steel: yes; description: of the first pallet; equipped with lid;	10.00
718	2 tire with rim Galaxy, EXR-300, brand: Galaxy; type: EXR-300; description: 14.00-25; tubeless;	10.00
719	2 air compressor description: V-belt drive;	10.00
720	4 cylinder leg holder description: dimensions . approx. per leg 700x900 mm; aluminium;	10.00
721	1 <b>construction parts</b> description: of the first pallet; various lengths; straight lengths; curved lengths; aluminium;	100.00
722	1 lifting beam Kwint, brand: Kwint; hoist capacity: 7000 kg; total dimension L: 1720 mm; total dimension W: 170 mm; total dimension H: 380 mm;	10.00
723	1 lifting beam Kwint, brand: Kwint; hoist capacity: 10000 kg; total dimension L: 1730 mm; total dimension W: 190 mm; total dimension H: 300 mm;	10.00
724	1 bale packer Cascade, 70D-BC-563C, year built 1998, serial number 795819 A009, brand: Cascade; type: 70D-BC-563C; year: 1998; serial number: 795819 A009; own weight: 1043 kg; total dimension L: 1250 mm; total dimension W: 1750 mm; total dimension H: 840 mm;	100.00
725	1 bale packer Cascade, brand: Cascade; total dimension L: 1700 mm; total dimension W: 1400 mm; total dimension H: 830 mm;	100.00
726	1 bale packer Stabau, S15 BKZ 30, serial number 16248, brand: Stabau; type: S15 BKZ 30; serial number: 16248; own weight: 780 kg; total dimension L: 1400 mm; total dimension W: 1450 mm; total dimension H: 920 mm;	100.00
727	5 plastic pallet crate foldable total dimension L: 1200 mm; total dimension W: 1000 mm;	10.00
728	5 plastic pallet crate foldable total dimension L: 1200 mm; total dimension W: 1000 mm;	10.00
729	5 plastic pallet crate foldable total dimension L: 1200 mm; total dimension W: 1000 mm;	10.00
730	1 articulated wheel loader John Deere, brand: John Deere; fuel type: Diesel; bucket size L: 1640 mm; bucket size W: 750 mm; bucket size H: 750 mm; tyre size: 31X1550-15NHS; description: including pallet fork;	1,000.00

# Lane E

#### General conditions Online Auction TroostwijkAuctions.com

#### **ARTICLE 1. DEFINITIONS**

**Acceptance**: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

**User**: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement**: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

**Viewing day**: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid**: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers**: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation**: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s)**: the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

#### **ARTICLE 2. APPLICABILITY**

- 2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.
- 2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

#### **ARTICLE 3. THE AUCTION**

- 3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.
- **3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

- 4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.
- **4.2** Troostwijk is entitled, before or during the auction, without stating reasons:
  - · Not to acknowledge a bid as such;
  - To exclude one or more users from the auction;
  - Combine items into lots, to divide lots and to withdraw lots from the auction:
  - To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these
    errors:
  - To take other measures that are required in Troostwijk's opinion.
- **4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.
- **4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.
- **4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

- **5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.
- **5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.
- **5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.
- **5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.
- **5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.
- **5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.
- **5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.
- **5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.
- **5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction
- 5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

#### **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

- **6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.
- **6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.
- **6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.
- **6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.
- **6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.
- **6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.
- **6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

#### ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

- 7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.
- **7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.
- **7.3** The purchaser respectively the carrier engaged by the purchaser is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

#### **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

- **8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.
- **8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

#### **ARTICLE 9. SECURITY**

- **9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.
- 9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

#### **ARTICLE 10. PURCHASE**

- **10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.
- **10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.
- 10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.
- 10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.
- **10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of at a time / times to be determined by Troostwijk placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and in case of the sale of one or more items by order of a trustee under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.
- **10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.
- **10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.
- **10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).
- **10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.
- **10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

#### ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

#### **ARTICLE 12. TERMINATION**

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

- **12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.
- **12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.
- 12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.
- **12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



#### **ARTICLE 13. LIABILITY**

- **13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.
- **13.2** Troostwijk is not liable for any consequential damage such as but non-exhaustive damage in the form of loss of profit or unsaleability of the items
- **13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.
- **13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.
- 13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.
- 13.6 Troostwijk and / or the seller are not liable for damage and consequential damage personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.
- 13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:
  - Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
  - Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
  - Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
    this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
    Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
    consequences thereof shall be to the account of the purchaser;
  - Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other
    legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
  - Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
  - Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
    is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
    website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
    restricted rights, other restrictions or intellectual property rights of third parties.
  - Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
    the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.
- **13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.
- **13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

- **15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.
- **15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.
- **15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.
- **15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

- 16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.
- **16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.
- **16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

# **About Us Troostwijk**

# **Did you know?**

we organise auctions in 25 countrieswe have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

## 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

# **Statistics**

- Every year we deal with 50.000 bidders
  - from 95 different countries
  - over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

### 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience

www.TroostwijkAuctions.com