

ONLINE AUCTION

Frozen food processing plant - ex AZ Surgelati in Liquidazione (IT) Food processing machines

Agglomerato Industriale S.Marco - 81025 Marcianise (CE) (Marcianise plant)

Closing date: Tuesday 22 OCTOBER starting 15:00



Viewing: Tuesday 15 October By appointment

Agglomerato Industriale S.Marco - 81025 Marcianise (CE) (Italy)

Bidding only on the internet!

21-10-19 12.33



Tuesday 22 October 2019 Frozen food processing plant - ex AZ Surgelati in Liquidazione Specific terms and conditions of the on-line auction - CS-201-18-EN

Closing date Viewing	Tuesday 22 October 2019 starting 15:00 CET Tuesday 15 October By appointment Marcianise plant Agglomerato Industriale S.Marco 81025 Marcianise (CE), Italy
Company organising this Online Auction	TROOSTWIJK Srl Via Domenico Trentacoste, 9 20134 MILANO, Italy Phone: +39 02 45487421 Fax: +39 02 2664693 E-mail: info@troostwijk.it
Markup	18.00%
VAT	22.00%
Collection	from Monday 28 October until Thursday 31 October
	By appointment from Monday 04 November until Friday 08 November
	By appointment
	Marcianise plant
	Agglomerato Industriale S.Marco
	81025 Marcianise (CE), Italy
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a
	viewingday. Placing a bid without viewing the equipment is at one's own risk.
Payment details	Full payment must be done within 48 h after awarding. Bank: KBC Bank NV Italia 20121 Milan IBAN : IT78W0337301600048425000001 SWIFT CODE: KREDITMMXXX Account holder: Troostwijk Srl Ref.: "Auction:, buyer n"
Delivery date/time	All lots will be disconnected, dismantled, taken out of the factory and loaded on truck by purchaser at its own cost, in compliance with existing safety regulation. Purchased lots must be collected strictly by appointment, within scheduled delivery days in co-ordination with Seller Plant manager . In case the lots are not collected by the aforementioned strict time limit, the right of the Seller and of Troostwijk Srl to declare termination of the contract because of purchaser default is however reserved. In this case Troostwijk Srl and the Seller shall keep as a penalty any amount which the buyer has already paid and they will be entitled to sell the items to other buyer or destroy them, even without any notice. Goods could be collected only on working days, during standard working hours, in co-ordination with Seller plant manager. Collection of purchased items shall start only after written Authorization is issued by Troostwijk Srl, upon cashing of Purchase Price. Don't send any truck or people to the site without appointment is fixed. ATTENTION - Collection days & time may be amended after auction closure. Buyers will receive communication in case of changes in delivery scheduling.
Subject to allocation	Some lot or combination could be market as 'Subject to allocation'. In this case, the highest bid for this lot will be presented to our client immediately after closing the auction. In two days the user will be informed if the bid for the lot is accepted

Additional information	 Vehicles: additional cost related to purchasing of vehicles due to change of property at Public Vehicle register, plate cancellation etc. remains to buyer side. These extra costs to be directly paid by buyer to the Car-Agency appointed byTroostwijk, before collection of good. Currency: auction sale is conducted in EURO currency and just payment on this currency are accepted. Combinations: All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. Prolungation: If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction. Customs Clearance: Buyers are responsible, at their own expense, to appoint a customs agent and to comply on their own with all export transactions for the purchased goods. Neither Troostwijk nor the Seller guarantee the issue of "Mandate to accomplish customs operations for importation", "Certificates of Origin", "EUR 1", "BILL OF LADING", "AIRWAY BILL", or similar. Legal references: Troostwijk Srl VAT Nr. IT 01914310154 - Chamber of Commerce nr. MI 146-161497 - Licence ref. 16.03.2011 Questore di Milano
General terms and conditions	On the auction sale, the general terms and conditions of the on on on-line auction sale (code CG-201-07-EN) are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions as mentioned in the catalogue of the sale. All assets are being sold strictly "as is, where is". No warranty is given, expressed or implied as to the condition or its fitness for use. Although the information and pictures contained in lots description was obtained from sources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. No responsibility whatsoever is assumed with respect to quantity, quality, dimensions, year of production and completeness of the goods. The descriptions are made under full reservation of potential errors which will be without any influence on a concluded sale. Placing a bid without viewing the equipment is at one's own risk
Privacy	Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no. 196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any collaborators and / or companies of which Troostwijk Srl uses, for fulfillment of the obligations established by law.



Purchase failure

In case of missing or belated payment of the Purchase Price, Purchaser will be considered decayed without any other communication, seller has the right to arrange a legal action or to arrange other auction or sell to the second Highest Bidder.

Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no. 196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any

	1	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: rif.39 (flour transfer plant) capacity 50m3; ø 2500mm ;	250.00
	2	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: fiberglass storage tank ref.39 (flour transfer plant); about 50m3°; with bristles ;	250.00
	3	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: fiberglass storage tank ref.39 (flour transfer plant); about 50m3°;	250.00
	4	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: fiberglass storage tank ref.39 (flour transfer plant); about 50m3°; ø 2500mm ;	250.00
	5	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: fiberglass storage tank ref.39 (flour transfer plant); about 50m3°;	250.00
	6	1	fiberglass storage tank Agriflex , year built 2006, brand: Agriflex ; year: 2006; vertical: yes; description: fiberglass storage tank ref.39 (flour transfer plant); about 50m3°;	250.00
	7	1	s / s piping with diverter and pneumatic shut-off valves total dimension L: 30000 mm; description: ø 150 mm, ref.40 (flour transfer system);	350.00
	8	1	funnel cyclone Agriflex , Digit 599, brand: Agriflex ; type: Digit 599; description: with load cells and display for weight management (flour transfer system) line W;	500.00
	9	1	feeding cyclone with auger description: feeding cyclone for 6 flour dusters with auger, gear motor and three-way steel discharge pipe (production line W);	750.00
С	10	2	kneading machines with single-column lifts Giovannini / Pietro Berto, NW/300, year built 2002, serial number 2002001408 e 09, brand: Giovannini / Pietro Berto; type: NW/300; year: 2002; serial number: 2002001408 e 09; description: capacity kg300; with stainless steel single-column elevator; divider hopper, protection structure and access ladder; conveyor belt for divider and rounder feeding (ref.48) (dough preparation) line W ;	3,500.00
C	11	1	leavening cell Mcs , brand: Mcs ; total dimension L: 9000 mm; total dimension W: 2500 mm; total dimension H: 3300 mm; description: 4-way leavening cell (3700 pieces per hour) with air treatment (for humidity and temperature) ground floor and mezzanine floor (W line);	3,000.00
С	12	1	s / s container with three and two funnels total dimension L: 2700 mm; description: container with three steel funnels (line W) ;	50.00
C	13	1	rolling line total dimension W: 1230 mm; description: 4-line lamination line consisting of 4 rolling mills with chains with conveyor belts and inspection gangway with s / s control steps (ref.51) (W line);	5,000.00
С	14	1	belt conveyor (food industry) Alimec, year built 2002, serial number 504/01, brand: Alimec; year: 2002; serial number: 504/01; total dimension L: 2300 mm; total dimension W: 1450 mm; total dimension H: 1000 mm; description: belt conveyors (food industry) for quality control; ; ref.52 line W ;	1,000.00
С	15	1	belt conveyors (food industry) year built 2002, year: 2002; belt dim. W: 1370 mm; total dimension L: 13000 mm; total dimension W: 1500 mm; total dimension H: 1020 mm; description: conveyor belt for filling (ref.80) line W ;	500.00

Starting Bid €



С	16		volumetric dosing machine Alimec, year built 2002, serial number 504/05, brand: Alimec; year: 2002; serial number: 504/05; total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1800 mm; description: 4 or 6 way tomato volumetric doser with stainless steel frame equipped with 4 plastic wheels with 50 liter hopper; with safety device and level sensor (ref 54) W line ;	800.00
C	17	1	S / s tomato spreader Alimec, serial number 504/05, brand: Alimec; serial number: 504/05; total dimension L: 2000 mm; total dimension W: 1300 mm; total dimension H: 2200 mm; description: tomato spreader or spreader with stainless steel frame (1-head spreading device with 4-way spreading kit) ref.54 W line ;	1,800.00
С	18	1	S / s water spraying device for buns total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 1700 mm; description: water spraying device for focaccias with stainless steel structure ref.56 (W line);	1,000.00
C	19	1	cheese dispenser Alimec , 504/08, brand: Alimec ; type: 504/08; total dimension L: 2000 mm; total dimension W: 1150 mm; total dimension H: 2050 mm; description: cheese dispenser; rif.57;	1,500.00
C	20	1	baking oven MCS, brand: MCS; total dimension L: 8000 mm; total dimension W: 2700 mm; description: cooking chamber with a stainless steel frame with one chamber complete with entrance and product outlet, flues and extractor hoods for extracting furnaces with 23 open flame burners; control panel brand Prolab engineering (located in the production area of plant 2) ref.58 line W;	2,000.00
C	21	1	S / s belt conveyors (food industry) Mita progetti, year built 2003, serial number 19901/10125-6a- 03-01, brand: Mita progetti; year: 2003; serial number: 19901/10125-6a- 03-01; total dimension L: 5000 mm; total dimension W: 1750 mm; description: variable discharge pen conveyors; rolled up carpet; line W ;	300.00
	22	1	S / s hot marker Todaro, year built 2010, serial number 2204-01/10/01, brand: Todaro; year: 2010; serial number: 2204-01/10/01; total dimension L: 1660 mm; total dimension W: 440 mm; total dimension H: 1750 mm; description: rif.60; with digital control panel ;	500.00
	23	1	belt conveyors (food industry) Alimec, 504/52, year built 2002, brand: Alimec; type: 504/52; year: 2002; own weight: 350 kg; total dimension L: 6500 mm; total dimension W: 580 mm; total dimension H: 800 mm; description: belt conveyors (food industry) intralox; ref. 61; carpet rolled up on the belt;	250.00
	25	1	S / s belt conveyors (food industry) total dimension L: 9000 mm; total dimension W: 800 mm; description: conveyor belt with diverters and inspection ladder; without tape ;	200.00
	26	1	s / s by-pass diverter Totaro, brand: Totaro; total dimension L: 7000 mm; total dimension W: 2700 mm; total dimension H: 2800 mm; description: s / s diverter by pass with pedestals with six motorized diverters; safety net and electrical panel; rif.64; part of the tape rolled to the ground ;	200.00
	27	1	S / s belt conveyors (food industry) total dimension L: 4000 mm; total dimension W: 360 mm; description: stacker inlet belt or semi-curved doubler in stainless steel; ref. 65; rolled ribbon ;	500.00
	28	1	S / s dubbing machine Metapack , IPS 150, year built 2006, serial number 28/06, brand: Metapack ; type: IPS 150; year: 2006; serial number: 28/06; electric connection: 380 V; total dimension L: 1970 mm; total dimension W: 800 mm; total dimension H: 1360 mm; description: doubling machine with panel on the machine; ref 66;	1,000.00

Startin	a Bi	d €
Otartin	y Di	u C

29 2	 S / s belt conveyors (food industry) total dimension L: 2350 mm; total dimension W: 340 mm; total dimension H: 900 mm; description: handmade S-shaped conveyor belt (ref.67); curvilinear conveyor belt 4400x360x1000 mm; 	125.00
	S / s conveyor belt total dimension L: 2200 mm; total dimension W: 380 mm; total dimension H: 800 mm; description: semi-curved conveyor belt with disassembled carpet (ref. 68) ;	500.00
31 1	S / s double climb ladder description: double climb ladder with access platform on stainless steel pedestal; rif.69; 10 steps and handrail ;	100.00
32 1	S / s packaging machine Sitma , C790, year built 2004, brand: Sitma ; type: C790; year: 2004; description: packaging machine with input belt model 823 DR, serial number 52 'star group model 820, serial number 54, cutting and sewing group, model 790, with panel on board the machine, heat-shrinking oven model 706 with control panel on the machine; ref. 70;	1,500.00
33 1	jib crane Donati, brand: Donati; max. lifting capacity: 125 kg; description: jib crane with remote control with rise and fall and 100 kg reel-lift accessory ;	200.00
34 3	S / s conveyor belt total dimension L: 1600 mm; total dimension W: 400 mm; total dimension H: 1100 mm; description: conveyor belt; ref. 73;	100.00
35 1	S / s by pass conveyor belt Rama , serial number 001, brand: Rama ; serial number: 001; total dimension L: 1850 mm; total dimension W: 630 mm; total dimension H: 1000 mm; description: conveyor belt; ref. 74; with control panel on the machine ;	100.00
36 1	s / s rephasing belt Rama, Sincronizzatore elettrico, serial number 002, brand: Rama; type: Sincronizzatore elettrico; serial number: 002; total dimension L: 1730 mm; total dimension W: 940 mm; total dimension H: 1300 mm; description: rephasing belt consisting of 4 small belts, with panel on the machine; ref. 75;	200.00
37	S / s cartoning machine Rama , RMA2C, serial number 004, brand: Rama ; type: RMA2C; serial number: 004; total dimension L: 8000 mm; total dimension W: 2250 mm; total dimension H: 1850 mm; description: cartoning machine with internal by-pass conveyor and waste conveyor and control panel on the machine; ref. 76;	2,000.00
38 1	double climb ladder total dimension L: 4850 mm; total dimension W: 1540 mm; total dimension H: 1770 mm; description: double climb ladder with access platform; ref. 77; 5 steps per ramp ;	70.00
39 1	hot and cold gluer PREO, EOPO514R4, year built 2012, serial number L110120N, brand: PREO; type: EOPO514R4; year: 2012; serial number: L110120N; electric connection: 380 V; total dimension L: 500 mm; total dimension W: 370 mm; total dimension H: 1360 mm; description: hot and cold gluer; ref. 78; digital control panel; 2200 watts;	100.00
40 1	inkjet printers Domino , A100, brand: Domino ; type: A100; total dimension L: 450 mm; total dimension W: 250 mm; total dimension H: 770 mm; description: ref.79 inkjet printer ;	50.00
41 1	S / s curvilinear conveyor belt Rama , serial number 005, brand: Rama ; serial number: 005; belt dim. W: 300 mm; power: 380 kW; total dimension L: 2000 mm; total dimension W: 550 mm; description: ref.80 (product packaging line) ;	200.00
42	S / s scale Prisma, Cont P. , serial number 445737, brand: Prisma; type: Cont P. ; serial number: 445737; weight range max: 1500 g; weight range max: 7 kg; platform size L: 500 mm; platform size W: 400 mm; total dimension L: 800 mm; total dimension W: 900 mm; total dimension H: 1500 mm; description: weight scale ; ref. 81;	250.00

	43	1	S / s metal detector Prisma , DR 105, serial number 306702, brand: Prisma ; type: DR 105; serial number: 306702; belt conveyor dim. L: 1500 mm; belt conveyor dim. W: 560 mm; total dimension L: 1670 mm; total dimension W: 1300 mm; total dimension H: 1100 mm; description: metal detector; ref. 82;	300.00
	44	1	S / s curvilinear conveyor belt Rama , serial number 007, brand: Rama ; serial number: 007; total dimension L: 4300 mm; total dimension W: 540 mm; total dimension H: 930 mm; description: curvilinear conveyor belt; ref. 83;	250.00
	45	1	carton stacker Rama , serial number 009 e 008 , brand: Rama ; serial number: 009 e 008 ; total dimension L: 3650 mm; total dimension W: 2700 mm; total dimension H: 2200 mm; description: carton stacker with sheet feeder unit with on board machine; ref. 84;	1,800.00
	46	1	bundler Vacuum Pump, TU70/100, year built 2002, serial number 100690602, brand: Vacuum Pump; type: TU70/100; year: 2002; serial number: 100690602; power: 16.5 kW; electric connection: 380 V; own weight: 430 kg; total dimension L: 2300 mm; total dimension W: 1250 mm; total dimension H: 2070 mm; description: bundling machine with size and sewing and heat-shrinking oven with panel on the machine (ref. 85);	500.00
	47	1	label printers Apply code , Pro, year built 2004, serial number 0412C02097, brand: Apply code ; type: Pro; year: 2004; serial number: 0412C02097; total dimension L: 1300 mm; total dimension H: 1900 mm; description: label printer ref. 86;	100.00
	48	1	roller tipper belt Rama , brand: Rama ; total dimension L: 1400 mm; total dimension W: 550 mm; total dimension H: 1200 mm; description: roll-over tilting belt with sliding belt; ref. 87; with plastic protection cage ;	100.00
	49	1	S / s group of conveyor belts Rama , serial number 0417/05, brand: Rama ; serial number: 0417/05; description: group of conveyor belts formed by a 1 m roller belt; from 2.5 mt intralox tape; from intralox tape from about 2.2 mt; control panel on the machine; rif.88;	250.00
	50	1	funnel cyclone Agriflex , Digit 599, brand: Agriflex ; type: Digit 599; description: funnel cyclones with relative load cells and panel for weight management; proboscis with a drop-down steel pipe with auger and pneumatic valve (open and close) ref.91 and 92 (flour transfer system) ;	750.00
	51	1	feeding cyclone description: feeding cyclone for five sprinkler with auger, gear motor and three-way discharge pipe in stainless steel (flour transfer system;	300.00
С	52	1	s / s wide-mouth container description: s / s wide mouth container with funnel with protection grid (ref.94) ø 610 mm (flour transfer system;	50.00
С	53	1	s / s tumbler description:) s / s tumbler with suction pump for flour transfer (ref. 95) (flour transfer system) ;	500.00
C	54	2	mixers Giovannini / Pietro Berto, NW/300, year built 2002, serial number 2001001900, brand: Giovannini / Pietro Berto; type: NW/300; year: 2002; serial number: 2001001900; description: , capacity kg300; with stainless steel single-column elevator; divider hopper, protection structure and access ladder; conveyor belt for divider and rounder feeding (ref.96) (flour transfer system;	3,500.00
C	55	1	rounder divider Werner & Pleiderer , Tewimat S , serial number 264869, brand: Werner & Pleiderer ; type: Tewimat S ; serial number: 264869; total dimension L: 1300 mm; total dimension W: 100 mm; total dimension H: 1500 mm; description: rounder divider with belt (ref. 97) (flour transfer system;	800.00

C	56	1	leavening cell Simer , brand: Simer ; total dimension L: 9000 mm; total dimension W: 2500 mm; total dimension H: 3300 mm; description: 4-way leavening cell (3700 pieces per hour) with air treatment (for humidity and temperature) rif98;	3,000.00
С	57	1	s / s tumbler Agriflex , brand: Agriflex ; description:) s / s tumbler with suction pump for flour transfer (ref. 95) (flour transfer system) (mezzanine floor) ;	800.00
			Pizza production line 1 Pizza production line 1	
С	58	1	rolling line total dimension W: 1230 mm; description: 4-row lamination line consisting of 3 rolling mills with 3 chaffing machines with 4-way rephasing conveyor belts, tear-off trolley with protection net; crush press and general control panel (ref. 99);	5,000.00
С	59	1	belt conveyor (food industry) Mitta progetti , brand: Mitta progetti ; total dimension L: 4000 mm; total dimension W: 1390 mm; total dimension H: 900 mm; description: conveyor belt ref. 100 ;	800.00
C	60	1	linear belt conveyor Alimec , year built 1998, serial number 373/4, brand: Alimec ; year: 1998; serial number: 373/4; own weight: 750 kg; total dimension L: 13000 mm; total dimension W: 1380 mm; total dimension H: 970 mm; description: conveyor belt (ref. 101);	500.00
C	61	1	volumetric dosing machine Alimec, serial number 504/05, brand: Alimec; serial number: 504/05; total dimension L: 2150 mm; total dimension W: 1300 mm; total dimension H: 2000 mm; description: 4 or 6 way tomato volumetric doser with stainless steel frame equipped with 4 plastic wheels ref 102);	1,000.00
C	62	1	tomato spreader Alimec, year built 1998, serial number 373/6, brand: Alimec; year: 1998; serial number: 373/6; total dimension L: 1750 mm; total dimension W: 1150 mm; total dimension H: 1900 mm; description: tomato spreader or spreader with stainless steel frame (1-head spreading device with 4-way spreading kit) ref.102;	600.00
С	63	1	pump (food industry) Gz, Gzcd15, brand: Gz; type: Gzcd15;	100.00
С	64	1	water spraying device for buns total dimension L: 1800 mm; total dimension W: 1060 mm; total dimension H: 1550 mm; description: water spraying device for stainless buns ref.103;	500.00
	65	1	stainless steel work table total dimension L: 285 mm; total dimension W: 780 mm; total dimension H: 940 mm; description: work table in stainless steel with two doors (production starts near mixers);	100.00
	66	3	catwalk total dimension L: 2100 mm; total dimension W: 770 mm; total dimension H: 1960 mm; description: n.3 gangways with 5 steps each; located n.2 in production is one in packaging;	150.00
C	67	1	S / s oiler 504/10, year built 2002, type: 504/10; year: 2002; own weight: 400 kg; total dimension L: 1640 mm; total dimension W: 700 mm; total dimension H: 1700 mm; description: oil machine;	500.00
C	68	1		1,000.00
			Pizza production line 2 Pizza production line 2	

Lot	Number Description Starting I	Bid €
69	1 variable pen conveyor belt Mira progetti, serial number 19901/19125/68/03/01, brand: Mira progetti; serial number: 19901/19125/68/03/01; total dimension L: 7000 mm; total dimension W: 1400 mm; description: variable pen conveyor belt (ref. 107); rolled conveyor belt;	500.00
70	1 S / s belt conveyor total dimension L: 3300 mm; total dimension W: 340 mm; total dimension H: 1450 mm; description: S / s belt conveyor (ref.110); tape rolled up and mounted on two feet; the upper part without a pedestal because it is secured to another lot (packaging department);	200.00
71	 1 stacking machine 1, Metapack , IPS 150, year built 2006, serial number 602, brand: Metapack ; type: IPS 150; year: 2006; serial number: 602; total dimension L: 1900 mm; total dimension W: 900 mm; total dimension H: 1360 mm; description: stacking machine with board on the machine; ref. 111; 	500.00
72	1 curved conveyor belt total dimension L: 1600 mm; total dimension W: 600 mm; total dimension H: 900 mm; description: curvilinear conveyor belt; ref. 112; unplugged carpet;	100.00
73	 packaging machines Sitma , C790, year built 2004, brand: Sitma ; type: C790; year: 2004; total dimension L: 7600 mm; total dimension W: 1250 mm; total dimension H: 1600 mm; description: packaging machine with inlet belt without belt model 823 DR, freshman 43 model star group 820, serial number 44, cutting and sewing group, model 790 A, serial number 204 with panel on the machine, heat shrink oven model 706 V serial number 625 with control panel on board machine ; ref. 113; 	500.00
74	 3 S / s belt conveyors Alimec, year built 2002, brand: Alimec; year: 2002; total dimension L: 2000 mm; total dimension W: 380 mm; description: steel belt conveyors; rif.113; on wheels ; mm 2400x400x100; mm1890x360x1000; 	250.00
75	 S / s curvilinear conveyor belt Vara , serial number 2498/98, brand: Vara ; serial number: 2498/98; total dimension L: 2600 mm; total dimension W: 570 mm; total dimension H: 100 mm; description: conveyor belt; ref. 115; 	150.00
76	1 rephaser synchronizer Vara , serial number 2489/98, brand: Vara ; serial number: 2489/98; power: 6 kW; electric connection: 380 V; total dimension L: 1750 mm; total dimension W: 950 mm; total dimension H: 1300 mm; description: rephasing synchronizer with panel on the machine ref. 116;	150.00
77	1 cartoner with hot gluer 1, Vara , serial number 2490/98, brand: Vara ; serial number: 2490/98; total dimension L: 1, 7500 mm; total dimension W: 2200 mm; total dimension H: 1900 mm; description: 1, cartoning machine with internal by-pass conveyor and reject belt and on-board machine 1, control ref.117; hot melt glue incorporated ; 1,	500.00
78	 inkjet printers Domino , A100, brand: Domino ; type: A100; total dimension L: 450 mm; total dimension W: 260 mm; total dimension H: 660 mm; description: inkjet printer ref.119; 	100.00
79	1 S / s curvilinear conveyor belt total dimension L: 5500 mm; total dimension W: 400 mm; total dimension H: 950 mm; description: s / s curvilinear conveyor belt ref.120;	300.00
80	 weight scale Prisma, Cont P., serial number 2493/98, brand: Prisma; type: Cont P.; serial number: 2493/98; platform size L: 790 mm; platform size W: 390 mm; digital display: yes; electric connection: 380 V; total dimension L: 800 mm; total dimension W: 870 mm; total dimension H: 830 mm; description: weight scale; max pressure 6 bar; 	150.00
81	1 metal detector	200.00

Prisma, brand: Prisma; total dimension L: 1970 mm; total dimension W: 1000 mm; total

dimension H: 1020 mm; description: metal detector; ref. 122; digital display ;

	82		S / s curvilinear conveyor belt Rama , year built 2002, serial number 007, brand: Rama ; year: 2002; serial number: 007; total dimension L: 3000 mm; total dimension W: 340 mm; total dimension H: 900 mm; description: s / s curvilinear ribbon rif.123;	200.00
	83	1	carton stacker Vara , serial number 2495/98, brand: Vara ; serial number: 2495/98; total dimension L: 3800 mm; total dimension W: 1600 mm; total dimension H: 2050 mm; description: carton stacker with sheet feeder unit with on board machine; ref. 124;	1,250.00
:	84	1	bundler Vacuum Pump, TU70/100, year built 1998, serial number 82020798, brand: Vacuum Pump; type: TU70/100; year: 1998; serial number: 82020798; total dimension L: 3750 mm; total dimension W: 1600 mm; description: bundling machine with size and sewing and heat- shrinking oven with panel on the machine (ref. 124);	800.00
	85	1	label printers Sato, M8460Se, year built 2008, brand: Sato; type: M8460Se; year: 2008; description: label printer ref. 126;	150.00
	86	1	S / s roller tipper belt Vara , brand: Vara ; total dimension L: 2000 mm; total dimension W: 600 mm; description: s / s roller tipper belt ; ref. 127 with plastic cage and shrinkwrapping outfeed belt and pivoting belt exiting after the rollers ;	150.00
;	87	1	metal detector Bizerba , Unicon , serial number MD10718546, brand: Bizerba ; type: Unicon ; serial number: MD10718546; belt conveyor: yes; belt conveyor dim. L: 2320 mm; belt conveyor dim. W: 400 mm; total dimension L: 2320 mm; total dimension W: 780 mm; description: metal detector (packaging); digital control on the machine ;	150.00
	88	1	belt conveyors (food industry) belt dim. L: 980 mm; belt dim. W: 470 mm; total dimension L: 980 mm; total dimension W: 750 mm; total dimension H: 700 mm; description: conveyor belt (packaging);	100.00
1	89	1	weight scale Bizerba , year built 2009, brand: Bizerba ; year: 2009; platform size L: 980 mm; platform size W: 600 mm; digital display: yes; total dimension L: 1000 mm; total dimension W: 880 mm; total dimension H: 680 mm; description: scale with digital display on the machine (;	150.00
ę	90	1	taping machine Siat , SM11 PC, year built 1998, serial number 32505, brand: Siat ; type: SM11 PC; year: 1998; serial number: 32505; electric connection: 380 V; total dimension L: 2460 mm; total dimension W: 1050 mm; total dimension H: 1500 mm; description: taping machine; 260w; 50hz;	350.00
9	91	3	belt conveyors (food industry) description: conveyor belts connected by a control panel on the first belt; packaging reference; n.1 2600x550x700h with control panel; 2 6400x500x800h without conveyor belt; n.1 4500x540x760h curvilinear ;	500.00
9	92	1	printer Hsajet , brand: Hsajet ; description: printer ;	50.00
9	93	1	Iabeling machine Sato , M8460Se, brand: Sato ; type: M8460Se; total dimension L: 700 mm; total dimension W: 1000 mm; total dimension H: 1000 mm;	150.00
	94	1	metal detector Prisma , brand: Prisma ; total dimension L: 1970 mm; total dimension W: 1270 mm; total dimension H: 1120 mm;	200.00
ę	95	1	weight scale Prisma , Cometal , serial number 2498/98, brand: Prisma ; type: Cometal ; serial number: 2498/98; platform size L: 800 mm; platform size W: 350 mm; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 980 mm; description: weight scale ; power 3kw; digital control on the machine ;	150.00

96	1	palletizing island year built 2012, year: 2012; description: 1 robot brand Kuka anthropomorphic type model KR180, serial number KR 180-2PA / 942578 from robot base; by a multiple gripping head for safety protections; automatic wrapping machine brand Siat model WS46PW, serial number 50395 of 2012; power 6kw; perimeter protections, from an increased column H = 300 cm, from a stretch film roping system for unloading pallets at 90°; rif.129; various roller conveyors ;	7,000.00
97		labeling machine Al tech , brand: Al tech ; total dimension L: 1200 mm; total dimension W: 950 mm; total dimension H: 900 mm; description: labeling machine; (Packaging) ;	150.00
98	4	S / s small platforms total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 100 mm; description: s / s small platforms (under blue tape near oven) ;	50.00
99	1	belt conveyors (food industry) total dimension L: 3700 mm; total dimension W: 500 mm; total dimension H: 700 mm; description: belt conveyors without carpet (near oven);	100.00
100	1	S / s basin with drain total dimension L: 1580 mm; total dimension W: 1000 mm; total dimension H: 340 mm; description: s / s basin with drain (near the oven) ;	50.00
101	1	S / s tomato storage plant Termil , IMP, year built 1998, serial number N500.14, brand: Termil ; type: IMP; year: 1998; serial number: N500.14; power: 30 kW; electric connection: 380 V; description: tomato storage system with s / s tanks of about 1000L each with built-in cooling coil, motorized agitators, automatic washing CIP with various programming, wash pumps and tomato distribution pump with filling lines, with inspection ladder with scale of access and control panel ref. 133 (location: room near the oven);	3,500.00
102	3	s / s thermal sealed carriages total dimension L: 1100 mm; total dimension W: 600 mm; total dimension H: 970 mm; description: s / s trolleys with thermal sealing for tomato transport with manual ball valves ref. 134; on wheels (room near the oven);	100.00
103	1	pneumatic dosing machine KARR, K 1000-4, year built 2011, brand: KARR; type: K 1000-4; year: 2011; description: pneumatic dosing ref. 135;	500.00
104	1	s / s honeycomb cupboard total dimension L: 1000 mm; total dimension W: 530 mm; total dimension H: 1800 mm; description: s / s honeycomb cupboard with n ° 10 doors ref.136 (without contents) (room near the oven);	150.00
105	1	S / s basin with drain total dimension L: 1580 mm; total dimension W: 1000 mm; total dimension H: 340 mm; description: s / s tank with drain (production before the oven);	50.00
106	1	S / s diverter for small pizzas total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 970 mm; description: diverter for small pizzas in motorized stainless steel on wheels;	50.00
107	2	S / s linear belt conveyor total dimension L: 1500 mm; total dimension W: 970 mm; description: linear conveyor belt on Skid divided into two ref. 140a (upper rep line catering line); missing carpet ;	100.00
108	2	S / s tilting conveyor belts total dimension L: 1500 mm; total dimension W: 410 mm; description: tilting conveyor belts (by-pass) with cage and protective net in stainless steel; carpet not present (top line catering rep);	500.00
109	2	S / s curvilinear conveyor belts total dimension L: 2800 mm; total dimension W: 410 mm; description: s / s curvilinear conveyor belts rif.140c; (top line catering rep); without carpet;	150.00

Starting	Bid	€
oraning		\sim

110	2	S / s conveyor belts with diverters total dimension L: 4000 mm; total dimension W: 540 mm; description: s / linear conveyor belts with motorized diverters; ref. 140d (upper rep line catering line);	150.00
111	2	s / s tilting conveyor belts total dimension L: 700 mm; description: s / s tilting conveyor belts (ref. 140f) (rep.superior catering line) with steel inspection ladder and protection net; without carpet;	200.00
112	2	S / s curved belt conveyors with piece counting total dimension L: 4500 mm; total dimension W: 420 mm; description: S / s curved belt conveyors with 2 piece counter buckets ref. 140g (upper section catering line) without carpet;	150.00
113	1	S / s belt conveyors (food industry) with diverter Totaro, year built 2010, serial number 0708/02/10/01, brand: Totaro; year: 2010; serial number: 0708/02/10/01; total dimension L: 1550 mm; total dimension W: 1000 mm; total dimension H: 420 mm; description: belt conveyors (food industry) with modular motorized diverter (upper rep line catering line);	150.00
114	1	S / s belt conveyors (food industry) Trasportatore p50, year built 2010, serial number 0708-01/10/10/02, type: Trasportatore p50; year: 2010; serial number: 0708-01/10/10/02; total dimension L: 4600 mm; total dimension W: 400 mm; total dimension H: 540 mm; description: belt conveyors (food industry); without carpet with part of the cage excluded; (top line catering rep);	100.00
115	1	S / s conveyor belt (food industry) with diverter total dimension L: 1400 mm; total dimension W: 1000 mm; description: belt conveyor (food industry) with motorized diverter and protection cage (mm3100x1280x1010h); (upper catering line) ;	150.00
116	1	S / s curvilinear conveyor belt total dimension L: 7000 mm; total dimension W: 350 mm; description: s / s curvilinear conveyor belt (catering line upper department);	150.00
117	1	bag inserter machine for boxes Ok , SL 220 S, year built 2011, serial number C561, brand: Ok ; type: SL 220 S; year: 2011; serial number: C561; digital control: yes; electric connection: 380 V; total dimension L: 2600 mm; total dimension W: 2000 mm; total dimension H: 2100 mm; description: bag inserting machine for boxes with hot printer brand EIDOS mod. SWing with electrical panel on the machine ;	1,500.00
118	1	S / s belt conveyor total dimension L: 2000 mm; total dimension W: 450 mm; total dimension H: 750 mm; description: belt conveyor (lower catering line) ;	100.00
119	1	S / s forming machine for cartons with gluer serial number 1127210, serial number: 1127210; total dimension L: 5000 mm; total dimension W: 2100 mm; total dimension H: 2100 mm; description: S / s box forming machine with board on the machine and PREO brand gluing unit (ref. 141) (catering line lower department);	2,000.00
120	1	S / s belt conveyor curvilinear (food industry) total dimension L: 4400 mm; total dimension W: 360 mm; total dimension H: 550 mm; description: curvilinear belt conveyor (control panel in photo not included);	250.00
121	1	labeling machine Al ritma , Sx, year built 2001, serial number 01065022511, brand: Al ritma ; type: Sx; year: 2001; serial number: 01065022511; description: labeling machine ;	100.00
122	1	S / s curvilinear belt conveyor with diverters total dimension L: 5000 mm; description: S / s conveyor with curved belt with motorized diverters (catering line lower section);	150.00
123	2	S / s belt conveyors total dimension L: 1500 mm; total dimension W: 3700 mm; description: belt conveyors (packaging line) ;	100.00

126	1	S / s belt conveyor with roof total dimension L: 2900 mm; total dimension W: 1200 mm; total dimension H: 1300 mm; description: S / s belt conveyor with protection roof (protection cage not included) cat. inferior ;	350.00
127	1	S / s belt conveyor total dimension L: 3800 mm; total dimension W: 680 mm; total dimension H: 940 mm; description: belt conveyor ;	100.00
128	1	curvilinear belt conveyor (food industry) total dimension L: 5600 mm; total dimension W: 370 mm;	100.00
129	1	cartoner total dimension L: 3300 mm; total dimension W: 2070 mm; total dimension H: 1650 mm;	800.00
130	1	 s / s conveyor belt (food industry) total dimension L: 3500 mm; total dimension W: 290 mm; total dimension H: 1070 mm; description: s / s conveyor belt (food industry); 	100.00
131	1	S / s belt conveyor total dimension L: 4140 mm; total dimension W: 200 mm; total dimension H: 900 mm; description: S / s conveyor belt (catering line lower department) ;	100.00
132	1	S / s belt conveyor with a curved line total dimension L: 4300 mm; total dimension W: 330 mm; total dimension H: 1000 mm;	150.00
133	1	bundler serial number 2930/00, serial number: 2930/00; power: 4 kW; electric connection: 380 V; total dimension L: 4000 mm; description: bundling machine (manual catering line) with curvilinear inlet belt and inspection ladder ;	500.00
200	1	boiler Hoval , Hrs 3000, year built 2008, serial number VIP 1171/INS, brand: Hoval ; type: Hrs 3000; year: 2008; serial number: VIP 1171/INS; gas-heated: yes; switchcabinet built-on: no; total dimension L: 4650 mm; total dimension W: 2200 mm; total dimension H: 2100 mm; description: steam boiler; design temperature 250 °; (outside under roof);	1,000.00
201	3	multipump pumping system Lowara , Shs 40-200/75, brand: Lowara ; type: Shs 40-200/75; description: multipump pumping system with variable speed hydrovar regulators for the management and control of individual pumps; with small compressed air tank ;	500.00
202	1	S / s tanks (food industry) vertical: yes; total dimension H: 3500 mm; description: S / s tanks (food industry); capacity 10,000 liters ;	1,000.00
203	1	S / s tanks (food industry) vertical: yes; total dimension H: 3500 mm; description: S / s tanks (food industry); capacity 10,000 liters ;	1,000.00
204	1	S / s tanks (food industry) vertical: yes; total dimension H: 3500 mm; description: S / s tanks (food industry); capacity 10,000 liters ;	1,000.00
205	1	S / s tanks (food industry) vertical: yes; total dimension H: 3500 mm; description: S / s tanks (food industry); capacity 10,000 liters ;	1,000.00
206	1	S / s tanks (food industry) vertical: yes; total dimension H: 3500 mm; description: S / s tanks (food industry); capacity 10,000 liters ;	1,000.00
C 207	1	S / s tank year built 2001, serial number 2409, year: 2001; serial number: 2409; vertical: yes; description: stainless steel tank cap. 20,000; aisi 304;	1,500.00
C 208	1	S / s tank year built 2001, serial number 2409, year: 2001; serial number: 2409; vertical: yes; description: stainless steel tank cap. 20,000; aisi 304;	1,500.00

Lot	Nun	nber Description Startin	ng Bid €
© 209	1	S / s tank vertical: yes; description: stainless steel tank cap.5000 (valves and pipes excluded) ;	500.00
© 210	1	S / s tank vertical: yes; description: stainless steel tank cap.5000 (valves and pipes excluded) ;	500.00
© 211	3	pumps (food industry) description: lot of 3 pumps of various sizes with two valves and hose indicated with the lot number ;	150.00
© 212	1	S / s plate heat exchangers description: plate heat exchanger ;	200.00
© 213	3	pumps (food industry) description: lot of 3 pumps on skid ;	50.00
		CIP system & storage tanks CIP system & storage tanks	
214	1	S / s tank Tecnocarmc, Se 12000 ps, year built 2006, serial number Se ubi 099, brand: Tecnocarmc; type: Se 12000 ps; year: 2006; serial number: Se ubi 099; vertical: yes; description: stainless steel tank cap.11500;	1,000.00
215	1	S / s tank Tecnocarmec , Se 12000 vps , year built 2006, serial number Se 060099, brand: Tecnocarmec ; type: Se 12000 vps ; year: 2006; serial number: Se 060099; vertical: yes; description: stainless steel tank cap.12000 (piping not included) ;	1,000.00
216	3	pumps (food industry) GZ , brand: GZ ; description: lot of 3 pumps ;	150.00
217	1	S / s cassette washing line description: cassette washing line composed of s / s about 3300 mm long suction hood (Angelo Po); linear and curved roller conveyors for 5300mm mm; oil collection tank 1600mm; oil collecting tank 1060 mm (the sink and the adjacent table are not included);	200.00
218	1	S / S mixer Movinox , brand: Movinox ; description: s / S skid mounted mixer; ø mm820 (underground) ;	800.00
219	1	scales Bilanciai, D430, serial number 139004, brand: Bilanciai; type: D430; serial number: 139004; weight range max: 15000 g; platform size L: 380 mm; platform size W: 380 mm; digital display: yes; description: weight scale ; table excluded (underground) ;	100.00
220	1	S / S mixer Meta Meccanica , brand: Meta Meccanica ; description: s / S skid mounted mixer; ø mm820 (underground) ;	800.00
222	1	belt conveyors (food industry) total dimension L: 1600 mm; total dimension W: 550 mm; description: conveyor belt conveyor; inclined and with collector low part (underground);	100.00
223	1	S / s cutter Treif , Phoenix CE, brand: Treif ; type: Phoenix CE; total dimension L: 2500 mm; total dimension W: 2200 mm; total dimension H: 1560 mm; description: stainless steel cutter with accessories with conveyor belt brand Mita progetti (underground room);	1,250.00
224	2	pumps (food industry) description: pumps with stainless steel cover trolley (underground) ;	100.00
227	1	industrial dishwasher Angelo Po, brand: Angelo Po; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 1950 mm; description: industrial dishwasher (underground room);	150.00
237	1	S / s wardrobe with sliding doors Angelo Po , brand: Angelo Po ; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1670 mm; description: s / s wardrobe without contents with sliding doors ;	100.00

239	1	ss hygiene station Roser , 19179, year built 2002, brand: Roser ; type: 19179; year: 2002; description: s/s hygiene station;	150.00
240	1	steam exchanger total dimension L: 3000 mm; total dimension W: 1400 mm; total dimension H: 1800 mm; description: steam exchanger with h2O supply tank made by Cordivari (located outside facing the last silo n6);	350.00
242	1	fiberglass storage tank Agriflex , brand: Agriflex ; vertical: yes; description: fiberglass silos capacity 50m3° (location of the entrance to the raw materials department); the silo is part inside and part outside on the roof ;	500.00
243	1	fiberglass storage tank Agriflex , brand: Agriflex ; vertical: yes; description: fiberglass silos capacity 50m3° (location of the entrance to the raw materials department); the silo is part inside and part outside on the roof ;	500.00
244	1	fiberglass storage tank Agriflex , brand: Agriflex ; vertical: yes; description: fiberglass silos capacity 50m3° (location of the entrance to the raw materials department); the silo is part inside and part outside on the roof ;	500.00
245	1	fiberglass storage tank Agriflex , brand: Agriflex ; vertical: yes; description: fiberglass silos capacity 50m3° (location of the entrance to the raw materials department); the silo is part inside and part outside on the roof ;	500.00
246	1	fiberglass storage tank Agriflex , brand: Agriflex ; vertical: yes; description: fiberglass silos capacity 50m3° (location of the entrance to the raw materials department); the silo is part inside and part outside on the roof ;	500.00
247	1	cheesecloth Agrflex, brand: Agrflex; total dimension L: 1370 mm; total dimension W: 450 mm; total dimension H: 1250 mm; description: buratto (access to the raw materials department);	250.00
248	1	S / s tumbler Agriflex , brand: Agriflex ; total dimension L: 1370 mm; total dimension W: 450 mm; description: s / s tumbler ;	350.00
249	1	washing s / s with piping description: washing s / s with piping including up to the start of the pumps near the tanks (access to the raw materials department);	500.00
250	1	S / s rotary heat sealer for bags Gandus, Ro 2001, brand: Gandus; type: Ro 2001; total dimension L: 1500 mm; total dimension W: 500 mm; total dimension H: 1530 mm; description: rotary heat sealer for polyethylene bags;	150.00
251	1	S / s belt conveyors (food industry) description: inclined belt on wheels resting on pallet (raw materials department area);	50.00
252		pump (food industry) Gz, Cd/15, serial number 01692, brand: Gz; type: Cd/15; serial number: 01692; description: pump (food industry) on wheels (preparation area facing internal silos);	50.00
253	1	s / s machine total dimension L: 900 mm; total dimension W: 1000 mm; total dimension H: 1500 mm; description: s / s machine on wheels resting on a pallet (access to raw materials);	50.00
254	2	S / s belt conveyors (food industry) description: S / s belt conveyors (food industry) 1900x500x670 and 600x400x900h (raw materials preparation area) :	50.00

Starting Bid €

Sta	rting	Bid	€
			<u> </u>

255	1	S / s scale Prisma , 09 D3, year built 2005, serial number 390601, brand: Prisma ; type: 09 D3; year: 2005; serial number: 390601; platform size L: 1030 mm; platform size W: 300 mm; digital display: yes; electric connection: 230 V; own weight: 180 kg; total dimension L: 1030 mm; total dimension W: 800 mm; total dimension H: 1500 mm; description: s / s scale (location of access area of raw materials area) ;	100.00
256	1	S / s tumbler Agriflex , brand: Agriflex ; total dimension L: 1350 mm; total dimension W: 440 mm; total dimension H: 920 mm; description: s / s tumbler (location of the access area to the raw materials area) ;	250.00
257	1	automatic labeling machine never used Bizerba, Glmb, brand: Bizerba; type: Glmb; description: automatic labeling machine never used with control panel to assemble (access to the raw materials department);	500.00
258	1	thermoforming Tecnosistem , 9000620560, year built 2005, serial number 0508198, brand: Tecnosistem ; type: 9000620560; year: 2005; serial number: 0508198; power: 30 kW; electric connection: 380 V; total dimension L: 9200 mm; total dimension W: 1400 mm; total dimension H: 2000 mm; description: thermoformer (located under the dairy entrance cover);	3,000.00
259	1	silenced rotary screw air compressors Fiac , Airblock 1002dr, year built 2008, serial number Bh1031084, brand: Fiac ; type: Airblock 1002dr; year: 2008; serial number: Bh1031084; air flow: 10200 l/min; power: 82 kW; electric connection: 400 V; own weight: 1750 kg; total dimension L: 2100 mm; total dimension W: 1200 mm; total dimension H: 2000 mm; description: silenced rotary screw air compressors (compressor room);	700.00
260	1	dryer Friul air , Dfe 118/ac, year built 2004, serial number 041006192, brand: Friul air ; type: Dfe 118/ac; year: 2004; serial number: 041006192; total dimension L: 1160 mm; total dimension W: 620 mm; total dimension H: 900 mm; description: dryer ;	250.00
261	1	compressed air tank Cordivari , year built 1998, serial number 980607 , brand: Cordivari ; year: 1998; serial number: 980607 ; total dimension L: 2400 mm; description: 2000 liter compressed air tank;	150.00
262	1	silenced rotary screw air compressors Fiac , Airblock 100dr, year built 2004, serial number Bd718589, brand: Fiac ; type: Airblock 100dr; year: 2004; serial number: Bd718589; air flow: 10068 l/min; power: 82 kW; electric connection: 400 V; own weight: 1220 kg; total dimension L: 2100 mm; total dimension W: 1200 mm; total dimension H: 2000 mm; description: silenced rotary screw air compressors (compressor room);	750.00
263	1	compressed air tank Fiac , year built 1998, serial number 980607 , brand: Fiac ; year: 1998; serial number: 980607 ; total dimension L: 2400 mm; description: 2000 liter compressed air tank;	150.00
264	1	dryer Friul air , Act 300/ac, year built 2010, serial number 100000273, brand: Friul air ; type: Act 300/ac; year: 2010; serial number: 100000273; total dimension L: 950 mm; total dimension W: 790 mm; total dimension H: 1610 mm; description: dryer ;	200.00
265	1	silenced rotary screw air compressors Fiac , Airblock 50, year built 2007, serial number Bg425555, brand: Fiac ; type: Airblock 50; year: 2007; serial number: Bg425555; power: 82 kW; electric connection: 400 V; total dimension L: 1520 mm; total dimension W: 1000 mm; total dimension H: 1450 mm; description: silenced rotary screw air compressors (compressor room);	750.00

Number Description Lot

Waring commercial, brand: Waring commercial; description: S / s laboratory mixer;

26			silenced rotary screw air compressors Fiac , Airblock 1002dr, year built 2011, serial number Bm9 40279, brand: Fiac ; type: Airblock 1002dr; year: 2011; serial number: Bm9 40279; air flow: 10200 l/min; power: 82 kW; electric connection: 400 V; own weight: 1750 kg; total dimension L: 2100 mm; total dimension W: 1100 mm; total dimension H: 1950 mm; description: silenced rotary screw air compressors (compressor room);	1,000.00
26	67	1	dryer Friul air , Act 140 ac, year built 2010, serial number 110017212, brand: Friul air ; type: Act 140 ac; year: 2010; serial number: 110017212; total dimension L: 730 mm; total dimension W: 670 mm; total dimension H: 1100 mm; description: dryer ;	200.00
26	58	1	compressed air tank CSC , year built 1998, serial number 980607 , brand: CSC ; year: 1998; serial number: 980607 ; total dimension L: 2400 mm; description: 2000 liter compressed air tank;	150.00
30	00	1	pH meter Crison , GLP 21, serial number 52004, brand: Crison ; type: GLP 21; serial number: 52004;	30.00
30)1	1	digital refractometer XS, DBR 35, brand: XS; type: DBR 35; description: digital refractometer ;	30.00
30)2	1	lab stiffness meter Zenit , brand: Zenit ; description: lab stiffness meter;	50.00
30)3	1	laboratory scale Bel , I thermo 163m, serial number It 1002242, brand: Bel ; type: I thermo 163m; serial number: It 1002242;	30.00
30)4	1	muffle oven Continental equipment , brand: Continental equipment ; total dimension L: 800 mm; total dimension W: 640 mm; total dimension H: 970 mm; description: muffle oven ;	100.00
30)5	1	laboratory stove Sib , brand: Sib ; total dimension L: 420 mm; total dimension W: 500 mm; total dimension H: 540 mm; description: laboratory stove;	100.00
30	06	1	analytical scale Ohaus , As 200, serial number 2131, brand: Ohaus ; type: As 200; serial number: 2131; weight range max: 202 g; digital control: yes; electric connection: 230 V;	30.00
30)7	1	muffle oven Reciterm , brand: Reciterm ; total dimension L: 740 mm; total dimension W: 580 mm; total dimension H: 1350 mm;	100.00
30)8	1	digester Falc , Klh 2 500, year built 2001, serial number R214950, brand: Falc ; type: Klh 2 500; serial number: R214950; year: 2001; stainless steel: yes; electric connection: 220 V;	30.00
30)9	1	thermostatic bath Isco , brand: Isco ; total dimension L: 470 mm; total dimension W: 340 mm; total dimension H: 250 mm; description: thermostatic bath ;	75.00
31	10	1	centrifuge Astor, Astor 8, brand: Astor; type: Astor 8;	50.00
31	11	1	conductivity Crison , BASIC 30, brand: Crison ; type: BASIC 30; description: conductivity ;	30.00
31	12	1	micro ph-meter Crison , Modello 2001, brand: Crison ; type: Modello 2001; description: micro ph-meter;	30.00
31	13	1	head space analyzer Dansensor, Checkmate 9900, year built 2000, serial number 46001076, brand: Dansensor ; type: Checkmate 9900; serial number: 46001076; year: 2000; description: head space analyzer ;	75.00
31	14	1	S / s laboratory mixer	50.00

Starting Bid €

315	Bel , Mark 160 top ray , serial number 3646 number: 36464; weight range max: 160 g; c connection: 230 V; description: electronic la	-	
316	, ,	50. 99734, brand: Biomerieux italia ; type: Minividas	00
317		100. al dimension L: 660 mm; total dimension W: 500	00
318		100. ntercontinental equipment ; type: M780; total 70 mm; total dimension H: 740 mm;	00
319	Pbi, Minisecuritas, year built 2003, serial nu	•	00
320	Pbi internazional , Alfa , year built 2001, ser type: Alfa ; serial number: 025415; year: 20	150. al number 025415, brand: Pbi internazional ; 01; electric connection: 220 V; total dimension al dimension H: 960 mm; description: laboratory	00
321	 thermostatic bath F.lli Galli , 1800T, serial number 25494, brai 25494; description: thermostatic bath; 	50. nd: F.lli Galli ; type: 1800T; serial number:	00
322	Falk instruments , WB -M5, year built 2009,	50. serial number 25494, brand: Falk instruments ; 2009; electric connection: 220 V; description:	00
323	2	150. tion: 220 V; total dimension L: 340 mm; total 000 mm; description: laboratory autoclave;	00
324	-	30. nental ; type: Still 3/E; description: laboratory	00
325	 5 1 magnetic heating stirrer Velp scientifica , F20520162, serial number F20520162; serial number: 157047; electric heating stirrer ; 	· · · · · · · ·	00
326	 magnetic heating stirrer Techno kartell, 10.0162.ka, serial number 4 10.0162.ka; serial number: 4951089; electr heating stirrer; 650 watts ; 		00
327	Seward, Stomacher 400 ba 7021, serial n	50. umber 32193 , brand: Seward ; type: Stomacher ic connection: 220 V; description: vane stirrer	00
328	F.lli Galli , G- cell 035, serial number 25454	150. brand: F.lli Galli ; type: G- cell 035; serial total dimension W: 460 mm; total dimension H:	00

329	1	laboratory hatchery F.Ili Galli , G- cell 035, serial number 25453, brand: F.Ili Galli ; type: G- cell 035; serial number: 25453; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 460 mm; total dimension H: 620 mm; description: laboratory hatchery ;	150.00
330	1	thermostatic hatchery F.Ili Galli , M780, brand: F.Ili Galli ; type: M780; total dimension L: 680 mm; total dimension W: 550 mm; total dimension H: 580 mm; description: thermostatic hatchery;	150.00
331	1	electronic laboratory scale Pcs , brand: Pcs ; weight range max: 2000 g; digital display: yes; digital control: no; electric connection: 230 V; description: electronic laboratory scale;	30.00
332	1	laboratory safety box total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 720 mm; description: laboratory safety box without content ;	75.00
333	1	kneading machine Bankermix , F3503, year built 2005, serial number F3503007, brand: Bankermix ; type: F3503; year: 2005; serial number: F3503007; own weight: 145 kg; description: wheeled mixer (laboratory);	150.00
334	1	air sample tester LCB, La salle F71260, serial number 08754, brand: LCB; type: La salle F71260; serial number: 08754; description: air sample tester;	50.00
335	1	airthight seal tester Pbi dansensor, Check point, year built 2008, serial number 58086139, brand: Pbi dansensor; type: Check point; serial number: 58086139; year: 2008; description: airthight seal tester;	50.00
402	6	trolleys in galvanized sheet total dimension L: 1500 mm; total dimension W: 880 mm; total dimension H: 1950 mm; description: trolleys for galvanized sheet for curd ripening (dairy) ;	300.00
403	6	trolleys in galvanized sheet total dimension L: 1500 mm; total dimension W: 880 mm; total dimension H: 1950 mm; description: trolleys for galvanized sheet for curd ripening (dairy) ;	300.00
404	1	s / s trolley on wheels total dimension L: 1600 mm; total dimension W: 1800 mm; total dimension H: 820 mm; description: s / s trolley on wheels with 8 wheeled shelves ;	100.00
405	4	S / s trolley mounted tank total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 700 mm; description: s / s carrella tank (dairy farm);	150.00
406	3	S / s trolley mounted tank total dimension L: 670 mm; total dimension W: 670 mm; total dimension H: 700 mm; description: s / s carrella tank (dairy farm);	150.00
C 408	1	s / s steam stretcher Carso, Mixer 500, year built 2004, serial number SO7984, brand: Carso; type: Mixer 500; year: 2004; serial number: SO7984; total dimension L: 2700 mm; total dimension W: 2800 mm; description: s / s steam stretcher with access ladders; control panel ;	1,500.00
© 409	1	S / s hot water preparer CMT, BIC 3000 M , year built 2001, serial number 4174, brand: CMT; type: BIC 3000 M ; year: 2001; serial number: 4174; total dimension H: 1600 mm; description: S / s hot water preparation (aisi 304) ø750mm;	450.00
410	1	s / s wheeled container total dimension L: 650 mm; total dimension W: 650 mm; total dimension H: 1500 mm;	150.00
411	1	s / s cylindrical collection container total dimension H: 900 mm; description: s / s cylindrical collector; ø 490mm;	50.00

© 412	1	S / s column elevator Carso , HK W200, serial number SM96646, brand: Carso ; type: HK W200; serial number: SM96646; total dimension L: 260 mm; total dimension W: 300 mm; total dimension H: 2900 mm; description: column elevator in stainless steel with control command ;	300.00
© 413	1	S / s mozzarella forming plant description: lot consisting of 1 s / s CMT hopper with two augers and control panels; n.4 s / s forming machines with control panels; n.2 S / s bead collection tanks with washing and collection pipes ;	5,000.00
© 414	1	s / s firming tank CMT , year built 2000, brand: CMT ; year: 2000; total dimension L: 4000 mm; total dimension W: 1000 mm; description: s / s firming tank with washing system (aisi 304);	2,500.00
© 415	1	s / s firming tank Tecnocarmec, VRM 40x10, year built 2006, serial number Vrm 060146, brand: Tecnocarmec; type: VRM 40x10; year: 2006; serial number: Vrm 060146; total dimension L: 3500 mm; total dimension W: 1100 mm; total dimension H: 800 mm; description: s / s firming tank with conveyor belt and washing system (aisi 304);	1,500.00
© 416	1	S / s plate heat exchangers Priamo , S21FG, year built 2002, serial number C0275DO1400A, brand: Priamo ; type: S21FG; year: 2002; serial number: C0275DO1400A; description: stainless steel plate heat exchanger (dairy);	700.00
419	1	pump (food industry) Gz, Cd/15, serial number 01692, brand: Gz; type: Cd/15; serial number: 01692; description: pump (food industry) trolley (dairy);	150.00
© 420	1	s / s conveyor belt Tecnocarmec, Nt2004 I NO, year built 2011, serial number Nt110024, brand: Tecnocarmec; type: Nt2004 I NO; year: 2011; serial number: Nt110024; total dimension L: 2000 mm; total dimension W: 400 mm; description: inclined closed conveyor belt;	150.00
© 421	1	s / s conveyor belt Tecnocarmec, Nt4004 I NO, year built 2011, serial number Nt110023, brand: Tecnocarmec; type: Nt4004 I NO; year: 2011; serial number: Nt110023; total dimension L: 4000 mm; total dimension W: 400 mm; description: stainless steel inclined closed conveyor belt (dairy);	150.00
© 422	1	s / s vertical packaging machine Tecnopack, brand: Tecnopack; description: s / s vertical packaging machine with s / s gangway structure, 6 vibrating channels; 4 weighing scales and conveyor belt with forming and square tube ;	3,500.00
C 423	1	metal detector Prisma , MDN, year built 2003, serial number 351601, brand: Prisma ; type: MDN; year: 2003; serial number: 351601; description: metal detector with s / s conveyor belt ;	150.00
© 424	1	dynamic balance Prisma , serial number 340401, brand: Prisma ; serial number: 340401; digital display: yes; total dimension L: 1300 mm; total dimension W: 450 mm; total dimension H: 860 mm; description: dynamic balance ;	200.00
C 425	1	S / s revolving table description: s / s revolving table ø 1300;	75.00
C 426	2	S / s conveyor belts Mita progetti , year built 2003, brand: Mita progetti ; year: 2003; description: Conveyors ; 580x440; 1660x450;	50.00
427	1	S / s tanks (food industry) with pump and stirrer vertical: yes; total dimension H: 2300 mm; description: s / s 5,000 vertical storage tank with delivery pump and agitator; ø about 1300 mm;	750.00
C 428	1	S / s conveyor feeding churns with belt conveyor total dimension H: 3000 mm; description: s / s feed conveyor for loading churns with conveyor belt of about 4000mm with auger and chutes ;	1,200.00

Startin	g Bi	id €	

C 429	1	s / s churns with cochlea Lutetia , brand: Lutetia ; total dimension L: 2100 mm; description: s / s churns with cochlea; ø1200 mm; mounted on skid ;	1,500.00
© 430	1	s / s churns with cochlea Lutetia , brand: Lutetia ; description: s / s churns with cochlea ;	1,500.00
© 431	1	s / s churns with cochlea Lutetia , brand: Lutetia ; description: s / s churns with cochlea ;	1,500.00
C 432	1	S / s belt conveyor with pump and valves total dimension L: 6500 mm; total dimension W: 560 mm; description: S / s conveyor belt closed with cover with drain pump and double Bardiani brand valve and side conveyors for churns ;	1,000.00
© 433	1	vibrating screen with elevator belt Tecnocarmec, year built 2005, brand: Tecnocarmec; year: 2005; total dimension L: 6100 mm; total dimension W: 880 mm;	600.00
		Mozzarella cheese line Mozzarella cheese line	
437	1	S / s belt conveyor (food industry) total dimension L: 2200 mm; total dimension W: 720 mm; total dimension H: 2000 mm; description: S / s conveyor belt (food industry) inclined and wheeled closed;	100.00
438	1	S / s trolleys on wheels total dimension L: 880 mm; total dimension W: 500 mm; total dimension H: 150 mm; description: s / s trolleys on wheels ;	100.00
440	2	s / s containers description: s / s containers;	100.00
441	1	other stainless steel food processing equipment description: lot of accessories for forming machines; box 800x1020 (contents excluded); (dairy);	200.00
442	1	s / s hood total dimension L: 3000 mm; total dimension W: 1500 mm; description: s / s suction hood ;	100.00
500	1	general control panel for storage and transport of flour description: general control panel for storage and transport of flour (production start);	500.00
501	1	mezzanine floor control panel Prolab srl, brand: Prolab srl;	500.00
502	1	S / s mezzanine local control panel Alimec, brand: Alimec;	500.00
503	1	production control panel front line w description: Siemens digital display ;	500.00
504		S / S production control panel	500.00
505		S / S control panel in front of lamination	250.00
506	1	S / S control panel front freezer Prolab , brand: Prolab ;	500.00
507	1	S / S control panel in front of freezer Simer , brand: Simer ;	500.00
508	1	control panel in front of the freezer Simer , brand: Simer ;	500.00
509	1	S / S packaging control panel front filling Simer , brand: Simer ;	500.00
510	1	S / S control panel packaging front cartoner Simer , brand: Simer ;	500.00
511	1	S / S dairy control panel Tecnocarmec, brand: Tecnocarmec;	500.00
512	1	S / S dairy control panel Tecnocarmec, brand: Tecnocarmec;	500.00

Lot	Number Description	Starting Bid €
513	1 S / S dairy control panel	500.00
514	1 S / S dairy control panel Lem, brand: Lem;	500.00
515	1 S / S dairy control panel	500.00
516	 S / S control panel for churns Lutetia , brand: Lutetia ; 	500.00
517	1 various belts for conveyors description: various belts for conveyors (ss table not included);	50.00
518	1 ss control panel description: ss control panel; on wheels;	50.00
519	1 ss various parts description: ss various parts;	100.00
520	1 ss various parts description: ss various parts;	100.00



General conditions Online Auction TroostwijkAuctions.com

CG-201-07-EN

((VAT Nr. IT 01914310154)

(Chamber of Commerce nr. MI 146-161497)

(Licence ref. 16.03.2011 Questore di Milano)

Article 1 Definitions

Website:	the website www.TroostwijkAuctions.com, which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;			
User:	the one who has registered on the Website;			
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister com-pany/ies as reported on the Website;			
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed			
Registration: registration of User on the Website by means of filling in completely the registration form found on the Website;				
Bid:	each amount bid by User in the auction for a lot;			
Lot:	an article, or a number of articles that are auctioned together (under one number);			
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;			
Seller:	the one who has commissioned a Lot to be auctioned;			
Purchaser:	the User to whom the Lot is allocated;			
User's Agreement:	the agreement between Troostwijk and the User;			
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;			
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;			
General Terms and Conditions for the User:	the General Terms and Conditions for access to and use of the Website;			
General Online Auction Terms and Conditions:	these General Terms and Conditions;			
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as re-ported on the Website for the Auction in question;			
Allocation:	the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.			

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the partici-pation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troost-wijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
 - actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.
- 3.3 Lots shall be displayed for those interested to see for one or more days before the auction and therefore the auction catalogue, brochures, advertisements, descriptions on the website and the like shall have a merely indicative value to identify the lot(s). Troostwijk therefore accepts no liability for damage resulting from any inadvertent, wrong or incomplete descriptions of the goods sold at auction.

Article 4. Organization of the Auction

4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.

- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
 - not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;
 - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
 - to take other measures that are, in its judgement, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgement of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be allocated to a differ-ent User who has placed the highest sustainable Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk then has the right not to allocate or not to allocate under suspensive condition(s).
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced

sale, this will be reported in the Specific Terms and Conditions of the Online Auction.

5.8 In the event that the receiver is the Seller, section 7.19 of the Civil Code obtains.

5.9 In the event that the auction occurs in the presence of a civil-law notary or court bailiff, he will supervise the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

- 6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.
- 6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached thereto. Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibil-ity of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.
- 6.3 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.
- 6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

- 7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.
- 7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwik, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.
- 7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liabil-ity for damages arising from entering the buildings or grounds.

Article 9. Delivery

- 9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.
- 9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.
- 9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the build-ings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).
- 9.4 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.
- 9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).
- 9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troost-wijk.

- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permis-sion.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Termination

10.1 If the Purchaser does not fulfil any obligation in the Purchase Agreement, including (but not limited to):

(i) not paying the Purchase Price or not paying it completely on time;

(ii) not picking up the Lot(s) on time and/or

(iii) not providing the information required before delivery,

the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller.

In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.

10.2 In case of termination as intended in 12.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover ad-ministrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 11. Liability

- 11.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 11.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) in-fringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 11.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Artikel 12. Adjustments; Effect

- 12.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undimin-ished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 12.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 12.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if is fixed in writing by an authorized representative of Troostwijk.
- 12.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 13. Applicable law

- 13.1 Italian law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 13.2 The Italian text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auc-tion are used in several languages, the Italian text will therefore be given preference in case of lack of clarity or



contradictions.

13.3 The District Court Milan is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and con-ditions, to the exclusion of every other instance.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience