

ONLINE AUCTION

Faillissementsveiling Donge Flushing Yard B.V. (NL)

Bankruptcy auction Auction Donge Flushing Yard B.V.

Portugal 3, Havennummer 5910 - 4455 TZ **Nieuwdorp** (Nieuwdorp, Portugal 3, Havennummer 5910 (Donge Flushing Yard B.V.))

Closing date: Friday 15 NOVEMBER starting 10:00







Viewing:

Thursday 07 November from 09:00 until 16:00 Portugal 3, Havennummer 5910 - 4455 TZ Nieuwdorp (The Netherlands)

Bidding only on the internet!

11-11-19 11.43



Friday 15 November 2019 Faillissementsveiling Donge Flushing Yard B.V.

Specific Online Auction Terms and conditions of a public auction sale

Closing date Friday 15 November 2019 starting 10:00 CET

Viewing Thursday 7 November from 09:00 until 16:00 CET

Portugal 3, Havennummer 5910 4455 TZ Nieuwdorp, The Netherlands TROOSTWIJK VEILINGEN B.V.

Company organising this Online

Overschiestraat 59

Auction

1062 XD Amsterdam, The Netherlands

Phone: +31 20 6666500

E-mail: info@troostwijkauctions.com

Markup 17.00% VAT 21.00%

Margin goods In case of margin goods the VAT will be 0%

Collection By appointment

Portugal 3, Havennummer 5910 4455 TZ Nieuwdorp, The Netherlands

day. Placing a bid without viewing the equipment is at one's own risk. Please see

articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of

Troostwijk.

Attending an auction closure for

consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor.

This public auction closure will take place at: Troostwijk Auctions -

Overschiestraat 59, 1062 XD Amsterdam.

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us

accordingly.

Payment Details Payments have to be effected within 48 hours after auction is closed, to Troostwijk

Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.

Please state the auction name and your buyer number and auction number :

Troostwijk Auctions BV

Bank Account nr. IBAN BIC code.

KBC Bank 0633 0173 NL06 KREDNL2XXXX

Deliver instructions The buyer needs to take the purchase agreement or the invoice to the delivery day.

The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the

mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions

article 6. (Guarantees, claims and indemnities).

www.TroostwijkAuctions.com



It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- VDSL can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- Auction Logistics can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditons of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The

Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after

the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and

weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number Description Starting | ng Bid € |
|--------|--|-----------|
| © 1001 | 1 monoblock boom17.5 meters BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 18025 mm; total dimension W: 2460 mm; total dimension H: 3450 mm; own weight: 31000 kg; description: size: 17 500 mm; with handrail structure, (hall 11); | 10,000.00 |
| © 1002 | 1 monoblock boom17.5 meters BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 18025 mm; total dimension W: 2460 mm; total dimension H: 3450 mm; own weight: 31000 kg; description: size: 17 500 mm; (hall 11); | 10,000.00 |
| © 1003 | 1 stick 5.5 meter (stick) BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 7040 mm; total dimension W: 1410 mm; total dimension H: 1955 mm; own weight: 10000 kg; description: size: 5500 mm; (hall 11); | 1,000.00 |
| © 1004 | 1 stick 8.5 meter (stick) BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 10025 mm; total dimension W: 1410 mm; total dimension H: 1900 mm; own weight: 13500 kg; description: size: 8500 mm; (hall 11); | 1,000.00 |
| © 1005 | 1 lever BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 1480 mm; total dimension W: 1183 mm; total dimension H: 480 mm; own weight: 1200 kg; description: (hall 11); | 100.00 |
| © 1006 | 1 lever BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 1480 mm; total dimension W: 1183 mm; total dimension H: 480 mm; own weight: 1200 kg; description: (hall 11); | 100.00 |
| © 1007 | 1 slewing ring BACKACTER, BA700, brand: BACKACTER; type: BA700; own weight: 7090 kg; description: Ø approx. 3450 mm; without a coffin; (hall 11); | 10,000.00 |
| © 1008 | 1 slewing ring BACKACTER, BA700, brand: BACKACTER; type: BA700; own weight: 7090 kg; description: Ø approx. 3450 mm; with chest; (Hal11); | 10,000.00 |
| © 1009 | 1 bucket cylinder protection BACKACTER, BA700, brand: BACKACTER; type: BA700; description: (hall 11); | 100.00 |
| © 1010 | 1 bucket cylinder protection BACKACTER, BA700, brand: BACKACTER; type: BA700; description: (hall 11); | 100.00 |
| © 1011 | 1 stick 9.5 meters (stick) BACKACTER, BA800, brand: BACKACTER; type: BA800; total dimension L: 9500 mm; own weight: 15699 kg; description: (hall 11); | 1,000.00 |
| © 1012 | 1 stick 9.5 meters (stick) BACKACTER, BA800, brand: BACKACTER; type: BA800; total dimension L: 9500 mm; own weight: 15699 kg; description: (hall 11); | 1,000.00 |
| © 1013 | 2 arm BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 1490 mm; total dimension W: 134 mm; total dimension H: 715 mm; own weight: 500 kg; description: (hall 11); | 100.00 |
| © 1014 | 2 arm BACKACTER, BA700, brand: BACKACTER; type: BA700; total dimension L: 1500 mm; description: (hall 11); | 100.00 |
| © 1015 | 1 stick 5.5 meter (stick) BACKACTER, BA800, brand: BACKACTER; type: BA800; total dimension L: 5500 mm; own weight: 9995 kg; description: (hall 11); | 1,000.00 |
| © 1016 | 1 stick 5.5 meter (stick) BACKACTER, BA800, brand: BACKACTER; type: BA800; total dimension L: 5500 mm; own weight: 9995 kg; description: (hall 11); | 1,000.00 |



| Lot | Number Description Starti | ng Bid € |
|--------|---|----------|
| © 1017 | 1 bucket cylinder protection BACKACTER, BA800, brand: BACKACTER; type: BA800; description: (hall 11); | 100.00 |
| © 1018 | 1 bucket cylinder protection BACKACTER, BA800, brand: BACKACTER; type: BA800; description: (hall 11); | 100.00 |
| 1019 | 1 hydraulic bulk loading grab VanTec, HCH-5,0, year built 2014, serial number DC24665, brand: VanTec; type: HCH-5,0; year: 2014; serial number: DC24665; own weight: 7200 kg; description: hydraulic rotating; capacity approx. 5000 liters; jaw width approx. 1920 mm; suitable for BA600; | 1,000.00 |
| 1020 | 1 hydraulic bulk loading grab VanTec, HCH-5,0, year built 2014, serial number DC24664, brand: VanTec; type: HCH-5,0; year: 2014; serial number: DC24664; own weight: 7200 kg; description: hydraulic rotating; capacity approx. 5000 liters; jaw width approx. 1920 mm; suitable for BA600; | 1,000.00 |
| 1021 | 1 hydraulic polyp grab VanTec, brand: VanTec; description: hydraulic rotating; outside diameter closed 2800 mm; 2100 mm in inside diameter closed; equipped with Esco teeth type U55C; suitable for BA600; | 1,000.00 |
| 1022 | 1 hydraulic polyp grab VanTec, brand: VanTec; description: hydraulic rotating; outside diameter closed 2800 mm; 2100 mm in inside diameter closed; equipped with Esco teeth type U55C; suitable for BA600; | 1,000.00 |
| 1023 | 1 power pack year built 1990, year: 1990; total dimension L: 900 mm; total dimension W: 3150 mm; total dimension H: 1950 mm; description: equipped with Deutz 5- cylinder diesel engine (87 kW); Power hydraulic pump unit; | 100.00 |
| © 1024 | 1 split hopper hydraulic cylinder 2100 m³ Hydrosaar, 3503985, brand: Hydrosaar; type: 3503985; total dimension L: 7200 mm; total dimension W: 1200 mm; total dimension H: 1330 mm; description: suitable for split tank; including seal set; | 1,000.00 |
| © 1025 | 1 split hopper hydraulic cylinder 2100 m³ Hydrosaar, 3503985, brand: Hydrosaar; type: 3503985; total dimension L: 7200 mm; total dimension W: 1200 mm; total dimension H: 1330 mm; description: suitable for split tank; including seal set; | 1,000.00 |
| © 1026 | 1 split hopper hydraulic cylinder 2100 m³ Hydrosaar, 3503985, brand: Hydrosaar; type: 3503985; total dimension L: 7200 mm; total dimension W: 1200 mm; total dimension H: 1330 mm; description: suitable for split tank; including seal set; | 1,000.00 |
| © 1027 | 1 split hopper hydraulic cylinder 2100 m³ Hydrosaar, 3503985, brand: Hydrosaar; type: 3503985; total dimension L: 7200 mm; total dimension W: 1200 mm; total dimension H: 1330 mm; description: suitable for split tank; including seal set; | 1,000.00 |
| 1028 | 1 hydraulic cylinder total dimension L: 5250 mm; description: tilt cylinder; Ø approx. 600 mm (hall 11); | 1,000.00 |
| 1029 | 1 hydraulic cylinder total dimension L: 5250 mm; description: tilt cylinder; Ø approx. 600 mm (hall 11); | 1,000.00 |
| 1030 | 1 reel with steel wire 6x41 WS+IVRC, type: 6x41 WS+IVRC; description: Ø approx. 68 mm; length 162.5 meter (hall 11); | 100.00 |
| 1031 | 1 lot of fasteners description: from 5 sections; where, among bolts and nuts (M6-M42); hydraulic hoses, and various (hall 11); | 10.00 |
| 1032 | 1 lot of shims description: BA800 BA1100-serving; 16 includes boxes bolts where, among M48x220 and M48x240 (hall 11); | 10.00 |



| Lot | Number Description Star | ting Bid € |
|--------|---|------------|
| 1033 | 1 lot of pipe saddles Stauff, brand: Stauff; description: from 6 sections; various sizes (hall 11); | 10.00 |
| 1034 | 1 belt sander Anma, BV20 75, year built 2001, brand: Anma; type: BV20 75; year: 2001; working width: 75 mm; sand belt size L: 2000 mm; electric connection: 380 V; description: 3 kW (hall 11); | 10.00 |
| 1035 | 1 lot of hoisting eyes description: various sizes, among other M56 (hall 11); | 10.00 |
| 1036 | 1 nitrogen shrink tank total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 600 mm; description: equipped with support brackets (hall 11); | 10.00 |
| 1037 | 1 nitrogen shrink tank total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 600 mm; description: equipped with lifting eyes (hall 11); | 10.00 |
| 1038 | 1 Anchor glands Ridderinkhof, CHW-HX745, year built 2009, brand: Ridderinkhof; type: CHW-HX745; year: 2009; description: chain drive suitable for 44 mm damketting U2; pull approx. 12 tons; including chain lock; | 100.00 |
| 1039 | 1 Anchor glands Ridderinkhof, CHW-HX745, year built 2009, brand: Ridderinkhof; type: CHW-HX745; year: 2009; description: chain drive suitable for 44 mm damketting U2; pull approx. 12 tons; including chain lock; | 100.00 |
| 1040 | 1 Anchor glands Ridderinkhof, CHW-HX745, year built 2009, brand: Ridderinkhof; type: CHW-HX745; year: 2009; description: chain drive suitable for 44 mm damketting U2; pull approx. 12 tons; including chain lock; | 100.00 |
| 1041 | 1 Anchor glands Ridderinkhof, CHW-HX745, year built 2009, brand: Ridderinkhof; type: CHW-HX745; year: 2009; description: chain drive suitable for 44 mm damketting U2; pull approx. 12 tons; including chain lock; | 100.00 |
| 1042 | 1 spoon handle (stick) BACKACTER, BA600, type: BA600; total dimension L: 5980 mm; total dimension W: 770 mm; total dimension H: 1980 mm; description: length center to center 4500 mm; | 100.00 |
| © 1043 | 1 pedestal with slewing ring Rothe Erde, BA800, brand: Rothe Erde; type: BA800; total dimension H: 1600 mm; description: equipped with three hydraulic gear motors; pedestal Ø approx. 4400 mm; wreath Ø approx. 3820 mm; | 1,000.00 |
| © 1044 | 1 pedestal with slewing ring Rothe Erde, BA800, brand: Rothe Erde; type: BA800; total dimension H: 1600 mm; description: equipped with three hydraulic gear motors; pedestal Ø approx. 4400 mm; wreath Ø approx. 3820 mm; | 1,000.00 |
| © 1045 | 1 pedestal Rothe Erde, BA700, brand: Rothe Erde; type: BA700; description: Ø approx. 3900 xh 1095mm, (hall 5); | 100.00 |
| © 1046 | 1 machine room BA700, type: BA700; total dimension L: 4600 mm; total dimension W: 5200 mm; total dimension H: 3170 mm; description: (hall 5); | 1,000.00 |
| © 1047 | 1 uppercarriage BA800, type: BA800; total dimension L: 7010 mm; total dimension W: 6750 mm; total dimension H: 4600 mm; description: weight ca: 37000kg; (hall 5); | 1,000.00 |
| © 1048 | 1 upper carrier BA700, type: BA700; description: size ca: b3000 x L3200 x h3520 mm; (hall 5); | 1,000.00 |



| Lot | Number Description Startin | ng Bid € |
|--------|--|----------|
| 1049 | 4 hydraulic cylinder Liebherr, 994, brand: Liebherr; type: 994; description: length hoh approx. 3450 mm; Ø approx. 300 mm; axis Ø approx. 140 mm (outside for hall 11); | 100.00 |
| 1050 | 1 machine room total dimension L: 6300 mm; total dimension W: 5000 mm; total dimension H: 3000 mm; own weight: 11500 kg; description: (outside area); | 100.00 |
| © 1051 | 1 excavator/ skeleton bucket blade bucket size W: 2480 mm; description: thickness of approx. 160 mm (pier); | 10.00 |
| © 1052 | 1 excavator/ skeleton bucket blade bucket size W: 3100 mm; description: thickness of approx. 160 mm (pier); | 10.00 |
| © 1053 | 1 excavator/ skeleton bucket blade bucket size W: 3260 mm; description: thickness of approx. 140 mm (pier); | 10.00 |
| © 1054 | 5 excavator/ skeleton bucket tooth 15, type: 15; description: (pier); | 10.00 |
| © 1055 | 6 excavator/ skeleton bucket tooth 15, type: 15; description: (pier); | 10.00 |
| © 1056 | 6 excavator/ skeleton bucket tooth 250, type: 250; description: (pier); | 10.00 |
| © 1057 | 6 excavator/ skeleton bucket tooth 250, type: 250; description: (pier); | 10.00 |
| © 1058 | 5 excavator/ skeleton bucket tooth 200, type: 200; description: (pier); | 10.00 |
| © 1059 | 6 excavator/ skeleton bucket tooth 200, type: 200; description: (pier); | 10.00 |
| © 1060 | 5 excavator/ skeleton bucket tooth M250, type: M250; description: (pier); | 10.00 |
| © 1061 | 6 excavator/ skeleton bucket tooth M250, type: M250; description: (pier); | 10.00 |
| © 1062 | 5 excavator/ skeleton bucket tooth M200, type: M200; description: (pier); | 10.00 |
| © 1063 | 6 excavator/ skeleton bucket tooth M200, type: M200; description: (pier); | 10.00 |
| © 1064 | 9 excavator/ skeleton bucket tooth 160, type: 160; description: (pier); | 10.00 |
| © 1065 | 5 excavator/ skeleton bucket tooth 75, type: 75; description: (pier); | 10.00 |
| © 1066 | 6 excavator/ skeleton bucket tooth 75, type: 75; description: (pier); | 10.00 |
| © 1067 | 5 excavator/ skeleton bucket tooth V200, type: V200; description: (pier); | 10.00 |
| © 1068 | 6 excavator/ skeleton bucket tooth V200, type: V200; description: (pier); | 10.00 |
| © 1069 | 5 excavator/ skeleton bucket tooth adapter 075-090, type: 075-090; description: (pier); | 10.00 |
| © 1070 | 6 excavator/ skeleton bucket tooth adapter 075-090, type: 075-090; description: (pier); | 10.00 |
| © 1071 | 5 excavator/ skeleton bucket tooth adapter 100-140, type: 100-140; description: (pier); | 10.00 |
| © 1072 | 6 excavator/ skeleton bucket tooth adapter 100-140, type: 100-140; description: (pier); | 10.00 |
| © 1073 | 5 excavator/ skeleton bucket tooth adapter 100-160, type: 100-160; description: (pier); | 10.00 |



| Lot | Number Description Start | ing Bid € |
|--------|---|-----------|
| © 1074 | 6 excavator/ skeleton bucket tooth adapter 100-160, type: 100-160; description: (pier); | 10.00 |
| © 1075 | 8 excavator/ skeleton bucket tooth adapter 100-200, type: 100-200; description: (pier); | 10.00 |
| © 1077 | 6 excavator/ skeleton bucket tooth adapter 200-160, type: 200-160; description: (pier); | 10.00 |
| © 1078 | 5 excavator/ skeleton bucket tooth adapter 250-200, type: 250-200; description: (pier); | 10.00 |
| © 1079 | 6 excavator/ skeleton bucket tooth adapter 250-200, type: 250-200; description: (pier); | 10.00 |
| | excavator bucket parts | |
| © 1080 | 1 cabin Ergocab, BA600/BA700, brand: Ergocab; type: BA600/BA700; total dimension L: 3800 mm; total dimension W: 1850 mm; total dimension H: 2500 mm; description: vv air suspended seat; heating; lighting; (hall 8); | 100.00 |
| © 1081 | 1 cabin Ergocab, BA600/BA700, brand: Ergocab; type: BA600/BA700; total dimension L: 3800 mm; total dimension W: 1850 mm; total dimension H: 2500 mm; description: vv air suspended seat; heating; lighting, and various system components (hall 8); | 100.00 |
| © 1082 | 1 hinge point for splitting tank description: consisting of two hinge pieces with T; weight (1x) approx. 5100 kg (1x) approx. 3550 kg; total approx. 8650 kg; overall dimensions . approx. 3000x2200x3150 mm (hall 3); | 10.00 |
| © 1083 | 1 hinge point for splitting tank description: consisting of two hinge pieces with T; weight (1x) approx. 5100 kg (1x) approx. 3550 kg; total approx. 8650 kg; overall dimensions . approx. 3000x2200x3150 mm (hall 3); | 10.00 |
| © 1084 | 1 hinge point for splitting tank description: consisting of two hinge pieces with T; weight (1x) approx. 5100 kg (1x) approx. 3550 kg; total approx. 8650 kg; overall dimensions . approx. 3000x2200x3150 mm (hall 3); | 10.00 |
| | split barge parts | |
| 1090 | 1 marine engine Baudouin, 6W105S, year built 2012, serial number 6W0104, brand: Baudouin; type: 6W105S; year: 2012; serial number: 6W0104; number of cylinders: 6; fuel type: Diesel; power: 130 kW; own weight: 1670 kg; description: with accessories in box and silencer. Total dimensions: L2100 x B850 x h1650 mm. Location: hall 4; | 100.00 |
| 1091 | 1 marine engine Baudouin, 6W105S, year built 2012, serial number 6W0105, brand: Baudouin; type: 6W105S; year: 2012; serial number: 6W0105; number of cylinders: 6; fuel type: Diesel; power: 130 kW; own weight: 1670 kg; description: with accessories in box and silencer. Total dimensions: L2100 x B850 x h1650 mm. Location: hall 4; | 100.00 |
| © 1101 | 16 lower bus BA700, type: BA700; description: weight per unit: 13 kg; total weight: 208 kg; (hall 9); | 10.00 |
| © 1102 | 5 connector pin BA700 , type: BA700 ; description: incl. 1x 160kg, 208kg 2 x 2 x 262kg; Total weight: 1100 kg; (hall 9) ; | 10.00 |
| © 1103 | 4 connector pin BA700, type: BA700; description: incl. 2x 118kg, 262kg 1x, 1x 93kg; (hall 9); | 10.00 |
| © 1104 | 2 connector pin BA700, type: BA700; description: 129kg each, total weight: 258 kg; (hall 9); | 10.00 |
| © 1105 | 4 cover plate BA700, type: BA700; description: piece weight: 33kg; total weight: 132 kg; (hall 9); | 10.00 |



| Lot | Number Description | Starting Bid € |
|--------|---|----------------|
| © 1106 | 18 x-ring cover BA700, type: BA700; description: unit weight: 6 kg; Total Weight: 108kg; (hall 9); | 10.00 |
| © 1107 | 13 x-ring cover BA700, type: BA700; description: piece weight: 6kg; Total Weight: 78kg; (hall 9); | 10.00 |
| © 1108 | 16 bearing bush BA700, type: BA700; description: 12kg each; Total weight: 192 kg; (hall 9); | 10.00 |
| © 1109 | 11 bearing bush BA700, type: BA700; description: 16kg each; Total Weight: 176kg; (hall 9); | 10.00 |
| © 1110 | 20 bearing bush BA700, type: BA700; description: 12kg each; Total Weight: 240kg; (hall 9); | 10.00 |
| © 1111 | 10 bearing bush BA700, type: BA700; description: 14kg each; Total Weight: 140kg; (hall 9); | 10.00 |
| © 1112 | 40 bearing bush BA700, type: BA700; description: 16kg each; Total Weight: 640kg; (hall 9); | 10.00 |
| © 1113 | 12 bearing bush BA700, type: BA700; description: 14kg each; Total Weight: 168kg; (hall 9); | 10.00 |
| © 1114 | 18 bearing bush BA700, type: BA700; description: 17x 13kg each; Total Weight: 156kg; (hall 9); | 10.00 |
| © 1115 | 1 connector pin BA700 , type: BA700 ; description: Total Weight: 524kg; (hall 9) ; | 10.00 |
| © 1116 | 2 axial plunger motor Rexroth, A2F M 355. / 60W, brand: Rexroth; type: A2F M 355. / 60W; description serving BA700 (hall 9); | 100.00 |
| © 1117 | 8 guide disc shaft BA700, type: BA700; description: (hall 9); | 10.00 |
| © 1118 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 524kg; (hall 9) ; | 10.00 |
| © 1119 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 524kg; (hall 9) ; | 10.00 |
| © 1120 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 416kg; (hall 9) ; | 10.00 |
| © 1121 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 416kg; (hall 9) ; | 10.00 |
| © 1122 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1123 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1124 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1125 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1126 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1127 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1128 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1129 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 858kg; (hall 9) ; | 100.00 |
| © 1130 | 4 connector pin BA700 ; description: Total Weight: 472kg; (hall 9) ; | 100.00 |
| © 1131 | 4 connector pin BA700; type: BA700; description: Total Weight: 472kg; (hall 9); BA700, type: BA700; description: Total Weight: 472kg; (hall 9); | 100.00 |



| Lot | Number Description Startin | g Bid € |
|--------|---|---------|
| © 1132 | 3 connector pin BA700 , type: BA700 ; description: Total Weight: 372kg; (hall 9) ; | 10.00 |
| © 1133 | 4 connector pin BA700 , type: BA700 ; description: Total Weight: 373kg; (hall 9) ; | 10.00 |
| © 1134 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 416kg; (hall 9) ; | 10.00 |
| © 1135 | 2 connector pin BA700 , type: BA700 ; description: Total Weight: 416kg; (hall 9) ; | 10.00 |
| © 1136 | 3 connector pin BA700 , type: BA700 ; description: Total Weight: 460kg; (hall 9) ; | 10.00 |
| © 1137 | 4 connector pin BA700 , type: BA700 ; description: Total Weight: 516kg; (hall 9) ; | 10.00 |
| © 1138 | 6 guide disc shafts B-TYPE Dipperbredger, type: B-TYPE Dipperbredger; description: serving BA700 (hall 9); | 100.00 |
| © 1139 | 6 guide disc shafts B-TYPE Dipperbredger, type: B-TYPE Dipperbredger; description: serving BA700 (hall 9); | 10.00 |
| © 1140 | 6 buses tilting cylinder B-TYPE Dipperbredger, type: B-TYPE Dipperbredger; description: serving BA700 (hall 9); | 10.00 |
| © 1141 | 13 cover cap BA 700, type: BA 700; description: (hall 9); | 10.00 |
| © 1142 | 1 seal description: serving BA700 (hall 9); | 100.00 |
| © 1143 | 2 steel canister BA700, type: BA700; description: and the rubber bushing (hall 9); | 10.00 |
| © 1144 | 1 hydraulic block HYCOS, P14119.MA.320, brand: HYCOS; type: P14119.MA.320; total dimension L: 2300 mm; total dimension W: 300 mm; total dimension H: 4500 mm; own weight: 650 kg; description: roof penetration manifold; serving B700; (hall 9); | 100.00 |
| © 1145 | 1 slewing ring motor SIEBENHAAR, BA700, year built 2010, serial number 4077DD15/0, brand: SIEBENHAAR; type: BA700; year: 2010; serial number: 4077DD15/0; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: (hall 9); | 100.00 |
| © 1146 | 1 slewing ring motor SIEBENHAAR, BA700, brand: SIEBENHAAR; type: BA700; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 800 mm; description: (hall 9); | 100.00 |
| © 1147 | 1 rotary joint DOCOMP, BA700/800, brand: DOCOMP; type: BA700/800; description: for model B700 / B800; | 100.00 |
| | BA700 parts | |
| © 1148 | 27 buffer element TB SR-350/150, type: TB SR-350/150; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 150 mm; description: (hall 9); | 10.00 |
| © 1149 | 1 pallet threaded rods with nuts and washers description: M48 x 600 mm (hall 9); | 10.00 |
| © 1150 | 20 buffer element TB SR-350/150, type: TB SR-350/150; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 150 mm; | 10.00 |
| © 1151 | 8 buffer element TB SR-350/150, type: TB SR-350/150; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 150 mm; | 10.00 |



| Lot | Number Description Startin | ng Bid € |
|--------|--|----------|
| © 1152 | 1 hydraulic control unit total dimension L: 1650 mm; total dimension H: 1120 mm; | 100.00 |
| © 1153 | 1 gearbox with pumps LIKA, serial number 09 43 23710, brand: LIKA; serial number: 09 43 23710; total dimension L: 1800 mm; total dimension W: 1500 mm; total dimension H: 1350 mm; own weight: 1100 kg; | 100.00 |
| © 1154 | 1 hydraulic hose guides total dimension L: 2050 mm; total dimension W: 400 mm; total dimension H: 1040 mm; description: stainless version; (hall 9); | 100.00 |
| © 1155 | 20 cover plate BA 800, type: BA 800; description: Total Weight: 760kg; (hall 9); | 10.00 |
| © 1156 | 2 boom arms Backacter, BA 800, brand: Backacter; type: BA 800; description: Total Weight: 719kg; (hall 9); | 10.00 |
| © 1157 | 2 boom arms Backacter, BA 800, brand: Backacter; type: BA 800; description: Total Weight: 520kg; (hall 9); | 10.00 |
| © 1158 | 4 boom arms Backacter, BA 800, brand: Backacter; type: BA 800; description: Total Weight: 808kg; (hall 9); | 10.00 |
| © 1159 | 5 boom arms Backacter, BA 800, brand: Backacter; type: BA 800; description: total weight: 1590kg; (hall 9); | 10.00 |
| © 1160 | 1 lot of plastic rings BA 800, type: BA 800; | 10.00 |
| © 1161 | 4 steel canister description: Total Weight: 68kg; (hall 9); | 10.00 |
| © 1162 | 16 various covers BA 800, type: BA 800; description: Total Weight: 720kg; (hall 9); | 10.00 |
| © 1163 | 2 double hydraulic pump Decomp, brand: Decomp; description: (hall 9); | 100.00 |
| © 1164 | 1 hydraulic block MOOG, brand: MOOG; description: serving BA 800; (hall 9); | 100.00 |
| © 1165 | 1 slew engine REXROTH, A2F M 355. / 600w, brand: REXROTH; type: A2F M 355. / 600w; description: serving BA800; (hall 9); | 10.00 |
| © 1166 | 1 pce leak oil pump HPI, brand: HPI; description: verm: 7.5 Kw; 400 volts; serving BA 800; (hall 9); | 100.00 |
| © 1167 | 2 slew engine REXROTH, A2F M 355. / 600w, brand: REXROTH; type: A2F M 355. / 600w; description: serving BA800; (hall 9); | 10.00 |
| © 1168 | 1 various components. BA800, type: BA800; description: incl. : hydraulic unit, filter, check valves, valve; (hall 9); | 10.00 |
| © 1169 | 1 boom cylinder and supports various BA800, type: BA800; description: (hall 9); | 10.00 |
| © 1170 | 1 pce leak oil pump HPI, BA800, brand: HPI; type: BA800; description: verm: 7.5 Kw; 400 volts (hall 9); | 100.00 |
| © 1171 | 1 gearbox parts BA800, type: BA800; description: part of HPV DD4; (hall 9); | 10.00 |
| © 1172 | 2 stick cylinder supports BA800, type: BA800; description: and parts; (hall 9); | 10.00 |
| © 1173 | 2 Filters HYDAC, NF BN/HC 1350 DL3 A 2.1/-B6, year built 2010, brand: HYDAC; type: NF BN/HC 1350 DL3 A 2.1/-B6; year: 2010; description: and various parts; (hall 9); | 10.00 |



| Lot | Number Description S | tarting Bid € |
|--------|--|----------------|
| © 1174 | 2 Filters HYDAC, NF BN/HC 1350 DL3 A 2.1/-B6, year built 2010, brand: HYDAC; type: NF BN/HC 1350 DL3 A 2.1/-B6; year: 2010; description: and various parts; (hall 9); | 10.00 |
| © 1175 | 4 hydraulic blocks BA800, type: BA800; description: incl. : boom cylinder L + R, L + R drive cylinder; (h 9); | 100.00 nall |
| © 1176 | 1 rotary joint DOCOMP; type: BA700/800; description: (hall 9); | 100.00 |
| © 1177 | 4 covers BA800, type: BA800; description: Total weight: 136 kg; (hall 9); | 10.00 |
| © 1178 | 26 covers BA800, type: BA800; description: total weight: 1248kg; (hall 9); | 10.00 |
| © 1179 | 24 steel canister BA800, type: BA800; description: Total Weight: 432kg; (hall 9); | 10.00 |
| © 1180 | 17 steel canister BA800, type: BA800; description: Total Weight: 306kg; (hall 9); | 10.00 |
| © 1181 | 12 bronze graphite plain bearing bush description: Total Weight: 156kg; (hall 9); | 10.00 |
| © 1182 | 18 bronze graphite plain bearing bush description: Total Weight: 234kg; (hall 9); | 10.00 |
| © 1183 | 8 steel canister BA800, type: BA800; description: BA800; Total Weight: 160kg; (hall 9); | 10.00 |
| © 1184 | 18 steel canister BA800, type: BA800; description: BA800; Total Weight: 360kg; (hall 9); | 10.00 |
| © 1185 | 27 steel canister BA800, type: BA800; description: BA800; Total Weight: 459kg; (hall 9); | 100.00 |
| © 1186 | 2 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 520kg; (hall 9); | 10.00 |
| © 1187 | 2 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 443kg; (hall 9); | 10.00 |
| © 1188 | 2 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 274kg; (hall 9); | 10.00 |
| © 1189 | 49 x-ring cover BA800, type: BA800; description: Total weight: 245 kg; (hall 9); | 10.00 |
| © 1190 | 20 covers BA800, type: BA800; description: piece weight: 38kg; Total Weight: 760kg; (hall 9); | 10.00 |
| © 1191 | 4 various covers BA800, type: BA800; description: incl. 2x 48kg, 2 x 38 kg; Total weight: 172 kg; (hal | 10.00 |
| © 1192 | 3 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 606kg; (hall 9); | 10.00 |
| © 1193 | 3 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 606kg; (hall 9); | 10.00 |
| © 1194 | 3 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 606kg; (hall 9); | 10.00 |
| © 1195 | 3 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 606kg; (hall 9); | 10.00 |
| © 1196 | 3 connector pin Backacter, BA 800, type: BA 800; description: Total Weight: 600kg, (Hall 9); Backacter, BA 800, type: BA 800; description: incl. 2x total weight 274 kg, 1 x 318 kg hall 9); | 10.00 |
| © 1197 | 40 brass rings BA800, type: BA800; description: dimensions : diam: 360 mm; Total Weight: 240kg; hall 9); | 10.00 |



| Lot | Number Description Startin | g Bid € |
|--------|---|---------|
| © 1198 | 40 brass rings BA800, type: BA800; description: dimensions : diam: 360 mm; Total Weight: 240kg; (hall 9); | 10.00 |
| © 1199 | 40 x-ring cover BA800, type: BA800; description: unit weight: 5 kg; Total weight: 200 kg; (hall 9); | 10.00 |
| © 1200 | 44 x-ring cover BA800, type: BA800; description: unit weight: 5 kg; total weight: 220 kg; (hall 9); | 10.00 |
| © 1201 | 2 pin BA800, type: BA800; total dimension L: 660 mm; description: weight per piece: 159 kg; Total weight: 318 kg; (hall 9); | 10.00 |
| © 1202 | 8 x-ring cover BA800, type: BA800; description: unit weight: 5 kg; total weight: 40 kg; (hall 9); | 10.00 |
| © 1203 | 12 cover BA800, type: BA800; total dimension W: 300 mm; description: weight per unit: 8 kg; total weight: 96 kg; (hall 9); | 10.00 |
| © 1204 | 2 pin BA800, type: BA800; total dimension W: 300 mm; description: weight per piece: 177 kg; Total weight: 354 kg; (hall 9); | 10.00 |
| © 1205 | 115 x-ring cover BA800, type: BA800; description: unit weight: 5 kg; total weight: 220 kg; (hall 9); | 10.00 |
| © 1206 | 22 x-ring cover BA800, type: BA800; description: unit weight: 6 kg; total weight: 132 kg; (hall 9); | 10.00 |
| © 1207 | 1 rotor unit BA800, type: BA800; total dimension L: 450 mm; description: Ø approx. 250 mm; including sealset (hall 9); | 10.00 |
| © 1208 | 4 clutch set BA800, type: BA800; description: Ø approx. 240 mm; including sealset and lower (hall 9); | 10.00 |
| © 1209 | 10 rubber knee coupling BA800, type: BA800; description: 8x Ø approx. 135 mm; 2x Ø approx. 185 mm (hall 9); | 10.00 |
| © 1210 | 1 shut-off valves, and various BA800, type: BA800; description: inside Ø approx. 130 mm; content wooden crate which include mounting brackets; ball valves, and various (hall 9); | 10.00 |
| © 1211 | 32 lower BA800, type: BA800; description: inside Ø approx. 130 mm; outside diameter approx. 200 mm (hall 9); | 10.00 |
| © 1212 | 1 case with thermal welding accessories description: Mannings including welding unit; 380 Volt extension cable; thermal blankets, and various (hall 9); | 10.00 |
| © 1213 | 1 lot of rivets and various description: rivet size 10x50 mm; including various on one pallet (hall 9); | 10.00 |
| © 1214 | 1 rotor unit BA800, type: BA800; total dimension L: 900 mm; total dimension W: 340 mm; total dimension H: 340 mm; description: (hall 9); | 10.00 |
| © 1215 | 1 transport pin and hook block Liebherr, brand: Liebherr; description: center to center pin length 1550 mm (hall 9); | 10.00 |
| © 1216 | 1 lot of air and oil filters BA800, type: BA800; description: 2 pallets; where among Liebherr; Caterpillar; Argo filter (hall 9); | 10.00 |
| © 1217 | 1 Gear box BA800, year built 2012, type: BA800; year: 2012; own weight: 450 kg; description: i = 0.982 (hall); | 100.00 |



| ot | Number Description Starting | ng Bid € |
|------|---|----------|
| 1218 | 1 Gear box BA800, year built 2012, type: BA800; year: 2012; own weight: 450 kg; description: i = 0.982 (hall 9); | 100.00 |
| 1219 | 6 rubber compensator description: DN125; PN16; L = 130 mm (hall 9); | 10.00 |
| 1220 | 1 electric motors and gearboxes power: 4 kW; description: 4 AEG electric motors 440-480 volts; 2 double gearboxes with driving wheels for tansport tape drive (hall 9); | 100.00 |
| 1221 | 3 running wheel description: Ø approx. 1160 mm; including third running wheel (hall 9); | 10.00 |
| 1222 | 2 track chain total dimension L: 2560 mm; total dimension W: 340 mm; | 10.00 |
| 1223 | 1 aanzuigkorven and various description: approx. 17 baskets; including various in wooden box (hall 9); | 10.00 |
| 1224 | 1 cooling cell Isocab, A3010621, brand: Isocab; type: A3010621; dimension L: 1800 mm; dimension W: 2100 mm; dimension H: 1940 mm; cooling compressor: yes; evaporator unit: yes; description: ISO 8 with floor; (hall 9); | 100.00 |
| 1225 | 1 lot of isolation Rockwool, Searox SL 440, brand: Rockwool; type: Searox SL 440; description: total approx. 40 packs; (hall 9); | 10.00 |
| 1226 | 3 transsport band engines AEG, brand: AEG; power: 4 kW; electric connection: 400 V; description: + 2 gear boxes; (hall 9); | 10.00 |
| 1227 | 4 electric motor AEG, brand: AEG; power: 4 kW; electric connection: 400 V; description: (hall 9); | 10.00 |
| 1228 | 4 electric motor AEG, brand: AEG; power: 4 kW; electric connection: 400 V; description: (hall 9); | 10.00 |
| 1229 | 4 conveyor gearboxes description: + 1 driving motor; (hall 9); | 10.00 |
| 1230 | 1 various hydraulics drives description: + 1 starter, water pump; (hall 9); | 10.00 |
| 1231 | 2 foundation axes description: Total Weight: 650kg; (hall 9); | 10.00 |
| 1232 | 1 spare parts | 10.00 |
| 1233 | 1 hydraulic cylinder total dimension L: 1500 mm; description: (hall 9); | 10.00 |
| 1234 | 1 lot of floor grating clips description: (hall 9); | 10.00 |
| 1235 | 7 galvanized gratings description: incl. : size 1000 x 1000 mm; (hall 9); | 10.00 |
| 1236 | 1 steel chain description: (hall 9); | 10.00 |
| 1237 | 2 drums with steel chain description: + Tensioning bars; (hall 9); | 10.00 |
| 1238 | 1 fastening material description: incl. : thread ends; (hall 9); | 10.00 |
| 1239 | 1 spare parts description: incl. : motors and bearings (hall 9); | 10.00 |
| 1240 | 7 various butterfly valves description: incl. : DN 150, hall 9); | 10.00 |
| 1241 | 1 bin with tension bars description: + Tensioning bars; (hall 9); | 10.00 |



| Lot | Numb | per Description | Starting Bid € |
|------|------|---|----------------|
| 1242 | 1 | various rubber profiles description: (hall 9); | 10.00 |
| 1243 | 20 | steel welding flange description: diam: 565mm; (hall 9); | 10.00 |
| 1244 | 29 | zinc anode AMPAK, brand: AMPAK; description: (Heel 9); | 10.00 |
| 1245 | 8 | manhole plate total dimension L: 720 mm; total dimension W: 520 mm; description: (hall 9); | 10.00 |
| 1246 | 7 | spud pin description: Total weight: 1340 kg; (hall 9); | 10.00 |
| 1247 | 2 | spud pin description: Total Weight: 240kg; (hall 9); | 10.00 |
| 1248 | | spud pin description: Total Weight: 350kg; (hall 9); | 10.00 |
| 1249 | 8 | disks description: Total Weight: 650kg; (hall 9); | 10.00 |
| 1250 | 2 | pontoon boats spudpin description: including two small pins, total weight: 448kg; (hall 9); | 10.00 |
| 1251 | 4 | shaft with flange description: Total Weight: 710kg; (hall 9); | 10.00 |
| 1252 | 4 | shaft with flange description: Total Weight: 710kg; (hall 9); | 10.00 |
| 1253 | 4 | pontoon boats spudpin description: Total Weight: 350kg; (hall 9); | 10.00 |
| 1254 | 4 | pontoon boats spudpin description: Total Weight: 355kg; (hall 9); | 10.00 |
| 1255 | 4 | various spudpinnen description: Total Weight: 600kg; (hall 9); | 10.00 |
| 1256 | 83 | bolt description: size M48 (hall 9); | 10.00 |
| 1257 | 1 | various spudringen description: total weight: 1445kg; (hall 9); | 10.00 |
| 1258 | 3 | pontoon boats spudpin description: Total Weight: 355kg; (hall 9); | 10.00 |
| 1259 | 1 | separator Blohm + Voss, TMPB-05, year built 2007, brand: Blohm + Voss; type: TMPB-05; ye 2007; capacity: 500 l/hr; | 10.00 ear: |
| 1260 | 1 | various peiltoesstellen HADRO, brand: HADRO; description: incl. : length 2600, 2800, 3000mm, year of manufacturer 2007 (hall 9); | 100.00 |
| 1261 | 2 | exhaust silencer DISCON, LHCP35-ND150, year built 2013, brand: DISCON; type: LHCP35-ND150 year: 2013; description: (hall 9); | 10.00 |
| 1262 | 2 | exhaust silencer LHCP35-ND150, year built 2013, type: LHCP35-ND150; year: 2013; description: (9); | 10.00 hall |
| 1263 | 11 | sleeves description: serving roller blocks (hall 9); | 10.00 |
| 1264 | 1 | lot of thread ends description: M48; (hall 9); | 10.00 |



| Lot | Number Description Startin | g Bid € |
|------|---|---------|
| 1265 | 1 Welding machine Rowac, 400DC, serial number H07600000, brand: Rowac; type: 400DC; serial number: H07600000; MMA type: yes; portable: yes; ampere range: 400 A; digital display: yes; electric connection: 380 V; | 10.00 |
| 1266 | 1 lot of Bearings total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 730 mm; | 10.00 |
| 1267 | 1 crate with air filters total dimension L: 1725 mm; total dimension W: 830 mm; total dimension H: 2130 mm; | 10.00 |
| 1268 | 1 hop cooler BLOKLAND, 600-800, year built 2004, serial number 047503 C, brand: BLOKLAND; type: 600-800; year: 2004; serial number: 047503 C; total dimension L: 740 mm; total dimension W: 360 mm; total dimension H: 950 mm; own weight: 198 kg; description: opp.m2 12.86; (hall 9); | 100.00 |
| 1269 | 1 hop cooler BLOKLAND, 600-800 EX, year built 2004, serial number 047503 B, brand: BLOKLAND; type: 600-800 EX; year: 2004; serial number: 047503 B; total dimension L: 740 mm; total dimension W: 360 mm; total dimension H: 950 mm; own weight: 198 kg; description: opp.m2 12.86; (hall 9); | 100.00 |
| 1270 | 1 hop cooler BLOKLAND, 600-800, year built 2004, serial number 047503 A, brand: BLOKLAND; type: 600-800; year: 2004; serial number: 047503 A; total dimension L: 740 mm; total dimension W: 360 mm; total dimension H: 950 mm; own weight: 198 kg; description: opp.m2 12.86; (hall 9); | 100.00 |
| 1271 | 1 manhole plates total dimension L: 720 mm; total dimension W: 520 mm; description: (hall 9); | 10.00 |
| 1272 | 1 jack hammer coupling piece total dimension L: 840 mm; total dimension W: 680 mm; total dimension H: 550 mm; description: distance between the ears: 405mm; (hall 9); | 10.00 |
| 1273 | 1 steel tank total dimension L: 810 mm; total dimension W: 230 mm; total dimension H: 950 mm; | 10.00 |
| 1274 | 1 lot of various ship's windows total dimension L: 1230 mm; total dimension H: 1100 mm; | 10.00 |
| 1275 | 4 fan ATB, brand: ATB; diameter: 900 mm; description: verm: 4kw, 400 volts; (hall 9); | 10.00 |
| 1276 | 1 rubber profile description: (hall 9); | 10.00 |
| 1277 | 1 lot of marking plates description: (hall 9); | 10.00 |
| 1278 | 2 hydraulic jack description: (hall 9); | 10.00 |
| 1279 | 1 marine signal wire TKF, brand: TKF; description: (hall 9); | 10.00 |
| 1280 | 1 boat materials description: incl. 1 Sail boat, two boat supports (hall 9); | 10.00 |
| 1281 | 1 cooler NRF, KS20-ACV-111 L2400, year built 2009, serial number A09-8197, brand: NRF; type: KS20-ACV-111 L2400; year: 2009; serial number: A09-8197; total dimension L: 2700 mm; total dimension W: 500 mm; total dimension H: 500 mm; own weight: 185 kg; description: (hall 9); | 10.00 |
| 1282 | 1 cooler NRF, KS20-ACV-111 L2400, year built 2008, serial number A08-5920A, brand: NRF; type: KS20-ACV-111 L2400; year: 2008; serial number: A08-5920A; total dimension L: 2700 mm; total dimension W: 500 mm; total dimension H: 500 mm; own weight: 185 kg; description: (hall 9); | 10.00 |



| Lot | Number Description | Starting Bid € |
|--------|---|----------------|
| 1283 | 1 Handrails Haacon, 220-1/200815, brand: Haacon; type: 220-1/200815; description: (hall 9); | 10.00 |
| 1284 | 6 slip ratchet Gedore, brand: Gedore; description: 25 "and 30"; | 10.00 |
| 1285 | 17 steel canister BA800, type: BA800; description: BA800; Total weight: 204 kg; (hall 9); | 10.00 |
| 1301 | 1 steel staircase number of steps: 22; access platform: yes; description: stage length approx. 7000 platform dimensions . approx. 770x1000 mm; equipped with two rails (hall 5); | 10.00 mm; |
| 1302 | 1 Scaffolding Layher, Allround, brand: Layher; type: Allround; description: constructed in three sections; including transoms; diagonal braces and gangways (hall 5); | 10.00 |
| 1303 | 1 Scaffolding Layher, Allround, brand: Layher; type: Allround; description: 4 constructed in section including transoms; diagonal braces; gangways and side shelves (hall 5); | 10.00 ns; |
| 1304 | 1 lifting beam hoist capacity: 12000 kg; own weight: 1555 kg; total dimension W: 7100 mm; | 10.00 |
| © 1305 | 1 excavator/ skeleton bucket parison BA800, type: BA800; bucket size W: 2650 mm; description: content 9,5 m3; (hall 8 | 10.00 |
| | BA800 parts | |
| 1306 | 1 argon gas bottle yoke Linde, 16x50L, brand: Linde; type: 16x50L; description: (behind hall 4); | 10.00 |
| 1307 | 1 air compressor Atlas Copco, GA45FF, brand: Atlas Copco; type: GA45FF; capacity: 7 bar; buffer to content: 200 l; hours on display: 15212 hr; electric connection: 400 V; description: (behind hall 4); | 100.00 ank |
| 1308 | 1 lot of cable ladders description: various dimensions; | 10.00 |
| 1309 | 1 telescopic lifting beam description: retracted approx. 6000 mm (hall 2); | 10.00 |
| 1310 | 1 lot of sleepers description: various dimensions; A total of 16 pieces; | 10.00 |
| © 1331 | 4 Counter weight own weight: 1540 kg; description: Ø approx. 400 mm (hall 3); | 10.00 |
| © 1332 | 4 Counter weight own weight: 2300 kg; description: Ø approx. 480 mm (hall 3); | 10.00 |
| © 1333 | 3 support leg own weight: 910 kg; description: Ø approx. 65-75 mm; height approx. 920-1080 mr hall 3); | 10.00 m (|
| © 1334 | 2 support leg description: Ø approx. 320 x h620mm; total weight approx. 70kg; Hal 1); | 10.00 |
| © 1335 | 4 support leg description: Ø approx. 430x + H540 mm 1 counter-weight; total weight approx. 620 Hal 1); | 10.00 kg; |
| © 1336 | 3 support leg description: Ø dimensions : approx. 1000x1000mm, h = 900 mm; total weight appr 1790kg; Hal 1); | 10.00 ox. |
| © 1337 | 4 support leg description: Ø approx. 650 xh = 1500mm; total weight approx. 1420kg; (Hal 1); | 10.00 |
| © 1338 | 2 bolder description: Ø approx. 320 xh = 560mm; Total Weight: 137kg; (Hal 1); | 10.00 |
| © 1339 | 6 various outriggers own weight: 2460 kg; description: incl. : diam approx. 50 x H = 1650 mm (Hal1); | 10.00 |



| Lot | Number Description Starting | ng Bid € |
|--------|--|----------|
| © 1340 | 2 support leg own weight: 190 kg; description: Ø approx. 430 mm; height approx. 550 mm (hall 3); | 10.00 |
| © 1341 | 5 support leg own weight: 790 kg; description: Ø approx. 400 mm; height approx. 830 mm (hall 3); | 10.00 |
| © 1342 | 4 support leg own weight: 1250 kg; description: Ø approx. 420 mm; height approx. 730-1060 mm (hall 2); | 10.00 |
| © 1343 | 3 support leg own weight: 1800 kg; description: Ø approx. 750 mm; height approx. 1550 mm (hall 2); | 10.00 |
| © 1344 | 4 support leg own weight: 1670 kg; description: Ø approx. 700 mm; height approx. 1000-1540 mm (hall 2); | 10.00 |
| © 1345 | 4 support leg own weight: 2300 kg; description: Ø approx. 430-940 mm; height approx. 450-1370 mm (hall 2); | 10.00 |
| © 1346 | 1 test weight own weight: 1990 kg; description: Ø ca 710 mm; height approx. 1120 mm; including container (hall 2); | 10.00 |
| © 1347 | 1 test weight own weight: 13040 kg; total dimension L: 1020 mm; total dimension W: 2020 mm; total dimension H: 1020 mm; description: (hall 3); | 10.00 |
| © 1348 | 9 cable pole description: height approx. 3 meters (hall 3); | 10.00 |
| © 1349 | 1 lot of various outriggers description: various dimensions; total approx. 35 pieces (hall 2); | 100.00 |
| © 1350 | 1 hole table dimension L: 95 cm; dimension W: 185 cm; dimension H: 82 cm; description: hole Ø approx. 50 mm; blade thickness approx. 75 mm (hall 2); | 10.00 |
| © 1351 | 3 steel box with content description: bin dimensions . approx. 1430x1430x1300 mm; wall thickness approx. 20 mm; including content consisting of sponge material (outside next to hall 1); | 100.00 |
| | iron | |
| 1352 | 12 concrete base plate dimension L: 2000 mm; dimension W: 2000 mm; description: pay attention! with damage (outside next to hall 1); | 10.00 |
| 2003 | 1 container with diesel aggregate capacity: 200 kVA; electric connection: 400 V; engine capacity: 160 kW; generator brand: Leroy Somer; generator type: LSA 46.1 M6 C674; generator capacity: 289 A; hours on display: 5508; description: diesel fuel; in and including 40FT container; | 1,000.00 |
| 2013 | 1 lot of hydraulic accessories description: content 40ft shipping container exclusive racks - racking; where under hoses; couplings; adapters; fasteners; | 1,000.00 |
| 2030 | 18 bump rubber description: truck tires with holes (pier); | 10.00 |
| 2034 | 1 lot of various sleepers description: length 1000-3600 mm; total approx. 30 pieces (pier); | 10.00 |
| 2222 | 2 D closure description: cap: 25 tons. Location: hall 4; | 10.00 |
| 2249 | 1 gas cylinder hand trolley description: gas cylinder hand trolley (hall 7); | 10.00 |
| 2267 | 4 Welding screen | 10.00 |
| 2268 | 1 coat rack and cigarette cupboard | 10.00 |



| Lot | Number Description Starting | g Bid € |
|------|--|---------|
| 2269 | 1 construction plenum box Keraf, 107146, brand: Keraf; type: 107146; electric connection: 16 A; own weight: 25 kg; | 10.00 |
| 2277 | 2 construction lamp electric connection: 48 V; | 10.00 |
| 2278 | 2 construction lamp electric connection: 48 V; | 10.00 |
| 2279 | 2 construction lamp electric connection: 48 V; | 10.00 |
| 2281 | 2 looplamp electric connection: 48 V; | 10.00 |
| 2282 | 2 looplamp electric connection: 48 V; | 10.00 |
| 2283 | 2 looplamp electric connection: 48 V; | 10.00 |
| 2284 | 2 looplamp electric connection: 48 V; | 10.00 |
| 2286 | 4 can submerged arc welding flux Kiswel, EF-200K, brand: Kiswel; type: EF-200K; | 10.00 |
| 2288 | 3 construction lamp electric connection: 48 V; | 10.00 |
| 2322 | 3 hose package mig type: yes; description: incomplete; | 10.00 |
| 2323 | 1 various air hoses | 10.00 |
| 2332 | 1 drawing board dimension L: 4900 cm; dimension W: 1000 cm; dimension H: 2040 cm; description: Location: hall: 4; | 10.00 |
| 2342 | 1 autogenous weld / cut manifold description: 6-voudig.Lokatie: hall 4; | 10.00 |
| 2353 | 1 racking total dimension L: 1765 mm; total dimension W: 325 mm; total dimension H: 700 mm; description: engineered steel rack . Location: Shed 6; | 10.00 |
| 2423 | 1 construction lamp and safety transformer TL lamp: yes; electric connection: 110 V; description: with Swinkels isolation transformer. Location: Shed 6; | 10.00 |
| 2433 | 1 other computers and accessories description: incl. 1 Hp Compaq PC, not including hard disk; display, keyboard, mouse, and HP LaserJet 3055 all in one printer. Location: Shed 6; | 10.00 |
| 2452 | 1 various heat exchanger components NRF, brand: NRF; description: on one pallet (hall 6); | 10.00 |
| 2492 | 1 lattice total dimension L: 1000 mm; total dimension W: 1000 mm; description: (hall 6); | 10.00 |
| 2526 | 1 Pickup truck air tyres: yes; description: (hall 8); | 10.00 |
| 2587 | 1 extension cable with inverter electric connection: 230 V; | 10.00 |
| 2596 | 1 lot of safety | 10.00 |
| 2615 | 2 table dimension L: 75 cm; dimension W: 151 cm; dimension H: 76 cm; | 10.00 |
| 2647 | 1 locker number of doors: 3; | 10.00 |
| 2648 | 1 copier Konica Minolta, bizhub 250, brand: Konica Minolta; type: bizhub 250; number of trays: 2; | 10.00 |



| Lot | Number Description Star | ting Bid € |
|------|--|------------|
| 2652 | 1 locker number of doors: 3; | 10.00 |
| 2653 | 1 locker number of doors: 3; | 10.00 |
| 2654 | 1 locker number of doors: 3; | 10.00 |
| 2670 | 1 waste tons steel: yes; | 10.00 |
| 2688 | 1 construction lamp halogen: yes; electric connection: 230 V; | 10.00 |
| 2689 | 1 lot of spare | 10.00 |
| 2691 | 1 lot of synthetic S-hooks | 10.00 |
| 2693 | 4 various office chairs | 10.00 |
| 2695 | 1 bin spare parts | 10.00 |
| 2791 | 5 autogenous hose description: various lengths; with couplings (hall 7); | 10.00 |
| 2792 | 5 autogenous hose description: various lengths; with couplings (hall 7); | 10.00 |
| 2828 | 1 lifting ring with 2 links | 10.00 |
| 2838 | 1 autogenous and welding hose description: (hall 7); | 10.00 |
| 2842 | 2 hoisting cable dimension L: 4000 mm; description: including coupling cable (hall 7); | 10.00 |
| 2862 | 2 lifting chain dimension L: 2000 mm; description: (hall 7); | 10.00 |
| 2868 | 1 fence total dimension L: 660 mm; total dimension W: 700 mm; total dimension H: 1020 mm; description: (hall 7); | 10.00 |
| 2869 | 1 fence total dimension L: 680 mm; total dimension W: 800 mm; total dimension H: 1020 mm; description: (hall 7); | 10.00 |

Lane E

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

- 2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.
- 2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

- 3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.
- **3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

- 4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.
- **4.2** Troostwijk is entitled, before or during the auction, without stating reasons:
 - · Not to acknowledge a bid as such;
 - To exclude one or more users from the auction;
 - Combine items into lots, to divide lots and to withdraw lots from the auction:
 - To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these
 errors:
 - To take other measures that are required in Troostwijk's opinion.
- **4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.
- **4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.
- **4.5** Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

- **5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.
- **5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.
- **5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.
- **5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.
- **5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.
- **5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.
- **5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.
- **5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.
- 5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction
- 5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

- **6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.
- **6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.
- **6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.
- **6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.
- **6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.
- **6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.
- **6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

- 7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.
- **7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.
- **7.3** The purchaser respectively the carrier engaged by the purchaser is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

- **8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.
- **8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

- **9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.
- 9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

- **10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.
- **10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.
- 10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.
- 10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.
- **10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of at a time / times to be determined by Troostwijk placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and in case of the sale of one or more items by order of a trustee under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.
- **10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.
- **10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.
- **10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).
- **10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.
- **10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

- **12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.
- **12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.
- 12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.
- **12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

- **13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.
- **13.2** Troostwijk is not liable for any consequential damage such as but non-exhaustive damage in the form of loss of profit or unsaleability of the items
- **13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.
- **13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.
- 13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.
- 13.6 Troostwijk and / or the seller are not liable for damage and consequential damage personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.
- 13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:
 - Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
 - Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
 - Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
 this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
 Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
 consequences thereof shall be to the account of the purchaser;
 - Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other
 legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
 - Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
 - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
 - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
 - Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
 is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
 website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
 restricted rights, other restrictions or intellectual property rights of third parties.
 - Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
 the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.
- **13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.
- **13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

- **15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.
- **15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.
- **15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.
- **15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

- 16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.
- **16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.
- **16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

About Us Troostwijk

Did you know?

we organise auctions in 25 countrieswe have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

- Every year we deal with 50.000 bidders
 - from 95 different countries
 - over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience

www.TroostwijkAuctions.com