



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling frequentieregelaars, airco's, chillers en ventilatoren (NL)

Online auction variable frequency inverters, air conditioners, chillers and fans

Kernreactorstraat 15 - 3903 LG Veenendaal
(veilinglocatie airco's)

Closing date: Monday **18 NOVEMBER** starting 14:00



Viewing:

Friday 15 November from 09:00 until 12:00
Kernreactorstraat 15 - 3903 LG Veenendaal (The Netherlands)

Bidding only on the internet!

01-11-19 13.01

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Monday 18 November 2019 Online veiling frequentieregelaars, airco's, chillers en ventilatoren

Specific Online Auction Terms and conditions of a public auction sale

Closing date	Monday 18 November 2019 starting 14:00 CET								
Viewing	Friday 15 November from 09:00 until 12:00 CET Auction location Kernreactorstraat 15 3903 LG Veenendaal, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com								
Company organising this Online Auction									
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	Tuesday 26 November from 09:00 until 16:00 CET Auction location Kernreactorstraat 15 3903 LG Veenendaal, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Attending an auction closure for consumers									
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam. Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions								

www.TroostwijkAuctions.com



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	chiller Trane , Ertab110, year built 1998, merk: Trane ; type: Ertab110; jaar: 1998; koelvermogen: 283 kW; aansluiting: 400 V; eigen gewicht: 2890 kg; totale afmeting L: 3400 mm; totale afmeting B: 2200 mm; totale afmeting H: 2300 mm; omschrijving: lucht gekoelde waterchiller; schroef compressor Trane model cchb100dnk0n120a; jaarlijks onderhouden; tube in shell warmtewisselaar;	500.00
2	1	chiller Carrier, 30-gb-060, year built 1988, merk: Carrier; type: 30-gb-060; jaar: 1988; koelvermogen: 212 kW; aansluiting: 400 V; eigen gewicht: 3000 kg; totale afmeting L: 4400 mm; totale afmeting B: 2150 mm; totale afmeting H: 1720 mm; omschrijving: lucht gekoelde water chiller; jaarlijks onderhouden; 60 ton koel capaciteit; compressor 06 e 6275; compressor 06 EF 299;	100.00
	3	1 chiller Western, merk: Western; koelvermogen: 80 kW; aansluiting: 400 V; eigen gewicht: 1000 kg; totale afmeting L: 2300 mm; totale afmeting B: 1000 mm; totale afmeting H: 1770 mm;	100.00
	4	1 luchtbehandelingssystem GEA, merk: GEA; capaciteit: 15000 m ³ /hr; luchtontvochtiging: ja; machinegewicht: 1500 kg; totale afmeting L: 4800 mm; totale afmeting B: 1400 mm; totale afmeting H: 1250 mm; omschrijving: luchtbehandelingskast; met warm water batterij 80 kw; met dubbele dx koelbatterij 2x 50 kw;	100.00
		combination A	
5	1	schroefcompressor Atlas Copco , GA 610 - 3, merk: Atlas Copco ; type: GA 610 - 3; capaciteit: 10 bar; vermogen: 45 kW; afgelezen urenstand: 45616; aansluiting: 400 V; eigen gewicht: 800 kg; totale afmeting L: 2550 mm; totale afmeting B: 1150 mm; totale afmeting H: 1650 mm; omschrijving: stationaire schroefcompressor; ingebouwde intercooler en olie toevoer;	100.00
6	1	dry cooler Guntner, S GFH 082 2x6 s, year built 2001, merk: Guntner; type: S GFH 082 2x6 s; jaar: 2001; aantal ventilatoren: 12; vermogen: 980 kW; aansluiting: 400 V; eigen gewicht: 3000 kg; omschrijving: Dry Cooler; vloeistof koeler; koperen aluminium warmtewisselaar; druktest uitgevoerd 8 bar; geschikt voor water en glycol; jaarlijks onderhouden; aansluitingen water 4x DN 80;	1,000.00
7	1	waterpomp hydrofoor Duijvelaar, HU 2 DPVS2-20, merk: Duijvelaar; type: HU 2 DPVS2-20; vermogen: 2 kW; aansluiting: 400 V; eigen gewicht: 150 kg; omschrijving: Drink water/ tap water; druk opvoer installatie; inclusief RVS drukvat; rvs leidingen en afsluiters; jaarlijks onderhouden;	100.00
8	1	waterpomp hydrofoor Duijvelaar, HU 2 DPVS4-60, merk: Duijvelaar; type: HU 2 DPVS4-60; vermogen: 3 kW; aansluiting: 400 V; eigen gewicht: 150 kg; totale afmeting L: 1100 mm; totale afmeting B: 750 mm; totale afmeting H: 1080 mm; omschrijving: Drink water/ tap water; druk opvoer installatie; inclusief RVS drukvat; rvs leidingen en afsluiters; jaarlijks onderhouden;	100.00
9	1	liquid-cooled chiller 312 kw Carrier, 30HXC090, year built 2001, brand: Carrier; type: 30HXC090; cooling power: 1064588 BTU/hr; type of refrigerant: R134a; electric connection: 400 V; own weight: 2300 kg; description: water-cooled liquid chiller; 2x screw compressor ; R134a refrigerant; 90 tons capiciteit; Six power stages, from 19% of normal; yearly maintenance; 312 kW cooling capacity; log present; approx. 12,000 working hours;	1,000.00
10	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	50.00



Lot	Number	Description	Starting Bid €
11	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	50.00
12	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	50.00
13	1	air conditioning evaporator set Mitsubishi, FDTSA22KXE4, brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	10.00
14	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
15	1	electrical component Flamco, Suppletie automaat, merk: Flamco; type: Suppletie automaat; eigen gewicht: 40 kg; omschrijving: cv vul automaat; speck waterpomp; model PA;	10.00
16	1	closet JYSK, merk: JYSK;	10.00
© 17	1	chiller Climaveneta, HMA/FC B-0252, year built 2006, merk: Climaveneta; type: HMA/FC B-0252; jaar: 2006; koelvermogen: 67 kW; aansluiting: 400 V; eigen gewicht: 1450 kg; totale afmeting L: 2600 mm; totale afmeting B: 1110 mm; totale afmeting H: 2250 mm; omschrijving: kast 2 afmeting ca 1500 x 1120 x 1370 mm; let op! deze kavel is reeds gedemonteerd. Inclusief Climaveneta externe hydro module met buffertank en waterpomp.;	100.00
18	2	fan Torin, merk: Torin; omschrijving: centrifugaal ventilator; inclusief doos; Verco; 420 watt;	10.00
19	1	overige luchtbehandeling Verhulst, VKT-0404/0403BO, year built 2006, merk: Verhulst; type: VKT-0404/0403BO; jaar: 2006; aansluiting: 400 V; eigen gewicht: 2500 kg; totale afmeting L: 6500 mm; totale afmeting B: 2000 mm; totale afmeting H: 2000 mm; omschrijving: luchtbehandelingskast met warmte terugwinning WTW; inclusief coulissen geluidsdempers; ingebouwd warmtewiel met by-pass; ingebouwde water warmtewisselaar 60 kw voor koeling en verwarming; let op! deze kavel is reeds gedemonteerd ;	500.00
© 20	1	overige luchtbehandeling Verhulst, VKT-0404/0403BO, year built 2006, merk: Verhulst; type: VKT-0404/0403BO; jaar: 2006; aansluiting: 400 V; eigen gewicht: 2500 kg; totale afmeting L: 6500 mm; totale afmeting B: 2000 mm; totale afmeting H: 2000 mm; omschrijving: luchtbehandelingskast met warmte terugwinning WTW; inclusief coulissen geluidsdempers; ingebouwd warmtewiel met by-pass; ingebouwde water warmtewisselaar 60 kw voor koeling en verwarming; let op! deze kavel is reeds gedemonteerd ;	500.00
combination B			
21	1	stainless steel car Netam, WE-36-4, merk: Netam; type: WE-36-4; rvs: ja; aansluiting: 230 V; omschrijving: verwarmde kar; op wielen;	10.00
22	1	spiral knot aansluiting: 400 V; eigen gewicht: 500 kg; omschrijving: kneedmachine;	50.00



Lot	Number Description	Starting Bid €
23	1 fan J.E. Stork, VDA 355 / 6-180, merk: J.E. Stork; type: VDA 355 / 6-180; omschrijving: dakventilator; 400v; 3000m3; inclusief metalen dak plenum;	50.00
24	1 fan JE Stork, VDA, merk: JE Stork; type: VDA; omschrijving: dak ventilator; 230v;	10.00
25	1 air conditioning indoor unit Aircool / Midea, MFF-07HRDN1, brand: Aircool / Midea; type: MFF-07HRDN1; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; own weight: 18 kg; total dimension L: 710 mm; total dimension W: 810 mm; total dimension H: 305 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; floor model; evaporator; (1 box);	10.00
26	1 air conditioning indoor unit Aircool / Midea, MFF-07HRDN1, brand: Aircool / Midea; type: MFF-07HRDN1; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; own weight: 18 kg; total dimension L: 710 mm; total dimension W: 810 mm; total dimension H: 305 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; floor model; evaporator; (1 box);	10.00
27	1 fan JE Stork, VDA, merk: JE Stork; type: VDA; omschrijving: dak ventilator; 230v;	10.00
28	3 ventilator JE Stork, VDA, merk: JE Stork; type: VDA; omschrijving: dak ventilator; 230v;	10.00
29	1 net filter Red transformatoren, Cnw 304 / 25, merk: Red transformatoren; type: Cnw 304 / 25; vermogen: 13 kW; aansluiting: 400 V; omschrijving: lijnfilter;	10.00
30	1 air conditioning indoor unit Aircool / Midea, MFF-07HRDN1, brand: Aircool / Midea; type: MFF-07HRDN1; cooling power: 7000 BTU/hr; type of refrigerant: R410A; split-unit: yes; electric connection: 230 V; own weight: 18 kg; total dimension L: 710 mm; total dimension W: 810 mm; total dimension H: 305 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; floor model; evaporator; (1 box);	10.00
31	1 net filter Red transformatoren, Cnw 304 / 80, merk: Red transformatoren; type: Cnw 304 / 80; vermogen: 42 kW; aansluiting: 400 V; omschrijving: lijnfilter;	10.00
32	1 net filter Red transformatoren, Cnw 304 / 80, merk: Red transformatoren; type: Cnw 304 / 80; vermogen: 42 kW; aansluiting: 400 V; omschrijving: lijnfilter;	10.00
33	1 net filter Red transformatoren, Cnw 304 / 50, merk: Red transformatoren; type: Cnw 304 / 50; vermogen: 30 kW; aansluiting: 400 V; omschrijving: lijnfilter;	10.00
34	1 net filter Red transformatoren, Cnw 304 / 50, merk: Red transformatoren; type: Cnw 304 / 50; vermogen: 30 kW; aansluiting: 400 V; omschrijving: lijnfilter;	10.00
35	1 ventilator Stork, merk: Stork; diameter: 315 mm; omschrijving: afzuiger; 2500m3; 230 v; voor buiten opstelling; gegalvaniseerde behuizing;	10.00
36	1 airconditioning verdamper Mitsubishi, TS PSA 29 W E / TDQSA28KXE5R, merk: Mitsubishi; type: TS PSA 29 W E / TDQSA28KXE5R; type koudemiddel: R410a; aansluiting: 230 V; eigen gewicht: 35 kg; totale afmeting L: 735 mm; totale afmeting B: 1250 mm; totale afmeting H: 270 mm; omschrijving: koel vermogen 2,2 kw; verwarmings vermogen 2,5 kw;	10.00
37	1 fan Stork, VDA, merk: Stork; type: VDA; omschrijving: dak ventilator; inclusief sokkel; met geluidsdemper; 400v; 3-fase; 5000 m3 per uur;	50.00



Lot	Number	Description	Starting Bid €
38	1	fan Stork, VDA, merk: Stork; type: VDA; omschrijving: dak ventilator; inclusief sokkel; met geluidsdemper; 400v; 3-fase; 5000 m3 per uur;	50.00
39	1	fan Stork, VDA, merk: Stork; type: VDA; omschrijving: dak ventilator; inclusief sokkel; met geluidsdemper; 400v; 3-fase; 5000 m3 per uur;	50.00
40	1	fan Stork, VDA, merk: Stork; type: VDA; omschrijving: dak ventilator; inclusief sokkel; met geluidsdemper; 400v; 3-fase; 5000 m3 per uur;	50.00
41	1	warmtepomp Panasonic, year built 2015, merk: Panasonic; jaar: 2015; vermogen: 12,5 kW; aansluiting: 400 V; eigen gewicht: 85 kg; omschrijving: split; lucht water; inverter; defect;	50.00
42	1	luchtbehandelingsinstallatie bevochtiger Carrier, AT3000, year built 2011, merk: Carrier; type: AT3000; jaar: 2011; luchtbevochtiging: ja; omschrijving: ingebouwde elektronische regeling; 400v;	50.00
43	1	luchtbehandelingsinstallatie bevochtiger Carrier, AT3000, year built 2011, merk: Carrier; type: AT3000; jaar: 2011; luchtbevochtiging: ja; omschrijving: ingebouwde elektronische regeling; 400v;	50.00
44	1	channel fan coil unit Lennox Refac S.A., LNC-2,5N/ LNX-2,5, brand: Lennox Refac S.A.; type: LNC-2,5N/ LNX-2,5; cooling power: 22000 BTU/hr; type of refrigerant: R407c; split-unit: yes; electric connection: 230 V; own weight: 50 kg; description: (2 boxes);	10.00
45	1	channel fan coil unit Lennox Refac S.A., LNC-2,5N/ LNX-2,5, merk: Lennox Refac S.A.; type: LNC-2,5N/ LNX-2,5; koelvermogen: 22000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 50 kg; omschrijving: ducted fancoil airco;	10.00
46	1	luchtbehandelingsinstallatie bevochtiger Carrier, AT3000, year built 2011, merk: Carrier; type: AT3000; jaar: 2011; luchtbevochtiging: ja; omschrijving: ingebouwde elektronische regeling; 400v;	50.00
47	1	combi fridge Zanussi, merk: Zanussi; inhoud koelkast: 136 l; inhoud vrieskast: 42 l; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 500 mm; totale afmeting H: 1260 mm;	10.00
48	2	refrigerator Etna, merk: Etna; inhoud koelkast: 137 l;	10.00
49	1	waterpomp Holland heating, Drukpomp, merk: Holland heating; type: Drukpomp; vermogen: 3 kW; H-max.: 1500 m; aansluiting: 400 V; eigen gewicht: 150 kg; totale afmeting L: 520 mm; totale afmeting B: 600 mm; totale afmeting H: 1460 mm; omschrijving: stationaire hoge druk waterpomp; gestuurd door ingebouwde frequentieregelaar; geschikt voor diverse toepassingen waaronder luchtbevochtiging; RVS uitgevoerd;	100.00
50	1	waterpomp Holland heating, Drukpomp, merk: Holland heating; type: Drukpomp; vermogen: 3 kW; H-max.: 1500 m; aansluiting: 400 V; eigen gewicht: 150 kg; totale afmeting L: 520 mm; totale afmeting B: 600 mm; totale afmeting H: 1460 mm; omschrijving: stationaire hoge druk waterpomp; gestuurd door ingebouwde frequentieregelaar; geschikt voor diverse toepassingen waaronder luchtbevochtiging; RVS uitgevoerd;	100.00
51	1	waterpomp Holland heating, Drukpomp, merk: Holland heating; type: Drukpomp; vermogen: 3 kW; H-max.: 1500 m; aansluiting: 400 V; eigen gewicht: 150 kg; totale afmeting L: 520 mm; totale afmeting B: 600 mm; totale afmeting H: 1460 mm; omschrijving: stationaire hoge druk waterpomp; gestuurd door ingebouwde frequentieregelaar; geschikt voor diverse toepassingen waaronder luchtbevochtiging; RVS uitgevoerd;	100.00



Lot	Number	Description	Starting Bid €
52	1	waterfilter osmose CR2-180 Grundfos, merk: Grundfos; partikel type: ja; machinegewicht: 150 kg; totale afmeting L: 620 mm; totale afmeting B: 650 mm; totale afmeting H: 1650 mm; omschrijving: omgekeerd osmose waterfilter; inclusief drukpomp; complete digitale besturing; RVS uitgevoerd; diverse ingebouwde waterkleppen; druks opnemers; flowmeters;	100.00
53	1	waterpomp Duijvelaar, Tipo dpj 1001 m, merk: Duijvelaar; type: Tipo dpj 1001 m; vermogen: 1 kW; H-max.: 41 m; aansluiting: 230 V; eigen gewicht: 65 kg; totale afmeting L: 750 mm; totale afmeting B: 350 mm; totale afmeting H: 1250 mm; omschrijving: rvs hydrofoor waterpomp; automatische regeling; inclusief watertank; elektronische watermeter bijgevoegd; zelf aanzuigend;	50.00
54	1	luchtbehandelingssysteem Biddle, HKG 1 D, merk: Biddle; type: HKG 1 D; capaciteit: 3500 m³/hr; machinegewicht: 150 kg; totale afmeting L: 1900 mm; totale afmeting B: 800 mm; totale afmeting H: 375 mm; omschrijving: luchtbehandelingskast; met ingebouwde vloeistof warmtewisselaar 25 kw; verwarming; cv aansluiting; luchtklep;	50.00
55	1	ventilator in metalen box Torin, year built 2019, merk: Torin; jaar: 2019; diameter: 400 mm; omschrijving: mechanische afzuiger; 4250m³; 230v; 2x 400mm ronde aansluiting; gegalaniseerde behuizing; centrifugaal ventilator;	50.00
56	97	various spare parts Mitsubishi, brand: Mitsubishi; type of refrigerant: r410a; description: circuit boards; fan motors; control valve; fan blade; options; MHI; original Japan product; controller;	100.00
57	1	groepenkast Legrand, year built 2011, merk: Legrand; jaar: 2011; eigen gewicht: 120 kg; totale afmeting L: 1350 mm; totale afmeting B: 590 mm; totale afmeting H: 230 mm; omschrijving: groepenkast; 400 v; hoofdschakelaar 100A; kwh meter; 13x 16A 230v automaat; 2x 16A aardlek automaat 230v; 1x 80A 3-fase automaat; 13x 400v 16A 3-fase ; 1x 400v 32A 3-fase automaat; 9x relais 40A 3-fase; 3x relais 40A 1-fase; 3x relais 25A 1-fase; 1x relais 16A 1-fase; din rails tijdklok;	100.00
58	2	air conditioning evaporator set Mitsubishi, FDTSA22KXE4, brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	50.00
59	1	inverter Siemens , Midimaster eco, serial number XAM196DE058B, merk: Siemens ; type: Midimaster eco; serienummer: XAM196DE058B; vermogen: 22 kW; aansluiting: 380 V;	50.00
60	1	inverter Siemens , Midimaster eco, serial number XAM064DE101B, merk: Siemens ; type: Midimaster eco; serienummer: XAM064DE101B; vermogen: 11 kW; aansluiting: 380 V;	50.00
61	1	inverter Siemens , Midimaster eco, serial number XAL282DE115B, merk: Siemens ; type: Midimaster eco; serienummer: XAL282DE115B; vermogen: 37 kW; aansluiting: 380 V;	50.00
62	1	inverter Siemens , Midimaster Vector, serial number XAL222DV108A, merk: Siemens ; type: Midimaster Vector; serienummer: XAL222DV108A; vermogen: 11 kW; aansluiting: 380 V;	50.00
63	1	inverter Danfoss, VLT 6000 HVAC, serial number 022419G350, merk: Danfoss; type: VLT 6000 HVAC; serienummer: 022419G350; vermogen: 31,6 kW; aansluiting: 380 V; omschrijving: typenummer: VLT6032HT4C20STR3DLF00A00C0;	50.00
64	1	inverter Danfoss, VLT HVAC Drive, serial number 012912G282, merk: Danfoss; type: VLT HVAC Drive; serienummer: 012912G282; vermogen: 37 kW; aansluiting: 380 V;	50.00



Lot	Number Description	Starting Bid €
65	1 inverter Danfoss, VLT HVAC Drive, serial number 016824G197, merk: Danfoss; type: VLT HVAC Drive; serienummer: 016824G197; vermogen: 11 kW; aansluiting: 380 V;	50.00
66	1 inverter Honeywell, Smartdrive HVAC, serial number V00000390391, merk: Honeywell; type: Smartdrive HVAC; serienummer: V00000390391; vermogen: 45 kW; aansluiting: 380 V; omschrijving: inclusief doos;	50.00
67	1 inverter Danfoss, VLT 6000 HVAC, serial number 078538G504, merk: Danfoss; type: VLT 6000 HVAC; serienummer: 078538G504; vermogen: 9,3 kW; aansluiting: 380 V;	50.00
68	1 inverter Danfoss, VLT LC FILTER 175Z0832, serial number 657802G504, merk: Danfoss; type: VLT LC FILTER 175Z0832; serienummer: 657802G504; aansluiting: 380 V; omschrijving: stroom: 200/400/500V; 15.2/16.0/14.5A;	10.00
69	1 inverter Danfoss, VLT 6000 HVAC, serial number 012913G528, merk: Danfoss; type: VLT 6000 HVAC; serienummer: 012913G528; vermogen: 43 kW; aansluiting: 380 V;	50.00
70	1 inverter Vacon, HVAC, serial number V00000810950, merk: Vacon; type: HVAC; serienummer: V00000810950; vermogen: 37 kW; aansluiting: 380 V;	50.00
71	1 laboratory refrigerator Dometic, ML 370 SG, serial number 2420142, merk: Dometic; type: ML 370 SG; serienummer: 2420142; inhoud (content): 367 l; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 650 mm; totale afmeting H: 1750 mm;	50.00
72	1 laboratory refrigerator Dometic, ML 295, serial number 7392040, merk: Dometic; type: ML 295; serienummer: 7392040; inhoud (content): 322 l; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 620 mm; totale afmeting H: 1830 mm; omschrijving: geen sleutel;	50.00
73	1 laboratory refrigerator Dometic, ML280, serial number 3485020, merk: Dometic; type: ML280; serienummer: 3485020; inhoud (content): 253 l; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 620 mm; totale afmeting H: 1600 mm; omschrijving: geen sleutel;	50.00
74	1 laboratory refrigerator Dometic, ML 295, serial number 7362573, merk: Dometic; type: ML 295; serienummer: 7362573; inhoud (content): 322 l; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 620 mm; totale afmeting H: 1830 mm; omschrijving: geen sleutel;	50.00
75	1 laboratory refrigerator Dometic, ML 295, serial number 9130856, merk: Dometic; type: ML 295; serienummer: 9130856; inhoud (content): 322 l; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 600 mm; totale afmeting B: 620 mm; totale afmeting H: 1830 mm; omschrijving: geen sleutel;	50.00
76	1 laboratory refrigerator Dometic, MP 405, serial number 4285071, merk: Dometic; type: MP 405; serienummer: 4285071; inhoud (content): 353 l; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 700 mm; totale afmeting B: 600 mm; totale afmeting H: 1700 mm; omschrijving: geen sleutel;	50.00
77	1 laboratory refrigerator Dometic, LR 400, serial number 8131787, merk: Dometic; type: LR 400; serienummer: 8131787; inhoud (content): 489 l; digitale uitlezing: ja; mobiel: ja; aansluiting: 230 V; totale afmeting L: 850 mm; totale afmeting B: 780 mm; totale afmeting H: 1950 mm; omschrijving: v.v. rvs inrichting; geen sleutel;	50.00



Lot	Number Description	Starting Bid €
78	1 laboratory refrigerator Dometic, PR700, year built 2006, serial number 5501542, merk: Dometic; type: PR700; jaar: 2006; serienummer: 5501542; inhoud (content): 746 l; digitale uitlezing: ja; mobiel: ja; aansluiting: 230 V; totale afmeting L: 910 mm; totale afmeting B: 950 mm; totale afmeting H: 2000 mm; omschrijving: v.v. rvs inrichting; geen sleutel;	50.00
79	1 laboratory freezer Dometic, FR 240, serial number 2295003, merk: Dometic; type: FR 240; serienummer: 2295003; inhoud (content): 327 l; digitale uitlezing: ja; mobiel: ja; aansluiting: 230 V; totale afmeting L: 850 mm; totale afmeting B: 800 mm; totale afmeting H: 1520 mm; omschrijving: v.v. rvs inrichting; met sleutel;	50.00
80	1 airconditioning set Mitsubishi, SRC MB 35, merk: Mitsubishi; type: SRC MB 35; koelvermogen: 12000 BTU/hr; split-unit: ja; aansluiting: 230 V; eigen gewicht: 60 kg; omschrijving: wandmodel; 2 dozen;	100.00
81	1 airconditioning set Mitsubishi, SRC MB 35, merk: Mitsubishi; type: SRC MB 35; koelvermogen: 12000 BTU/hr; split-unit: ja; aansluiting: 230 V; eigen gewicht: 60 kg; omschrijving: wandmodel; 2 dozen;	100.00
82	4 airconditioning FCU Carrier, Idrofan, merk: Carrier; type: Idrofan; koelvermogen: 24000 BTU/hr; aansluiting: 230 V; eigen gewicht: 35 kg; totale afmeting L: 850 mm; totale afmeting B: 850 mm; totale afmeting H: 310 mm; omschrijving: Fan coil unit; koelen; verwarmen; werkt met cv water; of koudwater en glycol;	10.00
83	1 microwave Sharp, Express, merk: Sharp; type: Express; aansluiting: 230 V;	10.00
84	1 inverter Danfoss, VLT LC FILTER 175Z0832, serial number 431902G232, brand: Danfoss; type: VLT LC FILTER 175Z0832; serial number: 431902G232; electric connection: 380 V;	10.00
85	1 inverter Danfoss, VLT LC FILTER 175Z0832, serial number 431902G232, brand: Danfoss; type: VLT LC FILTER 175Z0832; serial number: 431902G232; electric connection: 380 V;	10.00
86	1 overige bakkerijmachine RVS, merk: RVS; totale afmeting L: 1350 mm; totale afmeting B: 740 mm; totale afmeting H: 910 mm; omschrijving: Brood mix bak; gelast RVS; op metalen frame; met wielen;	50.00
87	1 overige bakkerijmachine RVS, merk: RVS; totale afmeting L: 1350 mm; totale afmeting B: 740 mm; totale afmeting H: 910 mm; omschrijving: Brood mix bak; gelast RVS; op metalen frame; met wielen;	50.00
88	1 overige bakkerijmachine RVS, merk: RVS; totale afmeting L: 1350 mm; totale afmeting B: 740 mm; totale afmeting H: 910 mm; omschrijving: Brood mix bak; gelast RVS; op metalen frame; met wielen;	50.00
89	1 bakkerijmachine metalen rek totale afmeting L: 1200 mm; totale afmeting B: 900 mm; totale afmeting H: 1920 mm; omschrijving: brood rek; op wielen; voor bakkerij; afstand tussen lagen 15 cm; voor rijzen en afkoelen;	10.00
90	1 bakkerijmachine metalen rek totale afmeting L: 1200 mm; totale afmeting B: 900 mm; totale afmeting H: 1920 mm; omschrijving: brood rek; op wielen; voor bakkerij; afstand tussen lagen 15 cm; voor rijzen en afkoelen;	10.00
91	1 bakkerijmachine metalen rek totale afmeting L: 1200 mm; totale afmeting B: 900 mm; totale afmeting H: 1920 mm; omschrijving: brood rek; op wielen; voor bakkerij; afstand tussen lagen 15 cm; voor rijzen en afkoelen;	10.00
92	1 airconditioning set Aircool, ASK, merk: Aircool; type: ASK; koelvermogen: 36000 BTU/hr; split-unit: ja; aansluiting: 230 V; omschrijving: airco cassette verdampers; compleet met rooster en wandthermostaat;	50.00



Lot	Number Description	Starting Bid €
93	1 airconditioning set Aircool, ASK, merk: Aircool; type: ASK; koelvermogen: 36000 BTU/hr; split-unit: ja; aansluiting: 230 V; omschrijving: airco cassette verdamper; compleet met rooster en wandthermostaat;	50.00
94	1 Combination microwave LG, merk: LG; combi-magnetron: ja;	10.00
95	1 scheeps licht baken omschrijving: stroboscoop; licht baken rood; 4x 50w;	10.00
96	1 wall evaporator Aircool, ASH-22HMVDX, brand: Aircool; type: ASH-22HMVDX; split-unit: yes; electric connection: 230 V; total dimension L: 385 mm; total dimension W: 1020 mm; total dimension H: 300 mm; description: cooling capacity 2.2 and 3.6 kW; heating capacity 4 and 5 kW (suitable for mdv midea vrf system) (1 box);	10.00
97	1 frequentieregelaar Siemens, Midimaster ECO , merk: Siemens; type: Midimaster ECO ; vermogen: 22 kW; aansluiting: 400 V; omschrijving: inclusief bedieningspaneel; 0 - 650 Hz; max 49 Ampere;	50.00
98	3 electric motor Abb, merk: Abb; aansluiting: 400 V;	10.00
99	1 lastschakelaar en zekeringen Halyester, Meterkast, merk: Halyester; type: Meterkast; omschrijving: 125 A lastschakelaar 400V 3-fase; 3x 63 A steek zekeringen; 3x 35A 400v 3-fase uitgang;	10.00
100	1 horeca vriezer no frost Liebherr, GN 1056, year built 2016, merk: Liebherr; type: GN 1056; jaar: 2016; capaciteit: 102 l; temperatuurbereik min.: -28 °c; digitale uitlezing: ja; aansluiting: 230 V; totale afmeting L: 620 mm; totale afmeting B: 600 mm; totale afmeting H: 850 mm; omschrijving: vrieskast; energielabel A+; 3 lades; automatisch ontdooien; 14 kg / 24 uur invriezen;	50.00
101	1 air curtain 4 meter width Biddle, brand: Biddle; electric connection: 230 V; own weight: 250 kg; description: work resumes; 126 kw heating power; 4m width;	50.00
102	1 leiding pex Uponor / Rehau, merk: Uponor / Rehau; omschrijving: circa 500 meter; 16mm;	10.00
103	1 air conditioning inside unit Aircool, ASH-36HMVDX, brand: Aircool; type: ASH-36HMVDX; cooling power: 12000 BTU/hr; split-unit: yes; electric connection: 230 V; total dimension L: 385 mm; total dimension W: 1020 mm; total dimension H: 300 mm; description: suitable for Midea and MDV for systemem;	10.00
104	1 air conditioning evaporator Mitsubishi, TS PSA 29 W E / TDQSA28KXE5R, brand: Mitsubishi; type: TS PSA 29 W E / TDQSA28KXE5R; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 735 mm; total dimension W: 1250 mm; total dimension H: 270 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw;	50.00
105	1 airconditioning verdamper Mitsubishi, TS PSA 29 W E / TDQSA28KXE5R, merk: Mitsubishi; type: TS PSA 29 W E / TDQSA28KXE5R; type koudemiddel: R410a; aansluiting: 230 V; eigen gewicht: 35 kg; totale afmeting L: 735 mm; totale afmeting B: 1250 mm; totale afmeting H: 270 mm; omschrijving: koel vermogen 2,2 kw; verwarmings vermogen 2,5 kw;	50.00
106	1 ventilator Flakt Woods, merk: Flakt Woods; omschrijving: dak ventilator; compleet met sokkel; 400V;	50.00
107	1 airconditioning Vkf 600, type: Vkf 600; omschrijving: inductie plafond rooster; koelen en verwarmen; 60x60cm systeemplafond;	10.00
108	1 water behandeling UV Aqua UV, UV 412 BE, merk: Aqua UV; type: UV 412 BE; aansluiting: 230 V; totale afmeting L: 1200 mm; totale afmeting B: 200 mm; totale afmeting H: 150 mm; omschrijving: Vol RVS; elektronisch gestuurd;	50.00



Lot	Number	Description	Starting Bid €
109	2	frequentieregelaar Siemens, Midimaster eco, merk: Siemens; type: Midimaster eco; vermogen: 37 kW; aansluiting: 400 V; omschrijving: 2 stuks; behuizing kapot;	50.00
110	2	frequentieregelaar Lenze, Evf8203-e, merk: Lenze; type: Evf8203-e; vermogen: 1,5 kW; aansluiting: 230 V; omschrijving: 2x frequentieregelaar in kast ingebouwd; 4x motorbeveiliging;	50.00
111	1	air-conditioning outdoor unit AFK, split condensor, brand: AFK; type: split condensor; cooling power: 9000 BTU/hr; split-unit: yes; own weight: 31 kg; total dimension L: 78 mm; total dimension W: 24 mm; total dimension H: 55 mm; description: loose outdoor unit;	10.00
112	1	airco buitenunit Chigo, Cmv-V140W/ZR1, merk: Chigo; type: Cmv-V140W/ZR1; split-unit: ja; aansluiting: 230 V; eigen gewicht: 93 kg; totale afmeting L: 900 mm; totale afmeting B: 350 mm; totale afmeting H: 1330 mm; omschrijving: v.v. afstandsbediening; losse buitenunit;	50.00
113	1	airconditioning split-buitenunit Fujitsu, AOYG07LLCC, year built 2014, merk: Fujitsu; type: AOYG07LLCC; jaar: 2014; koelvermogen: 7000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; totale afmeting L: 700 mm; totale afmeting B: 320 mm; totale afmeting H: 540 mm; omschrijving: let op! dit betreft alleen de buitenunit;	10.00
114	1	airconditioning split-buitenunit Fujitsu, AOYG07LLCC, year built 2014, merk: Fujitsu; type: AOYG07LLCC; jaar: 2014; koelvermogen: 7000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; totale afmeting L: 700 mm; totale afmeting B: 320 mm; totale afmeting H: 540 mm; omschrijving: let op! dit betreft alleen de buitenunit;	10.00
115	1	airconditioning split-buitenunit Fujitsu, AOYG07LLCC, year built 2014, merk: Fujitsu; type: AOYG07LLCC; jaar: 2014; koelvermogen: 7000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; totale afmeting L: 700 mm; totale afmeting B: 320 mm; totale afmeting H: 540 mm; omschrijving: let op! dit betreft alleen de buitenunit;	10.00
116	1	other wood and board material	10.00
117	1	air conditioning indoor unit cassette Samsung, AVXCSH022EE, year built 2010, brand: Samsung; type: AVXCSH022EE; jaar: 2010; cooling power: 7000 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V; description: air-conditioning evaporators; cooling, 2.2 kw; heating 2.5 kw;	10.00
118	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
119	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
120	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
121	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
122	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00



Lot	Number	Description	Starting Bid €
123	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
124	1	airconditioning binnenunit cassette Samsung, AVXCSH022EE, year built 2010, merk: Samsung; type: AVXCSH022EE; jaar: 2010; koelvermogen: 7000 BTU/hr; type koudemiddel: r410a; split-unit: ja; aansluiting: 230 V; omschrijving: airco verdamper; koelen 2,2 kw; verwarmen 2,5 kw;	10.00
125	1	airconditioning Mitsubishi Electric, PURP-P300 YHM-A, year built 2009, merk: Mitsubishi Electric; type: PURP-P300 YHM-A; jaar: 2009; koelvermogen: 120000 BTU/hr; type koudemiddel: R410a; aansluiting: 400 V; eigen gewicht: 250 kg; omschrijving: heat recovery condensor;	100.00
126	1	air conditioning unit Midea, MOR-09HDN1-QC2, brand: Midea; type: MOR-09HDN1-QC2; cooling power: 9000 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V;	10.00
127	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
128	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
129	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
130	1	air conditioning indoor unit Samsung, brand: Samsung; split-unit: yes; electric connection: 230 V;	10.00
131	7	switch box Samsung, MXD-A13K200A, brand: Samsung; type: MXD-A13K200A; split-unit: yes; electric connection: 230 V;	100.00
132	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
133	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
134	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
135	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
136	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
137	1	schakelkast met inhoud Eldon, V ME 09062, merk: Eldon; type: V ME 09062; eigen gewicht: 50 kg; totale afmeting L: 650 mm; totale afmeting B: 250 mm; totale afmeting H: 900 mm; omschrijving: Schakelkast met inhoud; relais; plc; motorbeveiligingen; transformator; schakelaars; zekeringen;	10.00
138	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00



Lot	Number	Description	Starting Bid €
139	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
140	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
141	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
142	1	air conditioning thermostat Samsung, MWR-WH00, year built 2013, brand: Samsung; type: MWR-WH00; year: 2013; split-unit: yes; description: wired operation;	10.00
143	1	air conditioning evaporator Aircool / Midea, ASHM-50HMVI, brand: Aircool / Midea; type: ASHM-50HMVI; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 15 kg; description: wall mounted air-conditioning indoor unit; cooling, 5.2 kw; heating 6.0 kw; inverter;	10.00
144	1	air conditioning evaporator Aircool / Midea, ASHM-50HMVI, brand: Aircool / Midea; type: ASHM-50HMVI; cooling power: 18000 BTU/hr; split-unit: yes; electric connection: 230 V; own weight: 15 kg; description: wall mounted air-conditioning indoor unit; cooling, 5.2 kw; heating 6.0 kw; inverter;	10.00
145	1	air conditioning indoor unit Mitsubishi, SRK25ZGX-S, brand: Mitsubishi; type: SRK25ZGX-S; cooling power: 12000 BTU/hr; type of refrigerant: r410a; electric connection: 230 V; own weight: 15 kg; description: Hyper inverter; luxury version; including remote control, mounting plate and booklets;	50.00
146	1	air conditioning indoor unit Mitsubishi, FDKA45KXE4R, brand: Mitsubishi; type: FDKA45KXE4R; cooling power: 18000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; own weight: 14 kg; total dimension L: 220 mm; total dimension W: 820 mm; total dimension H: 290 mm; description: in original packaging; cooling and heating;	50.00
147	1	air conditioning indoor unit Mitsubishi, FDKA45KXE4R, brand: Mitsubishi; type: FDKA45KXE4R; cooling power: 18000 BTU/hr; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; own weight: 14 kg; total dimension L: 220 mm; total dimension W: 820 mm; total dimension H: 290 mm; description: in original packaging; cooling and heating;	50.00
148	3	air conditioning indoor units cassette Daikin, brand: Daikin; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V;	10.00
149	1	air conditioning outdoor unit Sharp , au-x075e, brand: Sharp ; type: au-x075e; electric connection: 230 V;	10.00
150	2	air conditioning outdoor city multi Mitsubishi, brand: Mitsubishi; cooling power: 52000 BTU/hr; type of refrigerant: r407c; split-unit: yes; electric connection: 400 V;	10.00
151	1	air conditioning outdoor unit Airwell, dc inverter, brand: Airwell; type: dc inverter; cooling power: 12000 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V;	10.00
152	1	air conditioning outdoor unit Samsung, ac035fcadeh, year built 2013, brand: Samsung; type: ac035fcadeh; year: 2013; cooling power: 12000 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V; description: smart inverter; heat pump;	10.00
153	1	air conditioning outdoor unit Daikin, ryp7117w1, brand: Daikin; type: ryp7117w1; cooling power: 24000 BTU/hr; type of refrigerant: r407c; split-unit: yes; electric connection: 400 V; own weight: 79 kg;	10.00



Lot	Number	Description	Starting Bid €
154	1	air conditioning outdoor unit Western, brand: Western; cooling power: 24000 BTU/hr; type of refrigerant: r407c; split-unit: yes; electric connection: 400 V; description: condenser;	10.00
155	1	groepenkast 250A Bernard, Holec, merk: Bernard; type: Holec; eigen gewicht: 50 kg; totale afmeting L: 750 mm; totale afmeting B: 250 mm; totale afmeting H: 710 mm; omschrijving: hoofdschakelaar 250 Ampere; steekzekeringen 63A; 6x 3-fase groep 400V 35A;	10.00
156	1	schakelkast met inhoud Grasbeek, merk: Grasbeek; totale afmeting L: 230 mm; totale afmeting B: 390 mm; totale afmeting H: 690 mm; omschrijving: met temperatuur controller; relais; zekeringen; alarmlamp; schakelaars;	10.00
157	1	Beverage dispenser Vendo, SVE DR6, year built 2011, serial number 2113002940, brand: Vendo; type: SVE DR6; year: 2011; serial number: 2113002940; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 840 mm; total dimension W: 1270 mm; total dimension H: 1910 mm;	10.00
158	1	Beverage dispenser Tecnomet Italia, TME 360, brand: Tecnomet Italia; type: TME 360; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 840 mm; total dimension W: 1270 mm; total dimension H: 1910 mm;	10.00
159	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
160	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
161	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
162	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
163	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00



Lot	Number	Description	Starting Bid €
164	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
165	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
166	1	luchtontvochtiger Stiebel Eltron, LF 21, merk: Stiebel Eltron; type: LF 21; vermogen: 0,3 kW; aansluiting: 230 V; eigen gewicht: 15 kg; totale afmeting L: 350 mm; totale afmeting B: 260 mm; totale afmeting H: 530 mm; omschrijving: ontvochtigingscapaciteit 22 liter per 24 uur; met ingebouwde opvangbak of waterslang; automatische afslag; ingebouwde vochtsensor automatische werking; ingebouwde timer; voorbeeld foto kan afwijken, meerdere in voorraad; op wielen; met handvat;	10.00
167	1	groepenkast Legrad, year built 2011, merk: Legrad; jaar: 2011; totale afmeting L: 1250 mm; totale afmeting B: 580 mm; totale afmeting H: 240 mm; omschrijving: Hoofdschakelaar 4 polig 63A; 11x B 16 A 4 polige automaat krachtstroom; 4x B 16 A 230v 2 polige automaat; 3x B 16 A aardlek automaat; 10x 3 polige 40 A relais; 2x 25A relais;	100.00
168	1	groepenkast Legrad, year built 2011, merk: Legrad; jaar: 2011; totale afmeting L: 1250 mm; totale afmeting B: 580 mm; totale afmeting H: 240 mm; omschrijving: Hoofdschakelaar 4 polig 63A; 11x B 16 A 4 polige automaat krachtstroom; 4x B 16 A 230v 2 polige automaat; 3x B 16 A aardlek automaat; 10x 3 polige 40 A relais; 2x 25A relais;	100.00
169	1	air conditioning indoor unit city multi Mitsubishi, PEFY-P32VMAL-E, year built 2012, brand: Mitsubishi; type: PEFY-P32VMAL-E; year: 2012; cooling power: 12500 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V; own weight: 22 kg; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 250 mm; description: channel model air-conditioning evaporator; cooling, 3.6 kw; to heat; 4.0 kw; including air filter; multi city;	50.00
170	1	electrical component meter box and load switches Halyester, brand: Halyester;	10.00
171	1	Serving tray caravan Rendisk, RVS, brand: Rendisk; type: RVS; stainless steel: yes; total dimension L: 865 mm; total dimension W: 1115 mm; total dimension H: 1290 mm;	10.00
172	2	Mobile refrigerators description: dimensions . ca. 1420x1200x1200 and 1500x1200x1250: (ao VebaBox) (1 failure);	10.00
173	1	air conditioning indoor unit Toshiba, ras-m13ukhp-es3, brand: Toshiba; type: ras-m13ukhp-es3; cooling power: 12000 BTU/hr; type of refrigerant: r410a; split-unit: yes; electric connection: 230 V;	10.00
174	1	other laboratory equipment multi meter Fluke, 73III, brand: Fluke; type: 73III;	10.00
175	95	wall thermostat brand: Aircool; type: kjr-90a-e; description: (suitable for mdv midea vrf system);	100.00
176	1	other laboratory equipment multi meter Fluke, 112 TRUE RMS, brand: Fluke; type: 112 TRUE RMS;	10.00



Lot	Number	Description	Starting Bid €
177	1	air conditioning set Daikin, RYP200B7W1, year built 2002, serial number 3201821, brand: Daikin; type: RYP200B7W1; year: 2002; serial number: 3201821; type of refrigerant: R407C; electric connection: 400 V; own weight: 196 kg; description: high static pressure channel model evaporator; 2 fans; cooling capacity 20 Kw; heating power 23 Kw; including thermostat and air filters;	100.00
178	1	other laboratory equipment multi meter Fluke, T5-1000, brand: Fluke; type: T5-1000;	10.00
179	1	other laboratory equipment multi meter Elro, M970, brand: Elro; type: M970;	10.00
180	1	ups unit cupboard brand: MGE ups systems; type: Galaxy 5000; year: 2008; serial number: 1Q0J13009; total dimension L: 1000 mm; total dimension W: 850 mm; total dimension H: 1900 mm;	50.00
181	9	air plenum brand: Madel; description: isolated; vv grille;	10.00
182	5	air plenum brand: Madel; description: vv grille;	10.00
183	1	electrical component reduced voltage starter Solocon, rvs ax 31 400-s, brand: Solocon; type: rvs ax 31 400-s; description: 400v 31 ampere;	10.00
184	1	other laboratory equipment Medtronic, 5330, brand: Medtronic; type: 5330;	10.00
185	1	other laboratory equipment Fluke, i400 current clamp, brand: Fluke; type: i400 current clamp;	10.00
186	5	split air-conditioning cassette evaporator Fujitsu, brand: Fujitsu; type of refrigerant: R410a; split-unit: yes; electric connection: 230 V; description: for the vrf system; cassette unit;	10.00
187	1	other laboratory equipment Fluke, i200 current clamp, brand: Fluke; type: i200 current clamp;	10.00
188	1	other laboratory equipment siemens, sidis interface EU, brand: siemens; type: sidis interface EU; electric connection: 12 V;	10.00
189	1	video switcher and audio Kramer, vs-421, brand: Kramer; type: vs-421; BNC: yes; description: built-in power supply 230v;	10.00
190	1	groepenkast Legrand, year built 2011, merk: Legrand; jaar: 2011; eigen gewicht: 120 kg; totale afmeting L: 1620 mm; totale afmeting B: 580 mm; totale afmeting H: 250 mm; omschrijving: Hoofdschakelaar 125 A 4 polig; 16x B 16 A 4 polige 3-fase automaat; 4x B 16 A 2 polig 230v; 1x B 25 A 4 polig 3-fase; 4x B 16 A aardlekautomaat; 11x relais 40 A 3 polig; 3x relais 25 A 2 polig;	100.00
191	11	partij luchtontvochtigers AEG, year built 2013, merk: AEG; jaar: 2013; aansluiting: 230 V; omschrijving: diverse merken; AEG; Stiebel Eltron;	50.00
192	1	verpakkingsmachine Comiz, merk: Comiz; aansluiting: 230 V; totale afmeting L: 500 mm; totale afmeting B: 800 mm; totale afmeting H: 1060 mm; omschrijving: verpakkingsmachine werkt op perslucht;	10.00
193	1	tafel	10.00
194	5	tafel onderstellen omschrijving: zonder kar;	10.00
195	1	air conditioning condenser Samsung, Smart inverter, year built 2011, merk: Samsung; type: Smart inverter; jaar: 2011; koelvermogen: 48000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 400 V; eigen gewicht: 120 kg;	10.00



Lot	Number	Description	Starting Bid €
196	30	airconditioning set Mitsubishi Electric, City Multi, merk: Mitsubishi Electric; type: City Multi; koelvermogen: 192000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; omschrijving: 18x wandmodel verdamper; 10x bedieningspaneel; 2x condensor buitenunit 28 kw;	100.00
197	1	oscilloscope Nicolet, 2090.III, merk: Nicolet; type: 2090.III; aansluiting: 230 V;	10.00
198	1	liquid line switchbox Aircosplit, type: Aircosplit; aansluiting: 230 V; omschrijving: v.v. 5 Danfoss kleppen; type evr 3;	50.00
199	6	Other scaffolding uprights totale afmeting B: 1100 mm; totale afmeting H: 4000 mm;	50.00
200	11	Other scaffolding girders totale afmeting L: 3600 mm;	50.00
201	26	airconditioning set 14x General, VRF , merk: General; type: VRF ; koelvermogen: 192000 BTU/hr; type koudemiddel: R407c; aansluiting: 400 V; omschrijving: 14x cassette airco verdamper met roosters; 4x branch box; 2x 3 pijps condensor; 6x afstands bediening; boekjes; gelijktijdig koelen en verwarmen; heat recovery;	100.00
202	88	air conditioning beams totale afmeting L: 1000 mm; totale afmeting B: 110 mm; totale afmeting H: 100 mm;	10.00
203	2	airconditioning verdamper Daikin, merk: Daikin; koelvermogen: 36000 BTU/hr; split-unit: ja; omschrijving: 2x cassette; 2x rooster;	10.00
204	1	airconditioning condensor Mitsubishi Electric, PU-P3 YGAA, year built 2004, merk: Mitsubishi Electric; type: PU-P3 YGAA; jaar: 2004; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00
205	1	airconditioning condensor Mitsubishi Electric, PU-P3 YGAA, year built 2004, merk: Mitsubishi Electric; type: PU-P3 YGAA; jaar: 2004; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00
206	1	airconditioning condensor Mitsubishi Electric, PU-P3 YGAA, year built 2004, merk: Mitsubishi Electric; type: PU-P3 YGAA; jaar: 2004; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00
207	1	airconditioning condensor Mitsubishi Electric, PU-P3 YGAA, year built 2004, merk: Mitsubishi Electric; type: PU-P3 YGAA; jaar: 2004; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00
208	1	airconditioning condensor Mitsubishi Electric, PU-P2 YGAA, year built 2004, merk: Mitsubishi Electric; type: PU-P2 YGAA; jaar: 2004; koelvermogen: 18000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00
209	1	airconditioning condensor Mitsubishi Electric, PU-P 1.6, year built 2004, merk: Mitsubishi Electric; type: PU-P 1.6; jaar: 2004; koelvermogen: 15000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 79 kg; totale afmeting L: 340 mm; totale afmeting B: 900 mm; totale afmeting H: 860 mm; omschrijving: mr slim; voorbeeld foto;	10.00



Lot	Number	Description	Starting Bid €
210	1	airconditioning condensor Daikin, Rxr28, merk: Daikin; type: Rxr28; koelvermogen: 14000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; omschrijving: ururu Sarara; ingebouwde luchtbevochtiging;	100.00
211	1	Air conditioning Daikin, RZQG71L9V1B, year built 2016, merk: Daikin; type: RZQG71L9V1B; jaar: 2016; koelvermogen: 26000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 72 kg; totale afmeting L: 940 mm; totale afmeting B: 360 mm; totale afmeting H: 1000 mm;	100.00
212	1	Air conditioning Carrier, merk: Carrier; koelvermogen: 12000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V;	10.00
213	1	airconditioning General, Inverter, merk: General; type: Inverter; koelvermogen: 36000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; omschrijving: multi split condensor 4x;	10.00
214	1	airconditioning Carrier, merk: Carrier; koelvermogen: 21000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; omschrijving: multi condensor 3x aansluiting;	50.00
215	1	airconditioning set Samsung, Smart inverter, merk: Samsung; type: Smart inverter; koelvermogen: 24000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; omschrijving: 1x buitenunit; 1x cassette; 1x rooster; koelen en verwarmen;	50.00
216	1	airconditioning set Samsung, Smart inverter, merk: Samsung; type: Smart inverter; koelvermogen: 24000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; omschrijving: 1x buitenunit; 1x cassette; 1x rooster; koelen en verwarmen;	50.00
217	1	airconditioning set Panasonic, CU-V28BBP8, year built 2003, merk: Panasonic; type: CU-V28BBP8; jaar: 2003; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 80 kg; omschrijving: 1x cassette binnenunit; 1x cassette rooster; 1x buitenunit; 7 kw koelen; voorbeeld foto, meerdere sets in stelling;	50.00
218	1	airconditioning set Panasonic, CU-V28BBP8, year built 2003, merk: Panasonic; type: CU-V28BBP8; jaar: 2003; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 80 kg; omschrijving: 1x cassette binnenunit; 1x cassette rooster; 1x buitenunit; 7 kw koelen; voorbeeld foto, meerdere sets in stelling;	50.00
219	1	airconditioning set Panasonic, CU-V28BBP8, year built 2003, merk: Panasonic; type: CU-V28BBP8; jaar: 2003; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 80 kg; omschrijving: 1x cassette binnenunit; 1x cassette rooster; 1x buitenunit; 7 kw koelen; voorbeeld foto, meerdere sets in stelling;	50.00
220	1	airconditioning set Panasonic, CU-V28BBP8, year built 2003, merk: Panasonic; type: CU-V28BBP8; jaar: 2003; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 80 kg; omschrijving: 1x cassette binnenunit; 1x cassette rooster; 1x buitenunit; 7 kw koelen; voorbeeld foto, meerdere sets in stelling;	50.00
221	1	airconditioning set Panasonic, CU-V28BBP8, year built 2003, merk: Panasonic; type: CU-V28BBP8; jaar: 2003; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 400 V; eigen gewicht: 80 kg; omschrijving: 1x cassette binnenunit; 1x cassette rooster; 1x buitenunit; 7 kw koelen; voorbeeld foto, meerdere sets in stelling;	50.00



Lot	Number Description	Starting Bid €
222	1 airconditioning set Fujitsu, Aoy12esal, year built 2004, merk: Fujitsu; type: Aoy12esal; jaar: 2004; koelvermogen: 12000 BTU/hr; split-unit: ja; aansluiting: 230 V; omschrijving: 1x cassette airco binnenunit; 1x rooster voor cassette; 1x buitenunit;	50.00
223	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
224	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
225	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
226	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
227	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
228	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
229	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
230	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00



Lot	Number Description	Starting Bid €
231	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
232	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
233	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
234	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
235	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
236	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
237	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
238	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
239	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00



Lot	Number Description	Starting Bid €
240	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
241	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
242	1 airconditioning verdamper Daikin, FXAQ20MAVE, merk: Daikin; type: FXAQ20MAVE; koelvermogen: 9000 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,2 kw; verwarmen 2,5 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
243	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
244	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
245	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
246	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
247	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
248	1 airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00



Lot	Number	Description	Starting Bid €
249	1	airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
250	1	airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
251	1	airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
252	1	airconditioning verdamper Daikin, FXAQ25MAVE, merk: Daikin; type: FXAQ25MAVE; koelvermogen: 10500 BTU/hr; type koudemiddel: R410a; split-unit: ja; aansluiting: 230 V; eigen gewicht: 11 kg; totale afmeting L: 800 mm; totale afmeting B: 230 mm; totale afmeting H: 290 mm; omschrijving: VRV wandmodel verdamper; past op Daikin VRV 3 en VRV 4; koelen 2,8 kw; verwarmen 3,2 kw; inclusief originele grondplaat; voorbeeld foto, meerdere in stelling;	50.00
253	9	airconditioning set split-unit: ja; aansluiting: 230 V; omschrijving: diverse airco sets;	50.00
254	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
255	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
256	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
257	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
258	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
259	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
260	1	condenspomp Aspen, Mini aqua, merk: Aspen; type: Mini aqua; aansluiting: 230 V; omschrijving: inclusief slang; voorbeeld foto, meerdere in stelling;	10.00
261	1	condenspomp Aspen, Hi Flow, merk: Aspen; type: Hi Flow; aansluiting: 230 V; omschrijving: inclusief snoer; voorbeeld foto, meerdere in stelling;	10.00
262	1	condenspomp Aspen, Hi Flow, merk: Aspen; type: Hi Flow; aansluiting: 230 V; omschrijving: inclusief snoer; voorbeeld foto, meerdere in stelling;	10.00
263	1	condenspomp Wilo, Drainlift, merk: Wilo; type: Drainlift; aansluiting: 230 V; omschrijving: inclusief snoer;	10.00



Lot	Number	Description	Starting Bid €
264	1	condenspomp Pacific, Pcf 3000, merk: Pacific; type: Pcf 3000; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
265	1	condenspomp Pacific, Pcf 3000, merk: Pacific; type: Pcf 3000; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
266	1	condenspomp Pacific, Pcf 3000, merk: Pacific; type: Pcf 3000; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
267	1	condenspomp Charles austen, Mini blue, merk: Charles austen; type: Mini blue; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
268	1	condenspomp Charles austen, Mini blue, merk: Charles austen; type: Mini blue; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
269	1	condenspomp Sangi, Split pump, merk: Sangi; type: Split pump; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
270	1	condenspomp Sangi, Split pump, merk: Sangi; type: Split pump; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
271	1	condenspomp Sangi, Split pump, merk: Sangi; type: Split pump; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
272	1	condenspomp Siccom, Mini flowwatch 2, merk: Siccom; type: Mini flowwatch 2; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
273	1	condenspomp Siccom, Mini flowwatch 2, merk: Siccom; type: Mini flowwatch 2; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
274	1	condenspomp Siccom, Mini flowwatch 2, merk: Siccom; type: Mini flowwatch 2; aansluiting: 230 V; omschrijving: inclusief snoer, sensor en slang; voorbeeldfoto, meerdere in stelling;	10.00
275	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
276	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
277	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
278	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
279	1	airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00



Lot	Number Description	Starting Bid €
280	1 airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
281	1 airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
282	1 airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
283	1 airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
284	1 airconditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
285	3 airconditioning omschrijving: buitenunit;	10.00
286	1 airconditioning Haier , merk: Haier ; koelvermogen: 18000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x buitenunit; 1x afstandsbediening;	50.00
287	1 industriële verwarmingsinstallatie Thermagas, VRBC 80, merk: Thermagas; type: VRBC 80; verwarmingscapaciteit: 88 kW; gasgestookt: ja; totale afmeting L: 1730 mm; totale afmeting B: 1280 mm; totale afmeting H: 1100 mm; omschrijving: Gas lucht warmer; 6500 m3 per uur; inclusief schoorsteen en bedieningspaneel; 230v; aardgas;	100.00
288	1 airconditioning Carrier, 42GWD020B, merk: Carrier; type: 42GWD020B; koelvermogen: 36000 BTU/hr; aansluiting: 230 V; omschrijving: Idrofan fan coil unit; met twee spiralen; koelen en verwarmen; per stuk;	50.00
289	1 airconditioning Carrier, 42GWD020B, merk: Carrier; type: 42GWD020B; koelvermogen: 36000 BTU/hr; aansluiting: 230 V; omschrijving: Idrofan fan coil unit; met twee spiralen; koelen en verwarmen; per stuk;	50.00
290	1 airconditioning Carrier, 42GWD020B, merk: Carrier; type: 42GWD020B; koelvermogen: 36000 BTU/hr; aansluiting: 230 V; omschrijving: Idrofan fan coil unit; met twee spiralen; koelen en verwarmen; per stuk;	50.00
291	1 Waterslang Adara, 10/30 , merk: Adara; type: 10/30 ; diameter: 100 mm; omschrijving: slang inclusief koppelingen; 100mm doorsnee; exclusief spanbanden;	10.00
292	1 airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 12000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; voorbeeld foto, meerdere in stelling;	50.00
293	1 airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 12000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; voorbeeld foto, meerdere in stelling;	50.00



Lot	Number	Description	Starting Bid €
294	1	airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 12000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; voorbeeld foto, meerdere in stelling;	50.00
295	1	airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; voorbeeld foto, meerdere in stelling;	50.00
296	1	airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; voorbeeld foto, meerdere in stelling;	50.00
297	1	airconditioning set Mitsubishi, merk: Mitsubishi; koelvermogen: 18000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x binnenunit; 1x grondplaat; 1x buitenunit; 1x afstandsbediening; 5 kw koelen;	50.00
298	1	airconditioning set Western, Mou-18hp, merk: Western; type: Mou-18hp; koelvermogen: 18000 BTU/hr; type koudemiddel: R407c; aansluiting: 230 V; omschrijving: 1x plafond onderbouw binnenunit; 1x buitenunit; 5,2 kw koelen; 6 kw verwarmen;	50.00
299	1	airconditioning set Western, Mou-24hp, merk: Western; type: Mou-24hp; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; omschrijving: 1x plafond onderbouw binnenunit; 1x buitenunit; 7,1 kw koelen; 8 kw verwarmen;	10.00
300	1	air conditioning set Western, merk: Western; koelvermogen: 24000 BTU/hr; type koudemiddel: R407c; aansluiting: 230 V;	10.00
301	1	air conditioning set Western, merk: Western; koelvermogen: 9000 BTU/hr; type koudemiddel: R407c; split-unit: ja; aansluiting: 230 V; eigen gewicht: 35 kg; omschrijving: split unit; 2,7 kw koelen; voorbeeldfoto, meerdere in stelling;	10.00
302	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	50.00
303	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00
304	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00
305	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00



Lot	Number	Description	Starting Bid €
306	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00
307	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00
308	1	plafond inbouw cassette ventilatorconvectoren Carrier, 42GW500CJG-A, merk: Carrier; type: 42GW500CJG-A; aansluiting: 230 V; eigen gewicht: 30 kg; totale afmeting L: 900 mm; totale afmeting B: 900 mm; omschrijving: Koelcapaciteit: 6,3 kw Verwarmingscapaciteit: 8,1 kw (bij 50 graden CV) 13,3 kW (bij 75 graden CV); werkt met water of glycol/water; 1x cassette; 1x luchtrooster; 1x universele afstandsbediening;	10.00
309	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	10.00
310	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	10.00
311	1	air conditioning evaporator set brand: Mitsubishi; type: FDTSA22KXE4; cooling power: 7500 BTU/hr; type of refrigerant: R410a; electric connection: 230 V; own weight: 35 kg; total dimension L: 770 mm; total dimension W: 1300 mm; total dimension H: 285 mm; description: cooling capacity 2.2 kw; heating power 2.5 kw; including outlet grate; (2 boxes);	10.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience