



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online veiling activa afkomstig uit Drukkerij Corelio
in faillissement (BE)**

Online auction assets coming from Printing

Company Corelio in bankruptcy
Keerstraat 10 - 9420 Erpe-Mere
(Lots/Loten 1-1053)

Closing date: Thursday **05 DECEMBER** starting 14:00



Bidding only on the internet!

13-11-19 12.01

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 05 December 2019 Online veiling activa afkomstig uit Drukkerij Corelio in faillissement



Closing date	Thursday 5 December 2019 starting 14:00 CET																
Viewing	Thursday 28 November from 09:00 until 16:00 CET Tuesday 3 December from 09:00 until 16:00 CET Lots/Loten 1-1053 Keerstraat 10 9420 Erpe-Mere, Belgium By appointment Lot 2001 Schoebroekstraat 50 3583 Paal, Belgium TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be																
Company organising this Online Auction	Various percentages 21.00%																
Markup	Thursday 12 December from 09:00 until 16:00 CET Lots/Loten 1-1053 Keerstraat 10 9420 Erpe-Mere, Belgium By appointment Lot 2001 Schoebroekstraat 50 3583 Paal, Belgium																
VAT																	
Collection																	
Viewing instructions	<ul style="list-style-type: none">• Bidding without prior viewing will be at your own risk. See also our general conditions.																
Pick-Up instructions	<ul style="list-style-type: none">• The buyer, or his representative, is requested to submit his proforma purchase agreement the day of loading;• The buyer is responsible for the dismantling; the loading and the transport of the goods;• In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date;• Troostwijk NV will not accept any responsibility concerning above mentioned items, unless otherwise stated on the website.																
Paiement instructions	<ul style="list-style-type: none">• Within 48 hours after receiving the proforma purchase agreement• By bank transfer• Description: buyer number - number of sale <table><tr><th>Bank</th><th>Account</th><th>IBAN nr.</th><th>BIC Code</th></tr><tr><td>BNPParibas/Fortis</td><td>220-0725551-27</td><td>BE48 2200 7255 5127</td><td>GEBABEBB</td></tr><tr><td>KBC</td><td>411-1106201-15</td><td>BE83 4111 1062 0115</td><td>KREDBEBB</td></tr><tr><td>ING</td><td>320-0037404-32</td><td>BE90 3200 0374 0432</td><td>BBRUBEBB</td></tr></table>	Bank	Account	IBAN nr.	BIC Code	BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
Bank	Account	IBAN nr.	BIC Code														
BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB														
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB														
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB														
General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.																

www.TroostwijkAuctions.com



Following lots	After registration and login, lots can be 'followed' via 'My Troostwijk'.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.
Lots without bid	All lots without any bid will stay open until half an hour after the last closing time bid.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	10-color sheet press KBA, Rapida 106-10 SW5 SPC, year built 2014, serial number 377419, brand: KBA; type: Rapida 106-10 SW5 SPC; year: 2014; serial number: 377419; number of colours: 10; sheet fed offset: yes; highpile feeder unit: yes; highpile delivery unit: yes; colour inspection desk: yes; switchcabinet: yes -doors; electric connection: 400 V; manual present: yes; description: number of colors: 10; printed material size: up to 740 x 1060 mm. Capacity: 15,000 sheets / hour; provided with: automatic non-stop feeder, Unstacker, Grafix Powder Max-CDA, CDB-CDD-CDT powder spray unit; including: Aircenter Kaeser SX6 screw compressor;	225,000.00
2	1	CtP system Agfa, brand: Agfa; description: full CTP system; thermal platesetter: Agfa, Avalon N36-50 E, s / n. 134; aluminum sheet feeder left: Agfa, N40-AL SKID (L), s / n. 1004; aluminum sheet feeder left: Agfa, N40-AL SKID (R), s / n. 4; in-line module to processor: Agfa, N24 <(> & <)> 36 <(> & <)> 40 CO-ACOMBO LOAD, s / n. 1007; in-line module to processor: Agfa, N24 <(> & <)> 36 <(> & <)> 40 COS COMBO LOAD, s / n. 1008; conveyor belt: Agfa, conveyor; plate conveyor: Agfa, Elantrix Co 150, s / n. AG31036A; thermal plate illuminator: Agfa, Arkana 150; 2 x air-cooled cooling group: Rexxam, RCU-600; 2 x air filter unit: Dainippon, AF-180; multi stacking system: Agfa, DPF 90-2, s / n. M256090122;	25,000.00
	3	1 gathering machine Ferag, Unidrum UDR-2-350-ZF6, year built 2009, serial number 39010292, brand: Ferag; type: Unidrum UDR-2-350-ZF6; year: 2009; serial number: 39010292; number of infeed stations: 5; electric connection: 400 V; description: /; min. format: 200 x 153 mm; max format: 350 x 310 mm; number of drums: 40; stapler: HFA-60-350-UDR; provided with: 5 jobfeers, STI, LEC8, 5 jetfeeders, STI, JOB-FEX / JEF;	75,000.00
4	1	4-color heatset rotary offset press KBA, Compacta 215, year built 2008, serial number 60511400, brand: KBA; type: Compacta 215; year: 2008; serial number: 60511400; number of colours: 4; rotation offset: yes; control desk: yes; colour inspection desk: yes; switchcabinet: yes; manual present: yes; description: /; colors: 4 colors; number of pages: 16; paper: min 39 g / m ² up to 200 g / m ² ;.. Format: 620 x 1000 mm; circumference: 62 cm; web width: up to 100 cm. supply: automatic double rolafwikkelaar with rolaanvoer over ground rail; oven: gas heated , 12 m in length ; folding tower: yes; Online: gluing, trimming; comprising: ink rollenwas- and waterbevochtiging groups on the color, gloss UV coating recto, folding apparatus, Vits cooling roller station, incl group + air condenser.;	150,000.00
	5	1 4-color heatset rotary offset press KBA, Compacta 418, year built 2004, serial number 60801300, brand: KBA; type: Compacta 418; year: 2004; serial number: 60801300; number of colours: 4; rotation offset: yes; control desk: yes; colour inspection desk: yes; manual present: yes; description: number of pages: 32; format: 1240 x 1000 mm; circumference: 124 cm; web width: max. 100 cm; paper: min. 39 g / m ² , max. 115 g / m ² ; folding: 16 pages A4, 24 pages A4, 32 pages A4; colors: 4 colors; online: gluing, cutting; oven: gas fired oven; supply: automatic double roll dispenser with roll delivery via floor rail; equipped with: input and stretch roll, 4 color groups, ink, roll wax and water humidification on the color groups, cooling roll station, incl. group + air condenser, control / control terminals, folding tower;	90,000.00
6	1	4-color heatset rotary offset press MAN roland, Lithoman 72, year built 2007, serial number 28208, brand: MAN roland; type: Lithoman 72; year: 2007; serial number: 28208; description: Pages: 72; Circumference: 124 cm; Track width: max. 198 cm; Paper: max. 115 g / m ² , min. 39 g / m ² ; Fold: 64 pages, 2 x 32 pages (A / A or A / B), 2 x 36 pages (if no thread); Colors: 4 colors;	150,000.00



Lot	Number	Description	Starting Bid €
© 7	1	4-color heatset rotary offset press MAN Roland, Lithoman 48, year built 2004, serial number 27984, brand: MAN Roland; type: Lithoman 48; year: 2004; serial number: 27984; rotation offset: yes; description: number of pages: 48; Circumference: 124 cm; Track width: max. 146 cm; Paper: max. 115 g / m ² , min. 39 g / m ² ; Fold: 48 pages, 2 x 24 pages (A / A or A / B), parallel fold; Colors: 4 colors;	90,000.00
8	1	varnishing machine KBA, Rapida 105-L SAPC ALV2, year built 2014, serial number 377415, brand: KBA; type: Rapida 105-L SAPC ALV2; year: 2014; serial number: 377415; highpile feeder unit: yes; highpile delivery unit: yes; control desk: yes; cooling unit: yes; colour inspection desk: yes; switchcabinet: yes; electric connection: 400 V; manual present: yes; description: number of colors: 1, varnish; material to be printed format: max. 740 x 1060 mm; capacity: 15,000 sheets / hour; provided with: automatic non-stop input and stacking device;	75,000.00
9	1	4-color web offset rotation printing press KBA, Compacta 408, year built 2008, brand: KBA; type: Compacta 408; year: 2008; number of colours: 4; web offset: yes; electric connection: 400 V; description: Page 32 Commercial Web Offset Printing Pres - short grain; Cut-off: 445mm; cylinder diameter: 890mm; maximum width: 1320mm; maximum mechanical speed: 60,000 prints / hr; number of color groups: 4; equipped with: 1 FLYING inprint group, folding tower CBA 2: 5: 5 with 2 x A3 explanation, cylinder stapler, Contiweb dryer, Control system KBA Logotronic Professional; completely overhauled in 2017;	150,000.00
10	1	folding street MBO, year built 2016, brand: MBO; year: 2016; number of buckles: 8 pcs; electric connection: 400 V; description: /; consisting of : type T800.1-FP95, Manuf / n. VVE / 15047, type T800.1-1-78 / 4, Manuf / n. VVE / 15047, type T800.1-1-68 / 4, Manuf / n. VVE / 15047 and type SBAP 46 ME, Manuf / n. VVE / 15047;	7,500.00
11	1	guillotine shear with source and drain street and vibrating table Baumann Wohlenberg, 115, year built 1998, serial number 3658-005, brand: Baumann Wohlenberg; type: 115; year: 1998; serial number: 3658-005; cut width: 1150 mm; feed depth: 1150 mm; electric connection: 400 V; description: equipped with supply station NUP1000, s / n. 52624, discharge station BA5, s / n. 1215, vibration table BSB3L, s / n. 211464;	7,500.00
12	1	folding street Heidelberg Stahlfolder, TD-78/4/4/2-RD-T, serial number 702806-292041, brand: Heidelberg Stahlfolder; type: TD-78/4/4/2-RD-T; serial number: 702806-292041; number of buckles: 4 pcs; description: equipped with RD.2-78-T, s / n. 702806-292041;	2,500.00
13	1	folding street MBO, T52-R52, serial number 930114146, brand: MBO; type: T52-R52; serial number: 930114146; number of buckles: 6 pcs; description: consisting of type T52-R 52, s / n. 930114146, type T52-1-52 / 6, s / n. 930114146 and SBAP 46ME, s / n. 01 05 20 602;	2,500.00
14	1	folding street Heidelberg Stahlfolder, TH-82, year built 2008, serial number FH.FAW0-01162, brand: Heidelberg Stahlfolder; type: TH-82; year: 2008; serial number: FH.FAW0-01162; description: consisting of type 2.BUH-66, s / n. FH.ESBB-01197, SBP-66, s / n. 930114146 and RFH-82;	2,500.00
15	1	folding station Heidelberg, 2.TD-66/4-T, serial number 702806-292041, brand: Heidelberg; type: 2.TD-66/4-T; serial number: 702806-292041; number of buckles: 4 pcs;	500.00
16	1	folding station Heidelberg Stahlfolder, 3.BUH-56, year built 2008, serial number FH.ESAC-00900, brand: Heidelberg Stahlfolder; type: 3.BUH-56; year: 2008; serial number: FH.ESAC-00900;	500.00



Lot	Number	Description	Starting Bid €
17	1	electrostatic blocking module Gämmerler, VM 500, year built 2008, serial number 8946, brand: Gämmerler; type: VM 500; year: 2008; serial number: 8946; description: /; connection: 3 x 400 V; power: 2 kW; formats input width: 140-500 mm, depth: 105-330 mm; bundle height: min. 55 mm, max. 400 mm;	400.00
18	1	folding machine with marking system MBO, T52/4X, serial number 80105602, brand: MBO; type: T52/4X; serial number: 80105602; number of buckles: 4 pcs; description: /; format: 52 x 72; equipped with: 4-head marking system with 2 Getra Videojet Excel 270g inkjet generators;	1,250.00
19	1	collecting stitcher with saddle stitcher and three knife trimmer Müller Martini, Tempo, year built 2005, brand: Müller Martini; type: Tempo; year: 2005; number of infeed stations: 7; cover infeed unit: yes; electric connection: 400 V; description: /; type feeder stations: 3738; number of chain conveyors: 6; saddle stitching system: yes; three knife trimmer : yes; hours on counter: 49221;	25,000.00
20	1	Splash press Original Heidelberg cylinder, SP 54 x 72, brand: Original Heidelberg cylinder; type: SP 54 x 72; description: cylinder : 54 x 72 cm;	1,250.00
21	1	guillotine shear with source and drain street and vibrating table Baumann Wohlenberg, 115 EM-Monitor, year built 1998, serial number 5732001, brand: Baumann Wohlenberg; type: 115 EM-Monitor; year: 1998; serial number: 5732001; cut width: 1150 mm; feed depth: 1150 mm; electric connection: 400 V; description: provided with two loading and unloading stations, type NUP650, s / n. 52453 and s / n. 52462, vibrating table BSB3L, s / n. 211 308;	7,500.00
22	1	automatic paper drilling machine Hang, 114-30, year built 2004, serial number 102980, brand: Hang; type: 114-30; year: 2004; serial number: 102980; number of drills: 4; foot control: yes; table size L: 400 mm; table size W: 600 mm; electric connection: 400 V;	1,250.00
23	1	screw compressor Compair , L75SR-13A, year built 2006, serial number 100009114-0009, brand: Compair ; type: L75SR-13A; year: 2006; serial number: 100009114-0009; capacity: 13 bar; power: 90 kW; hours on display: 52117; electric connection: 400 V; own weight: 1848 kg; description: /; flow rate: 13.98 m³ / min;	1,750.00
24	1	screw compressor Compair , L37-7,5A, year built 2007, serial number 100010813/0056, brand: Compair ; type: L37-7,5A; year: 2007; serial number: 100010813/0056; capacity: 7.5 bar; power: 37 kW; hours on display: 36368; electric connection: 400 V; own weight: 966 kg; description: /; flow rate: 7.1 m³ / min;	900.00
25	1	screw compressor Compair , L75SR, year built 2004, serial number LSR-0673, brand: Compair ; type: L75SR; year: 2004; serial number: LSR-0673; capacity: 13 bar; power: 88 kW; hours on display: 17720; electric connection: 400 V; own weight: 1848 kg; description: /; flow rate: 9.51-12.2 m³ / min;	1,500.00
26	1	screw compressor Atlas Copco , GA37VSD FF, year built 2005, serial number API570499, brand: Atlas Copco ; type: GA37VSD FF; year: 2005; serial number: API570499; capacity: 12.8 bar; power: 37 kW; hours on display: 44886; electric connection: 400 V; own weight: 1200 kg; description: /; flow rate: 6.78 m³ / min-113 l / s;	1,250.00
27	1	air dryer Compair , F370H, serial number 2294170001, brand: Compair ; type: F370H; serial number: 2294170001; electric connection: 400 V; own weight: 450 kg;	400.00
28	1	air dryer Parker Zander, AS2100-A40035014EX, serial number 398615480001, brand: Parker Zander; type: AS2100-A40035014EX; serial number: 398615480001; electric connection: 400 V; own weight: 250 kg;	300.00



Lot	Number	Description	Starting Bid €
29	1	CtP system Agfa, brand: Agfa; description: full CTP system; thermal platesetter: Agfa, Avalon N16-50 E, s / n. 204; aluminum plate feed: Agfa, N16-AL M (triple L), s / n. 55; in-line module to processor: Dainippon, AT-M16000; conveyor belt: Agfa, N16 conveyor, s / n. 217; thermal plate processor: Agfa, Elantrix 125HX, s / n. 94208-0263, plate width max. 200-1250 mm (7.9-49.2 "), plate length max. 315-1500 mm (12.4-59.0"), plate thickness max. 0.15-0.50 mm (0.006-0.02 "), plate speed 70-230 cm / min (27.6-90.6 "/ min), max. capacity 57 plates / hour, plate types P970, Energy Elite, Energy Elite Pro; air-cooled cooling group: Rexxam, RCU-600; water cooler: Orion, RK750V-SP-UL; air filter unit: Dainippon, AF-180; stacker: Agfa, Elantrix ST 125SX, s / n. 30078351;	15,000.00
30	1	CtP system Agfa, brand: Agfa; description: full CtP system; base engine: Agfa, Avalon LF base engine, s / n. 3467; flat manager: Agfa X45 flat manager / 2BIN / CAS, s / n. 664; thermal plate processor: Agfa, Elantrix 85HX, s / n. SH9500; cooling group: Neslab, Merlin M33; stacker: Agfa, Elantrix ST 95EX;	7,500.00
31	1	CtP system Agfa, brand: Agfa; description: full CtP system; thermal plate illuminator: Agfa, Xcalibur VLF, s / n. 50173; thermal plate processor: Agfa, Elantrix 150 HX, s / n. 121; cooling group: Neslab, Merlin M33; including: output belt and plate trolley;	5,000.00
32	1	dry running claw vacuum pump Rietschle, VLR 500, year built 2006, serial number 2665839, brand: Rietschle; type: VLR 500; year: 2006; serial number: 2665839; power: 9 kW; nominal capacity: 485 m³/hr; electric connection: 400 V; description: /; absolute negative pressure: 250 mbar;	1,000.00
33	1	dry running claw vacuum pump Rietschle, VLR 500, year built 2003, serial number 2359435, brand: Rietschle; type: VLR 500; year: 2003; serial number: 2359435; power: 9 kW; nominal capacity: 485 m³/hr; electric connection: 400 V; description: /; absolute negative pressure: 250 mbar;	1,000.00
34	1	dry running claw compressor pump Rietschle, DLR 500, year built 2003, serial number 2359431, brand: Rietschle; type: DLR 500; year: 2003; serial number: 2359431; power: 15 kW; nominal capacity: 500 m³/hr; electric connection: 400 V; description: /; absolute pressure: +1.2 bar;	750.00
35	1	dry running claw compressor pump Rietschle, DLR 500, year built 2003, serial number 2359432, brand: Rietschle; type: DLR 500; year: 2003; serial number: 2359432; power: 15 kW; nominal capacity: 500 m³/hr; electric connection: 400 V; description: /; absolute pressure: +1.2 bar;	750.00
36	1	screw compressor defect Compair , L75SR, year built 2004, serial number LSR-0470, brand: Compair ; type: L75SR; year: 2004; serial number: LSR-0470; capacity: 13 bar; power: 88 kW; hours on display: 17720; electric connection: 400 V; own weight: 1848 kg; description: /; flow rate: 9.51-12.2 m³ / min;	400.00
37	1	screw compressor repair Compair , L37-7,5A, year built 2007, serial number 100010813/0057, brand: Compair ; type: L37-7,5A; year: 2007; serial number: 100010813/0057; capacity: 7.5 bar; power: 37 kW; hours on display: 36368; electric connection: 400 V; own weight: 966 kg; description: /; flow rate: 7.1 m³ / min; mention on the compressor : for spare parts, sealing engine failure, rest OK;	900.00
38	1	screw compressor repair Atlas Copco , GA37 FF, year built 2005, serial number API500622, brand: Atlas Copco ; type: GA37 FF; year: 2005; serial number: API500622; capacity: 9.8 bar; power: 37 kW; electric connection: 400 V; own weight: 1090 kg; description: /; flow rate: 5.88 m³ / min-98 l / s;	400.00



Lot	Number	Description	Starting Bid €
39	1	telescopic boom lift Haulotte , HA12IP, year built 2005, serial number AE102982, brand: Haulotte ; type: HA12IP; year: 2005; serial number: AE102982; electric: yes; telescopic boom lift: yes; articulating boom lift: yes; working height: 1200 cm; horizontal outreach: 6500 cm; platform size L: 80 cm; platform size W: 120 cm; platform capacity: 230 kg; description: /; note: battery is currently almost empty;	2,500.00
40	1	electric forklift truck Toyota , 18, brand: Toyota ; type: 18; electric: yes; number of wheels: 3; lifting capacity: 1800 kg; overhead guard height: 1960 mm; fork length: 1200 mm; tripple mast: yes; full rubber tyres: yes; description: /; Status: currently outside force -defect- message on the device present; Key: not available;	300.00
41	1	electric forklift truck Toyota , 7FBMF40 Aramo-200NJ, year built 2003, serial number 7FBMF50 10112, brand: Toyota ; type: 7FBMF40 Aramo-200NJ; year: 2003; serial number: 7FBMF50 10112; electric: yes; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 6000 mm; overhead guard height: 2720 mm; fork length: 1220 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 3167;	2,000.00
42	1	hydraulic paper roll clamp for forklift truck Cascade , 600-RCP, year built 2004, brand: Cascade ; type: 600-RCP; year: 2004; load capacity: 2700 kg; description: with rotator;	750.00
43	1	few spoons for forklift truck Vetter, brand: Vetter; description: /; spoon length: 1000 mm;	75.00
44	1	electric transport trolley for paper rolls BT, LPE 240/M, year built 2004, serial number 720573, brand: BT; type: LPE 240/M; year: 2004; serial number: 720573; lifting capacity: 4000 kg; battery charger: yes; hours on display: 1133; own weight: 1133 kg; description: /; unlock code: 222 + green key;	350.00
45	1	electric pallet truck BT , SPE160L, year built 2008, serial number 6022110, brand: BT ; type: SPE160L; year: 2008; serial number: 6022110; lifting capacity: 1600 kg; fork length: 1200 mm; stand-on pallet truck: yes; battery charger: yes;	250.00
© 46	1	profile steel gantry crane for saddle stitcher description: for the supply of printed matter to the collector; total size of steel profile portal: 7440 x 4440 x H 3530 mm; Equipped with: trolley trolley system Konecranes, capacity 1000 kg;	350.00
© 47	1	lot of disassembled machine parts for saddle stitcher description: parts for job feeders from Ferag Unidrum-350 collector, including 3 mobile machine seats;	200.00
© 48	1	transport assistance for feeders Stocklin/Ferag, brand: Stocklin/Ferag; description: for Ferag USR and TSV feeders, among others;	200.00
© 49	1	feeder Ferag, USR-350-310, year built 2009, serial number 39010290, brand: Ferag; type: USR-350-310; year: 2009; serial number: 39010290; description: including maintenance station;	1,750.00
© 50	1	insert feeder with hot melt adhesive unit Ferag, TSV-340, year built 2009, serial number 39010038, brand: Ferag; type: TSV-340; year: 2009; serial number: 39010038; description: including maintenance station;	1,750.00
51	1	profile steel gantry crane for saddle stitcher description: for the supply of printed matter to the collector; total size of steel profile portal: 8700 x 4630 x H 3350 mm; equipped with: trolley trolley system Demag, capacity 250 kg;	250.00
© 52	1	cutter Ferag, SNT-35 38.94.0326, year built 2009, serial number 13.42.0101-120836, brand: Ferag; type: SNT-35 38.94.0326; year: 2009; serial number: 13.42.0101-120836; description: /; number of blades per wheel: 30; number of cutting wheels: 2;	7,500.00



Lot	Number	Description	Starting Bid €
© 53	1	collection station Ferag, AB2-C-NA 39.01.0300, year built 2009, serial number 20.49.0201-120836, brand: Ferag; type: AB2-C-NA 39.01.0300; year: 2009; serial number: 20.49.0201-120836;	750.00
© 54	1	collection station Ferag, AB2-C-MW 39.01.0300, year built 2009, serial number 20.49.0301-120836, brand: Ferag; type: AB2-C-MW 39.01.0300; year: 2009; serial number: 20.49.0301-120836;	750.00
Combination line inserting system Ferag			
55	1	cross stacker Gämmerler, KL 540 LPC, year built 2009, serial number 9392/2009, brand: Gämmerler; type: KL 540 LPC; year: 2009; serial number: 9392/2009; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
56	1	electrostatic blocking module Gämmerler, VM 500, year built 2009, serial number 9445/2009, brand: Gämmerler; type: VM 500; year: 2009; serial number: 9445/2009; description: /; connection: 3 x 400 V; power: 2 kW; formats input width: 140-500 mm, depth: 105-330 mm; bundle height: min. 55 mm, max. 400 mm;	400.00
57	1	bottom pad Metaverpa, BW 35 ST, brand: Metaverpa; type: BW 35 ST;	200.00
58	1	Belt strapping machine Ferag, SSP-C36-Q, year built 2009, serial number 40.16.1101-300483, brand: Ferag; type: SSP-C36-Q; year: 2009; serial number: 40.16.1101-300483; description: transverse;	450.00
59	1	Belt strapping machine Ferag, SSP-C36-L, year built 2009, serial number 40.16.1001-300483, brand: Ferag; type: SSP-C36-L; year: 2009; serial number: 40.16.1001-300483; description: longitudinal;	450.00
60	1	driven conveyor corner unit Gämmerler, brand: Gämmerler; description: /; types: ZB AA675, stapelquer. and ZB AA565 with upward pivotal portion type ZB AA835;	200.00
61	1	collection station Ferag, AB2-C-MW, year built 2009, serial number 20.49.0302-120836, brand: Ferag; type: AB2-C-MW; year: 2009; serial number: 20.49.0302-120836;	750.00
62	1	cross stacker Gämmerler, KL 540 LPC, year built 2009, serial number 9393/2009, brand: Gämmerler; type: KL 540 LPC; year: 2009; serial number: 9393/2009; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
63	1	electrostatic blocking module Gämmerler, VM 500, year built 2009, serial number 9444/2009, brand: Gämmerler; type: VM 500; year: 2009; serial number: 9444/2009; description: /; connection: 3 x 400 V; power: 2 kW; formats input width: 140-500 mm, depth: 105-330 mm; bundle height: min. 55 mm, max. 400 mm;	400.00
64	1	conveyor Gämmerle, ZB AA675, serial number 4465-10, brand: Gämmerle; type: ZB AA675; serial number: 4465-10;	75.00
65	1	Belt strapping machine Ferag, SSP-C36-Q, year built 2009, serial number 40.16.1102-300483, brand: Ferag; type: SSP-C36-Q; year: 2009; serial number: 40.16.1102-300483; description: transverse;	450.00
66	1	Belt strapping machine Ferag, SSP-C36-L, year built 2009, serial number 40.16.1002-300483, brand: Ferag; type: SSP-C36-L; year: 2009; serial number: 40.16.1002-300483; description: longitudinal;	450.00



Lot	Number	Description	Starting Bid €
67	1	driven conveyor belt Gämmerler, brand: Gämmerler; description: consisting of 5 modules being three-piece module ZB AA835, 1 x type stapelquer., 1 x type ZB AA675 and 2 x between belt;	250.00
68	1	Belt strapping machine Mosca, RO-TR 600-4, year built 2005, serial number 79808, brand: Mosca; type: RO-TR 600-4; year: 2005; serial number: 79808; electric connection: 400 V; description: /; power: 1.5 kW;	400.00
69	1	conveyor belt with lowerable bridge section description: /; length 2 fixed tires : 500 mm; total length setup : 1650 mm; width: 300 mm; length bridge part: 600 mm;	150.00
70	1	palletizer Segbert, ZPA-S, serial number 258, brand: Segbert; type: ZPA-S; serial number: 258; infeed roller conveyor: yes; outfeed roller conveyor: yes; safety fence: yes; electric connection: 400 V; description: /; pallets format: 120 x 80 cm; equipped with: blocking module with turntable, VBS-95, s / n. 474, automatic supply from pallet buffer, ZT, s / n. 261 and stacking robot;	5,000.00
71	1	in-line pallet foil wrapper Getra, Atlanta stretch MXTHO/A, year built 2017, serial number A172573, brand: Getra; type: Atlanta stretch MXTHO/A; year: 2017; serial number: A172573; foil width: 500 mm; electric connection: 400 V; own weight: 1500 kg; description: /; comprising: underlying wire sealer; feed roller conveyor : yes, 3 pieces; discharge roller conveyor : yes;	2,500.00
72	1	Splash press Original Heidelberg cylinder, brand: Original Heidelberg cylinder; description: cylinder : 64 x 89 cm / 25-1 / 4 "x 35";	1,250.00
73	1	electrostatic blocking module Müller Martini, 6214, year built 2005, serial number 1026345-1000, brand: Müller Martini; type: 6214; year: 2005; serial number: 1026345-1000; electric connection: 400 V;	1,500.00
74	1	cross stacker Müller Martini, Rapido 7525.0403, year built 2005, serial number MMZO 913 664, brand: Müller Martini; type: Rapido 7525.0403; year: 2005; serial number: MMZO 913 664; description: /; minimum format: 105 x 148 mm; maximum format: 320 x 480 mm; stack height: 250 mm; mechanical speed: max: 20,000 pieces / hour;	1,500.00
75	1	electrostatic blocking module Müller Martini, 6211, year built 2004, serial number 87082-2, brand: Müller Martini; type: 6211; year: 2004; serial number: 87082-2; description: /; Including: conveyor belt with lowerable bridge section;	1,500.00
76	1	Belt strapping machine Mosca, RO-TR-4, year built 2006, serial number 84489, brand: Mosca; type: RO-TR-4; year: 2006; serial number: 84489; electric connection: 400 V; description: cross-sided strapping; power: 1.5 kW;	400.00
77	1	Belt strapping machine Mosca, RO-TRI-5, year built 2006, serial number 84490, brand: Mosca; type: RO-TRI-5; year: 2006; serial number: 84490; electric connection: 400 V; description: longitudinal strapping; power: 1.5 kW;	400.00
78	1	horizontal conveyor belt Müller Martini, 6208 B3, year built 2005, serial number MMVZ 1 024 180-1010, brand: Müller Martini; type: 6208 B3; year: 2005; serial number: MMVZ 1 024 180-1010; description: /; width: 380 mm; length : 1180 mm;	75.00
79	1	bottom pad Metaverpa, BW 35, brand: Metaverpa; type: BW 35; description: /; press combination: P1-BW diameter 1;	200.00



Lot	Number	Description	Starting Bid €
80	1	90 ° conveyor belt Transnorm, TS 1500-080, brand: Transnorm; type: TS 1500-080; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	150.00
81	1	lowerable bridge conveyor Müller Martini, 6214 FJ44, year built 2006, serial number MMVZ 1 191 791-1000, brand: Müller Martini; type: 6214 FJ44; year: 2006; serial number: MMVZ 1 191 791-1000; description: /; width: 400 mm, in two strips; length : 800 mm;	50.00
82	1	Belt strapping machine Ferag, SMB INO, year built 2012, serial number 320A011247002, brand: Ferag; type: SMB INO; year: 2012; serial number: 320A011247002; description: longitudinal strapping; connection: 3 x 400 V; including: conveyor belts;	400.00
83	1	Belt strapping machine Ferag, SMB PRO, year built 2012, serial number 320A011247001, brand: Ferag; type: SMB PRO; year: 2012; serial number: 320A011247001; description: cross-sided strapping; connection: 3 x 400 V;	400.00
84	1	lowerable bridge conveyor Müller Martini, 6214 FJ44, year built 2005, serial number MMVZ 1 024 180-1030, brand: Müller Martini; type: 6214 FJ44; year: 2005; serial number: MMVZ 1 024 180-1030; description: /; width: 400 mm, in two strips; length : 800 mm;	50.00
85	1	90 ° conveyor belt Transnorm, TS 1500-080, brand: Transnorm; type: TS 1500-080; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	150.00
86	1	conveyor belt with dropable bridge and alignment module Müller Martini, 6214, year built 2004, serial number 87082-7, brand: Müller Martini; type: 6214; year: 2004; serial number: 87082-7; description: /; width: 400 mm, in two strips; length including bridge section: 2400 mm;	50.00
87	1	electrostatic blocking module Gämmerler, VM 500, year built 2008, serial number 8947, brand: Gämmerler; type: VM 500; year: 2008; serial number: 8947; description: /; connection: 3 x 400 V; power: 2 kW; formats input width: 140-500 mm, depth: 105-330 mm; bundle height: min. 55 mm, max. 400 mm;	400.00
88	1	turntable Ferag, TS-T, year built 2003, serial number 3798108801100595, brand: Ferag; type: TS-T; year: 2003; serial number: 3798108801100595;	250.00
89	1	lowerable bridge conveyor Müller Martini, 6214 FJ44, year built 2005, serial number MMVZ 1 236 175-1000, brand: Müller Martini; type: 6214 FJ44; year: 2005; serial number: MMVZ 1 236 175-1000; description: /; width: 400 mm, in two strips; length : 800 mm;	50.00
90	1	palletizer Müller Martini, Cohiba 6228, year built 2004, serial number 87.082.95, brand: Müller Martini; type: Cohiba 6228; year: 2004; serial number: 87.082.95; infeed roller conveyor: yes; outfeed roller conveyor: yes; safety fence: yes; electric connection: 400 V; description: /; automatic pallet delivery: yes; supply station for between sheets: yes; format pallets: 120 x 80 cm;	2,500.00
91	1	rotary roller conveyor roll conveyor size L: 1500 mm; roll conveyor size W: 1300 mm; description: for rotating pallets 90 ° in the direction of the pallet foil wrapper; maximum pallet size: 1200 x 1200 mm;	250.00
92	1	roller conveyor Müller Martini, brand: Müller Martini; roll conveyor size L: 2000 mm; roll conveyor size W: 400 mm;	50.00



Lot	Number	Description	Starting Bid €
93	1	collecting stitcher with saddle stitcher and three knife trimmer Müller Martini, Bravo Plus 1529.0416, year built 2003, serial number NN15173 Z0726471, brand: Müller Martini; type: Bravo Plus 1529.0416; year: 2003; serial number: NN15173 Z0726471; number of infeed stations: 4; cover infeed unit: yes; electric connection: 400 V; description: /; saddle stitching system: yes; three knife trimmer : yes;	15,000.00
94	1	cross stacker Müller Martini, Rapido 7525.0403, year built 2003, serial number MMZO 726 470, brand: Müller Martini; type: Rapido 7525.0403; year: 2003; serial number: MMZO 726 470; description: /; minimum format: 105 x 148 mm; maximum format: 320 x 480 mm; stack height: 250 mm; mechanical speed: max: 20,000 pieces / hour;	1,500.00
95	1	card splitter for collector stapler Müller Martini, 0423.0400, year built 2003, serial number MMZO 737 074, brand: Müller Martini; type: 0423.0400; year: 2003; serial number: MMZO 737 074; description: suitable for Müller Martini Tempo combination stapler; including: mobile machine seat;	250.00
96	1	jet feeder for collective stapler Ferag, JEF2-350-FVA-SA135, year built 2009, serial number 39010391, brand: Ferag; type: JEF2-350-FVA-SA135; year: 2009; serial number: 39010391; description: suitable for Unidrum combination stapler;	250.00
97	1	jet feeder for collective stapler Ferag, JEF-450-FVM-DOP, year built 2004, serial number 39006078, brand: Ferag; type: JEF-450-FVM-DOP; year: 2004; serial number: 39006078; description: suitable for Unidrum combination stapler;	250.00
98	1	90 ° conveyor belt Transnorm, TS 1500-080, brand: Transnorm; type: TS 1500-080; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	150.00
99	1	90 ° conveyor belt Transnorm, TS 1500-080, brand: Transnorm; type: TS 1500-080; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	150.00
100	1	hydraulic pallet tipper Premier, FS 1900, year built 2014, serial number C24A51 4, brand: Premier; type: FS 1900; year: 2014; serial number: C24A51 4; electric connection: 400 V; description: /; power: 3 kW; capacity: 2000 kg;	750.00
101	1	film packaging line CMC, 2000, year built 2018, serial number 4876, brand: CMC; type: 2000; year: 2018; serial number: 4876; electric connection: 400 V; description: /; power: 17 kW; supply station: CMC Autoloader AL1, s / n. 4755, automatic stacker: CMC ROBOT 300C, s / n. 4896; label applicator: Altech, Alritma XS; equipped with: automatic foil delivery station, Nordson Problue 4 hot melt adhesive group, 2 Seko vacuum pumps, Graph-Tec K150 marking printer;	20,000.00
102	1	fully automatic cross strapping machine SMB, N5EK, year built 2011, serial number 510CO11149002, brand: SMB; type: N5EK; year: 2011; serial number: 510CO11149002;	400.00
103	1	film packaging machine Rochman, SVATL 60/35, year built 2007, serial number 4291106, brand: Rochman; type: SVATL 60/35; year: 2007; serial number: 4291106; mobile: yes; electric connection: 400 V; own weight: 483 kg; description: /; power: 2 kW;	450.00
104	1	shrink tunnel Rochman, TR45/90H400, year built 2007, serial number 4301106, brand: Rochman; type: TR45/90H400; year: 2007; serial number: 4301106; electric connection: 400 V; own weight: 407 kg; description: /; power: 13 kW;	450.00
105	1	manual machine hoist Müller Martini, brand: Müller Martini; description: provided with manual chain hoist capacity of 500 kg, and various hoisting ropes, chains and accessories for the lifting of components of the Muller Martini gatherer-stitcher machines;	250.00



Lot	Number	Description	Starting Bid €
106	1	pallet wrapper PME, brand: PME; plateau ? : 1650 mm; foil width: 500 mm; electric connection: 400 V; description: /; equipped with: ramp;	600.00
107	1	electric pallet truck Linde , T 16, year built 2010, serial number W 41152 A 03413, brand: Linde ; type: T 16; year: 2010; serial number: W 41152 A 03413; lifting capacity: 1600 kg; fork length: 1150 mm; own weight: 515 kg; total dimension W: 560 mm; description: /; equipped with: integrated charger; condition: battery empty / operation unknown; key: OK;	100.00
108	1	automatic pallet truck BT , Autopilot SAE200, year built 2011, serial number 6154414, brand: BT ; type: Autopilot SAE200; year: 2011; serial number: 6154414; lifting capacity: 2000 kg; fork length: 1200 mm; own weight: 1085 kg; description: condition: partly disassembled / in repair / used as a parts carrier;	250.00
109	1	electric pallet truck Rapid, VVS 1000/2350 E, serial number 100, brand: Rapid; type: VVS 1000/2350 E; serial number: 100; lifting capacity: 1000 kg; fork length: 1170 mm; own weight: 330 kg; total dimension W: 540 mm; description: /; condition: battery empty / operation unknown;	100.00
110	1	electric stacker BT , LBF 1250/11, year built 1996, serial number 280062AA, brand: BT ; type: LBF 1250/11; year: 1996; serial number: 280062AA; lifting capacity: 1250 kg; fork length: 1150 mm; lifting height: 2350 mm; stand-on stacker: yes; own weight: 965 kg; total dimension W: 520 mm;	200.00
111	1	electric pallet truck BT , LWE200, year built 2005, serial number 736844, brand: BT ; type: LWE200; year: 2005; serial number: 736844; lifting capacity: 2000 kg; fork length: 1150 mm; battery charger: yes; hours on display: 7280; own weight: 325 kg; total dimension W: 550 mm; description: /; state: screen lights up and drives, further operation unknown;	150.00
112	1	transpallet Logitrans , GL 2500, year built 1996, brand: Logitrans ; type: GL 2500; year: 1996; lifting capacity: 2500 kg; fork length: 810 mm; total dimension W: 515 mm;	30.00
113	1	transpallet Jungheinrich , brand: Jungheinrich ; lifting capacity: 2000 kg; fork length: 790 mm; total dimension W: 540 mm;	30.00
114	1	transpallet BT , L 2000/11, brand: BT ; type: L 2000/11; lifting capacity: 2000 kg; fork length: 910 mm; total dimension W: 520 mm;	30.00
115	1	transpallet BT , L23/12, brand: BT ; type: L23/12; lifting capacity: 2300 kg; fork length: 1000 mm; total dimension W: 520 mm;	30.00
116	1	transpallet BT , L23/12, brand: BT ; type: L23/12; lifting capacity: 2300 kg; fork length: 1000 mm; total dimension W: 520 mm;	30.00
117	1	transpallet BT , LHM230, brand: BT ; type: LHM230; lifting capacity: 2300 kg; fork length: 1150 mm; total dimension W: 520 mm;	35.00
118	1	transpallet BT , L 2000/11, brand: BT ; type: L 2000/11; lifting capacity: 2000 kg; fork length: 1150 mm; total dimension W: 515 mm;	35.00
119	1	transpallet MIC , brand: MIC ; fork length: 1150 mm; total dimension W: 540 mm; description: /; note: does not go up / oil shortage;	25.00



Lot	Number	Description	Starting Bid €
120	1	pallet highlifter Logitrans , HL 1004, year built 2007, brand: Logitrans ; type: HL 1004; year: 2007; high lifter: yes; lifting capacity: 1500 kg; lifting height: 800 mm; fork length: 1200 mm; own weight: 95 kg; total dimension W: 540 mm;	35.00
121	1	transpallet Steinbock Boss , brand: Steinbock Boss ; lifting capacity: 2000 kg; fork length: 1150 mm; total dimension W: 550 mm;	35.00
122	1	transpallet BT , LHM230, serial number 3830771, brand: BT ; type: LHM230; serial number: 3830771; lifting capacity: 2300 kg; fork length: 1520 mm; own weight: 88 kg; total dimension W: 685 mm;	60.00
123	1	pallet highlifter Ekwo, serial number G1003351, brand: Ekwo; serial number: G1003351; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 128 kg; total dimension W: 560 mm;	60.00
124	1	pallet highlifter BT , HL 1000, serial number 0463196, brand: BT ; type: HL 1000; serial number: 0463196; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 120 kg; total dimension W: 560 mm;	60.00
125	1	hoogheffter with electric linkage Logitrans , brand: Logitrans ; high lifter: yes; lifting capacity: 2000 kg; lifting height: 800 mm; fork length: 1190 mm; total dimension W: 540 mm; description: /; condition: battery is missing / operation unknown;	40.00
126	1	transpallet BT , L23/12, brand: BT ; type: L23/12; lifting capacity: 2300 kg; fork length: 1150 mm; total dimension W: 520 mm;	40.00
127	1	hook on pallet rack SE5, type: SE5; number of uprights: 3; number of cross beams: 9; description: /; size of uprights: 1100 x H 4000 mm; beam dimensions: L 2600 x H 140 mm;	100.00
128	1	hook on pallet rack number of uprights: 8; number of cross beams: 27; description: /; size of uprights: 1000 x H 2800 mm; beam dimensions: L 1750 x H 80 mm;	100.00
129	2	oil drip trays total dimension L: 2400 mm; total dimension W: 1260 mm; total dimension H: 300 mm; description: galvaniseers;	100.00
130	1	oil drip tray total dimension L: 2850 mm; total dimension W: 1255 mm; total dimension H: 210 mm; description: galvanized ;	50.00
131	1	oil drip tray Bauer, AW1000-2, year built 2011, brand: Bauer; type: AW1000-2; year: 2011; own weight: 253 kg; total dimension L: 2645 mm; total dimension W: 1295 mm; total dimension H: 440 mm; description: galvanized ; collecting volume : 1000 L;	75.00
132	1	oil drip tray total dimension L: 6000 mm; total dimension W: 1310 mm; total dimension H: 220 mm;	100.00
133	1	screw compressor with air dryer and air tank Compair , L45SR-13A, year built 2007, serial number 1000101817/0089, brand: Compair ; type: L45SR-13A; year: 2007; serial number: 1000101817/0089; capacity: 13 bar; power: 55 kW; buffer tank content: 909 l; electric connection: 400 V; own weight: 1035 kg; description: repair / outside service; flow rate: 8.2 m³ / min .; air dryer: Compair brand, type 180H, s / n. 3307540001, bj. 2007;	450.00
134	1	tubular steel barrel cart description: pneumatic tires;	10.00
135	1	tubular steel barrel cart description: full tires;	10.00



Lot	Number	Description	Starting Bid €
136	1	tubular steel barrel cart description: full tires;	10.00
137	2	roll up reel supports	10.00
138	1	hook on pallet rack number of uprights: 3; number of cross beams: 8; description: size of uprights: 1050 x H 3000 mm; beam dimensions: L 2200 mm x H 100 mm;	50.00
139	1	hook on pallet rack number of uprights: 2; number of cross beams: 4; description: size of uprights: 1000 x H 3600 mm; beam dimensions: L 2700 mm x H 120 mm;	50.00
140	1	paper shredder with baler Alexandre, year built 2009, brand: Alexandre; year: 2009; description: /; autonomous hydraulic unit: yes; coupling for press contact: yes; control box: yes; provided with: supply of paper waste via galvanized supply pipes; pressing force: 30 tons;	3,000.00
141	1	paper shredder with baler Alexandre, year built 2009, brand: Alexandre; year: 2009; description: /; autonomous hydraulic unit: yes; coupling for press contact: yes; control box: yes; provided with: supply of paper waste via galvanized supply pipes; pressing force: 30 tons;	3,000.00
142	1	baler with tipping device Husmann, PM 1300, year built 1999, serial number 17756, brand: Husmann; type: PM 1300; year: 1999; serial number: 17756; machine weight: 4000 kg; description: /; autonomous hydraulic unit: yes; coupling for press contact: yes; control box: yes; provided with: tipping device with forks for pallet boxes; connection: 3 x 400 V; power: 7.5 kW;	2,250.00
143	1	baler with tipping device Husmann, MP 1300, year built 2008, serial number 37908, brand: Husmann; type: MP 1300; year: 2008; serial number: 37908; description: /; autonomous hydraulic unit: yes; coupling for press contact: yes; control box: yes; provided with: tipping device with forks for pallet boxes; connection: 3 x 400 V; power: 7.5 kW;	2,250.00
144	1	centrifugal blower MXE 045-026530-00, year built 2006, serial number 223903, type: MXE 045-026530-00; year: 2006; serial number: 223903; description: /; volume : 250 to 265 m³ / min; power: 25 kW; including: Galvanized inlet and outlet between the collector and the shredders;	250.00
145	1	filter extraction system Höcker Polytechnik, Multistar JQ 6-227/29917A, year built 2010, serial number 416383, brand: Höcker Polytechnik; type: Multistar JQ 6-227/29917A; serial number: 416383; year: 2010; filter surface: 227.1 m²; machine weight: 3495 kg;	2,500.00
146	1	baler press Anchorpac System, A3670, serial number R34334, brand: Anchorpac System; type: A3670; serial number: R34334; bale press model: no; description: /; autonomous hydraulic unit: yes; coupling for press contact: yes; control box: yes; connection: 3 x 400 V;	1,250.00
147	1	office container Lenaerts Blommaert, brand: Lenaerts Blommaert; number of doors: 1; number of windows: 4; total dimension L: 6040 mm; total dimension W: 3000 mm; total dimension H: 2800 mm; description: including content ; shutters: yes; heating : yes; lighting : yes; Windows: Double; air conditioning: yes; attention: is on first floor in production; content : angle arranged desk, 3 tall file cabinets, office chairs and two metal drawer for hanging standings;	600.00



Lot	Number	Description	Starting Bid €
148	1	office container Lenaerts Blommaert, brand: Lenaerts Blommaert; number of doors: 1; number of windows: 7; total dimension L: 8000 mm; total dimension W: 3000 mm; total dimension H: 2800 mm; description: including content ; shutters: yes; heating : yes; lighting : yes; windows: 2 x double, 5 x ankle; air conditioning: yes; attention: is on first floor in production; content : 5 high filing cabinets, 2 straight desks, corner desk drawn, three office chairs, low file cabinet and Snowcap table refrigerator;	900.00
149	1	office container Lenaerts Blommaert, brand: Lenaerts Blommaert; number of doors: 1; number of windows: 7; total dimension L: 8000 mm; total dimension W: 3000 mm; total dimension H: 2800 mm; description: including content ; shutters: yes; heating : yes; lighting : yes; windows: 2 x double, 5 x ankle; attention: is on first floor in production; content : vergadertafel, 4 chairs, office chair, the second magnetic whiteboards, angle positioned writing desk and file cabinet high metal;	900.00
150	1	office container Lenaerts Blommaert, brand: Lenaerts Blommaert; number of doors: 1; number of windows: 2; total dimension L: 6000 mm; total dimension W: 3000 mm; total dimension H: 2960 mm; description: office -unit; shutters: yes; heating : yes; lighting : yes;	600.00
151	1	color plotter Agfa, Grand Sherpa 64, serial number DD6E-340201, brand: Agfa; type: Grand Sherpa 64; serial number: DD6E-340201; ethernet printer: yes; description: /; maximum print width: 160 cm;	150.00
152	1	24 "color plotter Epson, Stylus Pro 7900 SpectroProofer X-Rite, year built 2011, serial number KJHE010089, brand: Epson; type: Stylus Pro 7900 SpectroProofer X-Rite; year: 2011; serial number: KJHE010089; color printer: yes; paper size: 24"; ethernet printer: yes;	400.00
153	1	color plotter Agfajet, Sherpa 43i, serial number CK-311122, brand: Agfajet; type: Sherpa 43i; serial number: CK-311122; ethernet printer: no; description: /; maximum print width: 110 cm;	150.00
154	1	24 "color plotter Epson, Stylus Pro 7800, year built 2006, serial number GLL0009359, brand: Epson; type: Stylus Pro 7800; year: 2006; serial number: GLL0009359; color printer: yes; paper size: 24"; ethernet printer: yes; description: Ultrachrome K3 ink;	200.00
155	1	illumination table total dimension H: 920 mm; description: /; exposure plane dimensions: 1320 x 1625 mm; including: second exposure table, currently outside is functioning;	75.00
156	1	hook on pallet rack Mecalux, M-80-P, brand: Mecalux; type: M-80-P; description: number of posts: 3; size of uprights: 800 x H 6000 mm; number of beams: 12; beam dimensions: 2700 x 50 x H 120 mmmm; including: 6 matching shelves ;	150.00
157	1	hook on pallet rack Mecalux, M-80-P, brand: Mecalux; type: M-80-P; description: number of posts: 3; size of uprights: 800 x H 6000 mm; number of beams: 12; beam dimensions: 2700 x 50 x H 120 mmmm; including: 6 matching shelves ;	150.00
158	1	hook on pallet rack Mecalux, M-80-P, brand: Mecalux; type: M-80-P; description: number of posts: 3; size of uprights: 800 x H 6000 mm; number of beams: 12; beam dimensions: 2700 x 50 x H 120 mmmm; Including: 6 matching shelves and lockable lattice door;	200.00
159	1	hook on pallet rack Mecalux, M-80-P, brand: Mecalux; type: M-80-P; description: number of posts: 3; size of uprights: 800 x H 6000 mm; number of beams: 12; beam dimensions: 2700 x 50 x H 120 mmmm; including: 6 matching shelves ;	150.00
170	1	electric boiler Bulex, 4618-7, serial number 134710157, brand: Bulex; type: 4618-7; serial number: 134710157; capacity: 2.4 kW; description: /; content : 100 L; connection: 230 V;	50.00



Lot	Number	Description	Starting Bid €
171	1	hook up racking mecalux, 9000, brand: mecalux; type: 9000; description: hooking system; number of poles: 2; uprights dimension: 600 x 2100 mm, H; number of beams: 4; beams dimension: length 2200 mm; including: appropriate wooden shelves;	50.00
172	1	drip tray Siebau, P8-2, year built 2000, serial number S00013, brand: Siebau; type: P8-2; year: 2000; serial number: S00013; total dimension L: 2700 mm; total dimension W: 1300 mm; total dimension H: 270 mm; description: galvanized ; collection capacity: 472 L;	40.00
173	1	drip tray total dimension L: 2500 mm; total dimension W: 1300 mm; total dimension H: 240 mm; description: galvanized;	40.00
174	1	drip tray total dimension L: 2650 mm; total dimension W: 1300 mm; total dimension H: 430 mm; description: galvanized;	40.00
175	1	drip tray total dimension L: 2700 mm; total dimension W: 700 mm; total dimension H: 250 mm; description: galvanized;	40.00
176	1	hook up racking description: hooking system; number of poles: 2; uprights dimension: 400 x 2000 mm H; number of beams: 8; beams dimension: length 2000 mm; including: appropriate wooden shelves;	50.00
177	1	metal chest of drawers total dimension L: 1060 mm; total dimension W: 1260 mm; total dimension H: 800 mm; description: for printing; number of drawers: 10;	20.00
178	4	metal material cabinets total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: being 2 x dimensions 500 x 500 x H 1000 mm, 1 x dimension 915 x 480 x H 1800 mm and 1 x dimension 450 x 450 x H 1000 mm;	40.00
179	1	combi-top fridge Atlant, brand: Atlant; total dimension L: 550 mm; total dimension W: 570 mm; total dimension H: 1460 mm;	20.00
180	1	industrial side fan Casa Fan, WM2 Eco, brand: Casa Fan; type: WM2 Eco;	20.00
181	1	metal chest of drawers total dimension L: 900 mm; total dimension W: 1200 mm; total dimension H: 1000 mm; description: for printing; number of drawers: 25;	20.00
182	1	metal exposure table total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 940 mm; description: outside decommissioned;	50.00
183	1	drip tray Blass, brand: Blass; total dimension L: 3800 mm; total dimension W: 1300 mm; total dimension H: 240 mm; description: galvanized ; capacity: 1,000 kg, content : 590 L;	50.00
184	1	drip tray total dimension L: 4000 mm; total dimension W: 1250 mm; total dimension H: 310 mm; description: galvanized;	50.00
185	1	drip tray total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 230 mm; description: galvanized;	40.00
186	1	hydraulic pallet tipper Perfecta, PT 10 P, year built 2007, serial number Z1098, brand: Perfecta; type: PT 10 P; year: 2007; serial number: Z1098; electric connection: 400 V; description: /; power: 1.5 kVA; capacity: 1000 kg;	500.00



Lot	Number	Description	Starting Bid €
187	1	standard light Just, Normlicht, brand: Just; type: Normlicht; total dimension L: 940 mm; total dimension W: 1600 mm; description: including desk table and office chair;	75.00
188	2	metal chests of drawers total dimension L: 900 mm; total dimension W: 1200 mm; total dimension H: 700 mm; description: for printing; number of drawers: 12;	40.00
189	7	metal material cabinets total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: /; Including: metal material case dimensions 530 x 500 x H 920 mm;	50.00
190	3	hook shelf racks Mecalux, 9000, brand: Mecalux; type: 9000; description: hook-in system; number of posts: 9; size of uprights: 600 x H 3300 mm; number of beams: 48; beam dimensions: 3300 x H 95 mm;	150.00
191	3	hook shelf racks Mecalux, 9000, brand: Mecalux; type: 9000; description: hook-in system; number of posts: 4; size of uprights: 600 x H 3300 mm; number of beams: 12; beam dimensions: 3300 x H 95 mm;	75.00
192	1	90 ° conveyor belt Rota-Schneider, ST/540 T, year built 2000, serial number BTT.007-0167, brand: Rota-Schneider; type: ST/540 T; year: 2000; serial number: BTT.007-0167; description: driven , on the mobile chassis; power: 1 kW; connection: 3 x 400 V; band width: 400 and 525 mm;	150.00
193	1	double 90 ° conveyor belt IN-LOG, TU/500, year built 2000, serial number BTT.007-0167, brand: IN-LOG; type: TU/500; year: 2000; serial number: BTT.007-0167; description: driven , on the mobile chassis; power: 1.1 kW; connection: 3 x 400 V; band width: 490 mm; Lower band: 90 ° bend, width 600 mm, radius 600 mm;	200.00
194	1	rotation cutting machine Rota-Schneider, RS-2VC/541, serial number 650-2214, brand: Rota-Schneider; type: RS-2VC/541; serial number: 650-2214; electric connection: 400 V; description: left and right cutting module; power: 7 kW; controller: Lauer PCS 095 Topline mini;	750.00
195	1	rotation cutting machine Rota-Schneider, RS-2VC/540, serial number 387-1598, brand: Rota-Schneider; type: RS-2VC/540; serial number: 387-1598; electric connection: 400 V; description: left and right cutting module; power: 7 kW; controller: Dr. Liebe Herzing;	750.00
196	1	rotation cutting machine Rota-Schneider, RS-2VC/541, serial number 650-2216, brand: Rota-Schneider; type: RS-2VC/541; serial number: 650-2216; electric connection: 400 V; description: left and right cutting module; power: 7 kW; controller: Lauer PCS 095 Topline mini;	750.00
197	1	foil shrink tunnel Affeldt, VT60, year built 2005, serial number 116, brand: Affeldt; type: VT60; year: 2005; serial number: 116; max. size: 1000 mm; working width: 600 mm; belt conveyor: yes;	200.00
198	1	off-stack unit Müller Martini, 3521, year built 2005, brand: Müller Martini; type: 3521; year: 2005; electric connection: 400 V; description: /; machine number: MMFE 1047766/901;	200.00
199	1	Belt strapping machine Schneider Ozga oHG, SSB 2200 L, year built 2005, serial number 4421, brand: Schneider Ozga oHG; type: SSB 2200 L; year: 2005; serial number: 4421; description: longitudinal strapping; connection: 3 x 400 V;	250.00
200	1	electrostatic blocking module Müller Martini, 0457.0400, year built 2009, serial number MMZO 1 632 002-10, brand: Müller Martini; type: 0457.0400; year: 2009; serial number: MMZO 1 632 002-10; electric connection: 400 V;	250.00



Lot	Number	Description	Starting Bid €
© 201	1	folding machine Vits, ILD, year built 2008, serial number 004/E1, brand: Vits; type: ILD; year: 2008; serial number: 004/E1; electric connection: 400 V; manual present: yes; description: /; version: 0.3 x 1 m;	2,500.00
© 202	1	rotation cutting machine Vits, Rotocut ST QRO, year built 2008, serial number 1013, brand: Vits; type: Rotocut ST QRO; year: 2008; serial number: 1013; description: /; version: 620 x 1000 DF;	5,000.00
© 203	1	double conveyor in a corner arrangement Gämmerler, Band-Kurve, brand: Gämmerler; type: Band-Kurve; description: dual-driven conveyor belt, on the mobile chassis; width: 400 mm, radius: 600 mm; angle: 90 °; brand conveyors : Trans Norm;	500.00
© 204	1	dual delivery station Gämmerler, Anbauweiche, serial number 120164, brand: Gämmerler; type: Anbauweiche; serial number: 120164; description: dosing supply station to the cutting machines; equipped with: alignment module;	250.00
© 205	1	double precision rotation cutting machine Gämmerler, RS 111/530, year built 2008, serial number 8941 en 8943, brand: Gämmerler; type: RS 111/530; year: 2008; serial number: 8941 en 8943; description: consisting of two cutting modules, each with left and right cutter module; power: 12.6 kW; connection: 3 x 400 V;	2,500.00
© 206	1	cross stacker Gämmerler, KL 540 LPC, year built 2008, serial number 8936, brand: Gämmerler; type: KL 540 LPC; year: 2008; serial number: 8936; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
© 207	1	driven lifting belt conveyor with uitlijnmodule Gämmerle, brand: Gämmerle; description: /; length : 2420 mm; overall width: 700 mm;	200.00
© 208	1	precision rotation cutting machine Gämmerler, RS 114/530, year built 2000, serial number 2797, brand: Gämmerler; type: RS 114/530; year: 2000; serial number: 2797; description: left and right cutting module; power: 5.9 kW; connection: 3 x 400 V; hours on the counter: 45036;	1,000.00
© 209	1	precision rotation cutting machine Gämmerler, RS 114/530, year built 2000, serial number 2798, brand: Gämmerler; type: RS 114/530; year: 2000; serial number: 2798; description: left and right cutting module; power: 5.9 kW; connection: 3 x 400 V; hours on the counter: 54038;	1,000.00
© 210	1	90 ° conveyor belt Gämmerler, EM 120, year built 2000, serial number 2799, brand: Gämmerler; type: EM 120; year: 2000; serial number: 2799; description: driven ; power: 1.5 kW; connection: 3 x 400 V; tire size: 500 x 1920 mm;	300.00
© 211	1	driven belts conveyor belt description: between the rotary die cutting machine and cross-stacker; length : 800 mm; overall width 700 mm;	75.00
© 212	1	cross stacker Gämmerler, KL 540 LPC, year built 2008, serial number 8925, brand: Gämmerler; type: KL 540 LPC; year: 2008; serial number: 8925; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
© 213	1	double conveyor in a corner arrangement Gämmerler, Kurve600/400, serial number 120176, brand: Gämmerler; type: Kurve600/400; serial number: 120176; description: dual- driven conveyor belt, on the mobile chassis; width: 400 mm, radius: 600 mm; angle: 90 °; brand conveyors : Trans Norm;	500.00
© 214	1	driven conveyor belt Gämmerler, brand: Gämmerler; description: with a central upward pivotal portion; setup : + 1250 mm 1000 mm 1250 mm pivotally +; width: 370 mm;	200.00



Lot	Number	Description	Starting Bid €
© 215	1	double conveyor on scissor lift table Gämmerle, EM 270 Links, year built 2005, serial number 5938, brand: Gämmerle; type: EM 270 Links; year: 2005; serial number: 5938; description: its 90 ° conveyor belt and straight conveyor belt; connection: 3 x 400 V; power: 2.5 kW; equipped with: Bütter hydraulic scissor lift table, size 1200 x 1200 x 200 mm, capacity 500 kg, for transferring the 90 ° to the straight conveyor belt;	400.00
© 216	1	driven conveyor belt setup Gämmerler, brand: Gämmerler; description: namely: setup with a central upward pivotal portion, setup 1450 mm 1000 mm pivotally + + 1250 mm, band width: 570 mm, 90 ° angle, band width 600 mm, and straight portion, length 3350 mm;	200.00
© 217	1	distribution station Gämmerler, PneumWeiche, serial number 120303, brand: Gämmerler; type: PneumWeiche; serial number: 120303; description: supply station to the cutting machines or conveyor; equipped with: alignment module;	250.00
© 218	1	horizontal conveyor belt description: /; width: 400 mm; total length : 5100 mm;	300.00
© 219	1	2-way conveyor Gämmerle, Anbaueiche, serial number 120300, brand: Gämmerle; type: Anbaueiche; serial number: 120300; description: 1-to-2 conveyor belt preset direction of rotation or cutting machine to palletizing machine; including: 2 parts of conveyor belt beneath the cutting machine, band width 570 mm, total length 3650 mm;	200.00
© 220	1	double precision rotation cutting machine Gämmerler, RS 111/530, year built 2008, serial number 8944 en 8945, brand: Gämmerler; type: RS 111/530; year: 2008; serial number: 8944 en 8945; description: consisting of two cutting modules, each with left and right cutter module; power: 12.6 kW; connection: 3 x 400 V;	2,500.00
© 221	1	double conveyor on scissor lift table Gämmerle, EM 271 Rechts, year built 2005, serial number 5938, brand: Gämmerle; type: EM 271 Rechts; year: 2005; serial number: 5938; description: its 90 ° conveyor belt and perpendicularly arranged conveyor belt; connection: 3 x 400 V; power: 3.5 kW; equipped with: Bütter hydraulic scissor lift table, size 1200 x 1200 x 200 mm, capacity 500 kg, for transferring the 90 ° to the straight conveyor belt;	400.00
© 222	1	driven belts conveyor belt description: between 90 ° transport band and cross-stacker; length : 800 mm; overall width 700 mm;	75.00
© 223	1	cross stacker Gämmerler, KL 540 LPC, year built 2008, serial number 8924, brand: Gämmerler; type: KL 540 LPC; year: 2008; serial number: 8924; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
© 224	1	horizontal conveyor belt Gämmerle, brand: Gämmerle; description: /; width: 570 mm; total length : 5500 mm; including: conveyor belts;	300.00
© 225	1	automatic bundle counter with stacking device Müller Martini, Vivo, year built 2008, serial number 1482173, brand: Müller Martini; type: Vivo; year: 2008; serial number: 1482173; own weight: 2550 kg; total dimension L: 4629 mm; total dimension W: 3870 mm; total dimension H: 2680 mm; description: /; types: MMZO MMEZ 1482173 and 1485516; connection: 3 x 400 V; length printing: min 200 mm, 480 mm max;.. width printed matter: min 110 mm, 320 mm max;.. number of pages of 55 g / m²: 8-24; length bundles not compressed: 1600 mm; length bundles compressed: 300-1200 mm; textbooks: yes;	3,000.00
© 226	1	bending machine for aluminum offset plates Berth, OPB 200-SL, year built 2008, serial number 02-360-08-39, brand: Berth; type: OPB 200-SL; year: 2008; serial number: 02-360-08-39; description: suitable for KBA C215 offset plates;	750.00

Combination line KBA C215



Lot	Number	Description	Starting Bid €
© 227	1	double 90 ° conveyor belt Transnorm, brand: Transnorm; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	300.00
© 228	1	double conveyor belt Müller Martini, year built 2005, brand: Müller Martini; year: 2005; description: storage and outgoing band in two levels; width: 420 mm; length : 2300 mm;	200.00
© 229	1	ascending conveyor with sliding bridge part Müller Martini, year built 2008, brand: Müller Martini; year: 2008; description: /; width: 420 mm; length fixed part: 1200 mm; length pull portion: 600 mm;	200.00
© 230	1	double conveyor belt in 2 levels Müller Martini, brand: Müller Martini; description: upper portion 90 ° bend with band width 600 mm and the lower part with straight tape length of 2300 mm and 420 mm bandwidth;	200.00
© 231	1	ascending conveyor Müller Martini, brand: Müller Martini; description: /; width: 420 mm; length : 3800 mm;	150.00
© 232	1	90 ° conveyor belt Transnorm, year built 2004, brand: Transnorm; year: 2004; description: /; angle: 90 °; bandwidth: 600 mm; radius: 600 mm;	150.00
© 233	1	in-line pallet foil wrapper Certis, Tablomatic A, year built 2015, serial number C1500345M, brand: Certis; type: Tablomatic A; year: 2015; serial number: C1500345M; foil width: 500 mm; electric connection: 400 V; own weight: 950 kg; description: /; platform capacity: 1500 kg; power: 4 kW; provided with: underlying hotplate seal bar;	2,500.00
© 234	1	conveyor belt with adjustable conveyor belt and extendable bridge section Müller Martini, year built 2005, brand: Müller Martini; year: 2005; description: /; width: 420 mm; length strings conveyor: 1600 mm; Total length : 3400 mm; length extendable bridge section: 600 mm;	200.00
© 235	1	alignment module	250.00
© 236	1	2-way conveyor Gämmerler, WeicheAA380, serial number 123506, brand: Gämmerler; type: WeicheAA380; serial number: 123506; description: 1-to-2 conveyor belt for choosing the direction of the rotary cutting machine or the conveyor belt;	200.00
© 237	1	conveyor belt with adjustable end part Gämmerler, brand: Gämmerler; description: /; Total length : 900 mm;	100.00
© 238	1	90 ° conveyor belt Gämmerler, EM 120, year built 2009, serial number 9307, brand: Gämmerler; type: EM 120; year: 2009; serial number: 9307; description: driven ; power: 1.5 kW; connection: 3 x 400 V;	300.00
© 239	1	precision rotation cutting machine Gämmerler, RS 114/530, brand: Gämmerler; type: RS 114/530; description: left and right cutting module; power: 5.9 kW; connection: 3 x 400 V; hours on the counter: 52391;	1,000.00
© 240	1	90 ° conveyor belt Gämmerler, EM 120, year built 2009, serial number 9306, brand: Gämmerler; type: EM 120; year: 2009; serial number: 9306; description: driven ; power: 1.5 kW; connection: 3 x 400 V;	300.00
© 241	1	precision rotation cutting machine Gämmerler, RS 114/530, brand: Gämmerler; type: RS 114/530; description: left and right cutting module; power: 5.9 kW; connection: 3 x 400 V; hours on the counter: 42155;	1,000.00
© 242	1	conveyor description: 3-piece; horizontal portion: band width 570 mm, length 3050 mm; adjustable descending section: rubber strips, length 1600 mm; rising section: band width 570 mm, length 1750 mm;	75.00



Lot	Number	Description	Starting Bid €
© 243	1	90 ° conveyor belt with hinged bridge section Gämmerler, brand: Gämmerler; description: /; width: 600 mm; radius: 600 mm; length hinged bridge section: 800 mm;	200.00
© 244	1	conveyor description: 2-piece; string band: length 800 mm; strips of rubber band: length 760 mm;	75.00
© 245	1	90 ° conveyor with adjustable output Gämmerler, brand: Gämmerler; description: /; width: 600 mm; radius: 600 mm; length adjustable output: 300 mm;	200.00
© 246	1	conveyor belt with adjustable supply Gämmerler, brand: Gämmerler; description: /; total length : 1200 mm; length adjustable feed: 440 mm;	200.00
© 247	1	2-way conveyor Müller Martini, serial number 120300, brand: Müller Martini; serial number: 120300; description: 1-to-2 conveyor belt for choice towards cross stacker or palletizer;	200.00
© 248	1	90 ° conveyor with adjustable output Müller Martini, brand: Müller Martini; description: /; width: 600 mm; radius: 600 mm; length adjustable output: 420 mm;	200.00
© 249	1	cross stacker Gämmerler, KL 540 LPC, year built 2012, serial number 10539, brand: Gämmerler; type: KL 540 LPC; year: 2012; serial number: 10539; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.25 kW;	750.00
© 250	1	Belt strapping machine Transpak, TP-701NS, year built 2006, serial number 60902643, brand: Transpak; type: TP-701NS; year: 2006; serial number: 60902643; electric connection: 230 V; description: /; current consumption: 5A;	400.00
© 251	1	in-line rotary machine Transpak, N-TT, year built 2006, serial number 6023506, brand: Transpak; type: N-TT; year: 2006; serial number: 6023506; description: /; current consumption: 3A;	200.00
© 252	1	Belt strapping machine Transpak, TP-701NS, year built 2006, serial number 60902644, brand: Transpak; type: TP-701NS; year: 2006; serial number: 60902644; electric connection: 230 V; description: /; current consumption: 5A;	400.00
© 253	1	roller conveyor description: /; width: 400 mm; length : 2000 mm;	50.00
© 254	1	Belt strapping machine description: /; maximum pack width: 1900 mm; maximum pack height: 350 mm; status: marked for inspection / repair;	200.00
© 255	1	conveyor Müller Martini, year built 2005, brand: Müller Martini; year: 2005; description: 2-piece; width: 420 mm; total length : 5100 mm;	250.00
© 256	1	automatic bundle counter with stacking device Müller Martini, Vivo, year built 2005, brand: Müller Martini; type: Vivo; year: 2005; own weight: 2550 kg; total dimension L: 4629 mm; total dimension W: 3870 mm; total dimension H: 2680 mm; description: /; types: MMZO 912 089 and 917 398 MMEZ; connection: 3 x 400 V; length printing: min 200 mm, 480 mm max;.. width printed matter: min 110 mm, 320 mm max;.. number of pages of 55 g / m²: 8-24; length bundles not compressed: 1600 mm; length bundles compressed: 300-1200 mm; textbooks: yes;	3,000.00
© 257	1	bending machine for aluminum offset plates Berth, OPB C418, year built 2004, serial number 608 013, brand: Berth; type: OPB C418; year: 2004; serial number: 608 013; description: suitable for KBA C418 offset plates;	750.00

Combination line KBA C418



Lot	Number	Description	Starting Bid €
258	1	pallet wrapper PME, Junior, serial number 17522, brand: PME; type: Junior; serial number: 17522; plateau ? : 1650 mm; foil width: 500 mm; electric connection: 400 V; description: /; equipped with: ramp;	600.00
259	1	metal chest of drawers for UV filters total dimension L: 1150 mm; total dimension W: 1630 mm; total dimension H: 1110 mm; description: provided with drawers;	10.00
260	1	profile steel work table total dimension L: 3000 mm; total dimension W: 1250 mm; total dimension H: 1055 mm;	25.00
261	1	metal file cabinet total dimension L: 420 mm; total dimension W: 800 mm; total dimension H: 1850 mm;	20.00
262	1	compressed air hose reel Zeca, 805/10/S, brand: Zeca; type: 805/10/S; air reel: yes; diameter approx.: 10 mm; hose length: 16 m;	20.00
263	3	metal material cabinets total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1000 mm;	20.00
264	4	metal material cabinets	20.00
265	1	profile steel bridge stairs number of steps: 5; description: /; passage height under the platform: 1220 mm; passage width under the platform: 730 mm;	20.00
266	1	drip tray Eurokraft, year built 2017, brand: Eurokraft; year: 2017; total dimension L: 785 mm; total dimension W: 640 mm; total dimension H: 285 mm; description: galvanized ;	20.00
267	1	drip tray total dimension L: 2680 mm; total dimension W: 1640 mm; total dimension H: 410 mm; description: galvanized ; including: Kruizinga IBC stand;	50.00
268	1	drip tray total dimension L: 2000 mm; total dimension W: 1670 mm; total dimension H: 220 mm; description: galvanized ; comprising: level increase;	40.00
269	9	metal material cabinets total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1000 mm; description: /; Including: metal material case size 920 x 440 x H 1205 mm, metal material case size 535 x 500 x H 900 mm and magnetic whiteboard size 1500 x 1000 mm;	50.00
270	1	profile steel work table total dimension L: 2500 mm; total dimension W: 1250 mm; total dimension H: 955 mm;	25.00
271	3	metal material cabinets total dimension L: 400 mm; total dimension W: 920 mm; total dimension H: 1000 mm;	30.00
272	1	profile steel work table total dimension L: 3000 mm; total dimension W: 1250 mm; total dimension H: 1140 mm;	25.00
273	1	hook on pallet rack number of uprights: 6; number of cross beams: 24; number of shelves: 12; description: /; size of uprights: 2 pieces size 1040 x H 3300 mm and 4 pieces size 1040 x H 4100 mm; beam dimensions: L 3600 x H 100 mm;	200.00
274	2	electric motors Siemens, brand: Siemens; description: spare engines; Suitable for: KBA C418; data engines: dryer cooling section, power: 7/21 kW; speed: 1500/3000 T / min ;	250.00
275	1	electric motor Weg, W22, year built 2013, serial number 1018304208, brand: Weg; type: W22; year: 2013; serial number: 1018304208; description: spare engine in wooden crate; power: 15 KW; speed: 3000 rpm, additional information: B5T.IR; connection: 380 / 690V;	250.00



Lot	Number	Description	Starting Bid €
276	1	electric motor Rexroth, MAD130C, year built 2013, serial number 1018304208, brand: Rexroth; type: MAD130C; year: 2013; serial number: 1018304208; description: spare engine in wooden box; power: 18KW - 27.60KW, speed: 1500 - 5250 Rpm, connection: 600V; suitable for KBA C418 - C215;	250.00
277	1	spare engine Weg, W22 high EFF, year built 2011, serial number 1011530314, brand: Weg; type: W22 high EFF; year: 2011; serial number: 1011530314; description: spare engine; connection: 400 / 690V, speed: 2960 -3565 rpm; power: 37KW;	250.00
278	1	spare engine Weg, brand: Weg; description: spare engine; connection: 400V, rotational speed: 1500 -3000 tr./min, power: 9 / 37KW; suitable for: dryer MAN Roland Lithoman 72;	250.00
279	1	servo motor Rexroth, ADF 184D-B35LCO-DS07-C2N1, brand: Rexroth; type: ADF 184D-B35LCO-DS07-C2N1; description: unused spare engine in wooden box; suitable for: main engine printing KBA C418;	1,250.00
280	1	main engine printing rotation printing press Siemens, brand: Siemens; description: spare engine; suitable for: MAN Roland Lithoman 48; connection: 335/385 V; power: 106 kW; speed: 2500-3000 rpm; own weight: 480 kg;	250.00
281	1	electric motor WEG, brand: WEG; description: spare engine, in box; connection: 400-480 V; power: 2.5-9 kW; speed: 1450-3540 rpm; own weight: 84 kg;	150.00
282	1	electric motor Leroy Somer-Emerson, year built 2015, brand: Leroy Somer-Emerson; year: 2015; description: spare engine; suitable for: KBA C215 / C418 extraction; connection: 380-460 V; power: 18.5 kW; speed: 2945-3558 rev./min; own weight: 100 kg;	150.00
283	1	electric motor Electramo, MHF160L 2/4, brand: Electramo; type: MHF160L 2/4; description: spare engine; connection: 400 V; power: 4.5-19 kW; speed: 1475-2830 rpm; own weight: 120 kg;	150.00
284	1	electric motor Leroy Somer, LS160U1-T, brand: Leroy Somer; type: LS160U1-T; description: spare engine; suitable for: KBA C215, contiweb cooling section; connection: 380 V; power: 13.5 kW; speed: 2900 rpm;	150.00
285	2	electric motors description: spare engine; suitable for: KBA C215, contiweb; motor 1: Leroy Somer, C215 / LS132M, connection 400 V, power: 2.5-9 kW; speed 1440-2990 rev / min; motor 2: Electramo, MAH F 132 M 2/4, connection 400 V, power: 2.5-9 kW; speed 1455-2880 rpm;	100.00
286	1	electric motor WEG, 200L-4/2, brand: WEG; type: 200L-4/2; description: spare engine; for MAN Roland Lithoman 72, dryer , 2nd and 3rd section; connection: 400-480 V; power: 7.5-30 kW; RPM: 1485-3570 tr./min; own weight: 265 kg;	150.00
287	1	electric motor WEG, 200L-4/2, brand: WEG; type: 200L-4/2; description: spare engine; for MAN Roland Lithoman 72, dryer , 2nd and 3rd section; connection: 400-480 V; power: 7.5-30 kW; RPM: 1485-3570 tr./min; own weight: 265 kg;	150.00
288	1	vacuum pump Rietschle, SAP 300, brand: Rietschle; type: SAP 300; description: reserve; power: 4-4.8 kW; speed: 2880-3400 rpm; capacity: 300/360 m³ / h;	200.00
289	3	rollers for offset press description: ie film roll for KBA C418, diameter 210 mm, part number 7991, width 1000 mm and two boxes of feed rollers, approx. 10 pieces, various diameters;	150.00



Lot	Number	Description	Starting Bid €
290	16	boxes of rubber bands description: 20 kg / box; length : 80 mm, width: 1.8 mm; thickness: 1.2 mm;	50.00
291	1	lot of filter cloths description: filter cloths; Product: NAC / F360 / 360x360; size: 360X360X0; filtrperklasse: ISO Coarse 70%; quantity: approx. 60, in the boxes 3;	50.00
292	1	lot of folding cartons description: unused standby boxes; format: A4; size: 305 x 220 x 100 mm; number: 15 boxes of 120 pieces;	50.00
293	1	inverter Bosch Rexroth, Indramat DKR04.1 W400, brand: Bosch Rexroth; type: Indramat DKR04.1 W400; description: in wooden case; input: 3 x 400 V ... 480 V-170A; output: 3 x 0-380 V-210A, 0-1600 MHz;	100.00
294	1	lot of offset printing cloths Contiair, CA NEON BLUE TR, brand: Contiair; type: CA NEON BLUE TR; dimension L: 1458 mm; dimension W: 1010 mm; description: in original packaging; condition: unused;	150.00
295	1	power cable Lappkabel, brand: Lappkabel; description: power cable; type : 4G1.5;	20.00
296	6	various pressure rollers description: pressure rollers; lengths: 4 X 1065 mm and 2 X 2060 mm;	60.00
297	1	DC converter Siemens, Simovert MC , brand: Siemens; type: Simovert MC ; description: inverter; input: DC 510-650 Volt, 40.5 A; output: 3 AC 0-327-413 Volt;	100.00
298	1	amplifier Bavaria Digital Technik, serial number 1099, brand: Bavaria Digital Technik; serial number: 1099;	20.00
299	1	press on computer AVT/GMI, year built 2006, serial number N9329, brand: AVT/GMI; year: 2006; serial number: N9329; description: /; Power: 90-245 volts; Frequency: 47-63 Hertz; power: 100 watts; use: for L72 / L48;	50.00
300	1	machine control Quadtech , QTI 292201, serial number 1936691, brand: Quadtech ; type: QTI 292201; serial number: 1936691; description: computer ; Control: Windows XP professional;	50.00
© 301	1	double conveyor belt description: consisting of 2 x 3 parts; 2 x 90 ° bend: Trans Norm, band width 600 mm, 600 mm radius; 2 x straight band: band width 480 mm, length 1450 mm; 2 x hinged bridge member: rubber strips, length 950 mm;	300.00
© 302	1	90 ° conveyor belt description: /; bandwidth: 600 mm; radius: 600 mm;	100.00
© 303	1	conveyor belt with lowerable bridge section description: /; length fixed-band: 2500 mm; width: 480 mm; length bridge section: 1050 mm;	150.00
© 304	1	double 90 ° conveyor belt description: /; width: 600 mm; radius: 600 mm; upper band comprising: adjustable outlet length 600 mm;	100.00
© 305	1	double transport line on the floor Civiemme, year built 2007, serial number 016405451, brand: Civiemme; year: 2007; serial number: 016405451; description: the two levels provided with uitlijnmodules left and right, consisting of horizontal portion with adjustable output means of the conveyor line on the floor or in the air conveying line, including Rima system RS250 conveyor system with lowerable bridge portion and Rima system elevator belt the direction of line of intersection;	400.00



Lot	Number	Description	Starting Bid €
306	1	double transport line in the air Civiemme, year built 2007, serial number 016405441, brand: Civiemme; year: 2007; serial number: 016405441;	800.00
307	1	alignment module Rima System, brand: Rima System; description: /; adjustable width: up to 540 mm; length : 1100 mm;	200.00
308	1	rotation cutting machine Rima System, RS830, brand: Rima System; type: RS830; description: left and right cutting module;	750.00
309	1	conveyor Rima System, brand: Rima System; description: /; length : 1170 mm; width: 500 mm;	100.00
310	1	90 ° conveyor with flipchart turning device Rima System, RS256, brand: Rima System; type: RS256; description: conveyor belt size: 400 x 1955 mm;	400.00
311	1	conveyor belt Gämmerler, brand: Gämmerler; description: /; length : 800 mm;	100.00
312	1	rotation cutting machine Rima System, RS830, brand: Rima System; type: RS830; description: left cutting module;	750.00
313	1	conveyor Rima System, brand: Rima System; description: /; length : 800 mm; width: 500 mm;	100.00
314	1	90 ° conveyor belt Rima System, RS220, year built 2012, serial number 220-100-1329, brand: Rima System; type: RS220; year: 2012; serial number: 220-100-1329; description: /; conveyor belt size: 400 x 1955 mm; connection: 3 x 400 V;	400.00
315	1	overhead transport system in the air Gämmerler, FS 260, year built 2012, serial number 10566, brand: Gämmerler; type: FS 260; year: 2012; serial number: 10566; description: /; connection: 3 x 400 V; power: 1.5 kW;	800.00
316	1	bundle stacker Civiemme, ST 8000/120 SX, year built 2007, serial number 016401431, brand: Civiemme; type: ST 8000/120 SX; year: 2007; serial number: 016401431; description: /; provided with: double nylon strap strapping reel with strapping device;	2,500.00
317	1	palletizer Civiemme, PL86/120 B, year built 2007, serial number 016402251, brand: Civiemme; type: PL86/120 B; year: 2007; serial number: 016402251; description: /; power: 7 kVA; connection: 3 x 400 V;	2,500.00
318	1	bundle stacker Civiemme, ST 8000/120 DX, year built 2007, serial number 016401432, brand: Civiemme; type: ST 8000/120 DX; year: 2007; serial number: 016401432; description: /; provided with: double nylon strap strapping reel with strapping device;	2,500.00
319	1	palletizer Civiemme, PL86/120 B, year built 2007, serial number 016402252, brand: Civiemme; type: PL86/120 B; year: 2007; serial number: 016402252; description: /; power: 7 kVA; connection: 3 x 400 V;	2,500.00
320	1	double 90 ° conveyor belt description: /; bandwidth: 600 mm; radius: 600 mm;	200.00
321	1	double conveyor with lowerable bridge section Civiemme, brand: Civiemme; description: consisting of 2 x 2 parts; solid areas: bandwidth 500 mm, length 1370 mm; retractable bridge sections with rope belt: length 1170 mm;	300.00
322	1	90 ° conveyor belt Transnorm, brand: Transnorm; description: /; bandwidth: 600 mm; radius: 600 mm;	100.00



Lot	Number	Description	Starting Bid €
© 323	1	conveyor belt with lowerable bridge section Civiemme, brand: Civiemme; description: consisting of two parts; fixed portion: bandwidth 500 mm, length 2500 mm; lowered bridge part with rope belt: length 1060 mm;	300.00
© 324	1	double 90 ° conveyor belt description: /; bandwidth: 600 mm; radius: 600 mm;	200.00
© 325	1	double transport line on the floor Civiemme, year built 2007, serial number 016405451, brand: Civiemme; year: 2007; serial number: 016405451; description: the two levels provided with uitlijnmodules left and right, consisting of horizontal portion with adjustable output means of the conveyor line on the floor or in the air conveying line;	400.00
© 326	1	double transport line in the air Civiemme, year built 2004, serial number 015125441, brand: Civiemme; year: 2004; serial number: 015125441;	800.00
© 327	1	belt conveyor belt Gämmerler, Schrägbar d, brand: Gämmerler; type: Schrägbar d; description: /; length : 800 mm; connection: 3 x 400 V; power: 0.5 kW;	150.00
© 328	1	alignment module Gämmerler, brand: Gämmerler; description: /; adjustable width: up to 600 mm; length : 830 mm;	200.00
© 329	1	cross stacker Gämmerler, KL 540 LPC, year built 2012, serial number 10540, brand: Gämmerler; type: KL 540 LPC; year: 2012; serial number: 10540; machine weight: 1425 kg; description: /; connection: 3 x 400 V; capacity: 4.75 kW;	750.00
© 330	1	conveyor description: /; width: 430 mm; length : 1900 mm;	150.00
© 331	1	Belt strapping machine Ferag, SMB INO, year built 2012, serial number 320A011247001, brand: Ferag; type: SMB INO; year: 2012; serial number: 320A011247001; description: longitudinal strapping; connection: 3 x 400 V;	400.00
© 332	1	conveyor description: /; width: 430 mm; length : 1900 mm;	150.00
© 333	1	Belt strapping machine Ferag, SMB PRO, year built 2012, serial number 320A011247002, brand: Ferag; type: SMB PRO; year: 2012; serial number: 320A011247002; description: cross-sided strapping; connection: 3 x 400 V;	400.00
© 334	1	conveyor description: /; width: 435 mm; length : 1500 mm;	150.00
© 335	1	lowerable bridge conveyor Gämmerler, ZB AA675, serial number 135814, brand: Gämmerler; type: ZB AA675; serial number: 135814; description: belt strips; length : 720 mm; connection: 3 x 400 V; power: 0.18 kW;	150.00
© 336	1	Mobile conveyor description: /; width: 430 mm; length : 1550 mm;	150.00
© 337	1	conveyor description: /; width: 430 mm; length : 800 mm;	100.00
© 338	1	in-line palletizer with automatic dispenser Montech, Spider, serial number 121008, brand: Montech; type: Spider; serial number: 121008; infeed roller conveyor: yes; outfeed roller conveyor: yes; safety fence: yes; description: /; connection: 3 x 400 V; format pallets: 1200 x 800 mm (Euro);	4,000.00



Lot	Number	Description	Starting Bid €
© 339	1	in-line pallet foil wrapper Certis, Tablomatic A, year built 2013, serial number C1300001M, brand: Certis; type: Tablomatic A; year: 2013; serial number: C1300001M; foil width: 500 mm; electric connection: 400 V; own weight: 900 kg; description: /; platform capacity: 1500 kg; power: 6 kW; provided with: underlying hotplate seal bar;	2,500.00
© 340	1	bundle stacker Civiemme, ST420/100 DX, year built 2004, serial number 015121721, brand: Civiemme; type: ST420/100 DX; year: 2004; serial number: 015121721; description: /; provided with: double nylon strap strapping reel with strapping device;	2,500.00
© 341	1	palletizer Civiemme, PL86/120 B, year built 2004, serial number 015122251, brand: Civiemme; type: PL86/120 B; year: 2004; serial number: 015122251; description: /; power: 7 kVA; connection: 3 x 400 V;	2,500.00
© 342	1	bundle stacker Civiemme, ST420/100 DX, year built 2004, serial number 015121722, brand: Civiemme; type: ST420/100 DX; year: 2004; serial number: 015121722; description: /; provided with: double nylon strap strapping reel with strapping device;	2,500.00
© 343	1	palletizer Civiemme, PL86/120 B, year built 2004, serial number 015122252, brand: Civiemme; type: PL86/120 B; year: 2004; serial number: 015122252; description: /; power: 7 kVA; connection: 3 x 400 V;	2,500.00
© 344	1	transport line in the air Civiemme, year built 2004, brand: Civiemme; year: 2004;	400.00
© 345	1	roller conveyor between the pallet foil wrappers description: driven , for transport of Euro pallets; Total length : approx. 33 running meters; width: 1025 mm;	1,500.00
Combination 338, 339, 345 and 233			
© 346	1	bending machine for aluminum offset plates Man Roland, Lithoman, year built 2007, serial number 28208, brand: Man Roland; type: Lithoman; year: 2007; serial number: 28208; description: suitable for Lithoman 72 offset plates;	1,500.00
Combination line MAN Roland Lithoman 72			
© 347	1	bending machine for aluminum offset plates Man Roland, Lithoman, year built 2004, serial number 27984, brand: Man Roland; type: Lithoman; year: 2004; serial number: 27984; description: suitable for Lithoman 48 offset plates;	1,000.00
Combination line MAN Roland Lithoman 48			
348	1	server client AVT, Clarios Server Client, year built 2010, serial number N16776, brand: AVT; type: Clarios Server Client; year: 2010; serial number: N16776; description: computer ; control: WindowsServer08; use: for L48-L72;	100.00
349	1	server client AVT, Clarios Server Client, year built 2008, serial number N15062, brand: AVT; type: Clarios Server Client; year: 2008; serial number: N15062; description: computer ; Control: Windows SVR STD; use: for L48-L72;	100.00
350	1	inverter Rexroth Indramat, DKR03.1-W200, brand: Rexroth Indramat; type: DKR03.1-W200; description: frequency controller; input: 3xAC 400-480 Volt, 65 A; output: 3xAC 0-380 Volts, 92 A;	100.00
351	1	asynchronous controller Lenze, E82EV453 4B201, brand: Lenze; type: E82EV453 4B201; description: /; use: for dryer L72;	100.00



Lot	Number	Description	Starting Bid €
352	1	inverter Lenze, brand: Lenze; description: faulty; including: various machine parts;	50.00
353	1	various rolls Lithoman , type: Lithoman ; description: rolls; consisting of : GMI measuring roller for L72, L72 and foam roller for foam roller for L48;	100.00
354	1	various rolls Lithoman , type: Lithoman ; description: rolls; consisting of : guide roll for L72, suction roll for Lithoman and foam roller for L48;	100.00
355	1	various rolls Lithoman , type: Lithoman ; description: rolls; consisting of : silicone roller, roller cams and foam roller for Lithoman L72;	100.00
356	1	electromotive pump BAC, PMP FA1 C 19D, serial number H1706043, brand: BAC; type: PMP FA1 C 19D; serial number: H1706043; description: Pom; capacity: 4KW; voltage: 230-400 V; use: for cooling tower of the litho L72; including: 2 suction rollers for Lithoman L72;	200.00
357	2	various rollers for KBA C215 Lithoman , type: Lithoman ; description: rolls; consisting of : metering and suction roll for the KBA C215;	100.00
358	1	various rollers for KBA C418 Lithoman , type: Lithoman ; description: rolls; consisting of : adhesive roller, corrugated roller and suction roll for the KBA C418;	100.00
359	2	various rollers for Lithoman L72 / L48 Lithoman , type: Lithoman ; description: rolls; consisting of : register roll for L72 and L48 for guide roll;	100.00
360	1	servo motor Rexroth, MAD160C-0200-SA-M0-AH0-05-R1, brand: Rexroth; type: MAD160C-0200-SA-M0-AH0-05-R1; description: main engine printing;	200.00
361	1	drive motor for KBA C418 suction roller Rexroth, ADF104D-B05TA1-AS07-A2N1, brand: Rexroth; type: ADF104D-B05TA1-AS07-A2N1;	100.00
362	1	inverter Rexroth, DKR03.1-W100, brand: Rexroth; type: DKR03.1-W100;	100.00
363	1	vivo clamp	10.00
364	1	motor control for KBA C418 dryer Lenze, EVF 8224-E, brand: Lenze; type: EVF 8224-E;	50.00
365	1	gear chain	20.00
366	1	DC converter siemens, Simovert masterdrive , brand: siemens; type: Simovert masterdrive ;	100.00
367	1	lot of insulation for KBA C418 dryer Promat, brand: Promat;	50.00
368	1	servo controller Lenze , EVS9331 ES, brand: Lenze ; type: EVS9331 ES;	100.00
369	1	inverter Siemens, Simovert masterdrive, brand: Siemens; type: Simovert masterdrive;	100.00
370	1	inverter Rexroth Indramat, HDS04.2-W200N, brand: Rexroth Indramat; type: HDS04.2-W200N;	100.00
371	1	frequency control Lenze, 8600, brand: Lenze; type: 8600;	50.00
372	1	machine part description: without further data;	10.00
373	1	inverter Rexroth Indramat, DKRO4.1-W400, brand: Rexroth Indramat; type: DKRO4.1-W400; description: including ribbon seal KBA C418 dryer ;	100.00



Lot	Number	Description	Starting Bid €
374	1	inverter Rexroth Indramat, DKRO2.1-W300, brand: Rexroth Indramat; type: DKRO2.1-W300; description: including ribbon seal KBA C418 dryer ;	100.00
375	1	roll changer for KBA C215-C418	100.00
376	1	various rollers for KBA C418 description: rolls; consisting of : rubber roller, chrome roll, suction roll, etc. for the KBA C418;. ;	100.00
377	1	electric motor with reduction Lenze, brand: Lenze; description: including metal flexible tube;	50.00
378	1	unwind reel description: including a roll of Sontara printmaster;	50.00
379	1	unwind reel year built 2004, year: 2004; description: including a roll of non-woven fabric;	50.00
380	1	unwind reel year built 2008, year: 2008; description: including 2 rolls of non-woven fabric;	50.00
381	1	Mobile workbench	20.00
382	1	metal work table afmeting L: 2000 mm; afmeting B: 1150 mm;	50.00
383	1	environmental cabinet Düperthal, FWF 90, brand: Düperthal; type: FWF 90; total dimension L: 600 mm; total dimension W: 1200 mm; total dimension H: 1980 mm;	400.00
384	1	storage containers Siebau, brand: Siebau; total dimension L: 5000 mm; total dimension W: 2250 mm; total dimension H: 2200 mm; description: galvanized ; comprises: door with a width of 1250 mm; including: content and lighting;	250.00
385	1	triple motor Siemens, B32, serial number 148498, brand: Siemens; type: B32; serial number: 148498; description: spare engine in wooden box; voltage, 220 / 380V, revolutions per min. Max 1740 revolutions, power, Max 1.75 KW, ;	300.00
386	2	various geared motors Lenze, MDFQAXX 100-22, brand: Lenze; type: MDFQAXX 100-22; description: spare engines; "Lenze", voltage 360V, 10.6 KW, Max 1420t / min, motor 2; Nord type SK 80L, 230 / 400V, 1400-1700t / min, 0,75KW;	150.00
387	1	gearmotor Lenze, MDFQAXX 100-22, brand: Lenze; type: MDFQAXX 100-22; description: spare engines; "Lenze", voltage 360V, 10.6 kW, max 1420 rpm,;	100.00
388	1	gearmotor Siemens, 1PH7107, brand: Siemens; type: 1PH7107; description: spare engines; voltage 360 / 450V, Max 13 kW, 2000-2650 rpm,;	75.00
389	1	gearmotor Rexroth, 2AD132C, serial number 2AD132-21955, brand: Rexroth; type: 2AD132C; serial number: 2AD132-21955; description: spare engine in wooden box; voltage 380VMax 15KW, P = 22.5 kW, 1500 - 7500 rpm,;	250.00
390	1	electric motor Weg, W22, brand: Weg; type: W22; description: spare engine in wooden box; voltage 400 V, 4.5 to 19 KW, 1475-2953t / min, weight of 162kg, suitable for dryer Contiweb;	250.00
391	1	vacuum pump Becker, VTLF 250 SK , year built 2003, serial number 1839840, brand: Becker; type: VTLF 250 SK ; year: 2003; serial number: 1839840; description: vacuum pump; voltage 230 / 400V, cap: 250/300 m³ / H, Max 900 mbar, speed: 950/1150 rpm ;	750.00
392	1	metal desk with file cabinet total dimension L: 1505 mm; total dimension W: 755 mm; total dimension H: 780 mm; description: cupboard size 915 x 480 x H 1805 mm;	10.00



Lot	Number	Description	Starting Bid €
393	1	Metal desk total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: including office chair and visitor chair;	10.00
394	4	metal material and file cabinets description: being 2 x dimensions 500 x 500 x H 900 mm and 2 x dimensions 1200 x 400 x H 1850 mm;	40.00
395	1	lot of furniture description: being 6 tables, 3 office chairs, 2 visitor chairs, operator chair and mobile work table;	10.00
396	1	metal desk with file cabinet and fridge total dimension L: 1560 mm; total dimension W: 780 mm; total dimension H: 745 mm; description: cabinet dimensions 885 x 425 x H 1805 mm;	10.00
397	2	metal filing cabinets total dimension L: 425 mm; total dimension W: 1000 mm; total dimension H: 1980 mm;	40.00
398	1	lot of furniture description: being 2 desk tables, magnetic whiteboard and 3 office chairs;	10.00
399	4	metal filing cabinets description: being 3 x size 1200 x 450 x H 1980 mm and 1 x size 1200 x 450 x H 1940 mm;	50.00
401	1	industrial vacuum cleaner Powerline, PL604, year built 2004, brand: Powerline; type: PL604; year: 2004; power: 2400 W; electric connection: 240 V; description: 1 wheel is missing;	40.00
402	1	industrial vacuum cleaner Powerline, PL604, year built 2004, brand: Powerline; type: PL604; year: 2004; power: 2400 W; electric connection: 240 V;	40.00
403	1	industrial pneumatic vacuum cleaner Delfin, brand: Delfin; description: without further data;	40.00
404	1	industrial vacuum cleaner Ghibli, AS 40 IK, year built 2014, brand: Ghibli; type: AS 40 IK; year: 2014; power: 2900 W; electric connection: 220 V;	40.00
405	1	industrial vacuum cleaner Ghibli, AS 40 IK, brand: Ghibli; type: AS 40 IK; power: 2900 W; electric connection: 220 V;	40.00
406	1	industrial pneumatic vacuum cleaner Delfin, AS352D AIREX TUV, year built 2010, serial number 121039429, brand: Delfin; type: AS352D AIREX TUV; year: 2010; serial number: 121039429;	40.00
407	1	industrial vacuum cleaner Ruwac, WS 2210 L, brand: Ruwac; type: WS 2210 L; electric connection: 220 V;	40.00
408	1	pressure washer Dibo, serial number 51393, brand: Dibo; serial number: 51393; temperature range max.: 150 °c; mobile: yes; electric connection: 380 V;	100.00
409	1	powder extinguisher Somati, PZ 50 ABC, brand: Somati; type: PZ 50 ABC; description: rejected;	20.00
410	1	shot blasting unit Dibo, brand: Dibo;	20.00
411	1	pneumatic oil extractor description: equipped with collection tray;	50.00
412	1	pneumatic barrel pump Pressol, PNP 50:1, brand: Pressol; type: PNP 50:1;	20.00
413	1	cones signaling and lighting description: 7 cones and 2 signal lights; including: 3 Osram siccatherm infrared lamps;	20.00
414	1	Strapping device OMS, ST420, year built 2004, serial number 14991, brand: OMS; type: ST420; year: 2004; serial number: 14991; description: including 1 roll of cord tape;	150.00



Lot	Number	Description	Starting Bid €
415	1	Strapping device SMB, AMPAG SPRINT, year built 2000, brand: SMB; type: AMPAG SPRINT; year: 2000; plastic strap: yes; description: including 1 extra roll of cord;	150.00
416	1	Strapping device SMB, AMPAG SPRINT, year built 2003, brand: SMB; type: AMPAG SPRINT; year: 2003; plastic strap: yes;	150.00
417	2	fans	5.00
418	2	fans	5.00
419	2	microwaves	5.00
420	2	microwaves	5.00
421	1	digital scale Kern, CXB, brand: Kern; type: CXB; description: scale; weighing range min .: 100g; max weighing range: 15 kg; reading accuracy: 5 g;	10.00
422	1	digital scale description: scale; weighing range min .: 20g; weighing range max. 15 kg; reading accuracy: 1 g;	10.00
423	2	radios cd: ja; tape: ja; aansluiting: 220 V; locatie: nieuwbouw folie verpakingslijn	5.00
424	1	workshop table dimension L: 103 cm; dimension W: 73 cm; dimension H: 88 cm;	5.00
425	1	workshop table dimension L: 93 cm; dimension W: 66 cm; dimension H: 90 cm;	5.00
426	1	workshop table dimension L: 100 cm; dimension W: 66 cm; dimension H: 90 cm;	5.00
427	1	workshop table dimension L: 107 cm; dimension W: 77 cm; dimension H: 89 cm; description: including a smaller wooden table;	5.00
428	1	refrigerator Beko, brand: Beko;	10.00
429	1	refrigerator Whirlpool, brand: Whirlpool;	10.00
430	1	refrigerator Bosch, brand: Bosch;	10.00
431	1	refrigerator Whirlpool, brand: Whirlpool;	10.00
432	1	refrigerator Frigibel, brand: Frigibel;	10.00
433	1	refrigerator Siemens, brand: Siemens;	10.00
434	1	refrigerator Siemens, brand: Siemens;	10.00
435	1	refrigerator Whirlpool, brand: Whirlpool;	10.00
436	1	refrigerator friac, brand: friac;	10.00
437	1	wheelbarrow Vabor, brand: Vabor;	10.00
438	1	Hydrophore pump DAB, Eurocom 30/50, brand: DAB; type: Eurocom 30/50; electric connection: 220 V;	30.00
439	1	barrel pump Flux, brand: Flux; electric connection: 220 V;	30.00
440	1	wasser pump	30.00
441	3	various membraampompen	50.00



Lot	Number	Description	Starting Bid €
442	1	self-priming fluid pump Bomba, brand: Bomba; description: including pneumatic barrel pump;	50.00
443	1	hand truck Beg, RS 3, brand: Beg; type: RS 3; load capacity: 150 kg;	10.00
444	1	Vatenkar	10.00
445	1	mobile lifting table Lyftab, brand: Lyftab; load capacity: 300 kg;	20.00
446	1	Vatenkar	10.00
447	1	Vatenkar	10.00
448	1	Trolley	10.00
449	1	Trolley	10.00
450	1	Trolley	10.00
451	5	metal production furniture	5.00
452	5	metal production furniture	5.00
453	1	single ladder number of steps: 12; aluminium: yes; single: yes; total dimension L: 3500 mm;	20.00
454	1	double ladder number of steps: 28; aluminium: yes; extension ladder: yes; double: yes;	40.00
455	1	sliding / folding ladder Altrex, brand: Altrex; number of steps: 20; aluminium: yes; extension ladder: yes; multi-purpose ladder: yes; double: yes;	50.00
456	1	folding ladder number of steps: 9; aluminium: yes; extension ladder: no; multi-purpose ladder: yes; double: no;	50.00
457	1	board staircase Günzburger, 50106, brand: Günzburger; type: 50106; number of steps: 5; aluminium: yes; access platform: yes; total dimension H: 1440 mm;	50.00
458	1	board staircase Günzburger, 50106, brand: Günzburger; type: 50106; number of steps: 5; aluminium: yes; access platform: yes; total dimension H: 1440 mm;	50.00
459	1	board staircase Günzburger, 50104, brand: Günzburger; type: 50104; number of steps: 3; aluminium: yes; access platform: yes; total dimension H: 960 mm;	50.00
460	1	trapladder number of steps: 4; aluminium: yes; total dimension H: 960 mm;	5.00
461	1	trapladder number of steps: 4; aluminium: yes; total dimension H: 900 mm;	5.00
462	1	trapladder number of steps: 2; aluminium: yes; total dimension H: 710 mm;	10.00
463	1	production step number of steps: 3; aluminium: yes; total dimension H: 600 mm;	10.00
464	1	production step number of steps: 2; aluminium: yes; total dimension H: 390 mm;	10.00
465	1	production step number of steps: 2; aluminium: no; total dimension H: 510 mm;	10.00
466	1	folding ladder Wakü, brand: Wakü; number of steps: 20;	40.00
467	1	trapladder Altrex, brand: Altrex; number of steps: 4; aluminium: yes;	10.00
468	1	trapladder Excelsior, brand: Excelsior; number of steps: 4; aluminium: yes;	10.00
469	1	folding ladder number of steps: 10; aluminium: yes; double: yes;	20.00



Lot	Number	Description	Starting Bid €
470	1	folding ladder number of steps: 10; aluminium: yes; double: yes;	20.00
471	1	folding ladder number of steps: 10; aluminium: yes; double: yes;	20.00
472	3	mobile pallet boxes dimension L: 117 cm; dimension W: 78 cm; dimension H: 108 cm;	20.00
473	3	mobile pallet boxes dimension L: 117 cm; dimension W: 78 cm; dimension H: 108 cm;	20.00
474	2	mobile pallet boxes dimension L: 117 cm; dimension W: 78 cm; dimension H: 108 cm;	20.00
475	1	aluminum scaffold Skyworks, brand: Skyworks; number of base sections: 5; number of boards: 1; number of boards with hatchway: 1; board size L: 3000 mm; board size W: 600 mm; number of diagonal braces: 5; number of horizontal braces: 5; number of wheels: 4;	300.00
476	1	lot of self-adhesive labels total dimension L: 196 mm; total dimension W: 76 mm; description: labels; number of rolls: approx. 20; number of labels per roll: 800;	50.00
477	1	Label printer Sato, CL608e, brand: Sato; type: CL608e; electric connection: 220 V;	100.00
478	1	large quantity of various plastic film on roll	50.00
479	1	lot of scrap description: the barrels are empty;	10.00
480	1	large quantity of blank waybills description: approx. 61 boxes of 500 units in 4-fold;	100.00
481	1	lot of filter cloths description: filter cloths; Product: NAC / F360 / 360x360; size: 360X360X0; filtrperklasse: ISO Coarse 70%; quantity: approx. 100;	50.00
482	1	gathering machine Tolerans, Speedliner SP10050, brand: Tolerans; type: Speedliner SP10050;	250.00
483	1	table total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 740 mm;	5.00
484	1	wooden worktable total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 900 mm;	5.00
485	1	mobile wooden work table total dimension L: 1010 mm; total dimension W: 710 mm; total dimension H: 930 mm;	5.00
486	4	mobile pallet boxes dimension L: 117 cm; dimension W: 78 cm; dimension H: 90 cm;	30.00
487	4	mobile pallet boxes dimension L: 120 cm; dimension W: 100 cm; dimension H: 80 cm;	30.00
488	4	mobile pallet boxes description: various dimensions;	30.00
489	4	pallet boxes dimension L: 120 cm; dimension W: 100 cm; dimension H: 80 cm;	30.00
490	5	pallet boxes dimension L: 120 cm; dimension W: 100 cm; dimension H: 80 cm;	40.00
491	20	cardboard boxes dimension L: 1200 mm; dimension W: 800 mm; dimension H: 620 mm;	20.00
492	1	Trolley dimension L: 192 cm; dimension W: 60 cm; dimension H: 103 cm;	10.00
493	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	10.00
494	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00



Lot	Number	Description	Starting Bid €
495	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
496	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
497	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
498	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
499	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
500	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
501	1	platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 150 cm;	30.00
502	1	platenkar dimension L: 140 cm; dimension W: 90 cm; dimension H: 150 cm;	20.00
503	1	platenkar dimension L: 140 cm; dimension W: 90 cm; dimension H: 150 cm;	20.00
504	1	platenkar dimension L: 140 cm; dimension W: 90 cm; dimension H: 150 cm;	20.00
505	1	platenkar dimension L: 140 cm; dimension W: 90 cm; dimension H: 150 cm;	20.00
506	1	platenkar dimension L: 140 cm; dimension W: 90 cm; dimension H: 125 cm;	20.00
507	1	wooden platenkar dimension L: 160 cm; dimension W: 90 cm; dimension H: 145 cm;	10.00
508	1	wooden platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 145 cm;	10.00
509	1	wooden platenkar dimension L: 210 cm; dimension W: 90 cm; dimension H: 145 cm;	10.00
510	1	platenkar dimension L: 125 cm; dimension W: 90 cm; dimension H: 145 cm;	10.00
511	1	wooden platenkar dimension L: 150 cm; dimension W: 90 cm; dimension H: 115 cm;	10.00
512	1	platenkar dimension L: 110 cm; dimension W: 50 cm; dimension H: 100 cm;	10.00
513	1	platenkar dimension L: 110 cm; dimension W: 50 cm; dimension H: 145 cm;	10.00
514	1	platenkar dimension L: 110 cm; dimension W: 50 cm; dimension H: 140 cm;	10.00
515	1	chicken container Kaiser+Kraft, Expo 600, year built 2011, brand: Kaiser+Kraft; type: Expo 600; year: 2011; load capacity: 1000 kg; own weight: 140 kg; description: kipcontainer; content : 0.6 m3;	100.00
516	1	chicken container Kaiser+Kraft, Expo 600, year built 2011, brand: Kaiser+Kraft; type: Expo 600; year: 2011; load capacity: 1000 kg; own weight: 140 kg; description: kipcontainer; content : 0.6 m3;	100.00
517	1	chicken container Kaiser+Kraft, SK 300, year built 2015, brand: Kaiser+Kraft; type: SK 300; year: 2015; load capacity: 4000 kg; own weight: 233 kg; description: kipcontainer; content : 0.3 m3;	100.00
518	1	stacking yoke dimension L: 140 cm; dimension W: 100 cm; dimension H: 115 cm;	30.00



Lot	Number	Description	Starting Bid €
519	1	stacking yoke dimension L: 140 cm; dimension W: 100 cm; dimension H: 115 cm;	30.00
520	1	magnetic whiteboard dimension L: 150 cm; dimension W: 70 cm; dimension H: 195 cm;	5.00
521	1	magnetic whiteboard dimension L: 150 cm; dimension W: 70 cm; dimension H: 195 cm;	5.00
522	1	magnetic whiteboard dimension L: 150 cm; dimension W: 70 cm; dimension H: 195 cm;	5.00
523	2	magnetic whiteboards dimension L: 150 cm; dimension W: 70 cm; dimension H: 195 cm;	5.00
524	2	magnetic whiteboards dimension L: 150 cm; dimension W: 70 cm; dimension H: 195 cm; description: including frame;	5.00
525	17	bags of absorbent granules Gopart, brand: Gopart; description: absorbtiekorrels; content : 20kg / bag;	100.00
526	24	bags of absorbent granules Gopart, brand: Gopart; description: absorbtiekorrels; content : 20kg / bag;	125.00
527	11	bags of absorbent granules Gopart, brand: Gopart; description: absorbtiekorrels; content : 20kg / bag;	70.00
528	1	disassembled pallet shelf number of uprights: 3; number of cross beams: 8;	100.00
529	1	PVC hose Filclair , 32X42, brand: Filclair ; type: 32X42;	20.00
530	1	plastic hose	20.00
531	1	vacuum pump Rietschle, SMV 500, year built 2002, brand: Rietschle; type: SMV 500; year: 2002;	1,000.00
532	1	vacuum pump Rietschle, SMD 500, year built 2003, brand: Rietschle; type: SMD 500; year: 2003;	1,000.00
533	1	vacuum pump Rietschle, SMD 500, year built 2002, brand: Rietschle; type: SMD 500; year: 2002;	1,000.00
534	1	vacuum pump Rietschle, SMV 500, year built 2002, brand: Rietschle; type: SMV 500; year: 2002;	1,000.00
535	1	Belt strapping machine Mosca, RO-TR500, year built 1999, serial number 55492, brand: Mosca; type: RO-TR500; year: 1999; serial number: 55492; electric connection: 400 V; description: longitudinal strapping; power: 1.5 kW;	1,000.00
536	1	folding machine MBO, T800 1-3-56/4, serial number Y03/16, brand: MBO; type: T800 1-3-56/4; serial number: Y03/16; electric connection: 380 V;	1,000.00
537	1	turntable Ferag, TS-T, year built 2001, serial number 3798034001200548, brand: Ferag; type: TS-T; year: 2001; serial number: 3798034001200548;	250.00
538	1	bending machine for aluminum offset plates Berth, OPB 200-SL, year built 2008, serial number 02-360-08-35, brand: Berth; type: OPB 200-SL; year: 2008; serial number: 02-360-08-35;	500.00
539	1	electric motor Siemens, brand: Siemens; description: spare engine; suitable for: main engine printing Lithoman 72;	150.00
540	1	electric motor Siemens, brand: Siemens; description: spare engine; suitable for: Litoman 72 folding device;	50.00
541	1	Strapping device SMB, AMPAG SPRINT, year built 2000, brand: SMB; type: AMPAG SPRINT; year: 2000; plastic strap: yes;	150.00



Lot	Number	Description	Starting Bid €
542	1	Belt strapping machine Ferag, ES-35, year built 2001, brand: Ferag; type: ES-35; year: 2001; description: transverse;	450.00
543	1	Belt strapping machine Ferag, ES-35, year built 2001, brand: Ferag; type: ES-35; year: 2001; description: transverse;	450.00
544	1	Belt strapping machine Ferag, ES-35, year built 2001, brand: Ferag; type: ES-35; year: 2001; description: transverse;	450.00
545	1	chain conveyor description: /; length : 350cm;	100.00
546	1	conveyor year built 2006, year: 2006; electric driven: yes; description: /; length : 150 cm;	100.00
547	1	cross stacker Gämmerler, KL 511/1, brand: Gämmerler; type: KL 511/1; electric connection: 380 V; description: /; power: 2 kW;	750.00
548	1	liquid ring vacuum pump Gardner Denver, 2BL2341-0KH03-7A-Z, brand: Gardner Denver; type: 2BL2341-0KH03-7A-Z;	750.00
549	1	90 ° conveyor belt description: radius 600; width: 600; consisting of : 2 parts;	100.00
550	1	plastic hose	50.00
551	2	plastic hoses	50.00
552	1	electrical connection box description: terminal box; equipped with: 2 exits and ventilation grilles;	20.00
553	1	electrical connection box description: terminal box; equipped with: main switch, emergency stop and 2 push buttons;	20.00
554	2	gear drives MS-Graessner, brand: MS-Graessner; description: right-angle gear transmission; info: 35FL 1.00: 1 13L ;	200.00
555	5	roll stitching thread Powerbind , 0,5 mm, brand: Powerbind ; type: 0,5 mm;	200.00
556	3	steel grate floor tiles	100.00
557	1	lot of various machine parts description: to reuse or scrap; comprising: machine guards, guillotine knives, machine frame work, metal plates, and various parts of the machine;	50.00
558	1	various conveyors	50.00
559	1	alignment module Gämmerler, rüttler, brand: Gämmerler; type: rüttler;	100.00
600	1	pallet highlifter BT , HL 10/3, serial number 477010, brand: BT ; type: HL 10/3; serial number: 477010; high lifter: yes; lifting capacity: 1000 kg; lifting height: 800 mm; fork length: 1190 mm; own weight: 120 kg; total dimension W: 560 mm;	60.00
601	1	transpallet Jungheinrich , brand: Jungheinrich ; lifting capacity: 2000 kg; fork length: 1145 mm; total dimension W: 510 mm;	30.00
602	1	garage hoist / giraffe O.M.C.N., GP10/S, year built 1997, serial number 05, brand: O.M.C.N.; type: GP10/S; year: 1997; serial number: 05; description: handheld; max. lift height 2.8 m; lifting capacity: 1000kg;	100.00
603	1	lot of disassembled machine and plant components description: being, among others, UPS units, 2. QuadTech CCS-D color control system, PC unit, etc. on 1 pallet;	50.00



Lot	Number	Description	Starting Bid €
604	1	lot of cable description: on 1 pallet;	10.00
605	1	Bobbins power cable description: being 5G25, 1 kV and 5G2.5, 1 kV, including coil of steel cable in PVC grab tray;	50.00
606	1	lot of data cable description: in 7 moving boxes, including 3 x 2.5 mm ² , data cable, 3 rolls of waiting tube, etc.;	100.00
607	2	switch boxes description: including box with mounting brackets for roller conveyors;	30.00
608	1	lot of process components description: being 2 X Fluxer thermostatic valve, 90 °, 45 W, 3 x ball valves, various galvanized bends, etc.;	50.00
609	1	lot of process components description: Calpeda being, inter alia, water pump , Hmax 51.5 m, Qmax 8 m ³ / h, pressure relief valve, PVC swivels, mounting brackets, etc.;	50.00
610	1	lot of filters and components for screw compressors description: for Compair;	25.00
611	1	lot of filters and components for screw compressors description: for Atlas Copco;	40.00
612	1	lot of filters and components for screw compressors description: for Compair, which includes 6 cans of lubricating oil for screw compressors, filters, etc.;	50.00
613	2	switch boxes description: metal; size: 500 x 400 x 210 mm;	30.00
614	1	flat screen control panel Protech Systems, PA-6225-PPC, brand: Protech Systems; type: PA-6225-PPC; description: unused, including used QuadTech touch panel;	50.00
615	2	cable guides description: disassembled;	20.00
616	1	lubricant Compair , Fluidforce, brand: Compair ; type: Fluidforce;	20.00
617	1	bending machine for aluminum offset plates Berth, AKA 200-M, year built 1198, serial number 02-200-98-61, brand: Berth; type: AKA 200-M; year: 1198; serial number: 02-200-98-61;	750.00
618	1	part of hydraulic pallet tipper Premier, 90*TYPE D, year built 2007, serial number C17E3511, brand: Premier; type: 90*TYPE D; year: 2007; serial number: C17E3511; electric connection: 400 V; description: /; power: 3 kW; capacity: 1200 kg;	100.00
619	1	lot of parts for conveyors	100.00
620	1	mobile chain conveyor Ferag, STB, year built 1987, serial number 3732, brand: Ferag; type: STB; year: 1987; serial number: 3732; roll conveyor size L: 400 mm; roll conveyor size W: 530 mm; electric driven: yes; description: /; provided with: operation;	100.00
621	1	conveyor müller Martini, 6208B3, year built 2007, brand: müller Martini; type: 6208B3; year: 2007; electric driven: yes; description: to recover;	10.00
622	1	roller conveyor Müller Martini , year built 2003, serial number 76762-4, brand: Müller Martini ; year: 2003; serial number: 76762-4; roll conveyor size L: 2000 mm; roll conveyor size W: 450 mm;	30.00
623	1	alignment module Gämmerler, Weiche band, brand: Gämmerler; type: Weiche band; description: /; adjustable width: up to 600 mm; length : 830 mm;	200.00



Lot	Number	Description	Starting Bid €
624	1	cooling unit Rittal, SK 3290500, brand: Rittal; type: SK 3290500;	20.00
625	1	oil-water separator Beko, Öwamat 5R , brand: Beko; type: Öwamat 5R ;	20.00
901	1	reception counter corner desk: yes; dimension L: 415 cm; dimension W: 80 cm; dimension H: 115 cm; pedestal: yes; office chair: yes; total dimension L: 4150 mm; total dimension W: 2400 mm; total dimension H: 1150 mm; description: excl computers on desk ;	100.00
902	1	desk table corner desk: yes; dimension L: 160 cm; dimension W: 80 cm; dimension H: 74 cm; pedestal: yes; description: incl. 2 low file cabinets having vertical rolling door closure, dimensions .120 x 45 x 102cm H, 80 x 45 x 74cm H, side table, and desk mobile mandenrek material on the table,;	60.00
903	1	roll-up projection screen Expo electra, Maxi X , brand: Expo electra; type: Maxi X ; description: Printed ribbon dimensions . Screen 200 x 195cm, + Roll up banner SL;	50.00
904	1	vestaire cupboard with folder stand total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 1950 mm; description: brochure rack consists of 4 glass shelves ;	50.00
905	1	paris demo material description: consisting of mobile opbergtroly, frames and bulletin board;	25.00
906	2	metal roller shutter cupboards roll-front cabinet: yes; dimension L: 120 cm; dimension W: 43 cm; dimension H: 198 cm; description: provided with shelves, vertical closure excl content;	40.00
907	2	mobile brochure racks description: 2 mobile leaflet racks with sloping pyrex shelves, + round diam. 90 x H 75 cm on a central base;	40.00
908	1	content office description: consisting of : oval table 220 x L x H BR120 72cm, four low-door cabinet 160 x 42 x 74cm H, + 3 various ornamental plants grown in pot;	40.00
909	1	content office description: consisting of L-shaped wooden desk, office chair with armrests, load block, metal file cabinet, file cabinet layer, round meeting table with 4 chairs with armrests steel tube, map, silk the total content office furniture (excl computer);	100.00
910	1	content office description: consisting of L-shaped wooden desk, chair, loading block, coat file cabinet, round meeting table 180 x 100 x H74cm, 6 chromed chairs with arm rests on the sled base, magnetic whiteboard 2 ornamental plants, silk the total content office furniture (excl computer);	150.00
911	1	content office description: consisting of : meeting table L180 H x 86 x 74 cm, 4 black plastic chairs, small round table on a central foot diam. 90cm, 4 metal filing cabinets with high legborde and roll-up door, the second low-filing cabinets with rolling door, an ornamental plant pot being movable furniture ditto office;	100.00
912	1	desk table dimension L: 180 cm; dimension W: 85 cm; dimension H: 74 cm; pedestal: yes; office chair: no; description: incl. low file cabinet with rolling door, 3 mobile office chairs, and desk partition wall ;	75.00
913	3	various tree hangers description: incl. various dustbins in PVC ;	15.00
914	1	i hold office description: consisting of oval table dimensions . 220 x 120 x 74 cm H, end table with mobile office chair 2-metallic roll-up door cupboard with shelves, and magnetic whiteboard ;	50.00



Lot	Number	Description	Starting Bid €
915	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
916	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
917	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
918	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
919	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
920	3	mobile brochure racks dimension L: 90 cm; dimension W: 36 cm; dimension H: 159 cm; description: with sloping pyrex shelves;	60.00
921	4	metal tall file cabinets roll-front cabinet: yes; dimension L: 120 cm; dimension W: 43 cm; dimension H: 198 cm; description: incl. content consisting of PVC file stack bowls;	100.00
922	1	mahogany meeting table dimension L: 280 cm; dimension W: 120 cm; dimension H: 75 cm; description: 2-part + 6 tubular steel seats without black plastic ;	50.00
923	1	reception salon description: consisting of the 2nd cupzetels, 1 2-sitting seat red semi-leather, metals coffee table 70 x 70 x 30cm, top sheet in synthetic material, in round + ornamental plant pot;	75.00
924	1	reception salon description: consisting of the 2nd cupzetels, 1 2-sitting seat red semi-leather, metals coffee table 70 x 70 x 30cm, top sheet in synthetic material, in round + ornamental plant pot;	75.00
925	2	various metal brochure racks description: including 1 x "Overtoom" mobile;	30.00
926	1	wooden desk dimension L: 315 cm; dimension W: 100 cm; dimension H: 74 cm; pedestal: yes; description: with associated 4-door cabinet dimensions . 160 x 42 x 110 cm H, supporting blade 240 x 41 cm, including office equipment on the desk table;	50.00
927	4	Wooden file cabinets roll-front cabinet: yes; dimension L: 80 cm; dimension W: 40 cm; dimension H: 140 cm; description: equipped with 3 wooden rolling doors ;	60.00
928	1	desk table corner desk: yes; dimension L: 240 cm; dimension W: 80 cm; dimension H: 70 cm; pedestal: yes; description: 2 provided with metal-door cabinet dimensions . 92 x 40 x 100 cm H;	40.00
929	1	desk island description: consisting of four L-shaped desks, 4 drawer units/ filling pedestal and one mobile office, excl. computers;	150.00
930	1	lot of various office supplies description: consisting of lamp, coat tree, fans dustbins etc.;	15.00
931	4	profile steel hooks storage racks description: including 2 x "Stow" L 210 x W 60 x H 200 cm each with 6 shelves, and 2 x L 210 x 60 x H 200 cm each with 5 shelves ;	125.00



Lot	Number	Description	Starting Bid €
932	2	locker cabinets number of doors: 4; dimension L: 80 cm; dimension W: 50 cm; dimension H: 180 cm;	40.00
933	10	cloakroom cabinets number of doors: 3; dimension L: 120 cm; dimension W: 50 cm; dimension H: 180 cm;	150.00
934	2	vestaire metal cabinets Ekwo, brand: Ekwo; number of doors: 3; dimension L: 120 cm; dimension W: 50 cm; dimension H: 180 cm;	40.00
935	9	vestaire metal cabinets Ekwo, brand: Ekwo; number of doors: 3; dimension L: 120 cm; dimension W: 50 cm; dimension H: 180 cm;	125.00
936	1	lot of metal cloakroom cabinets Mewaf/Atal , brand: Mewaf/Atal ; number of doors: 4; dimension L: 120 cm; dimension W: 50 cm; dimension H: 180 cm; description: being all light brown vestairekabels of 20 pieces ;	125.00
937	8	canteens stackable: yes; description: chromed base, continuous orange plastic, + 8 "Allibert" step benches;	20.00
938	9	locker cabinets Overtoom, brand: Overtoom; number of doors: 2; dimension L: 63 cm; dimension W: 50 cm; dimension H: 185 cm; description: + Locker cabinets 3 x 5 x 1 door and 3 door red color, each red cloakroom cabinets in local ;	125.00
939	7	locker cabinets Overtoom, brand: Overtoom; number of doors: 3; dimension L: 90 cm; dimension W: 50 cm; dimension H: 185 cm; description: being all gray cloakroom cabinets in local ;	125.00
940	1	lot of vestairekasten Atal/mewaf, brand: Atal/mewaf; number of doors: 3; dimension L: 90 cm; dimension W: 50 cm; dimension H: 185 cm; description: each of light-brown vestaire cabinets in locally various sizes;	125.00
941	1	desk table corner desk: yes; dimension L: 200 cm; dimension W: 80 cm; dimension H: 74 cm; pedestal: yes; office chair: yes; description: provided with feed table, two chairs with arm rests, and 1 metal roldeurkast "Drisag" with shelves dimensions . 124 x 50 x 195cm H;	50.00
942	1	content office description: consisting of : 2 L-shaped desk tables, mobile office chair, 1 cell and 1 fixed pedestal, two wooden side-tables, flip-over, magnetic whiteboard, trees and ornamental plant coat;	50.00
943	1	lot of various measuring equipment description: including X-Rite 408; strength meter, sound level meter, storage bag, etc. lying on a table;	10.00
944	1	conductometer Consort, K511, serial number 52786, brand: Consort; type: K511; serial number: 52786; description: in storage case;	30.00
1001	4	corner desks description: Isle setup ; size: 1600 x 160 x H 730 mm; worktop depth: 800/600 mm; all including: 4 chests of drawers 3 office chairs; exclusive items on the desks;	100.00
1002	1	corner desk description: size: 1600 x 160 x H 730 mm; depth work surface: 800/600 mm; including: 2 drawers, 1 office chair; excluding items on desks ;	25.00
1003	4	corner desks description: Isle setup ; dimensions: 1300 x 2200 x 720 mm H; worktop depth: 800/600 mm; all including: 5 drawers of which 1 is mobile, 3 office chairs; exclusive items on the desks;	100.00



Lot	Number	Description	Starting Bid €
1004	4	corner desks description: Isle setup ; dimensions: 1300 x 2200 x 720 mm H; worktop depth: 800/600 mm; including: 5 drawer cabinets, office chair 1, as well as 3 lower cabinets ; exclusive: items on the desks;	100.00
1005	4	corner desks description: Isle setup ; dimensions: 1600 x 1200 x 720 mm H; worktop depth: 800/600 mm; including: 6 chests of drawers, 4 office chairs, as well as one low cabinet; exclusive: items on the desks;	100.00
1006	4	desks description: Isle setup ; size: 1600 x 800 x H 720 mm; worktop depth: 800 mm; including: two file cabinets, desk chair 1, as well as 3 lower cabinets ; exclusive: items on the desks;	75.00
1007	4	desks description: Isle setup ; size: 1600 x 800 x H 720 mm; worktop depth: 800 mm; including: two file cabinets, desk chair 1; exclusive: items on the desks;	50.00
1008	6	desks description: Isle setup ; size: 1600 x 800 x H 720 mm; worktop depth: 800 mm; including: five drawers, one chair, and two low cabinets ; exclusive: items on the desks;	50.00
1009	4	desks description: Isle setup ; size: 1600 x 800 x H 720 mm; worktop depth: 800 mm; including: 4 drawers, four office chairs, and 1 low cabinet; exclusive: items on the desks;	100.00
1010	4	corner desks description: Isle setup ; dimensions: 1950 x 1950 x 750 mm H; worktop depth: 800 mm; including: 7 drawer cabinets, office chair 1, as well as 3 lower cabinets . exclusive items on the desks;	150.00
1011	2	desks description: dimensions: 1200/1600 x 800 x H 750 mm; exclusive: items on desks;	50.00
1012	1	corner desk description: dimensions: 1950 x 1950 x H 750 mm; depth work surface: 800 mm; Including: round table diameter 1200 mm H 750 mm, 6 chairs, 1 chest of drawers, 1 file cabinet size 1200 x 450 x H 1080 mm; exclusive: copier and items on the desk;	150.00
1013	1	table description: size: 1950 x 1150 x H 750 mm; including: 9 chairs, 2 office chairs; exclusive: items on the table;	50.00
1014	3	desks description: dimensions: 1x 1200 / 2x 1600 x 800 x H 750 mm; including: 1 drawer unit, 1 damaged office chair; exclusive: items on desks;	50.00
1015	3	filing cabinets sliding doors: yes; description: size: 1200 x 430 x 1980 mm H; including: content cabinets ;	100.00
1016	3	filing cabinets sliding doors: yes; description: size: 1190 x 460 x 1930 mm H; including: content cabinets ;	100.00
1017	2	filing cabinets sliding doors: yes; description: with shelves, vertical roldeu/sluiting; size: 1190 x 460 x 1930 mm H; including: content cabinets ;	50.00
1018	3	filing cabinets sliding doors: yes; description: with shelves, vertical roldeu/sluiting; size: 1190 x 460 x 1930 mm H; including: content cabinets ;	80.00
1019	5	filing cabinets sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 195 cm; description: consisting of : 4 high filing cabinets with shelves, vertical roldeu/sluiting; + 1 low filing cabinet 100 x 46 x 102 cm H with support plates and the vertical roll-up door closure; including: content cabinets ;	100.00



Lot	Number	Description	Starting Bid €
1020	3	filing cabinets sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 198 cm; description: with support plates and the vertical roll-up door closure; including: content cabinets including PVC file boxes;	100.00
1021	2	filing cabinets sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 195 cm; description: with support plates and the vertical roll-up door closure, + 1 set-up file cabinet with four sliding doors vertical roll-up door closure with dimensions 160 x 45 x 188 cm H; including: content cabinets ;	100.00
1022	2	lot of office Uffix, brand: Uffix; description: consisting of : angularly disposed desk size 250/180 cm x 88 cm H x 72 cm, 1 mobile- second load block, round meeting table slide. 130 cm H 74 cm; 4 tube languages vergarderstoelen with armrests seat-back Bordeaux sky, as well as file cabinets with two vertical roll-up door closure with dimensions 120 x 43 x 198 cm H; exclusive: items on the desk;	100.00
1023	8	filing cabinets Marcadet, brand: Marcadet; sliding doors: yes; dimension L: 45 cm; dimension W: 120 cm; dimension H: 198 cm; description: with support plates and the vertical roll-up door closure; including: content cabinets ;	175.00
1024	1	filing cabinet sliding doors: yes; dimension L: 45 cm; dimension W: 120 cm; dimension H: 194 cm; description: roll-up door with horizontal closure; including: content closet; (Locked before start missing key);	30.00
1025	7	various tree hangers description: various embodiment; partly on the deck base;	50.00
1026	3	filing cabinets sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 198 cm; description: with support plates and the vertical roll-up door closure; including: content cabinets including PVC file boxes;	100.00
1027	3	filing cabinets sliding doors: yes; dimension L: 120 cm; dimension W: 45 cm; dimension H: 198 cm; description: with support plates and the vertical roll-up door closure; including: content cabinets ; partially restore;	50.00
1028	3	filing cabinets sliding doors: yes; dimension L: 45 cm; dimension W: 120 cm; dimension H: 198 cm; description: with support plates and the vertical door closure; including: content cabinets ;	100.00
1029	1	Low 2-door metal file cabinet sliding doors: yes; dimension L: 40 cm; dimension W: 92 cm; dimension H: 100 cm; description: with support plates; including: content cabinets ;	100.00
1030	4	Low metal file cabinets sliding doors: yes; dimension L: 43 cm; dimension W: 120 cm; dimension H: 104 cm; description: with support plates and the vertical door closure; including: content cabinets ;	75.00
1031	3	Low metal file cabinets sliding doors: yes; dimension L: 43 cm; dimension W: 120 cm; dimension H: 104 cm; description: with support plates and the vertical door closure; including: content cabinets ;	60.00
1032	12	pvc sorting trays	10.00
1033	1	corner desk description: size: 160/160 x 80 x H 73 cm; as well as: 1 desk chair 1-3 drawers, excluding: items on the desk;	20.00
1034	1	corner desk description: size: 160/160 x 80 x H 73 cm; as well as: 1 office chair 1-3 drawer unit;	20.00



Lot	Number	Description	Starting Bid €
1035	1	corner desk description: size: 1600 x 1600 x H 730 mm; depth work surface: 800/600 mm; including: 3 chests of drawers of which 1 mobile; 1 office chair; excluding items on the desk;	25.00
1036	2	wooden low side file cabinets dimension L: 80 cm; dimension W: 41 cm; dimension H: 100 cm; description: equipped with lower roller shutter horizontal closure;	15.00
1037	2	wooden low side file cabinets dimension L: 80 cm; dimension W: 41 cm; dimension H: 100 cm; description: equipped with lower roller shutter horizontal closure;	15.00
1038	1	fan Neufunk , brand: Neufunk ; description: as well as: 2 radios from the brand Flint and Micodio;	10.00
1039	4	wooden low side file cabinets dimension L: 80 cm; dimension W: 41 cm; dimension H: 100 cm; description: equipped with lower roller shutter horizontal closure;	25.00
1040	1	Mobile whiteboard Quipo , brand: Quipo ; dimension L: 150 cm; dimension H: 100 cm; total dimension L: 150 mm; total dimension W: 70 mm; total dimension H: 196 mm; description: double sided withboard;	40.00
1041	4	various ornamental plants with round flower pot	20.00
1042	4	various ornamental plants with four-rectangular flower pots description: of which 3 mobile flower pots;	20.00
1043	5	various footrests	10.00
1044	1	lot of various paper baskets	10.00
1045	1	lot of various paper baskets	10.00
1047	1	lot of various office equipment description: consisting of calculators, perforator, writing materials, etc. ;	10.00
1048	1	lot of various office equipment description: consisting of calculators, perforator, writing materials, etc. ;	10.00
1049	1	lot of various office equipment description: consisting of calculators, perforator, writing materials, etc. ;	10.00
1050	1	lot of various office equipment description: consisting of stapler, hole punch, writing materials, etc. ;	10.00
1051	1	lot of various office equipment description: consisting of stapler, hole punch, writing materials, etc. ;	10.00
1052	1	lot of various office equipment description: consisting of stapler, hole punch, writing materials, etc. ;	10.00
1053	1	lot of various office equipment description: consisting of stapler, hole punch, calculators, writing materials, etc. ;	10.00
1054	1	double shredder installation with balers and filter extraction installation Alexandre, year built 2018, brand: Alexandre; year: 2018; description: unused, in build-up; number of shredders: 2; brand shredders: Nestro; type : shredders: FA-18-010218; volume shredders: 20,000 m³ / h; some presses compactor: 2; autonomous hydraulic aggregates : yes, 2; including: centrifugal fan, galvanized tubes , mounting material, flanges, control cabinet , etc.;	20,000.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at

www.TroostwijkAuctions.com



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
 - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
 - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
 - the fact that the information on the website is false, incomplete or not up-to-date;
 - errors in the website's software and/or in the underlying system;
 - the illegal use of systems, including use of the Troostwijk website by a third party;
 - acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
 - exclude one or more users from the sale;
 - add items to lots, to split up lots and to remove lots from the sale;
 - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
 - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
 - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
 - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
 - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
 - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
 - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
 - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience