



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

## Medical equipment and devices (IT) **Medical equipment and various**

Piazzale Ospedale, 1 - 24047 Treviglio (BG)  
(Ospedale Treviglio)

Closing date: Tuesday **10 DECEMBER** starting 15:00



*Bidding only on the internet!*

11-11-19 16.07

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 10 December 2019 Medical equipment and devices**

**Specific terms and conditions of the on-line auction - CS-201-18-EN**

Closing date	Tuesday 10 December 2019 starting 15:00 CET
Viewing	<b>Thursday 21 November</b> <b>By appointment</b> <b>Ospedale Treviglio</b> Piazzale Ospedale, 1 24047 Treviglio (BG), Italy <b>Thursday 21 November</b> <b>By appointment</b> <b>Soncino</b> Via Tinelli, 13 26029 Soncino (CR), Italy
Company organising this Online Auction	TROOSTWIJK Srl Via Domenico Trentacoste, 9 20134 MILANO, Italy Phone: +39 02 45487421 Fax: +39 02 2664693 E-mail: info@troostwijk.it
Markup	18.00%
VAT	22.00%
Collection	<b>By appointment</b> <b>Ospedale Treviglio</b> Piazzale Ospedale, 1 24047 Treviglio (BG), Italy <b>By appointment</b> <b>Soncino</b> Via Tinelli, 13 26029 Soncino (CR), Italy
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewingday. Placing a bid without viewing the equipment is at one's own risk.
Payment details	<b>Full payment must be done within 48 h after awarding:</b> Bank: KBC Bank NV Italia 20121 Milan IBAN : IT78W0337301600048425000001 SWIFT CODE: KREDITMMXXX Account holder: Troostwijk Srl Ref.: "Auction: ..... , buyer n. ...."
Delivery date/time	All lots will be disconnected, dismantled, taken out of the factory and loaded on truck by purchaser at its own cost, in compliance with existing safety regulation. <b>Purchased lots must be collected strictly by appointment, within scheduled delivery days in co-ordination with Seller Plant manager.</b> In case the lots are not collected by the aforementioned strict time limit, the right of the Seller and of Troostwijk Srl to declare termination of the contract because of purchaser default is however reserved. In this case Troostwijk Srl and the Seller shall keep as a penalty any amount which the buyer has already paid and they will be entitled to sell the items to other buyer or destroy them, even without any notice. Goods could be collected only on working days, during standard working hours, in co-ordination with Seller plant manager. Collection of purchased items shall start only after written Authorization is issued by Troostwijk Srl, upon cashing of Purchase Price. <b>Don't send any truck or people to the site without appointment is fixed.</b>

**www.TroostwijkAuctions.com**



**ATTENTION - Collection days & time may be amended after auction closure. Buyers will receive communication in case of changes in delivery scheduling. In case of requests for extra viewing days or extra collection days over the ones listed in our Special Conditions, Troostwijk will set possible extra days only after checking availability of access to the site and only after your payment of € 450,00 (+ VAT) for each extra day, for covering all costs.**

Subject to allocation

Some lot or combination could be market as 'Subject to allocation'. In this case, the highest bid for this lot will be presented to our client immediately after closing the auction. In two days the user will be informed if the bid for the lot is accepted.

Additional information

**Vehicles:** additional cost related to purchasing of vehicles due to change of property at Public Vehicle register, plate cancellation etc. remains to buyer side. These extra costs to be directly paid by buyer to the Car-Agency appointed by Troostwijk, before collection of good.

**Currency:** auction sale is conducted in EURO currency and just payment on this currency are accepted.

**Combinations:** All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

**Prolongation:** If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

**Customs Clearance:** Buyers are responsible, at their own expense, to appoint a customs agent and to comply on their own with all export transactions for the purchased goods. Neither Troostwijk nor the Seller guarantee the issue of "Mandate to accomplish customs operations for importation", "Certificates of Origin", "EUR 1", "BILL OF LADING", "AIRWAY BILL", or similar

**Legal references:** Troostwijk Srl VAT Nr. IT 01914310154 - Chamber of Commerce nr. MI 146-161497 - Licence ref. 16.03.2011 Questore di Milano

General terms and conditions

On the auction sale, the general terms and conditions of the on on on-line auction sale (code CG-201-07-EN) are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions as mentioned in the catalogue of the sale.

All assets are being sold strictly "as is, where is". No warranty is given, expressed or implied as to the condition or its fitness for use. Although the information and pictures contained in lots description was obtained from sources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. No responsibility whatsoever is assumed with respect to quantity, quality, dimensions, year of production and completeness of the goods. The descriptions are made under full reservation of potential errors which will be without any influence on a concluded sale. Placing a bid without viewing the equipment is at one's own risk.

Privacy

Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no.



196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any collaborators and / or companies of which Troostwijk Srl uses, for fulfillment of the obligations established by law.

#### Purchase failure

In case of missing or belated payment of the Purchase Price, Purchaser will be considered decayed without any other communication, seller has the right to arrange a legal action or to arrange other auction or sell to the second Highest Bidder



Lot	Number	Description
11	1	<b>suction pump</b> medela , 04613, serial number 90132, brand: medela ; type: 04613; serial number: 90132; electric connection: 220 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 250 mm; description: surgical suction pump;
12	1	<b>infusion pumps</b> alaris , GW, year built 2009, brand: alaris ; type: GW; year: 2009; digital display: yes; electric connection: 220 V; description: infusion pump; 10 VA;
13	1	<b>curing lamp</b> polylux, brand: polylux; electric connection: 220 V; description: curing light for dentists ;
14	1	<b>infusion pumps</b> fresenius , ottima 2, serial number 027061, brand: fresenius ; type: ottima 2; serial number: 027061; digital display: yes; electric connection: 230 V; description: infusion pump;
15	1	<b>suction pump</b> LCSU, brand: LCSU; electric connection: 220 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 250 mm; description: surgical suction pump;
16	1	<b>endoscope</b> storz, 20043020-020, serial number KE1792, brand: storz; type: 20043020-020; serial number: KE1792; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: endoscope;
17	1	<b>infusion pumps</b> terumo , TE-171, year built 2010, serial number 1011000169, brand: terumo ; type: TE-171; year: 2010; serial number: 1011000169; power: 11 W; digital display: yes; electric connection: 230 V; total dimension L: 100 mm; total dimension W: 200 mm; total dimension H: 250 mm; description: infusion pump;
18	1	<b>xenon source</b> Ethicon , LS 001, serial number 98J1567B0373, brand: Ethicon ; type: LS 001; serial number: 98J1567B0373; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 100 mm; description: xenon source;
19	1	<b>endoscope</b> storz, 22200020-104, brand: storz; type: 22200020-104; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: endoscope;
20	1	<b>endoscope</b> storz, 22200020-102, brand: storz; type: 22200020-102; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: endoscope;
21	1	<b>battery</b> Carestream, DRX-1, serial number 20140718, brand: Carestream; type: DRX-1; serial number: 20140718; electric connection: 148 V; total dimension L: 200 mm; total dimension W: 150 mm; total dimension H: 10 mm; description: battery for direct RX acquisition panel;
22	1	<b>couple dispensers</b> Dispensette , brand: Dispensette ; description: couple dispensers;
23	3	<b>thermo printer paper</b> Sony, brand: Sony; description: lot consisting of 3 boxes of thermoforming paper ;
24	3	<b>thermo printer paper</b> Sony, brand: Sony; description: lot consisting of 3 boxes of thermoforming paper ;
25	1	<b>SpO2 pulse oximeter</b> GE, trusignal , serial number FCC07030014SA, brand: GE; type: trusignal ; serial number: FCC07030014SA; electric connection: 230 V; description: SpO2 pulse oximeter with ear sensor and battery charger;
26	1	<b>centrifuge</b> extragene , EG600330, serial number EX1410349, brand: extragene ; type: EG600330; serial number: EX1410349; electric connection: 230 V; description: Miniplug centrifuge ;
27	1	<b>centrifuge</b> extragene , EG600330, serial number EX1410459, brand: extragene ; type: EG600330; serial number: EX1410459; electric connection: 230 V; description: Miniplug centrifuge ;



Lot	Number	Description
28	7	<b>pressure cables</b> edwards lifesciences, year built 2003, brand: edwards lifesciences; year: 2003; description: lot consisting of 7 pressure cables ;
29	5	<b>lamps</b> osram , mercury short arc, brand: osram ; type: mercury short arc; description: lot consisting of n 5 lamps;
30	2	<b>lamps</b> osram, HTI , brand: osram; type: HTI ; description: xenon lamps ;
31	2	<b>sensors</b> Drager, brand: Drager; description: SpO2 sensors;
32	1	<b>lamp</b> striker , 220191000, year built 2006, brand: striker ; type: 220191000; year: 2006; description: endoscopy lamps ;
33	1	<b>adapter</b> DZ medicale, brand: DZ medicale; description: O2 reducer;
34	1	<b>analyzer</b> air sampler , brand: air sampler ; description: digital air analyzer works without filters;
35	1	<b>arthroscopy pump</b> Wolf , 2202, serial number 97 171, brand: Wolf ; type: 2202; serial number: 97 171; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 150 mm; description: arthroscopy pump ;
36	1	<b>arthroscopy pump</b> Wolf , 2232, brand: Wolf ; type: 2232; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 350 mm; total dimension H: 100 mm; description: arthroscopy pump ;
37	1	<b>endoscope</b> serfas , console 220, serial number 032001-001, brand: serfas ; type: console 220; serial number: 032001-001; electric connection: 230 V; description: stryker endoscope digital control panel body only ;
38	1	<b>ECG cables</b> description: ECG cables;
39	1	<b>ECG cables</b> description: ECG cables;
40	1	<b>endoscope</b> stryker endoscopy , quadracut console, serial number 94070474C, brand: stryker endoscopy ; type: quadracut console; serial number: 94070474C; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 350 mm; total dimension H: 150 mm; description: endoscope ;
41	1	<b>endoscope</b> ultracision , generator 300 System , year built 2004, serial number GN4052619, brand: ultracision ; type: generator 300 System ; year: 2004; serial number: GN4052619; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 350 mm; total dimension H: 150 mm; description: endoscope with digital control panel only camera body ;
42	1	<b>ultrasound</b> Medelkom , SLE-301V, brand: Medelkom ; type: SLE-301V; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 150 mm; description: portable ultrasound system with digital control panel ;
43	1	<b>vaporizer</b> Baxter , D-Vapor, serial number ARXB-0003, brand: Baxter ; type: D-Vapor; serial number: ARXB-0003; electric connection: 230 V; description: desflurane vaporizer ;
44	1	<b>vaporizer</b> Baxter , D-Vapor, serial number ARWJ-0267, brand: Baxter ; type: D-Vapor; serial number: ARWJ-0267; electric connection: 230 V; description: desflurane vaporizer;





Lot	Number	Description
45	1	<b>ultrasound</b> well.D medical system, WED9618, year built 2011, serial number DJ1120913, brand: well.D medical system; type: WED9618; year: 2011; serial number: DJ1120913; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 300 mm; description: ultrasound ;
46	1	<b>monitor</b> Goldway, UT4000F, serial number CN4FAAJW00621, brand: Goldway; type: UT4000F; serial number: CN4FAAJW00621; electric connection: 230 V; description: monitor vital signs;
47	1	<b>defibrillator</b> lifepak 9B, 803800-221, year built 2000, serial number 13006361, brand: lifepak 9B; type: 803800-221; year: 2000; serial number: 13006361; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 400 mm; description: defibrillator ;
48	1	<b>monitor</b> Datascope , passport 2, serial number 0996-00-0045-001, brand: Datascope ; type: passport 2; serial number: 0996-00-0045-001; electric connection: 230 V; description: monitor vital signs ;
49	1	<b>defibrillator</b> hawlett packard , M1722B, year built 1998, serial number 3737A23216, brand: hawlett packard ; type: M1722B; year: 1998; serial number: 3737A23216; total dimension L: 300 mm; total dimension W: 400 mm; total dimension H: 400 mm; description: defibrillator ;
50	1	<b>light source</b> olympus, CV-140, serial number 7713048, brand: olympus; type: CV-140; serial number: 7713048; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 450 mm; total dimension H: 70 mm; description: light source digital control panel ;
51	1	<b>monitor</b> Barco , E3620, year built 2011, brand: Barco ; type: E3620; year: 2011; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 600 mm; description: mammographic monitor ;
52	1	<b>monitor</b> Barco , year built 2006, brand: Barco ; year: 2006; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 600 mm; description: mammographic monitor ;
53	1	<b>monitor</b> Barco , year built 2006, brand: Barco ; year: 2006; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 600 mm; description: mammographic monitor ;
54	1	<b>bob</b> luxtec, brand: luxtec; description: bob ;
55	1	<b>parametric monitor</b> PM-9000, serial number W2BF1382S, type: PM-9000; serial number: W2BF1382S; electric connection: 230 V; description: parametric monitor;
56	1	<b>light source</b> Fuji, fujinon PS2 HN, serial number 3451099, brand: Fuji; type: fujinon PS2 HN; serial number: 3451099; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 450 mm; total dimension H: 200 mm; description: light source ;
57	1	<b>light source</b> wolf, 4200, serial number 99 3452, brand: wolf; type: 4200; serial number: 99 3452; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 100 mm; description: light source ;
58	1	<b>light source</b> Visiomed , LS H250 MIX, serial number K13100A 1020, brand: Visiomed ; type: LS H250 MIX; serial number: K13100A 1020; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 100 mm; description: light source ;
59	1	<b>light source</b> Olympus , CLH-250, serial number 7600441, brand: Olympus ; type: CLH-250; serial number: 7600441; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 400 mm; total dimension H: 100 mm; description: light source ;



Lot	Number	Description
60	1	<b>analyzer</b> reflotron , IV, serial number 4029587, brand: reflatron ; type: IV; serial number: 4029587; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 350 mm; total dimension H: 300 mm; description: analyzer ;
61	1	<b>multi parametric monitor</b> Ohmeda, 5250 RGM, brand: Ohmeda; type: 5250 RGM; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 200 mm; description: endoscopy monitor ;
62	1	<b>DNA analyzer</b> MJ Research , PTC-200, serial number AL071389, brand: MJ Research ; type: PTC-200; serial number: AL071389; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: DNA analyzer with digital control panel ;
63	1	<b>infusion pumps</b> alaris , GW, year built 2009, serial number 2504NLN1, brand: alaris ; type: GW; year: 2009; serial number: 2504NLN1; digital display: yes; electric connection: 220 V; description: infusion pump; 10 VA;
64	1	<b>microscope</b> optika , SZM LE D2, serial number 539255, brand: optika ; type: SZM LE D2; serial number: 539255; electric connection: 230 V; description: microscope ;
65	1	<b>cutters</b> description: set of cutters;
66	2	<b>ultrasound probe</b> toshiba; philips , PVT 375 BT, brand: toshiba; philips ; type: PVT 375 BT; description: ultrasound probe with case ;
67	1	<b>ultrasound probe</b> philips , serial number 02VJFZ, brand: philips ; serial number: 02VJFZ; description: ultrasound probe ;
68	1	<b>infusion pumps</b> B. Braun Melsungen , 8713936, serial number 45796, brand: B. Braun Melsungen ; type: 8713936; serial number: 45796; digital display: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 150 mm; description: infusion pump;
69	1	<b>infusion pumps</b> B. Braun Melsungen , 8713936, serial number 54455, brand: B. Braun Melsungen ; type: 8713936; serial number: 54455; digital display: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 150 mm; description: infusion pump;
70	1	<b>endoscope</b> storz, 273305 20 -1, serial number EF 1245, brand: storz; type: 273305 20 -1; serial number: EF 1245; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 200 mm; description: endoscope;
71	1	<b>ultrasound probe</b> aloka , UST 9123, serial number X0056902, brand: aloka ; type: UST 9123; serial number: X0056902; electric connection: 230 V; description: ultrasound probe ;
72	1	<b>long bone handpiece</b> Stryker , brand: Stryker ; description: long bone handpiece with case ;
73	1	<b>tissue handpiece</b> Stryker , brand: Stryker ; description: tissue handpiece with case ;
74	1	<b>short bone handpiece</b> Stryker , brand: Stryker ; description: short bone handpiece with case ;
75	1	<b>transsphenoidal handpiece</b> Stryker , brand: Stryker ; description: transsphenoidal handpiece with case ;
76	1	<b>optical chart</b> bieffe italia , serial number 27673254, brand: bieffe italia ; serial number: 27673254; total dimension L: 350 mm; total dimension W: 100 mm; total dimension H: 700 mm; description: mixed decimal optical table;





Lot	Number	Description
77	1	<b>centrifuge</b> Hettich , mikro200, year built 2010, serial number 0003088-03-00, brand: Hettich ; type: mikro200; year: 2010; serial number: 0003088-03-00; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 300 mm; total dimension H: 250 mm; description: mini centrifuge tube digital control panel ;
78	1	<b>monitor</b> schiller , Argus LCX, serial number 79000534, brand: schiller ; type: Argus LCX; serial number: 79000534; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 100 mm; total dimension H: 250 mm; description: multi parametric monitor ;
79	1	<b>monitor</b> schiller , Argus LCX, serial number 79000532, brand: schiller ; type: Argus LCX; serial number: 79000532; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 100 mm; total dimension H: 250 mm; description: multi parametric monitor ;
80	1	<b>syringe pumps</b> Braun, Perfusor , serial number 31-01-036, brand: Braun; type: Perfusor ; serial number: 31-01-036; electric connection: 230 V; description: syringe pump with digital control panel and support ;
81	1	<b>syringe pumps</b> Braun, Perfusor , brand: Braun; type: Perfusor ; electric connection: 230 V; description: syringe pump with digital control panel and support ;
82	1	<b>visiotest ophthalmology</b> essilor , visiotest , serial number 018012, brand: essilor ; type: visiotest ; serial number: 018012; electric connection: 230 V;
83	1	<b>monitor</b> hewlett packard , Anesthesia , brand: hewlett packard ; type: Anesthesia ; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 300 mm; total dimension H: 500 mm; description: multi parametric monitor ;
84	1	<b>phacoemulsifier for cataracts</b> Alcon, everest 20000 legacy , brand: Alcon; type: everest 20000 legacy ; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: phacoemulsifier for cataracts; digital control panel; tracking shot ;
85	1	<b>phacoemulsifier for cataracts</b> Alcon, everest 20000 legacy , year built 1993, serial number 0391-STTL, brand: Alcon; type: everest 20000 legacy ; year: 1993; serial number: 0391-STTL; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1300 mm; description: phacoemulsifier for cataracts; digital control panel; tracking shot ;
86	1	<b>oxygen concentrator</b> devilbiss , 515KS, serial number 73628KS, brand: devilbiss ; type: 515KS; serial number: 73628KS; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: oxygen concentrator on wheels;
87	1	<b>ultrasound</b> toshiba, nemio SSA 550, year built 2004, serial number K4526665, brand: toshiba; type: nemio SSA 550; year: 2004; serial number: K4526665; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: general ultrasound on wheels ;
88	1	<b>ultrasound</b> toshiba, SSA 340A, serial number C5623150, brand: toshiba; type: SSA 340A; serial number: C5623150; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: trolley-mounted ultrasound system ;
89	1	<b>ultrasound</b> toshiba, nemio SSA 550, serial number K3604954, brand: toshiba; type: nemio SSA 550; serial number: K3604954; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: general ultrasound system without probes ;
90	1	<b>incubator cradle</b> Atom , V-2200, serial number 2040091, brand: Atom ; type: V-2200; serial number: 2040091; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1200 mm; total dimension H: 1600 mm; description: incubator cradle on wheels digital control panel ;



Lot	Number	Description
91	1	<b>incubator cradle</b> Atom , V-2200, serial number 2040808, brand: Atom ; type: V-2200; serial number: 2040808; electric connection: 230 V; description: incubator cradle on wheels digital control panel ;
92	1	<b>endoscope</b> pentax, EB 1830T, brand: pentax; type: EB 1830T; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 150 mm; description: endoscope with case ;
93	1	<b>endoscope</b> pentax, EC 3830L, year built 1997, brand: pentax; type: EC 3830L; year: 1997; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 150 mm; description: endoscope with case ;
94	1	<b>light source</b> pentax, EPM 3300, brand: pentax; type: EPM 3300; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 200 mm; description: light source digital control panel ;
95	1	<b>microscope</b> leica wil, M715, serial number 96020300, brand: leica wil; type: M715; serial number: 96020300; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: operating microscope on wheels ;
96	1	<b>microscope</b> OMSZ-1, type: OMSZ-1; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: operating microscope on wheels with Samsung monitor;
97	1	<b>Counting</b> Abbot , Cell-Dyn 3500, serial number 31069Y, brand: Abbot ; type: Cell-Dyn 3500; serial number: 31069Y; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: blood cell counter with monitor ;
98	1	<b>arc C for x-rays</b> Technix , TCA 5, year built 2000, serial number 27/00/67/105, brand: Technix ; type: TCA 5; year: 2000; serial number: 27/00/67/105; digital: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: arc C for x-rays on wheels digital control panel; with Epson printer; double monitor;
99	1	<b>baby cot</b> Atom , V-2200, serial number 2040811, brand: Atom ; type: V-2200; serial number: 2040811; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 800 mm; total dimension H: 1600 mm; description: incubator cradle on wheels digital control panel ;
100	1	<b>baby cot</b> Atom , V-2200, brand: Atom ; type: V-2200; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1600 mm; description: incubator cradle on wheels digital control panel ;
101	1	<b>ultrasound</b> zonare, z.one smart cart, serial number 04739C310D, brand: zonare; type: z.one smart cart; serial number: 04739C310D; description: ultrasound probe ;
102	1	<b>centrifuge for bags</b> Hettich , roto silenta 630 RS, year built 2011, serial number 0000800/02/00, brand: Hettich ; type: roto silenta 630 RS; year: 2011; serial number: 0000800/02/00; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 1100 mm; total dimension H: 1100 mm; description: centrifuge for bags; digital control panel; 4500 rpm;
103	1	<b>arc C x-rays</b> OEC, serie S 7700, year built 2001, serial number 79/S1337, brand: OEC; type: serie S 7700; year: 2001; serial number: 79/S1337; digital: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: arc C x-rays; digital control panel; double monitor ;



Lot	Number	Description
104	1	<b>arc C x-rays</b> OEC, serie S 7700, year built 2001, serial number 79-S 1116, brand: OEC; type: serie S 7700; year: 2001; serial number: 79-S 1116; digital: yes; electric connection: 230 V; total dimension L: 1800 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: arc C x-rays; digital control panel; double monitor; with printer ;
105	1	<b>arc C x-rays</b> OEC, serie S 9600, year built 1998, serial number 62-0319, brand: OEC; type: serie S 9600; year: 1998; serial number: 62-0319; digital: yes; electric connection: 230 V; weight: 1900 kg; total dimension L: 1100 mm; total dimension W: 2000 mm; description: arc C x-rays; digital control panel; double monitor ;
106	1	<b>audiometric cabin</b> electric connection: 230 V; total dimension L: 1070 mm; total dimension W: 1070 mm; total dimension H: 2200 mm; description: disassembled soundproof audiometric cabin ;
107	1	<b>obstetrics chair</b> Merivaara , Optima Plus, serial number 071026-39198, brand: Merivaara ; type: Optima Plus; serial number: 071026-39198; electric connection: 230 V; total dimension L: 1700 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: chair for obstetrics on wheels; with electric movement and flush control; with accessories ;
108	1	<b>lamp for viewing plates</b> electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 200 mm; total dimension H: 500 mm; description: negatoscope vision lamp ;
109	1	<b>monitor</b> Eizo , OFTD0642, year built 2005, serial number 32295105, brand: Eizo ; type: OFTD0642; year: 2005; serial number: 32295105; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 200 mm; total dimension H: 600 mm; description: mammographic monitor ;
110	1	<b>printer plates</b> fujifilm, Dry Pix 4000, year built 2009, serial number 96631372, brand: fujifilm; type: Dry Pix 4000; year: 2009; serial number: 96631372; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: printer plates on wheels; digital control panel; 350x430 mm and 260x360 mm format;
111	1	<b>printer plates</b> fujifilm, FM-DP 2636, serial number 7662397, brand: fujifilm; type: FM-DP 2636; serial number: 7662397; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: printer plates on wheels; digital control panel;
112	1	<b>printer plates</b> fujifilm, FM-DP L, serial number 0704238, brand: fujifilm; type: FM-DP L; serial number: 0704238; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: printer plates on wheels; digital control panel ;
113	1	<b>printer plates</b> fujifilm, Dry Pix 4000, brand: fujifilm; type: Dry Pix 4000; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: printer plates on wheels; digital control panel; 350x430 mm and 200x250 mm format;
114	1	<b>operating table</b> Chir Bo, 70A, serial number 3000, brand: Chir Bo; type: 70A; serial number: 3000; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 1200 mm; description: operating table with steel base ;
115	2	<b>monitor</b> NEC, multisync LCD 175 vxm, brand: NEC; type: multisync LCD 175 vxm; electric connection: 230 V; description: monitor with table stand;
116	1	<b>parametric monitor</b> Fukuda Denshi , DS-5300W, serial number 33041561, brand: Fukuda Denshi ; type: DS-5300W; serial number: 33041561; electric connection: 230 V; description: multi parametric monitor;



Lot	Number	Description
117	1	<b>nutri pump</b> en flow, 121, serial number 10634121, brand: en flow; type: 121; serial number: 10634121; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
118	1	<b>nutri pump</b> en flow, 121, serial number 10736965, brand: en flow; type: 121; serial number: 10736965; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
119	1	<b>nutri pump</b> en flow, 121, serial number 1034394, brand: en flow; type: 121; serial number: 1034394; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
120	1	<b>nutri pump</b> en flow, 121, serial number 00730973, brand: en flow; type: 121; serial number: 00730973; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
121	1	<b>nutri pump</b> en flow, 121, serial number 10633525, brand: en flow; type: 121; serial number: 10633525; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
122	1	<b>nutri pump</b> en flow, 121, serial number 10633642, brand: en flow; type: 121; serial number: 10633642; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 200 mm; total dimension H: 100 mm; description: nut pump with cable ;
123	1	<b>monitor</b> eizo, OFTD0976, year built 2006, serial number 55682116, brand: eizo; type: OFTD0976; year: 2006; serial number: 55682116; electric connection: 230 V; description: monitor ;
124	1	<b>monitor</b> fujitsu , GA/X7, serial number YV1N015123, brand: fujitsu ; type: GA/X7; serial number: YV1N015123; electric connection: 230 V; description: monitor ;
125	1	<b>lamp for viewing plates</b> electric connection: 230 V; total dimension L: 400 mm; total dimension W: 200 mm; total dimension H: 500 mm; description: negavoscope vision lamp ;
126	1	<b>robot CD plates</b> rimage , RAS16, year built 2009, serial number 10023576, brand: rimage ; type: RAS16; year: 2009; serial number: 10023576; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: robot CD burning plates;
127	1	<b>robot CD plates</b> rimage , RAS16, year built 2009, serial number 10023926, brand: rimage ; type: RAS16; year: 2009; serial number: 10023926; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 600 mm; description: robot CD burning plates;
128	1	<b>fan</b> siemens , SV900, serial number 184755, brand: siemens ; type: SV900; serial number: 184755; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 250 mm; total dimension H: 350 mm; description: pulmonary ventilator ;
129	1	<b>tissue processors</b> Leica, ASP300, year built 2004, serial number 0891/02.2004, brand: Leica; type: ASP300; year: 2004; serial number: 0891/02.2004; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 900 mm; total dimension H: 1300 mm; description: tissue processors for pathological anatomy on wheels ;
130	1	<b>operating table</b> OPT, 80, serial number 968, brand: OPT; type: 80; serial number: 968; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 1200 mm; description: operating table with steel base on wheels ;



Lot	Number	Description
131	1	<b>operating table</b> OPT, 80, serial number 986, brand: OPT; type: 80; serial number: 986; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 1200 mm; description: operating table with steel base on wheels ;
132	1	<b>ophthalmologist chair</b> Thesi , Oftal, serial number 07DBQ, brand: Thesi ; type: Oftal; serial number: 07DBQ; electric connection: 230 V; total dimension L: 200 mm; total dimension W: 600 mm; total dimension H: 1600 mm; description: ophthalmologist chair on wheels; push-button panel to fix ;
133	1	<b>cyclet</b> Dynavit , Conditronic 30, brand: Dynavit ; type: Conditronic 30; total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 1100 mm; description: cyclet effort; digital control panel; 230 volt power supply;
134	1	<b>cyclet</b> Dynavit , Conditronic 30, brand: Dynavit ; type: Conditronic 30; total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 1100 mm; description: cyclet effort; digital control panel; 230 volt power supply;
135	1	<b>cyclet</b> Dynavit , Conditronic 30, brand: Dynavit ; type: Conditronic 30; total dimension L: 1000 mm; total dimension W: 400 mm; total dimension H: 1100 mm; description: cyclet effort; digital control panel; 230 volt power supply;
136	1	<b>cyclet</b> total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 1200 mm; description: cyclet effort; control panel; 230 volt power supply;
137	1	<b>cyclet</b> OTE Biomedica, Ergocard II 545, serial number 960384, brand: OTE Biomedica; type: Ergocard II 545; serial number: 960384; total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 1100 mm; description: cyclet effort; digital control panel; 230 volt power supply;
138	1	<b>patient lift</b> Huntleigh Kinetics , The Porta 175 Hoist, year built 2008, serial number 175-1689, brand: Huntleigh Kinetics ; type: The Porta 175 Hoist; year: 2008; serial number: 175-1689; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1700 mm; description: patient lift; max capacity 175 kg; 24 volt power supply; wire command;
139	1	<b>lamp</b> jelosil, sanisol BS, serial number 1596, brand: jelosil; type: sanisol BS; serial number: 1596; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: 1700 watt power lamp; with analogue minute clock;
140	1	<b>lamp</b> jelosil, sanisol BS, serial number 91012, brand: jelosil; type: sanisol BS; serial number: 91012; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 1800 mm; description: 1700 watt power lamp; with analogue minute clock;
141	3	<b>nipper</b> ethicon endo-surgery, echelon 45, year built 2019, brand: ethicon endo-surgery; type: echelon 45; year: 2019; total dimension L: 500 mm; total dimension W: 150 mm; description: pliers length 340 mm;
142	3	<b>nipper</b> ethicon endo-surgery, echelon 45, year built 2019, brand: ethicon endo-surgery; type: echelon 45; year: 2019; total dimension L: 500 mm; total dimension W: 150 mm; description: pliers length 340 mm;
143	3	<b>nipper</b> ethicon endo-surgery, echelon 45, year built 2019, brand: ethicon endo-surgery; type: echelon 45; year: 2019; total dimension L: 500 mm; total dimension W: 150 mm; description: pliers length 340 mm;
144	3	<b>hospital bed</b> Givas , brand: Givas ; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: hospital bed on wheels; with sides and various accessories ;



Lot	Number	Description
145	3	<b>hospital bed</b> Givas , brand: Givas ; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: hospital bed on wheels; with sides and various accessories ;
146	4	<b>hospital bed</b> Givas , brand: Givas ; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: hospital bed on wheels; with sides and various accessories ;
147	4	<b>hospital bed</b> Givas , brand: Givas ; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: hospital bed on wheels; with sides and various accessories ;
148	6	<b>hospital bed</b> Favero , 9LD0517, year built 1999, brand: Favero ; type: 9LD0517; year: 1999; electric adjustable: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: hospital bed on wheels; with sides and various accessories; max capacity 170 kg;
149	1	<b>ultrasound probe</b> aloka , UST 9124, serial number M05880, brand: aloka ; type: UST 9124; serial number: M05880; electric connection: 230 V; description: ultrasound probe ;
150	1	<b>physiotherapy bed</b> Fisiotech , 3024 S, year built 2007, serial number 132, brand: Fisiotech ; type: 3024 S; year: 2007; serial number: 132; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 900 mm; description: bed for physiotherapy; with manually adjustable head;





**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

**CG-201-07-EN**

*((VAT Nr. IT 01914310154))*

*(Chamber of Commerce nr. MI 146-161497)*

*(Licence ref. 16.03.2011 Questore di Milano)*

### Article 1 Definitions

Website:	the website <a href="http://www.TroostwijkAuctions.com">www.TroostwijkAuctions.com</a> , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister company/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the User:	the General Terms and Conditions for access to and use of the Website;
General Online Auction Terms and Conditions:	these General Terms and Conditions;
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as re-ported on the Website for the Auction in question;
Allocation:	the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

### Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the participation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



### **Article 3. The Auction**

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
- actions performed by the User that may have been inspired by the information placed on the Website;
  - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
  - the Lots not meeting the specifications as reported on the Website;
  - the fact that the information on the Website is incorrect, incomplete or out of date;
  - errors in the software of the Website and/or the supporting system;
  - the unlawful use of systems, including the Website of Troostwijk, by a third party;
  - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.
- 3.3 Lots shall be displayed for those interested to see for one or more days before the auction and therefore the auction catalogue, brochures, advertisements, descriptions on the website and the like shall have a merely indicative value to identify the lot(s). Troostwijk therefore accepts no liability for damage resulting from any inadvertent, wrong or incomplete descriptions of the goods sold at auction.

### **Article 4. Organization of the Auction**

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- not to recognize a Bid as such;
  - to exclude one or several Users from the Auction;
  - to collect objects into Lots, to split Lots or to remove Lots from the auction;
  - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
  - to take other measures that are, in its judgement, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgement of Troostwijk concerning that which has occurred during the Auction is binding.

### **Article 5. Bids; Purchase Agreement**

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be allocated to a different User who has placed the highest sustainable Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk then has the right not to allocate or not to allocate under suspensive condition(s).
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced



sale, this will be reported in the Specific Terms and Conditions of the Online Auction.

5.8 In the event that the receiver is the Seller, section 7.19 of the Civil Code obtains.

5.9 In the event that the auction occurs in the presence of a civil-law notary or court bailiff, he will supervise the Auction and the bids placed there and the Allocations.

## **Article 6. Guarantees, claims and indemnities**

6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.

6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached thereto. Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.

6.3 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.

6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

## **Article 7. The Purchaser's payment obligations**

7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.

7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.

7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

## **Article 8. Viewing days, auction days, delivery days**

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

## **Article 9. Delivery**

9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.

9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.

9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).

9.4 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.

9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).

9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.



- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

## **Article 10. Termination**

- 10.1 If the Purchaser does not fulfil any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Price or not paying it completely on time;
  - (ii) not picking up the Lot(s) on time and/or
  - (iii) not providing the information required before delivery,
- the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller.
- In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 10.2 In case of termination as intended in 12.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

## **Article 11. Liability**

- 11.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 11.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 11.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

## **Artikel 12. Adjustments; Effect**

- 12.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 12.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 12.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk.
- 12.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **Article 13. Applicable law**

- 13.1 Italian law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 13.2 The Italian text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages, the Italian text will therefore be given preference in case of lack of clarity or



contradictions.

13.3 The District Court Milan is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience