



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling licht,- en geluidsapparatuur (NL)**  
**Online auction lighting and sound equipment**

Avignonlaan 28 - 5627 GA Eindhoven  
(Veilinglocatie )

Closing date: Tuesday **10 DECEMBER** starting 10:00



**Viewing:**

Friday 06 December from 09:00 until 12:00  
Avignonlaan 28 - 5627 GA Eindhoven (The Netherlands)

*Bidding only on the internet!*

10-12-19 11.55

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 10 December 2019 Online veiling licht,- en geluidsapparatuur**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Tuesday 10 December 2019 starting 10:00 CET								
Viewing	<b>Friday 6 December from 09:00 until 12:00 CET</b> <b>Auction location</b> Avignonlaan 28 5627 GA Eindhoven, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>								
Company organising this Online Auction									
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	<b>Wednesday 18 December from 09:00 until 16:00 CET</b> <b>Thursday 19 December from 09:00 until 16:00 CET</b> <b>Auction location</b> Avignonlaan 28 5627 GA Eindhoven, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.								
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.  Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV  <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.								

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	<b>10-piece speaker set</b> Audience Delight, brand: Audience Delight; description: consisting of : (2x) mobile subs; type AD-25MB; (4x) mobile stops; type AD-25B; (4x) mobile stops; type AD-25D; (2x) 2/4-channel amplifiers; type AD-2402/2404; "DBX" loudspeaker management system; type Drive Rack 260; incl. various cables in coffin;	500.00
2	2	<b>speakers</b> Master, MD-218/98, brand: Master; type: MD-218/98; capacity: 4 Ω; power: 2400 W; total dimension L: 600 mm; total dimension W: 800 mm; total dimension H: 1180 mm; description: (pallet not included!);	100.00
3	2	<b>speakers</b> Master, MD-22RND, brand: Master; type: MD-22RND; capacity: 4 Ω; power: 2400 W; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 1180 mm; description: (pallet not included!);	100.00
4	1	<b>video mixer</b> Roland, V-1200HD, brand: Roland; type: V-1200HD; number of channel inputs: 16; DVI-I: no; with flight case: yes; electric connection: 230 V; description: 10 x 6 SDI I / O; 4 x 2 HDMI I / O; Incl. Controller; type V-1200HDR;	2,000.00
5	2	<b>speakers</b> K&H, Pro X 15, brand: K&H; type: Pro X 15; active: yes; capacity: 8 Ω; power: 650 W; with flight case: yes; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 800 mm; description: equipped with rain cover; flight case dimensions . approx. 960x600x1050 mm;	100.00
6	2	<b>speakers</b> K&H, Pro X 15, brand: K&H; type: Pro X 15; active: yes; capacity: 8 Ω; power: 650 W; with flight case: yes; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 800 mm; description: equipped with rain cover; flight case dimensions . approx. 960x600x1050 mm;	100.00
7	1	<b>rack dimmer pack</b> Quadrant, brand: Quadrant; number of channels: 24; switchbreakers: yes; with flight case: yes; description: consisting of : (2x) dimmerpack; type LB123; capacity 3.6 kW; DMX splitter; type S6P;	100.00
8	1	<b>Speaker set</b> Audio Performance, SD2, brand: Audio Performance; type: SD2; capacity: 8 Ω; power: 400 W; description: set of 4 speakers; incl. (4x) speaker mounting brackets; in 3 flight cases;	100.00
© 9	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 10	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 11	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 12	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 13	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00



Lot	Number	Description	Starting Bid €
© 14	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: yes; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 15	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: no; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
© 16	2	<b>speakers</b> DAS, DS-8, brand: DAS; type: DS-8; capacity: 8 Ω; power: 150 W; with flight case: no; total dimension L: 260 mm; total dimension W: 220 mm; total dimension H: 420 mm; description: vv brace;	50.00
		<b>DAS speakers</b>	
17	3	<b>power / data supply</b> Philips, sPDS-480ca 24V, brand: Philips; type: sPDS-480ca 24V; electric connection: 230 V; description: equipped with 8 ports; capacity 64W per port;	100.00
18	3	<b>power / data supply</b> Philips, sPDS-480ca 24V, brand: Philips; type: sPDS-480ca 24V; electric connection: 230 V; description: equipped with 8 ports; capacity 64W per port;	100.00
19	3	<b>power / data supply</b> Philips, sPDS-480ca 24V, brand: Philips; type: sPDS-480ca 24V; electric connection: 230 V; description: equipped with 8 ports; capacity 64W per port;	100.00
20	3	<b>power / data supply</b> Philips, sPDS-480ca 24V, brand: Philips; type: sPDS-480ca 24V; electric connection: 230 V; description: equipped with 8 ports; capacity 64W per port;	100.00
© 21	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
© 22	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
© 23	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
© 24	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
© 25	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
© 26	2	<b>Moving head</b> Martin, MAC700 Wash, brand: Martin; type: MAC700 Wash; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 880 mm;	100.00
		<b>moving heads</b>	
27	2	<b>Moving head</b> Martin, MAC500, brand: Martin; type: MAC500; DMX: yes; with flight case: yes; total dimension L: 960 mm; total dimension W: 600 mm; total dimension H: 900 mm;	100.00





Lot	Number	Description	Starting Bid €
28	17	<b>LED washers</b> Showtec, Ultra Bright Rgb, brand: Showtec; type: Ultra Bright Rgb; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1160 mm; total dimension W: 570 mm; total dimension H: 800 mm;	100.00
29	12	<b>LED washers</b> Showtec, Ultra Bright Rgb, brand: Showtec; type: Ultra Bright Rgb; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1160 mm; total dimension W: 570 mm; total dimension H: 800 mm;	100.00
30	5	<b>LED bars</b> Showtec, Cameleon bar 24-3, brand: Showtec; type: Cameleon bar 24-3; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1210 mm; total dimension W: 610 mm; total dimension H: 760 mm;	50.00
31	8	<b>LED bars</b> Showtec, Cameleon bar 24-3, brand: Showtec; type: Cameleon bar 24-3; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1210 mm; total dimension W: 610 mm; total dimension H: 760 mm;	100.00
32	4	<b>LED bars</b> Showtec, Cameleon bar 24-3, brand: Showtec; type: Cameleon bar 24-3; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1210 mm; total dimension W: 610 mm; total dimension H: 760 mm;	50.00
33	7	<b>LED bars</b> Showtec, Cameleon bar 24-3, brand: Showtec; type: Cameleon bar 24-3; LED: yes; DMX: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1210 mm; total dimension W: 610 mm; total dimension H: 760 mm;	100.00
34	45	<b>spotlights</b> QR-LP111, 153430/31/34, brand: QR-LP111; type: 153430/31/34; electric connection: 230 V; total dimension H: 300 mm;	50.00
35	1	<b>light mixing table</b> Grand Ma, Ultra-Light, brand: Grand Ma; type: Ultra-Light; with flight case: yes; electric connection: 230 V; total dimension L: 870 mm; total dimension W: 580 mm; total dimension H: 350 mm;	100.00
36	7	<b>light bars</b> Showtec & Thomas, Sunstrip, brand: Showtec & Thomas; type: Sunstrip; with flight case: yes; electric connection: 230 V; total dimension L: 1350 mm; total dimension W: 620 mm; total dimension H: 940 mm; description: 4x L approximately 118 cm; 3x L ca 96cm;	50.00
37	22	<b>LED wall washers</b> LED: yes; with flight case: yes; total dimension L: 1210 mm; total dimension W: 620 mm; total dimension H: 900 mm;	100.00
38	8	<b>light bars</b> Showtec, Sunstrip Tricorno, brand: Showtec; type: Sunstrip Tricorno; with flight case: yes; electric connection: 230 V; total dimension L: 1360 mm; total dimension W: 300 mm; total dimension H: 640 mm; description: L approximately 118 cm;	50.00
39	3	<b>internship blinders</b> Showtec, Stage blinder 4 polished black, brand: Showtec; type: Stage blinder 4 polished black; with flight case: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 520 mm; total dimension H: 770 mm; description: L approximately 118 cm;	50.00
40	3	<b>internship blinders</b> Showtec, Stage blinder 4 polished black, brand: Showtec; type: Stage blinder 4 polished black; with flight case: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 520 mm; total dimension H: 770 mm; description: L approximately 118 cm;	50.00
41	1	<b>spotlight</b> Pani, HV2002, brand: Pani; type: HV2002; followspot: yes; with flight case: yes; electric connection: 230 V; total dimension L: 1120 mm; total dimension W: 440 mm; total dimension H: 840 mm;	50.00



Lot	Number	Description	Starting Bid €
	42	1 <b>LCD monitor</b> Philips , BDL6551v, year built 2010, brand: Philips ; type: BDL6551v; year: 2010; LCD: yes; screen size (inch): 65 "; electric connection: 230 V;	10.00
	43	1 <b>plasma monitor</b> Panasonic , TH-65PF12, brand: Panasonic ; type: TH-65PF12; plasma: yes; screen size (inch): 65 ";	10.00
	44	1 <b>plasma monitor</b> Panasonic , TH-65PF12, brand: Panasonic ; type: TH-65PF12; plasma: yes; screen size (inch): 65 ";	10.00
©	45	1 <b>LED monitor</b> Philips , BDL4210Q, brand: Philips ; type: BDL4210Q; LED: yes; screen size (inch): 42 "; electric connection: 230 V;	10.00
©	46	1 <b>LED monitor</b> Philips , BDL4210Q, brand: Philips ; type: BDL4210Q; screen size (inch): 42 "; with flight case: yes; electric connection: 230 V; description: with mobile flightcase, dimensions : L115 x b57 x h88 cm;	50.00
	47	1 <b>LCD monitor</b> philips, TH-42PH10, brand: philips; type: TH-42PH10; LCD: yes; screen size (inch): 42 "; electric connection: 220 V;	10.00
©	48	1 <b>LCD monitor</b> philips, BDL4251V, year built 2012, brand: philips; type: BDL4251V; year: 2012; LCD: yes; screen size (inch): 42 "; remote control: yes; with flight case: yes; electric connection: 230 V; description: dimensions : L133 x b57 x h100 cm;	50.00
©	49	1 <b>LCD monitor</b> philips, BDL4251V, year built 2010, brand: philips; type: BDL4251V; year: 2010; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
©	50	1 <b>LCD monitor</b> philips, BDL4251V, year built 2010, brand: philips; type: BDL4251V; year: 2010; LCD: yes; screen size (inch): 42 "; remote control: no; with flight case: yes; electric connection: 230 V; description: dimensions : b63 x L115 x H87 cm;	50.00
©	51	1 <b>LCD monitor</b> philips, BDL4230ET, year built 2012, brand: philips; type: BDL4230ET; year: 2012; LCD: yes; screen size (inch): 42 "; electric connection: 230 V;	10.00
©	52	1 <b>LCD monitor</b> philips, BDL4230ET, year built 2012, brand: philips; type: BDL4230ET; year: 2012; LCD: yes; screen size (inch): 42 "; electric connection: 230 V; description: dimensions : b62 x L115 x H87 cm;	50.00
	53	1 <b>plasma monitor</b> PANASONIC, HT-50PH10EK, brand: PANASONIC; type: HT-50PH10EK; plasma: yes; screen size (inch): 50 "; electric connection: 230 V;	10.00
	54	1 <b>plasma monitor</b> PANASONIC, HT-50PH10EK, brand: PANASONIC; type: HT-50PH10EK; plasma: yes; screen size (inch): 50 "; with flight case: no; electric connection: 230 V;	10.00
	55	1 <b>plasma monitor</b> NEC, MultiSync X 552S, brand: NEC; type: MultiSync X 552S; plasma: yes; screen size (inch): 54.6 ";	10.00
	56	1 <b>plasma monitor</b> NEC, MultiSync X 552S, brand: NEC; type: MultiSync X 552S; plasma: yes; screen size (inch): 54.6 ";	10.00
©	57	1 <b>LCD monitor</b> Philips , BDL4251V/00, year built 2010, brand: Philips ; type: BDL4251V/00; year: 2010; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
58	1	<b>LED monitor</b> Neovo, TX-W32, brand: Neovo; type: TX-W32; LED: yes; screen size (inch): 32 "; electric connection: 230 V;	10.00
© 59	1	<b>LCD monitor</b> Philips , BDL4251V/00, year built 2010, brand: Philips ; type: BDL4251V/00; year: 2010; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
60	1	<b>LCD monitor</b> Samsung , 400TSN-2, brand: Samsung ; type: 400TSN-2; LCD: yes; remote control: yes; electric connection: 230 V;	10.00
61	1	<b>LCD monitor</b> Samsung , 400TSN-2, brand: Samsung ; type: 400TSN-2; LCD: yes; remote control: yes; electric connection: 230 V;	10.00
62	1	<b>LCD monitor</b> Samsung , 400TSN-2, brand: Samsung ; type: 400TSN-2; LCD: yes; electric connection: 230 V;	10.00
© 63	1	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 64	1	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
© 65	2	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 66	2	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 67	2	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V; description: with 1 remote control;	50.00
© 68	1	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: no; electric connection: 230 V;	10.00
© 69	1	<b>LCD monitor</b> Philips , BDL4251V/00, brand: Philips ; type: BDL4251V/00; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
© 70	1	<b>LED monitor</b> NEC, MultiSync V552, brand: NEC; type: MultiSync V552; LED: yes; LCD: no; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
71	1	<b>LED monitor</b> philips, BDL5520QL, brand: philips; type: BDL5520QL; LED: yes; screen size (inch): 55 "; electric connection: 230 V; description: defective and damaged;	10.00
72	2	<b>smart LED TV</b> Samsung , UE32ES5500, brand: Samsung ; type: UE32ES5500; screen size (inch): 32 "; screen type: LED; smart TV: yes; remote control: yes; electric connection: 230 V;	50.00
73	1	<b>plasma monitor</b> Samsung , 400TSN-2, brand: Samsung ; type: 400TSN-2; plasma: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
74	1	<b>LED monitor</b> Philips , brand: Philips ; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	10.00
© 75	1	<b>LCD monitor</b> philips, BDL4230ET, brand: philips; type: BDL4230ET; plasma: no; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00





Lot	Number	Description	Starting Bid €
© 76	1	<b>LCD monitor</b> philips, BDL4230ET, brand: philips; type: BDL4230ET; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 77	1	<b>LCD monitor</b> philips, BDL4230ET, brand: philips; type: BDL4230ET; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 78	2	<b>LCD monitor</b> philips, BDL4230ET, brand: philips; type: BDL4230ET; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
79	1	<b>LED monitor</b> philips, BDL5520QL, brand: philips; type: BDL5520QL; LED: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V; description: damaged;	10.00
80	1	<b>LED monitor</b> Philips , BDL6520QL, year built 2015, brand: Philips ; type: BDL6520QL; year: 2015; LED: yes; screen size (inch): 65 "; electric connection: 230 V;	50.00
© 81	1	<b>LED monitor</b> NEC, MultiSync V552, brand: NEC; type: MultiSync V552; LED: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
© 82	1	<b>LED monitor</b> NEC, MultiSync V552, brand: NEC; type: MultiSync V552; LED: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
© 83	1	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 "; electric connection: 230 V;	50.00
84	1	<b>LED monitor</b> philips, BDL4220QL, year built 2015, brand: philips; type: BDL4220QL; year: 2015; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
85	1	<b>LED monitor</b> philips, BDL4220QL, year built 2015, brand: philips; type: BDL4220QL; year: 2015; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V; description: defekt;	10.00
© 86	1	<b>LED monitor</b> philips, BDL4210Q, year built 2012, brand: philips; type: BDL4210Q; year: 2012; LED: yes; screen size (inch): 42 "; electric connection: 230 V; description: defekt;	50.00
© 87	1	<b>LED monitor</b> philips, BDL4210Q, year built 2012, brand: philips; type: BDL4210Q; year: 2012; LED: yes; screen size (inch): 42 "; electric connection: 230 V; description: defekt;	50.00
© 88	1	<b>LED monitor</b> NEC, Multisync V552, brand: NEC; type: Multisync V552; LED: yes; screen size (inch): 55 "; Full HD: yes; remote control: yes; electric connection: 230 V;	50.00
89	1	<b>smart television</b> Philips , 42PDL790H /12, brand: Philips ; type: 42PDL790H /12; screen size (inch): 42 "; screen type: LED; remote control: yes; electric connection: 230 V;	50.00
90	1	<b>smart LED TV</b> philips, 55PFL6007K/12, brand: philips; type: 55PFL6007K/12; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
91	1	<b>smart LED TV</b> philips, 55PFL6007K/12, brand: philips; type: 55PFL6007K/12; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
© 92	1	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V; description: hdmi defekt;	10.00



Lot	Number	Description	Starting Bid €
© 93	1	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 "; remote control: no; electric connection: 230 V;	50.00
© 94	1	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 95	2	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
96	2	<b>plasma monitor</b> Panasonic , TH-50PF30ER, brand: Panasonic ; type: TH-50PF30ER; plasma: yes; screen size (inch): 50 "; electric connection: 230 V; description: with mobile flight case;	50.00
97	1	<b>LCD monitor</b> Panasonic, TH-55LF8w, brand: Panasonic; type: TH-55LF8w; LCD: yes; screen size (inch): 55 "; Full HD: yes; electric connection: 230 V;	50.00
98	1	<b>plasma monitor</b> Panasonic , TH-42PH10EK, brand: Panasonic ; type: TH-42PH10EK; plasma: yes; screen size (inch): 42 "; electric connection: 230 V;	50.00
99	1	<b>LED monitor</b> Samsung, LH55DME, brand: Samsung; type: LH55DME; LED: yes; screen size (inch): 65 "; electric connection: 230 V;	50.00
© 100	1	<b>LCD monitor</b> philips, BDL4230ET, year built 2013, brand: philips; type: BDL4230ET; year: 2013; LCD: yes; screen size (inch): 42 "; electric connection: 230 V;	10.00
101	1	<b>LED monitor</b> Neovo, TX-W32, brand: Neovo; type: TX-W32; LED: yes; screen size (inch): 32 "; electric connection: 230 V;	10.00
© 102	1	<b>LCD monitor</b> philips, BDL4230ET, year built 2011, brand: philips; type: BDL4230ET; year: 2011; LCD: yes; screen size (inch): 42 "; remote control: no; electric connection: 230 V;	10.00
© 103	1	<b>LCD monitor</b> philips, BDL4230ET, year built 2012, brand: philips; type: BDL4230ET; year: 2012; LCD: yes; screen size (inch): 42 "; electric connection: 230 V;	10.00
<b>LCD monitors B</b>			
© 104	3	<b>LCD monitor</b> philips, BDL4251V, brand: philips; type: BDL4251V; LCD: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V; description: incl. flight case dimensions . approx. 1200x600x750 mm;	50.00
105	1	<b>LCD monitor</b> Samsung, LH46UEC, brand: Samsung; type: LH46UEC; LCD: yes; screen size (inch): 46 ";	50.00
© 106	2	<b>LED monitor</b> Philips , BDL4210Q, brand: Philips ; type: BDL4210Q; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 107	2	<b>LED monitor</b> Philips , BDL4210Q, brand: Philips ; type: BDL4210Q; LED: yes; screen size (inch): 42 "; remote control: yes; electric connection: 230 V;	50.00
© 108	1	<b>LED monitor</b> Philips , BDL4210Q, brand: Philips ; type: BDL4210Q; LED: yes; screen size (inch): 42 "; remote control: no; electric connection: 230 V;	10.00
109	1	<b>plasma monitor</b> Panasonic , TH-42PF20, brand: Panasonic ; type: TH-42PF20; plasma: yes; screen size (inch): 42 ";	10.00



Lot	Number	Description	Starting Bid €
110	1	<b>plasma monitor</b> Panasonic , TH-50PH10EK, brand: Panasonic ; type: TH-50PH10EK; plasma: yes; screen size (inch): 50 ";	10.00
© 111	1	<b>LCD monitor</b> philips, BDL4251V, year built 2012, brand: philips; type: BDL4251V; year: 2012; LCD: yes; screen size (inch): 42 " ; remote control: yes; electric connection: 230 V; description: dimensions : L133 x b57 x h100 cm;	10.00
112	1	<b>plasma monitor</b> Panasonic , TH-42PH10EK, brand: Panasonic ; type: TH-42PH10EK; plasma: yes; screen size (inch): 42 " ; electric connection: 230 V;	50.00
© 113	1	<b>LCD monitor</b> philips, BDL4251V, brand: philips; type: BDL4251V; LCD: yes; screen size (inch): 42 " ; remote control: yes; electric connection: 230 V;	10.00
114	1	<b>plasma monitor</b> Panasonic , TH-42PF20, brand: Panasonic ; type: TH-42PF20; plasma: yes; screen size (inch): 42 " ; remote control: no; electric connection: 230 V;	10.00
115	2	<b>full HD monitor</b> Philips , BDL4271VL, year built 2014, brand: Philips ; type: BDL4271VL; year: 2014; screen size (inch): 42 " ; Full HD: yes; electric connection: 230 V; description: equipped with LED backlighting along edges;	50.00
© 116	2	<b>LCD monitor</b> philips, BDL4251V, year built 2010, brand: philips; type: BDL4251V; year: 2010; LCD: yes; screen size (inch): 42 " ; remote control: yes; electric connection: 230 V;	50.00
		<b>LCD monitors A</b>	
© 117	1	<b>LED monitor</b> philips, BDL4210Q, year built 2013, brand: philips; type: BDL4210Q; year: 2013; LED: yes; screen size (inch): 42 " ; remote control: yes; electric connection: 230 V; description: defekt;	10.00
		<b>LED monitors B</b>	
118	6	<b>TV speaker sets</b> Panasonic, TY-SP42P8W-K, brand: Panasonic; type: TY-SP42P8W-K; description: in crate;	50.00
© 119	8	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace (Note: not included Kar and tube!);	50.00
© 120	8	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace (Note: not included Kar and tube!);	50.00
© 121	11	<b>floodlights</b> Luci Della Ribalta, Inno A1000, brand: Luci Della Ribalta; type: Inno A1000; electric connection: 230 V; description: 1000W; IP20; incl. brace (Note: not included Kar and tube!);	50.00
© 122	18	<b>floodlights</b> Luci Della Ribalta, Inno A1000, brand: Luci Della Ribalta; type: Inno A1000; electric connection: 230 V; description: Max. 1000W; IP55; partly vv brace (not included Note! Kar and tube!);	50.00
© 123	11	<b>floodlights</b> Luci Della Ribalta, Inno A1000, brand: Luci Della Ribalta; type: Inno A1000; electric connection: 230 V; description: max 1000W; IP55 (Note! Cart and tube not included!);	50.00
124	5	<b>internship blinders</b> Minor, Blinder 2, brand: Minor; type: Blinder 2; electric connection: 230 V; description: 2-fold; incl. brace (Note: not included Kar and tube!);	10.00
125	4	<b>internship blinders</b> Minor, Blinder 8, brand: Minor; type: Blinder 8; electric connection: 230 V; description: 8-fold; incl. brace (Note: not included Kar and tube!);	10.00



Lot	Number	Description	Starting Bid €
126	7	<b>internship blinders</b> Minor, Blinder 4, brand: Minor; type: Blinder 4; electric connection: 230 V; description: 4-fold; incl. brace (Note: not included Kar and tube!);	10.00
© 127	14	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 128	12	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 129	9	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 130	6	<b>floodlights</b> Raggio, 2, brand: Raggio; type: 2; electric connection: 230 V; description: 400W; IP55; incl. brace (Note: not included Kar and tube!);	50.00
© 131	12	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 132	11	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 133	12	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
© 134	11	<b>spotlights</b> LTS, LSA 15002, brand: LTS; type: LSA 15002; electric connection: 230 V; total dimension L: 204 mm; total dimension W: 210 mm; total dimension H: 131 mm; description: halogen; 150W; silver; RX7s connection (Note! Cart and tube not included!);	50.00
		<b>spotlights</b>	
© 135	6	<b>par spots</b> Ultralite, UPT64SPPR, brand: Ultralite; type: UPT64SPPR; short: yes; electric connection: 230 V; description: chromium; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 136	6	<b>par spots</b> Ultralite, UPT64SPPR, brand: Ultralite; type: UPT64SPPR; short: yes; electric connection: 230 V; description: chromium; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 137	6	<b>par spots</b> Ultralite, UPT64SPPR, brand: Ultralite; type: UPT64SPPR; short: yes; electric connection: 230 V; description: chromium; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 138	6	<b>par spots</b> Ultralite, UPT64SPPR, brand: Ultralite; type: UPT64SPPR; short: yes; electric connection: 230 V; description: chromium; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 139	6	<b>par spots</b> Ultralite, UPT64SPPR, brand: Ultralite; type: UPT64SPPR; short: yes; electric connection: 230 V; description: chromium; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 140	3	<b>par spots</b> Showtec, Studiobeam Pro Black, brand: Showtec; type: Studiobeam Pro Black; short: yes; electric connection: 230 V; description: equipped with dichroic mirror; 600W; halogen; incl. brace (Note: not included Kar and tube!);	10.00



Lot	Number	Description	Starting Bid €
© 141	6	<b>par spots</b> Showtec, Studiobeam Pro Black, brand: Showtec; type: Studiobeam Pro Black; short: yes; electric connection: 230 V; description: equipped with dichroic mirror; 600W; halogen; incl. brace (Note: not included Kar and tube!);	50.00
© 142	5	<b>par spots</b> Showtec, Studiobeam Pro Black, brand: Showtec; type: Studiobeam Pro Black; short: yes; electric connection: 230 V; description: equipped with dichroic mirror; 600W; halogen; incl. brace (Note: not included Kar and tube!);	50.00
143	2	<b>fresnel spotlights</b> Strand, Studio 1K, brand: Strand; type: Studio 1K; electric connection: 230 V; description: 1000W; vv brace (Note: not included Kar and tube!);	10.00
144	3	<b>fresnel spotlights</b> Strand, Studio 1K, brand: Strand; type: Studio 1K; electric connection: 230 V; description: 1000W; vv brace (Note: not included Kar and tube!);	10.00
© 145	10	<b>LED floodlights</b> Fael Luce, Mach 3 Asimm, brand: Fael Luce; type: Mach 3 Asimm; electric connection: 230 V; description: 150W; vv brace ; RX7s connection (Note: not included Kar and tube!);	50.00
© 146	10	<b>LED floodlights</b> Fael Luce, Mach 3 Asimm, brand: Fael Luce; type: Mach 3 Asimm; electric connection: 230 V; description: 150W; vv brace ; RX7s connection (Note: not included Kar and tube!);	50.00
© 147	7	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace (Note: not included Kar and tube!);	50.00
© 148	7	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace (Note: not included Kar and tube!);	50.00
		<b>floodlights B</b>	
© 149	4	<b>par spots</b> DTS, GX 16D, brand: DTS; type: GX 16D; short: yes; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 150	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 151	4	<b>various par-spots</b> short: no; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 152	6	<b>various par-spots</b> short: no; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 153	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 154	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 155	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 156	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 157	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00





Lot	Number	Description	Starting Bid €
© 158	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 159	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 160	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 161	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 162	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 163	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 164	4	<b>par spots</b> short: no; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 165	6	<b>par spots</b> DTS, GX 16D, brand: DTS; type: GX 16D; short: yes; electric connection: 230 V; description: PAR 64; Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 166	6	<b>par spots</b> DTS, GX 16D, brand: DTS; type: GX 16D; short: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 167	6	<b>various par-spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 168	6	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 169	6	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 170	6	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 171	18	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 172	18	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 173	18	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 174	18	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 175	12	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00



Lot	Number	Description	Starting Bid €
© 176	12	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 177	4	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 178	4	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 179	4	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	10.00
© 180	16	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
© 181	16	<b>par spots</b> short: yes; long: yes; electric connection: 230 V; description: Max. 1000W; incl. brace (Note: not included Kar and tube!);	50.00
		<b>par-spots</b>	
182	1	<b>power flow distributor</b> Showtec, PSA-6312/32, brand: Showtec; type: PSA-6312/32; digital: yes; description: equipped with 12 groups; 63Amp entrance .; output 32amp .; (1x) 16Amp. circuit breaker for each group; in flight case;	100.00
183	1	<b>projection</b> Stumpfl, brand: Stumpfl; front projection: yes; rear projection: yes; with case: yes; description: 180 "; 417/310 cm; 4: 3;	50.00
184	1	<b>staging truss frame projection screen</b> Stumpfl, brand: Stumpfl; description: in suitcase;	50.00
185	1	<b>projection</b> Stumpfl, brand: Stumpfl; description: incl. frame and case;	50.00
186	1	<b>staging truss frame projection screen</b> Stumpfl, brand: Stumpfl; description: in suitcase;	50.00
187	1	<b>projection</b> Stumpfl, brand: Stumpfl; description: incl. frame and case;	50.00
188	1	<b>projection</b> Stumpfl, brand: Stumpfl; description: incl. frame and case;	50.00
189	1	<b>Subwoofer</b> K&H, Pro-X15, brand: K&H; type: Pro-X15; active: yes; capacity: 8 Ω; power: 650 W; with flight case: yes; total dimension L: 430 mm; total dimension W: 430 mm; total dimension H: 827 mm;	100.00
190	256	<b>phase rail light fixtures</b> Skeletto, brand: Skeletto; description: Structure; 150 watts;	50.00
191	1	<b>Speaker set</b> Master, brand: Master; capacity: 4 Ω; power: 2400 W; description: consisting of : (2x) speakers; type MD-222 / RND; (2x) speakers; type MD-218/98; (2x) amp; type 3K6;	100.00
© 193	7	<b>theater spotlights</b> Strand, Nocturne 500, brand: Strand; type: Nocturne 500; electric connection: 230 V; description: max. 500 W; R7s connection (Note! Cart and tube not included!);	50.00
© 194	8	<b>theater spotlights</b> Strand, Nocturne 500, brand: Strand; type: Nocturne 500; electric connection: 230 V; description: max. 500 W; R7s connection (Note! Cart and tube not included!);	50.00
© 195	6	<b>theater spotlights</b> Strand, Nocturne 500, brand: Strand; type: Nocturne 500; electric connection: 230 V; description: max. 500 W; R7s connection (Note! Cart and tube not included!);	50.00



Lot	Number	Description	Starting Bid €
© 196	7	<b>theater spotlights</b> Strand, Nocturne 500, brand: Strand; type: Nocturne 500; electric connection: 230 V; description: max. 500 W; R7s connection (Note! Cart and tube not included!); <b>theater spotlights</b>	50.00
197	16	<b>spotlights</b> Cosmolight, Cosmobroad, brand: Cosmolight; type: Cosmobroad; with flight case: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 760 mm;	50.00
198	7	<b>spotlights</b> lanebeam, 800 model: 3142.110, brand: lanebeam; type: 800 model: 3142.110; with flight case: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 600 mm; total dimension H: 760 mm; description: including two flight cases; pay attention! 1x tripod .;	50.00
199	1	<b>star cloth</b> Showtec, Star Sky Pro, brand: Showtec; type: Star Sky Pro; with flight case: yes; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 670 mm; total dimension H: 590 mm; description: dimensions starcloth 6x4mtr.; including controller;	50.00
200	1	<b>star cloth</b> Showtec, Star Sky Pro, brand: Showtec; type: Star Sky Pro; with flight case: yes; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 670 mm; total dimension H: 590 mm; description: dimensions starcloth 6x4mtr.; controller not included;	50.00
201	1	<b>star cloth</b> Showtec, Star Sky Pro, brand: Showtec; type: Star Sky Pro; with flight case: yes; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 670 mm; total dimension H: 590 mm; description: dimensions starcloth 6x4mtr.; controller not included;	50.00
202	1	<b>video mixer set</b> Edirol, V-440HD, brand: Edirol; type: V-440HD; with flight case: yes; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 600 mm; total dimension H: 1100 mm; description: incl. 19 "instrument trolley;	100.00
203	1	<b>beamer</b> Panasonic, PT-DZ110XE, brand: Panasonic; type: PT-DZ110XE; with flight case: yes; electric connection: 230 V; total dimension L: 1000 mm; total dimension W: 790 mm; total dimension H: 620 mm; own weight: 83 kg; description: Includes Panasonic lens type : ET-D75LE6.;	100.00
204	2	<b>speaker</b> Master-Audio, MD-12ND2, brand: Master-Audio; type: MD-12ND2; capacity: 8 Ω; power: 900 W; with flight case: yes; total dimension L: 900 mm; total dimension W: 470 mm; total dimension H: 770 mm; own weight: 32 kg;	50.00
205	2	<b>speaker</b> Master-Audio, MD-12ND2, brand: Master-Audio; type: MD-12ND2; capacity: 8 Ω; power: 900 W; with flight case: yes; total dimension L: 900 mm; total dimension W: 470 mm; total dimension H: 770 mm; own weight: 32 kg;	50.00
206	2	<b>light bars</b> Showtec, Sunstrip 2, brand: Showtec; type: Sunstrip 2; with flight case: yes; electric connection: 230 V; total dimension L: 1430 mm; total dimension W: 200 mm; total dimension H: 135 mm; description: L ca 140 cm;	50.00
207	2	<b>light bars</b> Showtec, Sunstrip 2, brand: Showtec; type: Sunstrip 2; with flight case: yes; electric connection: 230 V; total dimension L: 1430 mm; total dimension W: 200 mm; total dimension H: 135 mm; description: L ca 140 cm;	50.00



Lot	Number	Description	Starting Bid €
208	1	<b>analog mixing table</b> Allen & Heath, GL3300, brand: Allen & Heath; type: GL3300; number of channels: 32; number of channel outputs: 32; analog meters: yes; power supply: yes; with flight case: yes; total dimension L: 1590 mm; total dimension W: 1020 mm; total dimension H: 420 mm;	50.00
209	1	<b>analog mixing table</b> Sony, SRP-V324, serial number 40004, brand: Sony; type: SRP-V324; serial number: 40004; with flight case: yes; total dimension L: 1460 mm; total dimension W: 1310 mm; total dimension H: 340 mm; description: Pay attention! defective / incomplete.;	10.00
210	1	<b>analog mixing table</b> TAC, Scorpion 2, brand: TAC; type: Scorpion 2; number of channels: 30; digital meters: yes; with flight case: yes; total dimension L: 1700 mm; total dimension W: 1120 mm; total dimension H: 320 mm; description: without adapter;	50.00
211	1	<b>analog mixing table</b> Yamaha, brand: Yamaha; number of channels: 40; analog meters: yes; digital meters: no; with flight case: yes; total dimension L: 2000 mm; total dimension W: 1200 mm; total dimension H: 470 mm; without adapter;	50.00
212	1	<b>digital mixer</b> Panasonic, Ramsa, brand: Panasonic; type: Ramsa; number of channels: 16; with flight case: yes; total dimension L: 1130 mm; total dimension W: 790 mm; total dimension H: 1130 mm;	100.00
213	27	<b>LED bar</b> Philips, LEDLine 2, brand: Philips; type: LedLine 2; electric connection: 230 V; description: L ca 98 cm;	50.00
214	15	<b>LED bar</b> Philips, LEDLine 2, brand: Philips; type: LedLine 2; LED: yes; electric connection: 230 V; description: L approximately 60 cm;	50.00
215	16	<b>LED bar</b> Philips, LEDLine 2, brand: Philips; type: LedLine 2; LED: yes; electric connection: 230 V; description: L approximately 120 cm;	50.00
216	1	<b>Effects rack</b> Venice 32, brand: Venice 32; description: consisting of : ETA power distributor; Roland effects processor DEP-5; Roland effects processor SDE-2500; 2x Altair Gate / compressor CN-220; Ashley EQ Two-band channel 31 third-octave GQX-3102.;	100.00
217	1	<b>analog mixing table</b> Allen & Heath, PA12-CP, brand: Allen & Heath; type: PA12-CP; number of channels: 12; analog meters: no; digital meters: no; with flight case: yes; total dimension L: 570 mm; total dimension W: 700 mm; total dimension H: 270 mm;	50.00
218	1	<b>analog mixing table</b> Allen & Heath, PA12-CP, brand: Allen & Heath; type: PA12-CP; number of channels: 12; analog meters: no; digital meters: no; with flight case: yes; total dimension L: 570 mm; total dimension W: 700 mm; total dimension H: 270 mm;	50.00
219	1	<b>analog mixing table</b> Allen & Heath, PA12-CP, brand: Allen & Heath; type: PA12-CP; number of channels: 12; analog meters: no; digital meters: no; with flight case: yes; total dimension L: 570 mm; total dimension W: 700 mm; total dimension H: 270 mm;	50.00
220	1	<b>analog mixing table</b> Allen & Heath, PA12-CP, brand: Allen & Heath; type: PA12-CP; number of channels: 12; analog meters: no; digital meters: no; with flight case: yes; total dimension L: 570 mm; total dimension W: 700 mm; total dimension H: 270 mm;	50.00



Lot	Number	Description	Starting Bid €
221	1	<b>audio rack</b> total dimension L: 600 mm; total dimension W: 610 mm; total dimension H: 800 mm; description: consisting of : Furman power conditioner and light module type : PL-Plus E; Behringer 24-bit converter type : Ultra-Pro Dyne; Lexicon dual channel processor MPX100; Yamaha multi-effects processor type : SPX900; Sony CD player type : CDP-XE220; in flight case.;	50.00
222	1	<b>equalizer rack</b> Altair, DEQ-282, brand: Altair; type: DEQ-282; total dimension L: 600 mm; total dimension W: 720 mm; total dimension H: 800 mm; description: consisting of 6x Graphic Equalizer; in flight case;	50.00
223	4	<b>stack frames</b> Smart Metals, brand: Smart Metals; description: dimensions per piece WxDxH approx 63x68x43cm;	50.00
224	4	<b>set of 4 speakers</b> Bose, 102 surface mount speaker, brand: Bose; type: 102 surface mount speaker; power: 25 W; with flight case: yes; total dimension L: 540 mm; total dimension W: 410 mm; total dimension H: 210 mm;	50.00
225	1	<b>analog audio mixer</b> Soundcraft, K1, brand: Soundcraft; type: K1; with flight case: yes; total dimension L: 510 mm; total dimension W: 750 mm; total dimension H: 1150 mm;	50.00
226	1	<b>power distribution station</b> Rolight, Promes, brand: Rolight; type: Promes; with flight case: yes; electric connection: 380 V; total dimension L: 530 mm; total dimension W: 620 mm; total dimension H: 800 mm; description: 2x 63A.;	50.00
227	1	<b>Effects rack</b> Venice 16, brand: Venice 16; total dimension L: 580 mm; total dimension W: 650 mm; total dimension H: 1100 mm; description: consisting of : Rack Samson PB11 lite; Sennheiser UHF receiver EM3032; TC delay processor D-two; Altair gate processor CN-220; 2x equalizer DBX 2231; in flight case.;	100.00
228	2	<b>various power strips</b> Neutrik, NAC3FCB, brand: Neutrik; type: NAC3FCB; description: equipped with powercon connectors; incl. flight case dimensions . approx. 440x520x800 mm;	10.00
229	1	<b>Effects rack</b> total dimension L: 520 mm; total dimension W: 650 mm; total dimension H: 300 mm; description: Serving: Soundcraft LX-7; consisting of include: Alesis Quadraverb; DEQ-282 graphic equalizer master unit; Tascam MD-501; flight case.;	100.00
230	1	<b>various projection</b> description: Incl. On / pull-out frame; dimensions . approx. 2400x1800 mm and 3400x2800 mm;	50.00
231	7	<b>various loudspeakers</b> description: consisting of : (3x) "Monacor" speakers; type EUL-80 / WS; (4x) "APart" speakers; type SDQ-8TW (Note Pallet not included!);	50.00
232	3	<b>video extension cable reels</b> BNC: yes; coax: no;	10.00
233	3	<b>video extension cable reels</b> BNC: yes; coax: no;	10.00
234	2	<b>video extension cable reels</b> BNC: yes; coax: no;	10.00
235	1	<b>projector lens</b> Mitsubishi, OL-XL7100SZ, brand: Mitsubishi; type: OL-XL7100SZ; description: in box;	10.00
236	1	<b>projector lens</b> Mitsubishi, OL-XL7100SZ, brand: Mitsubishi; type: OL-XL7100SZ; description: in box;	10.00
237	1	<b>projector lens</b> Mitsubishi, OL-XL7100SZ, brand: Mitsubishi; type: OL-XL7100SZ; description: in box;	10.00





Lot	Number	Description	Starting Bid €
238	1	<b>stageblock multi cable</b> Pinanson, brand: Pinanson; stageblock: yes; length: 50 m; on reel: yes; description: 32 channel; incl. mobile flight case dimensions . approx. 920x580x800 mm;	50.00
239	1	<b>stageblock multi cable</b> Pinanson, brand: Pinanson; stageblock: yes; length: 50 m; on reel: yes; description: 32 channel; incl. mobile flight case dimensions . approx. 920x580x800 mm;	50.00
240	1	<b>socapex cable reel</b> Adam Hall, brand: Adam Hall; on reel: yes; description: vv "Soundseb Lite" network signal processor; type 3088; including mobile flight case.; dimensions . approx. 700x500x750 mm;	50.00
241	1	<b>socapex multi-cable reel</b> stageblock: yes; length: 35 m; on reel: yes; description: equipped with 4x outgoing; incl. mobile flight case dimensions . approx. 660x470x800 mm;	50.00
242	1	<b>socapex multi-cable reel</b> stageblock: yes; length: 80 m; on reel: yes; description: 32 channel; incl. mobile flight case dimensions . approx. 660x470x800 mm;	50.00
243	2	<b>speakers</b> Wave, Dynacord V14, brand: Wave; type: Dynacord V14; capacity: 8 Ω; power: 350 W; with flight case: yes; total dimension L: 400 mm; total dimension W: 340 mm; total dimension H: 600 mm; description: incl. mobile flight case dimensions . approx. 820x470x800 mm;	50.00
© 244	1	<b>electric chain hoist</b> CM Lodestar, L, brand: CM Lodestar; type: L; capacity: 1000 kg; lifting heighth: 4 m; with flight case: yes; electric connection: 380 V; description: mobile flight case dimensions . approx. 600x600x560 mm;	50.00
© 245	1	<b>electric chain hoist</b> CM Lodestar, L, brand: CM Lodestar; type: L; capacity: 1000 kg; lifting heighth: 4 m; with flight case: yes; electric connection: 380 V; description: mobile flight case dimensions . approx. 600x600x560 mm;	50.00
© 246	1	<b>electric chain hoist</b> CM Lodestar, L, brand: CM Lodestar; type: L; capacity: 1000 kg; lifting heighth: 4 m; with flight case: yes; electric connection: 380 V; description: mobile flight case dimensions . approx. 600x600x560 mm;	50.00
© 247	1	<b>electric chain hoist</b> CM Lodestar, L, brand: CM Lodestar; type: L; capacity: 1000 kg; lifting heighth: 16 m; with flight case: yes; electric connection: 380 V; description: mobile flight case dimensions . approx. 600x600x560 mm;	50.00
© 248	1	<b>electric chain hoist</b> CM Lodestar, L, brand: CM Lodestar; type: L; capacity: 1000 kg; lifting heighth: 16 m; with flight case: yes; electric connection: 380 V; description: mobile flight case dimensions . approx. 600x600x560 mm;	50.00
<b>chain hoists</b>			
249	1	<b>analog mixing table</b> Soundcraft, K1 16-4-2, brand: Soundcraft; type: K1 16-4-2; number of channels: 16; number of Mic/Line inputs: 16; analog meters: yes; power supply: yes; with flight case: yes; description: vv "Soundcraft" food; type CPS150; flight case dimensions . approx. 980x770x260 mm;	100.00
250	1	<b>Flightcase</b> mobile: yes; total dimension L: 1230 mm; total dimension W: 560 mm; total dimension H: 970 mm; description: equipped with inlay;	10.00
251	1	<b>speaker parts</b> Nexo Geo-S, 8, brand: Nexo Geo-S; type: 8; description: incl. mobile flight case dimensions . approx. 750x600x800 mm;	10.00



Lot	Number	Description	Starting Bid €
252	1	<b>analog mixing table</b> Wharfedale Pro, R-160FX, brand: Wharfedale Pro; type: R-160FX; number of channels: 12; number of channel inputs: 4; number of Mic/Line inputs: 4; power supply: yes; with flight case: yes; description: 4x stereo line; including "Master" amp.; type DL1200; flight case dimensions . approx. 530x600x400 mm;	50.00
253	1	<b>digital mixer</b> Yamaha, O1V96, brand: Yamaha; type: O1V96; number of channels: 40; number of channel inputs: 16; number of Mic/Line inputs: 4; with flight case: yes; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 200 mm;	100.00
254	1	<b>digital light mixing table</b> Avolites, Rolacue Pearl 2000, brand: Avolites; type: Rolacue Pearl 2000; with flight case: yes; total dimension L: 820 mm; total dimension W: 670 mm; total dimension H: 300 mm;	50.00
255	1	<b>analog mixing table</b> Allen & Heath, GL2400, brand: Allen & Heath; type: GL2400; number of Mic/Line inputs: 16; analog meters: yes; with flight case: yes; total dimension L: 600 mm; total dimension W: 830 mm; total dimension H: 300 mm; description: vv (14x) mono; (2x) stereo; (4x) submasters;	50.00
256	1	<b>analog mixing table</b> Soundcraft, Spirit LX7, brand: Soundcraft; type: Spirit LX7; number of channels: 32; number of Mic/Line inputs: 16; analog meters: yes; with flight case: yes; total dimension L: 690 mm; total dimension W: 550 mm; total dimension H: 300 mm;	50.00
257	1	<b>analog mixing table</b> Behringer, UB2442FX-PRO, brand: Behringer; type: UB2442FX-PRO; number of channels: 16; number of channel inputs: 16; number of Mic/Line inputs: 10; analog meters: yes;	10.00
258	1	<b>analog mixing table</b> Soundcraft, GB2R-16, brand: Soundcraft; type: GB2R-16; number of channels: 16; number of channel inputs: 16; number of Mic/Line inputs: 16; analog meters: yes; with flight case: yes;	50.00
259	1	<b>analog mixing table</b> Soundcraft, K1, brand: Soundcraft; type: K1; analog meters: yes; with flight case: yes; description: including "Soundcraft" food.; type DCP125;	50.00
260	1	<b>digital mixer</b> Tascam, TM-D1000, brand: Tascam; type: TM-D1000; number of channels: 16; number of Mic/Line inputs: 4;	10.00
261	1	<b>analog mixing table</b> DJTool, brand: DJTool; number of channels: 5; number of Mic/Line inputs: 5; analog meters: yes; with flight case: yes;	10.00
262	2	<b>switch</b> Sweex, LA200030, brand: Sweex; type: LA200030; number of ports: 16;	10.00
263	2	<b>speakers</b> AR, AV-511, brand: AR; type: AV-511; active: yes; power: 70 W; electric connection: 240 V; with flight case: yes;	10.00
264	1	<b>analog mixing table</b> Mackie, 1402 VLZ, brand: Mackie; type: 1402 VLZ; number of channels: 14; number of Mic/Line inputs: 6; analog meters: yes; digital meters: no; with flight case: yes;	10.00
265	1	<b>digital mixer</b> Yamaha, O1V96, brand: Yamaha; type: O1V96; number of channels: 40; number of channel inputs: 16; number of Mic/Line inputs: 4; with flight case: yes; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 200 mm;	100.00
266	3	<b>VGA / audio switches</b> Extron, SW 4 VGA ars, brand: Extron; type: SW 4 VGA ars; description: incl. flight case and accessories;	10.00



Lot	Number	Description	Starting Bid €
267	2	<b>amplifier</b> General Music, Energy 3, brand: General Music; type: Energy 3; electric connection: 230 V; description: 19";	10.00
268	1	<b>antenna distribution system</b> Shure, UA844, brand: Shure; type: UA844; wireless: no; description: in flightcase;	10.00
269	1	<b>equalizer</b> Behringer, FBQ3102, brand: Behringer; type: FBQ3102; description: 2 channel; 19 "; incl. flight case;	10.00
270	1	<b>graphic equalizer</b> Samson, E30, brand: Samson; type: E30; description: 15 band; 19 "; incl. flight case;	10.00
271	1	<b>graphic equalizer</b> Samson, E30, brand: Samson; type: E30; description: 15 band; 19 "; incl. flight case;	10.00
272	1	<b>equalizer</b> Behringer, FBQ3102, brand: Behringer; type: FBQ3102; description: 2 channel; 19 "; incl. flight case;	10.00
273	1	<b>mixing amplifier</b> Samson, S6, brand: Samson; type: S6; power: 395 W; electric connection: 230 V; description: 6 channel; 19 "; incl. flight case;	10.00
274	2	<b>PA mixing amplifier</b> Monacor, PA-1240, brand: Monacor; type: PA-1240; power: 240 W; electric connection: 230 V; description: 5 zones;	50.00
275	1	<b>analog mixing table</b> Soundcraft, EFX-8, brand: Soundcraft; type: EFX-8; number of channels: 8; number of Mic/Line inputs: 8; analog meters: yes; power supply: no; description: incl. plastic box;	10.00
276	2	<b>analog mixing table</b> Mackie, 1402 VLZ, brand: Mackie; type: 1402 VLZ; number of channels: 14; number of Mic/Line inputs: 6; analog meters: yes; digital meters: no; with flight case: yes;	50.00
277	3	<b>various switches</b> description: vv (2x), and 24 ports (1x) 16 ports; incl. flight case;	10.00
278	1	<b>digital mixer</b> Yamaha, O2R, brand: Yamaha; type: O2R; number of channels: 56; with flight case: yes; total dimension L: 1200 mm; total dimension W: 940 mm; total dimension H: 450 mm;	100.00
279	1	<b>digital mixer</b> Yamaha, O2R, brand: Yamaha; type: O2R; number of channels: 56; with flight case: yes; total dimension L: 1200 mm; total dimension W: 940 mm; total dimension H: 450 mm;	100.00
280	7	<b>floodlight controllers</b> Philips, ZCP400, brand: Philips; type: ZCP400; LED: yes; electric connection: 230 V; description: incl. crate;	10.00
281	1	<b>light mixing table</b> MA, Lightcommander 24/6, brand: MA; type: Lightcommander 24/6; number of channels: 54; with flight case: yes; electric connection: 230 V; description: 96 faders;	50.00
282	1	<b>light control system</b> ADB, Phoenix, brand: ADB; type: Phoenix; with flight case: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 600 mm; description: (Note computer not included);	50.00
283	1	<b>light control system</b> Avolites, Azure 2000, brand: Avolites; type: Azure 2000; with flight case: yes; total dimension L: 560 mm; total dimension W: 680 mm; description: incl. keyboard and computer;	100.00
284	7	<b>speaker</b> LEM, SPN 8, brand: LEM; type: SPN 8; capacity: 8 Ω; power: 150 W; with flight case: yes; description: in 4 flightcases; dimensions . approx. 300x680x490 mm;	50.00



Lot	Number	Description	Starting Bid €
285	4	<b>speaker</b> LEM, SPN 6, brand: LEM; type: SPN 6; capacity: 8 Ω; power: 150 W; with flight case: yes; description: in 2 flightcases; dimensions . approx. 300x680x490 mm;	50.00
286	1	<b>internship block</b> Harting, HAN108, brand: Harting; type: HAN108; description: 26 channel in / 6 channel out;	50.00
287	1	<b>multicable</b> length: 60 m; on reel: yes; description: 9 channel; incl. mobile flight case;	50.00
288	2	<b>speaker</b> Electro-Voice, S200, brand: Electro-Voice; type: S200; capacity: 8 Ω; power: 300 W; description: flight case dimensions . approx. 660x520x580 mm;	50.00
289	1	<b>analog mixing table</b> Dateq, LPM 7.3, brand: Dateq; type: LPM 7.3; number of channels: 21; number of channel inputs: 11; number of Mic/Line inputs: 7; analog meters: yes; with flight case: yes;	10.00
290	1	<b>dimmerpack</b> SLS Hellas, Digilight 6+C, brand: SLS Hellas; type: Digilight 6+C; number of channels: 6; switchbreakers: no; with flight case: yes;	50.00
291	3	<b>dimmerpack</b> Showtec, Light-Brick, brand: Showtec; type: Light-Brick; number of channels: 4; max. power per channel : 5 A; switchbreakers: no; with flight case: no; electric connection: 230 V; description: incl. crate;	50.00
292	1	<b>dimmerpack</b> Lite-Puter, DP-5 DMX Interface, brand: Lite-Puter; type: DP-5 DMX Interface; number of channels: 12; with flight case: yes; total dimension L: 520 mm; total dimension W: 550 mm; total dimension H: 300 mm; description: with (12x) P-27 packs of 2400 watts; in flight case;	50.00
293	1	<b>dimmerpack</b> Quadrant, D1210, brand: Quadrant; type: D1210; number of channels: 12; with flight case: yes; total dimension L: 520 mm; total dimension W: 550 mm; total dimension H: 300 mm; description: with (12x) packs of 2400 watts; in flight case;	50.00
294	1	<b>radio set</b> Motorola, brand: Motorola; description: consisting of (3x) radios; type GP340; (3x) and batteries (2x) charging stations; incl. flight case;	50.00
295	1	<b>projector</b> Wolfvision, VZ-35, brand: Wolfvision; type: VZ-35; description: work dimensions . approx. 420x340 mm; incl. flight case;	10.00
296	8	<b>speaker stands</b> K&M, brand: K&M; total dimension L: 1100 mm;	10.00
297	1	<b>dimmerpack</b> Showtec, Light-Brick, brand: Showtec; type: Light-Brick; number of channels: 4; max. power per channel : 5 A; switchbreakers: no; with flight case: no; electric connection: 230 V; description: incl. crate;	10.00
298	1	<b>dimmerpack</b> Eurolite, EDX-4R, brand: Eurolite; type: EDX-4R; number of channels: 4; max. power per channel : 5 A; switchbreakers: no; with flight case: no; electric connection: 230 V; description: incl. crate;	10.00
299	4	<b>speakers</b> Electro-Voice, S200, brand: Electro-Voice; type: S200; capacity: 8 Ω; power: 300 W; description: incl. rain cover;	50.00
300	2	<b>speakers</b> Electro-Voice, S200, brand: Electro-Voice; type: S200; capacity: 8 Ω; power: 300 W; with flight case: yes; description: incl. flight case dimensions . approx. 570x520x660 mm;	50.00
© 301	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00



Lot	Number	Description	Starting Bid €
© 302	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00
© 303	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00
© 304	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00
© 305	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00
© 306	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm;	50.00
© 307	4	<b>speakers</b> Audio Performance, SB 16, brand: Audio Performance; type: SB 16; power: 140 W; with flight case: yes; description: vv brace ; incl. flight case dimensions . approx. 550x550x730 mm (partly defective!);	10.00
		<b>AP speakers</b>	
308	6	<b>DMX atmospheric bulbs</b> description: Ø 50 cm; RGB LED (Note! Pallet not included!);	50.00
309	1	<b>lot of various stacking crates</b> description: (Note! Pallet not included!);	10.00
310	1	<b>fogger</b> Martin , Magnum Pro 2000, brand: Martin ; type: Magnum Pro 2000; DMX: yes; timer: yes; with flight case: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
311	1	<b>fogger</b> Martin , Magnum Pro 2000, brand: Martin ; type: Magnum Pro 2000; DMX: yes; timer: yes; with flight case: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
312	1	<b>fogger</b> Martin , Magnum Pro 2000, brand: Martin ; type: Magnum Pro 2000; DMX: yes; timer: yes; with flight case: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
313	1	<b>fogger</b> Martin , Magnum Pro 2000, brand: Martin ; type: Magnum Pro 2000; DMX: yes; timer: yes; with flight case: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 300 mm;	50.00
© 314	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 315	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 316	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 317	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00





Lot	Number	Description	Starting Bid €
© 318	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 319	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 320	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	10.00
© 321	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm;	10.00
© 322	1	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm;	10.00
© 323	3	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	50.00
© 324	3	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm; in box;	50.00
© 325	4	<b>Mirror ball</b> Showtec, brand: Showtec; description: Ø 50 cm (Note! Pallet not included!); <b>mirror balls</b>	50.00
326	12	<b>DMX LED sphere balls</b> description: Ø 30 cm; incl. CLS LED sphere ball driver (Note! Pallet not included!);	50.00
327	1	<b>Subwoofer</b> Audio Performance, brand: Audio Performance; with flight case: yes; total dimension L: 540 mm; total dimension W: 500 mm; total dimension H: 870 mm; description: flight case dimensions . approx. 920x600x800 mm;	10.00
328	1	<b>Subwoofer</b> Audio Performance, brand: Audio Performance; with flight case: yes; total dimension L: 540 mm; total dimension W: 500 mm; total dimension H: 870 mm; description: flight case dimensions . approx. 920x600x800 mm;	10.00
329	1	<b>Subwoofer</b> Audio Performance, SUB112, brand: Audio Performance; type: SUB112; capacity: 4 Ω; power: 400 W; with flight case: yes; description: flight case dimensions . approx. 550x580x630 mm;	10.00
330	2	<b>speakers</b> Audio Performance, MAXP-J, brand: Audio Performance; type: MAXP-J; capacity: 8 Ω; power: 300 W; with flight case: yes; description: flight case dimensions . approx. 640x400x790 mm;	10.00
331	1	<b>Subwoofer</b> Audio Performance, SUB112, brand: Audio Performance; type: SUB112; capacity: 4 Ω; power: 400 W; with flight case: yes; description: flight case dimensions . approx. 550x580x630 mm;	10.00
332	2	<b>speakers</b> Audio Performance, MAXP-J, brand: Audio Performance; type: MAXP-J; capacity: 8 Ω; power: 300 W; with flight case: yes; description: flight case dimensions . approx. 640x400x790 mm;	10.00
333	2	<b>speakers</b> Audio Performance, MAXP-J, brand: Audio Performance; type: MAXP-J; capacity: 8 Ω; power: 300 W; with flight case: yes; description: flight case dimensions . approx. 640x400x790 mm;	10.00
334	4	<b>speakers</b> K&H, Pro X 6, brand: K&H; type: Pro X 6; capacity: 16 Ω; power: 120 W; with flight case: yes; description: vv brace and rain cover; flight case dimensions . approx. 570x580x800 mm;	10.00



Lot	Number	Description	Starting Bid €
335	4	<b>speakers</b> K&H, Pro X 6, brand: K&H; type: Pro X 6; capacity: 16 Ω; power: 120 W; with flight case: yes; description: vv brace and rain cover; flight case dimensions . approx. 570x580x800 mm;	10.00
336	4	<b>speakers</b> K&H, Pro X 6, brand: K&H; type: Pro X 6; capacity: 16 Ω; power: 120 W; with flight case: yes; description: vv brace and rain cover; flight case dimensions . approx. 570x580x800 mm;	10.00
337	2	<b>speakers</b> K&H, Pro X 12, brand: K&H; type: Pro X 12; capacity: 16 Ω; power: 120 W; with flight case: yes; description: equipped with rain cover; flight case dimensions . approx. 570x580x800 mm;	50.00
338	2	<b>speakers</b> K&H, Pro X 12, brand: K&H; type: Pro X 12; capacity: 16 Ω; power: 120 W; with flight case: yes; description: equipped with rain cover; flight case dimensions . approx. 570x580x800 mm;	50.00
339	2	<b>speakers</b> K&H, Pro X 12, brand: K&H; type: Pro X 12; capacity: 16 Ω; power: 120 W; with flight case: yes; description: equipped with rain cover; flight case dimensions . approx. 570x580x800 mm;	50.00
340	1	<b>light mixing table</b> Grand Ma, Ultra-Light, brand: Grand Ma; type: Ultra-Light; with flight case: yes; electric connection: 230 V; total dimension L: 870 mm; total dimension W: 580 mm; total dimension H: 350 mm; description: (partly defective!);	10.00
341	1	<b>beamer</b> Panasonic, PT-D5500E DLP, brand: Panasonic; type: PT-D5500E DLP; with lens model: ET-DLE100; remote control: yes; with flight case: yes; total dimension L: 780 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: incl. frame and various accessories in flight case;	100.00
342	1	<b>beamer</b> NEC, GT 5000, brand: NEC; type: GT 5000; with lens model: ET-DLE100; remote control: yes; with flight case: yes; total dimension L: 630 mm; total dimension W: 460 mm; total dimension H: 720 mm; description: incl. various accessories in flight case (Note: Please fault!);	10.00
343	3	<b>Blu-ray / DVD player</b> Philips, BDP5500/12, brand: Philips; type: BDP5500/12; 3D: yes; remote control: yes; description: in box;	10.00
344	3	<b>Blu-ray / DVD player</b> Philips, BDP5500/12, brand: Philips; type: BDP5500/12; 3D: yes; remote control: yes; description: in box;	10.00
345	3	<b>Blu-ray / DVD player</b> Philips, BDP5500/12, brand: Philips; type: BDP5500/12; 3D: yes; remote control: yes; description: in box;	10.00
346	6	<b>Blu-ray / DVD player</b> Philips, BDP5500/12, brand: Philips; type: BDP5500/12; 3D: yes; remote control: yes; description: in box;	50.00
347	3	<b>Blu-ray / DVD player</b> Philips, BDP7500 MK II, brand: Philips; type: BDP7500 MK II; 3D: yes; remote control: yes; description: in box;	10.00
348	5	<b>serial extender</b> Philips, RFX9600, brand: Philips; type: RFX9600; description: vv (5x) VDC inputs; 19 "; in box;	50.00
349	3	<b>TFT touchscreen monitor</b> Navilock, brand: Navilock; screen size (inch): 8 "; remote control: yes; description: video; VGA; in box;	50.00



Lot	Number	Description	Starting Bid €
350	3	<b>TFT touchscreen monitor</b> Navilock, brand: Navilock; screen size (inch): 8 "; remote control: yes; description: video; VGA; in box;	50.00
351	3	<b>TFT touchscreen monitor</b> Navilock, brand: Navilock; screen size (inch): 8 "; remote control: yes; description: video; VGA; in box (reader not included!);	10.00
352	4	<b>DVD player</b> Pioneer, DV2750, brand: Pioneer; type: DV2750; description: in box;	10.00
353	4	<b>DVD player</b> Pioneer, DV2750, brand: Pioneer; type: DV2750; description: in box;	10.00
354	5	<b>DVD player</b> Pioneer, DV2750, brand: Pioneer; type: DV2750; description: in box;	10.00
355	1	<b>ceiling light</b> Philips, Lucios / Lirio, brand: Philips; type: Lucios / Lirio; ceiling light: yes; electric connection: 230 V; description: in box;	10.00
356	1	<b>Blu-ray / DVD player</b> Philips, BDL7500B2/12, brand: Philips; type: BDL7500B2/12; 3D: yes; remote control: yes; description: in box;	10.00
357	1	<b>DVD player</b> Philips, DVP3264, brand: Philips; type: DVP3264; description: in box;	10.00
358	4	<b>DVD player</b> Marantz , DV4001, brand: Marantz ; type: DV4001; remote control: yes; description: in box;	10.00
359	1	<b>mini disc player</b> Sony , MDS-JE530, brand: Sony ; type: MDS-JE530;	10.00
360	3	<b>video splitters</b> Van Cryst, Aten VS134A, brand: Van Cryst; type: Aten VS134A; description: 4-port; in box;	10.00
361	5	<b>video splitters</b> Van Cryst, Aten VS134A, brand: Van Cryst; type: Aten VS134A; description: 4-port; in box;	10.00
362	5	<b>video splitters</b> Van Cryst, Aten VS134A, brand: Van Cryst; type: Aten VS134A; description: 4-port; in box;	10.00
363	5	<b>video splitters</b> Van Cryst, Aten VS134A, brand: Van Cryst; type: Aten VS134A; description: 4-port; in box;	10.00
364	5	<b>video splitters</b> Van Cryst, Aten VS134A, brand: Van Cryst; type: Aten VS134A; description: 4-port; in box;	10.00
365	2	<b>video component / audio distribution system</b> Kramer, VM-100CA, brand: Kramer; type: VM-100CA; description: 1:10;	10.00
366	1	<b>digital video cassette recorder</b> Sony, DSR-1500AP, brand: Sony; type: DSR-1500AP; description: incl. various accessories in flight case; dimensions . approx. 540x410x200 mm;	10.00
367	1	<b>home control panel</b> Philips, TSU9600, brand: Philips; type: TSU9600; description: in box; 230V;	10.00
368	1	<b>stage controller</b> IES, Energy 1.09, brand: IES; type: Energy 1.09; electric connection: 230 V; description: 8 channel; DMX 512;	10.00
369	1	<b>HDMI / analog video editor</b> Matrox, MXO2 Mini, brand: Matrox; type: MXO2 Mini; description: incl. various accessories in box;	10.00
370	3	<b>DMX interfaces</b> Soundlight, brand: Soundlight;	10.00
371	1	<b>Bubble blower machine</b> Chauvet, B-250, brand: Chauvet; type: B-250; electric connection: 230 V; description: in box;	10.00



Lot	Number	Description	Starting Bid €
372	1	<b>fogger</b> Martin, ZR33, brand: Martin; type: ZR33; DMX: yes; with flight case: no; electric connection: 230 V;	10.00
373	1	<b>fogger</b> Antari, Alpha F-80Z, brand: Antari; type: Alpha F-80Z; DMX: no; with flight case: no; electric connection: 230 V;	10.00
374	1	<b>fogger</b> Antari, Z-300, brand: Antari; type: Z-300; DMX: no; with flight case: no; electric connection: 230 V;	10.00
375	1	<b>fogger</b> Megastar, 1800, brand: Megastar; type: 1800; DMX: no; remote control: yes; with flight case: no; electric connection: 230 V;	10.00
376	1	<b>lot of rijgwandcontactdozen</b> Hirschmann, brand: Hirschmann;	10.00
377	1	<b>various audio equipment</b> description: in crate;	10.00
378	1	<b>beamer</b> Hitachi, ED-A101, brand: Hitachi; type: ED-A101; S-Video: yes; USB port(s): yes; description: incl. remote control and various accessories in box;	10.00
379	9	<b>built-in spots</b> Camita, IL-DC1036DW2, brand: Camita; type: IL-DC1036DW2; built-in: yes; LED: yes; electric connection: 230 V; power: 11 W;	10.00
380	2	<b>pendant</b> Philips, Ecomoods Suspension Light, brand: Philips; type: Ecomoods Suspension Light; pendant light: yes; electric connection: 230 V; power: 20 W; luminous flux: 1200 lm; description: in box;	10.00
381	2	<b>Desk lamp</b> SLV, brand: SLV; electric connection: 230 V; description: in box;	10.00
382	2	<b>hang spot lighting</b> Philips, Futura, brand: Philips; type: Futura; pendant light: yes; ceiling light: yes; halogen: yes;	10.00
383	2	<b>strip hanging lamp</b> Philips, Lirio, brand: Philips; type: Lirio; pendant light: yes; ceiling light: yes;	10.00
384	2	<b>equalizer</b> Behringer, DSP-8024, brand: Behringer; type: DSP-8024;	10.00
385	1	<b>MD recorder</b> Tascam, MD-801R, brand: Tascam; type: MD-801R;	10.00
386	1	<b>digital recorder</b> Fostex, D2424LV, brand: Fostex; type: D2424LV;	10.00
387	2	<b>CD player</b> Tascam, CD-01U, brand: Tascam; type: CD-01U;	10.00
388	1	<b>duo processor</b> Lexicon, MPX 500, brand: Lexicon; type: MPX 500; description: 24-Bit;	10.00
389	1	<b>duo signal processor</b> T.C. Electronic, M-One, brand: T.C. Electronic; type: M-One;	10.00
390	1	<b>amplifier</b> Chevin Research, A3000, brand: Chevin Research; type: A3000; electric connection: 230 V;	10.00
391	1	<b>digital video disk recorder</b> Doremi, V1D, brand: Doremi; type: V1D;	10.00
392	3	<b>receiver</b> Shure, UHF, brand: Shure; type: UHF; receiver type: yes; description: wireless; 2 channel;	10.00
393	2	<b>mini disc recorder</b> Tascam, MD-350, brand: Tascam; type: MD-350;	10.00



Lot	Number	Description	Starting Bid €
394	1	<b>pop video player</b> Visual Circuits, brand: Visual Circuits;	10.00
395	1	<b>graphic equalizer</b> Master, GE-130, brand: Master; type: GE-130;	10.00
396	1	<b>digital audio processor</b> Dynacord, DSP 244, brand: Dynacord; type: DSP 244; description: 24-Bit;	10.00
397	1	<b>digital audio processor</b> Sony, SRP-F300, brand: Sony; type: SRP-F300;	10.00
398	1	<b>digital audio processor</b> Lake, Comtour, brand: Lake; type: Comtour;	10.00
399	1	<b>drum module</b> Alesis, DM5, brand: Alesis; type: DM5; description: 18-Bit;	10.00
400	1	<b>digital effects processor</b> Lexicon, LXP-15, brand: Lexicon; type: LXP-15; description: 18-Bit;	10.00
401	1	<b>synchronizer controller</b> Adams Smtih, Zeta 3, brand: Adams Smtih; type: Zeta 3;	10.00
402	2	<b>dynamic equalizers</b> BSS, DPR-901 II, brand: BSS; type: DPR-901 II;	10.00
403	1	<b>speaker controller</b> Master Audio, DSP306, brand: Master Audio; type: DSP306;	10.00
404	1	<b>digital recorder</b> Fostex, D-108, brand: Fostex; type: D-108; description: 8 track;	10.00
405	1	<b>transmitter set, wireless</b> Shure, PSM600, brand: Shure; type: PSM600; belt pack type: yes; receiver type: yes;	10.00
406	2	<b>universal interfaces</b> Pulsar, brand: Pulsar; description: 18 channel;	10.00
407	1	<b>audio delay</b> Rane, AD 22B, brand: Rane; type: AD 22B;	10.00
408	2	<b>DMX recorder</b> Botex, DR-512, brand: Botex; type: DR-512;	10.00
409	1	<b>video component transcoder</b> Kramer, FC-4043, brand: Kramer; type: FC-4043;	10.00
410	1	<b>digital audio recorder</b> Tascam, DA-20, brand: Tascam; type: DA-20;	10.00
411	1	<b>lot of hard drive trays</b> Seagate, brand: Seagate; description: partly vv "Seagate" hard disk; serving "Doremi" player;	10.00
412	1	<b>digital video disk recorder</b> Doremi, V1D, brand: Doremi; type: V1D;	10.00
413	1	<b>various splitters and converters</b>	10.00
414	5	<b>stateiven</b> K&M, brand: K&M; total dimension L: 930 mm;	10.00
415	5	<b>Wall lamp</b> Deltalight, brand: Deltalight; power: 150 W; total dimension L: 190 mm; total dimension W: 165 mm;	10.00
416	1	<b>analog mixer</b> Sony, MU-X051, brand: Sony; type: MU-X051; number of channels: 4; with flight case: yes;	10.00
417	2	<b>DMX transmitters</b> SIRS-E, DMXW2.4, brand: SIRS-E; type: DMXW2.4; description: vv (2x) antennas; 2.450 GHz frequency; incl. flight case;	10.00
418	1	<b>dimmer console</b> JBSystems, CMX 24, brand: JBSystems; type: CMX 24; description: 24 channel;	10.00





Lot	Number	Description	Starting Bid €
419	2	<b>various DMX controller</b> Showtec, brand: Showtec;	10.00
420	1	<b>dimmerpack</b> Showtec, D-Pack, brand: Showtec; type: D-Pack; number of channels: 6; max. power per channel : 10 A; output harting: yes; switchbreakers: yes; with flight case: yes;	50.00
421	1	<b>analog mixing table</b> Soundcraft, EFX-8, brand: Soundcraft; type: EFX-8; number of channels: 8; number of Mic/Line inputs: 8; analog meters: yes; power supply: no; description: incl. plastic box;	10.00
422	5	<b>various DMX controller</b> DecaLED, brand: DecaLED;	10.00
424	1	<b>19 "instrument rack</b> description: consisting of : "Stage Line" 4-way transformer; type LTR-104; "Behringer" headphone amplifier; type HA4000; "BSS" 4-channel noise gate; type DPR-504; "BSS" 4-channel compressor de-esser; type DPR-404;	50.00
425	2	<b>pan tilt units</b> Computar, IPTH720, brand: Computar; type: IPTH720; electric connection: 230 V; description: incl. controllers and accessories in crate;	10.00
426	3	<b>recipients</b> Multiview, AK1000 DP, brand: Multiview; type: AK1000 DP; receiver type: yes; description: incl. transmitters and power supplies;	10.00
427	1	<b>wireless channel set</b> Shure, PGX4, brand: Shure; type: PGX4; belt pack type: yes; receiver type: yes; description: Incl. Beltpack; type RGX1;	10.00
428	1	<b>various loudspeakers</b> description: in crate;	10.00
429	1	<b>light mixing table</b> Strong, 12/24 Nocturne, brand: Strong; type: 12/24 Nocturne; number of channels: 12/24; with flight case: yes; electric connection: 230 V;	50.00
430	1	<b>dimmerpack</b> Lightec, SP4 Plus, brand: Lightec; type: SP4 Plus; number of channels: 4; switchbreakers: yes; digitale controller: no; with flight case: yes; electric connection: 230 V; description: capacity 4x 2.2 KVA;	50.00
431	5	<b>video audio distribution amplifier</b> Kramer, VM-5ARN, brand: Kramer; type: VM-5ARN;	10.00
432	2	<b>distribution amplifier</b> Kramer, VP-12 XL, brand: Kramer; type: VP-12 XL; description: 1:12 VGA / XGA;	10.00
433	1	<b>DMX splitter</b> description: 230 volts;	10.00
434	5	<b>graphic equalizer</b> Apex, GX 230, brand: Apex; type: GX 230; description: 2 channel;	10.00
435	1	<b>graphic equalizer</b> Rane, GE 60, brand: Rane; type: GE 60; description: 2 channel;	10.00
436	1	<b>amplifier</b> Samson, S83, brand: Samson; type: S83; power: 300 W; description: 8 channel;	10.00
437	2	<b>graphic equalizer</b> Rane, GE 30, brand: Rane; type: GE 30; description: 2 channel;	10.00
438	1	<b>amplifier</b> RCF, UP2201, brand: RCF; type: UP2201; power: 200 W; electric connection: 100 V;	10.00
439	1	<b>HD recorder</b> Doremi, V1UHDLE, brand: Doremi; type: V1UHDLE;	10.00
440	2	<b>video / audio switcher</b> Extron, SW 4AV, brand: Extron; type: SW 4AV;	10.00
441	5	<b>distribution amplifier</b> Extron, DA6 RGBHV, brand: Extron; type: DA6 RGBHV; description: 1:12 VGA / XGA;	10.00



Lot	Number	Description	Starting Bid €
442	1	<b>antenna distribution system</b> Shure, UA845-MC, brand: Shure; type: UA845-MC;	10.00
443	5	<b>distribution amplifier</b> Kramer, VP-12 XL, brand: Kramer; type: VP-12 XL; description: 1:12 VGA / XGA;	10.00
444	2	<b>distribution amplifier</b> Kramer, VP-6 XL, brand: Kramer; type: VP-6 XL; description: 1: 6 VGA;	10.00
445	5	<b>distribution amplifier</b> Kramer, VP-6 XL, brand: Kramer; type: VP-6 XL; description: 1: 6 VGA;	10.00
446	5	<b>distribution amplifier</b> Kramer, VP-6 XL, brand: Kramer; type: VP-6 XL; description: 1: 6 VGA;	10.00
447	5	<b>distribution amplifier</b> Kramer, VP-6 XL, brand: Kramer; type: VP-6 XL; description: 1: 6 VGA;	10.00
448	1	<b>digital video mixer</b> Panasonic, WJ-MX50A, brand: Panasonic; type: WJ-MX50A; with flight case: yes; electric connection: 230 V;	10.00
449	1	<b>universal DMX controller</b> SGM, Pilot 2000, brand: SGM; type: Pilot 2000;	10.00
450	3	<b>Table lamp</b> Artemide, Tolomeo, brand: Artemide; type: Tolomeo; floor lamp: yes;	10.00
451	4	<b>monitor</b> Philips, 150S3, brand: Philips; type: 150S3; LCD: yes; screen size (inch): 15 "; with flight case: yes;	10.00
452	1	<b>monitor</b> Sharp, LC-20S1E, brand: Sharp; type: LC-20S1E; LCD: yes; screen size (inch): 20 "; with flight case: yes;	10.00
453	1	<b>half model mirror ball</b> Showtec, brand: Showtec; electric connection: 230 V; description: Ø 50 cm ;	10.00
454	1	<b>lighting effects set</b> Showtec, Splashmoon Slave, brand: Showtec; type: Splashmoon Slave; LED: yes; electric connection: 230 V; description: set of 4 pieces; in flight case;	10.00
455	1	<b>fogger</b> Strong, Prof. Smoke III, brand: Strong; type: Prof. Smoke III; DMX: yes; timer: yes; remote control: yes; with flight case: yes; electric connection: 230 V; total dimension L: 970 mm; total dimension W: 470 mm; total dimension H: 670 mm;	50.00
456	1	<b>lot of various color filters</b> description: for par spots; in (2x) flight case;	10.00
457	6	<b>various monitors</b> Ilyama, brand: Ilyama; LCD: yes; Full HD: no; electric connection: 230 V; description: in box;	10.00
458	5	<b>monitors</b> Ilyama, ProLite E26D7WS, brand: Ilyama; type: ProLite E26D7WS; LCD: yes; screen size (inch): 26 "; description: in stacking crate;	10.00
459	1	<b>dimmerpack</b> Showtec, D-Pack, brand: Showtec; type: D-Pack; number of channels: 6; max. power per channel : 10 A; output harting: yes; switchbreakers: yes; with flight case: yes;	50.00
460	1	<b>dimmerpack</b> Showtec, MPX-616D, brand: Showtec; type: MPX-616D; number of channels: 6; max. power per channel : 16 A; output harting: yes; switchbreakers: yes; with flight case: yes;	50.00
461	1	<b>dimmerpack</b> Quadrant, D1210, brand: Quadrant; type: D1210; number of channels: 12; with flight case: yes; total dimension L: 520 mm; total dimension W: 550 mm; total dimension H: 300 mm; description: with (12x) packs of 2400 watts; in flight case;	50.00
462	9	<b>various projector lenses</b> description: (pallet not included!);	50.00



Lot	Number	Description	Starting Bid €
463	1	<b>light mixing table</b> MA Lighting, Scancommander, brand: MA Lighting; type: Scancommander; number of channels: 16; with flight case: yes; electric connection: 230 V;	50.00
464	1	<b>beamer</b> Panasonic, PT-D3500E, brand: Panasonic; type: PT-D3500E; remote control: yes; with flight case: yes; electric connection: 230 V; total dimension L: 659 mm; total dimension W: 400 mm; total dimension H: 380 mm; description: incl. various accessories;	50.00
465	1	<b>beamer</b> Panasonic, PT-D3500E, brand: Panasonic; type: PT-D3500E; remote control: yes; with flight case: yes; electric connection: 230 V; total dimension L: 659 mm; total dimension W: 400 mm; total dimension H: 380 mm; description: incl. various accessories;	50.00
466	1	<b>beamer</b> Panasonic, PT-D3500E, brand: Panasonic; type: PT-D3500E; remote control: yes; with flight case: yes; electric connection: 230 V; total dimension L: 659 mm; total dimension W: 400 mm; total dimension H: 380 mm; description: incl. various accessories;	50.00
467	1	<b>beamer</b> Panasonic, PT-D3500E, brand: Panasonic; type: PT-D3500E; remote control: yes; with flight case: yes; electric connection: 230 V; total dimension L: 659 mm; total dimension W: 400 mm; total dimension H: 380 mm; description: incl. various accessories;	50.00
468	1	<b>beamer</b> Panasonic, PT-D5500E DLP, brand: Panasonic; type: PT-D5500E DLP; with lens model: ET-DLE100; remote control: yes; with flight case: yes; total dimension L: 780 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: incl. frame and various accessories in flight case;	100.00
469	1	<b>beamer</b> Panasonic, PT-D5500E DLP, brand: Panasonic; type: PT-D5500E DLP; with lens model: ET-DLE100; remote control: yes; with flight case: yes; total dimension L: 780 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: incl. frame and various accessories in flight case;	100.00
470	1	<b>beamer</b> Panasonic, PT-D5500E DLP, brand: Panasonic; type: PT-D5500E DLP; with lens model: ET-DLE100; remote control: yes; with flight case: yes; total dimension L: 780 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: incl. frame and various accessories in flight case;	100.00
471	1	<b>stage part afrokset</b> description: consisting of : (5x) foot plates; (5x) uprights; (5x) with screw-coupling sleeves; (6x) long and short beams (4x) cloth; dimensions . approx. 130x300 cm; incl. flight case dimensions . approx. 1780x580x610 mm;	50.00
472	1	<b>analog mixing table</b> Midas, Venice 320 FOH, brand: Midas; type: Venice 320 FOH; number of channels: 32; number of Mic/Line inputs: 4; analog meters: yes; power supply: yes; with flight case: yes;	50.00
473	1	<b>analog mixing table</b> Midas, Venice 320 MON, brand: Midas; type: Venice 320 MON; number of channels: 32; number of Mic/Line inputs: 4; analog meters: yes; power supply: yes; with flight case: yes;	50.00
474	1	<b>projector elevator</b> with flight case: yes; electric connection: 230 V; total dimension L: 1090 mm; total dimension W: 730 mm; total dimension H: 1000 mm; description: max. capacity 120 kg;	100.00
475	1	<b>beamer</b> Infocus, Ansi 5000 XGA, brand: Infocus; type: Ansi 5000 XGA; with lens model: 4545; with flight case: yes; electric connection: 230 V; total dimension L: 480 mm; total dimension W: 340 mm; total dimension H: 370 mm;	100.00
476	1	<b>beamer</b> Infocus, Ansi 5000 XGA, brand: Infocus; type: Ansi 5000 XGA; with lens model: 474; with flight case: yes; electric connection: 230 V; total dimension L: 480 mm; total dimension W: 340 mm; total dimension H: 370 mm;	100.00



Lot	Number	Description	Starting Bid €
477	1	<b>WXGA projector</b> Sanyo, PLC-WM4500L, brand: Sanyo; type: PLC-WM4500L; output: 4500 lm; electric connection: 230 V;	50.00
478	1	<b>WXGA projector</b> Sanyo, PLC-WM4500L, brand: Sanyo; type: PLC-WM4500L; output: 4500 lm; electric connection: 230 V;	50.00
479	1	<b>WXGA projector</b> Sanyo, PLC-WM4500L, brand: Sanyo; type: PLC-WM4500L; output: 4500 lm; electric connection: 230 V;	50.00
480	2	<b>beamer</b> NEC, MT1065, brand: NEC; type: MT1065; electric connection: 230 V;	100.00
481	1	<b>beamer</b> NEC, NP-600G, brand: NEC; type: NP-600G; with lens model: 963; remote control: yes; electric connection: 230 V;	50.00
482	1	<b>beamer</b> NEC, LT380, brand: NEC; type: LT380; with lens model: 1877; remote control: no; electric connection: 230 V;	50.00
483	1	<b>beamer</b> NEC, LT265, brand: NEC; type: LT265; with flight case: yes; electric connection: 230 V;	50.00
© 484	3	<b>LED monitors</b> NEC, MultiSync V552, brand: NEC; type: MultiSync V552; LED: yes; LCD: no; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	100.00
© 485	1	<b>LED monitor</b> NEC, MultiSync V552, brand: NEC; type: MultiSync V552; LED: yes; LCD: no; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
		<b>LED monitors A</b>	
486	1	<b>smart LED TV</b> Philips, PFL5507, brand: Philips; type: PFL5507; screen size (inch): 55 "; smart TV: yes; remote control: yes; electric connection: 230 V;	50.00
487	1	<b>smart LED TV</b> Philips, PFL5507, brand: Philips; type: PFL5507; screen size (inch): 55 "; smart TV: yes; remote control: yes; electric connection: 230 V;	50.00
488	1	<b>LCD monitor</b> Philips, BDL 5231V, brand: Philips; type: BDL 5231V; LCD: yes; screen size (inch): 52 "; remote control: yes; electric connection: 230 V;	50.00
489	1	<b>LED TV</b> Samsung, UE50ES5500, brand: Samsung; type: UE50ES5500; screen size (inch): 50 "; Full HD: yes; remote control: yes; electric connection: 230 V;	50.00
490	1	<b>LCD monitor</b> Philips, BDL 5231V, brand: Philips; type: BDL 5231V; LCD: yes; screen size (inch): 52 "; remote control: yes; electric connection: 230 V;	50.00
491	1	<b>LCD monitor</b> Philips, BDL 5231V, brand: Philips; type: BDL 5231V; LCD: yes; screen size (inch): 52 "; remote control: yes; electric connection: 230 V;	50.00
492	1	<b>LCD monitor</b> Philips, BDL 5231V, brand: Philips; type: BDL 5231V; LCD: yes; screen size (inch): 52 "; remote control: yes; electric connection: 230 V;	50.00
493	1	<b>LCD monitor</b> Philips, BDL 5231V, brand: Philips; type: BDL 5231V; LCD: yes; screen size (inch): 52 "; remote control: yes; electric connection: 230 V;	50.00
494	1	<b>smart LED TV</b> Philips, PFL 5507, brand: Philips; type: PFL 5507; screen size (inch): 55 "; smart TV: yes; remote control: yes; electric connection: 230 V;	50.00



Lot	Number	Description	Starting Bid €
495	1	<b>LCD monitor</b> Panasonic, TH-55LF60W, brand: Panasonic; type: TH-55LF60W; LCD: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
496	1	<b>smart LED TV</b> Philips, PFL 5507, brand: Philips; type: PFL 5507; screen size (inch): 55 "; smart TV: yes; remote control: yes; electric connection: 230 V;	50.00
497	1	<b>LCD monitor</b> Panasonic, TH-55LF60W, brand: Panasonic; type: TH-55LF60W; LCD: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
498	1	<b>LCD monitor</b> Panasonic, TH-55LF60W, brand: Panasonic; type: TH-55LF60W; LCD: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
499	1	<b>LCD monitor</b> Panasonic, TH-55LF60W, brand: Panasonic; type: TH-55LF60W; LCD: yes; screen size (inch): 55 "; remote control: yes; electric connection: 230 V;	50.00
500	1	<b>soap bubble machine</b> CITC FX, Bubble Max, brand: CITC FX; type: Bubble Max; electric connection: 230 V;	50.00
501	3	<b>LCD monitor</b> LG, 22LG3000, brand: LG; type: 22LG3000; screen size: 22 "; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 280 mm; total dimension H: 480 mm; description: incl. flight case;	10.00
502	4	<b>LCD monitor</b> LG, 22LG3000, brand: LG; type: 22LG3000; screen size: 22 "; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 280 mm; total dimension H: 480 mm; description: incl. flight case;	10.00
503	5	<b>network cameras</b> Axis, 2110, brand: Axis; type: 2110; description: incl. various accessories in crate;	10.00
504	1	<b>video camera</b> Sony, DSR- PD170P, brand: Sony; type: DSR- PD170P; description: incl. various accessories and flight case;	50.00
505	1	<b>video camera</b> Sony, DSR- PD170P, brand: Sony; type: DSR- PD170P; description: incl. various accessories and flight case;	50.00
506	2	<b>aim antennas</b> Shure, UA870MC, brand: Shure; type: UA870MC; description: incl. various accessories in flight case;	10.00
507	1	<b>in-ear monitor system</b> Sennheiser, EW300 IEM, brand: Sennheiser; type: EW300 IEM; description: incl. various accessories in flight case;	50.00
508	7	<b>observation cameras</b> Philips, VCM7C230, brand: Philips; type: VCM7C230;	10.00
509	1	<b>MD recorder</b> Sony, MDS- JE530, brand: Sony; type: MDS- JE530;	10.00
510	2	<b>CD player</b> Sony, CDP-XE270, brand: Sony; type: CDP-XE270;	10.00
511	3	<b>Blu-ray / DVD player</b> Sony , BDP-S350, brand: Sony ; type: BDP-S350; 3D: no; remote control: yes; description: in box;	10.00
512	3	<b>various MD / DVD players</b> Sony, CDP-XE270, brand: Sony; type: CDP-XE270;	10.00
513	7	<b>speakers</b> Syrincs, brand: Syrincs; capacity: 8 Ω; power: 100 W; description: in 2 crates;	10.00
514	5	<b>speakers</b> DAP Audio, PRA-62, brand: DAP Audio; type: PRA-62; power: 50 W;	10.00



Lot	Number	Description	Starting Bid €
515	4	<b>speakers</b> DAP Audio, PRA-62, brand: DAP Audio; type: PRA-62; power: 50 W;	10.00
516	1	<b>analog mixing table</b> Allen & Heath, MizWizard WZ3 14:4:2, brand: Allen & Heath; type: MizWizard WZ3 14:4:2; number of Mic/Line inputs: 10; analog meters: yes; with flight case: yes;	50.00
517	2	<b>wireless headphones</b> Sennheiser, RS 30, brand: Sennheiser; type: RS 30;	10.00
518	3	<b>wireless headphones</b> Sennheiser, RS110, brand: Sennheiser; type: RS110;	10.00
519	6	<b>speakers</b> JBL, Control 1 Pro, brand: JBL; type: Control 1 Pro; capacity: 4 Ω; power: 150 W;	10.00
520	3	<b>various loudspeakers</b> DAP Audio, AUSPR32, brand: DAP Audio; type: AUSPR32;	10.00
521	1	<b>LCD monitor</b> Sharp, LC20S1E, brand: Sharp; type: LC20S1E; LCD: yes; screen size (inch): 20 "; with flight case: yes; electric connection: 230 V;	10.00
522	2	<b>digital receivers</b> Samsung, SMT-1000T, brand: Samsung; type: SMT-1000T; receiver type: yes;	10.00
523	6	<b>various keyboards</b>	10.00
524	2	<b>various switches</b>	10.00
525	5	<b>DVD player</b> Pioneer, DV-430V, brand: Pioneer; type: DV-430V; remote control: yes; description: in box;	10.00
526	8	<b>DVD player</b> Pioneer, DV-430V, brand: Pioneer; type: DV-430V; remote control: yes; description: incl. flight case;	10.00
527	1	<b>speaker</b> G+M, GM-8050-SW, brand: G+M; type: GM-8050-SW; power: 10 W; with flight case: yes;	10.00
528	2	<b>ceiling built-in speakers</b> Speaka, brand: Speaka; capacity: 8 Ω; power: 25 W; with flight case: yes; description: colour White;	10.00
529	2	<b>satellite receivers</b> Rebox, RE-2200HD PVR, brand: Rebox; type: RE-2200HD PVR;	10.00
530	5	<b>audio video channels</b> König, VID-TRANS70- KN, brand: König; type: VID-TRANS70- KN;	10.00
531	2	<b>distribution amplifier</b> Extron, D/2 DA 4 DVI, brand: Extron; type: D/2 DA 4 DVI;	10.00
532	2	<b>distribution amplifier</b> Extron, MTP DA, brand: Extron; type: MTP DA;	10.00
533	5	<b>video audio distribution amplifier</b> Extron, DA 6AV RCA EQ, brand: Extron; type: DA 6AV RCA EQ;	10.00
534	4	<b>video audio distribution amplifier</b> Extron, DA 6AV RCA EQ, brand: Extron; type: DA 6AV RCA EQ;	10.00
535	1	<b>controller</b> Doremi, RCV1, brand: Doremi; type: RCV1;	10.00
536	1	<b>digital receiver</b> Myvision, HD-250T, brand: Myvision; type: HD-250T;	10.00
537	6	<b>outside antenna's</b> Maximum, DA6000, brand: Maximum; type: DA6000;	10.00
538	4	<b>audio video channels</b> König, VID-TRANS70- KN, brand: König; type: VID-TRANS70- KN;	10.00
539	4	<b>speakers</b> Apart, CM3T, brand: Apart; type: CM3T;	10.00





Lot	Number	Description	Starting Bid €
540	5	<b>speakers</b> Apart, CMX20T, brand: Apart; type: CMX20T; capacity: 16 Ω; power: 20 W; electric connection: 100 V;	10.00
541	5	<b>speakers</b> Apart, CMX20T, brand: Apart; type: CMX20T; capacity: 16 Ω; power: 20 W; electric connection: 100 V;	10.00
542	5	<b>speakers</b> Apart, CMX20T, brand: Apart; type: CMX20T; capacity: 16 Ω; power: 20 W; electric connection: 100 V;	10.00
543	5	<b>speakers</b> Apart, CMX20T, brand: Apart; type: CMX20T; capacity: 16 Ω; power: 20 W; electric connection: 100 V;	10.00
544	8	<b>speakers</b> Apart, CM3T-BL, brand: Apart; type: CM3T-BL; capacity: 16 Ω; power: 20 W; electric connection: 100 V;	10.00
545	2	<b>VGA distribution system</b> Kramer, VP-3, brand: Kramer; type: VP-3; description: 1: 6 VGA;	10.00
546	2	<b>VGA distribution system</b> Kramer, VP-3, brand: Kramer; type: VP-3; description: 1: 6 VGA;	10.00
547	4	<b>VGA distribution system</b> Kramer, VP-3, brand: Kramer; type: VP-3; description: 1: 6 VGA;	10.00
548	4	<b>VGA distribution system</b> Kramer, VP-3, brand: Kramer; type: VP-3; description: 1: 6 VGA;	10.00
549	22	<b>VGA distribution system</b> Kramer, VP-3, brand: Kramer; type: VP-3; description: 1: 3 VGA;	50.00
550	3	<b>digital video scaler</b> Extron, DVS 150, brand: Extron; type: DVS 150;	10.00
551	4	<b>digital video scaler</b> Extron, DVS 150, brand: Extron; type: DVS 150;	10.00
552	7	<b>various video transformers</b> Extron, brand: Extron;	10.00
553	2	<b>video hum eliminator</b> BTS , THE-100, brand: BTS ; type: THE-100;	10.00
554	6	<b>usb transmitters</b> Kramer, VA-1Usb-T, brand: Kramer; type: VA-1Usb-T;	10.00
555	1	<b>video component transcoder</b> Kramer, FC-4043, brand: Kramer; type: FC-4043; description: incl. flight case;	10.00
556	1	<b>picture inserter</b> Kramer, PIP-200, brand: Kramer; type: PIP-200; description: incl. flight case;	10.00
557	1	<b>video mixer</b> Panasonic, WJ-AVE55, brand: Panasonic; type: WJ-AVE55; with flight case: yes;	10.00
558	1	<b>digital video mixer</b> Panasonic, WJ-MX50A, brand: Panasonic; type: WJ-MX50A; with flight case: yes; electric connection: 230 V;	10.00
559	1	<b>video and audio switcher</b> Sony, VCA-500, brand: Sony; type: VCA-500;	10.00
560	1	<b>intercom</b> Espiral, EF100, brand: Espiral; type: EF100; description: in flightcase;	10.00
561	1	<b>catering coffee machine</b> Spengler, brand: Spengler; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 700 mm;	50.00



Lot	Number	Description	Starting Bid €
562	1	<b>catering coffee machine</b> Spengler, brand: Spengler; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 700 mm;	50.00
563	5	<b>USB receivers</b> Kramer, VA-1Usb-R, brand: Kramer; type: VA-1Usb-R;	10.00
564	2	<b>audio distribution system</b> Kramer, VM-3A, brand: Kramer; type: VM-3A;	10.00
565	1	<b>video mixer / switcher</b> Analog Way, Di-VentiX, brand: Analog Way; type: Di-VentiX; description: incl. keypad;	50.00
566	1	<b>graphic switcher</b> Extron, SGS 408, brand: Extron; type: SGS 408; description: incl. controller;	50.00
567	1	<b>dimmerpack</b> MA Lighting, brand: MA Lighting; number of channels: 12; max. power per channel : 10 A; switchbreakers: yes;	100.00
568	1	<b>dimmerpack</b> MA Lighting, brand: MA Lighting; number of channels: 12; max. power per channel : 10 A; switchbreakers: yes;	100.00
569	1	<b>crosspoint switcher</b> Extron, brand: Extron; with flight case: yes;	50.00
570	2	<b>amplifier</b> Skytronic, AV-360, brand: Skytronic; type: AV-360; stereo: yes; power: 40 W;	10.00
571	2	<b>infrared radiator</b> Sennheiser, SZI 1015, brand: Sennheiser; type: SZI 1015; description: 2 watts;	50.00
572	1	<b>switcher</b> Extron, Matrix 50, brand: Extron; type: Matrix 50; with flight case: yes;	50.00
573	1	<b>video audio switcher</b> Kramer, VS-84, brand: Kramer; type: VS-84; with flight case: yes; description: 8x4;	50.00
574	1	<b>light mixing table</b> MA Lighting, Lightcommander 12/2, brand: MA Lighting; type: Lightcommander 12/2; number of channels: 24; with flight case: yes;	50.00
575	5	<b>video audio distribution amplifier</b> Kramer, VM-5ARN, brand: Kramer; type: VM-5ARN; description: incl. flight case;	10.00
576	7	<b>distribution amplifier</b> Extron, DA RGB/YUV, brand: Extron; type: DA RGB/YUV;	50.00
577	5	<b>switcher</b> Extron, Matrix 50, brand: Extron; type: Matrix 50; with flight case: yes;	50.00
578	5	<b>TFT monitor</b> Philips, 150S4, brand: Philips; type: 150S4; description: incl. flight case;	10.00
579	1	<b>video component distribution system</b> Kramer, 1042, brand: Kramer; type: 1042; with flight case: yes;	10.00
580	2	<b>video audio distribution amplifier</b> Kramer, VM-10ARN, brand: Kramer; type: VM-10ARN; description: incl. flight case;	10.00
581	2	<b>video component transcoder</b> Kramer, FC-4043, brand: Kramer; type: FC-4043; description: incl. flight case;	10.00
582	3	<b>zone controllers</b> DBX, ZC8-EU, brand: DBX; type: ZC8-EU;	10.00
583	3	<b>interfaces</b> Extron, DVI-RGB150, brand: Extron; type: DVI-RGB150;	10.00
584	2	<b>interfaces</b> Extron, DVI-RGB150, brand: Extron; type: DVI-RGB150;	10.00
585	2	<b>amplifier</b> Skytronic, AV-100, brand: Skytronic; type: AV-100; stereo: yes; power: 50 W;	10.00



Lot	Number	Description	Starting Bid €
586	7	<b>Blu-ray / DVD player</b> Philips, BDP3100, brand: Philips; type: BDP3100; 3D: no; remote control: yes;	10.00
587	1	<b>LCD monitor</b> Philips, LC230W01, brand: Philips; type: LC230W01; LCD: yes; screen size (inch): 23 ";	10.00
588	1	<b>switchboard</b>	10.00
589	1	<b>switchboard</b> Rittal, AE 1338.500, brand: Rittal; type: AE 1338.500; total dimension L: 380 mm; total dimension W: 350 mm; total dimension H: 600 mm; description: in box;	10.00
590	1	<b>switchboard</b> Rittal, AE 1338.500, brand: Rittal; type: AE 1338.500; total dimension L: 380 mm; total dimension W: 350 mm; total dimension H: 600 mm; description: in box;	10.00
591	3	<b>beamer ceiling brackets</b> Vogel's, PPC1500, brand: Vogel's; type: PPC1500;	10.00
592	1	<b>LCD monitor</b> Philips, HWB9240i, brand: Philips; type: HWB9240i;	10.00
593	1	<b>digital video recorder</b> Bosch, DVR1B1161, brand: Bosch; type: DVR1B1161;	10.00
594	5	<b>various monitors</b>	10.00
595	1	<b>projector lens</b> Philips, LCA3002/00, brand: Philips; type: LCA3002/00;	10.00
596	1	<b>projector lens</b> Mitsubishi, OL-XL7100SZ, brand: Mitsubishi; type: OL-XL7100SZ;	10.00
597	1	<b>Power supply</b> Fiber Optics, UFO SL100PD, brand: Fiber Optics; type: UFO SL100PD;	10.00
598	4	<b>graphic equalizers</b> Master, GE-130, brand: Master; type: GE-130; with flight case: no; description: in instrument rack;	50.00
599	5	<b>monitor</b> JVC, TM-A10E, brand: JVC; type: TM-A10E; screen size (inch): 10 " ; with flight case: yes;	10.00
600	2	<b>3-paw tripods</b> K&M, brand: K&M; total dimension L: 1100 mm;	10.00
601	1	<b>utp interface set</b> Extron, MTP, brand: Extron; type: MTP; with flight case: yes;	10.00
602	1	<b>switcher</b> Extron, ISS 506, brand: Extron; type: ISS 506; with flight case: yes;	50.00
603	4	<b>various video transformers</b> Extron, GLI 1000 5 BNC, brand: Extron; type: GLI 1000 5 BNC;	10.00
604	1	<b>video conference set</b> Polycom, brand: Polycom; description: incl. various;	10.00
605	7	<b>keyboards</b> König, brand: König;	10.00
606	1	<b>presentation switcher / scaler</b> Extron, VP-538, brand: Extron; type: VP-538; with flight case: yes;	10.00
607	1	<b>beamer wall bracket</b> Vivitek, WM-3, brand: Vivitek; type: WM-3;	10.00
608	3	<b>headset</b> Sony, MDR-RF865R, brand: Sony; type: MDR-RF865R; description: incl. station;	10.00
609	5	<b>various media players</b>	10.00
610	2	<b>speakers</b> Apart, OVO, brand: Apart; type: OVO; active: yes; power: 20 W;	10.00
614	1	<b>RGB HV splitter</b> Kramer, VM-1055, brand: Kramer; type: VM-1055; with flight case: yes; description: vv "Kramer" video component distributor; type VM1055;	10.00



Lot	Number	Description	Starting Bid €
615	1	<b>RGB HV splitter</b> Kramer, VM-1055, brand: Kramer; type: VM-1055; with flight case: yes; description: vv "Kramer" video component distrubutor; type VM1055;	10.00
616	1	<b>RGB HV splitter</b> Kramer, VM-1055, brand: Kramer; type: VM-1055; with flight case: yes; description: vv "Kramer" video component distrubutor; type VM1055;	10.00
617	1	<b>RGB HV splitter</b> Kramer, VM-1055, brand: Kramer; type: VM-1055; with flight case: yes; description: vv "Kramer" video component distrubutor; type VM1055;	10.00
618	1	<b>graphic switcher</b> Extron, SGS 408, brand: Extron; type: SGS 408; description: incl. controller;	50.00
619	1	<b>video / audio switcher</b> Extron, SW 8SVA, brand: Extron; type: SW 8SVA;	10.00
620	1	<b>transmitter</b> Extron, DTP R DP 300, brand: Extron; type: DTP R DP 300;	10.00
621	1	<b>patch panel</b> Legrand, brand: Legrand;	10.00
622	1	<b>color camera</b> description: 230 volts;	10.00
623	3	<b>wireless headphones</b> Philips, SBC HP400, brand: Philips; type: SBC HP400;	10.00
624	1	<b>wall bracket set</b> Smart Metals, brand: Smart Metals;	10.00
625	1	<b>video splitters</b> Van Cryst, VS 0104, brand: Van Cryst; type: VS 0104; description: 4-port; in box;	10.00
626	3	<b>multi display adapters</b> Matrox, DualHead2Go, brand: Matrox; type: DualHead2Go;	10.00
627	1	<b>lot of Headsets</b> Philips, brand: Philips;	10.00
628	2	<b>LCD monitor</b> Philips, LC230W01, brand: Philips; type: LC230W01; LCD: yes; screen size (inch): 23 "; with flight case: yes;	10.00
629	1	<b>LCD monitor</b> Sharp, LC20S1E, brand: Sharp; type: LC20S1E; LCD: yes; screen size (inch): 20 "; with flight case: yes; electric connection: 230 V;	10.00
630	1	<b>amplifier</b> Samson, S83, brand: Samson; type: S83; power: 300 W; description: 8 channel;	10.00
631	1	<b>mixing amplifier</b> Samson, S6, brand: Samson; type: S6; power: 395 W; electric connection: 230 V; description: 6 channel; 19 "; incl. flight case;	10.00
632	1	<b>amplifier</b> Europower / Behringer, EP2500, brand: Europower / Behringer; type: EP2500; power: 1200 W;	10.00
633	1	<b>CD player</b> Tascam, CD-A500, brand: Tascam; type: CD-A500;	10.00
634	1	<b>PA mixing amplifier</b> Monacor, PA-12040, brand: Monacor; type: PA-12040;	10.00
635	1	<b>lot of various processor insert plates</b> DPM, brand: DPM; description: serving "Master" amp; type DPU 3K6;	50.00
636	1	<b>video conference set</b> Polycom, VSX 7000, brand: Polycom; type: VSX 7000; description: in flightcase;	10.00
637	1	<b>matrix switcher</b> Extron, QS-FPC, brand: Extron; type: QS-FPC; with flight case: yes;	10.00



Lot	Number	Description	Starting Bid €
638	2	<b>DMX controller</b> Showtec, Merge, brand: Showtec; type: Merge;	10.00
639	1	<b>video conference set</b> Polycom, VSX 7000, brand: Polycom; type: VSX 7000; description: in flightcase;	10.00
640	1	<b>lot of various processor insert plates</b> DPM, brand: DPM; description: serving "Master" amp; type DPU 3K6;	50.00
641	1	<b>boom lift</b> Alp-Lift, Peci 940, year built 1996, serial number 24-96782, brand: Alp-Lift; type: Peci 940; year: 1996; serial number: 24-96782; electric: yes; vertical lift: yes; platform capacity: 135 kg; description: 230V (Attention! Defective!);	50.00
642	1	<b>Subwoofer</b> Audio Performance, CH-1040, brand: Audio Performance; type: CH-1040; with flight case: yes; total dimension L: 510 mm; total dimension W: 510 mm; total dimension H: 620 mm;	50.00
643	1	<b>projector chassis</b>	10.00
644	9	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace;	50.00
645	12	<b>floodlights</b> Philips, brand: Philips; electric connection: 230 V; description: IP55; incl. brace;	50.00
		<b>floodlights A</b>	
646	1	<b>beamer</b> Optoma, 3400 Ansi GT760, brand: Optoma; type: 3400 Ansi GT760; remote control: yes; electric connection: 230 V;	50.00
647	1	<b>beamer</b> Optoma, 3400 Ansi GT760, brand: Optoma; type: 3400 Ansi GT760; remote control: yes; electric connection: 230 V;	50.00
648	1	<b>beamer</b> Optoma, 3400 Ansi GT760, brand: Optoma; type: 3400 Ansi GT760; remote control: yes; electric connection: 230 V;	50.00
649	1	<b>beamer</b> Optoma, 3400 Ansi GT760, brand: Optoma; type: 3400 Ansi GT760; remote control: yes; electric connection: 230 V;	50.00
650	1	<b>amplifier</b> Master, DL1200, brand: Master; type: DL1200; power: 600 W; electric connection: 230 V;	50.00
651	1	<b>amplifier</b> Master, DL1200, brand: Master; type: DL1200; power: 600 W; electric connection: 230 V;	50.00
652	4	<b>speaker</b> Dap Audio, CS720, brand: Dap Audio; type: CS720; power: 20 W;	10.00
653	1	<b>DMX controller</b> Lanbox, brand: Lanbox; description: in flightcase;	10.00
654	1	<b>DMX controller</b> Lanbox, brand: Lanbox; description: in flightcase;	10.00
655	1	<b>DMX controller</b> Lanbox, brand: Lanbox; description: in flightcase;	10.00
656	1	<b>DMX controller</b> Lanbox, brand: Lanbox; description: in flightcase;	10.00
657	1	<b>beamer</b> Mitsubishi, XL6600U, brand: Mitsubishi; type: XL6600U; remote control: yes; with flight case: yes; electric connection: 230 V; description: 6000 Ansi;	50.00
658	1	<b>beamer</b> Mitsubishi, XL6600U, brand: Mitsubishi; type: XL6600U; remote control: yes; with flight case: yes; electric connection: 230 V; description: 6000 Ansi;	50.00
659	5	<b>Blu-Ray players</b> Samsung, BD-F6500, brand: Samsung; type: BD-F6500;	10.00



Lot	Number	Description	Starting Bid €
660	6	<b>VGA splitters</b> Kramer, VP-4 XL, brand: Kramer; type: VP-4 XL; description: 1: 4 VGA;	50.00
661	5	<b>speaker processors</b> Audio Performance, brand: Audio Performance; description: 2 channel;	50.00
662	6	<b>LED spots</b> Arctecta, Vigo Drive 4, brand: Arctecta; type: Vigo Drive 4; description: incl. LED driver;	10.00
663	1	<b>signal processor</b> Alesis, Midiverb 4, brand: Alesis; type: Midiverb 4;	50.00
664	2	<b>media player</b> Bright Sign, HD110, brand: Bright Sign; type: HD110;	10.00
665	1	<b>beamer</b> Panasonic, PT-D4000, brand: Panasonic; type: PT-D4000;	50.00
666	1	<b>beamer</b> Panasonic, PT-D4000, brand: Panasonic; type: PT-D4000;	50.00
667	1	<b>headphone amplifier</b> Behringer, HA8000, brand: Behringer; type: HA8000; pre-amplifier: yes; electric connection: 230 V; description: 8 channel;	10.00
668	2	<b>Splitters</b> Strong, 1-8, brand: Strong; type: 1-8;	10.00
669	1	<b>power flow distributor</b> Showtec, PSA-3206/16, brand: Showtec; type: PSA-3206/16; digital: yes; description: 6 channel; max. 16 Amp. per group;	100.00
670	1	<b>LED panel controller</b> Showtec, brand: Showtec; LED: yes; DMX: yes; electric connection: 230 V;	10.00
671	1	<b>multi interface module</b> Polycom, Soundstation IP, brand: Polycom; type: Soundstation IP;	10.00
672	1	<b>camera observation monitor</b> Bosch, VSS8394/01T, brand: Bosch; type: VSS8394/01T;	10.00
701	5	<b>Flightcases</b> description: various sizes;	10.00
702	5	<b>Flightcases</b> description: various sizes;	10.00
703	2	<b>Flightcases</b> description: various sizes;	10.00
704	5	<b>Flightcases</b> description: various sizes;	10.00
705	1	<b>Flightcase</b> mobile: yes; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 940 mm;	10.00
706	1	<b>Flightcase</b> mobile: yes; total dimension L: 1030 mm; total dimension W: 440 mm; total dimension H: 830 mm;	10.00
707	7	<b>Flightcases</b> description: various sizes;	10.00
708	5	<b>Flightcases</b> description: various sizes;	10.00
709	8	<b>Flightcases</b> description: various sizes;	10.00
710	9	<b>Flightcases</b> description: various sizes;	10.00
711	4	<b>Flightcases</b> description: various sizes;	10.00





Lot	Number	Description	Starting Bid €
712	8	<b>Flightcases</b> description: various sizes;	10.00
713	7	<b>Flightcases</b> description: various sizes;	10.00
714	2	<b>Flightcases</b> description: various sizes;	10.00
715	3	<b>Flightcases</b> description: various sizes;	10.00
716	3	<b>Flightcases</b> description: various sizes;	10.00
717	5	<b>Flightcases</b> description: various sizes;	10.00
718	10	<b>Flightcases</b> description: various sizes;	10.00
719	6	<b>Flightcases</b> description: various sizes;	10.00
720	2	<b>Flightcases</b> mobile: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1280 mm;	10.00
721	7	<b>Flightcases</b> description: various sizes;	10.00
722	3	<b>Flightcases</b> description: various sizes;	10.00
723	7	<b>Flightcases</b> description: various sizes;	10.00
724	2	<b>Flightcases</b> mobile: yes; total dimension L: 550 mm; total dimension W: 520 mm; total dimension H: 1140 mm;	10.00
725	5	<b>Flightcases</b> description: various sizes;	10.00
726	1	<b>flight case and plastic containers</b> mobile: yes; total dimension L: 550 mm; total dimension W: 520 mm; total dimension H: 1140 mm;	10.00
727	4	<b>Flightcases</b> description: various sizes;	10.00
728	5	<b>Flightcases</b> description: various sizes;	10.00
729	3	<b>Flightcases</b> description: various sizes;	10.00
730	8	<b>Flightcases</b> description: various sizes;	10.00
731	15	<b>Flightcases</b> description: various sizes;	10.00
732	2	<b>Flightcases</b> description: various sizes;	10.00
733	7	<b>Flightcases</b> description: various sizes;	10.00
734	5	<b>Flightcases</b> description: various sizes;	10.00
© 801	9	<b>aluminum truss</b> expotruss, X4K-30/H, brand: expotruss; type: X4K-30/H; square model: yes; corner: no; total dimension L: 2000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet and wedges;	10.00



Lot	Number	Description	Starting Bid €
© 802	4	<b>aluminum truss</b> square model: yes; total dimension L: 3500 mm; total dimension W: 290 mm; total dimension H: 290 mm;	10.00
© 803	5	<b>aluminum truss</b> square model: yes; total dimension L: 1000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet and transporter;	10.00
© 804	10	<b>aluminum truss</b> expotruss, various, brand: expotruss; type: various; square model: yes; corner: yes; total dimension L: 2000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: traverse; straight; corner; eurotruss compatible; without pallet and stacking edges;	10.00
© 805	14	<b>aluminum truss</b> expotruss, 4K-30-L1500, brand: expotruss; type: 4K-30-L1500; square model: yes; corner: no; total dimension L: 1500 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet and wedges;	10.00
© 806	12	<b>aluminum truss</b> expotruss, X4K-30-J210, brand: expotruss; type: X4K-30-J210; square model: yes; corner: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet ;	10.00
© 807	4	<b>aluminum truss</b> Expotruss, brand: Expotruss; square model: yes; cornerblock: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: eurotruss compatible; without pallet;	10.00
© 808	1	<b>lot of truss accessories</b> Expotruss, brand: Expotruss; square model: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: foot plates; pens; spacers; coupler; eurotruss compatible; without pallet and 5 crates;	10.00
© 809	9	<b>aluminum truss</b> expotruss, X4K-30-L250, brand: expotruss; type: X4K-30-L250; square model: yes; corner: no; total dimension L: 250 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet ;	10.00
© 810	9	<b>aluminum truss</b> expotruss, X4K-30-L250, brand: expotruss; type: X4K-30-L250; square model: yes; corner: no; total dimension L: 250 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet ;	10.00
© 811	9	<b>aluminum truss</b> expotruss, X4K-30-J350, brand: expotruss; type: X4K-30-J350; square model: yes; corner: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet ;	10.00
© 812	5	<b>aluminum truss</b> expotruss, X4K-30-J300, brand: expotruss; type: X4K-30-J300; square model: yes; corner: no; cornerblock: yes; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 3 points; eurotruss compatible; without pallet ;	10.00
© 813	4	<b>aluminum truss</b> expotruss, X4K-30-J350, brand: expotruss; type: X4K-30-J350; square model: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 3-point traverse; eurotruss compatible; without pallet ;	10.00
© 814	4	<b>aluminum truss</b> expotruss, X4K-30-J350, brand: expotruss; type: X4K-30-J350; square model: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 3 points; eurotruss compatible; without pallet ;	10.00
© 815	6	<b>aluminum truss</b> expotruss, X4K-30-J300, brand: expotruss; type: X4K-30-J300; square model: yes; corner: yes; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 3-point traverse; eurotruss compatible; without pallet ;	10.00



Lot	Number	Description	Starting Bid €
© 816	10	<b>aluminum truss</b> expotruss, X4K-30-J210, brand: expotruss; type: X4K-30-J210; square model: yes; corner: yes; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without pallet ;	10.00
© 817	6	<b>aluminum truss</b> expotruss, brand: expotruss; square model: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 5 point traverse; 4-point corner piece; eurotruss compatible; without pallet ;	10.00
© 818	5	<b>aluminum truss</b> expotruss, X4K-30-J400, brand: expotruss; type: X4K-30-J400; square model: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 4 points; traverse; eurotruss compatible; without pallet ;	10.00
© 819	5	<b>aluminum truss</b> expotruss, X4K-30-J400, brand: expotruss; type: X4K-30-J400; square model: yes; horizontal corner: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 4 points; traverse; eurotruss compatible; without pallet ;	10.00
© 820	8	<b>aluminum truss</b> expotruss, XK4-30-J420, brand: expotruss; type: XK4-30-J420; square model: yes; horizontal corner: yes; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 290 mm; description: 4 points; eurotruss compatible; without pallet ;	10.00
© 821	11	<b>aluminum truss</b> expotruss, X4K-30-L500, brand: expotruss; type: X4K-30-L500; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without pallet ;	10.00
© 822	8	<b>aluminum truss</b> expotruss, X4K-30-L500, brand: expotruss; type: X4K-30-L500; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without pallet ;	10.00
© 823	14	<b>aluminum truss</b> expotruss, X4K-30-L3000, brand: expotruss; type: X4K-30-L3000; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 3000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without roll container and wedges;	10.00
© 824	12	<b>aluminum truss</b> expotruss, X4K-30-L4000, brand: expotruss; type: X4K-30-L4000; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 4000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without trolleys and wedges;	10.00
© 825	12	<b>aluminum truss</b> expotruss, X4K-30-L4000, brand: expotruss; type: X4K-30-L4000; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 4000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without trolleys and wedges;	10.00
© 826	12	<b>aluminum truss</b> expotruss, X4K-30-L4000, brand: expotruss; type: X4K-30-L4000; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 4000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without trolleys and wedges;	10.00



Lot	Number	Description	Starting Bid €
© 827	9	<b>aluminum truss</b> expotruss, brand: expotruss; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without trolleys and wedges; lengths (5x) 5000 and (4x) 4000mm;	10.00
© 828	19	<b>aluminum truss</b> expotruss, X4K-30, brand: expotruss; type: X4K-30; square model: no; cirkel model: no; horizontal corner: no; corner: no; cornerblock: no; total dimension W: 290 mm; total dimension H: 290 mm; description: eurotruss compatible; without pallet and wedges;	10.00
© 829	1	<b>aluminum truss 4-part round</b> expotruss, X4K-30-2M, brand: expotruss; type: X4K-30-2M; square model: no; cirkel model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension W: 290 mm; total dimension H: 290 mm; description: diameter 2 m; 4-part; eurotruss compatible; without transport trolley;	10.00
© 830	14	<b>aluminum truss</b> expotruss, X4K-30-L3000H, brand: expotruss; type: X4K-30-L3000H; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 3000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2 points; eurotruss compatible; without trolleys and wedges;	10.00
© 831	1	<b>lot of truss accessories</b> Expotruss, brand: Expotruss; square model: no; cornerblock: no; total dimension L: 500 mm; total dimension W: 500 mm; total dimension H: 500 mm; description: pens; spacers; hooks; eurotruss compatible; without pallet and 3 crates;	10.00
© 832	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801036, brand: Aic; type: kanto; serial number: 200801036; electric connection: 63 A; number of outputs 380 V / 32 A: 3; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00
© 833	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801053, brand: Aic; type: kanto; serial number: 200801053; electric connection: 63 A; number of outputs 230 V: 10; number of outputs 380 V / 32 A: 3; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00
© 834	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801061, brand: Aic; type: kanto; serial number: 200801061; electric connection: 63 A; number of outputs 380 V / 32 A: 3; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00
© 835	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801054, brand: Aic; type: kanto; serial number: 200801054; electric connection: 63 A; number of outputs 380 V / 32 A: 3; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00
© 836	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801044, brand: Aic; type: kanto; serial number: 200801044; electric connection: 63 A; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm;	10.00
© 837	1	<b>building meter cupboard</b> Aic, kanto, serial number 200801045, brand: Aic; type: kanto; serial number: 200801045; electric connection: 63 A; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00



Lot	Number Description	Starting Bid €
© 838	1 <b>building meter cupboard</b> Aic, kanto, serial number 200801037, brand: Aic; type: kanto; serial number: 200801037; electric connection: 63 A; number of outputs 380 V / 32 A: 1; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: on galvanized chassis;	10.00
© 839	1 <b>building meter cupboard</b> Aic, kanto, serial number 200801056, brand: Aic; type: kanto; serial number: 200801056; electric connection: 63 A; number of outputs 380 V / 32 A: 3; own weight: 90 kg; total dimension L: 1000 mm; total dimension W: 750 mm; total dimension H: 1750 mm; description: without a door; on galvanized chassis;	10.00
	<b>construction meter cabinets</b>	
840	4 <b>projection</b> description: various sizes ;	10.00
© 841	1 <b>aluminum truss around 6 meters</b> Prolyte, XD30D, brand: Prolyte; type: XD30D; triangle model: yes; description: 5-ply;	10.00
© 842	1 <b>aluminum truss around 7 meters</b> Prolyte, XD30D, brand: Prolyte; type: XD30D; triangle model: yes; description: 4-part; without goat;	10.00
© 843	1 <b>aluminum truss around 5 meters</b> Prolyte, XD30D, brand: Prolyte; type: XD30D; triangle model: yes; description: 4-part; with 2 trusses semicircle; without goat;	10.00
© 844	1 <b>aluminum truss around 8 meters</b> Eurotruss, FD33 trio, brand: Eurotruss; type: FD33 trio; triangle model: yes; description: 5- part; without pallet;	10.00
© 845	1 <b>aluminum truss around 8 meters</b> Eurotruss, FD33 trio, brand: Eurotruss; type: FD33 trio; triangle model: yes; description: 6- part; without pallet;	10.00
© 846	1 <b>aluminum truss around 5 meters</b> Prolyte, XD30D, brand: Prolyte; type: XD30D; triangle model: yes; description: 8-part; without pallet;	10.00
© 847	1 <b>aluminum truss around 7 meters</b> Prolyte, XD30D, brand: Prolyte; type: XD30D; triangle model: yes; description: 8-part; without pallet;	10.00
	<b>aluminium trusses round</b>	
848	2 <b>building meter cupboards</b> electric connection: 128 A; number of outputs 380 V / 32 A: 2; total dimension L: 950 mm; total dimension W: 500 mm; total dimension H: 150 mm; description: mobile; in a metal frame; location hall right;	10.00
© 849	24 <b>aluminum truss</b> expotruss, brand: expotruss; square model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 2000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2-point; euro truss compatible; without a pallet and wedges; location rack;	10.00
© 850	1 <b>aluminum truss around 8 meters</b> expotruss, X4K, brand: expotruss; type: X4K; square model: yes; cirkel model: yes; horizontal corner: no; corner: no; cornerblock: no; total dimension L: 2000 mm; total dimension W: 290 mm; total dimension H: 290 mm; description: 2-point; euro truss compatible; without a pallet and wedges; location rack;	10.00
	<b>aluminium trusses</b>	





**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**





- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.



### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience