



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

**Online auction of industrial kitchen, bakery, meat
machinery and equipment (BE)**

**Online auction of industrial kitchen, bakery,
meat machinery and equipment**
Vaartlaan 1 - 9800 Deinze
(Lots | loten)

Closing date: Wednesday **15 JANUARY** starting 14:00

Bidding only on the internet!

31-12-19 11.23

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 15 January 2020 Online auction of industrial kitchen, bakery, meat machinery and equipment

Closing date	Wednesday 15 January 2020 starting 14:00 CET																
Viewing	By appointment																
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be																
Markup	Various percentages																
VAT	21.00%																
Collection	Friday 24 January from 09:00 until 16:00 CET Lots loten Vaartlaan 1 9800 Deinze, Belgium																
Viewing instructions	<ul style="list-style-type: none">• Bidding without prior viewing will be at your own risk. See also our general conditions.																
Pick-Up instructions	<ul style="list-style-type: none">• The buyer, or his representative, is requested to submit his proforma purchase agreement the day of loading;• The buyer is responsible for the dismantling; the loading and the transport of the goods;• In case of non-collection/loading an administrative cost of minimum 25,00 euro will be charged for organizing a second loading date;• Troostwijk NV will not accept any responsibility concerning above mentioned items, unless otherwise stated on the website.																
Paiement instructions	<ul style="list-style-type: none">• Within 48 hours after receiving the proforma purchase agreement• By bank transfer• Description: buyer number - number of sale <table><tr><th>Bank</th><th>Account</th><th>IBAN nr.</th><th>BIC Code</th></tr><tr><td>BNPParibas/Fortis</td><td>220-0725551-27</td><td>BE48 2200 7255 5127</td><td>GEBABEBB</td></tr><tr><td>KBC</td><td>411-1106201-15</td><td>BE83 4111 1062 0115</td><td>KREDBEBB</td></tr><tr><td>ING</td><td>320-0037404-32</td><td>BE90 3200 0374 0432</td><td>BBRUBEBB</td></tr></table>	Bank	Account	IBAN nr.	BIC Code	BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB	KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB	ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB
Bank	Account	IBAN nr.	BIC Code														
BNPParibas/Fortis	220-0725551-27	BE48 2200 7255 5127	GEBABEBB														
KBC	411-1106201-15	BE83 4111 1062 0115	KREDBEBB														
ING	320-0037404-32	BE90 3200 0374 0432	BBRUBEBB														
General conditons	On the sale the general terms and conditions of the online sale are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.																
Following lots	After registration and login, lots can be ‘followed’ via ‘My Troostwijk&rsquo.																
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.																
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.																
Lots without bid	All lots without any bid will stay open until half an hour after the last closing time bid.																
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources																

www.TroostwijkAuctions.com



deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.



Lot	Number	Description	Starting Bid €
1	1	vario cooking center Frima, VCC 112+, brand: Frima; type: VCC 112+; electric heated: yes; electric connection: 400 V; total dimension L: 1250 mm; total dimension W: 780 mm; total dimension H: 1120 mm; description: tft color screen, schott ceran hot plate, 2x 14 liter tub, tiltable, suitable for baking, roasting, deep frying, steaming;	2,500.00
2	1	pancakes carousel Multipan, Multi 10, brand: Multipan; type: Multi 10; electric heated: yes; electric connection: 400 V; total dimension L: 1680 mm; total dimension W: 1710 mm; total dimension H: 1130 mm; description: mobile, 10 pans, including stainless steel pans, top and bottom heating, continuously adjustable temperature and rotation speed, 200 pancakes per hour;	2,500.00
3	1	gas fired combi steamer Rational, SCC 201 WE, brand: Rational; type: SCC 201 WE; stainless steel: yes; gas: yes; electric: no; number of levels: 20; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm; description: including drive-in trolley, industrial version;	2,500.00
4	1	duo pizza oven iDeck, Moretti forni, year built 2019, brand: iDeck; type: Moretti forni; year: 2019; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1500 mm; total dimension H: 1820 mm; description: unused, on a wheeled chassis with guides;	1,500.00
5	1	electric combi steamer Rational, SCC XS 61E, brand: Rational; type: SCC XS 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: no; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 580 mm; total dimension H: 1740 mm; description: on a base with 2x4 shelves, including extractor hood with built-in extractor motor ;	2,500.00
6	1	deck oven Wiesheu, brand: Wiesheu; number of levels: 4; electric connection: 400 V; total dimension L: 1540 mm; total dimension W: 1520 mm; total dimension H: 2150 mm; description: digital display, mobile, including extractor hood with motor;	1,750.00
7	1	food truck trailer number of axis: 1; total dimension L: 2500 mm; total dimension W: 1500 mm; total dimension H: 2200 mm; description: unused, detachable shaft, adjustable legs, stainless steel bali and cabinets , tap , water heater, awning, neon lighting , various small equipment, without papers, under the 750 KG;	2,750.00
8	1	glass dishwasher Hobart, Ecomax, brand: Hobart; type: Ecomax; stainless steel: yes; frontloader: yes; basket dimension L: 400 mm; basket dimension W: 400 mm; electric connection: 230 V; total dimension L: 4450 mm; total dimension W: 525 mm; total dimension H: 695 mm; description: equipped with soap and afterglow pump, including baskets, supply table and discharge table;	1,000.00
9	1	flaker Manitowoc, RFS 0650, brand: Manitowoc; type: RFS 0650; stainless steel: yes; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 850 mm; total dimension H: 1940 mm; description: unused, with ice bunker;	1,000.00
10	1	vario cooking center Frima, VCC Multificiency, brand: Frima; type: VCC Multificiency; electric heated: yes; electric connection: 400 V; total dimension L: 950 mm; total dimension W: 780 mm; total dimension H: 370 mm; description: TFT color screen, 2x 14 liter tub, tiltable, suitable for baking, roasting, deep-frying, steaming;	2,500.00



Lot	Number	Description	Starting Bid €
11	1	electric combi steamer Rational, SCC XS 61E, brand: Rational; type: SCC XS 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: no; electric connection: 400 V; total dimension L: 660 mm; total dimension W: 580 mm; total dimension H: 1740 mm; description: on a base with 2x4 shelves, including extractor hood with built-in extractor motor ;	2,500.00
12	1	pancake machine Multipan, brand: Multipan; electric heated: yes; electric connection: 400 V; total dimension L: 1200 mm; total dimension W: 550 mm; total dimension H: 1110 mm; description: 3 pans, including 2 pans, bottom heated, adjustable top heating;	1,250.00
13	1	dishwasher Catertech , CTV-DS111/CRC, brand: Catertech ; type: CTV-DS111/CRC; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 720 mm; total dimension W: 830 mm; total dimension H: 1900 mm; description: unused, including baskets;	1,750.00
14	1	electric combi steamer Leventi Me, CM 1.06, brand: Leventi Me; type: CM 1.06; stainless steel: yes; electric: yes; number of levels: 7; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 1700 mm; description: including chassis;	1,250.00
15	1	blast chiller Electrolux, RBC 051, brand: Electrolux; type: RBC 051; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 700 mm; total dimension H: 850 mm;	750.00
16	1	electric combi steamer Rational, SCC 61 WE, brand: Rational; type: SCC 61 WE; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm;	2,000.00
17	1	stainless steel hospitality freezer Gram, ECO TWIN F82 CCF L2, brand: Gram; type: ECO TWIN F82 CCF L2; stainless steel: yes; temperature range min.: -25 °c; temperature range max.: -5 °c; digital display: yes; electric connection: 230 V; total dimension L: 820 mm; total dimension W: 740 mm; total dimension H: 2130 mm; description: unused, remote, height-adjustable gratings;	1,500.00
18	1	gas fired combi steamer Rational, SCC 201G, brand: Rational; type: SCC 201G; stainless steel: yes; gas: yes; electric: no; number of levels: 20; touch screen control: no; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm; description: including drive-in car;	2,500.00
19	1	dishwasher Meiko, DV80.2, brand: Meiko; type: DV80.2; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 690 mm; total dimension W: 865 mm; total dimension H: 1510 mm; description: unused, provided with soap and afterglow pump, including basket, including reverse osmosis installation; filters minerals from the water, ensures flawless dishes;	1,500.00
20	1	wine dispenser Eurocave Professional, VOV3E, brand: Eurocave Professional; type: VOV3E; capacity bottles: 8; freestanding: yes; adjustable thermostat: yes; digital display: yes; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 475 mm; total dimension H: 1550 mm; description: in cabinet, including lighting ;	500.00
21	1	electric combi steamer Rational, SCC 61 WE, brand: Rational; type: SCC 61 WE; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1760 mm; description: including chassis;	2,000.00



Lot	Number	Description	Starting Bid €
22	1	electric combi steamer Convotherm, C4eT 10.10 ES, brand: Convotherm; type: C4eT 10.10 ES; stainless steel: yes; gas: no; electric: yes; number of levels: 11; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1100 mm;	1,500.00
23	1	deck oven Wiesheu, brand: Wiesheu; number of levels: 4; electric connection: 400 V; total dimension L: 1540 mm; total dimension W: 1520 mm; total dimension H: 2150 mm; description: digital display, mobile, including extractor hood with motor, 2x5 frame, water filter ;	1,500.00
24	1	gas fired combi steamer Rational, SCC WE 61G, brand: Rational; type: SCC WE 61G; stainless steel: yes; gas: yes; number of levels: 6; touch screen control: yes; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm;	2,000.00
25	1	gas fired combi steamer Rational, SCC WE 101G, brand: Rational; type: SCC WE 101G; stainless steel: yes; gas: yes; electric: no; number of levels: 10; touch screen control: yes; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1060 mm;	2,250.00
26	1	orange juicer Zumex, Speed Pro Selfservice, brand: Zumex; type: Speed Pro Selfservice; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 520 mm; total dimension H: 1760 mm; description: mobile, stainless steel base cabinet with door, with waste bin;	950.00
27	1	complete freezer cell ready for use total dimension L: 4050 mm; total dimension W: 2240 mm; total dimension H: 2400 mm; description: plug-in unit including roof, floor with tear plate, 12 cm thick panel, door passage 100 cm, including rack , lighting , alarm, 400 V, 16 A, already disassembled pallets 2;	1,500.00
28	1	gas fired combi steamer Rational, SCC 5 Senses 61E, brand: Rational; type: SCC 5 Senses 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm;	2,000.00
29	1	floor oven with convection oven Polin, brand: Polin; number of levels: 5; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 1450 mm; total dimension H: 2130 mm; description: convection oven and 2 floor ovens, mobile, with extractor hood with motor, digital reading ;	750.00
30	1	Stainless steel work table with plastic top total dimension L: 2500 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: 6 stainless steel drawers, raised edge, cutting blade;	250.00
31	1	stainless steel hospitality freezer Gram, ECO PLUS F70 RAG L2, brand: Gram; type: ECO PLUS F70 RAG L2; stainless steel: yes; temperature range min.: -5 °c; temperature range max.: -25 °c; digital display: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 860 mm; total dimension H: 2105 mm; description: unused, height adjustable shelves, LED lighting , self-closing, with foot pedal;	1,500.00
32	1	Saladette Gram, K 1807 CSG PT , brand: Gram; type: K 1807 CSG PT ; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1720 mm; total dimension W: 800 mm; total dimension H: 1890 mm; description: 3 doors, height adjustable shelves, with shelf (possibly removable), including lids;	750.00
33	1	Saladette Gram, K 2207 CSG PT , brand: Gram; type: K 2207 CSG PT ; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2160 mm; total dimension W: 800 mm; total dimension H: 1940 mm; description: 8 drawers, height adjustable shelves, with shelf (possibly removable), with lids ;	750.00



Lot	Number	Description	Starting Bid €
34	1	grate dishwashing line Zanussi, LS9P, brand: Zanussi; type: LS9P; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 3150 mm; total dimension W: 2400 mm; total dimension H: 1520 mm; description: including baskets, pre-rinse shower, new dosing pump, supply table and discharge table, corner installation;	1,000.00
35	1	semi-automatic weighing-packing-labeling system Digi , FX-3600XL, brand: Digi ; type: FX-3600XL; digital display: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 940 mm; total dimension H: 1400 mm;	350.00
36	1	Stainless steel brake cabinet Gemm , Planet, brand: Gemm ; type: Planet; number of levels: 19; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 1080 mm; total dimension H: 2090 mm; description: adjustable scales, digital reading;	1,250.00
37	1	high efficiency fryer Hegro, Tornado, brand: Hegro; type: Tornado; electric heated: no; gas-heated: yes; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused, digital operation, including 2 baskets, 2 filters, lid, drain bucket, drain valve, grease filter pen, 30 liters, very low gas and fat consumption;	4,000.00
38	1	orange juicer Zumex, Speed Pro Selfservice, brand: Zumex; type: Speed Pro Selfservice; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 520 mm; total dimension H: 1760 mm; description: mobile, stainless steel base cabinet with door, with waste bin;	950.00
39	1	self-service small bread bake line Leventi, Bakermatic, brand: Leventi; type: Bakermatic; capacity: 300 pcs/hr; belt conveyor: yes; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 1700 mm; total dimension H: 1465 mm; description: filling, automatic baking and self-service ;	750.00
40	1	Saladette Gram, K 2207 CSG PT , brand: Gram; type: K 2207 CSG PT ; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2160 mm; total dimension W: 800 mm; total dimension H: 1940 mm; description: 8 drawers, height adjustable shelves, with shelf (possibly removable), with lids ;	750.00
41	1	blood plasma refrigerator Evermed, brand: Evermed; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 1020 mm; total dimension H: 2060 mm; description: adjustable stainless steel extendable gratings;	250.00
42	1	microwave Panasonic, Pro II NE-1880, brand: Panasonic; type: Pro II NE-1880; stainless steel: yes; digital control: yes; electric connection: 230 V; total dimension L: 730 mm; total dimension W: 600 mm; total dimension H: 1365 mm; description: unused, on a base;	500.00
43	1	Downhill oven Wiesheu, W08-EM, brand: Wiesheu; type: W08-EM; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 940 mm; total dimension W: 1200 mm; total dimension H: 2060 mm; description: on a mobile undercarriage, 10 levels, with extractor hood fitted with extractor motor ;	750.00
44	1	grate dishwashing line Winterhalter, GS502, brand: Winterhalter; type: GS502; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 2870 mm; total dimension W: 1440 mm; total dimension H: 1470 mm; description: including baskets, tables, new dosing pump, corner arrangement;	1,000.00
45	1	duo fan oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 830 mm; total dimension H: 2010 mm; description: 2x4 shelves, on a wheeled chassis;	1,500.00



Lot	Number	Description	Starting Bid €
46	1	semi-automatic meat tenderizer Tenderstar, brand: Tenderstar; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1610 mm;	500.00
47	1	deck oven Polin, Cam.stratos, brand: Polin; type: Cam.stratos; number of levels: 4; electric connection: 400 V; total dimension L: 1330 mm; total dimension W: 1300 mm; total dimension H: 2110 mm; description: mobile, digital reading ;	1,000.00
48	1	barbecue with stand and fire bowl White Fire, Cortenstaal, brand: White Fire; type: Cortenstaal; total dimension L: 1020 mm; total dimension W: 1020 mm; total dimension H: 1000 mm; description: unused, including operational grid, lid, iron baking tray around the dish;	850.00
49	1	schock freezer Foster, Xtra, brand: Foster; type: Xtra; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 810 mm; total dimension H: 1460 mm;	500.00
50	1	self-service refrigerated display case Ideal ake, brand: Ideal ake; stainless steel: yes; built-in cooling compressor: yes; total dimension L: 1250 mm; total dimension W: 870 mm; total dimension H: 1900 mm;	350.00
51	1	roasting tray Palux, brand: Palux; stainless steel: yes; electric: yes; tilting: no; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 1000 mm; total dimension H: 830 mm; description: cooking surface 580x570 mm, with lid, not tiltable;	500.00
52	1	meat wolf Mado, MEW620, brand: Mado; type: MEW620; electric connection: 400 V; total dimension L: 1000 mm; total dimension W: 675 mm; total dimension H: 1100 mm;	2,000.00
53	1	Bread cutter ABO, De Luxe3, brand: ABO; type: De Luxe3; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 665 mm; total dimension H: 1280 mm;	200.00
54	1	mixer grinder Koneteollisuus, LM-32A, brand: Koneteollisuus; type: LM-32A; electric connection: 400 V; total dimension L: 650 mm; total dimension W: 900 mm; total dimension H: 1460 mm;	2,000.00
55	1	blastchiller Electrolux, brand: Electrolux; number of doors: 1; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 700 mm; total dimension H: 820 mm;	750.00
56	1	meat mixer Ramon, brand: Ramon; electric connection: 400 V; total dimension L: 580 mm; total dimension W: 850 mm; total dimension H: 970 mm;	500.00
57	1	cooking kettle Electrolux, brand: Electrolux; content: 60 l; electric heated: yes; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 925 mm; total dimension H: 860 mm;	500.00
58	1	stainless steel hospitality freezer Polar, CD616-E-02, brand: Polar; type: CD616-E-02; stainless steel: no; digital display: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 810 mm; total dimension H: 1990 mm; description: height adjustable gratings ;	500.00
59	1	Stainless steel refrigerated workbench stainless steel: yes; digital display: yes; number of doors: 3 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2230 mm; total dimension W: 700 mm; total dimension H: 870 mm;	350.00
60	1	microwave Panasonic, Pro II NE-1880, brand: Panasonic; type: Pro II NE-1880; stainless steel: yes; digital control: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 600 mm; total dimension H: 450 mm;	500.00
61	1	retro cutting machine Weda, brand: Weda; blade sharpener: yes; total dimension L: 570 mm; total dimension W: 730 mm; total dimension H: 1500 mm; description: on chassis manual operation ;	750.00



Lot	Number	Description	Starting Bid €
62	1	cutter Robot Coupe, CL50, brand: Robot Coupe; type: CL50; electric connection: 230 V; total dimension L: 360 mm; total dimension W: 300 mm; total dimension H: 590 mm;	250.00
63	1	Saladette Gram, K 2207 CSG PT , brand: Gram; type: K 2207 CSG PT ; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2160 mm; total dimension W: 800 mm; total dimension H: 1940 mm; description: 4 doors, height adjustable shelves, with shelf (possibly removable), with lids ;	750.00
64	1	Subcooler Gram, K 1807 CSF R7A B LC , brand: Gram; type: K 1807 CSF R7A B LC ; stainless steel: yes; digital display: yes; number of drawers: 6 pcs; built-in cooling compressor: no; electric connection: 230 V; total dimension L: 1730 mm; total dimension W: 700 mm; total dimension H: 830 mm; description: unused, remote;	1,000.00
65	1	Subcooler Foster, HR-150-E, brand: Foster; type: HR-150-E; stainless steel: yes; digital display: yes; number of drawers: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 640 mm; total dimension H: 810 mm; description: unused;	500.00
66	1	stainless steel catering fridge Gram, Compact K410 RG L1 6N, brand: Gram; type: Compact K410 RG L1 6N; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 640 mm; total dimension H: 1880 mm; description: unused, height adjustable shelves ;	500.00
67	1	Downhill oven Wiesheu, B04-EM, brand: Wiesheu; type: B04-EM; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1120 mm; total dimension H: 2060 mm; description: on a mobile undercarriage equipped with 2x14 shelves, 5 levels, with extractor hood fitted with extraction motor ;	750.00
68	1	gas fired combi steamer Rational, SCC 61G, brand: Rational; type: SCC 61G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm; description: G25;	1,500.00
69	1	gas fired combi steamer Rational, SCC 61G, brand: Rational; type: SCC 61G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm; description: G25;	1,500.00
70	1	electric combi steamer Rational, CM PLUS 61E, brand: Rational; type: CM PLUS 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: yes; digital control: no; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm;	1,250.00
71	1	gas fired combi steamer Rational, SCC 101G, brand: Rational; type: SCC 101G; stainless steel: yes; gas: yes; electric: no; number of levels: 10; touch screen control: no; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1070 mm;	1,750.00
72	1	gas fired combi steamer Rational, SCC 101G, brand: Rational; type: SCC 101G; stainless steel: yes; gas: yes; electric: no; number of levels: 10; touch screen control: no; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1070 mm;	1,750.00
73	1	electric combi steamer Rational, CM 101E, brand: Rational; type: CM 101E; stainless steel: yes; gas: no; electric: yes; number of levels: 10; touch screen control: no; digital control: no; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1070 mm;	1,500.00



Lot	Number	Description	Starting Bid €
74	1	dishwasher Hobart, FXL-70N, brand: Hobart; type: FXL-70N; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1210 mm; description: on a base, including a basket, with soap and nail polish pump ;	750.00
75	1	catering freezer Catertech , SPA BT 70 CON S, brand: Catertech ; type: SPA BT 70 CON S; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 700 mm; total dimension W: 790 mm; total dimension H: 2050 mm; description: height adjustable gratings ;	500.00
76	1	electric combi steamer Rational, SCC 101, brand: Rational; type: SCC 101; stainless steel: yes; gas: no; electric: yes; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1740 mm; description: including chassis;	1,750.00
77	1	gas fired combi steamer Rational, SCC 61G, brand: Rational; type: SCC 61G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; electric connection: 230 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 181 mm; description: G25, including the chassis;	1,500.00
78	1	electric combi steamer Rational, SCC 101, brand: Rational; type: SCC 101; stainless steel: yes; gas: no; electric: yes; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1790 mm; description: including chassis;	1,750.00
79	1	electric combi steamer Rational, SCC 101E, brand: Rational; type: SCC 101E; stainless steel: yes; gas: no; electric: yes; number of levels: 10; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1070 mm;	1,750.00
80	1	electric combi steamer Rational, SCC 61E, brand: Rational; type: SCC 61E; stainless steel: yes; gas: no; electric: yes; number of levels: 6; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 800 mm; total dimension H: 1520 mm; description: including chassis ;	1,750.00
81	1	vacuum-seal packaging machine mobile: yes; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 1300 mm; description: conveyor belt, stainless steel, automatic control of pressure and temperature, suitable for horizontal packaging of various products;	500.00
82	1	gas fired combi steamer Rational, CPC 61G, brand: Rational; type: CPC 61G; stainless steel: yes; gas: yes; electric: no; number of levels: 6; digital control: yes; total dimension L: 900 mm; total dimension W: 770 mm; total dimension H: 1580 mm; description: including chassis;	1,250.00
83	1	complete freezer cell ready for use cooling compressor: yes; evaporator unit: yes; total dimension L: 1510 mm; total dimension W: 900 mm; total dimension H: 2900 mm; description: including roof plug-in unit, 10 cm thick panel, door passage 130 cm, a connection for lighting , 230 V, ;	1,000.00
84	1	stainless steel catering fridge Gram, Compact 210, brand: Gram; type: Compact 210; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 595 mm; total dimension W: 640 mm; total dimension H: 830 mm; description: unused ;	250.00
85	1	bali kitchen block issue total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 900 mm; description: including tap , sink, granite counters, stainless steel frame with trespa;	500.00
86	1	stainless steel waste containers stainless steel: yes; mobile: yes; with hook and rail system: yes; with lid: yes; total dimension L: 440 mm; total dimension W: 460 mm; total dimension H: 1020 mm;	250.00



Lot	Number	Description	Starting Bid €
87	1	Planet mixer Electrolux , XBM20, brand: Electrolux ; type: XBM20; stainless steel: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 620 mm; total dimension H: 970 mm; description: 20L, including whisk, dough hook and butterfly whisk;	350.00
88	1	duo fan oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 800 mm; total dimension H: 1680 mm; description: 2x4 shelves, on a mobile chassis with 2x4 shelves;	750.00
89	1	mobile tap total dimension L: 2030 mm; total dimension W: 790 mm; total dimension H: 980 mm; description: equipped with david tap system, faucet, sink and drip tray, cask coupling;	750.00
90	1	meat wolf Hobart, brand: Hobart; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 1040 mm; total dimension H: 1330 mm;	1,000.00
91	1	Bread cutter Jac Face, brand: Jac Face; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 610 mm; total dimension H: 1320 mm;	200.00
92	1	meat mixer Villa, M100, brand: Villa; type: M100; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 780 mm; total dimension H: 1020 mm;	500.00
93	1	wine cooler Küppersbusch , EWK880-0-2Z, brand: Küppersbusch ; type: EWK880-0-2Z; capacity bottles: 56; freestanding: yes; adjustable thermostate: yes; temperature range min.: 5 °c; temperature range max.: 22 °c; digital display: yes; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 600 mm; total dimension H: 865 mm; description: unused, built-in, two temperature zones; upper compartment +5 - +12, lower compartment +12 - +22, 6 wooden shelves extendable;	500.00
94	1	semi-automatic meat tenderizer Tenderstar, brand: Tenderstar; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 800 mm; total dimension H: 1610 mm;	500.00
95	3	crushed ice bucket stainless steel: yes; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 150 mm; description: equipped with drain valve;	150.00
96	1	catering freezer Gram rendisk, Baker F 930 CBH 5B, brand: Gram rendisk; type: Baker F 930 CBH 5B; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 800 mm; total dimension W: 1050 mm; total dimension H: 2160 mm; description: height adjustable gratings;	750.00
97	1	heating curve Küppersbusch , brand: Küppersbusch ; electric heated: yes; electric connection: 400 V; total dimension L: 3410 mm; total dimension W: 650 mm; total dimension H: 860 mm; description: consisting of ; Two-burner electric stove, neutral unit, 2x double fryer, neutral unit, griddle, neutral unit;	500.00
98	1	basket dishwasher including sink Eurowash, brand: Eurowash; stainless steel: yes; frontloader: yes; rack model: no; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 230 V; total dimension L: 1390 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: equipped with soap and afterglow pump, including baskets, pre-rinse shower;	500.00
99	1	ice maker Hoshizaki, IM-30CLE, brand: Hoshizaki; type: IM-30CLE; stainless steel: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 430 mm; total dimension H: 790 mm; description: including drain hose;	500.00



Lot	Number	Description	Starting Bid €
100	1	Stainless steel work table total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	150.00
101	1	Stainless steel work table total dimension L: 1000 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	150.00
102	1	Stainless steel work table total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	175.00
103	1	Stainless steel work table total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	175.00
104	1	Stainless steel work table total dimension L: 1300 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	175.00
105	1	Stainless steel work table total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	200.00
106	1	Stainless steel work table total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	200.00
107	1	Stainless steel work table total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	225.00
108	1	Stainless steel work table total dimension L: 1700 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	225.00
109	1	Stainless steel work table total dimension L: 1800 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	250.00
110	1	Stainless steel work table total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	250.00
111	1	Stainless steel work table total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height adjustable legs, lower shelf, heavy quality, new in the package;	250.00
112	1	Stainless steel wall cupboard stainless steel: yes; total dimension L: 1100 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: with sliding doors , adjustable shelf, new in the package ;	250.00
113	1	Stainless steel wall cupboard stainless steel: yes; total dimension L: 1400 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: with sliding doors , adjustable shelf, new in the package ;	300.00
114	1	Stainless steel wall cupboard stainless steel: yes; total dimension L: 1600 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: with sliding doors , adjustable shelf, new in the package ;	300.00
115	1	Stainless steel wall cupboard stainless steel: yes; total dimension L: 1900 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: with sliding doors , adjustable shelf, new in the package ;	350.00
116	1	Stainless steel cupboard with sliding doors total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height-adjustable legs, shelf, new in the package;	300.00
117	1	Stainless steel cupboard with sliding doors total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height-adjustable legs, shelf, new in the package;	350.00



Lot	Number	Description	Starting Bid €
118	1	Stainless steel cupboard with sliding doors total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height-adjustable legs, shelf, new in the package;	350.00
119	1	Stainless steel cupboard with sliding doors total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: height-adjustable legs, shelf, new in the package;	400.00
120	1	Stainless holding cabinet with sliding doors Inomak, GES 711, brand: Inomak; type: GES 711; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable feet, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, new in the package;	500.00
121	1	Stainless holding cabinet with sliding doors Inomak, GES 714, brand: Inomak; type: GES 714; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; electric connection: 230 V; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable feet, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, new in the package;	550.00
122	1	Stainless holding cabinet with sliding doors Inomak, GES 716, brand: Inomak; type: GES 716; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable feet, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, new in the package;	650.00
123	1	Stainless holding cabinet with sliding doors Inomak, GES 719, brand: Inomak; type: GES 719; stainless steel: yes; adjustable thermostate: yes; temperature range max.: 72 °c; electric connection: 230 V; total dimension L: 1900 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: adjustable feet, insulated double-walled sliding doors , ventilated fixed stainless steel shelf, new in the package;	700.00
124	1	Stainless steel refrigerated workbench Inomak, PNN 99, brand: Inomak; type: PNN 99; stainless steel: yes; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs, height adjustable grid;	800.00
125	1	Stainless steel refrigerated workbench Inomak, PNN 29, brand: Inomak; type: PNN 29; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 880 mm; description: height adjustable grate, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	750.00
126	1	Stainless steel refrigerated workbench Inomak, PNN 22, brand: Inomak; type: PNN 22; stainless steel: yes; digital display: yes; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: new in the package ;	1,000.00
127	1	Stainless steel refrigerated workbench Inomak, PNN 999, brand: Inomak; type: PNN 999; stainless steel: yes; digital display: yes; number of doors: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable grid, automatic leakage water evaporation and defrosting, adjustable legs;	1,000.00



Lot	Number	Description	Starting Bid €
128	1	Stainless steel refrigerated workbench Inomak, PNN 299, brand: Inomak; type: PNN 299; stainless steel: yes; digital display: yes; number of doors: 2 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable gratings, automatic leakage water evaporation and defrosting, adjustable legs;	1,000.00
129	1	Stainless steel refrigerated workbench Inomak, PNN 229, brand: Inomak; type: PNN 229; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable gratings, automatic leakage water evaporation and defrosting, adjustable legs;	1,250.00
130	1	Stainless steel refrigerated workbench Inomak, PNN 222, brand: Inomak; type: PNN 222; stainless steel: yes; digital display: yes; number of drawers: 6 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,250.00
131	1	Stainless steel refrigerated workbench Inomak, PNN 9999, brand: Inomak; type: PNN 9999; stainless steel: yes; digital display: yes; number of doors: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable grid, automatic leakage water evaporation and defrosting, adjustable legs;	1,250.00
132	1	Stainless steel refrigerated workbench Inomak, PNN 2999, brand: Inomak; type: PNN 2999; stainless steel: yes; digital display: yes; number of doors: 3 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable grid, automatic leakage water evaporation and defrosting, adjustable legs;	1,250.00
133	1	Stainless steel refrigerated workbench Inomak, PNN 2299, brand: Inomak; type: PNN 2299; stainless steel: yes; digital display: yes; number of doors: 2 pcs; number of drawers: 4 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable grid, automatic leakage water evaporation and defrosting, adjustable legs;	1,250.00
134	1	cool workbench Inomak, PN 2229, brand: Inomak; type: PN 2229; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 6 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 875 mm;	1,500.00
135	1	Stainless steel refrigerated workbench Inomak, PNN 2229, brand: Inomak; type: PNN 2229; stainless steel: yes; digital display: yes; number of doors: 1 pcs; number of drawers: 6 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, height adjustable grid, automatic leakage water evaporation and defrosting, adjustable legs;	1,500.00
136	1	Stainless steel refrigerated workbench Inomak, PNN 2222, brand: Inomak; type: PNN 2222; stainless steel: yes; digital display: yes; number of drawers: 8 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2240 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, gastronorm, automatic drip water evaporation and defrost, adjustable legs;	1,500.00



Lot	Number Description	Starting Bid €
137	1 Stainless steel catering refrigerator Inomak, CA 172, brand: Inomak; type: CA 172; stainless steel: yes; capacity: 670 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	900.00
138	1 Stainless steel catering fridge with glass door Inomak, CA 172 GL, brand: Inomak; type: CA 172 GL; stainless steel: yes; capacity: 670 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
139	1 Stainless steel hospitality freezer Inomak, CB 172, brand: Inomak; type: CB 172; stainless steel: yes; capacity: 670 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
140	1 Stainless steel hospitality freezer with glass door Inomak, CB 172 GL, brand: Inomak; type: CB 172 GL; stainless steel: yes; capacity: 670 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 72 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
141	1 Stainless steel double door catering fridge Inomak, CE 2144, brand: Inomak; type: CE 2144; stainless steel: yes; capacity: 1450 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,250.00
142	1 Stainless steel double door catering fridge with glass doors Inomak, CE 2144 GL, brand: Inomak; type: CE 2144 GL; stainless steel: yes; capacity: 1450 l; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,500.00
143	1 Stainless steel double door catering freezer Inomak, CF 2144, brand: Inomak; type: CF 2144; stainless steel: yes; capacity: 1450 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,500.00
144	1 Stainless steel double door catering freezer with glass door Inomak, CF 2144 GL, brand: Inomak; type: CF 2144 GL; stainless steel: yes; capacity: 1450 l; temperature range min.: -22 °c; temperature range max.: -10 °c; digital display: yes; electric connection: 230 V; total dimension L: 1440 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: unused, high-quality stainless steel, including gratings 6, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	1,750.00
145	1 hot air oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 800 mm; total dimension H: 2070 mm; description: 5 levels, on a frame with 2x8 shelves, including a hood fitted with a suction motor ;	250.00



Lot	Number	Description	Starting Bid €
146	1	blood plasma refrigerator Evermed, brand: Evermed; electric connection: 230 V; description: adjustable stainless steel extendable drawers;	250.00
147	1	glass dishwasher Winterhalter, GS202, brand: Winterhalter; type: GS202; stainless steel: yes; frontloader: yes; basket dimension L: 400 mm; basket dimension W: 400 mm; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 590 mm; total dimension H: 710 mm; description: including basket;	350.00
148	1	hot air oven Unox, XVC205E , brand: Unox; type: XVC205E ; stainless steel: yes; electric: yes; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 575 mm; total dimension W: 850 mm; total dimension H: 820 mm; description: equipped with xc118 and xc405;	650.00
149	1	dishwasher Winterhalter, GS302, brand: Winterhalter; type: GS302; stainless steel: yes; frontloader: yes; rack model: no; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 820 mm; description: including basket;	400.00
150	1	hot air oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 800 mm; total dimension H: 2070 mm; description: 5 levels, on a frame with 2x9 shelves, including a hood fitted with a suction motor ;	250.00
151	1	2-burner gas stove Desco, brand: Desco; stainless steel: yes; gas: yes; number of zones: 2; total dimension L: 300 mm; total dimension W: 590 mm; total dimension H: 360 mm; description: Unused;	350.00
152	1	Downhill oven Wiesheu, brand: Wiesheu; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1110 mm; total dimension H: 2160 mm; description: on stainless steel base with guides, mobile, 10 shelves, including hood with motor;	750.00
153	1	Downhill oven Mareno, brand: Mareno; number of levels: 10; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 850 mm;	150.00
154	1	Downhill oven Wiesheu, brand: Wiesheu; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 930 mm; total dimension W: 1110 mm; total dimension H: 2160 mm; description: on stainless steel base with guides, mobile, 10 shelves, including hood with motor;	750.00
155	1	Downhill oven Leventi, Bakermat mastermind, brand: Leventi; type: Bakermat mastermind; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 400 mm; total dimension W: 620 mm; total dimension H: 640 mm; description: 12 conductors;	350.00
156	1	baking tray Küppersbusch, brand: Küppersbusch; stainless steel: yes; gas: yes; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 740 mm;	200.00
157	1	baking tray Küppersbusch, brand: Küppersbusch; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 400 mm; total dimension W: 750 mm; total dimension H: 870 mm; description: fitted with a door on the chassis;	350.00
158	1	baking tray Küppersbusch, FEB 430, brand: Küppersbusch; type: FEB 430; gas: no; electric: yes; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 850 mm; total dimension H: 890 mm; description: on open frame;	500.00



Lot	Number	Description	Starting Bid €
159	1	barkoeling Gamko, brand: Gamko; number of doors: 1 pcs; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 570 mm; total dimension H: 840 mm;	100.00
160	1	barkoeling Gamko, brand: Gamko; number of doors: 1 pcs; electric connection: 230 V; total dimension L: 2445 mm; total dimension W: 595 mm; total dimension H: 870 mm; description: 8 drawers, remote ;	200.00
161	1	bellytray Bellytray, brand: Bellytray; description: including harness, 3 tray plates;	25.00
162	1	bellytray Bellytray, brand: Bellytray; description: including harness, 3 tray plates;	25.00
163	1	Bread cutter Maho, brand: Maho; electric connection: 230 V; total dimension L: 680 mm; total dimension W: 710 mm; total dimension H: 1180 mm;	125.00
164	1	Bread cutter electric connection: 400 V; total dimension L: 560 mm; total dimension W: 650 mm; total dimension H: 1400 mm;	125.00
165	1	Bread cutter Jac Face, brand: Jac Face; electric connection: 400 V; total dimension L: 670 mm; total dimension W: 580 mm; total dimension H: 1300 mm; description: mobile;	150.00
166	1	Bread cutter Beko, brand: Beko; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 650 mm; total dimension H: 1300 mm; description: mobile;	150.00
167	1	Bread cutter Kalmeijer, brand: Kalmeijer; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 710 mm; total dimension H: 1210 mm;	125.00
168	1	combi steamer Fri-jado, BS I, brand: Fri-jado; type: BS I; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 910 mm; total dimension W: 750 mm; total dimension H: 650 mm; description: electric door release, height-adjustable shelves;	250.00
169	1	crushed ice bucket stainless steel: yes; total dimension L: 730 mm; total dimension W: 610 mm; total dimension H: 200 mm;	100.00
170	1	various kitchen utensils description: consisting of including cutlery, cookware, buffet cutlery, plates, cutting boards, waste container, soap dispensers, lighting ;	100.00
171	1	double door bar cooling Gamko, brand: Gamko; folding door(s): 2; number of doors: 2 pcs; digital display: yes; electric connection: 230 V; total dimension L: 1670 mm; total dimension W: 560 mm; total dimension H: 850 mm;	350.00
172	1	double storey stainless steel: yes; total dimension L: 1900 mm; total dimension W: 333 mm; total dimension H: 765 mm;	200.00
173	1	double storey stainless steel: yes; total dimension L: 1100 mm; total dimension W: 333 mm; total dimension H: 765 mm;	150.00
174	1	Windshield shower stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting ;	175.00
175	1	electric combi steamer Elite, brand: Elite; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 450 mm;	150.00



Lot	Number	Description	Starting Bid €
176	1	electric combi steamer Rational, SCC 61E, brand: Rational; type: SCC 61E; stainless steel: yes; electric: yes; number of levels: 6; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 1450 mm; description: including chassis;	1,750.00
177	1	Fust cooling Gamko, brand: Gamko; number of doors: 2 pcs; electric connection: 230 V; total dimension L: 1110 mm; total dimension W: 570 mm; total dimension H: 860 mm;	150.00
178	1	gaz Sunset BBQ, Gomera HLS, brand: Sunset BBQ; type: Gomera HLS; gas: yes; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused in box, base cabinet with doors, temperature meter, lid, bottle opener;	150.00
179	1	Gas cooker with oven Etna, brand: Etna; gas: yes; electric: yes; electric connection: 230 V; description: built-in;	100.00
180	1	gas fired combi steamer Rational, SCC 61G, brand: Rational; type: SCC 61G; stainless steel: yes; gas: yes; number of levels: 6; digital control: yes; total dimension L: 850 mm; total dimension W: 770 mm; total dimension H: 780 mm; description: G25;	1,500.00
181	1	glass door bar cooling Exquisit, SC148G.A, number of doors: 1 pcs; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 510 mm; total dimension H: 870 mm;	100.00
182	1	catering coffee machine WMF, Bistrol!, brand: WMF; type: Bistrol!; stainless steel: yes; number of groups: 2 pcs; digital display: yes; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 520 mm; total dimension H: 760 mm;	750.00
183	1	chopping block cutting table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: stainless steel frame;	150.00
184	1	hot air oven Culion, BTC518, brand: Culion; type: BTC518; stainless steel: yes; electric: yes; digital control: yes; electric connection: 230 V; total dimension L: 740 mm; total dimension W: 575 mm; total dimension H: 560 mm;	150.00
185	1	hot air oven Unox, XVC205, brand: Unox; type: XVC205; stainless steel: yes; electric: yes; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 575 mm; total dimension W: 850 mm; total dimension H: 820 mm; description: equipped with xc118 and xc405;	650.00
186	1	gaz Sunset BBQ, Gomera HLS, brand: Sunset BBQ; type: Gomera HLS; gas: yes; total dimension L: 1350 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: unused in box, base cabinet with doors, temperature meter, lid, bottle opener;	150.00
187	1	hot air oven brand: Alphatech; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 810 mm; total dimension W: 620 mm; own weight: 590 kg; description: 5 regals,;	100.00
188	1	hot air oven Unox, XV203G, brand: Unox; type: XV203G; stainless steel: yes; electric: yes; number of levels: 5; touch screen control: yes; digital control: yes; electric connection: 400 V; total dimension L: 625 mm; total dimension W: 700 mm; total dimension H: 615 mm; description: equipped with xc400, including schedules;	350.00
189	1	hot air oven Unox, brand: Unox; stainless steel: yes; electric: yes; touch screen control: yes; electric connection: 400 V; total dimension L: 750 mm; total dimension W: 730 mm; total dimension H: 800 mm; description: 6 regals;	150.00



Lot	Number	Description	Starting Bid €
190	1	Charcoal barbecue Sunset BBQ, Tortuga HLS, brand: Sunset BBQ; type: Tortuga HLS; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: unused in box, bbq with lid, temperature meter;	100.00
191	1	hot air oven Unox, XVC205, brand: Unox; type: XVC205; stainless steel: yes; electric: yes; touch screen control: yes; electric connection: 400 V; total dimension L: 589 mm; total dimension W: 800 mm; total dimension H: 620 mm; description: 6 regals, equipped with the xc 405 and the XC 118;	150.00
192	1	catering fridge Metos, brand: Metos; stainless steel: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 630 mm; total dimension H: 800 mm; description: adjustable shelves;	150.00
193	1	catering coffee machine Rex-Royal, brand: Rex-Royal; stainless steel: yes; cup/glass heating: yes; digital display: no; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 800 mm; description: including water filter;	650.00
194	1	catering coffee machine Bravilor, B10, brand: Bravilor; type: B10; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 300 mm; total dimension H: 840 mm; description: including various containers and coffee filters ;	350.00
195	1	catering coffee machine WMF, Bistrol!, brand: WMF; type: Bistrol!; stainless steel: yes; number of groups: 2 pcs; digital display: yes; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 520 mm; total dimension H: 760 mm;	750.00
196	1	catering freezer Mondial Elite, KIC PR60, brand: Mondial Elite; type: KIC PR60; temperature range min.: +2 °c; temperature range max.: +10 °c; digital display: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 740 mm; total dimension H: 1870 mm; description: height adjustable gratings ;	150.00
197	1	Charcoal barbecue Sunset BBQ, Tortuga HLS, brand: Sunset BBQ; type: Tortuga HLS; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1200 mm; description: unused in box, bbq with lid, temperature meter;	100.00
198	1	built-in stove Etna, brand: Etna; gas: yes; number of zones: 4; total dimension L: 580 mm; total dimension W: 510 mm; total dimension H: 80 mm; description: 4 pits, unused;	50.00
199	1	built-in refrigerator Atag, brand: Atag; electric connection: 230 V; total dimension L: 560 mm; total dimension W: 520 mm; total dimension H: 875 mm; description: unused;	100.00
200	1	built-in induction hob Scholl, brand: Scholl; stainless steel: yes; electric: yes; electric connection: 400 V; description: unused, hob size 320x320x50 mm;	350.00
201	1	induction wok Ubert, brand: Ubert; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 500 mm; total dimension W: 580 mm; total dimension H: 180 mm; description: unused;	500.00
202	1	ceramic cooker Ubert, AK3, brand: Ubert; type: AK3; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 100 mm; description: unused;	500.00
203	1	charcoal barbeque brand: Sunset;	50.00



Lot	Number	Description	Starting Bid €
204	1	kitchen supplies description: crates, waste bins, meat knives, defrosting plate, cooling plate, chaving dish frame;	50.00
205	1	chicken grill Ubert, brand: Ubert; electric heated: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 600 mm; total dimension H: 1975 mm; description: on a wheeled base, digital reading, including baskets;	400.00
206	1	chicken grill Ubert, Topline, brand: Ubert; type: Topline; electric heated: yes; electric connection: 400 V; total dimension L: 860 mm; total dimension W: 710 mm; total dimension H: 1940 mm; description: on a wheeled base, including baskets;	500.00
207	1	clock scales including stand Weda, VK, brand: Weda; type: VK; total dimension L: 530 mm; total dimension W: 539 mm; total dimension H: 2000 mm; description: stainless steel stand;	100.00
208	1	refrigerator brand: Jumbo; type: Abx 500 pve; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 720 mm; total dimension H: 1970 mm;	150.00
209	1	refrigerator Jumbo, brand: Jumbo; stainless steel: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 720 mm; total dimension H: 1800 mm; description: height adjustable gratings ;	150.00
210	1	refrigerated display case brand: Gamko; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 645 mm; total dimension W: 620 mm; total dimension H: 790 mm;	150.00
211	1	cool workbench Catertech, brand: Catertech; stainless steel: yes; temperature range min.: -2 °c; temperature range max.: +8 °c; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1360 mm; total dimension W: 700 mm; total dimension H: 900 mm;	400.00
212	1	Cooking line electric connection: 400 V; total dimension L: 1930 mm; total dimension W: 800 mm; total dimension H: 860 mm; description: electric hob, deep fryer, including basket and lid;	350.00
213	1	Cooking line Desco, brand: Desco; electric heated: yes; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 750 mm; total dimension H: 910 mm; description: consisting of : electric stove, 2 zones, bain marie, neutral unit with drawer, bain marie;	500.00
214	1	clock scales including stand Weda, VK, brand: Weda; type: VK; digital display: no; total dimension L: 530 mm; total dimension W: 530 mm; total dimension H: 2000 mm; description: stainless steel stand;	100.00
215	1	cups warmer Caterchef, brand: Caterchef; stainless steel: yes; freestanding: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 350 mm; total dimension H: 520 mm;	50.00
216	1	cup warmer WMF, brand: WMF; stainless steel: yes; electric connection: 230 V; total dimension L: 420 mm; total dimension W: 420 mm; total dimension H: 700 mm;	50.00
217	1	dishwasher Asber, Techwash, brand: Asber; type: Techwash; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 830 mm;	400.00



Lot	Number	Description	Starting Bid €
218	1	dishwasher ATA, B30, brand: ATA; type: B30; stainless steel: yes; frontloader: yes; analog: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 800 mm; description: built-in afterglow pump;	350.00
219	1	dishwasher Comenda, Catertech , brand: Comenda; type: Catertech ; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 1310 mm;	400.00
220	1	dishwasher Hobart, brand: Hobart; stainless steel: yes; frontloader: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1410 mm;	300.00
221	1	dishwasher Rhima, DR 60, brand: Rhima; type: DR 60; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 800 mm; total dimension H: 1500 mm;	750.00
222	1	dishwasher Winterhalter, GS502, brand: Winterhalter; type: GS502; stainless steel: yes; rack model: yes; digital: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 800 mm; total dimension H: 1570 mm; description: including basket, equipped with soap and afterglow pump ;	950.00
223	1	revolt cough fruit stainless steel: no; total dimension L: 1350 mm; description: stainless steel uprights, single curved glass, unused;	75.00
224	1	meat mincer Varimixer, Bear, brand: Varimixer; type: Bear; description: unused;	10.00
225	1	grinder stainless steel: no; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 250 mm; total dimension H: 230 mm;	25.00
226	1	neutral unit Josto, brand: Josto; stainless steel: yes; total dimension L: 1170 mm; total dimension W: 710 mm; total dimension H: 850 mm; description: Including can opener;	250.00
227	1	revolt cough fruit stainless steel: no; total dimension L: 1350 mm; description: stainless steel uprights, single curved glass, unused;	75.00
228	1	Set-up refrigerator vitrine stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 400 mm; total dimension H: 260 mm; description: including bins and lids;	150.00
229	1	oven brand: Culion; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 740 mm; total dimension W: 620 mm; total dimension H: 560 mm; description: 5 regals;	200.00
230	1	parasol foot Platinum, Milano 120KG, brand: Platinum; type: Milano 120KG; total dimension L: 810 mm; total dimension W: 810 mm; total dimension H: 180 mm; own weight: 120 kg; description: mobile;	100.00
231	1	parasol foot total dimension L: 800 mm; total dimension W: 800 mm; total dimension H: 80 mm; description: approx 120kg;	100.00
232	1	Pizza oven brand: Jado; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 1190 mm; total dimension W: 800 mm; total dimension H: 770 mm;	750.00



Lot	Number	Description	Starting Bid €
233	1	rotisserie chicken grill Savory, Panorama 5, brand: Savory; type: Panorama 5; electric heated: yes; electric connection: 400 V; total dimension L: 850 mm; total dimension W: 620 mm; total dimension H: 950 mm; description: including 4 baskets;	350.00
234	1	stainless steel waste bin Nayati, brand: Nayati; stainless steel: yes; with hook and rail system: yes; with lid: yes; total dimension L: 400 mm; total dimension W: 370 mm; total dimension H: 770 mm; description: mobile ;	50.00
235	1	stainless steel catering fridge Jumbo, ABX 500 PV, brand: Jumbo; type: ABX 500 PV; stainless steel: yes; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 720 mm; total dimension H: 1965 mm; description: height adjustable gratings;	150.00
236	1	stainless steel worktop with sink stainless steel: yes; total dimension L: 1400 mm; total dimension W: 1150 mm; description: includes tap ;	50.00
237	1	Stainless steel work table total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 860 mm;	150.00
238	1	stainless steel work table with cupboard stainless steel: yes; total dimension L: 2040 mm; total dimension W: 700 mm; total dimension H: 2100 mm; description: provided with trespa;	150.00
239	1	salamander Bartscher, EB-600, brand: Bartscher; type: EB-600; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 510 mm; total dimension H: 530 mm;	150.00
240	1	salamander stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 570 mm; total dimension W: 550 mm; total dimension H: 510 mm;	150.00
241	1	Seal device Seron, brand: Seron; stainless steel: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 690 mm; total dimension H: 280 mm;	10.00
242	1	cutter Deko, 800 S, brand: Deko; type: 800 S; blade sharpener: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 700 mm; total dimension H: 580 mm;	450.00
243	1	Seal device stainless steel: yes; electric connection: 230 V; total dimension L: 460 mm; total dimension W: 690 mm; total dimension H: 280 mm;	10.00
244	1	serve stainless steel: yes; total dimension L: 1030 mm; total dimension W: 620 mm; total dimension H: 1020 mm;	100.00
245	1	trolley dimension L: 1060 cm; dimension W: 610 cm; dimension H: 920 cm;	25.00
246	1	cutter brand: Kolossal; blade sharpener: no; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 610 mm; total dimension H: 450 mm;	400.00
247	1	snake reel Klarco, brand: Klarco; stainless steel: yes; description: unused, approx. 2 m hose;	50.00
248	1	cutter Omas, brand: Omas; blade sharpener: yes; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 600 mm; total dimension H: 460 mm;	350.00
249	1	cutter Bizerba, VS 12, brand: Bizerba; type: VS 12; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 520 mm; total dimension H: 450 mm;	500.00



Lot	Number	Description	Starting Bid €
250	1	cutter Bizerba, brand: Bizerba; electric connection: 230 V; total dimension L: 500 mm; total dimension W: 600 mm; total dimension H: 450 mm;	350.00
251	1	cutter Conpax, Ergo slicer, brand: Conpax; type: Ergo slicer; electric connection: 230 V; total dimension L: 370 mm; total dimension W: 420 mm; total dimension H: 530 mm;	100.00
252	1	sink stainless steel: yes; number of sinks: 2 pcs; total dimension L: 1290 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: wall model including wooden casing;	100.00
253	1	cutter Bizerba, VS 12 F, brand: Bizerba; type: VS 12 F; electric connection: 230 V; total dimension L: 540 mm; total dimension W: 520 mm; total dimension H: 450 mm;	500.00
254	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1230 mm; total dimension W: 700 mm; total dimension H: 890 mm; description: equipped with sliding door ;	150.00
255	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 900 mm; total dimension W: 700 mm; total dimension H: 920 mm;	150.00
256	1	sink stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 675 mm; description: with sliding doors , raised edge, wall-mountable ;	200.00
257	10	baguette cutters baguette cutter wood: yes; metal: yes; total dimension L: 360 mm; total dimension W: 330 mm; total dimension H: 230 mm; description: new in Box;	200.00
258	10	baguette cutters baguette cutter wood: yes; metal: yes; total dimension L: 360 mm; total dimension W: 330 mm; total dimension H: 230 mm; description: new in Box;	200.00
259	1	cutter Berkel, 834 S, brand: Berkel; type: 834 S; blade sharpener: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 450 mm; description: equipped with scale function;	500.00
260	1	vacuum machine Unika, V-60, brand: Unika; type: V-60; mobile: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 620 mm; total dimension H: 1040 mm;	650.00
261	1	packaging machine Jadopack, brand: Jadopack; stainless steel: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 520 mm; total dimension H: 1030 mm; description: on mobile undercarriage ;	250.00
262	1	packaging machine rolldown apparatus Jadopack, M 465, brand: Jadopack; type: M 465; stainless steel: yes; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 630 mm; total dimension H: 110 mm;	10.00
263	1	Mobile chassis Description: stainless steel, with pull out under leaf, unused, dimensions . approx. bxdxh 105x75x111 cm	400.00
264	1	Mobile chassis Description: stainless steel, with pull out under leaf, dimensions . approx. bxdxh 105x75x111 cm	400.00
265	1	mobile rotisserie chicken grill Euro Grill, brand: Euro Grill; electric heated: yes; electric connection: 230 V; description: 230/400 volts, mobile;	500.00



Lot	Number	Description	Starting Bid €
266	1	mobile tap total dimension L: 2000 mm; total dimension W: 500 mm; total dimension H: 1030 mm; description: cooling cask, provided with tap, coil drip pan, manometers, containers couplings ;	500.00
267	1	packaging machine rolldown apparatus Jadopack, M 465, brand: Jadopack; type: M 465; stainless steel: yes; electric connection: 230 V; total dimension L: 520 mm; total dimension W: 630 mm; total dimension H: 110 mm;	10.00
268	1	meat wolf Berdob, brand: Berdob; electric connection: 400 V; total dimension L: 1210 mm; total dimension W: 650 mm; total dimension H: 1530 mm; description: mobile;	1,500.00
269	1	Flying lamp MO-EL, brand: MO-EL; total dimension L: 440 mm; total dimension W: 400 mm; total dimension H: 100 mm; description: 230 volts;	50.00
270	1	Flying lamp MO-EL, brand: MO-EL; total dimension L: 660 mm; total dimension W: 440 mm; total dimension H: 230 mm; description: 230 volts;	50.00
271	1	freezer island Linde, brand: Linde; electric connection: 230 V; total dimension L: 1460 mm; total dimension W: 980 mm; total dimension H: 950 mm;	100.00
272	1	wall refrigeration Arneg, brand: Arneg; digital display: no; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 2020 mm; description: adjustable shelves, electric shutter, built-in lighting;	250.00
273	1	wall refrigeration Diamond zoin, Brand: Diamond Zoin; Description: adjustable shelves, 230 Volts, dimensions . approx. bxdxh 100x55x190 cm	200.00
274	1	Yogurt cooler QPC 4, type: QPC 4; dimension L: 360 mm; dimension W: 520 mm; dimension H: 1150 mm;	250.00
275	1	wall refrigeration Metos, Brand: Metos; Description: digital control and readout, equipped with shutters, built-in lighting , 230-volt, dimensions . approx. bxdxh 125x86 x206 cm.	150.00
276	1	wall cooling furniture Fogal, Alaska 120 , brand: Fogal; type: Alaska 120 ; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1250 mm; total dimension W: 660 mm; own weight: 2300 kg; description: unused, electric shutter, LED lighting , adjustable shelves ;	750.00
277	1	Warming vapor brand: Bartscher; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 480 mm; total dimension H: 600 mm;	100.00
278	1	Warming vapor Ubert, brand: Ubert; stainless steel: yes; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 650 mm; total dimension W: 495 mm; total dimension H: 800 mm; description: built-in, equipped with warming lamps;	250.00
279	8	water filters Brita, brand: Brita; description: various models;	50.00
280	1	work table / cutting table total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 900 mm;	150.00
281	1	wine liquor blast chiller Chilla, brand: Chilla; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 370 mm; description: place for 3 bottles;	250.00
282	1	Yogurt cooler QPC 4, type: QPC 4; dimension L: 360 mm; dimension W: 520 mm; dimension H: 1150 mm;	250.00



Lot	Number	Description	Starting Bid €
283	1	fridge freezer combination cell cooling compressor: yes; evaporator unit: yes; total dimension L: 4050 mm; total dimension W: 3010 mm; total dimension H: 2560 mm; description: including floor, exclusive rack , inner size cooling cell bxdxh 2250x2850x2400 mm, inner size from the cold-storage room door bxdxh 2850x1550x2400 mm, already disassembled pallets 2;	750.00
284	1	electric cooking line brand: Kuppersbusch; electric heated: yes; electric connection: 400 V; total dimension L: 3000 mm; total dimension W: 750 mm; total dimension H: 900 mm; description: including wok with wok pan 230 volt, mirror baking tray 400 volts, 400 volts double fryer, including baskets and lids, stainless steel, under cabinet with sliding doors;	1,000.00
285	1	Contact grill Elite, DF9799, brand: Elite; type: DF9799; electric heated: yes; electric connection: 230 V; total dimension L: 480 mm; total dimension W: 390 mm; total dimension H: 160 mm; description: bottom plate flat, top plate ribbed, unused;	25.00
286	1	cask cooling Gamko, brand: Gamko; folding door(s): 1; number of doors: 1 pcs; adjustable thermostate: yes; digital display: yes; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 580 mm; total dimension H: 865 mm; description: unused;	350.00
287	1	mixing tub total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 270 mm;	25.00
288	5	Tables lowerator stainless steel: yes; description: unused, 3x 335 mm round and 750 mm high, 1x 370 mm round and 770 high, 1x mobile 370 round and 700 high;	50.00
289	1	stainless steel chassis stainless steel: yes; total dimension L: 845 mm; total dimension W: 665 mm; total dimension H: 710 mm; description: unused;	50.00
290	40	stackable chair metal: yes; stainless steel: no; plastic: no; fabric upholstered: yes; total dimension L: 430 mm; total dimension W: 500 mm; total dimension H: 920 mm; description: seat height 450 mm;	400.00
291	40	stackable chair metal: yes; stainless steel: no; plastic: no; fabric upholstered: yes; total dimension L: 430 mm; total dimension W: 500 mm; total dimension H: 920 mm; description: seat height 450 mm;	400.00
292	1	hot cupboard stainless steel: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 840 mm;	250.00
293	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color red;	500.00
294	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color red;	500.00
295	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color red;	500.00
296	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 swivel wheels, 2 of which are braked, 30 stacking chairs, color blue;	500.00



Lot	Number	Description	Starting Bid €
297	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 swivel wheels, 2 of which are braked, 30 stacking chairs, color blue;	500.00
298	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 swivel wheels, 2 of which are braked, 30 stacking chairs, color blue;	500.00
299	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color black;	500.00
300	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color black;	500.00
301	1	Transport cart including stacking chairs metal: yes; fabric upholstered: yes; total dimension L: 1510 mm; total dimension W: 780 mm; total dimension H: 1370 mm; description: unused, cart equipped with 4 castors, 2 of which are braked, 30 stacking chairs, color black;	500.00
302	1	Windshield shower stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting ;	175.00
303	1	2 burner gas stove North pro gas, brand: North pro gas; stainless steel: yes; gas: yes; total dimension L: 630 mm; total dimension W: 400 mm; total dimension H: 200 mm; description: unused, table model;	200.00
304	1	2 burner gas stove North pro gas, brand: North pro gas; stainless steel: yes; gas: yes; total dimension L: 630 mm; total dimension W: 400 mm; total dimension H: 200 mm; description: unused, table model;	200.00
305	1	2 burner gas stove North pro gas, brand: North pro gas; stainless steel: yes; gas: yes; total dimension L: 630 mm; total dimension W: 400 mm; total dimension H: 200 mm; description: unused, table model;	200.00
306	1	orange juicer Zumex, Speed Pro Selfservice, brand: Zumex; type: Speed Pro Selfservice; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 520 mm; total dimension H: 1760 mm; description: mobile, stainless steel base cabinet with door, with waste bin;	950.00
307	1	vuilwaterpomp Sanibroyeur, P 95, brand: Sanibroyeur; type: P 95; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 230 mm; total dimension H: 340 mm;	150.00
308	1	vuilwaterpomp Sanibroyeur, P 95, brand: Sanibroyeur; type: P 95; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 230 mm; total dimension H: 340 mm;	150.00
309	1	chicken grill Dorégrill, Neo grill, brand: Dorégrill; type: Neo grill; electric heated: yes; electric connection: 400 V; total dimension L: 845 mm; total dimension W: 700 mm; total dimension H: 1625 mm; description: on a wheeled base, digital control and reading, including baskets ;	500.00
310	1	chicken grill Dorégrill, Neo grill, brand: Dorégrill; type: Neo grill; electric heated: yes; electric connection: 400 V; total dimension L: 845 mm; total dimension W: 700 mm; total dimension H: 1625 mm; description: on a wheeled base, digital control and reading, including baskets ;	500.00



Lot	Number	Description	Starting Bid €
311	1	chicken grill Dorégrill, Neo grill, brand: Dorégrill; type: Neo grill; electric heated: yes; electric connection: 400 V; total dimension L: 845 mm; total dimension W: 700 mm; total dimension H: 1625 mm; description: on a wheeled base, digital control and reading, including baskets ;	500.00
312	1	Windshield shower stainless steel: yes; description: new in box, 1 point leaf connection, intermediate tap, 300 mm spout, water connection on 10 mm pipes, including wall mounting ;	175.00
313	1	cheese cutter Unika, brand: Unika; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 190 mm;	25.00
314	1	cheese cutter Unika, brand: Unika; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 190 mm;	25.00
315	1	cheese cutter Unika, brand: Unika; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 190 mm;	25.00
316	1	cheese cutter Unika, brand: Unika; electric connection: 230 V; total dimension L: 380 mm; total dimension W: 450 mm; total dimension H: 190 mm;	25.00
317	1	tender machine Melior-ganda, brand: Melior-ganda; electric connection: 400 V; total dimension L: 570 mm; total dimension W: 370 mm; total dimension H: 1050 mm;	350.00
318	1	tender machine Melior-ganda, brand: Melior-ganda; electric connection: 400 V; total dimension L: 570 mm; total dimension W: 370 mm; total dimension H: 1050 mm;	350.00
319	1	cheese slicer Conpax, Ergo slicer, brand: Conpax; type: Ergo slicer; electric connection: 230 V; total dimension L: 370 mm; total dimension W: 420 mm; total dimension H: 530 mm;	100.00
320	1	packaging machine Jadopack, brand: Jadopack; stainless steel: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 520 mm; total dimension H: 1030 mm; description: on mobile undercarriage ;	250.00
321	1	packaging machine Conpaxx, brand: Conpaxx; stainless steel: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 450 mm; total dimension H: 1090 mm; description: on mobile undercarriage ;	250.00
322	1	packaging machine Conpaxx, brand: Conpaxx; stainless steel: yes; electric connection: 230 V; total dimension L: 830 mm; total dimension W: 450 mm; total dimension H: 1090 mm; description: on mobile undercarriage ;	250.00
323	1	packaging machine Conpaxx, Rapidpack, brand: Conpaxx; type: Rapidpack; stainless steel: yes; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 480 mm; total dimension H: 1070 mm; description: on mobile undercarriage ;	250.00
324	1	packaging machine Conpaxx, Rapidpack, brand: Conpaxx; type: Rapidpack; stainless steel: yes; electric connection: 230 V; total dimension L: 880 mm; total dimension W: 480 mm; total dimension H: 1070 mm; description: on mobile undercarriage ;	250.00
325	1	Stainless steel brake cabinet Panimatic, brand: Panimatic; electric connection: 230 V; total dimension L: 610 mm; total dimension W: 1170 mm; total dimension H: 2110 mm; description: digital readout, mobile;	500.00
326	1	Stainless steel brake cabinet Panimatic, brand: Panimatic; electric connection: 230 V; total dimension L: 610 mm; total dimension W: 1170 mm; total dimension H: 2110 mm; description: digital readout, mobile;	500.00



Lot	Number	Description	Starting Bid €
327	1	Stainless steel brake cabinet Panimatic, brand: Panimatic; electric connection: 230 V; total dimension L: 610 mm; total dimension W: 1170 mm; total dimension H: 2110 mm; description: digital readout, mobile;	500.00
328	1	preparation processing room including tables description: with sliding door, sink, a double sink, grohe crane with sensor, delphis tap with pull-flushing head, space is already disassembled pallet;	500.00
329	1	preparation processing room including tables description: with sliding door, sink, a double sink, grohe crane with sensor, delphis tap with pull-flushing head, space is already disassembled pallet;	500.00
330	1	Set up refrigerator Catercool, Micro, brand: Catercool; type: Micro; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1020 mm; total dimension W: 420 mm; total dimension H: 220 mm; description: including bins and lids;	150.00
331	1	catering freezer Gram, F 210 RG 3 N, brand: Gram; type: F 210 RG 3 N; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 650 mm; total dimension H: 860 mm; description: including adjustable grid;	200.00
332	1	crafting table total dimension L: 1800 mm; total dimension W: 600 mm; total dimension H: 870 mm; description: including support;	100.00
333	1	hot air oven Unox, Lisa, brand: Unox; type: Lisa; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 580 mm; total dimension H: 400 mm; description: 3 conductors;	100.00
334	1	hot air oven Unox, Lisa, brand: Unox; type: Lisa; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 580 mm; total dimension H: 400 mm; description: 3 conductors;	100.00
335	1	seal Machine Bordex, brand: Bordex; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 700 mm; total dimension H: 280 mm; description: i;	10.00
336	1	cheese maker Deel o maat, brand: Deel o maat; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 450 mm;	25.00
337	1	cheese maker Deel o maat, brand: Deel o maat; total dimension L: 350 mm; total dimension W: 350 mm; total dimension H: 450 mm;	25.00
338	1	electric combi steamer Unox, XECC, brand: Unox; type: XECC; stainless steel: yes; electric: yes; number of levels: 6; touch screen control: yes; electric connection: 400 V; total dimension L: 530 mm; total dimension W: 800 mm; total dimension H: 870 mm; description: including hood;	750.00
339	1	deck oven Miwe, Condo, brand: Miwe; type: Condo; number of levels: 4; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 1610 mm; total dimension H: 2170 mm; description: mobile, including extractor hood with engine;	1,500.00
340	1	dim sum steamer stainless steel: yes; adjustable thermostate: yes; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: unused, adjustable legs;	750.00
341	1	swing grill gas-heated: yes; total dimension L: 1400 mm; total dimension W: 1400 mm; total dimension H: 2200 mm; description: stable design, completely high-quality stainless steel, easily removable grid, diameter grid 1200 mm, 5/6 mm thick grid, propane;	2,750.00



Lot	Number	Description	Starting Bid €
342	1	shovel ice cream ISA , brand: ISA ; electric connection: 230 V; total dimension L: 1310 mm; total dimension W: 790 mm; total dimension H: 1320 mm; description: mobile;	350.00
343	1	chicken grill rotisserie Ubert, Top Line, brand: Ubert; type: Top Line; electric heated: yes; electric connection: 400 V; total dimension L: 800 mm; total dimension W: 680 mm; total dimension H: 840 mm; description: unused, including 4 skewers and 2 baskets;	1,250.00
344	1	dishwasher Winterhalter, GS 502, brand: Winterhalter; type: GS 502; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 740 mm; total dimension W: 800 mm; total dimension H: 1470 mm; description: including basket;	950.00
345	1	dishwasher Hobart ecomax, AUXXL-11N, brand: Hobart ecomax; type: AUXXL-11N; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 870 mm; total dimension W: 830 mm; total dimension H: 1580 mm; description: equipped with soap and afterglow pump, including basket;	400.00
346	1	combi steamer Unox, XV203G, brand: Unox; type: XV203G; stainless steel: yes; electric: yes; number of levels: 5; touch screen control: no; digital control: yes; electric connection: 400 V; total dimension L: 625 mm; total dimension W: 700 mm; total dimension H: 615 mm; description: equipped with xc400, xc 405, xc114 and water filter, including grilles;	650.00
347	1	dishwasher Classeq, Hydro 750, brand: Classeq; type: Hydro 750; stainless steel: yes; frontloader: yes; rack model: no; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 230 V; total dimension L: 550 mm; total dimension W: 600 mm; total dimension H: 810 mm; description: equipped with soap and afterglow pump, including basket;	350.00
348	1	dishwasher Winterhalter, GS302, brand: Winterhalter; type: GS302; stainless steel: yes; frontloader: yes; rack model: no; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 820 mm; description: including basket;	400.00
349	1	dishwasher Metos, WD4, brand: Metos; type: WD4; stainless steel: yes; frontloader: yes; rack model: no; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1350 mm; description: including basket;	400.00
350	1	hot air oven Leventi, Bakermat DGT, brand: Leventi; type: Bakermat DGT; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 800 mm; total dimension H: 2070 mm; description: 5 levels, on a frame with 2x8 shelves, including a hood fitted with a suction motor ;	250.00
351	1	hot air oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 900 mm; total dimension H: 2090 mm; description: 8 levels, on a frame with 2x7 shelves, including a hood fitted with a suction motor ;	500.00
352	1	duo oven Polin, brand: Polin; number of levels: 5; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 1450 mm; total dimension H: 1950 mm; description: convection oven and floor oven, mobile, with extractor hood with motor, digital reading ;	500.00
353	1	deck oven Wiesheu, brand: Wiesheu; number of levels: 4; electric connection: 400 V; total dimension L: 1540 mm; total dimension W: 1520 mm; total dimension H: 2150 mm; description: digital display, mobile, including extractor hood with motor;	1,500.00



Lot	Number	Description	Starting Bid €
354	1	duo fan oven Eurofours, brand: Eurofours; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 980 mm; total dimension W: 830 mm; total dimension H: 1930 mm; description: 2x4 scales, on a mobile chassis with 2x8 scales;	500.00
355	1	hot air oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; digital control: yes; electric connection: 400 V; total dimension L: 970 mm; total dimension W: 900 mm; total dimension H: 2090 mm; description: 8 levels, on a frame with 2x7 shelves, including a hood fitted with a suction motor ;	500.00
356	1	Planet mixer Buffalo, CD606, brand: Buffalo; type: CD606; stainless steel: yes; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 470 mm; total dimension H: 760 mm; description: 20L, including whisk, butterfly whisk and dough hook;	350.00
357	1	Lowerator Mobile containing, brand: Mobile containing; stainless steel: yes; total dimension L: 480 mm; total dimension W: 530 mm; total dimension H: 940 mm;	50.00
358	1	stainless steel waste containers stainless steel: yes; mobile: yes; with hook and rail system: yes; with lid: yes; total dimension L: 440 mm; total dimension W: 460 mm; total dimension H: 1020 mm;	250.00
359	1	Stainless steel work table total dimension L: 2500 mm; total dimension W: 700 mm; total dimension H: 910 mm;	100.00
360	1	pasta cooker Catertech, brand: Catertech; stainless steel: yes; gas: yes; total dimension L: 400 mm; total dimension W: 930 mm; total dimension H: 900 mm; description: unused;	500.00
361	1	Heating plate Rocam, brand: Rocam; stainless steel: yes; adjustable thermostate: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 400 mm; total dimension H: 50 mm; description: unused ;	250.00
362	1	cool workbench Foster, brand: Foster; stainless steel: yes; number of doors: 3 pcs; number of drawers: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2350 mm; total dimension W: 700 mm; total dimension H: 860 mm; description: including adjustable shelves;	200.00
363	1	vacuum machine Webomatic, brand: Webomatic; electric connection: 230 V; total dimension L: 480 mm; total dimension W: 570 mm; total dimension H: 460 mm;	500.00
364	1	hot water dispenser Bravilor, HWA40, brand: Bravilor; type: HWA40; stainless steel: yes; number of groups: 1 pcs; electric connection: 230 V; total dimension L: 218 mm; total dimension W: 459 mm; total dimension H: 532 mm;	150.00
365	1	refrigerated display case stainless steel: yes; digital display: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 620 mm;	250.00
366	1	sink Seron, brand: Seron; stainless steel: yes; number of sinks: 1 pcs; total dimension L: 1200 mm; total dimension W: 600 mm; total dimension H: 7800 mm; description: wall mounting, including mounting, boiler, crane lever defect;	150.00
367	1	signs in trolley Rational, brand: Rational; stainless steel: yes; total dimension L: 470 mm; total dimension W: 850 mm; total dimension H: 1660 mm;	250.00



Lot	Number	Description	Starting Bid €
368	1	Stainless steel hospitality freezer Inomak, CB 170, brand: Inomak; type: CB 170; stainless steel: yes; capacity: 670 l; temperature range min.: -22 °C; temperature range max.: -10 °C; digital display: yes; electric connection: 230 V; total dimension L: 720 mm; total dimension W: 820 mm; total dimension H: 2100 mm; description: high-grade stainless steel, includes three grids, 2/1 CN, automatic closure by means of up to 45 degrees door closers , adjustable legs;	500.00
369	1	Stainless steel refrigerated workbench Inomak, PN 999, brand: Inomak; type: PN 999; stainless steel: yes; digital display: yes; number of doors: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1790 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: gastronom, automatic leakage water evaporation and defrosting, adjustable legs;	350.00
370	1	microwave Samsung, CM1919, brand: Samsung; type: CM1919; stainless steel: yes; power: 1850 W; electric connection: 230 V; total dimension L: 470 mm; total dimension W: 600 mm; total dimension H: 370 mm;	100.00
371	1	neutral unit Catertech , brand: Catertech ; stainless steel: yes; total dimension L: 400 mm; total dimension W: 750 mm; total dimension H: 900 mm;	100.00
372	1	Stainless steel refrigerated workbench Catertech , Smartline , brand: Catertech ; type: Smartline ; stainless steel: yes; digital display: yes; number of doors: 3 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1820 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: gastronom, automatic leakage water evaporation and defrosting, adjustable legs;	350.00
373	1	tray trolley trolley Blanco, brand: Blanco; stainless steel: yes; total dimension L: 550 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: plateau 540x380 mm;	50.00
374	1	tray trolley trolley Blanco, brand: Blanco; stainless steel: yes; total dimension L: 550 mm; total dimension W: 800 mm; total dimension H: 900 mm; description: plateau 540x380 mm;	50.00
375	1	electric combi steamer Leventi, Combimat mastermind, brand: Leventi; type: Combimat mastermind; stainless steel: yes; electric: yes; number of levels: 5; electric connection: 400 V; total dimension L: 1040 mm; total dimension W: 670 mm; total dimension H: 1100 mm;	250.00
376	1	electric combi steamer Kuppersbusch , Convect-air professional, brand: Kuppersbusch ; type: Convect-air professional; stainless steel: yes; electric: yes; number of levels: 10; electric connection: 400 V; total dimension L: 1030 mm; total dimension W: 850 mm; total dimension H: 970 mm; description: display difficult to read;	350.00
377	1	duo fan oven Leventi, Bakermat Mastermind, brand: Leventi; type: Bakermat Mastermind; stainless steel: yes; electric: yes; digital control: no; electric connection: 400 V; total dimension L: 1120 mm; total dimension W: 900 mm; total dimension H: 2070 mm; description: 2x 5 racks, on a base, including extractor hood with motor;	500.00
378	1	electric combi steamer Electrolux, Air-o-steam, brand: Electrolux; type: Air-o-steam; stainless steel: yes; electric: yes; number of levels: 10; electric connection: 400 V; total dimension L: 900 mm; total dimension W: 850 mm; total dimension H: 1700 mm;	500.00
379	1	hokker gas burner Modular, brand: Modular; stainless steel: yes; gas: yes; total dimension L: 550 mm; total dimension W: 550 mm; total dimension H: 500 mm;	250.00
380	1	mobile insulated food container Cambro, brand: Cambro; mobile: yes; total dimension L: 460 mm; total dimension W: 660 mm; total dimension H: 1360 mm; description: 2x 12 conductors, 1/1 GN;	200.00



Lot	Number	Description	Starting Bid €
381	1	cool workbench Mastercool, brand: Mastercool; temperature range min.: 0 °c; temperature range max.: +10 °c; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1420 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: height-adjustable gratings, bump on the top;	350.00
382	1	baking tray MKN, brand: MKN; stainless steel: yes; electric: yes; electric connection: 400 V; total dimension L: 530 mm; total dimension W: 700 mm; total dimension H: 420 mm;	250.00
383	1	refrigerated display case Salina, SP150V, brand: Salina; type: SP150V; stainless steel: no; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1540 mm; total dimension W: 1110 mm; total dimension H: 1420 mm;	250.00
384	1	Set-up refrigerator vitrine Polar, brand: Polar; stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 395 mm; total dimension H: 260 mm; description: including bins and lids ;	200.00
385	1	mobile refrigerated display pastry display Scaiola, brand: Scaiola; digital display: yes; mobile: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 690 mm; total dimension W: 690 mm; total dimension H: 1830 mm;	250.00
386	1	glass door bar cooling Gamko, brand: Gamko; folding door(s): 2; number of doors: 2 pcs; adjustable thermostat: yes; digital display: yes; electric connection: 230 V; total dimension L: 920 mm; total dimension W: 520 mm; total dimension H: 900 mm;	250.00
387	1	4-burner stove Diamond, brand: Diamond; stainless steel: yes; gas: yes; total dimension L: 700 mm; total dimension W: 720 mm; total dimension H: 890 mm;	350.00
388	1	Warming vapor freestanding: yes; electric connection: 230 V; total dimension L: 660 mm; total dimension W: 440 mm; total dimension H: 630 mm;	150.00
389	1	stainless steel hood stainless steel: yes; total dimension L: 3500 mm; total dimension W: 1000 mm; total dimension H: 500 mm; description: including filters, already dismantled from ceiling;	350.00
390	1	issue buffet counter total dimension L: 4000 mm; total dimension W: 1100 mm; total dimension H: 900 mm; description: 2 parts, 2x bain marie including bins and lids, heat bridge, trays rails;	500.00
391	1	hot air oven Bartscher, 4300 DX, brand: Bartscher; type: 4300 DX; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 590 mm; total dimension H: 580 mm;	100.00
392	1	stainless steel chassis stainless steel: yes; total dimension L: 930 mm; total dimension W: 750 mm; total dimension H: 730 mm; description: for oven or steamer, mobile, 2x7 shelves;	250.00
393	1	stainless steel chassis stainless steel: yes; total dimension L: 930 mm; total dimension W: 750 mm; total dimension H: 730 mm; description: for oven or steamer, mobile, 2x7 shelves;	250.00
394	1	Stainless steel workplace with sliding doors Desco, brand: Desco; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 850 mm; description: provided with shelf;	250.00
395	1	3-burner gas stove stainless steel: yes; gas: yes; total dimension L: 1060 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: equipped with 2 gas rings and grill plate;	350.00



Lot	Number	Description	Starting Bid €
396	1	induction wok Caterchef, brand: Caterchef; stainless steel: yes; electric: yes; digital control: yes; electric connection: 230 V; total dimension L: 340 mm; total dimension W: 440 mm; total dimension H: 130 mm; description: including wok pan;	150.00
397	1	cool workbench Zanussi, brand: Zanussi; stainless steel: yes; digital display: yes; number of doors: 2 pcs; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1270 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: height adjustable gratings ;	250.00
398	1	baking tray Diamond, brand: Diamond; stainless steel: yes; gas: yes; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 360 mm;	250.00
399	1	combi steamer Ifö, Kampri, brand: Ifö; type: Kampri; stainless steel: yes; electric: yes; number of levels: 10; digital control: yes; electric connection: 400 V; total dimension L: 890 mm; total dimension W: 750 mm; total dimension H: 1620 mm; description: on a base with 2x7 shelves, including bins;	250.00
400	1	working table cutting table total dimension L: 2200 mm; total dimension W: 700 mm; total dimension H: 930 mm; description: mobile, 4 drawers;	250.00
401	1	hot air oven stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 820 mm; total dimension W: 640 mm; total dimension H: 650 mm; description: 4 levels;	200.00
402	25	catering pan and lid Mammoet, brand: Mammoet; stainless steel: yes; description: large saucepans, saucepans, frying pans, mixing bowls;	200.00
403	1	Regal car stainless steel: yes; total dimension L: 480 mm; total dimension W: 610 mm; total dimension H: 1760 mm; description: 15 regals ;	100.00
404	1	Regal car Hupfer, brand: Hupfer; stainless steel: yes; total dimension L: 840 mm; total dimension W: 630 mm; total dimension H: 1540 mm; description: 2x10 levels;	150.00
405	1	Regal car Hupfer, brand: Hupfer; stainless steel: yes; total dimension L: 840 mm; total dimension W: 630 mm; total dimension H: 1540 mm; description: 2x10 levels;	150.00
406	1	stainless steel catering fridge Jumbo, brand: Jumbo; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 770 mm; total dimension W: 720 mm; total dimension H: 1800 mm; description: height adjustable gratings ;	200.00
407	1	dishwasher Zanussi, brand: Zanussi; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 730 mm; total dimension W: 730 mm; total dimension H: 1520 mm; description: including basket ;	750.00
408	1	dishwasher Marels, OPT130, brand: Marels; type: OPT130; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 230 V; total dimension L: 72 mm; total dimension W: 760 mm; total dimension H: 1460 mm; description: including basket ;	650.00
409	1	Dishwasher Bosch, Exclusive, brand: Bosch; type: Exclusive; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 840 mm;	50.00
410	1	Deep fryer Hendi, brand: Hendi; electric heated: yes; electric connection: 230 V; total dimension L: 305 mm; total dimension W: 515 mm; total dimension H: 350 mm; description: unused, including basket and lid;	50.00



Lot	Number	Description	Starting Bid €
411	1	juicer Sunkist, brand: Sunkist; stainless steel: yes; total dimension L: 210 mm; total dimension W: 230 mm; total dimension H: 420 mm; description: 230 volts;	50.00
412	1	wine liquor blast chiller Chilla, brand: Chilla; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 440 mm; total dimension H: 370 mm; description: place for 3 bottles;	250.00
413	1	Gas cooker with oven Etna, brand: Etna; gas: yes; electric: yes; electric connection: 230 V; description: built-in;	100.00
414	1	refrigerator Samsung, SR-L629EVSS, brand: Samsung; type: SR-L629EVSS; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 810 mm; total dimension W: 710 mm; total dimension H: 1775 mm; description: equipped with freezer shelf, cold water dispenser;	200.00
415	2	Regal car stainless steel: yes; total dimension L: 715 mm; total dimension W: 485 mm; total dimension H: 1725 mm; description: 2x7 regals;	150.00
416	2	Regal car stainless steel: yes; total dimension L: 480 mm; total dimension W: 630 mm; total dimension H: 1850 mm; description: 8 regals;	150.00
417	2	Regal car stainless steel: yes; total dimension L: 715 mm; total dimension W: 485 mm; total dimension H: 1725 mm; description: 2x7 regals;	150.00
418	1	dishwasher Meiko, DV80T, brand: Meiko; type: DV80T; stainless steel: yes; rack model: yes; basket dimension L: 500 mm; basket dimension W: 500 mm; electric connection: 400 V; total dimension L: 690 mm; total dimension W: 865 mm; total dimension H: 1630 mm; description: including basket, mobile frame, suitable for catering;	750.00
419	1	catering freezer Scan Cool, SD92, brand: Scan Cool; type: SD92; digital display: yes; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 535 mm; total dimension H: 860 mm;	250.00
420	1	crushed ice bucket stainless steel: yes; total dimension L: 1650 mm; total dimension W: 615 mm; total dimension H: 190 mm;	100.00
421	1	stainless steel catering fridge Gram, KG400RE, brand: Gram; type: KG400RE; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 595 mm; total dimension W: 620 mm; total dimension H: 1715 mm; description: height adjustable gratings ;	250.00
422	1	refrigerated display pastry display Frilixa, brand: Frilixa; stainless steel: no; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1465 mm; total dimension W: 750 mm; total dimension H: 1310 mm; description: with built-in lighting , damage to right front ;	150.00
423	2	Korventransportwagen Rendisk, brand: Rendisk; stainless steel: yes; total dimension L: 590 mm; total dimension W: 650 mm; total dimension H: 690 mm; description: 3 levels;	150.00
424	2	Korventransportwagen Rendisk, brand: Rendisk; stainless steel: yes; total dimension L: 590 mm; total dimension W: 650 mm; total dimension H: 690 mm; description: 3 levels;	150.00
425	1	grill Higo - Griller, brand: Higo - Griller; electric heated: yes; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 600 mm; total dimension H: 240 mm;	50.00
426	1	waffle maker Buffalo, GF256-E-02, brand: Buffalo; type: GF256-E-02; stainless steel: yes; electric: yes; electric connection: 230 V; total dimension L: 300 mm; total dimension W: 320 mm; total dimension H: 240 mm; description: unused ;	100.00



Lot	Number	Description	Starting Bid €
427	3	Trash can Curver, brand: Curver; plastic: yes; with lid: yes; total dimension L: 340 mm; total dimension W: 340 mm; total dimension H: 750 mm;	50.00
428	3	crushed ice bucket stainless steel: yes; total dimension L: 720 mm; total dimension W: 600 mm; total dimension H: 180 mm;	150.00
429	1	Bain marie Caterchef, 688030, brand: Caterchef; type: 688030; stainless steel: yes; electric connection: 230 V; total dimension L: 355 mm; total dimension W: 555 mm; total dimension H: 290 mm;	50.00
430	1	4-burner stove Modular, brand: Modular; stainless steel: yes; gas: yes; total dimension L: 700 mm; total dimension W: 650 mm; total dimension H: 300 mm;	200.00
431	1	2-burner gas stove Ata, brand: Ata; stainless steel: yes; gas: yes; total dimension L: 300 mm; total dimension W: 590 mm; total dimension H: 300 mm;	200.00
432	1	Stainless steel work table total dimension L: 2000 mm; total dimension W: 600 mm; total dimension H: 890 mm;	150.00
433	1	Stainless steel work table total dimension L: 1500 mm; total dimension W: 600 mm; total dimension H: 840 mm;	100.00
434	1	Set-up refrigerator vitrine Catertech, VR1632SV, brand: Catertech; type: VR1632SV; stainless steel: yes; temperature range min.: 0 °c; temperature range max.: +15 °c; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1600 mm; total dimension W: 330 mm; total dimension H: 230 mm;	150.00
435	1	Set-up refrigerator vitrine Catertech, VR381024, brand: Catertech; type: VR381024; stainless steel: yes; temperature range min.: 0 °c; temperature range max.: +15 °c; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 2140 mm; total dimension W: 370 mm; total dimension H: 400 mm; description: unused ;	150.00
436	1	double door stainless steel catering fridge Polar, G594-E-02, brand: Polar; type: G594-E-02; stainless steel: yes; digital display: yes; mobile: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 810 mm; total dimension H: 1990 mm;	500.00
437	1	hot cupboard GGG, brand: GGG; stainless steel: yes; freestanding: no; mobile: yes; adjustable thermostate: yes; temperature range min.: 0 °c; temperature range max.: +120 °c; electric connection: 230 V; total dimension L: 795 mm; total dimension W: 970 mm; total dimension H: 1770 mm; description: height adjustable gratings ;	200.00
438	1	catering fridge with glass door Gram, Design line, brand: Gram; type: Design line; stainless steel: no; digital display: no; mobile: yes; electric connection: 230 V; total dimension L: 595 mm; total dimension W: 540 mm; total dimension H: 1715 mm; description: height adjustable gratings ;	150.00
439	1	wine cooler Küppersbusch , EWK880-0-2Z, brand: Küppersbusch ; type: EWK880-0-2Z; capacity bottles: 56; freestanding: yes; adjustable thermostate: yes; temperature range min.: 5 °c; temperature range max.: 22 °c; digital display: yes; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 600 mm; total dimension H: 865 mm; description: unused, built-in, two temperature zones; upper compartment +5 - +12, lower compartment +12 - +22, 6 wooden shelves extendable;	500.00
440	1	blood plasma freezer Evermed, brand: Evermed; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 1020 mm; total dimension H: 2060 mm; description: adjustable stainless steel extendable drawers and shelves;	250.00



Lot	Number	Description	Starting Bid €
441	1	stainless steel catering fridge Saro, GN140 TNA, brand: Saro; type: GN140 TNA; stainless steel: yes; digital display: yes; electric connection: 230 V; total dimension L: 1480 mm; total dimension W: 830 mm; total dimension H: 1980 mm; description: height adjustable gratings ;	500.00
442	1	stainless steel hospitality freezer Polar, CD616-E-02, brand: Polar; type: CD616-E-02; stainless steel: no; digital display: yes; electric connection: 230 V; total dimension L: 1340 mm; total dimension W: 810 mm; total dimension H: 1990 mm; description: height adjustable gratings ;	500.00
443	1	Stainless steel cupboard total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: unused, two sliding doors;	250.00
444	1	Stainless steel cupboard total dimension L: 1200 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: Two sliding doors;	250.00
445	1	Bread cutter Jac Face, brand: Jac Face; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 610 mm; total dimension H: 1320 mm;	200.00
446	1	Bread cutter Jac Face, brand: Jac Face; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 590 mm; total dimension W: 610 mm; total dimension H: 1320 mm;	200.00
447	1	blastchiller Electrolux, brand: Electrolux; number of doors: 1; electric connection: 230 V; total dimension L: 760 mm; total dimension W: 700 mm; total dimension H: 820 mm;	750.00
448	1	au-bain-marie stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; total dimension L: 340 mm; total dimension W: 540 mm; total dimension H: 280 mm; description: including container and lid;	25.00
449	1	au-bain-marie Bartscher, brand: Bartscher; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; total dimension L: 415 mm; total dimension W: 415 mm; total dimension H: 224 mm;	25.00
450	1	au-bain-marie stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; total dimension L: 340 mm; total dimension W: 540 mm; total dimension H: 280 mm; description: including bins and lids;	25.00
451	1	Saladette stainless steel: yes; digital display: yes; built-in cooling compressor: yes; electric connection: 230 V; total dimension L: 1370 mm; total dimension W: 700 mm; total dimension H: 870 mm; description: including bins, height adjustable shelves ;	250.00
452	1	au-bain-marie Bartscher, brand: Bartscher; stainless steel: yes; freestanding: yes; adjustable thermostat: yes; electric connection: 230 V; total dimension L: 415 mm; total dimension W: 415 mm; total dimension H: 224 mm;	25.00
453	1	Bread cutter ABO, De Luxe3, brand: ABO; type: De Luxe3; cut thickness range: 12 mm; electric connection: 230 V; total dimension L: 620 mm; total dimension W: 665 mm; total dimension H: 1280 mm;	200.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme)
A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at

www.TroostwijkAuctions.com



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

- 2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.
- 2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.
- 2.3 If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

- 3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.
- 3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:
- acts performed by user that would have been suggested by the information contained on the website;
 - the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;
 - lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;
 - the fact that the information on the website is false, incomplete or not up-to-date;
 - errors in the website's software and/or in the underlying system;
 - the illegal use of systems, including use of the Troostwijk website by a third party;
 - acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
 - exclude one or more users from the sale;
 - add items to lots, to split up lots and to remove lots from the sale;
 - correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;
 - take other measures it deems necessary
- 4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.
- 4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.



4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS



6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description of the items. The buyer is not entitled to revoke a bid or rescind the purchase agreement if it appears that the item does not correspond with its description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS



8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc., and is not required to insure itself against these risks.

The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information and/or business information to the seller or destroying it. Without prejudice to the aforementioned obligations, the buyer will treat this information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to € 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

- Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;
- Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;
 - Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
 - Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
 - Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is unable to place a bid due to a computer failure.
 - Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
 - Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
 - Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience