

**ONLINE AUCTION** 

# **Online auction of agricultural and horticultural** machinery (BE) **Online auction of agricultural and** hort/æditen fa Papaenininery (Loten 1-1000)

Closing date: Tuesday 23 JUNE starting 17:00

Bidding only on the internet!

09-06-20 17.08



Tuesday 23 June 2020 Online auction of agricultural and horticultural machinery

Closing date Viewing	Tuesday 23 June 2020 starting 17:00 CET Monday 22 June from 09:00 until 16:00 CET Loten 1-1000 Vaartlaan 1 9800 Deinze, Belgium Monday 22 June from 09:00 until 16:00 CET Loten 2000 - 2999 Rue de Ny 4A 6990 Melreux, Belgium Monday 22 June from 10:00 until 12:00 CET Loten 5000-6000 Nokerseweg 200 8790 Waregem, Belgium By appointment Loten Baillonville Zone d'activité sud 8 5377 Baillonville, Belgium
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgium Phone: +32-(0)3-287.62.62 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be
Markup	Various percentages
VAT Collection	21.00% Wednesday 1 July from 09:00 until 16:00 CET Thursday 2 July from 09:00 until 16:00 CET Loten 1-1000 Vaartlaan 1 9800 Deinze, Belgium Thursday 2 July from 09:00 until 16:00 CET Loten 2000 - 2999 Rue de Ny 4A 6990 Melreux, Belgium Thursday 2 July from 10:00 until 16:00 CET Loten 5000-6000 Nokerseweg 200 8790 Waregem, Belgium By appointment Loten 9000-9025 Rietmusweg (Zoning Overhaam) perceel naast nr. 100 3700 Tongeren, Belgium By appointment Lote 2000 Chemin Saint Laundry 12 7060 Soignies, Belgium By appointment Loten Baillonville Zone d'activité sud 8

Viewing instructions	gel - Facemask	CAUTIONS:No entrar is highly recommend	nce if you are ill - Disinfec led - Keep 1,5 meters dis t your own risk. See also	stance
Pick-Up instructions	<ul> <li>gel - Facemask</li> <li>The buyer,or his proforma purc</li> <li>The buyer is restransport of the</li> <li>In case of non-ceuro will be cha</li> <li>Troostwijk NV w</li> </ul>	is highly recommend representative, is re hase agreement the sponsible for the dis e goods; collection/loading an a arged for organizing a	smantling; the loading administrative cost of n second loading date; ponsability concerning at	stance and the ninimum 25,00
Paiement instructions	<ul> <li>By bank transf</li> <li>Description: bu Bank</li> </ul>		<b>IBAN nr.</b> BE48 2200 7255 5127	<b>BIC Code</b> GEBABEBB KREDBEBB
General conditons	-	sible) purchase of mo	ons of the online sale are weable assets, furthermo	
Following lots	After registration and	login, lots can be 'fol	lowed' via 'My Troostwijk	&rsquo.
Combination	of bids is raised 5%.	This is the starting bi	dually first. After the last lo d of the combination. If th he individual bids are app	ne combination is
Prolongation Lots without bid Quantity, capacity, dimensions and weight of goods	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.			

### Lot

	Number Description	
20	1 four wheel drive form treater	

160	1	<b>four-wheel drive farm tractor</b> Fendt, 826S4 Profi, year built 2016, serial number 841231291, brand: Fendt; type: 826S4 Profi; year: 2016; serial number: 841231291; engine power: 195 kW; hours on display: 7900; gear box type: vario; PTO speed: 1000 rpm; tyre size front: 600/70R30; tyre size rear: 710/70R42; number of hydraulic valves: 4; load sensing: yes; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 9430 kg; description: includes two circuit brake 60km / h; oil-air brakes; hydraulic pump 152 L / min; 3-point air- sprung cab; cogelkoppeling; MTM approved for towing 44 tons; Belgian vehicle documents ok; Key ok 3x ;	15,000.00
161	1	<b>mobile receiving hopper</b> Bijlsma, brand: Bijlsma; belt conveyor dim. L: 3700 mm; belt conveyor dim. W: 2000 mm; total dimension L: 6000 mm; total dimension W: 3200 mm; total dimension H: 2500 mm; description: equipped with single axis; detachable drawbar; 6x axial rolling; 2x discharge conveyor width 450mm; control box; 400 volt connection; without further data ;	100.00
162	1	<b>seedbed combination</b> Power Harrow, 1BF-165, year built 2020, serial number 20030004, brand: Power Harrow; type: 1BF-165; year: 2020; serial number: 20030004; working width: 1650 mm; own weight: 577 kg; total dimension L: 1800 mm; total dimension W: 1400 mm; total dimension H: 1050 mm; description: rotary harrow 1.65M with seeder, crumbling roller and cardan (unused);	100.00
163	1	<b>baler press</b> New Holland, BB960S, year built 2003, serial number 274316020, brand: New Holland; type: BB960S; year: 2003; serial number: 274316020; working width: 2200 mm; own weight: 8700 kg; total dimension L: 8000 mm; total dimension W: 3100 mm; total dimension H: 3150 mm; description: provided with 5 rope bindings; single axis; packs dimensions 1200x900mm; cardan shaft not complete; central lubrication; control box ;	1,000.00
164	1	<b>two-wheel drive farm tractor</b> John Deere, 4040, serial number 313101L, brand: John Deere; type: 4040; serial number: 313101L; hours on display: 8573; gear box type: handgeschakeld ; PTO speed: 540 rpm; tyre size front: 11.00-16; tyre size rear: 20.8R38; number of hydraulic valves: 2; front weight set: yes; cabin: yes; total dimension L: 4000 mm; total dimension W: 2500 mm; total dimension H: 3000 mm; description: provided with Lighting ; key OK; without board documents ;	1,000.00
165	1	<b>four-wheel drive farm tractor</b> John Deere, 2650, year built 1990, serial number L02650U703283, brand: John Deere; type: 2650; year: 1990; serial number: L02650U703283; engine power: 57 kW; hours on display: 13660; gear box type: handgeschakeld power synchron; PTO speed: 540 rpm; tyre size front: 13.6R24; tyre size rear: 16.9R34; number of hydraulic valves: 2; cabin: yes; total dimension L: 4000 mm; total dimension W: 2200 mm; total dimension H: 2600 mm; description: provided with 4- cylinder diesel engine; draw bar in the carriage; drawbar; main link ; (Clutch does not operate, rear part); Belgian vehicle documents ok; key oK ;	1,000.00
166	1	<b>four-wheel drive farm tractor</b> Fendt, Farmer 312, year built 1994, serial number 312211148, brand: Fendt; type: Farmer 312; year: 1994; serial number: 312211148; engine power: 92 kW; hours on display: 9836; gear box type: handgeschakeld ; PTO speed: 540 rpm; tyre size front: 14.9R28; tyre size rear: 18.4R38; number of hydraulic valves: 2; front weight set: yes; cabin: yes; own weight: 5330 kg; total dimension L: 4500 mm; total dimension W: 2300 mm; total dimension H: 3100 mm; description: provided with draw bar in the carriage; drawbar; fender control; (Brakes do not work); Belgian vehicle documents ok; key oK ;	1,000.00



167	year: 1986; serial number: 7439 handgeschakeld ; PTO speed: 5 520/70R38; number of hydraulic 4740 kg; total dimension L: 5000 2800 mm; description: provided documents only French entry; ke	serial number 74392364, brand: Deutz; type: DX6.30; 2364; hours on display: 9838; gear box type: 340 rpm; tyre size front: 420/70R28; tyre size rear: valves: 3; front weight set: yes; cabin: yes; own weight: 0 mm; total dimension W: 2300 mm; total dimension H: with draw bar in the carriage; drawbar; main link ; vehicle by oK ;	1,000.00
168	296/01/0856; hours on display: rpm; tyre size front: 7.50-16; tyre dimension L: 3000 mm; total din	5/01/0856, brand: Fendt; type: 260/S; serial number: 7224; gear box type: handgeschakeld ; PTO speed: 540 e size rear: 12.4R32; number of hydraulic valves: 1; total nension W: 2000 mm; total dimension H: 1500 mm; es; 3- cylinder Deutz diesel engine; towbar party; Lighting	1,000.00
169	Direct; year: 2010; serial numbe 4417; gear box type: Vario; PTC rear: 710/70R38; number of hyd cabin: yes; airconditioning: yes; 5300 mm; total dimension W: 27 provided with front axle suspens valve in front, the first double-act	10, serial number W03409, brand: Valtra; type: T202 r: W03409; engine power: 151 kW; hours on display: o speed: 540 rpm; tyre size front: 600/65R28; tyre size raulic valves: 5; load sensing: yes; front linkage: yes; air seat: yes; own weight: 6420 kg; total dimension L: 700 mm; total dimension H: 3200 mm; description: sion , cabin suspension, 1000 rpm PTO , 1 single-acting ting valve in front, the trailer hitch; operating outside L / R K key, Belgian board documents OK; (Administratif and	1,000.00
170	number: 080446; hours on displ 500/50R17; tyre size rear: 650/6 dimension L: 3500 mm; total din	er 080446, brand: Fiatagri; type: 70-90HL/1; serial ay: 4938; gear box type: handgeschakeld ; tyre size front: 5R26.5; number of hydraulic valves: 1; cabin: yes; total nension W: 2460 mm; total dimension H: 2550 mm; tires; without board documents; key ok; without further	1,000.00
171	rear: 16.9R34; number of hydrau L: 5000 mm; total dimension W: equipped with potato scoop; stee	pe: handgeschakeld ; PTO speed: 540 rpm; tyre size ulic valves: 2; frontloader: yes; cabin: yes; total dimension 2000 mm; total dimension H: 2400 mm; description: ering system with hydraulic assistance; starter battery is documents document declaration of loss ok; without I logistic costs 50.00)	100.00
172	2003; serial number: 715211001 speed: 540 rpm; tyre size front: hydraulic valves: 4; front linkage weight: 7800 kg; total dimension dimension H: 3300 mm; descript under the towing hook, first the f	al number 715211001, brand: Fendt; type: 815; year: l; hours on display: 13428; gear box type: Vario; PTO 540/65 R 30; tyre size rear: 650/65 R42; number of : yes; cabin: yes; airconditioning: yes; air seat: yes; own a L: 5200 mm; total dimension W: 2650 mm; total tion: equipped with: 3-point linkage , draw bar into slide, ront hydraulic valve, compressed air braking system; MTM ocuments: OK; Key: OK; (Administrative and logistics	1,000.00

# Starting Bid €

173	1	<b>four-wheel drive farm tractor</b> David Brown, 1490 4WD, serial number 1490/38/11182170, brand: David Brown; type: 1490 4WD; serial number: 1490/38/11182170; hours on display: 5457; gear box type: handgeschakeld ; PTO speed: 540 rpm; tyre size front: 12.4/11-24; tyre size rear: 16.9R34; number of hydraulic valves: 1; cabin: yes; total dimension L: 4000 mm; total dimension W: 2000 mm; total dimension H: 2600 mm; description: equipped with towing hook slide without draw bar ; key OK; without board documents ;	1,000.00
174	1	<b>combine Harvester</b> Claas, Lexion 450, year built 1997, serial number 45400510, brand: Claas; type: Lexion 450; year: 1997; serial number: 45400510; engine power: 202 kW; gear box type: hydrostaat ; tyre size front: 800/65R32; tyre size rear: 500/60-26.5; track width: 3900 mm; hours on display: 3400; cabin: yes; airconditioning: yes; own weight: 11500 kg; total dimension L: 9000 mm; total dimension W: 3900 mm; total dimension H: 4000 mm; description: equipped with cutting Claas coupe type C660 on braked trailer type 718; 4x2 drive; straw cutter - chaff cutter with wide test harvester; board documents single registration portion 1 is present; key oK ;	10,000.00
175	1	<ul> <li>mobile receiving hopper</li> <li>Miedema, SB55, year built 1985, serial number 57630, brand: Miedema; type: SB55; year: 1985; serial number: 57630; belt conveyor dim. L: 3700 mm; belt conveyor dim. W: 2000 mm; total dimension L: 6000 mm; total dimension W: 3700 mm; total dimension H: 2600 mm; description: equipped with single axis; detachable drawbar; 6x axial rolling; 2x discharge conveyor width 500mm; control box; 400 volt connection;</li> </ul>	100.00
176	1	<b>straw blower</b> Lerin Cartel, Pailleuse, year built 2006, serial number 0605686401, brand: Lerin Cartel; type: Pailleuse; year: 2006; serial number: 0605686401; working width: 1400 mm; own weight: 2000 kg; total dimension L: 3000 mm; total dimension W: 2200 mm; total dimension H: 2200 mm; description: equipped with three-point suspension; hydraulic valve block; tailgate ; chain floor; distribution mill; blower turbine; cardan shaft complete; adjustable blowgun;	100.00
177	1	<b>uithaler and distributor</b> Robert, 453 - B1600 1D, year built 2004, serial number B1600 1D-DE-VCS, brand: Robert; type: 453 - B1600 1D; year: 2004; serial number: B1600 1D-DE-VCS; total dimension L: 2300 mm; total dimension W: 2000 mm; total dimension H: 1700 mm; description: provided with three point suspension; electro-hydraulic control unit; hydraulic hoses ; uitsnijarm; Right printout using chain floor; (Administrative and logistic costs 25.00)	100.00
178	1	<b>straw blower</b> VDW constructie, SBmini 135, serial number 1706225, brand: VDW constructie; type: SBmini 135; serial number: 1706225; total dimension L: 2900 mm; total dimension W: 2100 mm; total dimension H: 2000 mm; description: demo device; equipped with Bobcat quick release plate; (Administrative and logistics costs 25.00)	100.00
179	1	<b>silage machine</b> Emily, GAV/AR/VEGA, year built 2008, serial number gavav2220/03, brand: Emily; type: GAV/AR/VEGA; year: 2008; serial number: gavav2220/03; buffer cap.: 2 m <sup>3</sup> ; own weight: 670 kg; total dimension L: 2000 mm; total dimension W: 2500 mm; total dimension H: 1300 mm; description: provided with three point suspension; Hydraulic top bar ; output jack; two-sided unloading; hydraulic uitkuilklem; control box; electro-hydraulic bediiening;	100.00
180	1	<b>pit distributor</b> Kuhn, Silocut, year built 1998, serial number 962215, brand: Kuhn; type: Silocut; year: 1998; serial number: 962215; working width: 1500 mm; own weight: 1500 kg; total dimension L: 2200 mm; total dimension W: 2500 mm; total dimension H: 1800 mm; description: equipped with three-point suspension; hydraulically operated pit plate; chain floor; turn left with distributor;	100.00

Starting Bid €

181	1	<b>feed slider</b> working width: 1500 mm; total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 650 mm; description: equipped with three-point linkage and inrijkokers for forklift truck ;	10.00
182	1	<b>hydraulic manure clamp</b> own weight: 200 kg; total dimension L: 800 mm; total dimension W: 1150 mm; total dimension H: 1000 mm; description: fitted with 6 teeth length 650mm; hydraulic clamp; hydraulic hoses ;	100.00
183	1	<b>excavator bucket</b> Wolverine, brand: Wolverine; total dimension L: 900 mm; total dimension W: 1800 mm; total dimension H: 800 mm; description: provided with 2x hydraulic cylinder ; Bobcat quick coupling ; hydraulic hoses ; unused; without any further information ; (Administrative and logistic costs 25.00)	100.00
184	1	<b>round bale packer</b> total dimension L: 1200 mm; total dimension W: 1400 mm; total dimension H: 900 mm; description: provided with hydraulic clamping function; round clamping arms; Euro quick release plate; hydraulic hoses ; unused; without any further information ;	100.00
185	1	<b>sprayer</b> Vicon, LS04HBP, serial number 89161-2103, brand: Vicon; type: LS04HBP; serial number: 89161-2103; boom width: 27 m; tank capacity: 3400 l; lights: yes; board computer: yes; clean water tank: yes; own weight: 2300 kg; total dimension L: 6000 mm; total dimension W: 2700 mm; total dimension H: 3200 mm; description: equipped with stainless steel boom lines; pentajets; caps AL11004VS + XR11005VK + ESI03; wheels 13.6 / 48; track width 2300mm; 2x Bertolini pump; filling hose; cardan shaft complete; drawbar steering; without board documents ;	1,000.00
186	1	<b>sprayer</b> Delvano, DR ST, serial number 9601080, brand: Delvano; type: DR ST; serial number: 9601080; boom width: 15 m; tank capacity: 1000 l; clean water tank: yes; own weight: 300 kg; total dimension L: 1500 mm; total dimension W: 2500 mm; total dimension H: 2300 mm; description: supported type ; provided with manual foldable spray boom; leveling boom; filling hose with basket; 5 sections; vulmengtank; complete propeller shaft;	100.00
187	1	<b>sprayer</b> Douven, B3007000, year built 1998, serial number 9117190, brand: Douven; type: B3007000; year: 1998; serial number: 9117190; boom width: 21 m; tank capacity: 1000 l; board computer: yes; clean water tank: yes; total dimension L: 2500 mm; total dimension W: 3000 mm; total dimension H: 2500 mm; description: supported type ; provided with hydraulically foldable spray boom; leveling boom; filling hose with basket; 7 sections; vulmengtank; propshaft missing ;	100.00
188	1	<b>sprayer</b> allaeys, brand: allaeys; tank capacity: 650 l; total dimension L: 1000 mm; total dimension W: 1800 mm; total dimension H: 1500 mm; description: equipped with pressure pump; cardan shaft complete; profile steel chassis with three-point suspension; pressure control valve; without boom; without further data ;	10.00
189	1	<b>sprayer</b> Vicon, Expert, brand: Vicon; type: Expert; boom width: 18 m; tank capacity: 1000 l; lights: yes; board computer: yes; clean water tank: yes; total dimension L: 4000 mm; total dimension W: 2900 mm; total dimension H: 3000 mm; description: worn crop sprayer ; PTO complete; with suction hose; on support frame;	100.00
190	1	<b>precision seed drill</b> Gilles, B12, year built 1991, serial number 414, brand: Gilles; type: B12; year: 1991; serial number: 414; working width: 5000 mm; number of rows: 12; row spacing: 50 mm; own weight: 1500 kg; total dimension L: 3000 mm; total dimension W: 3000 mm; total dimension H: 2000 mm; description: equipped with hydraulic fold; pressure roller; three- point suspension; fertilizer tanks ;	100.00

191		<b>precision seed drill</b> Gilles, B12, year built 1992, serial number 429, brand: Gilles; type: B12; year: 1992; serial number: 429; working width: 6000 mm; number of rows: 12; row spacing: 500 mm; total dimension L: 3200 mm; total dimension W: 3000 mm; total dimension H: 2000 mm; description: includes 4x drive wheel; traceerschijven; three-point linkage; naloopeg; hydraulic open blow Lighting ; (Administrative and logistics costs 25.00)	100.00
192	1	<b>precision seed drill</b> Gilles, C12, year built 1997, serial number 667, brand: Gilles; type: C12; year: 1997; serial number: 667; working width: 6000 mm; number of rows: 12; row spacing: 500 mm; total dimension L: 3200 mm; total dimension W: 3000 mm; total dimension H: 2000 mm; description: includes 4x drive wheel; control box; traceerschijven; three-point linkage; naloopeg; spare parts; hydraulic open blow Lighting ; (Administrative and logistics costs 25.00)	100.00
193	1	<b>precision seed drill</b> Kongskilde, S173/2, year built 2002, serial number 039, brand: Kongskilde; type: S173/2; year: 2002; serial number: 039; working width: 3000 mm; number of rows: 8; row spacing: 759 mm; total dimension L: 2100 mm; total dimension W: 3000 mm; total dimension H: 3200 mm; description: equipped with Becker 1502 control box; three-point suspension; cardan shaft complete; track wipers; hydraulic opening; tracing discs; fertilizer containers; pressure wheels; (Administrative and logistics costs 50.00)	100.00
194	1	<b>furrow press / presser</b> Moreau, 4M10, serial number 8410059, brand: Moreau; type: 4M10; serial number: 8410059; working width: 4000 mm; diameter: 300 mm; total dimension L: 5000 mm; total dimension W: 2200 mm; total dimension H: 900 mm; description: equipped with single axle transport trolley; 6x 13-piece pressure disc; drawbar; pull chain ;	100.00
195	1	<b>rotary mower</b> pottinger, Eurocat 315 PTM349, serial number 03496101314, brand: pottinger; type: Eurocat 315 PTM349; serial number: 03496101314; working width: 3150 mm; number of mowing decks: 1; mowing height adjustment: yes; total dimension L: 1500 mm; total dimension W: 5000 mm; total dimension H: 1500 mm; own weight: 1318 kg; description: equipped with 4 cutting discs; three-point suspension; pressure relief; cardan shaft complete; parking support;	100.00
196	1	<b>rotary mower</b> Lely, Splendimo 320M, year built 2010, serial number 0003089342, brand: Lely; type: Splendimo 320M; year: 2010; serial number: 0003089342; working width: 3200 mm; number of mowing decks: 1; mowing height adjustment: yes; wide spreading system: yes; total dimension L: 1500 mm; total dimension W: 5000 mm; total dimension H: 1500 mm; own weight: 796 kg; description: equipped with 8 cutting discs; central suspension; three- point suspension; cardan shaft complete; parking support ;	100.00
197	1	<b>flail mower Forestry</b> vandaele, VD Forestmaster, year built 1995, serial number 35195128, brand: vandaele; type: VD Forestmaster; year: 1995; serial number: 35195128; working width: 1700 mm; total dimension L: 800 mm; total dimension W: 1900 mm; total dimension H: 1200 mm; own weight: 625 kg; description: equipped with hydraulic side shift; three-point suspension; hammer flails; drag feet; cardan shaft is missing ;	100.00
198	1	<b>mulcher</b> Dragone, VOGT 200D, year built 2018, serial number VD002T, brand: Dragone; type: VOGT 200D; year: 2018; serial number: VD002T; total dimension L: 1100 mm; total dimension W: 2100 mm; total dimension H: 1200 mm; own weight: 625 kg; description: equipped with hydraulic side shift; three-point suspension; running roller; hammer flails; drag feet; cardan shaft is missing; visible minor damage ;	100.00

# Starting Bid €

Sta	rtir	na	Bi	id	€
ou		9		-	

199		<b>reaper</b> vandaele, brand: vandaele; number of mowing decks: 1; total dimension L: 800 mm; total dimension W: 3200 mm; total dimension H: 3100 mm; description: flail mower equipped with flail width 1250 mm; range +/- 6 m, three-point suspension; Teflex operation; double cardan driven hydraulic pump; 40.12 flails; Float; showroom model; without any further information ; (Administrative and logistic costs 25.00)	1,000.00
200	1	flail mower Forestry vandaele, VD 150 Forestmaster, year built 1997, serial number 35197163, brand: vandaele; type: VD 150 Forestmaster; year: 1997; serial number: 35197163; working width: 1700 mm; total dimension L: 800 mm; total dimension W: 1900 mm; total dimension H: 1200 mm; own weight: 625 kg; description: equipped with three-point suspension; hammer flails; drag feet; cardan shaft is missing ;	100.00
201	1	<b>reaper</b> Agri implement, GUS125, year built 2019, serial number 1811030002017, brand: Agri implement; type: GUS125; year: 2019; serial number: 1811030002017; working width: 1250 mm; total dimension L: 1400 mm; total dimension W: 700 mm; total dimension H: 600 mm; own weight: 202 kg; description: flail mower , propeller driven air-suspension; (Administrative and logistic costs 25.00)	100.00
202	1	<b>mulcher</b> Vigolo, TST280, year built 2016, serial number 160328, brand: Vigolo; type: TST280; year: 2016; serial number: 160328; own weight: 1160 kg; total dimension L: 2500 mm; total dimension W: 3100 mm; total dimension H: 1300 mm; description: equipped with hydraulic side shift; three-point suspension; cardan shaft complete; hammer spoons; 2x running wheel; tilt function; working width 2800 mm; demo device; (Administrative and logistic costs 25.00)	1,000.00
203	1	<b>mulcher</b> Vigolo, TST280, year built 2016, serial number 160329, brand: Vigolo; type: TST280; year: 2016; serial number: 160329; own weight: 1160 kg; total dimension L: 2500 mm; total dimension W: 3100 mm; total dimension H: 1300 mm; description: equipped with hydraulic side shift; three-point suspension; cardan shaft complete; hammer spoons; 2x running wheel; tilt function; working width 2800 mm; demo device; (Administrative and logistic costs 25.00)	1,000.00
204	1	<b>rotary mower</b> agram, Jet Cut L24T, serial number MA03081375, brand: agram; type: Jet Cut L24T; serial number: MA03081375; working width: 2400 mm; number of mowing decks: 1; mowing height adjustment: yes; total dimension L: 1000 mm; total dimension W: 4000 mm; total dimension H: 1500 mm; own weight: 1318 kg; description: equipped with 6 cutting discs; three-point suspension; cardan shaft complete; parking support;	100.00
205	1	<b>mower - crimper</b> Kuhn, FC240P, year built 1997, brand: Kuhn; type: FC240P; year: 1997; working width: 2400 mm; total dimension L: 2100 mm; total dimension W: 4400 mm; total dimension H: 1200 mm; description: provided with plastic conditioner fingers; 6 cutting discs; side folding hydraulic; cardan shaft not complete; three-point suspension ; (administrative and logistic costs 25.00)	100.00
206	1	<b>reaper</b> Votex, Arbo 2-205, year built 1998, serial number 493001X002, brand: Votex; type: Arbo 2-205; year: 1998; serial number: 493001X002; working width: 2050 mm; number of mowing decks: 1; total dimension L: 2000 mm; total dimension W: 2200 mm; total dimension H: 800 mm; description: topper ; provided with skid shoes ; (Administrative and logistic costs 25.00)	100.00

207	1	<b>rotary mower - crimper</b> Lely, Splendimo, year built 2006, serial number 3013064, brand: Lely; type: Splendimo; year: 2006; serial number: 3013064; working width: 3000 mm; number of mowing decks: 1; mowing height adjustment: yes; wide spreading system: yes; total dimension L: 2200 mm; total dimension W: 5000 mm; total dimension H: 1500 mm; own weight: 1318 kg; description: provided with crimper with plastic fingers; 8 cutting discs; central suspension; three-point linkage; complete cardan shaft; parking aid ;	100.00
208	1	<b>rotary mower - crimper</b> Krone, AM243GV, year built 2002, serial number 517441, brand: Krone; type: AM243GV; year: 2002; serial number: 517441; working width: 2450 mm; number of mowing decks: 1; mowing height adjustment: yes; wide spreading system: yes; total dimension L: 2200 mm; total dimension W: 4500 mm; total dimension H: 1500 mm; own weight: 1318 kg; description: air crimper with steel fingers; Six mowing discs; three-point linkage; complete propeller shaft;	100.00
209	1	<b>verge mower front superstructure</b> Kuhn, Spring longer S1680RPF, year built 2007, serial number 075769, brand: Kuhn; type: Spring longer S1680RPF; year: 2007; serial number: 075769; working width: 1680 mm; number of mowing decks: 1; total dimension L: 1500 mm; total dimension W: 4300 mm; total dimension H: 1500 mm; own weight: 1500 kg; description: equipped with hydraulic control; three-point suspension; running roller; hammer flails; drag feet; cardan shaft complete; hydraulic folding; parking support ;	1,000.00
210	1	<b>plow</b> Steeno, 5Z-H125, year built 1996, serial number 31296, brand: Steeno; type: 5Z-H125; year: 1996; serial number: 31296; own weight: 1500 kg; total dimension L: 5500 mm; total dimension W: 1900 mm; total dimension H: 1600 mm; description: provided with 5 double plowshares; front furrow ; hydraulic reversing cylinder; Depth transport wheel ;	100.00
211	1	<b>subsoiler</b> Smekant, AM 260, year built 2020, serial number 211, brand: Smekant; type: AM 260; year: 2020; serial number: 211; working width: 2600 mm; working depth: 700 mm; own weight: 963 kg; total dimension L: 2800 mm; total dimension W: 2200 mm; total dimension H: 1500 mm; description: subsoiler plough equipped with 4 woeltanden, crumble roller 3-point suspension ;	100.00
212	1	<b>spader</b> working width: 3000 mm; total dimension L: 2100 mm; total dimension W: 3500 mm; total dimension H: 1800 mm; description: equipped with cardan shaft complete; 6 rows of spit arms; parking supports; three-point suspension; without further data ; (Administrative and logistic costs 25.00)	100.00
213	1	<b>rotary harrow</b> Lely, brand: Lely; working width: 3000 mm; total dimension L: 1500 mm; total dimension W: 3150 mm; total dimension H: 1500 mm; description: equipped with 12 rotors with round teeth; leveling bar; trailing crumbling roll; hydraulic lift; cardan shaft complete; without further data ;	100.00
214	1	<b>rotary harrow</b> concert, type: concert; working width: 4000 mm; own weight: 3000 kg; total dimension L: 1900 mm; total dimension W: 4300 mm; total dimension H: 1300 mm; description: equipped with 14 rotors; mechanical lift; overrun cage roller DAMAGED !! ; cardan shaft complete; signage signs; without further data ;	100.00
215	1	<b>rotary harrow</b> Rabe, Weke 300, serial number 254362, brand: Rabe; type: Weke 300; serial number: 254362; working width: 3000 mm; own weight: 1000 kg; total dimension L: 1300 mm; total dimension W: 3200 mm; total dimension H: 2000 mm; description: equipped with 12 rotors: hvdraulic lift; cardan shaft complete: trailing cage roller :	100.00

# Starting Bid €

Ctorting	Did	-
Starting	DIQ	モ

216		<b>baler press</b> Mengele, 540T, year built 1997, serial number MGL853, brand: Mengele; type: 540T; year: 1997; serial number: MGL853; working width: 2200 mm; own weight: 8000 kg; total dimension L: 8000 mm; total dimension W: 2800 mm; total dimension H: 2800 mm; description: equipped with control box; packs 1200x700mm; number of pressed bales 48864; double binders; tandem braked chassis; cardan shaft complete; without further data ; (Administrative and logistic costs 50.00)	1,000.00
217	1	<b>baler press</b> John Deere, 592, brand: John Deere; type: 592; working width: 2000 mm; total dimension L: 4000 mm; total dimension W: 2500 mm; total dimension H: 2950 mm; description: cardan driven , provided with drawbar, computer , string binding, tires 15.0155-17; (Administrative and logistic costs 25.00)	1,000.00
218	1	<b>baler press</b> Claas, 751 / 365RC Variant pro, year built 2015, serial number 75104327, brand: Claas; type: 751 / 365RC Variant pro; year: 2015; serial number: 75104327; working width: 2200 mm; own weight: 3750 kg; total dimension L: 4300 mm; total dimension W: 2600 mm; total dimension H: 3000 mm; description: equipped with control box; parking support; cutting blades; cardan shaft complete; adjustable drawbar; extra wide pick-up; (Administrative and logistics costs 50.00)	1,000.00
219	1	<b>baler press</b> New Holland, BB940R, year built 2002, serial number 244258024, brand: New Holland; type: BB940R; year: 2002; serial number: 244258024; working width: 2000 mm; own weight: 8000 kg; total dimension L: 8000 mm; total dimension W: 2800 mm; total dimension H: 3150 mm; description: provided with 4 twine bindings; single axis; packs dimensions 800x850mm; cardan shaft not complete; central lubrication; control box is missing ;	1,000.00
220	1	<b>bale wrapper</b> Tanco, Autowrap , serial number 2020A-D3967, brand: Tanco; type: Autowrap ; serial number: 2020A-D3967; bale dim. L: 1800 mm; bale dim. W: 1200 mm; bale dim. H: 1200 mm; bale counter: yes; square bale wrapper: yes; own weight: 5200 kg; total dimension L: 7000 mm; total dimension W: 3000 mm; total dimension H: 3700 mm; description: equipped with semi-mounted suspension; pakkenklem; coil mat; double foil winding bracket; ejection roller conveyor ; control box; hydraulically adjustable drawbar ;	1,000.00
221	1	<b>single rake</b> kuhn, GA4501GM, serial number 940333, brand: kuhn; type: GA4501GM; serial number: 940333; total dimension L: 3700 mm; total dimension W: 2200 mm; total dimension H: 2300 mm; description: provided with swath cloth; tandem wheel chassis; 11 rake arms removable; cardan shaft complete ;	100.00
222	1	<b>single rake</b> kuhn, GA361GM, year built 1990, serial number 9100114, brand: kuhn; type: GA361GM; year: 1990; serial number: 9100114; working width: 3600 mm; total dimension L: 3300 mm; total dimension W: 2000 mm; total dimension H: 2000 mm; description: equipped with 10 rake arms removable; single axis; windrow cloth; cardan shaft complete ;	10.00
223	1	<b>Hay shaker</b> kuhn, GF6301MH digidrive, year built 1995, serial number 950952, brand: kuhn; type: GF6301MH digidrive; year: 1995; serial number: 950952; total dimension L: 2300 mm; total dimension W: 3000 mm; total dimension H: 3400 mm; description: equipped with 6 suns; parking support; manual tilt; hydraulic folding; cardan shaft complete ;	100.00
224	1	<b>hay turner</b> total dimension L: 2300 mm; total dimension W: 2300 mm; total dimension H: 900 mm; (Administrative and logistics costs 25.00)	10.00
225	1	<b>hay fodder-rake</b> PZ, brand: PZ; working width: 3000 mm; total dimension L: 2500 mm; total dimension W: 3000 mm; total dimension H: 800 mm; description: equipped with 2x shaker kpoi; 2x swath guides; cardan shaft complete; adjustable teeth;	10.00

226		<b>fertiliser spreader</b> Vicon, RS-XL, serial number 77303-00 1046, brand: Vicon; type: RS-XL; serial number: 77303-00 1046; tank capacity: 2000 I; own weight: 490 kg; total dimension L: 1400 mm; total dimension W: 2600 mm; total dimension H: 1700 mm; description: equipped with hydraulically operated kantenstrooier; section closure by hydraulic means; cover ; complete propeller shaft ;	100.00
227	1	fertiliser spreader Amazone, ZA-U1500, serial number 001521, brand: Amazone; type: ZA-U1500; serial number: 001521; tank capacity: 1500 l; total dimension L: 1500 mm; total dimension W: 2200 mm; total dimension H: 1200 mm; description: equipped with double spreader disc; spare; Hydraulic shut-off left-right; cover ; complete propeller shaft ;	100.00
228	1	<b>baler press</b> New Holland, D1000, brand: New Holland; type: D1000; working width: 1900 mm; total dimension L: 6500 mm; total dimension W: 2300 mm; total dimension H: 2200 mm; description: provided with 4x twine tying; cardan shaft complete; spare parts supplied separately; without further data ;	100.00
229	1	<b>tool chest</b> MBPack1, type: MBPack1; number of drawers: 8; with key: yes; total dimension LxWxH: 3650x600x2000 mm; description: Equipped wall arrangement; 4x wardrobe; 1x workbench width 1600 mm; 1x workbench width 1200mm; 1x workbench width 600mm; worktop; 1x removable racking 1500x510x2000mm with 4 shelves; unused; disassemble; (Administrative and logistic costs 25.00)	100.00
230	1	<b>tool chest</b> Blisar, brand: Blisar; number of drawers: 15; with key: yes; total dimension LxWxH: 4050x500x2050 mm; description: consisting of wall arrangement; 4x hanging cupboard; 2x 1 door cabinet; 1x 2 door cabinet; 3x drawer cabinet; rubber inlay mats; wooden worktop; unused; to disassemble; (Administrative and logistic costs 25.00)	100.00
231	1	<b>tool trolleys</b> number of drawers: 14; total dimension L: 500 mm; total dimension W: 1200 mm; total dimension H: 1500 mm; description: provided with top cover; 1x door; rubber inlay mats; mobile setup ; unused ; (Administrative and logistic costs 25.00)	100.00
232	1	<b>tool chest</b> Cromag, brand: Cromag; number of drawers: 15; with key: yes; total dimension LxWxH: 4050x500x2050 mm; description: consisting of wall arrangement; 4x hanging cupboard; 2x 1 door cabinet; 1x 2 door cabinet; 1x mobile equipment trolley; 1x drawer cabinet; rubber inlay mats; wooden worktop; unused; to disassemble; (Administrative and logistic costs 25.00)	100.00
233	1	<b>wood chipper</b> total dimension L: 2300 mm; total dimension W: 1200 mm; total dimension H: 2300 mm; description: equipped with double hydraulically driven feed roller; controllable inflow rate; adjustable tuyere; Shaft drive; three-point linkage; without any further information;	100.00
234	1	<b>wood chipper</b> Vandaele, TV 12-20, brand: Vandaele; type: TV 12-20; max. ?: 120 mm; total dimension L: 2200 mm; total dimension W: 1400 mm; total dimension H: 2200 mm; description: wood chipper, unused showroom model, shredder for recording on three-point tractor , without the final gear; required tractor power: 20 Horse Power at 1000 rpm PTO ; anti- stress system; (Administrative and logistic costs 25.00)	500.00
235	1	<b>wood splitter</b> Benza, BSP2500H, brand: Benza; type: BSP2500H; capacity: 6.5 t; block length max.: 500 mm; electric driven: yes; own weight: 154 kg; total dimension L: 1530 mm; total dimension W: 580 mm; total dimension H: 1120 mm; description: includes mono 230 volt electric motor with hydraulic group; tilting cylinder ; mobile; unused; in original packaging ; (Administrative and logistic costs 25.00)	100.00

Starti	na	Bid	€
otarti	II Y	DIG	

236	eliet, TL Pro 450, year built 2014, serial number 1407008, brand: eliet; type: TL Pro 450; year: 2014; serial number: 1407008; fuel engine driven: yes; fuel type: benzine; sunction: yes; total dimension L: 2300 mm; total dimension W: 1250 mm; total dimension H: 2200 mm; description: Honda GX390 equipped with motor; galvanized trailer chassis ECIM with boltrekhaak; adjustable tuyere; support wheel;	100.00
237	eliet, TL Pro 450, year built 2014, serial number 1407009, brand: eliet; type: TL Pro 450; year: 2014; serial number: 1407009; fuel engine driven: yes; fuel type: benzine ; sunction: yes; total dimension L: 2300 mm; total dimension W: 1250 mm; total dimension H: 2200 mm; description: provided with Subaru EX40 15W motor 15 HP; galvanized trailer chassis ECIM with boltrekhaak; adjustable tuyere; support wheel ; flexible suction ;	100.00
238	1 seedbed combination Power Harrow, 1BF-145, year built 2020, serial number 20030001, brand: Power Harrow; type: 1BF-145; year: 2020; serial number: 20030001; working width: 1650 mm; own weight: 536 kg; total dimension L: 1800 mm; total dimension W: 1400 mm; total dimension H: 1050 mm; description: rotary harrow 1.45M with seeder, crumbling roller and cardan (unused);	100.00
239	<ol> <li>cultivator         Nautac, 51, year built 1992, serial number 000036, brand: Nautac; type: 51; year: 1992; serial number: 000036; working width: 600 mm; working depth: 250 mm; total dimension             L: 1200 mm; total dimension W: 600 mm; total dimension H: 800 mm; description:             equipped with B&amp;S petrol engine; 4 rows of milling cutters; transport wheel; on pallet;     </li> </ol>	10.00
240	1 cultivator Rotary Tiller, FTL 125, year built 2019, serial number 19070040, brand: Rotary Tiller; type: FTL 125; year: 2019; serial number: 19070040; working width: 1250 mm; working depth: 150 mm; own weight: 163 kg; total dimension L: 1400 mm; total dimension W: 600 mm; total dimension H: 850 mm; description: equipped with 3-point suspension, cardan drive + cardan (unused);	100.00
241	<ol> <li>cultivator         Nitia, RSP1363MA, serial number 10333, brand: Nitia; type: RSP1363MA; serial number: 10333; working width: 1360 mm; total dimension L: 900 mm; total dimension W: 1500 mm; total dimension H: 1100 mm; description: equipped with direct suspension; cardan shaft is missing ; (Administrative and logistic costs 25.00)     </li> </ol>	100.00
242	<ul> <li>cultivator</li> <li>Vigolo, FK125, year built 2016, serial number 160776, brand: Vigolo; type: FK125; year: 2016; serial number: 160776; working width: 1250 mm; own weight: 310 kg; total dimension L: 800 mm; total dimension W: 1800 mm; total dimension H: 1100 mm; description: equipped with 6 rows of milling knives; cardan shaft complete; unused ; (Administrative and logistic costs 25.00)</li> </ul>	100.00
243	1 weidebloter Sitrex, SM-150P, year built 2010, serial number 217073, brand: Sitrex; type: SM-150P; year: 2010; serial number: 217073; own weight: 202 kg; total dimension L: 1400 mm; total dimension W: 1600 mm; total dimension H: 1200 mm; description: provided with three- point suspension horticultural tractor ; complete cardan shaft; 4x vertically adjustable castor wheels ; (Administratif and logistic costs 25.00)	100.00
244	1 worn mower siltrex, sm-180 FP, year built 2009, serial number 210410, brand: siltrex; type: sm-180 FP; year: 2009; serial number: 210410; working width: 1800 mm; own weight: 231 kg; total dimension L: 1700 mm; total dimension W: 1900 mm; total dimension H: 700 mm; description: equipped with three-point suspension, cardan drive, cardan complete, 4 x swivel wheels, 3 blades; (Administrative and logistics costs 25.00)	100.00

245	1	<b>fertiliser spreader</b> agrex, KA 300, year built 2002, serial number 22038, brand: agrex; type: KA 300; year: 2002; serial number: 22038; own weight: 58 kg; total dimension L: 1300 mm; total dimension W: 1100 mm; total dimension H: 1050 mm; description: ear disease of 3-point suspension, cardan drive with cardan shaft; (Administrative and logistic costs 25.00)	100.00
246	1	<b>fertiliser spreader</b> Solecka, S 400L, year built 2018, brand: Solecka; type: S 400L; year: 2018; tank capacity: 400 l; total dimension L: 1300 mm; total dimension W: 1300 mm; total dimension H: 1300 mm; description: equipped with 3-point suspension and hydro control (unused);	50.00
247	1	<b>sitting lawn mower</b> New Holland, MC35, brand: New Holland; type: MC35; working width: 1500 mm; fuel type: diesel; container: yes; total dimension L: 3500 mm; total dimension W: 1600 mm; total dimension H: 2100 mm; description: equipped with a hydraulic high tipping container; working hours on counter 2897h; 4x4 hydrostatic drive; front cutting deck with lift; 1x running wheel cutting deck is missing; suction flexible is missing; key ok; without further data ; (Administrative and logistics costs 25.00)	100.00
248	1	<b>Tray ride on mower</b> Iseki, SXG15, brand: Iseki; type: SXG15; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 800 mm; description: in pallet box; unused ; (Administrative and logistics costs 25.00)	10.00
249	1	<b>utility tractor</b> Nimos, porter-11, year built 1999, serial number xl9porterx0135081, brand: Nimos; type: porter-11; year: 1999; serial number: xl9porterx0135081; gear box type: hydrostaat ; tyre size front: 27x10.5-15; number of hydraulic valves: 4; front linkage: yes; cabin: yes; own weight: 1700 kg; total dimension L: 3500 mm; total dimension W: 1300 mm; total dimension H: 2150 mm; description: fitted with tricycle; diesel engine ; quick release plate on front; key ok; without car documents ; (Administrative and logistic costs 25.00)	100.00
250	1	narrow-gauge and compact tractor Kubota, L1-25, serial number L1CD-65095, brand: Kubota; type: L1-25; serial number: L1CD-65095; hours on display: 1265; gear box type: Monroematic; PTO speed: 540 rpm; tyre size front: 7-16; tyre size rear: 11.2-24; track width: 1420 mm; number of hydraulic valves: 0; total dimension L: 3000 mm; total dimension W: 1420 mm; total dimension H: 2000 mm; description: equipped with 3-cil Kubota diesel engine; drawbar; hydraulic lifting with hydraulic leveling; 4x4; key ok; without on-board documents; without further data ; (Administrative and logistic costs 25.00)	100.00
251	1	<b>narrow-gauge and compact tractor</b> Hinomoto, Best E15, brand: Hinomoto; type: Best E15; hours on display: 1295; gear box type: handgeschakeld ; PTO speed: 540 rpm; tyre size front: 4.00-12; tyre size rear: 10.5- 18; track width: 1150 mm; total dimension L: 2700 mm; total dimension W: 1150 mm; total dimension H: 1200 mm; description: provided with linkage behind; diesel engine 2 cylinder ; key missing; without any further information ; (Administrative and logistic costs 25.00)	100.00
252	1	oven circuit board Centrotherm, DO-HTO-5.700-900, year built 2007, serial number 1_42810.23, brand: Centrotherm; type: DO-HTO-5.700-900; year: 2007; serial number: 1_42810.23; temperature range max.: 120 °c; electric connection: 400 V; own weight: 2800 kg; description: photo voltaic oven including control computer; condition: unused;	100.00
253	1	<b>floor cleaner</b> Kärcher, BR 40/25 C Bp, year built 2005, serial number 0100444, brand: Kärcher; type: BR 40/25 C Bp; year: 2005; serial number: 0100444; working width: 400 mm; rechargable: yes; electric connection: 230 V; own weight: 117 kg; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: manual floor cleaner; (Administrative and logistic costs 25.00)	100.00

254		<b>floor cleaner</b> Kärcher, BD 90/140 R, year built 2005, serial number 011154, brand: Kärcher; type: BD 90/140 R; year: 2005; serial number: 011154; working width: 900 mm; rechargable: yes; electric connection: 24 V; own weight: 230 kg; total dimension L: 1700 mm; total dimension W: 1000 mm; total dimension H: 1300 mm; description: self-propelled floor cleaner provided with: water reservoir; read hours: 65; without charger; key: OK;	100.00
255	1	<b>floor cleaner</b> Fimap, FS 60 Bt, year built 2011, serial number 211010143, brand: Fimap; type: FS 60 Bt; year: 2011; serial number: 211010143; working width: 600 mm; rechargable: yes; electric connection: 24 V; own weight: 270 kg; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: self-propelled floor cleaner provided with: water reservoir; read hours: 67.7; Charger; does not drive; key: OK;	100.00
256	1	<b>floor cleaner</b> Kärcher, BR 47/35 Esc, year built 2009, serial number 010067, brand: Kärcher; type: BR 47/35 Esc; year: 2009; serial number: 010067; working width: 400 mm; rechargable: yes; electric connection: 230 V; total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: hand operated floor cleaner; read hours: 124; (Administrative and logistic costs 25.00)	100.00
257	1	<b>floor cleaner</b> Fimap, MX 65 Bt, year built 2011, serial number 211012356, brand: Fimap; type: MX 65 Bt; year: 2011; serial number: 211012356; working width: 650 mm; rechargable: yes; electric connection: 24 V; own weight: 253 kg; total dimension L: 1300 mm; total dimension W: 1100 mm; total dimension H: 1100 mm; description: provided with: water reservoir; read hours: 93.6; Charger; key: OK;	100.00
258	1	<b>driven floor cleaner</b> Kärcher, B 80 W Bp, year built 2009, serial number 010055, brand: Kärcher; type: B 80 W Bp; year: 2009; serial number: 010055; working width: 600 mm; rechargable: yes; electric connection: 230 V; own weight: 340 kg; total dimension L: 1500 mm; total dimension W: 1000 mm; total dimension H: 1200 mm; description: driven floor cleaner; no key; (Administrative and logistic costs 25.00)	100.00
259	1	<b>driven floor cleaner</b> Kärcher, B 60 W Bp pack, year built 2009, serial number 010067, brand: Kärcher; type: B 60 W Bp pack; year: 2009; serial number: 010067; working width: 500 mm; rechargable: yes; electric connection: 230 V; own weight: 305 kg; total dimension L: 1700 mm; total dimension W: 800 mm; total dimension H: 1200 mm; description: driven floor cleaner; draaiuren: unreadable; Key: OK; (Administrative and logistic costs 25.00)	100.00
260	1	<b>driven floor cleaner</b> Kärcher, BR 55/60 W, year built 2005, serial number 014405, brand: Kärcher; type: BR 55/60 W; year: 2005; serial number: 014405; working width: 600 mm; rechargable: yes; electric connection: 230 V; own weight: 310 kg; total dimension L: 1500 mm; total dimension W: 950 mm; total dimension H: 1200 mm; description: driven floor cleaner; draaiuren: 288; Key: OK; (Administrative and logistic costs 25.00)	100.00
261	1	<b>floor cleaner</b> Kärcher , BR 530 BAT, year built 2005, serial number 076753, brand: Kärcher ; type: BR 530 BAT; year: 2005; serial number: 076753; working width: 530 mm; rechargable: yes; electric connection: 24 V; own weight: 150 kg; total dimension L: 1400 mm; total dimension W: 900 mm; total dimension H: 1100 mm; description: provided with; water reservoir; charger is missing;	10.00
262	1	<b>floor cleaner</b> Comax, Media 65BT, year built 2011, serial number 111012267, brand: Comax; type: Media 65BT; year: 2011; serial number: 111012267; working width: 600 mm; rechargable: yes; electric connection: 24 V; own weight: 335 kg; total dimension L: 1400 mm; total dimension W: 1000 mm; total dimension H: 1100 mm; description: provided with water reservoir; soft brushes for gym; read hours: 565; charger is missing; key: OK;	100.00

263	<ol> <li>golf cart Clubcar, brand: Clubcar; VIN number: A9308320084; electric: yes; total dimension L: 2600 mm; total dimension W: 1200 mm; total dimension H: 1750 mm; description: equipped with charger 230-36 volts; 4 seats; (batteries are missing); key is missing; operation not known ; (Administrative and logistic costs 25.00)</li> </ol>	100.00
264	1 frontgewicht Frans Pateer, brand: Frans Pateer; own weight: 750 kg; total dimension L: 700 mm; total dimension W: 1100 mm; total dimension H: 900 mm; description: equipped with three- point suspension; tow bar bracket maximum 10 tons; demo model;	100.00
265	<ul> <li>6 car tires</li> <li>Michelin, brand: Michelin; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: various sizes including 4 x Michelin 235/65 R 17; 1 x Pirelli 255/50 R20 snow tire; 1 x Kuhmo 245/45 R 18,; (Administrative and logistic costs 25.00)</li> </ul>	10.00
266	4 tires and rim with rims: yes; description: of which 3 x 5.60-13, 1 x Michelin 155 / 80R13; (Administrative and logistic costs 25.00)	10.00
267	<ul> <li>4 winter tires</li> <li>Nokian, 205/65R16, brand: Nokian; type: 205/65R16; tyre size: 205/65; size (digit): 16 "; description: used ; (Administrative and logistics costs 25.00)</li> </ul>	10.00
268	4 tires size (digit): 19 "; tyre size: 245/45R19; with rims: yes; summer tyre: yes; description: on pallet;	10.00
269	4 tires Dotz, brand: Dotz; size (digit): 17 "; tyre size: 225/45R17; with rims: yes; summer tyre: yes; description: on pallet;	10.00
270	4 tires Hankook, brand: Hankook; size (digit): 16 "; tyre size: 225/65R16; with rims: yes; winter tyre: yes; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: equipped with steel rim; + 4x light-alloy wheels Mercedes; on pallet;	10.00
271	<ul> <li>wheels</li> <li>Scania, 22.5x11.75H IS135, brand: Scania; type: 22.5x11.75H IS135; total dimension W:</li> <li>350 mm; total dimension H: 600 mm; description: on pallet;</li> </ul>	10.00
272	2 Tire on rim Michelin, 12.00R20, brand: Michelin; type: 12.00R20; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 600500 mm; description: + steel rim 10 holes; on pallet;	10.00
273	4 tires total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: consisting of 2x Michelin 350 / 75R22.5; + 2x car tire; (Administrative and logistic costs 25.00)	10.00
274	2 industrial tires fujitires, 20.5-25, brand: fujitires; type: 20.5-25; size (digit): 25 "; tyre size: 20.5; total dimension W: 500 mm; total dimension H: 1400 mm; description: unused ; (Administrative and logistic costs 25.00)	100.00
275	<ol> <li>agricultural tires dunlop, brand: dunlop; tyre size: 12.00R20; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: + 1x Yokohama 315 / 80R22.5; in pallet box;</li> </ol>	10.00
276	1 tyres on rims tyre size: 11.5/80-15.3; total dimension W: 280 mm; total dimension H: 830 mm; description: equipped with rim with 6 bolt holes ;	10.00

Startir	ng B	id	€
			-

277	' 3	<b>tyres on rims</b> total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1200 mm; description: consisting of 2x Record 12.4-24 agricultural tire on rim; 1x car tire on rim; without further data ;	10.00
278		off-road tires Swift , 250, brand: Swift ; type: 250; tyre size: 25x10-12 NHS; description: showroom models; number of bolt holes: 5; (Administrative and logistic costs 25.00)	100.00
279	) 3	<b>agricultural tires</b> size (digit): 38 "; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: consisting of 1x front wheel teactor; 1x wagon tire; 1x BKT 10.0 / 80-12; on pallet ; (Administrative and logistic costs 25.00)	10.00
280	) 3	agricultural tires alliance, 460/70R24, brand: alliance; type: 460/70R24; size (digit): 24 "; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: consisting of tractor tires; on pallet ; (Administrative and logistic costs 25.00)	10.00
281	2	<b>tractor tires</b> taurus, 480/70R38, brand: taurus; type: 480/70R38; size (digit): 38 "; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 1000 mm; description: on pallet ; (Administrative and logistic costs 25.00)	10.00
282	2 1	<b>tyres on rims</b> firestone, 66x43.00-25, brand: firestone; type: 66x43.00-25; tyre size: 66x43.00-25; size (digit): 25 "; total dimension W: 1100 mm; total dimension H: 1650 mm; description: equipped with steel rim with 8 holes center-center 270mm; bore hole diameter 220mm; removable inner flange;	100.00
283	3 2	<b>spray tires on rim</b> kleber, brand: kleber; tyre size: 8.3/8R36; size (digit): 36 "; total dimension W: 220 mm; total dimension H: 1300 mm;	10.00
284	2	<b>rim for agricultural machinery</b> total dimension L: 1100 mm; total dimension W: 1200 mm; total dimension H: 1300 mm; description: shaft diameter 150 mm, 8 holes; rim diameter: 102 cm; rim width: 49 cm; (Administrative and logistics costs 25.00)	10.00
285	5 4	<b>lawn wheels</b> Bridgestone, Pillow Dia-1, brand: Bridgestone; type: Pillow Dia-1; tyre size: 13.6-16; description: showroom models; number of bolt holes: 6; (Administrative and logistic costs 25.00)	100.00
286	6 4	<b>lawn wheels</b> Bridgestone, Pillow Dia-1, brand: Bridgestone; type: Pillow Dia-1; tyre size: 13.6-16; description: showroom models; number of bolt holes: 6; (Administrative and logistic costs 25.00)	100.00
287	' 8	<b>lawn wheels</b> Bridgestone, Pillow Dia-1, brand: Bridgestone; type: Pillow Dia-1; tyre size: 31x13.5-15; description: showroom models; number of bolt holes: 6; (Administrative and logistic costs 25.00)	100.00
288	3 1	<b>oil filter drip tray</b> total dimension L: 850 mm; total dimension W: 850 mm; total dimension H: 1200 mm; description: fitted with plastic chassis; float level control; lid; suction opening; unused ; (Administrative and logistics costs 10.00)	10.00
289	) 1	<b>stock shower soap</b> description: 1000 liters in IBC container; use: cosmetic product for body care and cleaning ; (Administrative and logistics costs 25.00)	10.00
290	) 5	<b>plastic storage vessels</b> plastic: yes; capacity content: 200 I; description: zvg ; (Administrative and logistic costs 10.00)	10.00

pump;

291	1	<b>broken barrel of formwork oil</b> Hakron, brand: Hakron; description: with manual pump; (Administrative and logistic costs 10.00)	10.00
292	24	<b>PVC barrels</b> description: capacity 30 liters; content : blank; (Administrative and logistics costs 25.00)	10.00
293	1	stock shower soap description: 500 liters in IBC container; use: cosmetic product for body care and cleaning ; (Administrative and logistics costs 25.00)	10.00
294	1	<b>vertical storage mix tank</b> Desplenter, CPH002-3, brand: Desplenter; type: CPH002-3; capacity: 1200 l; double walled: yes; total dimension L: 720 mm; total dimension W: 1260 mm; total dimension H: 1700 mm;	100.00
295	1	horizontal diesel storage yard tank Vanacker, year built 2007, serial number 01 85/78, brand: Vanacker; year: 2007; serial number: 01 85/78; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diameter 1270mm, equipped with lifting lugs, lifting chain and inrijkokers for forklift truck ;	50.00
296	1	<b>horizontal diesel storage yard tank</b> Vanacker, year built 2008, brand: Vanacker; year: 2008; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diameter 1270mm, equipped with manually operated hand pump eyebolts, lifting chain and inrijkokers for forklift truck;	50.00
297	1	<b>horizontal diesel storage yard tank</b> Vanacker, year built 2008, brand: Vanacker; year: 2008; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diameter 1270mm, equipped with manually operated hand pump eyebolts, lifting chain and inrijkokers for forklift truck;	50.00
298	1	<b>horizontal storage tank</b> Tank Shop, brand: Tank Shop; plastic: yes; capacity: 2500 I; double walled: yes; total dimension L: 2600 mm; total dimension W: 1600 mm; total dimension H: 1800 mm; description: pump and filling connections are missing; without further data ;	100.00
299	1	<b>horizontal diesel storage yard tank</b> Vanacker, year built 2008, serial number 02 9351, brand: Vanacker; year: 2008; serial number: 02 9351; steel: yes; capacity: 2200 l; total dimension L: 2000 mm; total dimension W: 850 mm; total dimension H: 1950 mm; description: single wall, provided with manually operated pump dispensing hose with lifting eyes and inrijkokers for forklift truck ;	50.00
300	1	<b>horizontal diesel storage yard tank</b> Vanacker, year built 2008, serial number 9309, brand: Vanacker; year: 2008; serial number: 9309; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diam 1270mm, equipped with manually-operated hand pump lifting eyes and ophijsjuk;	50.00
301	1	<b>horizontal diesel storage yard tank</b> Vanacker, year built 2008, serial number 059524, brand: Vanacker; year: 2008; serial number: 059524; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diam 1270mm, equipped with manually-operated hand	50.00



Starting Bid €

Startin	g Bio	€ ו

302	1 horizontal diesel storage yard tank Vanacker, year built 2008, serial number 02 9351, brand: Vanacker; year: 2008; serial number: 02 9351; steel: yes; capacity: 2200 l; double walled: yes; total dimension L: 2000 mm; total dimension W: 1350 mm; total dimension H: 1900 mm; description: double walled sheet thickness 5-3mm, diameter 1270mm, equipped with lifting lugs, lifting chain and inrijkokers for forklift truck ;	50.00
303	1 lot of insulating mats Izomat, brand: Izomat; dimension W: 600 mm; length: 1200 mm; thickness: 100 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 600 mm; description: consisting of 2 packs, each with 6 mats of insulation; on pallet; (Administrative and logistic costs 25.00)	10.00
304	1 lot of insulation rolls Izomat, brand: Izomat; dimension W: 1200 mm; length: 6000 mm; thickness: 50 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 600 mm; description: consisting of 12 rolls of insulation; on pallet; (Administrative and logistic costs 25.00)	10.00
305	1 lot of insulation rolls Izomat, brand: Izomat; dimension W: 1200 mm; length: 6000 mm; thickness: 50 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 600 mm; description: consisting of 12 rolls of insulation; on pallet; (Administrative and logistic costs 25.00)	10.00
306	12 insulation on a roll Izomat, Izo R, brand: Izomat; type: Izo R; dimension W: 1200 mm; length: 6000 mm; thickness: 50 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1400 mm; description: on pallet; unused ; (Administrative and logistic costs 25.00)	10.00
307	1 lot of insulating mats Izomat, brand: Izomat; dimension W: 600 mm; length: 1200 mm; thickness: 100 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1800 mm; description: consisting of 6 packs, each with 6 mats of insulation; on pallet; (Administrative and logistic costs 25.00)	10.00
308	12 insulation on a roll Izomat, Izo R, brand: Izomat; type: Izo R; dimension W: 1200 mm; length: 6000 mm; thickness: 50 mm; total dimension L: 1200 mm; total dimension W: 1200 mm; total dimension H: 1400 mm; description: on pallet; unused ; (Administrative and logistic costs 25.00)	10.00
309	1 pallet wrapper Cyklop, 11 215 70, serial number 020384, brand: Cyklop; type: 11 215 70; serial number: 020384; plateau ?: 1670 mm; foil width: 500 mm; max. height: 2400 mm; electric connection: 230 V; total dimension L: 2900 mm; total dimension W: 1700 mm; total dimension H: 2600 mm; description: equipped with electro operation; ramp; forklift sleeves; control box ;	100.00
310	1 flue gas exhaust system euromate, ultra flex, brand: euromate; type: ultra flex; total dimension L: 1300 mm; total dimension W: 800 mm; total dimension H: 2600 mm; description: mobile setup; feature extraction arm with nozzle; power; without any further information;	100.00
311	1 vacuum dyeing machine PDS, 2010 Labcoter 2, serial number 136264, brand: PDS; type: 2010 Labcoter 2; serial number: 136264; electric connection: 220 V; dimension L: 650 mm; dimension W: 500 mm; dimension H: 1300 mm;	100.00
312	<ol> <li>KOPIER milling machine Rotox, KF341, year built 2004, serial number 3416325, brand: Rotox; type: KF341; year: 2004; serial number: 3416325; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 1600 mm; description: provided with user manual;</li> </ol>	100.00

Sta	rting	Bid	€

313	1	<b>vertical milling machine</b> Graule, AKF 6/250, serial number 2005/12/50, brand: Graule; type: AKF 6/250; serial number: 2005/12/50; spindle ?: 250 mm; electric connection: 400 V; dimension L: 1100 mm; dimension W: 1000 mm; dimension H: 1300 mm; description: equipped with profile milling head; on pallet;	100.00
314	1	Welding machine Hermann, Sharc 620T DC robo, serial number 1259, brand: Hermann; type: Sharc 620T DC robo; serial number: 1259; tig type: yes; AC/DC: yes; ampere range: 620 A; electric connection: 400 V; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1100 mm; description: provided with power cable; on pallet;	100.00
315	1	<b>pressure washer</b> Rior, HD-50, serial number 5079250, brand: Rior; type: HD-50; serial number: 5079250; mobile: yes; own weight: 280 kg; total dimension L: 2500 mm; total dimension W: 1400 mm; total dimension H: 1400 mm; description: equipped with single-axle draw chassis; equipped with Honda gasoline engine; (Administrative and logistic costs 25.00)	10.00
316	1	<b>Mobile spray tank</b> total dimension L: 3700 mm; total dimension W: 1400 mm; total dimension H: 1500 mm; description: spray tank: equipped with: Briggs & Stratton gasoline engine; (Administrative and logistics costs 25.00)	10.00
317	1	<b>irrigation pump</b> FMC, brand: FMC; engine power: 35.2 kW; total dimension L: 2600 mm; total dimension W: 1200 mm; total dimension H: 2300 mm; description: Hatz provided with Diesel engine; electro start; centrifugal pump ; delivery pump piston; Double fuel tank ; key OK; in profile steel chassis; without any further information ;	100.00
318	1	<b>piston pump</b> Stork, RSP105B, serial number 2771, brand: Stork; type: RSP105B; serial number: 2771; total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 800 mm; description: equipped with profile steel chassis; drive motor is missing ; (Administrative and logistics costs 25.00)	10.00
319	1	waterpump Vantorre, brand: Vantorre; electric connection: 220 V; total dimension L: 1100 mm; total dimension W: 700 mm; total dimension H: 1100 mm; description: with 2 " terminals; manometer; type piston pump; without any further information ; (Administrative and logistic costs 25.00)	10.00
320	1	<b>spot welder</b> Metrode Eurolas, NKLP26, serial number ID307 001, brand: Metrode Eurolas; type: NKLP26; serial number: ID307 001; nominal capacity: 14 kVA; max. welding capacity: 14 kVA; operating stroke: 455 mm; foot control: yes; digital display: yes; electric connection: 400 V; machine weight: 165 kg; description: equipped with Deltatherm cooling group; on pallet;	100.00
321	1	<b>milk cooling installation</b> Alfa Laval, brand: Alfa Laval; total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 1000 mm; description: equipped with rudder motor; peephole; drain valve; cooling group; lid; stainless steel version;	10.00
322	1	<b>spot welder</b> Aro, S3231, year built 1997, serial number YKM343202A, brand: Aro; type: S3231; year: 1997; serial number: YKM343202A; max. welding capacity: 62 kVA; electric connection: 380 V; dimension L: 1000 mm; dimension W: 900 mm; dimension H: 800 mm; description: provided with cooling; in galva cage; not complete;	10.00
323	1	<b>broadband grinder</b> Germandi , 300 Superolimpa 300, brand: Germandi ; type: 300 Superolimpa 300; sand belt size L: 2000 mm; sand belt size W: 350 mm; electric connection: 400 V; dimension L: 800 mm; dimension W: 1300 mm; dimension H: 1300 mm; description: equipped with piercing motor with double roller; height adjustment; extraction nozzle ;	100.00

324	1	<b>plasma cutting machine</b> Hypertherm, Hydefinition HD4070, serial number 4070-000492, brand: Hypertherm; type: Hydefinition HD4070; serial number: 4070-000492; electric connection: 400 V; dimension L: 1000 mm; dimension W: 620 mm; dimension H: 1300 mm; description: provided with power cable; on pallet; without further data ;	100.00
325	1	<b>tape closing device</b> strapex, Ecopack DE-94, year built 1999, serial number 99211394, brand: strapex; type: Ecopack DE-94; year: 1999; serial number: 99211394; plastic strap: yes; electric connection: 230 V; total dimension L: 630 mm; total dimension W: 1500 mm; total dimension H: 1500 mm; description: with stainless steel worktop; roll ribbon tie; mobile setup ;	10.00
326	1	<b>band saw machine</b> GACO, Startrite 20 RWH, serial number 98450, brand: GACO; type: Startrite 20 RWH; serial number: 98450; engine power: 1 kW; electric connection: 380 V; dimension L: 1800 mm; dimension W: 1000 mm; dimension H: 2000 mm; description: band saw machine; (Administrative and logistic costs 25.00)	10.00
327	2	<b>combi central heating boiler</b> Remeha, Gas 210 eco-200, brand: Remeha; type: Gas 210 eco-200; power: 200 kW; solo: yes; ErP rating: classe 5; electric connection: 230 V; total dimension L: 450 mm; total dimension W: 1200 mm; total dimension H: 1500 mm; description: equipped with control box; operation not known; on pallet; without further data ; (Administrative and logistics costs 25.00)	100.00
328	1	<b>pressure washer</b> Thermat, HRG 1200/150 Eco, year built 2011, serial number 11117510, brand: Thermat; type: HRG 1200/150 Eco; year: 2011; serial number: 11117510; max. pressure: 150 bar; temperature range max.: 150 °c; capacity: 1200 l/hr; fixed installation: yes; power: 5.7 kW; electric connection: 400 V; total dimension L: 1500 mm; total dimension W: 650 mm; total dimension H: 1200 mm; description: equipped with 2x soap reservoir ; (Administrative and logistic costs 25.00)	100.00
329	1	<b>column drill</b> number of speeds: 5; electric connection: 380 V; dimension L: 800 mm; dimension W: 300 mm; dimension H: 950 mm; description: without further data ; (Administrative and logistic costs 25.00)	5.00
330	1	<b>press machine</b> Sapa, pneumatikpresse TG0092A, year built 2012, serial number 115, brand: Sapa; type: pneumatikpresse TG0092A; year: 2012; serial number: 115; manually operated: yes; machine weight: 70 kg; dimension L: 600 mm; dimension W: 700 mm; dimension H: 1400 mm; description: for aluminum profile machining; provided with foot control; pneumatic control; accompanying fittings; 5x press cassette; 6 stations; (Administrative and logistic costs 25.00)	10.00
331	1	<b>Storage box</b> dimension L: 1550 mm; dimension W: 1150 mm; dimension H: 1200 mm; total dimension L: 1850 mm; total dimension W: 1300 mm; total dimension H: 1500 mm; description: material: galvanized metal and HPL plates; (Administrative and logistic costs 10.00)	50.00
332	1	<b>porch for hanging large salt spreader</b> description: porch of galvanized steel; provided with ladder brackets, steel cables and lifting system with rack; (Administrative and logistic costs 25.00)	10.00
333	1	<b>hydraulic Aggregate</b> tank capacity: 500 l; electric connection: 400 V; total dimension L: 760 mm; total dimension W: 2300 mm; total dimension H: 1200 mm; description: equipped with Apollo System H1-4PB receiver; (Administrative and logistic costs 25.00)	100.00

334	1	<b>Bending machine</b> Ridgid, brand: Ridgid; dimension L: 1750 mm; dimension W: 800 mm; dimension H: 700 mm; description: provided with bending molds of diameter around 1 " to 2 "; mono-phase electric motor with baler ; brace ; in wooden transport case; without any further information ;	100.00
335	1	<b>material cabinet</b> total dimension L: 2430 mm; total dimension W: 860 mm; total dimension H: 1100 mm; description: sheet steel chassis; equipped with 2x side door and top cover; (Administrative and logistic costs 25.00)	10.00
336	1	<b>lot of wooden windows</b> total dimension L: 1300 mm; total dimension W: 2500 mm; total dimension H: 850 mm; description: windows; consisting of : 9 windows; various sizes: 1820 x 1100 mm, 1350 x 900 mm, 1920 x 1050, etc .; (Administrative and logistics costs 25.00)	10.00
337	1	<b>dismantled garage door</b> dimension L: 244 cm; material: PVC; total dimension L: 2450 mm; total dimension W: 550 mm; total dimension H: 500 mm; description: including motor; (Administrative and logistics costs 25.00)	10.00
338	2	<b>quick release</b> Dynaco, brand: Dynaco; dimension L: 2200 cm; dimension W: 1150 cm; material: pvc; total dimension L: 300 mm; total dimension W: 1400 mm; total dimension H: 500 mm; description: equipped with single-phase electric motor 230 volts; on pallet;	100.00
339	1	fan Sulzer Escher Wyse Lindau, brand: Sulzer Escher Wyse Lindau; diameter: 1500 mm; description: equipped with 4 kw electric motor; plastic blades; galva protection cage; (Administrative and logistic costs 25.00)	10.00
340	1	<b>fan</b> total dimension L: 1800 mm; total dimension W: 1000 mm; total dimension H: 1800 mm; description: fan: depth dimension: 900 mm; drive: electric; Engine: CET brand, type 160; voltage: 400V; (Administrative and logistics costs 25.00)	10.00
341	1	<b>fan</b> total dimension L: 1800 mm; total dimension W: 1200 mm; total dimension H: 1800 mm; description: fan: depth dimension: 900 mm; drive: electric; Engine: CET brand, type 160; voltage: 400V; (Administrative and logistics costs 25.00)	10.00
342	2	<b>aircraft engine factory rebuilt</b> Continental, TS10.520.E(98), brand: Continental; type: TS10.520.E(98); engine brand + model: Continental; description: consisting of 1x 1x complete and not complete motor; 6 cylinder model; at 2x pallet; 1x engine mounting support;	100.00
343	2	waterpump Stork, brand: Stork; electric connection: 400 V; total dimension L: 700 mm; total dimension W: 300 mm; total dimension H: 400 mm; description: equipped with electric motor ;	10.00
344	1	<b>Diesel engine</b> Hatz, 2M40L, brand: Hatz; type: 2M40L; number of cylinders: 2; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 800 mm; description: to check! ; operation unknown;	10.00
345	1	<b>Diesel engine</b> Scania-Vabis, D11-R80, serial number 102978, brand: Scania-Vabis; type: D11-R80; serial number: 102978; number of cylinders: 6; total dimension L: 1500 mm; total dimension W: 800 mm; total dimension H: 1300 mm; description: provided Capitol water pump; (Administrative and logistic costs 25.00)	100.00
346	1	<b>truck parts</b> ZF, Astronic, serial number 00874586, brand: ZF; type: Astronic; serial number: 00874586; description: for parts suitable for Hitachi; (administrative and logistic costs 25.00)	10.00

Starting	Bid	€
		_

347	<ol> <li>Industrial diesel engine Volvo, brand: Volvo; number of cylinders: 6; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: with turbo; operation not known; (Administrative and logistics costs 25.00)</li> </ol>	100.00
348	<ol> <li>lot of various seals total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 400 mm; (Administrative and logistic costs 25.00)</li> </ol>	5.00
349	1 barrier posts total dimension L: 1600 mm; total dimension W: 1000 mm; total dimension H: 500 mm; description: approx. 12 pieces; including: PVC 4 bins, and plastic chain; (Administrative and logistic costs 25.00)	5.00
350	3 support foil total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 500 mm; description: Equipped 3x various support for storage wrapping film; unused ; (Administrative and logistic costs 25.00)	10.00
351	1 gantry crane gantry crane Den Haan Handel, year built 1994, serial number EA127, brand: Den Haan Handel; year: 1994; serial number: EA127; hoist capacity: 30000 kg; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: equipped with wooden storage box; (Administrative and logistics costs 25.00)	100.00
352	1 gantry crane gantry crane Den Haan Handel, year built 1994, serial number EA128, brand: Den Haan Handel; year: 1994; serial number: EA128; hoist capacity: 30000 kg; total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 750 mm; description: equipped with wooden storage box; (Administrative and logistics costs 25.00)	100.00
353	<ol> <li>Iot of various roof racks and tools</li> <li>Thule, brand: Thule; description: consisting of 1x pallet box with various fastening pieces;</li> <li>1x 2x pallet with plastic roof box; 1x with plastic pallet Topbox + lot of various aluminum roofing profiles; unused ;</li> </ol>	10.00
354	<ol> <li>Iot of various roof racks and tools</li> <li>Thule, brand: Thule; description: consisting of 1x pallet box with various fastening pieces;</li> <li>1x 2x plastic pallet Topbox; 1x pallet lot of various fastening pieces; unused ;</li> </ol>	10.00
355	1 lot of fall protection four points Safety Harness, P-70, brand: Safety Harness; type: P-70; total dimension L: 800 mm; total dimension W: 500 mm; total dimension H: 400 mm; description: in PVC case; partly unused;	10.00
356	2 water meter Krohne, Aquaflux K, year built 2001, brand: Krohne; type: Aquaflux K; year: 2001; measuring range: 3 m/s; max. pressure: 60 bar; description: provided with polypropylene core; digital counter; DN 40mm / 1 1/2 inch; flange DIN 2635 PN40; unused; in original packaging; calibration certificate ok ;	100.00
357	1 lot of several total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 400 mm; description: consisting of running wheels hoists; 2x rubber roll width 300 + 450mm; hydraulic rotary head; approx. 8x Norgren Olympus plus inline pressure lubricator; etc; on pallet;	10.00
358	1 radiator description: consisting of 1x design radiator 1400x700mm; 1x fly door ; (Administrative and logistic costs 25.00)	5.00
359	<ol> <li>electric motor with axle distribution electric connection: 400 V; (Administrative and logistics costs 25.00)</li> </ol>	10.00
360	2 forklift truck tires (Administrative and logistics costs 10.00)	10.00
361	68 <b>roll foil</b> (Administrative and logistics costs 25.00)	10.00

362	2	<b>roman scales</b> total dimension L: 1100 mm; total dimension W: 1100 mm; total dimension H: 1000 mm; (Administrative and logistics costs 25.00)	10.00
363	5	<b>ramps for driving over cables</b> dimension L: 700 mm; dimension W: 600 mm; dimension H: 80 mm; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 400 mm; description: Cable ducts; (Administrative and logistic costs 25.00)	5.00
364	1	<b>sewing machine</b> Dürkopp, brand: Dürkopp; 1-needle: yes; description: equipped with external motor, mono 230 volt; on the table ; without further data ; (Administrative and logistic costs 10.00)	10.00
365	1	<b>lot of flat water hoses</b> total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 1000 mm; description: approx. 8 pieces, on one pallet, including various couplings; (Administrative and logistic costs 25.00)	10.00
366	1	<b>lot of vowels</b> description: vowels; square meters: approx. 315 square meters; consisting of four pallets, 3 x 1200 x 900 x H 980, 1 x 1300 x 700 x H 700 mm; (Administrative and logistics costs 25.00)	10.00
367	1	<b>clothes hangers and shopping bags</b> G-star Raw , brand: G-star Raw ; description: approx. 20 boxes; including: 8 boxes paper carriers; (Administrative and logistics costs 25.00)	10.00
368	1	ceiling lighting and tiles for suspended ceilings description: 2 on pallets; lighting : approx. 25 pieces; tiles: approx. 55 pieces ; (Administrative and logistics costs 25.00)	10.00
369	1	<b>lot of outdoor lighting</b> Philips , SGS 201/100TG, brand: Philips ; type: SGS 201/100TG; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 500 mm; description: consisting of approx. 15 pieces; with lamp; in pallet ; (Administrative and logistic costs 25.00)	5.00
370	14	tube lamp fixtures (Administrative and logistic costs 25.00)	10.00
371	4	<b>outdoor lighting</b> Valkenpower, 3261A IP65, brand: Valkenpower; type: 3261A IP65; electric connection: 240 V; total dimension L: 1200 mm; total dimension W: 900 mm; total dimension H: 600 mm; description: + 1x used halogen outdoor light; in original packaging ;	10.00
372	1	outdoor lighting Philips , brand: Philips ; description: consisting of 1x type IP65; 2x type streetlights; 1x box Osram lamps Powerstar 400W;	10.00
373	1	<b>vertical cutter</b> Benza, BZS38, year built 2018, brand: Benza; type: BZS38; year: 2018; working width: 380 mm; working depth: 40 mm; engine power: 3.6 kW; own weight: 46 kg; total dimension L: 750 mm; total dimension W: 570 mm; total dimension H: 750 mm; description: equipped with Benza gasoline engine; sump tray; stepless depth control; unused; in original packaging ; (Administrative and logistic costs 25.00)	10.00
374	1		10.00
375	1	sitting lawn mower Green Cut, 550TR, year built 2001, brand: Green Cut; type: 550TR; year: 2001; working width: 550 mm; fuel type: benzine; engine power: 2.9 kW; container: yes; total dimension L: 1500 mm; total dimension W: 550 mm; total dimension H: 1100 mm; description: self- pulling; air filter cover is missing ; (Administrative and logistic costs 10.00)	10.00

Starting Bid €

376	1	<b>sitting lawn mower</b> Atco, Winsor 14S, year built 1999, brand: Atco; type: Winsor 14S; year: 1999; working width: 350 mm; electric driven: yes; electric connection: 220; engine power: 0.34 kW; container: yes; total dimension L: 1200 mm; total dimension W: 530 mm; total dimension H: 1000 mm; description: type cylinder mower ; (Administrative and logistic costs 10.00)	10.00
377	1	sitting lawn mower Motec, MBX53S3, year built 2004, serial number 66060216A, brand: Motec; type: MBX53S3; year: 2004; serial number: 66060216A; working width: 530 mm; fuel type: benzine; engine power: 3.7 kW; container: yes; own weight: 38 kg; total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: equipped with central height adjustment; aluminum casing; hand started; self-propelled; knife stop;	10.00
378	1	<b>sitting lawn mower</b> Honda, HRG465C2SDE, year built 2004, serial number 1189259, brand: Honda; type: HRG465C2SDE; year: 2004; serial number: 1189259; working width: 460 mm; fuel type: benzine; engine power: 2.93 kW; container: yes; own weight: 34 kg; total dimension L: 1200 mm; total dimension W: 500 mm; total dimension H: 1100 mm; description: equipped with central height adjustment; sheet steel casing; hand started; self-propelled; knife stop;	10.00
430	1	<b>big bag bag filling machine underpressure</b> vlamalin, brand: vlamalin; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 2000 mm; total dimension H: 2500 mm; description: consisting of vulbunker 4000x2500x3600mm with stirring system; lifting jack 8000x400x400mm with the electric motor; conveyor; weighing equipment; control box; accessories ; (Administrative and logistic costs 50.00)	1,000.00
431	1	<b>automatic sawing machine</b> Omp, 370 CNC euromatiic, year built 1997, serial number 6496, brand: Omp; type: 370 CNC euromatiic; year: 1997; serial number: 6496; saw blade ?: 370 mm; cutting angle max.: 45 °; engine power: 17 kW; electric connection: 380 V; manual present: yes; dimension L: 6300 mm; dimension W: 1500 mm; dimension H: 2300 mm; description: CNC control; equipped with supply station L ça 12 meter, width 2 meter; Height 180 cm ; (Administrative and logistic costs 50.00)	250.00
450	1	<b>flatcar</b> dimension L: 11000 mm; dimension W: 2500 mm; loading height: 1200 m; hydraulic brakes: yes; total dimension L: 13000 mm; total dimension W: 2500 mm; total dimension H: 1200 mm; description: equipped with wooden planks floor; drawbar hydraulic height adjustment; tandem axle; 6 wheels; support foot; leaf spring; without board documents ;	1,000.00
451	1	<b>slurry tank</b> deroo, T5000, year built 1992, serial number 50038, brand: deroo; type: T5000; year: 1992; serial number: 50038; tank capacity: 5 m <sup>3</sup> ; total dimension L: 6000 mm; total dimension W: 2200 mm; total dimension H: 2500 mm; description: provided with vacium- baler pump; galvanized steel chassis; hydraulic brakes ; (Administrative and logistic costs 25.00)	100.00
452	1	cattle trailer	1,000.00

Starting Bid €

Record, DW8, year built 2001, serial number 10183, brand: Record; type: DW8; year: 2001; serial number: 10183; inside dim. L.: 7800 mm; inside dim. W: 2300 mm; inside dim. H: 2200 mm; load capacity: 13500 kg; max. speed: 40 km/h; hydraulic brakes: yes; own weight: 4610 kg; total dimension L: 10000 mm; total dimension W: 2500 mm; total dimension H: 2800 mm; description: equipped with hydraulic lift cylinders; tailgate ; double back door; 3x dividing doors; Belgian vehicle documents ok certificate of conformity certificate identification report ;

453		<b>forage silage trailer</b> Record, b45T, year built 1986, serial number 03470, brand: Record; type: b45T; year: 1986; serial number: 03470; hydraulic brakes: yes; total dimension L: 9000 mm; total dimension W: 2500 mm; total dimension H: 4400 mm; description: Storage trolley for sawdust or flax loam; equipped with tandem axles; PTO driven scraper floor; PTO complete; hydraulic and rear support leg; cover ; without any further information; (Administrative and logistic costs 50.00)	100.00
454	1	<b>forage silage trailer</b> Record, S1400, year built 1987, serial number 06486, brand: Record; type: S1400; year: 1987; serial number: 06486; buffer cap.: 30 m <sup>3</sup> ; max. speed: 40 km/h; hydraulic brakes: yes; total dimension L: 7000 mm; total dimension W: 2600 mm; total dimension H: 3400 mm; description: equipped with mechanical chain release floor; wheel drive; forced steering axle; hydraulic unloading door; tandem axle; leaf pinnate; drawbar suspension; without board documents ;	1,000.00
455	1	<b>forage silage trailer</b> Orca, 24K, year built 1992, serial number 928036, brand: Orca; type: 24K; year: 1992; serial number: 928036; buffer cap.: 28 m <sup>3</sup> ; max. speed: 40 km/h; hydraulic brakes: yes; total dimension L: 7000 mm; total dimension W: 2600 mm; total dimension H: 3400 mm; description: equipped with mechanical chain release floor; wheel drive; hydraulic unloading door; tandem axle; leaf pinnate; drawbar suspension; without board documents ;	1,000.00
456	1	<b>tipper</b> max. speed: 40 km/h; total dimension L: 4500 mm; total dimension W: 2500 mm; total dimension H: 2500 mm; description: equipped with single axis; side boards are missing; without further data ;	10.00
457	1	<b>flatcar</b> dimension L: 5500 mm; dimension W: 2520 mm; loading height: 1100 m; max. speed: 40 km/h; total dimension L: 7300 mm; total dimension W: 2520 mm; total dimension H: 1900 mm; description: fitted with sheet steel floor; single axis; 6 wheels; support foot; no suspension; removable head and rear bulkhead; without board documents; without further data ;	100.00
458	1	<b>mixer feeder</b> Peecon, VME100H, year built 1999, serial number 0971, brand: Peecon; type: VME100H; year: 1999; serial number: 0971; tank capacity: 10 m <sup>3</sup> ; total dimension L: 4700 mm; total dimension W: 3200 mm; total dimension H: 3000 mm; description: provided with control cabinet , PTO complete, exhaust L / R, with no data; (Administrative and logistic costs 25.00)	1,000.00
459	1	<b>trailer</b> cargo body size L: 130 cm; cargo body size W: 100 cm; total dimension L: 2850 mm; total dimension W: 1100 mm; total dimension H: 950 mm; (Administrative and logistics costs 10.00)	10.00
2001	1	<b>four-wheel drive farm tractor</b> Massey Ferguson, 3065, brand: Massey Ferguson; type: 3065; hours on display: 7187; tyre size front: 13.6R24; tyre size rear: 16.9R34; cabin: yes; description: MF 3065; First use: unknown; Key: ok; Note: without vehicle documents - traces of use ;	1,000.00
2002	1	<b>four-wheel drive farm tractor</b> Massey Ferguson, 5445, serial number N309083, brand: Massey Ferguson; type: 5445; serial number: N309083; engine power: 67 kW; hours on display: 5286; tyre size front: 340/85R24; tyre size rear: 420/85R34; cabin: yes; description: MF 5445; First commissioning 04/2005; Cm <sup>3</sup> : 4400; ADBlue: no; mudguard control: yes; key: ok; Certificate of conformity: ok; Certificate of registration: ok; (Administrative and logistic costs 50.00)	1,000.00

2003	1	<b>four-wheel drive farm tractor</b> Massey Ferguson, 6485, serial number T100011, brand: Massey Ferguson; type: 6485; serial number: T100011; tyre size front: 540/65R30; tyre size rear: 650/65R42; front linkage: yes; cabin: yes; description: MF 6485; First use: unknown; Fender Control: OK; accessories : Autopilot JD; Key: ok; registration: no; equal formation of certificate: No; (Administrative and logistic costs 50.00)	1,000.00
2004	1	<b>four-wheel drive farm tractor</b> New Holland, TS 110, year built 1997, serial number 618135, brand: New Holland; type: TS 110; year: 1997; serial number: 618135; tyre size front: 420/70R28; tyre size rear: 520/70R38; cabin: yes; description: NH TS110; First use: unknown; ADBlue: no; mudguard control: yes; Remarks: visible damage - does not start - dashboard not present - to be repaired; key: ok; Certificate of conformity: no; Certificate of registration: no; (Administrative and logistic costs 50.00)	1,000.00
2005	1	<b>four-wheel drive farm tractor</b> New Holland, TS 115 A, serial number ACP231582, brand: New Holland; type: TS 115 A; serial number: ACP231582; tyre size front: 540/65R28; tyre size rear: 650/65R38; front weight set: yes; cabin: yes; description: NH TS115A; First commissioning: 08/2004; Front weight: 8 x 45 kg; Certificate of registration: ok; COC: ok; Key: ok; Note hours on counter unreadable ;	1,000.00
2006	1	<b>four-wheel drive farm tractor</b> New Holland, TM 135, serial number 184996B, brand: New Holland; type: TM 135; serial number: 184996B; hours on display: 3962; tyre size front: 540/65R28; tyre size rear: 650/65R38; front weight set: yes; cabin: yes; own weight: 5300 kg; description: NH TM135; First commissioning: 05/2002; ADBlue: no; mudguard control: yes; Front weight: 20 x 45 kg; key: ok; Certificate of conformity: ok; Certificate of registration: ok; Note: 1 lift bar not available; (Administrative and logistic costs 50.00)	1,000.00
2007	1	<b>four-wheel drive farm tractor</b> New Holland, TM 175, serial number ACM276619, brand: New Holland; type: TM 175; serial number: ACM276619; engine power: 158 kW; hours on display: 5373; tyre size front: 540/65R30; tyre size rear: 650/65R42; front weight set: yes; cabin: yes; own weight: 7980 kg; description: NH TM175; First commissioning: 11/2006; Cm <sup>3</sup> : 7480; Front weight: 22 x 45 kg; Certificate of registration: ok; COC: ok; Key: ok;	1,000.00
2008	1	<b>four-wheel drive farm tractor</b> New Holland, T7.210, serial number ZFBN04314, brand: New Holland; type: T7.210; serial number: ZFBN04314; engine power: 156 kW; hours on display: 6472; gear box type: Full-Powershift; tyre size front: 540/65R30; tyre size rear: 650/65R42; front linkage: yes; cabin: yes; own weight: 6980 kg; description: NH T7.210; First commissioning 12/2015; Cm <sup>3</sup> : 6728; ADBlue: yes; mudguard control: yes; key: ok; Certificate of conformity: ok; Certificate of registration: ok; (Administrative and logistic costs 50.00)	10,000.00
2009	1	<b>four-wheel drive farm tractor</b> SAME, Tiger Six 105, serial number 686011569, brand: SAME; type: Tiger Six 105; serial number: 686011569; hours on display: 9000; tyre size front: 12.4R32; tyre size rear: 18.4R38; cabin: yes; own weight: 4630 kg; description: SAME 105; First commissioning: 11/1981; Certificate of registration: ok; COC: ok; Key: ok;	1,000.00
2010	1	four-wheel drive farm tractor Fendt, 916, serial number 916237026, brand: Fendt; type: 916; serial number: 916237026; engine power: 146 kW; hours on display: 2913; gear box type: Vario ; tyre size front: 600/65R34; tyre size rear: 650/65R42; front linkage: yes; cabin: yes; own weight: 8750 kg; description: FENDT 916; First commissioning: 03/2005; cm <sup>3</sup> : 6871; Certificate of registration: ok; COC: ok; Key: ok;	1,000.00

Starting Bid €
----------------

2011	1 four-wheel drive farm tractor Fendt, 820 Vario, serial number 731211525, brand: Fendt; type: 820 Vario; serial number: 731211525; engine power: 152 kW; hours on display: 8307; gear box type: Vario; tyre size front: 600/60R30; tyre size rear: 710/60R42; front linkage: yes; cabin: yes; own weight: 6800 kg; description: FENDT 820; First commissioning 07/2007; Cm <sup>3</sup> : 6057; mudguard control: yes; key: ok; Certificate of conformity: ok; Proof of registration: ok; (Administrative and logistic costs 50.00)	
2012	1 four-wheel drive farm tractor Claas, Ares 656, serial number H8232EA8232947, brand: Claas; type: Ares 656; serial number: H8232EA8232947; engine power: 97 kW; hours on display: 7231; tyre size front 480/65R28; tyre size rear: 600/65R38; frontloader: yes; cabin: yes; description: CLAAS ARES656; First commissioning: 04/2005; cm <sup>3</sup> : 6788; Front loader: Faucheux Prestige120; Certificate of registration: part I ok; COC: ok; Key: ok; Remark: Registration certificate part II is absent;	1,000.00
2013	1 four-wheel drive farm tractor John Deere, 6910, serial number L06910V241209, brand: John Deere; type: 6910; seria number: L06910V241209; engine power: 110 kW; hours on display: 5277; tyre size front: 540/65R28; tyre size rear: 650/65R38; front linkage: yes; cabin: yes; description: JD 6910; First commissioning: 03/1999; Cm <sup>3</sup> : 6788; Certificate of registration: ok; COC: ok; Key: ok;	
2014	1 four-wheel drive farm tractor Case IH, 1394, serial number 134BHC11506530, brand: Case IH; type: 1394; serial number: 134BHC11506530; engine power: 53 kW; hours on display: 3473; tyre size front 12.4R24; tyre size rear: 16.9R34; frontloader: yes; cabin: yes; description: CASE IH 1394; First commissioning: 02/1987; Cm <sup>3</sup> : 3590; Front loader: Case L1500; mudguard control: no; key: ok; Certificate of conformity: yes; Certificate of registration: yes; (Administrative and logistic costs 50.00)	1,000.00
2016	1 four-wheel drive farm tractor Deutz-Fahr, Agrotron 150, serial number 81663619, brand: Deutz-Fahr; type: Agrotron 150; serial number: 81663619; engine power: 114 kW; hours on display: 5476; tyre size front: 540/65R28; tyre size rear: 520/85R38; cabin: yes; description: DEUTZ Agrotron150; First use: unknown; Cm <sup>3</sup> : 7146; mudguard control: yes; key: ok; Certificate of conformity: no; Proof of registration: no; Note: paper import customs; (Administrative and logistic costs 50.00)	1,000.00
2019	1 unimog Mercedes-Benz, Unimog U 1600, brand: Mercedes-Benz; type: Unimog U 1600; VIN number: WDB4271051W192017; number of axis: 2; diesel: yes; engine power: 120 kW; manual: yes; mileage (at intake): 298486 km; own weight: 5860 kg; total dimension L: 5000 mm; total dimension W: 2250 mm; total dimension H: 2950 mm; description: Unimog U1600; commissioning: 10/1998; Cm <sup>3</sup> : 5958; MMA: 10000 kg; tires : 365 / 80R20; Registration: ok; COC: ok; Key: ok;	4,500.00
2020	1 telehandler Kramer, 1245, year built 2015, serial number 3030763, brand: Kramer; type: 1245; year: 2015; serial number: 3030763; engine power: 29 kW; lifting capacity: 1200 kg; lifting height: 4310 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 2713; own weight: 3100 kg; total dimension W: 1500 mm; total dimension H: 1920 mm; description: KRAMER 1245; First use: unknown; tires : 10-16.5; accessories : Palette fork - rear linkage ; Registration: no; COC: no; Key: ok;	
2021	1 telehandler Manitou , MT 425 CP, year built 1989, serial number 84746, brand: Manitou ; type: MT 425 CP; year: 1989; serial number: 84746; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 7272; description: MANITOU MT425CP; First start: 07/1989; Tire size: 15.5 / 80-24 / 12.5 / 80-18; accessories : bin-width of 2200 mm / pallet fork; Key: ok; Registration: yes; COC: no; (Administrative and logistic costs 50.00)	

		<b>telehandler</b> Manitou , MLT 735-120, year built 2012, serial number 915370, brand: Manitou ; type: MLT 735-120; year: 2012; serial number: 915370; engine power: 91 kW; lifting capacity: 3500 kg; lifting height: 7000 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 4737; own weight: 7100 kg; description: MANITOU MLT735-120; First start: 01/2013; tires : 460 / 70R24; Registration: no; COC: no; Key: ok;	1,000.00
2023	1	<b>telehandler</b> New Holland , LM 635, serial number FNHZN625NGKB08123, brand: New Holland ; type: LM 635; serial number: FNHZN625NGKB08123; engine power: 96 kW; lifting capacity: 3500 kg; lifting height: 7000 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 1222; own weight: 7900 kg; description: NH LM635; First start: 04/2017; Cm <sup>3</sup> : 4485; tires : 460 / 70R24; accessories : Palette fork; Registration: ok; COC: ok; Key: ok;	10,000.00
2025	1	<b>combine Harvester</b> John Deere, T 560, year built 2015, serial number 1Z0T560AJEL094329, brand: John Deere; type: T 560; year: 2015; serial number: 1Z0T560AJEL094329; engine power: 273 kW; tyre size front: 800/65R32; tyre size rear: 480/80R26; cabin: yes; airconditioning: yes; own weight: 18000 kg; description: JD T560; First start: 07/2015; Hours counters: 811- 1045; Speed: 30 km / h; accessories : Greenstar3, Harvest Smart, AutoTrac Ready; Forage: yes; Distributor: yes; header : 6.70 m Contour Master with accessories rapeseed; Trailer: yes; Key: ok; Registration yes-UK; (Administrative and logistic costs 50.00)	10,000.00
2026	1	<b>combine Harvester</b> Claas, Lexion 750, year built 2013, serial number C5501438, brand: Claas; type: Lexion 750; year: 2013; serial number: C5501438; engine power: 317 kW; tyre size front: 900/60R32 Trelleborg; tyre size rear: 600/65R28 Continental; cabin: yes; airconditioning: yes; own weight: 18000 kg; description: CLAAS LEXION750; Hours counters: 1354/1771; Speed: 30 km / h; accessories : Joystick CMotion, Caisson 3-D, Quantimeter, Laser Pilote; Forage: yes; Distributor: yes; header : 7.50 m Vario with accessories rapeseed; Trailer: yes; Key: ok;	50,000.00
2027	1	<b>combine Harvester</b> New Holland, CX 6090 ELEVATION 4x4, year built 2015, serial number 161956001, brand: New Holland; type: CX 6090 ELEVATION 4x4; year: 2015; serial number: 161956001; engine power: 220 kW; tyre size front: 800/65R32; tyre size rear: 500/85R24; cabin: yes; airconditioning: yes; own weight: 14100 kg; description: NH CX6090; Hours counters: 791/999; Speed: 30 km / h; accessories : 4WD, OptiFan, Smart Sieve; Forage: yes; Distributor: yes; header : 7.60 m Varifeed with accessories rapeseed; Trailer: yes; Key: ok; Registration yes-D;	50,000.00
2028	1	<b>combine Harvester</b> Claas, Lexion 760 TT, year built 2012, serial number C5600609, brand: Claas; type: Lexion 760 TT; year: 2012; serial number: C5600609; engine power: 340 kW; tyre size front: Terra Trac; tyre size rear: 500/85R24; cabin: yes; airconditioning: yes; own weight: 24000 kg; description: CLAAS LEXION760TT; First start: 06/2012; Hours counters: 1170/1726; Speed: 30 km / h; accessories : Box 3-D, Telematics, Laser Pilote; Forage: yes; Distributor: yes; header : 10,50 m Vario with accessories rapeseed; Trailer: yes; Key: ok; Registration yes-UK;	50,000.00
2029	1	<b>forage harvester</b> John Deere, 7450 i ProDrive, year built 2008, serial number Z07450Y510043, brand: John Deere; type: 7450 i ProDrive; year: 2008; serial number: Z07450Y510043; engine power: 409 kW; tyre size front: 710/70R38; tyre size rear: 540/65R30; cabin: yes; own weight: 16000 kg; description: JD 7450i; Hours: 3252/4719 h; Key: ok; Certificate of registration: non; COC: no;	10,000.00
2030	1	<b>disc mower</b> Kuhn, GMD 700, brand: Kuhn; type: GMD 700; working width: 2800 mm; description: KUHN GMD700; Cardan shaft: no;	100.00

2031	1	<b>disc mower with conditioner</b> Kuhn, FC 283, year built 2001, serial number C0341, brand: Kuhn; type: FC 283; year: 2001; serial number: C0341; working width: 2800 mm; own weight: 914 kg; description: KUHN FC283; crimper : yes; Fingers: plastics; Propeller shaft: yes;	100.00
2032	1	disc mower Kuhn, GMD 902, serial number C0110, brand: Kuhn; type: GMD 902; year: 2093; serial number: C0110; working width: 3500 mm; own weight: 890 kg; description: KUHN GMD902; Cardan shaft: yes;	100.00
2033	1	<b>disc mower with conditioner</b> Kuhn, FC 283, year built 2001, serial number C0720, brand: Kuhn; type: FC 283; year: 2001; serial number: C0720; working width: 2800 mm; own weight: 914 kg; description: KUHN FC283; crimper : yes; Fingers: plastics; Propeller shaft: yes;	100.00
2034	1	<b>mower</b> Vicon, CM 299, brand: Vicon; type: CM 299; working width: 3000 mm; own weight: 782 kg; description: VICON CM299; Cardan shaft: yes;	100.00
2035	1	trailed disc mower with crimper Kuhn, Alterna 400, serial number D0005, brand: Kuhn; type: Alterna 400; serial number: D0005; working width: 4000 mm; total dimension L: 8250 mm; total dimension W: 2750 mm; description: KUHN FC400; crimper : yes; Fingers: Steel; Propeller shaft: yes ;	100.00
2040	1	<b>Hay shaker</b> Krone, KW5.50/4x7, serial number 422436, brand: Krone; type: KW5.50/4x7; serial number: 422436; own weight: 1100 kg; description: KRONE KW5.50 / 4x7; Number of rotors: 4; Arms / rotor: 7; Note: without cardan shaft; (Administrative and logistic costs 25.00)	100.00
2041	1	Hay shaker Lely, brand: Lely; working width: 6800 mm; description: LELY; Rotors: 6; Arms / rotor: 6; Cardan shaft: no; (Administrative and logistic costs 25.00)	100.00
2042	1	Hay shaker Lely, Lotus Stabilo 770, year built 2007, serial number 3053474, brand: Lely; type: Lotus Stabilo 770; year: 2007; serial number: 3053474; working width: 7700 mm; own weight: 1045 kg; description: Lely 770 + AWS; Rotor: 6; Arm / rotor: 6; Cardan shaft: ok;	100.00
2045	1	Hay shaker Kuhn, GF 8501 TO - Digidrive, serial number 970128, brand: Kuhn; type: GF 8501 TO - Digidrive; serial number: 970128; working width: 8500 mm; description: KUHN GF8510TO DIGIDRIVE; Number of rotors: 8; Arm / rotor: 6; Cardan shaft: yes; Note: 1 wheel absent;	100.00
2046	1	Hay shaker Kuhn, GF 8501 TO - Digidrive, serial number 970097, brand: Kuhn; type: GF 8501 TO - Digidrive; serial number: 970097; working width: 8500 mm; description: KUHN GF8510TO DIGIDRIVE; Number of rotors: 8; Arms / rotor: 6; Cardan shaft: yes; Operation: yes; (Administrative and logistic costs 25.00)	100.00
2047	1	Hay shaker Pöttinger, Eurohit 91NZ, year built 2007, brand: Pöttinger; type: Eurohit 91NZ; year: 2007; working width: 9000 mm; description: PÖTTINGER EUROHIT91NZ; Rotor: 8; Arm / rotor: 6; Cardan shaft: yes;	100.00
2048	1	<b>rake</b> Stoll, Drive 465 4DS, brand: Stoll; type: Drive 465 4DS; working width: 4650 mm; description: STOLL 465; Arms: 12; Tooth / arm: 4; Cardan shaft: no;	100.00
2049	1	<b>Double rake</b> PZ Greenland, Andex 722 L, year built 1996, brand: PZ Greenland; type: Andex 722 L; year: 1996; working width: 7000 mm; total dimension H: 3850 mm; description: PZ ANDEX722L; Rotor: 2; Arm / rotor: 10; Tooth / arm: 4; Central delivery: yes; Cardan shaft: yes;	100.00

2050	1	<b>Double rake</b> Kuhn , GA 7301, year built 1999, serial number B0683, brand: Kuhn ; type: GA 7301; year: 1999; serial number: B0683; working width: 7300 mm; own weight: 1550 kg; total dimension H: 3850 mm; description: KUHN GA7301; Rotor: 2; Arm / rotor: 10; Tooth / arm: 4; Central delivery: yes; Cardan shaft: yes;	100.00
2051	1	forage wagon Strautmann, Giga Vitesse 4 Duo Plus, year built 2008, serial number 590065878, brand: Strautmann; type: Giga Vitesse 4 Duo Plus; year: 2008; serial number: 590065878; air brakes: yes; total dimension H: 3850 mm; description: STRAUTMANN GIGA VITESSE IV DUO; tires : 700 / 50-26.5; Clutch: K80; Propeller shaft: 1/2; Remote Control: yes; Note: without board documents ;	1,000.00
2052	1	<b>load cargo</b> Joskin, Silo-Cargo 24/45, year built 2015, serial number CE00949/45, brand: Joskin; type: Silo-Cargo 24/45; year: 2015; serial number: CE00949/45; total dimension L: 8900 mm; total dimension W: 2650 mm; total dimension H: 2800 mm; description: JOSKIN Silo-Cargo 24/45; Remote control: yes; Note: without container hook; (Administrative and logistic costs 50.00)	1,000.00
2053	1	<b>baler press</b> John Deere, 550, serial number CC0550X291921, brand: John Deere; type: 550; serial number: CC0550X291921; working width: 1400 mm; total dimension W: 2350 mm; total dimension H: 3100 mm; description: JD 550; Cardan shaft: yes; Signs of use: yes;	100.00
2054	1	<b>baler press</b> Greenland Rivierre, RV 186, serial number BR004272, brand: Greenland Rivierre ; type: RV 186; serial number: BR004272; working width: 2000 mm; own weight: 2150 kg; total dimension W: 2550 mm; total dimension H: 2900 mm; description: RIVERRE RV186L; Remote Control: yes; Cardan shaft: yes;	100.00
2055	1	<b>baler press</b> Lely Welger, RP 245, year built 2010, serial number 1745.50.761, brand: Lely Welger; type: RP 245; year: 2010; serial number: 1745.50.761; working width: 2000 mm; own weight: 3590 kg; total dimension W: 2400 mm; total dimension H: 2250 mm; description: LELY RP245; Tire size: 15.0 / 55-17; Remote control: yes; (Administrative and logistic costs 50.00)	1,000.00
2056	1	<b>baler press</b> Claas, Variant 385 RC, year built 2012, serial number 752 03316, brand: Claas; type: Variant 385 RC; year: 2012; serial number: 752 03316; working width: 2000 mm; own weight: 2845 kg; total dimension W: 2700 mm; total dimension H: 2975 mm; description: CLAAS 752; Number: 16548 bales; PTO: 1000 rpm; Drive Shaft: wide; Net wrapping : yes; Tire Size: 480 / 45-17; Remote control: yes; (Administrative and logistic costs 50.00)	1,000.00
2057	1	<b>baler press</b> New Holland, BB940A, year built 2006, serial number 224536020, brand: New Holland; type: BB940A; year: 2006; serial number: 224536020; own weight: 6900 kg; description: NH BB940A; Number of bales: 42780; Bales size: 800/900 mm; Tire size: 710 / 45-22.5; Remote control: yes; (Administrative and logistic costs 50.00)	1,000.00
2058	1	cultivator with packer roller working width: 3000 mm; description: 25 teeth - leveling plate - packer roll;	100.00
2059	1	<b>rotary harrow</b> Lely, 1.1680.3550.1, year built 1997, serial number 10304-0542, brand: Lely; type: 1.1680.3550.1; year: 1997; serial number: 10304-0542; working width: 3000 mm; description: rotors: 12; tube roller: yes; linkage : yes; Propeller shaft: yes; (Administrative and logistic costs 25.00)	100.00
2060	1	<b>rotary harrow</b> Maschio, DC 3000, year built 1995, serial number 95982272, brand: Maschio; type: DC 3000; year: 1995; serial number: 95982272; working width: 3000 mm; own weight: 750 kg; description: rotors: 12; tube roller: yes; linkage : no; Propeller shaft: yes; (Administrative and logistic costs 25.00)	100.00

2061	1	<b>rotary harrow</b> Lemken, Zirkon 7/300, year built 2004, serial number 304 554, brand: Lemken; type: Zirkon 7/300; year: 2004; serial number: 304 554; working width: 3000 mm; description: rotors: 12; Pack Errol: yes; linkage : yes; Propeller shaft: yes;	100.00
2062		<b>rotary harrow</b> Lemken, Zirkon 10/400, year built 1997, serial number 10304-0542, brand: Lemken; type: Zirkon 10/400; year: 1997; serial number: 10304-0542; working width: 4000 mm; description: rotors: 16; tube roller: yes; linkage : yes; Propeller shaft: yes; (Administrative and logistic costs 25.00)	100.00
2063		<b>seeder</b> Kuhn, year built 2003, serial number J1075, brand: Kuhn; year: 2003; serial number: J1075; working width: 3000 mm; number of rows: 25; row spacing: 125 mm;	100.00
2064	1	<b>seeder</b> Nodet, brand: Nodet; working width: 4000 mm; number of rows: 29; row spacing: 125 mm; (Administrative and logistic costs 25.00)	100.00
2065	1	vegetables seeding and dosing machine Gaspardo, Kramer / Proseeder, year built 2015, serial number 149140357, brand: Gaspardo; type: Kramer / Proseeder; year: 2015; serial number: 149140357; working width: 2500 mm; number of rows: 4; row spacing: 750 mm; own weight: 600 kg; (Administrative and logistic costs 25.00)	1,000.00
2066	1	<b>fertiliser spreader</b> Vicon, RotaFlow RS-L, year built 1998, serial number 77029-1998, brand: Vicon; type: RotaFlow RS-L; year: 1998; serial number: 77029-1998; tank capacity: 3000 l; own weight: 390 kg; (Administrative and logistics costs 25.00)	100.00
2069	1	<b>sprayer</b> Delvano, brand: Delvano; boom width: 21 m; tank capacity: 1300 l; description: quad row ; (Administrative and logistic costs 25.00)	100.00
2070	1	<b>sprayer</b> Hardi, MEGA 1200, brand: Hardi; type: MEGA 1200; tank capacity: 1200 l; lights: yes; description: HARDI; Remote control: yes; Cardan shaft: no;	100.00
2071	2	wheels description: 5 coupling points; (Administrative and logistics costs 25.00)	10.00
2072	1	<b>arm flail mower</b> Orsi , CR 450, year built 1999, serial number 450565, brand: Orsi ; type: CR 450; year: 1999; serial number: 450565; working width: 1000 mm; number of mowing decks: 1; fuel type: hydraulisch; description: equipped with joystick control - three-point suspension; pivotable: yes; cardan shaft: yes; (Administrative and logistic costs 25.00)	100.00
2073	1	<b>grassland injector</b> Joskin, 5160/24GH, year built 2003, serial number 2507, brand: Joskin; type: 5160/24GH; year: 2003; serial number: 2507; working width: 5160 mm; own weight: 1340 kg; description: 24 discs - hydraulic folding ;	100.00
2074	1	<b>tipper</b> Peecon, KW6000, year built 2013, serial number 1356-0209, brand: Peecon; type: KW6000; year: 2013; serial number: 1356-0209; hydraulic brakes: yes; own weight: 2190 kg; description: PEECON KW6000; MMA: 7680 kg; Tire size: 385 / 65R22.5; Certificate of conformity: ok; (Administrative and logistic costs 25.00)	1,000.00
2075	1	flatcar dimension L: 7750 mm; dimension W: 2400 mm; total dimension H: 1300 mm; description: fond aluminum- without vehicle documents ;	100.00
2076	1	<b>flatcar</b> Burg, BPDA 10-10B, serial number 647390, brand: Burg; type: BPDA 10-10B; serial number: 647390; dimension L: 7270 mm; dimension W: 2470 mm; GVWR: 20 t; air brakes: yes; own weight: 4920 kg; total dimension L: 8810 mm; total dimension W: 2570 mm; total dimension H: 1280 mm; description: BURG; First commissioning: 09/1990; Certificate of registration: ok; COC: ok;	100.00

Starting	a Bid €	Ē
		-

2077	' 1	<b>grass pickup</b> John Deere, 630 B, year built 2009, brand: John Deere; type: 630 B; year: 2009; own weight: 950 kg; description: width 3000 mm;	100.00
2078	3 1	maize header Claas, brand: Claas;	100.00
2079	) 1	<b>maize header</b> Kemper, 390 Plus, brand: Kemper; type: 390 Plus;	100.00
2080	) 1	<b>maize header</b> Krone, Easy Collect 753, year built 2015, serial number 911451, brand: Krone; type: Easy Collect 753; year: 2015; serial number: 911451;	10,000.00
2089	) 2	<b>jacks for spreader</b> working width: 12000 mm; description: 2 x 6000 mm; (Administrative and logistic costs 25.00)	10.00
2099	9 1	<b>mini tractor</b> Kubota, B1550, serial number 52163, brand: Kubota; type: B1550; serial number: 52163; hours on display: 3297; tyre size front: 20.5x8-10; tyre size rear: 29x12.00-15; description: KUBOTA B1550; Key: ok; Note: without vehicle documents ;	100.00
2100	) 1	trailed wood chipper Saelen, Premium 22 ER , year built 2008, brand: Saelen; type: Premium 22 ER ; year: 2008; fuel engine driven: yes; fuel type: Diesel; description: without on-board documents ;	100.00
2101	1	trailed wood chipper Vandaele, TV27-40TR, year built 2009, serial number 2709414, brand: Vandaele; type: TV27-40TR; year: 2009; serial number: 2709414; fuel engine driven: yes; fuel type: Diesel; description: VANDAELE; First commissioning: 12/2014; Chassis no: VLCCNT252TR010002; Certificate of registration: yes-FR; Forage harvester: 246 h on counter; Engine: Hatz;	1,000.00
2102	2 1	cable winch	50.00
2103	3 1	horizontal / vertical wood splitter Benza, BSP2500H, brand: Benza; type: BSP2500H; capacity: 8 t; block length max.: 580 mm; electric driven: yes; own weight: 154 kg; total dimension L: 840 mm; total dimension W: 580 mm; total dimension H: 1700 mm; description: 230 V - in the package; (administrative and logistic costs 20.00)	100.00
2104	⊦ 1	auger fuel type: benzine ; description: Ø 150 mm - 600 mm Depth - thermal earth drill - usermarks ;	10.00
2108	3 1	embankment mower Wolf Graten, GT845, brand: Wolf Graten; type: GT845; electric driven: yes; (Administrative and logistic costs 10.00)	10.00
2109	) 1	embankment mower Wolf Graten, GTE850, brand: Wolf Graten; type: GTE850; electric driven: yes; (Administrative and logistic costs 10.00)	10.00
2110	) 1	<b>brush cutter</b> MTD, 1035 K, year built 2013, brand: MTD; type: 1035 K; year: 2013; fuel engine driven: yes; fuel type: benzine; engine power: 1.03 kW; own weight: 7 kg; description: without cutting head - unused ; (Administrative and logistic costs 10.00)	10.00
2111	1	<b>cultivator</b> Goldoni, Twist 5 TW30, year built 2013, serial number 608824, brand: Goldoni; type: Twist 5 TW30; year: 2013; serial number: 608824; working width: 430 mm; power: 4 kW; (Administrative and logistic costs 25.00)	100.00
2112	2 1	lot of parts of golf cart	10.00
2113	3 1	<b>metal workshop cupboard</b> BOF, brand: BOF; dimension L: 220 cm; dimension W: 70 cm; dimension H: 94 cm; description: equipped with 10 drawers - 2 doors - unused; (Administrative and logistic costs 25.00)	100.00

2114	1	<b>metal workshop cupboard</b> BOF, brand: BOF; dimension L: 220 cm; dimension W: 70 cm; dimension H: 94 cm; description: equipped with 10 drawers - 2 doors - unused;	100.00
2115	2	<b>aluminum drive plates</b> brand: Definitive CLM; type: 125.40; year: 2018; load capacity: 3700 kg; own weight: 40 kg; total dimension L: 4000 mm; total dimension W: 410 mm; description: Not used; (Administrative and logistic costs 10.00)	100.00
2116	2	aluminum drive plates Definitive CLM, 115.35, year built 2018, brand: Definitive CLM; type: 115.35; year: 2018; load capacity: 3100 kg; own weight: 27 kg; total dimension L: 3500 mm; total dimension W: 360 mm; description: unused; (Administrative and logistic costs 10.00)	100.00
5500	1	waterpump Atlas Copco, PAS 4 KDS3A, year built 2018, serial number 360898, brand: Atlas Copco; type: PAS 4 KDS3A; year: 2018; serial number: 360898; description: engine: Kubota; 4 cylinders; 240 m <sup>3</sup> / h; MWC33; unused; (Administrative and logistics costs 25.00)	1,000.00
5501	1	waterpump Atlas Copco, PAS 8 KDS3A, year built 2018, serial number 360888, brand: Atlas Copco; type: PAS 8 KDS3A; year: 2018; serial number: 360888; description: engine: Kubota; 4 cylinders; 590 m <sup>3</sup> / h; MWC33; unused; (Administrative and logistics costs 25.00)	1,000.00
5502	1	<b>dumpers</b> Renopower, 250 B&S, year built 2020, brand: Renopower; type: 250 B&S year: 2020; brand engine: Briggs & Stratton; fuel type: benzine; load capacity: 250 kg; description: 4.10 kW; 4 x 4 chain drive; unused;	100.00
5503	1	<b>dumpers</b> Renopower, 250 B&S, year built 2020, brand: Renopower; type: 250 B&S year: 2020; brand engine: Briggs & Stratton; fuel type: Benzine; load capacity: 250 kg; description: 4.10 kW; 4 x 4 chain drive; unused;	100.00
5504	1	<b>light tower</b> Atlas copco, QLB 02(demo), year built 2017, serial number ESF099164, brand: Atlas copco; type: QLB 02(demo); year: 2017; serial number: ESF099164; description: demo unit; 2 kVA; 230 v; 1 Ph; 50 Hz; 4 x 400 W; 10 Luxes, lighting cover; 2000 m <sup>2</sup> , Height: 7 m; manual control; (Administrative and logistic costs 25.00)	100.00
5505	1	<b>trailer</b> De Ryck, 3.5 ton, year built 2019, brand: De Ryck; type: 3.5 ton; year: 2019; serial number: YA922G35K0130081; description: MTM 3500 kg: bandn: 18 5R 14C; with ramp 1.50 m; dimensions: L3.50xW1.60; CE Document available; (Administrative and logistics costs 25.00)	100.00
9000	1	<b>combine Harvester</b> New Holland, CX8070, year built 2009, serial number 301684019, brand: New Holland; type: CX8070; year: 2009; serial number: 301684019; engine power: 240 kW; hours on display: 2008; description: NH harvester ; Engine Hours: 2008; Threshing drum Hours: 1363; Ha threshed: 2352; Caisson: 3D; Coupe: 6m; Rear View Camera: on-hook and the top; Grain Moisture Meter: present; accessories : 1 koolzaadmes and one spare cutting; Featuring: extended table, six rotary rake and spreader;	10,000.00
9001	1	<b>four-wheel drive farm tractor</b> Steyr, CVT6150, year built 2016, serial number ZGER5097, brand: Steyr; type: CVT6150; year: 2016; serial number: ZGER5097; engine power: 129 kW; hours on display: 4015; gear box type: Vario; tyre size front: 540/65R30; tyre size rear: 650/65R42; number of hydraulic valves: 4; front linkage: yes; cabin: yes; airconditioning: yes; air seat: yes; own weight: 7180 kg; description: STEYR CVT6150; First start: 05/2016; Cm <sup>3</sup> : 6728; Equipped with: air brakes, electronic valves, LED lighting ; Registration: ok; Certificate of conformity: ok; Key: ok; Note: No PTO; (Administrative and logistic costs 50.00)	10,000.00
9010	1	<b>silage fork carriage</b> total dimension W: 2700 mm; description: for JCB; without wheel hooks; (Administrative and logistic costs 25.00)	100.00

# -63-

# Lot Number Description

Starting Bid €

9011	<ol> <li>fertiliser spreader Amazone, ZA-F 804R, brand: Amazone; type: ZA-F 804R; tank capacity: 509 I; (Administrative and logistic costs 25.00)</li> </ol>	10.00
9012	<ol> <li>fertiliser spreader</li> <li>Vicon, brand: Vicon; tank capacity: 500 I; (Administrative and logistic costs 25.00)</li> </ol>	10.00
9013	<ol> <li>fertiliser spreader</li> <li>Vicon, brand: Vicon; (Administrative and logistic costs 25.00)</li> </ol>	10.00
9016	1 haulm band (Administrative and logistic costs 25.00)	10.00
9020	<ol> <li>frontmaaier Lely Splendimo, 280 FC, brand: Lely Splendimo; type: 280 FC; working width: 2800 mm; (Administrative and logistic costs 25.00)</li> </ol>	100.00



### General conditions Online Auction TroostwijkAuctions.com

### **ARTICLE 1. DEFINITIONS**

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme) A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

### **ARTICLE 2. SCOPE**

2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.

2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.

2.3. If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

### **ARTICLE 3. THE SALE**

3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.

3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:

acts performed by user that would have been suggested by the information contained on the website;

• the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;

• lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;

- the fact that the information on the website is false, incomplete or not up-to-date;
- errors in the website's software and/or in the underlying system;
- the illegal use of systems, including use of the Troostwijk website by a third party;
- acts on the part of the seller after the user has concluded a purchase agreement.

### **ARTICLE 4. ORGANISATION OF THE SALE**

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
- exclude one or more users from the sale;
- add items to lots, to split up lots and to remove lots from the sale;

• correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;

take other measures it deems necessary

4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.

4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.

4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

### ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

### ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is the set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

### ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

### **ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS**





8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

#### **ARTICLE 9. SAFETY**

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

#### **ARTICLE 10. PICK-UP**

Troostwiik.

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks. The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

### ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

### **ARTICLE 12. TERMINATION**

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

### **ARTICLE 13. LIABILITY**

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to  $\in$  5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;

• Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;

- Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
- Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
- Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects
  and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is
  unable to place a bid due to a computer failure.
- Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
- Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
- Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

### **ARTICLE 14. CHANGES. PROCEDURE**



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

### **ARTICLE 15. APPLICABLE LAW**

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

# About Us Troostwijk

# Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

# 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

# **Statistics**

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

# 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience