



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online faillissementsveiling
metaalbewerkingsmachines, rollend materieel (NL)

Online bankruptcy auction of
metalworking machines, rolling stock
Frieslandhaven 9 - 3433 PC Nieuwegein
(Veilinglocatie, Rohaco B.V., Frieslandhaven 9, Nieuwegein)

Closing date: Wednesday **05 FEBRUARY** starting 10:00



Viewing:

Friday 31 January from 09:00 until 13:00
Frieslandhaven 9 - 3433 PC Nieuwegein (The Netherlands)

Bidding only on the internet!

04-02-20 14.24

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Wednesday 05 February 2020 Online faillissementsveiling

metaalbewerkingsmachines, rollend materieel

Specific Online Auction Terms and conditions of a public auction sale

| | | | | | | | | | |
|--|--|-----------|-------------|----------|-----------|----------|--------------|-----------|-------------|
| Closing date | Wednesday 5 February 2020 starting 10:00 CET | | | | | | | | |
| Viewing | Friday 31 January from 09:00 until 13:00 CET Auction location: Frieslandhaven 9 3433 PC Nieuwegein, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com | | | | | | | | |
| Company organising this Online Auction | | | | | | | | | |
| Markup | 17.00% | | | | | | | | |
| VAT | 21.00% | | | | | | | | |
| Margin goods | In case of margin goods the VAT will be 0% | | | | | | | | |
| Collection | By appointment Auction location: Frieslandhaven 9 3433 PC Nieuwegein, The Netherlands | | | | | | | | |
| Viewing Instructions | Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. | | | | | | | | |
| Attending an auction closure for consumers | | | | | | | | | |
| Payment Details | Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam. Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table> | Bank | Account nr. | IBAN nr. | BIC code. | KBC Bank | 0633 0173 10 | NL06 KRED | KREDNL2XXXX |
| Bank | Account nr. | IBAN nr. | BIC code. | | | | | | |
| KBC Bank | 0633 0173 10 | NL06 KRED | KREDNL2XXXX | | | | | | |
| Deliver instructions | The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions | | | | | | | | |

www.TroostwijkAuctions.com



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 1 | 1 | industrial 6-axis robot arm ABB, IRB 6640 M2004, year built 2009, serial number 66-64690, brand: ABB; brand: ABB; type: IRB 6640 M2004; year: 2009; serial number: 66-64690; description: reikwijdte ca 240cm; v.v. 6 assen; stalen voet welke gebout is op de vloer; koper is verantwoordelijk voor demontage en transport; ABB aansturingskast type: IRC5 M2004; S/N 66Z-64522; bedieningspaneel; let op! in aanbouw cq revisie; software wordt niet meegeleverd.; type: IRB 6640 M2004; brand: ABB; brand: ABB; type: IRB 6640 M2004; type: IRB 6640 M2004; year: 2009; serial number: 66-64690; year: 2009; year: 2009; serial number: 66-64690; serial number: 66-64690; own weight: 1320 kg; total dimension L: 2100 mm; total dimension W: 1000 mm; total dimension L: 2100 mm; total dimension H: 3100 mm; total dimension W: 1000 mm; total dimension H: 3100 mm; own weight: 1320 kg; description: reikwijdte ca 240cm; v.v. 6 assen; stalen voet welke gebout is op de vloer; koper is verantwoordelijk voor demontage en transport; ABB aansturingskast type: IRC5 M2004; S/N 66Z-64522; bedieningspaneel; let op! in aanbouw cq revisie; software wordt niet meegeleverd.; description: scope ca 240cm; equipped with six axes; steel foot which has been bolted to the floor; Buyer is responsible for dismantling and transport; ABB control cabinet type : IRC5 M2004; S / N 66Z-64522; control panel; pay attention! under construction or refurbishment; software is not included.; description: reikwijdte ca 240cm; v.v. 6 assen; stalen voet welke gebout is op de vloer; koper is verantwoordelijk voor demontage en transport; ABB aansturingskast type: IRC5 M2004; S/N 66Z-64522; bedieningspaneel; let op! in aanbouw cq revisie; software wordt niet meegeleverd.; | 1,000.00 |
| 2 | 1 | industrial 6-axis robot arm ABB, brand: ABB; description: reikwijdte ca 250cm; v.v. 6 assen; ABB aansturingskast type: IRB 6600; bedieningspaneel (vermoedelijk defect); let op! in aanbouw cq revisie; software wordt niet meegeleverd.; brand: ABB; total dimension L: 2350 mm; total dimension W: 1100 mm; total dimension H: 2000 mm; description: scope ca 250cm; equipped with six axes; ABB control cabinet type : IRB 6600; control panel (presumably faulty); pay attention! under construction or refurbishment; software is not included.; | 1,000.00 |
| 3 | 1 | industrial 6-axis robot arm ABB, IRB 6650-125/3.2, year built 2004, serial number 66-27457, brand: ABB; type: IRB 6650-125/3.2; year: 2004; serial number: 66-27457; description: reikwijdte ca 280cm; v.v. 6 assen; ABB aansturingskast type: IRB 6600; bedieningspaneel; let op! in aanbouw cq revisie; software wordt niet meegeleverd.; brand: ABB; type: IRB 6650-125/3.2; year: 2004; serial number: 66-27457; total dimension L: 2350 mm; total dimension W: 1100 mm; total dimension H: 2000 mm; description: scope ca 280cm; equipped with six axes; ABB control cabinet type : IRB 6600; control panel; pay attention! under construction or refurbishment; software is not included.; | 1,000.00 |
| 4 | 1 | industrial 3-axis robot arm Rohaco, brand: Rohaco; description: reikwijdte ca 180cm; v.v. 3 assen; 2x Kollmorgen servomotoren model: AKM62M-GNC2GB00; gebouwd op stalen frame; let op! in aanbouw; zonder besturingskast en software.; brand: Rohaco; total dimension L: 1900 mm; total dimension W: 1320 mm; total dimension H: 2450 mm; description: scope ca 180cm; equipped with three axes; 2x Kollmorgen servomotors model: AKM62M-GNC2GB00; built on a steel frame; pay attention! under construction; without control cabinet and software.; | 100.00 |
| 5 | 1 | industrial 3-axis robot arm description: reikwijdte ca 145cm; v.v. 2x Kollmorgen servomotoren model: AKM33H.ANC2GB00; gebouwd op stalen frame; let op! in aanbouw; zonder besturingskast en software.; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 2000 mm; description: scope ca 145cm; equipped with 2x Kollmorgen servomotors model: AKM33H.ANC2GB00; built on a steel frame; pay attention! under construction; without control cabinet and software.; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 6 | 1 | control cabinet ABB, IRC5 M2004, year built 2012, serial number 66Z-64581, brand: ABB; type: IRC5 M2004; year: 2012; serial number: 66Z-64581; own weight: 150 kg; total dimension L: 700 mm; total dimension W: 700 mm; total dimension H: 930 mm; description: equipped with ABB control panel model: DSQC 679; pay attention! keyless.; | 10.00 |
| 7 | 1 | control cabinet ABB, IRB6400RM2000, year built 2003, serial number 64-25105, brand: ABB; type: IRB6400RM2000; year: 2003; serial number: 64-25105; own weight: 350 kg; total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 1000 mm; description: pay attention! without key.; | 10.00 |
| 8 | 1 | universal lathe Vöest & Alpine, DA160, serial number D1R 86 06005, brand: Vöest & Alpine; type: DA160; serial number: D1R 86 06005; turning length: 600 mm; turning ? : 320 mm; spindle boring ? : 46 mm; number of speeds: 16; speed from N=: 30 rpm; speed till N=: 2500 rpm; number of tool changer stations: 3; electric connection: 380 V; dimension L: 1550 mm; dimension W: 800 mm; dimension H: 1550 mm; description: Including cabinet with various components; tooling ; 1x 3- clamping chuck diam. 125mm; 1x 4- clamping chuck diam. 205mm; aid spectacles; pay attention! The buyer is responsible for disconnecting and isolating the electrics.; | 100.00 |
| 9 | 1 | CNC Milling Machine Bridgeport Textron, Series 2, serial number 399800285W, brand: Bridgeport Textron; type: Series 2; serial number: 399800285W; travel x-axis: 600 mm; travel y-axis: 320 mm; travel z-axis: 350 mm; speed from N=: 70 rpm; speed till N=: 3750 rpm; T-slot fixture table size L: 1070 mm; T-slot fixture table size W: 230 mm; coolant pump: yes; CNC control, brand, type: Haidenhain; electric connection: 380 V; dimension L: 1270 mm; dimension W: 1700 mm; dimension H: 2100 mm; description: pinoleslag: 0-120mm. Pinoleslag: 0-120mm; engine output: 2hp; with machine clamp ; Pay attention! The buyer is responsible for disconnecting and isolating the electrics; No forklift truck available.; | 500.00 |
| 10 | 1 | column drill Bernardo, GB40S, year built 2004, serial number 354112088, brand: Bernardo; type: GB40S; year: 2004; serial number: 354112088; drilling capacity: 16 mm; number of speeds: 12; spindle speed from N=: 70 rpm; spindle speed till N=: 2600 rpm; drilling depth: 150 mm; discharge: 330 mm; table size L: 510 mm; table size W: 510 mm; engine power: 2.2 kW; electric connection: 400 V; machine weight: 670 kg; dimension L: 900 mm; dimension W: 510 mm; dimension H: 220 mm; | 100.00 |
| 11 | 1 | band saw Mossner rekord, SM/320, year built 1979, serial number 23812, brand: Mossner rekord; type: SM/320; year: 1979; serial number: 23812; electric connection: 400 V; dimension L: 770 mm; dimension W: 750 mm; dimension H: 1720 mm; description: Sheet dimensions : L505 x B505 mm; leaf in degrees adjustable; equipped with Ideal butt welder and grinding apparatus.; | 10.00 |
| 12 | 1 | hacksaw MAGEMA, brand: MAGEMA; saw blade size L: 420 mm; coolant pump: yes; engine power: 1.5 kW; electric connection: 400 V; dimension L: 2200 mm; dimension W: 1570 mm; dimension H: 1100 mm; description: equipped with nokaanslag.; | 50.00 |
| 13 | 1 | circular trim saw Kaltenbach, KKS 400, serial number 101698, brand: Kaltenbach; type: KKS 400; serial number: 101698; saw blade ? : 400; coolant pump: yes; engine power: 2.6 kW; electric connection: 380 V; dimension L: 5100 mm; dimension W: 1100 mm; dimension H: 1900 mm; description: speed continuously adjustable; with length measuring system; on and discharge roller table, hydraulic clamping.; | 100.00 |
| 14 | 2 | various grinders KEF / Feliatti, brand: KEF / Feliatti; electric connection: 380 V; description: incl. 1 belt grinder; working width : 120mm; 1 2 brick-work bench grinder; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 15 | 1 | passenger car Alfa romeo, Alfa mito, year built 2014, brand: Alfa romeo; type: Alfa mito; year: 2014; VIN number: ZAR9550000X025959; license plate: 5-XJS-27; hatchback: yes; MPV: yes; inspection expiration date: 16/02/2020 01:00:00; gasoline: yes; engine power: 74 kW; manual: yes; mileage (at intake): 86015 km; number of seats: 4; number of doors: 2; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; leather interior: yes; parking sensors: yes; LED headlights: no; own weight: 1105 kg; description: number of cylinders: 2; displacement: 875 cm ³ ; colour black; list price: 20475; length : 406; Euro classification: 6; economy label: A; type : 955; variant: AXZ1B; execution: 21; pay attention! wear.; | 1,000.00 |
| 16 | 1 | passenger car Alfa romeo, Alfa mito, year built 2011, brand: Alfa romeo; type: Alfa mito; year: 2011; VIN number: ZAR95500001161596; license plate: 18-RTL-3; hatchback: yes; MPV: yes; inspection expiration date: 29/01/2020 01:00:00; diesel: yes; engine power: 62 kW; manual: yes; mileage (at intake): 126126 km; number of seats: 4; number of doors: 2; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; LED headlights: no; own weight: 1125 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; colour black; list price: 17949; length : 406; Euro classification: 5; economy label: A; type : 955; variant: AXT1A; execution: 14; pay attention! wear.; | 100.00 |
| 17 | 1 | passenger car Renault, Megane, year built 2012, brand: Renault; type: Megane; year: 2012; VIN number: VF1KZ140647009895; license plate: 99-ZKL-3; stationwagen: yes; inspection expiration date: 18/06/2020 02:00:00; diesel: yes; engine power: 81 kW; manual: yes; mileage (at intake): 214344 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; own weight: 1283 kg; description: number of cylinders: 4; displacement: 1461 cm ³ ; Colour: Grey; list price: 25135; length : 456; Euro classification: 5; economy label: A; type : Z; variant: KZ14; execution: KZ1406; pay attention! wear.; | 100.00 |
| 18 | 1 | passenger car Renault, Megane, year built 2012, brand: Renault; type: Megane; year: 2012; VIN number: VF1KZ140646777403; license plate: 18-TSG-3; stationwagen: yes; inspection expiration date: 13/10/2020 02:00:00; diesel: yes; engine power: 81 kW; manual: yes; mileage (at intake): 214324 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; trailer hitch: yes; parking sensors: yes; LED headlights: no; own weight: 1283 kg; description: number of cylinders: 4; displacement: 1461 cm ³ ; Colour: Grey; list price: 25370; length : 456; Euro classification: 5; economy label: A; type : Z; variant: KZ14; execution: KZ1406; including Twinny Load bicycle carrier; pay attention! wear.; | 100.00 |
| 19 | 1 | utility car Opel, Vivaro, year built 2014, brand: Opel; type: Vivaro; year: 2014; VIN number: W0LF7A0A1EV615761; license plate: V-098-SV; inspection expiration date: 31/03/2020 02:00:00; box trailer: yes; diesel: yes; engine power: 66 kW; manual: yes; mileage (at intake): 109751 km; load capacity: 1047 kg; number of seats: 3; number of doors: 4; airconditioning: yes; own weight: 1743 kg; description: number of cylinders: 4; displacement: 1995 cm ³ ; list price: 32005; width: 190; Euro classification: 5; type : F7; variant: A0A1; execution: E1APG3; equipped with in-vehicle equipment; pay attention! wear.; | 500.00 |
| 20 | 1 | utility car Ford, Transit 350I van 115 mr 4.27, year built 2008, brand: Ford; type: Transit 350I van 115 mr 4.27; year: 2008; VIN number: WF0XXXTTFX8G82278; license plate: 55-VXJ-8; inspection expiration date: 23/12/2019 01:00:00; box trailer: yes; diesel: yes; engine power: 85 kW; manual: yes; mileage (at intake): 216978 km; load capacity: 1582 kg; number of seats: 2; number of doors: 4; airconditioning: yes; trailer hitch: yes; own weight: 1918 kg; description: number of cylinders: 4; displacement: 2402 cm ³ ; width: 197; Euro classification: 4; equipped with in-vehicle equipment; pay attention! wear.; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 21 | 1 | plane table cast iron: yes; table size L: 600 mm; table size W: 400 mm; | 10.00 |
| 22 | 1 | clamping tools description: incl. 2 corner platens; dimensions : 1x 305 x 255 x 160 mm; 1x 147 x 75 x 100 mm; | 10.00 |
| 23 | 11 | metal circular saw blades description: incl. : diam: 320; 360 mm; | 10.00 |
| 24 | 2 | circular saw blades description: diam: 250 mm; | 10.00 |
| 25 | 1 | screwdriver set FACOM, brand: FACOM; description: 8 parts; | 10.00 |
| 26 | 1 | hand tools description: incl. : roll sizes; 1 banking hammer ; 1 cable cutter; Allen wrenches; ring / spanners; | 10.00 |
| 27 | 1 | drill tools description: content of 2 to load with metal drills ; | 10.00 |
| 28 | 1 | fixed reamers description: content of a drawer; | 10.00 |
| 29 | 1 | adjustable reamers and metal drills description: content of the first tray; | 10.00 |
| 30 | 1 | tapping and milling description: content of 2 loading; | 10.00 |
| 31 | 1 | various tools description: content of 4 drawers; | 10.00 |
| 32 | 1 | content of 5 cabinets description: incl. : Engineering; sanding bands; dust masks; hand tools ; 4 drawer cabinets range; 1 schuurlinnenbox; | 10.00 |
| 33 | 1 | audio equipment description: incl. 1 AKAI stereo tuner; Model: AT-2600; 1 AKAI AMPLIFIER; 1 and 2 boxes to the woofer; | 10.00 |
| 34 | 1 | air hose reel Mavel, year built 2017, brand: Mavel; year: 2017; description: with blow gun; | 10.00 |
| 35 | 1 | sledge hammer and crowbar | 10.00 |
| 36 | 1 | machine tools description: incl. : turning tools; milling; drills; interchangeable plates and two drawer cabinets range; | 10.00 |
| 37 | 1 | drill tools | 10.00 |
| 38 | 2 | caps bit sets TengTools, brand: TengTools; | 10.00 |
| 39 | 1 | set of hole saws ROTEC, brand: ROTEK; description: 14 parts; | 10.00 |
| 40 | 1 | extension reel electric connection: 220 V; length: 50 m; | 10.00 |
| 41 | 1 | fastening material description: incl. : spring pins; plugs; screws; | 10.00 |
| 42 | 3 | scale model robot arms | 10.00 |
| 43 | 1 | set of parallel underlays | 10.00 |
| 44 | 1 | final mat set USSR, brand: USSR; measuring range from: 5 mm; measuring range till: 100 mm; with case: yes; | 10.00 |
| 45 | 3 | magnet measuring stands description: incl. 1 vv gauge; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 46 | 2 | altimeter Mitutoyo / FACOM, brand: Mitutoyo / FACOM; description: measuring range: 0-300 and 0-250mm; and 2 V blocks; | 10.00 |
| 47 | 1 | hand tools and miscellaneous description: on decorative plate with lubricants; The first pneumatic cylinder and metal; | 10.00 |
| 48 | 1 | inside measuring probes Mitutoyo, brand: Mitutoyo; measuring range from: 18 mm; measuring range till: 36 mm; | 10.00 |
| 49 | 1 | Slider size Mitutoyo, brand: Mitutoyo; measuring range from: 0 mm; measuring range till: 1000; description: with wooden case; | 10.00 |
| 50 | 1 | universal protractor MARUI KEIKI, BP-301, brand: MARUI KEIKI; type: BP-301; | 10.00 |
| 51 | 2 | Slider size analog: yes; digital: yes; measuring range from: 0 mm; measuring range till: 150; | 10.00 |
| 52 | 1 | caliper and dial gauge GEDORE, brand: GEDORE; digital: yes; measuring range from: 0 mm; measuring range till: 150; | 10.00 |
| 53 | 1 | Slider size Mitutoyo, brand: Mitutoyo; analog: yes; measuring range from: 0 mm; measuring range till: 300; | 10.00 |
| 54 | 1 | measuring tools description: incl. 2 steel compasses; Two depth gauges; 1 universal protractor, two brackets; | 10.00 |
| 55 | 1 | various measuring tools description: incl. : Radius molds; 2 zwenktasters; 1 micrometer; | 10.00 |
| 56 | 1 | paint spray pump WAGNER, brand: WAGNER; electric connection: 220 V; description: with spray gun; | 10.00 |
| 57 | 4 | assortment boxes with content description: incl. : pneumatic equipment; | 10.00 |
| 58 | 1 | set of outside screw sizes Mitutoyo, brand: Mitutoyo; measuring range from: 0 mm; measuring range till: 175 mm; with case: yes; description: 6-part; | 10.00 |
| 59 | 1 | measuring tools description: incl. 2 leveling machine; First level window; 1 echosounder; | 10.00 |
| 60 | 1 | pipe reamer deburring set REMS, 113815R , brand: REMS; type: 113815R ; description: cap: 0-42 mm; | 10.00 |
| 61 | 1 | hollow pipe set description: 18 parts; cap: 7 - 40 mm; | 10.00 |
| 62 | 1 | Capital letters and numbers Groote, brand: Groote; description: incl. 8 mm; | 10.00 |
| 63 | 1 | hole pull punch set GREENLEE, brand: GREENLEE; description: cap: 12.7 to 50.5 mm; | 10.00 |
| 64 | 1 | screw thread repair kit FABORY, brand: FABORY; description: M 10 x 1.25 x 15; | 10.00 |
| 65 | 1 | fastening technology starter package VIBA, 2000, brand: VIBA; type: 2000; description: 2 components; | 10.00 |
| 66 | 3 | pneumatic tools description: incl. : wrenches and socket sets; | 10.00 |
| 67 | 2 | soldering stations Weller, WS 50 / PU 81, brand: Weller; type: WS 50 / PU 81; description: 220 volts; | 10.00 |
| 68 | 2 | metal circular saw blades saw blade ? : 390 mm; description: incl. : diam: 320; 360 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 69 | 2 | metal circular saw blades saw blade ? : 390 mm; description: incl. : diam: 320; 360 mm; | 10.00 |
| 70 | 1 | electric hand drill Bosch, CSB 500 RE, brand: Bosch; type: CSB 500 RE; impact drill: yes; capacity: 13 mm; power: 500 W; with case: yes; electric connection: 230 V; | 10.00 |
| 71 | 1 | Welding supplies description: incl. : welding nozzles; 1 a welding blanket; | 10.00 |
| 72 | 1 | ratchet key GEDORE VANADIUM, No.2193Z C3, brand: GEDORE VANADIUM; type: No.2193Z C3; description: + caps and extensions; | 10.00 |
| 73 | 2 | frame leveling SOLA, AZH 4, brand: SOLA; type: AZH 4; length: 2000 mm; description: Including 1x Stabila level type : 80A L60cm.; | 10.00 |
| 74 | 2 | frame leveling SOLA / WURTH, brand: SOLA / WURTH; length: 2000 mm; | 10.00 |
| 75 | 3 | welding torches mig type: yes; | 10.00 |
| 76 | 1 | toolbox with content WURTH, brand: WURTH; | 10.00 |
| 77 | 1 | work shoes Grisport, brand: Grisport; men's: yes; leather: yes; description: size 43; | 10.00 |
| 78 | 1 | work shoes ELTEN, brand: ELTEN; men's: yes; leather: yes; description: size 43; | 10.00 |
| 79 | 1 | single coastal dust conveyor welding machine habasit, PQ-15, brand: habasit; type: PQ-15; electric connection: 220 V; | 10.00 |
| 80 | 1 | shield INE, brand: INE; | 10.00 |
| 81 | 1 | Milling tool | 10.00 |
| 82 | 1 | lot of concrete drilling WURTH, brand: WURTH; description: various diameters; | 10.00 |
| 83 | 9 | various saws Rotec, brand: Rotec; | 10.00 |
| 84 | 1 | pipe bender with bending jigs | 10.00 |
| 85 | 1 | Toolbox with content | 10.00 |
| 86 | 4 | polyester lifting straps Rema, S5, brand: Rema; type: S5; hoist capacity: 2000 kg; | 10.00 |
| 87 | 1 | wall clock and 2x store mirror ball | 10.00 |
| 88 | 1 | dresser oOVERTOOM, brand: oOVERTOOM; number of drawers: 13; dimension L: 41 cm; dimension W: 28 cm; dimension H: 94 cm; | 10.00 |
| 89 | 1 | machine tools EDALMATIC, EDM-R312, brand: EDALMATIC; type: EDM-R312; description: tapping head; recording : MC-2; | 10.00 |
| 90 | 1 | mobile material table dimension L: 75 cm; dimension W: 55 cm; dimension H: 169 cm; | 10.00 |
| 91 | 1 | drill tools description: 5 trays filled; | 10.00 |
| 92 | 1 | threading tool | 10.00 |
| 93 | 1 | trolley stainless steel: yes; total dimension L: 1020 mm; total dimension W: 620 mm; total dimension H: 1010 mm; description: not included the thread cutting tool ; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 94 | 1 | pneumatic straight sharpener TOKU, MG-7206B, brand: TOKU; type: MG-7206B; description: range with suitcase and accessories; | 10.00 |
| 95 | 5 | folding trestles Stanley, FATMAX, brand: Stanley; type: FATMAX; dimension L: 1500 cm; dimension W: 120 cm; dimension H: 86 cm; | 10.00 |
| 96 | 1 | Label Printer Casio, KL-7400, brand: Casio; type: KL-7400; | 10.00 |
| 97 | 1 | access point RUCKUS, R510, brand: RUCKUS; type: R510; | 10.00 |
| 98 | 1 | screwdriverset WITTRON, brand: WITTRON; piece: 7; | 10.00 |
| 99 | 1 | Slider size GEDORE, No. 711, brand: GEDORE; type: No. 711; digital: yes; measuring range from: 0 mm; measuring range till: 150; | 10.00 |
| 100 | 1 | hanging scale VOLTcraft, HS-10L, brand: VOLTcraft; type: HS-10L; description: + screw-bit set and tube dispenser; | 10.00 |
| 101 | 1 | belt measuring device habasit, 3901, brand: habasit; type: 3901; | 10.00 |
| 102 | 1 | amperetang CHAUVIN ARNOUX, DCM200, brand: CHAUVIN ARNOUX; type: DCM200; description: 200 Ampere; | 10.00 |
| 103 | 1 | tool trolleys WESMA, brand: WESMA; metal: yes; with content: yes; | 10.00 |
| 104 | 1 | tool trolleys WESMA, brand: WESMA; metal: yes; with content: yes; | 10.00 |
| 105 | 1 | tool trolleys WESMA, brand: WESMA; metal: yes; with content: yes; | 10.00 |
| 106 | 1 | tool trolleys WESMA, brand: WESMA; metal: yes; with content: yes; | 10.00 |
| 107 | 1 | machine clamp jaw width: 125 mm; jaw opening: 900 mm; | 10.00 |
| 108 | 1 | extension reel WURTH, 077440 050, brand: WURTH; type: 077440 050; | 10.00 |
| 109 | 1 | swivels description: including assortment of suitcase; | 10.00 |
| 110 | 1 | various hand tools | 10.00 |
| 111 | 1 | power cable and welding cable | 10.00 |
| 112 | 1 | rubber boots DUNLOP, brand: DUNLOP; men's: yes; leather: no; description: size 43; | 10.00 |
| 113 | 1 | rubber boots DUNLOP, brand: DUNLOP; men's: yes; leather: no; description: size 46; | 10.00 |
| 114 | 9 | assortimentkoffers with content | 10.00 |
| 115 | 4 | assortimentkoffers with content | 10.00 |
| 116 | 1 | curtain security SICK, deTem4 core, brand: SICK; type: deTem4 core; | 10.00 |
| 117 | 5 | various office chairs description: + 1 standing ashtray; | 10.00 |
| 118 | 1 | lever platform scissors Peddinghaus, brand: Peddinghaus; max. cutting thickness: 6 mm; total dimension L: 75 mm; total dimension W: 350 mm; total dimension H: 2300 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| | 119 | 1 air hose reel Mavel, year built 2017, brand: Mavel; year: 2017; description: with blow gun; | 10.00 |
| © | 120 | 1 servo motor KOLLMORGEN, AKM62M-GNC2GB00, brand: KOLLMORGEN; type: AKM62M-GNC2GB00; power: 2.58 kW; | 10.00 |
| © | 121 | 1 servo motor KOLLMORGEN, AKM62M-GNC2GB00, brand: KOLLMORGEN; type: AKM62M-GNC2GB00; power: 2.58 kW; | 10.00 |
| © | 122 | 1 servo motor KOLLMORGEN, AKM62M-GNC2GB00, brand: KOLLMORGEN; type: AKM62M-GNC2GB00; power: 2.58 kW; | 10.00 |
| © | 123 | 1 servo motor KOLLMORGEN, AKM62M-GNC2GB00, brand: KOLLMORGEN; type: AKM62M-GNC2GB00; power: 2.58 kW; | 10.00 |
| © | 124 | 4 servo motors KOLLMORGEN, AKM62M-GNC2GB00, brand: KOLLMORGEN; type: AKM62M-GNC2GB00; power: 2.58 kW; | 10.00 |
| | | robot servo motors | |
| © | 125 | 1 lot of installation material Rittal, brand: Rittal; description: incl. 3 plant cabinets ; dimensions : 500 x 700 x 250 mm; color gray; | 50.00 |
| | 126 | 1 steel safety work bin AB, year built 2010, serial number 05432, type: AB; year: 2010; serial number: 05432; total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 3200 mm; description: equipped with spoon holes.; | 50.00 |
| | 127 | 1 flat iron bending device WB 100, type: WB 100; description: working width : 100 mm; | 10.00 |
| | 128 | 1 fertiliser spreader EarthWay, EV-N=SPRED, brand: EarthWay; type: EV-N=SPRED; | 10.00 |
| | 129 | 1 air compressor Hydrovane, 6, serial number 7HV514231/2/4, brand: Hydrovane; type: 6; serial number: 7HV514231/2/4; electric connection: 230 V; description: mobile v.v. soundproof housing; | 100.00 |
| | 130 | 2 braking resistors Lenze, ERBD180R300W, brand: Lenze; type: ERBD180R300W; description: R = 180 ohm; P = 300W; 600 v; | 10.00 |
| © | 131 | 2 braking resistors Lenze, ERBS470R150W, brand: Lenze; type: ERBS470R150W; description: R = 470 ohms; P = 150W; | 10.00 |
| | 132 | 2 braking resistors Lenze, ERBS470R150W, brand: Lenze; type: ERBS470R150W; description: R = 470 ohms; P = 150W; | 10.00 |
| © | 133 | 1 scrap metal description: incl. : stairs aluminum diamond plate; stainless steel box section; with the second transport containers and transport container; | 10.00 |
| | 134 | 1 air hose reel Mavel, year built 2017, brand: Mavel; year: 2017; description: with blow gun; | 10.00 |
| © | 135 | 2 gear motors Lenze, brand: Lenze; electric connection: 400 V; description: + 1 box with gears; | 10.00 |
| | 136 | 1 installation material description: incl. 1 box with Festool pressure regulators; type : LR-eighth-D-7-mini; COMIECO druktankjes; 12 pieces; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 137 | 1 | press brake Jorg, 3601, brand: Jorg; type: 3601; folding length: 1020 mm; max. sheet thickness: 2 mm; dimension L: 1500 mm; dimension W: 540 mm; dimension H: 1430 mm; description: manually operated.; | 100.00 |
| 138 | 1 | hydraulic press ENSIDESA, brand: ENSIDESA; capacity: 25 t; manual hydraulic: yes; 2-column: yes; distance between columns: 680 mm; stroke: 125 mm; dimension L: 1000 mm; dimension W: 800 mm; dimension H: 1900 mm; | 50.00 |
| © 139 | 1 | rod material rack description: incl. : stainless steel, iron, aluminum; solid round, flat, square, corner line, copper pipe lengths and plastics; Pay attention!! rack not included; | 100.00 |
| © 140 | 1 | rod material in cantilever racking system description: and along the wall incl. : tubes , tube profile, U-profile, angle; Pay attention!! rack not included; | 100.00 |
| 141 | 1 | steel packing table total dimension L: 1545 mm; total dimension W: 775 mm; total dimension H: 940 mm; description: with material on the table; | 10.00 |
| 142 | 1 | transportbak with vise total dimension L: 1230 mm; total dimension W: 1000 mm; total dimension H: 1040 mm; | 10.00 |
| 143 | 1 | pneumatic material description: content of 10 drawers steel cabinet incl. : curves; rings; bronze mounts; valves; cylinders; Pay attention!! cabinet not included; | 50.00 |
| 144 | 1 | pneumatic material description: content of 10 drawers steel cabinet incl. : nipples; tees; distributing goats; cylinders; Pay attention!! cabinet not included; | 50.00 |
| © 145 | 1 | pallet with electric motors | 50.00 |
| 146 | 1 | chest of drawers total dimension L: 1075 mm; total dimension W: 350 mm; total dimension H: 1160 mm; description: with content incl. : cable lugs; ring tongues; terminal coding; doorverbindkammmen; stickers and hand tools; | 50.00 |
| 147 | 1 | barrel truck | 10.00 |
| 148 | 1 | tape closing device CORDSTRAP, brand: CORDSTRAP; plastic strap: yes; capacity dim. W: 14 mm; description: on a reel wagon with buckles; | 10.00 |
| 149 | 1 | step closer Solide, brand: Solide; number of steps: 6; aluminium: yes; access platform: yes; description: H = 149 cm; | 10.00 |
| 150 | 3 | adjustable material roller supports | 10.00 |
| 151 | 4 | barrier posts | 10.00 |
| 152 | 1 | weld-on cleaner BYMAT, 3024 RS, serial number 123044/01, brand: BYMAT; type: 3024 RS; serial number: 123044/01; electric connection: 220 V; description: with trolley and accessories; | 10.00 |
| 153 | 1 | fastening material dimension L: 950 mm; dimension W: 42 mm; description: with transport trolley; | 10.00 |
| © 154 | 9 | electric motors Lenze, G50BH121MVBR2C, brand: Lenze; type: G50BH121MVBR2C; power: 0.47 kW; electric connection: 400 V; description: + 1 box with gears; | 10.00 |
| 155 | 1 | air compressor Hydrovane, 501PURS10 4135D011, serial number 501-008139-9809, brand: Hydrovane; type: 501PURS10 4135D011; serial number: 501-008139-9809; capacity: 11 bar; power: 1.1 kW; buffer tank content: 50 l; total dimension L: 1050 mm; total dimension W: 580 mm; total dimension H: 680 mm; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|--|--------|---|----------------|
| 156 | 1 | tool trolleys HAZET, brand: HAZET; with content: yes; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm; | 10.00 |
| 157 | 1 | tool trolleys HAZET, brand: HAZET; with content: no; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm; | 10.00 |
| 158 | 1 | tool trolleys HAZET, brand: HAZET; with content: yes; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm; | 10.00 |
| 159 | 1 | tool trolleys HAZET, brand: HAZET; with content: no; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm; | 10.00 |
| 160 | 1 | tool trolleys HAZET, brand: HAZET; with content: no; total dimension L: 700 mm; total dimension W: 350 mm; total dimension H: 970 mm; | 10.00 |
| © 161 | 1 | material transport rack dimension L: 1100 mm; dimension W: 500 mm; dimension H: 1280 mm; description: double-sided equipped with plastic containers with content incl. : bolts ; nuts ; spring washers; | 10.00 |
| © 162 | 1 | material transport rack dimension L: 1100 mm; dimension W: 500 mm; dimension H: 1280 mm; description: double-sided equipped with plastic containers with content incl. : bolts ; spring washers; bearings; Pipe saddles; washers; | 10.00 |
| © 163 | 1 | material transport rack dimension L: 1100 mm; dimension W: 500 mm; dimension H: 1280 mm; description: double-sided equipped with plastic containers with content incl. : bolts ; rings; nuts; | 10.00 |
| © 164 | 1 | material transport rack dimension L: 1100 mm; dimension W: 500 mm; dimension H: 1280 mm; description: double-sided equipped with plastic containers with content incl. : bolts ; rings; nuts; | 10.00 |
| material trolleys with contents | | | |
| 165 | 1 | welding fume extraction system Euromate, MFD, year built 2009, serial number M0510960085, brand: Euromate; type: MFD; year: 2009; serial number: M0510960085; mobile: yes; filterunit: yes; boom length: 3500 mm; electric connection: 380 V; dimension L: 1650 mm; dimension W: 750 mm; dimension H: 260 mm; | 50.00 |
| 166 | 1 | Roller scaffolding dimension L: 1970 mm; dimension W: 750 mm; dimension H: 1970 mm; number of boards: 1; number of wheels: 4; | 10.00 |
| 167 | 6 | folding trestles Stanley, FATMAX, brand: Stanley; type: FATMAX; dimension L: 1500 cm; dimension W: 120 cm; dimension H: 86 cm; | 10.00 |
| 168 | 1 | robot arm control cabinet ABB, IRC5 M2004, year built 2012, serial number 66Z-64543, brand: ABB; type: IRC5 M2004; year: 2012; serial number: 66Z-64543; own weight: 150 kg; total dimension L: 700 mm; total dimension W: 570 mm; total dimension H: 1055 mm; | 50.00 |
| 169 | 4 | Schragen total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of steel frame; adjustable in height.; | 10.00 |
| 170 | 4 | Schragen total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of steel frame; adjustable in height.; | 10.00 |
| 171 | 4 | Schragen total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of steel frame; adjustable in height.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 172 | 3 | Schragen total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of steel frame; adjustable in height.; | 10.00 |
| 173 | 4 | Schragen Folding Sawhorse, brand: Folding Sawhorse; total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of plastic frame.; | 10.00 |
| 174 | 4 | Schragen Folding Sawhorse, brand: Folding Sawhorse; total dimension L: 700 mm; total dimension W: 650 mm; description: consisting of plastic frame.; | 10.00 |
| 175 | 2 | Paper roll holder Tork, brand: Tork; | 10.00 |
| 176 | 1 | mechanic sled Omega Mechanix, brand: Omega Mechanix; total dimension L: 1200 mm; total dimension W: 440 mm; | 10.00 |
| 177 | 1 | mechanic sled Omega Mechanix, brand: Omega Mechanix; total dimension L: 1200 mm; total dimension W: 440 mm; | 10.00 |
| 178 | 1 | tire strapping set Fromm, brand: Fromm; metal strap: yes; total dimension L: 900 mm; total dimension W: 400 mm; total dimension H: 700 mm; description: Including 3 rolls of metal tape.; | 10.00 |
| 179 | 2 | construction lights halogen: yes; tripod: yes; electric connection: 230 V; | 10.00 |
| 180 | 2 | construction lights halogen: no; tripod: no; electric connection: 230 V; | 10.00 |
| 181 | 1 | Workplace crane Agip, brand: Agip; hoist capacity: 1500 kg; total dimension L: 2100 mm; total dimension W: 1000 mm; description: manual hydraulics workshop crane; | 10.00 |
| 182 | 2 | Schragen Stanley, Fatmax, brand: Stanley; type: Fatmax; total dimension L: 1500 mm; total dimension W: 450 mm; | 10.00 |
| 183 | 1 | extension cable reels and cord electric connection: 400 V; male-female: yes; length: 25 m; on reel: yes; description: 32A; | 10.00 |
| 184 | 2 | extension cords electric connection: 400 V; male-female: yes; length: 1 m; on reel: no; description: 32A; | 10.00 |
| 185 | 1 | extension cord electric connection: 400 V; male-female: yes; length: 1 m; on reel: no; description: 32A; | 10.00 |
| 186 | 11 | street residents description: Brooms street without stalk; various dimensions; including masonry shell.; | 10.00 |
| 187 | 1 | Roller scaffolding dimension L: 2000 mm; dimension W: 750 mm; dimension H: 1970 mm; number of boards: 1; board size L: 1780 mm; board size W: 600 mm; number of wheels: 4; folding scaffold: yes; description: mobile scaffolds; | 10.00 |
| 188 | 1 | industrial vacuum cleaner Kiekens, B-193, year built 1983, serial number 5286-11, brand: Kiekens; type: B-193; year: 1983; serial number: 5286-11; power: 1800 W; electric connection: 230 V; | 10.00 |
| 189 | 1 | jack Rema, 10, year built 1990, brand: Rema; type: 10; year: 1990; hoist capacity: 5000 kg; | 10.00 |
| 190 | 1 | jack Rema, DMK3000, year built 2018, serial number CY1805675, brand: Rema; type: DMK3000; year: 2018; serial number: CY1805675; hoist capacity: 3000 kg; | 10.00 |
| 191 | 1 | bottle cart description: vv tires; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 192 | 1 | autogenous cutting installation description: autogenous cutting set consisting of hose package with 2x torch and regulator and flessenkar.; | 10.00 |
| 193 | 1 | welding fume extraction system Fumator, Minivac 300D, brand: Fumator; type: Minivac 300D; mobile: yes; electric connection: 380 V; dimension L: 700 mm; dimension W: 530 mm; dimension H: 640 mm; description: Including welding torch with extraction hose.; | 10.00 |
| 194 | 1 | Welding machine Lorch, MicorMig 300, serial number 4117-2847-0013-0, brand: Lorch; type: MicorMig 300; serial number: 4117-2847-0013-0; mig type: yes; electric connection: 400 V; dimension L: 950 mm; dimension W: 500 mm; dimension H: 900 mm; description: Welding current range 15.3-29V / 25-300A; Including torch and reduce.; | 100.00 |
| 195 | 1 | Welding machine Selco, Neomig 3000, serial number 010450000016, brand: Selco; type: Neomig 3000; serial number: 010450000016; mig type: yes; electric connection: 400 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm; description: Welding current range 30A / 15.5V-29V / 29V-300A; Including torch and reduce.; | 100.00 |
| 196 | 1 | Welding machine Bester, Magster 500, serial number 702372, brand: Bester; type: Magster 500; serial number: 702372; mig type: no; wire feeder: yes; electric connection: 400 V; dimension L: 1000 mm; dimension W: 500 mm; dimension H: 700 mm; description: Welding current range 75A-18V / 500A-39V; Including torch and reduce.; | 100.00 |
| 197 | 1 | welding fume extraction system Nederman, serial number 641, brand: Nederman; serial number: 641; mobile: yes; filterunit: yes; boom length: 2000 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 530 mm; dimension H: 640 mm; description: Including welding torch with extraction hose.; | 10.00 |
| 198 | 1 | Welding machine Bester, Magster 500, serial number 702372, brand: Bester; type: Magster 500; serial number: 702372; mig type: no; tig type: yes; AC/DC: yes; inverter type: yes; wire feeder: no; electric connection: 230 V; dimension L: 600 mm; dimension W: 500 mm; dimension H: 1100 mm; description: Including torch, reducer and bottle cart.; | 10.00 |
| © 199 | 1 | lot of various control cables Murr Elektronik, brand: Murr Elektronik; description: incl. M8 male / female M8; M12 male / female M12; M12 male / female M8; relates to all on a pallet.; | 10.00 |
| | | gear unit motors, installation cabinets, sensor cables | |
| 200 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 201 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 202 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 203 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with 3 levels; including pedestal with content incl. . various tools and machine accessories .; | 10.00 |
| 204 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 205 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 206 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 207 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 208 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 209 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 210 | 1 | warehouse cart total dimension L: 1200 mm; total dimension W: 630 mm; total dimension H: 880 mm; description: equipped with three floors; | 10.00 |
| 211 | 1 | warehouse cart total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 830 mm; | 10.00 |
| 212 | 1 | hifi and portable audio Grundig, COM 700, brand: Grundig; type: COM 700; number of speakers: 2; CD player: yes; total dimension L: 200 mm; total dimension W: 470 mm; total dimension H: 230 mm; | 10.00 |
| 213 | 1 | extension cable reels and cord Rodac, brand: Rodac; electric connection: 230 V; male-female: yes; length: 15 m; on reel: yes; description: Wall mounted.; | 10.00 |
| 214 | 1 | tool trolleys Ebeka, brand: Ebeka; | 10.00 |
| 215 | 1 | lot of various machine accessories description: incl. morse taper recording; various core drilling; and including grijpvoorraadbak.; | 10.00 |
| 216 | 5 | construction clamps description: incl. .: Bessey; in various sizes.; | 10.00 |
| 217 | 1 | workbench Mobile Fetra, brand: Fetra; total dimension L: 1300 mm; total dimension W: 710 mm; total dimension H: 900 mm; description: Mobile workbench equipped with box and vise .; | 10.00 |
| 218 | 1 | construction and fasteners Würth, brand: Würth; description: incl. . wall anchors in various sizes; wall mounting; etc.; | 10.00 |
| 219 | 1 | warehouse cart total dimension L: 1070 mm; total dimension W: 610 mm; total dimension H: 1110 mm; description: equipped with 3 levels; including bin with slings.; | 10.00 |
| 220 | 1 | belt / harness Würth, Comfort, brand: Würth; type: Comfort; description: date of 1st use 2014; in and including plastic case.; | 10.00 |
| 221 | 1 | ladder number of steps: 4; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 222 | 1 | ladder Maxall, STP-8, brand: Maxall; type: STP-8; number of steps: 8; aluminium: yes; single: yes; access platform: yes; | 10.00 |
| 223 | 1 | ladder number of steps: 12; aluminium: yes; multi-purpose ladder: yes; single: no; access platform: no; | 10.00 |
| 224 | 1 | hand sprayer Hilti, brand: Hilti; description: content 10ltr; On and including mobile frame.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 225 | 1 | reel dispenser Saenroll, brand: Saenroll; total dimension L: 600 mm; total dimension W: 550 mm; total dimension H: 120 mm; | 10.00 |
| 226 | 2 | safety nets description: incl. :. 1x 25x5mtr.; | 10.00 |
| 227 | 1 | rev counter Voltcraft, DT-20LK, brand: Voltcraft; type: DT-20LK; manual present: yes; | 10.00 |
| 228 | 1 | pipe wrench and adjustable wrench Resp. Skandia en Bahco, brand: Resp. Skandia en Bahco; description: pipe wrench 1 1/2"; adjustable wrench 40 mm.; | 10.00 |
| 229 | 4 | adjustable keys Bahco, brand: Bahco; description: various sizes.; | 10.00 |
| 230 | 3 | adjustable keys Bahco en Würth, brand: Bahco en Würth; description: various sizes.; | 10.00 |
| 231 | 3 | adjustable keys Bahco, Würth en Gedore, brand: Bahco, Würth en Gedore; description: various sizes.; | 10.00 |
| 232 | 3 | adjustable keys Bahco en Würth, brand: Bahco en Würth; description: various sizes.; | 10.00 |
| 233 | 3 | adjustable keys Bahco en Würth, brand: Bahco en Würth; description: various sizes.; | 10.00 |
| 234 | 1 | diamond core drill Elu, 4, brand: Elu; type: 4; electric connection: 230 V; description: Model: D8 10EK; 1 D = 18-70mm; 2 D = 70-121mm; equipped with running water; including tripod and transformer.; | 10.00 |
| 235 | 1 | magnetic drill Bux, DH32RP, serial number BS25979, brand: Bux; type: DH32RP; serial number: BS25979; electric connection: 230 V; description: equipped with AEG drilling machine type : BV32; 220V; 1300W.; | 10.00 |
| 236 | 1 | lot of various drilling machine accessories description: incl. :. core drilling; vacuum block; and includes case.; | 10.00 |
| 237 | 1 | air compressor Nardi, Extreme 3T, year built 2011, serial number 118209, brand: Nardi; type: Extreme 3T; year: 2011; serial number: 118209; capacity: 10 bar; air flow: 350 l/min; electric connection: 230 V; total dimension L: 580 mm; total dimension W: 300 mm; total dimension H: 400 mm; | 10.00 |
| 238 | 8 | various crimping tools | 10.00 |
| 239 | 7 | various Allen and torxsets | 10.00 |
| 240 | 6 | various inbussets | 10.00 |
| 241 | 4 | various inbussets | 10.00 |
| 242 | 5 | various inbussets | 10.00 |
| 243 | 1 | multimeter Fluke, 21 III, brand: Fluke; type: 21 III; | 10.00 |
| 244 | 1 | Slider size Garant, MC1, brand: Garant; type: MC1; analog: yes; measuring range from: 0 mm; measuring range till: 150; | 10.00 |
| 245 | 1 | bit and bore set Hitachi en Tengtools, brand: Hitachi en Tengtools; torx: yes; hexagonal: yes; | 10.00 |
| 246 | 2 | drill sets Garant en Phantom, brand: Garant en Phantom; description: 1x countersink drill set and 1x drill and countersink drill set.; | 10.00 |
| 247 | 8 | sliding callipers Mitutoyo, MC1, brand: Mitutoyo; type: MC1; analog: yes; measuring range from: 0 mm; measuring range till: 150; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 248 | 1 | stitch and ratchet ring spanners Facom, brand: Facom; metric: yes; set: yes; piece: 10; description: size: 8-19 mm; | 10.00 |
| 249 | 3 | plumb Tajima, brand: Tajima; | 10.00 |
| 250 | 1 | extension cord electric connection: 230 V; male-female: yes; description: equipped with distributor block.; | 10.00 |
| 251 | 15 | pair of welding gloves | 10.00 |
| 252 | 150 | Abrasive discs 3M, brand: 3M; description: 125 mm; 22 mm; | 10.00 |
| 253 | 2 | automatic welding caps Würth, brand: Würth; | 10.00 |
| 254 | 2 | automatic welding caps Würth, brand: Würth; description: Including leather slaps.; | 10.00 |
| 255 | 2 | automatic welding hood 3M, brand: 3M; description: Including 3M adflo breathing protection in and including bag.; | 10.00 |
| 256 | 1 | drill tools description: various drilling and taping and including 4x Raaco SORTAINERS.; | 10.00 |
| 257 | 1 | drill tools description: various drilling and taping and including 4x Raaco SORTAINERS.; | 10.00 |
| 258 | 1 | Socket Gedore, brand: Gedore; piece: 7; description: Including Sola spirit level.; | 10.00 |
| 259 | 1 | socket set GEDORE, No. 20 EM, brand: GEDORE; type: No. 20 EM; description: and screwdriver set; | 10.00 |
| 260 | 1 | digital clamp meter Ridgid, CM-100, brand: Ridgid; type: CM-100; | 10.00 |
| 261 | 1 | digital multimeter WURHT, art.071553415, brand: WURHT; type: art.071553415; description: with softbag; | 10.00 |
| 262 | 1 | digital multimeter WURHT, art.071553415, brand: WURHT; type: art.071553415; description: with softbag; | 10.00 |
| 263 | 1 | digital multimeter WURHT, art.071553415, brand: WURHT; type: art.071553415; description: with softbag; | 10.00 |
| 264 | 1 | digital multimeter WURHT, art.071553415, brand: WURHT; type: art.071553415; description: with softbag; | 10.00 |
| 265 | 1 | socket set GEDORE, No. 20 EM, brand: GEDORE; type: No. 20 EM; description: and screwdriver set; | 10.00 |
| 266 | 1 | socket set GEDORE, No. 20 EM, brand: GEDORE; type: No. 20 EM; description: and screwdriver set; | 10.00 |
| 267 | 1 | socket set GEDORE, No. 20 EM, brand: GEDORE; type: No. 20 EM; description: and screwdriver set; | 10.00 |
| 268 | 1 | screw bit set Bosch, brand: Bosch; description: and screwdriver set; | 10.00 |
| 269 | 1 | screw bit set Bosch, brand: Bosch; description: and screwdriver set; | 10.00 |
| 270 | 1 | screw bit set Bosch, brand: Bosch; description: with screwdriver set and spirit level; | 10.00 |
| 271 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |
| 272 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 273 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |
| 274 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |
| 275 | 1 | screwdriver bit set Facom, brand: Facom; description: with spirit level; | 10.00 |
| 276 | 1 | screwdriver bit set Facom, brand: Facom; description: with spirit level; | 10.00 |
| 277 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |
| 278 | 1 | screw bit socket set FACOM, brand: FACOM; description: with spirit level; | 10.00 |
| 279 | 1 | industrial vacuum cleaner PROTOOL, VPC 170 E, brand: PROTOOL; type: VPC 170 E; electric connection: 220 V; | 10.00 |
| 280 | 2 | Extension cables description: incl. 220 and 400 volts; | 10.00 |
| 281 | 2 | machine transport tanks total dimension L: 410 mm; total dimension W: 230 mm; total dimension H: 100 mm; | 10.00 |
| 282 | 2 | machine transport tanks total dimension L: 420 mm; total dimension W: 200 mm; total dimension H: 100 mm; | 10.00 |
| 283 | 1 | extension reel Gilze, brand: Gilze; electric connection: 230 V; | 10.00 |
| 284 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 285 | 1 | Tool box B&W international, brand: B&W international; with content: yes; | 10.00 |
| 286 | 4 | swivel wheels description: wheel diam: 250 mm; | 10.00 |
| 287 | 6 | construction pliers Bessey, brand: Bessey; description: dimensions : 600 x 120 mm; | 10.00 |
| 288 | 6 | construction pliers Bessey, brand: Bessey; description: dimensions : 250 x 120 mm; | 10.00 |
| 289 | 3 | construction pliers | 10.00 |
| 290 | 3 | construction pliers Bessey, brand: Bessey; description: dimensions : 300 x 120 mm; | 10.00 |
| 291 | 3 | construction pliers Bessey, brand: Bessey; description: dimensions : 200 x 120 mm; | 10.00 |
| 292 | 3 | quick clamp construction pliers Bessey, brand: Bessey; description: incl. : dimensions : 250 x 120 mm; | 10.00 |
| 293 | 4 | quick clamp construction pliers WURTH, brand: WURTH; description: incl. : dimensions : 300 x 140; 200 x 100 mm; | 10.00 |
| 294 | 4 | quick clamp construction pliers WURTH, brand: WURTH; description: incl. : dimensions : 300 x 140; 200 x 100 mm; | 10.00 |
| 295 | 4 | quick clamp construction pliers WURTH, brand: WURTH; description: incl. : dimensions : 200 x 100 mm; | 10.00 |
| 296 | 3 | single-grip pliers description: cap: 280 mm; | 10.00 |
| 297 | 4 | single-grip pliers description: cap: 700 mm; | 10.00 |
| 298 | 4 | single-grip pliers BESSEY, brand: BESSEY; description: cap: 2x 900 x 80 mm; 1x 450 x 80 mm; | 10.00 |
| 299 | 8 | assortment boxes with content WURTH, brand: WURTH; description: incl. : rings; washers; splines; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 300 | 1 | circular trim saw HBM, Drycutter Deluxe, year built 2018, brand: HBM; type: Drycutter Deluxe; year: 2018; saw blade ? : 355; speed till N=: 1300 rpm; engine power: 2.3 kW; electric connection: 220 V; machine weight: 27 kg; | 10.00 |
| 301 | 1 | bin with work clothes description: incl. Dunlop boots; size: 46; | 10.00 |
| 302 | 1 | bin with lashing straps | 10.00 |
| 303 | 1 | pressure regulators Festo, brand: Festo; description: including plastic crate; | 10.00 |
| 304 | 2 | transport brackets total dimension L: 810 mm; total dimension W: 150 mm; description: wheel diam: 250 mm; | 10.00 |
| 305 | 1 | miter saw NOBEX PROMAN, PRM-10, brand: NOBEX PROMAN; type: PRM-10; | 10.00 |
| 306 | 1 | steel wire rope description: cap: 4 tons; | 10.00 |
| 307 | 1 | drill FESTOOL, PDC 18/4, brand: FESTOOL; type: PDC 18/4; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: no; drilling machine: no; | 10.00 |
| 308 | 2 | boxes of power plugs MENNEKES, brand: MENNEKES; | 10.00 |
| 309 | 1 | terminal box electric connection: 16 A; number of outputs 230 V: 4; number of outputs 380 V / 16 A: 2; | 10.00 |
| 310 | 2 | Torque wrenches description: + ratchet; caps and ring / spanner; | 10.00 |
| 311 | 1 | battery chargers ABSAAR, brand: ABSAAR; voltage: 6-12 V; charging power: 8 A; electric connection: 220 V; | 10.00 |
| 312 | 1 | long distance sensor SICK, DME 5000-112, year built 2007, serial number 1023668, brand: SICK; type: DME 5000-112; year: 2007; serial number: 1023668; | 10.00 |
| 313 | 2 | pneumatic tooling description: incl. 1 Eminent spraygun; | 10.00 |
| 314 | 4 | machine adjustment plates | 10.00 |
| 315 | 1 | lot of mortar spraying HILTI, brand: HILTI; description: with plastic container; | 10.00 |
| 316 | 1 | trolley jack capacity: 1.5 t; | 10.00 |
| 317 | 1 | lot of buck and castors description: with plastic crate; | 10.00 |
| 318 | 1 | various measuring tools description: incl. 1 Metra Hit 22S multimeter; 1 Gates sinic tention meters; 1 Condor phase sequence meter; | 10.00 |
| 319 | 1 | various holes pull punches GREENLEE, brand: GREENLEE; description: in steel box; | 10.00 |
| 320 | 1 | lot of sailing terminals | 10.00 |
| 321 | 1 | set of hole saws SANDFLEX, brand: SANDFLEX; description: diam: 16 to 105 mm; | 10.00 |
| 322 | 5 | various Pullers | 10.00 |
| 323 | 4 | various pressure regulators Festo, brand: Festo; | 10.00 |
| 324 | 14 | concrete drills description: incl. dia: 10, 12 w, 32 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 325 | 2 | Pipe cutters description: incl. 1 Ridgid; Model: CQ 118; | 10.00 |
| 326 | 12 | lifting eyes and harp closures | 10.00 |
| 327 | 4 | polyester lifting straps WURTH, brand: WURTH; hoist capacity: 2000 kg; dimension L: 1500 mm; | 10.00 |
| 328 | 4 | polyester lifting straps WURTH, brand: WURTH; hoist capacity: 2000 kg; dimension L: 1500 mm; | 10.00 |
| 329 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 3000 kg; dimension L: 2000 mm; | 10.00 |
| 330 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 3000 kg; dimension L: 2000 mm; | 10.00 |
| 331 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 2000 kg; dimension L: 1500 mm; | 10.00 |
| 332 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 2000 kg; dimension L: 1500 mm; | 10.00 |
| 333 | 5 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 3000 kg; dimension L: 1000 mm; description: incl. 1 length 2000 mm; | 10.00 |
| 334 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 1000 kg; dimension L: 1500 mm; | 10.00 |
| 335 | 4 | polyester lifting straps REMA, S5, brand: REMA; type: S5; hoist capacity: 1000 kg; dimension L: 1500 mm; | 10.00 |
| 336 | 4 | machine heavy transport tanks OVERTOOM, brand: OVERTOOM; load capacity: 10000 kg; total dimension L: 220 mm; total dimension W: 115 mm; total dimension H: 70 mm; | 10.00 |
| 337 | 3 | machine heavy transport tanks OVERTOOM, brand: OVERTOOM; load capacity: 10000 kg; total dimension L: 210 mm; total dimension W: 100 mm; total dimension H: 65 mm; | 10.00 |
| 338 | 1 | chain hoist NITCHI, HE-50A, brand: NITCHI; type: HE-50A; hoist capacity: 1500 kg; | 10.00 |
| 339 | 1 | chain hoist Elephant, C1(L)-H(k)P(G), brand: Elephant; type: C1(L)-H(k)P(G); hoist capacity: 1500 kg; | 10.00 |
| 340 | 1 | chain hoist SUPER 80, brand: SUPER 80; hoist capacity: 1500 kg; | 10.00 |
| 341 | 1 | finished product description: 4 perspex windows equipped with aluminum frame; incl. dimensions : 2 x 3000 x 1290mm; 2x dimensions : 1690 x 1290 mm; | 10.00 |
| 342 | 1 | plastic cable duct cutter ALFRA, brand: ALFRA; | 10.00 |
| 343 | 1 | lot of cable connectors PHOENIX CONTACT, brand: PHOENIX CONTACT; description: 2 boxes; | 10.00 |
| 344 | 3 | various trolleys description: incl. 1 ton; 1.5 tons; | 10.00 |
| 345 | 1 | lot of lifting eyes and shackles | 10.00 |
| 346 | 1 | lot of wire rings coding description: 2 boxes; | 10.00 |
| 347 | 1 | content rack description: incl. connectors; control cable; installation cabinet, and further plant material. Pay attention!! not including the rack; | 10.00 |
| 348 | 1 | operator installation cabinet RITTAL, brand: RITTAL; total dimension L: 1000 mm; total dimension W: 510 mm; total dimension H: 1980 mm; description: equipped with SIEMENS SIMATIC HMI touchscreen display; Model: TP 900 Comfort; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 349 | 7 | security fencing locks EUCHNER, MGB-L1HE-ARA-R-121236, brand: EUCHNER; type: MGB-L1HE-ARA-R-121236; | 10.00 |
| 350 | 1 | diamond drill set HILTI, DD EC-1 / DD-REC1, brand: HILTI; type: DD EC-1 / DD-REC1; description: capacity max diam: 35mm; with water recycling unit; | 50.00 |
| 351 | 1 | tool trolleys WURTH, brand: WURTH; number of drawers: 7; with content: yes; | 50.00 |
| 352 | 1 | beta number of drawers: 3; with content: yes; | 10.00 |
| 353 | 1 | air compressor AIR MASTER, 2500, brand: AIR MASTER; type: 2500; mobile: yes; capacity: 8 bar; buffer tank content: 24 l; electric connection: 230 V; | 10.00 |
| 354 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 355 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 356 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 357 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 358 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 359 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 360 | 1 | tool box metal: yes; with content: yes; | 10.00 |
| 361 | 1 | extension reel GILZE, brand: GILZE; electric connection: 230 V; | 10.00 |
| 362 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 363 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 364 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 365 | 1 | extension reel GILZE, brand: GILZE; electric connection: 230 V; | 10.00 |
| 366 | 1 | extension reel GILZE, brand: GILZE; electric connection: 230 V; | 10.00 |
| 367 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 368 | 1 | extension reel Kelfort, brand: Kelfort; electric connection: 230 V; | 10.00 |
| 369 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |
| 370 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |
| 371 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 372 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |
| 373 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |
| 374 | 1 | other installation material HANDY BOX, brand: HANDY BOX; total dimension L: 370 mm; total dimension W: 270 mm; total dimension H: 305 mm; description: with content; | 10.00 |
| 375 | 1 | step closer aluminium: yes; double: yes; total dimension H: 760 mm; | 10.00 |
| 376 | 1 | conveyor belt dim. W: 550 mm; | 10.00 |
| 377 | 1 | circular trim saw EVOLUTION, serial number R3-E1523UK00010, brand: EVOLUTION; year: 2015; serial number: R3-E1523UK00010; saw blade ? : 255 mm; mitre: yes; engine power: 2 kW; description: with box and accessories; | 10.00 |
| 378 | 1 | Welding machine CONTI-WELD, conti=tig 161, serial number 01507769, brand: CONTI-WELD; type: conti=tig 161; serial number: 01507769; tig type: yes; portable: yes; description: Welding current range: 5A / 10.2 v - 160A / 16.4 v; | 10.00 |
| 379 | 1 | magnet drilling machine BOSCH, GBM 23-2, brand: BOSCH; type: GBM 23-2; drilling capacity: 23 mm; drilling depth: 140 mm; speed from N=: 280 rpm; speed till N=: 640 rpm; electric connection: 230 V; description: with 1 set of core drills; | 10.00 |
| 380 | 1 | Battery screw machine MAKITA, DF010D, brand: MAKITA; type: DF010D; voltage: 7,2 V; number of batteries: 2; with case: yes; screw machine: yes; | 10.00 |
| 381 | 1 | hand tool description: incl. 1 betonijzerknipschaat; 1 pipe bender; Cap: 15 mm; | 10.00 |
| 382 | 1 | electric hand-held grinding machine WURTH, EWS 125-S, year built 2014, brand: WURTH; type: EWS 125-S; year: 2014; disc diameter: 125 mm; electric connection: 230 V; | 10.00 |
| 383 | 1 | blind rivet nut Masterfix, MFX 360, brand: Masterfix; type: MFX 360; description: cap: M3 - M6; | 10.00 |
| 384 | 1 | air pressure meter Festo, 356759 W3, brand: Festo; type: 356759 W3; | 10.00 |
| 385 | 1 | hot air blow gun STEINEL, HL 1910E, brand: STEINEL; type: HL 1910E; electric connection: 230 V; | 10.00 |
| 386 | 1 | straight deburring / grinding tool Bosch, 0 601 207 003, brand: Bosch; type: 0 601 207 003; electric connection: 230 V; description: power: 1150 watts; | 10.00 |
| 387 | 1 | blind rivet gun WURTH, MASTER W50-EASY, brand: WURTH; type: MASTER W50-EASY; capacity: 4 mm; max. pressure: 7 bar; | 10.00 |
| 388 | 1 | pneumatic impact wrench Atlas Copco, LMS HR13, brand: Atlas Copco; type: LMS HR13; | 10.00 |
| 389 | 4 | hydraulic potcots description: incl. . lift capacity 5 tons; | 10.00 |
| 390 | 1 | mortar syringe HILTI, HDM 500, brand: HILTI; type: HDM 500; | 10.00 |
| 391 | 1 | pneumatic 2-component syringe year built 1997, serial number 248454, serial number: 248454; year: 1997; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 392 | 1 | infrared temperature gauge KM, infratrace 800, brand: KM; type: infratrace 800; | 10.00 |
| 393 | 1 | electric hand-held grinding machine BOSCH, Professional GWS 14-125, year built 2018, serial number 810000590, brand: BOSCH; type: Professional GWS 14-125; year: 2018; serial number: 810000590; disc diameter: 125 mm; power: 1400 W; electric connection: 230 V; | 10.00 |
| 394 | 1 | electric hand drill PROTOOL, DPR 8 E, year built 2001, brand: PROTOOL; type: DPR 8 E; year: 2001; capacity: 10 mm; power: 460 W; electric connection: 230 V; | 10.00 |
| 395 | 1 | electric hand-held grinding machine BOSCH, Professional GWS 14-125, year built 2018, brand: BOSCH; type: Professional GWS 14-125; year: 2018; disc diameter: 125 mm; power: 1400 W; electric connection: 230 V; | 10.00 |
| 396 | 1 | electric hand drill PROTOOL, DRP 10 EQ, brand: PROTOOL; type: DRP 10 EQ; capacity: 10 mm; power: 650 W; electric connection: 230 V; | 10.00 |
| 397 | 1 | Hand drill Metabo, SbE 900, brand: Metabo; type: SbE 900; impact drill: yes; capacity: 16 mm; electric connection: 230 V; | 10.00 |
| 398 | 1 | Hand drill PROTOOL, DPR 13-2 EAQ, year built 2006, brand: PROTOOL; type: DPR 13-2 EAQ; year: 2006; capacity: 13 mm; power: 760 W; electric connection: 230 V; | 10.00 |
| 399 | 1 | Hand drill PROTOOL, DPR 13-2 EAQ, year built 2006, brand: PROTOOL; type: DPR 13-2 EAQ; year: 2006; capacity: 13 mm; power: 760 W; electric connection: 230 V; | 10.00 |
| 400 | 1 | Hand drill WURTH, MASTER, brand: WURTH; type: MASTER; capacity: 10 mm; electric connection: 230 V; | 10.00 |
| 401 | 1 | pneumatic blind rivet pliers WURHT, MASTER PEG 10-S, brand: WURHT; type: MASTER PEG 10-S; with case: yes; | 10.00 |
| 402 | 1 | battery screw / drilling machine WURTH, BS 18-A POWER, brand: WURTH; type: BS 18-A POWER; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 403 | 1 | hydraulic stirrup punch GREENLEE, 1731, brand: GREENLEE; type: 1731; | 10.00 |
| 404 | 1 | rotor laser NEDO, HVA PRIMUS. 2, serial number P2-06818, brand: NEDO; type: HVA PRIMUS. 2; serial number: P2-06818; description: with receiver; adapter and case; | 50.00 |
| 405 | 1 | rotor laser NEDO, HVA PRIMUS. 2, serial number P2-12407, brand: NEDO; type: HVA PRIMUS. 2; serial number: P2-12407; description: with receiver; adapter and case; | 50.00 |
| 406 | 1 | battery drill hammer Milwaukee, brand: Milwaukee; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; hammer drill: no; | 10.00 |
| 407 | 2 | battery tooling Panasonic, EYFLA5A, brand: Panasonic; type: EYFLA5A; voltage: 10,8 V; number of batteries: 3; with case: yes; screw machine: yes; | 10.00 |
| 408 | 2 | battery tooling MAKITA, BTW251, year built 2011, serial number 149538, brand: MAKITA; type: BTW251; year: 2011; serial number: 149538; voltage: 18 V; number of batteries: 2; with case: yes; screw machine: no; impact wrench: yes; | 10.00 |
| 409 | 1 | mortar syringe HILTI, HDM 500, brand: HILTI; type: HDM 500; description: with suitcase; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 410 | 1 | mortar syringe HILTI, HDM 500, brand: HILTI; type: HDM 500; description: with suitcase; | 10.00 |
| 411 | 1 | mortar syringe HILTI, HDM 500, brand: HILTI; type: HDM 500; description: with suitcase; | 10.00 |
| 412 | 1 | electric hand drill Metabo, brand: Metabo; capacity: 10 mm; electric connection: 230 V; | 10.00 |
| 413 | 1 | electric hand drill Bosch, GSB 16 RE, brand: Bosch; type: GSB 16 RE; capacity: 13 mm; electric connection: 230 V; | 10.00 |
| 414 | 1 | tapper BOSCH, GGW 10 E, brand: BOSCH; type: GGW 10 E; | 10.00 |
| 415 | 1 | battery screw / drilling machine WURTH, BS 18-A POWER, brand: WURTH; type: BS 18-A POWER; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 416 | 1 | jig saw FESTO, PS 1E, serial number 089677, brand: FESTO; type: PS 1E; serial number: 089677; max. depth of cut: 54 mm; angle adjustment: yes; with case: yes; electric connection: 230 V; | 10.00 |
| 417 | 1 | impact wrench BOSCH, 0 601 432 136, brand: BOSCH; type: 0 601 432 136; description: 320 watts; 220 volts; | 10.00 |
| 418 | 1 | electric hand drill HILTI, TE 14, brand: HILTI; type: TE 14; hammer drill: yes; with case: yes; electric connection: 230 V; | 10.00 |
| 419 | 1 | electric hand drill HILTI, TE 7-C, brand: HILTI; type: TE 7-C; hammer drill: yes; power: 720 W; with case: yes; electric connection: 230 V; description: including dust extraction system; | 10.00 |
| 420 | 1 | electric hand drill HILTI, TE 6-S, brand: HILTI; type: TE 6-S; hammer drill: yes; capacity: 24 mm; power: 650 W; with case: yes; electric connection: 230 V; | 10.00 |
| 421 | 1 | electric hand drill HILTI, TE 6-S, brand: HILTI; type: TE 6-S; hammer drill: yes; capacity: 32 mm; power: 830 W; with case: yes; electric connection: 230 V; | 10.00 |
| 422 | 1 | battery screw / drilling machine WURTH, BS 18-A POWER, brand: WURTH; type: BS 18-A POWER; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 423 | 1 | battery screw / drilling machine HITACHI, DS 14DL, year built 2007, brand: HITACHI; type: DS 14DL; year: 2007; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 424 | 1 | jig saw HITACHI, CJ 90VST, year built 2010, serial number C 000126, brand: HITACHI; type: CJ 90VST; year: 2010; serial number: C 000126; max. depth of cut: 90 mm; angle adjustment: yes; with case: yes; electric connection: 230 V; | 10.00 |
| 425 | 1 | electric hand sander BOSCH, GVS 350 AE, year built 2001, brand: BOSCH; type: GVS 350 AE; year: 2001; belt sander: yes; electric connection: 230 V; | 10.00 |
| 426 | 1 | battery screw / drilling machine WURTH, BS 18-A POWER, brand: WURTH; type: BS 18-A POWER; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 427 | 1 | electric hand-held grinding machine METABO, brand: METABO; disc diameter: 125 mm; electric connection: 220 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 428 | 1 | electric hand-held grinding machine BOSCH, Professional GWS 11-125P, year built 2017, brand: BOSCH; type: Professional GWS 11-125P; year: 2017; disc diameter: 125 mm; power: 1100 W; electric connection: 220 V; | 10.00 |
| 429 | 1 | electric hand-held grinding machine FLEX, L 1710 FRA, year built 2011, brand: FLEX; type: L 1710 FRA; year: 2011; disc diameter: 125 mm; power: 1400 W; electric connection: 220 V; | 10.00 |
| 430 | 1 | hand planer MAKITA, 1902, year built 2002, brand: MAKITA; type: 1902; year: 2002; electric connection: 230 V; description: working width : 82 mm; | 10.00 |
| 431 | 1 | plate shears MAKITA, JS1660, brand: MAKITA; type: JS1660; electric connection: 220 V; description: cap: 1.6 mm; | 10.00 |
| 432 | 1 | electric hand-held grinding machine METABO, W2282 QUICK, brand: METABO; type: W2282 QUICK; disc diameter: 180 mm; power: 2200 W; electric connection: 230 V; | 10.00 |
| 433 | 1 | battery tooling WURTH, brand: WURTH; number of batteries: 2; battery charger: yes; with case: yes; drilling machine: no; grinder: no; description: incl. 1 cordless drill; 1 angle grinder; | 10.00 |
| 434 | 1 | Battery impact wrench WURTH, year built 2011, brand: WURTH; year: 2011; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: no; description: with caps and Allen keys; | 10.00 |
| 435 | 1 | angle grinder Milwaukee, M18 CAG115XPDB, brand: Milwaukee; type: M18 CAG115XPDB; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; | 10.00 |
| 436 | 1 | impact wrench Milwaukee, M18 FIWF12, brand: Milwaukee; type: M18 FIWF12; voltage: 18 V; number of batteries: 1; with case: yes; | 10.00 |
| 437 | 1 | battery screw / drilling machine Milwaukee, M14 compact, year built 2016, brand: Milwaukee; type: M14 compact; year: 2016; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 438 | 1 | battery screw / drilling machine Milwaukee, M18 compact, brand: Milwaukee; type: M18 compact; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 439 | 1 | battery screw / drilling machine Milwaukee, M18 compact, brand: Milwaukee; type: M18 compact; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 440 | 1 | battery screw / drilling machine Milwaukee, M18 compact, brand: Milwaukee; type: M18 compact; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 441 | 1 | battery screw / drilling machine Milwaukee, M18 compact, brand: Milwaukee; type: M18 compact; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; | 10.00 |
| 442 | 1 | battery screw / drilling machine Milwaukee, M18 compact, brand: Milwaukee; type: M18 compact; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; | 10.00 |
| 443 | 1 | reel power wire LAPP GROUP, brand: LAPP GROUP; electric connection: 400 V; description: 5-wire; | 10.00 |
| 444 | 1 | hanging scale Simons, 165/100K, brand: Simons; type: 165/100K; weight range min.: 500 g; description: max. load 100 kg; | 10.00 |
| 445 | 1 | lot of SDS concrete drill | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| | 446 | 1 industrial vacuum cleaner WURTH, ISS 35, year built 2017, brand: WURTH; type: ISS 35; year: 2017; power: 1380 W; plug-socket: no; electric connection: 230 V; | 10.00 |
| | 447 | 1 lot of wire rings coding | 10.00 |
| | 448 | 1 construction lamp Prima Lux, 400 w MH, brand: Prima Lux; type: 400 w MH; power: 400 W; electric connection: 220 V; | 10.00 |
| | 449 | 2 empty tool boxes WURTH, brand: WURTH; | 10.00 |
| | 450 | 1 2 jump lifting chain hoist capacity: 2000 kg; dimension L: 1300 mm; | 10.00 |
| | 451 | 1 2 jump lifting chain Rema, brand: Rema; hoist capacity: 2000 kg; dimension L: 2500 mm; description: equipped with inkortklauwen; | 10.00 |
| | 452 | 1 2 jump lifting chain Rema, brand: Rema; hoist capacity: 2000 kg; dimension L: 2500 mm; description: equipped with inkortklauwen; | 10.00 |
| | 453 | 1 Tool box B&W international, 114.02, brand: B&W international; type: 114.02; plastic: yes; with content: yes; | 10.00 |
| | 454 | 1 mobile tool box WURTH, brand: WURTH; plastic: yes; with content: no; | 10.00 |
| | 455 | 1 industrial vacuum cleaner WURTH, ISS 35, brand: WURTH; type: ISS 35; power: 1380 W; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: na misses a wheel ; | 10.00 |
| | 456 | 1 industrial vacuum cleaner WURTH, HWS 15-L, brand: WURTH; type: HWS 15-L; power: 3400 W; wet/dry vacuum cleaner: no; plug-socket: yes; electric connection: 230 V; | 10.00 |
| | 457 | 1 industrial vacuum cleaner WURTH, ISS 35, year built 2018, brand: WURTH; type: ISS 35; year: 2018; power: 1380 W; plug-socket: no; electric connection: 230 V; | 10.00 |
| | 458 | 1 chain saw KOMATSU, G380 AVS, serial number 337367, brand: KOMATSU; type: G380 AVS; serial number: 337367; saw blade size L: 380 mm; fuel type: benzine; | 10.00 |
| | 459 | 18 storage bins DBGM, 14/6-1, brand: DBGM; type: 14/6-1; dimension L: 650 mm; dimension W: 470 mm; dimension H: 300 mm; | 10.00 |
| © | 460 | 1 fasteners in blue wall shelving WURTH, brand: WURTH; description: incl. : bolts , nuts , socket screws, stainless steel hex bolts, washers, lock washers, thread ends, clamps, wood screws; Pay attention!! rack not included; | 100.00 |
| | 461 | 1 cleaning sink PROCAR, brand: PROCAR; container: yes; electric connection: 220 V; total dimension L: 1150 mm; total dimension W: 680 mm; total dimension H: 1080 mm; description: equipped with brush and circulation pump; | 10.00 |
| | 462 | 1 transport undercarriage total dimension L: 1180 mm; total dimension W: 450 mm; total dimension H: 170 mm; | 10.00 |
| © | 463 | 1 installation materials on mezzanine description: incl. steering wire; emergency stop switches; installation boxes; ventilation grids; connectors; fuses; cable flashings; swivels; switches; brackets; bread tins; security fences; Pay attention!! not including racks - racking , system windows and tires; The mezzanine must be left clean.; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|---|--------|---|----------------|
| © 464 | 1 | installation material warehouse description: incl. : switchgear; modules; connectors; wire; swivels; reflectors; SICK safety components; Plastic ducts; control wire; Fischer anchors; fitting material; chain; Festo air hose; PVC tubes . Pay attention!! not including racks - racking and further inventory . must be returned clean; | 100.00 |
| contents gripping stock racks, contents warehouse and contents mezzanine | | | |
| 465 | 1 | forklift Daewoo , G40S, serial number B1 00367, brand: Daewoo ; type: G40S; serial number: B1 00367; LPG: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4850 mm; overhead guard height: 3500 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 3195; own weight: 6559 kg; total dimension L: 4500 mm; total dimension W: 1400 mm; total dimension H: 3450 mm; description: not included and not present lpg gas bottle; pay attention! the battery is empty / defective; | 500.00 |
| 466 | 1 | installation material SIEMENS/ WAGO, brand: SIEMENS/ WAGO; description: incl. electronic circuit breakers; power supplies; fuses; | 10.00 |
| 467 | 1 | lot of work clothing | 10.00 |
| 468 | 1 | various fittings description: in 3 coastal dust bins; | 10.00 |
| 469 | 1 | Personal computer AFUTURE, year built 2016, brand: AFUTURE; year: 2016; processor model: Intel Core i3; processor speed: 3.7 Ghz; brand monitor: HP Compaq; type monitor: LA2405X; screen size: 24 "; keyboard and mouse: yes; electric connection: 220 V; description: with PHOENIX CONTACT label printer; hard disk removed; | 10.00 |
| 470 | 1 | inkjet printer Brother, MFC-J6720DW, brand: Brother; type: MFC-J6720DW; color printer: yes; paper size: A4; touchscreen: yes; | 10.00 |
| 471 | 1 | scale PRIOR, 429, brand: PRIOR; type: 429; weight range min.: 100 g; description: max weighing capacity: 50 kg; | 10.00 |
| 472 | 1 | cardboard boxes description: various dimensions (setting 622 and 625).; | 10.00 |
| 473 | 1 | content 4 cabinets description: incl. safety helmets; Safety vests; work gloves; Ty-Rap; tag tape. not including cabinets; | 10.00 |
| 474 | 1 | installation material description: incl. 1 switchboard; | 10.00 |
| 475 | 3 | empty steel drums description: diam: 460 x h860 mm; | 10.00 |
| 476 | 1 | bubble wrap description: and cardboard sheets; | 10.00 |
| 477 | 1 | scrap metal description: including steel container and plastic pallet; | 10.00 |
| 478 | 1 | lot of big-bags and tarpaulin | 10.00 |
| 479 | 1 | big bag with briquettes | 10.00 |
| 480 | 1 | oil drip tray total dimension L: 1200 mm; total dimension W: 800 mm; total dimension H: 270 mm; description: 2 with drum pumps; 1 rack ; does not include the content; | 10.00 |
| 481 | 1 | lot of pallets and various | 10.00 |
| 482 | 1 | packing machine ROHACO, year built 2011, brand: ROHACO; year: 2011; electric connection: 400 V; total dimension L: 1800 mm; total dimension W: 1400 mm; total dimension H: 2000 mm; description: semi-finished product; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| | 483 | 1 camping table total dimension L: 725 mm; total dimension W: 605 mm; description: foldable height adjustable; | 10.00 |
| | 484 | 1 Packaging material description: incl. : jerrycans ; | 10.00 |
| © | 485 | 1 3 pallets installation material description: incl. . roller conveyor levelers; Rittal material; vacuum suction cup; suckers; | 10.00 |
| © | 486 | 1 3 pallet roller conveyor parts description: incl. . roller conveyor rolls; side plates and scrap; | 10.00 |
| © | 487 | 1 egg racks and rack parts description: + 1 steel frame; scaffolding parts; on 4 pallets; | 10.00 |
| © | 488 | 1 9 pallets filled with roller conveyor components description: incl. side conductors; chain; sensor reflectors; levelers; side plates; aluminum profiles.; | 100.00 |
| | 489 | 4 folding trestles Stanley, FATMAX, brand: Stanley; type: FATMAX; dimension L: 1500 cm; dimension W: 120 cm; dimension H: 86 cm; | 10.00 |
| | 490 | 1 drawings signboard dimension L: 1250 cm; dimension W: 600 cm; dimension H: 196 cm; | 10.00 |
| © | 491 | 1 security fencing parts total dimension L: 2350 mm; total dimension W: 1600 mm; total dimension H: 1200 mm; conveyor parts and security fence | 50.00 |
| | 492 | 1 computer monitor DELL, U2412M, brand: DELL; type: U2412M; screen size: 24 "; height adjustable: yes; electric connection: 220 V; description: with keyboard; | 10.00 |
| | 493 | 1 steel packing table total dimension L: 2160 mm; total dimension W: 950 mm; total dimension H: 990 mm; description: with trolley; | 10.00 |
| | 494 | 1 steel welding table total dimension L: 2000 mm; total dimension W: 1020 mm; total dimension H: 925 mm; | 10.00 |
| | 495 | 10 clickos ESE, brand: ESE; plastic, content: 240 liter; used for general waste: yes; used for household waste: no; description: partially filled; content should be discarded.; | 10.00 |
| | 496 | 1 trailer Saris, G 400, year built 1992, brand: Saris; type: G 400; year: 1992; VIN number: XLG00G400A0128727; license plate: WH-76-KG; number of axis: 1; load capacity: 742 kg; own weight: 258 kg; total dimension L: 2020 mm; total dimension W: 1050 mm; total dimension H: 430 mm; description: width: 155; equipped with roof rack; | 100.00 |
| | 497 | 1 14 pallets with reels of control wire description: incl. 3G 1; 12G-0.75; 4G-2,5; 12Gx1M; 12X 0.75; 4GX 2.5; | 100.00 |
| | 498 | 90 lot of wooden and plastic pallets description: incl. Euro pallets; pallet edges; | 10.00 |
| | 499 | 8 various storage bins | 10.00 |
| | 500 | 1 steel welding robot chassis total dimension L: 1450 mm; total dimension W: 340 mm; total dimension H: 800 mm; | 10.00 |
| | 501 | 6 tubular steel profiles | 10.00 |
| | 502 | 1 air compressor installation Atlas Copco, AIRLED LE 7 E, serial number AML 077795, brand: Atlas Copco; type: AIRLED LE 7 E; serial number: AML 077795; capacity: 10 bar; power: 4 kW; air dryer: yes; electric connection: 400 V; total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1300 mm; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 503 | 2 | transport trolleys total dimension L: 1100 mm; total dimension W: 660 mm; total dimension H: 970 mm; description: with content; | 10.00 |
| 504 | 1 | palletizer roller conveyor description: consisting of 12 roller conveyor sectors; roll width: 900mm; various components and 5 production conveyors ; width: 545 mm; | 100.00 |
| 505 | 2 | welding screens total dimension L: 2420 mm; total dimension W: 760 mm; total dimension H: 1990 mm; description: equipped with red transparent sailcloth; | 10.00 |
| 506 | 2 | welding screens total dimension L: 2420 mm; total dimension W: 760 mm; total dimension H: 1990 mm; description: equipped with red transparent sailcloth; | 10.00 |
| 507 | 2 | welding screens total dimension L: 2420 mm; total dimension W: 760 mm; total dimension H: 1990 mm; description: equipped with red transparent sailcloth; | 10.00 |
| 508 | 13 | various technical chairs | 10.00 |
| 509 | 1 | plastic transport container total dimension L: 1230 mm; total dimension W: 1000 mm; total dimension H: 1040 mm; | 10.00 |
| 510 | 1 | Steel table total dimension L: 2100 mm; total dimension W: 570 mm; total dimension H: 900 mm; | 10.00 |
| 511 | 1 | lot of plate change list and table | 10.00 |
| 512 | 1 | 5 meters rack with content description: incl. crockery; vases, silver plate; tin serving utensils ; | 10.00 |
| 513 | 1 | mesh container total dimension L: 800 mm; total dimension W: 850 mm; total dimension H: 1900 mm; | 10.00 |
| 514 | 1 | big bag with tarpaulin and shelves | 10.00 |
| 515 | 1 | Welding machine AGA, MIG 140, brand: AGA; type: MIG 140; electric connection: 380 V; description: welding current range: 40A / 14V-140A / 19V; | 10.00 |
| 516 | 1 | mobile cupboard total dimension L: 590 mm; total dimension W: 415 mm; total dimension H: 830 mm; | 10.00 |
| 517 | 1 | content of 2 workshop cupboards description: incl. grinding wheels; grinding wheels; battery drilling machine ; wire; welding accessories; | 10.00 |
| 518 | 1 | blasting cabin HBM Machines, SBC 350, brand: HBM Machines; type: SBC 350; chamber dimension L: 940 mm; chamber dimension W: 600 mm; chamber dimension H: 570 mm; electric connection: 220 V; dimension L: 1030 mm; dimension W: 620 mm; dimension H: 1660 mm; | 50.00 |
| © 519 | 1 | semi-finished product description: incl. stainless steel mounting plates; Your profile; and content under lot 520; table not included; | 10.00 |
| 520 | 1 | stainless steel table total dimension L: 1400 mm; total dimension W: 600 mm; total dimension H: 860 mm; description: not included the semi-finished products under and on the table; | 10.00 |
| 521 | 1 | workbench grinding machine GREUSEN, Power Line, brand: GREUSEN; type: Power Line; grinding wheel : 150 mm; electric connection: 220 V; | 10.00 |
| 522 | 1 | steel mobile welding table total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 800 mm; description: with vise; | 10.00 |
| © 523 | 1 | robot grab arm SMC, CDG1BA100, brand: SMC; type: CDG1BA100; description: material: aluminum; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 524 | 29 | robotic arm control rods description: incl. : length : 1140 and 1460mm; material: aluminum; | 100.00 |
| 525 | 4 | robotic arm gripping arms dimension L: 1320 mm; description: material: aluminum; + 1 cylinder; | 50.00 |
| 526 | 6 | robotic arm gripping arms dimension L: 1145 mm; description: material: aluminum; | 50.00 |
| 527 | 5 | robotic arm gripping arms dimension L: 1265 mm; description: material: aluminum; | 50.00 |
| © 528 | 4 | robotic arm gripping arms dimension L: 1465 mm; description: material: aluminum; | 50.00 |
| 529 | 1 | Welding screen total dimension L: 7940 mm; total dimension H: 2700 mm; description: equipped with red transparent tarpaulin; must be removed by the buyer mesh; | 10.00 |
| 530 | 1 | Welding screen total dimension L: 7940 mm; total dimension H: 2700 mm; description: equipped with red transparent tarpaulin; must be removed by the buyer mesh; | 10.00 |
| 531 | 1 | workshop inventory description: incl. 2 meter rack with content ; 1 low 2-door wardrobe; 1 work table; 1 jalouziekastje; 1 verrijbaar table; 1 Nextime wall clock and the second plastic waste bins OVERTOOM; | 10.00 |
| 532 | 1 | steel welding table total dimension L: 2000 mm; total dimension W: 1000 mm; total dimension H: 990 mm; description: mobile; | 10.00 |
| 533 | 1 | mini audio center AIWA, brand: AIWA; | 10.00 |
| 534 | 1 | steel welding table total dimension L: 3300 mm; total dimension W: 1100 mm; total dimension H: 1000 mm; | 10.00 |
| 535 | 1 | Steel work table total dimension L: 2150 mm; total dimension W: 950 mm; total dimension H: 995 mm; description: mobile; plywood sheet equipped with steel vise and trolley; | 10.00 |
| 536 | 1 | Steel work table total dimension L: 2000 mm; total dimension W: 1150 mm; total dimension H: 975 mm; description: mobile; plywood sheet ; | 10.00 |
| © 537 | 1 | Roll 6 pallets with conveyor track description: various lengths incl. : 1145; 1090; 490mm; incl. : various equipped with drive sprocket or drum motor; lengths 1285 and 1005 mm; | 100.00 |
| © 538 | 1 | roll a pallet with conveyor ITOH DENKI, brand: ITOH DENKI; description: including equipped with drum motor; various lengths incl. : 300; 460 mm; | 50.00 |
| © 539 | 1 | Rolling 6 pallets with transport track description: various lengths and various; | 100.00 |
| 540 | 1 | 1 box of flexible plastic hose description: diam: 55 mm; | 10.00 |
| 541 | 4 | conference chair padded: yes; | 10.00 |
| 542 | 13 | canteens stackable: yes; description: black upholstered; | 10.00 |
| 543 | 14 | canteens stackable: yes; | 10.00 |
| 544 | 1 | stretcher description: fold up; | 10.00 |
| © 545 | 2 | gear motors SEW- EURODRIVE, KA57 DRN100LS4, brand: SEW- EURODRIVE; type: KA57 DRN100LS4; power: 2.2 kW; electric connection: 400 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 546 | 1 | hoist equals ROHACO, brand: ROHACO; total dimension L: 2690 mm; | 10.00 |
| 547 | 1 | manual hydraulic pallet truck MIC MIC , TM 2500, year built 2000, serial number 20209845, brand: MIC ; type: TM 2500; year: 2000; serial number: 20209845; lifting capacity: 2500 kg; fork length: 1150 mm; own weight: 72 kg; total dimension W: 540 mm; | 10.00 |
| 548 | 1 | hand hydraulic pallet truck HYSTER, 3168513, year built 2016, serial number H168513, brand: HYSTER; type: 3168513; year: 2016; serial number: H168513; lifting capacity: 2500 kg; fork length: 1150 mm; own weight: 68 kg; total dimension W: 520 mm; description: equipped with digital weighing device; | 10.00 |
| 549 | 1 | hand hydraulic pallet truck HYSTER, year built 2010, serial number 208041324, brand: HYSTER; year: 2010; serial number: 208041324; lifting capacity: 2500 kg; fork length: 1150 mm; total dimension W: 520 mm; | 10.00 |
| 550 | 1 | step closer OVERTOOM, brand: OVERTOOM; number of steps: 4; aluminium: yes; access platform: yes; description: h = 94 cm; | 10.00 |
| 551 | 1 | 5 furniture trolleys and 4 trolleys description: incl. . 3X dimensions : 51 x 49,5cm; 2x dimensions : 58 x 40cm; 2x dimensions : 81 x 60,5cm; | 10.00 |
| 552 | 1 | fishing case and telescope rod | 10.00 |
| 553 | 1 | set of rims with summer tire OPEL, brand: OPEL; description: 5 stitch; tire size: 205/65 R16 C; with trolley; | 10.00 |
| 554 | 1 | long distance sensor and 13 sink weights SICK, DME 5000-112, year built 2006, serial number 1023668, brand: SICK; type: DME 5000-112; year: 2006; serial number: 1023668; description: Votorantim; weight: 14 kg each; total weight: 182kg; | 10.00 |
| © 555 | 1 | lot of roller conveyor undercarriages dimension L: 640 mm; dimension W: 590 mm; | 10.00 |
| © 556 | 1 | lot of various roller conveyor undercarriages description: material aluminum; | 10.00 |
| 557 | 1 | pallet with bricks | 10.00 |
| 558 | 1 | Television LG , 32LC2R, year built 2006, brand: LG ; type: 32LC2R; year: 2006; screen size (inch): 32 "; electric connection: 220 V; description: equipped with mobile presentation stand without remote control; | 10.00 |
| 559 | 2 | Television LG , 32LC2R, year built 2006, brand: LG ; type: 32LC2R; year: 2006; screen size (inch): 32 "; electric connection: 220 V; description: + 1 Sony; without remote control; | 10.00 |
| 560 | 1 | skottelbraai CADAC, brand: CADAC; | 10.00 |
| 561 | 3 | fire pit with fireplace wood | 10.00 |
| © 562 | 1 | installation material description: incl. 1 steling with MURR cables + 2 pallets filled; roller conveyor parts including conveyor rollers, undercarriages, gearbox motors, sensor cable | 100.00 |
| 563 | 1 | set extension spoons total dimension L: 1980 mm; total dimension W: 180 mm; | 10.00 |
| © 564 | 1 | 4 pallets filled description: incl. between beams; 5 various conveyors and various plant material; | 10.00 |
| 565 | 1 | semi-finished products description: incl. : various machine parts and fittings; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| 566 | 1 | personal computer on mobile console year built 2018, year: 2018; processor model: Intel (R) XEON (R) CPU E3-1240 v6. @ 3.70 GHZ; RAM memory: 16 GB; total storage capacity: 500 GB; number of discs: 1; solid state drive (SSD): yes; video card type: QUADRO P2000; wifi: yes; brand monitor: DELL; type monitor: P2418HT; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; total dimension L: 780 mm; total dimension W: 700 mm; total dimension H: 1750 mm; description: with 3D connection mouse; emergency power battery; | 100.00 |
| 567 | 1 | construction plenum box number of outputs 230 V: 3; number of outputs 380 V / 32 A: 6; number of outputs 380 V / 63 A: 2; total dimension L: 100 mm; total dimension W: 400 mm; total dimension H: 1380 mm; description: + various connections; Pay attention!! disconnect at cable at the power box; | 10.00 |
| 568 | 1 | truss aluminum system beam EUOTRUS, brand: EUOTRUS; description: length : 4000 mm; | 10.00 |
| 569 | 1 | pallet transport setup ROHACO, project naam 100256-Hegron, year built 2019, brand: ROHACO; type: project naam 100256-Hegron; year: 2019; electric connection: 400 V; description: consisting of : 2 is electrically driven galvanized 2-part roller conveyor sectors; dimensions : L3830 x b1360 / 1160mm; motor verm: 0,47KW, 400 volts; (RIO 1 and 2). 6x 1 electroplated electrically driven roller conveyor sector; dimensions : L5400 x b1160mm; motor verm: 0,47KW; equipped with sensors; 1 galvanized roller conveyor sector; dimensions : L2340 x b1160mm; verm motor: 0,47kW. RITTAL operator and control cabinet ; dimensions : B1000 x d510 x H2200 mm; equipped with SIEMENSSIMATIC HMI touch panel; type TP 900 Comfort. ; | 1,000.00 |
| 570 | 1 | vacuum robot grab Rohaco, IRB640-M200, brand: Rohaco; type: IRB640-M200; total dimension L: 1200 mm; total dimension W: 750 mm; total dimension H: 370 mm; | 50.00 |
| 571 | 1 | vacuum pump BUSCH, Mink MM 1142AV, year built 2004, serial number 03044146, brand: BUSCH; type: Mink MM 1142AV; year: 2004; serial number: 03044146; description: motor power: 3 Kw; 400 volts; | 50.00 |
| 572 | 1 | lot of CPU fittings SIEMENS, brand: SIEMENS; | 10.00 |
| © 573 | 15 | servo motors SANGALLI/ PMSM Brushless, brand: SANGALLI/ PMSM Brushless; | 100.00 |
| © 574 | 4 | pallet roller conveyor adjustable legs | 50.00 |
| © 575 | 2 | chain conveyors total dimension L: 3400 mm; total dimension W: 1160 mm; total dimension H: 500 mm; description: motor power: 0.55 kW; 400 volts; + 3 sink weights.; | 10.00 |
| 576 | 1 | micro Hi-Fi component system description: with remote control; | 10.00 |
| 577 | 1 | vacuum pump BUSCH, 250-138, serial number 48062, brand: BUSCH; type: 250-138; serial number: 48062; | 10.00 |
| 578 | 1 | hot melt unit and various Nordson, SERIES 3100, brand: Nordson; type: SERIES 3100; description: + 1 gear motor; | 10.00 |
| © 579 | 7 | pallets conveyor track mounting plates description: galvanized ; incl. : Delta plates; conveyor belt endings; conveyor belt for levelling legs, delta plates, mounting plates | 50.00 |
| © 580 | 6 | pallets of robot arm parts ROHACO, brand: ROHACO; description: incl. : 8 cylinders; mounting plates; 1 robot arm ; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| © 581 | 10 | pallets robot arm and belt conveyor parts description: incl. : robot arm parts; belt rollers; plastic slat conveyors ; transport rollers; pair of leg wire ends; bearings; mounting plates; | 100.00 |
| © 582 | 7 | pallets with machine parts description: incl. : plastic side guide profile; Plastic conical elements; conveyor chains; control cable ; | 50.00 |
| © 583 | 5 | pallets with machine semi-finished products description: incl. : conveyors ; mounting plates; | 10.00 |
| 584 | 1 | 1 lot of flexible tubing description: various diameters; | 10.00 |
| 585 | 1 | hand tools and miscellaneous description: incl. : bolts ; lubricants; | 10.00 |
| 586 | 1 | hand tools and miscellaneous description: incl. : mounting material; safety helmets; | 10.00 |
| © 587 | 2 | pallets robot arm parts and miscellaneous robotic arm parts and miscellaneous | 50.00 |
| © 588 | 7 | pallets machine parts description: incl. bread couples; cable protective jacket; swivels; lamelen stainless steel conveyor belt; conveyor belt; roller conveyor plating; | 50.00 |
| © 589 | 7 | pallets with installation and mounting material description: incl. : SIEMENS POWER Supplys; Schneider fittings; MURR sensor cables; 4Festo pneum cylinders; rollers transortbaan; | 100.00 |
| © 590 | 8 | pallets with parts description: incl. 3 electric motors; stainless steel parts; steel legs; shafts; roller conveyor; plastic cable caterpillars; roller conveyor parts including conveyor belt, chain, slats conveyor belt, cable tracks, gearbox motors, sensor cable | 100.00 |
| 591 | 1 | lot of polyester slings description: incl. cap: 1000, 2000 and 3000kg; | 10.00 |
| 592 | 1 | sink weights Votorantim, brand: Votorantim; description: piece weight: 28x 14kg; 5x 32 kg; total weight: 550 kg; | 50.00 |
| 593 | 1 | pallet filled with pneumatic cylinders and linear drives FESTO, brand: FESTO; description: incl. 4x type : DGPL-32-550-PPV-A-GF-B; | 100.00 |
| 594 | 1 | pallet with compressed air hose FESTO, brand: FESTO; | 50.00 |
| 595 | 1 | pallet lot of electrical wire LAPP KABEL, brand: LAPP KABEL; | 50.00 |
| 596 | 1 | pallet lot of electrical wire LAPP KABEL, brand: LAPP KABEL; | 50.00 |
| 597 | 1 | power current plugs and switches description: including pallet; | 10.00 |
| 598 | 1 | lot of switches Schneider Harmony, brand: Schneider Harmony; description: including pallet; | 10.00 |
| 599 | 1 | presentation setup HITACHI/ EPSON/ HP Compac, brand: HITACHI/ EPSON/ HP Compac; description: consisting of : 1 HITACHI Starboard; dimensions : B185 x H128 cm; 1 EPSON Beamer; Model: EB-580; 1 HP Compac computer ; TypeM 600 Pro Micro Tower; equipped with an Intel Core Duo processor 2; keyboard and mouse. hard drive removed; is intended by the purchaser himself to be disassembled.; | 10.00 |
| 600 | 1 | control cabinet ABB, brand: ABB; total dimension L: 675 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: no key available; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 601 | 1 | control cabinet ABB, brand: ABB; total dimension L: 675 mm; total dimension W: 700 mm; total dimension H: 910 mm; description: no key available; | 10.00 |
| 602 | 1 | 2-door wooden wardrobe with content dimension L: 1200 cm; dimension W: 41 cm; dimension H: 640 cm; description: incl. clamp spots; strands cups; | 10.00 |
| 603 | 1 | coffee machine CAFEBAR, CB 2040, serial number CB 4473407, brand: CAFEBAR; type: CB 2040; serial number: CB 4473407; multiple hot drinks: yes; total dimension L: 480 mm; total dimension W: 600 mm; total dimension H: 1620 mm; | 10.00 |
| 604 | 1 | compressed air dryer ALUP, SCK 15-10, brand: ALUP; type: SCK 15-10; total dimension L: 970 mm; total dimension W: 630 mm; total dimension H: 900 mm; | 10.00 |
| 605 | 2 | fans description: incl. 1x CONVECTUR PURMEREND; TypeM 691-60; verm engine: 1.3 Horse Power ; 380 volts; | 10.00 |
| 606 | 1 | chain transport demonstration plate total dimension L: 182 mm; total dimension W: 1000 mm; total dimension H: 2150 mm; | 10.00 |
| 607 | 1 | wood and board material description: in cantilever wall shelving incl. : 14 various lengths pine beams; head diameter: 120 x 70mm; Two trimming joists; 4 scaffolding boards ; various wooden plates ; not included cantilever racking system; | 10.00 |
| © 608 | 1 | 1 lot of lengths of wire mesh cable trays description: not including the cantilever racking system; | 10.00 |
| © 609 | 1 | 1 lot of lengths of galvanized Housings description: not including the cantilever racking system; | 10.00 |
| © 610 | 1 | lot of rod material and scrap description: incl. : length diagonal; flat iron; box section; wide flange beams; Your profile; steel tubes ; aluminum diamond plate; steel and stainless steel plates; not inbegrpen rack; staff material | 100.00 |
| 611 | 1 | workshop inventory description: incl. 1 Lista steel workbench ; Sheet dimensions : 2020 x 770 mm; 1 magnet white board; 2 steel 2-door cabinets ; without keys; not including the content ; Get 2nd delivery day; | 10.00 |
| 612 | 3 | steel workshop cabinets description: incl. 2x dimensions : b100 x d45 x H135 cm; 1x dimensions : b97 x d40 xh197 cm; without keys; not including the content and the cabinets ; Get 2nd delivery day; | 10.00 |
| 613 | 1 | Steel work table total dimension L: 4310 mm; total dimension W: 940 mm; total dimension H: 985 mm; description: equipped with three vices; rubber mats and 3; dimensions : 150 x 100cm; not including the goods and under the desk; | 10.00 |
| 614 | 5 | canteen tables description: incl. 4x leaf dimensions : 160 x 80 cm; not including the goods and under the tables; | 10.00 |
| 615 | 1 | job work table box total dimension L: 1220 mm; total dimension W: 815 mm; total dimension H: 950 mm; description: with vise ; not including the goods on leaf; | 10.00 |
| 616 | 1 | rod material rack total dimension L: 4600 mm; total dimension W: 1100 mm; total dimension H: 2400 mm; description: demountable ; not including the content ; Get 2nd delivery day; | 10.00 |
| 617 | 1 | constructed cantilever racking system section dim. L: 3655 mm; section dim. W: 960 mm; section dim. H: 1300 mm; description: not including the content ; Get 2nd delivery day; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 618 | 1 | Shelter set OVERTOOM, brand: OVERTOOM; dismantable: yes; total dimension L: 3000 mm; total dimension W: 810 mm; total dimension H: 2100 mm; description: not including the content ; Get 2nd delivery day; | 10.00 |
| 619 | 1 | Palletization dismantable: yes; number of uprights: 2; number of cross beams: 10; total dimension L: 2870 mm; total dimension W: 900 mm; total dimension H: 3000 mm; description: not including the content ; Get 2nd delivery day; | 10.00 |
| 620 | 1 | Steel work table total dimension L: 1540 mm; total dimension W: 770 mm; total dimension H: 850 mm; description: equipped with wooden top; not including the goods on the table; | 10.00 |
| 621 | 2 | pallet racking section dim. L: 2870 mm; section dim. W: 900 mm; section dim. H: 3000 mm; number of uprights: 4; number of cross beams: 12; number of shelves: 2; description: not included content and fire extinguisher; Get 2nd delivery day; | 10.00 |
| 622 | 4 | steel workshop cupboards and doomeerstoel description: various size; without keys; not including the content and the cabinets ; Get 2nd delivery day; | 10.00 |
| 623 | 1 | chemical safety cabinet total dimension L: 600 mm; total dimension W: 120 mm; total dimension H: 2070 mm; description: with key; does not include the content; | 50.00 |
| 624 | 1 | work table with vise dimension L: 78 cm; dimension W: 67 cm; dimension H: 98 cm; description: equipped with Elora vise clamp width approx 125mm.; | 10.00 |
| 625 | 4 | pallet racking art: 07139210, type: art: 07139210; dismantable: yes; number of uprights: 17; number of cross beams: 80; max. section load: 500 kg; total dimension L: 5500 mm; total dimension W: 110 mm; description: incl. : Wurth rack ; beams length : 2700mm; | 100.00 |
| 626 | 1 | Palletization dismantable: yes; section dim. L: 287 mm; section dim. W: 900 mm; section dim. H: 3000 mm; number of uprights: 2; number of cross beams: 10; | 10.00 |
| 627 | 2 | workplace cabinets description: incl. 1x dimensions : b121 x d55 x h195cm; 1x dimensions : b110 d53,5 x x H195 cm; without keys; not including the content ; Get 2nd delivery day; | 10.00 |
| 628 | 1 | staff stock count total dimension L: 5000 mm; total dimension W: 1690 mm; total dimension H: 2380 mm; description: not including the content ; Get 2nd delivery day; | 10.00 |
| 629 | 2 | constructed cantilever racking system double-sided: yes; total dimension L: 2000 mm; total dimension W: 950 mm; total dimension H: 2100 mm; description: not including the content ; Get 2nd delivery day; | 10.00 |
| 630 | 1 | support arm wall rack description: 3-floor; 3-column; H2000 x b960 mm; not including the content ; Get 2nd delivery day ; | 10.00 |
| 631 | 1 | load bearing tool boxes/ cabinets Lista , brand: Lista ; total dimension L: 710 mm; total dimension W: 720 mm; total dimension H: 1050 mm; description: not including the content ; without keys; Get 2nd delivery day ; | 50.00 |
| 632 | 1 | lot of wooden tables description: consisting of : 15 plastic blow trestles; working height : 77,5cm; white laminated wood sheets and one canteen table; Sheet dimensions : 120 x 70 cm; not including the goods on the table; Get 2nd delivery day; | 10.00 |
| 633 | 1 | set of winter tires FORD, TRANSIT, brand: FORD; type: TRANSIT; tyre size: 205/65 R16C; with rims: yes; winter tyre: no; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 634 | 1 | set of winter tires Vredestein, GIUGIARO, brand: Vredestein; type: GIUGIARO; tyre size: 205/50 R 17 93V M+S; | 10.00 |
| 635 | 3 | sets of summer tires Continental, brand: Continental; tyre size: 215/60 R 17 H; 195/55 R 16 H; 205/55 R16 H; description: with decorative caps; | 10.00 |
| 636 | 1 | electric calendar clock TWEMCO, brand: TWEMCO; dimension L: 41 cm; dimension W: 150 cm; dimension H: 31 cm; description: 220 volts; | 10.00 |
| 637 | 1 | conveyor belt and miscellaneous belt dim. L: 2560 mm; belt dim. W: 500 mm; description: equipped with drum motor; 1 conveyor belt chassis and components; | 50.00 |
| 638 | 1 | motor driven conveyor belt belt dim. W: 400 mm; total dimension L: 4400 mm; total dimension W: 500 mm; total dimension H: 900 mm; description: equipped with SEW gear motor; 0.37 KW; 400 volts; | 50.00 |
| 639 | 1 | roller conveyor roll conveyor size L: 3000 mm; roll conveyor size W: 570 mm; | 10.00 |
| 640 | 1 | roller conveyor total dimension L: 1800 mm; total dimension W: 460 mm; total dimension H: 800 mm; | 10.00 |
| 641 | 1 | extension reel Rodac, brand: Rodac; electric connection: 230 V; male-female: yes; length: 15 m; on reel: yes; description: wall mounted using brace .; | 10.00 |
| 1000 | 3 | monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; HDMI: yes; VGA: yes; DVI: yes; USB port(s): yes; number of USB ports: 5; electric connection: 230 V; description: including: keyboard and mouse; | 10.00 |
| 1001 | 1 | docking station Dell, K17A, brand: Dell; type: K17A; LAN port: yes; HDMI: yes; number HDMI ports: 1; USB port(s): yes; number of USB ports: 5; electric connection: 230 V; description: including keyboard and mouse.; | 10.00 |
| 1002 | 1 | docking station Dell, K17A, brand: Dell; type: K17A; HDMI: yes; number HDMI ports: 1; USB port(s): yes; number of USB ports: 5; electric connection: 230 V; description: including: (1x) HP monitor type LA2405wg; keyboard and mouse.; | 10.00 |
| 1003 | 3 | monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; HDMI: yes; VGA: yes; DVI: yes; USB port(s): yes; number of USB ports: 5; electric connection: 230 V; description: including: keyboard and mouse; | 10.00 |
| 1004 | 1 | computer HP , Compaq 6200 Pro microtower, serial number CZC1279YG1, brand: HP ; type: Compaq 6200 Pro microtower; serial number: CZC1279YG1; processor model: Intel Core i5; brand monitor: HP; type monitor: LA2405X; screen size: 23 "; electric connection: 230 V; description: including: (2x) monitor; keyboard and mouse; Pay attention! HD is removed; This product contains no operating system or other software; | 10.00 |
| 1005 | 14 | phone Polycom, various, brand: Polycom; type: various; VOIP: yes; description: models (1x) IP650; (5x) IP331; (3x) IP321; (5x) VVX201; | 10.00 |
| 1006 | 5 | Laptop LAN port: yes; charger: yes; electric connection: 230 V; description: incl. toshiba, hp, compaq, dell, Attention! HD is removed; | 10.00 |
| 1007 | 1 | lot of ICT equipment description: With (2x) HP servers models proliant ml350 g6 and proliant ml350; (1x) HP workstation xw6000; (1x) HP desktop; (12x) keyboard; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1008 | 5 | monitor description: various models ; | 10.00 |
| 1009 | 5 | ICT material description: with (1x) Vox Novo Office telephone exchange; (2x) HP switch V1910-24g; (1x) dell switch powerconnect 2024; (1x) 3com switch 2226 plus; | 10.00 |
| 1010 | 1 | computer HP , Prodesk 600 G1 TWR, serial number CZC3511C84, brand: HP ; type: Prodesk 600 G1 TWR; serial number: CZC3511C84; processor model: Intel Core i5; RAM memory: 8 GB; number of discs: 0; solid state drive (SSD): no; hard disk drive (HDD): no; video card type: nvidia quadro K600; LAN port: yes; number of USB ports: 10; brand monitor: HP; type monitor: Compaq LA2405wg; screen size: 24 "; keyboard and mouse: no; electric connection: 230 V; description: including: keyboard and mouse; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1011 | 1 | docking station Dell, K17A, brand: Dell; type: K17A; LAN port: yes; HDMI: yes; number HDMI ports: 1; USB port(s): yes; number of USB ports: 5; electric connection: 230 V; description: including: 3x DELL monitors, keyboard.; | 10.00 |
| 1012 | 1 | monitor HP, LA2405wg, year built 2010, brand: HP; type: LA2405wg; year: 2010; screen size: 24 "; HDMI: no; DP (displayPort): yes; USB port(s): yes; number of USB ports: 2; height adjustable: yes; electric connection: 230 V; description: Including: 2x keyboard, 2x mouse, DELL monitor.; | 10.00 |
| 1013 | 1 | computer HP , Z420, serial number CZC3256QF4, brand: HP ; type: Z420; serial number: CZC3256QF4; processor model: Intel Xeon E5-1620; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR3; total storage capacity: 500 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Nvidia Quadro K2000; LAN port: yes; number of USB ports: 9; brand monitor: DELL; type monitor: U2412mc; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1014 | 1 | computer Dell, precision 5820, year built 2019, serial number HD3L9V2, brand: Dell; type: precision 5820; year: 2019; serial number: HD3L9V2; processor model: Intel Xeon W-2125; processor speed: 4 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 512 GB; number of discs: 2; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Nvidia Quadro P2000; LAN port: yes; number of USB ports: 8; brand monitor: Dell/HP; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1015 | 1 | computer Dell, precision 5820, year built 2018, serial number 273W4R2, brand: Dell; type: precision 5820; year: 2018; serial number: 273W4R2; processor model: Intel Xeon W-2123; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 512 GB; number of discs: 1; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Nvidia Quadro P2000; LAN port: yes; number of USB ports: 8; brand monitor: Dell; type monitor: U2412Mc; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: including: 3x Dell monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |



| Lot | Number Description | Starting Bid € |
|------|--|----------------|
| 1016 | 1 computer Dell, precision 5820, year built 2017, serial number 59645M2, brand: Dell; type: precision 5820; year: 2017; serial number: 59645M2; processor model: Intel Xeon W2123; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 256 GB; number of discs: 2; solid state drive (SSD): yes; graphics processing unit: yes; video card type: Nvidia Quadro P2000; LAN port: yes; number of USB ports: 8; brand monitor: Dell; type monitor: U2412M; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x Dell monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1017 | 1 computer Dell, precision 5820, year built 2017, serial number 6K8VWM2, brand: Dell; type: precision 5820; year: 2017; serial number: 6K8VWM2; processor model: Intel Xeon W-2123; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 512 GB; number of discs: 1; solid state drive (SSD): no; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Quadro P2000; LAN port: yes; number of USB ports: 8; brand monitor: HP; type monitor: LA2405X; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x HP monitor, monitor arm; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1018 | 1 computer Dell, precision 5820, year built 2018, serial number 47DKDN2, brand: Dell; type: precision 5820; year: 2018; serial number: 47DKDN2; processor model: Intel Xeon W-2123; processor speed: 3.6 Ghz; RAM memory: 16 GB; total storage capacity: 512 GB; number of discs: 1; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Quadro P2000; LAN port: yes; number of USB ports: 8; brand monitor: Dell; type monitor: U2412M; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: including: 3x Dell monitor, monitor arm; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1019 | 1 computer Dell, precision 5820, year built 2018, serial number 47FKDN2, brand: Dell; type: precision 5820; year: 2018; serial number: 47FKDN2; processor model: Intel Xeon W-2123; processor speed: 4 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 512 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; number of USB ports: 8; brand monitor: Dell; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x HP monitor, monitor arm; Pay attention! HD is removed; This product contains no operating system or other software; | 10.00 |
| 1020 | 1 computer LG, brand: LG; LAN port: yes; number of USB ports: 8; brand monitor: HP; keyboard and mouse: yes; electric connection: 230 V; description: LG Computer with intelcore i5, 3.0 GHz - 7Th Gen with 92 mb memory, not included harddisc v.v. Including: 2x HP monitor, monitor arm; incomplete. Pay attention! HD will be removed; This product does not contain an operating system or other software; | 10.00 |
| 1021 | 1 computer HP , Z420, serial number CZC3382FC0, brand: HP ; type: Z420; serial number: CZC3382FC0; processor model: Intel Xeon E5-1620; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR3; number of discs: 2; solid state drive (SSD): no; hard disk drive (HDD): yes; graphics processing unit: yes; LAN port: yes; number of USB ports: 9; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x Dell monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1022 | 1 | computer HP , Prodesk 600 G1 TWR, serial number CZC4092QXL, brand: HP ; type: Prodesk 600 G1 TWR; serial number: CZC4092QXL; processor model: Intel Core i5-4570; processor speed: 3.2 Ghz; RAM memory: 8 GB; total storage capacity: 240 GB; number of discs: 1; solid state drive (SSD): yes; hard disk drive (HDD): yes; video card type: nvidia quadro K600; LAN port: yes; number of USB ports: 10; brand monitor: DELL; type monitor: U2412M; screen size: 24 "; keyboard and mouse: no; electric connection: 230 V; description: including: keyboard; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1023 | 1 | computer HP , Prodesk 600 G1 TWR, serial number CZC40632PP, brand: HP ; type: Prodesk 600 G1 TWR; serial number: CZC40632PP; processor model: Intel Core i5-4570; processor speed: 3.2 Ghz; RAM memory: 16 GB; RAM memory type: DDR3; total storage capacity: 740 GB; number of discs: 2; solid state drive (SSD): yes; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Quadro K600; LAN port: yes; number of USB ports: 10; brand monitor: DELL; type monitor: U2412M; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: including: 3x Dell monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1024 | 1 | computer HP , Prodesk 600 G1 TWR, serial number CZC4092QXK, brand: HP ; type: Prodesk 600 G1 TWR; serial number: CZC4092QXK; processor model: Intel Core i5-4570; processor speed: 3.2 Ghz; RAM memory: 8 GB; RAM memory type: DDR3; total storage capacity: 740 GB; number of discs: 2; solid state drive (SSD): yes; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Quadro K600; LAN port: yes; number of USB ports: 10; brand monitor: DELL; type monitor: U2412M; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x Dell monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1025 | 1 | computer HP , Z420, serial number CZC331640F, brand: HP ; type: Z420; serial number: CZC331640F; processor model: Intel Xeon E5-1620; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR3; total storage capacity: 1275 GB; number of discs: 2; solid state drive (SSD): yes; hard disk drive (HDD): yes; LAN port: yes; number of USB ports: 9; brand monitor: DELL; type monitor: U2412MC; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1026 | 1 | computer HP , 6000 pro, brand: HP ; type: 6000 pro; LAN port: yes; number of USB ports: 10; brand monitor: HP; keyboard and mouse: yes; electric connection: 230 V; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1027 | 1 | computer HP , Z420, brand: HP ; type: Z420; processor model: Intel Xeon E5-1620; processor speed: 3.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR3; total storage capacity: 2128 GB; number of discs: 2; solid state drive (SSD): yes; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Quadro K2000; LAN port: yes; number of USB ports: 9; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x HP monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1028 | 1 | computer HP , 6000 pro, brand: HP ; type: 6000 pro; LAN port: yes; number of USB ports: 10; brand monitor: HP; keyboard and mouse: yes; electric connection: 230 V; description: including: 2x HP monitor; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 1031 | 2 | Space Mouse 3Dconnexion, SpaceMouse Compact, brand: 3Dconnexion; type: SpaceMouse Compact; | 10.00 |
| 1032 | 2 | Space Mouse 3Dconnexion, SpaceMouse Compact, brand: 3Dconnexion; type: SpaceMouse Compact; | 10.00 |
| 1033 | 2 | Space Mouse 3Dconnexion, SpaceMouse Compact, brand: 3Dconnexion; type: SpaceMouse Compact; | 10.00 |
| 1034 | 2 | Space Mouse description: incl. 3Dconnexion SpaceExplorer, HP Spaceapilot; | 10.00 |
| 1035 | 1 | adapter | 10.00 |
| 1036 | 1 | Laptop HP, probook 450 G3, brand: HP; type: probook 450 G3; media card reader: yes; LAN port: yes; number of USB ports: 4; wifi: no; built-in webcam: yes; charger: yes; description: including: laptop bag, mouse; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1037 | 1 | Laptop HP, probook 450 G3, brand: HP; type: probook 450 G3; media card reader: yes; LAN port: yes; number of USB ports: 4; wifi: no; built-in webcam: yes; charger: yes; description: including: mouse; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1038 | 1 | Laptop Dell, Latitude 5591, brand: Dell; type: Latitude 5591; media card reader: no; LAN port: yes; number of USB ports: 3; wifi: no; built-in webcam: yes; charger: yes; description: including: mouse; Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1039 | 1 | Laptop HP, probook 650 G1, serial number 5CG5343YJW, brand: HP; type: probook 650 G1; serial number: 5CG5343YJW; processor model: Intel Core i5; description: without charger; outside use; Pay attention! These computers are professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1040 | 1 | Laptop Dell, Latitude 5590, year built 2018, serial number 6Q116M2, brand: Dell; type: Latitude 5590; year: 2018; serial number: 6Q116M2; processor model: Intel Core i5-8350U; processor speed: 1.7 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1041 | 1 | Laptop HP, Probook 6570b, serial number 5CB23113S2, brand: HP; type: Probook 6570b; serial number: 5CB23113S2; processor model: Intel Core i5-3210M; processor speed: 2.5 Ghz; RAM memory: 8 GB; total storage capacity: 250 GB; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software; | 10.00 |
| 1042 | 1 | Laptop Dell, Precision 3520, year built 2018, serial number 920K1N2, brand: Dell; type: Precision 3520; year: 2018; serial number: 920K1N2; processor model: Intel Core i5-7300HQ; processor speed: 2.5 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1043 | 1 | Laptop Dell, Latitude 5580, year built 2017, serial number H6SBNH2, brand: Dell; type: Latitude 5580; year: 2017; serial number: H6SBNH2; processor model: Intel Core i5-7300U; processor speed: 2.6 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 256 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software.; | 10.00 |
| 1044 | 1 | Laptop Dell, Latitude 5591, year built 2018, serial number 8HQHNQ2, brand: Dell; type: Latitude 5591; year: 2018; serial number: 8HQHNQ2; processor model: Intel Core i7 -8850H; processor speed: 2.6 Ghz; RAM memory: 16 GB; total storage capacity: 256 GB; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 50.00 |
| 1045 | 1 | Laptop HP, Probook 6570b, serial number 5CB23113RF, brand: HP; type: Probook 6570b; serial number: 5CB23113RF; processor model: Intel Core i5-3210M; processor speed: 2.5 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 250 GB; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software.; | 10.00 |
| 1046 | 1 | Laptop Dell, Precision 3530, year built 2018, serial number 6N708S2, brand: Dell; type: Precision 3530; year: 2018; serial number: 6N708S2; processor model: Intel Core i7 - 8750H ; processor speed: 2.2 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: no; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1047 | 1 | Laptop Dell, Latitude 5580, year built 2017, serial number BGSVZF2, brand: Dell; type: Latitude 5580; year: 2017; serial number: BGSVZF2; processor model: Intel Core i5-7300U; processor speed: 2.6 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software.; | 10.00 |
| 1048 | 1 | Laptop Dell, XPS, year built 2019, serial number 4WB8TT2, brand: Dell; type: XPS; year: 2019; serial number: 4WB8TT2; processor model: Intel Core i7 - 8750H; processor speed: 2.2 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; number of discs: 1; solid state drive (SSD): yes; LAN port: yes; bluetooth: yes; wifi: yes; screen size: 15.6 "; charger: no; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software. without charger; | 50.00 |
| 1049 | 1 | Laptop Dell, Precision 3520, year built 2018, serial number 6R3YLQ2, brand: Dell; type: Precision 3520; year: 2018; serial number: 6R3YLQ2; processor model: Intel Core i7 - 7700HQ; processor speed: 2.8 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; solid state drive (SSD): yes; hard disk drive (HDD): yes; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1050 | 1 | Laptop HP, Probook 6570b, serial number 5CB3150QH1, brand: HP; type: Probook 6570b; serial number: 5CB3150QH1; processor model: Intel Core i5-3230M; processor speed: 2.6 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 250 GB; LAN port: yes; bluetooth: no; wifi: no; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; this product contains no operating system or other software; including laptop bag; | 10.00 |
| 1051 | 1 | Laptop Dell, Latitude 5590, year built 2018, serial number 9X4ZSQ2, brand: Dell; type: Latitude 5590; year: 2018; serial number: 9X4ZSQ2; processor model: Intel Core i5-8350U; processor speed: 1.7 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 256 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1052 | 1 | Laptop Dell, Latitude 5590, year built 2018, serial number JF416M2, brand: Dell; type: Latitude 5590; year: 2018; serial number: JF416M2; processor model: Intel Core i5-8350U; processor speed: 1.7 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 256 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software.; | 10.00 |
| 1053 | 1 | Laptop Dell, Latitude 5580, year built 2017, serial number 33P43G2, brand: Dell; type: Latitude 5580; year: 2017; serial number: 33P43G2; processor model: Intel Core i5-7300U; processor speed: 2.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1054 | 1 | Laptop Dell, Latitude E5500, serial number HTCZF4J, brand: Dell; type: Latitude E5500; serial number: HTCZF4J; processor model: Intel Core 2 Duo - P9600; processor speed: 2.66 Ghz; RAM memory: 2 GB; RAM memory type: DDR2; total storage capacity: 160 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; wifi: yes; screen size: 15.4 "; charger: yes; | 10.00 |
| 1055 | 1 | Laptop HP, Compaq nx7400, year built 2006, serial number CNU6430R31, brand: HP; type: Compaq nx7400; year: 2006; serial number: CNU6430R31; processor model: Intel Core - T55; processor speed: 1.66 Ghz; RAM memory: 1.5 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; screen size: 15.4 "; touchscreen: no; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1056 | 1 | Laptop HP, Compaq 6830s, serial number CNU8470D9Y, brand: HP; type: Compaq 6830s; serial number: CNU8470D9Y; processor model: Intel Core 2 Duo - P8400; processor speed: 2.26 Ghz; RAM memory: 4 GB; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; built-in webcam: yes; screen size: 17 "; description: Pay attention! These computers have been professionally deleted; this product contains no operating system or other software; including laptop bag; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1057 | 1 | Laptop Dell, Latitude 5580, year built 2017, serial number H8P43G2, brand: Dell; type: Latitude 5580; year: 2017; serial number: H8P43G2; processor model: Intel Core i5-7300U; processor speed: 2.6 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; number of discs: 1; hard disk drive (HDD): yes; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software; including laptop bag; | 10.00 |
| 1058 | 1 | Laptop Dell, Precision 3520, year built 2018, serial number 8C8LRQ2, brand: Dell; type: Precision 3520; year: 2018; serial number: 8C8LRQ2; processor model: Intel Core i7 - 7700HQ; processor speed: 2.8 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; solid state drive (SSD): yes; hard disk drive (HDD): yes; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; This product contains no operating system or other software.; | 10.00 |
| 1059 | 1 | Laptop Dell, Latitude 5591, year built 2019, serial number 93PFTT2, brand: Dell; type: Latitude 5591; year: 2019; serial number: 93PFTT2; processor model: Intel Core i7-8850H; processor speed: 2.6 Ghz; RAM memory: 16 GB; RAM memory type: DDR4; total storage capacity: 256 GB; number of discs: 1; solid state drive (SSD): yes; hard disk drive (HDD): no; LAN port: yes; bluetooth: yes; wifi: yes; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted. This product does not contain an operating system or other software.; | 50.00 |
| 1060 | 1 | Laptop ASUS, Republic of Gamers G751J, serial number FANOWU25869943C, brand: ASUS; type: Republic of Gamers G751J; serial number: FANOWU25869943C; processor model: Intel Core i7 - 4870HQ; processor speed: 3 Ghz; RAM memory: 32 GB; RAM memory type: DDR3; number of discs: 1; hard disk drive (HDD): yes; graphics processing unit: yes; video card type: Nvidia Geforce GTX 980M; built-in webcam: yes; screen size: 17 "; charger: yes; description: Pay attention! HD is removed; This product contains no operating system or other software.; | 10.00 |
| 1061 | 1 | Laptop HP, Probook 6570b, serial number 5CB3260FNP, brand: HP; type: Probook 6570b; serial number: 5CB3260FNP; processor model: Intel Core i5-3230M; processor speed: 2.6 Ghz; RAM memory: 8 GB; RAM memory type: DDR4; total storage capacity: 500 GB; number of discs: 1; solid state drive (SSD): yes; LAN port: yes; bluetooth: no; wifi: no; built-in webcam: yes; screen size: 15.6 "; charger: yes; description: Pay attention! These computers have been professionally deleted; this product contains no operating system or other software; including laptop bag; | 10.00 |
| 1062 | 1 | phone Samsung, Galaxy Xcover 4 - SM-G390F, brand: Samsung; type: Galaxy Xcover 4 - SM-G390F; GSM: yes; description: without charger and accessories ; passcode 0000; | 10.00 |
| 1063 | 1 | phone Huawei, Ascend G700-U10, brand: Huawei; type: Ascend G700-U10; GSM: yes; description: without charger and accessories ; access unknown; | 10.00 |
| 1065 | 1 | security camera Foscam, FI9826P, brand: Foscam; type: FI9826P; number of cameras: 1; description: 960P; (1280x960); 3x zoom; | 10.00 |
| 1066 | 1 | navigation system Tom Tom, XL, brand: Tom Tom; type: XL; description: without accessories ; with Logitech webcam; samsung mobile B2100; | 10.00 |
| 1068 | 1 | handycam Hi8 Sony , CCD-TR713E, brand: Sony ; type: CCD-TR713E; description: 72x zoom; with bag and various accessories; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 1069 | 2 | multi panels Siemens, Touch MP277 en Touch KTP600, brand: Siemens; type: Touch MP277 en Touch KTP600; | 10.00 |
| 1070 | 1 | PostScript printer HP, Designjet T790 - CR647A, serial number CN1814H07F, brand: HP; type: Designjet T790 - CR647A; serial number: CN1814H07F; color printer: yes; description: size 24-ich; number of ink cartridges 6; | 10.00 |
| 1071 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1072 | 2 | office chairs Schaffenburg & Haworth, 350-NEN, brand: Schaffenburg & Haworth; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1073 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1074 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1075 | 1 | Label Printer Rebo Systems, SMS-400, serial number 60961791, brand: Rebo Systems; type: SMS-400; serial number: 60961791; description: with adapter; | 10.00 |
| 1076 | 1 | stereotors Sony , MHC-700, brand: Sony ; type: MHC-700; CD player: yes; total dimension L: 230 mm; total dimension W: 240 mm; total dimension H: 290 mm; description: without speakers; with remote control; | 10.00 |
| 1077 | 7 | desks dimension L: 1500 cm; dimension W: 1140 cm; description: cat; adjustable; colour White; | 10.00 |
| 1078 | 2 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1079 | 2 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1080 | 3 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1081 | 4 | desks dimension L: 150 cm; dimension W: 90 cm; dimension H: 74 cm; | 10.00 |
| 1082 | 1 | office height adjustable electric: yes; total dimension L: 1800 mm; total dimension W: 800 mm; description: with 1 drawer unit; | 10.00 |
| 1083 | 1 | office height adjustable electric: yes; total dimension L: 1800 mm; total dimension W: 800 mm; description: with 1 drawer unit; | 10.00 |
| 1084 | 2 | desks height adjustable electric: yes; total dimension L: 1800 mm; total dimension W: 800 mm; description: with 1 drawer block; 2 office chair mats and 2 office panels; | 10.00 |
| 1085 | 4 | desks dimension L: 150 cm; dimension W: 90 cm; dimension H: 74 cm; | 10.00 |
| 1086 | 3 | desks dimension L: 180 cm; dimension W: 90 cm; dimension H: 74 cm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 1087 | 1 | Exercise coach description: mobile; | 10.00 |
| 1088 | 2 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1089 | 8 | perforators | 10.00 |
| 1090 | 2 | office machines description: (1x) rexel laminator lv340hs; (1x) dahle paper cutter 561; | 10.00 |
| 1091 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1092 | 1 | roldeurkast with content Ahrend, brand: Ahrend; dimension L: 120 cm; dimension W: 45 cm; dimension H: 194 cm; description: with office supplies; photo camera; | 10.00 |
| 1093 | 1 | waste bins and paper containers | 10.00 |
| 1095 | 4 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1096 | 1 | DLP projector Dell, 2300MP, brand: Dell; type: 2300MP; description: 2300 ansilumen; Resolution 1024x768; with suitcase and remote control; | 10.00 |
| 1097 | 1 | filing cabinet roll-front cabinet: yes; dimension L: 120 cm; dimension W: 55 cm; dimension H: 195 cm; description: pay attention! without a key; including content .; | 10.00 |
| 1098 | 1 | lot of various connectors and peripherals description: incl. cabling; operator panel; 3-D sensor; etc; everything desk.; | 10.00 |
| 1099 | 3 | plants with pot hydro culture: yes; description: pot size ø 45 xh 63 cm; | 10.00 |
| 1100 | 3 | plants with pot hydro culture: yes; description: pot size (2x) ø 42 xh 78cm; (1x) ø 33 xh 62 cm; | 10.00 |
| 1101 | 3 | plants with pot hydro culture: yes; description: pot size ø 33 xh 16 cm; | 10.00 |
| 1102 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1103 | 1 | office Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1104 | 1 | trolley Proteus, brand: Proteus; dimension L: 59 cm; dimension W: 38 cm; dimension H: 136 cm; | 10.00 |
| 1105 | 2 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1106 | 3 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1107 | 2 | office chairs Schaffenburg, 350-NEN, brand: Schaffenburg; type: 350-NEN; padded: yes; description: colour black; with armrests; adjustable in height; mobile; seat depth adjustment; | 10.00 |
| 1108 | 4 | desks dimension L: 150 cm; dimension W: 90 cm; dimension H: 74 cm; description: with the first rack portion; 1 wall cupboard; 3 drawer units/ filling pedestal; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 1109 | 7 | toners Sharp, MX-60GT, brand: Sharp; type: MX-60GT; color: divers; description: (2x) magenta; (2x) yellow; (2x) cyan; (1x) black; | 10.00 |
| 1110 | 1 | filing cabinet dimension L: 80 cm; dimension W: 38 cm; dimension H: 180 cm; | 10.00 |
| 1111 | 11 | wall decorations description: in exchange lists; | 10.00 |
| 1112 | 1 | office padded: yes; | 10.00 |
| 1113 | 4 | conference chairs imitation leather: yes; | 10.00 |
| 1114 | 1 | various office furniture description: incl. . 2x office table dimensions approx 180x90x75cm; 1x filing cabinet dimensions approx 200x50x100cm; 2x office; 1x filing cabinet dimensions approx 80x50x73cm.; | 10.00 |
| 1115 | 1 | lot of various computer accessories description: incl. Gigabyte motherboard Z370PD3; memory benches; cabling; peripherals.; | 10.00 |
| 1116 | 7 | ink cartridges HP, Designjet 72, brand: HP; type: Designjet 72; description: black; gray; cyan; yellow.; | 10.00 |
| 1117 | 1 | pair of safety shoes Aqua Stop, type: Aqua Stop; men's: no; size (digit): 39; leather: yes; | 10.00 |
| 1118 | 1 | paper cutter Hansa, brand: Hansa; total dimension L: 145 mm; total dimension W: 50 mm; total dimension H: 97 mm; description: cutting length max 123 cm.; | 10.00 |
| 1119 | 1 | flat desk support Neomounts, NM-D725DXSILVER, brand: Neomounts; type: NM-D725DXSILVER; description: 10-27"; | 10.00 |
| 1120 | 1 | bar table total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 975 mm; description: Including 4x bar chair.; | 10.00 |
| 1121 | 1 | wall cabinet total dimension L: 1420 mm; total dimension W: 500 mm; total dimension H: 610 mm; description: Including various kitchen utensils; and conference chair.; | 10.00 |
| 1122 | 1 | refrigerator Siemens, Tafelmodel, brand: Siemens; type: Tafelmodel; electric connection: 230 V; | 10.00 |
| 1123 | 1 | Dishwasher Bosch, Silence Aqua Stop, brand: Bosch; type: Silence Aqua Stop; description: Pay attention! top is missing.; | 10.00 |
| 1124 | 1 | conference table dimension L: 300 cm; dimension W: 130 cm; dimension H: 76 cm; description: Including 8x conference chair.; | 10.00 |
| 1125 | 1 | video call set Logitech, brand: Logitech; description: Includes Logitech webcam type HD1080P and remote control; unknown completeness.; | 10.00 |
| 1126 | 1 | beamer Optoma, brand: Optoma; HDMI: yes; VGA: yes; USB port(s): yes; description: Includes remote control and screen dimensions approx 270x150cm; pay attention! ceiling mounted; The buyer is responsible for disassembly; damage to property or goods as a result of removal is charged to the purchaser.; | 10.00 |
| 1127 | 1 | air cooler Trotec, PAE50, serial number PAE50181101503, brand: Trotec; type: PAE50; serial number: PAE50181101503; remote control: yes; own weight: 13 kg; total dimension L: 350 mm; total dimension W: 400 mm; total dimension H: 870 mm; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1128 | 1 | e-board Legamaster, E-board, brand: Legamaster; type: E-board; dimension W: 140 cm; dimension H: 95 cm; total dimension W: 1500 mm; total dimension H: 1050 mm; description: Wall mounted.; | 10.00 |
| 1129 | 1 | conference table dimension H: 74 cm; description: Conference table around diam. ca 159 cm; Including 6x conference chair.; | 10.00 |
| 1130 | 1 | whiteboard total dimension W: 1810 mm; total dimension H: 1210 mm; description: wall mounted.; | 10.00 |
| 1131 | 1 | climate control Delchi, Ariele, brand: Delchi; type: Ariele; mobile: yes; total dimension L: 440 mm; total dimension W: 320 mm; total dimension H: 850 mm; description: Drain hose is missing.; | 10.00 |
| 1132 | 1 | router BinTec, RS230AW, brand: BinTec; type: RS230AW; | 10.00 |
| 1133 | 1 | router WWP, lightning edge 310, brand: WWP; type: lightning edge 310; | 10.00 |
| 1134 | 2 | management switch Cisco, SG300-28PP, brand: Cisco; type: SG300-28PP; number of ports: 28; description: Gigabit power over the internet (POE); | 10.00 |
| 1135 | 1 | nas server qnap, ' , brand: qnap; type: ' ; number of HDD slots: 4; description: storage capacity unknown; | 10.00 |
| 1136 | 1 | mini server HP, proliant microserver Gen 8, brand: HP; type: proliant microserver Gen 8; processor model: Intel Celeron G1610T; processor speed: 2.3 Ghz; | 10.00 |
| 1137 | 1 | server Dell, Poweredge T430, brand: Dell; type: Poweredge T430; towerserver: yes; number of HDD slots: 16; | 50.00 |
| 1138 | 1 | emergency battery APC, SMT1000RMI2U, brand: APC; type: SMT1000RMI2U; description: 19 "rack model; | 10.00 |
| 1139 | 1 | filing cabinet total dimension L: 900 mm; total dimension W: 430 mm; total dimension H: 750 mm; description: for hanging folders; | 10.00 |
| 1140 | 11 | wall decorations description: in exchange lists; | 10.00 |
| 1141 | 1 | lot of canteen supplies description: incl. .: kettle; Senseo; thermos; 2x sandwich maker; various dishes; stock tea; stock vending sugar; etc.; | 10.00 |
| 1142 | 1 | coffee machine Wittenborg, 7100, serial number 20411689, brand: Wittenborg; type: 7100; serial number: 20411689; multiple hot drinks: yes; total dimension L: 450 mm; total dimension W: 500 mm; total dimension H: 870 mm; description: equipped with water filter.; | 10.00 |
| 1143 | 15 | tap water bottles Dopper, brand: Dopper; stainless steel: yes; description: equipped with company logo.; | 10.00 |
| 1144 | 1 | lot of various envelopes description: incl. A5; document envelopes; bubble envelopes.; | 10.00 |
| 1145 | 1 | lot of color toners HP, C3102A C3103A C3104A C3105A, brand: HP; type: C3102A C3103A C3104A C3105A; description: Including various HP inkjet cartridges.; | 10.00 |
| 1146 | 6 | toilet roll dispenser Tork, T4, brand: Tork; type: T4; description: Including soap dispenser.; | 10.00 |
| 1147 | 1 | digital clamp meter Ridgid, CM-100, brand: Ridgid; type: CM-100; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| 1148 | 2 | ac interface addressing devices Siemens, 3RK1904-2AB02 PLC interface, brand: Siemens; type: 3RK1904-2AB02 PLC interface; | 100.00 |
| 1149 | 1 | wireless barcode scanner Datalogic, PowerScan PM9500 family, 433RB, brand: Datalogic; type: PowerScan PM9500 family, 433RB; description: Including wall holder; pay attention! without docking.; | 10.00 |
| 1150 | 1 | Construction laser receiver Apache, Storm, year built 2008, brand: Apache; type: Storm; year: 2008; description: Includes case with accessories and 2x tripod .; | 10.00 |
| 1151 | 2 | servo motors Lenze, M85AS140S325SFALC, brand: Lenze; type: M85AS140S325SFALC; power: 2.9 kW; description: Including Lenze panel controller P300; | 10.00 |
| 1152 | 1 | marking plotter Phoenix Contact, CMS-P1-Plotter, brand: Phoenix Contact; type: CMS-P1-Plotter; | 10.00 |
| 1153 | 3 | packaging of 8 pieces of protective underwear man Tena, Maxi, brand: Tena; type: Maxi; size (letter): L; | 10.00 |
| 1154 | 1 | lot of canteen supplies description: incl. .: Senseo; various dishes; glass; various specifications; cleaning; automatic milk powder; coffee; cups; cooking oil; packaging; regards content kitchen.; | 10.00 |
| 1155 | 1 | wall decoration on canvas total dimension W: 2000 mm; total dimension H: 1000 mm; | 10.00 |
| 1156 | 1 | wall cabinet total dimension L: 1780 mm; total dimension W: 500 mm; total dimension H: 900 mm; | 10.00 |
| 1157 | 1 | Folder box total dimension L: 1000 mm; total dimension W: 420 mm; total dimension H: 1950 mm; description: Including content and foldable brochure display; | 10.00 |
| 1158 | 1 | cafeteria table dimension L: 225 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 6x canteen chair.; | 10.00 |
| 1159 | 1 | cafeteria table dimension L: 225 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 8x canteen chair.; | 10.00 |
| 1160 | 1 | cafeteria table dimension L: 225 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 6x canteen chair.; | 10.00 |
| 1161 | 1 | cafeteria table dimension L: 101 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 4x canteen chair.; | 10.00 |
| 1162 | 1 | cafeteria table dimension L: 101 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 4x canteen chair.; | 10.00 |
| 1163 | 1 | cafeteria table dimension L: 101 cm; dimension W: 101 cm; dimension H: 78 cm; description: Including 4x canteen chair.; | 10.00 |
| 1164 | 4 | bar chairs | 10.00 |
| 1165 | 1 | wall frame dimension W: 94 cm; dimension H: 115 cm; | 10.00 |
| 1166 | 1 | beamer Epson, EB-U04, brand: Epson; type: EB-U04; HDMI: yes; USB port(s): yes; description: Pay attention! ceiling mounted; The buyer is responsible for disassembly, damage resulting from disassembly is recovered from the buyer. Includes screen dimensions approx 270x148cm.; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1167 | 2 | whiteboards and wall decorations description: 1x dimensions approx 101x200cm; 1x dimensions approx 120x100cm; including 3x wall decoration in picture frame dimensions approx 91x70cm.; | 10.00 |
| 1168 | 3 | filing cabinets cabinet with doors: yes; dimension L: 100 cm; dimension W: 42 cm; dimension H: 195 cm; description: Keys are missing; 1 cupboard lacks a lock.; | 10.00 |
| 1169 | 4 | locker cabinets number of doors: 6; dimension L: 89 cm; dimension W: 50 cm; dimension H: 181 cm; total dimension L: 3600 mm; total dimension W: 500 mm; total dimension H: 1810 mm; description: Partly without keys; 4x door dents.; | 10.00 |
| 1170 | 1 | locker number of doors: 16; dimension L: 123 cm; dimension W: 50 cm; dimension H: 181 cm; description: Partly without keys; | 10.00 |
| 1171 | 1 | lot of Detergents description: 5ltr including empty cans shelled; plastic bags equipped with company logo; shrink bags.; | 10.00 |
| 1172 | 1 | lot of workwear description: incl. coats; trousers; safety caps; equipped with company logo.; | 10.00 |
| 1173 | 1 | mop wagon with wringers description: Including various cleaning products and articles.; | 10.00 |
| 1174 | 1 | vacuum cleaner AEG , VX8-4-BM-M Silence, brand: AEG ; type: VX8-4-BM-M Silence; power: 650 W; | 10.00 |
| 1175 | 1 | vacuum cleaner Numatic , brand: Numatic ; | 10.00 |
| 1176 | 1 | Personal computer HP , HP Pro 3500 series MT, brand: HP ; type: HP Pro 3500 series MT; processor model: i5; number of USB ports: 6; brand monitor: HP Compaq; type monitor: LA2405x; screen size: 24 "; keyboard and mouse: yes; electric connection: 230 V; description: Pay attention! without hdd.; | 10.00 |
| 1177 | 1 | defibrillator Philips, M5066A, brand: Philips; type: M5066A; automatic: yes; audio instructions: yes; description: In and including wall cupboard.; | 10.00 |
| 1178 | 1 | medical disposable items description: incl. .: wardrobe with content ; first aid kits; fire blanket; plaster dispenser.; | 10.00 |
| 1179 | 1 | various office furniture description: incl. .: desk with drawer units/ filling pedestal dimensions approx 200x80x74cm; office chair; Ahrend roldeurkast dimensions approx 120x45x138cm; roldeurkast dimensions approx 80x50x72cm; whiteboard dimensions approx 120x90cm; relates to content space apart from the individual plots.; | 10.00 |
| 1180 | 2 | computer monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; DVI: yes; height adjustable: yes; electric connection: 230 V; description: including docking station and keyboard; | 10.00 |
| 1181 | 2 | computer monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; DVI: yes; height adjustable: yes; electric connection: 230 V; description: including docking station and keyboard; | 10.00 |
| 1182 | 2 | computer monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; DVI: yes; height adjustable: yes; electric connection: 230 V; description: including docking station and keyboard; | 10.00 |
| 1183 | 1 | computer monitor HP, Z24i, brand: HP; type: Z24i; screen size: 24 "; height adjustable: yes; electric connection: 230 V; description: Including 3D Connexion mouse; keyboard; | 10.00 |
| 1184 | 2 | computer monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; DVI: yes; height adjustable: yes; electric connection: 230 V; description: including docking station and keyboard; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|---|----------------|
| 1185 | 2 | computer monitors Dell, U2412M, brand: Dell; type: U2412M; screen size: 24 "; DVI: yes; height adjustable: yes; electric connection: 230 V; description: including docking station and keyboard; | 10.00 |
| 1186 | 2 | indoor plants in pot | 10.00 |
| 1187 | 1 | coffee machine Nespresso, D112, brand: Nespresso; type: D112; | 10.00 |
| 1188 | 1 | filing cabinet roll-front cabinet: yes; total dimension L: 1230 mm; total dimension W: 580 mm; total dimension H: 1100 mm; description: Including content ; without a key; including garbage bags; folding chair; | 10.00 |
| 1189 | 3 | office chairs Axia, brand: Axia; padded: yes; | 10.00 |
| 1190 | 2 | office chairs Schaffenburg, brand: Schaffenburg; padded: yes; | 10.00 |
| 1191 | 2 | office chairs Schaffenburg, brand: Schaffenburg; padded: yes; | 10.00 |
| 1192 | 1 | whiteboard dimension W: 200 cm; dimension H: 100 cm; description: wall mounted; | 10.00 |
| 1193 | 1 | lot of parts for control cabinet description: incl. Siemens Simatic; eWON; Siemens Simatic operator panel; etc.; | 10.00 |
| 1194 | 1 | desk tables corner desk: yes; dimension L: 1380 cm; dimension W: 100 cm; dimension H: 80 cm; description: customization; including cafeteria table dimensions approx 160x80x75cm.; | 10.00 |
| 1195 | 1 | lot of various hand tools description: Location: canteen; | 10.00 |
| 1196 | 1 | lot of various decoration description: incl. .: Christmas; statafelrokken; vases; etc; Location: dressing.; | 10.00 |



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience