

## **ONLINE AUCTION**

# Online veiling metaalbewerking machines i.v.m. beëindiging Stelma Metaalbewerking (NL) Online auction metalworking machines due to termination - Stelma Materalworking (Veilinglocatie valkenpower)

Closing date: Wednesday 08 APRIL starting 14:00







### Viewing:

Saturday 04 April
By appointment
Haverkamp - 6051 AC Maasbracht (The Netherlands)

Bidding only on the internet!

09-04-20 14.46



### Wednesday 08 April 2020 Online veiling metaalbewerking machines i.v.m.

beëindiging Stelma Metaalbewerking Specific Online Auction Terms and conditions of a public auction sale

Closing date Wednesday 8 April 2020 starting 14:00 CET

Saturday 04 April Viewing By appointment

Veilinglocatie valkenpower

Haverkamp

6051 AC Maasbracht, The Netherlands

Company organising this Online

TROOSTWIJK VEILINGEN B.V.

Auction

Overschiestraat 59

1062 XD Amsterdam, The Netherlands

Phone: +31 20 6666500

E-mail: info@troostwijkauctions.com

17.00% Markup VAT 21.00%

Margin goods In case of margin goods the VAT will be 0% Collection Collection only by collection schedule

> Tuesday 21st of April 2020 Wednesday 22nd of April 2020 Thursday 23rd of April 2020

Veilinglocatie valkenpower

Haverkamp

6051 AC Maasbracht, The Netherlands

Viewing Instructions Please note that this concerns an ascending auction sale, preceded by a viewing

day. Placing a bid without viewing the equipment is at one's own risk. Please see

articles 3 and 6 of the General Conditions.

The article of the law "purchase on distance" is not applicable on the services of

Troostwijk.

Attending an auction closure for

consumers

Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor.

This public auction closure will take place at: Troostwijk Auctions -

Overschiestraat 59, 1062 XD Amsterdam.

To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us

accordingly.

**Payment Details** Payments have to be effected within 48 hours after auction is closed, to Troostwijk

Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.

Please state the auction name and your buyer number and auction number:

Troostwijk Auctions BV

Bank BIC code. Account nr.

0633 0173 NL06 **KBC Bank** KREDNL2XXXX **KRED** 

**Deliver instructions** The buyer needs to take the purchase agreement or the invoice to the delivery day.

www.TroostwijkAuctions.com



The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.

If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- <u>VDSL</u> can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- <u>Auction Logistics</u> can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditons of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

**Privacy Statement** 

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial

# www.TroostwijkAuctions.com



purposes.



Lot	Number Description Startin	g Bid €
<sup>©</sup> 1	1 CNC Press Brake  Durma, AD-R 37175, year built 2014, serial number 7335149854, brand: Durma; type: AD-R 37175; year: 2014; serial number: 7335149854; capacity: 175 t; working length: 3700 mm; number of axis: 3; foot control: yes; electric backgauge: yes; backgauge range: 650 mm; CNC control, brand, type: DT-10 touchscreen; engine power: 18.5 kW; electric connection: 400 V; manual present: yes; machine weight: 17250 kg; dimension L: 5300 mm; dimension W: 2370 mm; dimension H: 2900 mm; description: stroke 265mm; Tools Roller press brake knives; type ST60, capacity up to 100 t / m; Fiessler laser, type 4;	10,000.00
2	1 press brake beams description: on a mobile car;	100.00
	lace bank	
3	1 guillotine shear Durma, SBT 3010, year built 2014, serial number 608714119, brand: Durma; type: SBT 3010; year: 2014; serial number: 608714119; cutting length: 3100 mm; max. sheet thickness: 10 mm; electric backgauge: yes; backgauge range: 105 mm; max. strokes p/min.: 13; engine power: 22 kW; electric connection: 400 V; machine weight: 8900 kg; dimension L: 4200 mm; dimension W: 3600 mm; dimension H: 2100 mm; description: equipped with D-touch controller 7;	5,000.00
4	1 band saw machine Bomar, Stg 440 dgh, brand: Bomar; type: Stg 440 dgh; max. workpiece height: 440 mm; working width: 610 mm; saw blade size L: 5200 mm; saw blade size W: 34 mm; saw blade thickness: 1.1 mm; engine power: 3.7 kW; electric connection: 380 V; machine weight: 750 kg; dimension L: 2700 mm; dimension W: 1550 mm; dimension H: 1500 mm; description: capacity 90 °: 440mm; 610x440mm rectangle; 440mm square; 45 °: 430 mm diameter; 410x360mm rectangle; 400mm square; 30 °: diameter 250mm; 310x440mm rectangle; 250mm square equipped with hydraulic equipment terminal; central control; roller track;	1,000.00
5	1 circular trim saw Imet, Sirio 350, year built 2000, serial number 990079003, brand: Imet; type: Sirio 350; year: 2000; serial number: 990079003; saw blade ?: 300; number of speeds: 4; speed from N=: 9 rpm; speed till N=: 74 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with Bomar feed roller path; Output roller conveyor;	500.00
6	1 press brake LVD, PPN 90/30, year built 1979, serial number 8876, brand: LVD; type: PPN 90/30; year: 1979; serial number: 8876; capacity: 90 t; working length: 3000 mm; manual backgauge: yes; electric connection: 400 V;	500.00
7	1 circular trim saw Kaltenbach, KKS400 E, year built 1996, serial number 118161, brand: Kaltenbach; type: KKS400 E; year: 1996; serial number: 118161; saw blade ?: 400; speed from N=: 1000 rpm; speed till N=: 100 rpm; electric connection: 400 V; dimension L: 1100 mm; dimension W: 900 mm; dimension H: 1800 mm; description: excl. saw blade;	500.00
8	1 Punch and Shearing Machine Muhr & Bender, KBL 11N, serial number 131/16435/17, brand: Muhr & Bender; type: KBL 11N; serial number: 131/16435/17; capacity flat bars: 11 mm; electric connection: 380 V; dimension L: 1400 mm; dimension W: 1000 mm; dimension H: 1850 mm; description: vv lot of punches; and discharge roller track;	500.00
9	1 workshop press J. Berkx, brand: J. Berkx; 2-column: yes; distance between columns: 1360 mm; electrohydraulic: yes; electric connection: 380 V; total dimension L: 1250 mm; total dimension W: 1630 mm; total dimension H: 3000 mm;	100.00



Lot	Number Description Startin	g Bid €
10	1 radial drilling machine Hermann Kolb, brand: Hermann Kolb; stepless speedcontrol: yes; drilling depth: 130 mm; discharge: 800 mm; T-slot fixture table size L: 1200 mm; T-slot fixture table size W: 640 mm; coolant pump: yes; electric connection: 380 V; dimension L: 2200 mm; dimension W: 810 mm; dimension H: 2800 mm; description: equipped with T-groove tensioning block; dimensions . 760x750x500mm;	100.00
11	1 plate roller capacity length: 1500 mm; number of rolls: 3; top roll approx.: 200 mm; roll length: 1550 mm; engine power: 8.1 kW; electric connection: 380 V; dimension L: 3500 mm; dimension W: 1200 mm; dimension H: 1600 mm; description: 1430 rpm;	1,000.00
12	1 press brake folding length: 1025 mm; description: hand operated;	50.00
13	1 column drill Strands, S53, serial number 19786, brand: Strands; type: S53; serial number: 19786; drilling depth: 90 mm; discharge: 210 mm; electric connection: 380 V; description: t-slot clamping table; diameter 320mm;	10.00
14	1 Other grinding machine Oliver Adrian, brand: Oliver Adrian; grinding wheel: 200 mm; speed till N=: 1400 rpm; electric connection: 380 V;	100.00
15	1 spot welder Zinser, P10FS, serial number 20021/3, brand: Zinser; type: P10FS; serial number: 20021/3; nominal capacity: 3 kVA; max. welding capacity: 18 kVA; discharge: 460 mm; electric connection: 380 V;	50.00
16	1 belt sander Romas, serial number 17115, type: Romas; serial number: 17115; working width: 150 mm; sand belt size L: 2000 mm; electric connection: 380 V; description: 3000 rpm;	50.00
17	1 column drill drilling depth: 70 mm; discharge: 170 mm; electric connection: 380 V;	10.00
18	1 tool trolleys description: vv vise;	10.00
19	1 drill tools description: lot of various drilling; chuck; in steel three-door Kasr;	50.00
20	1 circular trim saw saw blade ?: 350 mm; table size L: 900 mm; table size W: 640 mm; electric connection: 380 V;	10.00
21	1 Demolition drum electric connection: 220 V;	10.00
22	1 bench Heymer & Pilz, year built 1936, serial number 9315, brand: Heymer & Pilz; year: 1936; serial number: 9315; travel x-axis: 400 mm; travel y-axis: 430 mm; stroke length: 250 mm; discharge: 430 mm; electric connection: 380 V; dimension L: 2200 mm; dimension W: 1400 mm; dimension H: 2300 mm; description: equipped with wave t-slot clamping table; diameter 500mm; 3- clamping chuck; diameter 315mm; with accessories in cabinet;	100.00
23	1 Other grinding machine grinding wheel: 220 mm; grinding wheel thickness: 50 mm; electric connection: 220 V;	10.00
24	1 Other grinding machine  Aeg, Da03012, brand: Aeg; type: Da03012; grinding wheel : 150 mm; grinding wheel thickness: 50 mm; electric connection: 220 V;	10.00
25	1 clamping tools tripod	10.00



Lot	Number Description Startin	g Bid €
26	1 milling machine Stankoimport, 6M12, year built 1963, serial number 744, brand: Stankoimport; type: 6M12; year: 1963; serial number: 744; travel x-axis: 1200 mm; travel y-axis: 2300 mm; travel z-axis: 2700 mm; number of speeds: 18; speed from N=: 31.5 rpm; speed till N=: 1600 rpm; T-slot fixture table size L: 1150 mm; T-slot fixture table size W: 220 mm; coolant pump: yes; electric connection: 400 V; dimension L: 2500 mm; dimension W: 2000 mm; dimension H: 2100 mm; description: vv machine clamp; 4x 50 iso containers;	100.00
27	Milling tool     description: incl. cupboard and wall plate;	10.00
28	Milling tool     description: incl. table;	10.00
29	1 <b>column drill</b> Solid, B32VS, brand: Solid; type: B32VS; drilling capacity: 32 mm; number of speeds: 26; spindle speed from N=: 70 rpm; spindle speed till N=: 1200 rpm; drilling depth: 225 mm; discharge: 350 mm; table size L: 400 mm; table size W: 500 mm; coolant pump: yes; electric connection: 220 V;	100.00
30	1 universal lathe Lacfer, CR2E250, brand: Lacfer; type: CR2E250; turning length: 1500 mm; turning ?: 560 mm; spindle boring ?: 60 mm; number of speeds: 12; speed from N=: 25 rpm; speed till N=: 1800 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 3- clamping chuck; tool holders; glasses;	500.00
31	clamping chuck     4-jaw: yes; diameter: 450 mm; description: equipped with trolley;	10.00
32	1 universal lathe Machstroj, C10MB, year built 1974, serial number 6791, brand: Machstroj; type: C10MB; year: 1974; serial number: 6791; turning length: 2000 mm; turning ?: 580 mm; spindle boring ?: 75 mm; number of speeds: 24; speed from N=: 16 rpm; speed till N=: 2000 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 3-clamping chuck; tool holders; glasses;	500.00
33	clamping chuck     4-jaw: yes; diameter: 250 mm; description: equipped with trolley;	10.00
34	1 <b>clamping chuck</b> 3-jaw: yes; 4-jaw: no; diameter: 250 mm;	10.00
35	1 <b>clamping chuck</b> 3-jaw: no; 4-jaw: yes; diameter: 300 mm;	10.00
36	1 <b>clamping chuck</b> 3-jaw: no; 4-jaw: no; diameter: 450 mm;	10.00
37	<ul> <li>universal lathe</li> <li>Schaerer, brand: Schaerer; turning length: 2500 mm; turning ?: 720 mm; spindle boring</li> <li>?: 60 mm; number of speeds: 12; speed from N=: 9.6 rpm; speed till N=: 220 rpm; coolant pump: yes; electric connection: 380 V; description: equipped with 4- clamping chuck; tool holders; glasses;</li> </ul>	500.00
38	1 clamping chuck 4-jaw: yes; diameter: 615 mm;	10.00
39	1 clamping chuck 4-jaw: yes; diameter: 500 mm;	10.00
40	1 plane table steel: yes; table size L: 500 mm; table size W: 500 mm; description: vv accessories;	10.00
41	1 Milling tool	10.00
42	1 machine clamp manually operated: yes; jaw width: 105 mm;	10.00
43	1 machine clamp B, brand: B; manually operated: yes; jaw width: 140 mm;	10.00



Lot	Number Description St	arting Bid €
44	1 machine clamp	10.00
45	B, brand: B; manually operated: yes; jaw width: 140 mm;  1 Milling tool	10.00
40	description: drill and cutter tooling;	10.00
46	1 working bench	10.00
	steel top: yes; total dimension LxWxH: 2400x730 mm; description: vv vise; excl. materials on table;	
47	1 other measuring tools description: incl. marking tools; outside micrometers; probe; etc; on the table;	10.00
48	1 working bench steel top: yes; total dimension LxWxH: 2410x730 mm; description: excl. material on table;	10.00 the
49	1 closet description: 2-door;	10.00
50	1 carriage movable with various	10.00
51	1 profile bending machine description: hand operated;	10.00
52	1 Milling tool	10.00
53	1 Milling tool	10.00
54	1 Milling tool	10.00
55	1 Milling tool	10.00
56	1 Milling tool	10.00
57	1 Milling tool	10.00
58	1 Milling tool	10.00
59	1 working bench wooden top: yes;	10.00
60	1 extension reel electric connection: 230 V;	10.00
61	1 transport wheels	10.00
62	1 gauze tray	10.00
63	1 Milling tool description: incl. chisels; tensioning tooling etc;	10.00
64	1 Milling tool description: incl. drilling and milling etc;	10.00
65	1 turning tool description: incl. centers and chucks;	10.00
66	1 turning tool Wille rapid, 2358c, brand: Wille rapid; type: 2358c;	10.00
67	1 other measuring tools description: incl. aftekengereedschap;	10.00
68	1 Slider size analog: yes; measuring range till: 500;	10.00
69	1 Slider size Mitutoyo, brand: Mitutoyo; analog: yes; measuring range till: 300;	10.00
70	1 other measuring tools description: incl. aftekengereedschap;	10.00
71	1 closet description: Open; without content;	10.00
72	Other grinding machine Ai, brand: Ai; table size L: 900 mm; table size W: 130 mm; grinding wheel: 140 mm; magnetic fixture plate size: 250 mm; electric connection: 220 V; description: vv accessories on pallet;	100.00



Lot	Number Description	Starting Bid €
73	1 surface grinder Ingar, brand: Ingar; grinding wheel: 300 mm; magnetic fixture plate size: 400 mm; electric connection: 380 V; description: equipped with coolant pump;	100.00
74	1 positioner description: mobile; rotatable;	10.00
75	1 welding table dimension L: 2000 mm; dimension W: 1000 mm; description: height adjustable;	50.00
76	1 welding table dimension L: 2330 mm; dimension W: 1210 mm; description: height adjustable;	50.00
77	1 welding table dimension L: 2000 mm; dimension W: 960 mm; description: vv vise;	50.00
78	1 welding table dimension L: 2330 mm; dimension W: 1210 mm; description: height adjustable;	50.00
79	1 welding table dimension L: 1470 mm; dimension W: 1070 mm; description: vv vise;	50.00
80	1 welding table dimension L: 1470 mm; dimension W: 1070 mm; description: vv vise;	50.00
81	1 welding table dimension L: 1470 mm; dimension W: 1070 mm; description: vv vise;	50.00
82	1 further machine accessories	10.00
83	1 further machine accessories	10.00
84	1 further machine accessories Clarkson, brand: Clarkson; description: recording 5/8;	10.00
85	1 Other grinding machine electric connection: 230 V; description: drill grinding machine; capacity up to 13mn	50.00 n:
86	1 machine clamp  Jmc, brand: Jmc; manually operated: yes; description: 50mm; for pipe;	10.00
87	1 machine clamp  Jmc, brand: Jmc; manually operated: yes; description: 1 1/2 "; for pipe;	10.00
88	1 machine clamp  Jmc, brand: Jmc; manually operated: yes;	10.00
89	1 grinding machine AP, Neutrix, brand: AP; type: Neutrix; speed from N=: 8000 rpm; speed till N=: 220 rpm; electric connection: 230 V;	10.00 00
90	1 <b>office</b> Asmeta, brand: Asmeta; dimension L: 125 cm; dimension W: 75 cm;	10.00
91	1 closet dimension L: 157 cm; dimension W: 67 cm; dimension H: 200 cm; description: slic door; without content;	10.00 ding
92	1 dresser number of drawers: 8; total dimension L: 710 mm; total dimension W: 445 mm; total dimension H: 1350 mm; description: with various content;	10.00 al
93	1 stainless steel description: 8 stainless steel tubes;	10.00
94	1 Pickup truck solid tyres: yes;	10.00
95	1 scale Molen, brand: Molen; weight range max: 20000 g;	10.00
96	1 grinding machine default Triplex, brand: Triplex; speed from N=: 8000 rpm; speed till N=: 22000 rpm; electric connection: 230 V;	10.00 c
97	1 welding table dimension L: 2200 mm; dimension W: 1100 mm; description: vv vise;	50.00



Lot	Number Description Star	ting Bid €
98	1 other internal transport Fetra, brand: Fetra;	10.00
99	1 workplace stool	10.00
100	1 truck  Mercedes-benz, 902.6, year built 2002, brand: Mercedes-benz; type: 902.6; year: 2002  VIN number: WDB9026121R346237; license plate: 70-BV-XT; inspection experation date: 07/06/2020 02:00:00; number of axis: 2; diesel: yes; electric: no; engine power: 9 kW; manual: yes; load capacity: 1100 kg; mileage (at intake): 143244 km; own weight: 1850 kg; description: number of cylinders: 4; cylinder capacity: 2148 cm³; width: 200; euro classification: 3;	1,000.00 ; 5
101	1 truck Daf, Ae47xs, year built 1999, brand: Daf; type: Ae47xs; year: 1999; VIN number: XLRAF47XSOE501014; license plate: BH-LR-04; inspection experation date: 26/07/2015 02:00:00; number of axis: 2; diesel: yes; engine power: 283 kW; manual: yes; load capacity: 9420 kg; mileage (at intake): 440719 km; box trailer: yes; own weigh: 9180 kg; description: number of cylinders: 6; length: 887; width: 255; Euro classification: 2; closed build up; an equine transport format was; cameras; additional seating; (Was leswagen);	1,000.00 t:
102	1 golf car Yamaha, brand: Yamaha; VIN number: JR1-502771; electric: yes; description: puncture; bad state; no key;	100.00
103	1 cattle trailer Knott, brand: Knott; total dimension L: 5000 mm; total dimension W: 2100 mm; description: this horse trailer was under construction; no papers;	100.00
104	1 aerial platform TKD, 158 12, year built 1998, serial number 4007, brand: TKD; type: 158 12; year: 1998; serial number: 4007; electric: yes; scissor lift: yes; working height: 1200 cm; platform capacity: 250 kg; hours on display: 8;	1,000.00
105	1 fire  Iveco, Ccfm21, year built 1990, brand: Iveco; type: Ccfm21; year: 1990; VIN number:  ZCFB80C8009001203; number of axis: 2; diesel: yes; manual: yes; mileage (at intake):  30115 km; number of seats: 4; own weight: 13400 kg; description: diesel turbo engine; type 80-17w; 125kW; tire size 365 / 80R20; pump unit; Started reel; spare tire; front winch;	5,000.00
106	1 truck construction unit description: 20 feet; equipped with tarpaulin side walls and ceiling; exclusive content; (Pick up by appointment);	100.00
107	1 <b>forklift</b> Hyster, H3.0FT, year built 2010, serial number L177b30240h, brand: Hyster; type: H3.0FT; year: 2010; serial number: L177b30240h; LPG: yes; number of wheels: 4; liftin capacity: 3000 kg; lifting height: 3610 mm; overhead guard height: 2420 mm; fork lengtl 1500 mm; duplo mast: yes; side-shift: yes; full rubber tyres: yes; hours on display: 10730; own weight: 4260 kg;	
108	1 forklift Still, DFG 2/4002, year built 1988, brand: Still; type: DFG 2/4002; year: 1988; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 1820 kg; lifting height: 4180 mm; overhead guard height: 2030 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; side-shift: no; full rubber tyres: yes; hours on display: 4025; battery charger: no;	
109	1 forklift Still, RX-20-18, year built 2013, serial number 51623d00040, brand: Still; type: RX-20-18; year: 2013; serial number: 51623d00040; LPG: no; electric: yes; number of wheels 3; lifting capacity: 1800 kg; lifting height: 7870 mm; overhead guard height: 2200 mm; fork length: 1000 mm; duplo mast: no; tripple mast: yes; side-shift: yes; full rubber tyres yes; hours on display: 10357; battery charger: yes; own weight: 3000 kg;	:



Lot	Number Description Startin	g Bid €
110	1 <b>forklift</b> Manitou, MC80F 1, serial number 60108, brand: Manitou; type: MC80F 1; serial number: 60108; diesel: yes; Rough terrain: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 5500 mm; overhead guard height: 3340 mm; fork length: 1500 mm; duplo mast: yes; hours on display: 10307; own weight: 12350 kg; description: 77.3 kW;	500.00
111	1 <b>forklift</b> Steinbock, DFG4DS/351, year built 1984, serial number 190/24395, brand: Steinbock; type: DFG4DS/351; year: 1984; serial number: 190/24395; diesel: yes; Rough terrain: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3510 mm; overhead guard height: 2840 mm; fork length: 2000 mm; duplo mast: yes; hours on display: 12211; own weight: 7000 kg;	500.00
112	1 forklift Toyota, 02-7FDF25, year built 2007, serial number 15730, brand: Toyota; type: 02-7FDF25; year: 2007; serial number: 15730; diesel: yes; Rough terrain: no; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4700 mm; overhead guard height: 2120 mm; fork length: 1100 mm; duplo mast: no; tripple mast: yes; full rubber tyres: yes; own weight: 4650 kg; description: 42 kW; 4 hydraulic connections;	500.00
113	1 <b>forklift</b> Toyota, 02-7FDF25, year built 2007, serial number 15708, brand: Toyota; type: 02-7FDF25; year: 2007; serial number: 15708; diesel: yes; Rough terrain: no; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4700 mm; overhead guard height: 2120 mm; fork length: 1100 mm; duplo mast: no; tripple mast: yes; full rubber tyres: yes; own weight: 4650 kg; description: 42 kW; 4 hydraulic connections;	500.00
114	1 <b>forklift</b> Toyota, 02-7FDF25, year built 2007, serial number 15706, brand: Toyota; type: 02-7FDF25; year: 2007; serial number: 15706; diesel: yes; Rough terrain: no; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 4700 mm; overhead guard height: 2120 mm; fork length: 1100 mm; duplo mast: no; tripple mast: yes; full rubber tyres: yes; own weight: 4650 kg; description: 42 kW; 4 hydraulic connections; engine defective;	100.00
115	1 <b>forklift</b> Nissan, Um02L200, serial number 002017, brand: Nissan; type: Um02L200; serial number: 002017; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 3300 mm; overhead guard height: 2210 mm; fork length: 1100 mm; duplo mast: yes; side-shift: yes; hours on display: 1234; battery charger: yes; own weight: 3500 kg; description: does not drive;	100.00
116	1 forklift Jungheinrich, Efg-df 16sp ge 100-450 dz, year built 2001, serial number 89.91.85.1, brand: Jungheinrich; type: Efg-df 16sp ge 100-450 dz; year: 2001; serial number: 89.91.85.1; diesel: no; electric: yes; Rough terrain: no; number of wheels: 3; lifting capacity: 1550 kg; lifting height: 4500 mm; overhead guard height: 2000 mm; fork length: 1150 mm; duplo mast: no; tripple mast: yes; full rubber tyres: yes; battery charger: yes; own weight: 2330 kg; description: battery empty; status unknown;	100.00
117	1 <b>forklift</b> Jungheinrich, DFG16, year built 1993, serial number 3930-17-111-7153, brand: Jungheinrich; type: DFG16; year: 1993; serial number: 3930-17-111-7153; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 1520 kg; lifting height: 3100 mm; overhead guard height: 2080 mm; fork length: 990 mm; duplo mast: yes; tripple mast: no; side-shift: yes; full rubber tyres: yes; hours on display: 2629; battery charger: no; own weight: 3050 kg;	100.00
118	1 <b>forklift</b> Steinbock, JE10, year built 1988, serial number 57126, brand: Steinbock; type: JE10; year: 1988; serial number: 57126; diesel: no; electric: yes; Rough terrain: no; number of wheels: 3; lifting capacity: 1000 kg; lifting height: 3000 mm; overhead guard height: 1940 mm; fork length: 840 mm; duplo mast: yes; tripple mast: no; side-shift: yes; full rubber tyres: yes; hours on display: 326; battery charger: no; own weight: 2331 kg;	100.00



Lot	Number Description Startin	g Bid €
119	1 <b>forklift</b> Komatsu, FB25T-10, serial number 235987, brand: Komatsu; type: FB25T-10; serial number: 235987; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 2500 kg; lifting height: 3300 mm; overhead guard height: 2110 mm; fork length: 1100 mm; duplo mast: yes; tripple mast: no; side-shift: yes; full rubber tyres: yes; battery charger: no;	100.00
120	1 <b>forklift</b> Yale, GC040RC, year built 1985, serial number 7407115, brand: Yale; type: GC040RC; year: 1985; serial number: 7407115; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 4000 kg; overhead guard height: 1970 mm; fork length: 1010 mm; duplo mast: no; tripple mast: yes; side-shift: no; full rubber tyres: yes; hours on display: 1123; battery charger: no; description: don't drive;	100.00
121	1 forklift Still, DFG 3/4106, year built 1986, serial number 41062402, brand: Still; type: DFG 3/4106; year: 1986; serial number: 41062402; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 2720 kg; overhead guard height: 2300 mm; fork length: 1200 mm; duplo mast: no; tripple mast: yes; side-shift: no; full rubber tyres: yes; hours on display: 2255; battery charger: no;	100.00
122	1 forklift OM, DI30C, year built 1992, serial number 3195011604, brand: OM; type: DI30C; year: 1992; serial number: 3195011604; diesel: yes; electric: no; Rough terrain: no; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 3300 mm; overhead guard height: 2200 mm; fork length: 1100 mm; duplo mast: yes; tripple mast: no; side-shift: no; full rubber tyres: yes; hours on display: 5040; battery charger: no;	100.00
123	1 truck parts SAE, brand: SAE; description: truck axle; in wooden box;	10.00
124	1 truck parts SAE, brand: SAE; description: truck axle; in wooden box;	10.00
125	1 truck parts SAE, brand: SAE; description: truck axle; in wooden box;	10.00
126	1 truck parts SAE, brand: SAE; description: truck axle; in wooden box;	10.00
127	1 mini tractor Iseki, 330, brand: Iseki; type: 330; hours on display: 1607; description: incomplete; flat tires; loose parts; motor incomplete;	100.00
128	1 dump truck Fdi-sambron, F4250, year built 1996, serial number 10300596, brand: Fdi-sambron; type: F4250; year: 1996; serial number: 10300596; brand engine: Hatz Z790H; number of cylinders: 2; fuel type: Diesel; operation weight: 1900 kg; load capacity: 2500 kg; hours on display: 829;	100.00
129	1 concrete mixer Lescha, VS100, serial number 5448, brand: Lescha; type: VS100; serial number: 5448; electric connection: 230 V;	10.00
130	1 concrete mixer BT350, year built 1997, type: BT350; year: 1997; electric connection: 230 V;	10.00
131	1 snow ploughs working width: 2000 mm;	100.00
132	1 <b>other crane accessories</b> Kuhn, Levsak DE, year built 2011, serial number B5642, brand: Kuhn; type: Levsak DE; year: 2011; serial number: B5642; description: capacity to 1000 kg;	10.00
133	1 <b>light generator</b> Polyma, HA0200145T70V, year built 1999, serial number 699022, brand: Polyma; type: HA0200145T70V; year: 1999; serial number: 699022; power: 11.2 W; electric connection: 400 V; own weight: 1600 kg; description: Hatz diesel engines; 2141C; 1500 rpm; Hours 5347 hours; diesel tank; hydraulic extendable mast;	500.00



Lo	t	Number Description Startin	g Bid €
	134	1 generator Stamford, GMS100CS, year built 2011, serial number 1000008769, brand: Stamford; type: GMS100CS; year: 2011; serial number: 1000008769; capacity: 100 kVA; diesel: yes; engine brand + model: Dongfeng cummins; number of cylinders: 6; engine power: 98 kW; generator brand + model: Stamford;	1,000.00
	135	1 generator Gesan, Gesat 02, year built 2003, serial number 106775, brand: Gesan; type: Gesat 02; year: 2003; serial number: 106775; capacity: 35 kVA; diesel: yes; number of cylinders: 3; engine power: 24 kW; generator brand + model: Gesab; hours on display: 10418; machine weight: 1257 kg;	1,000.00
	136	1 <b>generator</b> Gesan, Gpm-2, year built 2005, serial number 142123, brand: Gesan; type: Gpm-2; year: 2005; serial number: 142123; diesel: yes; engine brand + model: John Deere; number of cylinders: 4; engine power: 32 kW; generator brand + model: Gesan; hours on display: 21617; machine weight: 1444 kg;	1,000.00
	137	1 generator Triton, T30UCM, brand: Triton; type: T30UCM; capacity: 30 kVA; diesel: yes; engine brand + model: Mitsubishi; number of cylinders: 4; engine power: 30 kW; machine weight: 1050 kg; description: 240 volts; 1800 rpm;	1,000.00
	138	1 air compressor Atlas Copco, B/FM 1011F, brand: Atlas Copco; type: B/FM 1011F; power: 20.4 kW; electric connection: 230 V; description: Deutz 2 cyl diesel engines;	100.00
	139	1 air compressor Mpko, year built 2007, brand: Mpko; year: 2007; hours on display: 236 hr; electric connection: 230 V; description: Lister Petter 3 cyl diesel engines;	100.00
	140	1 generator year built 2007, year: 2007; hours on display: 5933 hr; electric connection: 400 V; description: Deutz 2 cyl diesel engines;	100.00
	141	1 <b>generator</b> Bredenoord, Brdl-15, year built 1999, serial number Brhnr-2218, brand: Bredenoord; type: Brdl-15; year: 1999; serial number: Brhnr-2218; diesel: yes; number of cylinders: 4; hours on display: 37900; description: 400 volts; engine complete;	100.00
C	142	1 6-piece truck lift column Sefac, Ens 6col mob m97, year built 1997, brand: Sefac; type: Ens 6col mob m97; year: 1997; hoist capacity: 7200 kg; max. lifting heigth: 17 m; electric connection: 400 V; description: equipped with six shaft supports;	1,000.00
C	143	1 <b>6-piece truck lift column</b> Sefac, Ens 6col mob m97, year built 1997, brand: Sefac; type: Ens 6col mob m97; year: 1997; hoist capacity: 7200 kg; max. lifting heigth: 17 m; electric connection: 400 V; description: equipped with six shaft supports;	1,000.00
		column lifts	
	144	1 air compressor trailer Atlas Copco, XAS47 kd, year built 1997, serial number 07598, brand: Atlas Copco; type: XAS47 kd; year: 1997; serial number: 07598; mobile: yes; capacity: 7 bar; power: 19.4 kW; hours on display: 324 hr; electric connection: 400 V; description: Kubota 3 cyl diesel engines;	100.00
	145	1 <b>light generator</b> GenSet, MGK8000, brand: GenSet; type: MGK8000; tripod: yes; electric connection: 400 V; description: Kubota diesel engines; Hours 235 Hour;	100.00
	146	1 light generator Terex, RL4000, brand: Terex; type: RL4000; electric connection: 400 V; description: Kubota 3-cil diesel engines; Hours 256 hours; diesel tank;	100.00



Lot	Number Description Startin	g Bid €
147	1 light generator Power mfg, brand: Power mfg; electric connection: 400 V; description: lombardini 3-cil diesel engines; Hours 44 hours; diesel tank;	100.00
148	1 light generator Unicor big spring, NF2D, serial number 1204, brand: Unicor big spring; type: NF2D; serial number: 1204; power: 7000 W; electric connection: 400 V; description: Kohler 3- cil diesel engines; Hours 3728 hours; 7 kW; 240 volts;	100.00
149	1 air compressor trailer Kaeser, M35 val, year built 1987, serial number 35384 a, brand: Kaeser; type: M35 val; year: 1987; serial number: 35384 a; mobile: yes; capacity: 8 bar; power: 15 kW; description: Deutz diesel engines;	100.00
150	1 waterpump Rocher / Desauter , brand: Rocher / Desauter ; mobile: yes; description: diesel engines ; not running;	100.00
151	1 tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 7; with content: yes;	50.00
152	1 tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 7; with content: yes;	50.00
153	1 tool trolleys Giss, Outilage, brand: Giss; type: Outilage; number of drawers: 5; with content: yes;	50.00
154	1 tool trolleys Stahl, brand: Stahl; number of drawers: 7; with content: yes;	100.00
155	1 tool trolleys Stahl, brand: Stahl; number of drawers: 7; with content: yes;	100.00
156	1 tool trolleys Seneca, brand: Seneca; number of drawers: 8; with content: yes;	100.00
157	1 tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 7; with content: yes;	50.00
158	1 tool trolleys Toolbox4you, brand: Toolbox4you; number of drawers: 7; with content: yes;	50.00
159	1 tool box metal: yes; with content: yes;	10.00
160	1 tool box metal: yes; with content: yes;	10.00
161	1 tool box metal: yes; with content: yes;	10.00
162	1 electric hand-held grinding machine Makita, GA9020r, year built 2018, brand: Makita; type: GA9020r; year: 2018; disc diameter: 230 mm; power: 2200 W; with case: yes; electric connection: 230 V;	10.00
163	1 battery tooling Metabo, brand: Metabo; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes;	10.00
164	1 drilling machine Bosch, Gsb 10-2 re, brand: Bosch; type: Gsb 10-2 re; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
165	1 drilling machine Bosch, Gsr 6-25 te, brand: Bosch; type: Gsr 6-25 te; impact drill: yes; with case: yes; electric connection: 230 V;	10.00
166	1 electric hand saw Makita, Jr3060t, brand: Makita; type: Jr3060t; with case: yes; electric connection: 230 V; description: reciprocating saw;	10.00
167	1 <b>drilling machine</b> Bosch, Gbm 13-re, brand: Bosch; type: Gbm 13-re; impact drill: yes; with case: yes; electric connection: 230 V;	10.00



Lot	Number Description Star	ting Bid €
168	1 top and edge milling machine Power plus, Pow 160x, brand: Power plus; type: Pow 160x; routing stroke vertical: 50 mm; with case: yes; electric connection: 230 V;	10.00
169	1 electric scissors Bosch, 0601507103, brand: Bosch; type: 0601507103; electric connection: 230 V;	10.00
170	1 battery tooling with case: yes; screw machine: yes; description: without batteries and charger;	10.00
171	1 battery tooling Makita, brand: Makita; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes;	10.00
172	1 empty box	10.00
173	1 <b>sledge</b> Xptools, brand: Xptools;	10.00
174	3 hammers Torso, brand: Torso;	10.00
175	4 hammers Torso, brand: Torso;	10.00
176	4 hammers Torso, brand: Torso;	10.00
177	4 hammers Torso, brand: Torso;	10.00
178	4 hammers Torso, brand: Torso;	10.00
179	1 battery tooling Hitachi, brand: Hitachi; voltage: 14,4 V; number of batteries: 1; with case: no; screw machine: no; impact wrench: yes; description: without charger;	10.00
180	1 battery tooling Hitachi, brand: Hitachi; voltage: 14,4 V; number of batteries: 1; with case: no; screw machine: yes; impact wrench: no; description: without charger;	10.00
181	1 battery tooling Hitachi, brand: Hitachi; voltage: 18 V; number of batteries: 4; battery charger: yes; with case: yes; screw machine: yes;	10.00
182	1 battery tooling Hitachi, brand: Hitachi; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: no; impact wrench: yes;	10.00
183	1 battery tooling Makita, Ddf485, brand: Makita; type: Ddf485; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; impact wrench: no;	10.00
184	1 battery tooling Makita, Dga511rtj, brand: Makita; type: Dga511rtj; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: no; impact wrench: no; grinder: yes	10.00
185	1 wire cutting machine R system, brand: R system; electric: yes; with case: yes; electric connection: 230 V;	10.00
186	1 electric hand drill Hitachi, brand: Hitachi; hammer drill: yes; electric connection: 230 V;	10.00
187	1 <b>battery tooling</b> Hitachi, brand: Hitachi; voltage: 9,6 V; number of batteries: 2; battery charger: yes; with case: no; screw machine: yes;	10.00
188	1 electric hand drill Bosch, Gbh 5-40 dce, year built 2018, brand: Bosch; type: Gbh 5-40 dce; year: 2018; hammer drill: no; combi drill: yes; power: 1150 W; with case: yes; electric connection: 230 V;	10.00
189	1 power multiplier Mammuth, Wkm3800, brand: Mammuth; type: Wkm3800; description: 3800 Nm;	10.00



Lot	Number Description	Starting Bid €
190	1 power multiplier Mammuth, Wkm3800s, brand: Mammuth; type: Wkm3800s; description: 3800 Nm	10.00
191	1 cargo net Torso, brand: Torso; total dimension L: 7000 mm; total dimension W: 3000 mm;	10.00
192	1 cargo net Torso, brand: Torso; total dimension L: 4500 mm; total dimension W: 2500 mm;	10.00
193	1 cargo net Torso, brand: Torso; total dimension L: 9000 mm; total dimension W: 3500 mm;	10.00
194	1 Stairs Altrex, brand: Altrex; number of steps: 5; aluminium: yes;	10.00
195	1 tool box Waterloo, brand: Waterloo; metal: yes;	10.00
196	1 tool box Rubbermaid, brand: Rubbermaid; plastic: yes; metal: no;	10.00
197	1 impact nut machine Einhell, Kss 12, brand: Einhell; type: Kss 12; electric connection: 12 V; with case:	•
198	1 Wire cutting cutting capacity max.: 1 1/4 ";	10.00
199	1 cross and ring spanner cross imperial: yes; metric: yes; description: 3/4 "; 24-32mm;	10.00
200	1 cross and ring spanner cross imperial: yes; metric: yes; description: 1/2 "; 17-21mm;	10.00
201	2 sockets imperial: no; metric: yes; description: 27-30mm;	10.00
202	1 sockets imperial: no; metric: yes; description: 27-30mm;	10.00
203	1 <b>Tool kit</b> Kraftwerk, brand: Kraftwerk; with case: yes;	10.00
204	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; piece: 12; description: 8-19mm;	10.00
205	1 <b>Socket</b> Seneca, brand: Seneca; piece: 7; with case: yes; description: 6-19mm;	10.00
206	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; piece: 7; description: 10-19mm;	10.00
207	1 Socket Xptools, Xp10lsds, brand: Xptools; type: Xp10lsds; piece: 10; with case: yes;	10.00
208	1 Socket Seneca, Deep socket, brand: Seneca; type: Deep socket; piece: 11; with case: ye description: 10-24mm;	10.00 es;
209	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 5; description: 26-32mm;	10.00
210	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 8; description: 6-23mm;	10.00
211	1 Socket Seneca, brand: Seneca; piece: 3; with case: yes; description: 20-27mm;	10.00
212	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 16; description: 6-22mm;	10.00
213	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 8; description: 8-32mm;	10.00
214	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 11; description: 8-32mm;	10.00
215	1 stitch and ring spanner set Seneca, brand: Seneca; metric: yes; set: yes; piece: 10; description: 10-19mm;	10.00



Lot	Number Description Startin	ng Bid €
216	1 <b>Tool kit</b> Seneca, brand: Seneca; piece: 25; with case: yes; description: metric; 10-32mm;	10.00
217	1 <b>Socket</b> Seneca, brand: Seneca; piece: 26; with case: yes; description: metric; 6-24mm;	10.00
218	1 Socket Seneca, brand: Seneca; piece: 19; with case: yes; description: metric; 4-14mm;	10.00
219	1 Socket Seneca, brand: Seneca; piece: 21; with case: yes; description: metric; 4-13mm;	10.00
220	1 <b>Socket</b> Seneca, brand: Seneca; piece: 113; with case: yes; description: metric and english;	10.00
221	1 <b>Socket</b> Seneca, brand: Seneca; piece: 95; with case: yes; description: metric;	10.00
222	1 <b>Socket</b> Seneca, brand: Seneca; piece: 26; with case: yes; description: metric;	10.00
223	1 <b>Socket</b> Seneca, brand: Seneca; piece: 26; drive: 7/8"-2 5/8" "; with case: yes; description: English;	10.00
224	1 Socket Seneca, brand: Seneca; piece: 21; drive: 3/4 "; with case: yes; description: English; 7/8 "-2";	10.00
225	1 Socket Seneca, brand: Seneca; piece: 15; with case: yes; description: metric; 36-80mm;	10.00
226	1 tool box metal: yes; with content: yes;	10.00
227	1 <b>tool box</b> Seneca, brand: Seneca; metal: yes; with content: yes;	10.00
228	1 Socket Seneca, brand: Seneca; piece: 27; with case: yes; description: English; 5/32 "-9/16";	10.00
229	1 Socket Seneca, brand: Seneca; piece: 18; with case: yes; description: English; 1/4 "-7/8";	10.00
230	1 Socket Seneca, brand: Seneca; piece: 19; with case: yes; description: English; 5/16 "-1 1/4";	10.00
231	1 Socket Seneca, brand: Seneca; piece: 24; with case: yes; description: English; 5/16 "-1 1/4";	10.00
232	1 <b>Tool kit</b> piece: 5; with case: yes;	10.00
233	1 stitch and ring spanner set Seneca, brand: Seneca; imperial: yes; metric: no; set: yes; piece: 8; description: 3/8"-1";	10.00
234	1 <b>Tool kit</b> piece: 5; with case: yes;	10.00
235	1 <b>Tool kit</b> piece: 5; with case: yes; description: Arrows;	10.00
236	1 Tool kit piece: 13; with case: yes; description: punch and chisel;	10.00
237	1 Tool kit piece: 4; with case: yes; description: hook;	10.00
238	1 Socket Gedore, brand: Gedore; piece: 5; with case: yes; description: 10-24mm;	10.00
239	1 bit set	10.00
240	1 bit set	10.00
241	1 Socket Seneca, brand: Seneca; piece: 20; with case: yes; description: 19-50 mm;	10.00



Lot	Number Description	Starting Bid €
242	1 <b>Socket</b> Seneca, brand: Seneca; piece: 14; with case: yes; description: 22-50mm;	10.00
243	1 Socket piece: 21; drive: 3/4 "; with case: yes; description: 7/8"-2";	10.00
244	1 <b>vise</b> jaw width: 150 mm;	10.00
245	1 <b>vise</b> Jmc, brand: Jmc; jaw width: 155 mm;	10.00
246	1 <b>vise</b> Jmc, brand: Jmc; jaw width: 105 mm;	10.00
247	1 vise Jmc, brand: Jmc; jaw width: 100 mm;	10.00
248	1 <b>vise</b> Jmc, brand: Jmc; jaw width: 125 mm;	10.00
249	1 <b>vise</b> Jmc, brand: Jmc; jaw width: 150 mm;	10.00
250	1 <b>vise</b> Jmc, brand: Jmc; jaw width: 150 mm;	10.00
251	1 Tool kit piece: 4; with case: yes; description: special pliers;	10.00
252	1 Tool kit piece: 2; with case: yes; description: grip and combi pliers;	10.00
253	1 Tool kit piece: 2; with case: yes; description: squeeze pliers;	10.00
254	1 Tool kit piece: 4; with case: yes; description: Pliers;	10.00
255	1 Tool kit piece: 3; with case: yes;	10.00
256	2 <b>Doppensets</b> Hitachi, brand: Hitachi; with case: no;	10.00
257	1 Tool kit piece: 6; with case: no; description: screwdrivers;	10.00
258	1 Tool kit piece: 8; with case: no; description: torx;	10.00
259	1 Tool kit piece: 8; with case: no; description: screwdrivers;	10.00
260	1 Tool kit piece: 8; with case: no; description: screwdrivers;	10.00
261	1 brake vent set Xptools, brand: Xptools;	10.00
262	1 cylinder leak detector set Xptools, brand: Xptools;	10.00
263	1 vacuum tester Xptools, brand: Xptools;	10.00
264	1 diesel test set Xptools, brand: Xptools;	10.00
265	1 air-conditioning diagnostic kit Xptools, brand: Xptools;	10.00
266	1 injectors seat and manhole cleaning set Xptools, brand: Xptools;	10.00
267	1 wooden banister Xptools, brand: Xptools;	10.00



Lot	Number Description	Starting Bid €
268	2 steel grab stock wall racks description: baking with gripping stock;	10.00
269	1 battery chargers SoldaTech, Bc630a, brand: SoldaTech; type: Bc630a; voltage: 12 / 24 V; electric connection: 230 V;	10.00
270	1 ladder number of steps: 15; aluminium: yes; double: yes;	10.00
271	1 tool box Yato, brand: Yato; plastic: yes; metal: yes; with content: no;	10.00
272	1 tool box Yato, brand: Yato; plastic: yes; metal: yes; with content: no;	10.00
273	1 tool box Yato, brand: Yato; plastic: yes; metal: yes; with content: no;	10.00
274	1 tool box Yato, brand: Yato; plastic: yes; metal: yes; with content: no;	10.00
275	1 extension reel electric connection: 230 V; on reel: yes;	10.00
276	1 wheel loader disassembly set Xptools, brand: Xptools;	10.00
277	1 <b>high pressure syringe</b> Aspira, Ps08, brand: Aspira; type: Ps08; description: volume 8 ltr;	10.00
278	1 high pressure spray electric Aspira, Ps15B, brand: Aspira; type: Ps15B; description: volume 15 ltr;	10.00
279	1 outdoor lighting LED: yes; electric connection: 24 V;	10.00
280	1 outdoor lighting Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
281	1 outdoor lighting Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
282	1 outdoor lighting Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
283	1 emitter Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
284	1 lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
285	1 lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
286	1 lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
287	1 lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 24 V;	10.00
288	1 store display	10.00
289	1 semi-finished product	10.00
290	1 air horn electric connection: 12 V;	10.00
291	1 air horn electric connection: 12 V;	10.00
292	1 air horn electric connection: 12 V;	10.00
293	1 electric siren Jmc, brand: Jmc; electric connection: 230 V;	10.00
294	1 electric siren Jmc, brand: Jmc; electric connection: 24 V;	10.00



Lot	Number Description	Starting Bid €
295	1 electric siren Jmc, brand: Jmc; electric connection: 12 V;	10.00
296	1 cabinet with parts dimension L: 30 cm; dimension W: 100 cm; dimension H: 200 cm;	10.00
297	1 other hand tools	10.00
298	1 other hand tools	10.00
299	4 pouly pullers	10.00
300	1 other hand tools	10.00
301	1 clamping chuck 3-jaw: yes; diameter: 300 mm;	10.00
302	1 clamping chuck 3-jaw: yes; diameter: 250 mm;	10.00
303	1 pressure relief valve Most, brand: Most;	10.00
304	1 pneumatic axle sleeve spreader	10.00
305	2 roll wire	10.00
306	10 grindstones	10.00
307	12 clamps	10.00
308	4 drill	10.00
309	6 transport Chests plastic: yes;	10.00
310	1 ramp aluminum total dimension W: 280 mm;	10.00
311	1 ramp aluminum total dimension L: 2200 mm; total dimension W: 280 mm;	10.00
312	1 ramp aluminum total dimension L: 2200 mm; total dimension W: 280 mm;	10.00
313	1 ladder number of steps: 12; aluminium: yes; single ladder: yes;	10.00
314	1 set extension spoons Mammuth, brand: Mammuth; total dimension L: 1800 mm; total dimension W: 125 r	50.00 mm;
315	1 closet Toolbox4you, brand: Toolbox4you; dimension L: 46 cm; dimension W: 60 cm; dimension H: 200 cm;	10.00 ension
316	1 Stairs number of steps: 1; aluminium: yes;	10.00
317	1 Welding machine Morelisse, Perfect, brand: Morelisse; type: Perfect; ampere range: 60 A; electric connection: 380 V; description: 23 kVA;	10.00
318	1 Welding machine ampere range: 300 A; electric connection: 380 V; description: 23 kVA;	10.00
319	1 Welding machine Smit, brand: Smit; ampere range: 300 A; electric connection: 380 V; description: 17 kVA;	10.00 7.5
320	1 Welding machine Soldatech, Mig200y, brand: Soldatech; type: Mig200y; mig type: yes; ampere range A; electric connection: 230 V; description: equipped with torch;	100.00 e: 200
321	1 Welding machine Helvi, Pc 43, brand: Helvi; type: Pc 43; mig type: no; portable: yes; electric connect 230 V; description: equipped with torch;	10.00 ion:
322	1 welding torch	10.00
323	1 welding torch	10.00
324	1 welding torch	10.00



Lot	Number Description Starting	ng Bid €
325	Welding machine Soldatech, Arc250c, brand: Soldatech; type: Arc250c; mig type: no; MMA type: yes; portable: yes; ampere range: 230 A; electric connection: 230 V; description: equipped with torch;	10.00
326	Welding machine Soldatech, Cut70c, brand: Soldatech; type: Cut70c; mig type: no; MMA type: no; portable: yes; ampere range: 70 A; electric connection: 230 V; description: equipped with torch;	10.00
327	1 Welding machine Soldatech, Pl40c, brand: Soldatech; type: Pl40c; mig type: no; MMA type: yes; portable: yes; ampere range: 40 A; electric connection: 230 V; description: equipped with torch;	10.00
328	Welding machine Soldatech, Tl200p, brand: Soldatech; type: Tl200p; mig type: no; MMA type: yes; portable: yes; ampere range: 200 A; electric connection: 230 V; description: equipped with torch;	10.00
329	welding accessories     Ine, brand: Ine; description: weld helmet;	10.00
330	1 welding accessories Ine, brand: Ine; description: protection;	10.00
331	welding accessories     Ine, brand: Ine; description: protection;	10.00
332	1 welding accessories Ine, brand: Ine; description: protection;	10.00
333	1 welding accessories Ine, brand: Ine; description: welding glasses;	10.00
334	welding accessories     Ine, brand: Ine; description: welding helmet glasses;	10.00
335	1 welding accessories description: weld helmet;	10.00
336	1 welding accessories description: weld helmet;	10.00
337	1 welding accessories description: weld helmet;	10.00
338	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
339	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
340	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
341	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
342	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
343	1 welding accessories Soldatech, brand: Soldatech; description: weld helmet;	10.00
344	<ul> <li>welding accessories</li> <li>Soldatech, brand: Soldatech; description: weld hood;</li> </ul>	10.00
345	1 welding accessories Soldatech, brand: Soldatech; description: weld hood;	10.00
346	1 welding accessories Soldatech, brand: Soldatech; description: weld hood;	10.00
347	1 electrode dryer description: 230 volts;	10.00



Lot	Number Description Startin	g Bid €
348	1 welding trolley Soldatech, year built 2019, brand: Soldatech; year: 2019;	10.00
349	1 Welding machine Soldatech, Mig150, brand: Soldatech; type: Mig150; mig type: yes; ampere range: 140 A; electric connection: 230 V; description: equipped with torch and trolleybuses;	100.00
350	1 tool box Toolbox4you, brand: Toolbox4you; plastic: no; metal: yes; with content: no;	10.00
351	1 Welding machine Ecomig, 175fu, brand: Ecomig; type: 175fu; mig type: yes; portable: yes; ampere range: 175 A; electric connection: 230 V; description: equipped with torch and trolleybuses;	100.00
352	1 Welding machine Ecomig, Ecn-200, brand: Ecomig; type: Ecn-200; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 200 A; electric connection: 230 V; description: equipped with torch;	100.00
353	1 Welding machine Ecomig, D-arc-200, brand: Ecomig; type: D-arc-200; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 180 A; electric connection: 230 V; description: equipped with torch;	100.00
354	1 Welding machine Soldatech, El250c, brand: Soldatech; type: El250c; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 230 A; electric connection: 230 V; description: equipped with torch;	100.00
355	1 Welding machine Ecomig, El200c, brand: Ecomig; type: El200c; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 200 A; electric connection: 230 V; description: equipped with torch;	100.00
356	1 <b>Welding machine</b> Hyundai, Mma-160, brand: Hyundai; type: Mma-160; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 160 A; electric connection: 230 V; description: equipped with torch;	100.00
357	1 Welding machine Soldatech, Mini arc160, brand: Soldatech; type: Mini arc160; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 140 A; electric connection: 230 V; description: equipped with torch;	100.00
358	1 Welding machine Soldatech, El120nano, brand: Soldatech; type: El120nano; mig type: no; MMA type: no; inverter type: yes; portable: yes; ampere range: 140 A; electric connection: 230 V; description: equipped with torch;	100.00
359	1 <b>spot welding machine</b> Hunter, 007, brand: Hunter; type: 007; electric connection: 220 V; description: 800va; 4v;	10.00
360	2 welding accessories description: welding clamps;	10.00
361	1 reduce valve	10.00
362	1 reduce valve	10.00
363	1 reduce valve	10.00
364	Welding machine Soldatech, Tig-315p ac/dc, brand: Soldatech; type: Tig-315p ac/dc; mig type: no; tig type: yes; MMA type: no; AC/DC: yes; inverter type: no; portable: yes; ampere range: 300 A; electric connection: 380 V; description: equipped with torch;	100.00
365	1 Welding machine Soldatech, Cut 100c, brand: Soldatech; type: Cut 100c; mig type: no; tig type: no; MMA type: no; AC/DC: no; inverter type: no; portable: yes; ampere range: 100 A; electric connection: 380 V; description: equipped with torch;	100.00



Lot	Number Description St	arting Bid €
366	1 read cool unit	10.00
367	Soldatech, Wrc-300a, brand: Soldatech; type: Wrc-300a;  1 welding electrode	10.00
368	1 Welding wire	10.00
369	1 <b>Welding machine</b> Soldatech, Mig200, brand: Soldatech; type: Mig200; mig type: yes; ampere range: 18 A; electric connection: 380 V; description: equipped with torch;	100.00
370	1 Welding machine Helvi, Tp220 pulsed, brand: Helvi; type: Tp220 pulsed; mig type: no; inverter type: ye ampere range: 200 A; electric connection: 230 V; description: equipped with torch;	100.00 s;
371	1 Welding machine Helvi, Maxitech 360c, brand: Helvi; type: Maxitech 360c; mig type: no; inverter type: yearner range: 350 A; electric connection: 400 V; description: equipped with torch;	100.00 es;
372	1 Welding machine Lorch, E9530, brand: Lorch; type: E9530; mig type: no; inverter type: yes; ampere range: 370 A; electric connection: 400 V; description: equipped with torch;	100.00
373	Welding machine Lorch, E9530, brand: Lorch; type: E9530; mig type: no; inverter type: yes; ampere range: 370 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch;	100.00
374	1 Welding machine Lorch, E9050, brand: Lorch; type: E9050; mig type: no; inverter type: yes; ampere range: 360 A; wire feeder: no; electric connection: 400 V; description: equipped with torch;	100.00
375	1 Welding machine Lorch, E9050, brand: Lorch; type: E9050; mig type: no; inverter type: yes; ampere range: 360 A; wire feeder: no; electric connection: 400 V; description: equipped with torch;	100.00
376	1 Welding machine Lorch, E9530, brand: Lorch; type: E9530; mig type: no; inverter type: yes; ampere range: 370 A; wire feeder: no; electric connection: 400 V; description: equipped with torch;	100.00
377	1 Welding machine Lorch, E9530, brand: Lorch; type: E9530; mig type: no; inverter type: yes; ampere range: 370 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch;	100.00
378	1 Welding machine Bester, Mag ster 500, brand: Bester; type: Mag ster 500; mig type: no; inverter type: y ampere range: 500 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch;	100.00 yes;
379	1 Welding machine Lorch, Saprom 905, brand: Lorch; type: Saprom 905; mig type: no; inverter type: yes ampere range: 400 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch;	100.00
380	Welding machine Helvi, Tp270, brand: Helvi; type: Tp270; mig type: no; inverter type: yes; portable: yes ampere range: 270 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch and trolleybuses;	100.00
381	Welding machine Rehm, Megaplus focus 300, brand: Rehm; type: Megaplus focus 300; mig type: no; inverter type: yes; ampere range: 300 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch and trolleybuses;	100.00



Lot	Number Description Startin	g Bid €
382	1 Welding machine Migatronic, Pi250dg, brand: Migatronic; type: Pi250dg; mig type: no; inverter type: yes; portable: yes; ampere range: 250 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch and trolleybuses;	100.00
383	Welding machine Helvi, Compact 220 ac/dc, brand: Helvi; type: Compact 220 ac/dc; mig type: no; inverter type: yes; portable: yes; ampere range: 200 A; wire feeder: yes; electric connection: 400 V; description: equipped with torch and trolleybuses;	100.00
384	1 hydraulic machine jack Mammuth, Hmj05hd, year built 2019, brand: Mammuth; type: Hmj05hd; year: 2019; hoist capacity: 5000 kg; dimension H: 205 mm;	50.00
385	1 hydraulic machine jack Mammuth, Hmj10hd, year built 2019, brand: Mammuth; type: Hmj10hd; year: 2019; hoist capacity: 10000 kg; dimension H: 230 mm;	50.00
386	1 hydraulic machine jack hoist capacity: 10000 kg;	50.00
387	1 hydraulic machine jack hoist capacity: 10000 kg;	50.00
388	1 hydraulic machine jack hoist capacity: 5000 kg;	50.00
389	1 hydraulic machine jack hoist capacity: 5000 kg;	50.00
390	1 hydraulic machine jack Mammuth, Hmj10tj, year built 2018, brand: Mammuth; type: Hmj10tj; year: 2018; hoist capacity: 7500 kg;	50.00
391	1 hydraulic machine jack Mammuth, Hmj08tj, year built 2019, brand: Mammuth; type: Hmj08tj; year: 2019; hoist capacity: 8000 kg; own weight: 26 kg;	50.00
392	1 positioner Cowley, LM05, year built 2018, brand: Cowley; type: LM05; year: 2018; payload: 50 kg; horizontal: yes; rotating speed: 12 rpm; table ?: 300 mm; foot control: yes; electric connection: 220 V; machine weight: 36 kg;	50.00
393	1 positioner Cowley, LM10, year built 2018, brand: Cowley; type: LM10; year: 2018; payload: 100 kg; horizontal: yes; rotating speed: 2 rpm; table ?: 345 mm; foot control: yes; electric connection: 220 V; machine weight: 45 kg;	50.00
394	1 <b>positioner</b> Cowley, LM30, year built 2018, brand: Cowley; type: LM30; year: 2018; payload: 300 kg; horizontal: yes; vertical: yes; rotating speed: 2 rpm; table ?: 450 mm; foot control: yes; electric connection: 220 V; machine weight: 58 kg;	50.00
395	1 counterclocker saw blade ?: 200 mm; mitre: yes; electric connection: 230 V;	10.00
396	1 <b>band saw</b> electric connection: 230 V; description: 9000-23000 rpm; 30-80 m / min;	10.00
397	1 hydraulic crimping tooling Mammuth, YQK-300, brand: Mammuth; type: YQK-300; capacity: 7 t; description: range cu 10-300mm;	10.00
398	1 hydraulic crimping tooling Mammuth, YQK-70, brand: Mammuth; type: YQK-70; capacity: 4.5 t; description: range cu 4-70mm;	10.00
399	1 rebar blink Mammuth, Cpc-22a, brand: Mammuth; type: Cpc-22a; capacity: 10 t; description: cut cap diameter 4-22mm;	10.00



Lot	Number Description Starting	g Bid €
400	Uitdeuk hydraulic cylinder     Mammuth, brand: Mammuth;	10.00
401	1 hand punch set Mammuth, Cc60, brand: Mammuth; type: Cc60; description: punch sizes 22.5-61.5mm;	10.00
402	1 cable strip pliers Zipper, T03c-5d, brand: Zipper; type: T03c-5d;	10.00
403	1 extension reel Fluxon, brand: Fluxon; electric connection: 230 V; length: 15 m; on reel: yes;	10.00
404	1 extension reel electric connection: 230 V; length: 15 m; on reel: yes;	10.00
405	1 extension reel Fluxon, brand: Fluxon; electric connection: 230 V; length: 15 m; on reel: yes;	10.00
406	Hydraulic exhaust kit     Mammuth, Phe04, brand: Mammuth; type: Phe04; description: cap. 4 ton;	10.00
407	1 spray lance	10.00
408	1 air compressor	10.00
	Metabo, Basic 250-24w, brand: Metabo; type: Basic 250-24w; capacity: 8 bar; air flow: 200 l/min; power: 1.5 kW; buffer tank content: 24 l; electric connection: 230 V;	
409	1 closet Toolbox4you, brand: Toolbox4you; dimension L: 46 cm; dimension W: 60 cm; dimension H: 200 cm;	10.00
410	1 wall cabinets system Toolbox4you, brand: Toolbox4you; dimension L: 50 cm; dimension W: 204 cm; dimension H: 200 cm; description: equipped with chest of drawers; stainless steel sheet;	10.00
411	1 spot welding machine electric connection: 220 V; description: 800va; 4v;	10.00
412	1 garage stool Xptools, brand: Xptools;	10.00
413	1 vacuum lift set	10.00
414	1 magnet drilling machine electric connection: 230 V;	10.00
415	1 magnet drilling machine Xptools, Dr350m, year built 2018, brand: Xptools; type: Dr350m; year: 2018; drilling capacity: 35 mm; speed till N=: 810 rpm; holding force: 16000 N; electric connection: 230 V;	50.00
416	1 magnet drilling machine Xptools, Dr480mt, year built 2018, brand: Xptools; type: Dr480mt; year: 2018; drilling capacity: 48 mm; speed from N=: 100 rpm; speed till N=: 515 rpm; holding force: 14500 N; electric connection: 230 V;	50.00
417	1 magnet drilling machine Xptools, Dr350m, year built 2018, brand: Xptools; type: Dr350m; year: 2018; drilling capacity: 35 mm; speed till N=: 810 rpm; holding force: 16000 N; electric connection: 230 V;	50.00
418	1 Milling tool Xptools, Kb10pcs, brand: Xptools; type: Kb10pcs;	10.00
419	1 Milling tool	10.00
420	1 fretsaw discharge: 410 mm; electric connection: 230 V;	10.00
421	1 circular trim saw Cowley, CS250, year built 2019, brand: Cowley; type: CS250; year: 2019; saw blade ?: 250; speed till N=: 1400 rpm; electric connection: 400 V; machine weight: 143 kg; description: 1100 watts; vv machine clamp;	50.00
422	1 <b>cut-off saw</b> Metabo, Ks 216 m lasercut, brand: Metabo; type: Ks 216 m lasercut;	10.00



Lot	Number Description Startin	g Bid €
423	4 grip pliers	10.00
424	1 Concrete knife scissors	10.00
425	1 air compressor Zionair, Cp15t05, year built 2019, brand: Zionair; type: Cp15t05; year: 2019; capacity: 8 bar; air flow: 480 l/min; buffer tank content: 200 l; description: vv, motor; type GX270; 9 hp;	100.00
426	1 air compressor Zionair, Cp30a10, year built 2017, brand: Zionair; type: Cp30a10; year: 2017; mobile: yes; capacity: 8 bar; air flow: 480 l/min; power: 3 kW; buffer tank content: 200 l; electric connection: 380 V;	100.00
427	1 air compressor Zionair, Cp22a103, year built 2018, brand: Zionair; type: Cp22a103; year: 2018; mobile: yes; capacity: 10 bar; air flow: 480 l/min; power: 2.2 kW; buffer tank content: 200 l; electric connection: 380 V;	100.00
428	1 air compressor Zionair, Cp30a10, year built 2017, brand: Zionair; type: Cp30a10; year: 2017; mobile: yes; capacity: 10 bar; air flow: 480 l/min; power: 3 kW; buffer tank content: 200 l; electric connection: 400 V;	100.00
429	1 air compressor Zionair, Cp22a10, year built 2018, brand: Zionair; type: Cp22a10; year: 2018; mobile: yes; capacity: 10 bar; power: 2.2 kW; buffer tank content: 150 l; electric connection: 400 V;	100.00
430	1 blasting cabin Zion Air, SB11a, year built 2017, brand: Zion Air; type: SB11a; year: 2017; sand: yes; chamber dimension L: 755 mm; chamber dimension W: 495 mm; chamber dimension H: 720 mm; electric connection: 230 V; machine weight: 27 kg; description: volume 110 l; 5.5-8 bar;	10.00
431	1 <b>filter extraction system</b> Zionair, Sa230, year built 2016, brand: Zionair; type: Sa230; year: 2016; electric connection: 230 V; machine weight: 23 kg;	50.00
432	1 circular trim saw Total, Ts5152543, year built 2019, brand: Total; type: Ts5152543; year: 2019; saw blade ?: 254 mm; max. vertical cut: 85 mm; mitre: yes; underlying sawing machine: yes; table size L: 430 mm; table size W: 638 mm; electric connection: 220 V;	10.00
433	1 anvil description: equipped with wheeled table;	50.00
434	1 oil filter	10.00
435	1 pump nail pliers description: in suitcase;	10.00
436	1 pressure gauge	10.00
437	2 air reducing units Zionair, brand: Zionair;	10.00
438	1 air hose reel Zionair, brand: Zionair; hose length: 10 m; max. pressure: 20 bar; steel: yes;	10.00
439	1 sandblasting set Zionair, brand: Zionair;	10.00
440	1 sandblasting set Zionair, brand: Zionair;	10.00
441	1 cleaning gun Zionair, brand: Zionair; description: 5-8 bar; volume 1 ltr;	10.00
442	1 cleaning gun Zionair, brand: Zionair; description: 5-8 bar; volume 1 ltr;	10.00
443	1 <b>spray gun</b> Zionair, brand: Zionair;	10.00



Lot	Number Description	Starting Bid €
444	1 <b>spray gun</b> Zionair, brand: Zionair;	10.00
445	1 pneumatic tire buffer Zionair, At-7036c, brand: Zionair; type: At-7036c;	10.00
446	1 pneumatic tire buffer Zionair, At-7036c, brand: Zionair; type: At-7036c;	10.00
447	1 pneumatic tire grinding machine/ belt sander Zionair, Abs10m, brand: Zionair; type: Abs10m;	10.00
448	1 pneumatic tire grinding machine/ belt sander Zionair, Abs10m, brand: Zionair; type: Abs10m;	10.00
449	1 pneumatic pump nail unit Zionair, Ahr17, brand: Zionair; type: Ahr17;	10.00
450	1 pneumatic pump nail unit Zionair, Ahr17, brand: Zionair; type: Ahr17;	10.00
451	1 pneumatic grinding machine/ belt sander Zionair, brand: Zionair;	10.00
452	1 pneumatic grinding machine/ belt sander Zionair, brand: Zionair;	10.00
453	1 pneumatic grinding machine/ belt sander 3m, brand: 3m;	10.00
454	1 pneumatic grinding machine/ belt sander Zionair, brand: Zionair;	10.00
455	1 pneumatic grinding machine/ belt sander Zionair, brand: Zionair;	10.00
456	1 pneumatic grinding machine Rc, brand: Rc;	10.00
457	1 pneumatic angle grinding machine Zionair, brand: Zionair;	10.00
458	1 pneumatic angle grinding machine Zionair, brand: Zionair;	10.00
459	1 pneumatic angle grinding machine Zionair, brand: Zionair;	10.00
460	1 pneumatic ratchet set Zionair, brand: Zionair;	10.00
461	1 pneumatic ratchet set Zionair, brand: Zionair;	10.00
462	1 pneumatic cutting tooling Zionair, brand: Zionair; description: 3";	10.00
463	1 pneumatic cutting tooling Zionair, brand: Zionair; description: 3";	10.00
464	1 pneumatic cutting tooling Zionair, brand: Zionair; description: 3";	10.00
465	1 pneumatic cutting tooling Zionair, brand: Zionair; description: 3";	10.00
466	2 pneumatic tire inflation guns Zionair, brand: Zionair;	10.00
467	2 pneumatic tire inflation guns Zionair, brand: Zionair;	10.00
468	1 Pneumatic tacker Zionair, brand: Zionair;	10.00
469	1 Pneumatic tacker Zionair, brand: Zionair;	10.00
470	3 pneumatic guns	10.00



Lot	Number Description	Starting Bid €
471	1 pneumatic drill description: 1/2";	10.00
472	1 pneumatic drill description: 1/2";	10.00
473	1 pneumatic 5 "grinder Zionair, brand: Zionair;	10.00
474	pneumatic 5 "grinder     Zionair, brand: Zionair;	10.00
475	1 pneumatic grinder Zionair, brand: Zionair;	10.00
476	1 pneumatic nut setter set Zionair, brand: Zionair;	10.00
477	1 pneumatic nut setter set Zionair, brand: Zionair;	10.00
478	1 pneumatic nut setter Zionair, lw34c1300, brand: Zionair; type: lw34c1300;	10.00
479	1 pneumatic nut setter Zionair, lw34c1300, brand: Zionair; type: lw34c1300;	10.00
480	1 pneumatic nut setter Zionair, lw12c1300, brand: Zionair; type: lw12c1300; description: 1/2";	10.00
481	1 pneumatic nut setter Zionair, lw12c1300, brand: Zionair; type: lw12c1300; description: 1/2";	10.00
482	1 extension reel Fluxon, brand: Fluxon; electric connection: 230 V; length: 10 m; on reel: yes;	10.00
483	1 set of heavy wheels	10.00
484	1 <b>air hose reel</b> Zionair, brand: Zionair; hose length: 10 m; max. pressure: 105 bar; steel: yes;	10.00
485	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
486	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
487	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
488	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
489	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
490	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
491	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
492	1 trolley jack Mega, brand: Mega; capacity: 20 t; height: 615 mm;	10.00
493	1 <b>trolley jack</b> Rassant, brand: Rassant; capacity: 8 t;	10.00
494	1 trolley jack Compac, brand: Compac; capacity: 2 t;	10.00
495	1 <b>Stairs</b> Zarges, brand: Zarges; number of steps: 2; aluminium: yes;	10.00
496	1 Stairs Altrex, brand: Altrex; number of steps: 2; aluminium: yes;	10.00
497	1 other internal transport	10.00
498	1 other internal transport	10.00



Lot	Number Description	Starting Bid €
499	1 hand pipe bender	10.00
500	1 hand pipe bender	10.00
501	1 hand pipe bender	10.00
502	1 hand pipe bender	10.00
503	1 locking pliers description: 36";	10.00
504	1 sledge	10.00
505	2 crushing irons	10.00
506	1 hydraulic pump Zupper, Cfp-800, brand: Zupper; type: Cfp-800; foot control: yes; description: with coffin;	10.00
507	1 hydraulic pump foot control: yes;	10.00
508	1 hydraulic pump Mammuth, brand: Mammuth; foot control: yes;	10.00
509	1 hand punch unit	10.00
510	1 hydraulic pump RP, brand: RP; foot control: yes;	10.00
511	1 hydraulic cable cutter Zupper, Cpc-16, brand: Zupper; type: Cpc-16;	10.00
512	1 hydraulic cable cutter Zupper, Cpc-16, brand: Zupper; type: Cpc-16;	10.00
513	1 hydraulic bending unit Mammuth, Cb-200a, brand: Mammuth; type: Cb-200a; description: with coffin;	10.00
514	1 hydraulic split cable cutter Mammuth, Cb-100b, brand: Mammuth; type: Cb-100b; description: with coffin;	10.00
515	1 hydraulic cylinder Mammuth, Mhc60100, brand: Mammuth; type: Mhc60100; hoist capacity: 60000 kg description: stroke 100mm; lift height 282mm;	50.00
516	1 hydraulic cylinder Mammuth, Mpc30150, brand: Mammuth; type: Mpc30150; hoist capacity: 30000 kg description: stroke 150 mm; lift height 257mm;	50.00 g;
517	1 hydraulic cylinder Mammuth, Mpc10150, brand: Mammuth; type: Mpc10150; hoist capacity: 10000 kg description: stroke 150 mm; lift height 239mm;	50.00 g;
518	1 hydraulic cylinder Mammuth, Mhc3050, brand: Mammuth; type: Mhc3050; hoist capacity: 30000 kg; description: stroke 50 mm; lift height 178mm;	50.00
519	1 hydraulic cylinder Mammuth, Mpc2050, brand: Mammuth; type: Mpc2050; hoist capacity: 20000 kg; description: stroke 50 mm; lift height 157mm;	50.00
520	1 hydraulic cylinder Mammuth, Mpc30100, brand: Mammuth; type: Mpc30100; hoist capacity: 30000 kg description: stroke 100 mm; lift height 207mm;	50.00 g;
521	1 hydraulic cylinder Zupper, Zpc-50200, brand: Zupper; type: Zpc-50200; hoist capacity: 50000 kg; description: stroke 200 mm; lift height 513mm;	50.00
522	1 hydraulic cylinder Zupper, Zpc-100150, brand: Zupper; type: Zpc-100150; hoist capacity: 100000 kg description: stroke 150 mm; lift height 277mm;	50.00
523	1 hydraulic cylinder Mammuth, Mpc50200, brand: Mammuth; type: Mpc50200; hoist capacity: 50000 kg description: stroke 200 mm; lift height 313mm;	50.00 g;



Lot	Number Description Starting	g Bid €
524	1 hydraulic cylinder Mammuth, Mpc50150, brand: Mammuth; type: Mpc50150; hoist capacity: 50000 kg; description: stroke 150 mm; lift height 263mm;	50.00
525	1 hydraulic cylinder Mammuth, Mpc150150, brand: Mammuth; type: Mpc150150; hoist capacity: 150000 kg; description: stroke 150 mm; lift height 260mm;	50.00
526	1 hydraulic cylinder Mammuth, Mpc50100, brand: Mammuth; type: Mpc50100; hoist capacity: 50000 kg; description: stroke 100 mm; lift height 213mm;	50.00
527	1 hydraulic cylinder Mammuth, Mfl100, brand: Mammuth; type: Mfl100; hoist capacity: 100000 kg; description: stroke 16 mm; lift height 86mm;	50.00
528	1 hydraulic cylinder Mammuth, Mfl100d, brand: Mammuth; type: Mfl100d; hoist capacity: 100000 kg; description: stroke 75 mm; lift height 86mm;	50.00
529	1 hydraulic cylinder Zupper, Zfl-200, brand: Zupper; type: Zfl-200; hoist capacity: 200000 kg; description: stroke 75 mm; lift height 100mm;	50.00
530	1 hydraulic cylinder Mammuth, Mpc50200, brand: Mammuth; type: Mpc50200; hoist capacity: 50000 kg; description: stroke 200 mm; lift height 313mm;	50.00
531	1 hydraulic cylinder Mammuth, Mpc30200, brand: Mammuth; type: Mpc30200; hoist capacity: 30000 kg; description: stroke 200 mm; lift height 307mm;	50.00
532	1 hydraulic cylinder Mammuth, Mpc30100, brand: Mammuth; type: Mpc30100; hoist capacity: 30000 kg; description: stroke 100 mm; lift height 207mm;	50.00
533	1 hydraulic cylinder Mammuth, Mpc3050, brand: Mammuth; type: Mpc3050; hoist capacity: 30000 kg; description: stroke 50 mm; lift height 157mm;	50.00
534	1 hydraulic cylinder Mammuth, Mhc3050, brand: Mammuth; type: Mhc3050; hoist capacity: 30000 kg; description: stroke 50 mm; lift height 178mm;	50.00
535	1 hydraulic cylinder Mammuth, Mhc20100, brand: Mammuth; type: Mhc20100; hoist capacity: 20000 kg; description: stroke 100 mm; lift height 217mm;	50.00
536	1 hydraulic cylinder Mammuth, Mpc100150, brand: Mammuth; type: Mpc100150; hoist capacity: 100000 kg; description: stroke 150 mm; lift height 277mm;	50.00
537	1 hydraulic cylinder Mammuth, Mpc10050, brand: Mammuth; type: Mpc10050; hoist capacity: 100000 kg; description: stroke 50 mm; lift height 149mm;	50.00
538	1 hydraulic cylinder Mammuth, Mfl20, brand: Mammuth; type: Mfl20; hoist capacity: 20000 kg; description: stroke 11 mm; lift height 52mm;	50.00
539	1 hydraulic cylinder Mammuth, Mpc300100, brand: Mammuth; type: Mpc300100; hoist capacity: 300000 kg; own weight: 102 kg; description: stroke 100 mm; lift height 233mm;	50.00
540	1 hydraulic cylinder Zupper, Zpc-30050, brand: Zupper; type: Zpc-30050; hoist capacity: 300000 kg; own weight: 81 kg; description: stroke 50 mm; lift height 215mm;	50.00
541	1 hydraulic bottle jack hoist capacity: 2000 kg;	10.00



Lot	Number Description Startin	g Bid €
542	hydraulic bottle jack     Mammuth, brand: Mammuth; hoist capacity: 2000 kg;	10.00
543	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 2000 kg;	10.00
544	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 2000 kg;	10.00
545	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 3000 kg;	10.00
546	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 5000 kg;	10.00
547	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 8000 kg;	10.00
548	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 12000 kg;	10.00
549	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 15000 kg;	10.00
550	hydraulic bottle jack     Mammuth, brand: Mammuth; hoist capacity: 15000 kg;	10.00
551	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 20000 kg;	10.00
552	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 30000 kg;	10.00
553	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 50000 kg;	10.00
554	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 50000 kg;	10.00
555	1 hydraulic bottle jack	10.00
556	1 hydraulic bottle jack hoist capacity: 10000 kg;	10.00
557	1 hydraulic bottle jack Mammuth, brand: Mammuth; hoist capacity: 12000 kg;	10.00
558	1 hydraulic bottle jack Mattis, brand: Mattis; hoist capacity: 20000 kg;	10.00
559	1 hydraulic bottle jack Mattis, brand: Mattis; hoist capacity: 20000 kg;	10.00
560	1 chain hoist Mennens, Tm-b-op-100, year built 2007, brand: Mennens; type: Tm-b-op-100; year: 2007; hoist capacity: 10000 kg; description: equipped with very long chain; and transport case;	10.00
561	1 hydraulic pump Mammuth, Cp700b, brand: Mammuth; type: Cp700b; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
562	1 hydraulic pump Mammuth, Cp700b, brand: Mammuth; type: Cp700b; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
563	1 hydraulic pump Mammuth, Cp700b, brand: Mammuth; type: Cp700b; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
564	1 hydraulic pump Mammuth, Cp700, brand: Mammuth; type: Cp700; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00



Lot	Number Description Startin	g Bid €
565	1 hydraulic pump Mammuth, Cp700, brand: Mammuth; type: Cp700; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
566	1 hydraulic pump Mammuth, Cp390, brand: Mammuth; type: Cp390; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
567	1 hydraulic pump Mammuth, Cp390, brand: Mammuth; type: Cp390; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
568	1 hydraulic pump Mammuth, Cp390, brand: Mammuth; type: Cp390; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
569	1 hydraulic pump Mammuth, Cp180b, brand: Mammuth; type: Cp180b; manually operated: yes; foot control: no; operating pressure: 700 bar;	10.00
570	1 hydraulic cylinder Mammuth, Mc1050, brand: Mammuth; type: Mc1050; hoist capacity: 10000 kg; description: stroke 50 mm; lift height 96mm;	50.00
571	1 hydraulic cylinder Mammuth, Mc1050, brand: Mammuth; type: Mc1050; hoist capacity: 10000 kg; description: stroke 50 mm; lift height 96mm;	50.00
572	1 hydraulic cylinder Mammuth, Mpc05100, brand: Mammuth; type: Mpc05100; hoist capacity: 5000 kg; description: stroke 100 mm; lift height 183mm;	50.00
573	1 hydraulic cylinder Mammuth, Mfl50d, brand: Mammuth; type: Mfl50d; hoist capacity: 50000 kg; description: stroke 64 mm; lift height 69mm;	50.00
574	1 hydraulic cylinder Mammuth, Mfl30d, brand: Mammuth; type: Mfl30d; hoist capacity: 30000 kg; description: stroke 53 mm; lift height 63mm;	50.00
575	1 hydraulic pipe bend Mammuth, Cpb-2, brand: Mammuth; type: Cpb-2; capacity: 16 t; manually operated: yes; description: stroke 250mm; range 1/2 "-2";	50.00
576	1 <b>electric pump</b> Mammuth, Tep-700b, brand: Mammuth; type: Tep-700b; electric connection: 230 V; description: vv coffin;	10.00
577	1 <b>beam clamp</b> Torso, brand: Torso; hoist capacity: 3000 kg;	10.00
578	2 electric hand grinders Makita, brand: Makita; with case: yes; electric connection: 230 V;	50.00
579	1 air hose with gun	10.00
580	1 <b>drum lifter</b> hoist capacity: 350 kg;	10.00
581	<ul><li>1 welding accessories</li><li>3m, brand: 3m; description: weld hood;</li></ul>	10.00
582	1 welding accessories description: weld hood;	10.00
583	1 welding accessories description: weld hood;	10.00
584	1 welding accessories description: weld hood;	10.00
585	1 chain hoist puller hoist capacity: 500 kg; max. hoist height: 4.5 m;	10.00
586	1 lifting eye	10.00



Lot	Number Description Startin	g Bid €
587	1 plain trolley hoist capacity: 500 kg;	10.00
588	1 panelclamp Kwint, brand: Kwint;	10.00
589	1 magnet lifter Eclipse, LM0500, brand: Eclipse; type: LM0500; hoist capacity: 500 kg;	50.00
590	1 puller	10.00
591	1 snatch block hoist capacity: 1500 kg;	10.00
592	1 snatch block hoist capacity: 2000 kg;	10.00
593	1 snatch block hoist capacity: 3000 kg;	10.00
594	1 hydraulic cylinder	50.00
595	1 hydraulic cylinder	50.00
596	1 hydraulic cylinder	50.00
597	1 steel wire rope Torso, Cp0800, brand: Torso; type: Cp0800; hoist capacity: 800 kg; description: without steel cable;	10.00
598	1 steel wire rope Torso, Cp1600, brand: Torso; type: Cp1600; hoist capacity: 1600 kg;	10.00
599	1 steel wire rope Torso, Cp3200, brand: Torso; type: Cp3200; hoist capacity: 3200 kg;	10.00
600	1 semi-finished product	10.00
601	1 semi-finished product	10.00
602	1 semi-finished product	10.00
603	1 electric chain hoist Torso, Hco800e, brand: Torso; type: Hco800e; capacity: 800 kg; electric connection: 230 V;	10.00
604	1 electric chain hoist Bada, Bdh300, brand: Bada; type: Bdh300; capacity: 300 kg; lifting heigth: 6 m; electric connection: 230 V;	10.00
605	1 electric chain hoist Bada, Bdh150, brand: Bada; type: Bdh150; capacity: 150 kg; lifting heigth: 6 m; electric connection: 230 V;	10.00
606	1 electric chain hoist Bada, Bdh500, brand: Bada; type: Bdh500; capacity: 500 kg; lifting heigth: 6 m; electric connection: 230 V;	10.00
607	1 electric chain hoist Torso, Hc0990e, brand: Torso; type: Hc0990e; capacity: 999 kg; lifting heigth: 18 m; remote control: yes; electric connection: 230 V;	50.00
608	1 electric chain hoist Torso, Hc0800e, brand: Torso; type: Hc0800e; capacity: 800 kg; lifting heigth: 18 m; remote control: yes; electric connection: 230 V;	50.00
609	1 electric chain hoist Torso, Hc0600e, brand: Torso; type: Hc0600e; capacity: 600 kg; lifting heigth: 18 m; remote control: yes; electric connection: 230 V;	50.00
610	1 electric chain hoist remote control: yes; electric connection: 230 V;	50.00
611	1 electric chain hoist remote control: yes; electric connection: 230 V;	50.00



Lot	Number Description Starting	ng Bid €
612	1 <b>electric chain hoist</b> Torso, Hc0100e, brand: Torso; type: Hc0100e; capacity: 100 kg; lifting heigth: 4 m; remote control: yes; electric connection: 230 V;	50.00
613	1 electric chain hoist Torso, Hc0200e, brand: Torso; type: Hc0200e; capacity: 200 kg; lifting heigth: 4 m; remote control: yes; electric connection: 230 V;	50.00
614	1 Electric car oil Torso, Cw08h24d, brand: Torso; type: Cw08h24d; capacity: 3600 kg; remote control: yes; electric connection: 24 V;	50.00
615	1 Electric car oil Torso, Cw05v24, brand: Torso; type: Cw05v24; remote control: yes; electric connection: 24 V;	50.00
616	1 Electric car oil Torso, Cw08v24, brand: Torso; type: Cw08v24; capacity: 3629 kg; remote control: yes; electric connection: 24 V;	50.00
617	1 Electric car oil Torso, Cw04v24, brand: Torso; type: Cw04v24; capacity: 1815 kg; remote control: yes; electric connection: 24 V;	50.00
618	1 vertical lifting clamp hoist capacity: 3000 kg; description: range 3-35mm;	10.00
619	1 vertical lifting clamp hoist capacity: 3000 kg; description: range 3-35mm;	10.00
620	1 vertical lifting clamp hoist capacity: 3000 kg; description: range 3-35mm;	10.00
621	1 vertical lifting clamp hoist capacity: 3000 kg; description: range 3-35mm;	10.00
622	1 vertical lifting clamp hoist capacity: 1000 kg;	10.00
623	1 vertical lifting clamp hoist capacity: 1000 kg;	10.00
624	1 vertical lifting clamp hoist capacity: 1000 kg;	10.00
625	1 vertical lifting clamp hoist capacity: 1000 kg;	10.00
626	1 lifting eye hoist capacity: 5300 kg;	10.00
627	1 lifting eye hoist capacity: 12500 kg;	10.00
628	1 lifting eye hoist capacity: 15000 kg;	10.00
629	1 lot of several lifting chains	10.00
630	1 vertical lifting clamp hoist capacity: 2000 kg;	10.00
631	1 lot of various slings	10.00
632	1 air compressor Zionair, Cp22s8, year built 2016, brand: Zionair; type: Cp22s8; year: 2016; capacity: 8 bar; air flow: 250 l/min; power: 2.2 kW; hours on display: 1 hr; electric connection: 380 V; own weight: 140 kg;	100.00
633	1 air dryer Zionair, Ad20, year built 2018, brand: Zionair; type: Ad20; year: 2018; electric connection: 230 V;	50.00
634	1 profile bender manually operated: yes;	10.00



Lot	Number Description St	arting Bid €
635	1 roller machine crowbar Mammuth, Rc15, year built 2013, brand: Mammuth; type: Rc15; year: 2013; hoist capacity: 1500 kg;	10.00
636	1 welding accessories description: various deficiencies;	10.00
637	1 Pickup truck air tyres: yes;	10.00
638	1 Pickup truck air tyres: yes;	10.00
639	1 Other garage tooling	10.00
640	1 extension	10.00
641	Other garage tooling     description: on wall;	10.00
642	1 Socket Seneca, brand: Seneca; piece: 24;	10.00
643	1 sanding and grinding equipment description: on wall;	10.00
644	1 Extension cables	10.00
645	1 machine skate move set Mammuth, Sk30, brand: Mammuth; type: Sk30; hoist capacity: 30000 kg;	50.00
646	2 machine skate move set Mammuth, Rrs20 / rrs10, brand: Mammuth; type: Rrs20 / rrs10; description: cap 1000 and 2000 kg;	50.00
647	1 machine skate move set Mammuth, Ss240p, brand: Mammuth; type: Ss240p; hoist capacity: 15000 kg; description: skates capacity 12 tons;	100.00
648	1 machine skate move set Mammuth, Sk12zp, brand: Mammuth; type: Sk12zp; hoist capacity: 12000 kg; description: skates capacity 9 tonnes;	100.00
649	1 machine skate move set Mammuth, Sk12zp, brand: Mammuth; type: Sk12zp; hoist capacity: 12000 kg; description: skates capacity 6 tons;	100.00
650	1 machine skate move set Mammuth, Sk08zp, brand: Mammuth; type: Sk08zp; hoist capacity: 8000 kg; descript skates capacity 4 tons;	100.00 ion:
651	1 lot of sail	10.00
652	1 jig saw Makita, brand: Makita; electric connection: 230 V;	10.00
653	2 angle grinder s Bosch, brand: Bosch; electric connection: 230 V;	10.00
654	2 angle grinder s Bosch / metabo, brand: Bosch / metabo; electric connection: 230 V;	10.00
655	2 drilling machines Makita, brand: Makita; electric connection: 230 V;	10.00
656	1 angle grinder Bosch, brand: Bosch; electric connection: 230 V;	10.00
657	1 drilling machine Bosch, brand: Bosch; electric connection: 230 V;	10.00
658	1 drilling machine electric connection: 230 V;	10.00
659	4 leveling	10.00
660	1 angle grinder Fein, brand: Fein; electric connection: 230 V;	10.00



Lot	Number Description	Starting Bid €
661	6 various helmets and hoods	10.00
662	1 angle grinder Bosch, brand: Bosch; electric connection: 230 V;	10.00
663	1 angle grinder Bosch, Gws24-180, brand: Bosch; type: Gws24-180; electric connection: 230 V;	10.00
664	1 impact wrench Bosch, Ods-18, brand: Bosch; type: Ods-18; electric connection: 230 V;	10.00
665	1 angle grinder Bosch, Gws22-180 jh, brand: Bosch; type: Gws22-180 jh; electric connection: 23	
666	1 angle grinder Bosch, Gws22-180 jh, brand: Bosch; type: Gws22-180 jh; electric connection: 23	
667	1 drilling machine Bosch, brand: Bosch; electric connection: 230 V;	10.00
668	1 drilling machine Bosch, brand: Bosch; electric connection: 230 V;	10.00
669	1 angle grinder Bosch, Gws24-180 jh, brand: Bosch; type: Gws24-180 jh; electric connection: 23	
670	1 jig saw Metabo, brand: Metabo; electric connection: 230 V;	10.00
671	1 grinding machine/ belt sander Black & Decker, brand: Black & Decker; electric connection: 230 V;	10.00
672	1 sawing machine Hitachi, brand: Hitachi; electric connection: 230 V;	10.00
673	1 baby welding machine	10.00
674	<ul><li>1 planing machine</li><li>T.i.p, brand: T.i.p; electric connection: 230 V;</li></ul>	10.00
675	1 electric chain hoist	10.00
676	1 set of skates Mammuth, brand: Mammuth; hoist capacity: 2000 kg;	50.00
677	1 set of skates Mammuth, brand: Mammuth; hoist capacity: 6000 kg;	50.00
678	1 welding accessories description: incl. welding electrodes; wire etc;	10.00
679	1 chain hoist Torso, brand: Torso; hoist capacity: 500 kg; max. hoist height: 1.5 m;	10.00
680	1 chain hoist Rema, brand: Rema; hoist capacity: 1000 kg;	10.00
681	1 chain hoist Vp, brand: Vp; hoist capacity: 2000 kg; max. hoist height: 3 m;	10.00
682	1 chain hoist Kwint, brand: Kwint; hoist capacity: 1000 kg;	10.00
683	1 <b>chain hoist</b> Torso, brand: Torso; hoist capacity: 1500 kg; max. hoist height: 4 m;	10.00
684	1 <b>chain hoist</b> Torso, brand: Torso; hoist capacity: 1000 kg; max. hoist height: 10 m;	10.00
685	1 chain hoist puller Torso, brand: Torso; hoist capacity: 2000 kg; max. hoist height: 1.5 m;	10.00
686	1 chain hoist hoist capacity: 1000 kg; max. hoist height: 6 m;	10.00
687	1 guillotine knife length: 100 mm;	10.00
688	1 guillotine Peddinghaus, brand: Peddinghaus; knife length: 150 mm;	10.00



Lot	Number Description Starting	g Bid €
689	1 ladder Altrex, TX13, brand: Altrex; type: TX13;	10.00
690	1 welding accessories description: incl. welding accessories ; torches etc.;	10.00
691	1 Milling tool	10.00
692	1 <b>nibbler</b> Bosch, brand: Bosch; electric connection: 230 V;	10.00
693	1 hand tool electric connection: 230 V;	10.00
694	1 <b>top and edge milling machine</b> King, brand: King;	10.00
695	1 top and edge milling machine Elu, brand: Elu;	10.00
696	1 <b>pneumatic nibbler</b> Zionair, brand: Zionair;	10.00
697	pneumatic nibbler     Zionair, brand: Zionair;	10.00
698	pneumatic angle grinder     Zionair, brand: Zionair;	10.00
699	1 pneumatic angle grinder Zionair, brand: Zionair;	10.00
700	pneumatic stripping device     Zionair, brand: Zionair;	10.00
701	pneumatic stripping device     Zionair, brand: Zionair;	10.00
702	1 <b>pneumatic body saw</b> Zionair, brand: Zionair;	10.00
703	pneumatic body saw     Zionair, brand: Zionair;	10.00
704	1 pneumatic needle scaler Zionair, brand: Zionair;	10.00
705	1 pneumatic needle scaler Zionair, brand: Zionair;	10.00
706	1 pneumatic scissors Zionair, brand: Zionair;	10.00
707	1 pneumatic scissors Zionair, brand: Zionair;	10.00
708	1 panel lifter Mammuth, Pl54, year built 2018, brand: Mammuth; type: Pl54; year: 2018; lifting capacity: 54 kg; description: max height 3350mm; min height 1400mm;	50.00
709	1 blasting cabin Zion Air, SBC1200, year built 2017, brand: Zion Air; type: SBC1200; year: 2017; sand: yes; chamber dimension L: 1840 mm; chamber dimension W: 1525 mm; chamber dimension H: 1400 mm; electric connection: 230 V; machine weight: 200 kg; description: volume 1200 ltr; working pressure 5.5-8.5 bar; two-sided door opening;	100.00
710	1 blasting cabin Zion Air, SB99a, year built 2018, brand: Zion Air; type: SB99a; year: 2018; sand: yes; chamber dimension L: 1760 mm; chamber dimension W: 1320 mm; chamber dimension H: 1200 mm; electric connection: 230 V; machine weight: 160 kg; description: volume 990 liters; working pressure 5.5-8.5 bar;	100.00



Lot	Number Description Startin	g Bid €
711	1 blasting cabin Zion Air, SB35a, year built 2017, brand: Zion Air; type: SB35a; year: 2017; sand: yes; chamber dimension L: 1620 mm; chamber dimension W: 940 mm; chamber dimension H: 930 mm; electric connection: 230 V; machine weight: 90 kg; description: volume 350 liters; working pressure 5.5-8.5 bar;	100.00
712	1 blasting cabin Zion Air, SB42a, year built 2015, brand: Zion Air; type: SB42a; year: 2015; sand: yes; chamber dimension L: 560 mm; chamber dimension W: 1200 mm; chamber dimension H: 560 mm; electric connection: 230 V; machine weight: 148 kg; description: volume 420 l; working pressure 5.5-8.5 bar;	100.00
713	1 blasting cabin Zion Air, SB22a, year built 2015, brand: Zion Air; type: SB22a; year: 2015; sand: yes; chamber dimension L: 520 mm; chamber dimension W: 840 mm; chamber dimension H: 340 mm; electric connection: 230 V; machine weight: 148 kg; description: volume 220 liters; working pressure 40-80 psi;	100.00
714	1 Workplace crane Mammuth, CE1TT, year built 2019, brand: Mammuth; type: CE1TT; year: 2019; hoist capacity: 1000 kg; own weight: 65 kg; description: lift range 25-2040mm;	100.00
715	1 hand trolley for barrels solid tyres: yes;	10.00
716	1 hand hydraulic pallet truck Mammuth, PS10S, year built 2017, brand: Mammuth; type: PS10S; year: 2017; high lifter: yes; lifting capacity: 1000 kg; lifting height: 715 mm;	100.00
717	1 Roller scaffolding Mammuth, brand: Mammuth; dimension L: 1870 mm; dimension W: 740 mm; dimension H: 1800 mm; number of boards: 1; number of wheels: 4;	50.00
718	1 blasting cabin Zion Air, SB09a, year built 2018, brand: Zion Air; type: SB09a; year: 2018; sand: yes; chamber dimension L: 585 mm; chamber dimension W: 480 mm; chamber dimension H: 490 mm; electric connection: 230 V; machine weight: 18 kg; description: volume 90 ltr; 5.5-8 bar operating pressure;	100.00
719	1 blasting cabin Zion Air, SB03a, year built 2017, brand: Zion Air; type: SB03a; year: 2017; sand: yes; chamber dimension L: 475 mm; chamber dimension W: 370 mm; chamber dimension H: 370 mm; electric connection: 230 V; machine weight: 13 kg; description: volume 30 ltr; 5.5-8 bar operating pressure;	100.00
720	1 hand hydraulic pallet truck Mammuth, year built 2019, brand: Mammuth; year: 2019; lifting capacity: 2500 kg;	50.00
721	1 hand hydraulic pallet truck Mammuth, year built 2018, brand: Mammuth; year: 2018; lifting capacity: 2000 kg;	50.00
722	1 large quantity of terminals Piher, brand: Piher; description: approx. 130 pieces; various lengths; car included;	100.00
723	1 Workplace crane hoist capacity: 1500 kg;	100.00
724	1 Workplace crane Mammuth, CE1TT, year built 2019, brand: Mammuth; type: CE1TT; year: 2019; hoist capacity: 2000 kg; own weight: 100 kg; description: lift range 25-2435mm; collapsible;	100.00
725	1 motorcycle MZ, 125 SX, year built 2004, brand: MZ; type: 125 SX; year: 2004; VIN number: SNZ1SXSM04H508267; mileage (at intake): 4500 km;	100.00
726	1 motorcycle MZ, 125 SX, year built 2004, brand: MZ; type: 125 SX; year: 2004; VIN number: SNZ1SXSM04H508257; mileage (at intake): 3740 km;	100.00



Lot	Number Description St	arting Bid €
727	1 scissor table Mammuth, brand: Mammuth; hoist capacity: 135 kg;	50.00
728	1 hydraulic bottle jack Mammuth, brand: Mammuth;	10.00
729	1 engine lift bridge Mammuth, ML45PA, year built 2019, brand: Mammuth; type: ML45PA; year: 2019; scissor lift: yes; capacity: 450 kg; lifting height: 750 mm; own weight: 135 kg;	100.00
730	1 engine lift bridge Mammuth, ML45PA, year built 2019, brand: Mammuth; type: ML45PA; year: 2019; scissor lift: yes; capacity: 450 kg; lifting height: 750 mm; own weight: 135 kg;	100.00
731	1 motor trolley Mammuth, brand: Mammuth;	10.00
732	1 parts cleaner Mammuth, PW20e, year built 2019, brand: Mammuth; type: PW20e; year: 2019; own weight: 25 kg; description: volume 76 ltr;	10.00
733	1 motor stand Mammuth, brand: Mammuth; description: capacity 680 kg;	10.00
734	1 furniture transporter Mammuth, year built 2017, brand: Mammuth; year: 2017; lifting capacity: 1800 kg; description: lift height 250mm;	10.00
735	1 <b>generator</b> VP, DG6000E, year built 2016, brand: VP; type: DG6000E; year: 2016; diesel: yes; engine power: 5 kW; mobile: yes; description: 230/400 volts; 7.2a;	50.00
736	1 generator Hyundai, HHDP35, brand: Hyundai; type: HHDP35; diesel: no; gasoline: yes; mobile: yes; description: 230 volts; 2500 watts;	50.00
737	1 tires balancing equipment Fasep, V555.2.G4.A, year built 2018, brand: Fasep; type: V555.2.G4.A; year: 2018; electric connection: 220 V; description: 250 watts; equipped with Hanns.G monitor;	100.00
738	1 hydraulic heel breaker Mammuth, brand: Mammuth;	10.00
739	1 tires balancing equipment Trainsway, ZH825B, year built 2019, brand: Trainsway; type: ZH825B; year: 2019; electric connection: 230 V; description: 0.2 kW;	100.00
740	1 tires (de) mounting machine Trainsway, ZH650, year built 2019, brand: Trainsway; type: ZH650; year: 2019; electr connection: 230 V; description: 1.1 kW; equipped with auxiliary arm, type zh650; noz:	
741	1 trolley jack Mammuth, Fj25as, brand: Mammuth; type: Fj25as; capacity: 2.5 t;	10.00
742	1 <b>trolley jack</b> Mammuth, JG30, brand: Mammuth; type: JG30; capacity: 3 t;	10.00
743	1 <b>trolley jack</b> Mammuth, Fj30aht, brand: Mammuth; type: Fj30aht; capacity: 30 t;	10.00
744	1 <b>trolley jack</b> Mammuth, Fj30aht, brand: Mammuth; type: Fj30aht; capacity: 30 t;	10.00
745	1 garage jack air Mammuth, Zhl3, brand: Mammuth; type: Zhl3; capacity: 2 t; height: 500 mm;	10.00
746	1 <b>trolley jack</b> Mammuth, brand: Mammuth; capacity: 3 t; height: 500 mm;	10.00
747	1 <b>trolley jack</b> Mammuth, Fj20as, brand: Mammuth; type: Fj20as; capacity: 2 t; height: 460 mm;	10.00
748	1 trolley jack Mammuth, brand: Mammuth; capacity: 2 t; height: 530 mm;	10.00



Lot	Number Description Starting	g Bid €
749	1 <b>trolley jack</b> Mammuth, Fj50aht, brand: Mammuth; type: Fj50aht; capacity: 50 t; description: capacity 15/30/50 ton;	10.00
750	1 <b>trolley jack</b> Mammuth, Fj03h, brand: Mammuth; type: Fj03h; capacity: 3 t;	10.00
751	1 <b>trolley jack</b> Mammuth, Fj05h, brand: Mammuth; type: Fj05h; capacity: 5 t;	10.00
752	1 <b>trolley jack</b> Mammuth, Fj10h, brand: Mammuth; type: Fj10h; capacity: 10 t;	10.00
753	1 <b>trolley jack</b> Mammuth, Fj03h, brand: Mammuth; type: Fj03h; capacity: 3 t;	10.00
754	1 <b>trolley jack</b> Mammuth, Fj02h, brand: Mammuth; type: Fj02h; capacity: 2 t;	10.00
755	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
756	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
757	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
758	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
759	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
760	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
761	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
762	1 workshop press Mammuth, brand: Mammuth; capacity: 12 t; 2-column: yes; distance between columns: 415 mm; manually operated: yes; stroke length: 175 mm; own weight: 13 kg; description: min height 1230mm;	50.00
763	1 workshop press  Mammuth, Sp-15hl, year built 2019, brand: Mammuth; type: Sp-15hl; year: 2019; capacity: 15 t; 2-column: yes; distance between columns: 440 mm; manually operated: yes; stroke length: 95 mm; own weight: 53 kg;	50.00
764	1 workshop press Mammuth, Sp-12hl, year built 2018, brand: Mammuth; type: Sp-12hl; year: 2018; capacity: 12 t; 2-column: yes; distance between columns: 505 mm; manually operated: yes; stroke length: 180 mm; own weight: 61 kg; description: working range 10.7-34.7cm;	50.00



Lot	Number Description Startin	g Bid €
765	1 workshop press Mammuth, Sp-20hhv, year built 2019, brand: Mammuth; type: Sp-20hhv; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 112 kg; description: working range 3.8-91.8cm;	50.00
766	1 workshop press Mammuth, Sp-20hhh, year built 2019, brand: Mammuth; type: Sp-20hhh; year: 2019; capacity: 20 t; 2-column: yes; distance between columns: 510 mm; manually operated: yes; stroke length: 185 mm; own weight: 111 kg; description: working range 2.95-98.95cm;	50.00
767	1 workshop press Mammuth, Sp-50hhv, year built 2019, brand: Mammuth; type: Sp-50hhv; year: 2019; capacity: 50 t; 2-column: yes; distance between columns: 730 mm; manually operated: yes; stroke length: 200 mm; own weight: 298 kg; description: working range 6.8-104.8 cm;	50.00
768	1 workshop press Mammuth, Sp-100hal, year built 2019, brand: Mammuth; type: Sp-100hal; year: 2019; capacity: 100 t; 2-column: yes; distance between columns: 780 mm; manually operated: yes; stroke length: 300 mm; own weight: 662 kg; description: working range 113-813 cm;	50.00
769	1 profile bending machine Tauring, Alfa 40, year built 1985, serial number 1646, brand: Tauring; type: Alfa 40; year: 1985; serial number: 1646; number of rolls: 3; foot control: yes; electric connection: 380 V; description: equipped with rollers;	100.00
770	3 stands	10.00
771	1 air compressor motor A-4116091290, year built 2015, type: A-4116091290; year: 2015;	10.00
772	1 air compressor motor	10.00
773	1 air compressor motor	10.00
774	1 air compressor motor	10.00
775	1 electric motor with inverter Sew-eurodrive, brand: Sew-eurodrive; power: 0.75 kW; description: equipped with Invertek inverter; type OptiDrive plus 3GV; ac variable speed from 0.37 to 160 kW;	100.00
776	1 electric motor Elsto, brand: Elsto; power: 1.5 kW;	10.00
777	1 dc servo motor Sanyo, brand: Sanyo; description: 350 watts; 2500 rpm;	10.00
778	7 electric motors description: various ; on pallet;	10.00
779	4 electric motors description: various ; on pallet;	10.00
780	5 <b>electric motors</b> description: various ; on pallet;	10.00
781	1 air compressor motor	10.00
782	1 air compressor motor	10.00
783	10 electric motors description: various ; on pallet;	10.00
784	3 electric motors description: various ; on pallet;	10.00
785	5 <b>electric motors</b> description: various ; on pallet;	10.00
786	4 electric motors description: various ; on pallet;	10.00
787	7 electric motors description: various ; on pallet;	10.00



Lot	Number Description	Starting Bid €
788	14 electric motors description: various ; on pallet;	10.00
789	13 electric motors description: various ; on pallet;	10.00
790	4 electric motors description: various ; on pallet;	10.00
791	6 electric motors description: various ; on pallet;	10.00
792	4 electric motors description: various ; on pallet;	10.00
793	1 air compressor motor	10.00
794	1 air compressor motor	10.00
795	1 electric motor description: various ; on pallet;	10.00
796	1 electric motor Sew eurodrive, brand: Sew eurodrive; description: various; on pallet;	10.00
797	1 gas bottle car with autogenous set description: with reducing valve;	10.00
798	1 press brake Cowley, SBR106715, year built 2016, serial number F16100229, brand: Cow SBR106715; year: 2016; serial number: F16100229; working length: 1067 m sheet thickness: 1.5 mm; machine weight: 390 kg; description: equipped with roller; handheld;	m; max.
799	1 press brake Cowley, brand: Cowley; folding length: 1020 mm; foot control: yes; descriptio operated;	100.00 n: hand
800	1 universal notcher Cowley, Hn33mm, year built 2016, brand: Cowley; type: Hn33mm; year: 2016 operated: yes; own weight: 90 kg;	10.00 ; manually
801	1 universal notcher Cowley, Hn3, year built 2015, brand: Cowley; type: Hn3; year: 2015; manually yes; own weight: 27 kg;	10.00 operated:
802	1 universal notcher Cowley, Hn3, year built 2017, brand: Cowley; type: Hn3; year: 2017; manually yes; own weight: 27 kg;	10.00 operated:
803	1 stretch wrapper Fromm, FV600, year built 2003, brand: Fromm; type: FV600; year: 2003; ele connection: 400 V; own weight: 750 kg; description: equipped with control;	100.00 ctric
804	1 furry device Cowley, RM018, year built 2018, brand: Cowley; type: RM018; year: 2018; nurolls: 2; horizontal: yes; description: vv accessories;	10.00 umber of
805	1 hand cutting device Cowley, brand: Cowley;	10.00
806	1 profile bending machine Cowley, UB3008, year built 2018, brand: Cowley; type: UB3008; year: 2018; weight: 23 kg;	
807	1 profile bending machine Cowley, year built 2018, brand: Cowley; year: 2018; number of rolls: 3; machi 23 kg;	10.00 ne weight:
808	1 guillotine Cowley, BSS08, year built 2017, brand: Cowley; type: BSS08; year: 2017; kn 200 mm; own weight: 45 kg;	10.00 ife length:



Lot	Number Description Startin	g Bid €
809	1 belt sander Cowley, Bsm100, year built 2018, brand: Cowley; type: Bsm100; year: 2018; working width: 100 mm; electric connection: 230 V; machine weight: 37 kg; description: 1500 watts;	50.00
810	<ul> <li>profile bending machine</li> <li>Cowley, UW40, year built 2019, brand: Cowley; type: UW40; year: 2019; number of rolls:</li> <li>3; machine weight: 21 kg;</li> </ul>	10.00
811	1 grinding machine Kin tian, Jmy8-70, brand: Kin tian; type: Jmy8-70; electric connection: 220 V; description: blade capacity 80-700: 250 watts; 2850 rpm;	50.00
812	1 <b>punching machine</b> Cowley, Sap 2, year built 2014, brand: Cowley; type: Sap 2; year: 2014; capacity: 2 t;	10.00
813	1 punching machine Cowley, Sap 1, year built 2015, brand: Cowley; type: Sap 1; year: 2015; capacity: 1 t;	10.00
814	1 fastening material description: lot of bolts in 4 cases;	10.00
815	1 fastening material description: lot of nuts in 3 cases;	10.00
816	1 fastening material description: lot of bolts in 4 cases;	10.00
817	1 fastening material description: lot of nuts in two cases;	10.00
818	1 <b>mobile stairs</b> omschrijving: leeg;	10.00
819	1 Other grinding machine Creusen, brand: Creusen; electric connection: 380 V;	10.00
820	1 jack hoist capacity: 1500 kg;	10.00
821	1 <b>jack</b> Mammuth, SJ030, brand: Mammuth; type: SJ030; hoist capacity: 3000 kg;	10.00
822	1 jack Mammuth, SJ030, brand: Mammuth; type: SJ030; hoist capacity: 3000 kg;	10.00
823	1 jack Mammuth, SJ050, brand: Mammuth; type: SJ050; hoist capacity: 5000 kg;	10.00
824	1 <b>jack</b> Mammuth, SJ015, brand: Mammuth; type: SJ015; hoist capacity: 1500 kg;	10.00
825	burner     omschrijving: met reduceer ventiel;	10.00
826	1 fan description: 380 volts;	10.00
827	1 Roller scaffolding Zarges, brand: Zarges; dimension L: 1800 mm; dimension W: 600 mm; dimension H: 1800 mm; number of boards: 1; number of wheels: 4; description: capacity 200kg / m;	50.00
828	1 magnet drilling machine Xptools, Dr350m, year built 2018, brand: Xptools; type: Dr350m; year: 2018; drilling capacity: 35 mm; speed till N=: 810 rpm; holding force: 16000 N; electric connection: 230 V;	50.00
829	1 tool trolleys Xptools, TB178ps, brand: Xptools; type: TB178ps; number of drawers: 7; with content: yes; description: 178 pcs; equipped with radio;	50.00
830	1 tool trolleys  Xptools, TB178ps, brand: Xptools; type: TB178ps; number of drawers: 7; with content: yes; description: 178 pcs; equipped with radio;	50.00



Lot	Number Description Starti	ng Bid €
831	1 <b>tool trolleys</b> Xptools, TB178ps, brand: Xptools; type: TB178ps; number of drawers: 7; with content: yes; description: 178 pcs; equipped with radio;	50.00
832	1 <b>flashing light</b> Tbd04, type: Tbd04; electric connection: 12 V; description: Orange;	10.00
833	1 flashing light Tbd04, type: Tbd04; electric connection: 12 V; description: Orange;	10.00
834	1 Socket Jmc, brand: Jmc; piece: 10; with case: yes; description: 22-41mm;	10.00
835	1 Socket Jmc, brand: Jmc; piece: 7; with case: yes; description: 17-27mm; equipped with Teflon;	10.00
836	1 <b>Socket</b> Seneca, brand: Seneca; piece: 9; with case: yes; description: torx; h5-h14;	10.00
837	1 <b>Socket</b> Seneca, brand: Seneca; piece: 12; with case: yes; description: perpendicular; 8-19mm;	10.00
838	1 <b>Socket</b> Seneca, brand: Seneca; piece: 18; with case: yes; description: torx; tx8-t60;	10.00
839	1 <b>bolts nuts remove set</b> Xptools, brand: Xptools; piece: 18; drive: 1/2 "; with case: yes; description: 10-19mm; m3-m14; 6-12mm;	10.00
840	1 assortment set Seneca, brand: Seneca; piece: 30; with case: yes;	10.00
841	1 <b>Doppensets</b> piece: 21; with case: yes;	10.00
842	1 socket sets torx piece: 16; with case: yes; description: 5-t80;	10.00
843	1 Doppensets piece: 13; with case: yes; description: 12-30mm;	10.00
844	1 diesel injector disassembly kit Xptools, brand: Xptools;	10.00
845	1 <b>Doppensets</b> piece: 8; with case: yes; description: 24-38mm;	10.00
846	1 Doppensets piece: 8; with case: yes; description: 26-41;	10.00
847	1 socket sets torx piece: 8; with case: yes; description: t30-t80;	10.00
848	1 <b>Torque wrench</b> Seneca, brand: Seneca; taper: 3/4 "; torque range from: 140 Nm; torque range till: 700 Nm;	50.00
849	1 <b>Doppensets</b> Jmc, brand: Jmc; piece: 13; with case: yes; description: 7/16"-1-1/4";	10.00
850	1 injector disassembly set  Xptools, brand: Xptools; description: 18-part;	10.00
851	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 11; with case: yes; description: 10-24mm;	10.00
852	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 11; with case: yes; description: 10-24mm;	10.00
853	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 8; with case: yes; description: 24-38mm;	10.00
854	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 8; with case: yes; description: 26-41mm;	10.00
855	1 semi-finished product	10.00



Lot	Number Description	Starting Bid €
856	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 21; with case: yes; description: 8-32mm;	10.00
857	1 <b>Doppensets</b> Seneca, brand: Seneca; piece: 14; with case: yes; description: 8-22mm;	10.00
858	1 <b>torx set</b> Seneca, brand: Seneca; piece: 14; with case: yes; description: 30-60ip;	10.00
859	1 <b>torx bit</b> Seneca, brand: Seneca; piece: 13; with case: yes; description: h6-h14;	10.00
860	1 bit set Seneca, brand: Seneca; with case: yes;	10.00
861	1 bit / torx socket set Seneca, brand: Seneca; piece: 26; with case: yes;	10.00
862	1 assortment set Seneca, brand: Seneca; piece: 34; with case: yes;	10.00
863	1 bit / torx socket set Seneca, brand: Seneca; piece: 52; with case: yes;	10.00
864	1 Socket Seneca, brand: Seneca; piece: 24; with case: yes; description: 6-22mm;	10.00
865	1 socket set torx Seneca, brand: Seneca; piece: 23; with case: yes;	10.00
866	1 bit set Seneca, brand: Seneca; with case: yes;	10.00
867	1 bit set Seneca, brand: Seneca; with case: yes;	10.00
868	1 socket set bit set Seneca, brand: Seneca; with case: yes;	10.00
869	1 drawing and measuring set Seneca, brand: Seneca; with case: yes;	10.00
870	1 torx set Seneca, brand: Seneca; piece: 11; with case: yes;	10.00
871	1 Socket Seneca, brand: Seneca; piece: 18; with case: yes; description: 10-32mm;	10.00
872	1 safety harness description: in box;	10.00
873	1 safety harness Fallstop, brand: Fallstop; description: in box;	10.00
874	1 safety harness Fallstop, brand: Fallstop; description: in box;	10.00
875	1 safety harness Fallstop, brand: Fallstop; description: in box;	10.00
876	1 safety harness Fallstop, brand: Fallstop; description: in box;	10.00
877	1 safety harness Fallstop, brand: Fallstop; description: in box;	10.00
878	1 digital torque tester Eclarorq, Ddt-550, brand: Eclarorq; type: Ddt-550; torque range from: 55 Nm; torq range till: 550 Nm; digital: yes;	10.00 ue
879	1 write a money counting machine electric connection: 230 V;	10.00
880	1 tapset description: m3-m12;	10.00
881	1 tap set conical description: 3-part; 4-12 / 4-32;	10.00



Lot	Number Description	Starting Bid €
882	1 tap and drill set	10.00
883	1 <b>Drill set</b> description: 1-13mm;	10.00
884	1 Drill set description: 1-10mm;	10.00
885	1 Drill set description: 1-10mm;	10.00
886	1 <b>Drill set</b> description: 1-13mm;	10.00
887	1 <b>Drill set</b> description: 7-part; sds; 5-12mm;	10.00
888	1 digital dial indicator	10.00
889	1 tap set description: m3-m20;	10.00
890	1 compression tester set diesel Xptools, brand: Xptools; description: m3-m20;	10.00
891	1 compression tester set oil / petrol Xptools, brand: Xptools; description: m3-m20;	10.00
892	1 Drill set description: 1-10mm;	10.00
893	1 hole saw set Exact, brand: Exact;	10.00
894	1 glow plug removal set Xptools, brand: Xptools;	10.00
895	1 seal ring kit Xptools, brand: Xptools;	10.00
896	1 adaptive power limiter Remover, brand: Remover;	10.00
897	1 Wire cutting description: 1/2"-1";	10.00
898	1 special drill set	10.00
899	1 <b>oil funnel with adapter set</b> Xptools, brand: Xptools;	10.00
900	1 automotive set Xptools, brand: Xptools;	10.00
901	1 starter	10.00
902	1 tap and set Td110, type: Td110; description: 110 parts;	10.00
903	1 sanding belts	10.00
904	1 sanding belts	10.00
905	1 Saw blade Makita, brand: Makita; description: 305x30mm; for aluminum;	10.00
906	1 LED lamp	10.00
907	1 ultrafiltration unit Fluxon, Uc45, brand: Fluxon; type: Uc45; electric connection: 230 V;	10.00
908	1 special drill set	10.00
909	1 Drill set description: 1-10mm;	10.00
910	1 sump plug repair kit Xptools, brand: Xptools;	10.00
911	1 compression tester set gasoline Xptools, brand: Xptools;	10.00



Lot	Number Description	Starting Bid €
912	1 valve polisher set Xptools, brand: Xptools;	10.00
913	1 tap and set	10.00
914	1 hole saw set Exact, brand: Exact;	10.00
915	1 hole saw set	10.00
916	1 hole saw set	10.00
917	1 milling set	10.00
918	1 hole saw set	10.00
919	1 tap and set	10.00
920	1 lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V;	10.00
921	1 Spotlight Fluxon, Lb48ws, brand: Fluxon; type: Lb48ws; LED: yes; power: 30 W; electric connection: 230 V;	10.00
922	1 Spotlight Fluxon, Lb18ws, brand: Fluxon; type: Lb18ws; LED: yes; power: 20 W; electric connection: 230 V;	10.00
923	1 Spotlight Fluxon, Lb10, brand: Fluxon; type: Lb10; LED: yes; power: 10 W; electric connection 230 V;	10.00 on:
924	1 Spotlight Fluxon, Lb18wc, brand: Fluxon; type: Lb18wc; LED: yes; power: 20 W; electric connection: 230 V;	10.00
925	1 Spotlight Fluxon, Lb18wc, brand: Fluxon; type: Lb18wc; LED: yes; power: 20 W; electric connection: 230 V;	10.00
926	1 Spotlight Fluxon, Lb18ws, brand: Fluxon; type: Lb18ws; LED: yes; power: 20 W; electric connection: 230 V;	10.00
927	1 Spotlight Fluxon, Lb200ws, brand: Fluxon; type: Lb200ws; LED: yes; power: 200 W; electric connection: 230 V;	10.00
928	1 Spotlight Fluxon, Lb100ws, brand: Fluxon; type: Lb100ws; LED: yes; power: 100 W; electric connection: 230 V;	10.00
929	1 Spotlight Fluxon, Lb50ws, brand: Fluxon; type: Lb50ws; LED: yes; power: 50 W; electric connection: 230 V;	10.00
930	1 Spotlight Fluxon, Lb30bat, brand: Fluxon; type: Lb30bat; LED: yes; power: 30 W; electric connection: 230 V;	10.00
931	1 Spotlight Fluxon, Lb30wa, brand: Fluxon; type: Lb30wa; LED: yes; power: 30 W; electric connection: 230 V; description: equipped with sensor;	10.00
932	1 Spotlight Fluxon, Lb30wa, brand: Fluxon; type: Lb30wa; LED: yes; power: 30 W; electric connection: 230 V; description: equipped with sensor;	10.00
933	1 Spotlight Fluxon, Lb10wa, brand: Fluxon; type: Lb10wa; LED: yes; power: 30 W; electric connection: 230 V; description: equipped with sensor;	10.00
934	2 rivet pliers Pop, Ps40, brand: Pop; type: Ps40;	10.00



Lot	Number Description Sta	rrting Bid €
935	1 ultrafiltration unit Ur4180, type: Ur4180; electric connection: 230 V;	10.00
936	1 spring tensioner set mercedes Optimus, brand: Optimus;	10.00
937	1 auto weld set Carlas, brand: Carlas;	10.00
938	1 video inspection set Jmc, Kc-360a, brand: Jmc; type: Kc-360a;	10.00
939	1 radiator pressure tester set Xptools, brand: Xptools;	10.00
940	1 radiator pressure tester set  Xptools, brand: Xptools;	10.00
941	1 radiator pressure tester set  Xptools, brand: Xptools;	10.00
942	1 <b>scale</b> Put, Aptk461, brand: Put; type: Aptk461; description: max 3000 grams; d = 0.1 gram;	10.00
943	1 <b>pouly tractor</b> Jmc, GP8s, brand: Jmc; type: GP8s;	10.00
944	1 pouly tractor Jmc, GP6s, brand: Jmc; type: GP6s;	10.00
945	1 <b>pouly tractor</b> Jmc, GP3s, brand: Jmc; type: GP3s;	10.00
946	1 <b>pouly tractor</b> Jmc, GP5s, brand: Jmc; type: GP5s;	10.00
947	1 <b>pouly tractor</b> Jmc, GP3, brand: Jmc; type: GP3;	10.00
948	1 <b>pouly tractor</b> Jmc, GP4, brand: Jmc; type: GP4;	10.00
949	1 pouly tractor Jmc, GP6, brand: Jmc; type: GP6;	10.00
950	1 pouly tractor Jmc, GP8, brand: Jmc; type: GP8;	10.00
951	1 pouly tractor Jmc, GP14, brand: Jmc; type: GP14;	10.00
952	1 <b>pouly tractor</b> Xptools, GP20, brand: Xptools; type: GP20;	10.00
953	1 special clamp	10.00
954	1 pouly tractor Jmc, BP3, brand: Jmc; type: BP3;	10.00
955	1 pouly tractor Jmc, BP2, brand: Jmc; type: BP2;	10.00
956	1 pouly tractor Jmc, BP1, brand: Jmc; type: BP1;	10.00
957	1 cutter set	10.00
958	1 Slider size Garant, brand: Garant; description: 150 mm;	10.00
959	1 battery chargers Fluxon, Bc04ai, brand: Fluxon; type: Bc04ai; electric connection: 230 V; description: 7 watts;	10.00
960	1 battery chargers Fluxon, Bc01ai, brand: Fluxon; type: Bc01ai; electric connection: 230 V; description: 1 watts;	10.00



Lot	Number Description	Starting Bid €
961	1 battery chargers Fluxon, Bc10ai, brand: Fluxon; type: Bc10ai; electric connection watts;	10.00 n: 230 V; description: 180
962	1 welding accessories	10.00
963	2 cut oil Jokisch, Alpha 93, brand: Jokisch; type: Alpha 93;	10.00
964	2 paper rolls	10.00
965	1 pouly tractor Jmc, Gp10p3, brand: Jmc; type: Gp10p3;	10.00
966	<pre>1 pouly tractor   Jmc, Gp8p3, brand: Jmc; type: Gp8p3;</pre>	10.00
967	1 <b>pouly tractor</b> Jmc, brand: Jmc;	10.00
968	<pre>1 pouly tractor   Jmc, Gp2p3, brand: Jmc; type: Gp2p3;</pre>	10.00
969	<pre>1 pouly tractor Jmc, Gp4p3, brand: Jmc; type: Gp4p3;</pre>	10.00
970	<pre>1 pouly tractor   Jmc, Gp6p3, brand: Jmc; type: Gp6p3;</pre>	10.00
971	1 <b>pouly tractor</b> Seneca, brand: Seneca;	10.00
972	1 battery chargers Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
973	1 battery chargers Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
974	1 <b>battery chargers</b> Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
975	1 battery chargers Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
976	1 battery chargers Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
977	1 battery chargers Jmc, Bc200, brand: Jmc; type: Bc200; voltage: 6/12 V; electric	10.00 connection: 230 V;
978	1 several blades	10.00
979	2 saw blades	10.00
980	2 extension cable reels electric connection: 230 V;	10.00
981	20 mailboxes	10.00
982	1 Laser printer Brother, Mfc-j5730dw, brand: Brother; type: Mfc-j5730dw;	10.00
983	1 <b>LED lamp</b> Fluxon, brand: Fluxon;	10.00
984	1 LED lamp Fluxon, brand: Fluxon; LED: yes; electric connection: 230 V;	10.00
985	1 inkjet printer HP, Photosmart c4680, brand: HP; type: Photosmart c4680;	10.00
986	1 paper shredder Intimus, 390se, brand: Intimus; type: 390se;	10.00
987	1 copier Brother, Mf -j67200dw, brand: Brother; type: Mf -j67200dw;	10.00
988	1 Laser printer HP, Cp4005dn, brand: HP; type: Cp4005dn; color printer: yes;	10.00



Lot	Number Description Starting	g Bid €
989	1 Laser printer	10.00
990	HP, Cp4005dn, brand: HP; type: Cp4005dn; color printer: yes;  1 fax	10.00
	Canon, L250, brand: Canon; type: L250;	10.00
991	1 Laser printer HP, 1320n, brand: HP; type: 1320n; color printer: no;	10.00
992	1 electrical heater Sun heat, brand: Sun heat; power: 2 kW;	10.00
993	1 paper shredder Ideal, 2200, brand: Ideal; type: 2200;	10.00
994	1 washing machine Bosch , brand: Bosch ;	10.00
995	1 <b>microwave</b> Philips, brand: Philips;	10.00
996	1 dishwasher mini Etna, brand: Etna;	10.00
997	1 refrigerator Severin, brand: Severin;	10.00
998	1 canteen tables with 16 chairs	10.00
999	1 Other canteen - inventory	10.00
1000	3 locker cabinets number of doors: 4;	10.00
1001	1 hacksaw Bewo, brand: Bewo; saw blade size L: 500 mm; description: vv accessories;	10.00
1002	1 circular trim saw Bewo, brand: Bewo; saw blade ?: 250; number of speeds: 2; electric connection: 220 V; description: vv machine clamp;	50.00
1003	1 set of axle supports	10.00
1004	1 set of axle supports Mammuth, brand: Mammuth; description: capacity 2 tons;	10.00
1005	1 set of axle supports Mammuth, brand: Mammuth; description: capacity 2 tons;	10.00
1006	1 set of axle supports Mammuth, brand: Mammuth; description: cap. 3 tons;	10.00
1007	1 set of axle supports Mammuth, brand: Mammuth; description: cap. 3 tons;	10.00
1008	1 set of axle supports Mammuth, brand: Mammuth; description: capacity 6 ton;	10.00
1009	1 set of axle supports Mammuth, brand: Mammuth; description: capacity 6 ton;	10.00
1010	1 set of axle supports Mammuth, brand: Mammuth; description: capacity 12 tons;	10.00
1011	1 shaft support Mammuth, brand: Mammuth; description: capacity 12 tons;	10.00
1012	1 other metal stock	50.00
1013	1 mobile chest	10.00
1014	1 cement box	10.00
1015	1 grease gun description: equipped with gun;	10.00
1016	1 fuel pump unit Aspira, Vp14d200, brand: Aspira; type: Vp14d200; electric connection: 230 V; description: equipped with oil pump; 12 bar; 14 lpm; on / off corridor 1 "; digital nozzle;	50.00



Lot	Number Description Starti	ng Bid €
1017	1 air oil pump description: equipped with digital trolley and nozzle;	10.00
1018	1 transmission jacket description: cap. 500 kg;	10.00
1019	1 vibrating plate Mikasa, Mvc-f60h, brand: Mikasa; type: Mvc-f60h;	50.00
1020	1 vibrating plate Masalta, Ms50-2, year built 2016, brand: Masalta; type: Ms50-2; year: 2016; centrifugal force: 8 kN; engine power: 1.5 kW;	50.00
1021	1 vibrating plate Masalta, C140, year built 2016, brand: Masalta; type: C140; year: 2016; centrifugal force: 18 kN; brand engine: Lancin; engine power: 5 kW; fuel type: Benzine; own weight: 98 kg;	100.00
1022	1 hand grease pump Jmc, brand: Jmc; description: volume 15 kg;	10.00
1023	1 axle support high Mammuth, brand: Mammuth; description: capacity 2 tons;	10.00
1024	1 axle support high Mammuth, brand: Mammuth; description: capacity 2 tons;	10.00
1025	1 magnet sweeper	10.00
1026	1 tool box Toolbox4you, brand: Toolbox4you; aluminium: yes; dimension L: 1440 mm; dimension W: 550 mm; dimension H: 700 mm;	10.00
1027	1 tool box Toolbox4you, brand: Toolbox4you; aluminium: yes; dimension L: 1430 mm; dimension W: 560 mm; dimension H: 820 mm;	10.00
1028	1 tool box Toolbox4you, brand: Toolbox4you; aluminium: no; metal: yes; dimension L: 900 mm; dimension W: 460 mm; dimension H: 460 mm;	10.00
1029	1 tool box Toolbox4you, brand: Toolbox4you; aluminium: yes; dimension L: 1240 mm; dimension W: 385 mm; dimension H: 400 mm; description: equipped with small toolbox;	10.00
1030	1 tool box Toolbox4you, brand: Toolbox4you; aluminium: yes; dimension L: 1440 mm; dimension W: 520 mm; dimension H: 470 mm; description: equipped with small gereedschapskisr;	10.00
1031	1 <b>tool box</b> Toolbox4you, brand: Toolbox4you; aluminium: yes; dimension L: 830 mm; dimension W: 450 mm; dimension H: 460 mm; description: equipped with small gereedschapskisr;	10.00
1032	1 wood cabinet and rack	10.00
1033	1 dc fuel pump Fuelworks, brand: Fuelworks; electric connection: 12 V; description: 40 lpm; 3/4 ";	10.00
1034	1 dc fuel pump Fuelworks, brand: Fuelworks; electric connection: 24 V; description: 40 lpm; 3/4 ";	10.00
1035	1 dc fuel pump Fuelworks, brand: Fuelworks; electric connection: 24 V; description: 40 lpm; 3/4 ";	10.00
1036	1 ac fuel transfer pump Fuelworks, brand: Fuelworks; electric connection: 230 V; description: 120 lpm; 1 ";	10.00
1037	1 ac fuel transfer pump Fuelworks, brand: Fuelworks; electric connection: 230 V; description: 72 lpm; 1 ";	10.00
1038	1 dc fuel transfer pump Fuelworks, brand: Fuelworks; electric connection: 12 V; description: 10 lpm; 3/4 ";	10.00
1039	1 high accuracy meter Fuelworks, brand: Fuelworks;	10.00
1040	1 snake	10.00



Lot	Number Description	Starting Bid €
1041	1 fuel transfer pump set Fuelworks, brand: Fuelworks; electric connection: 230 V; description: 72 lpr equipped with hose and nozzle;	50.00 m; 1 ";
1042	1 <b>fuel transfer pump</b> Fuelworks, brand: Fuelworks; electric connection: 24 V; description: 57 lpm	50.00
1043	1 oil pump	10.00
1044	1 digital filling pistol	10.00
1045	1 digital filling pistol Fuelworks, brand: Fuelworks;	10.00
1046	1 Air tank	10.00
1047	12 various wheels	10.00
1048	1 dispensing gun Fuelworks, brand: Fuelworks;	10.00
1049	1 oil pump	10.00
1050	1 <b>oil pump air</b> description: 5-8 bar;	10.00
1051	1 hydraulic bottle jack hoist capacity: 20000 kg; description: max height 20 "; 90-120 psi;	10.00
1052	1 hydraulic bottle jack hoist capacity: 20000 kg; description: max height 20 "; 90-120 psi;	10.00
1053	1 hydraulic bottle jack hoist capacity: 20000 kg; description: max height 20 "; 90-120 psi;	10.00
1054	1 hydraulic bottle jack hoist capacity: 20000 kg; description: max height 20 "; 90-120 psi;	10.00
1055	1 various kit	10.00
1056	1 various hose and parts	10.00
1057	1 various rubber	10.00
1058	1 various snake	10.00
1059	1 various special rubber	10.00
1060	1 various special rubber	10.00
1061	1 brake blender description: vv accessories;	10.00
1062	1 roller tripod Cowley, brand: Cowley;	10.00
1063	1 roller tripod Cowley, brand: Cowley;	10.00
1064	1 roller tripod	10.00
1065	1 hydraulic pipe bend Mammuth, HB16HD, brand: Mammuth; type: HB16HD; capacity: 16 t; manuyes; description: range 1/2 "-3"; vv accessories;	50.00 ally operated:
1066	1 hydraulic pipe bend Mammuth, HB10eco, brand: Mammuth; type: HB10eco; capacity: 10 t; manu operated: yes; description: range 1/2 "-2"; vv accessories;	50.00 ually
1067	1 hydraulic pipe bend Tool, brand: Tool; capacity: 10 t; manually operated: yes; description: vv acc	50.00 cessories;
1068	1 hydraulic pipe bend Mammuth, HB12H, brand: Mammuth; type: HB12H; capacity: 12 t; manually yes; description: vv accessories;	50.00
1069	1 hydraulic pipe bend Mammuth, HB16H, brand: Mammuth; type: HB16H; capacity: 16 t; manually yes; description: vv accessories;	50.00 operated:



Lot	Number Description Start	ing Bid €
1070	1 hydraulic pipe bend Mammuth, HPB22, brand: Mammuth; type: HPB22; capacity: 22 t; manually operated: yes; description: vv accessories;	50.00
1071	1 hydraulic pipe bend Mark, brand: Mark; manually operated: yes; description: vv accessories;	50.00
1072	hydraulic pipe bend     manually operated: yes;	50.00
1073	1 hydraulic pipe bend manually operated: no; electric driven: yes; electric connection: 380 V;	50.00
1074	1 hydraulic pipe bend manually operated: yes;	50.00
1075	1 wire cutting machine Ridgid, 535, brand: Ridgid; type: 535; electric: yes; electric connection: 230 V;	10.00
1076	1 Wire cutting description: with goat;	10.00
1077	1 lot of various off shelves contention description: incl. clamps; lamps; valves; including rack;	10.00
1078	1 steel belt reel	10.00
1079	1 power box Fluxon, Vd732as, brand: Fluxon; type: Vd732as; electric connection: 400 V; description: 32amp;	10.00
1080	1 power box Fluxon, Vd832ab, brand: Fluxon; type: Vd832ab; electric connection: 400 V; description 32amp;	10.00
1081	1 spare part NTN, brand: NTN; description: incl. roller;	10.00
1082	1 various power description: and various of closet;	10.00
1083	1 power extension cable	10.00
1084	1 various power	10.00
1085	4 power cables on reel on reel: yes;	10.00
1086	3 neon signs	10.00
1087	2 wooden boxes	10.00
1088	1 lot of various sheet metal description: incl. plexi;	10.00
1089	1 plateau wagon load capacity: 250 kg; dimension L: 90 cm; dimension W: 60 cm;	10.00
1090	1 plateau wagon load capacity: 250 kg; dimension L: 90 cm; dimension W: 60 cm;	10.00
1091	1 car floor load capacity: 250 kg; dimension L: 1170 cm; dimension W: 650 cm;	10.00
1092	1 car floor Mammuth, brand: Mammuth; load capacity: 350 kg; dimension L: 990 cm; dimension W: 500 cm;	10.00
1093	1 scissor table AS30, year built 2016, type: AS30; year: 2016; load capacity: 300 kg; dimension L: 830 cm; dimension W: 500 cm; own weight: 78 kg; description: max height 910mm;	10.00
1094	1 scissor table Mammuth, LT3HHM, year built 2017, brand: Mammuth; type: LT3HHM; year: 2017; load capacity: 350 kg; dimension L: 920 cm; dimension W: 520 cm; description: max height 1500mm;	10.00



Lot	Number Description Start	ing Bid €
1095	1 scissor table AS20, year built 2016, type: AS20; year: 2016; load capacity: 200 kg; dimension L: 830 cm; dimension W: 500 cm; own weight: 78 kg; description: max height 755mm;	10.00
1096	1 scissor table AS20, year built 2016, type: AS20; year: 2016; load capacity: 200 kg; dimension L: 830 cm; dimension W: 500 cm; own weight: 78 kg; description: max height 755mm;	10.00
1097	1 various fluorescent lamps	10.00
1098	1 transit device Mercure, brand: Mercure;	10.00
1099	1 hanging file cupboard	10.00
1100	1 lot of various parts description: with transport cart;	10.00
1101	1 fastening material	10.00
1102	1 oil leak table	10.00
1103	1 industrial vacuum cleaner wet/dry vacuum cleaner: yes; electric connection: 230 V;	10.00
1104	1 industrial vacuum cleaner Baier, brand: Baier; power: 2200 W; wet/dry vacuum cleaner: yes; plug-socket: yes; electric connection: 230 V;	10.00
1105	1 industrial vacuum cleaner Karcher, brand: Karcher; power: 1000 W; wet/dry vacuum cleaner: no; plug-socket: no; electric connection: 230 V;	10.00
1106	1 industrial vacuum cleaner Stahlwerk, brand: Stahlwerk; wet/dry vacuum cleaner: yes; plug-socket: no; electric connection: 230 V;	10.00
1107	2 power boxes	10.00
1108	1 roll special rubber description: roll width 2490mm; on mobile roll holder;	50.00
1109	1 steel table with benches	10.00
1110	1 fire blanket description: and 3 fire extinguishers;	10.00
1111	1 shelf with various PVC	10.00
1112	1 several hoses	10.00
1113	1 lot of various off rack description: incl. clamps; lamps; etc; incl. rack;	10.00
1114	1 leaf blower Echo, EB-909, brand: Echo; type: EB-909; fuel engine driven: yes;	10.00
1115	1 leaf blower Echo, EB-909, brand: Echo; type: EB-909; fuel engine driven: yes;	10.00
1116	1 leaf blower Echo, EB-909, brand: Echo; type: EB-909; fuel engine driven: yes;	10.00
1117	1 leaf blower fuel engine driven: yes; container: yes;	10.00
1118	1 wood chipper Gloria, Natura 2800 L, brand: Gloria; type: Natura 2800 L; electric driven: yes; power: 2 kW; description: 220 volts;	10.00
1119	1 leaf blower Clarke, brand: Clarke; fuel engine driven: yes; container: no;	10.00
1120	2 tires, wheels and rims	10.00
1121	1 Shelter set	10.00
1122	2 rolling conveyor belts track size L: 3000 mm; track size W: 330 mm;	10.00



Lot	Number Description Sta	rting Bid €
1123	1 tubes and hose description: for underfloor heating;	10.00
1124	1 edge trimmer fuel engine driven: yes; fuel type: Benzine;	10.00
1125	1 edge trimmer fuel engine driven: yes; fuel type: Benzine; description: for parts;	10.00
1126	1 edge trimmer Homelite, brand: Homelite; fuel engine driven: yes; fuel type: Benzine; description: for parts;	10.00
1127	1 edge trimmer Dolmar, brand: Dolmar; fuel engine driven: yes; fuel type: Benzine; description: for par	10.00 ts;
1128	1 edge trimmer Husqvarna, brand: Husqvarna; fuel engine driven: yes; fuel type: Benzine; description: parts;	10.00
1129	1 edge trimmer Husqvarna, brand: Husqvarna; fuel engine driven: yes; fuel type: Benzine; description: parts;	10.00 for
1130	1 edge trimmer Hitachi, brand: Hitachi; fuel engine driven: yes; fuel type: Benzine; description: for parts	10.00 s;
1131	1 edge trimmer Mc Culloch, brand: Mc Culloch; fuel engine driven: yes; fuel type: Benzine; description for parts;	10.00
1132	1 <b>leaf blower</b> Husqvarna, 370 bts, brand: Husqvarna; type: 370 bts; fuel engine driven: yes;	10.00
1133	1 <b>leaf blower</b> Stihl, Br 500, brand: Stihl; type: Br 500; fuel engine driven: yes;	10.00
1134	1 <b>leaf blower</b> Husqvarna, 170 bt, brand: Husqvarna; type: 170 bt; fuel engine driven: yes;	10.00
1135	1 leaf blower Husqvarna, 370 bt, brand: Husqvarna; type: 370 bt; fuel engine driven: yes;	10.00
1136	1 leaf blower Husqvarna, 170 bt, brand: Husqvarna; type: 170 bt; fuel engine driven: yes;	10.00
1137	4 radiators	10.00
1138	1 tubes and hose description: for underfloor heating;	10.00
1139	3 tape sealing devices	10.00
1140	1 edge trimmer Varo, brand: Varo; fuel engine driven: no; electric driven: yes; electric connection: 230	10.00 V;
1141	1 <b>leaf blower motor</b> Stihl, brand: Stihl;	10.00
1142	1 <b>leaf blower motor</b> Stihl, brand: Stihl;	10.00
1143	1 lot of conductors	10.00
1144	1 leaf blower Hitachi, brand: Hitachi; fuel engine driven: yes;	10.00
1145	1 leaf blower Hitachi, brand: Hitachi; fuel engine driven: yes;	10.00
1146	1 leaf blower Hitachi, brand: Hitachi; fuel engine driven: yes;	10.00
1147	1 machine clamp	10.00
1148	1 lot of conductors	10.00
1149	1 leaf blower Stihl, brand: Stihl; description: defective;	10.00



Lot	Number Description	Starting Bid €
1150	1 semi-finished product description: and various;	10.00
1151	1 <b>electric chain hoist</b> Demag, year built 1997, brand: Demag; year: 1997; capacity: 125 kg;	10.00
1152	1 electric chain hoist Stahl, year built 1997, brand: Stahl; year: 1997; capacity: 250 kg;	10.00
1153	1 lot of wheels	10.00
1154	1 other hoisting and lifting techniques	10.00
1155	1 Hedge Dolmar, H.T2256d, brand: Dolmar; type: H.T2256d; fuel engine driver Benzine;	10.00 n: yes; fuel type:
1156	1 chain saw Dolmar, brand: Dolmar; fuel type: Benzine;	10.00
1157	1 electro pneumatic sufruster	10.00
1158	1 lot of various off section description: incl. pneumatic cylinders; etc;	10.00
1159	1 other measuring equipment	10.00
1160	1 fastening material description: from lockers; wall rack etc;	100.00
© 1161	100 couplings description: from bin;	10.00
© 1162	100 <b>couplings</b> description: from bin;	10.00
© 1163	100 couplings description: from bin;	10.00
© 1164	100 couplings description: from bin;	10.00
© 1165	100 couplings description: from bin;	10.00
© 1166	100 couplings description: from bin;	10.00
© 1167	50 couplings description: from bin;	10.00
© 1168	100 couplings description: from bin;	10.00
© 1169	100 couplings description: from bin;	10.00
© 1170	100 couplings description: from bin;	10.00
© 1171 _	100 couplings description: from bin;	10.00
© 1172 _	50 <b>couplings</b> description: from bin;	10.00
© 1173	50 <b>couplings</b> description: from bin;	10.00
© 1174 _	100 couplings description: from bin;	10.00
© 1175	100 couplings description: from bin;	10.00
© 1176	50 <b>couplings</b> description: from bin;	10.00
© 1177	100 <b>couplings</b> description: from bin;	10.00



Lot	Number Description	Starting Bid €
© 1178	100 couplings description: from bin;	10.00
© 1179	100 couplings description: from bin;	10.00
© 1180	100 couplings description: from bin;	10.00
© 1181	100 couplings description: from bin;	10.00
© 1182	100 couplings description: from bin;	10.00
© 1183	100 couplings description: from bin;	10.00
© 1184	100 couplings description: from bin;	10.00
© 1185	100 <b>couplings</b> description: from bin;	10.00
	attachment material	
1186	100 couplings description: from bin;	10.00
1187	100 couplings description: from bin;	10.00
1188	100 couplings description: from bin;	10.00
1189	100 couplings description: from bin;	10.00
1190	100 couplings description: from bin;	10.00
1191	100 couplings description: from bin;	10.00
1192	100 couplings description: from bin;	10.00
1193	1 various wire ends	10.00
1194	1 gripping stock containers with various	10.00
1195	1 various wire ends description: and various with rack;	10.00
1196	1 lot of electro technical equipment	10.00
1197	1 lot of several description: incl. chains; rollers; electricity plugs; feathers; tooling etc an	10.00
1198	1 scale Finis, brand: Finis;	10.00
1199	1 lot of several description: incl. bearings; Parts etc: from shelves cabinet;	10.00
1200	1 lot of grinding equipment description: on wall rack;	10.00
1201	1 fasteners description: in 4 bins;	10.00
1202	1 lot of various on 2 floors description: incl. kitten; lubricants etc;	10.00
1203	1 welding accessories description: 1-level; incl. torches; valves;	10.00
1204	1 welding accessories description: 1-level; incl. torches;	10.00



Lot	Number Description S	tarting Bid €
1205	1 lot of defect tooling description: on 3 floors;	10.00
1206	5 cloth filter rollers	10.00
1207	1 safety harness	10.00
1208	1 tifor hoist	10.00
1209	1 threading tooling	10.00
1210	1 various tooling description: incl. crushers; saws etc;	10.00
1211	1 various tooling	10.00
1212	1 hoisting unit and various	10.00
1213	1 Milling tool	10.00
1214	1 Milling tool	10.00
1215	1 Milling tool	10.00
1216	1 Milling tool	10.00
1217	1 Milling tool	10.00
1218	1 Milling tool	10.00
1219	1 Milling tool	10.00
1220	1 Milling tool	10.00
1221	1 Milling tool	10.00
1222	1 various lubricants	10.00
1223	3 jack stands	10.00
1224	1 vacuum cleaner	10.00
1225	1 various wood sheet metal	10.00
1226	1 hand hydraulic pallet truck lifting capacity: 2000 kg;	10.00
1227	1 air compressor Atlas Copco, FD210, serial number 322183, brand: Atlas Copco; type: FD210; serial number: 322183; capacity: 20 bar; buffer tank content: 500 l; electric connection: 38	
© 1228	1 PVC and Teflon	10.00
© 1229	1 steel description: incl. two-sided free-arm rack;	50.00
© 1230	1 aluminum description: incl. two-sided free-arm rack;	50.00
© 1231	1 aluminum description: incl. two-sided free-arm rack;	50.00
C 1232	1 brass	50.00
C 1233	1 PVC and Teflon	10.00
© 1234	1 steel description: incl. rack;	50.00
© 1235	1 steel description: incl. two-sided free-arm rack;	50.00
© 1236	1 steel description: incl. two-sided free-arm rack;	50.00
© 1237	1 steel and stainless steel	50.00
© 1238	1 stainless steel description: in wall rack;	50.00
	steel stocks	
1239	1 swing arm crane arm length: 4000 mm; description: height adjustable;	10.00
1240	1 swing arm crane arm length: 4000 mm; description: height adjustable;	10.00



Lot	Number Description Start	ing Bid €
1241	1 Palletization M-74, type: M-74; dismantable: yes; section dim. L: 2780 mm; section dim. W: 1000 mm; number of uprights: 5; number of cross beams: 18; description: Pick up by appointment;	50.00
1242	1 semi-finished product description: on 2 pallets;	10.00
1243	1 welding fume extraction system boom length: 3000 mm; electric connection: 230 V;	10.00
1244	1 oil extractor collection unit Mammuth, OD2097, year built 2019, brand: Mammuth; type: OD2097; year: 2019; description: volume 65 ltr; 6-8 bar;	10.00
1245	1 belt sander CX75, type: CX75; working width: 75 mm; electric connection: 380 V;	50.00
1246	1 welding accessories description: welding electrodes;	10.00
1247	1 steel workbench	10.00
1248	1 cabinet with content	10.00
1249	1 cabinet with content	10.00
1250	1 semi-finished product description: including rack and shelf;	10.00
1251	1 belt sander Fein, brand: Fein; working width: 60 mm; electric connection: 380 V;	50.00
1252	1 clamping table with tooling Siegmund, brand: Siegmund; description: dimensions . 240x120 cm; clamping tools on trolley;	1,000.00
1253	1 rubber	100.00
1254	1 semi-finished product	10.00
1255	1 Palletization M-74, type: M-74; dismantable: yes; section dim. L: 2780 mm; section dim. W: 1000 mm; number of uprights: 2; number of cross beams: 7; description: Pick up by appointment;	50.00
1256	1 <b>steel workbench</b> Toolbox4you, brand: Toolbox4you; total dimension L: 1530 mm; total dimension W: 650 mm;	10.00
1257	1 semi-finished product	10.00
1258	1 cabinet with content	10.00
1259	1 steel workbench Toolbox4you, brand: Toolbox4you; total dimension L: 1530 mm; total dimension W: 650 mm; description: with mobile partition;	10.00
1260	1 roller conveyor roll conveyor size W: 365 mm;	10.00
1261	1 Pickup truck	10.00
1262	1 car lift bridge Falco, SXJ4019, year built 2019, serial number 19L02, brand: Falco; type: SXJ4019; year: 2019; serial number: 19L02; 4-column: yes; capacity: 4000 kg; lifting height: 1900 mm; electric connection: 400 V; description: equipped with additional lift unit; lighting;	100.00
1263	1 car lift bridge Falco, QJY-400, year built 2019, brand: Falco; type: QJY-400; year: 2019; 4-column: no; scissor lift: yes; capacity: 4000 kg; lifting height: 1800 mm; power: 3 kW; electric connection: 400 V; description: equipped with additional lift unit; steering;	100.00



Lot	Number Description Startin	ng Bid €
1264	1 car lift bridge Falco, SXJS3518, year built 2019, brand: Falco; type: SXJS3518; year: 2019; 4-column: no; scissor lift: yes; capacity: 3500 kg; lifting height: 2000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1265	1 car lift bridge Falco, SXJS3210, year built 2019, brand: Falco; type: SXJS3210; year: 2019; 4-column: no; scissor lift: yes; capacity: 3200 kg; lifting height: 1000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1266	1 car lift bridge Falco, QJY-J-45, year built 2019, brand: Falco; type: QJY-J-45; year: 2019; 4-column: no; scissor lift: yes; capacity: 4500 kg; lifting height: 1800 mm; power: 3 kW; electric connection: 400 V; description: equipped with additional lift unit; steering;	100.00
1267	1 car lift bridge Falco, SXJS3519, year built 2019, brand: Falco; type: SXJS3519; year: 2019; 4-column: no; scissor lift: yes; capacity: 3500 kg; lifting height: 2000 mm; power: 3 kW; electric connection: 400 V; description: VV control;	100.00
1268	1 car lift bridge Falco, SXJS3010, year built 2019, brand: Falco; type: SXJS3010; year: 2019; 4-column: no; scissor lift: yes; capacity: 3000 kg; lifting height: 1000 mm; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1269	1 car lift bridge Falco, VL60HE, year built 2019, brand: Falco; type: VL60HE; year: 2019; 4-column: no; scissor lift: yes; capacity: 2700 kg; lifting height: 1100 mm; power: 2.2 kW; electric connection: 230 V; description: VV control;	100.00
1270	1 car lift bridge Ascos, 13167, year built 2019, serial number 191721947, brand: Ascos; type: 13167; year: 2019; serial number: 191721947; 1-column: yes; 4-column: no; scissor lift: no; capacity: 2500 kg; lifting height: 1800 mm; power: 2.2 kW; electric connection: 380 V;	100.00
1271	1 car lift bridge Falco, VL60HE, year built 2019, brand: Falco; type: VL60HE; year: 2019; 4-column: no; scissor lift: yes; capacity: 3000 kg; lifting height: 1100 mm; power: 2.6 kW; electric connection: 400 V; description: VV control;	100.00
1272	1 car lift bridge Falco, VL35F400, year built 2019, brand: Falco; type: VL35F400; year: 2019; 1-column: no; 2-column: yes; 4-column: no; scissor lift: no; capacity: 3500 kg; power: 2.2 kW; electric connection: 400 V; description: VV control;	100.00
1273	1 car lift bridge Falco, VL30F230B, year built 2019, brand: Falco; type: VL30F230B; year: 2019; 4- column: no; scissor lift: yes; capacity: 3000 kg; lifting height: 1000 mm; power: 2.2 kW; electric connection: 230 V; own weight: 540 kg; description: VV control;	100.00
1274	1 tires (de) mounting machine Fabbri, BL-302, year built 2019, serial number 8666920400417, brand: Fabbri; type: BL-302; year: 2019; serial number: 8666920400417; electric connection: 400 V; own weight: 540 kg; description: 3.3 kW;	1,000.00
© 1275	5 sheet steel stainless steel description: 2 and 2.5mm;	50.00
© 1276	3 sheet steel stainless steel description: 2mm;	50.00
© 1277	5 sheet steel stainless steel description: 3mm;	50.00
© 1278	2 sheet steel stainless steel description: 4mm;	50.00
© 1279	3 sheet steel aluminum description: 2mm; and various offcuts;	50.00



Lot	Number Description Startin	ng Bid €
© 1280	8 sheet steel aluminum description: 3mm; and various offcuts;	50.00
© 1281	1 sheet steel aluminum description: 4mm; and various offcuts;	50.00
© 1282	1 sheet steel aluminum description: 2.5mm;	50.00
© 1283	8 sheet steel aluminum description: 1mm;	50.00
© 1284	1 sheet steel sluminium description: checker plate remnants; 3 / 5mm;	50.00
© 1285	1 sheet steel description: and various;	50.00
	sheet steel stock	
© 1286	1 steel	10.00
© 1287	26 sheet steel dimension L: 1013 mm; dimension W: 543 mm; description: 7mm;	50.00
© 1288	20 sheet steel dimension L: 1013 mm; dimension W: 543 mm; description: 7mm;	50.00
© 1289	24 sheet steel dimension L: 1615 mm; dimension W: 400 mm; description: 7mm; weight 1236 kg;	50.00
© 1290 _	24 sheet steel dimension L: 1615 mm; dimension W: 400 mm; description: 7mm; weight 1236 kg;	50.00
© 1291	1 steel description: incl. round;	10.00
© 1292	1 steel description: incl. u-bars;	10.00
© 1293	1 lifting beam dimension L: 3000 mm;	10.00
© 1294	1 steel description: incl. round; flat etc; incl draagarmrek;	500.00
© 1295	1 stainless steel description: incl. cantilever rack;	100.00
© 1296	1 lot of various sheet steel	50.00
	steel stock	
1297	1 hand hydraulic pallet truck lifting capacity: 2000 kg;	10.00
1298	2 special mobile mounting tables	100.00
1299	1 Mobile table	10.00
1300	1 tipper Bauer, Expo 150, year built 2019, brand: Bauer; type: Expo 150; year: 2019; steel: yes; content: 150 l;	50.00
1301	1 <b>tipper</b> Bauer, Expo 150, year built 2019, brand: Bauer; type: Expo 150; year: 2019; steel: yes; content: 150 l;	50.00
1302	1 scale Spido, brand: Spido; weight range min.: 75000 g;	10.00
1303	3 various partitions	10.00
1304	1 traffic warning trailer Elst, Flr0801, brand: Elst; type: Flr0801; description: Trigano trailer; gasoline engine; no papers;	100.00



Lot	Number Description Star	ting Bid €
1305	1 traffic warning trailer Elst, Flr0801, brand: Elst; type: Flr0801; description: Trigano trailer; gasoline engine; no papers;	100.00
1306	1 rack with wood	10.00
1307	1 trolley jack capacity: 20 t;	10.00
1308	1 trolley jack Rassant, brand: Rassant; capacity: 20 t;	10.00
1309	1 <b>trolley jack</b> capacity: 20 t;	10.00
1310	2 forklift truck spoon sets	50.00
1311	1 aluminum	50.00
1312	1 Palletization dismantable: yes; number of uprights: 3; number of cross beams: 22;	50.00
1313	1 tubes and hose on pallet	10.00
1314	1 material container steel: yes; total dimension LxWxH: 4000x2000 mm;	50.00
1315	1 lot of diverse wood	10.00
1316	1 foldable gitter boxes	50.00
1317	1 sheet steel dimension W: 920 mm;	50.00
1318	6 steel trestles	10.00
1319	1 <b>plateau wagon</b> Fielirz, brand: Fielirz;	10.00
1320	6 trailer support	10.00
1321	4 trailer support	10.00
1322	4 trailer support	10.00
1323	5 trailer support	10.00
1324	1 pallethaak	10.00
1325	1 pallethaak	10.00
1326	1 pallethaak	10.00
1327	1 pallethaak	10.00
1328	1 Palletization dismantable: yes; number of uprights: 12; number of cross beams: 24;	50.00
1329	6 <b>Transport the book</b> dimension L: 110 cm; dimension W: 110 cm;	10.00
1330	5 <b>Transport the book</b> dimension L: 110 cm; dimension W: 110 cm;	10.00
1331	3 Transport the book dimension L: 110 cm; dimension W: 110 cm;	10.00
1332	5 extension frames	10.00
1333	3 stackable grid boxes dimension L: 113 cm; dimension W: 91 cm; dimension H: 97 cm;	10.00
1334	3 stackable grid boxes dimension L: 113 cm; dimension W: 91 cm; dimension H: 97 cm;	10.00
1335	1 various sheet material	10.00
1336	1 aluminium profile	100.00
1337	1 various aluminum and steel profile description: incl. rack;	100.00
1338	1 welding table dimension L: 2500 mm; dimension W: 1250 mm;	10.00



Lot	Number Description Starting	Bid €
1339	1 <b>tipper</b> steel: yes; total dimension L: 2400 mm; total dimension W: 1500 mm; total dimension H: 1140 mm;	50.00
1340	1 tipper steel: yes; total dimension L: 2400 mm; total dimension W: 1500 mm; total dimension H: 1140 mm;	50.00
1341	1 tipper Kruizinga, brand: Kruizinga; steel: yes; total dimension L: 1060 mm; total dimension W: 1200 mm; total dimension H: 830 mm;	50.00
1342	1 tipper steel: yes; total dimension L: 1400 mm; total dimension W: 1650 mm; total dimension H: 1200 mm;	50.00
1343	1 tipper Glenwood, brand: Glenwood; steel: yes; total dimension L: 1400 mm; total dimension W: 1650 mm; total dimension H: 1200 mm;	50.00
1344	1 lot of various office furniture description: incl. writing desks; cabinets; chairs; rack; etc;	10.00

# Lane E

#### General conditions Online Auction TroostwijkAuctions.com

#### **ARTICLE 1. DEFINITIONS**

**Acceptance**: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

**User**: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement**: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

**Viewing day**: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid**: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers**: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation**: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s)**: the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned. **Items**: movable items that are auctioned, either jointly or not in one lot.

#### **ARTICLE 2. APPLICABILITY**

- 2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.
- 2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

#### **ARTICLE 3. THE AUCTION**

- 3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.
- **3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- · Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

- 4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.
- **4.2** Troostwijk is entitled, before or during the auction, without stating reasons:
  - · Not to acknowledge a bid as such;
  - To exclude one or more users from the auction;
  - Combine items into lots, to divide lots and to withdraw lots from the auction:
  - To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these
    errors:
  - To take other measures that are required in Troostwijk's opinion.
- **4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.
- **4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.
- **4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

- **5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.
- **5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.
- **5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.
- **5.4** Bids can be place in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.
- **5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.
- **5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.
- **5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.
- **5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.
- **5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction
- 5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

#### **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

- **6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.
- **6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.
- **6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.
- **6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.
- **6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.
- **6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.
- **6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

#### ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

- 7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.
- **7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.
- **7.3** The purchaser respectively the carrier engaged by the purchaser is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

#### **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

- **8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.
- **8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

#### **ARTICLE 9. SECURITY**

- **9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.
- 9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

#### **ARTICLE 10. PURCHASE**

- **10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.
- **10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.
- 10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.
- 10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.
- **10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of at a time / times to be determined by Troostwijk placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and in case of the sale of one or more items by order of a trustee under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.
- **10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.
- **10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.
- **10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).
- **10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.
- **10:10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

#### ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

#### **ARTICLE 12. TERMINATION**

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

- **12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.
- **12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.
- 12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.
- **12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



#### **ARTICLE 13. LIABILITY**

- **13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions), shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.
- **13.2** Troostwijk is not liable for any consequential damage such as but non-exhaustive damage in the form of loss of profit or unsaleability of the items
- **13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.
- **13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.
- 13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.
- 13.6 Troostwijk and / or the seller are not liable for damage and consequential damage personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.
- 13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:
  - Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
  - Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
  - Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate
    this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform
    Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the
    consequences thereof shall be to the account of the purchaser;
  - Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other
    legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
  - Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
  - Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
  - Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this
    is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's
    website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by
    restricted rights, other restrictions or intellectual property rights of third parties.
  - Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns
    the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.
- **13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.
- **13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



#### **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

#### **ARTICLE 15. ADAPTATIONS; EFFECT**

- **15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.
- **15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.
- **15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.
- **15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

#### **ARTICLE 16. APPLICABLE LAW**

- 16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.
- **16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.
- **16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

# **About Us Troostwijk**

# **Did you know?**

we organise auctions in 25 countrieswe have 1,6 million page views on a top day

# The European Online Auctioneer and Valuer

## 1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

# **Statistics**

- Every year we deal with 50.000 bidders
  - from 95 different countries
  - over 500.000 registrations

# **15 Countries**

Troostwijk has own offices in 15 European countries

### 85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience

# www.TroostwijkAuctions.com