



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling verreikers, hoogwerkers,  
grondverzetmachines en aannemersmaterialen (NL)**

**Online auction of telehandlers, aerial  
platforms, earthmoving machines and  
contractor materials**

Costerweg 2 - 4104 AJ Culemborg  
(Culemborg, Costerweg 2 (Impresse))

Closing date: Thursday **05 MARCH** starting 14:00



**Viewing:**

Tuesday 03 March from 13:00 until 16:00  
Costerweg 2 - 4104 AJ Culemborg (The Netherlands)

*Bidding only on the internet!*

24-02-20 15.04

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Thursday 05 March 2020 Online veiling verreikers, hoogwerkers,  
grondverzetmachines en aannemersmaterialen**  
**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Thursday 5 March 2020 starting 14:00 CET								
Viewing	<b>Tuesday 3 March from 13:00 until 16:00 CET</b> <b>Auction location</b> Costerweg 2 4104 AJ Culemborg, The Netherlands TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com								
Company organising this Online Auction									
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	<b>Monday 16 March from 09:00 until 16:00 CET</b> <b>Auction location</b> Costerweg 2 4104 AJ Culemborg, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Attending an auction closure for consumers									
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.  Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV  <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions								

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



#### article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

#### General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

#### Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

#### Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

#### Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

#### Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

#### Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

#### Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

#### Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	<b>terminal truck</b> Mafi, MT25, brand: Mafi; type: MT25; number of axis: 2; axle configuration: 4x2; diesel: yes; automatic: yes; total dimension L: 5500 mm; total dimension W: 2500 mm; total dimension H: 3100 mm; description: equipped with cabin heating ; air brakes; dubbellucht rear; work lights ; radio CD player;	1,000.00
2	1	<b>forklift</b> Linde, H80D-03, year built 2007, brand: Linde; type: H80D-03; year: 2007; diesel: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 4300 mm; overhead guard height: 3350 mm; fork length: 2000 mm; duplo mast: yes; full rubber tyres: yes; own weight: 12610 kg; total dimension L: 5020 mm; total dimension W: 1910 mm; total dimension H: 3350 mm; description: vv work lights front; suspended seat; enclosed cab; cabin heating ;	5,000.00
3	1	<b>forklift</b> Linde, E18L-01, year built 2013, brand: Linde; type: E18L-01; year: 2013; electric: yes; number of wheels: 3; lifting capacity: 1800 kg; lifting height: 4470 mm; overhead guard height: 2060 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; own weight: 2510 kg; total dimension L: 3250 mm; total dimension W: 1200 mm; total dimension H: 2060 mm; description: equipped with extra hydraulic function; led work lights front and rear; non marking tires ;	1,000.00
4	1	<b>mobile high pressure compressor</b> Atlas Copco , Xas137, year built 2005, serial number WUX533684, brand: Atlas Copco ; type: Xas137; year: 2005; serial number: WUX533684; capacity: 7 bar; power: 58 kW; hours on display: 1980; own weight: 1500 kg; total dimension L: 3950 mm; total dimension W: 1500 mm; total dimension H: 1450 mm;	500.00
© 5	1	<b>screw compressor</b> Ecoair, D40, brand: Ecoair; type: D40; capacity: 8 bar; power: 30 kW; hours on display: 4337; electric connection: 400 V; own weight: 670 kg; total dimension L: 1970 mm; total dimension W: 810 mm; total dimension H: 1660 mm;	100.00
6	1	<b>midi excavator</b> Yanmar, PELÉ SV17, year built 2011, brand: Yanmar; type: PELÉ SV17; year: 2011; brand engine: Yanmar; engine power: 9.5 kW; number of cylinders: 3; fuel type: Diesel; boom length: 2800 mm; with bucket: yes; bucket size L: 420 mm; bucket size W: 1000 mm; bucket size H: 360 mm; track width: 230 mm; hours on display: 3014; own weight: 1670 kg; total dimension L: 3600 mm; total dimension W: 960 mm; total dimension H: 2200 mm; description: equipped with extra hydraulic function; blade;	1,000.00
7	1	<b>telehandler</b> Dieci , 176, year built 2005, brand: Dieci ; type: 176; year: 2005; engine power: 74 kW; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 5581; own weight: 10800 kg; total dimension W: 2340 mm; total dimension H: 2300 mm; description: equipped with extra hydraulic function; 4x4 drive; 4x4 Control; suspended seat;	5,000.00
© 8	1	<b>generator</b> Kohler SDMO, R66C3, year built 2014, brand: Kohler SDMO; type: R66C3; year: 2014; capacity: 60 kVA; diesel: yes; engine brand + model: John Deere 4045HFS85; number of cylinders: 4; engine power: 61 kW; generator brand + model: Leroy Somer LSA 42.3L9 C6/4; water cooled: yes; hours on display: 9862; machine weight: 1654 kg; total dimension L: 1150 mm; total dimension W: 2545 mm; total dimension H: 1824 mm;	1,000.00
9	1	<b>forklift</b> Carer , R40N, brand: Carer ; type: R40N; electric: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 3400 mm; overhead guard height: 2600 mm; fork length: 1600 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 780; battery charger: yes; own weight: 6500 kg; total dimension L: 4020 mm; total dimension W: 1370 mm; total dimension H: 2600 mm; description: vv work lights front; rear wiper front;	1,000.00





Lot	Number	Description	Starting Bid €
10	1	<b>passenger car</b> Bmw, 330CI cabrio M3, year built 2000, brand: Bmw; type: 330CI cabrio M3; year: 2000; license plate: 16-XF-JV; convertible: yes; coupé: yes; inspection expiration date: 10/04/2020 02:00:00; gasoline: yes; engine power: 170 kW; displacement: 3000 cc; automatic: yes; mileage (at intake): 264485 km; number of seats: 4; number of doors: 2; electrically adjustable seats: yes; seat heating: yes; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; leather interior: yes; trailer hitch: no; parking sensors: yes; xenon headlights: yes; own weight: 1595 kg; description: number of cylinders: 6; displacement: 2979 cm³; color: beige; Power 240 Horse Power ; equipped with fully implemented M3; softop fully electric glass pane; hardtop; 18 "alloy wheels; LED taillights; seat memory; electrically adjustable headrests; adjustable steering wheel; Harman / Kardon sound system; front fog lamps;	1,000.00
11	1	<b>mobile crane</b> Grove, RT518, year built 1981, brand: Grove; type: RT518; year: 1981; max. lifting capacity: 18000 kg; max. hoist height: 21.3 m; hours on display: 1494 hr; brand engine: Deutz; number of cylinders: 6; number of axis: 2; tyre size: 14.00R24; own weight: 19200 kg; total dimension L: 10000 mm; total dimension W: 2440 mm; total dimension H: 3300 mm; description: equipped with hydraulic outriggers; Deutz 6 cylinder diesel engines ; poor inhibition of;	5,000.00
12	1	<b>generator</b> Cummins, year built 2008, brand: Cummins; year: 2008; capacity: 250 kVA; diesel: yes; engine brand + model: Cummins 6CTAA8.3G; number of cylinders: 6; generator brand + model: Cummins; water cooled: yes; total dimension L: 3480 mm; total dimension W: 1330 mm; total dimension H: 2200 mm;	1,000.00
13	1	<b>forklift</b> Linde, H35T, year built 2015, brand: Linde; type: H35T; year: 2015; LPG: yes; number of wheels: 4; lifting capacity: 3500 kg; overhead guard height: 3270 mm; fork length: 1150 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; total dimension L: 3950 mm; total dimension W: 1470 mm; total dimension H: 3270 mm; description: vv work lights front and rear; radio; enclosed cab; cabin heating ; suspended seat; gas tank;	1,000.00
14	1	<b>generator</b> Leypower, LP160R, year built 2013, brand: Leypower; type: LP160R; year: 2013; capacity: 160 kVA; diesel: yes; engine brand + model: Leypower; number of cylinders: 6; generator brand + model: AC generator SX460; water cooled: yes; total dimension L: 3850 mm; total dimension W: 1400 mm; total dimension H: 1830 mm;	1,000.00
15	1	<b>forklift</b> Hyster , XA-60, brand: Hyster ; type: XA-60; diesel: yes; number of wheels: 4; lifting capacity: 2700 kg; lifting height: 4500 mm; overhead guard height: 2800 mm; fork length: 1100 mm; duplo mast: yes; description: equipped with double-air front; high / low gear ;	100.00
16	1	<b>generator</b> Perkins, DPS100, brand: Perkins; type: DPS100; capacity: 110 kVA; diesel: yes; engine brand + model: Perkins 2476; number of cylinders: 4; generator brand + model: Stamford X15610; water cooled: yes; total dimension L: 2800 mm; total dimension W: 980 mm; total dimension H: 1350 mm;	1,000.00
© 18	1	<b>semitrailer</b> Jumbo, To 120 z, year built 2008, brand: Jumbo; type: To 120 z; year: 2008; license plate: OK-56-NJ; inspection expiration date: 26/11/2019 01:00:00; number of axis: 2; open trailer: yes; own weight: 6610 kg; description: length : 1275 cm; width: 255 cm; bed height 62 cm; bed height 76 cm; dimensions . loading floor 1254x255 cm;	1,000.00
19	1	<b>terminal truck</b> Mafi, MT30, brand: Mafi; type: MT30; number of axis: 2; axle configuration: 4x2; diesel: yes; automatic: yes; total dimension L: 5250 mm; total dimension W: 2550 mm; total dimension H: 3000 mm; description: equipped with cabin heating ; air brakes; dubbellucht rear; work lights ;	1,000.00



Lot	Number	Description	Starting Bid €
20	1	<b>scissor boom lift</b> Upright, LX41, brand: Upright; type: LX41; scissor lift: yes; working height: 1434 cm; platform size L: 365 cm; platform size W: 190 cm; own weight: 5300 kg; total dimension L: 4000 mm; total dimension W: 2250 mm; total dimension H: 2950 mm;	500.00
21	1	<b>scissor boom lift</b> Genie , GS-5390, year built 2005, brand: Genie ; type: GS-5390; year: 2005; scissor lift: yes; working height: 1500 cm; platform size L: 400 cm; platform size W: 183 cm; platform capacity: 650 kg; hours on display: 4516; own weight: 8943 kg; total dimension L: 4880 mm; total dimension W: 2290 mm; total dimension H: 3150 mm; description: equipped with 2- -sided pull-out tray; 4x4 drive; hydraulic outriggers; empty battery operation unknown; no upper control box;	500.00
22	1	<b>scissor boom lift</b> Genie , GS-3268 RT 4x4, year built 2007, brand: Genie ; type: GS-3268 RT 4x4; year: 2007; diesel: yes; engine power: 19.5 kW; scissor lift: yes; working height: 1175 cm; platform size L: 250 cm; platform size W: 150 cm; platform capacity: 454 kg; hours on display: 1908; own weight: 3632 kg; total dimension L: 2670 mm; total dimension W: 1730 mm; total dimension H: 2450 mm; description: equipped with pull-out tray; 4x4 drive; Kubota diesel engines ; note: not cancel the above operation; display defect;	1,000.00
23	1	<b>lowbed trailer</b> Broshuis, 3ABD-55, brand: Broshuis; type: 3ABD-55; license plate: Hongaars; number of axis: 3; load capacity: 55000 kg; open trailer: yes; own weight: 19490 kg; description: equipped with air suspension; BPW axles; 3 axle hydraulically controlled ; backlash control; 4.2 meters pull-out; hydraulically width adjustment to 3.75 meter; detachable gooseneck; ABS; diesel powerpack for the hydraulic system; dimensions , loading floor 1625x275 cm.;	5,000.00
24	1	<b>telehandler</b> JCB , 525-58, brand: JCB ; type: 525-58; engine power: 57 kW; lifting capacity: 1500 kg; lifting height: 590 mm; cabin: yes; 4-wheel drive: yes; air tyres: yes; hours on display: 7382; own weight: 6300 kg; total dimension L: 4400 mm; total dimension W: 2350 mm; total dimension H: 2600 mm; description: equipped with 4x4 controller; 4x4 drive; additional hydraulic function; quick coupling ; suspended seat;	1,000.00
25	1	<b>wheel loader</b> O&K, L15, brand: O&K; type: L15; brand engine: Deutz; number of cylinders: 5; fuel type: Diesel; bucket size L: 900 mm; bucket size W: 2450 mm; bucket size H: 1000 mm; tyre size: 22/70R24; cabin: yes; own weight: 9000 kg; total dimension L: 6500 mm; total dimension W: 2450 mm; total dimension H: 3200 mm; description: vv work lights front; 4x4 drive; additional hydraulic function;	500.00
26	1	<b>terminal truck</b> Mafi, TL20J, brand: Mafi; type: TL20J; number of axis: 2; axle configuration: 4x2; automatic: yes; own weight: 11000 kg; total dimension L: 9750 mm; total dimension W: 2480 mm; total dimension H: 3000 mm; description: equipped with double-flight; Automatic lubrication ; hydraulic platform; serving transport afzetbakken;	1,000.00
27	1	<b>Transfer grapple / grapple bucket</b> own weight: 6500 kg; total dimension L: 2350 mm; total dimension W: 2230 mm; total dimension H: 2650 mm;	500.00
31	1	<b>wheel loader</b> Hytec, ZL12F, year built 2016, brand: Hytec; type: ZL12F; year: 2016; brand engine: Fawde; engine power: 37 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 3500 kg; bucket size L: 1880 mm; bucket size W: 700 mm; bucket size H: 660 mm; tyre size: 20.5 x 70-16; cabin: yes; hours on display: 159; own weight: 3500 kg; total dimension L: 5200 mm; total dimension W: 1700 mm; total dimension H: 2600 mm; description: vv quick coupling , additional hydraulic, radio, rice ring, sometimes it goes sometimes.;	1,000.00



Lot	Number	Description	Starting Bid €
32	1	<b>passenger car</b> Bmw, 3er reihe, year built 2008, brand: Bmw; type: 3er reihe; year: 2008; license plate: 74-ZP-PG; stationwagen: yes; inspection expiration date: 20/09/2020 02:00:00; diesel: yes; engine power: 210 kW; displacement: 3000 cc; automatic: yes; mileage (at intake): 214080 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; cruise control: yes; multi-function steering wheel: yes; navigation: yes; leather interior: yes; parking sensors: yes; xenon headlights: yes; LED headlights: yes; own weight: 1620 kg; description: number of cylinders: 6; displacement: 2993 cm³; color blue; list price: 76 464; length : 452 cm; Euro classification: 4; efficiency label: D; type : 390L; variant: VS91; Model: AB;	1,000.00
33	1	<b>hydraulic breaker</b> Hammer, FRKF45, year built 2017, brand: Hammer; type: FRKF45; year: 2017; total dimension L: 2900 mm; total dimension W: 570 mm; total dimension H: 700 mm; description: equipped with chisel,;	500.00
34	1	<b>forklift</b> Linde, H80D-03, year built 2005, brand: Linde; type: H80D-03; year: 2005; diesel: yes; number of wheels: 4; lifting capacity: 8000 kg; lifting height: 4300 mm; overhead guard height: 3350 mm; fork length: 1800 mm; duplo mast: yes; full rubber tyres: yes; own weight: 12610 kg; total dimension L: 5000 mm; total dimension W: 1910 mm; total dimension H: 3350 mm; description: vv work lights front; suspended seat; enclosed cab; cabin heating ;	5,000.00
35	1	<b>forklift</b> Yale, GLP40LJ, year built 2002, brand: Yale; type: GLP40LJ; year: 2002; diesel: no; LPG: yes; number of wheels: 4; lifting capacity: 4000 kg; overhead guard height: 3150 mm; fork length: 100 mm; duplo mast: yes; full rubber tyres: yes; own weight: 6790 kg; total dimension L: 4400 mm; total dimension W: 1530 mm; total dimension H: 3160 mm; description: equipped with 2 x auxiliary hydraulic functions; work lights front; suspended seat;	500.00
© 36	1	<b>truck</b> Scania, 124.420 , year built 2004, brand: Scania; type: 124.420 ; year: 2004; license plate: Belgisch; number of axis: 3; axle configuration: 6x2; diesel: yes; engine power: 309 kW; automatic: yes; load capacity: 17850 kg; sleeper cab: yes; own weight: 8650 kg; total dimension W: 2550 mm; description: equipped with semi-automatic transmission; air-suspension; central lubrication system; steering shaft; central locking system; electric windows; 2 x dubbellucht rear axle; loading floor height 110 cm; dimensions . loading floor 805x255 CMCM;	1,000.00
© 37	1	<b>semitrailer</b> Uima, year built 1999, brand: Uima; year: 1999; license plate: Belgisch; number of axis: 2; open trailer: yes; total dimension W: 2550 mm; description: loading floor height 100 cm; dimensions . loading floor 820x255 cm;	500.00
		<b>SCANIA semi-trailer tractor unit</b>	
38	1	<b>utility tractor</b> Kawasaki, brand: Kawasaki; hours on display: 402; tyre size front: 25x11.00R10; tyre size rear: 25x11.00R10; total dimension L: 2850 mm; total dimension W: 1400 mm; total dimension H: 1900 mm; description: equipped with 4x4 drive; high / low gear; Kawasaki 3 cylinder diesel engines ; dump bucket ;	500.00
39	1	<b>generator</b> Leroy-somer, DF75L, brand: Leroy-somer; type: DF75L; capacity: 75 kVA; diesel: yes; engine brand + model: Ford 2704ET; number of cylinders: 6; generator brand + model: Leroy-Somer; water cooled: yes; hours on display: 8515; total dimension L: 2850 mm; total dimension W: 970 mm; total dimension H: 2060 mm;	500.00
40	1	<b>generator</b> Perkins, brand: Perkins; capacity: 220 kVA; diesel: yes; number of cylinders: 6; water cooled: yes; hours on display: 2052; total dimension L: 2100 mm; total dimension W: 1150 mm; total dimension H: 2100 mm;	1,000.00



Lot	Number	Description	Starting Bid €
41	1	<b>truck</b> Mercedes-Benz, 1215 atego , year built 2005, brand: Mercedes-Benz; type: 1215 atego ; year: 2005; license plate: Belgische registratie; number of axis: 2; axle configuration: 4x2; diesel: yes; manual: yes; mileage (at intake): 153992 km; emission standard: Euro 3; hydraulic tail-lift: yes; description: equipped with power windows; electric mirrors; tachograph; 6 gearbox ; ABS; central lubrication system; steering shaft; dimensions . loading floor 560x240 cm;	1,000.00
42	1	<b>passenger car</b> Mercedes-benz, Clk 320, year built 1999, brand: Mercedes-benz; type: Clk 320; year: 1999; license plate: 02-RJ-KG; convertible: yes; inspection expiration date: 27/12/2020 01:00:00; gasoline: yes; engine power: 160 kW; displacement: 3200 cc; automatic: yes; mileage (at intake): 248098 km; number of seats: 4; number of doors: 2; seat heating: yes; power windows: yes; airconditioning: yes; cruise control: yes; navigation: yes; leather interior: yes; trailer hitch: yes; xenon headlights: yes; own weight: 1595 kg; description: number of cylinders: 6; displacement: 3199 cm³; color blue; length : 457 cm; Euro classification: 2; variant: L465A0; execution: TEAA240;	1,000.00
43	1	<b>utility tractor</b> Mega, 4x2, brand: Mega; type: 4x2; gear box type: Automaat; tyre size front: 145/70R13; tyre size rear: 145/70R13; cabin: yes; total dimension L: 3250 mm; total dimension W: 1550 mm; total dimension H: 1860 mm; description: kilometers at recording 21662; equipped with Kubota 2 cylinder engine; bakafm. 157x143 cm; is struggling in achteruitversneling;	500.00
44	1	<b>sweepers, self-propelled</b> Johnston, 142A 101T, year built 2005, brand: Johnston; type: 142A 101T; year: 2005; working width: 2000 mm; hours on display: 2968 hr; own weight: 4000 kg; total dimension W: 1250 mm; description: equipped with adjustable front brushes; pressure spray unit; hydraulically tiltable containers; enclosed cab; water tank;	500.00
45	1	<b>light tower generator</b> Wacker Neuson, Ltc4, brand: Wacker Neuson; type: Ltc4; capacity: 6 kVA; diesel: yes; engine brand + model: Kohler; number of cylinders: 3; generator brand + model: Lt3-10/4; water cooled: yes; mobile: yes; total dimension L: 4750 mm; total dimension W: 1300 mm; total dimension H: 1800 mm;	100.00
© 46	1	<b>generator</b> Lister Petter, year built 2011, brand: Lister Petter; year: 2011; capacity: 16 kVA; engine brand + model: Lister Petter; number of cylinders: 4; engine power: 12.8 kW; generator brand + model: Slg164d; water cooled: yes; mobile: yes; total dimension L: 3000 mm; total dimension W: 1450 mm; total dimension H: 1500 mm;	100.00
© 47	1	<b>generator</b> Lister Petter, year built 2011, brand: Lister Petter; year: 2011; capacity: 16 kVA; diesel: yes; engine brand + model: Lister petter; number of cylinders: 4; engine power: 12.8 kW; generator brand + model: Slg164d; water cooled: yes; mobile: yes; total dimension L: 3000 mm; total dimension W: 1450 mm; total dimension H: 1500 mm;	100.00
<b>mobile power generators</b>			
© 48	1	<b>twin diesel army generator set</b> CEMJ, brand: CEMJ; capacity: 17.5 kVA; diesel: yes; engine brand + model: Same motore; number of cylinders: 4; water cooled: yes; mobile: yes; hours on display: 1095 hr; machine weight: 5500 kg; total dimension L: 4800 mm; total dimension W: 2300 mm; total dimension H: 2680 mm; description: 2x 17.5 kVA generator, mobile; equipped with pulling eye;	500.00
© 49	1	<b>twin diesel army generator set</b> CEMJ, brand: CEMJ; capacity: 17.5 kVA; diesel: yes; engine brand + model: Same motore; number of cylinders: 4; water cooled: yes; hours on display: 1615 hr; machine weight: 4000 kg; total dimension L: 2800 mm; total dimension W: 2000 mm; total dimension H: 2000 mm; description: 2x 17.5 kVa generator set;	500.00





Lot	Number	Description	Starting Bid €
<b>army generators</b>			
50	1	<b>forklift</b> Hyster , Matrix R1.4H, year built 2007, brand: Hyster ; type: Matrix R1.4H; year: 2007; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 10500 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: no; full rubber tyres: yes; hours on display: 4958; battery charger: yes; own weight: 3112 kg; total dimension L: 2764 mm; total dimension W: 2718 mm; total dimension H: 230 mm; description: mast already dismantled for transport.;	500.00
51	1	<b>generator</b> Plasma, P50, year built 2019, brand: Plasma; type: P50; year: 2019; capacity: 50 kVA; diesel: yes; engine brand + model: Plasma 4100D; number of cylinders: 4; generator brand + model: Plasma; water cooled: yes; machine weight: 800 kg; total dimension L: 2210 mm; total dimension W: 910 mm; total dimension H: 1260 mm;	500.00
52	1	<b>generator</b> Plasma, P50, year built 2019, brand: Plasma; type: P50; year: 2019; capacity: 50 kVA; diesel: yes; engine brand + model: Plasma 4100D; number of cylinders: 4; generator brand + model: Plasma; water cooled: yes; machine weight: 800 kg; total dimension L: 2210 mm; total dimension W: 910 mm; total dimension H: 1260 mm;	500.00
53	1	<b>generator</b> Ricardo, R45, year built 2018, brand: Ricardo; type: R45; year: 2018; capacity: 145 kVA; diesel: yes; engine brand + model: Ricardo-45 K4100D; number of cylinders: 4; engine power: 30.1 kW; generator brand + model: Power generator; water cooled: yes; machine weight: 830 kg; total dimension L: 2100 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: vv forklift truck skids;	500.00
54	1	<b>generator</b> Ricardo, R45, year built 2018, brand: Ricardo; type: R45; year: 2018; capacity: 145 kVA; diesel: yes; engine brand + model: Ricardo-45 K4100D; number of cylinders: 4; engine power: 30.1 kW; generator brand + model: Power generator; water cooled: yes; machine weight: 830 kg; total dimension L: 2100 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: vv forklift truck skids;	500.00
55	1	<b>passenger car</b> Ford, Focus, year built 2000, brand: Ford; type: Focus; year: 2000; license plate: 63-FK-FT; stationwagen: yes; inspection expiration date: 20/12/2019 01:00:00; gasoline: yes; engine power: 74 kW; mileage (at intake): 226485 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1093 kg; description: number of cylinders: 4; cylinder capacity: 1596 cm³; Colour: Grey; euro classification: 2; variant: FYDA1; version: 5BABLH; no self-drive export;	50.00
56	1	<b>scissor boom lift</b> JLG , 4394RT 4x4, year built 2005, brand: JLG ; type: 4394RT 4x4; year: 2005; diesel: yes; engine power: 34 kW; scissor lift: yes; working height: 1511 cm; platform size L: 381 cm; platform size W: 218 cm; platform capacity: 680 kg; hours on display: 2694; own weight: 7015 kg; total dimension L: 4700 mm; total dimension W: 2350 mm; total dimension H: 2900 mm; description: equipped with 2 x extendible platform; 4x4 drive; hydraulic outriggers; Deutz 3 cylinder diesel engines ; beware rice ring ;	1,000.00
57	1	<b>forklift</b> Jungheinrich, TFG40, year built 1997, brand: Jungheinrich; type: TFG40; year: 1997; LPG: yes; number of wheels: 4; lifting capacity: 4000 kg; lifting height: 4440 mm; overhead guard height: 2900 mm; fork length: 1200 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4249; own weight: 6430 kg; total dimension L: 4000 mm; total dimension W: 1330 mm; total dimension H: 2900 mm; description: equipped with extra hydraulic function; work lights front; closed cabin;	500.00



Lot	Number	Description	Starting Bid €
58	1	<b>forklift</b> Clark , GPM15, brand: Clark ; type: GPM15; LPG: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 6580 mm; overhead guard height: 2880 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 6793; own weight: 2910 kg; total dimension L: 3450 mm; total dimension W: 1080 mm; total dimension H: 2880 mm; description: equipped with extra hydraulic function; work lights front; suspended seat; link;	500.00
59	1	<b>terminal truck</b> Sisu, TTX182, year built 2000, brand: Sisu; type: TTX182; year: 2000; number of axis: 2; axle configuration: 4x2; diesel: yes; automatic: yes; total dimension L: 5150 mm; total dimension W: 2500 mm; total dimension H: 3100 mm; description: equipped with air brakes; dubbellucht rear; suspended seat; rotating seat; work lights ; Volvo diesel engines ;	1,000.00
60	1	<b>semitrailer</b> Andres, SA 12, year built 1981, brand: Andres; type: SA 12; year: 1981; license plate: Zwitserse registratie; number of axis: 1; open trailer: yes; total dimension L: 11650 mm; total dimension W: 2250 mm; description: equipped with a central lubrication system; The first axle ; bladgeveerd; aluminum plates; loading floor height 140 cm;	1,000.00
© 61	1	<b>generator</b> Kohler SDMO, R66C3, year built 2013, brand: Kohler SDMO; type: R66C3; year: 2013; capacity: 60 kVA; diesel: yes; engine brand + model: John Deere 4045HFS85; number of cylinders: 4; engine power: 61 kW; generator brand + model: Leroy Somer LSA 42.3L9 C6/4; water cooled: yes; machine weight: 1654 kg; total dimension L: 2545 mm; total dimension W: 1150 mm; total dimension H: 1824 mm;	1,000.00
© 62	1	<b>generator</b> Kohler SDMO, R66C3, year built 2013, brand: Kohler SDMO; type: R66C3; year: 2013; capacity: 60 kVA; diesel: yes; engine brand + model: John Deere 4045HFS85; number of cylinders: 4; engine power: 61 kW; generator brand + model: Leroy Somer LSA 42.3L9 C6/4; water cooled: yes; machine weight: 1654 kg; total dimension L: 1150 mm; total dimension W: 2545 mm; total dimension H: 1824 mm;	1,000.00
		<b>power generators Kohler</b>	
63	1	<b>mobile light tower generator</b> Wacker Neuson, Ltc4, brand: Wacker Neuson; type: Ltc4; capacity: 6 kVA; diesel: yes; engine brand + model: Kohler; number of cylinders: 3; generator brand + model: Lt3-10/4; water cooled: yes; mobile: yes; total dimension L: 4750 mm; total dimension W: 1300 mm; total dimension H: 1800 mm;	100.00
64	1	<b>4x4 wheel loader</b> Liebherr, 506, brand: Liebherr; type: 506; brand engine: Deurz; engine power: 38 kW; number of cylinders: 4; fuel type: Diesel; bucket size L: 950 mm; bucket size W: 1800 mm; bucket size H: 800 mm; tyre size: 12,5R18; cabin: yes; own weight: 4800 kg; total dimension L: 5400 mm; total dimension W: 1820 mm; total dimension H: 2450 mm; description: equipped with extra hydraulic function; work lights front and rear; quick coupling ; enclosed cab; suspended seat;	1,000.00
65	1	<b>light tower generator</b> Wacker Neuson, Ltc4, brand: Wacker Neuson; type: Ltc4; capacity: 6 kVA; diesel: yes; engine brand + model: Kohler; number of cylinders: 3; generator brand + model: Lt3-10/4; water cooled: yes; mobile: yes; total dimension L: 4750 mm; total dimension W: 1300 mm; total dimension H: 1800 mm; description: equipped with pulling eye;	100.00
66	1	<b>light tower generator</b> Wacker Neuson, Ltc4, brand: Wacker Neuson; type: Ltc4; capacity: 6 kVA; diesel: yes; engine brand + model: Kohler; number of cylinders: 3; generator brand + model: Lt3-10/4; water cooled: yes; mobile: yes; total dimension L: 4750 mm; total dimension W: 1300 mm; total dimension H: 1800 mm; description: equipped with pulling eye ;	100.00



Lot	Number	Description	Starting Bid €
67	1	<b>light tower generator</b> Wacker Neuson, Ltc4, brand: Wacker Neuson; type: Ltc4; capacity: 6 kVA; diesel: yes; engine brand + model: Kohler; number of cylinders: 3; generator brand + model: Lt3-10/4; water cooled: yes; mobile: yes; total dimension L: 4750 mm; total dimension W: 1300 mm; total dimension H: 1800 mm; description: equipped with pulling eye ;	100.00
68	1	<b>single drum roller</b> Bomag, BW80, brand: Bomag; type: BW80; working width: 800 mm; diameter: 580 mm; own weight: 2200 kg; total dimension L: 1800 mm; total dimension W: 850 mm; total dimension H: 2350 mm; description: Hours at 873 recording; 3 Kubota engine cylinder ;	500.00
69	1	<b>generator</b> Vector, Uk90E, year built 2019, serial number 1901004, brand: Vector; type: Uk90E; year: 2019; serial number: 1901004; capacity: 90 kVA; diesel: yes; engine brand + model: Vector uk; number of cylinders: 4; generator brand + model: Powergenerator; air cooled: yes; hours on display: 0; total dimension L: 2150 mm; total dimension W: 900 mm; total dimension H: 1415 mm;	500.00
70	1	<b>midi excavator</b> Bobcat, 328, year built 2004, brand: Bobcat; type: 328; year: 2004; brand engine: Kubota; engine power: 32.8 kW; number of cylinders: 3; fuel type: Diesel; with bucket: yes; bucket size L: 470 mm; bucket size W: 1290 mm; bucket size H: 450 mm; track width: 300 mm; cabin: yes; own weight: 2633 kg; total dimension L: 3600 mm; total dimension W: 1400 mm; total dimension H: 2500 mm; description: equipped with extra hydraulic function; quick coupling ; blade; Swing Boom;	1,000.00
71	1	<b>single drum roller</b> Ammann, AV12-2, year built 2011, brand: Ammann; type: AV12-2; year: 2011; working width: 820 mm; diameter: 570 mm; own weight: 1490 kg; total dimension L: 2100 mm; total dimension W: 860 mm; total dimension H: 2500 mm; description: hours when recording 1333;	1,000.00
72	1	<b>mini tractor</b> Kubota, B2530, brand: Kubota; type: B2530; engine power: 18.4 kW; gear box type: 3 versnellingen; tyre size front: 6.00R12; tyre size rear: 16; front linkage: yes; cabin: yes; total dimension L: 3000 mm; total dimension W: 1170 mm; total dimension H: 2200 mm; description: equipped with enclosed cab; Hours at 849 recording;	500.00
73	1	<b>mini excavator</b> JCB, 8014, year built 2012, brand: JCB; type: 8014; year: 2012; brand engine: Jcb; engine power: 14.7 kW; number of cylinders: 3; fuel type: Diesel; with bucket: yes; bucket size L: 320 mm; bucket size W: 880 mm; bucket size H: 360 mm; track width: 230 mm; hours on display: 2076; total dimension L: 3300 mm; total dimension W: 1000 mm; total dimension H: 2260 mm; description: vv work lights front; additional hydraulic valves; Swing Boom; blade; rubber tracks;	1,000.00
74	1	<b>professional racing cart</b> Shengqiuro, SQ125KT, brand: Shengqiuro; type: SQ125KT; displacement: 125 cc; own weight: 90 kg; total dimension L: 1800 mm; total dimension W: 1350 mm; total dimension H: 570 mm; description: water cooled;	100.00
75	1	<b>professional racing cart</b> Shengqiuro, SQ125KT, brand: Shengqiuro; type: SQ125KT; displacement: 125 cc; own weight: 90 kg; total dimension L: 1800 mm; total dimension W: 1350 mm; total dimension H: 570 mm; description: go cart in box (164 x 107 x 55 cm); water cooled; unused; to be assembled;	100.00
76	1	<b>sweepers, self-propelled</b> Kärcher , KMR1700D, year built 2002, brand: Kärcher ; type: KMR1700D; year: 2002; working width: 1400 mm; hours on display: 1455 hr; own weight: 1550 kg; total dimension L: 2200 mm; total dimension W: 1400 mm; total dimension H: 1440 mm; description: equipped with three cylinder Kubota motor; power kW 14.00; hydraulic tipping container ; work lights front; front brush;	500.00



Lot	Number	Description	Starting Bid €
77	1	<b>quad</b> Loncin, brand: Loncin; displacement: 150 cc; total dimension L: 1920 mm; total dimension W: 1200 mm; total dimension H: 1150 mm; description: equipped with electric start; backwards;	100.00
78	1	<b>trailer with valve</b> number of axis: 1; cargo body size L: 160 cm; cargo body size W: 115 cm; total dimension L: 2600 mm; total dimension W: 1200 mm; total dimension H: 1400 mm;	50.00
© 79	1	<b>truck</b> Daf, Xf 105.460, year built 2007, brand: Daf; type: Xf 105.460; year: 2007; license plate: 08-BNK-9; inspection expiration date: 10/01/2008 01:00:00; number of axis: 2; diesel: yes; engine power: 340 kW; automatic: yes; mileage (at intake): 869223 km; emission standard: Euro 4; sleeper cab: yes; airconditioning: yes; own weight: 7240 kg; description: number of cylinders: 6; displacement: 12902 cm <sup>3</sup> ; length : 605 cm; width: 255 cm; Euro classification: Euro 4; type : TE05N; equipped with power windows; electrically adjustable mirrors; cruise control; speed limiter; radio CD player; heated rear view mirrors; no self drive exports;	1,000.00
<b>DAF semi-trailer tractor unit</b>			
80	1	<b>semitrailer tractor</b> Scania, R480, year built 2009, brand: Scania; type: R480; year: 2009; license plate: Belgische registratie ; number of axis: 2; axle configuration: 4x2; diesel: yes; automatic: yes; mileage (at intake): 786549 km; emission standard: Euro 5; sleeper cab: yes; airconditioning: yes; description: equipped with power windows; electrically adjustable mirrors; semi-automatic; cruise control; speed limiter; steering wheel controls; heated rear view mirrors; Parrot hands-free system; refrigerator;	1,000.00
81	1	<b>wood chipper</b> Countyline, YTL-016-919, brand: Countyline; type: YTL-016-919; max. ? : 230 mm; fuel engine driven: yes; fuel type: Benzine; total dimension L: 2300 mm; total dimension W: 1200 mm; total dimension H: 1000 mm; description: mobile; capacity 25 tons; Kohler engine 1 cylinder ; 196 cc: capacity 6.5 Horse Power ; unused;	100.00
83	1	<b>industrial tractor</b> Linde , P30C, year built 2012, serial number W41190C00403, brand: Linde ; type: P30C; year: 2012; serial number: W41190C00403; electric: yes; engine power: 3 kW; towing capacity: 300 kg; battery charger: no; own weight: 965 kg; total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1450 mm; description: without charger;	100.00
84	1	<b>industrial tractor</b> Linde , P30, year built 2012, brand: Linde ; type: P30; year: 2012; electric: yes; engine power: 3 kW; towing capacity: 3000 kg; hours on display: 736; own weight: 700 kg; total dimension L: 1800 mm; total dimension W: 830 mm; total dimension H: 1200 mm; description: without charger ;	100.00
86	1	<b>advertising trailer</b> number of axis: 1; total dimension L: 4500 mm; total dimension W: 2200 mm; total dimension H: 2800 mm; description: equipped with outriggers;	100.00
87	1	<b>forklift</b> O&K , V60, brand: O&K ; type: V60; diesel: yes; number of wheels: 4; lifting capacity: 6000 kg; lifting height: 4500 mm; overhead guard height: 3260 mm; fork length: 2400 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; total dimension L: 6070 mm; total dimension W: 1900 mm; total dimension H: 3260 mm; description: equipped with double-air front; work lights front; enclosed cab; cabin heating ; suspended seat; double carriage ;	1,000.00



Lot	Number	Description	Starting Bid €
88	1	<b>Spider aerial platform</b> Italtec, RJ20, year built 2005, brand: Italtec; type: RJ20; year: 2005; diesel: yes; electric: yes; telescopic boom lift: yes; articulating boom lift: yes; working height: 2000 cm; horizontal outreach: 950 cm; platform size L: 130 cm; platform size W: 64 cm; platform capacity: 120 kg; hours on display: 551; own weight: 2950 kg; total dimension L: 6200 mm; total dimension W: 1300 mm; total dimension H: 2000 mm; description: equipped with remote control; hydraulic outriggers; rubber tracks; rotating work bin ;	5,000.00
89	1	<b>wheel loader</b> Avant, SDW603, year built 2006, brand: Avant; type: SDW603; year: 2006; brand engine: Honda GXV; engine power: 12 kW; number of cylinders: 2; fuel type: Benzine; bucket size L: 460 mm; bucket size W: 1010 mm; bucket size H: 440 mm; tyre size: 20/8.00R10; hours on display: 2603; own weight: 590 kg; total dimension L: 2300 mm; total dimension W: 1100 mm; total dimension H: 1900 mm; description: equipped with three additional hydraulic functions; work lights front;	500.00
90	1	<b>hydraulic breaker</b> total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 3500 mm; description: equipped with chisel, hydraulic quick couplers.;	100.00
91	1	<b>hydraulic breaker</b> total dimension L: 1000 mm; total dimension W: 300 mm; total dimension H: 3500 mm; description: equipped with chisel, hydraulic quick couplers.;	100.00
92	1	<b>hydraulic breaker</b> total dimension L: 2100 mm; total dimension W: 600 mm; total dimension H: 550 mm; description: equipped with chisel, hydraulic quick couplers.;	100.00
93	1	<b>hydraulic breaker</b> Dehaco, DHB205, brand: Dehaco; type: DHB205; total dimension L: 2100 mm; total dimension W: 620 mm; total dimension H: 470 mm; description: equipped with chisel, hydraulic quick ;	100.00
94	1	<b>tracked dumper truck</b> IHI, C30, brand: IHI; type: C30; brand engine: Isuzu; number of cylinders: 3; fuel type: Diesel; load capacity: 2500 kg; hours on display: 1106; total dimension L: 3060 mm; total dimension W: 1500 mm; total dimension H: 1730 mm; description: dimensions . bake 160x143 cm; hydraulically tiltable; 4 gearbox ; dual control;	500.00
© 95	1	<b>screw compressor</b> Ecoair, D40, brand: Ecoair; type: D40; capacity: 8 bar; power: 30 kW; hours on display: 5143; electric connection: 400 V; own weight: 670 kg; total dimension L: 1970 mm; total dimension W: 810 mm; total dimension H: 1660 mm;	100.00
© 96	1	<b>screw compressor</b> Ecoair, D40, brand: Ecoair; type: D40; capacity: 8 bar; power: 30 kW; hours on display: 4384; electric connection: 400 V; own weight: 670 kg; total dimension L: 1970 mm; total dimension W: 810 mm; total dimension H: 1660 mm;	100.00
<b>compressors Ecoair</b>			
97	1	<b>passenger car</b> Ford, Ka, year built 2002, brand: Ford; type: Ka; year: 2002; license plate: 88-HZ-XG; hatchback: yes; inspection expiration date: 21/03/2020 01:00:00; gasoline: yes; engine power: 44 kW; mileage (at intake): 64528 km; number of seats: 4; number of doors: 2; power windows: yes; airconditioning: yes; own weight: 865 kg; description: number of cylinders: 4; displacement: 1299 cm³; Colour: Grey; length : 362 cm; Euro classification: 3; efficiency label: D; variant: J4S1; execution: 4D11; equipped with electrically adjustable mirrors; alloy wheels; central locking;	50.00
98	1	<b>utility tractor</b> Kawasaki, Trans 4x4, year built 2008, brand: Kawasaki; type: Trans 4x4; year: 2008; gear box type: Automaat; tyre size front: 24/11R10; tyre size rear: 24/11R10; total dimension L: 3200 mm; total dimension W: 1350 mm; total dimension H: 1940 mm; description: equipped with four seats; dump bucket ; draw bar ; bakafm. 121x77 cm; no battery present, function unknown;	500.00





Lot	Number	Description	Starting Bid €
99	1	<b>asphalt sawing machine</b> Cedima , CF.22.4D, brand: Cedima ; type: CF.22.4D; max. saw depth: 180 mm; saw blade ?: 490 mm; engine brand + model: Hatz 2G40; diesel: yes; electric start: yes; water cooled: yes; total dimension LxWxH: 1500x800x1350 mm; description: max. diameter 600 mm;	100.00
100	1	<b>vibrating plate</b> Bomag, BPH80/65S, brand: Bomag; type: BPH80/65S; operation weight: 707 kg; base plate size L: 1088 mm; base plate size W: 800 mm; centrifugal force: 80 kN; brand engine: Hatz; engine power: 10.9 kW; fuel type: Diesel; own weight: 745 kg; total dimension L: 1118 mm; total dimension W: 650 mm; total dimension H: 785 mm; description: equipped with electric start; radiographic control ;	100.00
101	1	<b>vibrating plate</b> Bomag, BPH80/65S, brand: Bomag; type: BPH80/65S; operation weight: 750 kg; base plate size L: 1088 mm; base plate size W: 800 mm; centrifugal force: 80 kN; brand engine: Hatz; engine power: 10.9 kW; fuel type: Diesel; own weight: 750 kg; total dimension L: 1118 mm; total dimension W: 800 mm; total dimension H: 785 mm; description: equipped with electric start; remote control system; starter missing, unknown force.;	100.00
102	1	<b>electric pallet truck with weighing system</b> Linde , T 20, year built 2007, brand: Linde ; type: T 20; year: 2007; lifting capacity: 2000 kg; fork length: 1600 mm; battery charger: yes; hours on display: 1347; own weight: 295 kg; total dimension L: 2300 mm; total dimension W: 710 mm; total dimension H: 1210 mm; description: equipped with weighing system Ravas;	100.00
103	1	<b>lot of electric pallet trucks</b> lifting capacity: 2000 kg; fork length: 980 mm; description: 1x Yale: 1x Still: 1x Jungheinrich; without battery pack; operation unknown.;	100.00
104	1	<b>electric pallet truck</b> Linde , T 16, year built 2014, brand: Linde ; type: T 16; year: 2014; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: yes; own weight: 265 kg; total dimension L: 1600 mm; total dimension W: 730 mm; total dimension H: 1270 mm; description: battery empty; operation unknown.;	100.00
105	1	<b>electric pallet truck</b> Linde , T 16, year built 2014, brand: Linde ; type: T 16; year: 2014; lifting capacity: 1600 kg; fork length: 1150 mm; battery charger: yes; hours on display: 1155; own weight: 265 kg; total dimension L: 1600 mm; total dimension W: 730 mm; total dimension H: 1270 mm; description: built-in battery chargers ;	100.00
106	1	<b>forklift</b> Hyster , J2.0XNT MWB, year built 2011, serial number K160B03375J, brand: Hyster ; type: J2.0XNT MWB; year: 2011; serial number: K160B03375J; electric: yes; number of wheels: 4; lifting capacity: 1870 kg; lifting height: 4600 mm; overhead guard height: 2070 mm; fork length: 1200 mm; tripple mast: yes; free-lift: yes; side-shift: yes; hydraulic adjustable forks: no; full rubber tyres: yes; battery charger: yes; own weight: 3750 kg; total dimension L: 3150 mm; total dimension W: 1070 mm; total dimension H: 2070 mm; description: empty batteries; electrical failure; operation unknown ;	500.00
107	1	<b>lawn mower</b> Husqvarna, HU725AWD, brand: Husqvarna; type: HU725AWD; fuel engine driven: yes; fuel type: Benzine; power: 7.25 kW; total dimension L: 1630 mm; total dimension W: 570 mm; total dimension H: 1100 mm; description: adjustable in height; water connection; sump tray; unused;	500.00
108	1	<b>steam generator</b> Karcher, DE320, year built 1983, brand: Karcher; type: DE320; year: 1983; electric: yes; max. pressure: 10; hours on display: 126; total dimension L: 2500 mm; total dimension W: 1950 mm; total dimension H: 1650 mm; description: diesel fired;	100.00
109	1	<b>steam generator</b> Karcher, DE320, year built 1983, brand: Karcher; type: DE320; year: 1983; electric: yes; max. pressure: 10; hours on display: 240; total dimension L: 2500 mm; total dimension W: 1950 mm; total dimension H: 1650 mm; description: diesel fired;	100.00



Lot	Number	Description	Starting Bid €
110	1	<b>steam generator</b> Karcher, DE320, year built 1983, brand: Karcher; type: DE320; year: 1983; electric: yes; max. pressure: 10; hours on display: 186; total dimension L: 2500 mm; total dimension W: 1950 mm; total dimension H: 1650 mm; description: diesel fired;	100.00
111	1	<b>fuel tank</b> metal: yes; dimension L: 1670 mm; dimension W: 2180 mm; dimension H: 2000 mm; description: incl. pump; with drip tray ;	100.00
112	1	<b>rough terrain mower</b> Ferris, 5900727, year built 2008, brand: Ferris; type: 5900727; year: 2008; fuel engine driven: yes; fuel type: Benzine ; power: 14.2 kW; own weight: 297 kg; total dimension L: 1800 mm; total dimension W: 1450 mm; total dimension H: 1100 mm; description: equipped with Kawasaki gasoline engine; cutting width 120 cm ;	100.00
113	1	<b>rough terrain mower</b> Ariens, 988320, brand: Ariens; type: 988320; fuel engine driven: yes; fuel type: Benzine ; power: 10.2 kW; own weight: 258 kg; total dimension L: 2000 mm; total dimension W: 1600 mm; total dimension H: 1160 mm; description: equipped with Kawasaki gasoline engine; cutting width 110 cm. ;	100.00
114	1	<b>hydraulic breaker</b> Dehaco, DHB205, brand: Dehaco; type: DHB205; total dimension L: 1700 mm; total dimension W: 400 mm; total dimension H: 470 mm; description: equipped with chisel, hydraulic quick ;	100.00
115	4	<b>gel batteries</b> Sonnenschein, GF12 52Y, brand: Sonnenschein; type: GF12 52Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x25,5x17,5 cm; 12 V; 52 Amp; (1);	50.00
116	4	<b>gel batteries</b> Sonnenschein, GF12 52Y, brand: Sonnenschein; type: GF12 52Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x25,5x17,5 cm; 12 V; Amp 52 (2);	50.00
117	4	<b>gel batteries</b> Sonnenschein, GF12 52Y, brand: Sonnenschein; type: GF12 52Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x25,5x17,5 cm; 12 V; Amp 52 (3);	50.00
118	4	<b>gel batteries</b> Sonnenschein, GF12 52Y, brand: Sonnenschein; type: GF12 52Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x25,5x17,5 cm; 12 V; Amp 52 (4);	50.00
119	4	<b>gel batteries</b> Sonnenschein, GF12 63Y, brand: Sonnenschein; type: GF12 63Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 350 mm; description: dimensions . battery 17x25,5x21,5 cm; 12 V; 63 Amp; (5);	50.00
120	4	<b>gel batteries</b> Sonnenschein, GF12 63Y, brand: Sonnenschein; type: GF12 63Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 350 mm; description: dimensions . battery 17x25,5x21,5 cm; 12 V; 63 Amp; (6);	50.00
121	4	<b>gel batteries</b> Sonnenschein, GF12 52Y, brand: Sonnenschein; type: GF12 52Y; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x25,5x17,5 cm; 12 V; 52 Amp (7);	50.00
122	4	<b>gel batteries</b> MK Powered, M34 SLD 5, brand: MK Powered; type: M34 SLD 5; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x16,6x17,5 cm; 12 V; 60 Amp (1);	50.00



Lot	Number Description	Starting Bid €
123	<b>4 gel batteries</b> MK Powered, M24 SLD G FT, brand: MK Powered; type: M24 SLD G FT; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . 17x16,6x20cm battery; 12 V; 74 Amp; (2);	50.00
124	<b>4 gel batteries</b> MK Powered, M34 SLD 5, brand: MK Powered; type: M34 SLD 5; total dimension L: 460 mm; total dimension W: 650 mm; total dimension H: 330 mm; description: dimensions . battery 17x16,6x17,5 cm; 12 V; Amp 60 (3);	50.00
125	<b>1 midi excavator</b> Kubota, KX121-2, brand: Kubota; type: KX121-2; brand engine: Kubota; number of cylinders: 4; fuel type: Diesel; with bucket: yes; bucket size L: 430 mm; bucket size W: 1510 mm; bucket size H: 550 mm; track width: 350 mm; cabin: yes; hours on display: 4766; total dimension L: 5800 mm; total dimension W: 1700 mm; total dimension H: 2430 mm; description: equipped with rubber tracks; dozer blade with draw bar ; Swing Boom; additional hydraulic function; suspended seat; work lights ; service needed;	1,000.00
126	<b>1 tilting head</b> Beco, DKSW2H, year built 2010, brand: Beco; type: DKSW2H; year: 2010; own weight: 506 kg; total dimension L: 660 mm; total dimension W: 710 mm; total dimension H: 1060 mm; description: equipped with hydraulic quick coupling ; additional hydraulic valves;	500.00
128	<b>2 mobile traffic lights</b> Nissen, Quarz LZA 500, brand: Nissen; type: Quarz LZA 500; total dimension L: 100 mm; total dimension W: 580 mm; total dimension H: 2500 mm; description: 12 volts;	10.00
129	<b>2 mobile traffic lights</b> P.berghaus, brand: P.berghaus; total dimension L: 640 mm; total dimension W: 560 mm; total dimension H: 1840 mm; description: 12 volts;	10.00
130	<b>4 mobile traffic lights</b> P.berghaus, brand: P.berghaus; total dimension L: 640 mm; total dimension W: 560 mm; total dimension H: 1840 mm; description: 12 volts;	10.00
131	<b>3 mobile traffic lights</b> P.berghaus, brand: P.berghaus; total dimension L: 640 mm; total dimension W: 560 mm; total dimension H: 1840 mm; description: 12 volts;	10.00
132	<b>3 mobile traffic lights</b> P.berghaus, brand: P.berghaus; total dimension L: 640 mm; total dimension W: 560 mm; total dimension H: 1840 mm; description: 12 volts;	10.00
134	<b>1 lot of mobile traffic</b> P.berghaus, brand: P.berghaus; total dimension L: 900 mm; total dimension W: 600 mm; total dimension H: 2700 mm; description: 12 V; approx. 6 pieces;	10.00
135	<b>1 truck parts</b> Ingerold-rand, HU, brand: Ingerold-rand; type: HU; description: compressed air winch;	50.00
136	<b>1 Diesel engine</b> Kubota, D1105, brand: Kubota; type: D1105; speed range: 1500 rpm; number of cylinders: 3; description: unused; complete with radiator; exhaust pipe; starter motor; dynamo; air filter;	500.00
137	<b>1 scissor boom lift</b> JLG , 2658-E, brand: JLG ; type: 2658-E; electric: yes; scissor lift: yes; working height: 992 cm; platform size L: 2420 cm; platform size W: 1250 cm; platform capacity: 455 kg; hours on display: 210; own weight: 1882 kg; total dimension L: 2620 mm; total dimension W: 1410 mm; total dimension H: 2250 mm; description: equipped with extendable platform; no battery present, unknown force ;	100.00
138	<b>1 vibrating plate</b> Ammann, VI-4220, year built 2014, brand: Ammann; type: VI-4220; year: 2014; base plate size L: 1100 mm; base plate size W: 650 mm; brand engine: Hatz; engine power: 10.9 kW; fuel type: Diesel; total dimension L: 1100 mm; total dimension W: 670 mm; total dimension H: 850 mm; description: radio controlled; equipped with electric start; hours when recording 2;	500.00



Lot	Number	Description	Starting Bid €
139	1	<b>soil roller</b> Rammax, RW 1505-C1, year built 2010, brand: Rammax; type: RW 1505-C1; year: 2010; brand engine: Farymann; engine power: 10.5 kW; number of cylinders: 2; fuel type: Diesel; drum diameter: 470 mm; working width: 850 mm; hours on display: 729; total dimension L: 1650 mm; total dimension W: 850 mm; total dimension H: 1200 mm; description: radio controlled; equipped with electric start;	500.00
140	1	<b>Diesel engine</b> Caterpillar, D399, brand: Caterpillar; type: D399; engine power: 1050 kW; speed range: 1200 rpm; number of cylinders: 16; machine weight: 11000 kg; total dimension L: 3570 mm; total dimension W: 1680 mm; total dimension H: 2200 mm;	1,000.00
141	1	<b>wood chipper</b> fuel engine driven: yes; fuel type: Diesel; total dimension L: 2650 mm; total dimension W: 1120 mm; total dimension H: 1320 mm; description: on trailer chassis;	100.00
142	1	<b>ditch grab</b> Ssec, C/N60, brand: Ssec; type: C/N60; total dimension L: 900 mm; total dimension W: 1100 mm; total dimension H: 2300 mm;	100.00
143	1	<b>hydraulic Transfer grapple / grapple bucket</b> Bsv, brand: Bsv; total dimension L: 720 mm; total dimension W: 1220 mm; total dimension H: 1120 mm;	100.00
144	1	<b>debris scoop bucket</b> total dimension L: 1420 mm; total dimension W: 700 mm; total dimension H: 1170 mm;	50.00
145	1	<b>soil roller</b> Weber, DVA602, brand: Weber; type: DVA602; brand engine: Hatz; number of cylinders: 1; fuel type: Diesel; drum diameter: 370 mm; working width: 600 mm; own weight: 600 kg; total dimension L: 2750 mm; total dimension W: 700 mm; total dimension H: 1050 mm;	100.00
© 146	1	<b>purchased car</b> Sinus, 350, year built 2009, brand: Sinus; type: 350; year: 2009; dimension L: 5150 mm; dimension W: 2130 mm; dimension H: 3450 mm; number of doors: 2; number of windows: 2; slow traffic: yes; own weight: 1300 kg; description: equipped with supporting legs; Incl. Furniture;	100.00
© 147	1	<b>purchased car</b> Sinus, 350, year built 2011, brand: Sinus; type: 350; year: 2011; dimension L: 5150 mm; dimension W: 2130 mm; dimension H: 3450 mm; number of doors: 2; number of windows: 2; slow traffic: yes; own weight: 1300 kg; description: equipped with supporting legs; Incl. Furniture;	100.00
<b>cantilever trucks</b>			
148	1	<b>forklift</b> Linde, E18, brand: Linde; type: E18; electric: yes; number of wheels: 4; lifting capacity: 1800 kg; lifting height: 3200 mm; overhead guard height: 2220 mm; fork length: 1000 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 7906; battery charger: yes; own weight: 3525 kg; total dimension L: 3140 mm; total dimension W: 1160 mm; total dimension H: 2220 mm;	500.00
149	1	<b>stacker</b> Still, EGV1250, brand: Still; type: EGV1250; lifting capacity: 1250 kg; fork length: 1115 mm; lifting height: 4250 mm; battery charger: yes; hours on display: 952; own weight: 1044 kg; total dimension L: 200 mm; total dimension W: 890 mm; total dimension H: 2600 mm;	100.00
150	1	<b>Mobile welding machine</b> Soudometal, brand: Soudometal; electric connection: 400 V; description: adjustable 40-190 Amp. ;	10.00
151	1	<b>window frames</b> window frame: yes; door frame: yes; glazed: yes; aluminium: yes; dimension W: 297 mm; dimension H: 272 mm; thickness: 1000 mm; description: double doors with skylight, two window frames, double smoked glass.;	50.00



Lot	Number	Description	Starting Bid €
152	1	<b>aerial platform</b> Upright, Tm12, brand: Upright; type: Tm12; electric: yes; vertical lift: yes; platform size L: 1350 cm; platform size W: 750 cm; total dimension L: 1350 mm; total dimension W: 750 mm; total dimension H: 1700 mm; description: operation is missing, operation unknown.;	50.00
200	1	<b>air compressor</b> Einhell, TH-Ac 190 kit, brand: Einhell; type: TH-Ac 190 kit; electric connection: 230 V; description: (T1);	10.00
201	1	<b>starting aid</b> Alpha Tools, A/es 1000/1, brand: Alpha Tools; type: A/es 1000/1; electric connection: 230 V; description: equipped with tire pump (T1);	10.00
202	1	<b>battery chargers compressor</b> Einhell, Pressito, brand: Einhell; type: Pressito; electric connection: 230 V; description: (T1);	10.00
203	1	<b>compressed air tool set</b> Einhell, brand: Einhell; description: and roll air hose (T1);	10.00
204	1	<b>generator</b> powertech, PT6500W, brand: powertech; type: PT6500W; gasoline: yes; air cooled: yes; mobile: yes; total dimension L: 600 mm; total dimension W: 430 mm; total dimension H: 430 mm; description: unused (T1);	10.00
205	1	<b>generator</b> Einhell, Tc-PG 1000, brand: Einhell; type: Tc-PG 1000; gasoline: yes; number of cylinders: 1; air cooled: yes; mobile: yes; total dimension L: 420 mm; total dimension W: 330 mm; total dimension H: 330 mm; description: (T1);	10.00
206	1	<b>welding accessories</b> description: various lasglazen and welding accessories (T1);	10.00
207	1	<b>Pneumatic tacker</b> Parkside, PDT40E4, brand: Parkside; type: PDT40E4; capacity: 40 mm; max. pressure: 8 bar; with case: yes; description: unused (T1);	10.00
208	1	<b>Pneumatic tacker</b> Parkside, PDT40E4, brand: Parkside; type: PDT40E4; capacity: 40 mm; max. pressure: 8 bar; with case: yes; description: unused (T1);	10.00
209	1	<b>Pneumatic tacker</b> Parkside, PDT40E4, brand: Parkside; type: PDT40E4; capacity: 40 mm; max. pressure: 8 bar; with case: yes; description: unused (T1);	10.00
210	1	<b>battery tacker</b> Duro Pro, brand: Duro Pro; voltage: 3,6 V; battery charger: yes; description: (T1);	10.00
211	1	<b>battery tacker</b> Duro Pro, brand: Duro Pro; voltage: 3,6 V; battery charger: yes; description: (T1);	10.00
212	1	<b>battery multitool</b> Duro Pro, brand: Duro Pro; battery charger: yes; sanding machine: yes; sawing machine: yes; description: (T1);	10.00
213	1	<b>cordless glue gun</b> Duro Pro, brand: Duro Pro; battery charger: yes; sanding machine: no; sawing machine: no; description: (T1);	10.00
214	1	<b>tile saw table</b> Profiline, brand: Profiline; description: leaf size 40x42 cm; 45 degree adjustable (T1);	10.00
215	1	<b>tile saw table</b> Einhell, brand: Einhell; description: leaf size 33x50 cm; 45 degree adjustable (T1);	10.00
216	1	<b>saw table</b> Einhell, brand: Einhell; saw blade ? : 180 mm; mitre: yes; table size L: 500 mm; table size W: 330 mm; description: (T1);	10.00
217	1	<b>saw table</b> Einhell, brand: Einhell; saw blade ? : 250 mm; mitre: yes; table size L: 640 mm; table size W: 490 mm; electric connection: 230 V; description: (T1);	10.00





Lot	Number	Description	Starting Bid €
218	1	<b>radial short cutter machine</b> Einhell, brand: Einhell; saw blade ? : 210 mm; mitre: yes; electric connection: 230 V; description: 2x45 degree adjustable (T1);	10.00
219	1	<b>radial short cutter machine</b> Einhell, brand: Einhell; saw blade ? : 250 mm; mitre: yes; electric connection: 230 V; description: 2x45 degrees adjustable; unused (T1);	10.00
220	1	<b>radial short cutter machine</b> Einhell, brand: Einhell; saw blade ? : 210 mm; mitre: yes; electric connection: 230 V; description: 2x45 degree adjustable (T1);	10.00
221	1	<b>double table grinder</b> Einhell, brand: Einhell; grinding wheel : 150 mm; electric connection: 230 V; description: (T1);	10.00
222	1	<b>wet-dry table grinder</b> Duro Pro, brand: Duro Pro; grinding wheel : 150 mm; electric connection: 230 V; description: (T1);	10.00
223	1	<b>mini hand-held circular saw</b> Einhell, brand: Einhell; saw blade ? : 85 mm; with case: yes; electric connection: 230 V; description: (T1);	10.00
224	1	<b>circular saw</b> Krafronic, brand: Krafronic; plunge-cut saw: yes; saw blade ? : 190 mm; with case: no; electric connection: 230 V; description: (T1);	10.00
225	1	<b>jig saw</b> Duro Pro, brand: Duro Pro; plunge-cut saw: no; with case: no; electric connection: 230 V; description: (T1);	10.00
226	1	<b>jig saw</b> Einhell, brand: Einhell; plunge-cut saw: no; with case: no; electric connection: 230 V; description: (T1);	10.00
227	1	<b>jig saw</b> Bavaria, brand: Bavaria; plunge-cut saw: no; with case: no; electric connection: 230 V; description: (T1);	10.00
228	1	<b>mobile air compressor</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T1);	10.00
229	1	<b>mobile air compressor</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T1);	10.00
230	1	<b>lot of staple</b> description: for pneumatic tacker (T1);	10.00
231	1	<b>lot of tooling</b> description: including various hacksaws, files, glue sprayer ; mixer, kingpin laser (T1);	10.00
232	1	<b>brush cutter</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; description: equipped with die head (T2);	10.00
233	1	<b>brush cutter</b> Gardenline, brand: Gardenline; fuel engine driven: yes; fuel type: Benzine; description: (T2);	10.00
234	1	<b>Hedge</b> Mr. gardener, brand: Mr. gardener; length: 500 mm; fuel engine driven: yes; fuel type: Benzine; description: (T2);	10.00
235	1	<b>Hedge</b> Mr. gardener, brand: Mr. gardener; length: 450 mm; fuel engine driven: yes; fuel type: Benzine; description: (T2);	10.00
236	1	<b>leaf blower</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00



Lot	Number	Description	Starting Bid €
237	1	<b>leaf blower</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00
238	1	<b>leaf blower</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00
239	1	<b>leaf blower</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00
240	1	<b>deep water pump</b> Einhell, brand: Einhell; description: incomplete (T2) ;	10.00
241	1	<b>deep water pump</b> Einhell, brand: Einhell; description: (T2) ;	10.00
242	1	<b>deep water pump</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T2) ;	10.00
243	1	<b>submersible</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230 V; description: (T2) ;	10.00
244	1	<b>submersible</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230 V; description: (T2) ;	10.00
245	1	<b>submersible</b> Gardenfeelings, brand: Gardenfeelings; electric driven: yes; electric connection: 230 V; description: (T2) ;	10.00
246	2	<b>submersible</b> Gardenfeelings, brand: Gardenfeelings; electric driven: yes; electric connection: 230 V; description: (T2) ;	10.00
247	1	<b>submersible</b> Duro Pro, brand: Duro Pro; electric driven: yes; electric connection: 230 V; description: (T2) ;	10.00
248	1	<b>irrigation pump</b> Einhell, brand: Einhell; description: (T2) ;	10.00
249	1	<b>irrigation pump</b> Neptun, brand: Neptun; description: (T2) ;	10.00
250	1	<b>irrigation pump</b> Einhell, brand: Einhell; description: (T2) ;	10.00
251	1	<b>irrigation pump</b> Einhell, brand: Einhell; description: (T2) ;	10.00
252	1	<b>irrigation pump</b> Einhell, brand: Einhell; description: (T2) ;	10.00
253	1	<b>irrigation pump</b> Neptun, brand: Neptun; description: (T2) ;	10.00
254	1	<b>electrical heater</b> Einhell, brand: Einhell; portable: no; mobile: yes; electric connection: 230 V; description: (T2) ;	10.00
255	1	<b>oil filled radiator</b> Einhell, brand: Einhell; portable: no; mobile: yes; electric connection: 230 V; description: mobile (T2) ;	10.00
256	1	<b>electric heater</b> Einhell, brand: Einhell; portable: no; mobile: yes; electric connection: 230 V; description: (T2) ;	10.00
257	1	<b>air cooler</b> Einhell, brand: Einhell; mobile: yes; description: (T2) ;	10.00
258	1	<b>garden gas heater</b> Einhell, brand: Einhell; gas-heated: yes; mobile: yes; description: (T2);	10.00



Lot	Number	Description	Starting Bid €
259	1	<b>irrigation pump</b> Neptun, brand: Neptun; description: (T2) ;	10.00
260	1	<b>garden gas heater</b> Einhell, brand: Einhell; gas-heated: yes; mobile: yes; description: (T2);	10.00
261	1	<b>leaf blower</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00
262	1	<b>leaf blower</b> Gardenline, brand: Gardenline; electric driven: yes; electric connection: 230; sunction: yes; description: (T2);	10.00
263	1	<b>battery tooling</b> Makita, brand: Makita; battery charger: yes; drilling machine: yes; description: lot of cordless equipment and chargers; without battery (T2);	10.00
264	2	<b>plunge saw</b> DeWalt, D23700, brand: DeWalt; type: D23700; plunge-cut saw: yes; saw blade ? : 225 mm; angle adjustment (deg): 45 °; electric connection: 230 V; description: and an angle grinder (T2);	10.00
265	12	<b>pneumatic breakers</b> description: 2 chain hoists cap, 750/1600 kg; submersible pump (T2);	10.00
266	1	<b>brush cutter</b> Gardenfeelings, brand: Gardenfeelings; electric driven: yes; description: embankment mower (T3);	10.00
267	1	<b>brush cutter</b> Gardenfeelings, brand: Gardenfeelings; electric driven: yes; description: embankment mower (T3);	10.00
268	1	<b>brush cutter</b> Gardenfeelings, brand: Gardenfeelings; electric driven: yes; description: equipped with die head (T3);	10.00
269	1	<b>brush cutter</b> Gardenline, brand: Gardenline; electric driven: yes; description: equipped with die head (T3);	10.00
270	1	<b>brush cutter</b> Mr. Gardener, brand: Mr. Gardener; electric driven: yes; description: equipped with die head (T3);	10.00
271	1	<b>Hedge</b> Gardenfeelings, brand: Gardenfeelings; length: 630 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
272	1	<b>Hedge</b> Gardenline, brand: Gardenline; length: 630 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
273	1	<b>Hedge</b> Gardenline, brand: Gardenline; length: 630 mm; electric driven: yes; electric connection: 230 V; description: t3;	10.00
274	1	<b>Hedge</b> Gardenline, brand: Gardenline; length: 630 mm; electric driven: yes; electric connection: 230 V; description: t3;	10.00
275	1	<b>Hedge</b> Mr.Gardener, brand: Mr.Gardener; length: 465 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
276	1	<b>Hedge</b> Einhell, brand: Einhell; length: 465 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00



Lot	Number	Description	Starting Bid €
277	1	<b>Hedge</b> Gardenline, brand: Gardenline; length: 450 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
278	1	<b>Hedge</b> Einhell, brand: Einhell; length: 480 mm; electric driven: yes; electric connection: 230 V; description: pole hedge trimmer (T3) ;	10.00
279	1	<b>Hedge</b> Einhell, brand: Einhell; length: 480 mm; electric driven: yes; electric connection: 230 V; description: pole hedge trimmer (T3) ;	10.00
280	1	<b>Hedge</b> Einhell, brand: Einhell; length: 450 mm; electric driven: yes; electric connection: 230 V; description: pole hedge trimmer (T3) ;	10.00
281	1	<b>Hedge</b> Einhell, brand: Einhell; length: 450 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
282	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 350 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
283	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 400 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
284	1	<b>chain saw</b> Hurricane, I, brand: Hurricane; type: I; saw blade size L: 400 mm; electric driven: yes; electric connection: 230 V; description: (T3) ;	10.00
285	1	<b>grass roller</b> Gardol, brand: Gardol; description: working width 57 cm (T3) ;	10.00
286	1	<b>cultivator</b> Einhell, brand: Einhell; description: (T3) ;	10.00
287	1	<b>cultivator</b> Einhell, brand: Einhell; description: (T3) ;	10.00
288	1	<b>cultivator</b> Einhell, brand: Einhell; description: (T3) ;	10.00
289	1	<b>lawn mower</b> Einhell, brand: Einhell; description: (T3) ;	10.00
290	1	<b>lawn mower</b> Einhell, brand: Einhell; electric driven: no; electric connection: 230 V; description: (T3);	10.00
291	1	<b>lawn mower</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230 V; description: (T3);	10.00
292	1	<b>lawn mower</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230 V; description: (T3);	10.00
293	1	<b>brush cutter</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; description: equipped with die head (T6);	10.00
294	1	<b>brush cutter</b> Gardenline, brand: Gardenline; fuel engine driven: yes; fuel type: Benzine; description: equipped with three-tooth driver blade (T6);	10.00
295	1	<b>brush cutter</b> Mr.Gardener, brand: Mr.Gardener; fuel engine driven: yes; fuel type: Benzine; description: equipped with die head (T6);	10.00
296	1	<b>Hedge</b> Einhell, brand: Einhell; length: 500 mm; fuel engine driven: no; electric driven: yes; electric connection: 230 V; description: (T6);	10.00



Lot	Number	Description	Starting Bid €
297	1	<b>Hedge</b> Einhell, brand: Einhell; length: 450 mm; fuel engine driven: no; electric driven: yes; electric connection: 230 V; description: pole hedge trimmer (T6);	10.00
298	1	<b>Hedge</b> Einhell, brand: Einhell; length: 450 mm; fuel engine driven: no; electric driven: yes; electric connection: 230 V; description: (T6);	10.00
299	1	<b>brush cutter</b> Einhell, brand: Einhell; fuel engine driven: no; electric driven: yes; description: embankment mower (T6);	10.00
300	1	<b>brush cutter</b> Mr.Gardener, brand: Mr.Gardener; fuel engine driven: no; electric driven: yes; description: embankment mower (T6);	10.00
301	1	<b>brush cutter</b> Wingart, brand: Wingart; fuel engine driven: no; electric driven: yes; description: embankment mower (T6);	10.00
302	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 450 mm; electric driven: yes; electric connection: 230 V; description: (T6);	10.00
303	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 400 mm; electric driven: yes; electric connection: 230 V; description: (T6);	10.00
304	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 350 mm; electric driven: yes; electric connection: 230 V; description: (T6);	10.00
305	1	<b>grass and lawn mower</b> Einhell, brand: Einhell; electric driven: yes; description: (T6);	10.00
306	1	<b>edging shears</b> Einhell, brand: Einhell; electric driven: yes; description: (T6);	10.00
307	1	<b>edging shears</b> Einhell, brand: Einhell; electric driven: yes; description: (T6);	10.00
308	1	<b>chain saw</b> Gardenline, brand: Gardenline; saw blade size L: 200 mm; electric driven: yes; electric connection: 230 V; description: Pole Chainsaw (T6);	10.00
309	1	<b>chain saw</b> Gardenline, brand: Gardenline; saw blade size L: 200 mm; electric driven: yes; electric connection: 230 V; description: extendable (T6);	10.00
310	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 200 mm; electric driven: yes; electric connection: 230 V; description: extendable (T6);	10.00
311	1	<b>chain saw</b> Einhell, brand: Einhell; saw blade size L: 200 mm; electric driven: yes; electric connection: 230 V; description: extendable (T6);	10.00
312	1	<b>chain saw</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230 V; description: extendable (T6);	10.00
313	1	<b>wood chipper</b> Einhell, brand: Einhell; electric driven: yes; description: (T6); description: (T6);	10.00
314	1	<b>wood chipper</b> Gardenline, brand: Gardenline; electric driven: yes; description: (T6);	10.00
315	1	<b>lawn mower</b> Einhell, brand: Einhell; electric driven: yes; electric connection: 230 V; description: (T6);	10.00
316	1	<b>lawn mower</b> Hurricane, brand: Hurricane; electric driven: yes; electric connection: 230 V; description: cutting width 43 cm (T6);	10.00





Lot	Number	Description	Starting Bid €
317	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; electric driven: no; electric connection: 230 V; description: cutting width 46 cm (T6);	10.00
318	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; electric driven: no; electric connection: 230 V; description: cutting width 43 cm (T6);	10.00
319	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; electric driven: no; electric connection: 230 V; description: cutting width 46 cm (T6);	10.00
320	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: yes; fuel type: Benzine; electric driven: no; electric connection: 230 V; description: cutting width 43 cm (T6);	10.00
321	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 42 cm (T6);	10.00
323	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 36 cm (T6);	10.00
324	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 36 cm (T6);	10.00
325	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 43 cm (T6);	10.00
326	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 30 cm (T6);	10.00
327	1	<b>lawn mower</b> Einhell, brand: Einhell; fuel engine driven: no; fuel type: Benzine; electric driven: yes; electric connection: 230 V; description: cutting width 43 cm (T6);	10.00
328	1	<b>vertical cutter</b> Einhell, brand: Einhell; description: working width 50 cm (T6);	10.00
329	1	<b>vertical cutter</b> Einhell, brand: Einhell; description: working width 50 cm (T6);	10.00
330	1	<b>vertical cutter</b> Einhell, brand: Einhell; description: working width 50 cm (T6);	10.00
331	1	<b>vertical cutter</b> Mr.Gardener, brand: Mr.Gardener; description: working width 50 cm (T6);	10.00
332	1	<b>electric hand sander</b> Einhell, brand: Einhell; delta sander: yes; electric connection: 230 V; description: (T7);	10.00
333	1	<b>electric hand sander</b> Einhell, brand: Einhell; orbital sander: yes; delta sander: no; electric connection: 230 V; description: (T7);	10.00
334	1	<b>electric hand sander</b> DuroPro, brand: DuroPro; orbital sander: no; delta sander: yes; electric connection: 230 V; description: (T7);	10.00
335	1	<b>concrete mixer</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T7);	10.00
336	1	<b>ditch-digger</b> Einhell, brand: Einhell; with case: yes; electric connection: 230 V; description: (T7);	10.00
337	1	<b>biscuit jointer</b> Profiline, brand: Profiline; with case: yes; electric connection: 230 V; description: (T7);	10.00



Lot	Number	Description	Starting Bid €
338	1	<b>angle grinder</b> Einhell, brand: Einhell; disc diameter: 125 mm; with case: yes; electric connection: 230 V; description: (T7);	10.00
339	1	<b>angle grinder</b> Einhell, brand: Einhell; disc diameter: 125 mm; with case: no; electric connection: 230 V; description: (T7);	10.00
340	1	<b>angle grinder</b> Makita, brand: Makita; disc diameter: 125 mm; with case: no; electric connection: 230 V; description: (T7);	10.00
341	1	<b>angle grinder</b> Krafronic, brand: Krafronic; disc diameter: 115 mm; with case: no; electric connection: 230 V; description: (T7);	10.00
342	2	<b>angle grinder</b> Einhell, brand: Einhell; disc diameter: 115 mm; with case: no; electric connection: 230 V; description: (T7);	10.00
343	2	<b>angle grinder</b> Einhell, brand: Einhell; with case: no; electric connection: 230 V; description: (T7);	10.00
344	1	<b>battery grinding machine</b> Einhell, brand: Einhell; with case: no; grinder: yes; description: disc diameter 115 mm (T7);	10.00
345	1	<b>battery grinding machine</b> Einhell, brand: Einhell; with case: no; description: disc diameter 115 mm (T7);	10.00
346	1	<b>SDS drill set</b> piece: 12; concrete: yes; description: in case (T7);	10.00
347	1	<b>planing machine</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T7);	10.00
348	1	<b>reciprocating saw</b> Einhell, brand: Einhell; electric connection: 230 V; description: (T7);	10.00
350	1	<b>radio CD player</b> Xiron, brand: Xiron; CD player: yes; description: (T7);	10.00
351	1	<b>vacuum cleaner</b> Einhell, brand: Einhell; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: barrel model; inc. hose and nozzle (T7);	10.00
352	1	<b>vacuum cleaner</b> Einhell, brand: Einhell; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: barrel model; incl hose (T7);	10.00
353	1	<b>vacuum cleaner</b> Einhell, brand: Einhell; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: barrel model; incl. nozzle (T7);	10.00
354	1	<b>vacuum cleaner</b> Einhell, brand: Einhell; wet/dry vacuum cleaner: yes; electric connection: 230 V; description: barrel model; incl. nozzle (T7);	10.00
355	1	<b>vacuum cleaner</b> Einhell, brand: Einhell; wet/dry vacuum cleaner: no; electric connection: 230 V; description: barrel model; incl. hose and nozzle (T7);	10.00
356	1	<b>long neck sander</b> Einhell, brand: Einhell; eccentric sander: yes; electric connection: 230 V; description: (T7);	10.00
357	1	<b>long neck sander</b> Einhell, brand: Einhell; eccentric sander: yes; electric connection: 230 V; with case: yes; description: (T7);	10.00
358	1	<b>Multitool</b> Einhell, brand: Einhell; electric connection: 230 V; with case: yes; description: (T7);	10.00
359	1	<b>Impact drill</b> Einhell, brand: Einhell; impact drill: yes; hammer drill: yes; combi drill: yes; with case: no; electric connection: 230 V; description: equipped with SDS (T7);	10.00



Lot	Number	Description	Starting Bid €
360	1	<b>drilling machine</b> Krafronic, brand: Krafronic; impact drill: yes; hammer drill: no; combi drill: yes; with case: yes; electric connection: 230 V; description: in plastic case (T7);	10.00
361	1	<b>Impact drill</b> Toolson, brand: Toolson; impact drill: yes; combi drill: yes; with case: yes; electric connection: 230 V; description: SDS; in plastic case (T7);	10.00
362	1	<b>Impact drill</b> Alphatools, brand: Alphatools; impact drill: yes; combi drill: yes; with case: yes; electric connection: 230 V; description: equipped with SDS; in plastic case (T7);	10.00
363	1	<b>Battery screw machine</b> Toolson, brand: Toolson; voltage: 14,4 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; impact drill: no; description: in plastic case (T7);	10.00
364	1	<b>Battery screw machine</b> Einhell, brand: Einhell; voltage: 12 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; impact drill: no; description: in plastic case (T7);	10.00
365	1	<b>Battery screw machine</b> Einhell, brand: Einhell; voltage: 18 V; number of batteries: 1; battery charger: yes; with case: yes; screw machine: yes; impact drill: no; description: in plastic case (T7);	10.00
366	1	<b>battery impact drill</b> Einhell, brand: Einhell; voltage: 18 V; number of batteries: 1; with case: no; screw machine: no; drilling machine: yes; impact drill: yes; description: without charger (T7);	10.00
367	2	<b>Impact drill</b> Einhell, brand: Einhell; impact drill: yes; with case: yes; description: (T7);	10.00
368	1	<b>Impact drill</b> Bavaria, brand: Bavaria; voltage: 18 V; number of batteries: 1; with case: no; screw machine: no; drilling machine: yes; impact drill: yes; description: (T7);	10.00
369	1	<b>high pressure cleaner</b> mobile: yes; electric connection: 230 V; description: with spray lance (T7);	10.00
370	2	<b>floor cleaning machines</b> Nilfisk, brand: Nilfisk; description: (T7);	10.00
371	1	<b>concrete grinding machine/ belt sander</b> Htc, Greyline 450 gl850, brand: Htc; type: Greyline 450 gl850; rotary sander : yes; electric connection: 230 V; description: (T7);	10.00
372	3	<b>heavy work table</b> description: sheet size 100x70 cm; vv vise (T7);	10.00
373	1	<b>counterclock</b> Elektra Beckum, brand: Elektra Beckum; mitre: yes; table size L: 7500 mm; table size W: 600 mm; electric connection: 230 V; total dimension H: 950 mm;	10.00
374	1	<b>spa bath</b> Oceana, brand: Oceana; dimension L: 1600 cm; dimension W: 1600 cm; dimension H: 2 cm; number of jets: 28; number of seats: 2; total dimension H: 2350 mm; description: jetset, including speakers. 2 headrests, LED lighting ; used; tabletop refrigerator Zanussi ;	10.00
375	1	<b>lot of gas bottles</b> Camping Gaz, brand: Camping Gaz;	10.00
376	1	<b>wire cutting machine</b> Rex, P50AV, brand: Rex; type: P50AV; electric: yes; manually operated: no; electric connection: 230 V;	50.00
377	2	<b>heating installation</b> Brink , Furore, year built 1990, brand: Brink ; type: Furore; year: 1990; heating capacity: 47 kW; gas-heated: yes;	10.00
379	1	<b>plate lift / assembly aid</b> dimension L: 2900 mm; dimension W: 900 mm; dimension H: 3400 mm; own weight: 40 kg; total dimension L: 1530 mm; total dimension W: 1400 mm; total dimension H: 1850 mm; description: tiltable and foldable ;	10.00



Lot	Number	Description	Starting Bid €
380	1	<b>plate lift / assembly aid</b> dimension L: 2900 mm; dimension W: 900 mm; dimension H: 3400 mm; own weight: 40 kg; total dimension L: 1530 mm; total dimension W: 1400 mm; total dimension H: 1850 mm; description: tiltable and foldable ;	10.00
381	1	<b>plate lift / assembly aid</b> dimension L: 2900 mm; dimension W: 900 mm; dimension H: 3400 mm; own weight: 40 kg; total dimension L: 1530 mm; total dimension W: 1400 mm; total dimension H: 1850 mm; description: tiltable and foldable ;	10.00
385	1	<b>HSS spiral drill set</b> piece: 170; metal: yes; wood: yes; description: capacity from 1 to 9.5 mm; in plastic case (T4) ;	10.00
386	1	<b>HSS spiral drill set</b> piece: 170; metal: yes; wood: yes; description: capacity from 1 to 9.5 mm; in plastic case (T4) ;	10.00
387	2	<b>HSS spiral drill set</b> piece: 170; metal: yes; wood: yes; description: capacity from 1 to 9.5 mm; in plastic case (T4) ;	10.00
388	2	<b>HSS spiral drill set</b> piece: 170; metal: yes; wood: yes; description: capacity from 1 to 9.5 mm; in plastic case (T4) ;	10.00
389	30	<b>pair of split leather work gloves</b> description: 2 packages (T4) ;	10.00
390	30	<b>pair of split leather work gloves</b> description: 2 packages (T4) ;	10.00
391	30	<b>pair of split leather work gloves</b> description: 2 packages (T4) ;	10.00
392	30	<b>pair of split leather work gloves</b> description: 2 packages (T4) ;	10.00
393	30	<b>pair of split leather work gloves</b> description: 2 packages (T4) ;	10.00
394	1	<b>pneumatic angled drilling machine</b> description: (T4) ;	10.00
395	1	<b>trolley jack</b> capacity: 2 t; description: (T4) ;	10.00
396	1	<b>thread cutting and tap set</b> tap and die set: yes; tap set: no; metric: yes; piece: 60; with case: yes; description: (T2) ;	10.00
397	1	<b>mobile air compressor</b> electric connection: 230 V; description: 178 l / min; 24 liters of tank volume; max. capacity 8 bar (T4) ;	10.00
398	1	<b>mobile air compressor</b> electric connection: 230 V; description: 178 l / min; 24 liters of tank volume; max. capacity 8 bar (T4) ;	10.00
399	1	<b>trolley jack</b> capacity: 2 t; description: in plastic case (T4) ;	10.00
400	1	<b>ring and steering wheel set</b> piece: 25; description: capacity 6-32 mm (T4) ;	10.00
401	1	<b>ring and steering wheel set</b> piece: 25; description: capacity 6-32 mm (T4) ;	10.00
402	1	<b>ring and steering wheel set</b> piece: 25; description: capacity 6-32 mm (T4) ;	10.00
403	2	<b>ring and steering wheel set</b> piece: 25; description: capacity 6-32 mm (T4) ;	10.00
404	1	<b>socket wrench and bit set</b> piece: 94; with case: yes; description: (T4);	10.00



Lot	Number	Description	Starting Bid €
405	1	<b>socket wrench and bit set</b> piece: 94; with case: yes; description: (T4);	10.00
406	1	<b>socket wrench and bit set</b> piece: 94; with case: yes; description: (T4);	10.00
407	1	<b>hole saw set</b> piece: 10; description: Bi-metal; capacity 22 to 73 mm; in plastic case (T4) ;	10.00
408	1	<b>hole saw set</b> piece: 10; description: Bi-metal; capacity 22 to 73 mm; in plastic case (T4) ;	10.00
409	1	<b>hole saw set</b> piece: 10; description: Bi-metal; capacity 22 to 73 mm; in plastic case (T4) ;	10.00
410	1	<b>pneumatic combi-tacker</b> description: cap staples 16-40 mm; nails 10-50 mm; in plastic case (T4) ;	10.00
411	1	<b>58-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
412	1	<b>58-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
413	1	<b>58-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
414	1	<b>121-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
415	1	<b>121-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
416	1	<b>121-piece tool case</b> Mannsberger, brand: Mannsberger; metal: yes; with content: yes; description: in metal tool case (T4) ;	50.00
417	1	<b>tool trolleys</b> number of drawers: 7; total dimension L: 770 mm; total dimension W: 460 mm; total dimension H: 980 mm; description: with 196-piece tool set; lockable (T4) ;	50.00
418	1	<b>tool trolleys</b> number of drawers: 7; total dimension L: 770 mm; total dimension W: 460 mm; total dimension H: 980 mm; description: with 196-piece tool set; lockable (T5) ;	50.00
419	1	<b>circular trim saw</b> Protect , brand: Protect ; saw blade ? : 210 mm; mitre: yes; description: equipped with laser ; 2x45 degrees adjustable; with dust bag (T5) ;	10.00
420	1	<b>circular trim saw</b> Protect , brand: Protect ; saw blade ? : 210 mm; mitre: yes; description: equipped with laser ; 2x45 degrees adjustable; with dust bag (T5) ;	10.00
421	1	<b>chain saw</b> saw blade size L: 450 mm; fuel type: 2-takt benzine ; electric driven: no; engine power: 2.8 kW; description: (T5);	10.00
422	1	<b>chain saw</b> saw blade size L: 450 mm; fuel type: 2-takt benzine ; electric driven: no; engine power: 2.8 kW; description: (T5);	10.00
423	1	<b>chain saw</b> saw blade size L: 450 mm; fuel type: 2-takt benzine ; electric driven: no; engine power: 2.8 kW; description: (T5);	10.00
424	1	<b>slot milling machine</b> electric connection: 230 V; with case: yes; description: disk diameter 150 mm; depth of cut 5-40 mm; cutting width 14-19-29 mm; equipped with two diamond disks; 1700 Watt (T5) ;	10.00





Lot	Number	Description	Starting Bid €
425	1	<b>slot milling machine</b> electric connection: 230 V; with case: yes; description: disk diameter 150 mm; depth of cut 5-40 mm; cutting width 14-19-29 mm; equipped with two diamond disks; 1700 Watt (T5) ;	10.00
426	1	<b>laser rangefinder</b> description: various measurement functions; with storage case (T5) ;	10.00
427	1	<b>laser rangefinder</b> description: various measurement functions; with storage case (T5) ;	10.00
428	1	<b>laser rangefinder</b> description: various measurement functions; with storage case (T5) ;	10.00
429	1	<b>ring and steering wheel set</b> set: yes; piece: 26; description: capacity 6-32 mm; with vinyl grip; in pouch (T5) ;	10.00
430	1	<b>ring and steering wheel set</b> set: yes; piece: 26; description: capacity 6-32 mm; with vinyl grip; in pouch (T5) ;	10.00
431	1	<b>ring and steering wheel set</b> set: yes; piece: 26; description: capacity 6-32 mm; with vinyl grip; in pouch (T5) ;	10.00
432	1	<b>rechargeable LED work light</b> LED: yes; total dimension W: 170 mm; total dimension H: 240 mm; description: vv70 LEDs; with charger (T5) ;	10.00
433	1	<b>rechargeable LED work light</b> LED: yes; total dimension W: 170 mm; total dimension H: 240 mm; description: vv70 LEDs; with charger (T5) ;	10.00
434	1	<b>rechargeable LED work light</b> LED: yes; total dimension W: 170 mm; total dimension H: 240 mm; description: vv70 LEDs; with charger (T5) ;	10.00
435	1	<b>automatic welding helmet</b> description: adjustable welding-grinding (T5) ;	10.00
436	1	<b>automatic welding helmet</b> description: adjustable welding-grinding (T5) ;	10.00
437	1	<b>automatic welding helmet</b> description: adjustable welding-grinding (T5) ;	10.00
438	1	<b>folding workbench</b> description: capacity 100 kg (T5) ;	10.00
439	1	<b>folding workbench</b> description: capacity 100 kg (T5) ;	10.00
440	1	<b>folding workbench</b> description: capacity 100 kg (T5) ;	10.00
441	1	<b>folding workbench</b> description: capacity 100 kg (T5) ;	10.00
442	2	<b>brush cutter</b> fuel engine driven: yes; fuel type: 2-takt benzine ; description: equipped with die head (OT5);	10.00
443	1	<b>Hydraulic exhaust kit</b> description: capacity 10 tons; in plastic case (T5) ;	10.00
444	1	<b>Hydraulic exhaust kit</b> description: capacity 10 tons; in plastic case (OT 5) ;	10.00
445	1	<b>tool trolley</b> total dimension L: 460 mm; total dimension W: 270 mm; total dimension H: 820 mm; description: with removable tool case; 4 drawers (T5) ;	10.00
446	1	<b>tool trolley</b> total dimension L: 460 mm; total dimension W: 270 mm; total dimension H: 820 mm; description: with removable tool case; 4 drawers (T5) ;	10.00
447	1	<b>socket wrench and bit set</b> piece: 46; with case: yes; description: (T4);	10.00



Lot	Number	Description	Starting Bid €
448	1	<b>socket wrench and bit set</b> piece: 46; with case: yes; description: (T4);	10.00
449	1	<b>Torque wrench</b> taper: 1/2 "; description: in plastic case (T5) ;	10.00
450	1	<b>Torque wrench</b> taper: 1/2 "; description: in plastic case (T5) ;	10.00
451	1	<b>SDS brick drill bit set</b> piece: 65; concrete: yes; description: thickness of 6-12 mm; length 110 to 210 mm; in metal case (T5) ;	10.00
452	1	<b>SDS brick drill bit set</b> piece: 65; concrete: yes; description: thickness of 6-12 mm; length 110 to 210 mm; in metal case (T5) ;	10.00
453	1	<b>SDS brick drill bit set</b> piece: 65; concrete: yes; description: thickness of 6-12 mm; length 110 to 210 mm; in metal case (T5) ;	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

## **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

## **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the





day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience