



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Previously "AR GROUP - INDUSTRIE ALIMENTARI"
Tomato production factory (IT)

Previously "AR GROUP - INDUSTRIE

ALIMENTARI"
Via Casa Battimelli 4-8 - 89057 Sant'Antonio Abate (NA)
(Sant'Antonio Abate Plant)

Closing date: Thursday **27 FEBRUARY** starting 15:00



Bidding only on the internet!

04-02-20 17.08

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 27 February 2020 Previously "AR GROUP - INDUSTRIE ALIMENTARI"

Tomato production factory

Specific terms and conditions of the on-line auction - CS-201-18-EN

Closing date

Thursday 27 February 2020 starting 15:00 CET

Viewing

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Sant'Antonio Abate Plant

Via Casa Battimelli, 4-8

80057 Sant'Antonio Abate (NA), Italy

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Angri Plant 2

Via Ortalonga Trav. De Vivo 7

84012 Angri (SA), Italy

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Castel San Giorgio Plant 2

Via Camillo Alfano, 50

84083 Castel San Giorgio (SA), Italy

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Scafati Plant

Via Alessandro Manzoni, 94

84018 Scafati (SA), Italy

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Regina S.M. plant

Via Nuova San Marzano

84019 Scafati (SA), Italy

Tuesday 18 February

By appointment

Wednesday 19 February

By appointment

Sant'Egidio del Monte Albino

Via Cupa del Feudo

84010 Sant'Egidio del Monte Albino (SA), Italy

Company organising this Online
Auction

TROOSTWIJK Srl

Via Domenico Trentacoste, 9

20134 MILANO, Italy

Phone: +39 02 45487421

Fax: +39 02 2664693

E-mail: info@troostwijk.it

www.TroostwijkAuctions.com



Markup	18.00%
VAT	22.00%
Collection	By appointment Sant'Antonio Abate Plant Via Casa Battimelli, 4-8 80057 Sant'Antonio Abate (NA), Italy By appointment Angri Plant 2 Via Ortalonga Trav. De Vivo 7 84012 Angri (SA), Italy By appointment Castel San Giorgio Plant 2 Via Camillo Alfano, 50 84083 Castel San Giorgio (SA), Italy By appointment Scafati Plant Via Alessandro Manzoni, 94 84018 Scafati (SA), Italy By appointment Regina S.M. plant Via Nuova San Marzano 84019 Scafati (SA), Italy By appointment Sant'Egidio del Monte Albino Via Cupa del Feudo 84010 Sant'Egidio del Monte Albino (SA), Italy
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk.
Payment details	Full payment must be done within 48 hrs after awarding. Bank: KBC Bank NV Italia 20121 Milan IBAN : IT78W0337301600048425000001 SWIFT CODE: KREDITMMXXX Account holder: Troostwijk Srl Ref.: "Auction: , buyer n."
Delivery date/time	All lots will be disconnected, dismantled, taken out of the factory and loaded on truck by purchaser at its own cost, in compliance with existing safety regulation. Purchased lots must be collected strictly by appointment, within scheduled delivery days in co-ordination with Seller Plant manager. In case the lots are not collected by the aforementioned strict time limit, the right of the Seller and of Troostwijk Srl to declare termination of the contract because of purchaser default is however reserved. In this case Troostwijk Srl and the Seller shall keep as a penalty any amount which the buyer has already paid and they will be entitled to sell the items to other buyer or destroy them, even without any notice. Goods could be collected only on working days, during standard working hours, in co-ordination with Seller plant manager. Collection of purchased items shall start only after written Authorization is issued by Troostwijk Srl, upon cashing of Purchase Price. Don't send any truck or people to the site without appointment is fixed. ATTENTION - Collection days & time may be amended after auction closure. Buyers will receive communication in case of changes in delivery scheduling. In case of requests for extra viewing days or extra collection days over the ones listed in our Special Conditions, Troostwijk will set



possible extra days only after checking availability of access to the site and only after your payment of € 450,00 (+ VAT) for each extra day, for covering all costs.

Subject to allocation

Some lot or combination could be market as 'Subject to allocation'. In this case, the highest bid for this lot will be presented to our client immediately after closing the auction. In two days the user will be informed if the bid for the lot is accepted.

Additional information

Vehicles: additional cost related to purchasing of vehicles due to change of property at Public Vehicle register, plate cancellation etc. remains to buyer side. These extra costs to be directly paid by buyer to the Car-Agency appointed by Troostwijk, before collection of good.

Currency: auction sale is conducted in EURO currency and just payment on this currency are accepted.

Combinations: All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation: If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made. From all lots without a bid, the closing time is extended with 30 minutes after the last closing time for lots in that auction.

Customs Clearance: Buyers are responsible, at their own expense, to appoint a customs agent and to comply on their own with all export transactions for the purchased goods. Neither Troostwijk nor the Seller guarantee the issue of "Mandate to accomplish customs operations for importation", "Certificates of Origin", "EUR 1", "BILL OF LADING", "AIRWAY BILL", or similar

Legal references: Troostwijk Srl VAT Nr. IT 01914310154 - Chamber of Commerce nr. MI 146-161497 - Licence ref. 16.03.2011 Questore di Milano

General terms and conditions

On the auction sale, the general terms and conditions of the on on on-line auction sale (code CG-201-07-EN) are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions as mentioned in the catalogue of the sale.

All assets are being sold strictly "as is, where is". No warranty is given, expressed or implied as to the condition or its fitness for use. Although the information and pictures contained in lots description was obtained from sources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information. No responsibility whatsoever is assumed with respect to quantity, quality, dimensions, year of production and completeness of the goods. The descriptions are made under full reservation of potential errors which will be without any influence on a concluded sale. Placing a bid without viewing the equipment is at one's own risk.

Privacy

Troostwijk Srl in compliance with the provisions of Law 675/96 and subsequent amendments and / or additions (D.Lgs.193 / 03 "Testo Unico Privacy") on the protection of personal data and of the D.P.R. 318/99 on the minimum security measures, is obliged to keep confidential information, including any personal data that may be protected under the aforementioned law, concerning the registered subject and participant in the sales event which may be disclosed in the fulfillment of its services and also guarantees that such information is protected according to the law. Troostwijk Srl also informs that, pursuant to art. 13 of Legislative Decree no. 196/2003, personal data relating to the subject registered and participating in the sales event, acquired during registration, will be used to comply with the obligations arising from the execution of the sales event and to fulfill the legal obligations connected to civil, fiscal and accounting provisions. The processing of data will take place in an appropriate manner to ensure security and confidentiality and may also



be performed through automated tools that allow the storage, management and transmission of the same. With the acceptance of these Terms of Sale, Troostwijk Srl is authorized to communicate the personal data relating to the registered subject and participant in the sales event to its Vendor Companies and to any collaborators and / or companies of which Troostwijk Srl uses, for fulfillment of the obligations established by law

Purchase failure

In case of missing or belated payment of the Purchase Price, Purchaser will be considered decayed without any other communication, seller has the right to arrange a legal action or to arrange other auction or sell to the second Highest Bidder



Lot	Number	Description	Starting Bid €
1	1	hydraulic infeed bin tipper station Mova, brand: Mova; total dimension L: 12000 mm; total dimension W: 3000 mm; total dimension H: 2900 mm; description: for bins size 1100x1100x600 mm; 400 volt; control cabinet;	3,500.00
2	1	hydraulic infeed bin tipper station Mova, brand: Mova; total dimension L: 12000 mm; total dimension W: 3000 mm; total dimension H: 2900 mm; description: for bin size 1100x1100x600 mm; 400 volt; with control cabinet;	3,500.00
3	1	washing bath electric connection: 400 V; total dimension L: 12000 mm; total dimension W: 1500 mm; description: stainless steel; for washing raw material ; with 2 output conveyors; conveyor length 6000 mm; L + R direction movement; pneumatic valve;	10,500.00
4	1	washing bath electric connection: 400 V; total dimension L: 12000 mm; total dimension W: 1500 mm; description: stainless steel; for washing raw material ; with 2 output conveyors; conveyor length 6000 mm; L + R direction movement; pneumatic valve;	10,500.00
5	1	roller weeding machine total dimension L: 6300 mm; total dimension W: 3000 mm; total dimension H: 4000 mm; description: tomato cleaning and treatment machine;	10,500.00
6	1	roller weeding machine total dimension L: 6300 mm; total dimension W: 3000 mm; total dimension H: 4000 mm; description: tomato cleaning and treatment machine;	10,500.00
7	1	tomato leaf remover total dimension L: 1400 mm; total dimension W: 2200 mm; description: motorized, for tomato cleaning;	1,750.00
8	1	tomato leaf remover total dimension L: 1400 mm; total dimension W: 2200 mm; description: motorized, for tomato cleaning;	1,750.00
9	1	ss motorized conveyor belt total dimension L: 6000 mm; total dimension W: 500 mm; description: with intralox belt;	500.00
10	1	stainless steel double bath total dimension L: 6800 mm; total dimension W: 2300 mm; total dimension H: 1700 mm; description: stainless steel;	5,000.00
11	2	stairs and walkway description: for weeding machines;	200.00
12	3	stainless steel parts	200.00
13	1	stainless steel rinsing bath electric connection: 400 V; total dimension L: 13000 mm; total dimension W: 1700 mm; total dimension H: 1900 mm; description: with inclined roller conveyor; stainless steel; bath dim. 13000x1700x1900 mm; 400 volt;	10,500.00
14	1	stainless steel rinsing bath electric connection: 400 V; total dimension L: 13000 mm; total dimension W: 1700 mm; total dimension H: 1900 mm; description: with inclined roller conveyor; stainless steel; bath dim. 13000x1700x1900 mm; 400 volt;	10,500.00
15	1	stainless steel roller sorter total dimension L: 3900 mm; total dimension W: 1500 mm; total dimension H: 2000 mm; description: including inspection walkway;	2,100.00
16	1	stainless steel roller sorter total dimension L: 3900 mm; total dimension W: 1500 mm; total dimension H: 2000 mm; description: including inspection walkway;	2,100.00
17	1	stainless steel roller sorter total dimension L: 2700 mm; total dimension W: 1200 mm; total dimension H: 1300 mm; description: including inspection walkway;	2,100.00



Lot	Number	Description	Starting Bid €
18	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 500 mm; total dimension H: 300 mm; description: stainless steel: with intralox belt;	700.00
19	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 500 mm; total dimension H: 1300 mm; description: stainless steel; with intralox carpet; with adjustable feet;	700.00
20	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: stainless steel; with intralox carpet; with adjustable feet;	700.00
21	1	optical sorting machine protec, 150 T 60C, year built 2012, serial number 12044088, brand: protec; type: 150 T 60C; year: 2012; serial number: 12044088; electric connection: 220 V; total dimension L: 2850 mm; total dimension W: 2100 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantity;	1,400.00
22	1	thermophysical steam peeler machine mauris, year built 1994, serial number 0841, brand: mauris; year: 1994; serial number: 0841; description: including loading elevator and scrubber; star inlet valve; stainless steel auger system; vacuum-generating system ; stainless steel tank AISI 304; support frame in high tickness tubular stainless steel.; 30 T / h;	21,000.00
23	1	thermophysical steam peeler machine manzini, brand: manzini; description: including loading elevator and scrubber; star inlet valve; stainless steel auger system; vacuum-generating system ; stainless steel tank AISI 304; support frame in high tickness tubular stainless steel. capacity 50 T / h;	28,000.00
25	1	metal detector cintex, brand: cintex; description: including stainless steel inspection gangway;	700.00
26	1	metal detector cintex, brand: cintex; description: including stainless steel inspection gangway;	700.00
© 27	1	tomato peel separator savi, brand: savi; total dimension L: 2000 mm; total dimension W: 1010 mm; description: with a waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 28	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 29	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 30	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 31	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00



Lot	Number	Description	Starting Bid €
© 32	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 33	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 34	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 35	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 36	1	stainless steel auger screw conveyor savi, brand: savi; total dimension L: 14000 mm; total dimension W: 450 mm; description: stainless steel;	1,000.00
© 37	1	Merry go round conveyor belt savi, brand: savi; total dimension L: 4600 mm; description: stainless steel;	1,400.00
© 38	1	Merry go round conveyor belt savi, brand: savi; total dimension L: 3000 mm; description: in acciaio inox; description: stainless steel;	1,400.00
© 39	1	Merry go round conveyor belt savi, brand: savi; total dimension L: 4000 mm; description: in acciaio inox; description: stainless steel;	1,400.00
© 40	1	stainless steel screw conveyor total dimension L: 4000 mm; total dimension W: 300 mm;	1,500.00
© 41	1	stainless steel screw conveyor total dimension L: 6500 mm; total dimension W: 300 mm;	2,000.00
© 42	1	stainless steel screw conveyor total dimension L: 5000 mm; total dimension W: 250 mm;	1,500.00
© 43	2	stainless steel screw conveyor total dimension L: 4000 mm; total dimension W: 250 mm;	1,750.00
© 44	1	stainless steel screw conveyor total dimension L: 2400 mm; total dimension W: 300 mm;	350.00
© 45	1	stainless steel walkway description: with stairs; serving tomato sorting plans;	2,100.00
46	1	rotating brushing basket description: stainless steel; mono pump included;	1,000.00
© 47	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 48	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 49	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00



Lot	Number	Description	Starting Bid €
© 50	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 51	1	tomato peel separator savi, brand: savi; description: waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 52	1	tomato peel separator savi, brand: savi; description: with a waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 53	1	tomato peel separator savi, brand: savi; description: with a waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 54	1	tomato peel separator savi, brand: savi; description: with a waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
© 55	1	tomato peel separator savi, brand: savi; description: with a waste discharge recovery system underneath the rollers; On the roller return is mounted a stainless steel slide for the recovery of the wash water from the rollers and tomato impurities from the wash brushes.;	2,000.00
56	1	stainless steel parts total dimension L: 3200 mm; total dimension W: 350 mm; description: out of the rotating basket;	100.00
© 57	1	stainless steel screw conveyor total dimension L: 14000 mm; total dimension W: 350 mm;	1,000.00
58	1	shredders and hammer mill description: stainless steel with fixed hammers; including lifting conveyor ;	4,900.00
© 60	1	merrygoround conveyor belt total dimension L: 17000 mm; total dimension W: 1000 mm; description: in stainless steel;	8,000.00
© 61	1	stainless steel screw conveyor total dimension L: 17000 mm; total dimension W: 600 mm;	1,000.00
© 64	1	sorting line control panel	300.00
© 65	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 66	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 67	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 68	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 69	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00



Lot	Number	Description	Starting Bid €
© 70	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 71	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 72	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 73	1	tomato sorting conveyor belt total dimension L: 4500 mm; total dimension W: 800 mm; description: stainless steel; manual sorting of tomatoes;	1,200.00
© 74	1	stainless steel walkway description: with ladders serving tomato sorting belts;	2,100.00
© 75	1	tomato peel separator savi, brand: savi; total dimension L: 1200 mm; total dimension W: 1100 mm; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 76	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 77	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 78	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 79	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 80	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 81	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 82	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 83	1	tomato peel separator savi, brand: savi; description: stainless steel; on the lower part of the roller table there is a stainless steel chute on which the waste is collected.;	900.00
© 84	1	stainless steel screw conveyor total dimension L: 17000 mm; total dimension W: 200 mm; description: screw conveyor; stainless steel;	1,000.00
© 85	1	walkway total dimension L: 17000 mm; description: steel ;	1,500.00
© 86	1	Merry go round conveyor belt manzo, brand: manzo; total dimension L: 18000 mm; total dimension W: 1500 mm; description: stainless steel;	8,000.00
© 87	1	stainless steel screw conveyor total dimension L: 17000 mm; total dimension W: 300 mm; description: stainless steel;	1,000.00
sorting and peeling line sorting and peeling line			



Lot	Number	Description	Starting Bid €
90	1	volumetric filling machine 80 hole mecom, RCA/B-80, year built 1999, serial number 030, brand: mecom; type: RCA/B-80; year: 1999; serial number: 030; total dimension L: 3200 mm; total dimension W: 2900 mm; total dimension H: 2800 mm; description: automatic; 80 holes; 500 g ; format mounted on filler; stainless steel;	7,000.00
91	1	volumetric filling machine 80 hole mecom, RCA/B-80, year built 1999, brand: mecom; type: RCA/B-80; year: 1999; total dimension L: 17000 mm; description: automatic; 80 holes; 500 g ; format mounted on filler; stainless steel;	7,000.00
92	1	volumetric filling machine 80 holes mecom, RCA/80B, year built 1997, serial number 11, brand: mecom; type: RCA/80B; year: 1997; serial number: 11; total dimension L: 17000 mm; description: automatic; 80 holes; 500 g ; format mounted on filler; stainless steel;	8,000.00
93	1	volumetric filling machine 80 holes mecom, RCA/80B, year built 1997, serial number 12, brand: mecom; type: RCA/80B; year: 1997; serial number: 12; total dimension L: 17000 mm; description: automatic; 80 holes; 500 g ; format mounted on filler; stainless steel;	8,000.00
94	1	Batching Hopper mecom, brand: mecom; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 2500 mm; description: stainless steel motorized hopper for draining diced tomatoes;	2,100.00
95	1	metal detector ceia, T/21E, year built 2013, serial number 21300228025, brand: ceia; type: T/21E; year: 2013; serial number: 21300228025; electric connection: 240 V; description: including stainless steel inspection gangway;	500.00
96	1	metal detector ceia, T/21E, year built 2013, serial number 21300228023, brand: ceia; type: T/21E; year: 2013; serial number: 21300228023; electric connection: 240 V; total dimension L: 1000 mm; total dimension W: 1000 mm; total dimension H: 2500 mm; description: including stainless steel inspection gangway;	500.00
100	1	motorized conveyor belt mecom, brand: mecom; total dimension L: 6000 mm; description: with intralox belt; in stainless steel;	350.00
101	1	motorized conveyor belt mecom, brand: mecom; total dimension L: 10000 mm; description: stainless steel; intralox belt;	350.00
102	1	merrygoround conveyor belt total dimension L: 9000 mm; total dimension W: 1500 mm; total dimension H: 2500 mm; description: including 3000 mm stainless steel auger screw conveyor;	2,000.00
103	1	tube bundle heat exchangers vettori e manghi, T143C, year built 1980, serial number 1273, brand: vettori e manghi; type: T143C; year: 1980; serial number: 1273; total dimension L: 6000 mm; total dimension W: 700 mm; description: stainless steel; for blanching tomatoes; including pump; description: stainless steel; for blanching tomatoes; including pump;	2,500.00
104	1	twin turbo refiner ing rossi, brand: ing rossi; electric connection: 400 V; description: twin refiner processing stage; including stainless steel screw conveyor;	2,000.00
105	1	twin turbo refiner comecal, brand: comeval; electric connection: 400 V; description: twin refiner processing stage; including stainless steel screw conveyor;	4,000.00
106	1	twin turbo refiner mauris, brand: mauris; electric connection: 400 V; description: twin refiner processing stage; including stainless steel auger;	4,000.00



Lot	Number	Description	Starting Bid €
107	1	mixing basin mauris, total dimension L: 3400 mm; total dimension W: 1700 mm; description: with agitator; stainless steel;	600.00
108	1	mixing basin mauris, description: with double agitator; stainless steel;	900.00
109	2	stainless steel screw conveyors total dimension L: 17000 mm; total dimension W: 200 mm; description: under mezzanine ; description: under mezzanine ;	500.00
© 110	1	motorized conveyor belt cmd, brand: cmd; description: including auger in stainless steel and walkway;	4,000.00
© 111	1	fruits and vegetable dicer machine cmd, brand: cmd; description: stainless steel; The machine is suitable to perform slicing, stick cutting and dicing of vegetables (carrots, potatoes, cucumbers, aubergines, peppers, tomatoes, etc.) and fruits (apples, pears, pitted peaches, etc.) fresh or treated for preservation.;	7,000.00
© 112	1	fruits and vegetable dicer machine cmd, brand: cmd; description: stainless steel; The machine is suitable to perform slicing, stick cutting and dicing of vegetables (carrots, potatoes, cucumbers, aubergines, peppers, tomatoes, etc.) and fruits (apples, pears, pitted peaches, etc.) fresh or treated for preservation.;	7,000.00
© 113	1	fruits and vegetable dicer machine cmd, brand: cmd; description: stainless steel; The machine is suitable to perform slicing, stick cutting and dicing of vegetables (carrots, potatoes, cucumbers, aubergines, peppers, tomatoes, etc.) and fruits (apples, pears, pitted peaches, etc.) fresh or treated for preservation.;	7,000.00
© 114	1	fruits and vegetable dicer machine cmd, brand: cmd; description: stainless steel; The machine is suitable to perform slicing, stick cutting and dicing of vegetables (carrots, potatoes, cucumbers, aubergines, peppers, tomatoes, etc.) and fruits (apples, pears, pitted peaches, etc.) fresh or treated for preservation.;	7,000.00
115	1	motorized lifting conveyor belt cavalieri, brand: cavalieri; total dimension L: 10000 mm; total dimension W: 1650 mm; description: stainless steel motorized lifting conveyor belt ;	6,500.00
116	1	magnetic elevator belt description: stainless steel;	300.00
117	1	magnetic elevator belt cosmec, brand: cosmec; description: stainless steel;	1,000.00
© 118	1	stainless mezzanine with stairs description: can only be sold in combination with CMD dicing machines and lotto110 belt; dicing machine combination dicing machine combination	5,000.00
119	1	lobe pump description: stainless steel;	1,600.00
120	1	lobe pump description: stainless steel;	1,600.00
121	1	metal detector ceia, power control T/G21E-150, year built 2015, serial number 21500225097, brand: ceia; type: power control T/G21E-150; year: 2015; serial number: 21500225097; description: stainless steel;	700.00
122	1	metal detector ceia, power control T/G21E-150, year built 2015, serial number 21500225025, brand: ceia; type: power control T/G21E-150; year: 2015; serial number: 21500225025; description: stainless steel;	700.00



Lot	Number	Description	Starting Bid €
126	1	automatic palletising machine spaggiari, year built 1988, serial number 048, brand: spaggiari; year: 1988; serial number: 048; description: with motorized roller conveyors; electrical cabinet;	8,500.00
127	1	automatic palletising machine spaggiari, year built 1988, serial number 053, brand: spaggiari; year: 1988; serial number: 053; description: with motorized roller conveyors; electrical cabinet;	8,500.00
128	1	automatic palletising machine spaggiari, S225, year built 1987, serial number 028, brand: spaggiari; type: S225; year: 1987; serial number: 028; description: with motorized roller conveyors; electrical cabinet;	8,500.00
129	1	automatic palletising machine spaggiari, brand: spaggiari; description: with motorized roller conveyors; electrical cabinet;	8,500.00
130	1	automatic mobile shuttle silvi, 2028, year built 2011, serial number ARA2028-slave, brand: silvi; type: 2028; year: 2011; serial number: ARA2028-slave; electric connection: 400 V; total dimension L: 2500 mm; total dimension W: 1500 mm; description: track handling; 5.5 kw;	8,000.00
131	1	pallet wrapping station robopac, Rotoplat 300HD, year built 2011, serial number 0111050156, brand: robopac; type: Rotoplat 300HD; year: 2011; serial number: 0111050156; electric connection: 400 V; own weight: 1500 kg; description: track handling; power 6.5; including protective metal mesh; safety photocells;	4,500.00
132	1	motorized conveyor belt total dimension L: 1600 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	700.00
133	1	motorized conveyor belt total dimension L: 2300 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	700.00
134	1	motorized conveyor belt total dimension L: 5800 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	1,500.00
135	1	motorized conveyor belt total dimension L: 1100 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	700.00
136	1	motorized conveyor belt total dimension L: 1500 mm; total dimension W: 300 mm; description: in stainless steel; intralox belt;	1,000.00
137	1	motorized conveyor belt total dimension L: 2800 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	1,000.00
138	1	motorized conveyor belt total dimension L: 3400 mm; total dimension W: 600 mm; description: stainless steel; intralox belt;	2,000.00
139	1	motorized conveyor belt total dimension L: 2000 mm; total dimension W: 150 mm; description: stainless steel; intralox belt;	1,000.00
140	1	motorized conveyor belt total dimension L: 7000 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,000.00
141	1	conveyor belt total dimension L: 2700 mm; total dimension W: 150 mm; description: stainless steel; intralox belt;	300.00
142	1	motorized conveyor belt total dimension L: 1300 mm; total dimension W: 150 mm; description: stainless steel; intralox belt; on bench;	300.00



Lot	Number	Description	Starting Bid €
143	1	motorized conveyor belt total dimension L: 3500 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,000.00
144	1	motorized conveyor belt total dimension L: 8400 mm; total dimension W: 1600 mm; description: stainless steel; intralox belt;	2,250.00
145	1	motorized conveyor belt total dimension L: 5500 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,250.00
146	1	motorized conveyor belt total dimension L: 7500 mm; total dimension W: 200 mm; description: stainless steel; intralox belt;	2,500.00
147	1	motorized conveyor belt total dimension L: 6000 mm; total dimension W: 400 mm; description: stainless steel; intralox belt;	2,500.00
148	1	motorized conveyor belt total dimension L: 6500 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,500.00
149	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,500.00
150	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 300 mm; description: stainless steel; intralox belt;	2,500.00
155	1	depalletizer description: including roller conveyor; 500 g format.;	8,500.00
156	1	depalletizer description: including roller conveyor; 500 g format.;	8,500.00
157	1	depalletizer description: including roller conveyor;; size 3kg; including walkway;	5,500.00
158	1	magnetic elevator belt description: magnetic elevator belt;	800.00
159	1	motorized collecting conveyor belt total dimension L: 6500 mm; total dimension W: 1000 mm; description: stainless steel; with intralox belt; for transporting empty boxes to the depal ; including gangway and mezzanine floor;	3,500.00
160	1	magnetic elevator belt cosmec, brand: cosmec; description: for transporting empty boxes;	3,500.00
161	1	magnetic elevator belt cosmec, brand: cosmec; description: for transporting empty boxes;	3,500.00
162	1	magnetic belt separator cosmec, brand: cosmec; description: for product check;	500.00
163	1	magnetic belt separator cosmec, brand: cosmec; description: for product check;	500.00
164	1	motorized conveyor belt total dimension L: 7500 mm; total dimension W: 400 mm; description: in stainless steel with intralox belt;	1,000.00
165	1	motorized conveyor belt total dimension L: 7500 mm; total dimension W: 400 mm; description: in stainless steel with intralox belt;	1,000.00
166	1	motorized conveyor belt total dimension L: 10000 mm; total dimension W: 7000 mm; description: in stainless steel with intralox belt;	1,500.00



Lot	Number	Description	Starting Bid €
167	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 700 mm; description: in stainless steel with intralox roller shutter;	1,500.00
168	1	motorized conveyor belt total dimension L: 2400 mm; total dimension W: 300 mm; description: in stainless steel with intralox roller shutter;	500.00
169	1	motorized conveyor belt total dimension L: 2400 mm; total dimension W: 300 mm; description: in stainless steel with intralox roller shutter;	500.00
170	1	motorized conveyor belt total dimension L: 3800 mm; total dimension W: 300 mm; description: in stainless steel with intralox roller shutter;	600.00
171	1	motorized conveyor belt total dimension L: 5500 mm; total dimension W: 500 mm; description: in stainless steel with intralox roller shutter;	800.00
172	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 700 mm; description: in stainless steel with intralox roller shutter;	1,500.00
173	1	motorized conveyor belt total dimension L: 8500 mm; total dimension W: 200 mm; description: in stainless steel with intralox belt;	1,500.00
174	1	motorized conveyor belt total dimension L: 8000 mm; total dimension W: 200 mm; description: in stainless steel ;	1,250.00
175	1	motorized sorting conveyor belts brand: cosmec; description: lot of 13 motorized conveyor belts in stainless steel with intralox belt; located on mezzanine above fillers; including steel mezzanine;	22,500.00
176	1	walkway descrizione: a servizio depalletizzatori;	200.00
177	1	mezzanine description: metal/zn; with handrail;	3,500.00
178	1	Twin-head aseptic filler pellacini, P3945, year built 2004, serial number 2079, brand: pellacini; type: P3945; type: P3945; year: 2004; year: 2004; serial number: 2079; serial number: 2079; description: Twin-head aseptic filler Multi for 4x1 200kg bag/drum on pallet and/or 1x1 1.000 kg bag/bin on pallet; Tube-in-tube aseptic Sterilizer and Cooler for fruit cream and tomato concentrates ; Aseptic installation with receiving tank, C.I.P. Unit and piston pump; description: Twin-head aseptic filler Multi for 4x1 200kg bag/drum on pallet and/or 1x1 1.000 kg bag/bin on pallet; Tube-in-tube aseptic Sterilizer and Cooler for fruit cream and tomato concentrates ; Aseptic installation with receiving tank, C.I.P. Unit and piston pump;	70,000.00
179	1	continuous evaporator system plant ing rossi, brand: ing rossi; description: stainless steel; for double concentrate tomato paste production;	21,000.00
180	1	inkjet videojet marker videojet, excel 2000, serial number 059831088WD, brand: videojet; type: excel 2000; serial number: 059831088WD; description: for marking boxes; in stainless steel;	350.00
181	1	inkjet videojet marker videojet, excel 2000, serial number 050831072WD, brand: videojet; type: excel 2000; serial number: 050831072WD; description: for marking boxes; in stainless steel;	350.00
182	1	inkjet videojet marker videojet, excel 2000, serial number 09148014CWD, brand: videojet; type: excel 2000; serial number: 09148014CWD; description: for marking boxes; in stainless steel;	350.00
183	1	inkjet videojet marker videojet, excel 2000, serial number 043561029WD, brand: videojet; type: excel 2000; serial number: 043561029WD; description: for marking boxes; in stainless steel;	350.00



Lot	Number	Description	Starting Bid €
184	1	inkjet videojet marker videojet, excel 2000, serial number 08177036CWD, brand: videojet; type: excel 2000; serial number: 08177036CWD; description: for marking boxes; in stainless steel;	350.00
185	1	inkjet videojet marker videojet, excel2000, serial number 051641011WD, brand: videojet; type: excel2000; serial number: 051641011WD; description: for marking boxes; in stainless steel;	350.00
© 190	1	filling capping and rinsing machine GAI, 6005A, year built 2005, serial number AEL3100, brand: GAI; type: 6005A; year: 2005; serial number: AEL3100; number of heads: 32; capacity: 6000 l/hr; capacity: 7000 pcs/hr; electric connection: 400 V; total dimension L: 5500 mm; total dimension W: 1700 mm; total dimension H: 2400 mm; description: consisting of 24-cup pre-wash carousel; 8-cup carousel vent with vacuum pump; 32-cup gravity vulcarousel; 8-cup nitrogen injection carousel (without nitrogen generator); 6-cup vacuum cork and sealing carousel; suited for 75 cl bottles; 10 kW; already disassembled;	10,000.00
© 191	1	motorized roller conveyor belt transpak, ttp, year built 2018, serial number 2273-307, brand: transpak; type: ttp; year: 2018; serial number: 2273-307; total dimension L: 2000 mm; total dimension W: 600 mm; description: stainless steel (castel s.giorgio);	250.00
© 192	1	motorized roller conveyor belt transpak, ttp, year built 2018, serial number 2273-305, brand: transpak; type: ttp; year: 2018; serial number: 2273-305; total dimension L: 2000 mm; total dimension W: 600 mm; description: stainless steel (castel s.giorgio);	250.00
© 193	1	motorized roller conveyor belt transpak, ttp, year built 2018, serial number 2273-303, brand: transpak; type: ttp; year: 2018; serial number: 2273-303; total dimension L: 2000 mm; total dimension W: 600 mm; description: stainless steel (castel s.giorgio);	250.00
© 194	1	motorized roller conveyor belt transpak, ttp, year built 2018, serial number 2273-304, brand: transpak; type: ttp; year: 2018; serial number: 2273-304; total dimension L: 4000 mm; total dimension W: 600 mm; description: stainless steel (castel s.giorgio);	400.00
		rinsing, filling and capping machine rinsing, filling and capping machine, including motorized roller conveyors	
195	1	nitrogen generator noxeror, nitro swing, year built 2018, serial number 08718, brand: noxeror; type: nitro swing; year: 2018; serial number: 08718; electric connection: 230 V; own weight: 536 kg; total dimension L: 1300 mm; total dimension W: 500 mm; total dimension H: 1500 mm; description: purity approx. 97% to 99.999%; inlet pressure approx. 7 to 13 bar; including storage tank; dismantled (castel s.giorgio);	500.00
200	1	automatic filling and seaming machine cuomo, CSV16, year built 1999, serial number 0062 DV, brand: cuomo; type: CSV16; year: 1999; serial number: 0062 DV; description: filling machine 36 heads; including seaming machine; disassembled (70);	28,000.00
202	1	rotating basket description: stainless steel; dismantled (7);	700.00
203	1	optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 1998, serial number 98022069b, brand: protech; type: BI CS2000-40-CP022-0000101; year: 1998; serial number: 98022069b; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00



Lot	Number Description	Starting Bid €
204	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2003, serial number 03023241a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2003; serial number: 03023241a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00
205	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2003, serial number 03023240a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2003; serial number: 03023240a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00
206	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2004, serial number 04023255a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2004; serial number: 04023255a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00
207	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2004, serial number 04023256a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2004; serial number: 04023256a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00
208	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2004, serial number 04023254a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2004; serial number: 04023254a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00



Lot	Number Description	Starting Bid €
209	1 optical sorter machine protech, BI CS2000-40-CP022-0000101, year built 2004, serial number 04023253a, brand: protech; type: BI CS2000-40-CP022-0000101; year: 2004; serial number: 04023253a; total dimension L: 2850 mm; total dimension W: 1600 mm; total dimension H: 1900 mm; description: tomato; fruit and vegetable sorter machine; In its 3-way sorting configuration the Extrasorter separates the product in three different classes by color, defects or foreign bodies. It can be applied to various product categories, such as potatoes, olives, tomatoes, walnuts, mussels. It operates with double vision and double rejection systems: by inspecting the product completely and accurately, also on large quantities (15);	1,500.00
210	1 vacuum thermophysical peeling machine FTP, flash p, year built 1998, serial number A015, brand: FTP; type: flash p; year: 1998; serial number: A015; description: vacuum thermophysical peeling machine; including extractor hood; bucket elevator belt; dripping machine; including inspection walkway; barometric column in stainless steel; and soundproofed pumps; CE marked (27);	11,000.00
211	1 sorting conveyor belt total dimension L: 6000 mm; description: sorting conveyor belt (42);	1,200.00
212	1 dicing machine FTP, cub.ort, year built 2004, serial number 655502, brand: FTP; type: cub.ort; year: 2004; serial number: 655502; description: dicing machine including conveyor belt with inlet cups; ejection belt dripper; and product collection hopper (54);	7,000.00
213	1 automatic filling and seaming machine cuomo, CSV16, year built 1999, brand: cuomo; type: CSV16; year: 1999; description: filling machine 36 holes; including seaming machine; format 0,5 kg; machine already dismantled (66);	28,000.00
214	1 automatic filling and seaming machine cuomo, CSV16, year built 1999, serial number 0064DV, brand: cuomo; type: CSV16; year: 1999; serial number: 0064DV; description: filling machine 36 holes; including seaming machine; format 0,5 kg; machine already dismantled;	28,000.00
215	1 telescopic filling machine mecom, year built 1999, brand: mecom; year: 1999; description: telescopic filling machine; 30 filling stations; assembled 3kg format; machine already disassembled (56);	9,800.00
218	1 packaging machine description: 3 kg packaging machine (120);	700.00
219	1 packaging machine description: 3 kg format packaging machine (121);	700.00
220	1 packaging machine description: 3 kg format packaging machine (122);	700.00
221	1 automatic palletizer Bronzoni, brand: Bronzoni; description: automatic palletizer;	7,000.00
222	1 automatic palletizer carbognani, brand: carbognani; description: automatic palletizer for cartons and bundles (134) ;	7,000.00
223	1 automatic depalletizer spaggiari, brand: spaggiari; description: automatic depalletizer for empty boxes of various sizes (137);	3,500.00
224	1 automatic depalletizer spaggiari, brand: spaggiari; description: automatic depalletizer for empty boxes of various sizes (138);	3,500.00
225	1 automatic depalletizer description: automatic depalletizer for empty boxes of various sizes (139);	3,500.00
226	1 automatic depalletizer spaggiari, brand: spaggiari; description: automatic depalletizer for empty boxes of various sizes (140);	3,500.00



Lot	Number	Description	Starting Bid €
227	1	automatic depalletizer spaggiari, brand: spaggiari; description: automatic depalletizer for empty boxes of various sizes (141);	4,200.00
228	1	automatic palletizer carbognani, brand: carbognani; description: automatic palletizer; for cartons (142) ;	5,600.00
229	1	cooling tower description: cooling tower (152);	1,750.00
230	1	cooling tower description: cooling tower (153);	1,750.00
231	1	cooling tower description: cooling tower (154);	1,750.00
232	1	magnetic elevator belt description: magnetic elevator belt (147);	1,400.00
233	1	boiler Mingazzini, P3200, year built 1987, serial number 122587, brand: Mingazzini; type: P3200; year: 1987; serial number: 122587; max. pressure: 12 bar; burner brand + model: GENERAL BRUCIATORI; description: 20000 kg/h;	24,500.00
234	1	boiler BONO, SG1500, year built 1989, serial number 7541, brand: BONO; type: SG1500; year: 1989; serial number: 7541; description: 20000 kg / h;	21,000.00
235	1	boiler BONO, SG2000, year built 1996, serial number 8180, brand: BONO; type: SG2000; year: 1996; serial number: 8180; description: 20000 kg / h;	24,500.00
236	1	evaporation plant fenco, brand: fenco; description: evaporation plant; dismantled;	49,000.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

CG-201-07-EN

((VAT Nr. IT 01914310154))

(Chamber of Commerce nr. MI 146-161497)

(Licence ref. 16.03.2011 Questore di Milano)

Article 1 Definitions

Website:	the website www.TroostwijkAuctions.com , which is maintained by Troostwijk Veilingen B.V., with its registered seat in Amsterdam;
User:	the one who has registered on the Website;
Troostwijk:	Troostwijk Veilingen B.V. and/or its subsidiary/ies or sister com-pany/ies as reported on the Website;
Purchase Sum:	the amount of the highest – allocated – bid increased by: - mark-up above the highest bid and - the V.A.T. owed
Registration:	registration of User on the Website by means of filling in completely the registration form found on the Website;
Bid:	each amount bid by User in the auction for a lot;
Lot:	an article, or a number of articles that are auctioned together (under one number);
Auction:	the public sale of moveable goods organized by Troostwijk via the internet;
Seller:	the one who has commissioned a Lot to be auctioned;
Purchaser:	the User to whom the Lot is allocated;
User's Agreement:	the agreement between Troostwijk and the User;
Purchase Agreement:	the purchase agreement between the Purchaser and the Seller;
Delivery:	the actual delivery of the Lot to the Purchaser or to his authorized representative;
General Terms and Conditions for the User:	the General Terms and Conditions for access to and use of the Website;
General Online Auction Terms and Conditions:	these General Terms and Conditions;
Specific Online Auction Terms and Conditions:	the additional, supplementary to or in departure from the General Terms and Conditions for the User and the General Terms and Conditions of the Online Auction, valid terms and conditions, as re-ported on the Website for the Auction in question;
Allocation:	the declaration by Troostwijk that a Lot or combination of Lots has been allocated to the highest bidder upon payment of the Purchase Price.

Article 2. Applicability

- 2.1 The General Online Auction Terms and Conditions are applicable to the relationship between Sellers or Users on the one hand and Troostwijk on the other in the partici-pation in Auctions.
- 2.2 The applicability of General Terms and Conditions other than the present one, General Terms and Conditions for the User, the Specific Terms and Conditions of the Online Auction, is excluded.
- 2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

www.TroostwijkAuctions.com



Article 3. The Auction

- 3.1 Troostwijk reserves the right to cancel an Auction, to terminate an Auction earlier than reported on the Website or to extend one. In case of a technical malfunction of the Website, causing it to be not completely accessible and/or inaccessible to Users, Troostwijk has the right to extend the Auction by 24 hours.
- 3.2 The User states by his Registration that he is familiar with and agrees with the special circumstances of an internet auction and with the technical imperfections that can arise. Troostwijk denies any liability for whatever damage that may arise in any way, directly or indirectly, including but not limited to the damage arising from the use of the Website, unless there has been deliberate or conscious negligence by Troostwijk. More particularly, Troostwijk accepts no liability for any damage whatsoever that arises in any way by or from:
- actions performed by the User that may have been inspired by the information placed on the Website;
 - the impossibility of using the Website (completely) and/or another malfunction in the Website or the supporting system;
 - the Lots not meeting the specifications as reported on the Website;
 - the fact that the information on the Website is incorrect, incomplete or out of date;
 - errors in the software of the Website and/or the supporting system;
 - the unlawful use of systems, including the Website of Troostwijk, by a third party;
 - actions by the Seller after the User has concluded a Purchase Agreement with the Seller.
- 3.3 Lots shall be displayed for those interested to see for one or more days before the auction and therefore the auction catalogue, brochures, advertisements, descriptions on the website and the like shall have a merely indicative value to identify the lot(s). Troostwijk therefore accepts no liability for damage resulting from any inadvertent, wrong or incomplete descriptions of the goods sold at auction.

Article 4. Organization of the Auction

- 4.1 The organization, preparation and carrying out of the Auction is to be done by Troostwijk.
- 4.2 Without having to give any reason, Troostwijk has the authority before or during the Auction:
- not to recognize a Bid as such;
 - to exclude one or several Users from the Auction;
 - to collect objects into Lots, to split Lots or to remove Lots from the auction;
 - to repair mistakes made by Troostwijk in offers and/or allocations, without the User being able to make use of these errors and/or derive any rights from them;
 - to take other measures that are, in its judgement, necessary.
- 4.3 Troostwijk has the authority to set as a condition for participation in certain Auctions and/or bids on certain Lots that a User provide a bank guarantee beforehand to the satisfaction of Troostwijk.
- 4.4 The judgement of Troostwijk concerning that which has occurred during the Auction is binding.

Article 5. Bids; Purchase Agreement

- 5.1 The User can place a Bid on the Website on one or several Lots. Every bid is unconditional, irrevocable and without reservation. Troostwijk and/or the Seller are entitled to reject bids without giving any reason. Bids are placed exclusive of mark-up and V.A.T. Troostwijk is authorized to place bids on behalf of third parties.
- 5.2 If a Lot is also brought to auction together with one or several other Lots as a combination, this will be reported on the individual page of the Lot. In that case, bids can be placed first on the individual Lots of the combination and after the closing of all individual Lots, bids can be placed on the combined Lot. Individual Lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 5.3 Bids can be placed in the form of a 'static bid' or 'auto bid.' In a static bid, the User places a bid in the form of a fixed amount per Lot. In an automatic bid the User indicates the maximum price he is prepared to pay for the Lot. The auction system sees to it that, after outbidding by a third party, the minimally possible higher bid is introduced in the name of the User, as long as the maximum indicated by the User has not been reached. An automatic bid can be eliminated by the User solely by placing a static bid that at that moment is the highest bid.
- 5.4 The Purchase Agreement arises through Allocation. Allocation is generally given to the User who has made the highest Bid. By applying article 5.1, through conditions for allocation as included in the Specific Terms and Conditions of the Online Auction or for other reasons at the discretion of Troostwijk, a Lot can be allocated to a different User who has placed the highest sustainable Bid.
- 5.5 The Purchaser receives confirmation within 48 hours after the Auction has been closed (not including Saturdays, Sundays and holidays) by e-mail on behalf of the Seller(s) that the Purchase Agreement has been made. If the User does not receive any e-mail within the period mentioned above, this means that his Bid has not been accepted. Troostwijk then has the right not to allocate or not to allocate under suspensive condition(s).
- 5.6 The risk of the Lot(s) is transferred to the Purchaser at the moment of Allocation.
- 5.7 Troostwijk is not a party to the Purchase Agreement but merely mediates in the creation of purchase agreements. If the auction is a forced



sale, this will be reported in the Specific Terms and Conditions of the Online Auction.

5.8 In the event that the receiver is the Seller, section 7.19 of the Civil Code obtains.

5.9 In the event that the auction occurs in the presence of a civil-law notary or court bailiff, he will supervise the Auction and the bids placed there and the Allocations.

Article 6. Guarantees, claims and indemnities

6.1 In respect of the Lots and possible claims of third parties to these, Troostwijk and/or the Seller will provide no single guarantee of whatever kind. The Purchaser waives all rights except those that are his by mandatory law.

6.2 The Lots are sold for what they are worth in the state in which they are found on the date of Allocation with all benefits and burdens attached thereto. Troostwijk and/or the Seller do not give any indemnity of any kind for visible or hidden defects or any kind of guarantee in connection with completeness, numbers, functioning, usability, saleability, the existence or non-existence of rights of third parties and/or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the Purchaser and/or the receiving third parties do not bestow any rights at all to damages and/or discount. The Purchaser is assumed to have carefully investigated the Lot bought by him beforehand.

6.3 If, in respect of the Lots, claims by third parties are made on the basis of the retention of ownership, the Purchaser is obligated to hold the Lot(s) in question for those third parties, under the obligation to transfer it to the third parties at the first request or to come to a suitable arrangement with the third parties.

6.4 The Purchaser indemnifies Troostwijk and/or the Seller against every claim by a third party in connection with the Purchase Agreement.

Article 7. The Purchaser's payment obligations

7.1 The Purchaser has the obligation to transfer the Purchase Price to an account number to be indicated by Troostwijk within three days (not including Saturdays, Sundays and holidays) after confirmation of the Purchase Agreement. Payment should be made in euros or in another currency to be indicated by Troostwijk.

7.2 In the event of a late payment of the Purchase Price, 15% of the Purchase Price, being a forfeit amount for collection costs and/or extrajudicial costs will be charged to the Purchaser by Troostwijk, increased by the statutory commercial interest on the outstanding amount, increased by 3% on an annual basis, starting on the day on which the payment should have occurred until the day of effective payment.

7.3 Payments are intended first to decrease the costs, then the interest charges, then finally the Purchase Price.

Article 8. Viewing days, auction days, delivery days

8.1 Whoever enters the buildings and grounds on viewing days or on the day of delivery does so entirely at his own risk. The instructions of Troostwijk and/or persons called in by Troostwijk are to be followed. Troostwijk and the Seller do not accept any liability for damages arising from entering the buildings or grounds.

Article 9. Delivery

9.1 If and as soon as the Purchaser has met all his payment obligations, the Purchaser can pick up the Lot(s) in question during the hours and at the place specified by Troostwijk, after having showing a proper identification. This is the Delivery. The Buyer is obligated to pick up the Lot(s) no later than the date specified in the Specific Terms and Conditions of the Online Auction. Troostwijk can stipulate that (a) certain Lot(s) can be picked up only after Lots have been delivered.

9.2 After delivery the Purchase Agreement can no longer be terminated or destroyed by the Purchaser.

9.3 If it appears that a Lot cannot be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the Lot is situated or for other reasons appears to be strongly objectionable, Troostwijk is authorized to terminate the Purchase Agreement. This termination occurs by e-mail and/or registered letter to the Purchaser at the address supplied by the Purchaser, after which Troostwijk and/or the Purchaser is/are no longer held to restitution of the amounts already paid by the Purchaser to Troostwijk for the purchase of the Lot(s).

9.4 The Purchaser whose Lot(s) hinder the picking up of other lots is obligated to see to it immediately after reception of an e-mail or other written documents from Troostwijk that the Lot(s) are picked up. The arranging of possible storage by third parties is at the Purchaser's own charge and risk.

9.5 The Purchaser is obligated to dismantle or demolish his Lot(s) and to pick them up. He is completely liable for damage done to the property of others in connection therewith. He is further obligated to indemnify Troostwijk and the Seller against all claims by third parties arising from the dismantling, demolishing and/or the picking up of the Lot(s).

9.6 During the dismantling, demolishing and picking of the Lot(s), the Purchaser is obligated to follow the instructions of Troostwijk and/or persons called in by Troostwijk.



- 9.7 The Purchaser is obligated to see to it that he or whoever takes care on his behalf of the dismantling, demolishing or transport has the proper required permits. Troostwijk and/or the Seller cannot be held accountable for the lack of the necessary documents and/or the infringement of governmental regulations in the dismantling, demolishing and/or transport by or on behalf of the Purchaser.
- 9.8 In situations in which it is/appears necessary to dismantle buildings for (an) allocated Lot(s), this can occur only through prior consultation with and written authorization from Troostwijk and under these terms and conditions set in the granting of permission.
- 9.9 If Troostwijk stipulates such, a deposit will be made in connection with possible damage to the buildings. If such damage occurs, the deposit will be applied to the payment for repair of the damage, subject to the obligation of the Purchaser to pay compensation for more damage. If no damage results, the deposit will be restored to the Purchaser.

Article 10. Termination

- 10.1 If the Purchaser does not fulfil any obligation in the Purchase Agreement, including (but not limited to):
- (i) not paying the Purchase Price or not paying it completely on time;
 - (ii) not picking up the Lot(s) on time and/or
 - (iii) not providing the information required before delivery,
- the Purchaser is legally in default without further notice of default being required, and Troostwijk can terminate the Purchase Agreement on behalf of the Seller.
- In that case Troostwijk is free to allocate the Lot(s) to another party without Troostwijk and/or the Seller being liable for any damages.
- 10.2 In case of termination as intended in 12.1, the Purchaser in default must pay, in addition to the mark-up, a forfeit amount of 25 % of the Purchase Price to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and/or the Seller to demand complete compensation for damages.

Article 11. Liability

- 11.1 The liability of Troostwijk, if and insofar as the other remaining stipulations of the General Terms and Conditions of the Online Auction, the Terms and Conditions for the User and (if applicable) the Specific Terms and Conditions of the Online Auction are applied, will still be limited to the amount to which the liability insurance of Troostwijk accords Troostwijk in the instance in question, increased by the amount of excess according to the policy in question, or, if it is less, to the invoiced amount that is involved with the commission. This limitation does not apply in the event of deliberate or gross negligence by Troostwijk.
- 11.2 Troostwijk is not liable for indirect or consequential loss. Further, all liability of Troostwijk in connection with any defect in the Lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties is excluded. The Purchaser declares that he is familiar with the fact that, in respect of Lot(s), possible rights (of intellectual property) rest with third parties.
- 11.3 In consulting with third parties, Troostwijk will take the necessary caution into consideration. Troostwijk is also not liable for possible shortcomings of these third parties.

Artikel 12. Adjustments; Effect

- 12.1 If and insofar as any stipulation of the General Terms and Conditions of the Online Auction is null and void or is nullified, the remaining stipulations will remain undiminished in force. Troostwijk will then determine a new stipulation to replace the null/nullified stipulation, by which the intent of the null/nullified stipulation will be taken into consideration.
- 12.2 Troostwijk can, in addition to these General Online Auction Terms and Conditions, declare the Specific Online Auction Conditions to be applicable. Notification of the Specific Online Auction Terms and Conditions will be made before the Auction. If and insofar as the Specific Online Auction Terms and Conditions are in contradiction with the General Terms and Conditions of the Online Auction, the Specific Online Auction Terms and Conditions will have preference.
- 12.3 Departure from these General Terms and Conditions of the Online Auction is permitted only if it is fixed in writing by an authorized representative of Troostwijk.
- 12.4 Troostwijk reserves the right to amend these General Terms and Conditions of the Online Auction. Amendments will take effect 24 hours after these have been sent by e-mail to the User. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

Article 13. Applicable law

- 13.1 Italian law is applicable to these General Terms and Conditions of the Online Auction and the legal relationships that are associated with the Auction.
- 13.2 The Italian text of the General Terms and Conditions of the Online Auction is the original text. In the event that the General Terms and Conditions of the Online Auction are used in several languages, the Italian text will therefore be given preference in case of lack of clarity or



contradictions.

13.3 The District Court Milan is authorized (subject to the possibility of appeal and to laws that state otherwise) to decide in differences arising from these terms and conditions, to the exclusion of every other instance.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience