

ONLINE AUCTION

Online veiling van gereedschappen voor precisiemechaniek & werkplaatsinrichting (BE) Online auction of tools for precision mechaimid/sri&storent & 16579 legenigement (Lots | Loten)

Closing date: Thursday 12 MARCH starting 14:00

Viewing:

Tuesday 10 March from 09:00 until 12:00 Pastoor Verrieststraat 95 - 8570 Ingooigem (Belgium)

Bidding only on the internet!

13-02-20 17.37

www.TroostwijkAuctions.com



Thursday 12 March 2020 Online veiling van gereedschappen voor precisiemechaniek & werkplaatsinrichting

Closing date Viewing	Thursday 12 March 2020 s Tuesday 10 March from Lots Loten Pastoor Verrieststraat 95 8570 Ingooigem, Belgium	•		
Company organising this Online Auction	TROOSTWIJK BELGIE Desguinlei 22 Bus 3 2018 ANTWERPEN, Belgi Phone: +32-(0)3-287.62.63 Fax: +32-(0)3-287.62.63 E-mail: info@troostwijk.be			
Markup	Various percentages			
VAT	21.00%			
Collection	Thursday 19 March from Lots Loten Pastoor Verrieststraat 95 8570 Ingooigem, Belgium By appointment Lots Loten Pastoor Verrieststraat 95 8570 Ingooigem, Belgium	n 09:00 until 16	5:00 CET	
Viewing instructions	Bidding without prior v conditions.	iewing will be at	: your own risk. See also	our general
Pick-Up instructions	 The buyer,or his representation of the buyer is response transport of the good In case of non-collecting euro will be charged for the source of the buyer of the source of the buyer of the source of the buyer is source of the source of the buyer of the buyer of the source of the buyer of the source of the buyer o	agreement the ible for the dis ds; on/loading an a for organizing a accept any resp	day of loading; mantling; the loading dministrative cost of n second loading date; oonsability concerning at	ninimum 25,00
Paiement instructions	 Within 48 hours after By bank transfer 			ement
	 Description: buyer n Bank 	ount	IBAN nr.	BIC Code
	BNPParibas/Fortis 220 KBC 411		BE48 2200 7255 5127 BE83 4111 1062 0115 BE90 3200 0374 0432	GEBABEBB KREDBEBB BBRUBEBB
General conditons	On the sale the general ter concerning the (possible) terms and conditions.			
Following lots	After registration and login,	lots can be 'foll	owed' via 'My Troostwijk	&rsquo.
Combination	All lots in a combination will of bids is raised 5%. This is sold it overrules the individ	s the starting bio	d of the combination. If the	ne combination is

www.TroostwijkAuctions.com



Prolongation

Lots without bid Quantity, capacity, dimensions and weight of goods

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended with 5 minutes until no bids are made.

All lots without any bid will stay open until half an hour after the last closing time bid. Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

www.TroostwijkAuctions.com

1	1	ground steel flat table machine weight: 2000 kg; total dimension L: 2500 mm; total dimension W: 1500 mm; total dimension H: 360 mm; description: including profile steel supports, including chassis height 810 mm; note: free of charge with hall crane;	1,250.00
2	1	horizontal distribution table description: partition table; diameter: 1750 mm; total width: 2000 mm; total height: 250 mm; weight: 2400 kg; note: free of charge with hall crane;	600.00
3	1	horizontal measuring instrument Trimos, Horizontal 2000, brand: Trimos; type: Horizontal 2000; measuring range till: 2050 mm; total dimension L: 2500 mm; description: length gauge adjustment gauge for screw sizes, for adjustment and calibration of micrometers;	600.00
4	1	cast iron clamping bracket description: weight approx. 1050 kg, dimensions 1350 x 600 x H 1260 mm, provided with slotted holes dimension 30 x 100 mm;	250.00
5	1	induction crimping device Bilz, ISG 3400WK-11, brand: Bilz; type: ISG 3400WK-11; description: 3 x 230/400 V, with cooling reservoir, digital readout and accessories; dimensions: 800 x 600 x H 1750 mm;	1,750.00
6	1	length measuring machine Hommel Werke, BB, brand: Hommel Werke; type: BB; measuring range from: 0 mm; measuring range till: 4000 mm; electric connection: 230 V; total dimension L: 750 mm; total dimension W: 5000 mm; total dimension H: 1300 mm; description: for adjusting and calibrating barrier screws, with profile steel base and wooden casing;	1,000.00
7	1	set of 2-point inside screw sizes Mitutoyo, 140-159, brand: Mitutoyo; type: 140-159; measuring range from: 1000 mm; measuring range till: 4000 mm; with case: yes; description: consisting of seven extension tubes, 1 x 50 mm, 2 x 100 mm, 1 x 200 mm, 1 mm and 2 x 500 x 1000 mm;	250.00
8	1	profile steel work table Lista , brand: Lista ; total dimension L: 750 mm; total dimension W: 1500 mm; total dimension H: 840 mm; description: provided with 565 x 720 x 385 mm chest of drawers;	125.00
9	1	profile steel work table Lista , brand: Lista ; total dimension L: 750 mm; total dimension W: 1555 mm; total dimension H: 840 mm; description: equipped with drawer cabinet size 410 x 565 x 385 mm and sockets;	125.00
10	1	universal milling machine Aciera, F4, brand: Aciera; type: F4; taper ISO: MK 4; speed from N=: 60 rpm; speed till N=: 4000 rpm; T-slot fixture table size L: 250 mm; T-slot fixture table size W: 720 mm; coolant pump: yes; electric connection: 400 V; description: size T-slots 12 x 22 mm; automatic feed: 8-242 mm / min;	750.00
11	1	roller mill Sahinler, RM1270/90, year built 2015, serial number 54480, brand: Sahinler; type: RM1270/90; year: 2015; serial number: 54480; number of rolls: 3; roll length: 1270 mm; foot control: yes; engine power: 1.1 kW; electric connection: 400 V;	500.00
12	1	press brake Safan, SK 25-1600, serial number K140, brand: Safan; type: SK 25-1600; serial number: K140; capacity: 25 t; working length: 1600 mm; foot control: yes; manual backgauge: yes; electric connection: 400 V; dimension L: 1200 mm; dimension W: 1900 mm; dimension H: 2250 mm; description: including knives and counter-blade; note: free of charge with hall crane;	1,500.00
13	1	Precision coordinate drilling machine Henri Hauser, 5, serial number 55, brand: Henri Hauser; type: 5; serial number: 55; taper MC: 4; T-slot fixture table size L: 900 mm; T-slot fixture table size W: 750 mm; electric connection: 400 V; dimension L: 2000 mm; dimension W: 1600 mm; dimension H: 2350 mm; description: dimension T-slots 15 x 25 mm, including chest of drawers with content accessories , dimension of drawers 755 x 600 x 900 mm H;	1,250.00

14	1	mobile welding vapor extraction Kemper, Filter-Master 6410005, year built 2011, serial number 235175, brand: Kemper; type: Filter-Master 6410005; year: 2011; serial number: 235175; mobile: yes; boom length: 3000 mm; electric connection: 400 V; machine weight: 80 kg; dimension L: 750 mm; dimension W: 660 mm; dimension H: 1200 mm; description: capacity 1200 m ³ / h;	350.00
15		fire-resistant storage containers Denios, BMC-M 360-K-T90-1, year built 2013, serial number 110699274-000100-001, brand: Denios; type: BMC-M 360-K-T90-1; year: 2013; serial number: 110699274-000100- 001; storage container: yes; chemical storage container: yes; insulated: yes; total dimension L: 3660 mm; total dimension W: 2400 mm; total dimension H: 2400 mm; description: for paints, thinners, aerosols and other hazardous material, single door on short side; fire resistance: 120 minutes; color: RAL9002; equipped with: mechanical exhaustion with a fire damper, door hold-open device, magnetic lock, with drip tray galvanized grids, heating elements, explosion-proof lighting ; weight: approx. 2200 kg;	2,500.00
16	1	environmental container Denios, MC 6320-K2-ISO, year built 2013, serial number 110699274-001000-001, brand: Denios; type: MC 6320-K2-ISO; year: 2013; serial number: 110699274-001000-001; storage container: yes; chemical storage container: yes; insulated: yes; total dimension L: 6350 mm; total dimension W: 2320 mm; total dimension H: 2420 mm; description: for storage of environmentally hazardous substances; comprising: drip tray with galvanized lattice, double door, heating and ventilation systems; including: mounting rack;	2,000.00
17	1	storage containers Hiltra, brand: Hiltra; chemical storage container: yes; total dimension L: 1230 mm; total dimension W: 1390 mm; total dimension H: 2300 mm; description: equipped with drip tray at the bottom;	125.00
18	1	profile steel cantilever racking system Eurokraft, brand: Eurokraft; double-sided: yes; description: profile steel cantilever racking system ; number of uprights 3; number of supporting arms in an upright: 2 x 5; uprights height: 2000 mm; length support arms: 500 mm; Note: dismantled and ready for transport;	100.00
19	1	screw compressor with dryer Mattei, ERC1022H, year built 2007, serial number C8089S 20Q/421/0, brand: Mattei; type: ERC1022H; year: 2007; serial number: C8089S 20Q/421/0; capacity: 10 bar; air flow: 3200 l/min; power: 22 kW; hours on display: 39002; electric connection: 400 V; description: screw compressor ; Note: function unknown; dryer : MTA SFS 190-DE-032;	500.00
20	1	universal milling machine Deckel, FP4ME, serial number 2205-0214, brand: Deckel; type: FP4ME; serial number: 2205-0214; travel x-axis: 485 mm; travel y-axis: 385 mm; travel z-axis: 380 mm; taper ISO: SK-40; speed from N=: 0 rpm; speed till N=: 3150 rpm; T-slot fixture table size L: 460 mm; T-slot fixture table size W: 800 mm; coolant pump: yes; electric connection: 400 V; dimension L: 2700 mm; dimension W: 2500 mm; dimension H: 2100 mm;	1,250.00
21	1	mobile storage rack with content hoisting material capacity 50 tons total dimension L: 2500 mm; total dimension W: 920 mm; total dimension H: 1350 mm; description: present hoisting material which is 2-jump nylon lifting sling 50,000 kg capacity with shackles, calibrated lifting hook for weighing cell;	900.00
22	1	8 drawers material cabinet brand: Lista ; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 2 x height 100 mm, 2 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	250.00
23	1	8 drawers material cabinet Lista , brand: Lista ; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 2 x height 100 mm, 2 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	250.00

Starting Bid €

24	1 8 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 2 x height 100 mm, 2 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	250.00
25	1 8 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 2 x height 100 mm, 2 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	250.00
26	1 6 drawers material cabinet brand: Lista ; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 100 mm, 4 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	200.00
27	1 6 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 100 mm, 4 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	200.00
28	1 6 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 100 mm, 4 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	200.00
29	1 6 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 100 mm, 4 x height 150 mm and 1 x height 200 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	200.00
30	1 10 drawers material cabinet brand: Lista ; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 7 x height 100 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	300.00
31	1 10 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 7 x height 100 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	300.00
32	1 10 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 7 x height 100 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	300.00
33	1 10 drawers material cabinet Lista, brand: Lista; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: provided with: 1 drawer height 50 mm, 2 x height 75 mm and 7 x height 100 mm; color: RAL7035; key: OK; unused, in original packaging, on pallet;	300.00
34	80 grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 8 boxes; diameter: 125 x 6 x 22.2 mm; art. No .: 222660;	60.00
35	80 grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 8 boxes; diameter: 125 x 6 x 22.2 mm; art. No .: 222660;	60.00

Starting Bid €

Lot	Nun	nber Description Starti	ng Bid €
36	100	cutting discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 150 x 1.6 x 22.2 mm; art. No .: 920351;	50.00
37	50	cutting discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 2 boxes; diameter: 230 x 1.9 x 22.2 mm; art. No .: 920353;	30.00
38	100	cutting discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 230 x 2.5 x 22.2 mm; art. No .: 872343;	70.00
39	50	cutting discs for aluminum Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 230 x 2.5 x 22.2 mm; art. No .: 32142;	40.00
40	90	cutting and grinding discs for metal / stainless steel Pferd, brand: Pferd; description: in 6 boxes, 50 cutting discs for metal and stainless steel diameter 125 x 1 x 22.2 mm and 40 grinding discs for steel and stainless steel diameter 125 x 7 x 22.2 mm; diameter: 125 mm;	60.00
41	50	rondeller discs Tyrolit, brand: Tyrolit; description: in 2 boxes; diameter: 125 x 22.2 mm; art. No .: 908229;	30.00
42	75	cutting discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 3 boxes; diameter: 115 x 1 x 22.2 mm; art. No .: 222894;	15.00
43	50	cutting discs for metal Tyrolit, brand: Tyrolit; description: in two boxes, including various Sadu cutting discs; diameter: 125 x 1.6 x 22.2 mm; art. No .: 222900;	15.00
44	100	cutting discs for metal Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 125 x 2.5 x 22.2 mm; art. No .: 223022;	30.00
45	100	cutting discs for metal Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 125 x 2.5 x 22.2 mm; art. No .: 223022;	30.00
46	100	cutting discs for metal Tyrolit, brand: Tyrolit; description: in 4 boxes; diameter: 125 x 2.5 x 22.2 mm; art. No .: 223022;	30.00
47	3	54-piece screwdriver and bit sets description: unused, Chrome Vanadium, in PVC case;	30.00
48	3	54-piece screwdriver and bit sets description: unused, Chrome Vanadium, in PVC case;	30.00
49	3	54-piece screwdriver and bit sets description: unused, Chrome Vanadium, in PVC case;	30.00
50	3	54-piece screwdriver and bit sets description: unused, Chrome Vanadium, in PVC case;	30.00
51	3	Diamond discs Butter Stone, Sprint, Boa en Roxx, brand: Butter Stone; type: Sprint, Boa en Roxx; description: unused; diameter: 125 mm; bore: 22.23 mm;	30.00
52	1	lot of metal cutting wheels / inox Tyrolit, brand: Tyrolit; description: approx. 100 pieces; diameter: 75 x 1 x 10 mm; type : Premium;	20.00
53	3	Diamond discs Butter Stone, Python, brand: Butter Stone; type: Python; description: unused, being 2 x diameter 125 mm, bore hole 22.23 mm and 1 x diameter 180 mm, bore hole 22.23 mm;	40.00
54	30	grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 3 boxes; diameter: 230 x 7 x 22.2 mm;	20.00

T

55	50	grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 5 boxes; diameter: 230 x 6 x 22.2 mm; art. No .: 222865;	20.00
56	1	drill clamp manually operated: yes; jaw width: 110 mm;	20.00
57	1	ground milling cutter clamp TMach, EM100, brand: TMach; type: EM100; manually operated: yes; jaw width: 100 mm; jaw opening: 82 mm; tilting: no; description: milling clamp; own weight: 9 kg;	40.00
58	1	ground milling cutter clamp TMach, EM100, brand: TMach; type: EM100; manually operated: yes; jaw width: 100 mm; jaw opening: 82 mm; tilting: no; description: milling clamp; own weight: 9 kg;	40.00
59	1	ground milling cutter clamp TMach, EM160, brand: TMach; type: EM160; manually operated: yes; jaw width: 160 mm; jaw opening: 130 mm; tilting: no; description: milling clamp; own weight: 28 kg;	90.00
60		ground milling cutter clamp TMach, EM160, brand: TMach; type: EM160; manually operated: yes; jaw width: 160 mm; jaw opening: 130 mm; tilting: no; description: milling clamp; own weight: 28 kg;	90.00
61	_	Diamond discs Butter Stone, Céram Arx, brand: Butter Stone; type: Céram Arx; description: unused, being diameter 180 mm, 200 mm and 250 mm, thickness 30, bore 25.4 mm;	40.00
62	1	lot of metal cutting wheels / inox Sadu, brand: Sadu; description: approx. 510 pieces; diameter: 125 x 1 x 22.2 mm; art. No .: 872 343;	125.00
63	1	electric wire tapping machine Fein, ASGE636, brand: Fein; type: ASGE636; electric connection: 230 V; description: in metal case; power rating: 280 W; speed: 450 rows / min .; capacity: M8;	40.00
64	1	mounting and dismantling support for ISA50 recordings Kelch, brand: Kelch; description: DIN69871;	30.00
65	2	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	30.00
66	2	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	30.00
67	2	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	30.00
68	3	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	40.00
69	3	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	40.00
70	4	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	40.00
71	4	6-part sets of countersinkers description: DIN335, HSSTiN coated, in metal case; sizes: 6.3-20.5 mm;	40.00
72	2	19-piece sets of metal drills description: in metal case, ascending per 0.5 mm; sizes: 1-10 mm;	20.00
73	2	25-piece sets of metal drills description: in metal case, ascending per 0.5 mm; sizes: 1-13 mm;	30.00
74	2	25-piece sets of metal drills description: in metal case, ascending per 0.5 mm; sizes: 1-13 mm;	30.00
75	3	25-piece sets of metal drills description: in metal case, ascending per 0.5 mm; sizes: 1-13 mm;	40.00
76	14	brushes with twisted wire description: M14 x 2.0, EN1083-2, diameter 65 mm;	30.00
77	14	brushes with twisted wire description: M14 x 2.0, EN1083-2, diameter 65 mm;	30.00

78	7	diamond drilling Ridgid, brand: Ridgid; description: 32/68/91/102/112 mm diameters, various lengths;	10.00
79	1	drill vice TMach, EB100, brand: TMach; type: EB100; jaw width: 105 mm; jaw opening: 105 mm;	20.00
80	1	drill vice TMach, EB100, brand: TMach; type: EB100; jaw width: 105 mm; jaw opening: 105 mm;	20.00
81	2	drill bench screws TMach, EB100, brand: TMach; type: EB100; jaw width: 105 mm; jaw opening: 105 mm;	30.00
82	2	drill bench screws TMach, EB100, brand: TMach; type: EB100; jaw width: 105 mm; jaw opening: 105 mm;	30.00
83	1	drill vice TMach, EB150, brand: TMach; type: EB150; jaw width: 155 mm; jaw opening: 155 mm;	30.00
84	1	drill vice TMach, EB150, brand: TMach; type: EB150; jaw width: 155 mm; jaw opening: 155 mm;	30.00
85	1	drill vice TMach, EB150, brand: TMach; type: EB150; jaw width: 155 mm; jaw opening: 155 mm;	30.00
86	4	pneumatic sanders Atlas Copco, brand: Atlas Copco; description: diameter 180 mm;	60.00
87	3	pneumatic impact wrenches description: 1/2";	30.00
88	2	pneumatic impact wrenches Toku, brand: Toku; description: 3/4";	30.00
89	1	lot of heavy duty impact sockets	80.00
90		lot of heavy duty impact sockets description: in PVC suitcase;	80.00
91	1	socket wrench set 3/4 " description: in metal case, 3/4 ", Sizes: 19-50 mm, including: Ratchet and accessories;	60.00
92	1	socket wrench set 3/4 " description: in metal case, 3/4 ", Sizes: 19-50 mm, including: Ratchet and accessories;	60.00
93	1	electric impact wrench 1/2 " description: unused, 450 Nm, 230 V, including caps, in PVC case;	40.00
94	2	pneumatic impact wrenches Toku, brand: Toku; description: 1/2";	20.00
95	15	vise-grip pliers description: standard version;	15.00
96	15	vise-grip pliers description: standard version;	15.00
97	15	vise-grip pliers description: standard version;	15.00
98	15	vise-grip pliers description: standard version;	15.00
99	15	vise-grip pliers description: standard version;	15.00
100	15	vise-grip pliers description: standard version;	15.00
101	15	vise-grip pliers description: version with fine point;	15.00
102	15	vise-grip pliers description: version with fine point;	15.00
103	15	vise-grip pliers description: version with fine point;	15.00
104	15	vise-grip pliers description: version with fine point;	15.00

Starting	Bid	€
		-

105	15	vise-grip pliers description: version with fine point;	15.00
106	9	Rolls of sandals Coto, brand: Coto; description: 3 x 36 grit, length 50 m, width 50 mm, and 6 x 320 grit, length 50 m, width 50 mm;	40.00
107	9	Rolls of sandals Coto, brand: Coto; description: 3 x 36 grit, length 50 m, width 50 mm, and 6 x 320 grit, length 50 m, width 50 mm;	40.00
108	17	Rolls of sandals Coto, brand: Coto; description: length 25 m, width 50 mm, 4 x grain 50, grain 5 x 240, 5 x 320 and 3 x grain grain 280;	60.00
109	17	Rolls of sandals Coto, brand: Coto; description: length 25 m, width 50 mm, 4 x grain 50, grain 5 x 240, 5 x 320 and 3 x grain grain 280;	60.00
110		lot of universal pliers Will, 65BSC, brand: Will; type: 65BSC; description: approx. 20 pieces, length 180 mm, in boxes 3;	30.00
111	24	 universal pliers Ceta Form, brand: Ceta Form; description: length 180 mm, in four boxes; 	40.00
112	18	 universal pliers Ceta Form, brand: Ceta Form; description: length 180 mm, in boxes 3; 	30.00
113	10	universal pliers Izeltas, brand: Izeltas; description: length 180 mm, 2 boxes in;	15.00
114	15	universal pliers Izeltas, brand: Izeltas; description: length 180 mm, in boxes 3;	20.00
115	1	manual pipe vowel T Mach, GM 2, brand: T Mach; type: GM 2; description: for pipe diameter 26/33/42 mm, including lever length 500-800 mm;	90.00
116	1	manual pipe vowel T Mach, GM 2, brand: T Mach; type: GM 2; description: for pipe diameter 26/33/42 mm, including lever length 500-800 mm;	90.00
117	4	capto C6 tool shots description: Walter and Sandvik; recording Capto C6 x Walter NCT63;	60.00
118	20	sanding belts on linen for metal / stainless steel TAF, brand: TAF; description: zirconium, grain 40; width: 75 mm; length : 2000 mm;	40.00
119	20	sanding belts on linen for metal / stainless steel TAF, brand: TAF; description: zirconium, grain 40; width: 75 mm; length : 2000 mm;	40.00
120	30	sanding belts on linen for metal / stainless steel TAF, brand: TAF; description: zirconium, grain 40; width: 75 mm; length : 2000 mm;	60.00
121	30	sanding belts on linen for metal / stainless steel TAF, brand: TAF; description: zirconium, grain 40; width: 75 mm; length : 2000 mm;	60.00
122	5	various sets Torx wrenches Eklind, brand: Eklind; description: in metal cassette, T8-T60 ;	30.00
123	17	 spare rolls for belt sanders Meister, brand: Meister; description: 10 x diameter 100 mm x width 50 mm and 7 x diameter 50 mm x width 30 mm; 	60.00
124	1	large quantity of cut measurement tools description: parallel lines / fitting lines / V-blocks;	125.00
125	3	ISA50 varilock recordings description: DIN69871;	90.00
126	1	VDI-50 tool holder for tool holder	40.00
127		thread taps Bilz, brand: Bilz; description: 1 x MK3, capacity M24 and 2 x MK4, capacity M30;	125.00

-60-

Lot	Nun	nber Description S	tarting Bid €
128	1	mechanical workshop scissors Kanca, brand: Kanca;	30.00
129	1	nibble scissors description: equipped with punching tools;	60.00
130	30	lot of abrasive belts on linen for metal / inox Norton, brand: Norton; description: approx. 30 pieces, zirconium; width: 100 mm; leng 2000 mm;	60.00 th :
131	10	metal band saw blades Garant, brand: Garant; description: dimensions 2450 x 27 x 0.9 mm, 8 / 12T ";	60.00
132	1	mechanical workshop scissors Sima, C6 28 heavy duty, brand: Sima; type: C6 28 heavy duty; description: unused;	60.00
133	1	mechanical workshop scissors Alba, CR28, brand: Alba; type: CR28; description: unused, capacity around 28 mm, s 25 mm and flat 50 x 12 mm;	60.00 quare
134	4	Diamond discs Ridgid, brand: Ridgid; description: unused; diameter: 115 mm x 4.5 x 22.2 mm; art. No 24781;	40.00 c .:
135	4	Diamond discs Ridgid, brand: Ridgid; description: unused; type : universal; diameter: 115 mm; art. No 20861;	30.00) .:
136	1	Diamond disc Ridgid, brand: Ridgid; description: unused; diameter: 300 mm; bore: 20 mm; art. No . 22461;	30.00
137	2	Diamond discs Ridgid, brand: Ridgid; description: unused; type : construction material ; diameter: 230 22.2 mm; art. No .: 21101;	30.00 D x
138	2	Diamond discs Ridgid, brand: Ridgid; description: unused; type : granite; diameter: 230 x 22.2 mm; a .: 23291;	30.00 rt. No
139	4	Diamond discs Ridgid, brand: Ridgid; description: unused; diameter: 230 x 22.2 mm; art. No .: 22451	50.00 ;
140	5	Diamond discs Ridgid, brand: Ridgid; description: unused; diameter: 230 x 22.2 mm; art. No .: 22261	60.00
141	2	Diamond discs Ridgid, brand: Ridgid; description: unused; diameter: 230 x 22.2 mm; art. No .: 22451 20781;	30.00 and
142	1	Diamond disc Butter Stone, IronMan, brand: Butter Stone; type: IronMan; description: unused; diame 350 mm; bore: 25.4 mm;	40.00 eter:
143	1	lot of fiber discs ITAS, Serie KF 990 8, brand: ITAS; type: Serie KF 990 8; description: approx. 325 pi diameter: 235 mm; Grit: P60 and P36;	20.00 eces;
144	50	grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 5 boxes; diameter: 125 x 6 x 22.2 mm; art. No .: 222660;	40.00
145	50	grinding discs for metal / stainless steel Tyrolit, brand: Tyrolit; description: in 5 boxes; diameter: 125 x 6 x 22.2 mm; art. No .: 222660;	40.00
146	1	drive motor L / R with clamping chuck description: 3 x 400 V; diameter clamping chuck : 80 mm; number of jaws: 3;	80.00
147	1	T rotary clamping table	125.00
148	1	lot of ISA40 spindles description: approx. 25 pieces including collet chucks, Weldon holders, etc. including sorteerplankt;	150.00

Starting	Bid	€
Starting	Did	

149	9 1	dividing head Bison, 5812-200, brand: Bison; type: 5812-200; description: horizontal / vertical partition table; equipped with: 3-beks clamping chuck diameter of 250 mm;	150.00
150	0 1	horizontal / vertical distribution table description: with 3-beks clamping chuck diameter of 200 mm, and degree distribution; including: at point;	125.00
15 ⁻	1 1	large quantity of diepgat drilling / gundrills description: approx. 35 pieces, internal cooling, HM carbide tipped, extra long, various diameters greatest length 1000 mm;	300.00
152	2 10	BT50 milling recordings description: partly equipped with milling tools;	125.00
153	3 2	BT50 milling recordings description: equipped with flat and T-slot cutter;	60.00
154	4 1	horizontal / vertical distribution table Mecatécnica, PHVD250, serial number P9739B, brand: Mecatécnica; type: PHVD250; serial number: P9739B; description: diameter plateau 250 mm;	125.00
15	5 3	HSK100 angle tool holders Pibomulti, brand: Pibomulti; description: Swiss made, with degree distribution;	300.00
156	6 2	HSK100 to Capto C6 angle tool holders Sandvik, brand: Sandvik; description: length 200/370 mm;	300.00
157	7 2	HSKA100 x Capto C6 recordings description: 1 x length 220 mm and 1 x length 360 mm;	300.00
158	8 10	WFSL60 tapbus receptions Bilz, brand: Bilz; description: including tapbussen WE60, with various shaft recordings;	125.00
159	9 2	HSK100 angle tool holders Pibomulti, brand: Pibomulti; description: Swiss made, with degree distribution;	200.00
160	0 16	HSK100 tool holders Walter, brand: Walter; description: backfacing tools, including storage rack;	175.00
16	1 1	Iot of metal drill Dormer en Cleveland, brand: Dormer en Cleveland; description: approx. 300 pcs, HSS DIN345 MK1, various sizes, unused in original packaging including PVC box dimensions 800 x 600 x H 320 mm;	300.00
162	2 11	lot of ISA50 tools shots and clamping sleeves brand: Nikken; type: C32A-105; description: including pallet with top edge;	125.00
163	3 10	ISA50 to MK recordings with drills description: DIN2080, intake MK with extra long drills including diameter 40 x L 650 mm, diameter 42 x L 500 mm, diameter 68 x L 600 mm, diameter 38 x L 400 mm, diameter 75 x L 650 mm, diameter 50 x L 770 mm , diameter 50 x L 500 mm, diameter 68 x L 650 mm, diameter 75 x L 600 mm;	600.00
164	4 10	HSK100 fully drilled Walter, brand: Walter; description: being diameter 53/70 / 52.6 / 52.7 / 86 mm, including storage rack;	175.00
16	5 2	Capto C6 milling cutters equipped with a cutter description: diameter 200 mm, including cutter, diameter 220 mm;	125.00
166	6 1	lot of Capto C6 recordings for ISO turntables Sandvik en Iscar, brand: Sandvik en Iscar; description: approx. 38 pieces;	300.00
167	7 1	lot of Capto C6 slot / parting off tools Sandvik en Iscar, brand: Sandvik en Iscar; description: approx. 33 pieces;	175.00
168	8 1	lot of Capto C6 recordings for ISO turntables Sandvik en Iscar, brand: Sandvik en Iscar; description: approx. 20 pieces;	175.00
169	9 1	Iot of Capto C6 recordings for ISO turntables Sandvik en Iscar, brand: Sandvik en Iscar; description: approx. 20 pieces;	175.00
17(0 1	Int of Capto C6 slot / parting off tools Sandvik en Iscar, brand: Sandvik en Iscar; description: approx. 33 pieces;	175.00

Lot	Number [Description	Starting Bid €
171		Capto C6 slot / parting off tools /ik en Iscar, brand: Sandvik en Iscar; description: approx. 33 pieces;	175.00
172		C6 drill bit recordings <i>v</i> ik, brand: Sandvik; description: 3 x diameter 40 mm and 1 x diameter 20 mm;	125.00
173		Capto C6 turning tools for ISO turntables vik en Iscar, brand: Sandvik en Iscar; description: approx. 30 pieces;	175.00
174		Capto C6 turning tools for ISO turntables /ik en Iscar, brand: Sandvik en Iscar; description: approx. 35 pieces;	200.00
175	•	b C6 branchers brand: Iscar;	125.00
176	-	100 shrink holders ption: various diameters;	175.00
177		hydraulic collet holders ption: DIN69871;	50.00
178		\63 shrink holders ption: various diameters;	175.00
179		A63 recordings ption: including hydraulic collet holders and weldon holders;	80.00
180		ption: DIN69871;	250.00
181		milling recordings ption: various embodiments;	80.00
182	8 BT50	milling recordings ption: including cutting tools;	150.00
183		collet / collet chucks ption: Erickson and Kennametal, various sizes, including Lista tool rack;	125.00
184	1 mobil descri	e workshop trolley ption: mobile workshop trolley; width: 1250 mm; depth: 800 mm; height: 900 n er of drawers: 4; number of doors: 1;	125.00 nm;
185	Lista , dimen height	wers material cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 565 mm; total sion H: 850 mm; description: workshop chest of drawers; equipped with: 1 dra 50 mm, 2 drawers height 100 mm, 1 drawer height 150 mm and 1 drawer heigh color: RAL7035; key: OK; condition: unused, on pallet;	
186	, Lista dimen height	wers material cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 565 mm; total sion H: 850 mm; description: workshop chest of drawers; equipped with: 1 dra 50 mm, 2 drawers height 100 mm, 1 drawer height 150 mm and 1 drawer height olor: RAL7035; key: OK; condition: unused, in original packaging, on pallet;	
187	, Lista dimen height	wers material cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 565 mm; total sion H: 850 mm; description: workshop chest of drawers; equipped with: 1 dra 50 mm, 2 drawers height 100 mm, 1 drawer height 150 mm and 1 drawer height olor: RAL7035; key: OK; condition: unused, in original packaging, on pallet;	
188	, Lista dimen height	wers material cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 565 mm; total sion H: 850 mm; description: workshop chest of drawers; equipped with: 1 dra 50 mm, 2 drawers height 100 mm, 1 drawer height 150 mm and 1 drawer height olor: RAL7035; key: OK; condition: unused, in original packaging, on pallet;	
189	, Lista dimen height	wers material cabinet brand: Lista ; total dimension L: 720 mm; total dimension W: 565 mm; total sion H: 850 mm; description: workshop chest of drawers; equipped with: 1 dra 50 mm, 2 drawers height 100 mm, 1 drawer height 150 mm and 1 drawer heigh olor: RAL7035; key: OK; condition: unused, in original packaging, on pallet;	

Lot	Nun	nber Description S	starting Bid €
190	1	lot of steel measuring tools description: 2 V-blocks, 2 brackets and flat table;	125.00
191	4	rotating MK5 center points description: standard, extended and tube center;	125.00
192	250	cutting discs for metal / stainless steel Tyrolit, Premium, brand: Tyrolit; type: Premium; description: in 10 boxes; diameter: 23 2.5 x 22.2 mm; art. No .: 872343;	175.00 30 x
193	1	hydraulic pump set description: consisting of pump 700 bar 900 cc and four double-acting flat cylinders capacities 10/20/30/50 tons;	400.00
194	1	machine jack 8 tons	125.00
195	1	machine jack 8 tons	125.00
196	1	machine jack 10 tons on a turning basis description: maximum height 265 mm;	150.00
197	1	machine jack 10 tons on a turning basis description: maximum height 265 mm;	150.00
198	1	machine jack 5 ton on a turning basis description: maximum height 220 mm;	125.00
199	1	machine jack 5 ton on a turning basis description: maximum height 220 mm;	125.00
200	1	set of machine transport rollers description: consisting of : 1 x control unit with turntable capacity 12 tons, two follower rollers capacity 2 x 6 tonnes total capacity 24 tons;	250.00
201	1	ISA50 presetting & measuring machine Messma-Kelch-Robot, TR361EA08, brand: Messma-Kelch-Robot; type: TR361EA08 dimension L: 1000 mm; total dimension W: 2000 mm; total dimension H: 1700 mm;	300.00 3; total
202	1	ABS100 kub drill chuck holder diameter 104 mm Komet, brand: Komet; description: including 2 drill bits diameter 104 mm;	175.00
203	1	ABS100 kub drill chuck holder diameter 94 mm Komet, brand: Komet; description: including drill bit diameter 107 mm;	175.00
204	1	ABS80 cubic centimeter full drill Komet, brand: Komet; description: consisting of base part V4710650, length 300 mm including two core bits diameter 66 mm and 2 core bits diameter 70 mm;	175.00 n,
205	1	ABS80 cubic centimeter full drill Komet, brand: Komet; description: consisting of base part V4750460, length 425 mm inclusive of 4, including core bits diameter 48 and 51 mm;	175.00 n,
206	1	ABS63 cubic centimeter full drill Komet, brand: Komet; description: consisting of base part, length 400 mm, inclusive including core bits diameter 48 and 50 mm;	175.00 of 4,
207	1	ABS80 cubic centimeter full drill Komet, brand: Komet; description: consisting of base part, diameter 60 mm, length 5 mm, including three core bits diameter 60 mm;	175.00 60
208	1	ABS80 cubic centimeter full drill Komet, brand: Komet; description: consisting of base section 10460/10461, length 2 mm, diameter including core bits 53 and 54 mm;	175.00 240
209	1	ABS80 cubic centimeter full drill Komet, brand: Komet; description: consisting of base part V4730550, length 400 mm including six drill bits being 1 x diameter 58 mm, 2 x 60 mm diameter and 62 mm in diameter x 3;	250.00 n,
210	1	ABS100 kub drill chuck holder diameter 70 mm Komet, brand: Komet; description: total length 760 mm;	175.00

211	9	ABS80 fully drilled with insert trigon Komet, brand: Komet; description: being 2 x diameter 56 mm 3 x D, 1 x diameter 58 mm 3 x D, 1 x diameter 60 mm 3 x D, 2 x diameter 60.3 mm 3 x D, 1 x diameter 61 mm 3 x D, 1 x diameter 63 mm 3 x D and 1 x diameter 63, 5 mm 3xD;	300.00
212	5	ABS80 fully drilled with insert trigon Komet, brand: Komet; description: being 1 x diameter 70 mm 2xD, 1 x diameter 63.5 mm 3xD, 1 x diameter 65 mm 3xD and 2 x diameter 69.9 mm 3xD;	300.00
213	5	ABS80 fully drilled with insert trigon Komet, brand: Komet; description: being 1 x diameter 70 mm 3xD, 1 x diameter 73 mm 3xD, 1 x diameter 78 mm 3xD, 1 x diameter 78.2 mm 3xD and 1 x diameter 80 mm 3xD;	300.00
214	3	ABS100 kub quatron fully drilled with insert Komet, brand: Komet; description: 2 x diameter being 70.2 mm, length 315 mm and 1 x diameter 78.2 mm, length 315 mm;	175.00
215	2	ABS100 fully drilled with insert Komet, Kub Trigon en Kub quatron, brand: Komet; type: Kub Trigon en Kub quatron; description: diameter 70 mm 4xD;	175.00
216	1	ABS80 kub drill chuck holder diameter 60 mm Komet, brand: Komet; description: total length 650 mm, V4750652;	175.00
217	8	fully drilled with insert insert diameter 63 mm Komet, brand: Komet; description: partly unused, including diameters 39/45/47/50 mm;	175.00
218	5	quick coupling drilling points with insert Sandvik, brand: Sandvik; description: various diameters 75 and 85 mm;	200.00
219	1	lot of boring heads and inserts brand: Walter; description: approx. 20 pieces for sliding bars NCT80 link in tool rack on pallet;	600.00
220	1	Iot of HSK100 modular tooling recordings Walter, brand: Walter; description: approx. 55 pieces, being among other things, 32/40/50/63/80 mm diameter, max length 450 mm, including wooden tool rack;	600.00
221	1	lot of HSK100 face mill recordings description: approx. 40 pieces, being among other things, 27/32/40/50/60 mm diameter, various lengths, including wooden tool rack;	600.00
222	1	lot of ISA50 tool screw-shots Walter, brand: Walter; description: approx. 25 pieces, DIN69871, M16 / M20, various lengths, including tool and pallet racks;	400.00
223	4	HSK100 tap socket holder recordings description: being 3 x size 1 and 1 x size 2;	175.00
224	4	ISA50 modular mounts diameter 63 mm Walter, brand: Walter; description: DIN69871, including tool rack;	80.00
225	1	lot of unwinding / module for milling gears description: approx. 26 pieces;	400.00
226	13	ISA50 modular milling slots Sandvik, brand: Sandvik; description: DIN69871, Varilock with recordings;	150.00
227	1	lot of modular tooling shots diameter 63 mm Walter, brand: Walter; description: approx. 30 pieces, including Weldon / MK;	175.00
228	9	ISA50 milling machines description: DIN2080, various embodiments, including multi spindle;	90.00
229	6	gear / module milling for gears description: coated, diameter 135 mm, length 220 mm;	125.00
230	33	gear / module milling for gears description: diameter 100 mm, length 120 mm;	400.00
231	5	ISA50 Capto C8 cutter bits Sandvik, brand: Sandvik; description: DIN69871;	80.00
232	11	ISA50 Capto C5 cutter bits Sandvik, brand: Sandvik; description: DIN69871;	150.00

Starting	a Bid €
	,

233	10	ISA50 Capto C4 cutter bits Sandvik, brand: Sandvik; description: DIN69871;	125.00
234	7	ISA50 collet chucks Erickson, brand: Erickson; description: DIN69871, for springloaded chuck 100DA;	60.00
235	20	ISA50 modular milling slots Urma, brand: Urma; description: DIN69871, including various accessories, boring head, etc.;	175.00
236	72	ISA50 router bits description: DIN2080, including weldon, milling cutter holder, etc. without sorting board and pallet in the photo;	300.00
237	38	ISA50 router bits description: largely unused, including MK, weldon, milling cutter holder, etc. including sorting board and pallet in the photo;	400.00
238	5	ISA50 finish milling OSG, brand: OSG; description: DIN 69871, hssco / XPM coated, each of diameter 50 mm x 2, 2 x 60 mm and diameter 1 x diameter 80 mm, maximum length 330 mm, including tool rack;	175.00
239	1	lot of modular free withdrawals description: approx. 60 pieces, diameter 40 mm recording, various applications;	125.00
240	1	lot of modular free withdrawals description: diameter 40 mm, including Weldon / MK / tapping bush size 1, etc.;	125.00
241	1	lot of modular free withdrawals description: diameter 63 mm, including Weldon, tapping bush size 3 diameter 47 mm, reductions to diameter 50 mm, etc.;	225.00
242	1	Iot of modular free withdrawals Walter, brand: Walter; description: diameter 80 mm, face milling, reductions to diameter 63 mm and 50 mm, etc. including face milling;	225.00
243	4	ISA50 tool shots Wohlhaupter, MultiBore, brand: Wohlhaupter; type: MultiBore; description: DIN69871, MVS recording art. no. 132088, recording 35 mm, outside diameter 80 mm;	80.00
244	4	ISA50 tool shots Wohlhaupter, MultiBore, brand: Wohlhaupter; type: MultiBore; description: DIN69871, MVS recording art. no. 132066, recording 35 mm, outside diameter: 63 mm;	80.00
245	13	modular MVS recordings Wohlhaupter, MultiBore, brand: Wohlhaupter; type: MultiBore; description: diameter: 63 mm, outside diameter 100 mm, this being among other things, extension / reductions / sliding bars, etc.;	400.00
246	1	Iot of modular MVS recordings Wohlhaupter, MultiBore, brand: Wohlhaupter; type: MultiBore; description: diameter 35 mm, outside diameter 63 and 80 mm, included a lot of cutter blades;	400.00
247	5	ISA50 to ISA40 reductions brand: Kennametal; type: 100HTG; description: DIN69871, length 80 mm;	90.00
248	7	metal mounting / milling supports description: size 300 x 500 x H 450 mm, with screw holes M16;	125.00
249	1	positioner electric connection: 230 V; description: provided with degrees of distribution, and 3-beks clamping chuck diameter of 230 mm;	90.00
250	1	lot of machine taps description: metric and metric fine, including recordings, maximum M110 x 6, including pallet box;	400.00
251	3	BT50 boring heads BIG, brand: BIG; description: being 2 X type EW53-70CK5 1 and type BIG CK6;	300.00

Number Description Lot

_ot	Number Description	Starting	Bid €
252	2 ISA50 tap tool holde BIG, Tapmatic, brand: M7;	ers BIG; type: Tapmatic; description: DIN 69871, car A70, capacity M2-	300.00
253		escription: DIN 69871, hssco / XPM coated, being 3 x 60 mm and diameter 1 x diameter 80 mm, maximum length 240 mm,	175.00
254	20 ISA45 router bits description: being flat unused;	milling holders, Weldon holders, 4 reductions ISA45 to ISA40, etc.	125.00
255	2 ISA50 tool shots description: diameter	100 mm, length 400 mm;	80.00
256	4 ISA50 XPM cutter re	ecordings escription: DIN69871, XPM cutter ASP, 2 x diameter 60 x L 220 mm in	175.00
257	5 ISA50 XPM finalize n Precicarb, brand: Prec	nilling slots cicarb; description: diameter 80 x L 330 mm, carbide tipped;	200.00
258	5 ISA50 tool shots description: DIN6987	1, reduction ISA50 x ISA40;	60.00
259	8 ISA50 power collet h BIG, WMC32, brand:	nolder BIG; type: WMC32; description: DIN69871, internal diameter 32 mm;	125.00
260	8 ISA50 power collet h BIG, WMC32, brand:	nolder BIG; type: WMC32; description: DIN69871, internal diameter 32 mm;	125.00
261	12 ISA50 power collet h	nolder 05, brand: Nikken; type: IT50-C32H-105; description: DIN69871,	150.00
262	22 ISA50 power collet h Nikken, IT50-C32H-10 internal diameter 32 m	05, brand: Nikken; type: IT50-C32H-105; description: DIN69871,	250.00
263	2 mechanical / hydrau Safeway, brand: Safeway, brand: Safeway, brand: Safeway	ilic milling clamps way; jaw width: 160 mm; jaw opening: 315 mm; description: including	500.00
264		f or metal canotor; description: diameter 12 to 25 mm, the maximum length of pieces, including pallet;	400.00
265		f or metal canotor; description: diameter 32 to 50 mm, the maximum length of pieces, including pallet;	300.00
266	•	S drills rand: Dormer en Guhring; description: DIN345, MK1, diameter 4.1 to e containers, including pallet;	300.00
267	1 lot of tapbusopname Bilz, WFLK225, brand including sorting shelf	I: Bilz; type: WFLK225; description: approx. 60 pieces, various sizes,	125.00
268	5 pneumatic ratchet w Stanley, brand: Stanle	v rench 3/8 " y; total dimension L: 450 mm;	60.00
269	5 pneumatic ratchet w	•	50.00
270	5 pneumatic ratchet w	•	125.00
271	5 pneumatic ratchet w		50.00
272	2 pneumatic ratchet w	-	60.00

Stanley, brand: Stanley; total dimension L: 750 mm;

Starting	Bid	€
		-

273	3	BT40 collet holders description: including 39 associated OZ25 collets with various diameters, including sorting shelf;	125.00
274	4	ISA50 boring heads description: DIN2080, various diameters;	125.00
275	1	lot of collets for hydraulic collet chucks Nikken, brand: Nikken; description: approx. 25 pieces, external diameter 32 mm, internal diameters 12/16/20/25 mm;	125.00
276	1	lot of collets for hydraulic collet chucks Nikken, brand: Nikken; description: approx. 25 pieces, external diameter 32 mm, internal diameters 12/16/20/25 mm;	125.00
277	1	Iot of toolless MK chucks Albrecht, brand: Albrecht; description: approx. 11 pieces, MK2 and MK3;	90.00
278	1	lot of collets for spindles Clarkson/Autolock, brand: Clarkson/Autolock; description: sizes 1, 2 and 3;	80.00
279	1	lot of steps to support AMF, brand: AMF; description: 6326 series, various sizes;	40.00
280	1	lot of steps to support AMF, brand: AMF; description: 6326 series, various sizes;	40.00
281	4	welding magnets Eclipse, brand: Eclipse; description: 1 x 145 mm and 3 x 175 mm;	60.00
282	1	Independent 4-jaw clamping chuck Skand, brand: Skand; description: diameter 160 mm, made in Sweden;	40.00
283	14	lateral tensioners description: 9 x ref. 6490 / 14-16 and 5 x 6490 / 18-20;	80.00
284	12	various magnetic shaft supports description: diameter 45 mm;	60.00
285	1	lot of steps to support AMF, brand: AMF; description: 20-part, including 3 x series 6510/2;	90.00
286	15	aluminum axle supports AMF, brand: AMF; description: diameter 50 mm;	60.00
287	15	jammers Iscar, brand: Iscar; description: various widths;	60.00
288	10	aluminum axle supports AMF, brand: AMF; description: diameter 70 mm;	80.00
289	1	MK3 tap sleeve holder Bilz, WFLK225, brand: Bilz; type: WFLK225; description: size 2, including 12 tapbussen with clutch size 2, diameter 31 mm recording, various diameters;	125.00
290	1	lot of afsteeklemmers Sandvik, brand: Sandvik; description: approx. 18 pieces, various widths;	70.00
291	3	heavy duty magnet stands Mitutoyo , brand: Mitutoyo ;	60.00
292	19	jammers Mitsubishi, UGHN3203, brand: Mitsubishi; type: UGHN3203; description: unused, height 32 mm, width 3 mm;	125.00
293	1	lot of dial gauges 0.01 mm Compac en Tesa, brand: Compac en Tesa; description: approx. 30 pieces, 38 mm diameter;	125.00
294	3	heavy duty magnet stands with dial indicator Mitutoyo , brand: Mitutoyo ;	60.00
295	5	dial indicators Mitutoyo en Compac, brand: Mitutoyo en Compac; description: 2 digital dial indicators, 2 analog dial indicators and puppy probe;	50.00

Starting	g Bi	id €	

			-
29	96 15	dial indicators 0.01 mm Compac, brand: Compac; description: diameter 55 mm;	50.00
29	97 1	ISA50 boring head Wohlhaupter, UPA4, brand: Wohlhaupter; type: UPA4; description: chisel mount 20 mm, DIN69871;	175.00
29	98 24	dial indicators 0.01 mm Compac, brand: Compac; description: diameter 38 mm, extra long course;	100.00
29	99 1	lot of various chisel shots description: diameter 50 mm;	40.00
30	00 9	tapping bushes with slip coupling Bilz, brand: Bilz; description: size 3, record 47 mm, for various tapgroottes;	90.00
30	01 10	various wire cutters description: various diameters;	60.00
30	02 1	lot of tapbussen with clutch Bilz, brand: Bilz; description: approx. 22 pieces, size 2, recording 31 mm, for various tapgroottes;	150.00
3(03 1	Iot of tapbussen with clutch Bilz, brand: Bilz; description: approx. 40 pieces, size 0 and size 1, receptacle 19, and 31 mm, for various tapgroottes;	80.00
3(04 1	Iot of HM carbide milling and drilling Miller en Wirth, brand: Miller en Wirth; description: various diameters, including drill with shank 20 mm;	90.00
30	05 1	lot of parting and grooving chisels Iscar, brand: Iscar; description: various widths;	125.00
3(06 1	lot of extra long finisseerfrezen OSG, brand: OSG; description: approx. 20 pieces, XPM coated, length 250 mm, diameter 30 mm;	125.00
3(07 1	lot of extra long finisseerfrezen OSG, brand: OSG; description: approx. 20 pieces, XPM coated, length 250 mm, diameter 30 mm;	125.00
30	08 8	fully drilled with insert insert Walter, brand: Walter; description: diameter 63 and 80 mm, various diameters and length including 39/50/53/74 mm diameter, the maximum length 340 mm;	175.00
30	09 1	ISA50 cutter holder with insert fully drilled Sandvik, brand: Sandvik; description: volboor diameter 80 mm, total length 350 mm, DIN2080 cutter holder;	125.00
3	10 3	ISA50 cutter holder with insert fully drilled Sandvik en Komet, brand: Sandvik en Komet; description: DIN2080 holder Komet ABS80 and ABS100 with full drill diameter 65 and 75 mm and Varilock with full drill diameter 52 mm, including storage position;	250.00
3	11 1	large quantity of pneumatic tools description: including ratchets, sanders, drills, etc .;	300.00
3	12 1	lot of machine blades Ultra en Simonds, brand: Ultra en Simonds; description: approx. 40 pieces, various teeth, length 750 mm;	125.00
3	13 1	lot of machine blades Guhema en Simonds, brand: Guhema en Simonds; description: approx. 80 pieces, various teeth, length 700 mm;	175.00
3	14 1	lot of machine blades Eclipse, brand: Eclipse; description: approx. 70 pieces, various teeth, length 700 mm;	175.00
3	15 1	Iot of machine blades Guhema en Komet, brand: Guhema en Komet; description: approx. 35 pieces, various teeth, length 650 mm;	125.00

Starting Bid (E
----------------	---

316	 Iot of machine blades Sandvik, Ultra en Komet, brand: Sandvik, Ultra en Komet; description: approx. 100 pieces, various teeth, length 600 mm; 	250.00
317	 Iot of machine blades Solo en Simonds, brand: Solo en Simonds; description: approx. 75 pieces, various teeth, length 575 mm; 	150.00
318	Eclipse en Simonds, brand: Eclipse en Simonds; description: approx. 60 pieces, various teeth, length 550 mm;	150.00
319	Guhema en Wespa, brand: Guhema en Wespa; description: approx. 80 pieces, various teeth, length 500 mm;	175.00
320	Sandvik en Guhema, brand: Sandvik en Guhema; description: approx. 80 pieces, various teeth, length 450 mm;	125.00
321	 Iot of machine blades Sandvik en Wespa, brand: Sandvik en Wespa; description: approx. 100 pieces, various teeth, length 400 mm; 	125.00
322	 Iot of machine blades Sandvik en Wespa, brand: Sandvik en Wespa; description: approx. 100 pieces, various teeth, length 350 mm; 	125.00
323	 Iot of machine blades Sandvik en Eclipse, brand: Sandvik en Eclipse; description: approx. 100 pieces, various teeth, length 300 mm; 	125.00
324	2 heavy duty drill bits Sandvik, brand: Sandvik; description: diameter: 63 mm, length 500 mm and diameter 80 mm, length 630 mm;	175.00
325	1 Iot of pendraad- and ringdraadkalibers description: approx. 50 pieces including Metric, BSP gas, etc.;	175.00
326	1 optical angle meter Miller, brand: Miller; description: in wooden suitcase;	60.00
327		125.00
328	· · · ·	175.00
329	3 insert cutters Iscar, 3MSMD80-58-8-32, brand: Iscar; type: 3MSMD80-58-8-32; description: unused, diameter 80 mm;	175.00
330	3 insert cutters Iscar, SDK050-24-04-27-10, brand: Iscar; type: SDK050-24-04-27-10; description: unused, R4, diameter 50 mm;	150.00
331	2 insert cutters Iscar, SDK063-40-4-27-10C, brand: Iscar; type: SDK063-40-4-27-10C; description: unused, diameter 63 mm;	90.00
332	3 insert cutters Iscar, brand: Iscar; description: unused, 2 x type SDK80-64-05-32-12C and 1 x type SDK063-56-04-27-10C;	175.00
333	 4 insert cutters 1 Iscar, brand: Iscar; description: unused, 2 x type SDK80-40-05-32-10C and 2 x type SDK80-45-06-32-12C; 	175.00
334	 3 insert cutters 1 Iscar, brand: Iscar; description: unused, SDK DO50-32-04-27-10R4, SMD63-38-27M-M1 and Helitang SMD63-70-5-27-13; 	175.00

3	35	3	insert cutters Iscar, brand: Iscar; description: unused, FWXDO52-07-22, FWXDO63-05-22 and FWXD80-06-32 and various;	175.00
3	36	3	lot of insert cutters Iscar, brand: Iscar; description: unused, including FPWD50 / D63, FRW diameter 40 mm, etc.;	125.00
3	37	8	HM Carbide drills description: internally cooled, including diameter 11 and 12 mm, maximum length 400 mm, coated;	175.00
3	38	1	Iot of HM-carbide drills Karnash, brand: Karnash; description: approx. 50 pieces, unused, coated, various diameters, 3xD;	175.00
3	39	1	lot of insert cutters Stellram, brand: Stellram; description: approx. 25 pieces, with a cylindrical receptacle for insert RP08;	125.00
3	340	7	insert drill bits Sandvik en Mimatic, brand: Sandvik en Mimatic; description: Sandvik 870 series 2 x diameter 14 mm, 2 x diameter 19 mm and 2 x Mimatic HM-Carbide holder 123611 and 1 x Mimatic HM-Carbide holder 123416;	125.00
3	341	1	lot of insert cutters Stellram, Fette en Walter, brand: Stellram, Fette en Walter; description: approx. 25 pieces, with a cylindrical shaft, to insert RP08 / 10;	125.00
3	342	1	12 drawers material cabinet total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1080 mm; description: tool drawer cabinet, partly with layout; equipped with: 1 drawer height 58 mm, 10 x height 78 mm and 1 x height 98 mm;	175.00
3	343	1	11 drawers material cabinet total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1080 mm; description: tool drawer cabinet, partly with layout; equipped with: 11 drawers height 78 mm;	175.00
3	344	1	hydraulic dent pump set Rodac, brand: Rodac; description: capacity 4 tons, in metal case;	60.00
3	45	1	work table with chest of drawers total dimension L: 805 mm; total dimension W: 1500 mm; total dimension H: 760 mm; description: crafting table; thickness worktop: 25 mm; number of drawers: 2; height of drawers: 180 mm;	125.00
3	946	1	8 drawers tool trolleys Lista , brand: Lista ; total dimension L: 725 mm; total dimension W: 1430 mm; total dimension H: 1225 mm; description: color: RAL5012; equipped with: 4 drawers height 75 mm, 2 x height 100 mm, 1 x height 150 mm and 1 x height 250 mm; provided with: 2 fixed castors and 2 swivel castors with a diameter of 160 mm; key: OK;	600.00
3	347	1	8 drawers tool trolleys Lista , brand: Lista ; total dimension L: 725 mm; total dimension W: 870 mm; total dimension H: 1090 mm; description: equipped with: 1 drawer height 50 mm, 4 x height 75 mm, 2 x height 100 mm and 1 x height 200 mm; color: RAL5012; provided with: 2 fixed castors and 2 swivel castors with a diameter of 160 mm; key: OK;	400.00
3	348	1	combi roller / folding bench Jorg, 4601, brand: Jorg; type: 4601; number of rolls: 3; description: capacity 1-1.5 mm, working width 1020 mm;	200.00
3	349	1	deburring machine Christen, KFS, brand: Christen; type: KFS; description: deburring machine ; connection: 3 x 230/400 V; speed: 2810-12000 tr./min.;	175.00
3	50	1	14 drawers material cabinet total dimension L: 780 mm; total dimension W: 1100 mm; total dimension H: 1380 mm; description: tool drawer cabinet, partly with layout; equipped with: 3 drawers height 45 mm, 8 drawers height 75 mm and 3 drawers height 150 mm;	300.00

351	1	24 drawers material cupboard total dimension L: 750 mm; total dimension W: 1520 mm; total dimension H: 1180 mm; description: tool drawer cabinet, partly with layout; provided with: top;	300.00
352	1	24 drawers material cupboard total dimension L: 750 mm; total dimension W: 1520 mm; total dimension H: 1180 mm; description: tool drawer cabinet, partly with layout; provided with: top;	300.00
353		20 drawers material cupboard total dimension L: 750 mm; total dimension W: 1520 mm; total dimension H: 1180 mm; description: tool drawer cabinet, partly with layout; provided with: top;	300.00
354	1	lot of HM carbide cutters description: approx. 45 pieces, 16 mm shaft;	150.00
355	1	lot of HM carbide cutters description: approx. 40 pieces, 16 mm shaft;	150.00
356	1	lot of HM carbide cutters OSG, brand: OSG; description: approx. 35 pieces, 20 mm shaft;	150.00
357	1	lot of HM carbide cutters description: approx. 50 pieces, 16 mm shaft;	150.00
358	1	Iot of HM carbide cutters and spindles Iscar, brand: Iscar; description: 6 x Multi-Master, and cutter holder 18 x 16 mm cutter;	175.00
359	1	lot of HM carbide cutters description: approx. 24 pieces, 25 mm shaft;	175.00
360	1	lot of HM carbide cutters OSG, brand: OSG; description: approx. 16 pieces, 25 mm shaft;	125.00
361	1	Iot of HM carbide cutters OSG, brand: OSG; description: approx. 24 pieces, 25 mm shaft;	125.00
362	1	Iot of HM carbide cutters OSG, brand: OSG; description: approx. 22 pieces, 25 mm shaft;	175.00
363	13	jammers Iscar, brand: Iscar; description: various widths, including holder;	70.00
364	18	jammers Iscar, brand: Iscar; description: various widths;	90.00
365	1	lot of machine taps Narex, brand: Narex; description: approx. 30 pieces, hssco, DIN376, coated, M12-M36 metric standard;	125.00
366	1	lot of external and internal insert of toolholders Sandvik en Seco, brand: Sandvik en Seco; description: approx. 10 pieces, for inserts TPMR11;	80.00
367	1	lot of MK of Reducing Lambrich, brand: Lambrich; description: approx. 10 pieces, MK5 / MK4;	30.00
368	1	lot of center drill Titex, brand: Titex; description: unused, various diameters and lengths;	40.00
369	1	lot of machine taps Narex, brand: Narex; description: approx. 17 pieces, hssco, DIN376, coated, M12-M48 metric standard;	125.00
370	29	deep hole drilling Stema en Iscar, brand: Stema en Iscar; description: gun drills, HM tipped, 10 x diameter 5 mm, length 190 mm, diameter 9 x 5 mm, length 270 mm and diameter of 10 x 6 mm, length 270 mm;	125.00
371	12	HSSCo rough milling Silmax, brand: Silmax; description: DIN845, MK5, M24, coated, diameter 63 mm;	125.00
372	16	XPM coated finishing mills OSG, brand: OSG; description: diameter 30 mm, length 250 mm;	125.00

373	5	finishing mills OSG, brand: OSG; description: XPM coated, diameter 42 mm, length 285 mm, shaft diameter 40 mm;	80.00
374	1	lot of insert cutters Walter, brand: Walter; description: approx. 25 pieces, provided with a cylindrical shaft;	125.00
375	1	lot of insert cutters Walter, brand: Walter; description: approx. 20 pieces, provided with a cylindrical shaft;	100.00
376	1	lot of insert cutters Walter, brand: Walter; description: approx. 15 pieces, provided with a cylindrical shaft, including two boxes associated inserts;	100.00
377	1	lot of insert cutters description: including Wohlhaupter and Kaiser cutter head;	100.00
378	1	lot of insert cutters Walter, brand: Walter; description: approx. 25 pieces, provided with a cylindrical shaft;	125.00
379	1	Iot of HM carbide cutters Iscar, Multimaster, brand: Iscar; type: Multimaster; description: approx. 80 pieces, coated, 8 mm, ref. EC080E05C3CF-4T05 IC908;	125.00
380	1	rotating MK4 center point set Senlian, brand: Senlian; description: with interchangeable points, in wooden case;	40.00
381	5	VDI30 recordings description: collet holders and chisel mounts;	30.00
382	1	lot of hook and pinsleutels description: approx. 20 pieces;	30.00
383	1	lot of HSS saws and roll milling description: approx. 20 pieces;	40.00
384	2	chucks description: 3-jaw, diameter 160 and 200 mm, DIN6305, cylindrical support;	60.00
385	1	horizontal / vertical distribution table description: including 4-beks clamping chuck diameter of 125 mm, and 3-beks clamping chuck diameter of 140 mm;	125.00
386	3	rotating MK5 center points description: 60°;	60.00
387	3	fixed MK6 center points description: 60°;	60.00
388	3	co-rotating MK3 / MK4 center points description: including tube center;	60.00
389	1	lot of various disc and milling module description: approx. 16 pieces, various diameters;	30.00
390	4	full drill with inserts description: various embodiments;	40.00
391	10	full drill with inserts description: various diameters;	80.00
392	1	Iot of drills HM carbide Guhring en Wirth, brand: Guhring en Wirth; description: with internal cooling, 4 x diameter 15.5 mm, 4 x diameter 13.5 mm, including Sandvik R300 cutters;	125.00
393	1	lot of face milling Seco/Hertel, brand: Seco/Hertel; description: being slide. 100/125 mm (5x), unused;	90.00
394	7	HM carbide cutters OSG, brand: OSG; description: shaft diameter 32 mm, length 100 mm;	125.00
395	13	HM carbide cutters OSG, brand: OSG; description: being 7 x shank diameter 20 mm, length 205 mm, 3Flt shaft, and 5 x 14 mm, length 150 mm, 3Flt;	125.00

Lot	Number Description S	tarting Bid €
396	9 HM carbide galvanized and two-lip milling cutters description: shank diameter 32 mm;	125.00
397	 Iot of HM carbide cutters description: approx. 13 pieces, the main shaft diameter 20 mm, coated; 	90.00
398	3 countersinking Bilz, brand: Bilz; description: being 2 x 3L, 90 °, for insert, MK3, diameter 80 mm and cylindrical diameter 50 mm;	90.00 1 x
399	 Iot of drills HM carbide Garr Tool, brand: Garr Tool; description: approx. 60 pieces, coated, internally cooled; 	125.00
400	9 HM carbide cutters OSG, brand: OSG; description: coated; shaft: 32 mm; length : 175 mm;	150.00
401	2 disc cutters with inserts Iscar, brand: Iscar; description: 1 x type SGS 125 x 5 mm and 1 x type SGSF 315 x 6	125.00 3 mm;
402	1 lot of verzinkbeitels Walter, brand: Walter; description: approx. 13 pieces, for various inner diameters;	90.00
403	1 lot of verzinkbeitels Walter, brand: Walter; description: approx. 13 pieces, for various inner diameters;	90.00
404	1 lot of verzinkbeitels Walter, brand: Walter; description: approx. 13 pieces, for various inner diameters;	90.00
405	1 countersink Sandvik, R245-160Q40-12M, brand: Sandvik; type: R245-160Q40-12M; description: diameter 160 mm, including 50 corresponding inserts type R245-12T3MPM4230;	125.00
406	5 HM carbide screw on shafts Walter, brand: Walter; description: being 1 x M10 x 175 mm, 2 x M12 x 175 mm and 2 M12 x 300/340 mm;	175.00 2 x
407	 Iot of modular shots diameter 32 mm Walter, brand: Walter; description: including cutter heads; 	125.00
408	 Iot of cutter blades for sliding bars Wohlhaupter, MultiBore, brand: Wohlhaupter; type: MultiBore; 	125.00
409	2 ISA50 cutter tools brand: Wohlhaupter; type: MultiBore; description: DIN2080; being, among other thing Multibore 236019/137013, capacity 43-54 mm;	175.00 s
410	 Iot of subtractors and Nut Kukko, brand: Kukko; description: being types 56-1 / 56-2 / 56-3; 	90.00
411	 Iot of various cutting tools Iscar en Seco, brand: Iscar en Seco; description: including MiniMaster, Crownloc, etc 	125.00
412	 5 disc cutters with inserts Walter, F2255B200Z19 4,0, brand: Walter; type: F2255B200Z19 4,0; description: diameter 200 mm, thickness 4 mm; 	150.00
413	1 lot of shackles LAIP, 020304, brand: LAIP; type: 020304; description: being 5 x diameter 6 mm, 6 x diameter 8 mm, 6 x diameter 10 mm, 6 x diameter 12 mm and 6 x diameter 16 mm;	60.00
414	7 ABS50 holders for knife drills description: various lengths;	70.00
415	14 various surfacing Mitsubishi, brand: Mitsubishi; description: being, inter alia, 3 x type AHX6405-063A05 and 4 x type VOX400-100B10R and various others, partly unused;	150.00 SAR
416	 lot of bores Guhring, brand: Guhring; description: approx. 20 pieces, 3L 60 ° / 90 °, MK 2/3/4, dia 31/40/63/100 mm, HSS (coated); 	175.00 meter
417	2 disc cutters with inserts Seco, brand: Seco; description: being ref. 335.19.200.14 ref. 335.18.200.1924, inclu 50 inserts type 335.19-1205M08S25M 20 and inserts 335.18-1305TM11T25M;	175.00 uding

Starting	a R	id	€
Starting	yь	ľu	C

418	15	collets Dunner, brand: Dunner; description: outside diameter 42 mm, length 82 mm, various inner diameters, HM recording for a long rotary machine;	50.00
419	19	F37 collets Schaublin, brand: Schaublin; description: length 92 mm, various inner diameters;	75.00
420	1	T-groove cutter with indexable inserts Seco, R335.18-200.10.40.16, brand: Seco; type: R335.18-200.10.40.16; description: diameter 200 mm, unused;	125.00
421	1	11-piece set of adjustable reamers description: 11.9 to 38.1 mm, unused;	40.00
422	1	adjustable cutter with inserts Seco, 335.18-250.19.50-16, brand: Seco; type: 335.18-250.19.50-16; description: diameter 250 mm, width 18.5-24.3 mm;	125.00
423	1	lot of various HSS cutting tools	30.00
424	1	lot of MK2 / MK5 of Reducing description: approx. 40 pieces;	60.00
425	3	disc cutters with inserts Sandvik, 330.20-315060, brand: Sandvik; type: 330.20-315060; description: diameter 315 mm, thickness 6 mm;	175.00
426	1	lot of fixed points MK4 and MK5 center description: including HM tipped;	90.00
427	1	lot of carbide tipped reamers Mapal en DiHart, brand: Mapal en DiHart;	60.00
428	1	lot of deburring and kameringsgereedschappen Erix Tooling, brand: Erix Tooling;	80.00
429	1	lot of M24 tightening bolts Mazak, brand: Mazak; description: ISO7388;	100.00
430	1	lot of M24 tightening bolts Mazak, brand: Mazak; description: ISO7388;	100.00
431	1	lot of chisels for keyways description: approx. 20 pieces, various sizes;	175.00
432	1	lot of various hand tools description: including hex keys, hammers, files, etc.;	20.00
433	1	lot of steps to support AMF, brand: AMF; description: approx. 42 pieces, series 6500, dimension 70 x 30 x 130 mm, size 3;	125.00
434	1	lot of steps to support AMF, brand: AMF; description: approx. 60 pieces, series 6500, dimension 35 x 30 x 65 mm, size 2, including various sizes;	125.00
435	1	230-piece set of metal drill bits description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	40.00
436	1	230-piece set of metal drill bits description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	40.00
437	1	230-piece set of metal drill bits description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	40.00
438	1	230-piece set of metal drill bits description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	40.00
439	1	230-piece set of metal drill bits description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	40.00
440	2	230-piece sets of metal drills description: HSS, DIN338, TiN coated, 1-13 mm, in metal case;	70.00
441	1	110-piece thread cutting set description: set of hand taps and cutting pads M2-M18, metric and fine metric;	70.00

Sta	rti	ng	Bi	d	€

442	1 110-piece thread cutting set description: set of hand taps and cutting pads M2-M18, metric and fine metric;	70.00
443	 1 110-piece thread cutting set description: set of hand taps and cutting pads M2-M18, metric and fine metric; 	70.00
444	1 110-piece thread cutting set description: set of hand taps and cutting pads M2-M18, metric and fine metric;	70.00
445	1 7 drawers material cabinet 4 Lista , brand: Lista ; total dimension L: 725 mm; total dimension W: 717 mm; total dimension H: 1000 mm; description: unused; equipped with: 2 drawers height 75 mm, 2 x height 100 mm, 2 x height 150 mm and 1 x height 250 mm; color: RAL7035; key: OK; on pallet;	00.00
446	 8 drawers material cabinet Lista, brand: Lista; total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1095 mm; description: tool chest; equipped with: 5 drawers height 100 mm, 3 drawers height 135 mm; 	50.00
447	Lista , brand: Lista ; total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1080 mm; description: tool chest; equipped with: 8 drawers height 115 mm;	25.00
448	 set of 2-point internal micrometers with case: yes; description: being 100-125 mm, 125-150 mm, 150-175 mm, 175-200 mm; 	25.00
449	 set of 3-point internal micrometers measuring range from: 20 mm; measuring range till: 40 mm; with case: yes; description: including setting rings; 	75.00
450	 set of 3-point micrometers with case: yes; description: 11-20 mm, including setting rings, in a wooden case; 	25.00
451	1 set of 3-point internal micrometers and a measuring range from: 40 mm; measuring range till: 100 mm; with case: yes; description: including setting rings;	800.00
452		25.00
453	 set of end sizes Mitutoyo, brand: Mitutoyo; description: 1.005-100 mm, class 1, in a wooden case ; 	50.00
454	1 set of end sizes Johanson, brand: Johanson; description: 1.005-10 mm in carbide, 20-100 mm in steel, class 1, in wooden case ;	75.00
455	16 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 25 mm, 4 pieces of each diameter, diameters 39/40/43/49 mm;	80.00
456	16 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 25 mm, 2 pieces of each diameter, diameters 29/31/33/34/36/37/38/39 mm;	80.00
457	16 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 25 mm, 4 pieces of each diameter, diameters 51/52/53/54 mm;	80.00
458	12 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 25 mm, 4 pieces of each diameter, diameters 61/62/63 mm;	80.00
459	16 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, each 4 pieces of each diameter, diameters 26/29/31/32 mm;	80.00
460	12 HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 25 mm, 3 pieces of each diameter, diameters 56/57/58/59 mm;	80.00

461	16	HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 37/38/39/41 mm;	80.00
462	16	HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 33/34/35/36 mm;	80.00
463	16	HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 48/49/52/53 mm;	80.00
464		HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 43/44/46/47 mm;	80.00
465		HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 59/61/62 mm;	60.00
466		HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 54/57/58 mm;	60.00
467	14	diamond tile drill Butterstone, brand: Butterstone; description: unused, 8-65 mm;	60.00
468	12	HSS core drills MetalWorks, brand: MetalWorks; description: unused, in original packaging, weldon 19 mm, cutting length 50 mm, 4 pieces of each diameter, diameters 63/64/65 mm;	60.00
469	10	Clock saws Ultra, brand: Ultra; description: TCT-HM carbide tipped, including holders and centering drills;	60.00
470	14	Clock saws Ultra, brand: Ultra; description: TCT-HM carbide tipped, including holders and centering drills;	60.00
471	1	mobile 2-door cupboard with stainless steel worktop dimension L: 80 cm; dimension W: 140 cm; dimension H: 90 cm;	60.00
472	1	mobile 2-door cupboard with stainless steel worktop dimension L: 80 cm; dimension W: 140 cm; dimension H: 90 cm;	60.00
473	1	mobile work table with stainless steel work surface dimension L: 80 cm; dimension W: 140 cm; dimension H: 90 cm;	50.00
474	1	set of end sizes description: 1.001-90 mm, class 2, in a wooden case ;	125.00
475	4	ceramic end sizes Mitutoyo , brand: Mitutoyo ; description: unused, class 0, 10/40/50/100 mm;	80.00
476	1	digital tachometer DT6236B, type: DT6236B;	40.00
477	4	sets of precision metal drills description: in metal case, ascending per 0.1 mm, 2 x set 6-10 mm and 2 x set 6-10 mm;	150.00
478	2	sets of precision metal drills description: in metal case, ascending per 0.1 mm, 1 x set 6-10 mm and 1 x set 6-10 mm;	90.00
479	1	set of end sizes Cary, brand: Cary; description: 1.005-20 mm in HM carbide, 30/60 mm in steel, in a wooden case ;	175.00
480	17	ABS50 MK recordings description: being 5 x MK1, 5 x MK2, 5 x MK3 and 2 x MK4;	125.00
481	15	ABS50 extensions Komet, brand: Komet; description: being 5 x length 50 mm, 5 x length 65 mm and 5 x length 100 mm;	125.00

Starting	Bid	€
otarting		\sim

482	3	ABS50 bushing holders Komet, brand: Komet; description: size 1, including precision drill holder capacity 13 mm;	150.00
483	16	ABS50 well holders	125.00
100		Komet, brand: Komet; description: diameters 6/8/10/12/14/16/18/20 mm, each 2 pieces of each diameter;	120.00
484	1	ABS63 cubic centimeter full drill	175.00
		Komet, brand: Komet; description: consisting of base part V4730400, length 275 mm, including two core bits diameter 40 mm and 2 core bits diameter 41 mm;	
485	11	ABS63 welder holders	125.00
		Komet, brand: Komet; description: diameters 10/16/20/25/32 mm;	
486	5	ABS63 MK4 recordings	80.00
		Komet, brand: Komet;	
487	10	ABS63 extensions	125.00
400	4	Komet, brand: Komet; description: 5 x length 85 mm and 5 x length 125mm;	105.00
488	4	ABS63 tapbush holders Komet, brand: Komet; description: size 2, including precision drill holder capacity 16 mm;	125.00
489	Q	ABS63 reduction to ABS50 / ABS40	125.00
409	0	Komet, brand: Komet; description: 4 x reduction to ABS40 and 4 x reduction to ABS50;	125.00
490	3	ABS63 tapbush holders	175.00
-30	5	Komet, brand: Komet; description: size 3;	175.00
491	8	ABS63 collet holders	125.00
101	Ŭ	Komet, brand: Komet; description: ER40, capacity 26 mm;	120.00
492	10	ABS80 reduction to ABS63 / ABS50	125.00
		Komet, brand: Komet; description: 5 x reduction to ABS63 and 5 x reduction to ABS50;	
493	10	ABS80 extensions to ABS63 / ABS50	125.00
		Komet, brand: Komet; description: 5 x to ABS63 and 5 x to ABS50 ;	
494	5	ABS80 reduction to Wohlhaupter	125.00
		Komet, brand: Komet; description: MVS external diameter 80 mm;	
495	1	15-part ER25 collet set	30.00
		description: unused, 2-16 mm, rising per 1 mm, in PVC case ;	
496	1	15-part ER25 collet set	30.00
		description: unused, 2-16 mm, rising per 1 mm, in PVC case ;	
497	2	15-piece ER25 collet sets	50.00
	_	description: unused, 2-16 mm, rising per 1 mm, in PVC case ;	
498	2	15-piece ER25 collet sets	50.00
400		description: unused, 2-16 mm, rising per 1 mm, in PVC case ;	40.00
499	1	18-part ER32 collet set description: unused, 3-20 mm, rising per 1 mm, in PVC case ;	40.00
500	1	18-part ER32 collet set	40.00
500	I	description: unused, 3-20 mm, rising per 1 mm, in PVC case ;	40.00
501	2	18-piece ER32 collet sets	70.00
501	2	description: unused, 3-20 mm, rising per 1 mm, in PVC case ;	10.00
502	2	18-piece ER32 collet sets	70.00
	_	description: unused, 3-20 mm, rising per 1 mm, in PVC case ;	
503	1	23-part ER40 collet set	80.00
		description: unused, 4-26 mm, rising per 1 mm, in PVC case ;	
504	1	23-part ER40 collet set	80.00
		description: unused, 4-26 mm, rising per 1 mm, in PVC case ;	
505	1	23-part ER40 collet set	80.00
		description: unused, 4-26 mm, rising per 1 mm, in PVC case ;	
506	1	set of ground parallel lines	30.00
		description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a	
		wooden case ;	

Lot	Number Description	Starting Bid €
507	1 set of ground parallel lines description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a wooden case ;	30.00 I
508	1 set of ground parallel lines description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a wooden case ;	30.00 1
509	1 set of ground parallel lines description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a wooden case ;	30.00
510	2 sets of ground parallel lines description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a wooden case ;	50.00
511	2 sets of ground parallel lines description: unused, 14 pairs, length 150 mm, thickness 4 mm, various heights, in a wooden case ;	50.00
512	2 precision measuring bars description: length 500 mm, in wooden box ;	20.00
513	4 external micrometers Mitutoyo en Tesa, brand: Mitutoyo en Tesa; description: 200-300 mm;	60.00
514	8 external micrometers Mitutoyo en Tesa, brand: Mitutoyo en Tesa; description: 0-200 mm;	60.00
515	6 external micrometers Mitutoyo, brand: Mitutoyo; description: 0-150 mm;	40.00
516	 5 dental flank micrometers Mitutoyo en Mahr, brand: Mitutoyo en Mahr; description: 0-25 mm, 25-50 mm, 20-45 and 2 x 45-70 mm; 	100.00 5 mm
517	4 sliding callipers with fine control Mitutoyo en Mauser, brand: Mitutoyo en Mauser; description: 2 x capacity 500 mm a capacity 600 mm;	80.00 and 2 x
518	5 parameters Mahr, brand: Mahr; description: 0-25 mm / 25-60 mm / 50-100 mm / 100-150 mm / 200 mm, including 3 millimess and Zentimess dial indicators;	125.00 150-
519	1 lot of HM carbide milling description: approx. 35 pieces, coated shaft 16 mm;	125.00
520	1 lot of HM carbide milling description: approx. 35 pieces, coated shaft 16 mm;	125.00
521	1 lot of HM carbide milling description: approx. 35 pieces, coated shaft 16 mm;	125.00
522	1 lot of HM carbide milling description: approx. 35 pieces, coated shaft 16 mm;	125.00
523	1 lot of HM carbide milling OSG, brand: OSG; description: approx. 30 pieces, coated mandrel 20 mm;	175.00
524	1 lot of HM carbide milling OSG, brand: OSG; description: approx. 30 pieces, coated mandrel 20 mm;	175.00
525	1 holders Seco, MiniMasters, brand: Seco; type: MiniMasters; description: approx. 25 pieces including MM16-20065.0 and MM16-25170.3;	100.00
526	 Iot of HM carbide milling Fette, brand: Fette; description: approx. 40 pieces, coated mandrel 20 mm; 	175.00
527	 1 cast iron block snap hook description: with slots, dimensions 300 x 300 mm; 	60.00
528	 1 high pressure hydraulic cutter clamp brand: Gerardi; description: basic dimension 145 x L 565 x H 120 mm; 	200.00
529	1 lot of MK drills	80.00

-

Lot **Number Description** Starting Bid € 530 1 lot of MK reamers 80.00 description: approx. 20 pieces; 531 4 MK6 metal drills 175.00 description: DIN345; 532 1 lot of thickness Lemmers and circular gauges 30.00 533 1 belt sander 175.00 VSF, 250ANDS, brand: VSF; type: 250ANDS; description: 3 x 230/400 V, dimensions sanding belt L 2000 mm x W 50 mm; 1 double grindstone on base 60.00 534 Galvano, ES40, brand: Galvano; type: ES40; description: diameter of sharpening stones 160 mm, 230 V (switch missing); 1 Computer case 90.00 535 dimension L: 72 cm; dimension W: 72 cm; dimension H: 145 cm; 2 reinforced hollow pipes 40.00 536 description: diameter 100 mm; 537 4 VDI-50 chisel holders 60.00 description: 2 x external and 2 x internal; 538 1 universal altimeter 175.00 Mahr, brand: Mahr; description: capacity 300 mm; 2 digital sliding callipers 20.00 539 Luna Power, brand: Luna Power; description: capacity 150 mm; 2 digital sliding callipers 20.00 540 Luna Power, brand: Luna Power; description: capacity 150 mm; 150.00 1 inner meters 541 Mahr, Intramess 844K, brand: Mahr; type: Intramess 844K; description: 3.7-7.3 mm, with dial gauge 0.001 mm, in a wooden case ; 542 1 inner meters 150.00 Mahr, Intramess 844K, brand: Mahr; type: Intramess 844K; description: 6.7-10.3 mm, with 0.001 mm dial gauge, in wooden case ; 543 1 inner meters 150.00 Mahr, Intramess 844K, brand: Mahr; type: Intramess 844K; description: 9.4-18.6 mm, with 0.001 mm dial gauge, in wooden case ; 125.00 544 1 lot of insert face milling Walter, brand: Walter; description: for SD12 ... inserts, including diameters of 160 and 200 mm: 545 1 lot of various HSS (Co) cutting tools 125.00 Gühring en Titex, brand: Gühring en Titex; description: largely unused, including center drills, machine taps, HM drills, etc.; 546 1 depth micrometer 60.00 Starret, brand: Starret; description: capacity 150 mm, 25-50 / 50-75 / 75-100 / 100-125 / 125-150 mm, in a wooden case ; 547 1 lot of work files 100.00 Nicholson, brand: Nicholson; description: unused and originally packaged, 4 "/ 100 mm, 6" / 150 mm, including flat, round, hemisphere, etc.; 1 lot of HM carbide cutters 100.00 548 OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm; 549 1 lot of HM carbide cutters 100.00 OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm; 1 lot of HM carbide cutters 100.00 550 OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm; 551 1 lot of drill bits for ISO turntables 175.00 Kennametal, Walter en Seco, brand: Kennametal, Walter en Seco; description: unused and

originally packed, shaft 25/32 mm;

Sta	rtin	ng E	Bid	€
				_

552	1	lot of HM carbide cutters OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm;	100.00
553	1	lot of HM carbide cutters OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm;	100.00
554	1	lot of HM carbide cutters OSG, brand: OSG; description: approx. 55 pieces, coated, shaft 12 mm;	100.00
555	1	lot of work files Pferd en Sandvik, brand: Pferd en Sandvik; description: unused and originally packaged, 10 "/ 250 mm, including flat, round, hemisphere, etc.;	125.00
556	1	lot of ASP / PM machine tapping LDK, brand: LDK; description: approx. 260 pieces, each of 35 x DIN376, M5 x 0.8, 90 x DIN376, M5 x 0.8, 35 °, 135 x DIN376, M6 x 1.00;	225.00
557	1	lot of work files Nicholson en Sandvik, brand: Nicholson en Sandvik; description: unused and originally packaged, 8 "/ 200 mm, including flat, round, hemisphere, etc.;	80.00
558	1	lot of work files Nicholson en Pferd, brand: Nicholson en Pferd; description: unused and originally packaged, 12 "/ 300 mm, including flat, triangle, semi-circular, etc.;	100.00
559	1	lot of HM carbide inserts for turning tools ISO Walter en Sandvik, brand: Walter en Sandvik; description: including CCMT, DCMT, etc.;	175.00
560	1	lot of HM carbide inserts for turning tools ISO Seco en Sandvik, brand: Seco en Sandvik; description: including RCM, SNM, etc.;	175.00
561	1	Iot of HM carbide inserts for turning tools ISO Seco en Sandvik, brand: Seco en Sandvik; description: including TCMT, TNMG, VBMT, etc.;	175.00
562	1	lot of T-tap wrenches Wiha en AMF, brand: Wiha en AMF; description: 2-12 mm, which is the content of two drawers;	125.00
563	1	lot of groove and groove chisels Seco en Sandvik, brand: Seco en Sandvik; description: including HM carbide inserts;	125.00
564	1	lot of insert cutters Iscar, brand: Iscar; description: including a diameter of 50, 63 and 80 mm, various applications;	125.00
565	1	lot of drill bits for ISO turntables description: approx. 33 pieces, primarily 40 and 50 mm;	175.00
566	18	HSSCO / XPM cutters OSG, brand: OSG; description: diveree diameters including 50/40 mm + carbide tipped diameter 40 x 450 mm;	150.00
567	1	lot of work files Nicholson, brand: Nicholson; description: unused and originally packaged, 12 "/ 300 mm and 14" / 350 mm, including square, semi-circular, etc.;	60.00
568	1	lot of carbide tipped reamers Mapal en DiHart, brand: Mapal en DiHart; description: approx. 16 pieces, large diameters, various dimensions, MK4;	90.00
569	1	lot of deburring and bores	40.00
570	1	lot of HM carbide inserts Iscar, ADCT1505DPFR-HM IC328, brand: Iscar; type: ADCT1505DPFR-HM IC328; description: approx. 300 pieces;	125.00
571	1	lot of holders for boring shooting TR32 brand: EPB; description: approx. 20 pieces, including tapbushouders;	125.00
572	1	lot of bores Komet en Metabo, brand: Komet en Metabo; description: approx. 20 pieces, with hole, 90 °, including drill bit holders 0/6 mm, 0/8 mm, 1-13 mm;	125.00

Starting	Bid	€
----------	-----	---

573	1	lot of machine taps YG1, brand: YG1; description: approx. 50 pieces, unused and original packed, DIN376, HSSE, M20 x 2.5;	150.00
574	1	lot of machine taps YG1, brand: YG1; description: approx. 100 pieces, unused and original packed, DIN371, HSSE, M8 x 1.25;	100.00
575	1	lot of machine taps YG1, brand: YG1; description: approx. 100 pieces, unused and original packed, DIN371, HSSE, M8 x 1.25;	100.00
576	1	lot of machine taps YG1, brand: YG1; description: approx. 100 pieces, unused and original packed, DIN371, HSSE, M8 x 1.25;	100.00
577		lot of machine taps YG1 en LDK, brand: YG1 en LDK; description: approx. 220 pieces, unused and original packed, DIN376 and DIN371 metric standard, HSSE, M10 x 1.5 / 1.75 x M12;	175.00
578	1	lot of machine taps LDK, brand: LDK; description: approx. 200 pieces, unused and original packed, DIN376 metric standard, HSSE, M14 / M16 / M18;	150.00
579	1	lot of dove-prism and milling description: 45 ° / 60 ° / 90 °, various diameters;	100.00
580	1	lot of turning tools Sandvik, brand: Sandvik; description: approx. 60 pieces, for ISO rotating plates, shaft 32 mm;	175.00
581	1	large quantity of HM carbide cutters description: various diameters such as 25, 20, 32 mm;	300.00
582	1	lot of groove and chisels Sandvik en Walter, brand: Sandvik en Walter; description: approx. 40 pieces, partly unused, shaft 32 mm;	175.00
583	60	spanners brand: Bellota; description: 30 x 32 mm, unused;	125.00
584	1	lot of MK extension sleeves description: MK1 x MK1, MK2 x MK2;	60.00
585	1	lot of ISA50 tool recordings description: including drilling tools, various diameters and lengths;	90.00
586	1	lot of Intruder keys Stahlwille, brand: Stahlwille; description: 5/6/8/10/12 mm;	125.00
587	1	Iot of piercing and groove chisels Horn, brand: Horn; description: unused and originally packaged, including inserts;	80.00
588	1	Iot of HM carbide inserts Sandvik, brand: Sandvik; description: unused and originally packaged, for ISO wire, stab and slot chisels;	125.00
589	5	insert face milling Walter, brand: Walter; description: 45 ° / 75 ° / 90 °, diameter 160, 200 and 250 mm;	125.00
590	1	lot of holding tools Kennametal, brand: Kennametal; description: being collet chucks, tap sleeve holders, collets 100 DA;	125.00
591	1	lot of change heads for deep hole Botek, brand: Botek; description: HM carbide tipped, various diameters;	175.00
592	1	lot of HM carbide milling plates Walter en Sandvik, brand: Walter en Sandvik; description: ISO cutter bodies;	175.00
593	1	Iot of module and form cutters Fette, brand: Fette; description: various diameters;	80.00
594	1	lot of punch units and accessories brand: TruLock; description: in 2 drawers;	125.00

Starting	q B	id €

595	1	lot of insert face milling Walter, brand: Walter; description: approx. 25 pieces, for indexable insert SD 12, 45 ° / 75 ° / 90 °, diameter 80 and 100 mm;	150.00
596	6	disk milling with insert description: 160/250/315 mm diameter, various thicknesses;	125.00
597	1	Iot of HM carbide tipped reamers Mapol en DiHart, brand: Mapol en DiHart; description: MK2 / MK3 / MK4, various diameters;	125.00
598	1	lot of machine taps Amaya, brand: Amaya; description: approx. 263 pieces, unused and original packed, DIN371, stainless steel, HSS (Co) coated, 41 x M3 / B, 120 x M3 / 35 °, 17 x M4 / B, 85 x M4 / 35 °;	125.00
599	1	lot of machine taps YG1, brand: YG1; description: approx. 120 pieces, unused and original packed, DIN371, HSSE, M6 x 1.00;	80.00
600	1	lot of machine taps YG1, brand: YG1; description: approx. 120 pieces, unused and original packed, DIN371, HSSE, M6 x 1.00;	80.00
601	1	lot of machine taps YG1, brand: YG1; description: approx. 120 pieces, unused and original packed, DIN371, HSSE, M6 x 1.00;	80.00
602	1	Iot of machine taps YG1, brand: YG1; description: approx. 240 pieces, unused and original packed, DIN371, HSSE, 50 x M3 x 0.5, 0.7 x 100 x M4, M5 x 0.8 x 90;	125.00
603	1	Iot of machine taps YG1, brand: YG1; description: approx. 240 pieces, unused and original packed, DIN371, HSSE, 50 x M3 x 0.5, 0.7 x 100 x M4, M5 x 0.8 x 90;	125.00
604	1	lot of machine taps YG1, brand: YG1; description: approx. 120 pieces, unused and original packed, DIN371, HSSE, M5 x 0.8;	80.00
605	1	lot of machine taps YG1, brand: YG1; description: approx. 120 pieces, unused and original packed, DIN371, HSSE, M5 x 0.8;	80.00
606	1	lot of springloaded chuck - and tapbushouders Graflex en Seco, brand: Graflex en Seco; description: being ER25 collet holders and tap sleeve holders size 1 TR28;	125.00
607	1	lot of deburring and bores	60.00
608	1	lot of various insert cutters Water, brand: Water;	80.00
609	1	Iot of turning tools for ISO turntables Sandvik, brand: Sandvik; description: external mainly shank 25 mm, drill bits shank 16 and 20 mm;	125.00
610	1	lot of BSP / gas thread vorkdraadkalibers description: approx. 20 pieces, 1/8 "-3-3 / 4";	150.00
611	1	lot of change heads for deep hole Sandvik, brand: Sandvik; description: various diameters, unused, in its original packaging;	175.00
612	1	lot of sawing and milling cutters Fette, brand: Fette; description: largely unused, diameter 63 and 125 mm, widths 2.5 / 3/4/5/6/7/8/10/14 mm;	125.00
613	1	lot of mills Durac, brand: Durac; description: ASP / PM coated, diameter 8/10/12/14/16/18/20 mm, unused and originally packaged ;	175.00
614	1	lot of roughing YG1, brand: YG1; description: HSSCo, unused and originally packaged, 28 x diameter 16 x 123 mm and 25 x diameter 20 x 143 mm;	150.00

Starting	Rid	€
Starting	DIU	$\mathbf{\nabla}$

61	5 1	lot of metal drill Presto en Cleveland, brand: Presto en Cleveland; description: unused and originally packaged, DIN1869 cylindrical and DIN1870 MK2;	150.00
616	6 1	cast iron T-slot clamping table table size L: 1300 mm; table size W: 770 mm; description: 2sided , dimension T-slot 60 x 25 mm, total height of 620 mm;	125.00
617	7 1	lot of pendraadkalibers Go / No Go for BSP / gas thread description: approx. 25 pieces, 1/8 "to 3/8";	125.00
618	3 15	fork thread calibrators for BSP gas thread description: 1/8 "to 3-3 / 4";	150.00
619	9 10	cross-toothed end mills description: HSSCo, TiN coated, diameter 200 x 8 mm, bore 40 mm;	60.00
620) 1	lot of tools recordings for CNC lathes description: including ER25 collet holders, reducers, etc.;	125.00
62 ⁻		lot of HM carbide milling plates Iscar, ADCT1505PDFR-HM IC328, brand: Iscar; type: ADCT1505PDFR-HM IC328; description: approx. 1020 pieces;	400.00
622	2 1	Iot of HSSE PM roughing Fette, brand: Fette; description: approx. 150 pieces, 20 mm shaft, coated;	125.00
623	31	lot of MK1 and MK3 recordings for cylindrical drilling	90.00
624	4 1	Iot of HSSE PM roughing Fette, brand: Fette; description: approx. 100 pieces, long version, shaft 20 mm, coated and approx. 35 pieces, 16 mm shaft, long version;	125.00
62	5 1	Iot of HSSE PM roughing Fette, brand: Fette; description: approx. 45 pieces, 32 mm shaft, coated and approx. 35 pieces, 25 mm shaft, coated;	125.00
626	6 1	Iot of turning tools for ISO turntables Sandvik en Seco, brand: Sandvik en Seco; description: approx. Pieces 60, shaft 25 and 32 mm, including various drill bits, largely unused;	175.00
627	7 14	MK5 metal drills description: various diameter of 51 to 61 mm, HSS, DIN345;	125.00
628	3 1	Iot of metal drill Cleveland en Dormer, brand: Cleveland en Dormer; description: unused and original packed, DIN338, DIN340 long and DIN1869 extra long, various diameters;	175.00
629	9 1	lot of metal drill Cleveland en Dormer, brand: Cleveland en Dormer; description: approx. 70 pieces, unused and original packed, DIN345, MK2, various diameters ;	125.00
630) 1	Iot of Allen screwdrivers Belzer, brand: Belzer; description: approx. 200 pieces, 1.5-8 mm;	80.00
63 ⁻	1 11	MK5 metal drills description: DIN345, diameter 57 to 75 mm;	175.00
632	2 30	MK4 metal drills description: DIN345, various diameters from 32 mm to 40 mm;	225.00
633	3 30	MK3 metal drills description: DIN345, various diameters from 23 to 31 mm;	175.00
634	4 14	MK4 metal drills description: DIN345, various diameters from 41 to 50 mm;	175.00
63	5 15	disc cutters with inserts Seco, brand: Seco; description: being 2 × diameter 100 mm, thickness 4 mm, diameter 4 x 125 mm, thickness 5 mm, diameter 9 x 160 mm, thickness 7.8, including approx. 150 corresponding inserts;	225.00
636	6 10	drill bits for ISO turning plates Sandvik en Iscar, brand: Sandvik en Iscar; description: shank 40 mm;	125.00

Sta	rtir	ŋ	Bi	d	€
					_

637	12 rough milling Silmax, 050B50T, brand: Silmax; type: 050B50T; description: DIN845, MK5, M24, HSSCO, TiAln, diameter 50 mm;	125.00
638		175.00
639	1 lot of machine taps LDK, brand: LDK; description: unused, metric fine, DIN374, M18 x 1 to M27 x 2.5;	175.00
640	1 lot of shackles Erickson, 130DA en 100DA, brand: Erickson; type: 130DA en 100DA; description: including collet holders;	90.00
641	4 high feed cutters Walter, F3038-650040, brand: Walter; type: F3038-650040; description: diameter 80 mm, including 3 countersinkers 45 ° for DCMT15 insert diameter 80 mm;	125.00
642	 Iot of HSS (Co) milling Avyac en Clarkson, brand: Avyac en Clarkson; description: unused, various diameters and lengths, 2L / 3L / 4L; 	125.00
643	10 drill bits for ISO turning plates Stellram, brand: Stellram; description: internal, shaft 16/20/25/32 mm;	150.00
644	 Iot of UNF thread tapping machine Wexo, brand: Wexo; description: approx. 450 pieces, DIN371 / DIN376, UNF thread Nos. 6 to 1 "; 	175.00
645	 Iot of UNC-wire machine wire tapping Wexo, brand: Wexo; description: approx. 750 pieces, DIN371 / DIN376, UNC thread no. 8 to 3/4 "; 	250.00
646	 lot of conical penuitdrijvers description: approx. 200 pieces, unused, various diameters 2-8 mm; 	90.00
647	1 lot of machine taps LDK, brand: LDK; description: unused, metric standard, M22 / M24 / M27 / M30 / M33;	125.00
648	1 lot of thread cutting pads LDK, brand: LDK; description: approx. 289 pieces, metric standard, unused, M3.5 containing 10 x, 50 x M4, M6 x 50, 20 x M8, M9 x 15, 3 x M10, M11 x 10, 20 x M12, M13 x 10, 10 x M14, 13 x M16, M18 x 15, 8 x 5 x M20 and M22;	150.00
649	1 lot of chucks for thread Clarkson, brand: Clarkson;	40.00
650	1 lot of HSS (Co) threading tools description: partly unused, mainly metric standard including M6 / M8 long, etc.;	125.00
651	1 lot of push-reamers description: H7 25-47 mm, including MK3 / MK4 holders, partly unused;	150.00
652	description: H7 45-65 mm, including MK5 holders, partly unused;	150.00
653	 Iot of magnetic poles for dial gauges Mitutoyo, Eclipse en Noga, brand: Mitutoyo, Eclipse en Noga; description: including various spare parts; 	90.00
654	1 lot of HSS metal drilling description: DIN345, MK1-MK4, various diameters, including extra-long DIN1870 with the maximum length of 600 mm;	150.00
655	1 lot of cutter blades and scrapers Martor, brand: Martor; description: unused in original packaging ;	90.00
656	 lot of various hand tools Stahlwille, brand: Stahlwille; description: being ratchet wrenches 3/4 "/ wrenches / caps, etc.; 	40.00
657	1 lot of HSS units and punching dies AWP, brand: AWP; description: various diameters, unused;	125.00

Starting	Bid	€
----------	-----	---

658	1	lot of machine taps description: DIN376, extra long 600 mm, metric standard and metric fine;	125.00
659	1	lot of extra long drills description: DIN1870 with MK1 / MK2 / MK3 insertion in HSS (Co) FN;	125.00
660	1	lot of deep holes / gun drills description: approx. 35 pieces, HM carbide tipped, internally cooled, including 6/8/10 diameter of up to 20 mm;	175.00
661	1	lot of metal sheets handsaw Ultra, brand: Ultra; description: approx. 750 pieces, length 300 mm x 24T ";	50.00
662	10	crushing knives 9mm Bahco en Jewel, brand: Bahco en Jewel; description: including 110 packs of 10 blades spare blades;	80.00
663	1	large quantity of sponge springs description: various diameters and lengths;	50.00
664	1	Iot of metal sheets handsaw Ultra en Stahlwille, brand: Ultra en Stahlwille; description: HSS bi-metal, approx. 1350 pieces, length 300 mm, ie 1200 pieces 24T "and 150 pieces 32T";	90.00
665	1	lot of metal sheets handsaw Ultra, brand: Ultra; description: HSS bi-metal / cobalt, approx. 600 pieces, length 300 mm, 24T "including handsaw bracket Art. 33;	60.00
666	1	lot of mesboren and holders Bilz, brand: Bilz;	125.00
667	1	Iot of HSS sharpened punch units and stamps Dayton, brand: Dayton; description: various diameters;	80.00
668	1	Iot of insert cutters for gear machine Mico, brand: Mico; description: various modules;	125.00
669	1	lot of schroefdraadkalibers description: for external BSP gas thread 55 °, maximum 2-1 / 2 ";	125.00
670	1	lot of HSS cutting tools description: including drilling, tapping, milling, etc.;	80.00
671	6	BT50 ER32 collet holders Haimer, brand: Haimer; description: capacity 20 mm, unused and originally packed ;	125.00
672	6	BT50 ER32 collet holders Haimer, brand: Haimer; description: capacity 20 mm, unused and originally packed ;	125.00
673	1	lot of glass-fiber splines for motors and generators description: various widths and lengths;	125.00
674	5	threaded micrometers Mahr, brand: Mahr; description: 100-125 mm / 125-150mm / 150-175mm / 175-200mm / 200-300mm;	175.00
675	6	T-slot milling brand: Walter; type: F2054-650046; description: diameter 200 mm, including 1 Kennametal T-slot diameter 200 mm;	250.00
676	5	threaded micrometers Mahr en Mitutoyo, brand: Mahr en Mitutoyo; description: 3 x range 0-25 mm and 2 x range 25-50 mm;	175.00
677	3	disc cutters with inserts brand: Walter; description: diameter 125 mm, thickness 14 mm;	125.00
678	1	disc cutter Walter, F2054-650046, brand: Walter; type: F2054-650046; description: diameter 200 mm, in PVC case;	90.00
679	22	HSKA125 milling recordings brand: Walter; description: various applications, unused;	400.00
680	1	lot of various hand tools	40.00

Starting	g Bi	id	€

681	 Iot of VDI 50 tool recordings description: including boring head and various free recordings; 	80.00
682		125.00
683	6 3-flank and 5-flank micrometers Tesa, brand: Tesa; description: for measuring drills, thread taps, milling, etc.;	90.00
684	1 lot of vorkkalibers description: approx. 40 pieces, various sizes;	60.00
685		400.00
686		250.00
687	1 lot of two-point spear screw sizes description: 3 sets in wooden case;	80.00
688	11 depth gauges Mauser, brand: Mauser; description: capacity 200/300 mm, including with hook;	80.00
689	 sliding callipers Mitutoyo , brand: Mitutoyo ; description: capacity 300 mm; 	45.00
690	1 9 drawers material cabinet total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; Equipped with: 2 drawers height 55 mm, 3 drawers height 75 mm, 1 drawer height 120 mm and 3 drawers height 150 mm;	200.00
691	1 9 drawers material cabinet 22 total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; equipped with: 2 drawers height 55 mm, 2 drawers height 75 mm, 1 drawer height 100 mm, 1 drawer height 120 mm and 3 drawers height 150 mm;	200.00
692	1 9 drawers material cabinet 2 total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; equipped with: 3 drawers height 55 mm, 2 drawers height 75 mm, 2 drawers height 120 mm, 1 drawer height 150 mm and 1 drawer height 200 mm;	200.00
693	1 9 drawers material cabinet 22 total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; equipped with: 2 drawers height 55 mm, 2 drawers height 75 mm, 1 drawer height 100 mm, 1 drawer height 120 mm and 3 drawers height 150 mm;	200.00
694	 Window pass total dimension W: 300 mm; total dimension H: 300 mm; 	30.00
695	3 sliding callipers description: 2 circular calipers capacity 500 and 1000 mm and angle caliper capacity 500 mm;	60.00
696	3 external micrometers description: 1000-1250 mm / 1250-1500 mm / 1500-1750 mm;	300.00
697	 digital external micrometer Mitutoyo, 293-575, brand: Mitutoyo; type: 293-575; measuring range from: 400 mm; measuring range till: 425 mm; with case: yes; 	125.00
698	1 sliding callipers with fine control Mahr, brand: Mahr; description: capacity 800 and 1000 mm;	60.00
699		125.00

Starting	Bid	€
		_

700	1 universal altimeter Trimos, brand: Trimos; measuring range till: 300 mm;	175.00
701		125.00
702		175.00
703		200.00
704	total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; Equipped with: 2 drawers height 75 mm, 1 drawer height 120 mm, 2 drawers height 150 mm and 1 drawer height 200 mm;	200.00
705	 9 drawers material cabinet total dimension L: 750 mm; total dimension W: 1085 mm; total dimension H: 1065 mm; description: tool drawer cabinet, partly with layout; equipped with: 3 drawers height 55 mm, 2 drawers height 75 mm, 1 drawer height 120 mm, 2 drawers height 150 mm and 1 drawer height 200 mm; 	200.00
706	 Computer case thurmetal, brand: thurmetal; dimension L: 80 cm; dimension W: 71 cm; dimension H: 160 cm; 	90.00
707	1 11 drawers material cabinet 2 total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1080 mm; description: tool drawer cabinet, partly with layout; Equipped with: 4 drawers height 60 mm, 1 drawer height 80 mm, 4 drawers height 100 mm and 2 drawers height 120 mm;	200.00
708	1 15 drawers material cupboard total dimension L: 750 mm; total dimension W: 760 mm; total dimension H: 1080 mm; description: tool drawer cabinet, partly with layout; equipped with: 12 drawers height 60 mm and 3 drawers height 80 mm;	200.00
709	1 ground steel flat table total dimension L: 405 mm; total dimension W: 635 mm; total dimension H: 100 mm;	60.00
710	 granite measuring table Mahr, brand: Mahr; total dimension L: 400 mm; total dimension W: 630 mm; total dimension H: 80 mm; description: accuracy degree 1, DIN876; 	80.00
711	2 precision sliding callipers Kunkel, brand: Kunkel; description: capacity 300 mm, with fine adjustment;	40.00
712	2 precision sliding callipers Kunkel, brand: Kunkel; description: capacity 300 mm, with fine adjustment;	40.00
713	 altimeter Mitutoyo , brand: Mitutoyo ; description: capacity 600 mm, including accessories; 	125.00
714	1 semi-automatic welding transformer Parweld, XTM 301 C, brand: Parweld; type: XTM 301 C; electric connection: 400 V; description: equipped with pressure gauge and welding torch MB26 3M Binzel;	250.00
715	 semi-automatic welding transformer Kemppi, Kempomat 220, brand: Kemppi; type: Kempomat 220; electric connection: 400 V; description: equipped with manometer and welding torch; 	300.00
716	 semi-automatic welding transformer Kemppi, Kempomat 220, brand: Kemppi; type: Kempomat 220; electric connection: 400 V; description: equipped with pressure gauge and push / pull welding torch; 	100.00
717	1 modular BT50 milling slots Urma en Widax, brand: Urma en Widax; description: equipped with spacers, two-cutter and face mill holders, including mobile workshop cart with 15 tool positions;	350.00

Ctortin	~ D:4 6
Starting	g Bid €

71	8	1	7 load cell tool trolleys Metalworks, brand: Metalworks; number of drawers: 7; total dimension L: 480 mm; total dimension W: 950 mm; total dimension H: 970 mm; description: height drawers 75 mm (5x), 150 mm (2x), demo model;	175.00
71	19	8	2-point screw sizes description: 500/600 mm;	80.00
72	20	1	depth micrometers with counter Mitutoyo , brand: Mitutoyo ; description: 0-100 mm and 0-150 mm;	125.00
72	21	1	milling clamp for axes / horizontal / vertical description: b 250 x 300 x h 240 mm;	125.00
72	22	1	Mobile tool trolleys total dimension L: 600 mm; total dimension W: 1440 mm; total dimension H: 900 mm; description: height drawers 100, 200, 300 mm;	250.00
72	23	1	shutter box total dimension L: 450 mm; total dimension W: 1200 mm; total dimension H: 1380 mm;	80.00
72	24	1	precision caliper with fine adjustment Mahr, brand: Mahr; description: capacity 790 mm;	100.00
72	25	2	precision calipers with fine adjustment Mahr en Prago, brand: Mahr en Prago; description: capacity 1000 mm;	150.00
72	26	2	precision caliper with fine adjustment Mahr, brand: Mahr; description: capacity 1050 mm;	100.00
72	27	1	precision caliper with fine adjustment Mahr, brand: Mahr; description: capacity 2000 mm;	150.00
72	28	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 140 mm; jaw opening: 210 mm;	90.00
72	29	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 140 mm; jaw opening: 210 mm;	90.00
73	30	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 140 mm; jaw opening: 210 mm;	90.00
73	31	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 110 mm; jaw opening: 170 mm;	80.00
73	32	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 110 mm; jaw opening: 170 mm;	80.00
73	33	1	drill vice Brockhaus, brand: Brockhaus; jaw width: 110 mm; jaw opening: 170 mm;	80.00
73	34	1	cast iron clamping bracket description: weight approx. 350 kg, dimensions 990 x 470 x 795 mm H;	90.00
73	35	1	pipe notcher belt sander Almi, AL100U-02, year built 2005, brand: Almi; type: AL100U-02; year: 2005; electric connection: 400 V; own weight: 210 kg; description: 2905 rows / minute;	400.00
73	36	9	atlas supports AMF, brand: AMF; description: diameter 50 mm, 4 x max. height 225 mm, 3 x height 340 mm, 2 x height 570 mm;	175.00
73	37	1	external micrometer description: capacity 900-1200 mm;	125.00
73	38	1	MK3 hand drill Fein, DDSK672, brand: Fein; type: DDSK672; electric connection: 230 V; description: capacity 32 mm, 10-520 mm;	125.00
73	39	1	MK3 hand drill Fein, DDSK672, brand: Fein; type: DDSK672; electric connection: 230 V; description: capacity 32 mm, 10-520 mm;	125.00
74	10	7	various mounting brackets RCSHS2, type: RCSHS2; description: capacity 2.5 tonnes, minimum height 1270 mm, maximum height 1970 mm;	125.00

741	1	large quantity of screws dimension L: 25 mm; dimension W: 5 mm; description: approx. 140 boxes with 500 screws ; total 70,000 screws ; DIN7981 CH; Stainless steel stainless steel A2; including metal container with dimensions: 80 cm x L B x 100 cm H 60 cm;	300.00
742	1	mobile strapping device brand: coeman; mobile: yes; electric connection: 220 V; own weight: 70 kg; total dimension L: 850 mm; total dimension W: 570 mm; total dimension H: 780 mm;	200.00
743	2	40 tons of M80 swivel eyelets description: including mobile transport cart;	175.00
744	1	precision altimeter Mitutoyo , brand: Mitutoyo ; measuring range till: 1000 mm;	175.00
745	7	external micrometers Mauser, brand: Mauser; description: 25-250 mm;	60.00
746	1	Stainless steel cupboard total dimension L: 860 mm; total dimension W: 805 mm; total dimension H: 865 mm; description: equipped with horizontal rolling doors;	50.00
747	1	cast iron T-slot clamping table description: provided with T-slots size 27 x 53 mm;	125.00
748	1	cast iron T-slot clamping table total dimension L: 1010 mm; total dimension W: 565 mm; total dimension H: 720 mm; description: equipped with T-slots size 63 x 36 mm;	125.00
749	1	cast iron T-slot clamping table total dimension L: 1010 mm; total dimension W: 560 mm; total dimension H: 700 mm; description: equipped with T-slots size 63 x 36 mm;	125.00
750	1	cast iron T-slot clamping table total dimension L: 995 mm; total dimension W: 565 mm; total dimension H: 720 mm; description: provided with T-slots size 64 x 28 mm;	125.00
751	1	cast iron T-slot clamping table total dimension L: 1110 mm; total dimension W: 605 mm; total dimension H: 815 mm; description: equipped with T-slots size 85 x 44 mm;	125.00
752	1	cast iron T-slot clamping table total dimension L: 1110 mm; total dimension W: 605 mm; total dimension H: 815 mm; description: equipped with T-slots size 85 x 44 mm;	125.00
753	1	cast iron T-slot clamping table total dimension L: 1010 mm; total dimension W: 565 mm; total dimension H: 725 mm; description: provided with T-slots size 64 x 28 mm;	125.00
754	1	cast iron T-slot clamping table total dimension L: 1010 mm; total dimension W: 565 mm; total dimension H: 725 mm; description: provided with T-slots size 64 x 28 mm;	125.00
755	1	cast iron T-slot clamping table total dimension L: 870 mm; total dimension W: 610 mm; total dimension H: 455 mm; description: equipped with T-slots size 85 x 45 mm;	125.00
756	1	cast iron T-slot clamping table total dimension L: 1205 mm; total dimension W: 705 mm; total dimension H: 370 mm; description: provided with T-slots size 85 x 34 mm;	125.00
757	1	cast iron T-slot clamping table total dimension L: 1205 mm; total dimension W: 705 mm; total dimension H: 360 mm; description: equipped with T-slots size 85 x 45 mm;	125.00
758	1	cast iron T-slot clamping table total dimension L: 1205 mm; total dimension W: 705 mm; total dimension H: 360 mm; description: equipped with T-slots size 85 x 45 mm;	125.00
759	1	2-sided cast iron T-slot clamping table total dimension L: 1015 mm; total dimension W: 760 mm; total dimension H: 515 mm; description: equipped with T-slots size 38 x 22 mm;	125.00

76	60 2	cast iron T-slot shop hooks description: size: 400 x 400 x H 760 mm; weight: approx. 240 kg each; including the pallet;	400.00
76	61 1	cast iron clamping bracket / milling aid description: dimensions 800 x 400 x H 600 mm;	40.00
76	62 1	profile steel heavy duty axle supports total dimension L: 180 mm; total dimension W: 800 mm; total dimension H: 650 mm; description: maximum shaft diameter 190 mm, weight approx. 200 kg;	150.00
76	63 1	speedway cutter clamp Hylo, brand: Hylo; jaw width: 155 mm; jaw opening: 155 mm; description: jaw height 50 mm;	80.00
76	64 1	ground milling clamp Sagop, brand: Sagop; jaw width: 150 mm; jaw opening: 205 mm; description: jaw height 60 mm;	90.00
76	35 1	hydro-mechanical milling clamp Hilma-Römheld, NC125, brand: Hilma-Römheld; type: NC125; jaw width: 125 mm; jaw opening: 190 mm; description: jaw height 45 mm, including spare spindle;	125.00
76	6 2	ground precision milling clamps Gressel, Grefors 160-VS SVMP, brand: Gressel; type: Grefors 160-VS SVMP; jaw width: 160 mm; jaw opening: 305 mm; description: swiss made;	800.00
76	67 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 125 mm; jaw opening: 260 mm; description: height of the basin 45 mm;	150.00
76	58 1	Bending Machine Gressel, HB25, brand: Gressel; type: HB25; description: swiss made, capacity round steel diameter 22 mm, flat steel 120 x 8 mm;	175.00
76	59 1	milling clamp on turning base Jones Shipman, S4625-312, brand: Jones Shipman; type: S4625-312; jaw width: 155 mm; jaw opening: 135 mm; description: tiltable, with degree distribution;	175.00
77	70 1	hydro-mechanical milling clamp Michilin, MCL-HV500, serial number 561207, brand: Michilin; type: MCL-HV500; serial number: 561207; jaw width: 130 mm; jaw opening: 300 mm;	175.00
77	71 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 160 mm; jaw opening: 310 mm; description: height of the basin 53 mm;	175.00
77	72 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 160 mm; jaw opening: 310 mm; description: height of the basin 53 mm;	175.00
77	73 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 160 mm; jaw opening: 310 mm; description: height of the basin 53 mm;	175.00
77	74 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 160 mm; jaw opening: 310 mm; description: height of the basin 53 mm;	175.00
77	75 2	spare parts for hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 160 mm; description: height of the basin 53 mm;	150.00
77	76 1	hydro-mechanical milling clamp Hilma, brand: Hilma; jaw width: 100 mm; jaw opening: 205 mm; description: basin height 34 mm;	125.00
77	77 1	rotating center point MK5 for tubes description: unused, maximum diameter 200 mm;	200.00
77	78 1	rotating MK4 center point for tubes description: unused, maximum diameter 160 mm;	175.00
77	79 40	clevis tensioners AMF, 70631, brand: AMF; type: 70631; description: DIN6315B, beveled, 33 x 400 mm and with bolts M30, including transportation trolley dimensions 550 x 620 x 720 mm H;	400.00

	Startin	gΒ	id €
--	---------	----	------

780	54	clevis tensioners AMF, brand: AMF; description: DIN6315, beveled, for bolts M30, 12 x ref. 70615, size 33 x 250 mm, 6 x ref. 70623, size 33 x 315 mm, 36 x ref. 70631, size 33 x 400 mm and 7 fork tensioning bars with lip size 400 mm, including transportation trolley dimensions 550 x 620 x 1300 mm H;	500.00
781	1	lot of M30 studs AMF, brand: AMF; description: approx. 40 pieces, DIN6379, lengths 200/315/500/700 mm, with hardened clamping fleets, including mobile trolley dimensions 550 x 620 x 1300 mm H;	400.00
782	1	Iot of M30 studs AMF, brand: AMF; description: DIN6379, lengths 200/315/500/700 mm, with T- nuts and nuts M30 with union nuts M30, including mobile trolley dimensions 550 x 620 x 1300 mm H;	400.00
783	1	lot of M30 T- bolts description: approx. 15 pieces;	20.00
784	1	lot of angle grinders Bosch, brand: Bosch; description: approx. 16 pieces, diameter 230 mm, 200-265 V, 100- 150 Hz, the frequency converter is required, including palletbox;	300.00
785	1	lot of ring and paskalibers description: ring wire calibers, setting rings and fitting calibers, including pallet box;	125.00
786	1	lot of opspanmateriaal description: various tensioning clips, threaded rods, nuts , T nuts , etc. sizes M12 / M14 / M18, including pallet;	90.00
787	24	Capto C8 turning tools PCLNR brand: Sandvik; description: being 15 x holder for CNMG, 9 x extension length 200 mm, including the pallet tool rack;	400.00
788	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 2.5 x 350 mm, in 24 packs, 118 pieces per pack or 2.7 kg per pack, a total of 2832 pieces or 64.8 kg, originally packaged and stored dry;	60.00
789	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 2.5 x 350 mm, in 24 packs, 118 pieces per pack or 2.7 kg per pack, a total of 2832 pieces or 64.8 kg, originally packaged and stored dry;	60.00
790	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 2.5 x 350 mm, in 35 packs, 118 pieces per pack or 2.7 kg per pack, a total of 4130 pieces or 94.5 kg, originally packaged and stored dry;	90.00
791	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 4 x 350 mm, in 30 packs, 85 pieces per pack or 4.6 kg per pack, a total of 2550 pieces or 138 kg, originally packaged and stored dry;	80.00
792	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 4 x 350 mm, in 30 packs, 85 pieces per pack or 4.6 kg per pack, a total of 2550 pieces or 138 kg, originally packaged and stored dry;	80.00
793	1	Iot of welding electrodes Lincoln Electric, Conarc 49, brand: Lincoln Electric; type: Conarc 49; description: for steel, diameter 4 x 350 mm, in 30 packs, 85 pieces per pack or 4.6 kg per pack, a total of 2550 pieces or 138 kg, originally packaged and stored dry;	80.00
794	1	lot of stainless steel welding electrodes Lincoln Electric, brand: Lincoln Electric; description: 4 kg of diameter 3.2 x 350 mm, type 309S, 8 kg of diameter 3.2 x 350 mm, type 308L, 9 kg of diameter 3.2 x 350 mm, type 316L;	60.00

Startin	a Rid	€
Starting	y Diu	$\boldsymbol{\tau}$

795	1	lot of welding electrodes for cast iron ETC, PH CN182, brand: ETC; type: PH CN182; description: Ferro Nickel, diameter 2.5 x 300 mm, in 5 packs, 200 pieces per pack or 3.7 kg per pack, a total of 1000 pieces or 18.5 kg, originally packaged and stored dry;	50.00
796	1	lot of rutile welding electrodes for steel SAF en Arcos, brand: SAF en Arcos; description: 10 kg diameter 2.5 x 300 mm, 12.5 kg diameter 3.15 x 350 mm and 20 kg diameter 4 x 350 mm, originally packaged and stored dry;	60.00
797	10	flexible cable tube brand: thomas betts; type: PGS1610; description: diameter 10mm; 10 meters / roll;	30.00
798	5	galvanized grab buckets Schäfer, Lagerfix 1, brand: Schäfer; type: Lagerfix 1; dimension L: 700 mm; dimension W: 480 mm; dimension H: 300 mm; steel: yes;	40.00
799	1	Iot of ISA50 free withdrawals description: including: Weldon holders and face mill holders, including face milling, about 70 pieces, including tool rack (dimensions b1075xd750xh1200 mm.) DIN 2080;	300.00
800	1	lot of ISA50 free withdrawals description: including: weldon / MK drilling shots, roughing; approx 40 pieces, including tool rack (dimensions . b1080xd750xh1200 mm) ;	225.00
801	1	scraper Stiefelmayer, brand: Stiefelmayer; description: length 1010 mm, in wooden box ;	30.00
802	5	HSKA 125 milling recordings brand: sandvih;	175.00
803	1	lot of welding helmets description: equipped with filter connection for welding vapor extraction;	40.00
804	1	Iot of Work gloves Ansell, Alphatec, serial number 58-270, brand: Ansell; type: Alphatec; serial number: 58-270; description: size: 10; 144 pairs;	70.00
805	1	roller shutter box and drawer unit dimension L: 120 cm; dimension W: 75 cm; dimension H: 190 cm;	60.00
806	1	external micrometer Mahr, brand: Mahr; description: capacity 1100-1200 mm;	125.00
807	2	adjustable automatic welding helmets description: DIN9-DIN13, unused in original packaging;	60.00
808	2	adjustable automatic welding helmets description: DIN9-DIN13, unused in original packaging;	60.00
809	1	lot of cleaning tools for nozzles branderbek Zinser, brand: Zinser; description: approx. 20 pieces, 3-300 mm;	20.00
810	1	lot of filler for gas / arc welding Saf, brand: Saf; description: 10 kg diameter 1.6 x 1000 mm, 3 kg diameter 2 x 1000 mm, 8 kg diameter 2.4 x 1000 mm and 40 kg diameter 4 x 1000 mm;	60.00
811	1	lot of burner igniters AGA, brand: AGA; description: approx. 40 pieces;	30.00
812	1	lot of torch tools Gloor, brand: Gloor; description: burner head, handle and accessory acetylene burner basin, unused;	60.00
813	1	lot of filler for gas / arc welding Saf, brand: Saf; description: 7 packing, length 1000 mm, diameter such as 2.4 and 3 mm;	30.00
814	20	37-piece bit and socket sets description: 1/4 "socket set, in PVC case, unused in original packaging ;	30.00
815	90	screwdrivers Izeltas, brand: Izeltas; description: pr 2 x 100 mm ;	60.00
816	3	stillson keys Izeltas, brand: Izeltas; description: steel, 12 "/ 300mm;	30.00

-

Lot	Number Description	Starting Bid \in
817	4 aluminum stillson keys description: 2 x 14 "/ 350 mm and 2 x 18" / 450 mm;	40.00
818	4 aluminum stillson keys description: 2 x 14 "/ 350 mm and 2 x 18" / 450 mm;	40.00
819	2 aluminum stillson keys description: 24 "/ 600 mm;	40.00
820	2 aluminum stillson keys description: 24 "/ 600 mm and 36" / 900 mm;	60.00
821	2 aluminum stillson keys description: 24 "/ 600 mm and 36" / 900 mm;	60.00
822	1 aluminum still key description: 48 "/ 1200 mm;	60.00
823	1 aluminum still key description: 48 "/ 1200 mm;	60.00
824	4 Swedish keys Elora, brand: Elora; description: capacity 2', 45 degrees, length 600 mm;	40.00
825	3 Swedish keys Rheidco, brand: Rheidco; description: capacity 2 ', 45 degrees, length 600mm ;	40.00
826	3 aluminum stillson keys description: 18 "/ 450 mm, 24" / 600 mm and 36 "/ 900 mm;	70.00
827	1 aluminum still key description: 36 "/ 900 mm;	40.00
828	2 aluminum stillson keys description: 18 "/ 450 mm and 24" / 600 mm;	30.00
829	2 welding cables with torch	30.00
830	3 burner and soldering jaws GCE Rhoma, 1401496, brand: GCE Rhoma; type: 1401496;	30.00
831	2 semi-automatic load torches with cable Binzel, MB26 KD 4m Ergo, brand: Binzel; type: MB26 KD 4m Ergo; description: unu art. 0120159, including 1 x used MB24;	50.00 used,
832	2 welding torch semi-automatic Kempps, Mt15, brand: Kempps; type: Mt15; description: length 3 meters;	20.00
833	1 lot of welding torches Cloos, brand: Cloos;	40.00
834	 semi-automatic welding torch Binzel, MB26, brand: Binzel; type: MB26; description: art. no. 0180132, length 3 me unused in original packaging ; 	40.00 eters,
835	1 lot of welding torches	40.00
836	10 jumper cables description: standard, 5 x black and 5 x red;	20.00
837	8 jumper cables description: heavy duty, 4 x black and 4 x red;	30.00
838	3 pressure reducing valves for Argon with TIG welding description: flow meter capacity 25 liters;	60.00
839	2 pressure reducing valves for semi-automatic description: 1 x for nitrogen meter;	40.00
840	5 pressure regulators description: 1 x for acetylene, 1 x for O2 and 3 x for propane;	60.00
841	 external micrometers Mitutoyo , brand: Mitutoyo ; description: with HM measuring points, in wooden case, capacity 400-500 mm, art. Nos. 103-154 / 154/155/156; 	250.00
842	1 lot of BT50 free withdrawals description: approx. 19 pieces;	175.00

Starting	Bid	€
----------	-----	---

84	13 7	 Iot of T slot milling description: including: F2052-1202 diameter 200 (x3); F2252-5429544 diameter 250 (x1) + 3 various ; 	225.00
84	14 1	lot of cutting pad holders description: in zinc alloy and steel, various diameters;	30.00
84	15 1	semi-automatic welding torch Binzel, MB 36 KD, brand: Binzel; type: MB 36 KD; description: MIG torch, Art. no. 014.0192, length 4m, unused in original packaging ;	40.00
84	46 4	quick pin sharpeners description: with springloaded chuck 3 and 6 mm, RPM max 25000 tr./min., length 285 mm;	60.00
84	17 4	quick pin sharpeners description: with springloaded chuck 3 and 6 mm, RPM max 25000 tr./min., length 285 mm;	60.00
84	18 10	 Bankhamers Osca, brand: Osca; description: German model, DIN1041: 4 x 200 gr., 4 x 400 gr. and 2 x 800 g.; 	30.00
84	19 5	sparkproof sledgehammers Bahco, brand: Bahco; description: 1000 gr., Art. No. 487-1300;	60.00
85	50 2	ball hammer for boiler makers Osca, brand: Osca; description: 910 gr.;	30.00
85	51 6	T slot slot description: for inserts, Walter and Sandvik, including 3 x diameter 250, F2052-102157, 2 x diameter 250, F2054-6051846, 1 x diameter 250, 346239202R16, all unused;	250.00
85	52 5	 disc cutters for inserts description: including: diameter 190mm F2052-101128 (x3); diameter 200mm F2052-SB = 22-25 (x2); 	175.00
85	53 1	disc cutters for inserts description: including: diameter 250 mm F2252 NB = 22 (x1) NB = 16 (x1); SB16-19mm (x1) SB 22-25mm (x2) ;	200.00
85	54 1	large quantity of Allen keys Stahlwille, brand: Stahlwille; description: standard metric, 200 x size 5 mm, 150 x size 6 mm, 150 x size 7 mm, 150 x size 8 mm, 100 x size 10 mm, 100 x size 12 mm, 50 x size 14 mm, 30 x size 17 mm, 25 x size 19 mm and 10 x size 22 mm, a total of 965 pieces;	125.00
85	55 1	lot of parts for welding guns Cloos en Esab, brand: Cloos en Esab; description: including nozzles, guide coils, etc.;	80.00
85	56 1	Iot of universal sensors for indoor and outdoor measurements Mahr, Multimar, brand: Mahr; type: Multimar; description: 1 x length 430 mm, 4 x length 740 mm, 1 x length 1140 mm, extensions, including final dimensions and before the end of instelkalibers sizes, the content of the second sliding of the magazine cabinet;	800.00
85	57 1	large quantity of gauge block holders description: various widths and lengths, including magnetic plane plate length 600 mm;	90.00
85	58 1	lot of external micrometers	80.00
85	59 3	 external micrometers Mitutoyo , 103, brand: Mitutoyo ; type: 103; description: with HM measuring points, 500/525 mm, 525/550 mm, 550/575 mm; 	150.00
86	50 î	external micrometer Mitutoyo , brand: Mitutoyo ; description: with interchangeable pins, capacity 600-700 mm, including end dimensions, in wooden case ;	175.00
86	61 1	external micrometer description: capacity 500-600 mm, in wooden case ;	80.00
86	62 1	external micrometer Mitutoyo , brand: Mitutoyo ; description: with interchangeable pins, capacity 700-800 mm, including end dimensions, in wooden case ;	175.00
86	63 1	pneumatic staple gun	40.00
86		various torque sensor	60.00

865	2	various measuring tools description: being Malcom DS-03 dip tester and FGP CS1097B acceleration meter;	40.00
866	23	universal pliers Izeltas, brand: Izeltas; description: 180 mm;	40.00
867	23	universal pliers Izeltas, brand: Izeltas; description: 200 mm;	40.00
868	3	pneumatic tools Chicago Pneumatic, brand: Chicago Pneumatic;	125.00
869	1	lot of pneumatic Staplers Senco, brand: Senco; description: approx. 10 pieces;	40.00
870	1	lot of resistors and verwarmingssonden description: unused;	80.00
871	1	lot of extra long drill MK description: approx. 40 pieces, DIN1870 HSS, MK3, MK4, MK5, various diameters, the largest length : 1350 mm ;	300.00
872	2	pneumatic staple guns Senco, MW, brand: Senco; type: MW;	40.00
873	7	pneumatic hand tools Senco, MW, brand: Senco; type: MW; description: polishing, sanding and quick grinding machine;	70.00
874	6	pneumatic sanders Senco, MW, brand: Senco; type: MW; description: diameter 180 mm;	60.00
875	6	pneumatic sanders Senco, MW, brand: Senco; type: MW; description: diameter 180 mm;	60.00
876	25	some fork keys Dowidat, brand: Dowidat; description: DIN894, 3 x size 19, 2 x size 22, 4 x size 27, 4 x size 32, 4 x size 41, 3 x size 46, 3 x size 50 and 2 x size 60;	125.00
877	14	some fork keys Dowidat, Gedore en Stahlwille, brand: Dowidat, Gedore en Stahlwille; description: DIN894, sizes 19, 22, 27, 30, 32, 36, 41, 46, 50, 55, 60, 70, 75 mm;	125.00
878	1	some ring keys Gedore, brand: Gedore; description: DIN3111, sizes 41, 60, 70, 80 and 90 mm;	100.00
879	1	lot of various fixtures Bessey en Turnus, brand: Bessey en Turnus; description: approx. 30 pieces;	60.00
880	1	lot of various hand tools description: Allen keys, stroke letters, ring keys, etc.;	40.00
881	1	digital external micrometer Mitutoyo , brand: Mitutoyo ; with case: no; description: 325-350 mm, art. No. 293-572, in wooden case ;	125.00
882	3	external micrometers Mitutoyo, 103, brand: Mitutoyo; type: 103; with case: no; description: 300-325 mm, 325- 350 mm and 350-375 mm, with HM points;	125.00
883	5	pneumatic thread tapping machines Allen Bradley, brand: Allen Bradley; description: capacity M2-M10;	60.00
884	4	pneumatic ratchet wrenches 3/8 " Atlas Copco, brand: Atlas Copco; description: pro industrial;	50.00
885	4	pneumatic screw machines Ingersoll Rand, brand: Ingersoll Rand; description: with 1/4 "bit recording;	50.00
886	4	pneumatic quick-pin grinders Ingersoll Rand, brand: Ingersoll Rand; description: 25000 tr./min., length 400 mm;	60.00
887	6	pneumatic quick-pin grinders description: 25000 rpm, 6 mm shot;	50.00

Lot	Number Description Starting	Bid €
888	5 pneumatic quick-pin grinders description: 25000 rpm, 6 mm shot;	50.00
889	8 pneumatic quick-pin grinders description: 25000 rpm, 6 mm shot;	80.00
890	6 pneumatic quick-pin grinders description: 25000 rpm, 6 mm shot;	60.00
891	9 pneumatic drills	70.00
892	9 pneumatic drills	70.00
893	12 pneumatic drills	80.00
894	 lot of rasps woodworking Nicholson, brand: Nicholson; description: approx. 80 pieces, unused, various models and lengths, including a lot of Bahco pencils; 	80.00
895	 lot of work files Nicholson, brand: Nicholson; description: approx. 60 pieces, unused, 8 "/ 200 mm, various performances such as flat, round, semi-circular, etc.; 	60.00
896	1 lot of work files Nicholson, brand: Nicholson; description: approx. 35 pieces, unused, 10 "/ 250 mm, various performances such as flat, round, semi-circular, etc.;	70.00
897	 lot of work files Nicholson, brand: Nicholson; description: approx. 90 pieces, unused, 6 "/ 150 mm, various embodiments including flat, triangular, semi-circular, etc.; 	90.00
898	 lot of machine blades Guhema, brand: Guhema; description: approx. 10 pieces, various sets of teeth, length 850 mm; 	60.00
899	1 caliper with fine adjustment Massi, brand: Massi; description: capacity 1000 mm, jaw length 250 mm, in wooden case ;	125.00
900	5 HSS machine saw blades description: size 1160 x 144 x 3.5 mm, 3TK;	60.00
901	1 caliper with fine adjustment Massi, brand: Massi; description: capacity 1000 mm, in wooden case ;	100.00
902	 caliper with fine adjustment Massi, brand: Massi; description: capacity 1000 mm, length beak 250 mm, with front reading, in wooden case ; 	150.00
903	 Slider size J-Sch, brand: J-Sch; description: capacity 500 mm, length beak 250 mm, in wooden box ; 	60.00
904	 Iot of flathead screwdrivers Pastorino, brand: Pastorino; description: hardened point, width 7/8/10/12/14 mm; 	60.00
905	 caliper with fine adjustment Massi, brand: Massi; description: capacity 750 mm, length beak 200 mm, in wooden box ; 	100.00
906	 lot of screwdrivers Pastorino en Izeltas, brand: Pastorino en Izeltas; description: hardened point with crosshead, PR0 to PR4 / PZ1 to PZ4, in 9 cardboard boxes; 	125.00
907	 lot of insulated screwdrivers Pastorino, brand: Pastorino; description: 1000 V isolated, in 2 cardboard boxes; 	40.00
908	1 large quantity of screwdrivers Pastorino en Wera, brand: Pastorino en Wera; description: width 2 to 6.5 mm, unused, in 18 cardboard boxes;	175.00
909	 lot of insulated pliers Pastorino en Will, brand: Pastorino en Will; description: approx. 60 pieces, 1000V isolated including pelvic, curved pelvic, universal and cable clamps, in cardboard boxes 4; 	100.00
910	 lot of standard pliers Pastorino en Izeltas, brand: Pastorino en Izeltas; description: approx. 75 pieces, including pelvic, curved pelvic, universal and cutters in six cartons; 	150.00

Starting	a Bid	€
	J D i M	~

		•	•
911	1	external micrometer description: capacity 750-1000 mm;	125.00
912	20	37-part screwdriver / bit sets	50.00
913		lot of tube cutters	50.00
		brand: Griffon; description: approx. 50 pieces, each of diameter 12 mm and 15 mm;	
914	1	heating oven	60.00
		WT Binder, E115, brand: WT Binder; type: E115; temperature range max.: 250 °c; electric connection: 230 V; total dimension L: 600 mm; total dimension W: 830 mm; total dimension H: 1360 mm; description: class 0, including metal frame;	
915	1	universal grinding machine	300.00
		Clarkson, serial number 7542, brand: Clarkson; serial number: 7542; manual present: no; dimension L: 1200 mm; dimension W: 600 mm; dimension H: 1200 mm; description: 3x220 volts or 380 volts;	
916	1	double grindstone on base	60.00
		Metabo, 7226, brand: Metabo; type: 7226; description: sharpening diameter 200 mm, 3 x 230/400 V, 750 W, 1500 rpm.;	
917	1	lot of PVC storage bins	50.00
		Arca en Perstorp, brand: Arca en Perstorp; description: length bins 600 mm, including wire steel container dimensions 1000 x 1200 x 880 mm H;	
918	1	lot of PVC storage bins	50.00
		Arca en Perstorp, brand: Arca en Perstorp; description: length bins 500 mm, including wire	
010	4	steel container dimensions 1000 x 1200 x 880 mm H;	50.00
919	I	Iot of PVC storage bins Arca en Perstorp, brand: Arca en Perstorp; description: length bins 400 mm, including wire	50.00
		steel container dimensions 1000 x 1200 x 880 mm H;	
920	1	VDI30 presetting & measuring machine	30.00
020		description: in suitcase;	00.00
921	1	8 drawers material cabinet	125.00
		total dimension L: 500 mm; total dimension W: 765 mm; total dimension H: 1085 mm;	
		description: tool chest; equipped with: 3 drawers height 80 mm, 2 drawers height 100 mm,	
		1 drawer height 140 mm and 2 drawers height 175 mm;	
922	1	metal 2-door cabinet	30.00
		total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 1350 mm; description: fitted with shelves;	
923	100	SDS plus stone drills	60.00
		brand: duro; concrete: yes; description: diameter 8mm; length 210mm ;	
924	1	6-door locker	30.00
		Overtoom, brand: Overtoom; number of doors: 6; dimension L: 93 cm; dimension W: 50	
005	4	cm; dimension H: 185 cm;	20.00
925	1	3-door locker cabinet number of doors: 3; dimension L: 92 cm; dimension W: 50 cm; dimension H: 181 cm;	30.00
926	1	3-door locker cabinet	30.00
920	I	number of doors: 3; dimension L: 92 cm; dimension W: 50 cm; dimension H: 181 cm;	30.00
927	1	3-door locker cabinet	30.00
521		number of doors: 3; dimension L: 92 cm; dimension W: 50 cm; dimension H: 181 cm;	00.00
928	1	6-door locker	30.00
010		number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	
929	1	6-door locker	30.00
		number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	
930	1	6-door locker	30.00
		number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	
931	1	6-door locker	30.00
		number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	

93	2	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	3	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	4	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	5	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	6	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	7	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	8	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
93	9	1	6-door locker number of doors: 6; dimension L: 50 cm; dimension W: 89 cm; dimension H: 195 cm;	30.00
94	·0	1	Iot of shrinkable tubing and mounting brackets Thomas & Betts, brand: Thomas & Betts;	20.00
94	·1	1	Iot of Work gloves Cerva, brand: Cerva; description: approx. 40 pairs, in pigs split leather, size 10;	30.00
94	.2	1	Iot of heavy duty work gloves Rostaing, NEW tolerie maat 11, brand: Rostaing; type: NEW tolerie maat 11; total dimension L: 250 mm; description: approx. 55 pairs,;	90.00
94	.3	1	lot of heavy duty work gloves Rostaing, NEW tolerie maat 11, brand: Rostaing; type: NEW tolerie maat 11; total dimension L: 250 mm; description: approx. 50 pairs,;	90.00
94	4	1	lot of slotted drawer dividers Lista , brand: Lista ; description: Tool chests of drawers, approx. 50 pieces, to drawer height 150 mm, length 610 mm; suitable for: lots 21-33 / 185-189 / 346/347/445;	80.00
94	.5	1	Iot of slotted drawer dividers Lista , brand: Lista ; description: Tool chests of drawers, approx. 40 pieces, for drawer height 100 mm, length 610 mm; suitable for: lots 21-33 / 185-189 / 346/347/445;	60.00
94	6	1	Iot of slotted drawer dividers Lista , brand: Lista ; description: Tool chests of drawers, approx. 40 pieces, for drawer height 100 mm, length 610 mm; suitable for: lots 21-33 / 185-189 / 346/347/445;	60.00
94	.7	1	Iot of slotted drawer dividers Lista , brand: Lista ; description: Tool chests of drawers, approx. 30 pieces, for drawer height 75 mm, length 610 mm; suitable for: lots 21-33 / 185-189 / 346/347/445;	40.00
94	.8	1	lot of aluminum plates for between drawers Lista , brand: Lista ;	40.00
94	.9	2	spring and safety balancer description: Aero Motive spring balancer capacity 24-32 kg, model 70JA, Wahlefeld safety balancer model HSG-5 and Avdel pneumatic blind nut nut pliers M6;	90.00
95	0	1	lot of electrical installation material description: including cables, lamps, cable ties, etc.;	30.00
95	51	1	large quantity of PVC cable numbers and figures Weidmuller en Allibert, brand: Weidmuller en Allibert; description: various sizes, ref. 78620, sorted in approx. 40 plastic storage beacon dimensions 600 x 230 x 80 mm H;	125.00
95	52	1	large quantity of PVC cable glands Capri, brand: Capri; description: various sizes, sorted in approx. 50 PVC storage boxes including 38 x 600 x 230 12 x H 80 mm and dimensions 600 x 115 x 80 mm H;	125.00
95	i3 ·	4	tool box for HSK63 holders 18 parts total dimension L: 1000 mm; total dimension W: 150 mm; total dimension H: 55 mm;	60.00

Starting E	Bid €
------------	-------

954	6 tool box for HSK63 holders 15 parts total dimension L: 1000 mm; total dimension W: 150 mm; total dimension H: 75 mm;	90.00
955	6 tool box for HSK63 holders 15 parts isa50, type: isa50; total dimension L: 1000 mm; total dimension W: 150 mm; total dimension H: 55 mm;	90.00
956	1 lot of mounting hardware description: lot of socket screws, metric nuts , pins, set screws, etc.;	20.00
957	1 filter cloths for grinders description: 5 rolls of 500 mm x 200 meters, 1 roll of 600 mm x 200 meters, 1 roll of 700 mm x 200 meters ;	60.00
958	 lot of diverse description: 2 saw blades, 2 rolls of ink film, 6 rolls of thermal paper for fax machines and 2 Belgacom Belgafax 170s fax machines; 	10.00
959	1 lot of various foam tool trays description: approx. 11 pieces;	60.00
960	6 circular saw blades for metal description: diameter 225 mm, bore hole 32 mm;	30.00
961	1 tungsten carbide saw blade Schumacher, brand: Schumacher; description: diameter 300 mm, bore 30 mm, 96 T, unused, in original packaging;	20.00
962	5 400-part bit and bore sets brand: WorkPlus; description: in PVC suitcase;	125.00
963	1 lot of various label and ticket printers description: including Brother P-Touch 220 and Epson;	20.00
964	 1 lot of lasglazen North, brand: North; description: approx. 300 pieces blue welding glass, approx. 200 pieces of white lasglazen, size 100 x 120 mm, including three handlasschermen; 	80.00
965	1 lot of blue lasglazen description: approx. 250 pieces blue welding glass, size 90 x 110 mm, including 4 handlasschermen;	70.00
966	1 lot of blue lasglazen description: approx. 400 pieces blue welding glass, size 90 x 110 mm, including three handlasschermen;	60.00
967	 lot of blue lasglazen description: approx. 350 pieces blue welding glass, size 90 x 110 mm, including 4 handlasschermen; 	60.00
968	1 lot of blue lasglazen description: approx. 400 pieces blue welding glass, size 50 x 108 mm, including 12 handlasschermen with window size 50 x 108 mm;	80.00
969	1 lot of blue lasglazen description: approx. 170 pieces blue welding glass, size 50 x 105 mm, including 4 handlasschermen;	10.00
970	2 pair of safety shoes brand: Emma; size (digit): 40; description: being Venus black;	20.00
971	3 pair of safety shoes brand: Safety Jogger; size (digit): 40; description: being Climber black / black / dark gray;	30.00
972	4 pair of safety shoes Safety Jogger, Bestboy, brand: Safety Jogger; type: Bestboy; size (digit): 40;	40.00
973	4 pair of safety shoes Safety jogger , x2000, brand: Safety jogger ; type: x2000; size (digit): 44;	40.00
974	3 pair of safety shoes brand: Safety Jogger; size (digit): 40; description: being Geos brown / L.grey / black;	30.00
975	2 pair of safety shoes brand: Base; size (digit): 40; description: being B153 black and B227 gray;	20.00

Starting Bid €

976	4	pair of safety shoes size (digit): 41; description: S3, being Safety Jogger, types Rihanna, Force2, Kronos and Emma type Venus-D;	40.00
977	4	pair of safety shoes size (digit): 41; description: being 3 x Safety Jogger and 1 x Emma;	40.00
978	2	pair of safety shoes Safety Jogger, Bestrun, brand: Safety Jogger; type: Bestrun; size (digit): 41; description: S3, color: black;	20.00
979	4	pair of safety shoes Safety Jogger, Bestrun2, brand: Safety Jogger; type: Bestrun2; size (digit): 43; description: S3, color: black;	40.00
980	3	pair of safety shoes Base, b153, brand: Base; type: b153; size (digit): 45; description: s3 ;	30.00
981	3	pair of safety shoes Safety jogger , best run , brand: Safety jogger ; type: best run ; size (digit): 45; description: s3 ;	30.00
982	4	<pre>pair of safety shoes Safety jogger , best boy , brand: Safety jogger ; type: best boy ; size (digit): 45; description: s3 ;</pre>	40.00
983	3	pair of safety shoes size (digit): 46; description: Base being, type Nero and 2 x Safety Jogger, type Bestrun;	30.00
984	- 1	pair of safety shoes Emma, Venus-D, brand: Emma; type: Venus-D; size (digit): 47;	40.00
985	1	lot of steel lifting and pulling cables description: including safety harness with fall protection;	40.00
986	6	Pneumatic cylinders Norgren, PRA/182050/L4/300, brand: Norgren; type: PRA/182050/L4/300; description: diameter 50 mm, stroke length 300 mm;	90.00
987	4	Pneumatic cylinders Norgren, PRA/182050/L4/300, brand: Norgren; type: PRA/182050/L4/300; description: diameter 50 mm, stroke length 300 mm;	60.00
988	4	various pneumatic cylinders martonair, brand: martonair; description: diameter 50 mm, stroke length 300 mm;	30.00
989	1	hydraulic cylinder Origa, GB/8100-080-0100-0000-0000, brand: Origa; type: GB/8100-080-0100-0000-0000;	75.00
990	1	lot of plastic rollers and cylinders description: Ertalon, Ertalyte and Pom;	20.00
991	1	lot of various special bolts description: in 17 PVC grab boxes, including grab boxes;	20.00
992	. 1	illuminator brand: Chemical Elctronique; type: BM 1080;	50.00
993	1	rectifier brand: Legrand; type: conditionneur de reseau 42943; serial number: 98980; electric connection: 230 V; description: P: 2 x 1000 VA; Uti: 220 V-cos phi: 0.8;	60.00
994	. 1	electromotive chain hoist Demag, DC-COM1/1H4, brand: Demag; type: DC-COM1/1H4; hoist capacity: 125 kg; max. hoist height: 4 m; electric connection: 400 V; description: equipped with electric trolley motor, radio-controlled;	200.00
995	5 1	electromotive chain hoist Demag, DC-COM1/1H4, brand: Demag; type: DC-COM1/1H4; hoist capacity: 125 kg; max. hoist height: 4 m; electric connection: 400 V; description: equipped with electric trolley motor, radio-controlled;	200.00

996		electromotive chain hoist Demag, DC-COM1/1H4, brand: Demag; type: DC-COM1/1H4; hoist capacity: 125 kg; max. hoist height: 4 m; electric connection: 400 V; description: equipped with electric trolley motor, radio-controlled;	200.00
997	1	pulley puller set Kukko, brand: Kukko; description: in wooden case, 20-2 with standard arms and extended arms;	40.00
998	1	pulley puller set Kukko, brand: Kukko; description: in wooden case, 20-2 with standard arms and extended arms;	40.00
999	4	heavy duty pneumatic staple guns Bostitch, D30AD Boxlok, brand: Bostitch; type: D30AD Boxlok;	60.00
1000	1	lot of various PVC storage bins description: including pallet box dimensions 800 x 1200 x 800 mm;	40.00
1001	1	electric tractor Still, R 08-20, year built 1992, brand: Still; type: R 08-20; year: 1992; VIN number: 38044059; electric: yes; total dimension L: 3590 mm; total dimension W: 1300 mm; total dimension H: 1820 mm; description: electric tractor, own weight without battery: 1103 kg; hours on the counter: 6373; including: battery charger; load capacity: 2000 kg;	750.00
1002	1	Color laser printer Brother, HL-4050CDN, brand: Brother; type: HL-4050CDN; color printer: yes; ethernet printer: yes; description: including 10 color toner cartridges type TN-135 CMYK and Brother FAX8360P;	150.00
1003	1	lot of rubber scrap description: various sizes, including galvanized stack frame;	40.00
1004	1	mobile rolling rack total dimension L: 1500 mm; total dimension W: 2550 mm; total dimension H: 2400 mm;	100.00
1005	6	profile steel stacking frames VSI, brand: VSI; dimension L: 1400 mm; dimension W: 2750 mm; steel: yes; description: dimensions loading floor 2750 x 1200 mm;	150.00
1006	7	steel grid floor elements dimension L: 1000 mm; dimension W: 1000 mm; dimension H: 30 mm; description: galvanized;	50.00
1007	4	steel grid floor elements dimension L: 880 mm; dimension W: 1110 mm; dimension H: 20 mm; description: galvanized;	30.00
1008	9	Sets of ground metal drills description: HSS DIN 338, "Cleveland" and "Tivoly" brands;	90.00
1009	1	MIG welding transformer Lastek, Synergic pro 2 280-4, brand: Lastek; type: Synergic pro 2 280-4; electric connection: 400 V; description: including cables, ground terminal and torch;	450.00
1010	1	MIG welding transformer with wire feed Lastek, Lastimig 401, brand: Lastek; type: Lastimig 401; electric connection: 400 V; description: including cables, ground terminal and torch; exclusive: profile steel frame;	450.00
1011	1	lot of drills for stainless steel description: HSS Cobalt-DIN 338, various diameters, approx. 160 pieces ;	80.00
1012	1	lot of drills for stainless steel description: HSS Cobalt-DIN 338, various diameters, approx. 150 pieces ;	75.00
1013	2	250-part sets of ground metal drills description: HSS DIN 338, 1.0 - 13.0 mm;	150.00
1014	1	plasma torch Contiweld, GUT60H, brand: Contiweld; type: GUT60H; description: including torch and spare parts ;	400.00

1020	 industrial heating installation Blowtherm, IH/AR 600, year built 1996, serial number 96A8295, brand: Blowtherm; type: IH/AR 600; year: 1996; serial number: 96A8295; heating capacity: 698 kW; gas-heated: yes; total dimension L: 3000 mm; total dimension W: 1350 mm; total dimension H: 3000 mm; description: 3 x 400 V, electric power 10.8 kW; 	400.00
1021	2 driven roller conveyors roll conveyor size W: 1060 mm; electric driven: yes; electric connection: 400 V; total dimension H: 770 mm; description: already disassembled, being 1 x length 10.4 m with 22 rolls and 1 x length 9.4 m with 20 rolls; roll diameter: 90 mm (disassembled);	1,250.00

Starting Bid €



General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that the purchase agreement has been concluded, which statement is issued by sending an invoice.

Pick-up: the actual delivery of the lot to the buyer or his representative within a time period specified by Troostwijk at the announced location.

General Terms and Conditions of Sale for Buyers: these General Terms and Conditions.

Autobid: In an autobid, the user indicates the maximum price he is prepared to pay for the lot. The auctioning system software ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can only be disabled by the user in the meantime by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

Bid: each bid validly placed by the user on the website for one or more lots.

Combination lot: a combination of lots sold under a single lot number.

Transfer of ownership: the transfer of ownership concerning the risk transfer for the lot(s) takes place at the moment of allocation.

User: a legally competent adult natural person or legal entity with power of disposition, registered on the website for the purpose of placing a bid or being kept informed of items that Troostwijk is offering for sale in the name of a seller.

User agreement: the agreement concluded between Troostwijk and user that is concluded by registering and which gives the user the right to place bids on lots offered on the website.

Lot: an item, or a number of items together with a single number, being sold.

Viewing day: a period set by Troostwijk during which the buyer is given the opportunity to view, inspect and verify the operation of the items for sale under the supervision of Troostwijk or the seller, prior to the conclusion of the purchase agreement.

Purchase agreement: the purchase agreement between buyer and customer of Troostwijk and/or seller.

Purchase price: the amount of the highest bid awarded plus the buyer's premium and the VAT due.

Buyer: the user of whom the bid is accepted and to whom the lot is awarded.

Delivery: the material transfer of the sold lot(s) to the buyer, at the location and within the time frame established for the sale in question.

Authorisation: the permission necessary to award a specific bid. For example, legal authorisation by a Court or a supervisory/bankruptcy judge, the approval by a general meeting of the selling legal entity, by an administrator, etc...

Customer: the natural or legal person who instructed Troostwijk to mediate in the sale of one or more items, for his own name and account or on behalf of and for the account of a third party, for example a judicial officer or mandatory.

Public auction: a sale conducted by an auctioneer, according to the applicable procedures that can differ depending on their nature. (e.g. taxation scheme) A sale via internet is not a public auction.

Buyer's premium: selling costs charged to the buyer as a percentage above the bid, plus sales tax.

Registration: registration of the user on the website by correctly and completely filling in the registration form present on the website, and accepting the terms and conditions.

Static bid: With a static bid, the user makes a bid in the form of a fixed amount per lot.

Specific Terms and Conditions of Sale for Buyers: the applicable terms and conditions for participation in a specific sale, supplementing or deviating from the General User Terms and Conditions, and the General Terms and Conditions of Sale, as specified on the website page for the corresponding sale.

Awarding: statement by Troostwijk that a lot or a combination of lots has been awarded to the highest bidder in exchange for payment of the purchase price.

Troostwijk: Troostwijk Veilingen B.V. and/or its subsidiary or sister company/companies as specified on the website.

Sale: the sale organised by Troostwijk of movable items on a publicly accessible website, via the internet.

Seller: the natural or legal person, or the legal mandatary, who wishes to sell items to buyer(s) through the agency of Troostwijk.

Website(s): the website www.TroostwijkAuctions.com that is maintained by the private limited company Troostwijk Veilingen B.V., established at



Amsterdam, and all other (future) websites that are or will be registered to Troostwijk, used for the corresponding auction.

Items: movable items that are sold individually or together as a lot.

ARTICLE 2. SCOPE

2.1 The General Terms and Conditions of Sale apply to the relationship between buyers or users on the one hand and Troostwijk on the other hand when participating in auctions.

2.2 The applicability of general terms and conditions other than the present General User Terms and Conditions and (where applicable) the Specific Terms and Conditions of Sale is excluded.

2.3. If on the grounds of imperative law, specific parts of the present terms and conditions lose their validity, these parts will be replaced by those legal provisions that best fit the invalid provisions.

ARTICLE 3. THE SALE

3.1 Troostwijk reserves the right to cancel an auction, to stop an auction earlier than indicated on the website, to end or extend it. In the case of a technical failure of the website, through which it is not fully and/or not accessible to all users, Troostwijk has the right to extend the auction with 24 hours, plus the length of the disruption.

3.2 The user declares with its registration to have knowledge of and agree to the special circumstances of an internet auction, and with the technical imperfections that can arise. Troostwijk denies any liability for any direct and/or indirect damage, arising in any way, including but not limited to damage resulting from use of the website, unless there is intent or gross negligence on the part of Troostwijk. More specifically, Troostwijk accepts no liability for any damage that arises due to and/or results from:

acts performed by user that would have been suggested by the information contained on the website;

• the inability to (fully) use the website, and/or any other disruption in the website, the underlying system, the internet, or any other external disruption;

• lots not meeting the specifications indicated on the website, having regard among others to the buyer's obligation to investigate in accordance with article 6.2., and taking into consideration the other prevailing provisions specified below;

- the fact that the information on the website is false, incomplete or not up-to-date;
- errors in the website's software and/or in the underlying system;
- the illegal use of systems, including use of the Troostwijk website by a third party;
- acts on the part of the seller after the user has concluded a purchase agreement.

ARTICLE 4. ORGANISATION OF THE SALE

- 4.1 Troostwijk is responsible for the organisation, preparation, execution and finalisation of the auction.
- 4.2 Before or during the Sale, Troostwijk is authorised, without stating the reasons, to:
- not recognise a bid as such;
- exclude one or more users from the sale;
- add items to lots, to split up lots and to remove lots from the sale;

• correct mistakes on the part of Troostwijk concerning bids and/or awarding, without a user being able to appeal to these mistakes and/or derive rights from these mistakes;

take other measures it deems necessary

4.3 Troostwijk has the right to require advance payment or another form of guarantee from users before and/or during participation in specific sales and/or bids on specific lots, before allowing further bidding to proceed.

4.4 Customer and/or Troostwijk are entitled to add lots from another offering party to a sale.

4.5 The judgement of Troostwijk concerning that which takes place during the sale is binding.

ARTICLE 5. BIDS, PURCHASE AGREEMENT

5.1 The user may place a bid for one or more lots on the website. Each bid is unconditional, irrevocable and without reservation; by bidding, the buyer accepts the present conditions and agrees to buy the lots of the sale at the price that was offered by him. Troostwijk and/or the seller is/are entitled to reject bids without giving the reasons. Bids do not include the buyer's premium and applicable taxes. Troostwijk and/or seller are entitled to place bids.

5.2 If multiple users declare to jointly place a bid or have done so, they are indivisibly jointly and severally liable for the resulting obligations.

5.3 Troostwijk determines whether an error has been made in the placing of a bid that cannot be regarded as realistic, such that the person who made the bid cannot be held to his offer. No liability can be derived by any party based on this decision.

5.4 If a lot is also being offered for sale together with one or more other lots as a combination, this is indicated on the lot's individual website page. In this case, a bid can first be placed on the separate lots of the combination, and after the close of bidding for all separate lots, on the combined lot. Individual lots will only be awarded if the total amount of the highest awardable bids on the individual lots is greater than the highest awardable bid on the combination. The combination will only be awarded if the highest awardable bid on the combination is greater than the total sum of the highest awardable bids on the individual lots.

5.5 Bids can be made in the form of a "static bid" or an "autobid". With a static bid, the user makes a bid in the form of a fixed amount per lot. With an autobid, the user indicates the maximum price he is prepared to pay for the lot. The sales system ensures that after being outbid by a third party, the minimum possible higher bid is immediately made in the name of user, as long as the maximum specified by the user has not been reached. An autobid can be disabled in the meantime by the user only by placing a static bid that is the highest bid at that moment. In the case of an equal bid between an autobid and a static bid, the autobid bid prevails.

5.6 The purchase agreement is formed by the awarding of the bid. Awarding generally is made to the user that placed the highest bid. However, in application of the provisions of article 5.1, or of special awarding conditions included in the Specific Terms and Conditions of Sale, or for other reasons at the discretion of Troostwijk, awarding can instead go to another user who has the next highest bid. By other reasons is intended, among others, the inability to properly disassemble and transport the purchased item, failure to comply with the payment obligations, failure to provide the requested security deposit, the periods and conditions for picking up the items, and so on...

5.7 Within 48 hours after the close of the sale (not including Saturdays, Sundays and public holidays), the buyer will receive confirmation by e-mail in the name of seller(s) that the purchase agreement has been concluded. If the authorisation of the customer, legal or otherwise, is required, the mail will indicate this, so that the awarding is final only after this authorisation is received. If the user receives no e-mail within the above-mentioned period, this means that the user was not awarded the bid. Troostwijk has the right not to award a bid or to do so under suspensive conditions.

5.8 Troostwijk is not a party to the purchase agreement, but only mediates in bringing about the purchase agreements. If it concerns a court-ordered (forced) sale, this is stated in the Specific Terms and Conditions of Sale or the sales page of the website.

5.9 In the event that the sale takes place "in the presence of a civil-law notary or judicial officer", this person will oversee the sale and the associated bids and their awarding.

5.10 If the sale is not a public auction, the Buyer, acting as a consumer in the sense of the Consumer Act, has the right to rescind the contract without giving any reason within 14 days after the purchased item is in the Buyer's possession. To exercise this right of withdrawal, Troostwijk must be notified by the buyer of the decision to rescind the agreement in writing via e-mail with confirmation of receipt or registered letter. Art. VI.51, §1 Code of Economic Law:

(C.E.L.: Art. VI.51§1. Promptly, and in any case within 14 days after the day on which he communicates the decision to the company to rescind the agreement in accordance with article VI.49, the consumer will return the goods or submit these to the company or to a person authorised by the company to receive the goods, unless the company has offered to collect the goods itself. The deadline is met if the consumer returns the goods before the end of the 14-day period. The consumer bears only the direct costs of returning the goods, unless the company agrees to bear these costs or the company neglected to inform the user that the latter is responsible for the costs.)

In the case of withdrawal, the buyer (consumer) must deliver the purchased item, in the same condition, in the original packaging, after a confirmed appointment, to the address Klaverbladstraat 19, 3560 Lummen, against receipt. The refund will always be made by bank transfer within 48 hours of return in good condition. However, if the item has already been used or is damaged, in short is no longer in the same condition, Troostwijk has the right to refuse the return.

5.11 If the buyer (consumer) makes use of the right of withdrawal, Troostwijk in any case will charge the buyer a € 25 fee per lot as compensation for the direct costs in accordance with article VI.51 § 1 C.E.L. . The buyer also bears all the costs associated with returning the items.

5.12 If Troostwijk refuses the bid of the consumer without valid reasons, the consumer is owed compensation of € 25. These fees are fixed and final.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and/or the seller offer no guarantee of any kind concerning the lots and any rights of third parties to these, except for those required by law and imposed by the public order on the relevant category to which the buyer belongs, as is the case for consumers. The buyer waives all rights he receives not based on imperative law or the public order. The buyer is aware of that which is the set forth in article 1648 & 1649 d Civil Code, which is fully applicable, concerning the short – two-month – period for communicating defects.

6.2 The Troostwijk website is purely indicative, and provides no certainty or guarantee. Troostwijk can only seek to maximize the completeness, accuracy and clarity of the description and photos of a lot on the website, auction catalogues, other auction brochures, advertisements and the like, without accepting any liability for damages arising due to incorrect or incomplete descriptions or any other damages. The buyer acknowledges that he has the opportunity to examine the goods concerned as defined in chapter 7. If the buyer does not do so, this is entirely at his own risk.

6.3 Unless expressly specified otherwise in the Specific Terms and Conditions of Sale, wiring/piping, cables and/or other connections for energy, control or production located on/in a lot are only included in the sale up to the first cut-off, fitting or applied marking. Underground or built-in connections never belong to the lot, unless explicitly stated otherwise in the Specific Terms and Conditions of Sale.

6.4 The lots are sold at the buyer's risk in the state in which they are found on the date of awarding, with all the associated benefits and burdens. Troostwijk and/or the seller provide no guarantee concerning visible or hidden defects or no guarantee concerning completeness, the required documentation, numbers, operation, usability, marketability, the existence or non-existence of rights or claims on the part of third parties and/or the possibility of transferring to third parties.

6.5 Defects of whatever type, disappointed expectations on the part of the buyer and/or the acquiring third parties, do not result in the right to (damage) compensation and/or adjustments in the price. The buyer is deemed to have carefully examined the lot purchased beforehand.

6.6 If a third party asserts rights, whatever their nature, with respect to a particular lot after the conclusion of the sale, (including but not limited to intellectual property rights, security rights...), and thus the sale turns out to entail a violation of the rights of this third party, the buyer, at the discretion of Troostwijk or the seller, is required, on first demand, to hand over the lot to the above-mentioned third party or to make similar arrangements with this third party to neutralise the recorded infringement.

If, pursuant to the previous paragraph, the lot must be returned to the third party or further normal use of the lot is no longer possible due to a settlement with the third party to neutralise the violation, the buyer may unilaterally and extra-judicially rescind the sale via a registered letter to this effect, accompanied by the requisite evidence, after which he is entitled to a full refund of the price, without Troostwijk and/or the seller owing any additional remuneration concerning the rescission. If claims are made by third parties with respect to the items based on (intellectual or other) property rights, including retention of title, and/or rights or other possibly equivalent claims of third parties, the buyer is obliged to hold these items for those third parties, with the obligation to release these to those third parties on first demand of Troostwijk, or to otherwise make appropriate arrangements with the possible rightholder. If the items are returned undamaged upon first demand of Troostwijk, the buyer has the right to a refund of the purchase price paid for the items in question, and the purchase agreement relating to such items is considered to be annulled, without Troostwijk and/or seller owing any (damage) compensation to buyer.

6.7 The buyer indemnifies Troostwijk against each claim of a third party resulting from the purchase agreement concluded between seller and buyer.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER/BUYER

7.1 For each sale, the buyer is given the opportunity to examine the items on the viewing day prior to the sale and, if required, during bidding. This viewing day is described on the website, mentioning the location, day and time. The buyer may view and examine items under the supervision of Troostwijk or the seller, monitor their operation as well as their conformity and the completeness of the information on the website. If the buyer waives such control, he does so entirely at his own risk, and he releases Troostwijk from any liability concerning the information provided on the website.

7.2 Descriptions of the items and all information were made by or in the name of Troostwijk, to the best of its ability, and are only intended as an indication, subordinate to the buyer's own obligation to investigate. Neither Troostwijk nor the seller guarantee their accuracy. If Troostwijk shows or provides a photo, sample, model or example, this is done only by way of illustration. The characteristics of the items to be delivered can deviate from the photo, sample, model or example. Buyers can derive no rights or privileges from the intended descriptions, samples, models, examples and other information. Troostwijk has the right to correct inaccuracies in oral and written statements made by or on behalf of it, as well as errors (whether or not during a sale), without buyers being able to derive any right from such. If the correction can influence the bidding, the bids made before the correction lapse. Troostwijk is not liable for any inaccuracies or omissions in the description. For consumers, the exception in article 5.11 and 5.12 of these terms and conditions of sale, among others, apply.

7.3 The buyer – or the carrier engaged by him – is obliged, at the time of pick-up, to properly examine the purchased items as further described in article 10 of these terms and conditions. By signing the proof of receipt for the lot(s), the buyer or the carrier expressly accepts the items and their characteristics, quantity and quality.

ARTICLE 8. BUYER'S PAYMENT OBLIGATIONS





8.1 The buyer is obliged, within 48 hours of confirmation of the awarding via submission of the purchase agreement, to transfer the purchase price to an account indicated by Troostwijk. Payment must be made in euro, or in a different currency specified by Troostwijk.

8.2 In the case of late payment of the purchase price, Troostwijk will charge the buyer 15% of the purchase price, this being a fixed amount for the collection costs and/or extrajudicial costs, plus applicable interest under the Act on payment arrears in commercial matters, and for consumers the legal interest is increased by 3% over the amount still owed, to be calculated from the day on which the payment should have been made until the day of actual payment. Troostwijk reserves the right to terminate in accordance with the provisions of articles 10.3. & 12.

8.3 Payments are first used to settle the costs, then the overdue interest and finally the purchase price.

8.4 The buyer must always pay prior to taking possession of the goods. Insofar as is necessary, the title is retained until full payment has been made. As long as the buyer has outstanding amounts payable to Troostwijk, any delivery of purchased items can be suspended until full payment has been made.

8.5 At the request of Troostwijk, buyers from outside the EU will make a deposit equal to the VAT amount due.

ARTICLE 9. SAFETY

9.1 Those entering buildings or sites on viewing days or on the pick-up date, do so entirely at their own risk. Instructions by the customer, Troostwijk and/or third parties engaged by Troostwijk must be followed in order to guarantee the safety of all persons present.

9.2 The customer and Troostwijk accept no liability for damage caused by entering the relevant buildings and sites.

ARTICLE 10. PICK-UP

10.1 If and when the buyer has met all of its payment obligations, the buyer may pick up the relevant lot(s), or have them picked up, at the time and place stipulated by Troostwijk, subject to presentation of proper identification: this is the pick-up. The buyer is obliged to pick up the items no later than the date indicated in the Specific Auction Terms and Conditions. Troostwijk may stipulate that (a) specific lot(s) may only be picked up after the pick-up of other lots.

10.2 The buyer is responsible for the correct and timely pick-up of the purchased items. Troostwijk is responsible for the organisation and coordination of the time of pick-up of the items sold by the customer.

10.3 If the buyer refuses to pick-up the items or to provide information or instructions necessary for the pick-up, or has paid the purchase price, but has not picked up the purchased items at the time and place specified by Troostwijk, Troostwijk is entitled to store the purchased item(s) at the buyer's risk for a period of up to 1 month, or on such earlier date as communicated by Troostwijk in writing to the buyer.

If the buyer does pick up the items within the aforementioned period, the buyer must first pay for the administrative, storage and insurance costs incurred, with a minimum of € 350. After the aforementioned period of 1 month or after the shortened period communicated by Troostwijk, it is assumed that the buyer has waived his rights of ownership to the items, and Troostwijk, legally and without further notification of default, is entitled to re-sell the items. This article does not prevent Troostwijk from demanding execution of the agreement at any time, and in accordance with article 12.2., Troostwijk is entitled to demand full damage compensation if buyer remains in default by operation of law due to failing to fulfil any obligation under the purchase agreement.

10.4 It is the buyer's responsibility to ensure compliance with all requirements of any nature whatsoever in respect of export of items to an EU or other country. This means among other things that the buyer must comply with the laws and regulations of the relevant country concerning the payment of taxes and levies, and the required documentation, and that he, if necessary, must obtain the required approval. If the items must be transported, it is the customer or the buyer, and not Troostwijk, who must be entered on the underlying transport or customs documents as sender or receiver of the goods.

10.5 The transfer of ownership and of risk for the lot(s) has taken place via the awarding. From this moment, Troostwijk or the seller is only obliged to perform the duties of custodian. Troostwijk or the seller, for example, are no longer liable in the case of force majeure such as fire, natural disasters, theft with sufficient security, etc..., and is not required to insure itself against these risks. The actual transfer of ownership takes place upon pick-up. The pick-up consists of making available to the buyer the items purchased at time(s) set by Troostwijk.

10.6 If in the context of the pick-up it is necessary to dismantle the items purchased, the buyer must handle this in a professional manner, at his expense and risk. The buyer is not allowed to disassemble items connected to items not purchased by the buyer without obtaining the explicit, written authorisation of Troostwijk and/or the seller. The buyer is liable for damage caused by or in the context of the pick-up of the purchased items, and shall indemnify Troostwijk and/or the seller against claims by third parties in the matter.

10.7 For the use of (a) machine(s) belonging to the buyer to move and/or load a lot, the buyer must obtain the explicit authorisation from Troostwijk and/or the seller. The buyer must be aware of the relevant laws and regulations and have valid liability insurance for the forklift. The buyer remains responsible and liable at all times for the safe use of the forklift at the sale location.

10.8 If it appears that a lot cannot be delivered due to claims from third parties or to the fact that the pick-up might cause unacceptable damage to the



buildings or sites in/on which the lot is located, or otherwise would appear to be very difficult, Troostwijk has the right to terminate the purchase agreement. This termination takes place by e-mail and/or registered letter to the buyer at the address provided by the buyer, after which Troostwijk and/or the seller are only bound to reimbursement of the relevant amounts already paid by the buyer to Troostwijk for the purchase of the lot(s).

10.9 The buyer whose lot(s) hinder the pick-up of other lots, is required, after receiving an e-mail and/or notice from Troostwijk sent to the address provided by the buyer, to pick up his lot(s) immediately, in the absence of which Troostwijk has the right to have these lot(s) picked up and possibly stored by third parties at the buyer's expense and risk.

10.10 Troostwijk is not responsible for the removal/disposal of the waste. The buyer is responsible for this, unless Troostwijk is expressly instructed to handle removal/disposal at the expense of the buyer.

10.11 Troostwijk shall notify the buyer and inform him concerning the presence of waste as soon as it is confronted with such during execution of the agreement.

ARTICLE 11. PERSONAL INFORMATION/COMPANY INFORMATION SELLER/THIRD PARTY

Seller and buyer agree that personal information, software applications and/or company information of the seller or a third party that might be located on or in a lot, do not constitute part of the purchase agreement. If and insofar as personal information and/or business information are found in a lot after an auction, the buyer is obliged to immediately inform Troostwijk concerning this and where appropriate, at first request, to provide its full cooperation in delivering this personal information confidentially, and the buyer is not allowed to process this information in any way, nor to use it or allow it to be used, nor to provide it or allow it to be provided to third parties or allow such to inspect it.

ARTICLE 12. TERMINATION

12.1 If the buyer fails to meet any obligation of the purchase agreement, including (but not limited to):

- not paying on time and/or not paying the full purchase price;
- not picking up the lot(s) in a timely manner and/or
- not providing the information or documentation required for pick-up,

the buyer is legally in default and the seller has the right to terminate the agreement with the buyer via a written statement, without owing any (damage) compensation to the buyer, and/or to immediately sell the purchased items to one or more third parties, without prejudice to the right of Troostwijk and/or seller to (additional) damage compensation. The foregoing also applies if, after conclusion of the purchase agreement, Troostwijk and the seller become aware of circumstances that give the seller and/or Troostwijk good reason to fear that the buyer will not fulfil its obligations, such as:

- bankruptcy, suspension, insolvency or suspension of payments on the part of the buyer;
- if Troostwijk asked the buyer to furnish a guarantee for fulfilment of the purchase agreement, and this guarantee is not forthcoming or is inadequate

if the buyer otherwise is in default and fails to meet its obligations under the purchase agreement.

The buyer is required to compensate the seller and Troostwijk for all of the damage caused by its negligence or faulty action. In the case of termination as referred to in this article 12.1, the buyer has no claim to the buyer's premium insofar as this was already paid by the buyer to Troostwijk. Regarding consumers, reference is made to the appropriate applicable terms and conditions.

12.2 If circumstances arise with regard to persons and/or materials employed or usually employed by Troostwijk for the execution of the contract, which are of such a nature that execution of the contract becomes impossible or so difficult and/or disproportionately expensive that compliance with the purchase agreement cannot reasonably be expected, the seller and/or Troostwijk are entitled to terminate the purchase agreement without owing any (damage) compensation to the buyer in the matter.

12.3 After transfer of ownership of the purchased items to the buyer, the buyer may no longer rescind or terminate the purchase agreement. If a third party has an interest in the careful removal of the full or partial item, and in the view of Troostwijk this removal would endanger the building or cause permanent damage, or for any other reason, the seller, and Troostwijk in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.

12.4 If prior to the delivery or pick-up, circumstances take place that make delivery or pick-up of the item no longer feasible due to force majeure on the part of seller or Troostwijk, for example due to fire, theft or damage by natural disasters, seller and Troostwijk, in the name of the seller, have the right to legally terminate the purchase agreement by written confirmation via e-mail or registered letter, without being required to pay any damage compensation. In this case, Troostwijk and the seller are only obliged to refund to the buyer the purchase price received by Troostwijk and - insofar as Troostwijk has sent an invoice to the buyer - to credit it by sending a credit note.



12.5 In the case of termination as intended under 12.1, in addition to the buyer's premium owed to Troostwijk, the defaulting buyer owes a fixed amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., without prejudice to the right of Troostwijk and/or the seller to claim full damage compensation.

ARTICLE 13. LIABILITY

13.1 Any remaining liability on the part of Troostwijk after application of the other provisions in these General Terms and Conditions shall always be limited to the amount to which Troostwijk's liability insurance may claim for the case in question. In the case that Troostwijk's liability insurance provides no cover, the liability of Troostwijk is limited to \in 5,000.

13.2 Troostwijk is not liable for any consequential loss, such as – but not limited to – damage in the form of loss of profit or unsaleability of items.

13.3 Furthermore, all liability is excluded on the part of Troostwijk with respect to any defect in the lot(s) or with respect to (alleged) violations to the (intellectual property) rights of third parties. The buyer declares to be aware of the possible (intellectual property) rights on the part of third parties relevant to the lot(s).

13.4 If, despite prior attempts to arrive at an amicable settlement, no arrangement is reached between parties, only the courts of the Antwerp division are competent, except for those disputes for which imperative law imposes a separate procedure, such as with respect to insolvency law.

13.5 Troostwijk and/or the seller provide no guarantee to the buyer concerning visible or hidden defects, or with respect to completeness, numbers, operation, usability, marketability, the purpose for which the buyer purchased the items, the possible existence of rights or claims on the part of third parties and/or the possibility to transfer items to third parties, etc. Defects, of whatever kind, or disappointed expectations of the buyer and/or acquiring third parties, result in no right to (damage) compensation and/or fulfilment on the part of the buyer or other third parties.

13.6 Troostwijk cannot be considered a producer within the meaning of the Product Liability Act, and thus accepts no liability in these matters for physical or moral damage caused by the goods sold.

13.7 Notwithstanding anything else stipulated in this article 13, the following applies to the liability of Troostwijk and the seller:

Troostwijk and/or the seller are not liable for damage to persons or things existing or caused prior to the conclusion of the purchase agreement;

Troostwijk and/or the seller are not liable for damage to, by, or with respect to the purchased items, including loss of the purchased items;

• Troostwijk and/or the seller are not liable for visible and invisible defects in the purchased items. The buyer must investigate this in the context of the inspection referred to in article 7 of the present terms and conditions, while the buyer is also required to notify Troostwijk of this in writing immediately after the discovery of any imperfections, defects, abnormalities and the like. If the buyer neglects to do so, the consequences are for the expense of the buyer;

- Troostwijk and/or the seller are not liable for the purchased item not fulfilling European guidelines, legal provisions or other laws and regulations, including laws and regulations concerning the promotion of employee safety at the workplace;
- Troostwijk and/or the seller are not liable for damage caused by and/or resulting from environmentally harmful or noxious substances in or on the purchased items;
- Troostwijk and/or seller are not liable for damage caused in the context of an internet auction due to computer failures, including defects
 and/or failures of hardware and/or software. Accordingly, Troostwijk and/or seller are not liable among others for damage if the buyer is
 unable to place a bid due to a computer failure.
- Troostwijk and/or the seller are not liable for damage caused in the context of an internet auction due to viruses, or other abusive programmes or files possibly spread via the auction website.
- Troostwijk and/or the seller are not liable for damage resulting from incorrect, outdated and/or incomplete information possibly mentioned on the Troostwijk website and/or on websites that can be visited by clicking on links to other websites mentioned on the Troostwijk website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items, and that these are not encumbered with restricted rights, other limitations or intellectual property rights of third parties.
- Troostwijk is not liable for damage suffered or yet to be suffered by the buyer, including possible consequential loss insofar as there might be no power of disposition on the part of the seller, limited rights, non-entitlement to sell, other limitations and/or intellectual property rights of third parties relating to the items.

13.8 The limitations to the liability of Troostwijk and/or the seller contained in these terms and conditions are not valid if the damage is due to gross negligence on the part of Troostwijk and/or the seller or its management and/or subordinates, or auxiliary persons engaged by them.

13.9 Troostwijk will always exercise due caution when calling upon the services of third parties. Troostwijk, however, is not liable for possible shortcomings on the part of these third parties.

ARTICLE 14. CHANGES. PROCEDURE



14.1 If and insofar as any clause in these General Terms and Conditions of Sale is invalid or nullified, the remaining clauses will remain in full force. Troostwijk will then draw up a new clause to replace the invalid/nullified clause, taking into account as much as possible the intent of the invalid/nullified clause.

14.2 Troostwijk can declare Specific Terms and Conditions of Sale to be valid in addition to these General Terms and Conditions of Sale. Specific Terms and Conditions of Sale will be communicated before the sale. If and insofar as the Specific Terms and Conditions of Sale conflict with the General Terms and Conditions of Sale, the Specific Terms and Conditions of Sale prevail.

14.3 These General Terms and Conditions of Sale may only be deviated from insofar as this is established in writing by an authorised representative of Troostwijk.

14.4 Troostwijk reserves the right to make changes to these General Terms and Conditions of Sale. Changes take effect 24 hours after they are made known to the user by e-mail. The terms and conditions coming into force replace all previous general terms and conditions, unless explicitly indicated otherwise by Troostwijk.

ARTICLE 15. APPLICABLE LAW

15.1 Belgian law applies to these General Terms and Conditions of Sale and the legal relationships arising from the auction.

15.2 The Dutch text of the General Terms and Conditions of Sale for buyers is the original text. Hence, if the General Terms and Conditions of Sale are used in multiple languages, the Dutch text prevails in the case of ambiguity or contradictions.

15.3 Only the courts of the judicial district of Antwerp have jurisdiction to decide on disputes arising from these terms and conditions and/or disputes arising from the sale.

15.4 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

About Us Troostwijk

Did you know?

we organise auctions in 25 countries
we have 1,6 million page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts annually **1300** auction sales all over Europe

Statistics

Every year we deal with 50.000 bidders
 from 95 different countries
 over 500.000 registrations

15 Countries

Troostwijk has own offices in 15 European countries

85 Years

Troostwijk is conducting auctions since 1930 and has 85 years of experience