



**Online faillissementsveiling rupskranen, shovels,
containers & rollend materieel. (NL)**

**Online bankruptcy auction crawler cranes,
shovels, containers & rolling stock.**

Naarderstraatweg 5 - 1399 VR Muiderberg
(veilinglocatie, Naarderstraatweg 5, 1399 VR Muiderberg)

Closing date: Tuesday **10 MARCH** starting 10:00



Viewing:

Friday 06 March from 10:00 until 16:00
Naarderstraatweg 5 - 1399 VR Muiderberg (The Netherlands)

Bidding only on the internet!



Tuesday 10 March 2020 Online faillissementsveiling rupskranen, shovels, containers & rollend materieel.

Specific Online Auction Terms and conditions of a public auction sale

| | | | | | | | | | |
|--|---|-----------|-------------|----------|-----------|----------|--------------|-----------|-------------|
| Closing date | Tuesday 10 March 2020 starting 10:00 CET | | | | | | | | |
| Viewing | Friday 6 March from 10:00 until 16:00 CET Online auction Naarderstraatweg 5 1399 VR Muiderberg, The Netherlands | | | | | | | | |
| Company organising this Online Auction | TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com | | | | | | | | |
| Markup | 17.00% | | | | | | | | |
| VAT | 21.00% | | | | | | | | |
| Margin goods | In case of margin goods the VAT will be 0% | | | | | | | | |
| Collection | By appointment Online auction Naarderstraatweg 5 1399 VR Muiderberg, The Netherlands | | | | | | | | |
| Viewing Instructions | Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk. | | | | | | | | |
| Attending an auction closure for consumers | Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. | | | | | | | | |
| Payment Details | To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly. Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam. Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV | | | | | | | | |
| Deliver instructions | <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table> <p>The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions</p> | Bank | Account nr. | IBAN nr. | BIC code. | KBC Bank | 0633 0173 10 | NL06 KRED | KREDNL2XXXX |
| Bank | Account nr. | IBAN nr. | BIC code. | | | | | | |
| KBC Bank | 0633 0173 10 | NL06 KRED | KREDNL2XXXX | | | | | | |



article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale

In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.

Supervision

This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.

Combination

All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation

If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time

Lots without bid

From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.

Allocation

Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.

Quantity, capacity, dimensions and weight of goods

Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.

Privacy Statement

Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



| Lot | Number | Description | Starting Bid € |
|--|--------|--|----------------|
| © 1 | 1 | crawler excavator Komatsu, PC450HRD-8, year built 2008, serial number K50219, brand: Komatsu; type: PC450HRD-8; year: 2008; serial number: K50219; brand engine: Komatsu; engine power: 257 kW; number of cylinders: 6; fuel type: Diesel; operation weight: 50510 kg; boom length: 8220 mm; track width: 800 mm; cabin: yes; hours on display: 13560; own weight: 57585 kg; description: equipped with Eurosteel CW55 quick change system ; BM-AIR cabin pressure filter system; Parrot car kit; President Johnson II 27MC radio; Pioneer headunit; | 10,000.00 |
| © 2 | 1 | hydraulic breaker Demtech, NPK, brand: Demtech; type: NPK; description: quick coupling CW55; jaw width 600 mm; maximum jaw opening approx. 900 mm; | 1,000.00 |
| © 3 | 1 | sorting grab Kippersluit, brand: Kippersluit; description: quick coupling CW55; jaw width: 1350 mm; maximum jaw opening approx. 2100 mm; | 500.00 |
| © 4 | 1 | 2-part crane extension-piece Komatsu, PC450HRD-8, brand: Komatsu; type: PC450HRD-8; description: equipped with Euro Steel hydraulic quick coupling ; length total approx. 19 meters, including frame; | 1,000.00 |
| © 5 | 1 | hydraulic breaker Demtech, brand: Demtech; | 500.00 |
| © 6 | 1 | excavator/ skeleton bucket EuroSteel, brand: EuroSteel; bucket size W: 1850 mm; | 100.00 |
| © 7 | 1 | excavator/ skeleton bucket EuroSteel, brand: EuroSteel; bucket size W: 1350 mm; | 100.00 |
| © 8 | 1 | excavator/ skeleton bucket bucket size W: 560 mm; | 100.00 |
| crawler crane with attachments | | | |
| © 9 | 1 | wheel loader Ljungbymaskin, L15, year built 2008, serial number 2350, brand: Ljungbymaskin; type: L15; year: 2008; serial number: 2350; number of cylinders: 6; fuel type: Diesel; operation weight: 18000 kg; tyre size: 650/65R25; cabin: yes; airconditioning: yes; hours on display: 20737; | 5,000.00 |
| © 10 | 1 | rubble bucket C. Klein, year built 2008, brand: C. Klein; year: 2008; own weight: 1900 kg; total dimension W: 2850 mm; description: suspension type Lungby L14; including input tray; | 100.00 |
| © 11 | 1 | fork total dimension W: 1990 mm; description: spoon length approx. 1400 mm; equipped with hydraulic spoon adjustment; | 100.00 |
| © 12 | 1 | mast Telemast, TMS3000, year built 1995, serial number 95.77.011, brand: Telemast; type: TMS3000; year: 1995; serial number: 95.77.011; own weight: 870 kg; description: lifting capacity 4000 kg; hydraulic telescopic; | 100.00 |
| wheel loader L15 with attachments | | | |
| © 13 | 1 | wheel loader Volvo, L90E, year built 2004, serial number L90EV21096, brand: Volvo; type: L90E; year: 2004; serial number: L90EV21096; brand engine: Volvo; engine power: 121 kW; number of cylinders: 6; fuel type: Diesel; operation weight: 17000 kg; tyre size: 650/65R25; cabin: yes; | 5,000.00 |
| © 14 | 1 | rubble bucket C. Klein, year built 2008, brand: C. Klein; year: 2008; own weight: 1900 kg; total dimension W: 2850 mm; description: including insert; | 100.00 |
| © 15 | 1 | fork total dimension W: 1990 mm; description: spoon length approx. 1400 mm; equipped with hydraulic spoon adjustment; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|------|--------|--|----------------|
| © 16 | 1 | mast Telemast, TMS3000, year built 1995, serial number 95.77.015, brand: Telemast; type: TMS3000; year: 1995; serial number: 95.77.015; own weight: 870 kg; description: lifting capacity 4000 kg; hydraulic telescopic; | 100.00 |
| | | wheel loader L90E with attachments | |
| 17 | 1 | midi excavator Takeuchi, TB290, year built 2016, serial number 185102375, brand: Takeuchi; type: TB290; year: 2016; serial number: 185102375; brand engine: Yanmar; engine power: 51.6 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 9600 kg; with bucket: yes; track width: 440 mm; cabin: yes; airconditioning: yes; hours on display: 4899; own weight: 8470 kg; description: track width 2200 mm; equipped with Ventox overdrukfilter system; Lincoln lubrication system; Verachttert CW10 quick change system ; bananenbak dimensions . 360x700x800 mm, excavator/ skeleton bucket dimensions . 1500x600x500 mm, excavator/ skeleton bucket dimensions . 760x850x700 mm, rubble bucket dimensions . 1000x800x700 mm and fork plate, fork length 1200 mm; | 5,000.00 |
| 18 | 1 | midi excavator Takeuchi, TB260, year built 2016, serial number 126101651, brand: Takeuchi; type: TB260; year: 2016; serial number: 126101651; brand engine: Yanmar; engine power: 35.5 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 6300 kg; with bucket: yes; track width: 400 mm; cabin: yes; airconditioning: yes; hours on display: 4154; own weight: 5735 kg; description: Track width 2000 mm; equipped with Lincoln lubrication system; Verachttert CW10 quick change system ; bananenbak dimensions . 360x700x800 mm, excavator/ skeleton bucket dimensions . 1380x600x450 mm, excavator/ skeleton bucket dimensions . 600x800x550 mm, rubble bucket dimensions . 800x700x500 mm and fork plate, fork length 1200 mm; | 5,000.00 |
| 19 | 1 | utility car Iveco, 40c, year built 2003, brand: Iveco; type: 40c; year: 2003; license plate: VG-445-P; inspection expiration date: 15/06/2020 02:00:00; diesel: yes; engine power: 92 kW; manual: yes; mileage (at intake): 379578 km; load capacity: 720 kg; number of seats: 3; number of doors: 2; own weight: 2780 kg; description: number of cylinders: 4; displacement: 2800 cm ³ ; width: 210; Euro classification: 3; equipped with car structure ambulance; | 500.00 |
| 20 | 1 | truck Scania, P 360 B4x2, year built 2009, brand: Scania; type: P 360 B4x2; year: 2009; VIN number: XELP4X20005228493; license plate: BX-FZ-81; inspection expiration date: 19/08/2020 02:00:00; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 265 kW; automatic: yes; load capacity: 10015 kg; mileage (at intake): 620503 km; airconditioning: yes; navigation: yes; own weight: 10485 kg; description: number of cylinders: 6; displacement: 12740 cm ³ ; length : 700; width: 255; Euro classification: 5; equipped with Hyvalift hydraulic gantry arm container system; | 1,000.00 |
| 21 | 1 | truck Scania, P 360 B4x2, year built 2009, brand: Scania; type: P 360 B4x2; year: 2009; VIN number: XLEP4X20005228453; license plate: BX-FZ-82; inspection expiration date: 04/01/2020 01:00:00; number of axis: 2; axle configuration: 4x2; diesel: yes; engine power: 265 kW; automatic: yes; load capacity: 10015 kg; mileage (at intake): 545163 km; airconditioning: yes; navigation: yes; own weight: 10485 kg; description: number of cylinders: 6; displacement; 12740 cm ³ ; length : 700; Euro Classification 5; equipped with Hyvalift hydraulic gantry arm container system and 6m3 portal container, type NG 2014 TA (note! no self drive export); | 1,000.00 |



| Lot | Number Description | Starting Bid € |
|-----|---|----------------|
| 22 | 1 utility car Opel, Vivaro-2 2.5cdti/107kw-dpf-e4 2.9t l2h2-tp2, year built 2007, brand: Opel; type: Vivaro-2 2.5cdti/107kw-dpf-e4 2.9t l2h2-tp2; year: 2007; license plate: 47-VGH-7; inspection expiration date: 08/05/2020 02:00:00; diesel: yes; engine power: 107 kW; mileage (at intake): 203180 km; load capacity: 1150 kg; number of seats: 3; number of doors: 2; trailer hitch: yes; own weight: 1865 kg; description: number of cylinders: 4; displacement: 2464 cm ³ ; width: 190; Euro classification: 4; appointed as a full service; incl. content; | 100.00 |
| 23 | 1 utility car Opel, Combo-c-van z13dt, year built 2005, brand: Opel; type: Combo-c-van z13dt; year: 2005; license plate: 58-BS-GV; inspection expiration date: 29/01/2020 01:00:00; diesel: yes; engine power: 51 kW; manual: yes; mileage (at intake): 89307 km; number of seats: 2; trailer hitch: yes; own weight: 1180 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; width: 168; Euro classification: 4; incl. various content incl. empty tool boxes (note! no self drive exports); | 100.00 |
| 24 | 1 utility car Opel, Combo-c-van z13dtj-dpf/2000 ac, year built 2008, brand: Opel; type: Combo-c-van z13dtj-dpf/2000 ac; year: 2008; license plate: 86-VVN-8; inspection expiration date: 20/09/2020 02:00:00; diesel: yes; engine power: 55 kW; manual: yes; mileage (at intake): 329339 km; load capacity: 500 kg; number of seats: 2; number of doors: 2; airconditioning: yes; trailer hitch: yes; own weight: 1210 kg; description: number of cylinders: 4; cylinder capacity: 1248 cm ³ ; width: 168; euro classification: 4; | 100.00 |
| 25 | 1 utility car Opel, Combo-c-van z13dt ac, year built 2005, brand: Opel; type: Combo-c-van z13dt ac; year: 2005; license plate: 87-BV-JV; inspection expiration date: 11/11/2020 01:00:00; diesel: yes; engine power: 51 kW; manual: yes; mileage (at intake): 453984 km; load capacity: 500 kg; number of seats: 2; trailer hitch: yes; own weight: 1210 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; list price: 22873; width: 168; Euro classification: 4; watch various damages incl. windscreen; | 100.00 |
| 26 | 1 purchased car Atec, Pb1, year built 2012, brand: Atec; type: Pb1; year: 2012; VIN number: XMKP13000R1211812; license plate: WH-DR-62; dimension L: 4010 mm; dimension W: 1980 mm; dimension H: 2720 mm; number of doors: 1; number of windows: 2; own weight: 920 kg; | 100.00 |
| 28 | 1 asbestos remediation trailer Roll-on, Aa vv c, year built 1995, brand: Roll-on; type: Aa vv c; year: 1995; VIN number: XL9R00A1033104145; license plate: WN-90-ZP; number of axis: 2; cargo body size L: 561 cm; cargo body size W: 221 cm; load capacity: 700 kg; box trailer: yes; own weight: 1900 kg; description: equipped with two showers; 3 sealed compartments; | 500.00 |
| 29 | 1 semitrailer GS, Ai-2800-26, year built 1982, brand: GS; type: Ai-2800-26; year: 1982; license plate: 91-46-WU; inspection expiration date: 30/11/2019 01:00:00; number of axis: 3; load capacity: 21460 kg; open trailer: yes; own weight: 4540 kg; total dimension L: 6600 mm; total dimension W: 2400 mm; total dimension H: 1100 mm; | 100.00 |
| 30 | 1 trailer Baveco, G 47 2, year built 1994, brand: Baveco; type: G 47 2; year: 1994; VIN number: BBR4 1555420; license plate: WN-14-DB; cargo body size L: 360 cm; cargo body size W: 155 cm; load capacity: 2600 kg; own weight: 740 kg; description: width: 197; | 100.00 |
| 31 | 1 trailer Anssems, A-s2000-3013, year built 1997, brand: Anssems; type: A-s2000-3013; year: 1997; VIN number: 84T001907; license plate: WS-05-NH; number of axis: 2; cargo body size L: 310 cm; cargo body size W: 130 cm; load capacity: 1580 kg; own weight: 420 kg; description: equipped with two fixed ramps; | 100.00 |



| Lot | Number Description | Starting Bid € |
|------|---|----------------|
| 32 | 1 trailer Saris, F, year built 1998, brand: Saris; type: F; year: 1998; VIN number: XLGOF2520A0227666; license plate: WT-97-JB; number of axis: 1; cargo body size L: 240 cm; cargo body size W: 130 cm; load capacity: 1665 kg; tarpaulin: yes; own weight: 335 kg; | 100.00 |
| 33 | 1 trailer license plate: Geen; number of axis: 1; cargo body size L: 205 cm; cargo body size W: 105 cm; description: total weight with load maximum 750 kg; including net; | 10.00 |
| © 34 | 1 wheel loader Tobroco , Giant 45+, year built 2013, serial number 6004X13033, brand: Tobroco ; type: Giant 45+; year: 2013; serial number: 6004X13033; brand engine: Kubota; engine power: 44 kW; number of cylinders: 4; fuel type: Diesel; operation weight: 8700 kg; tyre size: 445/45R19.5; hours on display: 5565; own weight: 2845 kg; description: including separate open cabin (maintenance shed); | 1,000.00 |
| © 35 | 1 skid steer loader Bobcat, S185, year built 2003, serial number 519215369, brand: Bobcat; type: S185; year: 2003; serial number: 519215369; brand engine: Kubota; engine power: 40.3 kW; number of cylinders: 4; fuel type: Diesel; tyre size: 10-16.5; hours on display: 3375; own weight: 2633 kg; description: (maintenance shed); | 1,000.00 |
| 36 | 1 mini excavator Takeuchi, TB219, year built 2017, serial number 121903388, brand: Takeuchi; type: TB219; year: 2017; serial number: 121903388; brand engine: Yanmar; engine power: 12 kW; number of cylinders: 3; fuel type: diesel; operation weight: 2070 kg; with bucket: yes; track width: 230 mm; cabin: yes; hours on display: 1260; description: equipped with track width adjustment; incl. 2 buckets 1 and rubble bucket; | 1,000.00 |
| 37 | 1 mini excavator Takeuchi, TB108, year built 2000, serial number 10821895, brand: Takeuchi; type: TB108; year: 2000; serial number: 10821895; engine power: 7.1 kW; number of cylinders: 2; fuel type: Diesel; track width: 190 mm; own weight: 860 kg; description: including two buckets 1x 800mm and 1x 330 mm; vv quick change system ; hour counter and slide plate cylinder defect (maintenance hangar); | 500.00 |
| 38 | 1 vibrating plate Weber MT, CR 3, year built 2018, serial number 20011937, brand: Weber MT; type: CR 3; year: 2018; serial number: 20011937; operation weight: 206 kg; base plate size L: 750 mm; base plate size W: 450 mm; brand engine: Hatz; fuel type: diesel; description: incl. single axle trailer; | 100.00 |
| 39 | 1 vibrating plate Wacker, DPU 6055, year built 2007, serial number 1817157, brand: Wacker; type: DPU 6055; year: 2007; serial number: 1817157; operation weight: 478 kg; base plate size L: 900 mm; base plate size W: 800 mm; brand engine: Hatz; fuel type: diesel; description: incl. single axle trailer (maintenance shed); | 100.00 |
| 40 | 1 vibrating plate Wacker, DPU 6055, year built 2006, serial number 1891813, brand: Wacker; type: DPU 6055; year: 2006; serial number: 1891813; operation weight: 478 kg; base plate size L: 900 mm; base plate size W: 800 mm; brand engine: Hatz; engine power: 9.7 kW; fuel type: diesel; description: incl. single axle trailer (maintenance shed); | 100.00 |
| 41 | 1 vibrating plate Weber, TC 72 SE, year built 1999, serial number 993516, brand: Weber; type: TC 72 SE; year: 1999; serial number: 993516; operation weight: 512 kg; base plate size L: 850 mm; base plate size W: 800 mm; brand engine: Hatz; engine power: 11 kW; fuel type: diesel; description: incl. single axle trailer (maintenance shed); | 100.00 |
| 42 | 1 air compressor trailer Mannesman Demag, brand: Mannesman Demag; mobile: yes; hours on display: 4017 hr; description: equipped with Deutz 2- cylinder diesel engine; | 100.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 43 | 1 air compressor trailer mobile: yes; hours on display: 4017 hr; description: equipped with 4- cylinder diesel engine,; | 100.00 |
| 44 | 1 Diesel engine Aifo Fiat, 8061C01, serial number 757938, brand: Aifo Fiat; type: 8061C01; serial number: 757938; number of cylinders: 6; description: equipped with Elcos control panel; on a frame (maintenance hangar); | 100.00 |
| 45 | 1 wasser pump Callens, CTR-70, year built 1999, brand: Callens; type: CTR-70; year: 1999; power: 7.5 kW; electric connection: 400 V; own weight: 950 kg; total dimension L: 1910 mm; total dimension W: 830 mm; total dimension H: 1450 mm; description: connecting Ø100 mm; on frame, incl. 3 hoses (maintenance hangar); | 100.00 |
| 46 | 1 wasser pump Spate, 3B, brand: Spate; type: 3B; description: connection Ø70 mm; on mobile base, incl. 1 hose and 2 distributors (maintenance shed); | 50.00 |
| 47 | 1 storage containers Van Der Ziel, VDZMX 050, brand: Van Der Ziel; type: VDZMX 050; volume: 505 ltr; storage container: yes; chemical storage container: yes; own weight: 360 kg; total dimension L: 1300 mm; total dimension W: 930 mm; total dimension H: 1100 mm; description: (maintenance shed); | 50.00 |
| 48 | 1 storage tank Tolsma, brand: Tolsma; volume: 0,6 m3; storage container: yes; chemical storage container: no; description: (maintenance shed); | 50.00 |
| 49 | 1 car lift bridge Werther, 436, year built 1998, brand: Werther; type: 436; year: 1998; 4-column: yes; capacity: 3500 kg; power: 2.2 kW; electric connection: 400 V; description: already dismantled (maintenance shed); | 50.00 |
| 50 | 1 trolley jack AC Hydraulics, 10Q, year built 1996, brand: AC Hydraulics; type: 10Q; year: 1996; capacity: 10 t; description: (maintenance shed); | 10.00 |
| 51 | 4 jack stands description: (maintenance shed); | 10.00 |
| 52 | 1 engine block lifter AC Hydraulics, WJN10, brand: AC Hydraulics; type: WJN10; description: cap.1.1 tons; | 10.00 |
| 53 | 1 Tile clipper description: blade length 650 mm (maintenance shed); | 50.00 |
| 54 | 1 sprinkler sprayer description: mobile undercarriage (maintenance shed); | 10.00 |
| 55 | 1 sprinkler sprayer Toro, brand: Toro; description: mobile undercarriage (maintenance shed); | 10.00 |
| 56 | 2 power cables CEE 32 A: yes; CEE 64 A: yes; 5-pin: yes; male-female: yes; description: (maintenance shed); | 50.00 |
| 57 | 1 power cord CEE 32 A: no; CEE 64 A: yes; 5-pin: yes; male-female: yes; description: (maintenance shed); | 10.00 |
| 58 | 2 power cables CEE 32 A: yes; CEE 64 A: yes; 5-pin: yes; male-female: yes; description: (maintenance shed); | 50.00 |
| 59 | 1 power cord CEE 32 A: yes; CEE 64 A: no; 5-pin: yes; male-female: yes; description: (maintenance shed); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| | 60 | 3 power cables CEE 16 A: yes; CEE 32 A: yes; CEE 64 A: no; 5-pin: no; male-female: yes; description: (maintenance shed); | 50.00 |
| | 61 | 1 flow divider Bos, midi laag, brand: Bos; type: midi laag; CEE 32 A: yes; CEE 64 A: yes; 5-pin: yes; description: 6x 230 volt (maintenance shed); | 50.00 |
| | 62 | 2 various power distribution Bos, midi laag, brand: Bos; type: midi laag; CEE 32 A: yes; CEE 64 A: yes; 5-pin: yes; description: 6x 230 volt (maintenance shed); | 50.00 |
| | 63 | 1 pallet covers and roll of plastic description: (maintenance shed); | 10.00 |
| | 64 | 1 Palletization dismantable: yes; section dim. L: 2300 mm; section dim. W: 1100 mm; section dim. H: 3000 mm; number of uprights: 3; number of cross beams: 12; number of shelves: 5; description: pay attention! without content and subsequent delivery (maintenance hangar); | 10.00 |
| © | 65 | 1 lot of various off rack description: incl. tear sheets; on cable reels; water hoses; nets and sails; pay attention! without a rack (maintenance hangar); | 10.00 |
| © | 66 | 1 lot of several hoses description: (maintenance shed); | 10.00 |
| © | 67 | 1 sprinkler sprayer Komet, brand: Komet; description: on the tripod (maintenance hangar); | 10.00 |
| © | 68 | 1 lot of diverse description: incl. hose couplings, with rack (maintenance hangar); | 10.00 |
| | | various contractor equipment | |
| | 69 | 1 fireproof cabinet with key: yes; total dimension L: 1260 mm; total dimension W: 550 mm; total dimension H: 1950 mm; description: (maintenance shed); | 10.00 |
| | 70 | 1 mobile welding screen total dimension L: 2150 mm; total dimension H: 2000 mm; description: (maintenance shed); | 10.00 |
| | 71 | 1 gas bottle cart description: incl. autogenous burner (maintenance shed); | 10.00 |
| | 72 | 2 various gasfleesenwagens description: incl. autogenous hose (maintenance shed); | 10.00 |
| | 73 | 1 plasma cutting machine Thermal Dynamics, Cutmaster 101, brand: Thermal Dynamics; type: Cutmaster 101; electric connection: 400 V; description: incl. mobile chassis (maintenance shed); | 100.00 |
| | 74 | 1 Welding machine Lastek, lastimig 400, brand: Lastek; type: lastimig 400; mig type: yes; ampere range: 400 A; duty cycle: 60 %; wire feeder: yes; electric connection: 400 V; description: (maintenance shed); | 100.00 |
| | 75 | 2 cabinets description: without content ; incl. HiFi (maintenance hangar); | 10.00 |
| | 76 | 1 cable reel Zeca, brand: Zeca; electric connection: 230 V; description: wall mounted (maintenance shed); | 10.00 |
| | 77 | 1 partij diverse hijsmiddelen omschrijving: incl. rateltakel 6000 kg (onderhoudsloods); | 10.00 |
| | 78 | 1 lot of various mounting hardware description: incl. rack (maintenance shed); | 10.00 |
| | 79 | 1 welding table dimension L: 200 cm; dimension W: 150 cm; description: vv vise and hand platenbuiger (maintenance hangar); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 80 | 1 | lot of oxyfuel cutting equipment description: incl. burner heads and valves (maintenance hangar); | 50.00 |
| 81 | 1 | fresh air system North, Compact Air, brand: North; type: Compact Air; description: incl. safety helmet (maintenance shed); | 10.00 |
| 82 | 1 | lot of various welding supplies description: incl. wire; electrodes; copper rings; tortsen etc. with two cabinets (maintenance hangar); | 100.00 |
| 83 | 3 | building props galvanized: yes; length from: 1600 mm; length till: 2600 mm; description: (maintenance shed); | 10.00 |
| 84 | 1 | dresser Gispen, brand: Gispen; dimension L: 80 cm; dimension W: 60 cm; dimension H: 135 cm; description: 8 drawers, with content (maintenance hangar); | 10.00 |
| 85 | 1 | welding fume extraction system Kemper, 8410005, year built 2003, brand: Kemper; type: 8410005; year: 2003; mobile: yes; electric connection: 400 V; | 50.00 |
| 86 | 1 | column drill Flott, S, brand: Flott; type: S; drilling capacity: 32 mm; drilling depth: 90 mm; discharge: 300 mm; electric connection: 400 V; description: (maintenance shed); | 50.00 |
| 87 | 1 | circular trim saw Mep, Scorpio 300, brand: Mep; type: Scorpio 300; saw blade ? : 300; coolant pump: yes; electric connection: 400 V; description: manual clamping device; with roller conveyor and extra blade (maintenance hangar); | 50.00 |
| 88 | 1 | waste containers used for scrap metal: yes; total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 730 mm; description: dump bucket with forklift truck slots; with content ! (Maintenance hangar); | 10.00 |
| 89 | 1 | waste containers used for scrap metal: yes; total dimension L: 1200 mm; total dimension W: 1000 mm; total dimension H: 730 mm; description: dump bucket with forklift truck slots; with content ! (Maintenance hangar); | 10.00 |
| 90 | 1 | steel description: lot of various incl. flat, sleeve, tube, profile; length up to 5 meters; without a rack (maintenance hangar); | 50.00 |
| 91 | 1 | pallet shelve and cantilever racking system dismantable: yes; description: with no content (maintenance hangar); | 10.00 |
| 92 | 1 | lot of various machine chisels description: incl. cupboard (maintenance shed); | 100.00 |
| 93 | 1 | ladder Altrex, Mounter, brand: Altrex; type: Mounter; number of steps: 52; aluminium: yes; extension ladder: yes; description: (maintenance shed); | 50.00 |
| 94 | 2 | rolls of megalene agricultural film Coex, 150 zwart, brand: Coex; type: 150 zwart; description: (1x) dimensions . 11x50 meters (maintenance hangar); | 10.00 |
| 95 | 1 | tires (de) mounting machine Weber Tools, WT 205, year built 2012, brand: Weber Tools; type: WT 205; year: 2012; electric connection: 230 V; description: (maintenance shed); | 100.00 |
| 96 | 1 | tires balancing machine Weber Tools, WT-412, brand: Weber Tools; type: WT-412; electric connection: 230 V; description: (maintenance shed); | 100.00 |
| 97 | 1 | lot of various parts description: with cupboard (maintenance shed); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 98 | 1 | lot of various tires and rims with rims: no; winter tyre: yes; summer tyre: yes; description: 13 "-19"; total approx. 115 pieces; some unused; without rack ! (Maintenance hangar); | 50.00 |
| 99 | 2 | various tires - wheels and racks dismantable: yes; description: (1x) 5-section dimensions . 1800x450x2300 mm and (1x), 2-sections dimensions . 1800x500x2000 mm; without content ! (Maintenance hangar); | 50.00 |
| 100 | 1 | other forest and garden tools description: incl. rakes; brooms; creating and various (maintenance hangar); | 10.00 |
| 101 | 1 | lot of various off rack description: incl. broom without the handle; various hoses ; barbed wire; aluminum door frames, etc .; without rack ! (Maintenance hangar); | 10.00 |
| 102 | 2 | construction lights halogen: yes; tripod: yes; degree of protection (IP): 65; electric connection: 230 V; description: incl. 4 stands and cables (maintenance shed); | 10.00 |
| 103 | 1 | Warehouse racking Overtoom, brand: Overtoom; dismantable: yes; section dim. L: 1500 mm; section dim. W: 600 mm; section dim. H: 2100 mm; number of uprights: 6; number of cross beams: 32; number of shelves: 16; description: without content ! (Maintenance hangar); | 10.00 |
| 104 | 1 | lot of various parts description: all top platform (maintenance hangar); | 10.00 |
| © 105 | 1 | lot of various road signs description: incl. pawns; cable thresholds; building fence clamps; etc. (under shelter); | 100.00 |
| © 106 | 30 | plastic reflection boards with pedestals description: incl. 2 crush barriers (under shelter); | 50.00 |
| © 107 | 1 | lot of reflection marketing fences description: (under shelter); | 10.00 |
| | | road sign | |
| © 108 | 1 | hydraulic breaker Bobcat, B950, brand: Bobcat; type: B950; description: (under shelter); | 100.00 |
| 109 | 1 | nostalgic fuel pump description: (under shelter); | 10.00 |
| 110 | 4 | various transport various description: (under shelter); | 10.00 |
| 111 | 1 | lot of bigbags description: (under shelter); | 10.00 |
| 112 | 1 | lot of various scaffolding Material aluminium: yes; description: incl. lot of galvanized steel poles (under roof); | 10.00 |
| 113 | 1 | steel description: lot of various incl. flat, sleeve, tube, profile; length up to 5 meters; without a rack (under lean); | 50.00 |
| 114 | 1 | Scaffolding Layher, brand: Layher; aluminium: yes; number of base sections: 4; base section size L: 2000 mm; base section W: 1400 mm; number of horizontal braces: 6; horizontal brace length: 2900 mm; number of diagonal braces: 4; number of outriggers: 4; number of boards: 4; board size L: 2900 mm; number of wheels: 4; | 50.00 |
| 115 | 1 | Mobile conveyor Huisman, brand: Huisman; belt dim. L: 4000 mm; belt dim. W: 350 mm; electric connection: 230 V; | 10.00 |
| 116 | 1 | concrete mixer Atika, Profi 145, brand: Atika; type: Profi 145; electric connection: 230 V; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|---|----------------|
| 117 | 1 | demolition sorting grabber GVZ, S1400D, year built 2008, serial number 8042368, brand: GVZ; type: S1400D; year: 2008; serial number: 8042368; clamping force: 6.8 t; operating pressure: 210 bar; CW connector: 40; own weight: 1500 kg; total dimension LxWxH: 1200x1200x1500 mm; description: content 850 ltr .; weight excavator wheeled / tracked or crawler min 20 tons, up to 28 tonnes..; pay attention! connection damaged; | 100.00 |
| 118 | 1 | hydraulic demolition hammer NPK, 50010416, brand: NPK; type: 50010416; total dimension L: 2500 mm; total dimension W: 700 mm; total dimension H: 900 mm; description: CW 40; point Ø120 mm; | 100.00 |
| 119 | 1 | stone lifting clamp hoist capacity: 1200 kg; dimension L: 2000 mm; dimension W: 900 mm; | 10.00 |
| 120 | 1 | excavator/ skeleton bucket bucket size L: 900 mm; bucket size W: 1950 mm; bucket size H: 1000 mm; quick change: yes; description: equipped with hydraulic steering system; CW40; | 100.00 |
| 121 | 1 | broom Den Hartog, brand: Den Hartog; total dimension W: 1750 mm; | 10.00 |
| 122 | 1 | hydraulic rotation block for excavator wheeled / tracked or crawler Dehaco, brand: Dehaco; | 100.00 |
| 123 | 1 | header total dimension L: 800 mm; total dimension W: 600 mm; total dimension H: 650 mm; | 10.00 |
| 124 | 1 | quick coupling cross plate Demtech, brand: Demtech; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 390 mm; description: CW55; | 50.00 |
| © 125 | 1 | fork description: fork length 900 mm; fork width 1100 mm; for Bobcat; | 10.00 |
| 126 | 1 | fork description: fork length 1500 mm; fork width of 1950 mm; equipped with hydraulic fork adjustment; | 10.00 |
| © 127 | 1 | excavator/ skeleton bucket Tobroco, brand: Tobroco; bucket size L: 1600 mm; bucket size W: 950 mm; bucket size H: 800 mm; description: serving Giant wheel loader; | 50.00 |
| 128 | 1 | front plate total dimension L: 1200 mm; total dimension W: 950 mm; | 10.00 |
| © 129 | 1 | excavator/ skeleton bucket bucket size L: 1700 mm; bucket size W: 700 mm; bucket size H: 450 mm; description: for Bobcat; | 10.00 |
| © 130 | 1 | excavator/ skeleton bucket bucket size L: 1700 mm; bucket size W: 700 mm; bucket size H: 450 mm; tilt bucket: no; description: with clamping device; for Bobcat; | 10.00 |
| | | skid steer with attachments | |
| 131 | 1 | digger bucket size L: 1700 mm; bucket size W: 700 mm; bucket size H: 300 mm; | 10.00 |
| 132 | 1 | mini excavator excavator/ skeleton bucket bucket size L: 200 mm; bucket size W: 400 mm; bucket size H: 250 mm; quick change: yes; description: CW05; | 10.00 |
| © 133 | 1 | excavator/ skeleton bucket Tobroco, brand: Tobroco; riddle bucket: yes; total dimension L: 1750 mm; total dimension W: 800 mm; total dimension H: 700 mm; description: serving Giant wheel loader; | 50.00 |
| © 134 | 1 | debris prong Tobroco, TGR-1750, year built 2014, brand: Tobroco; type: TGR-1750; year: 2014; total dimension L: 1750 mm; total dimension W: 900 mm; total dimension H: 600 mm; description: serving Giant wheel loader; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| | 135 | 1 excavator/ skeleton bucket bucket size L: 2100 mm; bucket size W: 1100 mm; bucket size H: 900 mm; quick change: yes; description: CW40; | 100.00 |
| | 136 | 1 excavator/ skeleton bucket bucket size L: 2100 mm; bucket size W: 1000 mm; bucket size H: 700 mm; quick change: yes; description: CW40; | 100.00 |
| | 137 | 1 excavator/ skeleton bucket bucket size L: 350 mm; bucket size W: 1000 mm; bucket size H: 900 mm; digging bucket: yes; quick change: yes; description: CW40; | 100.00 |
| | 138 | 1 excavator/ skeleton bucket bucket size L: 500 mm; bucket size W: 1000 mm; bucket size H: 800 mm; digging bucket: yes; quick change: yes; description: CW40; | 100.00 |
| | 139 | 1 excavator/ skeleton bucket Verachttert, brand: Verachttert; bucket size L: 1050 mm; bucket size W: 1000 mm; bucket size H: 650 mm; digging bucket: no; riddle bucket: yes; quick change: yes; description: CW40; | 100.00 |
| © | 140 | 1 lifting yoke Tobroco, brand: Tobroco; description: capacity 500 kg; serving Giant wheel loader; | 50.00 |
| | 141 | 1 quick coupling cross plate total dimension L: 700 mm; total dimension W: 700 mm; description: CW40; | 10.00 |
| | 142 | 1 mini excavator excavator/ skeleton bucket bucket size L: 200 mm; bucket size W: 500 mm; bucket size H: 450 mm; quick change: yes; description: CW05; | 10.00 |
| | 143 | 1 quick coupling cross plate Demtech, brand: Demtech; description: CW55; | 50.00 |
| | 144 | 1 stone lifting clamp hoist capacity: 1200 kg; dimension L: 1200 mm; dimension W: 1400 mm; description: adjustable in width; hydraulic connection; incl. Beco forklift; | 100.00 |
| | 145 | 1 excavator/ skeleton bucket Verachttert, brand: Verachttert; bucket size L: 1200 mm; bucket size W: 400 mm; bucket size H: 1200 mm; digging bucket: no; riddle bucket: yes; with teeth: yes; quick change: yes; description: CW40; | 100.00 |
| | 146 | 1 front plate Beco, SW6H, year built 2008, brand: Beco; type: SW6H; year: 2008; own weight: 650 kg; description: for Komatsu PC450HRD; | 50.00 |
| | 147 | 1 front plate Eurosteel, PC24, year built 2003, brand: Eurosteel; type: PC24; year: 2003; own weight: 100 kg; | 10.00 |
| | 148 | 1 forklift truck lifting beam total dimension L: 1600 mm; | 10.00 |
| © | 149 | 1 rotary sweeper Holaras, Compact H-170, year built 2013, brand: Holaras; type: Compact H-170; year: 2013; total dimension W: 1700 mm; description: serving Giant wheel loader; | 100.00 |
| | | wheel loader with attachments | |
| | 150 | 1 car lift bridge Ravaglioli, RAV4501 E, year built 2015, serial number 101962215, brand: Ravaglioli; type: RAV4501 E; year: 2015; serial number: 101962215; 4-column: yes; capacity: 5000 kg; lifting height: 2000 mm; path width: 2050 mm; electric connection: 400 V; total dimension L: 6000 mm; total dimension W: 3300 mm; total dimension H: 2650 mm; description: equipped with two pneumatic axle supports; (Garage) beware! later delivery; | 100.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 151 | 1 piston compressor Creemers, SGC 1300/500 YD, year built 2019, serial number ITR1360263, brand: Creemers; type: SGC 1300/500 YD; year: 2019; serial number: ITR1360263; capacity: 10 bar; power: 7.5 kW; buffer tank content: 500 l; hours on display: 69; air dryer: yes; electric connection: 400 V; own weight: 413 kg; total dimension L: 1900 mm; total dimension W: 740 mm; total dimension H: 1420 mm; description: sound muffled housing; | 500.00 |
| 152 | 1 oil and lubrication station description: consisting of ; 5 hose reels; 4 nozzles; oliebar / drip tray; 4 tanks (10W40, 5W30, hydraulic oil and waste oil); incl. pump, suction and rack (without content); pay attention! Subsequent delivery piping to prompt staff Troostwijk; | 10.00 |
| 153 | 1 tooling commode Croon, brand: Croon; total dimension L: 1030 mm; total dimension W: 1400 mm; total dimension H: 1050 mm; description: equipped with 8 load incl. various onto and into cabinet (garage); | 10.00 |
| 154 | 1 parts cleaner 930, brand: 930; own weight: 930 kg; total dimension L: 650 mm; total dimension H: 1410 mm; description: (garage); | 10.00 |
| 155 | 1 mobile pressure tester Romess, brand: Romess; electric connection: 230 V; description: (garage); | 10.00 |
| 156 | 4 various construction lamp description: incl. transformer 230-50 V (garage); | 10.00 |
| 157 | 1 Welding machine Cebora, BI-WELDER 1718, brand: Cebora; type: BI-WELDER 1718; MMA type: yes; electric connection: 230 V; description: incl. various electrodes (garage); | 10.00 |
| 158 | 1 Welding machine Lastek, investor 1400, brand: Lastek; type: investor 1400; MMA type: yes; electric connection: 230 V; description: (garage); | 10.00 |
| 159 | 1 Welding machine Lastek, E 160-1, brand: Lastek; type: E 160-1; tig type: yes; MMA type: yes; electric connection: 230 V; description: excl. cable set (garage); | 10.00 |
| 160 | 1 Welding wire lastek, Laststifil 11017, brand: lastek; type: Laststifil 11017; weight: 15 kg; description: (garage); | 10.00 |
| 161 | 2 various MIG torches description: (garage); | 10.00 |
| 162 | 1 heater kelfort, KEL-KA 3000, brand: kelfort; type: KEL-KA 3000; power: 3 kW; electric connection: 230 V; description: (garage); | 10.00 |
| 163 | 2 heater kelfort, brand: kelfort; electric connection: 230 V; description: 1x 3kW and 1x 2kW (garage); | 10.00 |
| 164 | 1 heater kelfort, brand: kelfort; power: 3 kW; electric connection: 230 V; description: (garage); | 10.00 |
| 165 | 1 heater kelfort, brand: kelfort; power: 3 kW; electric connection: 230 V; description: (garage); | 10.00 |
| 166 | 1 heater Aireco, BX 9 AF, brand: Aireco; type: BX 9 AF; power: 9 kW; electric connection: 400 V; description: (garage); | 10.00 |
| 167 | 1 heater el-björn, brand: el-björn; power: 12 kW; electric connection: 400 V; description: (garage); | 10.00 |
| 168 | 8 several clamping plates description: (garage); | 10.00 |
| 169 | 3 various spring clamps description: (garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 170 | 4 | shaft support height: 290 mm; description: (garage); | 10.00 |
| 171 | 1 | various electric hand tools description: incl. hairdryer; Engraver; etc (garage); | 10.00 |
| 172 | 1 | various tooling description: (garage); | 10.00 |
| 173 | 1 | various nipples in suitcase description: (garage); | 10.00 |
| 174 | 1 | autogenous cutting installation description: various burners and valves (garage); | 10.00 |
| 175 | 2 | various cable reels description: incl. 380 V and 230 V (garage); | 10.00 |
| 176 | 1 | lot of various scissors and forceps description: (garage); | 10.00 |
| 177 | 1 | various tooling description: incl. 2x blowgun, 1x bootgun 3 and various pneumatic spray oil (garage); | 10.00 |
| 178 | 4 | box of sanding discs Mirka, (garage), brand: Mirka; type: (garage); description: 150 pcs diameter 150 mm (garage); | 10.00 |
| 179 | 4 | box of sanding discs Mirka, brand: Mirka; description: 150 pcs diameter 150 mm (garage); | 10.00 |
| 180 | 1 | time adjustment set Midlock, 2174-VAG, brand: Midlock; type: 2174-VAG; description: (garage); | 10.00 |
| 181 | 2 | special tool set description: incl. . "Action", "Webel tools" type WT-2018 and one digital disk size (garage); | 10.00 |
| 182 | 1 | cleaning set description: 11-part (garage); | 10.00 |
| 183 | 1 | hydrocarbon meter Acta, Correct Control HC, brand: Acta; type: Correct Control HC; description: in suitcase (garage); | 10.00 |
| 184 | 1 | hydrocarbon meter Acta, Correct Control HC 3, brand: Acta; type: Correct Control HC 3; description: in suitcase (garage); | 10.00 |
| 185 | 1 | Pump unit FMT, brand: FMT; electric connection: 230 V; description: (garage); | 10.00 |
| 186 | 1 | air cannon Yuan, Bead Bazooka XL, brand: Yuan; type: Bead Bazooka XL; description: (garage); | 10.00 |
| 187 | 1 | welding accessories 3M, 9100 FX, brand: 3M; type: 9100 FX; description: fresh air full face weld; in bag excl. charger (garage); | 10.00 |
| 188 | 1 | reducing box Acta, L0034, brand: Acta; type: L0034; description: (garage); | 10.00 |
| 189 | 2 | electric hand-held grinding machine Bosch, brand: Bosch; with case: yes; electric connection: 230 V; description: 1x diameter 230 mm and 1x diameter 230 mm (garage); | 10.00 |
| 190 | 1 | electric hand-held grinding machine Bosch, GWS 26-230 JBV, brand: Bosch; type: GWS 26-230 JBV; disc diameter: 230 mm; with case: no; electric connection: 230 V; description: (garage); | 10.00 |
| 191 | 2 | electric hand-held grinding machine Bosch, GWS qq-125, brand: Bosch; type: GWS qq-125; disc diameter: 125 mm; with case: no; electric connection: 230 V; description: (garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 192 | 1 | electric hand-held grinding machine Bosch, GWS 14-125 CI, brand: Bosch; type: GWS 14-125 CI; disc diameter: 125 mm; with case: yes; electric connection: 230 V; description: (garage); | 10.00 |
| 193 | 1 | angle brush sanding machine Festool, RAS 115.04, brand: Festool; type: RAS 115.04; electric connection: 230 V; description: (garage); | 10.00 |
| 194 | 1 | Angle saneerings milling machine Festool, SAF 750E, brand: Festool; type: SAF 750E; electric connection: 230 V; with case: yes; description: (garage); | 10.00 |
| 195 | 1 | concrete circular saw makita, brand: makita; description: disc diameter approx. 350 mm; 50 V; equipped with running water; incl. transducer (garage); | 10.00 |
| 196 | 1 | motor belt saw stihl, TS 410, brand: stihl; type: TS 410; description: (garage); | 10.00 |
| 197 | 1 | chain saw Stihl, MS441C, brand: Stihl; type: MS441C; saw blade size L: 440 mm; description: (garage); | 10.00 |
| 198 | 1 | Socket Usag, brand: Usag; description: 8-part; incl. 4 cross keys (garage); | 10.00 |
| 199 | 1 | floor car dimension L: 75 cm; dimension W: 45 cm; dimension H: 92 cm; description: (garage); | 10.00 |
| 200 | 1 | small material rack berner, brand: berner; description: consisting of three sections, equipped with charging shelves, and grab hoppers; incl. various content (garage); | 10.00 |
| 201 | 1 | tool trolleys Hazet, brand: Hazet; number of drawers: 8; with content: yes; total dimension L: 730 mm; total dimension W: 570 mm; total dimension H: 1030 mm; description: excl. key (garage); | 10.00 |
| 202 | 3 | various air compressor tanks description: (garage); | 10.00 |
| 203 | 1 | pneumatic demolition hammer description: incl. chisel (garage); | 10.00 |
| 204 | 1 | pneumatic demolition hammer WW, brand: WW; description: incl. chisel (garage); | 10.00 |
| 205 | 1 | pneumatic demolition hammer description: incl. chisel (garage); | 10.00 |
| 206 | 1 | pneumatic demolition hammer description: incl. chisel (garage); | 10.00 |
| 207 | 1 | pneumatic demolition hammer description: incl. chisel (garage); | 10.00 |
| 208 | 1 | pneumatic demolition hammer WW, brand: WW; description: (garage); | 10.00 |
| 209 | 1 | pneumatic demolition hammer WW, brand: WW; description: (garage); | 10.00 |
| 210 | 1 | pneumatic demolition hammer WW, brand: WW; description: (garage); | 10.00 |
| 211 | 2 | pneumatic demolition hammer description: incl. chisel (garage); | 10.00 |
| 212 | 5 | various pneumatic jack hammer description: (garage); | 10.00 |
| 213 | 1 | pneumatic demolition hammer Spit, 509S, brand: Spit; type: 509S; description: in suitcase (garage); | 10.00 |
| 214 | 1 | pneumatic wrench Rodac, RC 705, brand: Rodac; type: RC 705; description: 1 "(garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 215 | 1 | pneumatic wrench Sumo, brand: Sumo; description: 1 "(garage); | 10.00 |
| 216 | 2 | various pneumatic wrenches description: 1/2 "(garage); | 10.00 |
| 217 | 6 | pneumatic tooling description: w.ol grinder; noeraanzetter; grinding machine/ belt sander , etc. (garage); | 10.00 |
| 218 | 1 | garage ride compac, brand: compac; capacity: 1.5 t; description: incl. mechanic trolley and jack (garage); | 10.00 |
| 219 | 1 | pneumatic garage jack Rodac, ROGCL 20T65, brand: Rodac; type: ROGCL 20T65; capacity: 65 t; description: max. lifting height 415 mm (garage); | 10.00 |
| 220 | 1 | battery booster telwin, Dynamic 520, brand: telwin; type: Dynamic 520; voltage: 12-24 V; with booster function: yes; electric connection: 230 V; description: (garage); | 10.00 |
| 221 | 1 | trailer lighting test unit description: (garage); | 10.00 |
| 222 | 2 | wasser pump grundfos, CR5, brand: grundfos; type: CR5; power: 0.75 kW; capacity: 5800 l/hr; H-max.: 33.5 m; electric connection: 230 V; description: (garage); | 10.00 |
| 223 | 2 | Pickup truck description: (garage); | 10.00 |
| 224 | 1 | steam generator Yanmar, brand: Yanmar; description: diesel; capacity max. 3000 W (garage); | 10.00 |
| 225 | 1 | steam generator Honda, ECT 6500, brand: Honda; type: ECT 6500; gasoline: yes; engine brand + model: Honda GX 30 13.0; mobile: yes; description: 3500 W (garage); | 10.00 |
| 226 | 1 | Stairs altrex, brand: altrex; number of steps: 6; aluminium: yes; description: (garage); | 10.00 |
| 227 | 1 | Stairs altrex, brand: altrex; number of steps: 6; aluminium: yes; description: (garage); | 10.00 |
| 228 | 1 | Stairs altrex, brand: altrex; number of steps: 5; aluminium: yes; description: (garage); | 10.00 |
| 229 | 1 | Stairs altrex, brand: altrex; number of steps: 5; aluminium: yes; description: (garage); | 10.00 |
| 230 | 1 | dust extraction fan dryfast, DAF 2500, brand: dryfast; type: DAF 2500; description: capacity 2500 m3 / h; 230 V; incl. hose (garage); | 10.00 |
| 231 | 1 | hydraulic transmission lift AC Hydraulics, VL3, brand: AC Hydraulics; type: VL3; description: capacity 0.3 tonn incl. mobile oil collecting unit, and various oil filters (garage); | 10.00 |
| 232 | 1 | tool trolleys with content: yes; description: incl. various heavy wrenches and sockets (garage); | 10.00 |
| 233 | 1 | mobile oil pump unit description: pneumatic; incl. barrel and grease pump (garage); | 10.00 |
| 234 | 1 | manual hydraulics baler SPX POWER TEAM, P59, brand: SPX POWER TEAM; type: P59; description: including "holmatro" mortar. capacity up to 120 kN.; on storey car (car); | 10.00 |
| 235 | 2 | double water tap description: (garage); | 10.00 |
| 236 | 1 | mixer Swinko, MXT100.1, brand: Swinko; type: MXT100.1; electric connection: 230 V; description: (garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 237 | 1 | industrial vacuum cleaner nilfisk, brand: nilfisk; electric connection: 230 V; description: equipped with three filters; height approx. 110 cm (garage); | 10.00 |
| 238 | 1 | industrial vacuum cleaner Soteco, DAKOTA 423, brand: Soteco; type: DAKOTA 423; power: 2600 W; electric connection: 230 V; description: excl. hose (garage); | 10.00 |
| 239 | 1 | industrial vacuum cleaner Starmix, NSG, brand: Starmix; type: NSG; power: 1400 W; electric connection: 230 V; description: (garage); | 10.00 |
| 240 | 1 | vacuum cleaners Numatic , brand: Numatic ; description: excl. bar (garage); | 10.00 |
| 241 | 1 | vibrating plate weber, BV 45-2, brand: weber; type: BV 45-2; operation weight: 58 kg; base plate size L: 450 mm; base plate size W: 450 mm; description: vv "Honda" petrol engine (garage); | 10.00 |
| 242 | 1 | Trimmer weber, SRV 65, year built 2003, serial number 305868, brand: weber; type: SRV 65; year: 2003; serial number: 305868; shoe size L: 340 mm; shoe size W: 280 mm; engine power: 3 kW; description: incl. hand trolley (garage); | 50.00 |
| 243 | 1 | Trimmer Wacker Neuson, BS50-2, brand: Wacker Neuson; type: BS50-2; shoe size L: 330 mm; shoe size W: 250 mm; description: (garage); | 50.00 |
| 244 | 1 | vibrating plate description: without a base plate ; defective! (garage); | 10.00 |
| 245 | 1 | vibrating plate weber, 15D430 1200, brand: weber; type: 15D430 1200; base plate size L: 670 mm; base plate size W: 650 mm; brand engine: faryman; engine power: 3.34 kW; fuel type: diesel; description: (garage); | 10.00 |
| 246 | 1 | cultivator working width: 650 mm; description: vv "Briggs & Stratton" engine (garage); | 10.00 |
| 247 | 2 | hand pressure sprayer gloria, 405T, brand: gloria; type: 405T; description: capacity 5 liters (garage); | 10.00 |
| 248 | 2 | hand pressure sprayer gloria, brand: gloria; description: capacity 5.10 liters (garage); | 10.00 |
| 249 | 1 | pressure washer Honda, brand: Honda; mobile: yes; description: equipped with 5 Horse Power gasoline; incl. hose and lance (garage); | 10.00 |
| 250 | 1 | anti-dust water spray installation Dehaco, DeDust PICO, year built 2009, brand: Dehaco; type: DeDust PICO; year: 2009; description: water consumption 3 l / h-max. 3 bar; air consumption 92 l / h-max. 6 bar (garage); | 10.00 |
| 251 | 1 | mobile pneumatic grease pump orion, brand: orion; description: (garage); | 10.00 |
| 252 | 1 | mobile work light electric connection: 230 V; total dimension H: 1750 mm; description: (garage); | 10.00 |
| 253 | 1 | diesel tank description: (garage); | 10.00 |
| 254 | 1 | mobile hydraulic pump Holmatro, IPU-M 12 W 6 SD, year built 2014, brand: Holmatro; type: IPU-M 12 W 6 SD; year: 2014; operating pressure: 650 bar; tank capacity: 6 l; electric connection: 230 V; description: incl. scissor type ICU16 A 30 (garage); | 100.00 |
| 255 | 1 | floor scraper Wolf, Duro Stripper, brand: Wolf; type: Duro Stripper; electric connection: 230 V; description: working width approx. 210 mm (garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 256 | 1 | hose reel car description: (garage); | 10.00 |
| 257 | 1 | headlamp tester Technolux&Tecnoil, WOLF, year built 2008, serial number 0258, brand: Technolux&Tecnoil; type: WOLF; year: 2008; serial number: 0258; working height max.: 1500 mm; electric connection: 230 V; description: (garage); | 10.00 |
| 258 | 1 | lot of diver description: incl. wheelbarrow; plateauwagen; and cockpit with content (garage); | 10.00 |
| 259 | 5 | various keyless stamps description: (garage); | 10.00 |
| 260 | 7 | various crowbars description: (garage); | 10.00 |
| 261 | 4 | For hammer description: (garage); | 10.00 |
| 262 | 1 | environmental cabinet dimension L: 60 cm; dimension W: 90 cm; dimension H: 197 cm; description: . excl content ; Key shortcomings (garage) ; | 10.00 |
| 263 | 1 | 2-door cabinet dimension L: 45 cm; dimension W: 100 cm; dimension H: 196 cm; description: incl. various empty tool boxes (garage); | 10.00 |
| 264 | 1 | demolition sorting grabber GVZ, S150D, year built 2009, serial number 9053010, brand: GVZ; type: S150D; year: 2009; serial number: 9053010; rotator: yes; operating pressure: 300 bar; CW connector: 20; own weight: 140 kg; description: gripper width approx. 450 mm (garage); | 100.00 |
| 265 | 1 | hydraulic shears Dehaco, MCR 010, year built 2012, brand: Dehaco; type: MCR 010; year: 2012; own weight: 105 kg; description: pressure 210 bar; CW 20 (garage); | 100.00 |
| 266 | 1 | hydraulic demolition hammer description: ; CW 20 (garage); | 50.00 |
| 267 | 1 | hydraulic demolition hammer description: ; CW 20 (garage); | 50.00 |
| 268 | 1 | block clamp description: opening max. 350 mm; (garage); | 10.00 |
| 269 | 1 | beam clamp description: capacity Max. 3000 kg (garage); | 10.00 |
| 270 | 1 | various hitches description: in 1 cockpit (garage); | 10.00 |
| 271 | 1 | various lifting equipment description: wool chains; hoist etc; in 1 mobile steel box (garage); | 10.00 |
| 272 | 1 | various hoisting chains and hooks description: (garage); | 10.00 |
| 273 | 3 | lifting chains description: incl. 2x 4-jump and 1x 2-jump (garage); | 10.00 |
| 274 | 1 | various lifting equipment description: incl. . lifting chain ; lifting hook and trolley (garage); | 10.00 |
| 275 | 2 | lifting chains description: incl. 1x 4-jump and 1x 2-jump (garage); | 10.00 |
| 276 | 1 | Ratchet hoist and chain hoist Menta / Estil, brand: Menta / Estil; hoist capacity: 3000 kg; description: incl. chain hoist , capacity 500 kg (garage); | 10.00 |
| 277 | 13 | various harpswitches description: (garage); | 10.00 |
| 278 | 4 | Chargers description: (garage); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 279 | 5 | various lifting chains description: (garage); | 10.00 |
| 280 | 1 | vehicle electronics tester Ferve, F.609, brand: Ferve; type: F.609; electric connection: 230 V; description: wall mounted (garage); | 10.00 |
| 281 | 8 | various aid kits description: (garage); | 10.00 |
| 282 | 1 | welding table top thickness: 13 mm; dimension L: 740 mm; dimension W: 3100 mm; dimension H: 920 mm; description: equipped with 2-Stone grinding machine and vise (garage) (later delivery); | 10.00 |
| 283 | 1 | steam distribution box friand, year built 2010, brand: friand; year: 2010; description: 63A, (garage); | 10.00 |
| 284 | 1 | flow divider Vello, V38.1, year built 2011, brand: Vello; type: V38.1; year: 2011; description: 32A, (garage); | 10.00 |
| 285 | 1 | electrical cord test unit description: (garage); | 10.00 |
| 286 | 1 | steam distribution box Hatema, year built 2008, brand: Hatema; year: 2008; description: 32A, (garage); | 10.00 |
| 287 | 1 | lot of various sockets and adapters description: (garage); | 10.00 |
| 288 | 30 | tube of fat Q8, CL2, brand: Q8; type: CL2; description: in 2 boxes (garage); | 10.00 |
| 289 | 1 | lot of various strings description: (garage); | 10.00 |
| 290 | 1 | grid filter cart total dimension L: 750 mm; total dimension W: 450 mm; total dimension H: 700 mm; description: (garage); | 10.00 |
| 291 | 1 | Stairs little giant, brand: little giant; number of steps: 3; aluminium: yes; description: incl. steel step (garage); | 10.00 |
| 292 | 1 | liquids rack total dimension L: 600 mm; total dimension W: 920 mm; total dimension H: 1900 mm; description: excl. content (garage); | 10.00 |
| 293 | 3 | wall reel description: incl. .2x electricity 230 V; and 1x pneumatic (garage); | 10.00 |
| 294 | 1 | lot of warehouse stock description: incl. fastening material; plugs; tools; vehicle parts, hydraulic and pneumatic components; grinding wheels; drilling etc .; 14 from magazine boxes (warehouse garage); | 100.00 |
| 295 | 1 | lot of warehouse stock description: incl. PPE and various cleaning / lubricants; from 2 workshop cabinets (storage garage); | 10.00 |
| 296 | 1 | lot of warehouse stock description: incl. overalls; voeruigonderdelen; hand tools and various ; of 3 sections magazine rack ; (Storage garage); | 10.00 |
| 297 | 2 | workplace cabinets description: without content ! (Storage garage); | 10.00 |
| 298 | 1 | Warehouse racking dismantable: yes; number of uprights: 5; number of shelves: 14; description: pay attention! without content; | 10.00 |
| 299 | 14 | storage cupboards description: pay attention! without content; | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 300 | 1 | desk with chair and monitor description: (warehouse garage); | 10.00 |
| 301 | 1 | core drill Fein, KBM 52U, brand: Fein; type: KBM 52U; drilling capacity: 50 mm; electric connection: 230 V; description: (canteen); | 10.00 |
| 302 | 3 | battery tools Panasonic, brand: Panasonic; voltage: 18 V; number of batteries: 3; battery charger: yes; with case: yes; screw machine: yes; impact wrench: yes; | 10.00 |
| 303 | 1 | cordless tools Panasonic, EY75A8, brand: Panasonic; type: EY75A8; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: (canteen); | 10.00 |
| 304 | 1 | cordless tools Panasonic, EY75A8, brand: Panasonic; type: EY75A8; voltage: 18 V; number of batteries: 2; battery charger: yes; with case: yes; impact wrench: yes; description: (canteen); | 10.00 |
| 305 | 1 | electric hand drill Bosch, GBH 2-22R, brand: Bosch; type: GBH 2-22R; impact drill: yes; with case: yes; electric connection: 230 V; description: (canteen); | 10.00 |
| 306 | 1 | electric hand drill Hilti, TE-3 C, brand: Hilti; type: TE-3 C; impact drill: yes; with case: yes; electric connection: 230 V; description: (canteen); | 10.00 |
| 307 | 1 | electric hand drill Hilti, TE-3 C, brand: Hilti; type: TE-3 C; impact drill: yes; with case: yes; electric connection: 230 V; description: (canteen); | 10.00 |
| 308 | 3 | Wire netsets tap and die set: yes; metric: yes; with case: yes; description: incomplete (canteen); | 10.00 |
| 309 | 1 | 16-piece milling set description: (canteen); | 10.00 |
| 310 | 1 | threaded end repair set 16-part Weber Tools, WT-3010, brand: Weber Tools; type: WT-3010; description: (canteen); | 10.00 |
| 311 | 1 | pipe connector removal set 22-piece Weber Tools, WT-3002, brand: Weber Tools; type: WT-3002; description: (canteen); | 10.00 |
| 312 | 1 | Wire cutting V-coil, brand: V-coil; tap and die set: yes; tap set: no; metric: yes; with case: yes; description: capacity M5-M12 (canteen); | 10.00 |
| 313 | 4 | sets various hand tools description: drill bit set; 2x thread cutting set and plug set; | 10.00 |
| 314 | 1 | Drill grinder Drill Doctor, DD 750XIBM, brand: Drill Doctor; type: DD 750XIBM; description: (canteen); | 10.00 |
| 315 | 1 | timing tool set Weber Tools, WT-2003, brand: Weber Tools; type: WT-2003; description: serving Renault (canteen); | 10.00 |
| 316 | 1 | lot of various box cutters description: (canteen); | 10.00 |
| 317 | 1 | special tool set description: (canteen); | 10.00 |
| 318 | 1 | Torque wrench Hazet, 6293-1CT, brand: Hazet; type: 6293-1CT; taper: 1/2 "; torque range till: 32 Nm; | 10.00 |
| 319 | 1 | diesel injector seal remover set description: (canteen); | 10.00 |
| 320 | 2 | grease guns description: (canteen); | 10.00 |
| 321 | 2 | Hand saws Bahco, brand: Bahco; description: (canteen); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 322 | 2 | Hand saws Stanley, brand: Stanley; description: (canteen); | 10.00 |
| 323 | 2 | Hand saws Stanley, brand: Stanley; description: (canteen); | 10.00 |
| 324 | 3 | hammers drilling hammer: yes; description: (canteen); | 10.00 |
| 325 | 9 | ball head lifting eyes description: (canteen); | 10.00 |
| 326 | 1 | Drill set metal: yes; description: Ø1-10 mm (canteen); | 10.00 |
| 327 | 1 | construction lamp LED: yes; description: equipped with clamping hooks; USB connector (canteen); | 10.00 |
| 328 | 1 | automotive diagnostic equipment Crypton, 290, brand: Crypton; type: 290; description: (canteen); | 10.00 |
| 329 | 1 | special tool set Weber Tools, brand: Weber Tools; description: (canteen); | 10.00 |
| 330 | 1 | pressure tester set description: (canteen); | 10.00 |
| 331 | 1 | automotive diagnostische apparatuur Allround Automotive Equipment, APK2 EOBD, merk: Allround Automotive Equipment; type: APK2 EOBD; omschrijving: (kantine); | 10.00 |
| 332 | 1 | diesel engine special tool set Weber Tools, WT-2007, brand: Weber Tools; type: WT-2007; description: serving Ford Tdci motors (canteen); | 10.00 |
| 333 | 1 | cleaning set Vibropac, brand: Vibropac; description: (canteen); | 10.00 |
| 334 | 1 | diesel engine special tool set Weber Tools, WT-2007, brand: Weber Tools; type: WT-2007; description: Renault serving dCi motors (canteen); | 10.00 |
| 335 | 1 | special tool set Weber Tools, WT-2007, brand: Weber Tools; type: WT-2007; description: behalf of BMW motorcycles (canteen); | 10.00 |
| 336 | 1 | special tool set Weber Tools, WT-2007, brand: Weber Tools; type: WT-2007; description: behalf of BMW motorcycles (canteen); | 10.00 |
| 337 | 1 | Torque wrench taper: 3/4 "; torque range from: 400 Nm; torque range till: 1000 Nm; description: (canteen); | 10.00 |
| 338 | 1 | electric hand saw Bosch, GSA 1300 PCE, brand: Bosch; type: GSA 1300 PCE; max. depth of cut: 220 mm; with case: yes; electric connection: 230 V; description: reciprocating saw (canteen); | 10.00 |
| 339 | 1 | electric hand saw Bosch, GSA 1300 PCE, brand: Bosch; type: GSA 1300 PCE; max. depth of cut: 220 mm; with case: yes; electric connection: 230 V; description: reciprocating saw (canteen); | 10.00 |
| 340 | 1 | electric hand saw Hilti, WSR 1400-PE, brand: Hilti; type: WSR 1400-PE; max. depth of cut: 220 mm; with case: yes; electric connection: 230 V; description: reciprocating saw (canteen); | 10.00 |
| 341 | 1 | electric hand saw Hilti, WSR 1400-PE, brand: Hilti; type: WSR 1400-PE; max. depth of cut: 220 mm; with case: yes; electric connection: 230 V; description: reciprocating saw (canteen); | 10.00 |
| 342 | 1 | electric hand drill Bosch, brand: Bosch; combi drill: yes; with case: yes; electric connection: 230 V; description: incl. 3 various chisels (canteen); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|--|----------------|
| 343 | 1 | electric hand drill Bosch, GBH8-45 DV, brand: Bosch; type: GBH8-45 DV; combi drill: yes; with case: yes; electric connection: 230 V; description: incl. 3 various chisels (canteen); | 10.00 |
| 344 | 1 | automotive diagnostic equipment Casu , CR2000, brand: Casu ; type: CR2000; description: remvertragiings- and pedal force meter (canteen); | 10.00 |
| 345 | 1 | slot hole cutter Invest Tools, brand: Invest Tools; description: (canteen); | 10.00 |
| 346 | 1 | toolbox with various description: incl. navigation systems (canteen); | 10.00 |
| 347 | 3 | concrete sanding discs Diamag, BG707111, brand: Diamag; type: BG707111; description: serving BGS-250 (canteen); | 10.00 |
| 348 | 1 | diesel engine compression test set Laser, 4510, brand: Laser; type: 4510; description: (canteen); | 10.00 |
| 349 | 1 | diesel engine compression test set Weber Tools, WT 1030 A, brand: Weber Tools; type: WT 1030 A; description: (canteen); | 10.00 |
| 350 | 1 | hand grinder Dremel, 3000, brand: Dremel; type: 3000; speed till N=: 33000 rpm; description: (canteen); | 10.00 |
| 351 | 1 | hand grinder Proxxon, brand: Proxxon; description: (canteen); | 10.00 |
| 352 | 1 | automotive diagnostic equipment description: (canteen); | 10.00 |
| 353 | 1 | pump set Quickflow, brand: Quickflow; description: (canteen); | 10.00 |
| 354 | 2 | Doppensets Berner / Heyco, brand: Berner / Heyco; drive : 3/4 "; with case: yes; description: (canteen); | 10.00 |
| 355 | 1 | autogenous cutting burner set description: with two pressure-reducing valves (canteen); | 10.00 |
| 356 | 1 | lot of hose clamps and pipe fittings description: (canteen); | 10.00 |
| 357 | 1 | Torque wrench Dragon Tools, brand: Dragon Tools; taper: 1 "; description: (canteen); | 10.00 |
| 358 | 1 | spanner set metric: yes; set: yes; piece: 4; description: equipped with gripkop (canteen); | 10.00 |
| 359 | 1 | spanner set Carolus, brand: Carolus; metric: yes; set: yes; piece: 12; | 10.00 |
| 360 | 1 | absorption set Zep, brand: Zep; description: (canteen); | 10.00 |
| 361 | 1 | special tool set description: serving couplings (canteen); | 10.00 |
| 362 | 1 | blind rivet pliers description: (canteen); | 10.00 |
| 363 | 2 | various hand tools description: pipe cutter, blind rivet pliers, screwdrivers, O-ring sets with pliers; incl. toolbox / stool (canteen); | 10.00 |
| 364 | 1 | pneumatic hand grinder Hazet, brand: Hazet; description: (canteen); | 10.00 |
| 365 | 1 | rotation laser Topcon, RL-H4C, brand: Topcon; type: RL-H4C; description: incl. Receiver LS-80L and tripod (canteen); | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 366 | 1 | rotation laser Kieboom Laser, KL850, brand: Kieboom Laser; type: KL850; description: incl. LS440 receiver and tripod (canteen); | 100.00 |
| 367 | 1 | rotation laser Kieboom Laser, LB700-GR, brand: Kieboom Laser; type: LB700-GR; description: incl. Topcon receiver LS-80L and tripod (canteen); | 100.00 |
| 368 | 1 | rotation laser Hilti, PR 2-HS, brand: Hilti; type: PR 2-HS; description: Incl. 2x receiver PRA 20; battery chargers and tripod (canteen); | 100.00 |
| 369 | 1 | rotation laser Hilti, PR 2-HS, brand: Hilti; type: PR 2-HS; description: Incl. Receiver PRA 20; battery chargers and tripod (canteen); | 100.00 |
| 370 | 1 | rotation laser Hilti, PR 2-HS, brand: Hilti; type: PR 2-HS; description: incl. receiver PRA 20 and tripod (canteen); | 100.00 |
| 371 | 1 | rotation laser Leica, Rugby 820, brand: Leica; type: Rugby 820; description: incl. EYE ROD receiver 160 and tripod (canteen); | 100.00 |
| 372 | 1 | laser receiver Leica, Rod eye 180, brand: Leica; type: Rod eye 180; description: incl. telescopic measuring stick (canteen); | 10.00 |
| 373 | 1 | laser receiver Laser Alignment, Rod eye 8, brand: Laser Alignment; type: Rod eye 8; description: incl. telescopic measuring stick (canteen); | 10.00 |
| 374 | 1 | machine laser receiver Leica, MC200 Depthmaster, brand: Leica; type: MC200 Depthmaster; description: equipped with clamp (canteen); | 100.00 |
| 375 | 1 | machine laser receiver Laser Alignment, Depthmaster 200, brand: Laser Alignment; type: Depthmaster 200; description: equipped with clamp (canteen); | 100.00 |
| 376 | 1 | sewer laser Topcon, TP-L3G, brand: Topcon; type: TP-L3G; description: incl. remote control and accessories (canteen); | 100.00 |
| 377 | 1 | device tests Fluke , 6500 Appliance Tester, brand: Fluke ; type: 6500 Appliance Tester; description: (canteen); | 50.00 |
| 378 | 1 | multi-function tester Fluke , 1654B, brand: Fluke ; type: 1654B; description: (canteen); | 50.00 |
| 379 | 1 | radio detection device Radiodetection, RD400 STx, brand: Radiodetection; type: RD400 STx; description: (canteen); | 50.00 |
| 380 | 1 | cable detection device Leica, Digicat 100, year built 2009, serial number 016995, brand: Leica; type: Digicat 100; year: 2009; serial number: 016995; | 50.00 |
| 381 | 1 | metal detection device CST, Magna-Trak 100, brand: CST; type: Magna-Trak 100; description: (canteen); | 50.00 |
| 382 | 1 | lot of Electrotechnical material description: (canteen); | 10.00 |
| 383 | 1 | special tool set Weber Tools, WT-2107, brand: Weber Tools; type: WT-2107; description: (canteen); | 10.00 |
| 384 | 1 | portable electric pump SuperFlow, MV-50, brand: SuperFlow; type: MV-50; electric connection: 12 V; description: 30 amp., 120 psi (canteen); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 385 | 6 | signal lights description: (canteen); | 10.00 |
| 386 | 3 | various bits and drill sets description: (canteen); | 10.00 |
| 387 | 2 | various special tool sets description: (canteen); | 10.00 |
| 388 | 2 | various special tool sets description: (canteen); | 10.00 |
| 389 | 2 | pump piston handles Laurel, Wood Powr-Grip, brand: Laurel; type: Wood Powr-Grip; description: (canteen); | 10.00 |
| 390 | 2 | various sealants Hilti, brand: Hilti; description: (canteen); | 10.00 |
| 391 | 1 | torque wrench tester Beta, 601, brand: Beta; type: 601; digital: yes; | 10.00 |
| 392 | 3 | various testing devices | 10.00 |
| 393 | 1 | special tool set Eldon, 23061-00, brand: Eldon; type: 23061-00; description: for (PSA engines) Peugeot-Citroen (canteen); | 10.00 |
| 394 | 1 | handheld device description: (canteen); | 50.00 |
| 395 | 1 | turbo system tester AT 12012, type: AT 12012; description: (canteen); | 10.00 |
| 396 | 1 | brake pressure tester Alba Diagnostics, ALB30564, brand: Alba Diagnostics; type: ALB30564; description: (canteen); | 10.00 |
| 397 | 1 | outer size micrometer Hogetex, IP54, brand: Hogetex; type: IP54; digital: yes; measuring range from: 75 mm; measuring range till: 100 mm; with case: yes; description: (canteen); | 10.00 |
| 398 | 1 | outer size micrometer Hogetex, IP65, brand: Hogetex; type: IP65; digital: yes; measuring range from: 75 mm; measuring range till: 100 mm; with case: yes; description: (canteen); | 10.00 |
| 399 | 1 | depth gauge analog: yes; measuring range from: 30 mm; measuring range till: 50 mm; with case: yes; description: (canteen); | 10.00 |
| 400 | 1 | depth gauge analog: yes; measuring range from: 18 mm; measuring range till: 35 mm; with case: yes; description: (canteen); | 10.00 |
| 401 | 1 | depth gauge analog: yes; measuring range from: 50 mm; measuring range till: 160 mm; with case: yes; description: (canteen); | 10.00 |
| 402 | 1 | end-size set 47-piece measuring range from: 1 mm; measuring range till: 100 mm; with case: yes; description: incl. within 5-30 micrometer mm (canteen); | 10.00 |
| 403 | 2 | cooling system test sets description: incomplete (canteen); | 10.00 |
| 404 | 1 | injection test set Midlock, brand: Midlock; description: (canteen); | 10.00 |
| 405 | 1 | compression test set Midlock, TE-115, brand: Midlock; type: TE-115; description: (canteen); | 10.00 |
| 406 | 2 | various test sets description: (canteen); | 10.00 |
| 407 | 1 | cooling gas meter Weber Tools, WT-11051A, brand: Weber Tools; type: WT-11051A; description: (canteen); | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 408 | 1 leakage test set Weber Tools, WT-111021, brand: Weber Tools; type: WT-111021; description: for petrol engines (canteen); | 10.00 |
| 409 | 2 special tool sets Midlock, 43-12-R en 2781, brand: Midlock; type: 43-12-R en 2781; description: 12-piece borgveertangenset and remzuigergereedschapset (canteen); | 10.00 |
| 410 | 1 oil filter tool set description: (canteen); | 10.00 |
| 411 | 1 wheel bearing service set Weber Tools, WT 161520, brand: Weber Tools; type: WT 161520; description: behalf of front-wheel driven cars (canteen); | 10.00 |
| 412 | 1 coolant fill set Alba Diagnostics, ALB30771, brand: Alba Diagnostics; type: ALB30771; description: (canteen); | 10.00 |
| 413 | 1 Battery tester Midtronics, EXP-1000 Heavy Duty, brand: Midtronics; type: EXP-1000 Heavy Duty; description: Testing of 6-24 volt batteries (canteen); | 10.00 |
| 414 | 1 Pneumatic tacker Ecotools, ST64-N, year built 2017, brand: Ecotools; type: ST64-N; year: 2017; description: T-nails 18-64 mm (canteen); | 10.00 |
| 415 | 1 Pneumatic tacker Spero, BS50-F1, brand: Spero; type: BS50-F1; with case: yes; description: nails 15-50mm (canteen); | 10.00 |
| 416 | 3 various gauges description: incl. case with accessories (canteen); | 10.00 |
| 417 | 3 tires repair kits description: (canteen); | 10.00 |
| 418 | 1 water cooler and soup dispenser description: (canteen); | 10.00 |
| 419 | 1 Dishwasher Etna, EVW7961WIT/E02, brand: Etna; type: EVW7961WIT/E02; description: (canteen); | 10.00 |
| 420 | 1 coffee machine Animo, TempoFresh, brand: Animo; type: TempoFresh; multiple hot drinks: yes; description: incl. base cabinet (canteen); | 50.00 |
| 421 | 1 refrigerator Liebherr, KSSv 4260-25B, brand: Liebherr; type: KSSv 4260-25B; volume refrigerator: 413 l; electric connection: 230 V; | 10.00 |
| 422 | 1 beamer Philips, brand: Philips; description: incl. digital decoder (canteen); | 10.00 |
| 423 | 5 Fire extinguishers description: (canteen); | 10.00 |
| 424 | 6 Fire extinguishers description: (canteen); | 10.00 |
| 425 | 8 Fire extinguishers description: (canteen); | 10.00 |
| 426 | 18 canteens description: (office bg); | 10.00 |
| 427 | 1 office inventory description: consisting of ; desk; 7 office chairs; load block and three cabinets ; pay attention! without a PC and peripherals (office bg); | 10.00 |
| 428 | 1 office inventory description: consisting of ; 2 agencies; 5 office chairs; 3 drawer units/ filling pedestal ; Tables 2 and 3, various cabinets ; pay attention! without a PC and peripherals (office bg); | 10.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 429 | 4 | filing cabinets roll-front cabinet: yes; description: (office bg); | 10.00 |
| 430 | 1 | office inventory description: consisting of ; 2 is electrically height-adjustable desks; 5 office chairs; 2 drawer units/ filing pedestal and 5 various cabinets ; pay attention! without a PC and peripherals (office 1st Floor); | 10.00 |
| 431 | 1 | Water cooler description: incl. lot of water bottles (office 1st floor); | 10.00 |
| 432 | 1 | fitness bike description: incl. pad and back plate (office 1st floor); | 10.00 |
| 433 | 1 | office inventory description: consisting of ; T-shaped desk; 1 chair; 2 drawer units/ filing pedestal and two cabinets ; pay attention! without a PC and peripherals (office 1st Floor); | 10.00 |
| 434 | 1 | office inventory description: consisting of ; L-shaped management office; 1 chair; 2 chairs; pedestal and sideboard; pay attention! without a PC and peripherals (office 1st Floor); | 10.00 |
| 435 | 1 | canteen table with chairs dimension L: 200 cm; dimension W: 100 cm; description: incl. round table with chair (canteen 1st floor); | 10.00 |
| 436 | 1 | combi fridge Inventum, brand: Inventum; electric connection: 230 V; description: incl. various kitchen utensils; | 10.00 |
| 437 | 1 | display cabinet with scale models description: (office 1st Floor); | 10.00 |
| 438 | 1 | plotter Canon, iPF770, brand: Canon; type: iPF770; color printer: yes; paper size: A0; description: (office bg); | 100.00 |
| 439 | 1 | scanner Océ, 4236, brand: Océ; type: 4236; electric connection: 230 V; description: (office bg); | 50.00 |
| 440 | 1 | folding machine Océ, 931, brand: Océ; type: 931; description: (office bg); | 10.00 |
| 441 | 3 | various laptops description: without hard disks (office bg); | 10.00 |
| 442 | 1 | Personal computer Dell, Precision T3500, brand: Dell; type: Precision T3500; brand monitor: Acer; electric connection: 230 V; description: without a hard disk (office bg); | 10.00 |
| 443 | 1 | Personal computer Dell, Precision T3500, brand: Dell; type: Precision T3500; brand monitor: Dell; electric connection: 230 V; description: without a hard disk (office bg); | 10.00 |
| 444 | 1 | Personal computer Dell, Optiplex 745, brand: Dell; type: Optiplex 745; brand monitor: Dell; electric connection: 230 V; description: without a hard disk (office bg); | 10.00 |
| 445 | 1 | paper shredder and stapler electric connection: 230 V; description: (office bg); | 10.00 |
| 446 | 1 | Personal computer Dell, Precision T3500, brand: Dell; type: Precision T3500; brand monitor: Acer; electric connection: 230 V; description: without hard disk (office 1st floor); | 10.00 |
| 447 | 1 | Personal computer Dell, Precision T3500, brand: Dell; type: Precision T3500; brand monitor: Acer; electric connection: 230 V; description: without hard disk (office 1st floor); | 10.00 |
| 448 | 1 | Personal computer Dell, Optiplex 7010, brand: Dell; type: Optiplex 7010; brand monitor: Dell; electric connection: 230 V; description: without hard disk (office 1st floor); | 10.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 449 | 2 personal computers Dell, Precision T3500, brand: Dell; type: Precision T3500; brand monitor: Acer; electric connection: 230 V; description: without hard disk; including additional monitor and printer (office 1st floor); | 10.00 |
| 450 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 38-PHZ-6; hatchback: yes; MPV: yes; inspection expiration date: 09/02/2020 01:00:00; gasoline: yes; engine power: 74 kW; automatic: yes; mileage (at intake): 150918 km; number of seats: 5; number of doors: 2; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1065 kg; description: number of cylinders: 4; displacement: 1398 cm ³ ; colour White; list price: 18045; Euro classification: 5; efficiency label: B; type : SD; variant: FR11; execution: 1AACB7X0FEA5; (Note! No self drive exports); | 500.00 |
| 451 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 39-PHZ-6; hatchback: yes; MPV: no; inspection expiration date: 29/11/2020 01:00:00; gasoline: yes; engine power: 74 kW; automatic: yes; mileage (at intake): 167247 km; number of seats: 5; number of doors: 3; power windows: yes; navigation: yes; own weight: 1065 kg; description: number of cylinders: 4; displacement: 1398 cm ³ ; Colour: Grey; list price: 18565; Euro classification: 5; efficiency label: B; type : SD; variant: FR11; execution: 1AACB7X0FEA5; | 500.00 |
| 452 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 41-PHZ-6; hatchback: yes; MPV: no; inspection expiration date: 04/10/2020 02:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 227228 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; | 500.00 |
| 453 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 40-PHZ-6; hatchback: yes; MPV: no; inspection expiration date: 19/09/2020 02:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 339739 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; | 500.00 |
| 454 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 45-PHT-4; hatchback: yes; MPV: no; inspection expiration date: 26/10/2020 01:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 329302 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; pay attention! winter tires mounted ; | 500.00 |
| 455 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 59-PHT-4; hatchback: yes; MPV: no; inspection expiration date: 02/10/2020 02:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 156809 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17789; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4A12D6A7LJM5; | 500.00 |



| Lot | Number Description | Starting Bid € |
|-----|--|----------------|
| 456 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 52-PHT-4; hatchback: yes; MPV: yes; inspection expiration date: 28/01/2020 01:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 204697 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; (Note! No self drive exports); | 100.00 |
| 457 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 53-PHT-4; hatchback: yes; MPV: no; inspection expiration date: 04/02/2020 01:00:00; diesel: yes; engine power: 70 kW; mileage (at intake): 271913 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; pay attention! winter tires mounted ; | 100.00 |
| 458 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 62-PHT-4; MPV: yes; inspection expiration date: 11/12/2019 01:00:00; diesel: yes; engine power: 70 kW; mileage (at intake): 329459 km; number of seats: 5; number of doors: 4; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; note 1 missing fog light (note! no self drive exports); | 100.00 |
| 459 | 1 passenger car Opel, Corsa, year built 2011, brand: Opel; type: Corsa; year: 2011; license plate: 42-PHT-4; hatchback: yes; MPV: no; inspection expiration date: 01/02/2020 01:00:00; diesel: yes; engine power: 70 kW; manual: yes; mileage (at intake): 229416 km; number of seats: 5; number of doors: 5; power windows: yes; airconditioning: yes; trailer hitch: yes; own weight: 1099 kg; description: number of cylinders: 4; displacement: 1248 cm ³ ; color blue; list price: 17089; Euro classification: 5; economy label: A; type : SD; variant: PY11; execution: 4AAED6A7LJM5; (Note! No self drive exports); | 100.00 |
| 460 | 1 passenger car Peugeot, Peugeot 107, year built 2009, brand: Peugeot; type: Peugeot 107; year: 2009; license plate: 38-HRR-9; hatchback: yes; inspection expiration date: 30/04/2020 02:00:00; gasoline: yes; engine power: 50 kW; automatic: yes; mileage (at intake): 55645 km; number of seats: 4; number of doors: 4; own weight: 815 kg; description: number of cylinders: 3; displacement: 998 cm ³ ; Colour: Grey; list price: 11539; length : 345; Euro classification: 4; economy label: A; type : P *****; variant: NCFA; performance: C / P; (note: rear wiper lever adapted); | 100.00 |
| 461 | 1 forklift Heli , CPCD 30 KUI, year built 2007, brand: Heli ; type: CPCD 30 KUI; year: 2007; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4000 mm; overhead guard height: 2600 mm; fork length: 1150 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 1909; own weight: 4470 kg; | 1,000.00 |
| 462 | 1 forklift truck attachments | 10.00 |
| 463 | 1 bake salt | 10.00 |
| 464 | 1 hose reel air reel: yes; wall mount: yes; | 10.00 |
| 465 | 1 fan Trotec, VR3500, brand: Trotec; type: VR3500; description: 230 volt (garage); | 10.00 |
| 466 | 1 horizontal diesel storage tank Robex, year built 2017, brand: Robex; year: 2017; steel: yes; capacity: 6 m ³ ; own weight: 1607 kg; description: dimensions . Ø1600x3000 mm; equipped with pump installation; code entry system and protective fencing; | 100.00 |



| Lot | Number | Description | Starting Bid € |
|-----|--------|---|----------------|
| 467 | 1 | concrete skipper total dimension L: 2000 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; | 10.00 |
| 470 | 1 | storage containers description: 20ft; without content; | 10.00 |
| 471 | 1 | storage containers insulated: yes; description: 20ft; with content; | 10.00 |
| 472 | 1 | storage containers description: haakarmsysteem; 20 ft; without content; | 10.00 |
| 473 | 1 | lot of various PVC tubes description: Ø120-500 mm; length up to 5 meters; | 50.00 |
| 474 | 6 | various rollers root sheet description: width up to 5 meters; | 10.00 |
| 475 | 1 | wheelie bin underground waste containers Subyard, Twinbak, brand: Subyard; type: Twinbak; weight: 170 kg; total dimension L: 1500 mm; total dimension W: 1000 mm; total dimension H: 1200 mm; description: 230 volts; with foot control; | 100.00 |
| 476 | 1 | wheelie bin underground waste containers Subyard, Twinbak, brand: Subyard; type: Twinbak; weight: 170 kg; total dimension L: 1500 mm; total dimension W: 1000 mm; total dimension H: 1200 mm; description: 230 volts; with foot control; | 100.00 |
| 477 | 1 | wheelie bin underground waste containers Subyard, Twinbak, brand: Subyard; type: Twinbak; weight: 170 kg; total dimension L: 1500 mm; total dimension W: 1000 mm; total dimension H: 1200 mm; description: 230 volts; with foot control; | 100.00 |
| 478 | 15 | chutes Vlutters, S60, brand: Vlutters; type: S60; | 10.00 |
| 479 | 4 | tires Titan, brand: Titan; tyre size: 10-16.5; with rims: yes; description: serving Bobcat skid steer loader; | 10.00 |
| 480 | 2 | wells Dyka, brand: Dyka; description: Ø800x1000 mm and Ø550x1150 mm; | 10.00 |
| 481 | 1 | forklift truck Vorkenset total dimension L: 1450 mm; | 10.00 |
| 482 | 7 | various manhole covers | 10.00 |
| 483 | 18 | plastic posts description: incl. 2 Amsterdammers; | 10.00 |
| 484 | 2 | wells description: incl. 6 concrete edges; | 10.00 |
| 485 | 5 | rollers perforated PE drainage hoses GrainPlastics, brand: GrainPlastics; description: Ø80 mm; length 50 meters; | 10.00 |
| 486 | 1 | lot of various PVC pieces description: and various incl. manhole covers; rubber strips and hoses; | 10.00 |
| 487 | 1 | storage containers total dimension L: 2300 mm; total dimension W: 1200 mm; total dimension H: 1700 mm; description: in lifting frame; | 50.00 |
| 488 | 1 | concrete skipper volume: 750 l; | 10.00 |
| 489 | 1 | excavator/ skeleton bucket with rotary sweeper Beco, LDB40-90, year built 2002, brand: Beco; type: LDB40-90; year: 2002; bucket size L: 2000 mm; bucket size W: 900 mm; bucket size H: 700 mm; own weight: 2360 kg; total dimension L: 2050 mm; total dimension W: 1800 mm; total dimension H: 1200 mm; | 100.00 |
| 490 | 1 | oil drip tray total dimension L: 2600 mm; total dimension W: 1500 mm; total dimension H: 300 mm; | 10.00 |



| Lot | Number Description | Starting Bid € |
|-------|--|----------------|
| © 491 | 1 storage containers volume: 6 ft (1,8m); storage container: yes; total dimension L: 1900 mm; total dimension W: 1950 mm; total dimension H: 1850 mm; | 50.00 |
| © 492 | 1 storage containers volume: 6 ft (1,8m); storage container: yes; total dimension W: 1950 mm; total dimension H: 1850 mm; | 50.00 |
| © 493 | 1 storage containers volume: 6 ft (1,8m); storage container: yes; total dimension L: 1900 mm; total dimension W: 1950 mm; total dimension H: 1850 mm; | 50.00 |
| | containers 6ft | |
| 494 | 1 storage containers with fuel tank storage container: yes; total dimension L: 3400 mm; total dimension W: 1800 mm; total dimension H: 220 mm; description: incl. content; | 100.00 |
| © 495 | 1 lifting bucket total dimension L: 2300 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; | 100.00 |
| © 496 | 1 lifting bucket total dimension L: 2300 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; | 100.00 |
| © 497 | 1 lifting bucket total dimension L: 2300 mm; total dimension W: 1100 mm; total dimension H: 1400 mm; | 100.00 |
| | lifting buckets | |
| 498 | 1 emergency generator Dynaf, G2000, brand: Dynaf; type: G2000; hours on display: 21181; description: 4-cylinder diesel engine; in 20 ft container; | 500.00 |
| © 499 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 500 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 501 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 502 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 503 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 504 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 505 | 1 outlet waste containers volume: 6 m ³ ; | 50.00 |
| | containers 6 m3 | |
| © 506 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 507 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 508 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 509 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 510 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 511 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |
| © 512 | 1 outlet waste containers volume: 3 m ³ ; | 50.00 |



| Lot | Number | Description | Starting Bid € |
|-------|--------|--|----------------|
| | | containers 3 m3 | |
| © 513 | 1 | outlet waste containers volume: 4 m3; | 50.00 |
| © 514 | 1 | outlet waste containers volume: 4 m3; | 50.00 |
| | | containers 4 m3 | |
| 515 | 1 | outlet waste containers closed: yes; volume: 10 m ³ ; | 50.00 |
| 516 | 1 | outlet waste containers volume: 6 m ³ ; | 50.00 |
| 517 | 1 | outlet waste containers closed: yes; volume: 10 m ³ ; | 50.00 |
| © 518 | 5 | disposal of waste containers volume: 6 m ³ ; | 500.00 |
| © 519 | 1 | outlet waste containers volume: 6 m ³ ; | 50.00 |
| © 520 | 2 | disposal of waste containers volume: 6 m ³ ; | 100.00 |
| © 521 | 4 | disposal of waste containers volume: 6 m ³ ; | 100.00 |
| © 522 | 4 | disposal of waste containers volume: 6 m ³ ; | 100.00 |
| © 523 | 5 | disposal of waste containers volume: 6 m ³ ; | 500.00 |
| © 524 | 4 | disposal of waste containers volume: 6 m ³ ; | 100.00 |
| © 525 | 4 | disposal of waste containers volume: 6 m ³ ; | 100.00 |
| | | containers 6 m3 | |
| 526 | 2 | disposal of waste containers closed: yes; volume: 10 m ³ ; | 100.00 |
| 527 | 1 | storage containers 10ft storage container: yes; | 50.00 |
| 528 | 1 | excavator/ skeleton bucket Verachtert, brand: Verachtert; bucket size L: 2350 mm; bucket size W: 1200 mm; bucket size H: 1200 mm; quick change: yes; description: CW55 (outside rear); | 100.00 |
| 529 | 1 | excavator/ skeleton bucket Verachtert, brand: Verachtert; bucket size L: 1550 mm; bucket size W: 1650 mm; bucket size H: 1300 mm; quick change: yes; description: CW55 (outside rear); | 100.00 |
| 530 | 1 | excavator/ skeleton bucket Verachtert, brand: Verachtert; bucket size L: 1550 mm; bucket size W: 1650 mm; bucket size H: 1300 mm; riddle bucket: yes; with teeth: yes; quick change: yes; description: CW55 (outside rear); | 100.00 |
| 540 | 1 | defibrillator automatic: yes; description: (hall office bg); | 10.00 |



General conditions Online Auction [TroostwijkAuctions.com](https://www.TroostwijkAuctions.com)

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless cause by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10:10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

About Us Troostwijk

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience