



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

ONLINE AUCTION

Online veiling metaalbewerkingsmachines, CNC machines, kantbanken en persen (NL)

Online auction of metalworking machines, CNC machines, press brakes and presses

Spikweien 13 - 5943 AC Lomm
(Locatie Lomm- Spikweien)

Closing date: Thursday **14 MAY** starting 10:00



Viewing:

Monday 11 May

By appointment

Spikweien 13 - 5943 AC Lomm (The Netherlands)

Bidding only on the internet!

06-05-20 21.15

www.TroostwijkAuctions.com



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

Thursday 14 May 2020 Online veiling metaalbewerkingsmachines, CNC machines, kantbanken en persen
Specific Online Auction Terms and conditions of a public auction sale

Closing date	Thursday 14 May 2020 starting 10:00 CET
Viewing	Monday 11 May By appointment only you can sign up for this via email before the 6th of May 2020 17:00 CET with mentioning the project number & your buyer number to aanmelden@troostwijkauctions.com Spikweien 13 5943 AC Lomm, The Netherlands
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: info@troostwijkauctions.com
Markup	17.00%
VAT	21.00%
Margin goods	In case of margin goods the VAT will be 0%
Collection	Collection is only by collection schedule, the collection schedule will be announced within 24 hours (1 working day) after the auction closing. Spikweien 13 5943 AC Lomm, The Netherlands
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions. The article of the law "purchase on distance" is not applicable on the services of Troostwijk.
Attending an auction closure for consumers	Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam. To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: bijwonenkoperssluiting@troostwijkauctions.com stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.
Payment Details	Use the Pay button under the My Purchases overview in your account to easily pay this invoice. Please pay as quickly as possible, but in any case within 48 hours. Your purchase can only be collected when the full amount has been paid.
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address. If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities). It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in

www.TroostwijkAuctions.com



the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number Description	Starting Bid €
1	1 boring mill (boring & milling machine) Ceruti, ACP 85, year built 1966, serial number 11751, brand: Ceruti; type: ACP 85; year: 1966; serial number: 11751; travel x-axis: 1800 mm; travel y-axis: 1600 mm; travel z-axis: 1000 mm; taper ISO: MK5; number of speeds: 18; speed from N=: 15 rpm; speed till N=: 1500 rpm; T-slot fixture table size L: 1100 mm; T-slot fixture table size W: 900 mm; workpiece weight max.: 5000 kg; CNC control, brand, type: Heidenhain uitlezing; electric connection: 380 V; manual present: yes; machine weight: 12000 kg; description: drill spindle 85mm; MK5; hydraulic unit; (Venray location); (loading costs 500.00)	1,000.00
2	1 eccentric press Weingarten, Xrr 3 sp, serial number 450/54, brand: Weingarten; type: Xrr 3 sp; serial number: 450/54; capacity: 150 t; discharge: 550 mm; stroke: 140 mm; table size L: 1180 mm; table size W: 980 mm; electric connection: 380 V; machine weight: 10000 kg; description: sheet thickness 14mm; (loading charges 250.00)	1,000.00
3	1 hydraulic press Clifton, 5 spl app, year built 1994, serial number 1128, brand: Clifton; type: 5 spl app; year: 1994; serial number: 1128; capacity: 250 t; electro-hydraulic: yes; 4-column: yes; electric connection: 380 V; dimension L: 1550 mm; dimension W: 1600 mm; dimension H: 2800 mm; description: cooler dimensions . 1800x1100x500mm; weight approx. 7000kg.; (loading charges 150.00)	1,000.00
4	1 hydraulic press Gabande, 142/man, year built 1980, brand: Gabande; type: 142/man; year: 1980; capacity: 200 t; 2-column: yes; stroke: 500 mm; table size L: 1100 mm; table size W: 1400 mm; engine power: 36 kW; electric connection: 380 V; machine weight: 24000 kg; (loading costs 500.00)	1,000.00
5	1 crankshaft grinding bench Naxos-union, KM 450/1000, year built 1967, brand: Naxos-union; type: KM 450/1000; year: 1967; turning length: 1000 mm; spindle boring ? : 750 mm; number of tool changer stations: 1; electric connection: 380 V; machine weight: 10000 kg; dimension L: 4000 mm; dimension W: 2700 mm; dimension H: 2500 mm; description: incl. control box and hydro unit; (loading charges 250.00)	100.00
6	1 vertical grinding machine CCCP, brand: CCCP; table size L: 800 mm; table size W: 800 mm; grinding wheel : 480 mm; grinding wheel thickness: 35 mm; distance table / spindle: 450 mm; electric connection: 380 V; machine weight: 8500 kg; (loading charges 250.00)	100.00
7	1 boring mill (boring & milling machine) Wotan, 890, serial number 52088, brand: Wotan; type: 890; serial number: 52088; travel x-axis: 1500 mm; travel y-axis: 2000 mm; travel z-axis: 1400 mm; number of speeds: 21; speed from N=: 9 rpm; speed till N=: 1000 rpm; T-slot fixture table size L: 1250 mm; T-slot fixture table size W: 1100 mm; coolant pump: yes; CNC control, brand, type: Itron digitale uitlezing, D70-4v; electric connection: 380 V; manual present: yes; machine weight: 105000 kg; description: equipped with T-slot hoekopspantafel; machine accessories; (loading charges 250.00)	1,000.00
8	1 cnc lathe Okuma, Lb15 2, year built 1992, serial number 0310.0218, brand: Okuma; type: Lb15 2; year: 1992; serial number: 0310.0218; turning length: 600 mm; spindle boring ? : 70 mm; number of tool changer stations: 12; CNC control, brand, type: Okuma; electric connection: 380 V; machine weight: 4000 kg; dimension L: 3000 mm; dimension W: 1900 mm; dimension H: 2100 mm; description: including tensioning conveyor.; various accessories on pallet; (loading charges 250.00)	1,000.00
9	1 cnc lathe Okuma, Lc10, year built 1984, serial number 1234, brand: Okuma; type: Lc10; year: 1984; serial number: 1234; turning ? : 300 mm; number of tool changer stations: 16; CNC control, brand, type: Okuma, osp5000l; electric connection: 380 V; machine weight: 4000 kg; dimension L: 2300 mm; dimension W: 2400 mm; dimension H: 2100 mm; (loading charges 250.00)	1,000.00



Lot	Number Description	Starting Bid €
10	1 band saw machine Kasto, PBA 800X1060u, year built 1984, brand: Kasto; type: PBA 800X1060u; year: 1984; max. workpiece height: 800 mm; working width: 1060 mm; saw blade size L: 9398 mm; saw blade size W: 67 mm; saw blade thickness: 2 mm; speed from N=: 16 rpm; speed till N=: 80 rpm; engine power: 5 kW; electric connection: 380 V; machine weight: 6000 kg; dimension L: 4500 mm; dimension W: 1800 mm; dimension H: 2800 mm; description: equipped with 3x supply path; dimensions feed path 2000x1500x900mm; 1500x3000x1200mm; 1500x2500x900mm incl. Handbook; (loading charges 250.00)	500.00
11	1 belt sander total dimension L: 1550 mm; total dimension W: 1150 mm; total dimension H: 2200 mm; description: incl. various abrasive belts; DIY machine ;	100.00
12	1 Demolition drum Sweco, Fm270, brand: Sweco; type: Fm270; dimension L: 1700 mm; dimension W: 1700 mm; dimension H: 1850 mm; description: weight approx. 1500kg; 1450 rpm;	100.00
13	1 Demolition drum Sweco, Fmd 20, brand: Sweco; type: Fmd 20; electric connection: 380 V; dimension L: 1700 mm; dimension W: 1700 mm; dimension H: 1850 mm; description: weight approx. 1500kg; 1450 rpm ;	100.00
14	1 turntable blasting unit Gläsner, brand: Gläsner; turntable ? : 1000 mm; sand: yes; electric connection: 380 V; dimension L: 1800 mm; dimension W: 1500 mm; dimension H: 2700 mm; description: Cabin dimensions . 1400x1150x1500mm;	100.00
15	1 blasting cabin Normfinish, D1 12, serial number Ep-1266, brand: Normfinish; type: D1 12; serial number: Ep-1266; grit: yes; chamber dimension L: 1100 mm; chamber dimension W: 700 mm; chamber dimension H: 1300 mm; exhauster: yes; electric connection: 380 V; dimension L: 1200 mm; dimension W: 1300 mm; dimension H: 3100 mm;	100.00
16	1 filter extraction system Dce, Deltole c2000, brand: Dce; type: Deltole c2000; electric connection: 380 V; dimension L: 900 mm; dimension W: 800 mm; dimension H: 2300 mm;	100.00
17	1 plate roller Fasti, serial number 6718003, brand: Fasti; serial number: 6718003; capacity length: 2040 mm; number of rolls: 3; top roll approx.: 110 mm; roll length: 2040 mm; electric connection: 380 V; dimension L: 2750 mm; dimension W: 1100 mm; dimension H: 1250 mm;	100.00
18	1 chip conveyor Matfran, Mt10, serial number Mf21662017ns, brand: Matfran; type: Mt10; serial number: Mf21662017ns; belt width: 480 mm; discharge height: 760 mm; electric connection: 220 V; own weight: 300 kg; total dimension LxWxH: 2250x820x1750;	100.00
19	1 chip conveyor Cromar, brand: Cromar; belt width: 100 mm; electric connection: 220 V; own weight: 300 kg; total dimension LxWxH: 2000x500x1200; description: mobile;	100.00
20	1 curing oven Snijstaal, S100/gh, serial number 50513, brand: Snijstaal; type: S100/gh; serial number: 50513; gas-heated: yes; electric: yes; electric connection: 380 V; power: 7.5 kW; chamber dimensions (WxDxH): 400x600x400 mm; digitale controller: yes; total dimension LxWxH: 2000x1100x1900 mm;	100.00
21	1 drying oven Pickstone, brand: Pickstone; chamber dimensions (WxDxH): 1350x1750x1750 mm; electric: yes; electric connection: 380 V; total dimension LxWxH: 2200x2000x2000;	100.00
22	1 eroding machine Ona, IN-360, serial number 3366/8412, brand: Ona; type: IN-360; serial number: 3366/8412; die-sink type: yes; electric connection: 380 V; dimension L: 1300 mm; dimension W: 1800 mm; dimension H: 2200 mm; description: dimensions table: 650x400mm; incl. ona s2000-60;	100.00



Lot	Number	Description	Starting Bid €
23	1	eroding machine Exeron, ED35-ce, brand: Exeron; type: ED35-ce; die-sink type: yes; travel x-axis: 600 mm; travel y-axis: 400 mm; travel z-axis: 400 mm; electric connection: 380 V; machine weight: 3200 kg; dimension L: 2600 mm; dimension W: 2800 mm; dimension H: 2700 mm; description: 7x t slot; clamping surface: 700x500mm; filling height max. 425 mm; (loading charges 250.00)	1,000.00
24	1	lathe Ai hembrug, brand: Ai hembrug; turning length: 500 mm; turning ? : 80 mm; spindle boring ? : 25 mm; number of speeds: 4; speed from N=: 2220 rpm; speed till N=: 45 rpm; electric connection: 380 V; machine weight: 750 kg; dimension L: 1300 mm; dimension W: 500 mm; dimension H: 1250 mm;	100.00
25	1	lathe Huvema, Hu 310 vac, year built 2001, serial number 8202, brand: Huvema; type: Hu 310 vac; year: 2001; serial number: 8202; turning length: 1000 mm; spindle boring ? : 30 mm; speed from N=: 65 rpm; speed till N=: 2200 rpm; engine power: 2.2 kW; electric connection: 380 V; machine weight: 1000 kg; dimension L: 2250 mm; dimension W: 900 mm; dimension H: 1350 mm;	500.00
26	1	lathe Tos Trencin, Sui 40a-50a, brand: Tos Trencin; type: Sui 40a-50a; turning length: 1000 mm; turning ? : 400 mm; spindle boring ? : 70 mm; number of speeds: 6; engine power: 2.2 kW; electric connection: 380 V; machine weight: 1000 kg; dimension L: 2250 mm; dimension W: 900 mm; dimension H: 1350 mm;	500.00
27	1	lathe turning length: 1500 mm; turning ? : 400 mm; spindle boring ? : 45 mm; electric connection: 380 V; dimension L: 2700 mm; dimension W: 800 mm; dimension H: 1300 mm;	100.00
28	1	planing machine electric connection: 380 V;	50.00
29	1	milling machine Bohner & kohle, Fo-k3140, brand: Bohner & kohle; type: Fo-k3140; speed till N=: 2800 rpm; T-slot fixture table size L: 700 mm; T-slot fixture table size W: 450 mm; control, brand, type: Mitutoyo, ka-13; electric connection: 380 V; machine weight: 1250 kg; dimension L: 1300 mm; dimension W: 1100 mm; dimension H: 2000 mm;	100.00
30	1	vertical milling machine Arsenal, Fu251M, year built 2000, brand: Arsenal; type: Fu251M; year: 2000; table size L: 1120 mm; table size W: 250 mm; number of speeds: 3; speed from N=: 40 rpm; speed till N=: 2000 rpm; control, brand, type: Newall, dp8; electric connection: 380 V; machine weight: 1875 kg; dimension L: 2150 mm; dimension W: 1750 mm; dimension H: 1700 mm;	100.00
31	1	vertical milling machine Loewe, brand: Loewe; travel x-axis: 1400 mm; travel y-axis: 3000 mm; travel z-axis: 4000 mm; number of speeds: 12; speed from N=: 22 rpm; speed till N=: 1000 rpm; T-slot fixture table size L: 1300 mm; T-slot fixture table size W: 355 mm; control, brand, type: Microline, acu-rite-5; electric connection: 380 V; machine weight: 3000 kg; dimension L: 2150 mm; dimension W: 1850 mm; dimension H: 2150 mm; description: equipped with ML digital readout; type acu-5-rite;	100.00
32	1	nibbling machine Trumpf, Tas61, brand: Trumpf; type: Tas61; max. sheet thickness: 15 mm; electric connection: 380 V; machine weight: 1000 kg; dimension L: 1800 mm; dimension W: 70 mm; dimension H: 2000 mm;	100.00
33	1	spark machining machine Eromobil, Er400t, serial number 800129719, brand: Eromobil; type: Er400t; serial number: 800129719; electric connection: 380 V; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1800 mm; description: (broken tap remover) incl. wires;	100.00



Lot	Number	Description	Starting Bid €
34	1	profile grinding machine Friedrich zimmermann, PS, year built 1969, serial number 174, brand: Friedrich zimmermann; type: PS; year: 1969; serial number: 174; table size L: 500 mm; table size W: 500 mm;	50.00
35	1	vertical band saw Jaespa, Msu-5, year built 1989, serial number 89 9851, brand: Jaespa; type: Msu-5; year: 1989; serial number: 89 9851; max. workpiece height: 450 mm; saw blade size L: 3900 mm; dimension L: 1150 mm; dimension W: 900 mm; dimension H: 2000 mm; description: table size 615x615mm; table tiltable 15 degrees; strap length min 3900mm max 4090mm;	100.00
36	1	band saw Wenig, VB-600, serial number 9160026, brand: Wenig; type: VB-600; serial number: 9160026; max. workpiece height: 350 mm; dimension L: 1250 mm; dimension W: 750 mm; dimension H: 2050 mm; description: table size 740x680mm; projection 605mm;	100.00
37	1	punching press / punching and nibbling machine Muhr und Bender, KBL 560 optima F, serial number 0509087897425, brand: Muhr und Bender; type: KBL 560 optima F; serial number: 0509087897425; capacity: 56 t; foot control: yes; electric connection: 380 V; manual present: yes; machine weight: 1370 kg; dimension L: 1450 mm; dimension W: 750 mm; dimension H: 1750 mm; description: capacity 100x18mm; 200x15mm;	100.00
38	1	circular trim saw Fabris, 400, year built 1998, serial number 789, brand: Fabris; type: 400; year: 1998; serial number: 789; saw blade ? : 350; speed till N=: 3800 rpm; electric connection: 400 V;	50.00
39	1	guillotine shear Jörg, 4002/e, brand: Jörg; type: 4002/e; cutting length: 1050 mm; max. sheet thickness: 2.5 mm; electric connection: 380 V; dimension L: 1280 mm; dimension W: 1100 mm; dimension H: 1120 mm;	50.00
40	1	Other grinding machine Solid, DMB 200D, year built 1990, serial number 7998, brand: Solid; type: DMB 200D; year: 1990; serial number: 7998; speed till N=: 2800 rpm; engine power: 0.75 kW; electric connection: 380 V;	50.00
41	1	t-slot clamping table serial number 11383, serial number: 11383; table size L: 1000 mm; table size W: 1000 mm; description: din 876 II; on steel frame;	50.00
42	1	milling machine Maho, MH800E, brand: Maho; type: MH800E; travel x-axis: 800 mm; travel y-axis: 450 mm; travel z-axis: 500 mm; number of speeds: 18; speed from N=: 63 rpm; speed till N=: 3150 rpm; T-slot fixture table size L: 900 mm; T-slot fixture table size W: 600 mm; control, brand, type: Cnc 432; electric connection: 380 V; dimension L: 2900 mm; dimension W: 2100 mm; dimension H: 2100 mm; description: 27.2 kVA;	100.00
43	1	hydraulic press electro-hydraulic: yes; dimension L: 1100 mm; dimension W: 800 mm; dimension H: 1900 mm; description: equipped with hydraulic unit;	50.00
44	1	ultrasonic cleaner Vibronics, 1.8 kw, serial number 6092, brand: Vibronics; type: 1.8 kw; serial number: 6092; total dimension L: 2800 mm; total dimension W: 1700 mm; total dimension H: 930 mm; description: freq 25kHz; equipped with generator; 4 baths; steering;	100.00
45	1	ultrasonic cleaner Branson, OSB60PP, year built 1998, serial number 9024, brand: Branson; type: OSB60PP; year: 1998; serial number: 9024; total dimension L: 1080 mm; total dimension W: 900 mm; total dimension H: 1200 mm; description: 2500 watts; 230 volts;	100.00
46	1	ultrasonic cleaner QSP, OSB60PP, year built 1998, serial number 6403, brand: QSP; type: OSB60PP; year: 1998; serial number: 6403; total dimension L: 1500 mm; total dimension W: 700 mm; total dimension H: 960 mm; description: equipped with two centrifugal pumps;	100.00



Lot	Number	Description	Starting Bid €
47	1	ultrasonic cleaner Rational, USC70, year built 2003, serial number 30003, brand: Rational; type: USC70; year: 2003; serial number: 30003; total dimension L: 600 mm; total dimension W: 930 mm; total dimension H: 920 mm; description: equipped with two centrifugal pumps;	100.00
48	1	Welding machine Miller, XMT 400 cc/cv, serial number Kd376225, brand: Miller; type: XMT 400 cc/cv; serial number: Kd376225; ampere range: 400 A; wire feeder: yes; electric connection: 380 V; description: 5a / 15v-400a / 36v; 380/415 volts;	100.00
49	1	Welding machine EWM, Tig 400 D-P, brand: EWM; type: Tig 400 D-P; tig type: yes; ampere range: 400 A; wire feeder: yes; electric connection: 400 V; description: 5a / 20.2v-400a / 36v; 400 volts;	100.00
50	1	plasma cutter Merkle, Air-cut 120w, serial number 14471, brand: Merkle; type: Air-cut 120w; serial number: 14471; ampere range: 120 A; electric connection: 380 V; description: 40a / 100v-120a / 100v;	100.00
51	1	floor cleaner FLR, year built 2001, brand: FLR; year: 2001; electric connection: 230 V; own weight: 60 kg; description: excl. charger;	50.00
52	1	welding electrode drying cabinet Delair, ED300tc, serial number 91331, brand: Delair; type: ED300tc; serial number: 91331; power: 3300 W; chamber dimension L: 580 mm; chamber dimension W: 450 mm; chamber dimension H: 1050 mm; electric connection: 380 V;	50.00
53	1	drying oven Hek, VG02005, year built 1995, serial number 950021, brand: Hek; type: VG02005; year: 1995; serial number: 950021; chamber dimensions (WxDxH): 800x500x600 mm; electric: yes; electric connection: 230 V; power: 2.2 kW; temperature range max.: 300 °c; description: double;	50.00
54	1	Patch box total dimension L: 700 mm; total dimension W: 600 mm; total dimension H: 1830 mm; description: with various content;	10.00
55	1	control monitor Lauer, VPC95E, brand: Lauer; type: VPC95E;	50.00
56	1	control monitor Lauer, VPC95E, brand: Lauer; type: VPC95E;	50.00
57	1	control monitor Siemens, Sinumerik, brand: Siemens; type: Sinumerik;	50.00
58	1	mixing dosing unit MCP / Hek, C 001, year built 1995, serial number C1-953-033, brand: MCP / Hek; type: C 001; year: 1995; serial number: C1-953-033; electric connection: 230 V;	50.00
59	1	drawing board Nestler, brand: Nestler;	10.00
60	1	laminar flow cabinet total dimension L: 760 mm; total dimension W: 1200 mm; total dimension H: 3000 mm;	10.00
61	1	stainless steel parts cleaner total dimension L: 780 mm; total dimension W: 1400 mm; total dimension H: 1700 mm;	10.00
62	1	laminar flow cabinet stainless steel total dimension L: 800 mm; total dimension W: 1250 mm; total dimension H: 2100 mm; description: mobile;	10.00
63	1	handling robot Kawasaki, ZD130SD, year built 2004, serial number ZD1300460, brand: Kawasaki; type: ZD130SD; year: 2004; serial number: ZD1300460; number of axis: 4; payload: 130 kg; controller model: D43D-A001; electric connection: 400 V;	1,000.00



Lot	Number	Description	Starting Bid €
64	1	welding robot Miller, MRV2, serial number KE599929, brand: Miller; type: MRV2; serial number: KE599929; number of axis: 6; electric connection: 380 V;	100.00
65	1	other blasting equipment description: beam column with product holder;	50.00
66	1	Welding machine SAF, Prestotig 250, brand: SAF; type: Prestotig 250; ampere range: 250 A; electric connection: 400 V; description: 3a / 250a-10v / 20v; equipped with refrigeration units; control; suspension; manipulators;	100.00
67	1	tooling setting device Zoller, Saturn zero, brand: Zoller; type: Saturn zero;	100.00
68	1	hardness tester Emco-test, serial number 8412.748, brand: Emco-test; serial number: 8412.748; description: in wooden box;	50.00
69	1	rod supply unit Kurt Breuning, 657, year built 2005, serial number 40003458, brand: Kurt Breuning; type: 657; year: 2005; serial number: 40003458; electric connection: 400 V; description: 2 kW; equipped with hydraulic unit;	100.00
70	1	guillotine shear Schneider, Senator, year built 1961, serial number 5277, brand: Schneider; type: Senator; year: 1961; serial number: 5277; cut width: 1300 mm; foot control: yes; electric connection: 380 V; machine weight: 3500 kg; total dimension L: 2600 mm; total dimension W: 2500 mm; total dimension H: 1500 mm; description: equipped with 4 kW; wooden platform; various knives; (loading charges 250.00)	500.00
71	1	flexo dryer Photomeca, Europlex 660 edf, year built 1998, serial number 435110, brand: Photomeca; type: Europlex 660 edf; year: 1998; serial number: 435110; temperature range max.: 120 °c; own weight: 1000 kg; total dimension L: 1600 mm; total dimension W: 1100 mm; total dimension H: 1200 mm; description: 5 kW; equipped with drawers;	100.00
72	1	laboratory furniture description: vv lighting;	10.00
73	1	laminar flow cabinet Asecos, Gap 125.18.7, serial number 657699-10.1, brand: Asecos; type: Gap 125.18.7; serial number: 657699-10.1; total dimension L: 750 mm; total dimension W: 1800 mm; total dimension H: 2300 mm;	10.00
74	1	working bench steel: yes; wooden top: yes; number of drawers: 5; total dimension LxWxH: 1500x800 mm; description: vv lighting;	10.00
75	1	hand hydraulic pallet truck BT , brand: BT ; high lifter: yes; lifting capacity: 1000 kg;	50.00
76	1	hand hydraulic pallet truck Lifter, HL10E, year built 1999, serial number 06349, brand: Lifter; type: HL10E; year: 1999; serial number: 06349; lifting capacity: 1000 kg; description: 12 volts; excl. charger;	50.00
77	1	hand hydraulic pallet truck Lifter, HL10E, year built 1999, serial number 06349, brand: Lifter; type: HL10E; year: 1999; serial number: 06349; lifting capacity: 1000 kg; description: 12 volts; excl. charger;	50.00
78	1	cleaning centrifuge Cepa, RZ 702 B, year built 1993, serial number 443 18464, brand: Cepa; type: RZ 702 B; year: 1993; serial number: 443 18464; own weight: 950 kg; description: 7.5 kw; drum speed: 1900 rpm; drum diameter 700mm; max. loading weight 100kg.;	100.00
79	1	cleaning centrifuge Cepa, RZ 702 B, year built 2013, serial number 443-48406, brand: Cepa; type: RZ 702 B; year: 2013; serial number: 443-48406; electric connection: 400 V; own weight: 950 kg; description: 1450 rpm; 7.5 kw; drum speed: 1900 rpm; drum diameter 700mm; max. loading weight 100kg.;	100.00



Lot	Number	Description	Starting Bid €
80	1	centrifugal Westfalia seperator, CA 220-01-00, year built 1979, serial number 1666 166, brand: Westfalia seperator; type: CA 220-01-00; year: 1979; serial number: 1666 166; description: 5100 Rpm;	100.00
81	1	Work desk height adjustable total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1700 mm; description: incl. inspection lamp and extraction; adjustable in height;	10.00
82	1	Work desk height adjustable total dimension L: 1500 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: incl. lighting ; adjustable in height;	10.00
83	1	Work desk height adjustable total dimension L: 1100 mm; total dimension W: 900 mm; total dimension H: 1600 mm; description: adjustable in height;	10.00
84	1	work-table height-adjustable grinding machine total dimension L: 2000 mm; total dimension W: 700 mm; total dimension H: 1200 mm; description: adjustable in height; equipped with suction ;	10.00
85	1	crafting table total dimension L: 1500 mm; total dimension W: 750 mm; total dimension H: 870 mm; description: equipped with drawer unit;	10.00
86	6	cylinder Festo, brand: Festo; description: various sizes;	10.00
87	6	cylinder Festo, Dng-63-900-ppv-a, brand: Festo; type: Dng-63-900-ppv-a; description: 1000x70x70mm;	10.00
88	1	diffusion pump Varian, Msp a6355E, serial number A8007, brand: Varian; type: Msp a6355E; serial number: A8007; power: 12 kW; electric connection: 380 V;	100.00
89	1	diffusion pump Leybold, Dip 20000, serial number 222 30 z, brand: Leybold; type: Dip 20000; serial number: 222 30 z; own weight: 172 kg; description: pumping speed: 20,000 liters per second;	100.00
90	1	glasses lathe description: hole diameter: 780mm; total height 2700; width 1800; length 700mm;	100.00
91	1	atmospheric gas burner Giersch , Mg3.1-z-l-n-l-n, year built 2003, serial number 26-36-43213-35, brand: Giersch ; type: Mg3.1-z-l-n-l-n; year: 2003; serial number: 26-36-43213-35;	50.00
92	1	air compressor Compair, L11-13, year built 2005, serial number 349027/4385, brand: Compair; type: L11-13; year: 2005; serial number: 349027/4385; capacity: 13 bar; air flow: 1140 l/min; power: 11 kW; electric connection: 400 V; total dimension L: 600 mm; total dimension W: 600 mm; total dimension H: 1050 mm;	50.00
© 93	1	air dryer Kaeser, Tc 36, year built 2012, serial number 1.7946.50030, brand: Kaeser; type: Tc 36; year: 2012; serial number: 1.7946.50030; electric connection: 230 V; description: refrigerant R134a;	50.00
94	1	air dryer Boge, DB 235, serial number 032/16107/18, brand: Boge; type: DB 235; serial number: 032/16107/18; electric connection: 380 V; total dimension L: 900 mm; total dimension W: 800 mm; total dimension H: 1250 mm; description: coolant R134a; coolant tank capacity: 17l; incl. filter (boge fu240);	100.00
95	1	screw compressor Alup, Sck 76-8, brand: Alup; type: Sck 76-8; capacity: 8 bar; air flow: 9250 l/min; power: 55 kW; electric connection: 380 V; total dimension L: 1600 mm; total dimension W: 800 mm; total dimension H: 1400 mm;	100.00



Lot	Number	Description	Starting Bid €
96	1	screw compressor Tampella, Tamrock f-22/10, year built 1988, brand: Tampella; type: Tamrock f-22/10; year: 1988; capacity: 8 bar; air flow: 3000 l/min; power: 2.2 kW; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 850 mm; total dimension H: 1900 mm;	100.00
97	1	air dryer Grassair, D80-1 sfx, year built 1988, serial number 801041288, brand: Grassair; type: D80-1 sfx; year: 1988; serial number: 801041288; air flow: 3000 l/min; total dimension L: 550 mm; total dimension W: 650 mm; total dimension H: 1450 mm;	100.00
98	1	Burner Dunphy, Elmatic TL 6.1300 ME, year built 2004, brand: Dunphy; type: Elmatic TL 6.1300 ME; year: 2004; electric connection: 380 V;	100.00
99	120	Grinding wheels Norton, 57a24tb25na6, brand: Norton; type: 57a24tb25na6; diameter: 610 mm; description: hole diameter 76.2; thickness 7.5mm;	50.00
100	1	air compressor Kaeser, SM11, serial number 2665, brand: Kaeser; type: SM11; serial number: 2665; capacity: 10 bar; power: 7.5 kW; electric connection: 380 V;	100.00
		dryer air compressor	
101	1	lift help Dalmec, PFC, year built 2008, brand: Dalmec; type: PFC; year: 2008; total dimension W: 2800 mm; total dimension H: 2500 mm;	50.00
102	1	lift help Dalmec, PFC, year built 1999, brand: Dalmec; type: PFC; year: 1999; total dimension W: 2800 mm; total dimension H: 2500 mm;	50.00
103	1	uphill canter Abus, year built 1986, serial number 14/292227, brand: Abus; year: 1986; serial number: 14/292227; span: 14 m; hoist capacity: 5000 kg; total dimension L: 14240 mm; total dimension W: 2150 mm; description: excl. motor of chain hoist; (loading charges 150.00)	500.00
104	1	uphill canter Demag, brand: Demag; hoist capacity: 500 kg; own weight: 500 kg; total dimension L: 10650 mm;	100.00
105	1	overhead crane runway Atlas Copco, brand: Atlas Copco; hoist capacity: 1000 kg;	50.00
106	1	overhead crane runway Atlas Copco, brand: Atlas Copco; hoist capacity: 1000 kg;	50.00
107	1	outrigger total dimension L: 4660 mm;	10.00
108	1	air chain hoist Atlas Copco, Lla 1000, brand: Atlas Copco; type: Lla 1000; hoist capacity: 1000 kg;	10.00
109	1	swing arm crane Demag, brand: Demag; hoist capacity: 1000 kg; total dimension H: 3000 mm; description: max lift height 2600mm; approx. 3500mm long;	50.00
110	1	trolley Demag, year built 1997, brand: Demag; year: 1997; hoist capacity: 1350 kg; description: equipped with remote control;	10.00
111	2	electric motors Demag Mannesmann, Kbf 80a 12/4, brand: Demag Mannesmann; type: Kbf 80a 12/4; electric connection: 400 V; description: 0.08 / 0.26 kW;	50.00
112	1	electric chain hoist Demag, Dkun 5-630, year built 2000, brand: Demag; type: Dkun 5-630; year: 2000; hoist capacity: 1250 kg; max. hoist height: 4 m; electric connection: 400 V; description: equipped with trolley;	50.00



Lot	Number	Description	Starting Bid €
113	1	electric chain hoist Demag, Dkun 1-125, year built 1998, brand: Demag; type: Dkun 1-125; year: 1998; hoist capacity: 250 kg; max. hoist height: 6 m; electric connection: 400 V;	50.00
114	1	electric chain hoist Demag, Pk10n-f, year built 1992, brand: Demag; type: Pk10n-f; year: 1992; hoist capacity: 2000 kg; electric connection: 400 V; description: equipped with trolley;	50.00
115	1	swing arm crane Demag, brand: Demag; hoist capacity: 80 kg; arm length: 4000 mm; description: excl. hoist;	10.00
116	1	swing arm crane Demag, brand: Demag; hoist capacity: 80 kg; arm length: 1200 mm; description: excl. hoist;	10.00
117	1	lifting traverse total dimension L: 5000 mm;	50.00
118	1	lifting traverse Nehles, brand: Nehles; hoist capacity: 13000 kg; own weight: 330 kg; total dimension L: 1970 mm;	50.00
119	1	vertical storage tank stainless steel: yes; capacity content: 6000 l; manhole: yes; double walled: yes; weight: 1920 kg; total dimension L: 2300 mm; total dimension W: 2300 mm; total dimension H: 2000 mm; (loading charges 150.00)	50.00
120	1	storage tank DKV, year built 1992, brand: DKV; year: 1992; capacity content: 4900 l; plastic: yes;	50.00
121	1	storage tank DKV, brand: DKV; capacity content: 2500 l; plastic: yes; dimension H: 2000 mm;	50.00
122	1	storage tank DKV, brand: DKV; capacity content: 3000 l; plastic: yes; dimension H: 2000 mm;	50.00
123	1	fuel tank Roth Werke, year built 1992, brand: Roth Werke; year: 1992; steel: yes; capacity content: 1000 l; description: TB oil;	50.00
124	1	storage tank Hoval, BS5169, year built 1992, brand: Hoval; type: BS5169; year: 1992; capacity: 14 bar; vertical: yes; diameter: 120 mm; total dimension H: 2600 mm;	50.00
125	1	storage tank vertical: yes; diameter: 800 mm; total dimension H: 2000 mm;	50.00
126	1	storage tank vertical: yes; diameter: 800 mm; total dimension H: 2000 mm;	50.00
127	1	vertical storage tank plastic: yes; total dimension L: 1620 mm; total dimension W: 1140 mm; total dimension H: 970 mm;	50.00
128	1	vertical storage tank plastic: yes; total dimension L: 1940 mm; total dimension W: 1330 mm; total dimension H: 1050 mm;	50.00
129	1	vertical storage tank plastic: yes; total dimension L: 1620 mm; total dimension W: 1140 mm; total dimension H: 970 mm;	50.00
130	1	vertical storage tank plastic: yes; total dimension H: 900 mm; description: diameter 1400mm;	50.00
131	1	storage containers Hiltra, brand: Hiltra; chemical storage container: yes; total dimension L: 2100 mm; total dimension W: 3010 mm; total dimension H: 2630 mm; description: equipped with receptacle;	50.00



Lot	Number	Description	Starting Bid €
132	1	storage containers US, brand: US; storage container: yes; total dimension L: 2640 mm; total dimension W: 2140 mm; total dimension H: 2250 mm; description: double sided doors;	50.00
133	1	storage containers BOH, Cargo 6, brand: BOH; type: Cargo 6; storage container: yes; total dimension L: 2410 mm; total dimension W: 1740 mm; total dimension H: 2350 mm; description: double sided doors;	50.00
134	1	vertical storage tank AJK, AD2000, year built 2009, serial number 1827, brand: AJK; type: AD2000; year: 2009; serial number: 1827; stainless steel: yes; capacity content: 5000 l; insulated: yes; weight: 1350 kg;	50.00
135	1	steam boiler tank Danstoker, Vbn-630, year built 1994, serial number E93-1909, brand: Danstoker; type: Vbn-630; year: 1994; serial number: E93-1909; max. pressure: 5; burner brand + model: Weishaupt; description: 730 kW; 120 ° c;	50.00
136	1	cooling installation Evapco, LRC-114, serial number B10165, brand: Evapco; type: LRC-114; serial number: B10165; total dimension L: 3760 mm; total dimension W: 1540 mm; total dimension H: 2400 mm; description: fan 5.5 / 1.1 kW; Calpeda pump; 0.75 kW; (loading charges 150.00)	50.00
137	1	grinding booth total dimension L: 1960 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: equipped with preparation for extraction;	10.00
138	1	grinding booth total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: equipped with preparation for extraction;	10.00
139	1	grinding booth total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: equipped with preparation for extraction;	10.00
140	1	grinding booth total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: equipped with preparation for extraction;	10.00
141	1	grinding booth total dimension L: 2600 mm; total dimension W: 1000 mm; total dimension H: 2100 mm; description: equipped with preparation for extraction;	10.00
142	1	ibc transport barrel capacity content: 1000 l; plastic: yes;	10.00
143	1	ibc transport barrel capacity content: 1000 l; plastic: yes;	10.00
144	1	ibc transport barrel capacity content: 1000 l; plastic: yes;	10.00
145	1	ibc transport barrel capacity content: 1000 l; plastic: yes;	10.00
146	1	ibc transport barrel capacity content: 1000 l; plastic: yes;	10.00
147	1	Stairs number of steps: 7; steel: yes; total dimension LxWxH: 2100x700 mm; description: stainless steel;	10.00
148	1	centrifugal pump Weir minerals, brand: Weir minerals; power: 2.2 kW; electric connection: 380 V;	50.00
149	1	filter extraction system Flakt, NI-883.5084, year built 1982, serial number Rkcb.1.24.1.2.1.4.6.x, brand: Flakt; type: NI-883.5084; serial number: Rkcb.1.24.1.2.1.4.6.x; year: 1982; electric connection: 380 V;	50.00
150	1	car straightener Car o liner, brand: Car o liner; total dimension L: 4000 mm; total dimension W: 900 mm;	50.00



Lot	Number	Description	Starting Bid €
151	1	extractor electric connection: 380 V; dimension L: 950 mm; dimension W: 1020 mm; dimension H: 570 mm;	50.00
152	2	fan electric connection: 380 V; dimension L: 860 mm; dimension W: 860 mm; dimension H: 250 mm;	10.00
153	2	fan electric connection: 380 V; dimension L: 860 mm; dimension W: 860 mm; dimension H: 250 mm;	10.00
154	1	filter press electric connection: 380 V; dimension L: 860 mm; dimension W: 860 mm; dimension H: 250 mm;	10.00
155	1	CNC machining centre Ingersoll OPS, Ops 600, year built 2001, serial number 11.600.048.01, brand: Ingersoll OPS; type: Ops 600; year: 2001; serial number: 11.600.048.01; travel x-axis: 625 mm; travel y-axis: 365 mm; travel z-axis: 345 mm; taper ISO: Hsk 32; speed till N=: 40000 rpm; T-slot fixture table size L: 630 mm; T-slot fixture table size W: 500 mm; workpiece weight max.: 1000 kg; engine power: 9 kW; electric connection: 400 V; manual present: yes; total dimension L: 2200 mm; total dimension W: 1600 mm; total dimension H: 2000 mm; machine weight: 3500 kg; description: 12 kVA; equipped with control; and accessories;	1,000.00
156	1	hydraulic bale packer	50.00
© 157	5	adjustable conveyor belts description: without rollers;	10.00
© 158	5	adjustable conveyor belts description: without rollers;	10.00
© 159	5	adjustable conveyor belts description: without rollers;	10.00
© 160	5	adjustable conveyor belts description: without rollers;	10.00
© 161	5	adjustable conveyor belts description: without rollers;	10.00
© 162	6	adjustable conveyor belts description: without rollers;	10.00
© 163	5	adjustable conveyor belts description: without rollers;	10.00
© 164	6	adjustable conveyor belts description: without rollers;	10.00
© 165	5	adjustable conveyor belts description: without rollers;	10.00
© 166	5	adjustable conveyor belts description: without rollers;	10.00
		roller conveyor bucks	
167	1	lift system hydraulic for forklift trucks A.Lödige, year built 1975, brand: A.Lödige; year: 1975; lifting capacity: 5000 kg; tray size L: 3000 mm; tray size W: 1750 mm; (loading charges 150.00)	100.00
168	1	heavy car lift Zippo, 3311, year built 1979, serial number 39104, brand: Zippo; type: 3311; year: 1979; serial number: 39104; 4-column: yes; capacity: 10000 kg; description: max 210 bar;	100.00
© 169	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 170	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00



Lot	Number	Description	Starting Bid €
© 171	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 172	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 173	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 174	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 175	10	steel grate floor dimension L: 1000 mm; dimension W: 600 mm;	10.00
© 176	7	steel grate floor dimension L: 1200 mm; dimension W: 600 mm;	10.00
© 177	7	steel grate floor dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 178	7	steel grate floor dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 179	7	steel grate floor dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 180	1	Steel Grid floor various dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 181	1	Steel Grid floor various dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 182	1	Steel Grid floor various dimension L: 1000 mm; dimension W: 800 mm;	10.00
© 183	1	Steel Grid floor various dimension L: 1000 mm; dimension W: 800 mm;	10.00
		steel grid floors	
184	336	fire solid tiles floor surface: 12 m ² ; description: in 3 pallet boxes;	10.00
185	283	fire solid tiles floor surface: 12 m ² ; description: in 3 pallet boxes;	10.00
186	339	fire solid tiles description: in 3 pallet boxes;	10.00
187	1	plane table Planolith, 38771/2, brand: Planolith; type: 38771/2; granite: yes; table size L: 800 mm; table size W: 600 mm; own weight: 173 kg; description: Tue 876/1;	50.00
188	1	plane table Wenzel, brand: Wenzel; granite: yes; table size L: 630 mm; table size W: 400 mm;	50.00
189	1	plane table Oelze, year built 1996, brand: Oelze; year: 1996; granite: yes; table size L: 600 mm; table size W: 600 mm; description: equipped with chassis;	50.00
190	1	plane table Planolith, year built 2001, brand: Planolith; year: 2001; granite: yes; table size L: 800 mm; table size W: 600 mm; own weight: 173 kg; description: equipped with chassis;	50.00
191	1	plane table Oelze, year built 2000, brand: Oelze; year: 2000; granite: yes; table size L: 600 mm; table size W: 400 mm; own weight: 55 kg;	50.00
192	1	plane table Oelze, brand: Oelze; granite: yes; table size L: 600 mm; table size W: 600 mm;	50.00
193	1	hardness tester Ernst, AT130 DR, year built 2007, serial number 7716, brand: Ernst; type: AT130 DR; year: 2007; serial number: 7716; digital: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
194	1	hardness tester Reicherter, Briro -uvn, year built 2001, serial number 91.1204, brand: Reicherter; type: Briro -uvn; year: 2001; serial number: 91.1204; analog: yes;	10.00
195	1	hardness tester Ernst, AT130 DRS, year built 2006, serial number 7596, brand: Ernst; type: AT130 DRS; year: 2006; serial number: 7596; digital: yes; electric connection: 230 V;	10.00
196	1	optical comparator Mitutoyo, PI-250c, serial number 1748, brand: Mitutoyo; type: PI-250c; serial number: 1748;	50.00
197	1	inverter Flender, Dynavert 2t2a-03400-022, brand: Flender; type: Dynavert 2t2a-03400-022; electric connection: 400 V;	10.00
198	1	inverter Flender, Dynavert 2t2a-03400-022, brand: Flender; type: Dynavert 2t2a-03400-022; electric connection: 400 V;	10.00
199	1	inverter Danfoss, brand: Danfoss; electric connection: 400 V;	10.00
200	1	inverter Vac-on, Vacon0100, brand: Vac-on; type: Vacon0100; electric connection: 400 V;	10.00
201	1	switchboard Eaton, Nzm2, brand: Eaton; type: Nzm2;	10.00
202	1	switchboard description: equipped with condenser;	10.00
203	1	switchboard description: equipped with condenser;	10.00
204	1	switchboard description: equipped with condenser;	10.00
205	1	switchboard description: equipped with condenser;	10.00
206	1	switchboard description: equipped with condenser;	10.00
207	1	switchboard description: equipped with condenser;	10.00
208	1	switchboard description: equipped with condenser;	10.00
209	1	main switch cabinet Halyeste, brand: Halyeste;	10.00
210	1	main switch cabinet Halyeste, brand: Halyeste;	10.00
211	1	switchboard Eaton, brand: Eaton;	10.00
212	1	tool chest number of drawers: 7; with content: yes; total dimension LxWxH: 600x620x960 mm;	50.00
213	1	working bench Dowidat, brand: Dowidat; steel: yes; wooden top: yes; number of drawers: 4; total dimension LxWxH: 1100x660x825 mm; description: mobile;	10.00
214	1	electric chain hoist Demag, Dkun 1-125, year built 2000, brand: Demag; type: Dkun 1-125; year: 2000; hoist capacity: 250 kg; electric connection: 400 V;	50.00
215	1	cooling door Roma, brand: Roma; total dimension L: 2130 mm; total dimension W: 180 mm; total dimension H: 2530 mm;	50.00



Lot	Number	Description	Starting Bid €
216	1	fast-running door Nergeco, brand: Nergeco; total dimension L: 1855 mm; total dimension W: 205 mm; total dimension H: 2780 mm; description: walk through space: 1600x2380mm;	50.00
217	1	fast-running door Kemco, year built 1995, brand: Kemco; year: 1995; total dimension L: 3300 mm; total dimension W: 150 mm; total dimension H: 3400 mm; description: walk-through space; 3000x2860;	50.00
218	5	jumbo block total dimension L: 950 mm; total dimension W: 300 mm; total dimension H: 300 mm;	10.00
219	5	jumbo block total dimension L: 950 mm; total dimension W: 300 mm; total dimension H: 300 mm;	10.00
220	16	curb total dimension L: 1000 mm; total dimension W: 200 mm; total dimension H: 200 mm;	10.00
221	16	curb total dimension L: 1000 mm; total dimension W: 200 mm; total dimension H: 200 mm;	10.00
222	1	swing arm crane arm length: 1200 mm; total dimension L: 2700 mm; description: excl. hoist;	10.00
223	1	security sensor set Sick, Fgse1500-21, brand: Sick; type: Fgse1500-21; description: length 1500mm; Range from 0.5 to 18 m;	10.00
224	1	security sensor set Sick, Fgse450-23, brand: Sick; type: Fgse450-23; description: length 450mm; Range from 0.5 to 18 m;	10.00
225	1	circuit board washing and cleaning machine Océ, year built 2002, brand: Océ; year: 2002; electric connection: 380 V; description: approx. 5700mm long; incl. two mobile baskets; (loading charges 250.00)	500.00
226	1	portal crane Demag / Grame, brand: Demag / Grame; span: 8 m; hoist capacity: 500 kg; total dimension L: 10000 mm; total dimension W: 8000 mm; total dimension H: 4500 mm; description: excl. chain hoist; (loading charges 150.00)	50.00
227	1	gantry crane steel construction Demag / Grame, brand: Demag / Grame; span: 8 m; total dimension L: 10000 mm; total dimension W: 8000 mm; total dimension H: 4500 mm; description: excl. chain hoist; (loading charges 150.00)	50.00
228	1	cooling tower total dimension L: 2700 mm; total dimension W: 2700 mm; description: polyester; on steel construction;	100.00
229	1	semitrailer Nooteboom, Osd-48-03/I, year built 2002, brand: Nooteboom; type: Osd-48-03/I; year: 2002; VIN number: XMR0SD00020000739; license plate: OK-02-SL; inspection expiration date: 19/03/2019 01:00:00; number of axis: 3; load capacity: 32060 kg; open trailer: yes; hydraulic tail-lift: yes; own weight: 12940 kg; total dimension L: 13300 mm; total dimension W: 2500 mm; total dimension H: 1700 mm; description: loading length: 11930; width 2550/3020;	1,000.00
230	1	forklift Linde, E30/600-02, year built 2003, serial number G1x336P00429, brand: Linde; type: E30/600-02; year: 2003; serial number: G1x336P00429; electric: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 5355 mm; overhead guard height: 2440 mm; fork length: 1160 mm; tripple mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 96970; battery charger: yes; own weight: 5800 kg; description: equipped with four forks;	1,000.00



Lot	Number	Description	Starting Bid €
231	1	forklift Linde, E16c-02, year built 2004, serial number H2x335R04671, brand: Linde; type: E16c-02; year: 2004; serial number: H2x335R04671; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 4000 mm; overhead guard height: 2070 mm; fork length: 1000 mm; duplo mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; hours on display: 132877; battery charger: yes; description: equipped with drive does not;	1,000.00
232	1	electric pallet truck Linde , T20SF, year built 2007, serial number U00504, brand: Linde ; type: T20SF; year: 2007; serial number: U00504; lifting capacity: 2000 kg; battery charger: yes;	100.00
233	1	electric pallet truck Linde , T20SF, year built 2004, serial number R00198, brand: Linde ; type: T20SF; year: 2004; serial number: R00198; lifting capacity: 2000 kg; battery charger: yes;	100.00
234	1	electric pallet truck Fenwick-Linde, T18, year built 2002, serial number W4x360 n 02392, brand: Fenwick-Linde; type: T18; year: 2002; serial number: W4x360 n 02392; lifting capacity: 1800 kg; battery charger: yes; hours on display: 7283;	100.00
235	1	electric pallet truck Linde , T16, year built 2008, serial number W4x360 w00619, brand: Linde ; type: T16; year: 2008; serial number: W4x360 w00619; lifting capacity: 1600 kg; battery charger: yes; hours on display: 7283;	100.00
236	1	floor cleaner Gansow, 62BF65, brand: Gansow; type: 62BF65; working width: 700 mm; rechargeable: yes; electric connection: 24 V; description: 442 hours;	100.00
237	1	truck Daf, Fa cf 85, year built 2008, brand: Daf; type: Fa cf 85; year: 2008; VIN number: XLRAE85MC0E834349; license plate: BV-HR-28; inspection expiration date: 19/06/2020 02:00:00; number of axis: 2; diesel: yes; engine power: 300 kW; automatic: yes; load capacity: 8500 kg; mileage (at intake): 1263222 km; emission standard: Euro 5; sleeper cab: yes; hydraulic tail-lift: yes; box trailer: yes; own weight: 12000 kg; description: number of cylinders: 6; displacement: 12902 cm ³ ; length : 1005; width: 260; Euro classification: 5; type : CF 8 5 AND 3; variant: AEZZMZZ; execution: MX300S2; tachograph;	1,000.00
238	1	forklift Toyota , 02-8FGF18, year built 2013, serial number 32146, brand: Toyota ; type: 02-8FGF18; year: 2013; serial number: 32146; LPG: yes; number of wheels: 4; lifting capacity: 1750 kg; lifting height: 4000 mm; overhead guard height: 2600 mm; fork length: 1200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 2245; own weight: 2860 kg; description: incl. gas bottle;	1,000.00
239	1	forklift Still , DFG 2/7018, brand: Still ; type: DFG 2/7018; diesel: yes; number of wheels: 4; lifting capacity: 2000 kg; lifting height: 5900 mm; overhead guard height: 2161 mm; fork length: 1140 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 3155; own weight: 3897 kg; description: Mercedes engine; coupling behind; compressor ; about starting connection;	1,000.00
240	1	forklift Halla, HBFZ18T, year built 1998, serial number AL010W, brand: Halla; type: HBFZ18T; year: 1998; serial number: AL010W; electric: yes; number of wheels: 3; lifting capacity: 1600 kg; lifting height: 3320 mm; overhead guard height: 2100 mm; fork length: 1000 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 1477; battery charger: yes; own weight: 3100 kg; description: Mercedes engine; coupling behind; compressor ; about starting connection;	100.00



Lot	Number	Description	Starting Bid €
241	1	forklift Hyster , H6.00XL, year built 1989, serial number F006A03416K, brand: Hyster ; type: H6.00XL; year: 1989; serial number: F006A03416K; LPG: yes; number of wheels: 4; lifting capacity: 6000 kg; lifting height: 5400 mm; overhead guard height: 3670 mm; fork length: 1220 mm; duplo mast: yes; full rubber tyres: yes; hours on display: 4705; battery charger: yes; own weight: 8970 kg; description: extra hydraulic connections;	1,000.00
242	1	forklift Linde, H35D, year built 1995, serial number 352F09013835, brand: Linde; type: H35D; year: 1995; serial number: 352F09013835; diesel: yes; number of wheels: 4; lifting capacity: 3000 kg; lifting height: 4600 mm; overhead guard height: 2600 mm; fork length: 1200 mm; tripple mast: yes; side-shift: yes; rotating fork carriage: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; hours on display: 8048; own weight: 6340 kg; description: additional hydraulic connections; new tires;	1,000.00
243	1	forklift Clark , C35, year built 2014, brand: Clark ; type: C35; year: 2014; LPG: yes; number of wheels: 4; lifting capacity: 3500 kg; lifting height: 4660 mm; overhead guard height: 2200 mm; fork length: 1200 mm; tripple mast: yes; full rubber tyres: yes; hours on display: 3051; own weight: 6340 kg;	500.00
244	1	aerial platform Grove , Toecan 1400, year built 1997, serial number 19, brand: Grove ; type: Toecan 1400; year: 1997; serial number: 19; electric: yes; telescopic boom lift: yes; working height: 1400 cm; platform capacity: 227 kg; own weight: 6940 kg; description: internal charger;	1,000.00
245	1	aerial platform Grove , Toucan 860, year built 1996, serial number 438, brand: Grove ; type: Toucan 860; year: 1996; serial number: 438; electric: yes; telescopic boom lift: yes; working height: 8800 cm; platform capacity: 265 kg; own weight: 3000 kg; description: internal charger; excluding battery;	1,000.00
246	1	industrial vacuum cleaner Ruwac, Sps 250, brand: Ruwac; type: Sps 250; power: 2.2 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: oil piston; weight 105 kg;	50.00
247	1	industrial vacuum cleaner Ruwac, DS 1220u, brand: Ruwac; type: DS 1220u; power: 2.2 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: oil piston; weight 105 kg;	50.00
248	1	industrial vacuum cleaner Ruwac, DS 1220u, brand: Ruwac; type: DS 1220u; power: 2.2 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: oil piston; weight 105 kg;	50.00
249	1	industrial vacuum cleaner CFM, 3306, brand: CFM; type: 3306; power: 2.2 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: oil piston; weight 102 kg;	50.00
250	1	industrial vacuum cleaner Dustcontrol, serial number 501258, brand: Dustcontrol; serial number: 501258; power: 2.2 W; wet/dry vacuum cleaner: yes; electric connection: 400 V; description: oil piston;	50.00
251	4	valve Larox, Pve 32/A10-231L, brand: Larox; type: Pve 32/A10-231L; description: din 32; pn 10;	50.00
252	2	valve Larox, Pve 50/A10-231L, brand: Larox; type: Pve 50/A10-231L; description: din 50; pn 10;	50.00
253	1	valve various	50.00
254	5	valve Larox, Pve 50/A10-231L, brand: Larox; type: Pve 50/A10-231L; description: din 50; pn 10;	50.00
255	2	valve Larox, Pve 50/A10-231L, brand: Larox; type: Pve 50/A10-231L; description: din 50; pn 10;	50.00
256	10	valve	50.00
257	2	valve Keystone, Fig g-102, brand: Keystone; type: Fig g-102; description: pn 10;	50.00



Lot	Number	Description	Starting Bid €
258	10	valve Alfa laval, brand: Alfa laval;	50.00
259	2	filter units	50.00
260	2	valve pneumatic Keystone, F79e 036, brand: Keystone; type: F79e 036;	50.00
261	2	valve Larox, Pve 50/A10-231L, brand: Larox; type: Pve 50/A10-231L; description: din 50; pn 10;	50.00
262	4	valve Krohne, H250, brand: Krohne; type: H250; description: Tue;	50.00
263	1	valve George Fischer, brand: George Fischer;	50.00
264	1	valve	50.00
265	1	laboratory pump Ingersoll-Rand, Aro, brand: Ingersoll-Rand; type: Aro; diaphragm: yes; description: max 120 bar;	50.00
266	1	laboratory pump Ingersoll-Rand, Aro, brand: Ingersoll-Rand; type: Aro; diaphragm: yes; description: max 120 bar;	50.00
267	1	laboratory pump Ingersoll-Rand, Aro, brand: Ingersoll-Rand; type: Aro; diaphragm: yes; description: max 120 bar;	50.00
268	1	water filter pneumatic IMF, L850AX99WN1300, year built 2014, brand: IMF; type: L850AX99WN1300; year: 2014; description: -20 ° c- + 50 ° c; ps 50 bar; pt 75 bar;	50.00
269	1	water filter pneumatic SMC, VG342R-5DZ-06F-X87, brand: SMC; type: VG342R-5DZ-06F-X87; description: press max 0.7 MPa;	50.00
270	1	water filter pneumatic SMC, VG342R-5DZ-06F-X87, brand: SMC; type: VG342R-5DZ-06F-X87; description: press max 0.7 MPa;	50.00
271	1	water filter pneumatic SMC, VG342R-5DZ-06F-X87, brand: SMC; type: VG342R-5DZ-06F-X87; description: press max 0.7 MPa;	50.00
272	1	water filter pneumatic SMC, VG342R-5DZ-06F-X87, brand: SMC; type: VG342R-5DZ-06F-X87; description: press max 0.7 MPa;	50.00
273	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
274	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
275	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
276	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
277	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
278	1	valve pneumatic Numatics, brand: Numatics; description: equipped with control;	10.00
279	1	valve pneumatic Numatics, 354ba4z1mg00061, year built 2016, brand: Numatics; type: 354ba4z1mg00061; year: 2016;	10.00
280	1	valve pneumatic Mac, E941, brand: Mac; type: E941;	10.00



Lot	Number	Description	Starting Bid €
281	1	valve pneumatic Mac, E941, brand: Mac; type: E941;	10.00
282	1	valve pneumatic Mac, E941, brand: Mac; type: E941;	10.00
283	1	valve pneumatic Mac, E941, brand: Mac; type: E941;	10.00
284	1	fan diameter: 500 mm; description: 1.40 kW; 380 volts;	10.00
285	1	fan description: 2.60 kW; 380 volts;	10.00
286	1	fan diameter: 400 mm; description: 380 volts;	10.00
287	1	fan diameter: 500 mm; description: 1.20 kW; 380 volts;	10.00
288	1	fan description: 1.40 kW; 380 volts;	10.00
289	1	fan description: 5.38 kW; 380 volts;	10.00
290	1	waterpump KSB, Multi eco 36.3 D, brand: KSB; type: Multi eco 36.3 D; H-max.: 55 m; description: 1100 watts;	50.00
291	1	waterpump KSB, Multi eco 36.3 D, brand: KSB; type: Multi eco 36.3 D; H-max.: 55 m; description: 1100 watts;	50.00
292	2	Filters	10.00
293	2	Filters Norgen, brand: Norgen;	10.00
294	1	fan description: 2.70 kW; 380 volts;	10.00
295	1	electric motor ABB, M20a, brand: ABB; type: M20a; power: 55 kW;	50.00
296	1	electric motor Siemens, brand: Siemens; power: 65 kW; electric connection: 380 V;	50.00
297	1	electric motor ABB, brand: ABB; power: 45 kW; electric connection: 380 V;	50.00
298	1	electric motor ABB, Mbt 180m, brand: ABB; type: Mbt 180m; power: 21 kW; electric connection: 380 V;	50.00
299	1	electric motor Weg, brand: Weg; electric connection: 380 V;	50.00
300	1	electric motor ABB, Mbt 180m, brand: ABB; type: Mbt 180m; power: 7.5 kW; electric connection: 380 V;	50.00
301	1	electric motor Vem, brand: Vem; power: 30 kW; electric connection: 380 V;	50.00
302	3	electric motor electric connection: 380 V;	50.00
303	1	Pump unit Netzsch, NM015BY, year built 2014, brand: Netzsch; type: NM015BY; year: 2014; stainless steel: yes; capacity: 150 l/hr;	50.00
304	1	fan description: 7.5 kW; 380 volts;	10.00
305	1	fan HF, 260-17R, year built 2000, brand: HF; type: 260-17R; year: 2000; capacity: 3000 m³/hr; description: 1.60 kW; 380 volts;	10.00



Lot	Number	Description	Starting Bid €
306	1	vacuum pump Rico, 805, year built 2002, brand: Rico; type: 805; year: 2002; power: 7.5 kW; electric connection: 380 V;	50.00
307	1	vacuum pump Busch, Sb0710, year built 2002, brand: Busch; type: Sb0710; year: 2002; power: 4 kW; electric connection: 380 V;	50.00
308	1	fan description: 380 volts;	10.00
309	1	vacuum pump Effepizeta, Scl 40 dh, year built 1998, serial number A91444, brand: Effepizeta; type: Scl 40 dh; year: 1998; serial number: A91444; power: 2.2 kW; electric connection: 380 V;	50.00
310	1	water pump reristaltic Verderflex, VF15, serial number 2980c, brand: Verderflex; type: VF15; serial number: 2980c; power: 0.37 kW; capacity: 0.1 l/hr;	10.00
311	1	waterpump Siemens, brand: Siemens; power: 11.5 kW; electric connection: 400 V;	10.00
312	1	waterpump Siemens, brand: Siemens; power: 31 kW; electric connection: 400 V;	10.00
313	1	waterpump Grundfos, Tped 100-120/2, brand: Grundfos; type: Tped 100-120/2; H-max.: 8.1 m; description: 68.4 m3 / h;	10.00
314	1	waterpump Grundfos, Tped 100-120/2, brand: Grundfos; type: Tped 100-120/2; H-max.: 8.1 m; description: 68.4 m3 / h;	10.00
315	1	electric motor for warer pump Siemens, brand: Siemens; power: 31 kW; H-max.: 8.1 m; electric connection: 400 V; description: 68.4 m3 / h;	10.00
316	1	electric motor for warer pump Siemens, brand: Siemens; power: 11.5 kW; H-max.: 8.1 m; electric connection: 400 V; description: 68.4 m3 / h;	10.00
317	1	electric motor for warer pump Siemens, brand: Siemens; power: 11.5 kW; H-max.: 8.1 m; electric connection: 400 V; description: 68.4 m3 / h;	10.00
318	9	valve Georg Fischer, brand: Georg Fischer;	50.00
319	3	inverter Control techniques, Unidrive, brand: Control techniques; type: Unidrive; electric connection: 400 V;	10.00
320	1	valve box pallet description: hand;	50.00
321	1	valve box pallet description: hand;	50.00
322	1	waterpump Ksb, 100-080-200, brand: Ksb; type: 100-080-200; H-max.: 14.95 m; description: 70 m3 / h;	50.00
323	1	waterpump Lowara, brand: Lowara;	50.00
324	1	tape closing device Payne, Psa20000e, brand: Payne; type: Psa20000e; plastic strap: yes; electric connection: 240 V;	50.00
325	2	stainless steel filters	10.00
326	1	welding fuse Rovasta, brand: Rovasta;	50.00



Lot	Number	Description	Starting Bid €
327	1	waterpump Sterling, Zlkc 322007, year built 1998, brand: Sterling; type: Zlkc 322007; year: 1998; power: 8.2 kW; capacity: 12000 l/hr; H-max.: 70 m;	50.00
328	2	waterpump Lowara, Hts 25/200, brand: Lowara; type: Hts 25/200; power: 5.5 kW; capacity: 21000 l/hr; H-max.: 58 m;	50.00
329	1	pump unit Platz, P10s, year built 2015, brand: Platz; type: P10s; year: 2015; power: 10 kW; electric connection: 400 V; description: 41 l / min; 100 bar;	50.00
330	1	vacuum pump Leybold, SD-1400, brand: Leybold; type: SD-1400;	50.00
331	1	vacuum pump Leybold, Trivac s16b, brand: Leybold; type: Trivac s16b; nominal capacity: 16 m³/hr;	50.00
332	1	vacuum pump Becker, Vt 4.40, year built 2008, brand: Becker; type: Vt 4.40; year: 2008; power: 1.5 kW; nominal capacity: 48 m³/hr; description: 150mbar;	50.00
333	6	various pneumatic cylinders	10.00
334	1	paint mixing machine Fluid management, SX-40a, brand: Fluid management; type: SX-40a;	50.00
335	1	paint mixing machine Collomix, Biax 44s, serial number 820297, brand: Collomix; type: Biax 44s; serial number: 820297; description: 4880 upm; 1.2 kW;	50.00
336	1	water filter Hoh, RO 51, brand: Hoh; type: RO 51; description: 230 volts;	50.00
337	6	various pneumatic cylinders Festool, Dng-63-900-ppv-a, brand: Festool; type: Dng-63-900-ppv-a; description: max 12 bar;	10.00
338	4	various pneumatic cylinders Movopart, brand: Movopart; description: max 12 bar;	10.00
339	1	Pneumatic cylinders Movopart, brand: Movopart; description: max 12 bar;	50.00
340	1	gel coat mixer Dekumed, U 200, year built 2003, serial number 03200250, brand: Dekumed; type: U 200; year: 2003; serial number: 03200250; stainless steel: yes; electric connection: 230 V; description: max 6 bar;	50.00
341	1	waterpump Siemens, brand: Siemens; power: 11.5 kW; electric connection: 400 V; description: equipped with water tank on the frame; Endress & Hauser flowmeter; valves;	50.00
342	1	lifting table Kommissionierhilfen, year built 2002, serial number 4140, type: Kommissionierhilfen; year: 2002; serial number: 4140; max. lifting height: 730 m; electric connection: 380 V; total dimension L: 1250 mm; total dimension W: 530 mm; description: 600 daN; pressure 200 bar; equipped with hydraulic unit;	50.00
343	1	conveyor track size L: 2230 mm; track size W: 630 mm; total dimension L: 2540 mm; total dimension W: 990 mm;	50.00
344	1	Stairs number of steps: 23; aluminium: yes; total dimension LxWxH: 7750x730 mm; description: for emergency exit;	10.00
345	1	Stairs number of steps: 12; steel: yes; total dimension LxWxH: 2500x820 mm; description: storey height 250 cm ;	10.00
346	1	Stairs number of steps: 7; steel: yes; total dimension LxWxH: 1600x650 mm;	10.00



Lot	Number Description	Starting Bid €
347	1 Stairs number of steps: 2; steel: yes; total dimension LxWxH: 600x540 mm;	10.00
348	1 Stairs number of steps: 2; steel: yes; total dimension LxWxH: 600x540 mm;	10.00
349	1 Stairs number of steps: 10; aluminium: yes; total dimension LxWxH: 2680/3820x550 mm; description: for emergency exit;	10.00
350	1 conveyor total dimension L: 9640 mm; total dimension W: 800 mm; description: stainless steel; without tire;	50.00
351	1 conveyor total dimension L: 4300 mm; total dimension W: 800 mm; description: stainless steel; without tire;	50.00
352	1 Stairs number of steps: 18; steel: yes; total dimension LxWxH: 3870x750 mm; description: floor height 380 cm;	10.00
353	1 conveyor total dimension L: 8200 mm; total dimension W: 800 mm; description: stainless steel; without tire;	50.00
354	1 conveyor total dimension L: 9000 mm; total dimension W: 800 mm; description: stainless steel; without tire;	50.00
355	1 Stairs number of steps: 14; steel: yes; total dimension LxWxH: 3300x930 mm; description: floor height 330cm ;	10.00
356	1 Stairs number of steps: 16; steel: yes; total dimension LxWxH: 4000/5200x450 mm;	10.00
357	1 Stairs number of steps: 12; steel: yes; total dimension LxWxH: 3300/4440x520 mm;	10.00
358	1 conveyor track size L: 5200 mm; track size W: 770 mm; total dimension L: 7700 mm; total dimension H: 2150 mm;	50.00
359	1 conveyor Axmann, 4081, year built 2007, brand: Axmann; type: 4081; year: 2007; track size L: 4650 mm; track size W: 690 mm; total dimension L: 4650 mm; total dimension W: 1020 mm; description: stainless steel;	50.00
360	1 conveyor Axmann, 4081, year built 2007, brand: Axmann; type: 4081; year: 2007; track size L: 4650 mm; track size W: 690 mm; total dimension L: 4650 mm; total dimension W: 910 mm; description: stainless steel;	50.00
361	1 conveyor Axmann, 4081, year built 2007, brand: Axmann; type: 4081; year: 2007; track size L: 4650 mm; track size W: 690 mm; total dimension L: 4650 mm; total dimension W: 910 mm; description: stainless steel;	50.00
362	1 conveyor bend Max Dörr, 180°/650/700R, year built 1999, serial number 7265, brand: Max Dörr; type: 180°/650/700R; year: 1999; serial number: 7265; track size L: 3000 mm; track size W: 1560 mm; electric connection: 380 V; total dimension H: 1080 mm;	50.00
363	1 conveyor bend Max Dörr, 180°/650/700R, year built 1999, serial number 7264, brand: Max Dörr; type: 180°/650/700R; year: 1999; serial number: 7264; track size L: 3000 mm; track size W: 1560 mm; electric connection: 380 V; total dimension H: 1080 mm;	50.00



Lot	Number	Description	Starting Bid €
364	1	conveyor track size L: 2240 mm; track size W: 300 mm; total dimension L: 2470 mm; total dimension W: 550 mm; total dimension H: 900 mm;	50.00
365	1	conveyor track size L: 2340 mm; track size W: 300 mm; total dimension L: 2550 mm; total dimension W: 410 mm; total dimension H: 700 mm;	50.00
366	1	conveyor track size L: 6900 mm; track size W: 600 mm; total dimension L: 7280 mm; total dimension W: 720 mm; total dimension H: 440 mm;	50.00
367	1	conveyor track size L: 4420 mm; track size W: 780 mm; total dimension L: 4650 mm; total dimension W: 1050 mm; total dimension H: 1260 mm;	50.00
368	1	conveyor Grisnich, brand: Grisnich; track size L: 6700 mm; track size W: 380 mm; total dimension L: 6650 mm; total dimension W: 570 mm;	50.00
369	1	conveyor track size L: 5950 mm; track size W: 500 mm; total dimension L: 5970 mm; total dimension W: 700 mm; total dimension H: 500 mm;	50.00
370	1	conveyor Grisnich, brand: Grisnich; track size L: 3900 mm; track size W: 350 mm; total dimension L: 3920 mm; total dimension W: 700 mm; total dimension H: 360 mm;	50.00
371	1	conveyor Climax, brand: Climax; track size L: 4650 mm; track size W: 2500 mm; total dimension H: 2400 mm; description: equipped with elevator belt;	50.00
372	1	conveyor Grisnich, brand: Grisnich; track size L: 2870 mm; track size W: 300 mm; electric driven: yes; total dimension L: 3050 mm; total dimension W: 450 mm;	50.00
373	1	conveyor Grisnich, brand: Grisnich; track size L: 2850 mm; track size W: 490 mm; electric driven: yes; total dimension L: 2900 mm; total dimension W: 680 mm;	50.00
374	1	conveyor track size L: 2850 mm; track size W: 300 mm; electric driven: yes; total dimension L: 3050 mm; total dimension W: 450 mm;	50.00
375	1	stainless steel conveyor belt track size L: 4300 mm; track size W: 570 mm; total dimension L: 4350 mm; total dimension W: 750 mm;	50.00
376	1	conveyor electric driven: yes; total dimension L: 3600 mm; total dimension W: 830 mm; description: stainless steel; without tire;	50.00
377	1	conveyor track size L: 6850 mm; track size W: 1550 mm; electric driven: yes; electric connection: 380 V; total dimension L: 6900 mm; total dimension W: 1770 mm; description: stainless steel;	50.00
378	1	storage containers storage container: yes; insulated: yes; total dimension L: 3150 mm; total dimension W: 2400 mm; total dimension H: 2220 mm;	100.00
379	1	Sea container MSC, Tyc-126a, brand: MSC; type: Tyc-126a; length (ft): 40; high cube: yes; description: 40 ft high; (loading charges 150.00)	100.00
380	1	plane table Fanamation, brand: Fanamation; granite: yes; table size L: 2130 mm; table size W: 2130 mm; total dimension H: 830 mm; description: stone thickness 470mm;	100.00
381	1	forklift truck mast Hyster , H700xl, brand: Hyster ; type: H700xl; duplo mast: yes;	100.00



Lot	Number	Description	Starting Bid €
382	1	forklift truck mast Hyster , E3.20 xl, brand: Hyster ; type: E3.20 xl; tripple mast: yes; free-lift: yes;	100.00
383	1	forklift truck mast Hyster , brand: Hyster ; tripple mast: yes; free-lift: yes;	100.00
384	1	metal detector Lock , Metalchek 9, brand: Lock ; type: Metalchek 9;	100.00
385	1	conveyor total dimension L: 8360 mm; total dimension W: 840 mm; description: stainless steel; without tire;	50.00
386	1	conveyor total dimension L: 6100 mm; total dimension W: 930 mm; description: stainless steel; without tire;	50.00
387	1	conveyor total dimension L: 6640 mm; total dimension W: 750 mm; description: stainless steel; without tire;	50.00
388	1	conveyor total dimension L: 4040 mm; total dimension W: 750 mm; description: stainless steel; without tire;	50.00
389	1	conveyor total dimension L: 4950 mm; total dimension W: 650 mm; description: stainless steel; without tire;	50.00
390	1	lot of cable ladders description: length 6100mm; width 600mm;	10.00
391	1	lot of cable ladders description: length 6000x600mm; 5400x600mm; 4500x600mm;	10.00
392	1	Stairs number of steps: 6; steel: yes; description: mobile;	10.00
393	1	other punching and punching machine Walker Gerver, GR5-C, year built 1991, serial number 18.347, brand: Walker Gerver; type: GR5-C; year: 1991; serial number: 18.347; machine weight: 850 kg; description: pressure 50 bar;	100.00
394	1	steel mobile cart total dimension L: 800 mm; total dimension W: 600 mm; description: stackable;	10.00
395	1	steel mobile cart total dimension L: 800 mm; total dimension W: 600 mm; description: stackable;	10.00
396	1	steel mobile cart total dimension L: 800 mm; total dimension W: 600 mm; description: stackable;	10.00
397	1	steel mobile cart total dimension L: 800 mm; total dimension W: 600 mm; description: stackable;	10.00
398	1	steel mobile cart total dimension L: 800 mm; total dimension W: 600 mm; description: stackable; wheel defective;	10.00
399	1	barrels lift hoist capacity: 680 kg; description: capacity 1500 lbs;	50.00
400	3	aluminum flagpoles total dimension L: 7500 mm;	10.00
401	5	mesh container steel: yes; stackable: yes;	100.00
402	5	mesh container steel: yes; stackable: yes;	100.00
403	5	mesh container steel: yes; stackable: yes;	100.00
404	5	ibc transport barrel(5x) capacity content: 1000 l; plastic: yes;	50.00



Lot	Number Description	Starting Bid €
405	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
406	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
407	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
408	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
409	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
410	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
411	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
412	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
413	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
414	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
415	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
416	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
417	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
418	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
419	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
420	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
421	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
422	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
423	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
424	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00
425	5 ibc transport barrel capacity content: 1000 l; plastic: yes;	50.00



TROOSTWIJK
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

General conditions Online Auction TroostwijkAuctions.com

ARTICLE 1. DEFINITIONS

Acceptance: the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

Purchase: the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

General Auction Terms and Conditions for Purchasers: these General Terms and Conditions.

Bid: each irrevocable bid on items placed by users on items on the website.

Combination of lots: a combination of lots that are auctioned under one lot number.

Transfer of ownership: the transfer of ownership and with that the owner's risk occurs at the allocation.

User: a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

User agreement: the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

Lot: an item, or a number of items that are auctioned jointly (under one number).

Viewing day: a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

Purchase agreement: the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

Purchase price: the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

Purchaser: the user to whom the lot has been allocated for which the bid has been accepted.

Client: the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

Public Auction: an auction conducted by an auctioneer where Buyers may be present in person.

Buyer's premium: the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

Proxy bid: in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

Registration: the registration of the user on the website by correctly and fully filling out the registration form on the website.

Static bid: in a static bid the user places a bid in the form of a fixed amount for each lot.

Specific Auction Terms and Conditions for Purchasers: the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

Allocation: the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

Troostwijk: Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

Auction: the public sale of movable items organized by Troostwijk on the internet.

Seller: the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

Website(s): the website www.TroostwijkAuctions.com, that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

Items: movable items that are auctioned, either jointly or not in one lot.

ARTICLE 2. APPLICABILITY

2.1 The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

2.2 The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

2.3 Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

ARTICLE 3. THE AUCTION

3.1 Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

3.2 By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

www.TroostwijkAuctions.com



- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

ARTICLE 4. ORGANIZATION OF THE AUCTION

4.1 The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

4.2 Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

4.3 Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

4.4 The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

4.5 Troostwijk's judgment on what took place during the auction shall be binding.

ARTICLE 5. BIDS; PURCHASE AGREEMENT

5.1 The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

5.2 Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

5.3 If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

5.4 Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

5.5 The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

5.6 Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocated under suspensive conditions / a suspensive condition.

5.7 Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

5.8 If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

5.9 If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

5.10 If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate



the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

5.11 If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS

6.1 Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

6.2 Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

6.3 Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

6.4 The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

6.5 Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

6.6 If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

6.7 The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER

7.1 The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

7.2 Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

7.3 The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER

8.1 The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

8.2 If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

8.3 Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

ARTICLE 9. SECURITY

9.1 The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

9.2 The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

ARTICLE 10. PURCHASE

10.1 If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

10.2 The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

10.3 If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

10.4 The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

10.5 The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

10.6 If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

10.7 The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

10.8 If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

10.9 The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

10.10 Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



10:11 Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY

11.1 The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

ARTICLE 12. TERMINATION

12.1 If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

12.2 If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

12.3 After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

12.4 If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

12.5 In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



ARTICLE 13. LIABILITY

13.1 Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

13.2 Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

13.3 Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

13.4 Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

13.5 Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

13.6 Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

13.7 Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

13.8 The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

13.9 The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



ARTICLE 14. EXECUTION

14.1 If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

ARTICLE 15. ADAPTATIONS; EFFECT

15.1 If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

15.2 Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

15.3 Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

15.4 Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

ARTICLE 16. APPLICABLE LAW

16.1 The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

16.2 The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

16.3 The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

The European Online Auctioneer and Valuer

1300 Auctions

Troostwijk conducts
annually **1300** auction sales
all over Europe

Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

15 Countries

Troostwijk has
own offices
in 15 European countries

85 Years

Troostwijk is conducting
auctions since 1930 and
has 85 years of experience