



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**ONLINE AUCTION**

**Online veiling metaalbewerkingsmachines en  
industriële machinerie (NL)**

**Online auction of metalworking machines**

**and industrial machinery**

Zandhaarweg 30 - 7595 KM Weerselo  
(Veilinglocatie Metaalbewerkingsmachines en gereedschappen  
(Weerselo))

Closing date: Tuesday **24 MARCH** starting 14:00



**Viewing:**

Monday 23 March from 10:00 until 16:00  
Zandhaarweg 30 - 7595 KM Weerselo (The Netherlands)

*Bidding only on the internet!*

13-03-20 16.42

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

**Tuesday 24 March 2020 Online veiling metaalbewerkingsmachines en industriële  
machinerie**

**Specific Online Auction Terms and conditions of a public auction sale**

Closing date	Tuesday 24 March 2020 starting 14:00 CET								
Viewing	<b>Monday 23 March from 10:00 until 16:00 CET</b> <b>Auction location</b> Zandhaarweg 30 7595 KM Weerselo, The Netherlands								
Company organising this Online Auction	TROOSTWIJK VEILINGEN B.V. Overschiestraat 59 1062 XD Amsterdam, The Netherlands Phone: +31 20 6666500 E-mail: <a href="mailto:info@troostwijkauctions.com">info@troostwijkauctions.com</a>								
Markup	17.00%								
VAT	21.00%								
Margin goods	In case of margin goods the VAT will be 0%								
Collection	<b>Thursday 2 April from 09:00 until 16:00 CET</b> <b>Friday 3 April from 09:00 until 16:00 CET</b> <b>Auction location</b> Zandhaarweg 30 7595 KM Weerselo, The Netherlands								
Viewing Instructions	Please note that this concerns an ascending auction sale, preceded by a viewing day. Placing a bid without viewing the equipment is at one's own risk. Please see articles 3 and 6 of the General Conditions.  The article of the law "purchase on distance" is not applicable on the services of Troostwijk.  Since this is a public auction you will not be able to return your items following the applicable right of withdrawal. Apart from the ability to bid online, you will have the possibility to bid during the auction closure together with the Online Auction Advisor. This public auction closure will take place at: <b>Troostwijk Auctions - Overschiestraat 59, 1062 XD Amsterdam.</b>  To be able to attend the auction closure, you will need to inform us no later than 3 working days before the closure by sending an e-mail to the following address: <a href="mailto:bijwonenkoperssluiting@troostwijkauctions.com">bijwonenkoperssluiting@troostwijkauctions.com</a> stating the auction number and your buyer number (account ID). You will then receive a written confirmation from us accordingly.								
Attending an auction closure for consumers									
Payment Details	Payments have to be effected within 48 hours after auction is closed, to Troostwijk Auctions BV, Overschiestraat 59, 1062 XD, Amsterdam.  Please state the auction name and your buyer number and auction number : Troostwijk Auctions BV  <table><tr><td>Bank</td><td>Account nr.</td><td>IBAN nr.</td><td>BIC code.</td></tr><tr><td>KBC Bank</td><td>0633 0173 10</td><td>NL06 KRED</td><td>KREDNL2XXXX</td></tr></table>	Bank	Account nr.	IBAN nr.	BIC code.	KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX
Bank	Account nr.	IBAN nr.	BIC code.						
KBC Bank	0633 0173 10	NL06 KRED	KREDNL2XXXX						
Deliver instructions	The buyer needs to take the purchase agreement or the invoice to the delivery day. The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Troostwijk Veilingen B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick-up bought lots) will only take place on the mentioned delivery date/time and address.								

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**



If lots do not meet your expectations we refer to our General Terms and Conditions article 6. (Guarantees, claims and indemnities).

It is possible to have your purchases delivered. The transporters listed below are well known to Troostwijk Veilingen B.V. and have undertaken work for our clients in the past. On the website of these transporters you will find further information about deliveries, and you can ask for a quotation for the transporting of your purchases. Click below for more information about these companies:

- [VDSL](#) can deliver all your purchases and is specialised in the dismantling, loading and transportation of machines.
- [Auction Logistics](#) can dismantle most of your purchases and deliver directly to your home.

In the event that you do choose to use this delivery service, you will be asked to sign an agreement with the transport company. The payment and transportation will be an agreement between you and the particular transporter that you choose. Before you are able to take receipt of your goods, full payment must have been received into our bank account.

General Terms and Conditions of sale	In addition to these Specific Online Auction Terms and Conditions the General online Auction terms and conditions are applicable. In the event of a contradiction between the general terms and conditions of online auctions and these specific terms and conditions of online auctions, then these specific terms and conditions of online auctions shall prevail.
Supervision	This auction will be held under the supervision of F.J. Oranje, a civil law notary in The Hague, with the firm of Pels Rijcken & Droogleever Fortuijn N.V.
Combination	All lots in a combination will be sold individually first. After the last lot is sold, the total of bids is raised 5%. This is the starting bid of the combination. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is made in the last 5 minutes before the lot closes, the closing time of that lot will be extended by 5 minutes until no bids are made. All lots without any bid will stay open until half an hour after the last closing time bid. . Troostwijk will have the right to adapt the extension time
Lots without bid	From all lots without a bid, the closing time can be extended with 30 minutes after the last closing time for lots in that auction.
Allocation	Certain lots / combination lots may be offered "subject to allocation". This is noted in the bidding information for each affected lot. Where lots are offered "subject to allocation" the seller reserves the right to accept or reject the highest bid. The bidders will be notified within 48 hours of the auction closing.
Quantity, capacity, dimensions and weight of goods	Where a lot description contains details of quantities, capacities, dimensions or weights of the goods, these data are indicative only and no rights can be derived from this information. Bidders must satisfy themselves as to the accuracy of such data. Although the information contained herein was obtained from resources deemed reliable, the seller and Troostwijk make no warranty, expressed or implied as to the accuracy of the information.
Privacy Statement	Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, the General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.



Lot	Number	Description	Starting Bid €
1	1	<b>vertical machining centre</b> Deckel Maho, DMC 103V, serial number 2880-2224, brand: Deckel Maho; type: DMC 103V; serial number: 2880-2224; CNC control, brand, type: Deckel Maho Dialog 112; electric connection: 400 V; total dimension L: 2400 mm; total dimension W: 2800 mm; total dimension H: 2210 mm; description: Vv tooling turret.;	100.00
2	1	<b>punching machine</b> Trumpf, Trumatic 500 rotation, year built 1992, serial number 040149, brand: Trumpf; type: Trumatic 500 rotation; year: 1992; serial number: 040149; capacity: 22 t; max. sheet thickness: 8 mm; max. sheetweight: 150 kg; foot control: yes; digital display: yes; electric connection: 400 V; machine weight: 11050 kg; dimension L: 7000 mm; dimension W: 6000 mm; dimension H: 2200 mm; description: equipped with Bosch trumagraph control unit, and accessories;	1,000.00
3	1	<b>universal lathe</b> DMTG, CDS62 66C, year built 2007, serial number F1236, brand: DMTG; type: CDS62 66C; year: 2007; serial number: F1236; turning length: 1500 mm; speed till N=: 1700 rpm; coolant pump: yes; control, brand, type: sing SDS2-2L; engine power: 7.5 kW; electric connection: 400 V; manual present: yes; dimension L: 1300 mm; dimension W: 3000 mm; dimension H: 1850 mm; description: orifice diameter: 105mm; Pay attention! lot can only be viewed by appointment and pick, lot is ready for transport.;	1,000.00
4	1	<b>universal lathe</b> shenyang, CW6180 B, year built 2011, serial number A51150052, brand: shenyang; type: CW6180 B; year: 2011; serial number: A51150052; turning length: 1500 mm; coolant pump: yes; control, brand, type: ARBAH-L; electric connection: 400 V; manual present: yes; machine weight: 5000 kg; dimension L: 3000 mm; dimension W: 1300 mm; dimension H: 1700 mm; description: orifice diameter: 105mm; Pay attention! lot can only be viewed by appointment and take away;	1,000.00
5	1	<b>universal lathe</b> Colchester, triumph 2000, brand: Colchester; type: triumph 2000; coolant pump: yes; control, brand, type: sony, LH10; electric connection: 380 V; manual present: yes; dimension L: 800 mm; dimension W: 2400 mm; dimension H: 1300 mm; description: diameter: 52mm;	100.00
6	1	<b>glass / natural stone processing machine</b> denver, year built 2007, brand: denver; year: 2007; number of axis: 3; fixture table size L: 900 mm; fixture table size W: 1500 mm; CNC control, brand, type: metallurgica; engine power: 14 kW; electric connection: 400 V; manual present: yes;	100.00
© 7	1	<b>folding machine</b> HM, HXM-2000 SH, year built 1998, serial number 735039, brand: HM; type: HXM-2000 SH; year: 1998; serial number: 735039; folding length: 2020 mm; foot control: yes; electric connection: 380 V; manual present: yes; dimension L: 3000 mm; dimension W: 1000 mm; dimension H: 1700 mm;	100.00
© 8	1	<b>guillotine shear</b> hm, WKS 2000/30, serial number 575042, brand: hm; type: WKS 2000/30; serial number: 575042; cut width: 2040 mm; foot control: yes; electric connection: 380 V; total dimension L: 2300 mm; total dimension W: 1800 mm; total dimension H: 1400 mm;	100.00
© 9	1	<b>plate roller</b> Luna, 8266/20/30, brand: Luna; type: 8266/20/30; capacity length: 2040 mm; number of rolls: 3; top roll approx.: 110 mm; control, brand, type: pfeiffer; foot control: yes; engine power: 1.5 kW; electric connection: 380 V; dimension L: 2800 mm; dimension W: 700 mm; dimension H: 1100 mm;	100.00
<b>sheet metal working set</b>			
10	1	<b>mobile boring mill (boring &amp; milling machine)</b> elsa, trimotor L, serial number 93.161, brand: elsa; type: trimotor L; serial number: 93.161; electric connection: 230 V; manual present: yes;	100.00



Lot	Number	Description	Starting Bid €
11	1	<b>snake press</b> electro-hydraulic: yes; electric connection: 230 V; dimension L: 650 mm; dimension W: 800 mm; dimension H: 1250 mm;	50.00
12	1	<b>handling robot</b> kuka, KR30/2, year built 2001, brand: kuka; type: KR30/2; year: 2001; number of axis: 6; controller model: KR C1; electric connection: 400 V; manual present: yes; total dimension LxWxH: 1800x1200x2100 mm; description: from: ex Mercedes training center.;	100.00
13	1	<b>plasma cutting machine</b> CR, E3-15, year built 1995, brand: CR; type: E3-15; year: 1995; table size L: 3300 mm; table size W: 1700 mm; brand and model plasma unit: hypertherm, powermax 1000; electric connection: 380 V; dimension L: 3800 mm; dimension W: 1960 mm; dimension H: 1200 mm;	500.00
14	1	<b>table and pivot milling machine</b> huron, MU4, brand: huron; type: MU4; table size L: 1440 mm; table size W: 460 mm; engine power: 8.8 kW; electric connection: 380 V; dimension L: 2000 mm; dimension W: 1440 mm; dimension H: 1900 mm;	100.00
15	1	<b>t-slot clamping table</b> Eller, SN geslepen, year built 2019, brand: Eller; type: SN geslepen; year: 2019; table size L: 2500 mm; table size W: 2500 mm; plate thickness: 125 mm; description: equipped with oil wells, legs;	100.00
© 16	1	<b>belt sander</b> Kuhlmeyer, ZBS, year built 2010, serial number 1009281, brand: Kuhlmeyer; type: ZBS; year: 2010; serial number: 1009281; sand belt size L: 2900 mm; sand belt size W: 100 mm; electric connection: 400 V; manual present: yes; machine weight: 2500 kg; dimension L: 4200 mm; dimension W: 2800 mm; dimension H: 2400 mm;	500.00
© 17	1	<b>filter extraction system</b> FÜCHTENKÖTTER, FKPF, year built 2010, serial number 222796, brand: FÜCHTENKÖTTER; type: FKPF; serial number: 222796; year: 2010; engine power: 4 kW; number of filters: 6; mobile collector bin: no; electric connection: 380 V; dimension L: 1650 mm; dimension W: 1300 mm; dimension H: 2950 mm;	100.00
		<b>belt sander with extraction</b>	
18	1	<b>CNC lathe</b> bulmak, C11.MT, year built 2001, brand: bulmak; type: C11.MT; year: 2001; turning ? : 270 mm; turning length: 330 mm; dimension L: 4500 mm; dimension W: 950 mm; dimension H: 1600 mm;	100.00
19	1	<b>forklift</b> Mitsubishi , FB10KRT-PAC, year built 2005, serial number EFB10A 10014, brand: Mitsubishi ; type: FB10KRT-PAC; year: 2005; serial number: EFB10A 10014; electric: yes; number of wheels: 3; lifting capacity: 1000 kg; lifting height: 4480 mm; overhead guard height: 2750 mm; duplo mast: yes; free-lift: no; side-shift: yes; full rubber tyres: yes; hours on display: 2445; battery charger: yes;	100.00
20	1	<b>forklift truck</b> Atlet, A1N1LI5T, brand: Atlet; type: A1N1LI5T; electric: yes; number of wheels: 4; lifting capacity: 1500 kg; lifting height: 5150 mm; overhead guard height: 2200 mm; fork length: 1130 mm; tripple mast: yes; free-lift: yes; side-shift: yes; full rubber tyres: yes; battery charger: yes; total dimension L: 2900 mm; total dimension W: 1000 mm; total dimension H: 2200 mm; description: equipped with weighing equipment ;	100.00
21	1	<b>screw compressor</b> Atlas Copco , GA37VSD, year built 2008, serial number AP1576841, brand: Atlas Copco ; type: GA37VSD; year: 2008; serial number: AP1576841; capacity: 12.8 bar; power: 37 kW; air dryer: yes; electric connection: 380 V; own weight: 1200 kg; total dimension L: 2100 mm; total dimension W: 1000 mm; total dimension H: 1450 mm; description: Pay attention! lot can only be viewed by appointment and take away;	500.00





Lot	Number	Description	Starting Bid €
22	1	<b>aerial platform</b> up right, TL49, year built 2000, serial number 1381, brand: up right; type: TL49; year: 2000; serial number: 1381; electric: yes; engine power: 3 kW; articulating boom lift: yes; working height: 1500 cm; platform size L: 55 cm; platform size W: 104 cm; platform capacity: 215 kg; total dimension L: 5800 mm; total dimension W: 1550 mm; total dimension H: 2050 mm;	500.00
23	1	<b>aerial platform</b> mbb, MMLKR/79, year built 1967, brand: mbb; type: MMLKR/79; year: 1967; vertical lift: yes; platform capacity: 300 kg; own weight: 3570 kg; total dimension L: 3800 mm; total dimension W: 1700 mm; total dimension H: 3800 mm;	100.00
24	1	<b>milling machine</b> travel x-axis: 1600 mm; travel y-axis: 450 mm; speed from N=: 224 rpm; speed till N=: 1800 rpm; T-slot fixture table size L: 350 mm; T-slot fixture table size W: 1600 mm; electric connection: 400 V; dimension W: 2420 mm; dimension H: 2700 mm; description: equipped with control cabinet; angle adjustment;	100.00
25	1	<b>shredder</b> rapid, 1523, year built 2000, brand: rapid; type: 1523; year: 2000; electric connection: 400 V;	10.00
26	1	<b>shredder</b> rapid, 1528, year built 2001, brand: rapid; type: 1528; year: 2001; electric connection: 400 V;	10.00
27	1	<b>shredder</b> rapid, 1535, year built 2003, brand: rapid; type: 1535; year: 2003; electric connection: 400 V;	10.00
28	1	<b>shredder</b> rapid, 1528, year built 2001, brand: rapid; type: 1528; year: 2001; electric connection: 400 V;	10.00
29	1	<b>circular trim saw</b> emmegei, SCA MINI 400 p, year built 2010, brand: emmegei; type: SCA MINI 400 p; year: 2010; saw blade ? : 380; engine power: 1.5 kW; electric connection: 400 V; dimension L: 750 mm; dimension W: 700 mm; dimension H: 1450 mm; description: for aluminum ;	50.00
30	2	<b>welding line</b> LRS3000, year built 2019, type: LRS3000; year: 2019; description: capacity: 3000 kilos.;	50.00
31	1	<b>positioner</b> LM30, year built 2019, type: LM30; year: 2019; payload: 300 kg; tilting: yes; table ? : 450 mm; foot control: yes; engine power: 0.12 kW; electric connection: 230 V; manual present: yes; machine weight: 58 kg;	50.00
32	1	<b>circular trim saw</b> adige, SC 350, brand: adige; type: SC 350; saw blade ? : 340; coolant pump: yes; electric connection: 380 V; dimension L: 650 mm; dimension W: 650 mm; dimension H: 1530 mm;	50.00
33	1	<b>Welding machine</b> Esab, LAH 315, serial number 321-06577, brand: Esab; type: LAH 315; serial number: 321-06577; mig type: yes; ampere range: 315 A; duty cycle: 60 %; electric connection: 380 V; machine weight: 185 kg; dimension L: 900 mm; dimension W: 650 mm; dimension H: 860 mm; description: without welding wire; hoses and torch and further accessories;	10.00
34	1	<b>Welding machine</b> Oerlikon, Citomag 436W, serial number 04431, brand: Oerlikon; type: Citomag 436W; serial number: 04431; mig type: yes; ampere range: 435 A; duty cycle: 40 %; wire feeder: no; electric connection: 380 V; dimension L: 750 mm; dimension W: 500 mm; dimension H: 1150 mm; description: water-cooled; without hoses and welding torch, and further accessories;	10.00



Lot	Number	Description	Starting Bid €
35	1	<b>Welding machine</b> Kemppi, RA 405W, serial number 243-753, brand: Kemppi; type: RA 405W; serial number: 243-753; mig type: yes; ampere range: 450 A; duty cycle: 60 %; wire feeder: yes; electric connection: 380 V; dimension L: 950 mm; dimension W: 530 mm; dimension H: 1450 mm; description: water-cooled; without hoses and torch; and further accessories;	10.00
36	1	<b>Welding machine</b> Oerlikon, DTW 331, brand: Oerlikon; type: DTW 331; tig type: yes; ampere range: 330 A; duty cycle: 50 %; electric connection: 380 V; dimension L: 900 mm; dimension W: 400 mm; dimension H: 900 mm; description: water-cooled; with hoses and welding torch; without further accessories;	50.00
37	1	<b>Welding machine</b> Kemppi, Kempak Tig 200 DC, serial number 6122942/586793, brand: Kemppi; type: Kempak Tig 200 DC; serial number: 6122942/586793; tig type: yes; ampere range: 200 A; duty cycle: 20 %; electric connection: 380 V; dimension L: 950 mm; dimension W: 340 mm; dimension H: 760 mm; description: with hose; earth clamp and welding torch; without accessories;	10.00
38	1	<b>Welding machine</b> Rowac, Venvulas , brand: Rowac; type: Venvulas ; ampere range: 320 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 1200 mm; dimension W: 430 mm; dimension H: 810 mm; description: without accessories;	10.00
39	1	<b>Welding machine</b> Rehm, 190D, serial number 00932, brand: Rehm; type: 190D; serial number: 00932; mig type: yes; ampere range: 190 A; duty cycle: 40 %; electric connection: 380 V; dimension L: 700 mm; dimension W: 300 mm; dimension H: 490 mm; description: with hose; aardeklen and torch; without accessories;	10.00
40	1	<b>Welding machine</b> Bester, MAG Power 1800 Dual, serial number P1050101531, brand: Bester; type: MAG Power 1800 Dual; serial number: P1050101531; mig type: yes; ampere range: 160 A; duty cycle: 10 %; electric connection: 380 V; dimension L: 800 mm; dimension W: 340 mm; dimension H: 660 mm; description: without accessories;	10.00
41	1	<b>Welding machine</b> Miller, XMT 304 Series, serial number KG203695, brand: Miller; type: XMT 304 Series; serial number: KG203695; tig type: yes; ampere range: 300 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1220 mm; description: water-cooled; with hoses earth terminal and welding torch; without accessories;	50.00
42	1	<b>Welding machine</b> Lorch, M6030, serial number 423-0508-023, brand: Lorch; type: M6030; serial number: 423-0508-023; mig type: yes; ampere range: 160 A; duty cycle: 45 %; electric connection: 380 V; dimension L: 950 mm; dimension W: 380 mm; dimension H: 560 mm; description: with hose; earth clamp and welding torch; without accessories;	10.00
43	1	<b>Welding machine</b> Esab, LTO 250, serial number 745-827-0023, brand: Esab; type: LTO 250; serial number: 745-827-0023; ampere range: 250 A; duty cycle: 35 %; electric connection: 380 V; dimension L: 700 mm; dimension W: 550 mm; dimension H: 1050 mm; description: mechtig with current source 250; OFC 2 and water cooler, without the hoses ; earth terminal; welding torch and further accessories;	100.00
44	1	<b>Welding machine</b> Bester, Magster 350W, serial number 749113, brand: Bester; type: Magster 350W; serial number: 749113; mig type: yes; ampere range: 350 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 1000 mm; dimension W: 440 mm; dimension H: 1200 mm; description: without hoses and torch;	10.00



Lot	Number Description	Starting Bid €
45	<b>1 Welding machine</b> Lincoln Electric, Invertec, serial number U1950410616, brand: Lincoln Electric; type: Invertec; serial number: U1950410616; ampere range: 225 A; duty cycle: 60 %; wire feeder: yes; electric connection: 380 V; dimension L: 1000 mm; dimension W: 650 mm; dimension H: 1450 mm; description: water-cooled; without hoses ; welding torch and further accessories;	100.00
46	<b>1 plasma cutting machine</b> Rehm, PSA 100, serial number 029981, brand: Rehm; type: PSA 100; serial number: 029981; cutting range: 1-35 mm; ampere range: 85 A; duty cycle: 60 %; electric connection: 380 V; machine weight: 100 kg; dimension L: 700 mm; dimension W: 460 mm; dimension H: 710 mm; description: without the torch and further accessories;	10.00
47	<b>1 Welding machine</b> Lorch, IT 320 G, serial number 630-1016-001, brand: Lorch; type: IT 320 G; serial number: 630-1016-001; tig type: yes; ampere range: 320 A; duty cycle: 60 %; electric connection: 380 V; dimension L: 1150 mm; dimension W: 450 mm; dimension H: 750 mm; description: water-cooled; with hoses and welding torch; without accessories;	50.00
48	<b>1 hot air oven</b> Convotherm, AR 54, serial number K 0411590, brand: Convotherm; type: AR 54; serial number: K 0411590; stainless steel: yes; electric: yes; power: 12.4 kW; electric connection: 380 V; total dimension L: 850 mm; total dimension W: 1040 mm; total dimension H: 1750 mm; description: with mobile base; provided with 7 inserts;	10.00
49	<b>1 wire cutting machine</b> Ridgid, 535, serial number EAM22743D01, brand: Ridgid; type: 535; serial number: EAM22743D01; electric: yes; automatic: yes; power: 1700 W; electric connection: 230 V; total dimension L: 1050 mm; total dimension W: 500 mm; total dimension H: 1050 mm; description: equipped with foot control;	10.00
50	<b>1 wire cutting machine</b> Ridgid, 1233, brand: Ridgid; type: 1233; electric: yes; automatic: yes; electric connection: 230 V; total dimension L: 900 mm; total dimension W: 550 mm; total dimension H: 1000 mm; description: with foot control;	10.00
51	<b>1 welding fume extraction system</b> Trion, T101 HP-1862, year built 1986, brand: Trion; type: T101 HP-1862; year: 1986; mobile: yes; boom length: 3000 mm; electric connection: 230 V; machine weight: 90 kg; dimension L: 1000 mm; dimension W: 600 mm; dimension H: 2600 mm;	10.00
52	<b>1 cooling pump</b> GC Industries, brand: GC Industries; electric connection: 380 V; total dimension L: 720 mm; total dimension W: 670 mm; total dimension H: 580 mm; description: without accessories;	10.00
53	<b>1 circular trim saw</b> Elumatec, DG 104, brand: Elumatec; type: DG 104; electric connection: 380 V; dimension L: 6000 mm; dimension W: 1500 mm; dimension H: 1700 mm; description: maximum angle: horizontal: 45 °, 90 ° vertical; Pay attention! lot can only be viewed by appointment and take away;	500.00
54	<b>1 Zinc vonker</b> Sodick machatronics, Matra K1C, brand: Sodick machatronics; type: Matra K1C; electric connection: 380 V; dimension L: 850 mm; dimension W: 850 mm; dimension H: 2100 mm; description: including: cooling unit;	50.00
55	<b>1 generator</b> Pramag, protech 6000, brand: Pramag; type: protech 6000; diesel: yes; number of cylinders: 1; mobile: no; hours on display: 2694; machine weight: 200 kg; total dimension L: 930 mm; total dimension W: 600 mm; total dimension H: 810 mm; description: equipped with sound-damped cabinet;	50.00





Lot	Number	Description	Starting Bid €
56	1	<b>column drill</b> Alzmetall, AC 32 AS, year built 1991, serial number 447, brand: Alzmetall; type: AC 32 AS; year: 1991; serial number: 447; drilling capacity: 32 mm; discharge: 330 mm; taper MC: 4; table size L: 520 mm; table size W: 420 mm; coolant pump: yes; electric connection: 380 V; machine weight: 500 kg; dimension L: 660 mm; dimension W: 800 mm; dimension H: 2030 mm; description: with protective cap;	100.00
57	1	<b>Welding machine</b> Lincoln Electric, Square wave Tig-355, serial number U1940205924, brand: Lincoln Electric; type: Square wave Tig-355; serial number: U1940205924; tig type: yes; ampere range: 350 A; duty cycle: 40 %; wire feeder: yes; electric connection: 380 V; dimension L: 600 mm; dimension W: 1150 mm; dimension H: 1580 mm; description: water cooled;	100.00
58	1	<b>hydraulic platform lift</b> hoist capacity: 1000 kg; total dimension L: 2800 mm; total dimension W: 1500 mm; total dimension H: 1580 mm; description: Max H approximately 80 cm.;	10.00
59	1	<b>hose pump</b> Kunz, AX40-1007075, year built 2010, serial number 632736, brand: Kunz; type: AX40-1007075; year: 2010; serial number: 632736; power: 3.4 kW; electric connection: 380 V; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 580 mm;	50.00
60	1	<b>punching machine</b> veist's, brand: veist's; foot control: yes; dimension L: 800 mm; dimension W: 600 mm; dimension H: 1700 mm;	10.00
61	1	<b>corner clamping table</b> A.Römheld, D-6312, brand: A.Römheld; type: D-6312;	10.00
62	1	<b>radial drilling machine</b> Bernardo, GB32sv, year built 2008, brand: Bernardo; type: GB32sv; year: 2008; number of speeds: 12; speed from N=: 50 rpm; speed till N=: 2520 rpm; T-slot fixture table size L: 400 mm; T-slot fixture table size W: 470 mm; engine power: 1.1 kW; electric connection: 400 V; machine weight: 315 kg; dimension L: 750 mm; dimension W: 600 mm; dimension H: 2100 mm;	50.00
63	1	<b>lifting chain</b> hoist capacity: 17000 kg; dimension L: 3750 mm; description: 4 jump ;	10.00
64	1	<b>electric pallet truck</b> Atlet , plp/200p, year built 2013, brand: Atlet ; type: plp/200p; year: 2013; lifting capacity: 1000 kg; stand-on pallet truck: yes; battery charger: yes;	10.00
65	1	<b>electric motor</b> WMCC1, type: WMCC1; power: 45 kW; electric connection: 400 V; description: weight: 316kg;	50.00
66	1	<b>electric motor</b> WMCC1, type: WMCC1; power: 45 kW; electric connection: 400 V; description: weight: 316kg;	50.00
67	1	<b>electric motor</b> WMCC1, type: WMCC1; power: 45 kW; electric connection: 400 V; description: weight: 316kg;	50.00
68	1	<b>electric motor</b> WMCC1, type: WMCC1; power: 45 kW; electric connection: 400 V; description: weight: 316kg;	50.00
69	1	<b>Workplace crane</b> beech, GE-1000, brand: beech; type: GE-1000; total dimension L: 1350 mm; total dimension W: 900 mm; total dimension H: 1850 mm;	10.00
70	1	<b>Workplace crane</b> beech, GE-1000, year built 2009, brand: beech; type: GE-1000; year: 2009; total dimension L: 1400 mm; total dimension W: 950 mm; total dimension H: 1800 mm;	10.00
71	1	<b>hydraulic pump</b> Frieeseke & Hoepfner, W 10 R-L 5/3, brand: Frieeseke & Hoepfner; type: W 10 R-L 5/3; manually operated: yes; electric: yes; operating pressure: 630 bar;	10.00



Lot	Number	Description	Starting Bid €
72	2	<b>electric motor</b> RX3, type: RX3; description: weight: 200kg;	50.00
73	2	<b>electric motor</b> SEW, brand: SEW;	50.00
74	1	<b>electric motor</b> R3x, type: R3x; description: weight: 200kg;	10.00
75	1	<b>lifting table</b> M-ständer, year built 2009, type: M-ständer; year: 2009; platform size L: 405 mm; platform size W: 500 mm; manually operated: yes; lifting height: 1100 mm; own weight: 36 kg; total dimension H: 740 mm;	10.00
76	1	<b>transformer</b> DV TK, year built 1990, type: DV TK; year: 1990; power: 18 kVA;	10.00
77	1	<b>Refrigeration compressor</b> KAESER, TA 5, year built 1999, brand: KAESER; type: TA 5; year: 1999; electric connection: 230 V;	10.00
78	1	<b>hydraulic pump</b> Groot, year built 2009, brand: Groot; year: 2009; manually operated: yes; electric: yes; operating pressure: 80 bar;	10.00
80	1	<b>tapper</b> kinmatic, 80-34, year built 1987, brand: kinmatic; type: 80-34; year: 1987; engine power: 0.18 kW; electric connection: 230 V;	10.00
81	1	<b>air compressor</b> Airpress, K300-700M, year built 2000, brand: Airpress; type: K300-700M; year: 2000; capacity: 24 bar; air flow: 300 l/min; power: 4 kW; electric connection: 380 V;	10.00
82	1	<b>band saw</b> narvik, VBZ-600, year built 1993, brand: narvik; type: VBZ-600; year: 1993; electric connection: 380 V; dimension L: 1400 mm; dimension W: 700 mm; dimension H: 2100 mm;	50.00
83	1	<b>arm baler</b> van oversteeg, SE 20, year built 1987, serial number 74187, brand: van oversteeg; type: SE 20; year: 1987; serial number: 74187; capacity: 20 t; manually operated: yes; electric driven: yes; electric connection: 380 V;	10.00
84	1	<b>lot of tensioning straps</b>	10.00
85	1	<b>wasser pump</b> waterland, SP JET 100M, brand: waterland; type: SP JET 100M; power: 0.75 kW; capacity: 3000 l/hr; electric connection: 380 V;	10.00
86	1	<b>tool trolleys</b> year built 2018, year: 2018; number of drawers: 2; total dimension L: 850 mm; total dimension W: 500 mm; total dimension H: 900 mm;	10.00
87	1	<b>filter extraction system</b> nederman, 663, year built 2003, brand: nederman; type: 663; year: 2003; electric connection: 380 V; dimension L: 700 mm; dimension W: 1200 mm; dimension H: 2000 mm;	10.00
88	1	<b>oil Water Separator</b> vertex, brand: vertex; electric connection: 230 V; total dimension L: 400 mm; total dimension W: 500 mm; total dimension H: 1600 mm;	10.00
89	1	<b>control cabinet</b> neureder, CB150-H, year built 2001, brand: neureder; type: CB150-H; year: 2001;	10.00
90	1	<b>handling robot</b> number of axis: 2; electric connection: 230 V; total dimension LxWxH: 400x800x950 mm;	10.00
91	1	<b>shredder</b> rapid, 1521-A, year built 2001, brand: rapid; type: 1521-A; year: 2001; electric connection: 400 V;	10.00



Lot	Number	Description	Starting Bid €
92	1	<b>tool trolleys</b> lista, brand: lista; number of drawers: 5; description: including: 6x saw blade;	10.00
93	1	<b>milling machine</b> align, brand: align; travel z-axis: 12 mm; number of speeds: 24; speed from N=: 90 rpm; speed till N=: 2580 rpm; engine power: 0.75 kW; electric connection: 230 V; dimension L: 800 mm; dimension W: 1000 mm; dimension H: 1000 mm;	50.00
94	1	<b>clothes dryer</b> Constructa , energy, brand: Constructa ; type: energy; electric connection: 230 V;	10.00
95	1	<b>coffee machine</b> wittenborg, FB 7100, brand: wittenborg; type: FB 7100; multiple hot drinks: yes;	10.00
96	1	<b>circular trim saw</b> mez, AP 100L, year built 1987, brand: mez; type: AP 100L; year: 1987; saw blade ? : 300; number of speeds: 2; engine power: 2.2 kW; electric connection: 400 V;	50.00
97	1	<b>water press filter</b> wilo, SiBoost Smart 2Helix v606, brand: wilo; type: SiBoost Smart 2Helix v606; manual present: yes; total dimension L: 800 mm; total dimension W: 700 mm; total dimension H: 1060 mm;	50.00
98	1	<b>turbine</b> vacom, U/APF 802 T, brand: vacom; type: U/APF 802 T; engine power: 22 kW; dimension L: 800 mm; dimension W: 1200 mm; dimension H: 1250 mm;	10.00
99	1	<b>floor scale</b> Berkel, 76, brand: Berkel; type: 76; weight range min.: 5 kg; weight range max: 200 kg; platform size L: 780 mm; platform size W: 650 mm; total dimension L: 1050 mm; total dimension W: 650 mm; total dimension H: 1850 mm;	10.00
100	1	<b>laboratory research machine</b> Fisons ARL, 3560, serial number 2043, brand: Fisons ARL; type: 3560; serial number: 2043; electric connection: 230 V; total dimension L: 1770 mm; total dimension W: 1250 mm; total dimension H: 1410 mm; description: vv various laboratory accessories ; PC installation and manuals;	100.00
101	1	<b>stretching roller</b> GSW schwabe, CA-250/1250SaT, brand: GSW schwabe; type: CA-250/1250SaT; capacity width: 280 mm; electric connection: 380 V; total dimension LxWxH: 2000x900x1600 mm;	50.00
102	1	<b>lot of industrial lamps</b> SBP, brand: SBP; pendant light: yes; electric connection: 230 V; power: 250 W;	10.00
103	1	<b>stretching roller</b> ITB, RMA 250/7-60, year built 1999, brand: ITB; type: RMA 250/7-60; year: 1999; capacity width: 290 mm; total dimension LxWxH: 1400x800x1350 mm;	10.00
104	1	<b>air compressor</b> genesis, VT1510.EF.500, brand: genesis; type: VT1510.EF.500; capacity: 10 bar; buffer tank content: 500 l; electric connection: 400 V; own weight: 385 kg; total dimension L: 1800 mm; total dimension W: 570 mm; total dimension H: 1650 mm; description: Pay attention! indicates malfunction ;	50.00
105	1	<b>Welding machine</b> SAF, safyard 500, brand: SAF; type: safyard 500; mig type: yes; ampere range: 500 A; wire feeder: yes; electric connection: 380 V; dimension L: 1200 mm; dimension W: 480 mm; dimension H: 1500 mm;	10.00
106	1	<b>punching press / punching and nibbling machine</b> Omes, CEU 10, brand: Omes; type: CEU 10; electric connection: 400 V; dimension L: 700 mm; dimension W: 1200 mm; dimension H: 1670 mm; description: equipped with mobile chassis and lifting eye;	100.00
107	1	<b>stacker</b> Rocla , PVA-101 1500, brand: Rocla ; type: PVA-101 1500; lifting capacity: 1500 kg; fork length: 1150 mm;	10.00



Lot	Number	Description	Starting Bid €
108	2	<b>conveyor</b> MK, brand: MK; belt dim. L: 1750 mm; belt dim. W: 140 mm;	10.00
109	1	<b>handling robot</b> yushin, RAI-a-250, brand: yushin; type: RAI-a-250; number of axis: 3; reach: 1200 mm; controller model: yushin; electric connection: 380 V; total dimension LxWxH: 2500x1500x1200 mm;	50.00
110	1	<b>radial drilling machine</b> Luxdrill, AUTO40FK, year built 1988, brand: Luxdrill; type: AUTO40FK; year: 1988; number of speeds: 24; speed from N=: 60 rpm; speed till N=: 2460 rpm; T-slot fixture table size L: 360 mm; T-slot fixture table size W: 410 mm; electric connection: 380 V; dimension L: 850 mm; dimension W: 500 mm; dimension H: 1900 mm;	50.00
111	1	<b>lifting platform</b> VEB, HT 630/1, year built 1988, brand: VEB; type: HT 630/1; year: 1988; platform size L: 1600 mm; platform size W: 900 mm; eletrical operated: yes; capacity: 630 kg; lifting height: 900 mm; electric connection: 380 V; total dimension L: 1600 mm; total dimension W: 900 mm; total dimension H: 440 mm;	10.00
112	1	<b>circular trim saw</b> MEP, 352 SX evo, year built 2008, brand: MEP; type: 352 SX evo; year: 2008; saw blade ? : 360; coolant pump: yes; electric connection: 380 V; dimension L: 900 mm; dimension W: 930 mm; dimension H: 1800 mm; description: equipped with MEP system.;	50.00
113	1	<b>screw compressor</b> Airpress, RLC 15-10, year built 1998, brand: Airpress; type: RLC 15-10; year: 1998; capacity: 10 bar; power: 11 kW; hours on display: 40187; air dryer: yes; electric connection: 400 V;	50.00
114	1	<b>material lift</b> vitax, VNW 570-118, brand: vitax; type: VNW 570-118; eletrical operated: yes; electric connection: 380 V; total dimension L: 1600 mm; total dimension W: 1300 mm; total dimension H: 1400 mm;	10.00
115	1	<b>mortiser</b> Fezer, brand: Fezer; stroke length: 175 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 800 mm; dimension H: 2100 mm;	50.00
116	1	<b>vacuum machine</b> becker, 2-510, year built 2000, brand: becker; type: 2-510; year: 2000; number of chambers: 2; total dimension L: 500 mm; total dimension W: 530 mm; total dimension H: 800 mm;	10.00
117	1	<b>aluminum</b> dimension L: 2000 mm; dimension W: 850 mm; description: including: stainless steel cart;	10.00
118	1	<b>air compressor</b> S 500, year built 1971, type: S 500; year: 1971; mobile: yes; air flow: 500 l/min; buffer tank content: 10 l; electric connection: 400 V; total dimension L: 1050 mm; total dimension W: 400 mm; total dimension H: 650 mm;	10.00
119	1	<b>circular trim saw</b> elu, MGS72, brand: elu; type: MGS72; saw blade ? : 300; number of speeds: 2; speed from N=: 1050 rpm; speed till N=: 2100 rpm; electric connection: 380 V; dimension L: 600 mm; dimension W: 750 mm; dimension H: 1400 mm;	10.00
120	1	<b>punching machine</b> Weber, LD-70-D, serial number 30635, brand: Weber; type: LD-70-D; serial number: 30635; capacity: 15 t; foot control: yes; electric connection: 380 V; machine weight: 90 kg; dimension L: 900 mm; dimension W: 750 mm; dimension H: 1400 mm;	50.00
121	4	<b>workshop cupboard</b> total dimension L: 800 mm; total dimension W: 400 mm; total dimension H: 1950 mm; description: including: content ; incl. pneumatic tooling , welding accessories etc.;	10.00
122	1	<b>Bending machine</b> ako, brand: ako; manually operated: yes;	10.00



Lot	Number	Description	Starting Bid €
123	1	<b>air compressor</b> Amco, brand: Amco; power: 2.5 kW; electric connection: 380 V; total dimension L: 1400 mm; total dimension W: 400 mm; total dimension H: 800 mm;	10.00
124	1	<b>air compressor</b> Amco, CXR 4100, brand: Amco; type: CXR 4100; mobile: yes; power: 2.5 kW; buffer tank content: 100 l; electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 350 mm; total dimension H: 8000 mm;	10.00
125	1	<b>heater</b> val6, type: val6; power: 0.12 kW; ventilator: yes; electric connection: 230 V;	10.00
126	1	<b>heater</b> val6, type: val6; power: 0.12 kW; ventilator: yes; electric connection: 230 V;	10.00
127	1	<b>Welding machine</b> Esab, A10-MED44, serial number B.C.3461, brand: Esab; type: A10-MED44; serial number: B.C.3461; mig type: yes; tig type: yes; MMA type: yes; wire feeder: yes; electric connection: 380 V;	10.00
128	1	<b>lot of electrical tooling</b> description: Pay attention! defect;	10.00
129	1	<b>Terrace heater</b> gas-heated: yes;	10.00
130	3	<b>office</b> pedestal: yes; total dimension L: 1700 mm; total dimension W: 750 mm; total dimension H: 750 mm;	10.00
131	1	<b>chiller</b> CTA, R407, year built 2013, serial number IPEMTOO20-A228M, brand: CTA; type: R407; year: 2013; serial number: IPEMTOO20-A228M; cooling power: 4.5 kW; electric connection: 380 V; total dimension L: 950 mm; total dimension W: 650 mm; total dimension H: 1320 mm;	10.00
132	3	<b>Welding machine</b> mig type: yes; tig type: yes; MMA type: yes; AC/DC: yes; electric connection: 380 V; description: Pay attention! defect ;	10.00
133	12	<b>magnet foil</b> dimension L: 20000 mm; dimension W: 1000 mm;	10.00
134	12	<b>magnet foil</b> dimension L: 20000 mm; dimension W: 1000 mm;	10.00
135	1	<b>lot of welding torches</b> mig type: yes; tig type: yes;	10.00
136	1	<b>mobile drying rack</b> dimension L: 1050 mm; dimension W: 1050 mm; dimension H: 1550 mm;	10.00
137	1	<b>heater</b> gude, brand: gude; total dimension L: 350 mm; total dimension W: 420 mm; total dimension H: 760 mm;	10.00
138	1	<b>vacuum lifter</b> Schmalz, vacumastet light-4, brand: Schmalz; type: vacumastet light-4; hoist capacity: 100 kg;	10.00
139	1	<b>vacuum cleaner</b> Festool , CTM 22 E, brand: Festool ; type: CTM 22 E; power: 1200 W;	10.00
140	1	<b>vacuum cleaner</b> Festool , CT 11 E, brand: Festool ; type: CT 11 E; power: 1200 W;	10.00
141	1	<b>filter extraction system</b> filtronic, MG 75 , serial number 9510, brand: filtronic; type: MG 75 ; serial number: 9510; electric connection: 230 V;	10.00
142	1	<b>servo motor</b> geiger, miniservo 1,5, year built 2003, brand: geiger; type: miniservo 1,5; year: 2003; electric connection: 230 V;	10.00





Lot	Number	Description	Starting Bid €
143	1	<b>overhead crane</b> kito, brand: kito;	10.00
144	1	<b>lot of Suspension brackets</b>	10.00
145	1	<b>conference table</b> dimension L: 330 cm; dimension W: 130 cm; dimension H: 75 cm; description: including: 7 chairs;	10.00
146	1	<b>Packaging material</b>	10.00
147	1	<b>waste press</b> comap, SC-7, year built 2003, brand: comap; type: SC-7; year: 2003; vertical: no; total dimension L: 550 mm; total dimension W: 1500 mm; total dimension H: 2700 mm;	50.00
148	1	<b>Screen printing machine</b> svecla, sm, year built 1995, brand: svecla; type: sm; year: 1995; electric connection: 380 V; total dimension L: 2400 mm; total dimension W: 2000 mm; total dimension H: 1400 mm;	10.00
149	1	<b>lot of flow distribution boards</b> description: including: glitterbox, various plant materials ;	10.00
150	1	<b>bench grinding machine</b> stork, S66, brand: stork; type: S66; double-sided: yes;	10.00
151	2	<b>road sign</b>	10.00
152	4	<b>rail sleeve</b> canalis, KSA, brand: canalis; type: KSA; total dimension L: 3100 mm;	10.00
153	1	<b>machine skates</b> enerpac, brand: energpac; load capacity: 20000 kg;	10.00
154	1	<b>snake press</b> ludecke, spr500, brand: ludecke; type: spr500; electro-hydraulic: yes; electric connection: 230 V; dimension L: 650 mm; dimension W: 800 mm; dimension H: 1250 mm;	10.00
155	1	<b>positioner</b> weiss, TC0150T, year built 2017, brand: weiss; type: TC0150T; year: 2017; table ? : 500 mm; electric connection: 400 V;	10.00
156	1	<b>control cabinet</b> harting, brand: harting;	10.00
157	1	<b>control panel</b> kuka, KR C1, brand: kuka; type: KR C1;	10.00
158	1	<b>control panel</b> bosch, Rexroth, brand: bosch; type: Rexroth;	10.00
159	1	<b>measuring tooling</b> KUKA, KTL-Messtaster, year built 2007, serial number 9173, brand: KUKA; type: KTL-Messtaster; year: 2007; serial number: 9173;	50.00
160	1	<b>magnetic table</b> description: dimensions LxWxH: 250x150x125mm;	10.00
161	1	<b>control cabinet</b> Krauss Maffei, brand: Krauss Maffei; description: LxWxH dimensions: 500x600x2200mm; equipped with manual;	10.00
162	1	<b>ultrasonic welding machine</b> Branson, 2000 aed, year built 2001, serial number wfs01050982, brand: Branson; type: 2000 aed; year: 2001; serial number: wfs01050982; digital display: yes; electric connection: 230 V; description: for plastic ;	10.00
163	1	<b>ultrasonic welding machine</b> Branson, 2000 aed, year built 2001, serial number wfs01050984, brand: Branson; type: 2000 aed; year: 2001; serial number: wfs01050984; digital display: yes; electric connection: 230 V; description: for plastic ;	10.00
164	1	<b>inverter</b> regloplas, p140S, year built 2006, brand: regloplas; type: p140S; year: 2006; digital: yes; electric connection: 380 V;	10.00



Lot	Number	Description	Starting Bid €
165	1	<b>inverter</b> regloplas, p140S, year built 2006, brand: regloplas; type: p140S; year: 2006; digital: yes; electric connection: 380 V;	10.00
166	1	<b>inverter</b> regloplas, p140S, year built 2006, brand: regloplas; type: p140S; year: 2006; digital: yes; electric connection: 380 V;	10.00
167	2	<b>inverter</b> regloplas, p90s, year built 2005, brand: regloplas; type: p90s; year: 2005; digital: yes; electric connection: 380 V; description: Let op! defect; description: Pay attention! defect;	10.00
168	1	<b>inverter</b> regloplas, p140s, year built 2006, brand: regloplas; type: p140s; year: 2006; digital: yes; electric connection: 380 V; description: Pay attention! defect;	10.00
169	1	<b>inverter</b> regloplas, p140s, year built 2006, brand: regloplas; type: p140s; year: 2006; description: Pay attention! defect;	10.00
170	1	<b>inverter</b> regloplas, p140s, year built 2006, brand: regloplas; type: p140s; year: 2006; digital: yes; electric connection: 380 V; description: Pay attention! defect;	10.00
171	1	<b>closet</b> Blees, brand: Blees; total dimension L: 400 mm; total dimension W: 970 mm; total dimension H: 1970 mm; description: Pay attention! exclusive content ;	10.00
172	8	<b>turning tool</b> chain, brand: chain;	10.00
173	1	<b>bench grinding machine</b> v.s.f., 200DRS, serial number RS9212, brand: v.s.f.; type: 200DRS; serial number: RS9212; double-sided: yes; electric connection: 380 V;	10.00
174	1	<b>lot of bake</b> description: material: plastic ;	10.00
175	1	<b>floor cleaner</b> working width: 450 mm; electric connection: 230 V; total dimension L: 1100 mm; total dimension W: 450 mm; total dimension H: 1000 mm;	10.00
176	1	<b>distributor / mushroom</b> KERAF, 107899, brand: KERAF; type: 107899; number of groups: 4;	10.00
177	1	<b>Stairs</b> altrex, brand: altrex; number of steps: 5; aluminium: yes;	10.00
178	1	<b>stacker</b> Crown , 2300, year built 2007, serial number 5A357692, brand: Crown ; type: 2300; year: 2007; serial number: 5A357692; lifting capacity: 1500 kg; fork length: 2400 mm; stand-on stacker: yes; battery charger: yes;	50.00
179	1	<b>forklift truck attachments</b> Bauer , EXPO 150, year built 2019, serial number 5369848, brand: Bauer ; type: EXPO 150; year: 2019; serial number: 5369848; total dimension L: 960 mm; total dimension W: 630 mm; total dimension H: 550 mm;	10.00
180	1	<b>pressure washer</b> thermat, HRG 800/150, year built 1997, serial number 97105407, brand: thermat; type: HRG 800/150; year: 1997; serial number: 97105407; max. pressure: 150 bar; temperature range min.: 0 °c; temperature range max.: 105 °c; fixed installation: yes; power: 4.2 kW; electric connection: 400 V; total dimension L: 110 mm; total dimension W: 630 mm; total dimension H: 970 mm; description: fuel: natural gas.;	10.00
181	1	<b>heater</b> jako, DH-20, year built 1979, serial number 13362, brand: jako; type: DH-20; year: 1979; serial number: 13362; ventilator: yes; electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
182	1	<b>centrifuge separator</b> VEB, SOZB/10, year built 1967, brand: VEB; type: SOZB/10; year: 1967; electric connection: 380 V; total dimension L: 700 mm; total dimension W: 1400 mm; total dimension H: 1100 mm;	10.00
183	3	<b>residual stock powder coating</b> Freilacke, divers, brand: Freilacke; type: divers;	10.00
184	1	<b>hydraulic pump</b> zlpper, TEP-700, brand: zlpper; type: TEP-700; manually operated: yes; electric: yes;	10.00
185	1	<b>edge milling machine</b> omca, 760/m, year built 1992, brand: omca; type: 760/m; year: 1992; electric connection: 230 V;	10.00
186	1	<b>servo operating system</b> heidenhain, UVR 140D, brand: heidenhain; type: UVR 140D;	10.00
187	2	<b>Vacuum</b> mobile collector bin: no; number of collector bins: 1; electric connection: 230 V;	10.00
188	1	<b>lot of fasteners</b>	10.00
189	1	<b>temperature measuring equipment</b>	10.00
190	1	<b>lot of fasteners</b> description: incl. hinges, dowels, bolts , etc.;	10.00
191	1	<b>lot of fasteners</b> description: incl. hinges, dowels, bolts , locks, nails, etc.;	10.00
192	1	<b>bearing pull set</b> facom, brand: facom;	10.00
193	3	<b>lifting sling</b> hoist capacity: 6000 kg; description: including: lashing strap, webbing sling;	10.00
194	3	<b>lifting chain</b> dimension L: 3750 mm; total dimension L: 4000 mm; description: 2x 2 jump ;	10.00
195	1	<b>lot of fasteners</b> description: incl. hinges, dowels, bolts , locks, nails, shutter strap winder, etc;	10.00
196	1	<b>lot of clamps</b>	10.00
197	1	<b>machine analyzer</b> skf, microlog CMXA51-IS, serial number 060541, brand: skf; type: microlog CMXA51-IS; serial number: 060541;	10.00
198	1	<b>tool chest</b> betra, brand: betra; number of drawers: 8; with key: yes; total dimension LxWxH: 500x500x850 mm;	10.00
199	4	<b>uprights</b> dimension L: 15 cm; dimension W: 15 cm; dimension H: 100 cm;	10.00
200	1	<b>sewing machine</b> yamato, ctaz, brand: yamato; type: ctaz;	10.00
201	1	<b>breaker</b> wacker, EH9EL7350, year built 2007, brand: wacker; type: EH9EL7350; year: 2007; electric connection: 230 V; with case: yes;	10.00
202	1	<b>distributor / mushroom</b> 107899, type: 107899; number of groups: 3;	10.00
203	1	<b>Lift magnet</b> rema, PFR 500, brand: rema; type: PFR 500; capacity: 500 kg;	10.00
204	1	<b>battery stapler</b> bosch, PTK 3,6V, brand: bosch; type: PTK 3,6V; voltage: 3,6 V; number of batteries: 2; battery charger: yes; with case: yes;	10.00
205	1	<b>reciprocating saw</b> hitachi, CR 18DL, year built 2000, brand: hitachi; type: CR 18DL; year: 2000; voltage: 18 V; number of batteries: 3; battery charger: yes; with case: yes; sawing machine: yes;	10.00



Lot	Number	Description	Starting Bid €
206	1	<b>electric hand-held grinding machine</b> carat, HS-1250, year built 2013, brand: carat; type: HS-1250; year: 2013; disc diameter: 125 mm; power: 730 W; electric connection: 230 V;	10.00
207	1	<b>electric hand-held grinding machine</b> hitachi, G12SR2, year built 2004, serial number C040009, brand: hitachi; type: G12SR2; year: 2004; serial number: C040009; disc diameter: 125 mm; power: 650 W; electric connection: 110 V; description: including: Hitachi rotary hammer;	10.00
208	1	<b>tool chest</b> number of drawers: 15; with content: yes;	10.00
209	3	<b>electric hand drill</b> impact drill: yes; hammer drill: yes; electric connection: 230 V;	10.00
210	5	<b>battery tooling</b> hitachi , brand: hitachi ; number of batteries: 3; battery charger: yes; screw machine: yes; drilling machine: yes; hammer drill: yes;	10.00
211	4	<b>lifting sling</b> year built 2014, year: 2014; hoist capacity: 6000 kg; max. lifting height: 2 m;	10.00
212	3	<b>printer</b> HP, brand: HP;	10.00
213	1	<b>lifting chain</b> dimension L: 4800 mm;	10.00
214	1	<b>heater</b> Eurom, EK 3301, brand: Eurom; type: EK 3301; power: 3.3 kW; ventilator: yes; electric connection: 230 V;	10.00
215	1	<b>electric hand drill</b> makita, HK0500, brand: makita; type: HK0500; hammer drill: yes; power: 550 W; with case: yes; electric connection: 230 V;	10.00
216	1	<b>spot welding machine</b> as, 1050S, brand: as; type: 1050S; portable: yes; electric connection: 230 V;	10.00
217	1	<b>spot welding machine</b> as, 1095, brand: as; type: 1095; portable: yes; electric connection: 230 V;	10.00
218	1	<b>spot welding machine</b> BTH, LBH 700, brand: BTH; type: LBH 700; electric connection: 380 V;	10.00
219	1	<b>spot welding machine</b> power-control, MDA 2000, brand: power-control; type: MDA 2000; digital display: yes; electric connection: 380 V;	10.00
220	3	<b>lifting sling</b> year built 2017, year: 2017; hoist capacity: 10000 kg; max. lifting height: 2 m;	10.00
221	40	<b>vacuum bag</b> total dimension L: 1600 mm; total dimension W: 950 mm; description: including: various;	10.00
222	1	<b>distributor / mushroom</b> 107899, type: 107899; number of groups: 3;	10.00
223	1	<b>Hedge</b> Metabo, Hs8355 S, year built 1998, brand: Metabo; type: Hs8355 S; year: 1998; electric driven: yes; electric connection: 230 V; power: 0.5 kW;	10.00
224	1	<b>machine control</b> description: equipped with foot control ;	10.00
225	1	<b>spot welder</b> dalex-werke, 3326-4, brand: dalex-werke; type: 3326-4; max. welding capacity: 46 kVA; electric connection: 400 V;	10.00
226	1	<b>welding accessories</b> arnhold witten, brand: arnhold witten; description: for spot welding;	10.00
227	1	<b>clamping tools</b> skf, brand: skf;	10.00



Lot	Number	Description	Starting Bid €
228	1	<b>autogenous cutting installation</b> Zinser, brand: Zinser; description: vv coffin;	10.00
229	1	<b>workshop press</b> H30-I, type: H30-I; capacity: 30 t; manually operated: yes; stroke length: 200 mm; total dimension L: 180 mm; total dimension W: 350 mm; total dimension H: 600 mm;	10.00
230	1	<b>spot welder</b> T 1036, type: T 1036; electric connection: 380 V;	10.00
231	1	<b>t-slot clamping table</b> table size L: 390 mm; table size W: 395 mm; T-slot size L: 395 mm; T-slot size W: 25 mm; plate thickness: 35 mm;	10.00
232	1	<b>radial drilling machine</b> komunaras, 19112, brand: komunaras; type: 19112; drilling depth: 100 mm; T-slot fixture table size L: 250 mm; T-slot fixture table size W: 259 mm; electric connection: 380 V; dimension L: 700 mm; dimension W: 350 mm; dimension H: 800 mm;	10.00
233	15	<b>kit</b> 4tecX, brand: 4tecX; color: transparent ;	10.00
234	1	<b>various electronics</b> description: incl. 3x radio, 3x TV, speakers, printer;	10.00
235	4	<b>lifting sling</b> spanset, brand: spanset; hoist capacity: 6000 kg; max. lifting height: 2 m; description: including: 4 straps ;	10.00
236	1	<b>spot welding machine</b> bsk, DA 1000, brand: bsk; type: DA 1000; digital display: yes; electric connection: 380 V;	10.00
237	3	<b>machine analyzer</b> skf, microlog CMVA 60 , serial number 060541, brand: skf; type: microlog CMVA 60 ; serial number: 060541;	10.00
238	2	<b>computer monitor</b> belinea, brand: belinea;	10.00
239	2	<b>sling</b> total dimension W: 180 mm;	10.00
240	2	<b>machine analyzer</b> skf, microlog CMVA 30, serial number 4244, brand: skf; type: microlog CMVA 30; serial number: 4244;	10.00
241	4	<b>sling</b> total dimension W: 120 mm;	10.00
242	2	<b>audio equipment</b> philips, brand: philips;	10.00
243	1	<b>lot of hand tool</b> description: incl. knife, saw, drill, hammer, etc.;	10.00
244	1	<b>flow distribution board</b> number of groups: 9;	10.00
245	3	<b>lifting sling</b> spanset, RS3000, year built 2016, brand: spanset; type: RS3000; year: 2016; hoist capacity: 3000 kg; max. lifting height: 4 m;	10.00
246	4	<b>lifting sling</b> spanset, year built 2010, brand: spanset; year: 2010; hoist capacity: 6000 kg; max. lifting height: 2 m;	10.00
247	1	<b>lot of electronics</b>	10.00
248	1	<b>welding electrode drying cabinet</b> VARIOS, VD-60, brand: VARIOS; type: VD-60; power: 100 W; electric connection: 220 V; total dimension L: 500 mm; total dimension W: 650 mm; total dimension H: 480 mm;	10.00
249	2	<b>shovel</b>	10.00
250	5	<b>tl fixtures</b> electric connection: 230 V; description: including: various bins, sink;	10.00





Lot	Number	Description	Starting Bid €
251	4	<b>edge grinder-deburring machine</b> ridgid, brand: ridgid; description: including: draadtappers, water pump , clocks.;	10.00
252	1	<b>lot of warning triangles</b>	10.00
253	1	<b>Tool box</b> metal: yes; dimension L: 535 mm; dimension W: 200 mm; dimension H: 200 mm;	10.00
254	2	<b>extension reel</b> ceelec, brand: ceelec; electric connection: 220 V; male-female: yes; length: 40 m; on reel: yes; description: including: 400v extension cord ;	10.00
255	1	<b>park sensors</b> parking partner, SC901, brand: parking partner; type: SC901; description: including: printer, fax, scanner, bearers;	10.00
256	7	<b>lifting eye</b>	10.00
257	15	<b>lifting eye</b>	10.00
258	2	<b>steam generator</b> covemat, brand: covemat; electric: yes; max. pressure: 10; description: including: air hose, water syringe;	10.00
259	1	<b>autogenous cutting installation</b> gloor, brand: gloor; description: including: glue sprayer ;	10.00
260	12	<b>lifting eye</b> description: including: 4x lifting hook;	10.00
261	10	<b>hook</b> description: including: lifting equator.;	10.00
262	1	<b>lot of lifting eyes</b> description: including: 16x lifting hook;	10.00
263	4	<b>flow distribution board</b> hager, brand: hager; description: including: paper cutter;	10.00
264	6	<b>electric motor</b> ABB, brand: ABB; power: 0.3 kW;	10.00
265	13	<b>heater</b> krom, brand: krom;	10.00
266	2	<b>heater</b> Master, B9-TH, merk: Master; type: B9-TH; ventilator: ja;	10.00
267	1	<b>set of pneumatic accessories</b> description: including: chest;	10.00
268	2	<b>flashing light</b> description: including: various lighting;	10.00
269	1	<b>transformer</b> electric connection: 220 V; description: including: fire extinguisher, machine clamps ;	10.00
270	3	<b>wasser pump</b> skf, LAGG 18AE, brand: skf; type: LAGG 18AE;	10.00
271	4	<b>machine analyzer</b> skf, microlog CMVA 65, serial number 021007, brand: skf; type: microlog CMVA 65; serial number: 021007;	10.00
272	3	<b>machine clamp</b> SKF, UD-1D, brand: SKF; type: UD-1D;	10.00
273	1	<b>dispencer</b> CWS, UNOtronic, brand: CWS; type: UNOtronic; plastic: yes; description: equipped with sensor;	10.00
274	1	<b>grease lubrication system</b> SKF, TLMP, brand: SKF; type: TLMP; description: including: air hose;	10.00
275	1	<b>lot of Air filters</b> description: including: telephone, s;	10.00



Lot	Number	Description	Starting Bid €
276	4	<b>diagnosis computer</b> SKF, brand: SKF;	10.00
277	1	<b>lot of electronics</b>	10.00
278	1	<b>cable press</b> description: including: air filter, mirrors.;	10.00
279	1	<b>electric hand-held grinding machine</b> hitachi, G18UDY, year built 2016, brand: hitachi; type: G18UDY; year: 2016; disc diameter: 180 mm; power: 2600 W; electric connection: 230 V; description: including: battery vacuum cleaner, 2x samsung monitor;	10.00
280	1	<b>leveling instrument</b> wild, NAD, brand: wild; type: NAD; description: including: pump, 2x Makita battery drilling machine , grinding equipment, tripod , saw blade;	10.00
281	1	<b>Welding machine</b> metauro, ferm, brand: metauro; type: ferm; MMA type: yes; ampere range: 175 A; electric connection: 380 V; description: including: impeller;	10.00
282	2	<b>sling</b> description: width: 180mm;	10.00
283	4	<b>sling</b>	10.00
284	1	<b>various hand tools</b> description: including: blind rivets, display, lamps ;	10.00
285	1	<b>fastening material</b> description: incl. . various screws , tape, wood fillers.;	10.00
286	1	<b>emergency generator</b> OHV4.8KVA, serial number EM4800EX, type: OHV4.8KVA; serial number: EM4800EX; capacity: 4.8 kVA; generator type: 168F-1; total dimension L: 560 mm; total dimension W: 430 mm; total dimension H: 450 mm;	10.00
287	12	<b>fluorescent transformer</b>	10.00
288	1	<b>uV dryer</b> honle, bluepoint 2 , brand: honle; type: bluepoint 2 ; UV dryer: yes; LED: no; electric connection: 230 V; description: including: glue dispenser ;	10.00
289	1	<b>UV dryer</b> sadechaf, uvahand 250 GS, brand: sadechaf; type: uvahand 250 GS; UV dryer: yes; electric connection: 230 V; description: including: glue sprayer;	10.00
290	1	<b>UV dryer</b> sadechaf, uvahand 250 GS, brand: sadechaf; type: uvahand 250 GS; UV dryer: yes; electric connection: 230 V;	10.00
291	1	<b>Welding machine</b> esseti, Liftig 250, brand: esseti; type: Liftig 250; tig type: yes; electric connection: 380 V;	10.00
292	1	<b>Welding machine</b> omega, welder 200, brand: omega; type: welder 200; MMA type: yes; ampere range: 155 A; electric connection: 220 V;	10.00
293	1	<b>Welding machine</b> Esab, TIG-AID 315, brand: Esab; type: TIG-AID 315; tig type: yes; MMA type: no; AC/DC: yes; ampere range: 200 A; electric connection: 230 V;	10.00
294	1	<b>Welding machine</b> HABA, G180P, brand: HABA; type: G180P; tig type: yes; MMA type: no; AC/DC: no; ampere range: 200 A; electric connection: 380 V;	10.00
295	1	<b>machine clamp</b> S.M.S, brand: S.M.S; manually operated: yes; tilting: yes;	10.00
296	1	<b>plasma cutting machine</b> L-TEC, PCM-321, brand: L-TEC; type: PCM-321; electric connection: 220 V;	10.00
297	2	<b>electric hand-held grinding machine</b> Rupes, BA215D, brand: Rupes; type: BA215D; disc diameter: 115 mm; power: 800 W; description: pay attention! 1x48V; 1x 72V;	10.00



Lot	Number	Description	Starting Bid €
298	2	<b>pencil sharpener</b> Rupes, brand: Rupes; disc diameter: 15 mm; power: 800 W; electric connection: 72 V;	10.00
299	2	<b>pencil sharpener</b> Rupes, AR38N, brand: Rupes; type: AR38N; disc diameter: 15 mm; power: 800 W; electric connection: 48 V;	10.00
300	2	<b>electric hand-held grinding machine</b> Rupes, BA215S, brand: Rupes; type: BA215S; disc diameter: 115 mm; power: 800 W; electric connection: 48 V;	10.00
301	2	<b>industrial vacuum cleaner</b> Ghibli & Fein, brand: Ghibli & Fein; electric connection: 230 V; description: without hoses and suction rods;	10.00
302	2	<b>electric hand-held grinding machine</b> Rupes, BA215D, brand: Rupes; type: BA215D; disc diameter: 115 mm; power: 800 W; description: pay attention! 1x48V; 1x 72V;	10.00
303	2	<b>pencil sharpener</b> Rupes, AR38N, brand: Rupes; type: AR38N; disc diameter: 15 mm; power: 800 W; electric connection: 72 V;	10.00
304	100	<b>twist drill</b> description: 10mm; HSS-R;	10.00
305	1	<b>Torque wrench</b> Bas, 960, brand: Bas; type: 960; torque range from: 5 Nm; torque range till: 25 Nm;	10.00
306	1	<b>Torque wrench</b> Snap-On, Tech2FR100, brand: Snap-On; type: Tech2FR100; digital: yes;	10.00
307	1	<b>Tool box</b> Mannesmann, brand: Mannesmann; plastic: yes; with content: yes;	10.00
308	1	<b>3-piece ball joint removal kit</b> Stahl Kaiser, brand: Stahl Kaiser;	10.00
309	2	<b>Safety light curtain</b> Sick, 30-FGS, brand: Sick; type: 30-FGS; total dimension H: 1100 mm;	10.00
310	2	<b>ratchet ring spanner set</b> Mannesmann, brand: Mannesmann; description: 1x set incomplete;	10.00
311	10	<b>torx screwdriver</b> Mannesmann, T10, brand: Mannesmann; type: T10;	10.00
312	16	<b>Saw blade</b> description: 8x diam. 200x2.5x1.6x20T; 8x diam. 205x2.5x1.6x20T;	10.00
313	60	<b>torx screwdriver</b> Mannesmann, T40, brand: Mannesmann; type: T40;	10.00
314	60	<b>torx screwdriver</b> Mannesmann, T8, brand: Mannesmann; type: T8;	10.00
315	2	<b>9-piece L-key set</b> Mannesmann, brand: Mannesmann;	10.00
316	2	<b>bit and bore set</b> Mannesmann, brand: Mannesmann; description: incomplete;	10.00
317	22	<b>wire brush attachment for hand grinder</b> KWB, brand: KWB; description: incl. :. 10x diam. 100mm; 9x Cup brush diam. :. 100mm; 3x diam. :. 115mm;	10.00
318	1	<b>cable winch</b> Mannesmann, year built 2008, brand: Mannesmann; year: 2008; capacity: 250 kg; manually operated: yes; electric: yes; electric connection: 230 V; remote control: no;	10.00
319	1	<b>9-piece L-key set</b> Mannesmann, brand: Mannesmann;	10.00



Lot	Number	Description	Starting Bid €
320	1	<b>Welding machine</b> Kemppi, kompomig 4500SW, brand: Kemppi; type: kompomig 4500SW; mig type: yes; tig type: no; MMA type: yes; ampere range: 450 A; wire feeder: yes; electric connection: 380 V; dimension L: 1050 mm; dimension W: 600 mm; dimension H: 1500 mm;	100.00
321	1	<b>Welding machine</b> Kemppi, kompomig 4500SW, brand: Kemppi; type: kompomig 4500SW; mig type: yes; tig type: no; MMA type: yes; ampere range: 450 A; wire feeder: yes; electric connection: 380 V; dimension L: 1050 mm; dimension W: 600 mm; dimension H: 1500 mm;	100.00
322	1	<b>Welding machine</b> Kemppi, kompomig 5200SW, brand: Kemppi; type: kompomig 5200SW; mig type: yes; tig type: no; MMA type: yes; ampere range: 520 A; wire feeder: yes; electric connection: 380 V; dimension L: 1050 mm; dimension W: 600 mm; dimension H: 1500 mm;	100.00
323	1	<b>Welding machine</b> Kemppi, kompomig 4500SW, brand: Kemppi; type: kompomig 4500SW; mig type: yes; tig type: no; MMA type: yes; ampere range: 450 A; wire feeder: yes; electric connection: 380 V; dimension L: 1050 mm; dimension W: 600 mm; dimension H: 1500 mm;	100.00
324	1	<b>circular trim saw</b> Iecchese, brand: Iecchese; saw blade ? : 300; number of speeds: 2; electric connection: 380 V; dimension L: 600 mm; dimension W: 500 mm; dimension H: 1400 mm;	10.00
325	1	<b>machine skates</b> Vario Tech, brand: Vario Tech;	10.00
326	1	<b>Tool kit</b> Honiton, brand: Honiton; piece: 59; with case: yes; description: including: various wrenches.;	10.00
327	1	<b>Tool kit</b>	10.00
328	1	<b>battery tooling</b> Makita, DDF343, brand: Makita; type: DDF343; voltage: 14,4 V; battery charger: yes; drilling machine: yes;	10.00
329	1	<b>battery chargers</b> ELV, ALC 2000, brand: ELV; type: ALC 2000; voltage: 1,5 V; electric connection: 230 V; description: including: CD player ;	10.00
330	1	<b>voltage measuring tool</b> Wild, brand: Wild; description: including: cables, extension cords ;	10.00
331	1	<b>stocks of plastic, rubber and filter cloth</b>	10.00
332	1	<b>telephone exchange and miscellaneous</b> Auerswald, Compact3000 isdn, brand: Auerswald; type: Compact3000 isdn; number of telephones: 2; brand telephone: yes; type telephone: Comfortel; description: including various car parts etc.;	10.00
333	1	<b>lot of weather stripping and window blinds</b>	10.00
334	50	<b>combination ratchet ring spanner</b> Mannesmann, 8mm, brand: Mannesmann; type: 8mm; description: including 10x ratchet ring spanner 19mm;	10.00
335	50	<b>combination ratchet ring spanner</b> Mannesmann, 17mm, brand: Mannesmann; type: 17mm;	10.00
336	1	<b>lot of various wheels and casters</b>	10.00
337	1	<b>lot of various drill and drill sets</b> Heller, brand: Heller; description: including 40x Heller DusterPro ;	10.00
338	1	<b>pneumatic jack</b> description: capacity: 10 tons; max 132mm;	10.00
339	1	<b>lot of Torx screwdrivers</b> description: size: T40; T10; T8;	10.00
340	2	<b>bit and bore set</b> Mannesmann, brand: Mannesmann; description: incomplete;	10.00
341	1	<b>lot of various hand tools</b> description: incl. double-hinged sockets; ring-spanners; stitch-ratchet spanners;	10.00



Lot	Number	Description	Starting Bid €
342	1	<b>lot of various LED flashlights</b> Brennenstuhl, brand: Brennenstuhl;	10.00
343	5	<b>trolley base</b>	10.00
344	1	<b>lot of various plant materials</b> description: switches; emergency stops; etc;	10.00
345	1	<b>lot of various plant materials</b> description: switches; etc;	10.00
346	8	<b>drill tools</b> Heller, brand: Heller; description: hole saw diam .: 64mm; 68mm; 82mm;	10.00
347	1	<b>lot of doorstops</b> description: various by toppers;	10.00
348	5	<b>set of personal protective equipment</b> description: consisting of ear plugs; safety glasses; facemask; work gloves;	10.00
349	6	<b>table fans</b> Tristar, brand: Tristar;	10.00
350	2	<b>Socket</b> Crown, brand: Crown; piece: 94; with case: yes;	10.00
351	1	<b>construction and fasteners</b> Fisher, FBN 2 12/100 GS (12x196) & SXRL 10x160 T, brand: Fisher; type: FBN 2 12/100 GS (12x196) & SXRL 10x160 T; description: incl. anchor bolts and dowels.;	10.00
352	1	<b>pneumatic punch pliers</b>	10.00
353	1	<b>construction and fasteners</b> Fisher, brand: Fisher; description: lot of various plugs and anchor bolts;	10.00
354	1	<b>construction and fasteners</b> Fisher, brand: Fisher; description: lot of various screws , dowels and anchor bolts;	10.00
355	1	<b>construction and fasteners</b> Fisher, brand: Fisher; description: lot of insulation fasteners, anchors and anchor bolts;	10.00
356	1	<b>construction and fasteners</b> Fisher, brand: Fisher; description: lot of various plugs and anchor bolts;	10.00
357	1	<b>30000 stapling box</b> Senco, 9240BAB, brand: Senco; type: 9240BAB; length: 40 mm;	10.00
358	1	<b>pneumatic punch pliers</b>	10.00
359	40	<b>Grinding wheels</b> Klingspor, 188465, brand: Klingspor; type: 188465; cutting discs: yes; diameter: 115 mm; stainless steel: yes; description: packed in 4 boxes;	10.00
360	150	<b>Grinding wheels</b> Klingspor, 123208 en 242137, brand: Klingspor; type: 123208 en 242137; cutting discs: yes; diameter: 115 mm; stainless steel: no; description: packed in 6 boxes;	10.00
361	150	<b>Abrasive discs</b> Klingspor, EN 12413, brand: Klingspor; type: EN 12413; description: grain 60; packed in 6 piles;	10.00
362	4	<b>mounting mortar</b> Fisher, FIS VL 300 T, brand: Fisher; type: FIS VL 300 T; description: including hand syringe;	10.00
363	15	<b>Grinding wheels</b> Klingspor, 13433, brand: Klingspor; type: 13433; cutting discs: yes; diameter: 230 mm; stainless steel: yes; description: packed in 2 boxes;	10.00
364	1	<b>lot of construction and mounting</b> description: with plugs; push-through anchors; nail plugs;	10.00
365	1	<b>lot of construction and mounting</b> description: frame with dowels; Bolt anchors; plugs; anchor sleeves; wire ends; spacers; Torx screws ; Phillips screws;	10.00





Lot	Number	Description	Starting Bid €
366	1	<b>screw machine</b> Bosch, 0 807 480 001, brand: Bosch; type: 0 807 480 001; max. pressure: 4 bar; description: 900 / min; new in Box;	10.00
367	1	<b>lot of contractors equipment</b> description: with inspection lamp; Tie wraps; power strip; etc;	10.00
368	5	<b>slings</b> HaWe, 623002, brand: HaWe; type: 623002; hoist capacity: 2000 kg; description: various lengths;	10.00
369	4	<b>slings</b> HaWe, brand: HaWe; description: various lengths;	10.00
370	7	<b>tires with ratchet</b> HaWe, brand: HaWe; description: various sizes;	10.00
371	6	<b>tires with ratchet</b> HaWe, 211800, brand: HaWe; type: 211800; description: 2000kg; L 8mtr x 50mm;	10.00
372	1	<b>air piping</b> description: various types;	10.00
373	1	<b>various furniture</b> description: with coffee maker; alarm clock; samsung monitor syncmaster 203B;	10.00
374	1	<b>storage material</b> description: with bosch case for GSR 18 VE and 1 assortment box;	10.00
375	1	<b>industrial vacuum cleaner</b> Nilfisk, GM 80, brand: Nilfisk; type: GM 80; power: 1200 W; electric connection: 230 V; description: without tube and nozzle;	10.00
376	1	<b>air compressor</b> Nuair, OM200/6 silent tech, year built 2016, serial number A2BB104NUA, brand: Nuair; type: OM200/6 silent tech; year: 2016; serial number: A2BB104NUA; mobile: no; capacity: 8 bar; power: 0.75 kW; buffer tank content: 6 l; electric connection: 230 V; own weight: 16 kg;	10.00
377	1	<b>lot of hand tool</b> description: with edge protectors; glue comb; hand sponges; hand signs; without rack;	10.00
378	1	<b>lot of mounting hardware</b> FB, brand: FB; description: various sizes;	10.00
379	1	<b>lot of contractors equipment</b> description: with door closer; hinges and locks; mounting hardware; without cupboard;	10.00
380	1	<b>hinges and locks</b> Lienbacher, brand: Lienbacher; description: various models;	10.00
381	1	<b>lot of floor cleaners</b> Hotrega, brand: Hotrega; description: for various floor surfaces; without cabinet;	10.00
382	1	<b>lot of floor cleaners</b> Hotrega, brand: Hotrega; description: for various floor surfaces; without cabinet;	10.00
383	1	<b>lot of mounting hardware</b> description: various sizes;	10.00
384	1	<b>lot of contractors equipment</b> description: with hinges and locks; auxiliary tools;	10.00
385	1	<b>cable tester</b> Ideal, Lantek 6, brand: Ideal; type: Lantek 6; description: RJ45 socket; CAT 5e and 6; 350Mhz frequency range; without battery chargers;	10.00
386	1	<b>endoscope</b> Rems, Camscope Wi-Fi, brand: Rems; type: Camscope Wi-Fi; description: in suitcase;	10.00
387	1	<b>lot of mounting hardware</b> description: various sizes;	10.00



Lot	Number	Description	Starting Bid €
388	1	<b>tool tester</b> Gossen Metrawatt Carmille Bauer, Secutest 0701/0702S II, brand: Gossen Metrawatt Carmille Bauer; type: Secutest 0701/0702S II; electric connection: 230 V; description: including suitcase;	10.00
389	1	<b>lot of measuring equipment</b> description: with multimeter; thermometer; digimatic indicator and multimeter;	10.00
390	1	<b>ultrasonic thickness gauge</b> stresstell, EJG 57M T-Mike, serial number 804500, brand: stresstell; type: EJG 57M T-Mike; serial number: 804500; description: in suitcase;	10.00
391	2	<b>welding edge milling machine</b> Beveltools, brand: Beveltools; description: 1 damaged; including suitcases;	10.00
392	1	<b>Power supply</b> Oltronix, B 403, brand: Oltronix; type: B 403; electric connection: 230 V;	10.00
393	1	<b>carrying cases</b> optipack, brand: optipack; description: in 1 box;	10.00
394	1	<b>lot of measuring equipment</b> description: with multimeter; thermometer; clamp meter and smart meter;	10.00
395	1	<b>lot of measuring equipment</b> description: with benning resistance meter; insulation meter; video test generator;	10.00
396	1	<b>cable analyzer</b> Fluke, DSP-4100, brand: Fluke; type: DSP-4100; description: including smart remote DSP-4100R and carrying bag;	10.00
397	1	<b>battery cable cutter</b> Cembre, B-TFC, year built 2002, brand: Cembre; type: B-TFC; year: 2002; number of batteries: 1; battery charger: yes; description: capacity max 20mm;	10.00
398	1	<b>lot of measuring equipment</b> description: moisture meter; Lux meter; motion detector;	10.00
399	1	<b>cable tester</b> Ideal, Lantek 7G, brand: Ideal; type: Lantek 7G; description: RJ45 connection; CAT 5e and 6; frequency range 1 Ghz; including charger and carrying bag;	10.00
400	1	<b>crimper</b> Radial, R 282-223, brand: Radial; type: R 282-223; description: including case and accessories;	10.00
401	1	<b>manometer</b> Refco , M4, brand: Refco ; type: M4; description: connection 4-way; with suitcase;	10.00
402	1	<b>eyepiece meter</b> Topcon, serial number 520504, brand: Topcon; serial number: 520504;	10.00
403	4	<b>Water hoses</b> Pockethose, Flexiwonder, brand: Pockethose; type: Flexiwonder; description: lengths (3x) 15 mtr; (1x) 22.5 m;	10.00
404	4	<b>Water hoses</b> Pockethose, Flexiwonder, brand: Pockethose; type: Flexiwonder; description: length 15 m;	10.00
405	4	<b>Water hoses</b> Pockethose, Flexiwonder, brand: Pockethose; type: Flexiwonder; description: length 15 m;	10.00
406	2	<b>tarpaulins</b> description: various sizes;	10.00
407	2	<b>slings</b> description: various sizes;	10.00
408	1	<b>lot of mounting hardware</b> description: with bolts in various sizes; 5 including plastic storage bins;	10.00
409	2	<b>face protectors</b>	10.00
410	4	<b>navigation systems</b> Klipad, GPS4328, brand: Klipad; type: GPS4328;	10.00



Lot	Number	Description	Starting Bid €
411	3	<b>ipad covers</b> Gecko, easy click, brand: Gecko; type: easy click; description: ipad air2;	10.00
412	1	<b>lot of tooling accessories</b> description: with drilling; sanding blocks; scallops; sanding belts;	10.00
413	1	<b>installation test</b> Gossen Metrawatt Camille Bauer, Profitest PSI, brand: Gossen Metrawatt Camille Bauer; type: Profitest PSI;	10.00
414	1	<b>tv signal generator</b> Fluke, 54200, serial number 702010, brand: Fluke; type: 54200; serial number: 702010; electric connection: 230 V;	10.00
415	1	<b>cross line laser</b> Laserliner, SuperCross-Laser, brand: Laserliner; type: SuperCross-Laser; description: including case and accessories;	10.00
416	1	<b>pressure tester</b> Parker, SensoControl SCM-150, brand: Parker; type: SensoControl SCM-150; description: digital; including pressure sensor; suitcase and accessories;	10.00
417	1	<b>laser</b> Robotoolz, brand: Robotoolz; description: including case and accessories;	10.00
418	1	<b>manometer</b> Refco , brand: Refco ; description: with suitcase;	10.00
419	1	<b>torque meter</b> Snap-on, Versatorq1, serial number 06008010, brand: Snap-on; type: Versatorq1; serial number: 06008010; description: with accessories in suitcase;	10.00
420	1	<b>temperature and ph meter</b> Jenco, Microcomputer ph-vision 6071, brand: Jenco; type: Microcomputer ph-vision 6071;	10.00
421	1	<b>stroboscope</b> SKF, TMRS 1, brand: SKF; type: TMRS 1; description: including: television, BNC;	10.00
422	1	<b>digital display, s</b> description: including: BNC ;	10.00
423	1	<b>laser</b> KEYENCE, LK-G82, brand: KEYENCE; type: LK-G82; range: 650 nm; description: including: various electronics ;	10.00
424	1	<b>emergency stop</b> description: including: fuses, transformers;	10.00
425	2	<b>administrative</b> siemens, simatic, brand: siemens; type: simatic; description: including: walkman, cables, transmitters;	10.00
426	1	<b>power 400V</b>	10.00
427	1	<b>pressure measuring tool</b> moog, F0.87-127, brand: moog; type: F0.87-127; electric connection: 230 V; description: equipped with metal case;	10.00
428	1	<b>Pump unit</b> hydac, brand: hydac; power: 0.18 kW; capacity: 900 l/hr;	10.00
429	1	<b>measuring equipment</b> philips, pm 3302, brand: philips; type: pm 3302;	10.00
430	4	<b>photo camera</b> nikon, coolpix 995, brand: nikon; type: coolpix 995;	10.00
431	1	<b>photography lamp</b> photolastic, 031, brand: photolastic; type: 031;	10.00
432	2	<b>Welding machine</b> Kemppi, FU 20, brand: Kemppi; type: FU 20; mig type: yes; electric connection: 380 V;	10.00
433	1	<b>machine clamp</b> hydraulic: yes;	10.00



Lot	Number	Description	Starting Bid €
434	1	<b>various builder materials</b> description: incl. . lot of screw jaws; graphit; covering film; pressure sprayer;	10.00
435	1	<b>lot of clips</b> Meister, brand: Meister;	10.00
436	1	<b>clamping chuck</b> Röhm, brand: Röhm; 4-jaw: yes; diameter: 125 mm; description: diameter: approx 32mm.;	10.00
437	1	<b>line laser</b> Robotoolz, RT-7610-5, brand: Robotoolz; type: RT-7610-5;	10.00
438	1	<b>lot of miscellaneous</b> description: incl. electric scraper; cordless screwdriver; lot of Gewiss sockets; etc.;	10.00
439	1	<b>lot of 32A sockets 40-50V</b>	10.00
440	10	<b>glue spreader</b> Parador, B11, brand: Parador; type: B11; description: including pouch;	10.00
441	5	<b>fall protection</b> Skalt, Prostop 06, brand: Skalt; type: Prostop 06;	10.00
442	1	<b>construction and fasteners</b> description: lot of various fasteners ; gears serving conveyor belt; washers; throttle; and including storage bins;	10.00
443	1	<b>lot of glue and thinner</b> Styropor-Kleber & Nitro universalverdunner, brand: Styropor-Kleber & Nitro universalverdunner;	10.00
444	1	<b>construction and fasteners</b> Gunnebo, brand: Gunnebo; length: 115 mm; thickness: 8 mm; description: lot of cellular concrete nails;	10.00
445	6	<b>set of personal protective equipment</b> description: consisting of ear plugs; safety glasses; facemask; work gloves;	10.00
446	1	<b>automatic fuses and RCDs</b> description: incl. and 7x closet and lot of loose switches crate.;	10.00
447	5	<b>drill tools</b> Heller & Norton, brand: Heller & Norton; description: incl. . 2x 68mmxM14; 6, 12, 14mm.;	10.00
448	1	<b>reciprocating saw</b> Parkside, PFS 710 B1, year built 2013, brand: Parkside; type: PFS 710 B1; year: 2013; with case: yes; electric connection: 230 V;	10.00
449	1	<b>lot of skirting clips and corner pieces</b> Parador, brand: Parador; description: including lot of kitspatels;	10.00
450	1	<b>multifunction detector</b> Powerfix, 5 in 1, brand: Powerfix; type: 5 in 1; description: including handheld keypad.;	10.00
451	1	<b>lot of insulation nails</b> Spit, brand: Spit; description: 6x120mm; 6x60mm;	10.00
452	12	<b>disposable overalls</b> Cover Clean, brand: Cover Clean; description: size: XXXL;	10.00
453	7	<b>hammer with loose handle</b> wooden handle: yes; description: bike hammer;	10.00
454	10	<b>swing door closer set</b> Fridavo, brand: Fridavo; description: including 1x NHN door closer;	10.00
455	1	<b>lot of 32A sockets 40-50V</b>	10.00
456	1	<b>lot of miscellaneous</b> description: incl. ceiling lamps; 3x set of knee pads; hood filters.;	10.00
457	2	<b>electric hand drill</b> electric connection: 230 V;	10.00



Lot	Number	Description	Starting Bid €
458	1	<b>battery tooling</b> Hitachi, DS 14DSFL, year built 2012, brand: Hitachi; type: DS 14DSFL; year: 2012; voltage: 14,4 V; number of batteries: 2; battery charger: yes; with case: yes; screw machine: yes; drilling machine: yes;	10.00
459	1	<b>lot of various staples</b> W.o. Bostitch & Union, brand: W.o. Bostitch & Union;	10.00
460	1	<b>lot of various fasteners</b> description: incl. 8x Abus grid security; screws 7x110mm; PAF nails 37mm.;	10.00
461	7	<b>electronic counters</b> Hengstler, brand: Hengstler;	10.00
462	1	<b>safety and marking</b> description: incl. . 8x goggles; 9x roll of tape equipped with indicator gas, water, sewer.;	10.00
463	1	<b>lot of miscellaneous</b> description: incl. . halogen lamp plug; lot of glue; various batteries; moving fittings.;	10.00
464	1	<b>fasteners</b> description: incl. : pole clamps. equipped with carabiners; 2x Bernstein foot controls; 1x Taiki TL-125 media guide;	10.00
465	1	<b>lot of kitspatels</b> Fugenmeister & Silifix, brand: Fugenmeister & Silifix;	10.00
466	1	<b>lot of electronic parts</b> description: incl. ., Hagar automatic fuses; 5x inductive sensor; etc;	10.00
467	12	<b>leveling wedges</b> Air Loc, 3 VRC & 302 VRC, brand: Air Loc; type: 3 VRC & 302 VRC;	10.00
468	1	<b>lot of various electrical components</b>	10.00
469	1	<b>lot of various tools and parts</b> description: incl. .: jigsaw blades; keys for angle grinders; grinding belts; etc.;	10.00
470	1	<b>lot of various electrical components</b> Moeller, brand: Moeller; description: in and including 18 storage bins;	10.00
471	1	<b>lot of various inner door hinges</b> description: completeness unknown;	10.00
472	1	<b>stock of paint</b> description: incl. .: inside and outside ; primer; parquet; teak wood oil.;	10.00
473	1	<b>barrier tape</b>	10.00
474	1	<b>lot of add cruising and spacers</b>	10.00
475	1	<b>machine parts</b> description: incl. .: turning tools; pressure meters; various electricity.;	10.00
476	1	<b>lot of various personal protection</b> description: incl. .: Safety vests; kneepads; hearing protection; disposable gloves.;	10.00
477	20	<b>bottles of PU glue</b> Soudal, Souda Bonb Easy, brand: Soudal; type: Souda Bonb Easy;	10.00
478	2	<b>2 in the first start and booster air compressor</b> Höfftech, brand: Höfftech; description: 1x in box.;	10.00
479	3	<b>crimping pliers</b> description: including various electrical parts; 2x Norton centering aid tools; 3x hole saw.;	10.00
480	1	<b>trolley jack</b> Mannesmann, brand: Mannesmann; capacity: 2 t; height: 305 mm; own weight: 8 kg;	10.00
481	7	<b>design steel brush serving drilling machine</b> KWB, brand: KWB; description: diam .: 75mm; including tool holder; lot of rolls of plastic strip; 4x role plastic slat.;	10.00
482	1	<b>lot of various bearings</b>	10.00
483	1	<b>drill tools</b> description: incl. . 4x spiraalboorset; 10x abrasive disc;	10.00





Lot	Number	Description	Starting Bid €
484	1	<b>lot of miscellaneous</b> description: incl. .: Heller drill dust collecting aid; cuffs 500x500mm; jigsaw blades; Heidenhain control unit.;	10.00
485	1	<b>lot of plastic end caps and Connectors</b> Würth, brand: Würth; description: incl. .: 25x25x2mm; 30x30x2mm;	10.00
486	6	<b>garden hose</b> Flexi Wonder, brand: Flexi Wonder; description: incl. .: 7.5m; 15m; 22.5m;	10.00
487	6	<b>garden hose</b> Flexi Wonder, brand: Flexi Wonder; description: incl. .: 7.5m; 15m; 22.5m;	10.00
488	4	<b>handsaw</b> Stanley, Jetcut, brand: Stanley; type: Jetcut; description: 450mm;	10.00
489	5	<b>handsaw</b> Stanley, FatMax, brand: Stanley; type: FatMax; description: including 8x saw blade;	10.00
490	1	<b>lot of various hand tools</b> Proxxon, brand: Proxxon; description: incl. .: spanners; various nozzles; and including storage bin.;	10.00
491	2	<b>desk calculators</b> Casio, FR-2500 & HR-100S, brand: Casio; type: FR-2500 & HR-100S;	10.00
492	1	<b>lot of various fasteners</b> description: incl. .: bolts ; bolts; various hardware and components; and includes 11 storage bins.;	10.00
493	4	<b>handsaw</b> Stanley, Jetcut, brand: Stanley; type: Jetcut; description: 450mm;	10.00
494	1	<b>lot of several hoses</b> description: incl. .: Uponor Unipipe 20x2,25mm; PA6 nylon 6x4mm; 2x various snake;	10.00
495	1	<b>office chair</b> description: including 5x stacking chair; 1x floor fan;	10.00
496	1	<b>air compressor</b> Creemers, 200/20N, year built 2001, serial number 0030839801, brand: Creemers; type: 200/20N; year: 2001; serial number: 0030839801; mobile: yes; capacity: 8 bar; air flow: 200 l/min; power: 1.1 kW; buffer tank content: 22 l; electric connection: 230 V;	10.00
497	1	<b>emergency generator</b> Power kraft, PK7500W, year built 2015, brand: Power kraft; type: PK7500W; year: 2015; machine weight: 40 kg; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: Output 3x220 Volt, 1x 380 Volt 50Hz, 1x 12 Volt; gasoline;	10.00
498	1	<b>noodstroomaggregaat</b> Power kraft, PK7500W, year built 2015, merk: Power kraft; type: PK7500W; jaar: 2015; machinegewicht: 40 kg; totale afmeting L: 605 mm; totale afmeting B: 450 mm; totale afmeting H: 440 mm; omschrijving: Output 3x220 Volt, 1x 380 Volt 50Hz, 1x 12 Volt; benzine;	10.00
499	1	<b>emergency generator</b> Vito, Pro-Power, brand: Vito; type: Pro-Power; capacity: 3 kVA; machine weight: 40 kg; description: output 2x 220volt; 2800w; 3000 rpm; gasoline engine;	10.00
500	2	<b>emergency generator</b> Vito, Pro-Power, brand: Vito; type: Pro-Power; capacity: 3 kVA; machine weight: 40 kg; description: output 2x 220volt; 2800w; 3000 rpm; gasoline engine;	10.00
501	1	<b>emergency generator</b> iTools, ITG095, brand: iTools; type: ITG095; capacity: 0.95 kVA; description: output 1x 220v; 800w; gasoline;	10.00
502	2	<b>emergency generator</b> iTools, ITG095, merk: iTools; type: ITG095; capaciteit: 0,95 kVA; omschrijving: output 1x 220v; 800w; benzine;	10.00



Lot	Number	Description	Starting Bid €
503	15	<b>emergency generator</b> Power kraft, PK7500W, year built 2015, brand: Power kraft; type: PK7500W; year: 2015; machine weight: 40 kg; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: Output 3x220 Volt, 1x 380 Volt 50Hz, 1x 12 Volt; gasoline;	100.00
504	2	<b>emergency generator</b> Power kraft, PK5500W, year built 2015, brand: Power kraft; type: PK5500W; year: 2015; machine weight: 40 kg; total dimension L: 605 mm; total dimension W: 450 mm; total dimension H: 440 mm; description: Output 3x220 Volt, 1x 380 Volt 50Hz, 1x 12 Volt; gasoline;	10.00
505	1	<b>lot of mounting hardware</b> FB, brand: FB; description: various sizes;	10.00
506	2	<b>angle grinders</b> Hitachi, G 23SRU / G 23SEY, brand: Hitachi; type: G 23SRU / G 23SEY; disc diameter: 230 mm; power: 2000 W; electric connection: 230 V;	10.00
507	1	<b>electric hand sander</b> DeWalt, DW650, brand: DeWalt; type: DW650; belt sander: yes; electric connection: 230 V; description: 1010W; provided with dust bag;	10.00
508	1	<b>electric hand sander</b> DeWalt, DW650, brand: DeWalt; type: DW650; belt sander: yes; electric connection: 230 V; description: 1010W; provided with dust bag;	10.00
509	1	<b>lot of mounting hardware</b> FB, brand: FB; description: various sizes;	10.00
510	1	<b>Drill set</b> piece: 21; description: in suitcase;	10.00
511	1	<b>breaker</b> Makita, HK0500, brand: Makita; type: HK0500; electric connection: 230 V;	10.00
512	1	<b>PVC</b>	10.00
513	1	<b>lot of mounting hardware</b> FB, brand: FB; description: various sizes;	10.00
514	8	<b>regulator</b> description: including: various hand tools ;	10.00
515	1	<b>workshop press</b> HBM, brand: HBM; manually operated: yes;	10.00
516	1	<b>lot of hoisting slings</b>	10.00
517	1	<b>Roof Racks</b> audi, PA6 GB30, brand: audi; type: PA6 GB30;	10.00
518	2	<b>Socket</b> Crown, brand: Crown; piece: 94; with case: yes;	10.00
519	16	<b>Grinding wheels</b> norton, brand: norton; description: including: 2x drill set, scouring sponges ;	10.00
520	1	<b>lot of rubber and plastic</b>	10.00
521	5	<b>parquet floor glue</b> sika, brand: sika; own weight: 13 kg;	10.00
522	1	<b>fastening material</b>	10.00
523	1	<b>circular trim saw</b> mannesman, brand: mannesman; saw blade ? : 355; engine power: 2.2 kW; electric connection: 230 V;	10.00
524	12	<b>ax handle</b>	10.00
525	1	<b>screw machine</b> Bosch, 0 807 480 001, brand: Bosch; type: 0 807 480 001; max. pressure: 4 bar; description: 900 / min; new in Box;	10.00



Lot	Number	Description	Starting Bid €
526	4	<b>Grinding wheels</b> diameter: 125 mm;	10.00
527	1	<b>drill tools</b> heller, brand: heller; description: various drills including: strain;	10.00
528	1	<b>drill tools</b> heller, brand: heller; description: various drills including: strain;	10.00
529	9	<b>drill tools</b> heller, brand: heller; description: various drills ;	10.00
530	12	<b>Grinding wheels</b> description: including: sanding belts, sanding discs ;	10.00
531	1	<b>lot of earbuds</b> 3M, brand: 3M;	10.00
532	1	<b>fastening material</b>	10.00
533	1	<b>Socket</b> Crown, brand: Crown; piece: 94; with case: yes;	10.00
534	1	<b>lot of fuses</b>	10.00
535	1	<b>fastening material</b>	10.00
536	1	<b>drill tools</b> heller, brand: heller; description: various drills including: strain;	10.00
537	1	<b>media players</b> horizon, STM-G7400/XEN, brand: horizon; type: STM-G7400/XEN; HDMI: yes; USB: yes;	10.00
538	1	<b>drill tools</b> heller, brand: heller; description: various drills including: strain;	10.00
539	1	<b>beamer</b> mitsubishi, LVP-X400BU, brand: mitsubishi; type: LVP-X400BU; lamp type: LCD;	10.00
540	1	<b>laser</b> mannesmann, brand: mannesmann; red: yes; range: 650 nm;	10.00
541	1	<b>lot of sealing caps</b> description: material: plastic ;	10.00
542	1	<b>distributor / mushroom</b> number of groups: 3; total dimension L: 450 mm; total dimension W: 450 mm; total dimension H: 650 mm;	10.00
543	1	<b>strapping band</b>	10.00
544	1	<b>Socket</b> Crown, brand: Crown; piece: 94; with case: yes;	10.00
545	7	<b>handle</b> description: for bats, ax;	10.00
546	8	<b>sheet steel</b> dimension L: 500 mm; dimension W: 300 mm;	10.00
547	1	<b>passenger car</b> Renault, Clio, year built 2008, brand: Renault; type: Clio; year: 2008; VIN number: VR1CR1G0H39171112; license plate: 01-ZTN-7; hatchback: yes; inspection expiration date: 23/02/2020 01:00:00; diesel: yes; engine power: 50 kW; manual: yes; mileage (at intake): 292963 km; number of seats: 4; number of doors: 3; power windows: yes; own weight: 1055 kg; description: number of cylinders: 4; cylinder capacity: 1461 cm <sup>3</sup> ; colour White; euro classification: 4;	500.00
548	1	<b>passenger car</b> Ford, Transit connect t230I van 1,8tdci 66, year built 2007, brand: Ford; type: Transit connect t230I van 1,8tdci 66; year: 2007; VIN number: WF0UXXTTPU7S30916; license plate: 95-VJP-5; inspection expiration date: 19/06/2020 02:00:00; diesel: yes; engine power: 66 kW; manual: yes; mileage (at intake): 209491 km; number of seats: 2; number of doors: 4; power windows: yes; navigation: yes; own weight: 1415 kg; description: number of cylinders: 4; cylinder capacity: 1753 cm <sup>3</sup> ; width: 180; euro classification: 4;	500.00



Lot	Number Description	Starting Bid €
549	<b>1 utility car</b> Fiat, Fiorino 1.3 mj dpf, year built 2009, brand: Fiat; type: Fiorino 1.3 mj dpf; year: 2009; VIN number: ZFA22500000059180; license plate: 6-VBZ-08; inspection expiration date: 30/08/2020 02:00:00; diesel: yes; engine power: 55 kW; manual: yes; mileage (at intake): 203616 km; load capacity: 635 kg; number of seats: 2; number of doors: 4; parking sensors: yes; own weight: 1065 kg; description: number of cylinders: 4; cylinder capacity: 1248 cm <sup>3</sup> ; list price: 18513; width: 172; euro classification: 4;	500.00
550	<b>1 utility car</b> Renault, Megane grand tour 1.5 dci 76 kw van e4 fap, year built 2008, brand: Renault; type: Megane grand tour 1.5 dci 76 kw van e4 fap; year: 2008; license plate: 74-VTJ-9; inspection expiration date: 07/03/2020 01:00:00; diesel: yes; engine power: 76 kW; manual: yes; mileage (at intake): 299620 km; load capacity: 500 kg; number of seats: 2; number of doors: 5; airconditioning: yes; own weight: 1350 kg; description: number of cylinders: 4; cylinder capacity: 1461 cm <sup>3</sup> ; width: 178; euro classification: 4;	500.00
551	<b>1 content office space</b> description: consisting of : waiting, four workplaces, bars, etc. include: liquor bottles. this lot is located on the ground floor in a container.;	100.00
552	<b>1 forklift truck attachments</b> Vetter , brand: Vetter ;	10.00
553	<b>3 cage mower parts</b> divers, brand: divers;	50.00
554	<b>4 cage mower part</b> John deere , 840, brand: John deere ; type: 840; working width: 700 mm; own weight: 90 kg;	50.00
555	<b>2 lifting bucket</b> total dimension LxWxH: 1100x750x800 mm;	10.00
556	<b>1 oil drip tray</b> total dimension L: 1500 mm; total dimension W: 2000 mm; total dimension H: 1560 mm;	10.00
557	<b>4 support foot</b> DOLL FAHRZEUGBAU, year built 1996, brand: DOLL FAHRZEUGBAU; year: 1996; total dimension L: 950 mm; total dimension W: 700 mm; total dimension H: 400 mm;	10.00
558	<b>3 Gasoline engine</b> description: including: 2x electric motor ;	10.00
559	<b>1 hydraulics</b> couplings: yes; hoses: yes; description: various sizes;	10.00
560	<b>1 distributor / mushroom</b> number of groups: 3; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1250 mm;	10.00
561	<b>1 steering axle ride on mower</b>	10.00
562	<b>1 distributor / mushroom</b> number of groups: 3; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1050 mm;	10.00
563	<b>1 distributor / mushroom</b> number of groups: 3; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1050 mm;	10.00
564	<b>2 Transport cart</b> total dimension L: 1500 mm; total dimension W: 650 mm; total dimension H: 1800 mm;	10.00
565	<b>2 dealer distribution</b> wildeboer, FK90N, brand: wildeboer; type: FK90N; description: diameter: 300mm;	10.00
566	<b>1 swing arm crane</b> arm length: 2950 mm; total dimension L: 3800 mm;	10.00
567	<b>1 water pipe</b> description: material: plastic; diameter: 25mm;	10.00



Lot	Number	Description	Starting Bid €
568	1	<b>Water tank</b> total dimension L: 950 mm; total dimension W: 710 mm; total dimension H: 720 mm;	10.00
569	2	<b>cylinder</b> description: weight: 640kg;	10.00
570	2	<b>distributor / mushroom</b> number of groups: 3; total dimension L: 600 mm; total dimension W: 800 mm; total dimension H: 1250 mm;	10.00
571	9	<b>stacking yoke</b> dimension L: 1500 mm; dimension W: 2000 mm; dimension H: 750 mm; steel: yes;	10.00
572	2	<b>heavy duty trailer</b> Mafi , 1120 S, year built 1992, brand: Mafi ; type: 1120 S; year: 1992; pivot steer axle: yes; total dimension L: 3300 mm; total dimension W: 1250 mm; total dimension H: 950 mm;	50.00
573	2	<b>heavy duty trailer</b> Mafi , 1120 S, year built 1992, brand: Mafi ; type: 1120 S; year: 1992; pivot steer axle: yes; total dimension L: 3300 mm; total dimension W: 1250 mm; total dimension H: 950 mm;	50.00
574	3	<b>bibo block</b> zoontjens, brand: zoontjens; total dimension L: 900 mm; total dimension W: 900 mm; total dimension H: 120 mm; description: for fall protection ;	10.00
575	1	<b>lot of panels</b>	10.00
576	1	<b>components</b> description: serving lawnmower; incl. oil baking header holder.;	10.00
577	2	<b>conveyor</b> track size L: 4950 mm; track size W: 750 mm; total dimension L: 495 mm; total dimension W: 900 mm; total dimension H: 900 mm;	10.00
578	1	<b>working goat</b> dimension L: 100 cm; dimension W: 45 cm; dimension H: 90 cm;	10.00
579	6	<b>finish bar</b> description: material: steel;	10.00
580	1	<b>distributor / mushroom</b> number of groups: 3; total dimension L: 600 mm; total dimension W: 900 mm; total dimension H: 1250 mm;	10.00
581	4	<b>Book</b> total dimension H: 500 mm;	10.00
582	4	<b>frame component</b> John deere, X 20 Rops struth, year built 2017, brand: John deere; type: X 20 Rops struth; year: 2017;	10.00
583	2	<b>h profile bar</b> total dimension L: 3000 mm;	10.00
584	2	<b>conveyor</b> track size L: 3950 mm; track size W: 800 mm; electric driven: yes; electric connection: 380 V; total dimension L: 3950 mm; total dimension W: 980 mm; total dimension H: 320 mm;	50.00
585	2	<b>construction lamp</b> electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 400 mm;	10.00
586	2	<b>construction lamp</b> electric connection: 380 V; total dimension L: 1000 mm; total dimension W: 650 mm; total dimension H: 400 mm;	10.00
587	1	<b>distributor / mushroom</b> number of groups: 3; total dimension L: 700 mm; total dimension W: 750 mm; total dimension H: 1050 mm;	10.00
588	2	<b>conveyor</b> track size W: 600 mm;	10.00
589	1	<b>record cart</b> total dimension L: 190 mm; total dimension W: 650 mm; total dimension H: 1120 mm;	10.00



Lot	Number	Description	Starting Bid €
590	1	<b>air compressor</b> Berko, DRW 734, year built 2002, brand: Berko; type: DRW 734; year: 2002;	10.00
591	1	<b>conveyor</b> track size L: 2950 mm; track size W: 600 mm; electric driven: yes;	10.00
592	1	<b>plates rack</b> total dimension L: 1800 mm; total dimension W: 1230 mm; total dimension H: 1650 mm;	10.00
593	1	<b>overhead door</b> hörmann, brand: hörmann; total dimension W: 2100 mm; total dimension H: 2450 mm;	10.00
594	1	<b>lot of overhead doors</b> krueger tor, brand: krueger tor; electric connection: 380 V; total dimension W: 3650 mm; description: consisting of 30 parts; length per section: 600mm;	10.00
595	1	<b>hydraulic hose reel</b> year built 2007, year: 2007; diameter approx.: 25 mm;	10.00
596	1	<b>hydraulic hose reel</b> year built 2007, year: 2007; diameter approx.: 25 mm;	10.00
597	1	<b>industrial heating installation</b> electric: yes; total dimension L: 1200 mm; total dimension W: 450 mm; total dimension H: 1200 mm;	10.00
598	1	<b>industrial heating installation</b> electric: yes; total dimension L: 1200 mm; total dimension W: 450 mm; total dimension H: 1200 mm;	10.00
599	1	<b>industrial heating installation</b> ing.nolthing, NSL426, year built 1985, brand: ing.nolthing; type: NSL426; year: 1985; heating capacity: 426 kW; total dimension L: 2600 mm; total dimension W: 1230 mm; total dimension H: 2200 mm;	10.00
© 600	1	<b>mezzanine staircase</b> number of steps: 8; steel: yes; total dimension LxWxH: 2400x870 mm;	10.00
© 601	1	<b>mezzanine staircase</b> number of steps: 8; steel: yes; total dimension LxWxH: 2400x870 mm;	10.00
© 602	1	<b>mezzanine staircase</b> number of steps: 8; steel: yes; total dimension LxWxH: 2400x870 mm;	10.00
		<b>mezzanine stairs</b>	
603	1	<b>aerial platform</b> HYMO, P32, year built 1972, brand: HYMO; type: P32; year: 1972; electric: yes; scissor lift: yes; total dimension L: 1900 mm; total dimension W: 800 mm; total dimension H: 1950 mm;	10.00
604	4	<b>stacking yoke</b> dimension L: 2150 mm; dimension W: 1000 mm; dimension H: 1750 mm; steel: yes;	10.00
605	1	<b>racking</b> total dimension L: 1000 mm; total dimension W: 950 mm; total dimension H: 2100 mm;	10.00
606	1	<b>Shelter set</b> dismantable: yes; section dim. L: 700 mm; section dim. W: 800 mm; number of uprights: 16; total dimension H: 250 mm;	10.00
607	1	<b>pneumatic switchboard</b>	10.00
608	1	<b>working bench</b> steel: yes; wood: yes; total dimension LxWxH: 2770x450x900 mm;	10.00
609	1	<b>shredder</b> EBA, ZMK 610 KOMBI, year built 1997, brand: EBA; type: ZMK 610 KOMBI; year: 1997; engine power: 9.9 kW; electric connection: 400 V; total dimension L: 2400 mm; total dimension W: 850 mm; total dimension H: 1900 mm;	50.00
610	1	<b>emergency generator</b> wagenborg, bk3696, brand: wagenborg; type: bk3696; description: Pay attention! only a body ;	50.00





Lot	Number	Description	Starting Bid €
611	8	<b>stack yoke</b> description: various sizes; serving sheet metal;	10.00
612	5	<b>steel grate floor</b> dimension L: 850 mm; dimension W: 800 mm;	10.00
613	1	<b>trailer frame</b> Saris, year built 2018, brand: Saris; year: 2018; number of axis: 2;	10.00
614	3	<b>trailer ass</b> alko, year built 2018, brand: alko; year: 2018; number of axis: 2;	10.00
615	1	<b>conveyor</b> track size L: 3400 mm; track size W: 480 mm; electric connection: 230 V;	10.00
616	1	<b>forklift</b> Linde, H16, year built 2007, brand: Linde; type: H16; year: 2007; number of wheels: 4; lifting capacity: 1600 kg; overhead guard height: 2100 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes;	50.00
617	1	<b>forklift</b> Linde, E20-02, year built 1996, brand: Linde; type: E20-02; year: 1996; electric: yes; number of wheels: 4; lifting capacity: 2000 kg; overhead guard height: 2200 mm; duplo mast: yes; side-shift: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; own weight: 2620 kg;	50.00
618	1	<b>reach truck</b> Jungheinrich , brand: Jungheinrich ; electric: yes; number of wheels: 3; lifting capacity: 1400 kg; lifting height: 6500 mm; overhead guard height: 2710 mm; tripple mast: yes; hydraulic adjustable forks: yes; full rubber tyres: yes; total dimension L: 2500 mm; total dimension W: 1200 mm; total dimension H: 2710 mm;	10.00
619	1	<b>forklift</b> gafsam, brand: gafsam; diesel: yes; lifting capacity: 1700 kg; lifting height: 4175 mm; overhead guard height: 1600 mm; tripple mast: yes; full rubber tyres: yes; total dimension H: 1600 mm;	100.00
620	1	<b>mobile aggregate</b> e.vietz, GD G150D, year built 2000, brand: e.vietz; type: GD G150D; year: 2000; engine capacity: 24 kW; generator brand: deutz; generator type: F3L 1011F; total dimension L: 3500 mm; total dimension W: 1500 mm; total dimension H: 1200 mm; description: equipped with welding machine;	100.00
621	1	<b>crucible</b> size ? : 880 mm; dimension H: 720 mm; steel: yes;	10.00
© 622	8	<b>stock rack</b> total dimension L: 4500 mm; total dimension W: 600 mm; total dimension H: 470 mm;	10.00
© 623	8	<b>stock rack</b> total dimension L: 4500 mm; total dimension W: 600 mm; total dimension H: 470 mm;	10.00
© 624	10	<b>stock rack</b> total dimension L: 4500 mm; total dimension W: 600 mm; total dimension H: 470 mm;	10.00
© 625	2	<b>stock rack</b> total dimension L: 1500 mm; total dimension W: 3330 mm; total dimension H: 400 mm;	10.00
© 626	2	<b>stock rack</b> total dimension L: 2000 mm; total dimension W: 2000 mm; total dimension H: 1000 mm; description: including: metal case; LxWxH: 1200x1060x1550;	10.00
		<b>stock shelves</b>	
627	1	<b>smoke outlet channel</b> description: length about 8000 mm; Ø ca 1380 mm; material type 304 stainless steel;	50.00
628	1	<b>steel construction for industrial hall</b> total dimension L: 27 m; total dimension W: 15 m; own weight: 17000 kg; description: unused; Steel construction for industrial building; side wall increases ca6420 mm; Exclusive stairs; Suitable for floor floor 10x27 meter; Location: Marie Berg; equipped with complete calculations.;	500.00



Lot	Number Description	Starting Bid €
629	1 <b>press brake</b> IT, 69.30, brand: IT; type: 69.30; folding length: 3200 mm; max. sheet thickness: 2 mm; electric backgauge: yes; foot control: yes; electric connection: 380 V; machine weight: 1930 kg; dimension L: 600 mm; dimension W: 3600 mm; dimension H: 1400 mm;	100.00
630	1 <b>universal lathe</b> Colchester, triumph 1400, brand: Colchester; type: triumph 1400; number of speeds: 16; speed from N=: 18 rpm; speed till N=: 1400 rpm; coolant pump: yes; control, brand, type: mitutoyo, linear scale; electric connection: 380 V; manual present: yes; dimension L: 950 mm; dimension W: 3400 mm; dimension H: 1400 mm;	100.00
631	2 <b>chip conveyor</b> mayfran, brand: mayfran; belt width: 300 mm; electric connection: 380 V; total dimension LxWxH: 2800x600x1600;	10.00
632	1 <b>air compressor</b> soga, 80D/2, brand: sogas; type: 80D/2; mobile: yes; electric connection: 230 V;	10.00
633	1 <b>closet</b> total dimension L: 500 mm; total dimension W: 750 mm; total dimension H: 1080 mm;	10.00
634	1 <b>air compressor</b> Creemers, mobiel 220, year built 1995, brand: Creemers; type: mobiel 220; year: 1995; mobile: yes; electric connection: 230 V;	10.00
635	3 <b>turbine</b>	10.00
636	1 <b>milling machine</b> Deckel, KF12, serial number 60985, brand: Deckel; type: KF12; serial number: 60985; number of speeds: 2; T-slot fixture table size L: 600 mm; T-slot fixture table size W: 430 mm; engine power: 1.1 kW; electric connection: 380 V;	50.00
637	1 <b>circular trim saw</b> hans kaltenbach, RKT 630, brand: hans kaltenbach; type: RKT 630; saw blade ? : 640; number of speeds: 2; coolant pump: yes; electric connection: 380 V; dimension L: 1450 mm; dimension W: 2100 mm; dimension H: 2100 mm;	100.00
638	1 <b>scissor lift table / frame</b> tray size L: 680 mm; tray size W: 1040 mm; electric connection: 380 V; description: equipped with hydraulic aggregaat; control voltage 24 V; working range 70-100 cm;	50.00
639	1 <b>chain hoist</b> Demag, PK10N-F, brand: Demag; type: PK10N-F; hoist capacity: 2000 kg;	10.00
640	4 <b>hoisting material</b> description: 4x various plate clamp;	10.00
641	6 <b>Pneumatic cylinders</b> SMC, II 2GD c, brand: SMC; type: II 2GD c; max. pressure: 10 bar;	10.00
642	1 <b>machine parts</b> description: incl. : Honeywell positioners; Belimo SM24 rotary actuators; and including wooden crate.;	10.00
643	1 <b>Punch and Shearing Machine</b> Peddinghaus, 210 Super 16, serial number 8958874026, brand: Peddinghaus; type: 210 Super 16; serial number: 8958874026; foot control: yes; electric connection: 400 V; dimension L: 2100 mm; dimension W: 1800 mm; dimension H: 2250 mm;	100.00
644	1 <b>universal lathe</b> heidenreich&harbeck, 1175, brand: heidenreich&harbeck; type: 1175; number of speeds: 11; engine power: 3.5 kW; electric connection: 380 V; dimension L: 3400 mm; dimension W: 1100 mm; dimension H: 1320 mm;	100.00
645	1 <b>universal lathe</b> AP, brand: AP; coolant pump: yes; electric connection: 380 V; dimension L: 700 mm; dimension W: 2700 mm; dimension H: 1300 mm;	100.00
646	1 <b>filter extraction system</b> smog-hog, SH10PE, year built 2003, brand: smog-hog; type: SH10PE; year: 2003; electric connection: 380 V; dimension L: 1650 mm; dimension W: 500 mm; dimension H: 650 mm;	10.00



Lot	Number	Description	Starting Bid €
647	1	<b>filter extraction system</b> smog-hog, SH10PE, year built 1998, brand: smog-hog; type: SH10PE; year: 1998; electric connection: 380 V; dimension L: 1650 mm; dimension W: 500 mm; dimension H: 650 mm;	10.00
648	1	<b>filter extraction system</b> smog-hog, SH10PE, year built 1998, brand: smog-hog; type: SH10PE; year: 1998; electric connection: 380 V; dimension L: 1650 mm; dimension W: 500 mm; dimension H: 650 mm;	10.00
649	1	<b>vulcaniseerpersmachine behalf truck tires</b> SIO, MR4, serial number 40056, brand: SIO; type: MR4; serial number: 40056; electric connection: 400 V; total dimension L: 2700 mm; total dimension W: 2200 mm; total dimension H: 1950 mm; description: test date 9/9/1998;	100.00
650	1	<b>vulcaniseerpersmachine behalf truck tires</b> SIO, MR4, serial number 40055, brand: SIO; type: MR4; serial number: 40055; electric connection: 400 V; total dimension L: 2700 mm; total dimension W: 2200 mm; total dimension H: 1950 mm; description: test date 25/09/1985;	100.00
651	1	<b>filter extraction system</b> electric connection: 380 V; dimension L: 1100 mm; dimension W: 550 mm; dimension H: 550 mm;	10.00
652	2	<b>turbine</b> youba, brand: youba; electric connection: 380 V; description: including: 2x electric motor;	10.00
653	1	<b>radial drilling machine</b> Cincinnati, toolmaster-MT, year built 1974, serial number 602F1ABF57, brand: Cincinnati; type: toolmaster-MT; year: 1974; serial number: 602F1ABF57; drilling capacity: 130 mm; number of speeds: 9; speed from N=: 38 rpm; speed till N=: 340 rpm; T-slot fixture table size L: 300 mm; T-slot fixture table size W: 1400 mm; coolant pump: yes; electric connection: 380 V; manual present: yes; dimension L: 1800 mm; dimension W: 1400 mm; dimension H: 2200 mm;	100.00
654	2	<b>machine clamp</b> hydraulic: yes; jaw width: 160 mm; overall length: 1600 mm;	50.00
655	1	<b>guillotine</b> Reinhardt, 82.10, brand: Reinhardt; type: 82.10; knife length: 1040 mm; max. cutting thickness: 2.5 mm; own weight: 750 kg; total dimension L: 2850 mm; total dimension W: 1450 mm; total dimension H: 1250 mm; description: vv foot control ;	50.00
656	1	<b>band saw</b> meba, 330A, year built 1986, brand: meba; type: 330A; year: 1986; saw blade size L: 4600 mm; saw blade size W: 41 mm; saw blade thickness: 1.3 mm; electric connection: 400 V; dimension L: 2400 mm; dimension W: 2500 mm; dimension H: 1900 mm;	100.00
657	13	<b>window frames</b> door frame: yes; wood: yes; dimension W: 1015 mm; dimension H: 2230 mm; thickness: 40 mm;	10.00
658	14	<b>window frames</b> door frame: yes; wood: yes; dimension W: 1015 mm; dimension H: 2230 mm; thickness: 40 mm;	10.00
659	54	<b>window frames</b> door frame: yes; wood: yes; dimension W: 1015 mm; dimension H: 2230 mm; thickness: 40 mm;	10.00
660	1	<b>overstock of wood</b> description: various sizes incl. L305xB122xD40mm; L141xB122xD13mm;	10.00
661	1	<b>positioning lift system</b> Dautel, Posimat-B70, year built 1990, serial number 908420, brand: Dautel; type: Posimat-B70; year: 1990; serial number: 908420; hoist capacity: 70 kg; description: pneumatic; length column ca 270 cm;	50.00
662	1	<b>tool trolleys</b> number of drawers: 9; with content: yes; total dimension L: 460 mm; total dimension W: 750 mm; total dimension H: 1020 mm;	50.00



Lot	Number	Description	Starting Bid €
663	1	<b>plate roller</b> number of rolls: 2; top roll approx.: 160 mm; roll length: 950 mm; electric connection: 500 V; dimension L: 700 mm; dimension W: 1600 mm; dimension H: 1350 mm;	50.00
664	1	<b>floor cleaner</b> Numatic , 100s, brand: Numatic ; type: 100s; wet/dry vacuum cleaner: no; total dimension L: 1200 mm; total dimension W: 450 mm; total dimension H: 1100 mm;	50.00
665	1	<b>tool trolleys</b> gedore, brand: gedore; number of drawers: 6; with content: yes; total dimension L: 1100 mm; total dimension W: 450 mm; total dimension H: 850 mm;	10.00
666	1	<b>Welding machine</b> Norweld, IL-450ZM, serial number 096178, brand: Norweld; type: IL-450ZM; serial number: 096178; tig type: yes; MMA type: yes; ampere range: 450 A; electric connection: 380 V;	10.00
667	1	<b>Welding machine</b> Norweld, IL-450ZM, serial number 071650, brand: Norweld; type: IL-450ZM; serial number: 071650; tig type: yes; MMA type: yes; ampere range: 450 A; electric connection: 380 V;	10.00
668	1	<b>residual stock powder coating / waste powder</b> Freilacke, divers, brand: Freilacke; type: divers; description: lot of boxes with waste powder coating; including the pallet;	10.00
669	1	<b>residual stock powder coating / waste powder</b> Freilacke, divers, brand: Freilacke; type: divers; description: lot of boxes with waste powder coating; including the pallet;	10.00
670	1	<b>welding fume extraction system</b> teka, strongmaster BIA, year built 2008, brand: teka; type: strongmaster BIA; year: 2008; mobile: yes; filterunit: yes; boom length: 3000 mm; electric connection: 230 V; machine weight: 130 kg;	10.00
671	1	<b>welding fume extraction system</b> teka, strongmaster BIA, year built 2008, brand: teka; type: strongmaster BIA; year: 2008; mobile: yes; filterunit: yes; boom length: 3000 mm; electric connection: 230 V; machine weight: 130 kg;	10.00
672	1	<b>sticky robot</b> Fibro, Mants, year built 1987, serial number 507903, brand: Fibro; type: Mants; year: 1987; serial number: 507903; number of axis: 4; controller model: MZ robolab; electric connection: 400 V; description: serving sticking bricks; displacement x-axis 7900 mm; displacement z-axis 1550 mm; equipped with portal, dimensions . approx. 7000x3500 mm; control cabinet ; cable tray; (Note charges may be applicable for uithuizen!); Location: Harbrinkhoek.;	1,000.00
673	3	<b>machine clamp</b> SKF, UD-1D, brand: SKF; type: UD-1D;	10.00
674	3	<b>machine clamp</b> SKF, UD-1D, brand: SKF; type: UD-1D;	10.00
675	2	<b>storage box</b> total dimension L: 300 mm; total dimension W: 1000 mm; total dimension H: 1980 mm;	10.00
676	5	<b>Locker closet</b> total dimension L: 4500 mm; total dimension W: 1200 mm; total dimension H: 1980 mm; description: various sizes; including: drawer units/ filling pedestal ;	10.00
677	3	<b>closet</b> total dimension L: 400 mm; total dimension W: 1000 mm; total dimension H: 1990 mm;	10.00
678	5	<b>closet</b> total dimension L: 450 mm; total dimension W: 1200 mm; total dimension H: 1990 mm;	10.00
679	1	<b>punching accessories</b>	10.00
680	1	<b>punching accessories</b>	10.00
681	1	<b>punching accessories</b>	10.00



**TROOSTWIJK**  
INDUSTRIAL AUCTIONEERS & VALUERS SINCE 1930

## General conditions Online Auction TroostwijkAuctions.com

### ARTICLE 1. DEFINITIONS

**Acceptance:** the statement by Troostwijk to the user that a purchase agreement has been concluded, which statement is issued by sending an invoice.

**Purchase:** the actual delivery of the lot to the purchaser or the authorized parties of the purchaser within the time specified by Troostwijk.

**General Auction Terms and Conditions for Purchasers:** these General Terms and Conditions.

**Bid:** each irrevocable bid on items placed by users on items on the website.

**Combination of lots:** a combination of lots that are auctioned under one lot number.

**Transfer of ownership:** the transfer of ownership and with that the owner's risk occurs at the allocation.

**User:** a natural or legal person of full age, who is legally competent with the power of disposition, who has registered on the website with the purpose to place a bid, or who wishes to be kept informed of items offered for sale by Troostwijk on behalf of the seller.

**User agreement:** the agreement between Troostwijk and the user, that is concluded by registration and that entitles the user to bid on lots placed on the website.

**Lot:** an item, or a number of items that are auctioned jointly (under one number).

**Viewing day:** a time period determined by Troostwijk where the purchaser is offered the opportunity to view and inspect the items to be purchased prior to the conclusion of the purchase agreement.

**Purchase agreement:** the sales agreement between the seller and the client of Troostwijk, respectively the purchaser.

**Purchase price:** the amount of the highest allocated bid, increased with the buyer's premium for the highest bid and the VAT owed.

**Purchaser:** the user to whom the lot has been allocated for which the bid has been accepted.

**Client:** the natural or legal person who instructed Troostwijk to broker in the sale of one or various items, to his own name and account or to the name and account of a third party, e.g. an executor.

**Public Auction:** an auction conducted by an auctioneer where Buyers may be present in person.

**Buyer's premium:** the auction costs invoiced to the purchaser to a percentage of the bid, increased with turnover tax.

**Proxy bid:** in a proxy bid, the user indicates what maximum price he is willing to pay for the lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**Registration:** the registration of the user on the website by correctly and fully filling out the registration form on the website.

**Static bid:** in a static bid the user places a bid in the form of a fixed amount for each lot.

**Specific Auction Terms and Conditions for Purchasers:** the terms and conditions that, next to, in addition to or in deviation of the General User Terms and Conditions and the General Auction Terms and Conditions, apply to participation in a specific auction, as stated on the website on the page of the auction concerned.

**Allocation:** the statement by Troostwijk that a lot or a combination of lots has been allocated, against payment of the purchase price, to the highest bidder.

**Troostwijk:** Troostwijk Veilingen B.V. and / or its subsidiary / subsidiaries or affiliate(s), as stated on the website.

**Auction:** the public sale of movable items organized by Troostwijk on the internet.

**Seller:** the natural or legal person who wishes to sell items to the purchaser(s) through brokerage by Troostwijk.

**Website(s):** the website [www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com), that is maintained by Troostwijk Veilingen B.V., with its registered office in Amsterdam, The Netherlands, and all other (future) websites registered or to be registered in the name of Troostwijk, that are used for the auction concerned.

**Items:** movable items that are auctioned, either jointly or not in one lot.

### ARTICLE 2. APPLICABILITY

**2.1** The User Terms and Conditions apply to the relationship between the purchasers respectively the users on the one hand and Troostwijk on the other hand for the participation in auctions.

**2.2** The applicability of other General Terms and Conditions than these Terms and Conditions, the General Auction Terms and Conditions, and (if applicable) the Specific Auction Terms and Conditions, is excluded.

**2.3** Troostwijk collects and processes personal data of Users, Sellers and Purchasers in accordance with the Privacy Statement on its Website, The General Data Protection Regulation and other applicable laws and regulations. Any person other than Troostwijk is not allowed to use these personal data for its own commercial purposes.

### ARTICLE 3. THE AUCTION

**3.1** Troostwijk reserves the right to cancel an auction, to terminate an auction prior to the time stated on the website, or to extend an auction. If there is a technical malfunction of the website, due to which the website is not fully accessible and / or inaccessible for all users, Troostwijk is entitled to extend the auction by 24 hours.

**3.2** By registering, the user states to be aware of and to agree to the special circumstances of an internet auction and with the technical imperfections that could occur in such an auction. Troostwijk hereby excludes all liability for any damage whatsoever, directly and / or indirectly, that occurred in any manner, including, but not limited to, damage resulting from the use of the website, unless caused by intent or intentional negligence of Troostwijk. Specifically, Troostwijk does not accept liability for any damage whatsoever, that occurs in any manner by and / or results from:

**[www.TroostwijkAuctions.com](http://www.TroostwijkAuctions.com)**





- Actions of the user that were allegedly suggested by information placed on the website;
- The impossibility to (fully) use the website and / or any malfunction of the website or of the underlying system;
- The noncompliance of the lots with the specifications stated on the website;
- The fact that the information on the website is untrue, incomplete or not current;
- Faults in the website's software and / or the underlying system;
- The unlawful use of systems, including the use of Troostwijk's website by a third party;
- Actions of the seller after the user has concluded a purchase agreement with the seller.

#### **ARTICLE 4. ORGANIZATION OF THE AUCTION**

**4.1** The organization, preparation, execution and completion of the auction is carried out by Troostwijk.

**4.2** Troostwijk is entitled, before or during the auction, without stating reasons:

- Not to acknowledge a bid as such;
- To exclude one or more users from the auction;
- Combine items into lots, to divide lots and to withdraw lots from the auction;
- To correct errors of Troostwijk in auctions or allocations, without a user being able to use these errors and / or derive any rights from these errors;
- To take other measures that are required in Troostwijk's opinion.

**4.3** Troostwijk is entitled, before and / or during the participation in certain auctions and / or bids on certain lots, to demand advance payment or any other form of security from the users, before proceeding to delivery or further delivery.

**4.4** The client and / or Troostwijk are entitled to add lots from another offerer to an auction.

**4.5** Troostwijk's judgment on what took place during the auction shall be binding.

#### **ARTICLE 5. BIDS; PURCHASE AGREEMENT**

**5.1** The user can place a bid on the website for one or more lots. Each bid is unconditional, irrevocable, and without any reservation. Troostwijk and / or the seller are entitled to refuse bids without stating reasons. Bids shall take place excluding buyer's premium and VAT. Troostwijk and / or the seller are entitled to place bids.

**5.2** Troostwijk determines whether, when a bid was placed, such an error was made that the person who placed the bid will not be held to it. Users cannot derive any rights from the decision.

**5.3** If a lot is also submitted to an auction in combination with one or more other lots, this shall be stated on the individual page of the lot on the website. In that case, a bid can first be placed on the individual lots of the combination and after all separate lots have been closed, on the combined lot. Individual lots shall only be allocated if the total amount of the highest bids to be allocated for the individual lots is higher than the highest bid to be allocated for the combination. The combination shall only be allocated if the highest bid to be allocated for the combination is higher than the total amount of the highest bids to be allocated for the separate lots.

**5.4** Bids can be placed in the form of a "static bid" or a "auto bid". In a static bid, the user places a bid in the form of a fixed amount for each lot. In an automatic bid, the user states which maximum price he is willing to pay for a lot. The auction system ensures that, after an overbid by a third party, the minimally higher bid is immediately placed on behalf of the user, as long as the maximum amount indicated by the user is not exceeded. The user can only cancel an automatic bid in the interim by placing a static bid that is the highest bid at that time.

**5.5** The purchase agreement is created by allocation. Allocation is usually to the user who placed the highest bid. By applying the stipulations in article 5.1, pursuant to the award conditions in the Specific Auction Terms and Conditions or for other reasons, to the discretion of Troostwijk, the lot can instead be allocated to another user than the user who placed the highest bid to be allocated.

**5.6** Within 48 hours after the auction has been closed (not counting Saturdays, Sundays and national holidays), the purchaser is informed by e-mail, on behalf of the seller(s), that the purchase agreement has been concluded. If the user does not receive an e-mail within this term, this means that his bid has not been allocated. Troostwijk is entitled not to allocate or to allocate under suspensive conditions / a suspensive condition.

**5.7** Troostwijk is not a party to the purchase agreement, but only brokers in creating purchase agreements. If there is a forced sale, this shall be stated in the Specific Auction Terms and Conditions or on the auction page on the website.

**5.8** If the receiver is the seller, article 7:19 of the Civil Code of The Netherlands shall apply.

**5.9** If the auction takes place "before a civil-law notary or a court bailiff", this official shall supervise the auction and the bids and allocations in the auction.

**5.10** If it concerns a non-public auction, the Buyer who is a private individual not acting as a professional or business man has the right to terminate





the agreement without giving any reason within 14 days from the date the purchases have come into his possession To exercise this right of withdrawal Troostwijk must be informed of the decision in order to terminate the agreement by receiving a written declaration by the buyer.

**5.11** If the buyer applies for the right of withdrawal, Troostwijk will charge the buyer an amount of €25 administration fee for each returned lot. The buyer also bears all costs associated with the returning the goods purchases.

## **ARTICLE 6. GUARANTEES, CLAIMS AND INDEMNIFICATIONS**

**6.1** Troostwijk and / or the seller shall grant no guarantees whatsoever concerning the lots and any claims by third parties. The purchaser waives all rights that do not vest in the purchaser under mandatory law.

**6.2** Troostwijk and the seller shall make their best effort to attain the best completeness, correctness and clarity as possible of the description and photographs of a lot on the website, other auction brochures, advertisements and suchlike, without any liability for damage resulting from incorrect or incomplete descriptions, or without accepting other damage.

**6.3** Any mains, cables or other connections, for the energy, controls or production on / in a lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions, shall only be sold to the first circuit breaker, fitting or, alternatively, the identifying mark provided. Underground or built-in connections shall never form part of the lot, unless specifically stated otherwise in the Specific Auction Terms and Conditions.

**6.4** The lots are sold 'as is' in the condition in which they exist on that date of allocation, with all connected benefits and burdens. Troostwijk and / or the seller grant no indemnification whatsoever for visible or hidden defects, nor do they provide any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties.

**6.5** Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. The purchaser is assumed to have conducted a thorough investigation in advance of the lot he purchased.

**6.6** If, concerning the items, there are claims by third parties under (intellectual or other) property rights, including retention of title and / or rights of third parties pursuant to articles 3:166-200, 3:201-266, 3:290-295, 6:52-57, 6:271 (after a claim for termination based on article 6:265) and / or 7:39-44 of the Civil Code of The Netherlands, respectively other claims by third parties that can or cannot be equated with these, that are being enforced, the purchaser is obliged to retain those items for those third parties, under the obligation to transfer those items to those third parties at Troostwijk's first request, respectively make other appropriate arrangements with any rightful claimants. If the items are returned undamaged at Troostwijk's first request, the purchaser is entitled to reimbursement of the purchase price paid for the items concerned, and the purchase agreement for those items shall be considered to be terminated, without Troostwijk and / or the seller being obliged to any (damage) compensation towards the purchaser.

**6.7** The purchaser indemnifies Troostwijk and / or the seller against any claims by third parties resulting from the purchase agreement concluded between the seller and the purchaser.

## **ARTICLE 7. OBLIGATION TO INVESTIGATE USER / PURCHASER**

**7.1** The purchaser shall be offered the opportunity to investigate the items prior to the conclusion of the purchase agreement on the viewing day.

**7.2** Descriptions of the items and all information provided by or on behalf of Troostwijk, shall be given to their best knowledge and are only intended as an indication, without, however, Troostwijk and / or the seller guaranteeing the correctness thereof. If Troostwijk shows or provides a sample, model or an example, this is always only an indication. The capacities of the items to be delivered can derive no claims or rights from the aforementioned descriptions, samples, models, examples or other information. Troostwijk is entitled to correct inaccuracies in the verbal or written statements made by Troostwijk or on its behalf, and to correct any errors (during the auction or otherwise), without the purchaser deriving any rights from this. Troostwijk is not liable for any possible inaccuracies or incompleteness in the description of the items. The purchaser is not entitled to withdraw a bid, respectively terminate the purchase agreement, if it is shown that the item does not comply with the description thereof. Article 7:19 of the Civil Code of The Netherlands shall apply accordingly.

**7.3** The purchaser – respectively the carrier engaged by the purchaser – is obliged to properly investigate the purchased items on purchase, as described further in article 10 of these Terms and Conditions. By signing the receipt for the purchased items the purchaser respectively the carrier explicitly accepts the items in their present condition, quantity and quality.

## **ARTICLE 8. PAYMENT OBLIGATIONS OF THE PURCHASER**

**8.1** The purchaser is obliged, within 48 hours of the confirmation of the allocation by the sending of the purchase agreement, to transfer the purchase price to the account number indicated by Troostwijk. Payment shall take place in euro's or in another currency to be indicated by Troostwijk.

**8.2** If the purchase price is not paid on time, Troostwijk shall charge the purchaser 15% of the purchase price, as a lump-sum amount for collection costs and / or extrajudicial costs, increased with the statutory commercial interest on the amount still owed, increased by 3% annually, starting the



day on which the payment was definitively due until the day of actual payment.

**8.3** Payments shall first be used to deduct the costs, then the interest owed and finally the purchase price.

## **ARTICLE 9. SECURITY**

**9.1** The persons accessing buildings and premises on viewing days or on the purchase day, do so fully at their own risk. Persons are required to follow the instructions issued by the client, Troostwijk and / or third parties engaged by Troostwijk, to ensure the safety of all persons present.

**9.2** The client and Troostwijk do not accept liability for damage in connection to accessing the aforementioned buildings and premises.

## **ARTICLE 10. PURCHASE**

**10.1** If and as soon as the purchaser has complied with all his payment obligations, the purchaser, at times and locations determined by Troostwijk, can pick up (or have picked up) the lot(s) concerned, showing valid proof of identity. This is considered the purchase. The purchaser is obliged to pick up the lot(s) no later than the date stated in the Specific Auction Terms and Conditions. Troostwijk can determine that a certain lot/certain lots can only be picked up after the purchase of other lots.

**10.2** The purchaser himself is responsible for the correct and timely purchase of the purchased items. Troostwijk is responsible for the organization and coordination of the time of purchase of the items sold by the client.

**10.3** If the purchaser refuses the purchase or fails to provide information or instructions required for the purchase, respectively has paid the purchase price, but has not collected the purchased items at the time and on the date determined by Troostwijk, Troostwijk will be authorized to store the purchased item(s) for the risk of the purchaser, such for a period of up to one month or a shorter period as communicated by Troostwijk in writing to the purchaser. If the purchaser still comes to collect the items, the purchaser shall pay the administrative, storage and insurance costs, with a minimum of €350.- prior to collecting the item(s). After said period of one month, or after the shorter period communicated by Troostwijk, it is assumed that the purchaser has waived the ownership rights to the items and Troostwijk will be authorized to dispose of the items again. This article applies without prejudice to the right of Troostwijk to demand performance of the agreement at all times and, in compliance with Article 12.2. to claim full compensation in the event that the purchaser is in default by operation of law due to a failure to fulfil any obligation arising from the purchase agreement.

**10.4** The purchaser is responsible to ensure that all requirements, of whatever nature, concerning the exportation of items in a EU country or other country have been complied with. This means, among others, that the purchaser has to comply with the legislation and regulations of the country concerned for the payment of taxes and charges and the required documents, and if necessary, that he obtains the required permission. If the items are to be transported, the client, respectively the purchaser, shall be recorded on the underlying transport or customs documents as sender, respectively recipient, of the items, not Troostwijk.

**10.5** The transfer of ownership and with that the owner's risk occurs at the allocation. The purchase consists of – at a time / times to be determined by Troostwijk – placing the purchased items at the disposal of the purchaser. The purchase, or, as the case may be, the transfer shall take place under the resolutive condition that the full purchase price and any other amounts possibly owed by the purchaser, have been paid by the purchaser and – in case of the sale of one or more items by order of a trustee – under the resolutive condition that the consent of the Supervisory Judge has been obtained for concluding the purchase agreement.

**10.6** If it is necessary to disassemble the purchased items for the purchase, the purchaser shall do so, to his own account and risk, in an expert manner. The purchaser is only entitled to disassemble items not connected to items purchased by the purchaser after obtaining explicit permission in writing from Troostwijk and / or the seller. The purchaser is liable for damage caused during or in the scope of the purchase and shall indemnify Troostwijk and / or the seller for claims of third parties in connection hereto.

**10.7** The purchaser shall require the explicit permission from Troostwijk and / or the seller to use his own fork-lift truck to move and / or load the lot. The purchaser is aware of the relevant legislation and regulations such as the Machinery Decree, the Health and Safety legislation and the NEN-EN standards and has a valid liability insurance for the fork-lift truck. The purchaser is at all times responsible and liable for safe use of the fork-lift truck at the auction location.

**10.8** If it becomes apparent that a lot cannot be delivered due to claims of third parties or due the fact that the purchase could cause unacceptable damage to the buildings or the premises, in or to which the lot is located, respectively be otherwise extremely onerous, Troostwijk is entitled to terminate the purchase agreement. This termination shall take place by e-mail and / or registered mail to the purchaser to the address stated by the purchaser, after which Troostwijk and / or the seller is/are only obliged to reimburse the purchaser for the amount already paid by the purchaser for the amounts already paid for the purchase of the lot(s).

**10.9** The purchaser whose lot(s) obstructs/obstruct picking-up other lots, is obliged, immediately after having been notified thereof by Troostwijk by e-mail and / or notice at the address stated by the purchaser, to ensure that this lot/these lots are picked up. If he fails to do so, Troostwijk is entitled to have this pick-up and possible storage effected by third parties, to the account and risk of the purchaser.

**10.10** Troostwijk is not responsible for the removal / disposal of waste. The Buyer is responsible for this, except in case that Troostwijk has been explicitly requested to undertake this work at buyer's expense.



**10:11** Troostwijk will inform the buyer about the presence of waste as soon as Troostwijk is aware of it during the execution of the agreement.

## **ARTICLE 11. PERSONAL / BUSINESS DETAILS OF THE SELLER / THIRD PARTY**

**11.1** The seller and the purchaser agree that the personal and / or business details of the seller or a third party that may be present on or in a lot explicitly do not form part of the purchase agreement. The purchaser is obliged, if and to the extent that personal and / or business details are present in a lot after an auction, to inform Troostwijk accordingly forthwith, and in an occurring case to provide his unconditional cooperation, at first request, to submit to the seller these personal and / or business details, respectively destroy these details. Except under the aforementioned obligation, the purchaser shall hold these details confidential and the purchaser shall not be allowed to use (or have used) these details, to provide (or have provided) these details to third parties, or grant third parties access to these details.

## **ARTICLE 12. TERMINATION**

**12.1** If the purchaser fails to comply with any obligation under the purchase agreement, including (but not limited to):

- nonpayment, respectively failure to pay on time, of the purchase price;
- failure to pick up the lot(s) in time, and / or;
- failure to provide the information or documents required for the purchase;

the purchaser is in default by operation of law and the seller is authorized to terminate the agreement with the purchaser by giving written notice, without being liable to pay any compensation (for damages) to the purchaser and/or to sell the purchased goods to one or more third parties immediately without prejudice to the right of Troostwijk and/or the seller to claim (additional) damages. The above also applies if, after the conclusion of the purchase agreement, Troostwijk or the seller becomes aware of circumstances which give the seller and/or Troostwijk good reasons to fear that the purchaser will not fulfil its obligations, in the event of bankruptcy or suspension of payment of the purchaser, if Troostwijk has asked the purchaser to provide security for the fulfilment and this security is not provided or is insufficient, or if the purchaser is otherwise in default and fails to fulfil its obligations under the purchase agreement. The purchaser shall pay compensation for any and all damage caused by its failure, incurred by both Troostwijk and the seller, to Troostwijk. In the event of dissolution as referred to in this article 12.1, the purchaser will not acquire a right to the premium, insofar as it has already been paid to Troostwijk by the purchaser.

**12.2** If circumstances arise with regard to people and / or materials used by Troostwijk or which Troostwijk is in the habit of using in the performance of the purchase agreement, which are of such nature that the performance of the purchase agreement becomes impossible or so cumbersome and/or disproportionately costly, that it would no longer be reasonable to demand performance of the purchase agreement, Troostwijk is entitled to dissolve the purchase agreement without any obligation to pay compensation (for damages) to the purchaser.

**12.3** After the title to the purchased items has passed to the purchaser, the purchaser can no longer claim dissolution or annulment of the purchase agreement. If a third party is interested in the careful removal of all or part of the item and this removal would, in the opinion of Troostwijk, jeopardize or permanently damage the building and / or for any other reason, the seller and Troostwijk will be authorized to dissolve the purchase agreement on behalf of the seller, without being required to pay any compensation, by means of a written statement to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, to credit the invoice by sending a credit note.

**12.4** If, prior to delivery and / or purchase, circumstances occur which render the delivery or purchase of the item impossible due to force majeure on the part of the seller or Troostwijk, for example due to fire, theft or natural force damage, the seller and Troostwijk will be authorized to dissolve the agreement without being required to pay compensation, by means of a written notice to the purchaser. In such a case, Troostwijk and the seller shall only be required to refund the purchase price received by Troostwijk and, insofar as an invoice has been sent by Troostwijk to the purchaser for the item(s) concerned, credit the invoice by sending a credit note.

**12.5** In the event of termination referred to in Article 12.1, the defaulting purchaser is required to pay a flat rate of 25% of the purchase price and the Buyers Premium to cover administrative, storage, insurance and transport costs, etc., subject to the right of Troostwijk and / or seller to claim full compensation. In case of credit of the purchase price below 150 Euros, Troostwijk will not reimburse the remainder to the Buyer.



## ARTICLE 13. LIABILITY

**13.1** Troostwijk's liability that remains after application of the other stipulations in these General Auction Terms and Conditions, the General User Terms and Conditions and (if applicable) the Specific Auction Terms and Conditions, shall always be limited to the amount that can be claimed from Troostwijk's liability insurance. In the event that the liability insurance of Troostwijk does not cover the event the liability of Troostwijk will be limited to € 5000,-.

**13.2** Troostwijk is not liable for any consequential damage such as – but non-exhaustive – damage in the form of loss of profit or unsaleability of the items.

**13.3** Any liability of Troostwijk in connection to any default to the lot(s), or in connection to an (alleged) violation of the rights of (intellectual property of) third parties is excluded. The purchaser states to be aware that possible rights of (intellectual property of) third parties can be vested in third parties.

**13.4** Without prejudice to the provisions in article 6:89 of the Civil Code of The Netherlands, each claim right of the purchaser on Troostwijk and / or the seller shall cease to have effect after expiry of 2 weeks after the items have been delivered or made available to the purchaser under the agreement, unless the purchaser has instituted proceedings at the competent court within this term.

**13.5** Troostwijk and / or the seller do not indemnify the purchaser for visible or hidden defects, nor grant any guarantee in connection to the completeness, required documentation, numbers, performance, saleability, the purpose for which the purchaser has purchased the items, the existence or non-existence of rights of or claims by third parties and / or the possibility to transfer items to third parties. Any defects of whatever nature, disappointed expectations of the purchaser and / or acquiring third parties give no right whatsoever to (damage) compensation and / or compliance to the purchaser or other third parties. If there is nonconformity as referred to in article 7:17 paragraph 2 and / or 3 of the Civil Code of The Netherlands, the exclusion of liability in this article 13.5 to the extent that this applies to the seller, shall not apply if there is a purchase agreement concluded with a Consumer, unless there is force majeure from the seller and / or if the purchaser does not submit a complaint in a timely manner, all of this provided that article 7:19 of the Civil Code of The Netherlands applies.

**13.6** Troostwijk and / or the seller are not liable for damage and consequential damage – personal injury or damage to another item than the purchased item (article 6:190 of the Civil Code of The Netherlands) – if the nonconformity is a defect in the meaning of the product liability scheme in article 6:185 et seq. of the Civil Code of The Netherlands. If there is a purchase agreement concluded with a Consumer, the exclusion of liability in this article 13.6 shall not apply towards the seller who produced these items if (i) the seller knew or should have known the defect, (ii) the seller acknowledged the lack of the defect, or (iii) this concerns material damage for which, under Section 3 Title 3 of Book 6, there is no right to compensation based in the franchise stipulated in that section, without prejudice to his defense pursuant to Sections 9 and 10 Title 1 of Book 6.

**13.7** Without prejudice to the other stipulations in this article 13, the liability of Troostwijk and the seller shall apply to the following:

- Troostwijk and / or the seller shall not be liable for damage to persons or items that occurred or were caused prior to the conclusion of the purchase agreement;
- Troostwijk and / or the seller shall not be liable for damage to, caused by or in connection to the purchased items, including the loss of the purchased items;
- Troostwijk and / or the seller shall not be liable for visible and hidden defects of the purchased items. The purchaser shall have to investigate this within the scope of the inspection described in article 7 of these terms and conditions, whilst the purchaser is also obliged to inform Troostwijk by return mail after discovering any imperfections, defects, deviations and suchlike. If the purchaser fails to do so, the consequences thereof shall be to the account of the purchaser;
- Troostwijk and / or the seller shall not be liable for noncompliance of the purchased items with European directives, legal provisions and other legislation and regulations, including legislation and regulations in the area of promoting employee workplace safety;
- Troostwijk and / or the seller shall not be liable for damage caused by and / or resulting from environmentally damaging or hazardous substances in or on the purchased items;
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of computer malfunctions, including also defects and / or malfunctions of hardware and / or software. Troostwijk and the seller are therefore, among others, not liable for damage if the purchaser is unable to place a bid due to a computer malfunction.
- Troostwijk and / or the seller shall not be liable for damage caused within the scope of an internet auction, as a result of any viruses spread through the auction website or other unlawful programs or files.
- Troostwijk and / or the seller shall not be liable for damage caused by incorrect, outdated and / or incomplete information, whether or not this is stated on Troostwijk's website and / or on websites that can be accessed by clicking on links to other websites referred to on Troostwijk's website; and Troostwijk cannot guarantee that the seller is actually entitled to sell the items and that these items are not encumbered by restricted rights, other restrictions or intellectual property rights of third parties.
- Troostwijk shall not be liable for damage suffered and to be suffered by the purchaser, including any consequential damage, if this concerns the seller's lack of power of disposition to sell, other restrictions and / or intellectual property rights by third parties in connection to the items.

**13.8** The liability restrictions in these Terms and Conditions of Troostwijk, respectively the seller, shall not apply if the damage can be attributed to intent or gross negligence by Troostwijk, respectively the seller, or their managers and / or employees, respectively the auxiliary staff employed by Troostwijk, respectively the seller.

**13.9** The purchaser hereby waives his rights under Title 1 of Book 7 of the Civil Code of The Netherlands, to the extent that these conditions can be legally deviated from.



## **ARTICLE 14. EXECUTION**

**14.1** If this concerns a forced sale, respectively a sale pursuant to summary execution, the provisions in article 7:19 of the Civil Code of The Netherlands shall apply.

## **ARTICLE 15. ADAPTATIONS; EFFECT**

**15.1** If and to the extent that any stipulation of the General User Terms and Conditions is invalid or nullified, the other stipulations of the General User Terms and Conditions shall remain in full force. Troostwijk shall then establish a new stipulation to replace the invalid/nullified stipulation, which shall take into account to the fullest extent possible the meaning of the invalid/nullified stipulation.

**15.2** Apart from these General Auction Terms and Conditions, Troostwijk can make Specific Auction Terms and Conditions applicable. purchasers shall be informed of the Specific Auction Terms and Conditions in advance. If and to the extent that the Specific Auction Terms and Conditions are contrary to the General Auction Terms and Conditions, the Specific Auction Terms and Conditions shall apply.

**15.3** Deviations from these General Auction Terms and Conditions are only possible if this has been confirmed in writing by a competent representative of Troostwijk.

**15.4** Troostwijk reserves the right to change these Terms and Conditions of Auction. Changes take effect 24 hours after they have been sent by email to the user. These terms and conditions replace all previous general terms and conditions, unless explicitly stated otherwise by Troostwijk.

## **ARTICLE 16. APPLICABLE LAW**

**16.1** The laws of The Netherlands shall apply to these General Auction Terms and Conditions and the legal relationships created by the auction.

**16.2** The Dutch text of the General Auction Terms and Conditions is the original text. If the General Auction Terms and Conditions are used in other languages, in case of lack of clarity or inconsistencies, the Dutch text shall therefore prevail.

**16.3** The Court of Amsterdam, The Netherlands (without prejudice to the right of appeal and without prejudice to the legal stipulations to the contrary) is competent, excluding any other authorities, to rule in disputes resulting from these terms and conditions and / or the auction.

### Did you know?

- we organise auctions in **25 countries**
- we have **1,6 million** page views on a top day

# *The European Online Auctioneer and Valuer*

### 1300 Auctions

Troostwijk conducts  
annually **1300** auction sales  
all over Europe

### Statistics

- Every year we deal with **50.000** bidders
- from 95 different countries
- over 500.000 registrations

### 15 Countries

Troostwijk has  
own offices  
in 15 European countries

### 85 Years

Troostwijk is conducting  
auctions since 1930 and  
has 85 years of experience